Largo Investments LLC

PHASE I ENVIRONMENTAL SITE ASSESSMENT

at

538-540 West 29th Street, Manhattan, NY

ESPL Project # 251-1

April 2018

Prepared By

ESPL *ENVIRONMENTAL CONSULTANTS CORPORATION*

57 West 57th Street
New York, NY 10019
(212) 330-7501

Table of Contents

Page No.

1.0 Executive Summary 1

2.0 Introduction 6
- 2.1 Purpose of Study 6
- 2.2 Detailed Scope-of-Services 6
- 2.3 Significant Assumptions 7
- 2.4 Limitations and Exceptions 7
- 2.5 Special Terms and Conditions 7
- 2.6 User Reliance 9
- 2.7 Limiting Conditions and Methodology Used 9

3.0 Current Site Characteristics 9
- 3.1 Site Location and Legal Description 9
- 3.2 Site and Vicinity General Characteristics 10
- 3.3 Site Improvements, Utilities and Current Use of the Property 10
  - 3.3.1 Site Improvements 10
  - 3.3.2 Utilities 10
  - 3.3.3 Current Use of the Subject Site 10
- 3.4 Ownership 11
- 3.5 Site Reconnaissance and Interviews 11
  - 3.5.1 Exterior Observations 11
    - 3.5.1.a Indication of Underground Injection Control (UIC) 11
    - 3.5.1.b Indications of PCB 11
    - 3.5.1.c Indication of Solid Waste 12
    - 3.5.1.d Chemical Staining and Stressed Vegetation 12
    - 3.5.1.e AST AND UST 12
  - 3.5.2 Interior Observations 12
    - 3.5.2.a Hazardous Substances Use, Storage, Handling & Disposal 12
    - 3.5.2.b Hazardous Substances/Unidentified Substance Containers (Storage, Handling and Disposal) 12
    - 3.5.2.c Storage Tanks 13
  - 3.5.3 Additional Observations 13
    - 3.5.3.a Suspect ACM 13
    - 3.5.3.b Lead Based Paint 13
    - 3.5.3.c Radon 13
- 3.6 Physical Setting 14
  - 3.6.1 USGS Map 14
  - 3.6.2 Site Geology 15
  - 3.6.3 Groundwater Use 15

4.0 Current Area Characteristics 15
- 4.1 Current Uses and Visual Inspection of Adjoining Properties 15

5.0 Historical Use Information 15

5.1 Sanborn Fire Insurance Maps 15
5.2 Historical Aerial Photographs 16
5.3 Historical USGS Topographic Maps 16
5.4 Historical City Directories 16
5.5 Historical Certificates of Occupancy 16
5.6 Title Records 17

6.0 Review of Regulatory Agency Records and Documents 17
6.1 Federal ASTM Standard Records 17
A. RCRIS 17

6.2 New York State ASTM Standard Records 17
A. LTANKS 17
B. NY SPILLS 17
C. EDR Vapor Enroachment Screen 18
D. EDR High Risk Historical Records 18

6.3 New York State Local Records for FOIL Requests 18
A. New York State Department of Environmental Conservation 18
B. New York State Department of Health 18
C. New York City Fire Departmentl 18
D. New York City Department of Environmental Protection 19
E. New York City Department of Buildings 19

7.0 Findings 19

8.0 Opinion and Conclusion 20

9.0 References 22

10.0 Signature of Environmental Professional 23

ACRONYMS 24

Appendices

Appendix A: Maps & Figures
Figure 1- Location Map
Sanborn Maps

Appendix B: Photographs

Appendix C: Regulatory Database
City Directories
Environmental Lien Search Report
Historical Topographic Maps
Aerial Photographs

Appendix D: Phase I ESA Questionnaire
Foil Requests
Title Search
Certificate of Occupancy
Property Tax Map Report
Vapor Encroachment Screen
NYCDOB
NYCDEP CATS

REPORT SPECIFICATIONS

Copies and circulation of this report are as follows:

Principal

(1 Copy)……. Largo Investments LLC

Additional Copies

(1 Copy)……In Confidential Client File at ESPL

This report is prepared for the exclusive use of the principal noted above and is considered private and confidential. ESPL shall not release this report or any of the findings of this report to any person or agency except with the authorization of the named principal.

1.0 Executive Summary

ESPL Environmental Consultants Corp. (ESPL) prepared a Phase I Environmental Site Assessment (ESA) in accordance with the American Society of Testing Materials (ASTM) Standard E 1527-13 and EPA AAI Rule at 538-540 West 29th Street, Manhattan, NY. This ESA was carried out on behalf of Largo Investments LLC.

Site Inspection

On March 22, 2018, an inspection of the subject sites was conducted. The subject area is located in a Residential area of Manhattan, NY. The usage of the subject site is as follow:

Building Number	Blk.	Lot	Usage/Structure
538 West 29th Street	700	55	3 story building with basement
540 West 29th Street	700	56	3 story building with basement

538 West 29th Street

The lot size of the subject site is rectangular shaped, with 25.5 feet facing West 29th Street and 98.75 feet deep. The lot area is approximately 2,518 square feet. A three story building with a cellar is currently on the site. The building was vacant and indicated that the first floor was used as Elite Investigations and Skylight Gallery and the upper floors were used as retail, offices and other uses. The basement housed the utilities and storage room. Location map is listed in Appendix A and Photographs in Appendix B.

540 West 29th Street

The lot size of the subject site is rectangular shaped, with 25. feet facing West 29th Street. A three story building with a basement is currently on the site. The first floor was used as Arrt Gallery and the upper floors are used as apartments. The basement housed boiler room and utility meters and connections and sump pump. Location map is listed in Appendix A. The NYC DEP CATS Information system indicates that 540 West 29th Street has two separate applications numbers CB076700 and CA072488 indicating the registration of a No.2 fuel boiler, see Appendix D.

Both lots are connected to the municipal water, sewer and electrical services. Con Edison provides electricity, and natural gas to the subject site. There was no evidence of stressed vegetation at the subject site.

There was no storage or use of raw chemicals or regulated materials at the time of inspection. There was no drinking water wells located on the subject sites or on any of the adjacent sites during the site inspection.

Photographs of the subject site and neighboring properties are included in Appendix B.

Site History Review

A review of the historical city directories indicated that 538-540 West 29th Street was used as a multi-story commercial building. A complete listing is located in Appendix C.

Historic records also indicate that the adjacent sites use included a auto body shop, retail and residential.

Review of Public Records
Location, topographical and aerial maps are listed in Appendix C.

A file search of the Sanborn Maps for 538-540 West 29th Street was conducted. There are 25 available Sanborn Maps for the subject site and based on these maps the site has been a 3-story building with a cellar since 1910.

Two Certificates of Occupancy (CO), were found for 538 West 29th Street and are located in Appendix D. The CO issued on October 20, 1970, Number 68630, indicated that the building was commercial for light manufacturing of steel products and miscellaneous fabrications and assembly. The cellar's listed use was heating plant and storage, the three stories was for assembly of metal pipe coat racks The CO dated July 22, 1987 No. 90642 indicated the usage as art reproductions, retail store and offices.

Six Certificates of Occupancy were found for 540 West 29th Street. The February 13, 1924 CO No. 1924 indicated that the building's use was as an auto repair shop (first floor) and factory on the second and third floors. Temporary CO's were issued on May 4, 2012 and August 5, 2013 and indicated that the site was a commercial building with an auto repair on the first floor and one residential apartment on the second and one on the third. A final Co No. 103580714F was issued on April 18, 2014 indicating that the first floor was an art gallery and one residential apartment on the second and one on the third. (See Appendix D).

The New York City Department of Buildings has listed the subject site under "E" Designation by the Environmental Quality Review for hazmat/noise and air.

Correspondence from the New York State Department of Environmental Conservation (NYSDEC), New York State Department of Health, New York City Fire Department and the New York City Department of Environmental Protection are listed in Appendix D.

Interviews

A Phase I Questionnaire was submitted to Michael Zampetti, for completion and is located in Appendix D.

The standard environmental record source of the subject site and the surrounding properties were reviewed (See Appendix C). The data search is summarized on the following table:

Map Findings Summary								
Latitude: 40.7520400 **Longitude:** 74.0034250								
Database	Target Property	Search Distance (Miles)	<1/8	1/8 - ¼	¼ - ½	½ - 1	>1	Total Plotted
Federal Records								
NPL		1.000	0	0	1	0	NR	1
Proposed NPL		1.000	0	0	0	0	NR	0
Delisted NPL		1.000	0	0	0	0	NR	0
NPL Liens		TP	NR	NR	NR	NR	NR	0
FEDERAL FACILITY		1.000	0	0	0	0	NR	0
CORRACTS		1.000	0	0	0	0	NR	0
RCRA TSDF		0.500	0	0	0	NR	NR	0
RCRA LQG		0.250	6	15	NR	NR	NR	21
RCRA SQG		0.250	3	6	NR	NR	NR	9
RCRA CESQG		0.250	2	7	NR	NR	NR	9
ERNS		TP	NR	NR	NR	NR	NR	0
HMIRS		TP	NR	NR	NR	NR	NR	0
US ENG CONTROLS		0.500	0	0	0	NR	NR	0
US INST CONTROL		0.500	0	0	1	NR	NR	1
DOD		1.000	0	0	0	0	NR	0
FUDS		1.000	0	0	0	0	NR	0
US BROWNFIELDS		0.500	0	0	0	NR	NR	0
CONSENT		1.000	0	0	1	0	NR	1
ROD		1.000	0	0	1	0	NR	1
UMTRA		0.500	0	0	0	NR	NR	0
ODI		0.500	0	0	0	NR	NR	0
TRIS		TP	NR	NR	NR	NR	NR	0
TSCA		TP	NR	NR	NR	NR	NR	0
FTTS		TP	NR	NR	NR	NR	NR	0
SSTS		TP	NR	NR	NR	NR	NR	0
LIENS 2		TP	NR	NR	NR	NR	NR	0
RADINFO		TP	NR	NR	NR	NR	NR	0
CDL		TP	NR	NR	NR	NR	NR	0
HIST FTTS		TP	NR	NR	NR	NR	NR	0
DEBRIS REGION 9		0.500	0	0	0	NR	NR	0
ICIS		TP	NR	NR	NR	NR	NR	0
LUCIS		0.500	0	0	0	NR	NR	0
DOT OPS		TP	NR	NR	NR	NR	NR	0
PADS		TP	NR	NR	NR	NR	NR	0
MLTS		TP	NR	NR	NR	NR	NR	0
MINES		0.250	0	0	NR	NR	NR	0
FINDS	X	TP	NR	NR	NR	NR	NR	1
RAATS		TP	NR	NR	NR	NR	NR	0

TP-Target Property
NR: Not Requested

Map Findings Summary								
Latitude: 40.7520400 **Longitude:** 74.0034250								
Database	Target Property	Search Distance (Miles)	<1/8	1/8 - ¼	¼ - ½	½ - 1	>1	Total Plotted
State and Local Records								
State Haz Waste		1.000	0	0	1	1	NR	2
SWRCY		0.500	0	1	0	NR	NR	1
SWTIRE		0.500	0	0	0	NR	NR	0
LTANKS		0.500	7	20	69	NR	NR	96
HIST LTANKS		0.500	0	0	0	NR	NR	0
UST		0.250	13	18	NR	NR	NR	31
CBS UST		0.250	0	0	NR	NR	NR	0
MOSF UST		0.500	0	0	0	NR	NR	0
HIST UST		0.250	0	0	NR	NR	NR	0
AST		0.250	15	23	NR	NR	NR	38
CBS AST		0.250	0	0	NR	NR	NR	0
HIST AST		TP	NR	NR	NR	NR	NR	0
MOSF AST		0.500	0	0	0	NR	NR	0
MANIFEST	X	0.250	50	93	NR	NR	NR	144
NY Spills		0.125	79	NR	NR	NR	NR	79
NY Hist Spills		0.125	0	NR	NR	NR	NR	0
ENG CONTROLS		0.500	0	0	1	NR	NR	1
INST CONTROL		0.500	0	0	1	NR	NR	1
DRYCLEANERS		0.250	0	0	NR	NR	NR	0
BROWNFIELDS		0.500	1	0	8	NR	NR	9
MOSF		0.500	0	0	0	NR	NR	0
CBS		0.250	0	3	NR	NR	NR	3
E DESIGNATION	X	0.125	48	NR	NR	NR	NR	49
Tribal Records								
INDIAN RESERV		1.000	0	0	0	0	NR	0
INDIAN LUST		0.500	0	0	0	NR	NR	0
INDIAN UST		0.250	0	0	NR	NR	NR	0

TP-Target Property
NR: Not Requested

Numerous off-site facilities within the radius specified under ASTM Standard E 1527-13 were identified through the Environmental Data Resources, Inc. database search.

Environmental Liens
No environmental liens were found for the property.

Conclusions and recommendations are submitted based on the careful consideration of the results of the site inspection and the scope of work. The information provided in this report has been obtained during interviews and field inspections, and database search, review of geographical location, geology and hydrogeology of the site including the physical evidence. This ESA does have evidence of Recognized Environmental Conditions (REC) in connection with 538-540 West 29th Street, Manhattan, NY.

It should be noted that when a Phase I ESA is completed without subsurface exploration of chemical screening of the soil and the groundwater beneath the site, no statement of certainty can be made regarding the subsurface conditions that may result from on-site or off-site sources. The possibility always exists for contamination to migrate through surface water, air and/or groundwater. However, ESPL believes that the assessment was sufficient to provide a reasonable characterization of the environmental condition of the property, and that the preliminary identification of potential environmental concerns/problems can be made on the information procured.

2.0 Introduction

ESPL Environmental Consultants Corp. (ESPL) prepared a Phase I Environmental Site Assessment (ESA) in accordance with the American Society of Testing Materials (ASTM) Standard E 1527-13 and EPA AAI Rule at 538-540 West 29th Street, Manhattan, NY. This ESA was carried out on behalf of Largo Investments LLC.

This report presents the findings of the ESA and makes conclusion and recommendations regarding the environmental condition of the property within the Limitations and Exceptions of Assessment (Section 2.4) and Limiting Conditions and Methodology Used (Section 2.7). It is generally not within the scope of this report to perform any testing or sampling but to compile information that are publicly available and obtainable within a reasonable time and cost constraints, and practically reviewable.

2.1 Purpose of Study

The purpose of this practice is to identify REC within the subject sites.

The term REC means the presence or likely presence of any hazardous substance or petroleum products on a property under conditions that indicate an existing release, a past release, or threat of a release into structures or into the ground, groundwater, or surface water of the property. The de-minimis conditions that generally do not present a material risk of harm to public health or the environment, which would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies, are excluded.

The ESA consists of a review of various sources of information concerning the previous ownership and uses of the real property. Among which, a historical review of the records of past use of sites and adjacent properties is conducted. Past and present owners are interviewed and investigated. An on-site walk–through inspection and evaluation of the property's current use is conducted, and areas of potential environmental concern are identified. In addition, records from federal, state and local government, as well as private agencies, are examined, and Sanborn maps are provided.

The report format of this ESA follows the ASTM Designation E 1527-13 that has been arranged to address general observations, conditions and concerns under the Superfund Amendments and Reauthorization Act (SARA 1986).

The most notable element included in the scope of this report is related to the fact that as a buyer of real property, it limits the amount of liability, resulting from preceding property activity; you might eventually have to face as a landowner. It clearly states that if the site assessment is conducted in due diligence, the new owner is entitled to be considered an "innocent land owner".

2.2 Detailed Scope-of-Services

The scope of work for this assessment was in general accordance with the ASTM Standard Practice for Environmental Site Assessment: Phase I ESA Process (ASTM Designation: E1527-13). These methodologies are described as representing good

commercial and customary practice for conducting an ESA of a property for the purpose of identifying recognized environmental conditions.

1.2.1 All Appropriate Inquiry
1.2.2 ASTM-1527-13

2.3 Significant Assumptions

While this report provides an overview of potential past and present environmental concerns, the environmental assessment is limited by the available information at the time of the assessment. The conclusion and recommendations that are presented in this report are based on a scope of work authorized by the client.

ESPL has made the following significant assumptions:

- The information provided by Environmental Data Resources, Inc. regarding the regulatory status of the facilities is complete, accurate and current.
- Information provided by the owner is complete, accurate and current.

2.4 Limitations and Exceptions

The purpose of this investigation was to identify potential sources of contamination at the subject sites, and to satisfy the all-appropriate inquiry standard set forth in Section 9601 (35)(b) of CERCLA. The findings and conclusions set forth in this report are based upon information that was available to ESPL during inspection of the properties and after review of acquired records and documents.

The presence or absence of any such condition can only be confirmed through the collection and analysis of air, soil and/or groundwater samples, which was beyond the scope of work for this investigation. In conformance with the scope and limitations of ASTM Practice E 1527-13 a Phase I ESA was performed at 538-540 West 29th Street, Manhattan, NY.

The use of ASTM practice E 1527-13 is strictly limited to the scope set forth in the ASTM standards on ESA for commercial real estate.

ESPL does not represent that the sites referred to herein contains hazardous or toxic substances or other latent conditions beyond those observed during the site assessment. ESPL does not assume responsibility for the discovery of any special resources, nor does it assume responsibility for the elimination of hazards or adverse conditions that may cause accidents, injuries, damage, client liabilities, or environmentally adverse conditions.

2.5 Special Terms and Conditions

The preceding ESA is subject to the following conditions and to such other conditions and limiting conditions as are set forth in the report:

1. ESPL assumes no responsibility for hidden or latent conditions or misrepresentation by the property owner, his representatives, public information officials or any authority consulted in connection with the

compilation of this report.

2. This report is prepared for the sole and explicit purpose of assessing the potential liability with respect to the suspected presence of hazardous substance or petroleum product on the property under conditions that indicate an existing release, a past release, or a material threat of a release of any hazardous substance or petroleum products into structures on the property or into the ground, groundwater, or surface water of the property. This report is not intended to have any direct bearing on the value of the property.

3. Any relevant information made available after this date, or change in use of the property other than what is identified in this report, future events and/or investigation could change the findings stated herein and require update and revision of the report. Should additional investigations encounter differing conditions, sections of this report may require updating.

4. The ESA is for the sole use of the principal parties. Sole ownership of this report is granted by ESPL to Largo Investments LLC. ESPL responsibility for the contents of this report remains with Trans World Equities and does not extend to future holders of the report or property owners. No disclosure or reproduction shall be made of the preceding report without the prior written consent of ESPL.

5. Although this investigation was performed in accordance with good commercial and customary practice and generally accepted protocols within the consulting industry, ESPL cannot guarantee that the property is completely free of hazardous substances or other materials or conditions that could subject Largo Investments LLC.

6. ESPL or their representatives are not required to give testimony with reference to the expressed herein without prior written arrangement.

7. This information contained in this report has been obtained from publicly available sources and other secondary sources of information produced by entities other than ESPL. Although great care has been taken by ESPL in compiling and checking the information contained in this report to insure that it is current and accurate, ESPL disclaims any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence or otherwise, and for consequences arising there from. The data provided hereunder neither purports to be nor constitutes legal or medical advice. It is further understood that ESPL make no representations or warranties of any kind, including, but not limited to, the warranties of fitness for a particular purpose of merchantability, nor any such representations or warranties to be implied with respect to the data furnished, and ESPL assume no responsibility with respect to customer's, its employees', clients', or customers' use thereof. ESPL shall not be liable for any special, consequential, or exemplary damages resulting, in whole or in part, from

customer's use of the data. Liability on the part of the ESPL is limited to the monetary value paid for this report. The report is valid only for the geographical parameters specified on the cover page of this report, and any alteration or deviation from this description will require a new report. This report does not constitute a legal opinion.

2.6 User Reliance

This report may be relied upon by Largo Investments LLC. This report has no other purpose and should not be relied upon by any other person or entity. ESPL declares that we meet the definition of a Qualified Environmental Professional as defined in 312.10 of 40 CFR 312. ESPL has the specific qualifications based on education, training, and experience to assess a property of the nature, history and of the subject property.

2.7 Limiting Conditions and Methodology Used

To perform the ESA, the following procedure and methodology was used within the listed limitations:

1) A detailed inspection of the subject site including the interior and exterior of the accessible existing buildings and the sites' perimeters for RECs.

2) A Phase I Questionnaire was submitted to and completed by Michael Zampetti, of Largo Investments LLC

3) Interviews and the site investigation were conducted with the Joe Cunettei of Largo Investments LLC.

4) Neighboring property utilization was evaluated to determine potential impact on the subject site.

5) Review the sites for PCB contaminated transformers.

6) Review of files and documents maintained by the federal, state and local regulatory agencies concerning environmental hazards associated with the subject site if such information exists.

7) Identification of surrounding property and their use.

8) Locate and review areas of possible contamination.

3.0 Current Site Characteristics

3.1 Site Location and Legal Description

The subject area is situated in a Commercial/Residential Chelsea Area of Manhattan. (See Appendix A, Fig. 1). The subject site is located south of West 29th Street

between 10th and 11th Avenues. According to the New York City Assessors Department the parcel number of the property is Block 700, Lot 55 and 56.

The subject site is listed in the tax map as follows:

Building Number	Blk.	Lot	Usage/Structure
538 West 29th Street	700	55	3 story building with basement
540 West 29th Street	700	56	3 story residential/commercial building with basement

3.2 Site and Vicinity General Characteristics

The site is in a developed residential/commercial area with a flat topography. The surrounding areas include 3-4 story residential buildings as well as high rise buildings.

3.3 Site Improvements, Utilities and Current Use of the Property

3.3.1 Site Improvements

538 West 29th Street	3 story building with basement
540 West 29th Street	3 story residentia/commerciall building with basement

3.3.2 Utilities

The subject site is connected to the municipal water, sewer, gas and electrical services.

3.3.3 Current Use of the Subject Site

538 West 29th Street

The lot size of the subject site is rectangular shaped, with 25.5 feet facing West 29th Street and 98.75 feet deep. The lot area is approximately 2,518 square feet. A three story building with a cellar is currently on the site. The building was vacant and indicated that the first floor was used as Elite Investigations and Skylight Gallery and the upper floors were used as retail, offices and other uses. The basement housed the utilities and storage room. Location map is listed in Appendix A and Photographs in Appendix B.

540 West 29th Street

The lot size of the subject site is rectangular shaped, with 25. feet facing West 29th Street. A three story building with a basement is currently on the site. The first floor was used as Arrt Gallery and the upper floors are used as apartments. The basement housed boiler room and utility meters and connections and sump pump. Location map is listed in Appendix A. The NYC DEP CATS Information system indicates that 540 West 29th Street has two separate applications numbers CB076700 and CA072488 indicating the registration of a No.2 fuel

boiler, see Appendix D.

3.4 Ownership

The available deeds are located in Appendix D.

3.5 Site Reconnaissance and Interviews

The purpose of the interview process is to collect unrecorded information from present owners, operators and occupants of the site for the purpose of gathering information indicating recognized environmental conditions in connection with the property.

Interviews with neighboring property owners may be carried out if the property is abandoned and there is evidence of potential unauthorized uses of the abandoned property or uncontrolled access to the abandoned property. The neighboring properties were residential and/or commercial and the owners were not available.

ESPL performed on-site observations on March 22, 2018. The accessible areas of the subject site were thoroughly inspected and photographs taken (See Appendix B) and any indication of an environmental hazard noted.

3.5.1 Exterior Observations

3.5.1.a Indication of Underground Injection Control (UIC)

The EPA's Underground Injection Control (UIC) Program is mandated under the Safe Drinking Water Act (SDWA) OF 1974. The Program is designed to prevent contamination of underground sources of drinking water (USDWs) by injection wells.

EPA divides the types of injection wells into five (5) Classes. Class I wells inject fluid beneath the lower most USDW. Class II wells are utilized in enhanced oil or natural gas production operations and to dispose of produced water. Class III wells are used to inject fluids for the extraction of minerals. Class IV wells dispose of hazardous or radioactive waste into or above an aquifer. The EPA has subsequently banned this type of injection well. The final category is Class V. Class V is a catch all classification that includes all wells that are not included in the above categories.

Generally, Class V wells in New York State are shallow wells, such as cesspools, drywells and septic systems, used to inject fluids into or above a USDW.

There were no drywells observed at the subject site, but the basement of 540 West 29th Street had a sump pump and drain. See Appendix B for pictures.

3.5.1.b Indication of PCB

Polychlorinated biphenyls (PCBs), a hazardous group of chlorinated

aromatic hydrocarbons, were used in a wide range of products including hydraulic and electrical equipment. PCB-containing equipment has the potential to cause soil and groundwater contamination.

There were no transformers located on the subject site.

3.5.1.c Indication of Solid Waste

It is customary for solid waste to be carted away by the NYC Sanitation Department or a private hauler.

3.5.1.d Chemical Staining and Stressed Vegetation

A surface spill of petroleum hydrocarbon products or other chemicals may be absorbed into the soil particles and retained in the near-surface sediments. Plant life near a spill will often be killed or will suffer stress from the contamination of the soil with these products. The condition of vegetative growth can be an indicator of near-surface soil conditions.

There was no evidence of stressed vegetation or chemical/petroleum staining within the accessible areas of the subject property.

3.5.1.e AST and UST

During the site investigation of the accessible areas of both 538 and 540 West 29th Street, no USTs or ASTs were observed. The NYC DEP CATS Information system indicates that 540 West 29th Street has two separate applications numbers CB076700 and CA072488 indicating the registration of a No.2 fuel boiler. See Appendix D.

3.5.2 Interior Observations

538 West 29th Street

The lot size of the subject site is rectangular shaped, with 25.5 feet facing West 29th Street and 98.75 feet deep. The lot area is approximately 2,518 square feet. A three story building with a cellar is currently on the site. The building was vacant and indicated that the first floor was used as Elite Investigations and Skylight Gallery and the upper floors were used as retail, offices and other uses. The basement housed the utilities and storage room. Location map is listed in Appendix A and Photographs in Appendix B.

540 West 29th Street

The lot size of the subject site is rectangular shaped, with 25. feet facing West 29th Street. A three story building with a basement is currently on the site. The first floor was used as Arrt Gallery and the upper floors are used as apartments. The basement housed boiler room and utility meters and connections and sump pump. Location map is listed in Appendix A. The NYC DEP CATS Information system indicates that 540 West 29th Street has two separate applications numbers CB076700 and CA072488 indicating the registration of a No.2 fuel boiler, see Appendix D.

3.5.2.a Hazardous Substances Use, Storage, Handling and Disposal

The activities performed at the subject site would not have generated any hazardous waste. The subject site is not registered as a hazardous waste generator.

3.5.2.b Hazardous Substances / Unidentified Substance Containers (Storage, Handling and Disposal)

No unidentified containers were observed in the accessible areas of the subject site.

3.5.2.c Storage Tanks

The regulatory records indicate that the subject site did not have USTs or AST's. During the site investigation no USTs or ASTs were observed. The NYC DEP CATS Information system indicates that 540 West 29th Street has two separate applications numbers CB076700 and CA072488 indicating the registration of a No.2 fuel boiler. See Appendix D.

3.5.3 Additional Observations

In addition to the ASTM Standard ESPL has included information and a limited visual inspection regarding asbestos containing material, lead based paint and radon.

3.5.3.a Suspect ACM

As part of ESPL's Phase I site investigation, visual surveys were undertaken to identify suspect material containing asbestos. No sampling or laboratory analysis of suspected ACM (SACM) was undertaken as part of ESPL's Phase I ESA. No obvious SACM was observed within accessible areas.

It should be noted that only a comprehensive asbestos inspection with sampling and laboratory analysis can determine asbestos content in any suspected asbestos-containing building material. Should demolition or renovation activities affecting these materials be planned, a full asbestos inspection with sampling and laboratory analysis should be undertaken.

3.5.3.b Lead Based Paint

ESPL did not conduct a survey for lead-based paint. However, due to the age of the buildings lead may be a concern. Otherwise, the paint was in generally good condition.

3.5.3.c Radon

Radon is a heavy colorless, odorless, radioactive gas formed by the radioactive decay of radium in rocks and soil. Radon is associated with specific geologic formations which contain granite, uranium minerals,

certain shales and phosphate related minerals. Radon, being a gas, can migrate to and accumulate in confined spaces such as building basements. Continued exposure of radon gas has been associated with increased lung cancer risk and possible genetic damage.

The New York State Department of Health, Bureau of Radiation Protection monitors radon levels throughout the state. According to this monitoring data, Nassau County and New York City have the lowest radon average (1.6-1.8 pci/l) within the state.

Given this information, Radon is not considered a significant environmental concern within the subject site. However, A Radon Zone should not be used to determine if individual buildings need to be tested for radon. The EPA's office of Radiation and Indoor Air recommends that all buildings be tested for radon, regardless of geographic location or the Radon Zone designation in which the property is located.

3.6 Physical Setting

The topographical conditions of the properties have been noted to the extent that was physically observed, or determined from interviews, as well as topography of the area surrounding the properties that is visually or physically observed from periphery of the sites.

The subject site is comprised of two lots.

538 West 29th Street
The lot size of the subject site is rectangular shaped, with 25.5 feet facing West 29th Street and 98.75 feet deep. The lot area is approximately 2,518 square feet. A three story building with a cellar is currently on the site. The building was vacant and indicated that the first floor was used as Elite Investigations and Skylight Gallery and the upper floors were used as retail, offices and other uses. The basement housed the utilities and storage room. Location map is listed in Appendix A and Photographs in Appendix B.

540 West 29th Street
The lot size of the subject site is rectangular shaped, with 25. feet facing West 29th Street. A three story building with a basement is currently on the site. The first floor was used as Arrt Gallery and the upper floors are used as apartments. The basement housed boiler room and utility meters and connections and sump pump. Location map is listed in Appendix A. The NYC DEP CATS Information system indicates that 540 West 29th Street has two separate applications numbers CB076700 and CA072488 indicating the registration of a No.2 fuel boiler, see Appendix D.

3.6.1 USGS Map & Hydrogeology

The site is located on the USGS 7.5 minute map for Central Park, Brooklyn, Weehawken and Jersey City dated 2013 and 2014. The property lies at an approximate elevation of 13 feet above mean sea level and is generally level. Based on the general surface topography, the regional gradient is generally west southwest.

3.6.2 Site Geology

Geologic information can be used in forming an opinion about the relative speed at which contaminant migration, if any, may be occurring. Contaminant plumes move more quickly through sandy-gravelly types of soil than silty-clayey types. The rock stratigraphic unit at the site is the Lower Ordovician and Cambrian carbonate rocks series of the Ordovicias system from the Paleozoic era. The surface soil component is the Urban Land with a variable surface texture. Based on the US Soil Conservation Service, the subordinate soil types in the vicinity of the subject site include loam, loamy sand, sandy loam and fine sandy loam. Depth to bedrock is typically greater than 10 inches.

3.6.3 Groundwater Use

There are no drinking water wells located on the subject site or any observed on the adjacent sites during the site inspection. The subject site is served with municipal water.

4.0 Current Area Characteristics

4.1 Current Uses and Visual Inspection of Adjoining Properties

Properties surrounding the subject site are generally residential/commercial followings:

	Address	Usage
North	West 30th Street	Residential/Commercial
South	West 28th Street	Residential/Commercial
East	10th Avenue	Residential/Commercial
West	11th Avenue	Residential/Commercial

5.0 Historical Use Information

The historical site conditions have been assessed using the available information sources and examination of the following:

- Available Sanborn Fire Insurance Maps
- Available Historical Aerial Maps
- Available Historical Topographical Maps
- Available City Directories
- Certificates of Occupancy

5.1 Sanborn Fire Insurance Maps

A file search of the Sanborn Maps for 538-540 West 29th Street, Manhattan NY was conducted. There are 25 available Sanborn Maps for the subject site

dated, 1890, 1899, 1911, 1919, 1928, 1930, 1950, 1976, 1979, 1980, 1982, 1985, 1987, 1988, 1991, 1992, 1993, 1994, 1995, 1996, 2001, 2002, 2003, 2004, and 2005. Based on the Sanborn Maps, 538-540 West 29th Street, has been a 3-story building with basement.

5.2 Historical Aerial Photographs

Due to the extensive urban development history of the area that contains the property and the small scale of the available photographs, aerial photographs were not reviewed for this assessment since the developmental history and changes in the use of property would not be clearly visible on the photographs. The development history of the property is given fully other historic information resources such as Sanborn Fire Insurance Maps and City Directories reviewed as part of this ESA as described in Sections 5.1 and 5.4.

5.3 Historical USGS Topographic Maps

United States Geological Survey (USGS) topographic maps for Jersey City, Central Park, Weehawken and Brooklyn for the years 1888, 1891, 1897, 1898, 1900, 1903, 1905, 1925, 1935, 1940, 1943, 1947, 1955, 1956, 1966, 1967, 1979, 1981, 1995, 1997, 2013 and 2014 were reviewed. The maps indicate that the surrounding areas were being fully developed, but specific land uses cannot be identified.

5.4 Historical City Directories

City Directories were searched at approximately 5 year intervals from 1920 to 2014. The City Directory search typically looks at the history of residents and businesses occupying properties within a 200 foot radius of the subject site. When the source is a city directory that lists tenants in buildings, such as the directories compiled by NYNEX, New York Telephone Company, and Cole Information Services, the names and occupations of the residents typically are shown. When the source is a telephone directory, the available information may be limited to residents and businesses telephone listings. A review of the historical city directories indicated that 538 West 29th Street was listed as Elite Investigations, Hercules Steel Prods, and Weidhaas Studios. 540 West 29th Street was listed as Starr Auto Repair Shop, Labor Publications, Constant and Thor Inc. Displays, Alpine Auto Repair and Machine Shop. A complete listing is located in Appendix C.

5.5 Historical Certificates of Occupancy

Two Certificates of Occupancy (CO), were found for 538 West 29th Street and are located in Appendix D. The CO issued on October 20, 1970, Number 68630, indicated that the building was commercial for light manufacturing of steel products and miscellaneous fabrications and assembly. The cellar's listed use was heating plant and storage, the three stories was for assembly of metal pipe coat racks The CO dated July 22, 1987 No. 90642 indicated the usage as art reproductions, retail store and offices.

Six Certificates of Occupancy were found for 540 West 29th Street. The February 13, 1924 CO No. 1924 indicated that the building's use was as an auto repair shop (first floor) and factory on the second and third floors. Temporary CO's were issued on May 4, 2012 and August 5, 2013 and indicated

that the site was a commercial building with an auto repair on the first floor and one residential apartment on the second and one on the third. A final Co No. 103580714F was issued on April 18, 2014 indicating that the first floor was an art gallery and one residential apartment on the second and one on the third.

5.6 Title Records

Title records were found for the subject site and are in Appendix D.

6.0 Review of Regulatory Agency Records and Documents

FOIL correspondences requesting all available information being maintained concerning the subject site were sent to state and local regulatory agencies (See Appendix D). This would determine if the subject site is listed, known, or suspected of being a hazardous waste site, or if any hazardous releases have taken place at the site or its immediate surroundings.

6.1 Federal ASTM Standard Records

A. RCRIS

A review of the RCRIS-Large Quantity Generator (RCRIS-LQG) database has revealed that there is twenty-one (21) RCRIS-LQG site within a ¼ mile radius of the subject site. The subject sites are not listed as a RCRIS-LQG.

A review of the RCRIS-Small Quantity Generator (RCRIS-SQG) database has revealed that there is nine (9) RCRIS-SQG site within a ¼ mile radius of the subject site.

A review of the RCRIS-Conditionally Exempt Small Quantity Generator (RCRIS-CESQG) database has revealed that there are nine (9) RCRIS-CESQG site within a ¼ mile radius of the subject site.

6.2 New York State ASTM Standard Records

A. LTANKS

Leaking Storage Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

A review of the Leaking Storage Tanks Incidents Reports (LTANKS) has revealed that there are ninety-six (96) LTANKS sites within a ½ mile radius of the subject site. The subject site is not listed and none of the listed sites should have any impact to the site.

B. NY SPILLS

Data collected on spills reported to NYSDEC, is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS), or 6 NYCRR Section 595.2 (from CBS regulations). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list has revealed that there are seventy-nine (79) NY spills sites within a 1/8 mile radius of the subject site. The subject site is not a listed site.

A FOIL request was sent to the NYSDEC on April 2, 2018, requesting to review any records retained by the agency concerning the subject site.

C. EDR Vapor Encroachment Screen

A Vapor Encroachment Screen was conducted using the EDR VEC App™. A copy of the EDR Encroachment Screen Report is included in Appendix D. Spills were reported within the immediate area, but no spills were of significant volume or near the immediate area of the subject site.

D. EDR High Risk Historical Records

A review of EDR's High Risk Historical Records indicated that there are 13 Historical Auto Body within a 1/8 mile radius of the subject site. Eight of the historical auto body are at a higher elevation and 5 are at a lower elevation.

Historical Auto Body Shops/Gas Stations, at a higher elevation were located on

- 309 11th Avenue, Mickeys Service Station, from 1969-2014
- 30th Street and 11th Ave., United Mobil Service Station, from 1998-1999
- 327 10th Avenue, Hodes Theodore, from 1965-1975
- 333-335 10th Avenue, Kellys Taxi Group, from 1971-1974
- 516 West 27th Street, Steve Detailing, from 1991-2007
- 305 10th Avenue, Shlomi & Avi Auto Repair, from 1996-2008
- 330 10th Avenue, Kellys Taxi Group, from 1977-1983

Due to poor or inadequate address information, some sites were not mapped. A complete list is found in Appendix D.

6.3 New York State Local Records for FOIL Requests

A. New York State Department of Environmental Conservation

A FOIL request was sent to NYSDEC, on April 2, 2018 requesting to review any records retained by the agency concerning the subject site (See Appendix D). To date no response has been received.

B. New York State Department Health

A FOIL request was sent to NYSDOH, on April 2, 2018, requesting to review the records retained by the agency concerning the subject site. To date no response has been received.

C. New York City Fire Department

A FOIL request was sent to NYCFD, on April 2, 2018, requesting to review any records retained by the agency concerning the subject site (See Appendix D). To date no response has been received.

D. New York City Department of Environmental Protection

A FOIL request was sent to the NYCDEP on April 2, 2018 requesting to review any records retained by the agency concerning the subject site (See Appendix D). To date no response has been received.

E. New York City Department of Buildings.

538 West 29th Street

The lot size of the subject site is rectangular shaped, with 25.5 feet facing West 29th Street and 98.75 feet deep. The lot area is approximately 2,518 square feet. A three story building with a cellar is currently on the site. The building was vacant and indicated that the first floor was used as Elite Investigations and Skylight Gallery and the upper floors were used as retail, offices and other uses. The basement housed the utilities and storage room. Location map is listed in Appendix A and Photographs in Appendix B.

540 West 29th Street

The lot size of the subject site is rectangular shaped, with 25. feet facing West 29th Street. A three story building with a basement is currently on the site. The first floor was used as Arrt Gallery and the upper floors are used as apartments. The basement housed boiler room and utility meters and connections and sump pump. Location map is listed in Appendix A. The NYC DEP CATS Information system indicates that 540 West 29th Street has two separate applications numbers CB076700 and CA072488 indicating the registration of a No.2 fuel boiler, see Appendix D.

7.0 Findings

ESPL has performed a Phase I ESA in conformance with the scope of work and the limitations of the ASTM Designation E-1527-13 at 538-540 West 29th Street, Manhattan, NY.

Site Inspection

On March 22, 2018, an inspection of the subject sites was conducted. The subject area is located in a Residential area of Manhattan, NY. The usage of the subject site is as follow:

Building Number	Blk.	Lot	Usage/Structure
538 West 29th Street	700	55	3 story building with basement
540 West 29th Street	700	56	3 story building with basement

538 West 29th Street

The lot size of the subject site is rectangular shaped, with 25.5 feet facing West 29th Street and 98.75 feet deep. The lot area is approximately 2,518 square feet. A three story building with a cellar is currently on the site. The building was vacant and indicated that the first floor was used as Elite Investigations and Skylight Gallery and the upper floors were used as retail, offices and other uses. The basement housed the utilities and storage room. Location map is listed in Appendix A and Photographs in Appendix B.

540 West 29th Street

The lot size of the subject site is rectangular shaped, with 25. feet facing West 29th Street. A three story building with a basement is currently on the site. The first floor was used as Arrt Gallery and the upper floors are used as apartments. The basement housed boiler room and utility meters and connections and sump pump. Location map is listed in Appendix A. The NYC DEP CATS Information system indicates that 540 West 29th Street has two separate applications numbers CB076700 and CA072488 indicating the registration of a No.2 fuel boiler, see Appendix D.

Both lots are connected to the municipal water, sewer and electrical services. Con Edison provides electricity, and natural gas to the subject site. There was no evidence of stressed vegetation at the subject site.

There was no storage or use of raw chemicals or regulated materials at the time of inspection. There was no drinking water wells located on the subject sites or on any of the adjacent sites during the site inspection.

Photographs of the subject site and neighboring properties are included in Appendix B.

Site History Review

A review of the historical city directories indicated that 538-540 West 29th Street was used as a multi-story commercial building. A complete listing is located in Appendix C.

Historic records also indicate that the adjacent sites use included a retail and residential.

Conclusions are submitted based on the careful consideration of the results of the site inspection and the scope of work. The information provided in this report has been obtained during interviews and field inspections, and database search, review of geographical location, geology and hydrogeology of the site including the physical evidence. This ESA has evidence of REC in connection with the subject site.

8.0 Opinion and Conclusion

ESPL has performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E-1527-13 for the subject site and EPA AAI Rule. This report has revealed evidence of recognized environmental conditions in connection with the property, with regard to the site being list as an E-Designation.

1) Since the adjacent properties, are listed as historical auto body, as shown on the EDR Report and the Certificates of Occupancy indicate that 540 West 29th was utilized as an auto body repair shop and the NYC DEP CATS Information indicated that No 2 fuel oil was used, soil boring should be advanced and the soil analyzed for potential contamination. Additionally, soil vapor probes should be installed to ascertain if there is any vapor intrusion from the adjacent sites.

Opinions and conclusions are submitted based on the careful consideration of the results of the site inspection and the scope of work. The information provided in this report has been obtained during interviews and field inspections, and database search, review of geographical location, geology and hydrogeology of the site including the physical evidence.

However, ESPL believes that the assessment was sufficient to provide a reasonable characterization of the environmental condition of the property, and that the preliminary identification of potential environmental concerns/problems can be made on the information procured.

9.0 References

1. ASTM Environmental Site Assessments for Commercial Real Estate E 1527-13
2. EPA AAI Rule
3. New York State Department of Health
4. New York State Department of Environmental Conservation
5. Environmental Data Resources, Inc.
6. Sanborn Maps
7. New York City Department of Environmental Protection
8. NYC Fire Department

10.0 Signature of Environmental Professional

This report was prepared under the supervision of Ray Kahn, P.E., the authorized signatory of ESPL and Director of Environmental Technology.



Ray Kahn, P.E.
Director of Environmental Technology

ACRONYMS

ACM - Asbestos Containing Material
AST - Above Ground Storage Tank
ASTM - American Society for Testing and Materials
CBS - Chemical Bulk Storage
CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
CERCLIS - Comprehensive Environmental Response, Compensation, and Liability Information System
CFR - Code of Federal Regulations
CORRACTS Facilities Subject to Corrective Action under RCRA
DEC - Department of Environmental Conservation
DEP - Department of Environmental Protection
DOCKET - Civil judicial cases filled on USEPA's behalf by the US Department of Justice
DOH - Department of Health
DPW- Department of Public Works
EPA - Environmental Protection Agency
EPCRA - Emergency Planning and Community Right-to-Know Act
ERNS - Emergency Response Notification System
ESA - Environmental Site Assessment
FINDS - Facilities regulated or tracked by the USEPA
FOIA - U.S. Freedom of Information Act
FOIL - Freedom of Information Letter
FR - Federal Register
HWS - Hazardous Waste Disposal Sites
LRST - Leaking Storage Tank
LUST - Leaking Underground Storage Tank
MOSF - Major Oil Storage Facilities
MSDS - Material Safety Data Sheet
NCP - National Contingency Plan
NFRAP - No Further Remedial Action Planned Report
NPDES - National Pollutant Discharge Elimination System
NPL - National Priority List
NUCLEAR - Facilities with permit to handle radioactive materials
NYSDEC - New York State department of Environmental Conservation
PBS - Petroleum Bulk Storage
PCB - Polychlorinated Biphenyl
PRP - Potentially Responsible Party
RCRA - Resource Conservation and Recovery Act

ACRONYMS (Cont.)

RCRIS-CA - Resource Conservation and Recovery Information System – TSD's Subject to Corrective Action
RCRIS-LG - Resource Conservation and Recovery Information System – Large Quantity Generator
RCRIS-SG - Resource Conservation and Recovery Information System – Small Quantity Generator
RCRIS-TS - Resource Conservation and Recovery Information System – Non-Corrective Action TSD Facilities
REC - Recognized Environmental Conditions
SACM - Suspect Asbestos Containing Material
SARA - Superfund Amendments and Re-authorization Act
SPILLS - Listing of all hazardous material spills reported to NYSDEC
SWF - Solid Waste Facility
TRI - Toxic Release Inventory
TSD- Treatment, Storage, or Disposal Facility
USC - United States Code
USGS - United Sates Geological Survey
UST - Underground Storage Tank

Appendix A

Maps & Figures



Figure 1

ESPL Environmental Consultants Corp.
Address: 57 West 57th St. NY, NY 10019
Tel: 212-330-7501
Email: mail@espl.com www.espl.com

Sheet Title: LocationMap		Project #: 251-1	Scale: As Shown	Legend:
Client & Location:	Largo Investments LLC 538 West 29th Street, New York NY 10168	Date: March 23, 2018	Drawn By: T.H.	



Figure 2

ESPL Environmental Consultants Corp.
Address: 57 West 57th St. NY, NY 10019
Tel: 212-330-7501
Email: mail@espl.com www.espl.com

Sheet Title: LocationMap		Project #: 251-1	Scale: As Shown	Legend:
Client & Location:	Largo Investments LLC 540 West 29th Street, New York NY 10168	Date: March 23, 2018	Drawn By: T.H.	

Sanborn Maps

538-540 West 29th Street

538-540 West 29th Street

New York, NY 10001

Inquiry Number: 5233497.3

March 26, 2018

Certified Sanborn® Map Report

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

03/26/18

Site Name:

538-540 West 29th Street
538-540 West 29th Street
New York, NY 10001
EDR Inquiry # 5233497.3

Client Name:

ESPL Env. Consultants Corp.
57 West 57th Street, Suite 400
New York, NY 10019
Contact: Margaret Tavares

The Sanborn Library has been searched by EDR and maps covering the target property location as provided by ESPL Env. Consultants Corp. were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # 1E04-45A8-98E8

PO # NA

Project 538-540 West 29th Street

Maps Provided:

2005	1993	1979	1890
2004	1992	1976	
2003	1991	1950	
2002	1988	1930	
2001	1987	1928	
1996	1985	1919	
1995	1982	1911	
1994	1980	1899	

Sanborn® Library search results

Certification #: 1E04-45A8-98E8

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ☑ Library of Congress
- ☑ University Publications of America
- ☑ EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

ESPL Env. Consultants Corp. (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2018 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

2005 Source Sheets



Volume 5S, Sheet 4
2005-2006



Volume 5S, Sheet 13
2005-2006



Volume 5S, Sheet 15
2005-2006

2004 Source Sheets



Volume 5S, Sheet 4
2004



Volume 5S, Sheet 13
2004



Volume 5S, Sheet 15
2004

2003 Source Sheets



Volume 5S, Sheet 4
2003



Volume 5S, Sheet 13
2003



Volume 5S, Sheet 15
2003

2002 Source Sheets

Volume 5S, Sheet 4
2002



Volume 5S, Sheet 13
2002



Volume 5S, Sheet 15
2002

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

2001 Source Sheets

Volume 5S, Sheet 4
2001


Volume 5S, Sheet 13
2001


Volume 5S, Sheet 15
2001

1996 Source Sheets


Volume 5S, Sheet 13
1996


Volume 5S, Sheet 4
1996


Volume 5S, Sheet 15
1996

1995 Source Sheets

Volume 5S, Sheet 4
1995


Volume 5S, Sheet 13
1995


Volume 5S, Sheet 15
1995

1994 Source Sheets


Volume 5S, Sheet 4
1994


Volume 5S, Sheet 4
1994


Volume 5S, Sheet 15
1994


Volume 5S, Sheet 2
1994


Volume 5S, Sheet 13
1994

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

1993 Source Sheets

Volume 5S, Sheet 4
1993


Volume 5S, Sheet 13
1993


Volume 5S, Sheet 15
1993

1992 Source Sheets

Volume 5S, Sheet 4
1992


Volume 5S, Sheet 13
1992


Volume 5S, Sheet 15
1992

1991 Source Sheets


Volume 5S, Sheet 13
1991

Volume 5S, Sheet 4
1991


Volume 5S, Sheet 15
1991

1988 Source Sheets

Volume 5S, Sheet 4
1988


Volume 5S, Sheet 15
1988


Volume 5S, Sheet 2
1988


Volume 5S, Sheet 13
1988

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

1987 Source Sheets


Volume 5S, Sheet 13
1987


Volume 5S, Sheet 15
1987


Volume 5S, Sheet 4
1987

1985 Source Sheets


Volume 5S, Sheet 4
1985


Volume 5S, Sheet 2
1985


Volume 5S, Sheet 13
1985


Volume 5S, Sheet 15
1985

1982 Source Sheets


Volume 5S, Sheet 15
1982

Volume 5S, Sheet 4
1982


Volume 5S, Sheet 13
1982

1980 Source Sheets


Volume 5S, Sheet 4
1980


Volume 5S, Sheet 13
1980


Volume 5S, Sheet 15
1980

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

1979 Source Sheets


Volume 5S, Sheet 2
1979


Volume 5S, Sheet 17
1979


Volume 5S, Sheet 13
1979


Volume 5S, Sheet 4
1979


Volume 5S, Sheet 15
1979

1976 Source Sheets

Volume 5S, Sheet 4
1976


Volume 5S, Sheet 13
1976


Volume 5S, Sheet 15
1976

1950 Source Sheets


Volume 5S, Sheet 4
1950


Volume 5S, Sheet 15
1950

1930 Source Sheets


Volume 5S, Sheet 13
1930


Volume 5S, Sheet 4
1930

Volume 5S, Sheet 15
1930

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

1928 Source Sheets

Volume Pier Maps, Sheet 4
1928

1919 Source Sheets

Volume Atlas Maps, Sheet 21
1919

1911 Source Sheets

Volume 5N, Sheet 4
1911



Volume 5N, Sheet 15
1911



Volume 5N, Sheet 13
1911

1899 Source Sheets



Volume 5N, Sheet 90
1899



Volume 5N, Sheet 90
1899

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

1890 Source Sheets



Volume 5N, Sheet 90
1890



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	2005

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 15
Volume 5S, Sheet 13
Volume 5S, Sheet 4

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	2004

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 15
Volume 5S, Sheet 13
Volume 5S, Sheet 4

0 Feet 150 300 600

N

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	2003

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 15
Volume 5S, Sheet 13
Volume 5S, Sheet 4

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	2002

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 15
Volume 5S, Sheet 13
Volume 5S, Sheet 4

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	2001

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 15
Volume 5S, Sheet 13
Volume 5S, Sheet 4

0 Feet 150 300 600

N

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	1996

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 15
Volume 5S, Sheet 4
Volume 5S, Sheet 13

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	1995

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 15
Volume 5S, Sheet 13
Volume 5S, Sheet 4

0 Feet 150 300 600

N

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	1994

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 13
Volume 5S, Sheet 2
Volume 5S, Sheet 15
Volume 5S, Sheet 4
Volume 5S, Sheet 4

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	1993

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 15
Volume 5S, Sheet 13
Volume 5S, Sheet 4

0 Feet 150 300 600

N

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	1992

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 15
Volume 5S, Sheet 13
Volume 5S, Sheet 4

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	1991

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 15
Volume 5S, Sheet 4
Volume 5S, Sheet 13

0 Feet 150 300 600

N

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #	1E04-45A8-98E8
Copyright	1988

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 13
Volume 5S, Sheet 2
Volume 5S, Sheet 15
Volume 5S, Sheet 4

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #1E04-45A8-98E8

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	1987

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 4
Volume 5S, Sheet 15
Volume 5S, Sheet 13

0 Feet 150 300 600

N



Certification #1E04-45A8-98E8

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	1985

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 15
Volume 5S, Sheet 13
Volume 5S, Sheet 2
Volume 5S, Sheet 4

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	1982

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 13
Volume 5S, Sheet 4
Volume 5S, Sheet 15

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	1980

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 5S, Sheet 15
Volume 5S, Sheet 13
Volume 5S, Sheet 4

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	1979

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 15
Volume 5S, Sheet 4
Volume 5S, Sheet 13
Volume 5S, Sheet 17
Volume 5S, Sheet 2

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	1976

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 15
Volume 5S, Sheet 13
Volume 5S, Sheet 4

0 Feet 150 300 600

N

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	1950

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 15
Volume 5S, Sheet 4

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	1930

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 15
Volume 5S, Sheet 4
Volume 5S, Sheet 13

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #1E04-45A8-98E8

Site Name: 538-540 West 29th Street
Address: 538-540 West 29th Street
City, ST, ZIP: New York, NY 10001
Client: ESPL Env. Consultants Corp.
EDR Inquiry: 5233497.3
Order Date: 03/26/2018
Certification #: 1E04-45A8-98E8
Copyright 1928

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume Pier Maps, Sheet 4

N

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.





Certification #1E04-45A8-98E8

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #	1E04-45A8-98E8
Copyright	1919

This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.

Volume Atlas Maps, Sheet 21





0 Feet 150 300 600

N

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	1911

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 5N, Sheet 13
Volume 5N, Sheet 15
Volume 5N, Sheet 4

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	538-540 West 29th Street
Address:	538-540 West 29th Street
City, ST, ZIP:	New York, NY 10001
Client:	ESPL Env. Consultants Corp.
EDR Inquiry:	5233497.3
Order Date:	03/26/2018
Certification #:	1E04-45A8-98E8
Copyright	1899

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600



Volume 5N, Sheet 90
Volume 5N, Sheet 90

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 538-540 West 29th Street
Address: 538-540 West 29th Street
City, ST, ZIP: New York, NY 10001
Client: ESPL Env. Consultants Corp.
EDR Inquiry: 5233497.3
Order Date: 03/26/2018
Certification #: 1E04-45A8-98E8
Copyright 1890

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 5N, Sheet 90

N

Appendix B

Photographs

538 West 29th Street

538 West 29th Street

First floor conference room



First Floor HVAC

First floor kitchen

Basement sump pump

Basement trench drain

Basement meeting room

Second floor

Second floor office

Mezzanine training room

Attic control room

540 West 29th Street

540 Building

View of Sidewalk

View of First Floor

View of Second Floor Bedroom

View of Second Floor Dining Room

View of Second Floor Water Heater

View of Electrical Meters in the Basement

View of Gas Meters and storage area in the Basement

View of Sump Pump in the Basement

View of Residential Area on the Third Floor

View of the Roof

Appendix C

Regulatory Database

538-540 West 29th Street
538-540 West 29th Street
New York, NY 10001

Inquiry Number: 5233497.2s
March 26, 2018

The EDR Radius Map™ Report with GeoCheck®

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	1443
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-9
Physical Setting Source Map Findings	A-10
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2018 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E 2247-16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E 1528-14) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

538-540 WEST 29TH STREET
NEW YORK, NY 10001

COORDINATES

Latitude (North):	40.7520400 - 40˚ 45' 7.34''
Longitude (West):	74.0034250 - 74˚ 0' 12.33''
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	584129.7
UTM Y (Meters):	4511498.0
Elevation:	13 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	6049416 WEEHAWKEN, NJ
Version Date:	2014
Northeast Map:	5940599 CENTRAL PARK, NY
Version Date:	2013
Southeast Map:	5940597 BROOKLYN, NY
Version Date:	2013
Southwest Map:	6048959 JERSEY CITY, NJ
Version Date:	2014

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from:	20150729, 20150522
Source:	USDA

MAPPED SITES SUMMARY

Target Property Address:
538-540 WEST 29TH STREET
NEW YORK, NY 10001

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A1	LOT 55,TAXBLOCK 700	538 WEST 29 STREET	NY E DESIGNATION		TP
A2	CON EDISON	538 W 29TH ST & 11TH	NY MANIFEST		TP
A3	CON EDISON SERVICE B	538 W 29TH ST & 11TH	RCRA NonGen / NLR, FINDS, ECHO		TP
Reg	HUDSON RIVER PCBS	NO STREET APPLICABLE	NPL, SEMS, RCRA-SQG, US ENG CONTROLS, US INST...	Same	1527, 0.289, WNW
A4	LOT 54,TAXBLOCK 700	536 WEST 29 STREET	NY E DESIGNATION	Higher	28, 0.005, East
A5	LOT 53,TAXBLOCK 700	534 WEST 29 STREET	NY E DESIGNATION	Higher	51, 0.010, ESE
A6	534 WEST 29TH STREET	534 WEST 29TH STREET	NY VCP	Higher	51, 0.010, ESE
A7	AVALON WEST CHELSEA	525 W 28TH ST	RCRA NonGen / NLR, NY MANIFEST	Lower	108, 0.020, SW
A8	AVALON WEST CHELSEA	525 W 28TH ST	NJ MANIFEST	Lower	108, 0.020, SW
A9	LOT 49,TAXBLOCK 700	526 WEST 29 STREET	NY E DESIGNATION	Higher	112, 0.021, ESE
A10	LOT 9,TAXBLOCK 700	539 WEST 28 STREET	NY E DESIGNATION	Lower	115, 0.022, SSW
A11	UNOCCUPIED NIGHT CLU	528 - 530 WEST 28TH	NY Spills	Lower	116, 0.022, SW
A12	MIDTOWN CENTER AUTO	548 WEST 29TH ST	NY AST	Higher	120, 0.023, East
A13	LOT 60,TAXBLOCK 700	548 WEST 29 STREET	NY E DESIGNATION	Higher	120, 0.023, East
A14	LOT 59,TAXBLOCK 700	546 WEST 29 STREET	NY E DESIGNATION	Higher	120, 0.023, East
A15	MIDTOWN SERVICE CENT	548 W. 29TH STREET	NY Spills	Lower	125, 0.024, NW
A16	LOT 48,TAXBLOCK 700	524 WEST 29 STREET	NY E DESIGNATION	Higher	126, 0.024, ESE
A17	SOORI HIGHLINE	522-524-532 WEST 29T	NY UST, NY Spills	Higher	126, 0.024, ESE
A18	HIGH RIDGE ENTERPRIS	524 WEST 29TH STREET	NY LTANKS, NY Spills	Higher	126, 0.024, ESE
B19	522-532 WEST 29TH ST	522-532 WEST 29TH ST	NY VCP	Higher	138, 0.026, ESE
B20	LOT 47,TAXBLOCK 700	522 WEST 29 STREET	NY E DESIGNATION	Higher	138, 0.026, ESE
B21	CONSTRUCTION SITE	522 WEST 29TH STREET	NY Spills	Higher	138, 0.026, ESE
B22	LOT 57,TAXBLOCK 700	542 WEST 29 STREET	NY E DESIGNATION	Higher	146, 0.028, East
B23	LOT 56,TAXBLOCK 700	540 WEST 29 STREET	NY E DESIGNATION	Higher	146, 0.028, East
C24	CON EDISON	549 W 28 ST	NY MANIFEST	Lower	152, 0.029, WSW
D25	550 WEST 29TH STREET	550 WEST 29TH STREET	NY VCP	Lower	159, 0.030, WNW
D26	LOT 61,TAXBLOCK 700	550 WEST 29 STREET	NY E DESIGNATION	Lower	159, 0.030, WNW
E27	529 WEST 29TH STREET	529 WEST 29TH STREET	NY VCP	Higher	161, 0.030, NE
E28	LOT 16,TAXBLOCK 701	529 WEST 29 STREET	NY E DESIGNATION	Higher	167, 0.032, NE
C29	LOT 63,TAXBLOCK 699	554 WEST 28 STREET	NY E DESIGNATION	Lower	177, 0.034, SSW
C30	SB-5 AVALON WEST CHE	SITE 2 282 11TH AVE	NY Spills	Lower	189, 0.036, West
B31	LOT 22,TAXBLOCK 701	527 WEST 29 STREET	NY E DESIGNATION	Higher	208, 0.039, ENE
E32	LOT 23,TAXBLOCK 701	525 WEST 29 STREET	NY E DESIGNATION	Higher	227, 0.043, East
F33	EXCAVATION	538 WEST 28 ST	NY Spills	Lower	229, 0.043, SSW
F34	538 W 28TH ST	538 W 28TH ST	NY Spills	Lower	229, 0.043, SSW
C35	BIG JOHN AUTO TRANSM	546 W 28TH ST	EDR Hist Auto	Lower	236, 0.045, SW
F36	WEST 28TH ST PARKING	534-536 WEST 28TH ST	NY Spills	Lower	237, 0.045, SSW
B37	LOT 45,TAXBLOCK 700	518 WEST 29 STREET	NY E DESIGNATION	Higher	238, 0.045, ESE
F38	CONSTRUCTION SITE	526-530 WEST 28TH ST	NY Spills	Higher	241, 0.046, South

MAPPED SITES SUMMARY

Target Property Address:
538-540 WEST 29TH STREET
NEW YORK, NY 10001

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
F39	W C 28 REALTY LLC	530 WEST 28TH ST	RCRA-LQG, NY MANIFEST	Lower	255, 0.048, South
G40	LOT 18,TAXBLOCK 700	517 WEST 28 STREET	NY E DESIGNATION	Higher	259, 0.049, SSE
E41	VACANT WAREHOUSE	518 WEST 30TH ST	NY Spills	Higher	262, 0.050, NE
E42	LOT 59,TAXBLOCK 701	532 WEST 30 STREET	NY E DESIGNATION	Higher	267, 0.051, NE
G43	PARKING LOT OF	515 WEST 28TH ST	NY LTANKS	Higher	275, 0.052, SSE
G44	ROSENBLATT & THOMPSO	515 WEST 28TH STREET	NJ MANIFEST	Higher	275, 0.052, SSE
H45	LOT 44,TAXBLOCK 700	516 WEST 29 STREET	NY E DESIGNATION	Higher	276, 0.052, ESE
I46	BLDG UNDER CONSTRUCT	517 WEST 29TH ST	NY Spills	Higher	278, 0.053, East
J47	LOT 62,TAXBLOCK 701	534 WEST 30 STREET	NY E DESIGNATION	Higher	281, 0.053, North
J48	CON EDISON - VAULT S	534 W 30 ST	NY MANIFEST	Higher	281, 0.053, North
G49	526-530 WEST 28TH ST	526-530 WEST 28TH ST	NY VCP	Higher	292, 0.055, South
G50	LOT 49,TAXBLOCK 699	526 WEST 28 STREET	NY E DESIGNATION	Higher	292, 0.055, South
G51	W C 28 REALTY LLC	526-530 W 28TH ST	NJ MANIFEST	Higher	292, 0.055, South
H52	CON EDISON - MANHOLE	514 W 29 ST	NY MANIFEST	Higher	295, 0.056, ESE
K53	LOT 1,TAXBLOCK 701	302 11 AVENUE	NY E DESIGNATION	Higher	295, 0.056, NNW
L54	MARTINS AUTO TRANSMI	560 W 28TH ST	EDR Hist Auto	Lower	303, 0.057, WSW
G55	CON EDISON	520 W 28TH ST	NJ MANIFEST	Higher	307, 0.058, SSE
M56	BRAUNFIELD TRANSMISS	286 11TH AVE	EDR Hist Auto	Lower	312, 0.059, West
H57	LOT 42,TAXBLOCK 700	512 WEST 29 STREET	NY E DESIGNATION	Higher	314, 0.059, ESE
H58	LOT 24,TAXBLOCK 701	517 WEST 29 STREET	NY E DESIGNATION	Higher	315, 0.060, East
K59	CON EDISON	W 29TH ST & 11TH AVE	NY MANIFEST	Lower	319, 0.060, NW
K60	CON EDISON SERVICE B	W 29TH & 11TH AVE	NJ MANIFEST	Lower	319, 0.060, NW
K61	CON EDISON SERVICE B	529 W 29TH ST & 11TH	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	319, 0.060, NW
K62	11TH AVE & W 29TH ST	11TH AVE & W 29TH ST	NY Spills	Lower	319, 0.060, NW
K63	SPILL NUMBER 0204281	W 29TH ST & 11TH AV	NY Spills	Lower	319, 0.060, NW
J64	550 WEST 30TH STREET	550 WEST 30TH STREET	NY LTANKS	Higher	321, 0.061, NNE
J65	550 WEST 30TH STREET	550 WEST 30TH STREET	NY UST	Higher	321, 0.061, NNE
J66	MIDTOWN NEON SIGN CO	550 W 30TH ST	RCRA-CESQG, FINDS, NJ MANIFEST, NY MANIFEST	Higher	321, 0.061, NNE
J67	550 WEST 30TH STREET	550 WEST 30TH STREET	NY AST	Higher	321, 0.061, NNE
N68	CON EDISON - VAULT S	540 W 30 ST	NY MANIFEST	Higher	326, 0.062, NE
N69	CON EDISON	540 W 30 ST	RCRA NonGen / NLR	Higher	326, 0.062, NE
N70	CON EDISON	540 W 30 ST	NJ MANIFEST	Higher	326, 0.062, NE
N71	CON ED	540 W 30TH ST	NY MANIFEST	Higher	326, 0.062, NE
K72	CON EDISON MANHOLE:	W 29TH & 11TH AVE MH	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	334, 0.063, NW
K73	CON EDISON MANHOLE:	W 29TH ST & 11TH AVE	RCRA NonGen / NLR, FINDS	Lower	334, 0.063, NW
K74	CON EDISON SERVICE B	W 29TH ST & 11TH AV	RCRA NonGen / NLR, FINDS	Lower	334, 0.063, NW
O75	MARINERS GATE, LLC	547 WEST 27TH STREET	NY AST	Lower	336, 0.064, SW
O76	ADMIRAL ENGRAVING &	547 W 27TH ST	NY Spills, RCRA NonGen / NLR, FINDS, ECHO, NY...	Lower	336, 0.064, SW
O77	LOT 5,TAXBLOCK 699	547 WEST 27 STREET	NY E DESIGNATION	Lower	336, 0.064, SW

MAPPED SITES SUMMARY

Target Property Address:
538-540 WEST 29TH STREET
NEW YORK, NY 10001

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
O78	PINETREE GROUP INC	548 W 28TH STREET	NY AST	Lower	336, 0.064, SW
L79	AVALON WEST	282 11TH AVE	NY Spills	Lower	339, 0.064, West
L80	CONTMINATION SB-3 AV	282 11TH AVE	NY Spills	Lower	339, 0.064, West
L81	AVALON WEST CHELSEA	282-298 ELEVENTH AVE	NY UST	Lower	339, 0.064, West
L82	LOT 1,TAXBLOCK 700	282 11 AVENUE	NY E DESIGNATION	Lower	339, 0.064, West
L83	CONSTRUCTION SITE	282 11TH AVE	NY Spills	Lower	339, 0.064, West
L84	CONSTRUCTION SITE BO	282 11TH AVE	NY Spills	Lower	339, 0.064, West
L85	PARKING GARAGE	282-296 11TH AVE	NY Spills	Lower	339, 0.064, West
L86	CONSTRUCTION SITE	282 11TH AVE	NY Spills	Lower	339, 0.064, West
I87	LOT 28,TAXBLOCK 701	515 WEST 29 STREET	NY E DESIGNATION	Higher	349, 0.066, East
I88	SAM-FAY REALTY CORP.	515 WEST 29TH STREET	NY AST	Higher	349, 0.066, East
P89	LOT 58,TAXBLOCK 701	530 WEST 30 STREET	NY E DESIGNATION	Higher	353, 0.067, ENE
L90	CON EDISON MANHOLE:	W 28TH ST & 11TH AVE	RCRA NonGen / NLR, FINDS	Lower	358, 0.068, West
L91	CON EDISON SERVICE B	W 28TH ST & 11TH AVE	RCRA NonGen / NLR, FINDS	Lower	358, 0.068, West
L92	NYCT	28TH ST/11TH AVE	NY Spills	Lower	359, 0.068, West
L93	WEST 28TH ST YARD	WEST 28TH/11TH AVE	NY Spills	Lower	359, 0.068, West
L94	CON EDISON SERVICE B	519 W 28TH ST & 11TH	RCRA NonGen / NLR, NY MANIFEST	Lower	359, 0.068, West
L95	ROADWAY	WEST 28TH ST AND 11T	NY Spills	Lower	359, 0.068, West
L96	CON EDISON SERVICE B	W 28TH ST & 11TH AVE	NJ MANIFEST	Lower	359, 0.068, West
L97	CON EDISON SERVICE B	W 28TH ST & 11TH AVE	RCRA NonGen / NLR, NY MANIFEST	Lower	359, 0.068, West
L98	CON ED	W. 28TH AND 11TH AVE	NY Spills	Lower	359, 0.068, West
L99	VAULT 0853	W 28TH ST & 11TH AVE	NY Spills	Lower	359, 0.068, West
L100	CON EDISON SERVICE B	W 28TH & 11TH ST SB	RCRA NonGen / NLR, FINDS, ECHO	Lower	359, 0.068, West
L101	CON EDISON SERVICE B	W 28TH ST & 11TH AVE	RCRA NonGen / NLR, FINDS, ECHO	Lower	359, 0.068, West
L102	CON EDISON	W 28TH & 11TH ST SB	NY MANIFEST	Lower	359, 0.068, West
L103	PAVEMENT	11TH AVE BETWEEN W 2	NY Spills	Lower	359, 0.068, West
K104	TRANSFORMER VAULT VS	WEST 29TH ST/11TH AV	NY Spills	Lower	365, 0.069, NW
K105	29TH ST & 11TH AVE/S	29TH ST & 11TH AVE/S	NY Spills	Lower	365, 0.069, NW
Q106	LOT 14,TAXBLOCK 699	533 WEST 27 STREET	NY E DESIGNATION	Lower	368, 0.070, SSW
P107	518-526 WEST 30TH ST	518-526 WEST 30TH ST	NY VCP	Higher	372, 0.070, ENE
G108	28TH HIGHLINE ASSOCI	514-520 W 28TH ST	PA MANIFEST	Higher	374, 0.071, SSE
G109	514-520 WEST 28TH ST	514-520 WEST 28TH ST	NY BROWNFIELDS	Higher	374, 0.071, SSE
G110	REDEVELOPEMENT PROPE	514-520 WEST 28TH ST	NY Spills	Higher	374, 0.071, SSE
G111	CON EDISON	520 W 28TH ST	RCRA NonGen / NLR	Higher	374, 0.071, SSE
G112	28TH HIGHLINE ASSOCI	520 W 28TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	374, 0.071, SSE
M113	WEST 28TH ST YARD	281‘ 11TH AVE	NY Spills	Lower	378, 0.072, West
M114	WEST 28TH STREET YAR	WEST 28TH STREET YAR	NY Spills	Lower	378, 0.072, West
M115	WEST 28TH ST YARD	WEST 29TH ST	NY Spills	Lower	378, 0.072, West
M116	WEST 28TH ST YARD	WEST 28TH ST YARD	NY Spills	Lower	378, 0.072, West

MAPPED SITES SUMMARY

Target Property Address:
538-540 WEST 29TH STREET
NEW YORK, NY 10001

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
M117	WESTSIDE SERVICE CEN	WEST 28TH ST	NY Spills	Lower	378, 0.072, West
G118	HIGHLINE 28-29 DEVEL	507 -515 WEST 28TH S	RCRA-LQG, ICIS, US AIRS, NY MANIFEST	Higher	378, 0.072, SE
G119	507-515 WEST 28TH ST	507-515 WEST 28TH ST	NY VCP	Higher	378, 0.072, SE
G120	28-29 HIGHLINE	507-515 WEST 28TH ST	NY UST	Higher	378, 0.072, SE
M121	WESTSIDE OPERATIONS	281 ELEVENTH AVENUE	NY TANKS	Lower	379, 0.072, WNW
M122	WESTSIDE SERVICE CTR	281 11TH AVENUE	NY Spills	Lower	379, 0.072, WNW
M123	SERVICE CENTER	281 11TH AVE	NY Spills	Lower	379, 0.072, WNW
M124	CON ED TRANSPORTATIO	281 W 11TH AVE	NY Spills	Lower	379, 0.072, WNW
M125	CON EDISON	281 11TH AVE	NY MANIFEST	Lower	379, 0.072, WNW
M126	CON EDISON	281 11TH AVE	RCRA NonGen / NLR	Lower	379, 0.072, WNW
M127	WEST 28 TH ST YARD	281 11 TH AV	NY Spills	Lower	379, 0.072, WNW
M128	CON EDISON - W 28TH	281 11TH AVE	RCRA-LQG, NY SWF/LF, NJ MANIFEST, NY MANIFEST	Lower	379, 0.072, WNW
M129	W28TH ST YARD	281 11TH AV	NY Spills	Lower	379, 0.072, WNW
M130	CON ED 28TH ST YARD	281 11TH AVE	NY Spills	Lower	379, 0.072, WNW
M131	15 GALLONS HYDAULIC	281 W 11 AVENUE	NY Spills	Lower	379, 0.072, WNW
M132	TEN GAL HYDRAULIC FR	281 11 AVENUE. WEST	NY Spills	Lower	379, 0.072, WNW
M133	CON EDISON	281 11TH AVE	RCRA NonGen / NLR	Lower	379, 0.072, WNW
M134	CON EDISON WEST 28TH	281 11TH AVE	PA MANIFEST	Lower	379, 0.072, WNW
M135	CON EDISON W 28TH ST	281 11TH AVENUE	NY SWF/LF, NY Spills, NY MANIFEST	Lower	379, 0.072, WNW
M136	CON EDISON OTHER - S	281 11TH AVE	RCRA-LQG, FINDS, ECHO, NY MANIFEST	Lower	379, 0.072, WNW
K137	JEFF KOONS PRODUCTIO	601 W 29TH ST	RCRA-SQG, NY MANIFEST, NJ MANIFEST	Lower	380, 0.072, NW
O138	GENERAL AUTO TRANS R	547 W 27TH ST	EDR Hist Auto	Lower	387, 0.073, SW
R139	IN FIELD	509 WEST 28TH STREET	NY Spills	Higher	388, 0.073, SE
L140	LOT 1,TAXBLOCK 699	262 11 AVENUE	NY E DESIGNATION	Lower	393, 0.074, WSW
S141	LOT 30,TAXBLOCK 701	509 WEST 29 STREET	NY E DESIGNATION	Higher	406, 0.077, East
Q142	BORE HOLE	WEST 27 STREET BTWN	NY Spills	Lower	421, 0.080, SSW
T143	NASSAU SMELTING & RE	603 W. 29TH ST.	SEMS-ARCHIVE, LEAD SMELTERS	Higher	431, 0.082, NW
U144	MANHATTAN MOTORCARS	270 ELEVENTH AVE	NY AST	Lower	436, 0.083, WSW
R145	PRADERA REALTY CO.	501 W 28 STREET	NY AST	Higher	447, 0.085, SE
U146	WATERFRONT NY REALTO	271 11TH AVE	NY Spills	Lower	448, 0.085, West
U147	271 11TH AVE/MANHATT	271 11TH AVE	NY LTANKS	Lower	448, 0.085, West
V148	MICKEYS SERVICE STAT	309 11 AVE	EDR Hist Auto	Higher	452, 0.086, NNW
V149	XTRAMART?? - RETAIL	309 11TH AVE	NY Spills	Higher	452, 0.086, NNW
Q150	537 WEST 27TH ST	537 WEST 27TH	NY Spills	Higher	454, 0.086, South
Q151	537-545 W 27TH ST	537-545 W 27TH ST	NY UST	Higher	454, 0.086, South
Q152	COMMERICAL PROPERTY	537-545 WEST 27TH ST	NY Spills	Higher	454, 0.086, South
Q153	CONSTRUCTION SITE	537 WEST 27TH ST	NY Spills	Higher	454, 0.086, South
Q154	TENANTS IN COMMON 27	537-545 W 27TH ST	RCRA-CESQG, NY MANIFEST, NJ MANIFEST	Higher	454, 0.086, South
Q155	LOT 9,TAXBLOCK 699	537 WEST 27 STREET	NY E DESIGNATION	Higher	454, 0.086, South

MAPPED SITES SUMMARY

Target Property Address:
538-540 WEST 29TH STREET
NEW YORK, NY 10001

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
V156	UNITED MOBIL SVC STA	30TH ST & 11TH AVE	EDR Hist Auto	Higher	454, 0.086, NNW
V157	HUDSON YARDS CONSTRU	30TH ST AND 11TH AVE	NY Spills	Higher	454, 0.086, NNW
V158	CONSOLDIATED EDISON	W 30TH ST & 11TH AVE	NY MANIFEST	Higher	454, 0.086, NNW
V159	CON EDISON	W. 30TH & 11TH AVE	NY MANIFEST	Higher	454, 0.086, NNW
W160	519 WEST 27TH STREET	519 WEST 27TH STREET	NY Spills	Higher	455, 0.086, South
W161	LOT 22,TAXBLOCK 699	517 WEST 27 STREET	NY E DESIGNATION	Higher	457, 0.087, South
S162	LOT 33,TAXBLOCK 701	505 WEST 29 STREET	NY E DESIGNATION	Higher	459, 0.087, East
V163	KISKA CONSTRUCTION Y	30TH ST BETW 10TH &	RCRA-SQG	Higher	466, 0.088, NNW
X164	HUDSON YARDS TERRA F	553 W 30TH ST	RCRA-LQG, NY MANIFEST	Higher	473, 0.090, North
X165	HUDSON YARDS TERRA F	553 W 30TH ST	NJ MANIFEST	Higher	473, 0.090, North
W166	515	515 W. 27TH ST	NY Spills	Higher	473, 0.090, South
W167	LOT 23,TAXBLOCK 699	515 WEST 27 STREET	NY E DESIGNATION	Higher	473, 0.090, South
V168	DSNY M DISTRICT 6 GA	319 ELEVENTH AVENUE	NY AST	Higher	481, 0.091, NNW
V169	DSNY M DISTRICT 6 GA	319 ELEVENTH AVENUE	NY UST	Higher	481, 0.091, NNW
W170	LOT 24,TAXBLOCK 699	513 WEST 27 STREET	NY E DESIGNATION	Higher	482, 0.091, SSE
S171	LOT 43,TAXBLOCK 701	502 WEST 30 STREET	NY E DESIGNATION	Higher	485, 0.092, East
S172	502 WEST 30TH ST LLC	502 WEST 30TH STREET	NY AST	Higher	485, 0.092, East
Y173	LOT 36,TAXBLOCK 700	327 10 AVENUE	NY E DESIGNATION	Higher	490, 0.093, ESE
Y174	HODES THEODORE	327 10TH AVE	EDR Hist Auto	Higher	490, 0.093, ESE
Y175	FORMER GAS STATION	327 10TH AVE	NY Spills	Higher	490, 0.093, ESE
Y176	VACANT LOT	327 10TH AVE.	NY Spills	Higher	490, 0.093, ESE
R177	LOT 32,TAXBLOCK 700	319 10 AVENUE	NY E DESIGNATION	Higher	491, 0.093, SE
R178	EVAN AUTO INC	319 TENTH AVENUE	NY AST	Higher	491, 0.093, SE
Q179	536 WEST 27TH STREET	536 WEST 27TH STREET	NY UST	Lower	494, 0.094, SSW
Z180	530 WEST 27TH ST/MAN	530 WEST 27TH STREET	NY Spills	Lower	499, 0.095, SSW
W181	LOT 25,TAXBLOCK 699	511 WEST 27 STREET	NY E DESIGNATION	Higher	501, 0.095, SSE
R182	CON EDISON	315 10TH AVE & 28TH	NY MANIFEST	Higher	502, 0.095, SE
R183	CON EDISON	315 10TH AVE & 28TH	NY MANIFEST	Higher	502, 0.095, SE
V184	SPILL NUMBER 0303971	605 WEST 30TH ST	NY Spills	Higher	509, 0.096, NNW
V185	NYC DEP-TUNNEL NO 3	605 W 30TH ST	RCRA NonGen / NLR	Higher	509, 0.096, NNW
V186	NYC DEPC	605 W 30TH ST	NJ MANIFEST	Higher	509, 0.096, NNW
V187	NYC DEPC	605 W 30TH ST	NY MANIFEST	Higher	509, 0.096, NNW
S188	NORTH CHELSEA	500 WEST 30TH STREET	NY UST	Higher	512, 0.097, East
S189	HIGHLINE HOLDINGS LL	500 W 30TH ST	NJ MANIFEST	Higher	512, 0.097, East
S190	CONSTRUCTION SITE	500 WEST 30TH ST	NY Spills	Higher	512, 0.097, East
S191	THE RELATED COMPANIE	500 W 30TH ST	PA MANIFEST	Higher	512, 0.097, East
S192	HIGHLINE HOLDINGS LL	500 W 30TH ST	RCRA NonGen / NLR, NY MANIFEST	Higher	512, 0.097, East
193	WEST 28TH STREET YAR	281 11TH AVE	NY Spills	Lower	516, 0.098, WNW
Y194	LOT 34,TAXBLOCK 700	323 10 AVENUE	NY E DESIGNATION	Higher	517, 0.098, ESE

MAPPED SITES SUMMARY

Target Property Address:
538-540 WEST 29TH STREET
NEW YORK, NY 10001

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
W195	LOT 26,TAXBLOCK 699	509 WEST 27 STREET	NY E DESIGNATION	Higher	520, 0.098, SSE
S196	LOT 37,TAXBLOCK 701	333 10 AVENUE	NY E DESIGNATION	Higher	520, 0.098, East
Y197	501 WEST 29TH STREET	501 WEST 29TH STREET	NY AST	Higher	521, 0.099, ESE
T198	MOBIL STATION 17510	309 11TH AVE	NY Spills	Higher	522, 0.099, NNW
T199	MOBIL OIL CORP SS #5	309 11TH AVE	NY UST, NY Spills, RCRA NonGen / NLR, US AIRS	Higher	522, 0.099, NNW
S200	KELLYS TAXI GROUP IN	333-335 10TH AVE	EDR Hist Auto	Higher	523, 0.099, East
S201	CON EDISON	331 10TH AVE	RCRA NonGen / NLR	Higher	524, 0.099, ESE
S202	CON ED	331 10TH AVE	NY MANIFEST	Higher	524, 0.099, ESE
S203	CON EDISON	331 10TH AVE	NJ MANIFEST	Higher	524, 0.099, ESE
S204	LOT 36,TAXBLOCK 701	331 10 AVENUE	NY E DESIGNATION	Higher	524, 0.099, ESE
AA205	NEWPORT PAINTING & D	523 W 30TH ST	RCRA-SQG, NY MANIFEST, NJ MANIFEST	Higher	536, 0.102, ENE
U206	11TH AVENUE & WEST 2	11TH AVENUE & WEST 2	NY Spills	Lower	538, 0.102, WSW
U207	CON EDISION - SEWER	27TH ST. AT 11TH AVE	RCRA NonGen / NLR, NY MANIFEST	Lower	538, 0.102, WSW
U208	WEST 27TH ST & 11TH	W. 27TH ST & 11TH AV	NY Spills	Lower	538, 0.102, WSW
U209	CON EDISON - MANHOLE	W 27 ST & 11TH AVE	NY MANIFEST	Lower	538, 0.102, WSW
U210	FEEDER M54	WEST 27TH ST/11TH AV	NY Spills	Lower	539, 0.102, WSW
U211	CON EDISION - MH4588	27TH ST. AT 11TH AVE	RCRA NonGen / NLR, NY MANIFEST	Lower	540, 0.102, WSW
Z212	CON EDISON OTHER - S	520 W 27TH ST	RCRA NonGen / NLR, NY MANIFEST	Higher	542, 0.103, South
Z213	HART REALTY	520 WEST 27TH STREET	NY UST	Higher	542, 0.103, South
V214	MIKE SIE PALM	604 WEST 30TH STREET	NY AST	Higher	547, 0.104, NNW
AB215	LOT 27,TAXBLOCK 699	507 WEST 27 STREET	NY E DESIGNATION	Higher	547, 0.104, SSE
AB216	CON EDISON SERVICE B	507 W 27TH ST E OF 1	NJ MANIFEST	Higher	547, 0.104, SSE
AC217	CON EDISON SERVICE B	309-311 10TH ST & AV	RCRA NonGen / NLR	Higher	553, 0.105, SE
AC218	CON EDISON	309-311 10TH ST & AV	NY MANIFEST	Higher	553, 0.105, SE
AD219	LOT 42,TAXBLOCK 701	337 10 AVENUE	NY E DESIGNATION	Higher	554, 0.105, East
AA220	METAL PURCHASING CO	501-551 WEST 30TH ST	NY UST	Higher	555, 0.105, ENE
AA221	MTA - HUDSON YARD	501-551 W 30TH ST	NJ MANIFEST	Higher	555, 0.105, ENE
Z222	CONSTRUCTION SITE	520 WEST 27TH STREET	NY Spills	Higher	557, 0.105, South
AE223	STEVE DETAILING	516 W 27TH ST	EDR Hist Auto	Higher	575, 0.109, South
AB224	LOT 33,TAXBLOCK 699	303 10 AVENUE	NY E DESIGNATION	Higher	584, 0.111, SSE
AB225	FORMER GAS STATION	303 10TH AVE	NY Spills	Higher	584, 0.111, SSE
AB226	10TH AVE SS INC - DH	303 10TH AVE	RCRA NonGen / NLR, ICIS, FINDS, ECHO	Higher	584, 0.111, SSE
AB227	SHLOMI & AVI REPAIR	303-309 10TH AVENUE	NY UST	Higher	584, 0.111, SSE
AB228	TENTH GAS (NY) INC.	303 TENTH AVENUE	NY UST	Higher	584, 0.111, SSE
AB229	10TH AVE. W 27/W 28	303 10TH AVE	NY LTANKS, NY Spills	Higher	584, 0.111, SSE
AB230	KELLYS TAXI SERVICE	303-309 10TH AVE	EDR Hist Auto	Higher	587, 0.111, SSE
Y231	NYCDEP	10TH AVE & 29TH ST	NY MANIFEST	Higher	588, 0.111, ESE
Y232	CON EDISON MANHOLE:	10 AVE & 29TH ST SE	NY MANIFEST	Higher	588, 0.111, ESE
Y233	CON EDISON MANHOLE:	10 AVE & 29TH ST SE	RCRA NonGen / NLR, FINDS, ECHO	Higher	588, 0.111, ESE

MAPPED SITES SUMMARY

Target Property Address:
538-540 WEST 29TH STREET
NEW YORK, NY 10001

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
Y234	CON EDISON MANHOLE:	10 AVE & 29TH ST SE	NJ MANIFEST	Higher	588, 0.111, ESE
Y235	MORGAN PARKING LOT	W.29TH ST / 10TH AVE	NY Spills	Higher	594, 0.112, ESE
AC236	SHLOMI & AVI AUTO RE	305 10TH AVE	EDR Hist Auto	Higher	594, 0.112, SE
Y237	CON EDISON MANHOLE:	W 29TH ST & 10TH AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	597, 0.113, ESE
Y238	CON EDISON SERVICE B	402 W 29TH ST & 10TH	RCRA NonGen / NLR, FINDS	Higher	597, 0.113, ESE
Y239	EVANS AUTO	319-325 10TH AVE	NY Spills	Higher	597, 0.113, ESE
AE240	M.J. CAHN CO., INC.	510 WEST 27TH ST	NY AST	Higher	600, 0.114, South
AC241	CON EDISON SERVICE B	10TH AVE & 28TH ST M	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	604, 0.114, SE
AC242	DRUM RUN	WEST 28TH & 10TH AVE	NY Spills	Higher	604, 0.114, SE
AC243	SERVICE BOX # 05231	WEST 28TH & 10TH AVE	NY Spills	Higher	604, 0.114, SE
AC244	CON EDISON SERVICE B	10TH AVE & 28TH ST M	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	604, 0.114, SE
AC245	NYCDEP	10TH AVE & W 28TH ST	NY MANIFEST	Higher	604, 0.114, SE
AC246	CON EDISON SERVICE B	10TH AVE & 28TH ST	NJ MANIFEST	Higher	604, 0.114, SE
AB247	28TH UNDER HIGHLINE	505 W 27TH ST	NY LTANKS, NY MANIFEST	Higher	609, 0.115, SSE
AB248	LOT 27 GALLERY ROW	505 W 27TH ST	RCRA-LQG	Higher	609, 0.115, SSE
AC249	10TH AVENUE AT	WEST 28TH STREET	NY Spills	Higher	615, 0.116, SE
AC250	SPILL NUMBER 0310244	TENTH AVE. W.28TH ST	NY Spills	Higher	615, 0.116, SE
AF251	260 11 AVENUE	260 11TH AVENUE	NY AST	Lower	617, 0.117, SW
AF252	COMMERCIAL BUILDING	260 11TH AVE	NY LTANKS	Lower	617, 0.117, SW
AF253	NYC HRA OFA	260 11TH AVE	RCRA NonGen / NLR, NY MANIFEST	Lower	617, 0.117, SW
254	KELLYS TAXI GROUP IN	330 10TH AVE	EDR Hist Auto	Higher	620, 0.117, ESE
AF255	LOT 1,TAXBLOCK 698	244 11 AVENUE	NY E DESIGNATION	Lower	621, 0.118, SW
AE256	CON EDISON	510 W 27TH ST	NY MANIFEST	Higher	622, 0.118, South
AE257	CON EDISON	510 W 27TH ST	NJ MANIFEST	Higher	622, 0.118, South
AE258	CON EDISON	510 W 27TH ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	622, 0.118, South
AG259	NYC DEP	606 W 30TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	624, 0.118, NW
AG260	NYC DEPT OF SANITATI	606 WEST 30TH STREET	NY Spills	Higher	624, 0.118, NW
AG261	NYC DEPT OF SANITATI	606 W 30TH ST	RCRA NonGen / NLR, NY MANIFEST	Higher	624, 0.118, NW
AH262	537 W 26TH ST	537 W 26TH ST	NY Spills	Lower	630, 0.119, SSW
AH263	CON EDISON	533 W 26TH ST	RCRA NonGen / NLR	Lower	631, 0.120, SSW
AH264	CON EDISON	533 W 26TH ST	NJ MANIFEST	Lower	631, 0.120, SSW
AH265	CON EDISON	533 W 26TH ST	NY MANIFEST	Lower	631, 0.120, SSW
AH266	YITZ 24 HOUR TRANSMI	533 W 26TH ST	EDR Hist Auto	Lower	631, 0.120, SSW
AH267	CON EDISON	549 W 26 ST	NY MANIFEST	Lower	634, 0.120, SW
AH268	LAB RESULTS	549 W 26TH STREET	NY Spills	Lower	634, 0.120, SW
AH269	M.G. TOTAL CAR CARE	545 WEST 26TH STREET	NY AST	Lower	646, 0.122, SSW
270	LIRR	11TH AVE & 31ST STRE	NY Spills	Higher	647, 0.123, NNE
AF271	SPILL NUMBER 0201423	11TH AV BET 26TH & 2	NY Spills	Lower	651, 0.123, WSW
AI272	CON EDISON	525 W 26TH ST	NJ MANIFEST	Lower	670, 0.127, SSW

MAPPED SITES SUMMARY

Target Property Address:
538-540 WEST 29TH STREET
NEW YORK, NY 10001

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AI273	CON EDISON	525 W 26TH ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	670, 0.127, SSW
AF274	CON EDISON	557 W 26TH ST	NY MANIFEST	Lower	670, 0.127, SW
AF275	CON EDISON VAULT SUB	557 W 26TH ST	RCRA NonGen / NLR	Lower	670, 0.127, SW
AD276	NYCDEP	10TH AVE BTW W29TH &	NY MANIFEST	Higher	677, 0.128, East
AJ277	WEST SIDE YARD	351 TENTH AVENUE	NY TANKS	Higher	696, 0.132, East
AJ278	SHAFT 26 B, DEP CONT	351 10TH AVENUE	NY AST	Higher	696, 0.132, East
AK279	TENTH AVENUE PARTNER	299/301 TENTH AVE	NY AST	Higher	709, 0.134, SSE
280	WATERFRONT REALTY CO	224 12TH AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	713, 0.135, West
AI281	ADMIRATION GLOBE FUR	521 W 26 ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	720, 0.136, South
AI282	CON EDISON MANHOLE:	521 W 26TH ST FRONT	RCRA NonGen / NLR, NY MANIFEST	Lower	720, 0.136, South
AI283	513 WEST 26TH REALTY	525 WEST 26TH STREET	NY AST	Lower	720, 0.136, South
AI284	CON EDISON	525 W 26TH ST	NY MANIFEST	Lower	720, 0.136, South
AK285	CON EDISON	W 27TH ST & 10TH AVE	NY MANIFEST	Higher	723, 0.137, SSE
AK286	CON EDISON MANHOLE:	W 27TH ST & 10TH AVE	RCRA NonGen / NLR, FINDS	Higher	723, 0.137, SSE
AK287	CON EDISON SERVICE B	531 W 27TH ST & 10TH	NJ MANIFEST	Higher	723, 0.137, SSE
AK288	CON EDISON SERVICE B	10TH AVE & 27TH ST	RCRA NonGen / NLR, ECHO, NY MANIFEST	Higher	723, 0.137, SSE
AK289	CON EDISON SERVICE B	10TH AVE & 27TH ST	RCRA NonGen / NLR, NY MANIFEST	Higher	723, 0.137, SSE
AK290	CON EDISON SERVICE B	10TH AVE & 27TH ST	RCRA NonGen / NLR, ECHO, NY MANIFEST	Higher	723, 0.137, SSE
AK291	CON EDISON SERVICE B	10TH AVE & 27TH ST	RCRA NonGen / NLR, NY MANIFEST	Higher	723, 0.137, SSE
AL292	CON EDISON	632 W 28TH ST	NY MANIFEST	Lower	731, 0.138, WNW
AL293	CON EDISON	632 W 28TH ST	NY MANIFEST	Lower	731, 0.138, WNW
AL294	CON EDISON VAULT: 92	632 W 28TH ST	RCRA NonGen / NLR, FINDS	Lower	731, 0.138, WNW
AL295	CON EDISON VAULT: 85	632 W 28TH ST	RCRA NonGen / NLR	Lower	731, 0.138, WNW
AK296	CON EDISON MANHOLE:	W 27TH ST & 10TH AVE	RCRA NonGen / NLR, FINDS, ECHO	Higher	732, 0.139, SSE
AG297	RYDER TRUCK RENTAL I	624 WEST 30TH STREET	NY UST	Higher	733, 0.139, NW
AI298	513 WEST 26TH ASSOCI	533 WEST 26TH STREET	NY UST	Higher	747, 0.141, South
AM299	540 WEST 26 ST	540 WEST 26 ST	NY AST	Lower	747, 0.141, SW
AM300	CON EDISON SERVICE B	542 W 26TH ST	RCRA NonGen / NLR, NY MANIFEST	Lower	749, 0.142, SW
AM301	7 LINE SUBWAY CONSTR	550 WEST 26TH STREET	NY AST	Lower	756, 0.143, SW
AN302	CON EDISON	245 11 AV	NY MANIFEST	Lower	760, 0.144, SW
AN303	CON EDISON	245 11 AV	NY MANIFEST	Lower	760, 0.144, SW
AM304	NYC TRANSIT NO 7 SUB	554 W 26TH ST	RCRA NonGen / NLR, NY MANIFEST	Lower	761, 0.144, SW
AN305	CON EDISON MANHOLE:	W 26TH ST & 11TH AVE	RCRA-CESQG, NY MANIFEST	Lower	761, 0.144, SW
AM306	PENSKE TRUCK LEASING	536 WEST 26TH STREET	NY AST	Lower	802, 0.152, SW
AM307	PENSKE TRUCK LEASING	536 W 26TH ST	NY LTANKS, NY Spills, RCRA NonGen / NLR, FINDS,...	Lower	802, 0.152, SW
AM308	PENSKE TRUCK LEASING	536 WEST 26TH STREET	NY UST	Lower	802, 0.152, SW
AK309	CON EDISON SERVICE B	288 10TH AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	802, 0.152, SSE
AO310	CON EDISON SERVICE B	281 10TH AVE SB1681	RCRA NonGen / NLR, NY MANIFEST	Higher	815, 0.154, SSE
AP311	EFFANBEE DOLL CORP	508 W 26TH ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	827, 0.157, South

MAPPED SITES SUMMARY

Target Property Address:
538-540 WEST 29TH STREET
NEW YORK, NY 10001

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AP312	WOLF BUILDING	526 WEST 26TH STREET	NY AST	Lower	827, 0.157, South
AP313	INTEGRATED IMAGING C	508 W 26TH ST	RCRA-CESQG, US AIRS, NY MANIFEST	Lower	827, 0.157, South
AQ314	CON EDISON - VAULT 1	10TH AVE & WEST 31ST	RCRA-LQG	Higher	838, 0.159, ENE
AQ315	CON EDISON	10TH AVE & W 31ST ST	NY MANIFEST	Higher	838, 0.159, ENE
AQ316	CON EDISON - SERVICE	42 10TH AVE & 31 ST	RCRA-SQG	Higher	838, 0.159, ENE
AQ317	CON EDISON SERVICE B	W 31ST ST & 10TH AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	838, 0.159, ENE
AQ318	CON EDISON - VAULT 8	10TH AVE & WEST 31ST	RCRA-LQG	Higher	838, 0.159, ENE
AQ319	CON EDISON	10TH AVE & W 31ST ST	NY MANIFEST	Higher	838, 0.159, ENE
AQ320	STUART DEAN	366 10TH AVE	NY MANIFEST	Higher	838, 0.159, ENE
AR321	601 WEST 26TH STREET	601 WEST 26TH STREET	NY LTANKS, NY Spills	Lower	842, 0.159, WSW
AR322	FBI AUTOMOTIVE REPAI	601 W 26TH ST - 2ND	RCRA-CESQG, US AIRS, NY MANIFEST	Lower	842, 0.159, WSW
AR323	STARRETT - LEHIGH BU	601 W 26TH ST	RCRA-CESQG	Lower	842, 0.159, WSW
AR324	ELECTRICAL BUSS COMP	601 W 26TH ST	NY LTANKS, NY Spills	Lower	842, 0.159, WSW
AR325	WILLIAMS COMMUNICATI	601 W 26TH ST 1ST FL	RCRA NonGen / NLR, NY MANIFEST	Lower	842, 0.159, WSW
AR326	VERIZON NEW YORK INC	601 WEST 26TH STREET	NY TANKS	Lower	842, 0.159, WSW
AR327	STARRETT-LEHIGH BLDG	601 WEST 26TH STREET	NY AST	Lower	842, 0.159, WSW
AR328	CON EDISON - VAULT 1	26 ST 601	RCRA-LQG	Lower	842, 0.159, WSW
329	NYCT-PARKING LOT	220 11TH AVENUE	RCRA-SQG, NY CBS, NJ MANIFEST, NY MANIFEST	Lower	858, 0.162, SW
AS330	CON EDISON	657 W 30TH ST	NJ MANIFEST	Higher	881, 0.167, NW
AS331	CON EDISON	657 W 30 ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	881, 0.167, NW
AS332	CON EDISON	657 W 30TH ST	NY MANIFEST	Higher	881, 0.167, NW
AT333	CON EDISON MANHOLE:	543 W 25TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	884, 0.167, SSW
AT334	CON EDISON MANHOLE:	543 W 25TH ST	NJ MANIFEST	Lower	884, 0.167, SSW
AO335	CON EDISON	462 W 26 ST	NY MANIFEST	Higher	891, 0.169, South
AP336	511 WEST 25TH STREET	511 W 25TH ST	NY AST	Lower	898, 0.170, South
AP337	CON EDISON MANHOLE:	511 W 25TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	898, 0.170, South
AP338	531 WEST 25TH STREET	531 WEST 25TH STREET	NY AST	Lower	898, 0.170, South
AP339	511 WEST 25TH STREET	511 WEST 25TH STREET	NY AST	Lower	898, 0.170, South
AT340	CON EDISON	541 W 25TH ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	901, 0.171, SSW
AT341	CON EDISON	541 W 25TH ST	NJ MANIFEST	Lower	901, 0.171, SSW
AT342	CON EDISON	541 W 25TH ST	NY MANIFEST	Lower	901, 0.171, SSW
AO343	CON EDISON SERVICE B	W 26TH ST & 10TH AVE	RCRA NonGen / NLR, ECHO	Higher	903, 0.171, South
AO344	CON EDISON	W 26TH ST & 10TH AVE	NY MANIFEST	Higher	903, 0.171, South
AO345	CON EDISON SERVICE B	W 26TH ST & 10TH AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	903, 0.171, South
AO346	CON EDISON SERVICE B	505 W 26TH ST & 10TH	RCRA NonGen / NLR, FINDS, ECHO	Higher	903, 0.171, South
AO347	DEL. SPILL /W.28ST.&	W. 26TH ST & 10TH AV	NY LTANKS	Higher	903, 0.171, South
AO348	CON EDISON VAULT: 49	W 26TH ST & 10 AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	903, 0.171, South
AT349	CON EDISON - SERVICE	204 W 55TH STREET	RCRA-LQG, NY MANIFEST	Lower	907, 0.172, SW
AT350	CON EDISON - VAULT 1	525 W 25TH ST	NY MANIFEST	Lower	911, 0.173, SSW

MAPPED SITES SUMMARY

Target Property Address:
538-540 WEST 29TH STREET
NEW YORK, NY 10001

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AU351	BROADVIEW NETWORKS,	601 WEST 26 ST	NY AST	Lower	918, 0.174, WSW
AU352	CONSOLIDATED EDISON	601 W 26 ST	NY MANIFEST	Lower	918, 0.174, WSW
353	RED BALL INTERIOR DE	625 WEST 29 STREET	NY SWF/LF	Lower	925, 0.175, NW
AT354	ASI SIGN SYTEMS	555 W 25TH ST - 4TH	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	925, 0.175, SSW
AT355	555 WEST 25 ST	555 WEST 25TH STREET	NY AST	Lower	925, 0.175, SSW
AT356	L & M METAL INDUSRIE	555 W 25TH ST 1ST FL	RCRA NonGen / NLR, US AIRS, NY MANIFEST	Lower	925, 0.175, SSW
AV357	BALWARK BUILDING	239 11TH AVE	NY AST	Lower	933, 0.177, SW
AT358	SPILL NUMBER 0201897	543 - 545 WEST 25TH	NY LTANKS	Lower	936, 0.177, SSW
AT359	CHELSEA ARTS TOWER C	543-545 WEST 25TH ST	NY UST	Lower	936, 0.177, SSW
AR360	CON EDISON MANHOLE:	626 W 26TH ST OPPOSI	RCRA NonGen / NLR, NY MANIFEST	Lower	941, 0.178, WSW
AR361	CON EDISON MANHOLE:	626 W 26TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	941, 0.178, WSW
AR362	CON EDISON MANHOLE:	626 W 26TH ST OPPOSI	NJ MANIFEST	Lower	941, 0.178, WSW
AR363	CON EDISON MANHOLE:	626 W 26TH ST	NJ MANIFEST	Lower	941, 0.178, WSW
AP364	CON EDISON MANHOLE:	511 W 25TH ST	NJ MANIFEST	Lower	947, 0.179, South
AU365	CON EDISON	630 W 26TH ST	NY MANIFEST	Lower	955, 0.181, WSW
AU366	CON EDISON	630 W 26TH ST VAULT1	NY MANIFEST	Lower	955, 0.181, WSW
AU367	CON EDISON	630 W 26TH ST VAULT1	NJ MANIFEST	Lower	955, 0.181, WSW
AU368	CON EDISON	630 W 26TH ST	RCRA NonGen / NLR	Lower	955, 0.181, WSW
AU369	CON EDISON	630 W 26TH ST	NJ MANIFEST	Lower	955, 0.181, WSW
AU370	CON EDISON	630 W 26TH ST VAULT1	RCRA NonGen / NLR	Lower	955, 0.181, WSW
AU371	CON EDISON	630 W 26TH ST	RCRA NonGen / NLR	Lower	955, 0.181, WSW
AU372	CON EDISON	630 W 26TH ST VAULT9	NJ MANIFEST	Lower	955, 0.181, WSW
AU373	CON EDISON	630 W 26TH ST VAULT9	NY MANIFEST	Lower	955, 0.181, WSW
AW374	AVENUES, THE WORLD S	259 10TH AVENUE	NY UST, NY AST	Lower	962, 0.182, South
AW375	259 10TH AVENUE BUIL	259 10TH AVENUE	RCRA-LQG, FINDS, NY MANIFEST	Lower	962, 0.182, South
AX376	456-462 WEST 31ST ST	456-462 W 31ST ST	RCRA-SQG	Higher	962, 0.182, East
AW377	CON EDISON - MANHOLE	259 10 AVE	NY MANIFEST	Higher	970, 0.184, South
AT378	CON EDISON SERVICE B	550 W 25TH ST	RCRA NonGen / NLR, NY MANIFEST	Lower	972, 0.184, SSW
AT379	DHL WORLDWIDE EXPRES	560 W 25TH ST (550 W	NY UST	Lower	972, 0.184, SSW
AU380	CON EDISON	638 W 26TH ST	NY MANIFEST	Lower	983, 0.186, WSW
AU381	CON EDISON	638 W 26TH ST	NJ MANIFEST	Lower	983, 0.186, WSW
AU382	CON EDISON	638 W 26TH ST	RCRA NonGen / NLR	Lower	983, 0.186, WSW
AU383	MANHATTAN REPAIR SHO	640 WEST 26TH ST.	NY CBS	Lower	991, 0.188, WSW
AU384	NYC DEPT OF SANITATI	640 WEST 26TH ST	NY LTANKS	Lower	991, 0.188, WSW
AU385	NYC SANITATION	640 WEST 26TH STREET	NY LTANKS	Lower	991, 0.188, WSW
AU386	NYC DEPT OF SANITATI	640 W 26TH ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	991, 0.188, WSW
AU387	DSNY MN BORO REPAIR	640 WEST 26TH STREET	NY UST	Lower	991, 0.188, WSW
AV388	US POSTAL SVC VMF	25TH ST & 11TH	NJ MANIFEST	Lower	1000, 0.189, SW
AV389	CONSOLIDATED EDISON	11TH AVE & 25TH ST	NY MANIFEST	Lower	1000, 0.189, SW

MAPPED SITES SUMMARY

Target Property Address:
538-540 WEST 29TH STREET
NEW YORK, NY 10001

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AX390	EVERGREENE ARCHITETU	450 W 31ST STREET	PA MANIFEST	Higher	1007, 0.191, East
AX391	EVERGREENE ARCHITECT	450 W 31ST STREET (7	RCRA-LQG, NY MANIFEST	Higher	1007, 0.191, East
AX392	CON EDISON GAS DRIP:	450 W 31ST ST	RCRA NonGen / NLR, NY MANIFEST	Higher	1007, 0.191, East
AX393	CORNELL TECH MURAL R	450 W 31ST ST 7TH FL	RCRA NonGen / NLR, NY MANIFEST	Higher	1007, 0.191, East
AY394	CON EDISON SERVICE B	562 W 25TH ST FRONT	RCRA NonGen / NLR, NY MANIFEST	Lower	1007, 0.191, SW
AY395	HANDY LAUNDRY & CLEA	204 W 55TH ST	RCRA NonGen / NLR, NY MANIFEST	Lower	1008, 0.191, SW
AZ396	STUART DEAN CO INC N	366 TENTH AVE	RCRA-SQG, US AIRS	Higher	1011, 0.191, East
AZ397	STUART DEAN COMPANY	366 10TH AV	NY LTANKS	Higher	1011, 0.191, East
AZ398	ROSE PLAZA	356 10TH AVENUE	NY AST	Higher	1011, 0.191, East
AZ399	STUART DEAN CO. INC.	366 10TH AVENUE	NY UST	Higher	1011, 0.191, East
400	534-548 WEST 25TH ST	534-548 WEST 25TH ST	NY UST	Lower	1020, 0.193, SSW
BA401	CON EDISON - VAULT 1	368 10 AVENUE	RCRA-LQG	Higher	1029, 0.195, ENE
BA402	CON EDISON	368 10TH AVE FRONT O	NY MANIFEST	Higher	1029, 0.195, ENE
BA403	CON EDISON - VAULT 8	368 10 AVENUE	RCRA-LQG, NY MANIFEST	Higher	1029, 0.195, ENE
BA404	CON EDISON - VAULT 1	368 10 AVENUE	RCRA-LQG, NY MANIFEST	Higher	1029, 0.195, ENE
BA405	CON EDISON - GAS DRI	376 10TH AVE	RCRA-LQG, FINDS, ECHO, NY MANIFEST	Higher	1035, 0.196, ENE
406	CON EDISON MANHOLE:	264 10TH AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	1045, 0.198, South
407	CON EDISON - VAULT 2	401 W 29 STREET	RCRA NonGen / NLR, NY MANIFEST	Higher	1046, 0.198, ESE
AY408	210 11TH AVE	210 ELEVENTH AVENUE	NY AST	Lower	1059, 0.201, SW
BA409	CON EDISON GAS DRIP:	382 10TH AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	1090, 0.206, ENE
AX410	CON EDISON	437 W 31 ST	NY MANIFEST	Higher	1091, 0.207, East
BB411	TRANSIT MIX CONCRETE	WEST 26 ST / TWELFTH	NY AST	Lower	1096, 0.208, West
BC412	CON EDISON SERVICE B	10TH AVE & 25TH ST	RCRA NonGen / NLR, NY MANIFEST	Higher	1111, 0.210, South
BC413	CON EDISON SERVICE B	10TH AVE & 25TH ST	RCRA NonGen / NLR, NY MANIFEST	Higher	1111, 0.210, South
BD414	D26TH ST. & HUDSON P	26TH ST. & HUDSON PK	NY LTANKS	Lower	1115, 0.211, WNW
BE415	FEDERAL EXPRESS CORP	600 W 27TH ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	1122, 0.213, West
BE416	CON EDISON	218 W 12TH AVE	RCRA NonGen / NLR, NJ MANIFEST, NY MANIFEST	Lower	1124, 0.213, West
BC417	500 WEST 25TH STREET	500 WEST 25TH STREET	NY VCP	Higher	1125, 0.213, South
BD418	CON EDISON - MANHOLE	W 28TH ST & 12TH AVE	NJ MANIFEST	Lower	1138, 0.216, WNW
BD419	CON EDISON	W 28TH ST & 12TH AVE	NY MANIFEST	Lower	1138, 0.216, WNW
BD420	CON EDISON - MANHOLE	WEST 28TH ST & 12TH	RCRA-LQG	Lower	1138, 0.216, WNW
BD421	CON EDISON SERVICE B	W 28TH ST & 12TH AVE	RCRA NonGen / NLR, FINDS	Lower	1145, 0.217, WNW
BD422	CON EDISON SERVICE B	W 28TH ST & 12TH AVE	RCRA NonGen / NLR, FINDS	Lower	1145, 0.217, WNW
423	CON EDISON - MANHOLE	W 33RD & 11TH AVE	NY MANIFEST	Higher	1151, 0.218, NNE
424	CON EDISON	430 W 31 ST	NY MANIFEST	Higher	1151, 0.218, East
BE425	CLOSED-LACKOF RECENT	918 27TH AVE.	NY LTANKS	Lower	1157, 0.219, West
BF426	BROOKFIELD OFFICE PR	450 W 33RD ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	1168, 0.221, ENE
BF427	NEW YORK CLEARING HO	450 WEST 33RD STREET	NY UST	Higher	1168, 0.221, ENE
BF428	BROOKFIELD OFFICE PR	450 W 33RD ST	NY MANIFEST	Higher	1168, 0.221, ENE

MAPPED SITES SUMMARY

Target Property Address:
538-540 WEST 29TH STREET
NEW YORK, NY 10001

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
BF429	450 PARTNERS LLC	450-460 WEST 33RD ST	NY UST	Higher	1168, 0.221, ENE
BF430	DAILY NEWS LP NY HEA	450 W 33RD ST 3RD FL	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1168, 0.221, ENE
BF431	NY CLEARINGHOUSE - T	450 W33RD ST	NY LTANKS	Higher	1168, 0.221, ENE
432	HELIPORT W 30TH ST/M	HELIPORT/W.30TH ST &	NY LTANKS	Higher	1175, 0.223, ESE
433	CLOSED-LACKOF RECENT	39038 29TH ST.	NY LTANKS	Lower	1180, 0.223, WNW
BG434	OTIS ELEVATOR	515 W 33RD ST	RCRA-SQG, FINDS, ECHO, NJ MANIFEST, NY MANIFEST	Higher	1191, 0.226, NE
BG435	CON EDISON	513 W 33 ST WLY	NY MANIFEST	Higher	1196, 0.227, NE
BH436	CONSTRUCTION SITE	511 W 24TH ST	RCRA-CESQG	Lower	1197, 0.227, SSW
BH437	VACANT LOT	511 WEST 24TH STREET	NY LTANKS	Lower	1197, 0.227, SSW
438	CON EDISON - MANHOLE	553 W 33RD ST	RCRA-LQG, NY MANIFEST	Higher	1201, 0.227, NNE
BB439	HUB CHEVROLET	200 12TH AVE	RCRA NonGen / NLR, FINDS, ECHO	Lower	1202, 0.228, West
BG440	50 HYMC OWNER HOLDIN	511 W. 33RD ST.	NY AST	Higher	1203, 0.228, NE
BI441	507 WEST 24TH STREET	507 WEST 24TH STREET	NY VCP	Lower	1205, 0.228, South
BI442	245-247 10TH AVE	245-247 TENTH AVENUE	NY UST	Higher	1209, 0.229, South
BI443	CHANDER AUTO BODY FO	245 10TH AVE	RCRA NonGen / NLR	Higher	1209, 0.229, South
BJ444	CON EDISON SERVICE B	201-11 SHERMAN AVE N	RCRA NonGen / NLR, NY MANIFEST	Lower	1215, 0.230, WSW
BJ445	201 11TH AVE/MANH/US	201 11TH AVENUE	NY LTANKS	Lower	1215, 0.230, WSW
BJ446	MANHATTAN VEHICLE MA	201 11TH AVE.	NY CBS, NY Spills	Lower	1216, 0.230, WSW
BK447	NYCDOS W 30TH ST REC	WEST 30TH ST & W SID	NY SWRCY	Lower	1225, 0.232, NW
BL448	30TH ST HELIPORT/MAN	30TH STREET HELIPORT	NY LTANKS	Lower	1226, 0.232, NW
BL449	W 30TH HELIPORT/MANH	W 30TH ST HELIPORT	NY LTANKS	Lower	1226, 0.232, NW
BK450	GREYHOUND GARAGE	260 12TH AVE	NY LTANKS, NY Spills	Lower	1232, 0.233, NW
BK451	EMPIRE CITY SUBWAY C	260 12TH AVENUE	NY AST	Lower	1232, 0.233, NW
BK452	NJ TRANSIT - ARC	260 12TH AVE	RCRA NonGen / NLR, FINDS	Lower	1232, 0.233, NW
BC453	CON EDISON SERVICE B	252 10TH AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	1234, 0.234, South
454	DOESNOT MEET STANDAR	192-12 47TH AVENUE	NY LTANKS	Lower	1237, 0.234, West
BM455	ELLIOTT HOUSES (CHEL	426 WEST 27TH STREET	NY AST	Higher	1238, 0.234, SE
BM456	ELLIOTT HOUSES (CHEL	426 WEST 27TH STREET	NY UST	Higher	1238, 0.234, SE
BM457	NYCHA - CHELSEA ELLI	426 W 27TH STREET DR	RCRA NonGen / NLR	Higher	1238, 0.234, SE
BM458	ELLIOTT HOUSES -NYCH	426 WEST 27TH ST	NY LTANKS, NY Spills	Higher	1238, 0.234, SE
BN459	DYNAMIC DELIVERY COR	202-208 11TH AVENUE	NY UST	Lower	1239, 0.235, SW
BO460	CON EDISON - TRENCH	396 10TH AVE	RCRA-LQG, NY MANIFEST	Higher	1241, 0.235, ENE
BG461	KING GRAPHIC TECHNOL	511 W 33RD ST STE 10	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1242, 0.235, NE
BP462	CON EDISON VAULT: 92	447 W 25TH ST FRONT	RCRA NonGen / NLR, NY MANIFEST	Higher	1245, 0.236, SSE
BK463	CON EDISON SERVICE B	W 30TH & 12TH AVE	NJ MANIFEST	Lower	1251, 0.237, NW
BK464	CON EDISON SERVICE B	636-640 W 30TH & 12T	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	1251, 0.237, NW
BK465	WEST 30TH ST HELIPOR	WEST 30TH STREET & 1	NY TANKS	Lower	1251, 0.237, NW
BK466	PORT AUTH OF NY & NJ	W 30TH ST & 12TH AVE	RCRA NonGen / NLR, NY MANIFEST	Lower	1251, 0.237, NW
BI467	VHS 239 LLC FORMER 1	239 10TH AVE	RCRA-LQG	Lower	1252, 0.237, South

MAPPED SITES SUMMARY

Target Property Address:
538-540 WEST 29TH STREET
NEW YORK, NY 10001

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
BI468	VHS 239 LLC FORMER10	239 10TH AVE	NY MANIFEST	Lower	1252, 0.237, South
BI469	VHS 239 LLC FORMER 1	239 10TH AVE	NJ MANIFEST	Lower	1252, 0.237, South
BI470	239 10TH AVENUE	239 10TH AVENUE	NY VCP	Lower	1252, 0.237, South
BI471	VHS 239 LLC	239 TENTH AVENUE	NY UST	Lower	1252, 0.237, South
BH472	ADOLPHS TRUCKING CO,	507-11 WEST 24TH ST	NY UST	Lower	1252, 0.237, SSW
BO473	CON EDISON - VS 6145	513-25 W.33RD STREET	RCRA NonGen / NLR, NY MANIFEST	Higher	1256, 0.238, ENE
BO474	MTA LIRR - WEST SIDE	401 10TH AVE	RCRA-SQG, NY MANIFEST, NJ MANIFEST	Higher	1258, 0.238, NE
BN475	CON EDISON	11 AVE & W 24TH ST	NY MANIFEST	Lower	1259, 0.238, SW
BN476	CON EDISON	11TH AVE & WEST 24TH	NY MANIFEST	Lower	1259, 0.238, SW
477	23RD STREET VENTURE	540 W 24TH ST	RCRA-CESQG	Lower	1259, 0.238, SSW
BO478	CON EDISON MANHOLE:	W 33RD ST & 10TH AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	1260, 0.239, ENE
BO479	CON EDISON MANHOLE:	W 33RD ST & 10TH AVE	NJ MANIFEST	Higher	1260, 0.239, ENE
BQ480	JAMES BANYON PHOTO E	406 W 31ST ST	RCRA NonGen / NLR, NY MANIFEST	Higher	1279, 0.242, East
BQ481	FASHION INSTITUTE OF	406 WEST 31ST STREET	NY AST	Higher	1279, 0.242, East
BQ482	EXPANSION GROUP THE	406 W 31ST ST - BASE	RCRA-CESQG, NY MANIFEST	Higher	1279, 0.242, East
BN483	CON EDISON SERVICE B	196 11TH AVE	RCRA NonGen / NLR, NY MANIFEST	Lower	1283, 0.243, SW
BK484	WEST 30TH ST. RECYCL	WEST 30TH ST. & WEST	NY AST	Lower	1284, 0.243, NW
BP485	CHELSEA HOUSES	431 WEST 25TH STREET	NY UST	Higher	1293, 0.245, SSE
BH486	CON EDISON	514 W 24TH ST	NJ MANIFEST	Lower	1306, 0.247, SSW
BH487	514 WEST 24TH STREET	514 WEST 24TH STREET	NY VCP	Lower	1306, 0.247, SSW
BH488	CON EDISON	514 W 24TH ST	NY MANIFEST	Lower	1306, 0.247, SSW
BH489	CON EDISON	514 W 24TH ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	1306, 0.247, SSW
BR490	MANHATTAN WEST PLATF	371 9TH AVENUE	NJ MANIFEST	Higher	1309, 0.248, East
BR491	MANHATTAN WEST - SOU	371 9TH AVE & 31ST S	NY MANIFEST	Higher	1309, 0.248, East
BR492	MANHATTAN WEST PLATF	371 9TH AVENUE	RCRA-LQG	Higher	1309, 0.248, East
BR493	371 9TH AVENUE	371 9TH AVENUE	NY VCP	Higher	1309, 0.248, East
BS494	MTA NO.7 SUBLINE EXT	524 W 34TH ST	NY UST	Higher	1317, 0.249, NNE
BT495	239 10TH AVE/MANH/GE	239 10TH AVENUE	NY LTANKS	Lower	1328, 0.252, South
BT496	FORMER GETTY SERVICE	239 10TH AVENUE	NY LTANKS, NY BROWNFIELDS, NY Spills	Lower	1328, 0.252, South
497	508 WEST 24TH STREET	508 WEST 24TH STREET	NY VCP	Lower	1333, 0.252, SSW
BS498	528 W 34TH ST	528 W 34TH ST	NY LTANKS	Higher	1333, 0.252, NNE
BS499	530 WEST 34TH ST/MAN	530 WEST 34TH STREET	NY LTANKS	Higher	1334, 0.253, NNE
500	CLOSED-LACKOF RECENT	303 9TH AVENUE	NY LTANKS	Higher	1336, 0.253, SE
501	ROY WEIDENER MOTOR L	651 W 33ST,MARSHALLI	NY LTANKS	Higher	1399, 0.265, North
BU502	MENDON LEASING	527 WEST 23RD STREET	NY LTANKS, NY Spills	Lower	1404, 0.266, SSW
BU503	EDISON PARKING GARAG	527 WEST 23RD ST	NY LTANKS	Lower	1404, 0.266, SSW
BU504	MARY BOONE GALLERY	537-541 W. 24TH ST	NY LTANKS	Lower	1404, 0.266, SSW
BV505	NYNEX	555 W. 34TH ST	NY LTANKS	Higher	1426, 0.270, NNE
BV506	WEST 34TH STREET DEV	555 WEST 34TH STREET	NY BROWNFIELDS, NY Spills	Higher	1426, 0.270, NNE

MAPPED SITES SUMMARY

Target Property Address:
538-540 WEST 29TH STREET
NEW YORK, NY 10001

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
BV507	VERIZON NEW YORK, IN	555 WEST 34TH STREET	NY LTANKS, NY TANKS, NY Spills	Higher	1426, 0.270, NNE
BW508	182-188 11TH AVENUE	182-188 11TH AVENUE	NY VCP	Lower	1431, 0.271, SW
509	COMMERICAL BUILDLING	521 WEST 23RD STREET	NY LTANKS	Lower	1455, 0.276, SSW
BW510	555 WEST 23RD ST	555 WEST 23RD ST	NY LTANKS	Lower	1472, 0.279, SW
511	509 WEST 34TH STREET	509 WEST 34TH STREET	NY BROWNFIELDS	Higher	1485, 0.281, NE
512	MANHATTAN GENERAL MA	WEST 29TH & 9TH AVE	SEMS-ARCHIVE	Higher	1493, 0.283, ESE
513	160-12 46TH AVE/QUEE	160-12 46TH AVENUE	NY LTANKS	Lower	1494, 0.283, WSW
BX514	34TH ST. AND 10TH AV	34TH ST.& 10TH AVE.	NY LTANKS	Higher	1505, 0.285, NE
BX515	34TH ST. & 10TH AVE.	34TH ST. & 10TH AVE.	NY LTANKS	Higher	1505, 0.285, NE
516	PUBLIC SCHOOL #33	281 9TH AVENUE	NY LTANKS	Higher	1523, 0.288, SE
517	527 WEST 34TH ST	527 WEST 34TH ST	NY LTANKS	Higher	1535, 0.291, NE
BY518	562 W 23RD ST/MANHAT	562 WEST 23RD STREET	NY LTANKS, NY Spills	Lower	1546, 0.293, SW
BZ519	23RD ST & EAST RIVER	600 E.23RD ST	NY LTANKS	Lower	1553, 0.294, SW
BZ520	E.23RD ST & EAST RIV	600 E.23RD ST	NY LTANKS, NY Spills	Lower	1553, 0.294, SW
BZ521	GULF GAS STATION	600 E.23RD ST, E. RI	NY LTANKS	Lower	1553, 0.294, SW
CA522	AMOCO	436 TENTH AVE	NY LTANKS	Higher	1589, 0.301, ENE
CA523	AMOCO	436 TENTH AVE	NY LTANKS	Higher	1589, 0.301, ENE
524	ST MICHEAL'S SCHOOL	425 WEST 33RD STREET	NY LTANKS	Higher	1601, 0.303, ENE
BY525	168-11 12TH AVENUE	168-11 12TH AVENUE	NY LTANKS	Lower	1622, 0.307, SW
526	LIRR WEST SIDE YARD	12TH AVE AND W 33RD	NY SHWS	Lower	1639, 0.310, NNW
CB527	AMOCO STATION	213-10 JAMAICA AVENU	NY LTANKS	Lower	1703, 0.323, South
528	400 WEST 25TH STREET	400 WEST 25TH STREET	NY LTANKS, NY AST	Higher	1706, 0.323, SSE
529	555 WEST 22ND STREET	555 WEST 22ND STREET	NY BROWNFIELDS	Lower	1709, 0.324, SW
530	4305 35TH ST/AMERICA	4305 35TH ST	NY LTANKS	Higher	1716, 0.325, NNE
CB531	211-10-02 73RD AVE/Q	211-10-02 73RD AVENU	NY LTANKS	Lower	1722, 0.326, South
532	CONSTRUCTION SITE	529 WEST 35TH ST	NY LTANKS	Higher	1735, 0.329, NNE
533	444 10TH AVENUE	444 10TH AVENUE	NY VCP	Higher	1737, 0.329, NE
534	APARTMENT BUILDING	347 WEST 29TH ST	NY LTANKS	Higher	1755, 0.332, ESE
535	UPSCALE DEVELOPMENT	349 WEST 30TH ST 1ST	NY LTANKS	Higher	1802, 0.341, ESE
536	PIER 84	12TH AVE/WEST 34TH S	NY LTANKS	Lower	1862, 0.353, NNW
537	AD SCHEUMANN LUMBER	524 WEST 36TH STREET	NY LTANKS	Higher	1887, 0.357, NE
538	THE MERRY GATES OF H	103-12 101ST AVENUE	NY LTANKS	Lower	1916, 0.363, SW
CC539	NEW YORK STATE DEC	507 W 21ST ST	NY LTANKS, NY Spills, RCRA NonGen / NLR, NY...	Lower	1935, 0.366, SSW
CC540	TIME WARNER CABLE	511 WEST 21ST ST	NY AST, NY ENG CONTROLS, NY INST CONTROL, NY...	Lower	1941, 0.368, SSW
541	460 10TH AVE	460 10TH AVENUE	NY LTANKS	Higher	1944, 0.368, NE
CC542	193 10TH AVE	193 10TH AVE	NY LTANKS	Lower	1953, 0.370, SSW
CC543	193-10 PECK AVE	193-10 PECK AVE	NY LTANKS	Lower	1953, 0.370, SSW
CD544	535 EAST 21ST STREET	535 EAST 21ST STREET	NY LTANKS	Lower	1974, 0.374, SSW
CD545	551 WEST 21ST STREET	551 WEST 21ST STREET	NY VCP	Lower	1978, 0.375, SSW

MAPPED SITES SUMMARY

Target Property Address:
538-540 WEST 29TH STREET
NEW YORK, NY 10001

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
546	445 WEST 35TH STREET	445 WEST 35TH STREET	NY VCP	Higher	1996, 0.378, ENE
547	511 WEST 36TH STREET	511 WEST 36TH STREET	NY VCP	Higher	2004, 0.380, NE
CE548	TANK TEST FAIL	320 W 30TH ST	NY LTANKS	Higher	2012, 0.381, ESE
CF549	438 11TH AVENUE	438 11TH AVENUE	NY BROWNFIELDS	Higher	2015, 0.382, NNE
550	MINICK HOME	440 WEST 22ND STREET	NY LTANKS	Higher	2093, 0.396, South
CE551	APRT BUILDING -TTF	315-325 WEST 30TH ST	NY LTANKS	Higher	2097, 0.397, ESE
CF552	450 11TH AVENUE	450 11TH AVENUE	NY VCP	Higher	2114, 0.400, NNE
CG553	SPILL NUMBER 9003992	475 10TH AVE	NY LTANKS	Higher	2118, 0.401, NE
554	GAS STATION	550 WEST 37TH ST	NY LTANKS	Higher	2119, 0.401, NNE
CG555	GASETERIA	466 10TH AVE	NY LTANKS, NY Spills	Higher	2124, 0.402, NE
556	411 WEST 35TH STREET	411 WEST 35TH STREET	NY VCP	Higher	2165, 0.410, ENE
557	78-02 37TH ST/QUNS/U	78002 37TH STREET	NY LTANKS	Higher	2183, 0.413, NNE
558	178-10 69TH AVE/QUEE	178-10 69TH AVE	NY LTANKS	Lower	2241, 0.424, SSW
559	304 W 30TH ST	304 W 30TH ST	NY LTANKS	Higher	2248, 0.426, ESE
CH560	MUTUAL REDEVELOPMENT	315 WEST 25TH STREET	NY LTANKS, NY AST	Higher	2307, 0.437, SE
CH561	CLOSED-LACKOF RECENT	315 W. 25TH ST	NY LTANKS	Higher	2307, 0.437, SE
CI562	462-470 11TH AVENUE	462-470 11TH AVENUE	NY VCP	Higher	2307, 0.437, NNE
CJ563	415 W. 21ST STREET	415 W. 21ST STREET	NY LTANKS	Higher	2310, 0.438, South
CJ564	DR. SERSINI	415 WEST 21ST STREET	NY LTANKS	Higher	2310, 0.438, South
CI565	COMMERCIAL BUILDING	541 WEST 37TH STREET	NY LTANKS	Higher	2338, 0.443, NNE
566	BASEMENT OF	333 WEST 34TH ST	NY LTANKS, NY Spills	Higher	2348, 0.445, East
567	454 9TH AVE	454 9TH AVE.	NY LTANKS	Higher	2376, 0.450, ENE
CK568	CON EDISON - 19TH ST	11TH AVE BETWEEN W 1	EDR MGP	Lower	2386, 0.452, SSW
CL569	357 W 35TH ST/NYPD	357 W 35TH ST	NY LTANKS	Higher	2430, 0.460, ENE
CL570	MIDTOWN SOUTH PRECIN	357 WEST 35TH STREET	NY LTANKS, NY Spills	Higher	2430, 0.460, ENE
571	HUDSON MEWS PROPERTY	403 WEST 37TH STREET	NY BROWNFIELDS	Higher	2447, 0.463, NE
572	400 8TH AVE	400 8TH AVE	NY LTANKS, NY Spills	Higher	2471, 0.468, ESE
CM573	152-156 TENTH AVE/MA	152-156 TENTH AVENUE	NY LTANKS	Lower	2478, 0.469, SSW
CM574	GETTY 58542	152 TENTH AVE	NY LTANKS, NY UST	Lower	2478, 0.469, SSW
CK575	535 WEST 19TH STREET	535 WEST 19TH STREET	NY BROWNFIELDS, NY Spills	Lower	2507, 0.475, SSW
CN576	509 WEST 38TH STREET	509 WEST 38TH STREET	NY VCP	Higher	2507, 0.475, NE
CN577	509 WEST 38TH ST	509 WEST 38TH ST	NY LTANKS	Higher	2507, 0.475, NE
578	257 WEST 29TH STREET	257 WEST 29TH STREET	NY VCP	Higher	2553, 0.484, ESE
579	360 W 36TH ST	360 W 36TH ST	NY LTANKS	Higher	2554, 0.484, ENE
CO580	MENDON	542 WEST 19TH STREET	NY LTANKS	Lower	2555, 0.484, SSW
CO581	CE - E. 19TH ST. STA	524 E. 19TH ST.	NY VCP	Lower	2575, 0.488, SSW
CO582	CON EDISON - EAST 19	524 E. 19TH ST.	EDR MGP	Lower	2575, 0.488, SSW
583	SPILL NUMBER 0104060	304 8TH AVE	NY LTANKS, NY Spills	Higher	2583, 0.489, SE
CO584	86-11 34TH AVENUE	86-11 34TH AVENUE	NY LTANKS	Lower	2619, 0.496, SSW

MAPPED SITES SUMMARY

Target Property Address:
538-540 WEST 29TH STREET
NEW YORK, NY 10001

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
585	US POSTAL SERVICE -	8'TH AVE AND 33'RD S	SEMS	Higher	2628, 0.498, East
CO586	84-11 ELMHURST AVE/Q	84-11 EILMHURST AVEN	NY LTANKS	Lower	2633, 0.499, SSW
CO587	84-11 ELMHURST AV/QU	84-11 ELMHURST AVENU	NY LTANKS	Lower	2633, 0.499, SSW
588	CON EDISON - WEST 18	WEST 16TH - WEST 20T	EDR MGP	Lower	2657, 0.503, SSW
589	19TH STREET DEVELOPM	80 11TH AVENUE	EDR MGP	Lower	2660, 0.504, SSW
590	CON EDISON - WEST 42	WEST 41ST - WEST 42N	EDR MGP	Higher	3377, 0.640, NNE
CP591	CON EDISON - 12TH AV	12TH AVE BETWEEN W 4	EDR MGP	Higher	4192, 0.794, NNE
CP592	CON EDISON - WEST 45	12TH AVE BETWEEN WES	EDR MGP	Higher	4192, 0.794, NNE
593	FORMER GUARDIAN CLEA	27-35 WEST 24TH STRE	NY SHWS, NY ENG CONTROLS, NY INST CONTROL	Higher	4750, 0.900, SE

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 8 of the attached EDR Radius Map report:

Site	Database(s)	EPA ID
LOT 55,TAXBLOCK 700 538 WEST 29 STREET MANHATTAN, NY	NY E DESIGNATION	N/A
CON EDISON 538 W 29TH ST & 11TH NEW YORK, NY 10001	NY MANIFEST EPA ID: NYP004278743	N/A
CON EDISON SERVICE B 538 W 29TH ST & 11TH NEW YORK, NY 10001	RCRA NonGen / NLR EPA ID:: NYP004278743 FINDS Registry ID:: 110055466641 ECHO Registry ID: 110055466641	NYP004278743

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

Proposed NPL ---------- Proposed National Priority List Sites
NPL LIENS ---------- Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL ---------- National Priority List Deletions

Federal CERCLIS list

FEDERAL FACILITY ---------- Federal Facility Site Information listing

Federal RCRA CORRACTS facilities list

CORRACTS ---------- Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF ---------- RCRA - Treatment, Storage and Disposal

Federal institutional controls / engineering controls registries

LUCIS ---------- Land Use Control Information System

Federal ERNS list

ERNS ---------- Emergency Response Notification System

State- and tribal - equivalent CERCLIS

NJ SHWS ---------- Known Contaminated Sites in New Jersey

State and tribal landfill and/or solid waste disposal site lists

NJ SWF/LF ---------- Solid Waste Facility Directory

State and tribal leaking storage tank lists

INDIAN LUST ---------- Leaking Underground Storage Tanks on Indian Land
NY HIST LTANKS ---------- Listing of Leaking Storage Tanks

State and tribal registered storage tank lists

FEMA UST ---------- Underground Storage Tank Listing
NJ UST ---------- Underground Storage Tank Data
NY CBS UST ---------- Chemical Bulk Storage Database
NY MOSF UST ---------- Major Oil Storage Facilities Database
NY MOSF ---------- Major Oil Storage Facility Site Listing
NY CBS AST ---------- Chemical Bulk Storage Database
NY MOSF AST ---------- Major Oil Storage Facilities Database
INDIAN UST ---------- Underground Storage Tanks on Indian Land

State and tribal institutional control / engineering control registries

NY RES DECL ---------- Restrictive Declarations Listing
NJ ENG CONTROLS ---------- Declaration Environmental Restriction/Deed Notice Sites
NJ INST CONTROL ---------- Classification Exception Area Sites

State and tribal voluntary cleanup sites

INDIAN VCP ---------- Voluntary Cleanup Priority Listing
NJ VCP ---------- Voluntary Cleanup Program Sites

State and tribal Brownfields sites

NJ BROWNFIELDS ---------- Brownfields Database
NY ERP ---------- Environmental Restoration Program Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS ---------- A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

NY SWTIRE ---- Registered Waste Tire Storage & Facility List
NJ SWRCY ---- Approved Class B Recycling Facilities
INDIAN ODI ---- Report on the Status of Open Dumps on Indian Lands
DEBRIS REGION 9 ---- Torres Martinez Reservation Illegal Dump Site Locations
ODI ---- Open Dump Inventory
IHS OPEN DUMPS ---- Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL ---- Delisted National Clandestine Laboratory Register
NY DEL SHWS ---- Delisted Registry Sites
US CDL ---- National Clandestine Laboratory Register

Local Lists of Registered Storage Tanks

NY HIST UST ---- Historical Petroleum Bulk Storage Database
NY HIST AST ---- Historical Petroleum Bulk Storage Database

Local Land Records

NY LIENS ---- Spill Liens Information
NJ LIENS ---- Environmental LIENS
LIENS 2 ---- CERCLA Lien Information

Records of Emergency Release Reports

HMIRS ---- Hazardous Materials Information Reporting System
NY Hist Spills ---- SPILLS Database
NY SPILLS 90 ---- SPILLS 90 data from FirstSearch
NJ SPILLS 90 ---- SPILLS 90 data from FirstSearch
NY SPILLS 80 ---- SPILLS 80 data from FirstSearch
NJ SPILLS 80 ---- SPILLS 80 data from FirstSearch

Other Ascertainable Records

FUDS ---- Formerly Used Defense Sites
DOD ---- Department of Defense Sites
SCRD DRYCLEANERS ---- State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR ---- Financial Assurance Information
EPA WATCH LIST ---- EPA WATCH LIST
2020 COR ACTION ---- 2020 Corrective Action Program List
TSCA ---- Toxic Substances Control Act
TRIS ---- Toxic Chemical Release Inventory System
SSTS ---- Section 7 Tracking Systems
RMP ---- Risk Management Plans
RAATS ---- RCRA Administrative Action Tracking System
PADS ---- PCB Activity Database System
FTTS ---- FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS ---- Material Licensing Tracking System
COAL ASH DOE ---- Steam-Electric Plant Operation Data
COAL ASH EPA ---- Coal Combustion Residues Surface Impoundments List

PCB TRANSFORMER PCB Transformer Registration Database
RADINFO Radiation Information Database
HIST FTTS FIFRA/TSCA Tracking System Administrative Case Listing
DOT OPS Incident and Accident Data
INDIAN RESERV Indian Reservations
FUSRAP Formerly Utilized Sites Remedial Action Program
UMTRA Uranium Mill Tailings Sites
US MINES Mines Master Index File
ABANDONED MINES Abandoned Mines
DOCKET HWC Hazardous Waste Compliance Docket Listing
UXO Unexploded Ordnance Sites
FUELS PROGRAM EPA Fuels Program Registered Listing
NY AIRS Air Emissions Data
NJ AIRS Emissions Inventory Listing
NY COAL ASH Coal Ash Disposal Site Listing
NJ COAL ASH Coal Ash Listing
NY DRYCLEANERS Registered Drycleaners
NJ DRYCLEANERS Drycleaner List
NJ Financial Assurance Financial Assurance Information Listing
NY Financial Assurance Financial Assurance Information Listing
NY HSWDS Hazardous Substance Waste Disposal Site Inventory
NJ NPDES New Jersey Pollutant Discharge Elimination System Dischargers
NY SPDES State Pollutant Discharge Elimination System
NY VAPOR REOPENED Vapor Intrusion Legacy Site List
NY UIC Underground Injection Control Wells
NJ UIC Underground Injection Wells Database

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR Hist Cleaner EDR Exclusive Historical Cleaners

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

NY RGA HWS Recovered Government Archive State Hazardous Waste Facilities List
NJ RGA HWS Recovered Government Archive State Hazardous Waste Facilities List
NY RGA LF Recovered Government Archive Solid Waste Facilities List
NJ RGA LF Recovered Government Archive Solid Waste Facilities List

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

EXECUTIVE SUMMARY

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: Also known as Superfund, the National Priority List database is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund program. The source of this database is the U.S. EPA.

A review of the NPL list, as provided by EDR, and dated 12/11/2017 has revealed that there is 1 NPL site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HUDSON RIVER PCBS	***NO STREET APPLICABLE***	***WNW 1/4 - 1/2 (0.289 mi.)***	***0***	***11***

Federal CERCLIS list

SEMS: SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

A review of the SEMS list, as provided by EDR, and dated 12/11/2017 has revealed that there are 2 SEMS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HUDSON RIVER PCBS	***NO STREET APPLICABLE***	***WNW 1/4 - 1/2 (0.289 mi.)***	***0***	***11***
US POSTAL SERVICE -	8'TH AVE AND 33'RD S	E 1/4 - 1/2 (0.498 mi.)	585	1419

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE: SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

A review of the SEMS-ARCHIVE list, as provided by EDR, and dated 12/11/2017 has revealed that there are 2 SEMS-ARCHIVE sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NASSAU SMELTING & RE	***603 W. 29TH ST.***	***NW 0 - 1/8 (0.082 mi.)***	***T143***	***326***
MANHATTAN GENERAL MA	WEST 29TH & 9TH AVE	ESE 1/4 - 1/2 (0.283 mi.)	512	1226

Federal RCRA generators list

RCRA-LQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

A review of the RCRA-LQG list, as provided by EDR, and dated 12/11/2017 has revealed that there are 21 RCRA-LQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HIGHLINE 28-29 DEVEL	***507 -515 WEST 28TH S***	***SE 0 - 1/8 (0.072 mi.)***	***G118***	***224***
HUDSON YARDS TERRA F	***553 W 30TH ST***	***N 0 - 1/8 (0.090 mi.)***	***X164***	***364***
LOT 27 GALLERY ROW	505 W 27TH ST	SSE 0 - 1/8 (0.115 mi.)	AB248	558
CON EDISON - VAULT 1	10TH AVE & WEST 31ST	ENE 1/8 - 1/4 (0.159 mi.)	AQ314	718
CON EDISON - VAULT 8	10TH AVE & WEST 31ST	ENE 1/8 - 1/4 (0.159 mi.)	AQ318	725
EVERGREENE ARCHITECT	***450 W 31ST STREET (7***	***E 1/8 - 1/4 (0.191 mi.)***	***AX391***	***921***
CON EDISON - VAULT 1	368 10 AVENUE	ENE 1/8 - 1/4 (0.195 mi.)	BA401	955
CON EDISON - VAULT 8	***368 10 AVENUE***	***ENE 1/8 - 1/4 (0.195 mi.)***	***BA403***	***958***
CON EDISON - VAULT 1	***368 10 AVENUE***	***ENE 1/8 - 1/4 (0.195 mi.)***	***BA404***	***961***
CON EDISON - GAS DRI	***376 10TH AVE***	***ENE 1/8 - 1/4 (0.196 mi.)***	***BA405***	***964***
CON EDISON - MANHOLE	***553 W 33RD ST***	***NNE 1/8 - 1/4 (0.227 mi.)***	***438***	***1031***
CON EDISON - TRENCH	***396 10TH AVE***	***ENE 1/8 - 1/4 (0.235 mi.)***	***BO460***	***1082***
MANHATTAN WEST PLATF	371 9TH AVENUE	E 1/8 - 1/4 (0.248 mi.)	BR492	1177

Lower Elevation	Address	Direction / Distance	Map ID	Page
W C 28 REALTY LLC	***530 WEST 28TH ST***	***S 0 - 1/8 (0.048 mi.)***	***F39***	***74***
CON EDISON - W 28TH	***281 11TH AVE***	***WNW 0 - 1/8 (0.072 mi.)***	***M128***	***250***
CON EDISON OTHER - S	***281 11TH AVE***	***WNW 0 - 1/8 (0.072 mi.)***	***M136***	***314***
CON EDISON - VAULT 1	26 ST 601	WSW 1/8 - 1/4 (0.159 mi.)	AR328	797
CON EDISON - SERVICE	***204 W 55TH STREET***	***SW 1/8 - 1/4 (0.172 mi.)***	***AT349***	***837***
259 10TH AVENUE BUIL	***259 10TH AVENUE***	***S 1/8 - 1/4 (0.182 mi.)***	***AW375***	***887***
CON EDISON - MANHOLE	WEST 28TH ST & 12TH	WNW 1/8 - 1/4 (0.216 mi.)	BD420	996
VHS 239 LLC FORMER 1	239 10TH AVE	S 1/8 - 1/4 (0.237 mi.)	BI467	1097

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 12/11/2017 has revealed that there are 9 RCRA-SQG sites within approximately 0.25 miles of the target property.

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
KISKA CONSTRUCTION Y	30TH ST BETW 10TH &	NNW 0 - 1/8 (0.088 mi.)	V163	362
NEWPORT PAINTING & D	***523 W 30TH ST***	***ENE 0 - 1/8 (0.102 mi.)***	***AA205***	***474***
CON EDISON - SERVICE	42 10TH AVE & 31 ST	ENE 1/8 - 1/4 (0.159 mi.)	AQ316	722
456-462 WEST 31ST ST	456-462 W 31ST ST	E 1/8 - 1/4 (0.182 mi.)	AX376	890
STUART DEAN CO INC N	***366 TENTH AVE***	***E 1/8 - 1/4 (0.191 mi.)***	***AZ396***	***941***
OTIS ELEVATOR	***515 W 33RD ST***	***NE 1/8 - 1/4 (0.226 mi.)***	***BG434***	***1021***
MTA LIRR - WEST SIDE	***401 10TH AVE***	***NE 1/8 - 1/4 (0.238 mi.)***	***BO474***	***1120***

Lower Elevation	Address	Direction / Distance	Map ID	Page
JEFF KOONS PRODUCTIO	***601 W 29TH ST***	***NW 0 - 1/8 (0.072 mi.)***	***K137***	***318***
NYCT-PARKING LOT	***220 11TH AVENUE***	***SW 1/8 - 1/4 (0.162 mi.)***	***329***	***799***

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 12/11/2017 has revealed that there are 9 RCRA-CESQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
MIDTOWN NEON SIGN CO	***550 W 30TH ST***	***NNE 0 - 1/8 (0.061 mi.)***	***J66***	***110***
TENANTS IN COMMON 27	***537-545 W 27TH ST***	***S 0 - 1/8 (0.086 mi.)***	***Q154***	***352***
EXPANSION GROUP THE	***406 W 31ST ST - BASE***	***E 1/8 - 1/4 (0.242 mi.)***	***BQ482***	***1145***

Lower Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON MANHOLE:	***W 26TH ST & 11TH AVE***	***SW 1/8 - 1/4 (0.144 mi.)***	***AN305***	***678***
INTEGRATED IMAGING C	***508 W 26TH ST***	***S 1/8 - 1/4 (0.157 mi.)***	***AP313***	***713***
FBI AUTOMOTIVE REPAI	***601 W 26TH ST - 2ND***	***WSW 1/8 - 1/4 (0.159 mi.)***	***AR322***	***750***
STARRETT - LEHIGH BU	601 W 26TH ST	WSW 1/8 - 1/4 (0.159 mi.)	AR323	755
CONSTRUCTION SITE	511 W 24TH ST	SSW 1/8 - 1/4 (0.227 mi.)	BH436	1028
23RD STREET VENTURE	540 W 24TH ST	SSW 1/8 - 1/4 (0.238 mi.)	477	1127

Federal institutional controls / engineering controls registries

US ENG CONTROLS: A listing of sites with engineering controls in place.

A review of the US ENG CONTROLS list, as provided by EDR, and dated 11/13/2017 has revealed that there is 1 US ENG CONTROLS site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HUDSON RIVER PCBS	***NO STREET APPLICABLE***	***WNW 1/4 - 1/2 (0.289 mi.)***	***0***	***11***

US INST CONTROL: A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

A review of the US INST CONTROL list, as provided by EDR, and dated 11/13/2017 has revealed that there is 1 US INST CONTROL site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HUDSON RIVER PCBS	***NO STREET APPLICABLE***	***WNW 1/4 - 1/2 (0.289 mi.)***	***0***	***11***

State- and tribal - equivalent CERCLIS

NY SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Conservation's Inactive Hazardous waste Disposal Sites in New York State.

A review of the NY SHWS list, as provided by EDR, and dated 08/15/2017 has revealed that there are 2 NY SHWS sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
FORMER GUARDIAN CLEA Site Code: 440109	***27-35 WEST 24TH STRE***	***SE 1/2 - 1 (0.900 mi.)***	***593***	***1423***

Lower Elevation	Address	Direction / Distance	Map ID	Page
LIRR WEST SIDE YARD Site Code: 478613	12TH AVE AND W 33RD	NNW 1/4 - 1/2 (0.310 mi.)	526	1248

State and tribal landfill and/or solid waste disposal site lists

NY SWF/LF: The Solid Waste Facilities/Landfill Sites records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. The data come from the list.

A review of the NY SWF/LF list, as provided by EDR, and dated 12/08/2017 has revealed that there are 3 NY SWF/LF sites within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON - W 28TH	***281 11TH AVE***	***WNW 0 - 1/8 (0.072 mi.)***	***M128***	***250***
CON EDISON W 28TH ST	***281 11TH AVENUE***	***WNW 0 - 1/8 (0.072 mi.)***	***M135***	***307***
RED BALL INTERIOR DE	625 WEST 29 STREET	NW 1/8 - 1/4 (0.175 mi.)	353	845

State and tribal leaking storage tank lists

NY LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the NY LTANKS list, as provided by EDR, and dated 02/12/2018 has revealed that there are 96 NY LTANKS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HIGH RIDGE ENTERPRIS Date Closed: 2003-03-04 Site ID: 235183 Program Number: 9008960	***524 WEST 29TH STREET***	***ESE 0 - 1/8 (0.024 mi.)***	***A18***	***52***
PARKING LOT OF Date Closed: 1998-12-07 Site ID: 86623 Program Number: 9811167	515 WEST 28TH ST	SSE 0 - 1/8 (0.052 mi.)	G43	80
550 WEST 30TH STREET Date Closed: 2003-09-02 Date Closed: 2005-10-26 Site ID: 178934 Site ID: 81855 Program Number: 0303799 Program Number: 9805607	550 WEST 30TH STREET	NNE 0 - 1/8 (0.061 mi.)	J64	105
10TH AVE. W 27/W 28 Date Closed: 1987-02-05 Date Closed: 1986-12-05 Site ID: 225246 Site ID: 256335 Program Number: 8606807 Program Number: 8605682	***303 10TH AVE***	***SSE 0 - 1/8 (0.111 mi.)***	***AB229***	***527***
28TH UNDER HIGHLINE Date Closed: 2003-12-15 Site ID: 172881 Program Number: 9109614	***505 W 27TH ST***	***SSE 0 - 1/8 (0.115 mi.)***	***AB247***	***555***
DEL. SPILL /W.28ST.& Date Closed: 1986-12-04 Site ID: 295262 Program Number: 8605584	W. 26TH ST & 10TH AV	S 1/8 - 1/4 (0.171 mi.)	AO347	833
STUART DEAN COMPANY Date Closed: 2006-05-31 Site ID: 287180 Program Number: 0209637	366 10TH AV	E 1/8 - 1/4 (0.191 mi.)	AZ397	945
NY CLEARINGHOUSE - T Date Closed: 2013-02-28 Site ID: 468686 Program Number: 1205721	450 W33RD ST	ENE 1/8 - 1/4 (0.221 mi.)	BF431	1016
HELIPORT W 30TH ST/M Date Closed: 2014-10-27	HELIPORT/W.30TH ST &	ESE 1/8 - 1/4 (0.223 mi.)	432	1017

Site ID: 116887 Program Number: 8903684				
ELLIOTT HOUSES -NYCH Date Closed: 2006-02-06 Site ID: 246287 Site ID: 309346 Program Number: 9002184 Program Number: 9602200	***426 WEST 27TH ST***	***SE 1/8 - 1/4 (0.234 mi.)***	***BM458***	***1071***
528 W 34TH ST Date Closed: 1993-04-16 Site ID: 153341 Program Number: 9300804	528 W 34TH ST	NNE 1/4 - 1/2 (0.252 mi.)	BS498	1192
530 WEST 34TH ST/MAN Date Closed: 1990-02-02 Site ID: 115809 Program Number: 8910499	530 WEST 34TH STREET	NNE 1/4 - 1/2 (0.253 mi.)	BS499	1193
CLOSED-LACKOF RECENT Date Closed: 2003-03-05 Site ID: 67824 Program Number: 8807152	303 9TH AVENUE	SE 1/4 - 1/2 (0.253 mi.)	500	1194
ROY WEIDENER MOTOR L Date Closed: 1989-11-09 Site ID: 316029 Program Number: 8907931	651 W 33ST,MARSHALLI	N 1/4 - 1/2 (0.265 mi.)	501	1196
NYNEX Date Closed: 1995-12-26 Site ID: 202578 Program Number: 9512079	555 W. 34TH ST	NNE 1/4 - 1/2 (0.270 mi.)	BV505	1211
VERIZON NEW YORK, IN Date Closed: 1996-08-06 Site ID: 166747 Program Number: 9007995	***555 WEST 34TH STREET***	***NNE 1/4 - 1/2 (0.270 mi.)***	***BV507***	***1215***
34TH ST. AND 10TH AV Date Closed: 1987-09-01 Site ID: 86947 Program Number: 8704567	34TH ST.& 10TH AVE.	NE 1/4 - 1/2 (0.285 mi.)	BX514	1229
34TH ST. & 10TH AVE. Date Closed: 1987-10-05 Site ID: 122904 Program Number: 8705645	34TH ST. & 10TH AVE.	NE 1/4 - 1/2 (0.285 mi.)	BX515	1230
PUBLIC SCHOOL #33 Date Closed: 1997-12-31 Date Closed: 2003-03-03 Site ID: 252801 Site ID: 224963 Program Number: 9614151 Program Number: 9713196	281 9TH AVENUE	SE 1/4 - 1/2 (0.288 mi.)	516	1231
527 WEST 34TH ST Date Closed: 2007-04-23 Site ID: 380286 Program Number: 0750112	527 WEST 34TH ST	NE 1/4 - 1/2 (0.291 mi.)	517	1233
AMOCO	436 TENTH AVE	ENE 1/4 - 1/2 (0.301 mi.)	CA522	1242

Date Closed: 2002-05-03 Site ID: 158202 Program Number: 9506257				
AMOCO Date Closed: 1999-08-27 Site ID: 250195 Program Number: 9905246	436 TENTH AVE	ENE 1/4 - 1/2 (0.301 mi.)	CA523	1244
ST MICHEAL'S SCHOOL Date Closed: 2006-09-11 Date Closed: 1996-10-11 Site ID: 369290 Site ID: 240388 Program Number: 0606006 Program Number: 9608649	425 WEST 33RD STREET	ENE 1/4 - 1/2 (0.303 mi.)	524	1245
400 WEST 25TH STREET Date Closed: 1993-11-17 Site ID: 300724 Program Number: 9310011	***400 WEST 25TH STREET***	***SSE 1/4 - 1/2 (0.323 mi.)***	***528***	***1251***
4305 35TH ST/AMERICA Date Closed: 1993-11-04 Site ID: 124678 Program Number: 8800711	4305 35TH ST	NNE 1/4 - 1/2 (0.325 mi.)	530	1256
CONSTRUCTION SITE Date Closed: 2001-12-13 Site ID: 246701 Program Number: 0103274	529 WEST 35TH ST	NNE 1/4 - 1/2 (0.329 mi.)	532	1259
APARTMENT BUILDING Date Closed: 1996-11-22 Site ID: 111829 Program Number: 9608521	347 WEST 29TH ST	ESE 1/4 - 1/2 (0.332 mi.)	534	1261
UPSCALE DEVELOPMENT Date Closed: 1997-12-31 Site ID: 121309 Program Number: 9612243	349 WEST 30TH ST 1ST	ESE 1/4 - 1/2 (0.341 mi.)	535	1262
AD SCHEUMANN LUMBER Date Closed: 1998-01-16 Site ID: 175887 Program Number: 9510491	524 WEST 36TH STREET	NE 1/4 - 1/2 (0.357 mi.)	537	1264
460 10TH AVE Date Closed: 1994-12-20 Site ID: 73067 Program Number: 9412295	460 10TH AVENUE	NE 1/4 - 1/2 (0.368 mi.)	541	1308
TANK TEST FAIL Date Closed: 2016-08-12 Site ID: 501596 Program Number: 1408046	320 W 30TH ST	ESE 1/4 - 1/2 (0.381 mi.)	CE548	1315
MINICK HOME Date Closed: 2006-03-10 Site ID: 359128 Program Number: 0512757	440 WEST 22ND STREET	S 1/4 - 1/2 (0.396 mi.)	550	1322
APRT BUILDING -TTF	315-325 WEST 30TH ST	ESE 1/4 - 1/2 (0.397 mi.)	CE551	1323

Date Closed: 2005-10-25 Site ID: 345683 Program Number: 0501515				
SPILL NUMBER 9003992 Date Closed: 1996-01-26 Site ID: 195041 Program Number: 9003992	475 10TH AVE	NE 1/4 - 1/2 (0.401 mi.)	CG553	1325
GAS STATION Date Closed: 2005-03-17 Site ID: 120895 Program Number: 0010648	550 WEST 37TH ST	NNE 1/4 - 1/2 (0.401 mi.)	554	1326
GASETERIA Date Closed: 2003-12-17 Site ID: 205589 Program Number: 0301220	***466 10TH AVE***	***NE 1/4 - 1/2 (0.402 mi.)***	***CG555***	***1328***
78-02 37TH ST/QUNS/U Date Closed: 1995-06-20 Site ID: 212290 Program Number: 9008683	78002 37TH STREET	NNE 1/4 - 1/2 (0.413 mi.)	557	1340
304 W 30TH ST Date Closed: 1991-12-21 Site ID: 84080 Program Number: 9110058	304 W 30TH ST	ESE 1/4 - 1/2 (0.426 mi.)	559	1342
MUTUAL REDEVELOPMENT Date Closed: 2005-09-16 Site ID: 257575 Program Number: 9602633	***315 WEST 25TH STREET***	***SE 1/4 - 1/2 (0.437 mi.)***	***CH560***	***1343***
CLOSED-LACKOF RECENT Date Closed: 2003-03-06 Site ID: 138350 Program Number: 8908445	315 W. 25TH ST	SE 1/4 - 1/2 (0.437 mi.)	CH561	1351
415 W. 21ST STREET Date Closed: 1994-12-14 Site ID: 267931 Program Number: 9412289	415 W. 21ST STREET	S 1/4 - 1/2 (0.438 mi.)	CJ563	1353
DR. SERSINI Date Closed: 1994-12-02 Site ID: 151614 Program Number: 9411689	415 WEST 21ST STREET	S 1/4 - 1/2 (0.438 mi.)	CJ564	1354
COMMERCIAL BUILDING Date Closed: 2005-05-05 Site ID: 334665 Program Number: 0409846	541 WEST 37TH STREET	NNE 1/4 - 1/2 (0.443 mi.)	CI565	1355
BASEMENT OF Date Closed: 2005-11-14 Site ID: 285598 Program Number: 0305833	***333 WEST 34TH ST***	***E 1/4 - 1/2 (0.445 mi.)***	***566***	***1357***
454 9TH AVE Date Closed: 1994-05-04 Site ID: 101691 Program Number: 9401631	454 9TH AVE.	ENE 1/4 - 1/2 (0.450 mi.)	567	1360
357 W 35TH ST/NYPD	357 W 35TH ST	ENE 1/4 - 1/2 (0.460 mi.)	CL569	1361

Date Closed: 1991-12-01 Site ID: 187720 Program Number: 9109281				
MIDTOWN SOUTH PRECIN Date Closed: 2005-01-10 Site ID: 79052 Program Number: 0100463	***357 WEST 35TH STREET***	***ENE 1/4 - 1/2 (0.460 mi.)***	***CL570***	***1362***
400 8TH AVE Date Closed: 1994-11-23 Site ID: 236957 Program Number: 9411284	***400 8TH AVE***	***ESE 1/4 - 1/2 (0.468 mi.)***	***572***	***1392***
509 WEST 38TH ST Date Closed: 1995-07-28 Site ID: 327504 Program Number: 9505232	509 WEST 38TH ST	NE 1/4 - 1/2 (0.475 mi.)	CN577	1409
360 W 36TH ST Date Closed: 1997-03-07 Site ID: 189809 Program Number: 9614241	360 W 36TH ST	ENE 1/4 - 1/2 (0.484 mi.)	579	1410
SPILL NUMBER 0104060 Date Closed: 2001-07-18 Site ID: 310569 Program Number: 0104060	***304 8TH AVE***	***SE 1/4 - 1/2 (0.489 mi.)***	***583***	***1416***

Lower Elevation	Address	Direction / Distance	Map ID	Page
271 11TH AVE/MANHATT Date Closed: 1988-12-29 Site ID: 255435 Program Number: 8710036	271 11TH AVE	W 0 - 1/8 (0.085 mi.)	U147	334
COMMERCIAL BUILDING Date Closed: 2005-06-27 Site ID: 275745 Program Number: 0109855	260 11TH AVE	SW 0 - 1/8 (0.117 mi.)	AF252	564
PENSKE TRUCK LEASING Date Closed: 1993-01-21 Site ID: 144036 Program Number: 9211726	***536 W 26TH ST***	***SW 1/8 - 1/4 (0.152 mi.)***	***AM307***	***683***
601 WEST 26TH STREET Date Closed: 1997-10-16 Site ID: 154650 Program Number: 9100519	***601 WEST 26TH STREET***	***WSW 1/8 - 1/4 (0.159 mi.)***	***AR321***	***731***
ELECTRICAL BUSS COMP Date Closed: 1994-12-12 Site ID: 120666 Program Number: 9412158	***601 W 26TH ST***	***WSW 1/8 - 1/4 (0.159 mi.)***	***AR324***	***760***
SPILL NUMBER 0201897 Date Closed: 2003-04-11 Site ID: 291496 Program Number: 0201897	543 - 545 WEST 25TH	SSW 1/8 - 1/4 (0.177 mi.)	AT358	857
NYC DEPT OF SANITATI	640 WEST 26TH ST	WSW 1/8 - 1/4 (0.188 mi.)	AU384	901

Date Closed: 2009-05-22 Site ID: 411708 Program Number: 0813987				
NYC SANITATION Site ID: 504387 Program Number: 1410686	640 WEST 26TH STREET	WSW 1/8 - 1/4 (0.188 mi.)	AU385	902
D26TH ST. & HUDSON P Date Closed: 1995-03-31 Site ID: 65652 Program Number: 9213648	26TH ST. & HUDSON PK	WNW 1/8 - 1/4 (0.211 mi.)	BD414	986
CLOSED-LACKOF RECENT Date Closed: 2003-03-03 Site ID: 64809 Program Number: 8704899	918 27TH AVE.	W 1/8 - 1/4 (0.219 mi.)	BE425	1002
CLOSED-LACKOF RECENT Date Closed: 2003-03-04 Site ID: 186869 Program Number: 8705823	39038 29TH ST.	WNW 1/8 - 1/4 (0.223 mi.)	433	1019
VACANT LOT Date Closed: 2005-03-16 Site ID: 337632 Program Number: 0412228	511 WEST 24TH STREET	SSW 1/8 - 1/4 (0.227 mi.)	BH437	1029
201 11TH AVE/MANH/US Date Closed: 2003-03-04 Date Closed: 1990-05-11 Site ID: 131667 Site ID: 131668 Program Number: 8908706 Program Number: 9005469	201 11TH AVENUE	WSW 1/8 - 1/4 (0.230 mi.)	BJ445	1045
30TH ST HELIPORT/MAN Date Closed: 1992-11-12 Site ID: 167220 Program Number: 8901091	30TH STREET HELIPORT	NW 1/8 - 1/4 (0.232 mi.)	BL448	1049
W 30TH HELIPORT/MANH Date Closed: 2003-12-30 Site ID: 219617 Program Number: 8903300	W 30TH ST HELIPORT	NW 1/8 - 1/4 (0.232 mi.)	BL449	1051
GREYHOUND GARAGE Date Closed: 2004-05-11 Date Closed: 2004-01-23 Site ID: 167169 Site ID: 200046 Program Number: 9901089 Program Number: 0311517	***260 12TH AVE***	***NW 1/8 - 1/4 (0.233 mi.)***	***BK450***	***1052***
DOESNOT MEET STANDAR Date Closed: 2003-03-13 Site ID: 199366 Program Number: 8607549	192-12 47TH AVENUE	W 1/8 - 1/4 (0.234 mi.)	454	1063
239 10TH AVE/MANH/GE Date Closed: 1994-07-29 Date Closed: 1992-07-16	239 10TH AVENUE	S 1/4 - 1/2 (0.252 mi.)	BT495	1184

Site ID: 86009 Site ID: 86010 Program Number: 8806160 Program Number: 9005116				
FORMER GETTY SERVICE Date Closed: 1994-07-29 Site ID: 315130 Program Number: 8806159	***239 10TH AVENUE***	***S 1/4 - 1/2 (0.252 mi.)***	***BT496***	***1187***
MENDON LEASING Date Closed: 2001-02-22 Date Closed: 1986-12-03 Date Closed: 2004-05-27 Site ID: 216215 Site ID: 301566 Site ID: 301889 Program Number: 9513588 Program Number: 8605564 Program Number: 9511782	***527 WEST 23RD STREET***	***SSW 1/4 - 1/2 (0.266 mi.)***	***BU502***	***1197***
EDISON PARKING GARAG Date Closed: 2004-05-27 Site ID: 103493 Program Number: 9808740	527 WEST 23RD ST	SSW 1/4 - 1/2 (0.266 mi.)	BU503	1206
MARY BOONE GALLERY Date Closed: 2007-06-08 Site ID: 229980 Program Number: 0005393	537-541 W. 24TH ST	SSW 1/4 - 1/2 (0.266 mi.)	BU504	1208
COMMERICAL BUILDLING Date Closed: 2012-11-27 Site ID: 444486 Program Number: 1010869	521 WEST 23RD STREET	SSW 1/4 - 1/2 (0.276 mi.)	509	1220
555 WEST 23RD ST Date Closed: 2006-04-07 Site ID: 203961 Program Number: 0306399	555 WEST 23RD ST	SW 1/4 - 1/2 (0.279 mi.)	BW510	1223
160-12 46TH AVE/QUEE Date Closed: 1990-08-10 Site ID: 223240 Program Number: 9005212	160-12 46TH AVENUE	WSW 1/4 - 1/2 (0.283 mi.)	513	1227
562 W 23RD ST/MANHAT Date Closed: 2002-12-10 Date Closed: 2000-06-21 Site ID: 149950 Site ID: 313585 Program Number: 0205608 Program Number: 9000199	***562 WEST 23RD STREET***	***SW 1/4 - 1/2 (0.293 mi.)***	***BY518***	***1234***
23RD ST & EAST RIVER Date Closed: 2003-04-15 Site ID: 84527 Program Number: 9506116	600 E.23RD ST	SW 1/4 - 1/2 (0.294 mi.)	BZ519	1237
E.23RD ST & EAST RIV Date Closed: 1989-04-24	***600 E.23RD ST***	***SW 1/4 - 1/2 (0.294 mi.)***	***BZ520***	***1238***

Site ID: 84526 Program Number: 8808749				
GULF GAS STATION Date Closed: 2006-09-11 Site ID: 283247 Program Number: 8906042	600 E.23RD ST, E. RI	SW 1/4 - 1/2 (0.294 mi.)	BZ521	1241
168-11 12TH AVENUE Date Closed: 1992-09-30 Site ID: 212375 Program Number: 8803037	168-11 12TH AVENUE	SW 1/4 - 1/2 (0.307 mi.)	BY525	1247
AMOCO STATION Date Closed: 1987-03-24 Site ID: 224510 Program Number: 8604698	213-10 JAMAICA AVENU	S 1/4 - 1/2 (0.323 mi.)	CB527	1250
211-10-02 73RD AVE/Q Date Closed: 1991-01-09 Site ID: 123862 Program Number: 9010783	211-10-02 73RD AVENU	S 1/4 - 1/2 (0.326 mi.)	CB531	1258
PIER 84 Date Closed: 2004-10-19 Site ID: 332435 Program Number: 0407858	12TH AVE/WEST 34TH S	NNW 1/4 - 1/2 (0.353 mi.)	536	1263
THE MERRY GATES OF H Date Closed: 1993-03-17 Site ID: 297730 Site ID: 172122 Program Number: 8706124 Program Number: 8803832	103-12 101ST AVENUE	SW 1/4 - 1/2 (0.363 mi.)	538	1265
NEW YORK STATE DEC Date Closed: 1997-12-17 Site ID: 312315 Program Number: 9510154	***507 W 21ST ST***	***SSW 1/4 - 1/2 (0.366 mi.)***	***CC539***	***1268***
193 10TH AVE Date Closed: 1993-01-19 Site ID: 163796 Program Number: 9211918	193 10TH AVE	SSW 1/4 - 1/2 (0.370 mi.)	CC542	1309
193-10 PECK AVE Date Closed: 1992-09-30 Site ID: 69386 Program Number: 8708499	193-10 PECK AVE	SSW 1/4 - 1/2 (0.370 mi.)	CC543	1310
535 EAST 21ST STREET Date Closed: 1993-02-25 Site ID: 81225 Program Number: 8803752	535 EAST 21ST STREET	SSW 1/4 - 1/2 (0.374 mi.)	CD544	1312
178-10 69TH AVE/QUEE Date Closed: 1988-01-12 Site ID: 69350 Program Number: 8708234	178-10 69TH AVE	SSW 1/4 - 1/2 (0.424 mi.)	558	1341
152-156 TENTH AVE/MA Date Closed: 1989-08-24 Site ID: 318167	152-156 TENTH AVENUE	SSW 1/4 - 1/2 (0.469 mi.)	CM573	1394

Program Number: 8903509				
GETTY 58542 Date Closed: 2004-03-10 Site ID: 141401 Program Number: 9210231	***152 TENTH AVE***	***SSW 1/4 - 1/2 (0.469 mi.)***	***CM574***	***1395***
MENDON Date Closed: 2004-12-23 Site ID: 133724 Program Number: 9011674	542 WEST 19TH STREET	SSW 1/4 - 1/2 (0.484 mi.)	CO580	1411
86-11 34TH AVENUE Date Closed: 2003-03-04 Site ID: 240000 Program Number: 8900634	86-11 34TH AVENUE	SSW 1/4 - 1/2 (0.496 mi.)	CO584	1418
84-11 ELMHURST AVE/Q Date Closed: 1992-12-08 Site ID: 113979 Program Number: 8907043	84-11 EILMHURST AVEN	SSW 1/4 - 1/2 (0.499 mi.)	CO586	1420
84-11 ELMHURST AV/QU Date Closed: 1991-03-11 Site ID: 279195 Program Number: 9012626	84-11 ELMHURST AVENU	SSW 1/4 - 1/2 (0.499 mi.)	CO587	1421

State and tribal registered storage tank lists

NY UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the NY UST list, as provided by EDR, has revealed that there are 31 NY UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SOORI HIGHLINE Database: UST, Date of Government Version: 12/22/2017	***522-524-532 WEST 29T***	***ESE 0 - 1/8 (0.024 mi.)***	***A17***	***47***
550 WEST 30TH STREET Database: UST, Date of Government Version: 12/22/2017	550 WEST 30TH STREET	NNE 0 - 1/8 (0.061 mi.)	J65	108
28-29 HIGHLINE Database: UST, Date of Government Version: 12/22/2017	507-515 WEST 28TH ST	SE 0 - 1/8 (0.072 mi.)	G120	232
537-545 W 27TH ST Database: UST, Date of Government Version: 12/22/2017	537-545 W 27TH ST	S 0 - 1/8 (0.086 mi.)	Q151	338
DSNY M DISTRICT 6 GA Database: UST, Date of Government Version: 12/22/2017	319 ELEVENTH AVENUE	NNW 0 - 1/8 (0.091 mi.)	V169	378
NORTH CHELSEA Database: UST, Date of Government Version: 12/22/2017	500 WEST 30TH STREET	E 0 - 1/8 (0.097 mi.)	S188	405
MOBIL OIL CORP SS #5 Database: UST, Date of Government Version: 12/22/2017	***309 11TH AVE***	***NNW 0 - 1/8 (0.099 mi.)***	***T199***	***446***
HART REALTY Database: UST, Date of Government Version: 12/22/2017	520 WEST 27TH STREET	S 0 - 1/8 (0.103 mi.)	Z213	492
METAL PURCHASING CO Database: UST, Date of Government Version: 12/22/2017	501-551 WEST 30TH ST	ENE 0 - 1/8 (0.105 mi.)	AA220	500

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SHLOMI & AVI REPAIR Database: UST, Date of Government Version: 12/22/2017	303-309 10TH AVENUE	SSE 0 - 1/8 (0.111 mi.)	AB227	521
TENTH GAS (NY) INC. Database: UST, Date of Government Version: 12/22/2017	303 TENTH AVENUE	SSE 0 - 1/8 (0.111 mi.)	AB228	523
RYDER TRUCK RENTAL I Database: UST, Date of Government Version: 12/22/2017	624 WEST 30TH STREET	NW 1/8 - 1/4 (0.139 mi.)	AG297	639
513 WEST 26TH ASSOCI Database: UST, Date of Government Version: 12/22/2017	533 WEST 26TH STREET	S 1/8 - 1/4 (0.141 mi.)	AI298	663
STUART DEAN CO. INC. Database: UST, Date of Government Version: 12/22/2017	366 10TH AVENUE	E 1/8 - 1/4 (0.191 mi.)	AZ399	949
NEW YORK CLEARING HO Database: UST, Date of Government Version: 12/22/2017	450 WEST 33RD STREET	ENE 1/8 - 1/4 (0.221 mi.)	BF427	1007
450 PARTNERS LLC Database: UST, Date of Government Version: 12/22/2017	450-460 WEST 33RD ST	ENE 1/8 - 1/4 (0.221 mi.)	BF429	1011
245-247 10TH AVE Database: UST, Date of Government Version: 12/22/2017	245-247 TENTH AVENUE	S 1/8 - 1/4 (0.229 mi.)	BI442	1039
ELLIOTT HOUSES (CHEL Database: UST, Date of Government Version: 12/22/2017	426 WEST 27TH STREET	SE 1/8 - 1/4 (0.234 mi.)	BM456	1066
CHELSEA HOUSES Database: UST, Date of Government Version: 12/22/2017	431 WEST 25TH STREET	SSE 1/8 - 1/4 (0.245 mi.)	BP485	1152
MTA NO.7 SUBLINE EXT Database: UST, Date of Government Version: 12/22/2017	524 W 34TH ST	NNE 1/8 - 1/4 (0.249 mi.)	BS494	1180

Lower Elevation	Address	Direction / Distance	Map ID	Page
AVALON WEST CHELSEA Database: UST, Date of Government Version: 12/22/2017	282-298 ELEVENTH AVE	W 0 - 1/8 (0.064 mi.)	L81	156
536 WEST 27TH STREET Database: UST, Date of Government Version: 12/22/2017	536 WEST 27TH STREET	SSW 0 - 1/8 (0.094 mi.)	Q179	393
PENSKE TRUCK LEASING Database: UST, Date of Government Version: 12/22/2017	536 WEST 26TH STREET	SW 1/8 - 1/4 (0.152 mi.)	AM308	700
CHELSEA ARTS TOWER C Database: UST, Date of Government Version: 12/22/2017	543-545 WEST 25TH ST	SSW 1/8 - 1/4 (0.177 mi.)	AT359	859
AVENUES, THE WORLD S Database: UST, Date of Government Version: 12/22/2017	***259 10TH AVENUE***	***S 1/8 - 1/4 (0.182 mi.)***	***AW374***	***883***
DHL WORLDWIDE EXPRES Database: UST, Date of Government Version: 12/22/2017	560 W 25TH ST (550 W	SSW 1/8 - 1/4 (0.184 mi.)	AT379	895
DSNY MN BORO REPAIR Database: UST, Date of Government Version: 12/22/2017	640 WEST 26TH STREET	WSW 1/8 - 1/4 (0.188 mi.)	AU387	905
534-548 WEST 25TH ST Database: UST, Date of Government Version: 12/22/2017	534-548 WEST 25TH ST	SSW 1/8 - 1/4 (0.193 mi.)	400	951
DYNAMIC DELIVERY COR Database: UST, Date of Government Version: 12/22/2017	202-208 11TH AVENUE	SW 1/8 - 1/4 (0.235 mi.)	BN459	1076
VHS 239 LLC Database: UST, Date of Government Version: 12/22/2017	239 TENTH AVENUE	S 1/8 - 1/4 (0.237 mi.)	BI471	1105
ADOLPHS TRUCKING CO, Database: UST, Date of Government Version: 12/22/2017	507-11 WEST 24TH ST	SSW 1/8 - 1/4 (0.237 mi.)	BH472	1110

EXECUTIVE SUMMARY

NY CBS: These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

A review of the NY CBS list, as provided by EDR, and dated 12/22/2017 has revealed that there are 3 NY CBS sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
NYCT-PARKING LOT	***220 11TH AVENUE***	***SW 1/8 - 1/4 (0.162 mi.)***	***329***	***799***
Facility Status: Unregulated/Closed CBS Number: 2-000501				
MANHATTAN REPAIR SHO	640 WEST 26TH ST.	WSW 1/8 - 1/4 (0.188 mi.)	AU383	901
Facility Status: Unregulated/Closed CBS Number: 2-000473				
MANHATTAN VEHICLE MA	***201 11TH AVE.***	***WSW 1/8 - 1/4 (0.230 mi.)***	***BJ446***	***1047***
Facility Status: Unregulated/Closed CBS Number: 2-000384				

NY AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the NY AST list, as provided by EDR, has revealed that there are 38 NY AST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
MIDTOWN CENTER AUTO	548 WEST 29TH ST	E 0 - 1/8 (0.023 mi.)	A12	41
Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-611575				
550 WEST 30TH STREET	550 WEST 30TH STREET	NNE 0 - 1/8 (0.061 mi.)	J67	114
Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-289728				
SAM-FAY REALTY CORP.	515 WEST 29TH STREET	E 0 - 1/8 (0.066 mi.)	I88	174
Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-606180 Facility Id: 2-606014				
PRADERA REALTY CO.	501 W 28 STREET	SE 0 - 1/8 (0.085 mi.)	R145	330
Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-605989				
DSNY M DISTRICT 6 GA	319 ELEVENTH AVENUE	NNW 0 - 1/8 (0.091 mi.)	V168	374
Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-601983				
502 WEST 30TH ST LLC	502 WEST 30TH STREET	E 0 - 1/8 (0.092 mi.)	S172	384
Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-402001				
EVAN AUTO INC	319 TENTH AVENUE	SE 0 - 1/8 (0.093 mi.)	R178	390
Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-611326				
501 WEST 29TH STREET	501 WEST 29TH STREET	ESE 0 - 1/8 (0.099 mi.)	Y197	442
Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-373893				
MIKE SIE PALM	604 WEST 30TH STREET	NNW 0 - 1/8 (0.104 mi.)	V214	494
Database: AST, Date of Government Version: 12/22/2017				

Facility Id: 2-611129

M.J. CAHN CO., INC. Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-161225	510 WEST 27TH ST	S 0 - 1/8 (0.114 mi.)	AE240	543
SHAFT 26 B, DEP CONT Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-610674	351 10TH AVENUE	E 1/8 - 1/4 (0.132 mi.)	AJ278	602
TENTH AVENUE PARTNER Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-045209	299/301 TENTH AVE	SSE 1/8 - 1/4 (0.134 mi.)	AK279	606
ROSE PLAZA Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-605970	356 10TH AVENUE	E 1/8 - 1/4 (0.191 mi.)	AZ398	947
50 HYMC OWNER HOLDIN Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-612766	511 W. 33RD ST.	NE 1/8 - 1/4 (0.228 mi.)	BG440	1036
ELLIOTT HOUSES (CHEL Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-601955	426 WEST 27TH STREET	SE 1/8 - 1/4 (0.234 mi.)	BM455	1064
FASHION INSTITUTE OF Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-107247 Facility Id: 2-510009	406 WEST 31ST STREET	E 1/8 - 1/4 (0.242 mi.)	BQ481	1136

Lower Elevation	Address	Direction / Distance	Map ID	Page
MARINERS GATE, LLC Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-610259	547 WEST 27TH STREET	SW 0 - 1/8 (0.064 mi.)	O75	125
PINETREE GROUP INC Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-249572	548 W 28TH STREET	SW 0 - 1/8 (0.064 mi.)	O78	133
MANHATTAN MOTORCARS Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-611732	270 ELEVENTH AVE	WSW 0 - 1/8 (0.083 mi.)	U144	327
260 11 AVENUE Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-605932	260 11TH AVENUE	SW 0 - 1/8 (0.117 mi.)	AF251	561
M.G. TOTAL CAR CARE Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-607243	545 WEST 26TH STREET	SSW 0 - 1/8 (0.122 mi.)	AH269	591
513 WEST 26TH REALTY Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-402990	525 WEST 26TH STREET	S 1/8 - 1/4 (0.136 mi.)	AI283	615
540 WEST 26 ST Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-612779	540 WEST 26 ST	SW 1/8 - 1/4 (0.141 mi.)	AM299	665
7 LINE SUBWAY CONSTR Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-610999	550 WEST 26TH STREET	SW 1/8 - 1/4 (0.143 mi.)	AM301	669
PENSKE TRUCK LEASING Database: AST, Date of Government Version: 12/22/2017	536 WEST 26TH STREET	SW 1/8 - 1/4 (0.152 mi.)	AM306	680

Facility Id: 2-108774

WOLF BUILDING Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-218537	526 WEST 26TH STREET	S 1/8 - 1/4 (0.157 mi.)	AP312	710
STARRETT-LEHIGH BLDG Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-611131 Facility Id: 2-600389	601 WEST 26TH STREET	WSW 1/8 - 1/4 (0.159 mi.)	AR327	765
511 WEST 25TH STREET Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-290556	511 W 25TH ST	S 1/8 - 1/4 (0.170 mi.)	AP336	813
531 WEST 25TH STREET Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-511234	531 WEST 25TH STREET	S 1/8 - 1/4 (0.170 mi.)	AP338	817
511 WEST 25TH STREET Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-511226	511 WEST 25TH STREET	S 1/8 - 1/4 (0.170 mi.)	AP339	820
BROADVIEW NETWORKS, Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-612648	601 WEST 26 ST	WSW 1/8 - 1/4 (0.174 mi.)	AU351	840
555 WEST 25 ST Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-604055	555 WEST 25TH STREET	SSW 1/8 - 1/4 (0.175 mi.)	AT355	849
BALWARK BUILDING Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-287504	239 11TH AVE	SW 1/8 - 1/4 (0.177 mi.)	AV357	855
AVENUES, THE WORLD S Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-611576	***259 10TH AVENUE***	***S 1/8 - 1/4 (0.182 mi.)***	***AW374***	***883***
210 11TH AVE Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-155306	210 ELEVENTH AVENUE	SW 1/8 - 1/4 (0.201 mi.)	AY408	973
TRANSIT MIX CONCRETE Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-283274	WEST 26 ST / TWELFTH	W 1/8 - 1/4 (0.208 mi.)	BB411	979
EMPIRE CITY SUBWAY C Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-602289	260 12TH AVENUE	NW 1/8 - 1/4 (0.233 mi.)	BK451	1056
WEST 30TH ST. RECYCL Database: AST, Date of Government Version: 12/22/2017 Facility Id: 2-611931	WEST 30TH ST. & WEST	NW 1/8 - 1/4 (0.243 mi.)	BK484	1150

NY TANKS: This database contains records of facilities that are or have been regulated under Bulk Storage Program. Tank information for these facilities may not be releasable by the state agency.

A review of the NY TANKS list, as provided by EDR, has revealed that there are 4 NY TANKS sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
WEST SIDE YARD Database: TANKS, Date of Government Version: 12/22/2017	351 TENTH AVENUE	E 1/8 - 1/4 (0.132 mi.)	AJ277	602

Facility Id: 2-433942
Site Status: Active

Lower Elevation	Address	Direction / Distance	Map ID	Page
WESTSIDE OPERATIONS Database: TANKS, Date of Government Version: 12/22/2017 Facility Id: 2-452793 Site Status: Active	281 ELEVENTH AVENUE	WNW 0 - 1/8 (0.072 mi.)	M121	235
VERIZON NEW YORK INC Database: TANKS, Date of Government Version: 12/22/2017 Facility Id: 2-604877 Facility Id: 2-607987 Site Status: Inactive	601 WEST 26TH STREET	WSW 1/8 - 1/4 (0.159 mi.)	AR326	765
WEST 30TH ST HELIPOR Database: TANKS, Date of Government Version: 12/22/2017 Facility Id: 2-342211 Site Status: Active	WEST 30TH STREET & 1	NW 1/8 - 1/4 (0.237 mi.)	BK465	1094

State and tribal institutional control / engineering control registries

NY ENG CONTROLS: Environmental Remediation sites that have engineering controls in place.

A review of the NY ENG CONTROLS list, as provided by EDR, and dated 08/15/2017 has revealed that there is 1 NY ENG CONTROLS site within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
TIME WARNER CABLE Site Code: 475372	***511 WEST 21ST ST***	***SSW 1/4 - 1/2 (0.368 mi.)***	***CC540***	***1272***

Environmental Remediation sites that have institutional controls in place.

A review of the NY INST CONTROL list, as provided by EDR, and dated 08/15/2017 has revealed that there is 1 NY INST CONTROL site within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
TIME WARNER CABLE Site Code: 475372	***511 WEST 21ST ST***	***SSW 1/4 - 1/2 (0.368 mi.)***	***CC540***	***1272***

State and tribal voluntary cleanup sites

NY VCP: Voluntary Cleanup Agreements. The voluntary remedial program uses private monies to get contaminated sites remediated to levels allowing for the sites' productive use. The program covers virtually any kind of site and contamination.

A review of the NY VCP list, as provided by EDR, has revealed that there are 24 NY VCP sites within

approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
534 WEST 29TH STREET Database: VCP NYC, Date of Government Version: 10/04/2017	534 WEST 29TH STREET	ESE 0 - 1/8 (0.010 mi.)	A6	30
522-532 WEST 29TH ST Database: VCP NYC, Date of Government Version: 10/04/2017	522-532 WEST 29TH ST	ESE 0 - 1/8 (0.026 mi.)	B19	58
529 WEST 29TH STREET Database: VCP NYC, Date of Government Version: 10/04/2017	529 WEST 29TH STREET	NE 0 - 1/8 (0.030 mi.)	E27	65
526-530 WEST 28TH ST Database: VCP NYC, Date of Government Version: 10/04/2017	526-530 WEST 28TH ST	S 0 - 1/8 (0.055 mi.)	G49	90
518-526 WEST 30TH ST Database: VCP NYC, Date of Government Version: 10/04/2017	518-526 WEST 30TH ST	ENE 0 - 1/8 (0.070 mi.)	P107	203
507-515 WEST 28TH ST Database: VCP NYC, Date of Government Version: 10/04/2017	507-515 WEST 28TH ST	SE 0 - 1/8 (0.072 mi.)	G119	231
500 WEST 25TH STREET Database: VCP NYC, Date of Government Version: 10/04/2017	500 WEST 25TH STREET	S 1/8 - 1/4 (0.213 mi.)	BC417	992
371 9TH AVENUE Database: VCP NYC, Date of Government Version: 10/04/2017	371 9TH AVENUE	E 1/8 - 1/4 (0.248 mi.)	BR493	1180
444 10TH AVENUE Database: VCP NYC, Date of Government Version: 10/04/2017	444 10TH AVENUE	NE 1/4 - 1/2 (0.329 mi.)	533	1260
445 WEST 35TH STREET Database: VCP NYC, Date of Government Version: 10/04/2017	445 WEST 35TH STREET	ENE 1/4 - 1/2 (0.378 mi.)	546	1314
511 WEST 36TH STREET Database: VCP NYC, Date of Government Version: 10/04/2017	511 WEST 36TH STREET	NE 1/4 - 1/2 (0.380 mi.)	547	1315
450 11TH AVENUE Database: VCP NYC, Date of Government Version: 10/04/2017	450 11TH AVENUE	NNE 1/4 - 1/2 (0.400 mi.)	CF552	1324
411 WEST 35TH STREET Database: VCP NYC, Date of Government Version: 10/04/2017	411 WEST 35TH STREET	ENE 1/4 - 1/2 (0.410 mi.)	556	1339
462-470 11TH AVENUE Database: VCP NYC, Date of Government Version: 10/04/2017	462-470 11TH AVENUE	NNE 1/4 - 1/2 (0.437 mi.)	CI562	1353
509 WEST 38TH STREET Database: VCP NYC, Date of Government Version: 10/04/2017	509 WEST 38TH STREET	NE 1/4 - 1/2 (0.475 mi.)	CN576	1408
257 WEST 29TH STREET Database: VCP NYC, Date of Government Version: 10/04/2017	257 WEST 29TH STREET	ESE 1/4 - 1/2 (0.484 mi.)	578	1410

Lower Elevation	Address	Direction / Distance	Map ID	Page
550 WEST 29TH STREET Database: VCP NYC, Date of Government Version: 10/04/2017	550 WEST 29TH STREET	WNW 0 - 1/8 (0.030 mi.)	D25	64
507 WEST 24TH STREET Database: VCP NYC, Date of Government Version: 10/04/2017	507 WEST 24TH STREET	S 1/8 - 1/4 (0.228 mi.)	BI441	1038
239 10TH AVENUE Database: VCP NYC, Date of Government Version: 10/04/2017	239 10TH AVENUE	S 1/8 - 1/4 (0.237 mi.)	BI470	1104
514 WEST 24TH STREET Database: VCP NYC, Date of Government Version: 10/04/2017	514 WEST 24TH STREET	SSW 1/8 - 1/4 (0.247 mi.)	BH487	1156
508 WEST 24TH STREET Database: VCP NYC, Date of Government Version: 10/04/2017	508 WEST 24TH STREET	SSW 1/4 - 1/2 (0.252 mi.)	497	1191
182-188 11TH AVENUE Database: VCP NYC, Date of Government Version: 10/04/2017	182-188 11TH AVENUE	SW 1/4 - 1/2 (0.271 mi.)	BW508	1219

Lower Elevation	Address	Direction / Distance	Map ID	Page
551 WEST 21ST STREET Database: VCP NYC, Date of Government Version: 10/04/2017	551 WEST 21ST STREET	SSW 1/4 - 1/2 (0.375 mi.)	CD545	1313
CE - E. 19TH ST. STA Database: VCP, Date of Government Version: 08/15/2017 Site Code: 58652	524 E. 19TH ST.	SSW 1/4 - 1/2 (0.488 mi.)	CO581	1413

State and tribal Brownfields sites

NY BROWNFIELDS: Brownfields Site List

A review of the NY BROWNFIELDS list, as provided by EDR, and dated 08/15/2017 has revealed that there are 9 NY BROWNFIELDS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
514-520 WEST 28TH ST Site Code: 477443	514-520 WEST 28TH ST	SSE 0 - 1/8 (0.071 mi.)	G109	208
WEST 34TH STREET DEV Site Code: 359020	***555 WEST 34TH STREET***	***NNE 1/4 - 1/2 (0.270 mi.)***	***BV506***	***1212***
509 WEST 34TH STREET Site Code: 507330	509 WEST 34TH STREET	NE 1/4 - 1/2 (0.281 mi.)	511	1225
438 11TH AVENUE Site Code: 507382	438 11TH AVENUE	NNE 1/4 - 1/2 (0.382 mi.)	CF549	1319
HUDSON MEWS PROPERTY Site Code: 416201	403 WEST 37TH STREET	NE 1/4 - 1/2 (0.463 mi.)	571	1389

Lower Elevation	Address	Direction / Distance	Map ID	Page
FORMER GETTY SERVICE Site Code: 488150	***239 10TH AVENUE***	***S 1/4 - 1/2 (0.252 mi.)***	***BT496***	***1187***
555 WEST 22ND STREET Site Code: 525716	555 WEST 22ND STREET	SW 1/4 - 1/2 (0.324 mi.)	529	1254
TIME WARNER CABLE Site Code: 475372	***511 WEST 21ST ST***	***SSW 1/4 - 1/2 (0.368 mi.)***	***CC540***	***1272***
535 WEST 19TH STREET Site Code: 370424	***535 WEST 19TH STREET***	***SSW 1/4 - 1/2 (0.475 mi.)***	***CK575***	***1405***

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Landfill / Solid Waste Disposal Sites

Registered Recycling Facility List from the Department of Environmental Conservation.

A review of the NY SWRCY list, as provided by EDR, and dated 12/08/2017 has revealed that there is 1

NY SWRCY site within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
NYCDOS W 30TH ST REC	WEST 30TH ST & W SID	NW 1/8 - 1/4 (0.232 mi.)	BK447	1049

Records of Emergency Release Reports

NY Spills: Data collected on spills reported to NYSDEC. is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, and dated 02/12/2018 has revealed that there are 79 NY Spills sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SOORI HIGHLINE Date Closed: 2004-11-01 Spill Number: 0408382 Site ID: 333103	***522-524-532 WEST 29T***	***ESE 0 - 1/8 (0.024 mi.)***	***A17***	***47***
HIGH RIDGE ENTERPRIS Date Closed: 2012-03-12 Spill Number: 0307633 Site ID: 176283	***524 WEST 29TH STREET***	***ESE 0 - 1/8 (0.024 mi.)***	***A18***	***52***
CONSTRUCTION SITE Date Closed: 2015-04-10 Spill Number: 1404620 Site ID: 498021	522 WEST 29TH STREET	ESE 0 - 1/8 (0.026 mi.)	B21	59
CONSTRUCTION SITE Date Closed: 2016-02-01 Spill Number: 1504458 Site ID: 510799	526-530 WEST 28TH ST	S 0 - 1/8 (0.046 mi.)	F38	72
VACANT WAREHOUSE Date Closed: 1996-07-16 Spill Number: 9604278 Site ID: 313828	518 WEST 30TH ST	NE 0 - 1/8 (0.050 mi.)	E41	78
BLDG UNDER CONSTRUCT Spill Number: 1610851 Site ID: 541704	517 WEST 29TH ST	E 0 - 1/8 (0.053 mi.)	I46	87
REDEVELOPEMENT PROPE Date Closed: 2015-03-23 Spill Number: 1300765 Site ID: 481110	514-520 WEST 28TH ST	SSE 0 - 1/8 (0.071 mi.)	G110	212
IN FIELD Date Closed: 2016-03-30 Spill Number: 1205473 Site ID: 468427	509 WEST 28TH STREET	SE 0 - 1/8 (0.073 mi.)	R139	322
XTRAMART?? - RETAIL Date Closed: 2016-05-18 Spill Number: 1601588 Site ID: 526930	309 11TH AVE	NNW 0 - 1/8 (0.086 mi.)	V149	336
537 WEST 27TH ST	537 WEST 27TH	S 0 - 1/8 (0.086 mi.)	Q150	337

Date Closed: 2008-05-20 Spill Number: 0801913 Site ID: 397954				
COMMERICAL PROPERTY Date Closed: 2011-12-20 Spill Number: 0613440 Site ID: 378471	537-545 WEST 27TH ST	S 0 - 1/8 (0.086 mi.)	Q152	343
CONSTRUCTION SITE Date Closed: 2008-10-08 Date Closed: 2008-09-09 Spill Number: 0807436 Spill Number: 0806482 Site ID: 404785 Site ID: 403764	537 WEST 27TH ST	S 0 - 1/8 (0.086 mi.)	Q153	347
HUDSON YARDS CONSTRU Date Closed: 2015-12-11 Spill Number: 1506341 Site ID: 513757	30TH ST AND 11TH AVE	NNW 0 - 1/8 (0.086 mi.)	V157	357
519 WEST 27TH STREET Date Closed: 1997-07-07 Spill Number: 9704105 Site ID: 252612	519 WEST 27TH STREET	S 0 - 1/8 (0.086 mi.)	W160	361
515 Date Closed: 1996-12-30 Spill Number: 9611540 Site ID: 249922	515 W. 27TH ST	S 0 - 1/8 (0.090 mi.)	W166	373
FORMER GAS STATION Spill Number: 0701228 Site ID: 380698	327 10TH AVE	ESE 0 - 1/8 (0.093 mi.)	Y175	386
VACANT LOT Date Closed: 2007-06-08 Spill Number: 0702824 Site ID: 382628	327 10TH AVE.	ESE 0 - 1/8 (0.093 mi.)	Y176	388
SPILL NUMBER 0303971 Date Closed: 2003-07-16 Spill Number: 0303971 Site ID: 132083	605 WEST 30TH ST	NNW 0 - 1/8 (0.096 mi.)	V184	401
CONSTRUCTION SITE Date Closed: 2012-09-06 Spill Number: 1114471 Site ID: 462530	500 WEST 30TH ST	E 0 - 1/8 (0.097 mi.)	S190	431
MOBIL STATION 17510 Date Closed: 2008-11-20 Date Closed: 2006-12-14 Spill Number: 0807364 Spill Number: 0506979 Site ID: 404708 Site ID: 352291	309 11TH AVE	NNW 0 - 1/8 (0.099 mi.)	T198	444
MOBIL OIL CORP SS #5 Date Closed: 2014-11-26 Spill Number: 9305598	***309 11TH AVE***	***NNW 0 - 1/8 (0.099 mi.)***	***T199***	***446***

Site ID: 190224				
CONSTRUCTION SITE Date Closed: 2008-03-13 Spill Number: 0713118 Site ID: 394822	520 WEST 27TH STREET	S 0 - 1/8 (0.105 mi.)	Z222	512
FORMER GAS STATION Date Closed: 2010-10-27 Spill Number: 0603967 Site ID: 366826	303 10TH AVE	SSE 0 - 1/8 (0.111 mi.)	AB225	515
10TH AVE. W 27/W 28 Date Closed: 2007-04-23 Spill Number: 8302630 Site ID: 270444	***303 10TH AVE***	***SSE 0 - 1/8 (0.111 mi.)***	***AB229***	***527***
MORGAN PARKING LOT Date Closed: 1995-06-20 Spill Number: 8907464 Site ID: 60493	W.29TH ST / 10TH AVE	ESE 0 - 1/8 (0.112 mi.)	Y235	537
EVANS AUTO Date Closed: 2016-03-18 Spill Number: 0700172 Site ID: 379465	319-325 10TH AVE	ESE 0 - 1/8 (0.113 mi.)	Y239	542
DRUM RUN Date Closed: 2006-10-18 Spill Number: 0606110 Site ID: 369408	WEST 28TH & 10TH AVE	SE 0 - 1/8 (0.114 mi.)	AC242	548
SERVICE BOX # 05231 Date Closed: 2008-03-20 Spill Number: 0502649 Site ID: 347052	WEST 28TH & 10TH AVE	SE 0 - 1/8 (0.114 mi.)	AC243	549
10TH AVENUE AT Date Closed: 2003-07-03 Spill Number: 0301562 Site ID: 164293	WEST 28TH STREET	SE 0 - 1/8 (0.116 mi.)	AC249	559
SPILL NUMBER 0310244 Date Closed: 2003-12-16 Spill Number: 0310244 Site ID: 200598	TENTH AVE. W.28TH ST	SE 0 - 1/8 (0.116 mi.)	AC250	560
NYC DEPT OF SANITATI Date Closed: 2010-04-12 Spill Number: 0602047 Site ID: 364436	606 WEST 30TH STREET	NW 0 - 1/8 (0.118 mi.)	AG260	575
LIRR Date Closed: 2006-04-06 Spill Number: 0407107 Site ID: 251465	11TH AVE & 31ST STRE	NNE 0 - 1/8 (0.123 mi.)	270	593

Lower Elevation	**Address**	**Direction / Distance**	**Map ID**	**Page**
UNOCCUPIED NIGHT CLU Date Closed: 2013-12-10 Spill Number: 1306369	528 - 530 WEST 28TH	SW 0 - 1/8 (0.022 mi.)	A11	39

Site ID: 486977				
MIDTOWN SERVICE CENT Date Closed: 2012-06-27 Spill Number: 1201778 Site ID: 464507	548 W. 29TH STREET	NW 0 - 1/8 (0.024 mi.)	A15	45
SB-5 AVALON WEST CHE Date Closed: 2012-07-31 Spill Number: 1203713 Site ID: 466553	SITE 2 282 11TH AVE	W 0 - 1/8 (0.036 mi.)	C30	66
EXCAVATION Date Closed: 2011-01-13 Spill Number: 1004180 Site ID: 437442	538 WEST 28 ST	SSW 0 - 1/8 (0.043 mi.)	F33	68
538 W 28TH ST Date Closed: 1994-11-21 Spill Number: 9109612 Site ID: 76462	538 W 28TH ST	SSW 0 - 1/8 (0.043 mi.)	F34	69
WEST 28TH ST PARKING Date Closed: 1998-11-25 Spill Number: 9830018 Site ID: 121271	534-536 WEST 28TH ST	SSW 0 - 1/8 (0.045 mi.)	F36	70
11TH AVE & W 29TH ST Spill Number: 9113336 Site ID: 156154	11TH AVE & W 29TH ST	NW 0 - 1/8 (0.060 mi.)	K62	103
SPILL NUMBER 0204281 Date Closed: 2004-09-24 Spill Number: 0204281 Site ID: 105907	W 29TH ST & 11TH AV	NW 0 - 1/8 (0.060 mi.)	K63	104
ADMIRAL ENGRAVING & Date Closed: 2007-09-24 Spill Number: 0601544 Site ID: 363806	***547 W 27TH ST***	***SW 0 - 1/8 (0.064 mi.)***	***O76***	***127***
AVALON WEST Date Closed: 2014-06-19 Spill Number: 0700587 Site ID: 379949	282 11TH AVE	W 0 - 1/8 (0.064 mi.)	L79	135
CONTMINATION SB-3 AV Date Closed: 2012-07-17 Spill Number: 1203712 Site ID: 466552	282 11TH AVE	W 0 - 1/8 (0.064 mi.)	L80	155
CONSTRUCTION SITE Date Closed: 2012-07-31 Spill Number: 1203680 Site ID: 466518	282 11TH AVE	W 0 - 1/8 (0.064 mi.)	L83	168
CONSTRUCTION SITE BO Date Closed: 2012-07-31 Spill Number: 1203731 Site ID: 466571	282 11TH AVE	W 0 - 1/8 (0.064 mi.)	L84	169
PARKING GARAGE Date Closed: 2007-09-11	282-296 11TH AVE	W 0 - 1/8 (0.064 mi.)	L85	170

Spill Number: 0603351 Site ID: 366053				
CONSTRUCTION SITE Date Closed: 2013-03-20 Spill Number: 1203735 Site ID: 466576	282 11TH AVE	W 0 - 1/8 (0.064 mi.)	L86	172
NYCT Date Closed: 2013-03-27 Spill Number: 0305824 Site ID: 209665	28TH ST/11TH AVE	W 0 - 1/8 (0.068 mi.)	L92	182
WEST 28TH ST YARD Date Closed: 2003-11-04 Spill Number: 9811200 Site ID: 69463	WEST 28TH/11TH AVE	W 0 - 1/8 (0.068 mi.)	L93	183
ROADWAY Date Closed: 1998-05-01 Spill Number: 9706409 Site ID: 300758	WEST 28TH ST AND 11T	W 0 - 1/8 (0.068 mi.)	L95	188
CON ED Date Closed: 2004-02-03 Spill Number: 0310177 Site ID: 79239	W. 28TH AND 11TH AVE	W 0 - 1/8 (0.068 mi.)	L98	192
VAULT 0853 Date Closed: 2003-09-29 Spill Number: 0210471 Site ID: 68310	W 28TH ST & 11TH AVE	W 0 - 1/8 (0.068 mi.)	L99	193
PAVEMENT Date Closed: 2011-11-09 Spill Number: 1108912 Site ID: 456659	11TH AVE BETWEEN W 2	W 0 - 1/8 (0.068 mi.)	L103	199
TRANSFORMER VAULT VS Date Closed: 2004-08-20 Spill Number: 0401531 Site ID: 230080	WEST 29TH ST/11TH AV	NW 0 - 1/8 (0.069 mi.)	K104	200
29TH ST & 11TH AVE/S Date Closed: 1991-09-19 Spill Number: 9105295 Site ID: 66880	29TH ST & 11TH AVE/S	NW 0 - 1/8 (0.069 mi.)	K105	201
WEST 28TH ST YARD Date Closed: 2005-02-22 Spill Number: 0412374 Site ID: 337865	281‘ 11TH AVE	W 0 - 1/8 (0.072 mi.)	M113	218
WEST 28TH STREET YAR Date Closed: 1998-06-03 Spill Number: 9611698 Site ID: 110143	WEST 28TH STREET YAR	W 0 - 1/8 (0.072 mi.)	M114	219
WEST 28TH ST YARD Date Closed: 1997-11-04 Spill Number: 9709006 Site ID: 121635	WEST 29TH ST	W 0 - 1/8 (0.072 mi.)	M115	220
WEST 28TH ST YARD	WEST 28TH ST YARD	W 0 - 1/8 (0.072 mi.)	M116	222

Date Closed: 1996-12-02 Spill Number: 9610781 Site ID: 85673				
WESTSIDE SERVICE CEN Date Closed: 1997-11-21 Spill Number: 9510282 Site ID: 318421	WEST 28TH ST	W 0 - 1/8 (0.072 mi.)	M117	223
WESTSIDE SERVICE CTR Date Closed: 2015-04-20 Spill Number: 9500548 Site ID: 308572	281 11TH AVENUE	WNW 0 - 1/8 (0.072 mi.)	M122	236
SERVICE CENTER Spill Number: 1604675 Site ID: 531189	281 11TH AVE	WNW 0 - 1/8 (0.072 mi.)	M123	240
CON ED TRANSPORTATIO Date Closed: 2003-12-29 Spill Number: 9612456 Site ID: 326578	281 W 11TH AVE	WNW 0 - 1/8 (0.072 mi.)	M124	241
WEST 28 TH ST YARD Date Closed: 2007-11-08 Date Closed: 2007-04-24 Date Closed: 2007-01-17 Date Closed: 2007-02-16 Date Closed: 1997-02-13 Spill Number: 0604150 Spill Number: 0612001 Spill Number: 0610810 Spill Number: 0612171 Spill Number: 9613350 Site ID: 367065 Site ID: 376762 Site ID: 375319 Site ID: 376967 Site ID: 185519	281 11 TH AV	WNW 0 - 1/8 (0.072 mi.)	M127	246
W28TH ST YARD Date Closed: 2010-09-01 Date Closed: 2011-02-25 Date Closed: 2011-02-11 Date Closed: 1997-09-02 Date Closed: 2006-10-13 **Additional key fields are available in the Map Findings section* Spill Number: 1002564 Spill Number: 1010941 Spill Number: 1010124 Spill Number: 9706546 Spill Number: 9811887 **Additional key fields are available in the Map Findings section* Site ID: 435725 Site ID: 444560 Site ID: 443714 Site ID: 195654 Site ID: 195655 **Additional key fields are available in the Map Findings section*	281 11TH AV	WNW 0 - 1/8 (0.072 mi.)	M129	276
CON ED 28TH ST YARD	281 11TH AVE	WNW 0 - 1/8 (0.072 mi.)	M130	298

Date Closed: 2013-11-05 Spill Number: 1305258 Site ID: 485817				
15 GALLONS HYDAULIC Date Closed: 2007-02-16 Spill Number: 0611412 Site ID: 376106	281 W 11 AVENUE	WNW 0 - 1/8 (0.072 mi.)	M131	299
TEN GAL HYDRAULIC FR Date Closed: 2007-11-27 Spill Number: 0707352 Site ID: 388037	281 11 AVENUE. WEST	WNW 0 - 1/8 (0.072 mi.)	M132	300
CON EDISON W 28TH ST Date Closed: 2007-07-02 Date Closed: 2008-03-20 Date Closed: 1996-05-12 Date Closed: 2009-02-12 Spill Number: 0506426 Spill Number: 0510490 Spill Number: 9601370 Spill Number: 0808754 Site ID: 351642 Site ID: 356478 Site ID: 195653 Site ID: 406161	***281 11TH AVENUE***	***WNW 0 - 1/8 (0.072 mi.)***	***M135***	***307***
BORE HOLE Date Closed: 2009-12-30 Spill Number: 0510434 Site ID: 356410	WEST 27 STREET BTWN	SSW 0 - 1/8 (0.080 mi.)	Q142	325
WATERFRONT NY REALTO Date Closed: 2006-01-18 Date Closed: 1996-12-24 Spill Number: 9002583 Spill Number: 9611656 Site ID: 255436 Site ID: 255437	271 11TH AVE	W 0 - 1/8 (0.085 mi.)	U146	332
530 WEST 27TH ST/MAN Date Closed: 2008-11-06 Spill Number: 8901381 Site ID: 155911	530 WEST 27TH STREET	SSW 0 - 1/8 (0.095 mi.)	Z180	395
WEST 28TH STREET YAR Date Closed: 2010-09-16 Spill Number: 1006545 Site ID: 439904	281 11TH AVE	WNW 0 - 1/8 (0.098 mi.)	193	439
11TH AVENUE & WEST 2 Date Closed: 2009-08-18 Spill Number: 0013708 Site ID: 125230	11TH AVENUE & WEST 2	WSW 0 - 1/8 (0.102 mi.)	U206	480
WEST 27TH ST & 11TH Date Closed: 2001-01-16 Spill Number: 0011181 Site ID: 105271	W. 27TH ST & 11TH AV	WSW 0 - 1/8 (0.102 mi.)	U208	484
FEEDER M54	WEST 27TH ST/11TH AV	WSW 0 - 1/8 (0.102 mi.)	U210	486

Date Closed: 2001-02-13 Spill Number: 0011180 Site ID: 214610				
537 W 26TH ST Date Closed: 2010-02-05 Spill Number: 9200736 Site ID: 244535	537 W 26TH ST	SSW 0 - 1/8 (0.119 mi.)	AH262	580
LAB RESULTS Date Closed: 2013-09-27 Spill Number: 1302987 Site ID: 483448	549 W 26TH STREET	SW 0 - 1/8 (0.120 mi.)	AH268	587
SPILL NUMBER 0201423 Date Closed: 2003-04-21 Spill Number: 0201423 Site ID: 241335	11TH AV BET 26TH & 2	WSW 0 - 1/8 (0.123 mi.)	AF271	595

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 12/11/2017 has revealed that there are 105 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON	540 W 30 ST	NE 0 - 1/8 (0.062 mi.)	N69	117
CON EDISON	520 W 28TH ST	SSE 0 - 1/8 (0.071 mi.)	G111	213
28TH HIGHLINE ASSOCI	***520 W 28TH ST***	***SSE 0 - 1/8 (0.071 mi.)***	***G112***	***214***
NYC DEP-TUNNEL NO 3	605 W 30TH ST	NNW 0 - 1/8 (0.096 mi.)	V185	402
HIGHLINE HOLDINGS LL	***500 W 30TH ST***	***E 0 - 1/8 (0.097 mi.)***	***S192***	***437***
MOBIL OIL CORP SS #5	***309 11TH AVE***	***NNW 0 - 1/8 (0.099 mi.)***	***T199***	***446***
CON EDISON	331 10TH AVE	ESE 0 - 1/8 (0.099 mi.)	S201	469
CON EDISON OTHER - S	***520 W 27TH ST***	***S 0 - 1/8 (0.103 mi.)***	***Z212***	***489***
CON EDISON SERVICE B	309-311 10TH ST & AV	SE 0 - 1/8 (0.105 mi.)	AC217	497
10TH AVE SS INC - DH	***303 10TH AVE***	***SSE 0 - 1/8 (0.111 mi.)***	***AB226***	***518***
CON EDISON MANHOLE:	***10 AVE & 29TH ST SE***	***ESE 0 - 1/8 (0.111 mi.)***	***Y233***	***535***
CON EDISON MANHOLE:	***W 29TH ST & 10TH AVE***	***ESE 0 - 1/8 (0.113 mi.)***	***Y237***	***539***
CON EDISON SERVICE B	***402 W 29TH ST & 10TH***	***ESE 0 - 1/8 (0.113 mi.)***	***Y238***	***541***
CON EDISON SERVICE B	***10TH AVE & 28TH ST M***	***SE 0 - 1/8 (0.114 mi.)***	***AC241***	***545***
CON EDISON SERVICE B	***10TH AVE & 28TH ST M***	***SE 0 - 1/8 (0.114 mi.)***	***AC244***	***550***
CON EDISON	***510 W 27TH ST***	***S 0 - 1/8 (0.118 mi.)***	***AE258***	***571***
NYC DEP	***606 W 30TH ST***	***NW 0 - 1/8 (0.118 mi.)***	***AG259***	***573***
NYC DEPT OF SANITATI	***606 W 30TH ST***	***NW 0 - 1/8 (0.118 mi.)***	***AG261***	***577***
CON EDISON MANHOLE:	***W 27TH ST & 10TH AVE***	***SSE 1/8 - 1/4 (0.137 mi.)***	***AK286***	***621***
CON EDISON SERVICE B	***10TH AVE & 27TH ST***	***SSE 1/8 - 1/4 (0.137 mi.)***	***AK288***	***623***
CON EDISON SERVICE B	***10TH AVE & 27TH ST***	***SSE 1/8 - 1/4 (0.137 mi.)***	***AK289***	***626***
CON EDISON SERVICE B	***10TH AVE & 27TH ST***	***SSE 1/8 - 1/4 (0.137 mi.)***	***AK290***	***628***
CON EDISON SERVICE B	***10TH AVE & 27TH ST***	***SSE 1/8 - 1/4 (0.137 mi.)***	***AK291***	***630***
CON EDISON MANHOLE:	***W 27TH ST & 10TH AVE***	***SSE 1/8 - 1/4 (0.139 mi.)***	***AK296***	***637***
CON EDISON SERVICE B	***288 10TH AVE***	***SSE 1/8 - 1/4 (0.152 mi.)***	***AK309***	***704***

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON SERVICE B	***281 10TH AVE SB1681***	***SSE 1/8 - 1/4 (0.154 mi.)***	***AO310***	***706***
CON EDISON SERVICE B	***W 31ST ST & 10TH AVE***	***ENE 1/8 - 1/4 (0.159 mi.)***	***AQ317***	***723***
CON EDISON	***657 W 30 ST***	***NW 1/8 - 1/4 (0.167 mi.)***	***AS331***	***805***
CON EDISON SERVICE B	***W 26TH ST & 10TH AVE***	***S 1/8 - 1/4 (0.171 mi.)***	***AO343***	***826***
CON EDISON SERVICE B	***W 26TH ST & 10TH AVE***	***S 1/8 - 1/4 (0.171 mi.)***	***AO345***	***828***
CON EDISON SERVICE B	***505 W 26TH ST & 10TH***	***S 1/8 - 1/4 (0.171 mi.)***	***AO346***	***832***
CON EDISON VAULT: 49	***W 26TH ST & 10 AVE***	***S 1/8 - 1/4 (0.171 mi.)***	***AO348***	***834***
CON EDISON GAS DRIP:	***450 W 31ST ST***	***E 1/8 - 1/4 (0.191 mi.)***	***AX392***	***930***
CORNELL TECH MURAL R	***450 W 31ST ST 7TH FL***	***E 1/8 - 1/4 (0.191 mi.)***	***AX393***	***932***
CON EDISON MANHOLE:	***264 10TH AVE***	***S 1/8 - 1/4 (0.198 mi.)***	***406***	***968***
CON EDISON - VAULT 2	***401 W 29 STREET***	***ESE 1/8 - 1/4 (0.198 mi.)***	***407***	***970***
CON EDISON GAS DRIP:	***382 10TH AVE***	***ENE 1/8 - 1/4 (0.206 mi.)***	***BA409***	***975***
CON EDISON SERVICE B	***10TH AVE & 25TH ST***	***S 1/8 - 1/4 (0.210 mi.)***	***BC412***	***982***
CON EDISON SERVICE B	***10TH AVE & 25TH ST***	***S 1/8 - 1/4 (0.210 mi.)***	***BC413***	***984***
BROOKFIELD OFFICE PR	***450 W 33RD ST***	***ENE 1/8 - 1/4 (0.221 mi.)***	***BF426***	***1003***
DAILY NEWS LP NY HEA	***450 W 33RD ST 3RD FL***	***ENE 1/8 - 1/4 (0.221 mi.)***	***BF430***	***1013***
CHANDER AUTO BODY FO	245 10TH AVE	S 1/8 - 1/4 (0.229 mi.)	BI443	1041
CON EDISON SERVICE B	***252 10TH AVE***	***S 1/8 - 1/4 (0.234 mi.)***	***BC453***	***1061***
NYCHA - CHELSEA ELLI	426 W 27TH STREET DR	SE 1/8 - 1/4 (0.234 mi.)	BM457	1070
KING GRAPHIC TECHNOL	***511 W 33RD ST STE 10***	***NE 1/8 - 1/4 (0.235 mi.)***	***BG461***	***1085***
CON EDISON VAULT: 92	***447 W 25TH ST FRONT***	***SSE 1/8 - 1/4 (0.236 mi.)***	***BP462***	***1088***
CON EDISON - VS 6145	***513-25 W.33RD STREET***	***ENE 1/8 - 1/4 (0.238 mi.)***	***BO473***	***1117***
CON EDISON MANHOLE:	***W 33RD ST & 10TH AVE***	***ENE 1/8 - 1/4 (0.239 mi.)***	***BO478***	***1129***
JAMES BANYON PHOTO E	***406 W 31ST ST***	***E 1/8 - 1/4 (0.242 mi.)***	***BQ480***	***1132***

Lower Elevation	Address	Direction / Distance	Map ID	Page
AVALON WEST CHELSEA	***525 W 28TH ST***	***SW 0 - 1/8 (0.020 mi.)***	***A7***	***31***
CON EDISON SERVICE B	***529 W 29TH ST & 11TH***	***NW 0 - 1/8 (0.060 mi.)***	***K61***	***100***
CON EDISON MANHOLE:	***W 29TH & 11TH AVE MH***	***NW 0 - 1/8 (0.063 mi.)***	***K72***	***120***
CON EDISON MANHOLE:	***W 29TH ST & 11TH AVE***	***NW 0 - 1/8 (0.063 mi.)***	***K73***	***123***
CON EDISON SERVICE B	***W 29TH ST & 11TH AV***	***NW 0 - 1/8 (0.063 mi.)***	***K74***	***124***
ADMIRAL ENGRAVING &	***547 W 27TH ST***	***SW 0 - 1/8 (0.064 mi.)***	***O76***	***127***
CON EDISON MANHOLE:	***W 28TH ST & 11TH AVE***	***W 0 - 1/8 (0.068 mi.)***	***L90***	***179***
CON EDISON SERVICE B	***W 28TH ST & 11TH AVE***	***W 0 - 1/8 (0.068 mi.)***	***L91***	***180***
CON EDISON SERVICE B	***519 W 28TH ST & 11TH***	***W 0 - 1/8 (0.068 mi.)***	***L94***	***185***
CON EDISON SERVICE B	***W 28TH ST & 11TH AVE***	***W 0 - 1/8 (0.068 mi.)***	***L97***	***190***
CON EDISON SERVICE B	***W 28TH & 11TH ST SB***	***W 0 - 1/8 (0.068 mi.)***	***L100***	***195***
CON EDISON SERVICE B	***W 28TH ST & 11TH AVE***	***W 0 - 1/8 (0.068 mi.)***	***L101***	***196***
CON EDISON	281 11TH AVE	WNW 0 - 1/8 (0.072 mi.)	M126	245
CON EDISON	281 11TH AVE	WNW 0 - 1/8 (0.072 mi.)	M133	301
CON EDISION - SEWER	***27TH ST. AT 11TH AVE***	***WSW 0 - 1/8 (0.102 mi.)***	***U207***	***481***
CON EDISION - MH4588	***27TH ST. AT 11TH AVE***	***WSW 0 - 1/8 (0.102 mi.)***	***U211***	***487***
NYC HRA OFA	***260 11TH AVE***	***SW 0 - 1/8 (0.117 mi.)***	***AF253***	***565***
CON EDISON	533 W 26TH ST	SSW 0 - 1/8 (0.120 mi.)	AH263	581
CON EDISON	***525 W 26TH ST***	***SSW 1/8 - 1/4 (0.127 mi.)***	***AI273***	***597***
CON EDISON VAULT SUB	557 W 26TH ST	SW 1/8 - 1/4 (0.127 mi.)	AF275	600
WATERFRONT REALTY CO	***224 12TH AVE***	***W 1/8 - 1/4 (0.135 mi.)***	***280***	***608***
ADMIRATION GLOBE FUR	***521 W 26 ST***	***S 1/8 - 1/4 (0.136 mi.)***	***AI281***	***611***
CON EDISON MANHOLE:	***521 W 26TH ST FRONT***	***S 1/8 - 1/4 (0.136 mi.)***	***AI282***	***613***
CON EDISON VAULT: 92	***632 W 28TH ST***	***WNW 1/8 - 1/4 (0.138 mi.)***	***AL294***	***635***
CON EDISON VAULT: 85	632 W 28TH ST	WNW 1/8 - 1/4 (0.138 mi.)	AL295	636
CON EDISON SERVICE B	***542 W 26TH ST***	***SW 1/8 - 1/4 (0.142 mi.)***	***AM300***	***667***
NYC TRANSIT NO 7 SUB	***554 W 26TH ST***	***SW 1/8 - 1/4 (0.144 mi.)***	***AM304***	***676***
PENSKE TRUCK LEASING	***536 W 26TH ST***	***SW 1/8 - 1/4 (0.152 mi.)***	***AM307***	***683***
EFFANBEE DOLL CORP	***508 W 26TH ST***	***S 1/8 - 1/4 (0.157 mi.)***	***AP311***	***708***

EXECUTIVE SUMMARY

Lower Elevation	Address	Direction / Distance	Map ID	Page
WILLIAMS COMMUNICATI	*601 W 26TH ST 1ST FL*	*WSW 1/8 - 1/4 (0.159 mi.)*	*AR325*	*762*
CON EDISON MANHOLE:	*543 W 25TH ST*	*SSW 1/8 - 1/4 (0.167 mi.)*	*AT333*	*808*
CON EDISON MANHOLE:	*511 W 25TH ST*	*S 1/8 - 1/4 (0.170 mi.)*	*AP337*	*815*
CON EDISON	*541 W 25TH ST*	*SSW 1/8 - 1/4 (0.171 mi.)*	*AT340*	*822*
ASI SIGN SYTEMS	*555 W 25TH ST - 4TH*	*SSW 1/8 - 1/4 (0.175 mi.)*	*AT354*	*845*
L & M METAL INDUSRIE	*555 W 25TH ST 1ST FL*	*SSW 1/8 - 1/4 (0.175 mi.)*	*AT356*	*851*
CON EDISON MANHOLE:	*626 W 26TH ST OPPOSI*	*WSW 1/8 - 1/4 (0.178 mi.)*	*AR360*	*863*
CON EDISON MANHOLE:	*626 W 26TH ST*	*WSW 1/8 - 1/4 (0.178 mi.)*	*AR361*	*864*
CON EDISON	630 W 26TH ST	WSW 1/8 - 1/4 (0.181 mi.)	AU368	875
CON EDISON	630 W 26TH ST VAULT1	WSW 1/8 - 1/4 (0.181 mi.)	AU370	877
CON EDISON	630 W 26TH ST	WSW 1/8 - 1/4 (0.181 mi.)	AU371	878
CON EDISON SERVICE B	*550 W 25TH ST*	*SSW 1/8 - 1/4 (0.184 mi.)*	*AT378*	*892*
CON EDISON	638 W 26TH ST	WSW 1/8 - 1/4 (0.186 mi.)	AU382	899
NYC DEPT OF SANITATI	*640 W 26TH ST*	*WSW 1/8 - 1/4 (0.188 mi.)*	*AU386*	*903*
CON EDISON SERVICE B	*562 W 25TH ST FRONT*	*SW 1/8 - 1/4 (0.191 mi.)*	*AY394*	*935*
HANDY LAUNDRY & CLEA	*204 W 55TH ST*	*SW 1/8 - 1/4 (0.191 mi.)*	*AY395*	*937*
FEDERAL EXPRESS CORP	*600 W 27TH ST*	*W 1/8 - 1/4 (0.213 mi.)*	*BE415*	*987*
CON EDISON	*218 W 12TH AVE*	*W 1/8 - 1/4 (0.213 mi.)*	*BE416*	*989*
CON EDISON SERVICE B	*W 28TH ST & 12TH AVE*	*WNW 1/8 - 1/4 (0.217 mi.)*	*BD421*	*997*
CON EDISON SERVICE B	*W 28TH ST & 12TH AVE*	*WNW 1/8 - 1/4 (0.217 mi.)*	*BD422*	*999*
HUB CHEVROLET	*200 12TH AVE*	*W 1/8 - 1/4 (0.228 mi.)*	*BB439*	*1034*
CON EDISON SERVICE B	*201-11 SHERMAN AVE N*	*WSW 1/8 - 1/4 (0.230 mi.)*	*BJ444*	*1043*
NJ TRANSIT - ARC	*260 12TH AVE*	*NW 1/8 - 1/4 (0.233 mi.)*	*BK452*	*1059*
CON EDISON SERVICE B	*636-640 W 30TH & 12T*	*NW 1/8 - 1/4 (0.237 mi.)*	*BK464*	*1092*
PORT AUTH OF NY & NJ	*W 30TH ST & 12TH AVE*	*NW 1/8 - 1/4 (0.237 mi.)*	*BK466*	*1095*
CON EDISON SERVICE B	*196 11TH AVE*	*SW 1/8 - 1/4 (0.243 mi.)*	*BN483*	*1148*
CON EDISON	*514 W 24TH ST*	*SSW 1/8 - 1/4 (0.247 mi.)*	*BH489*	*1158*

ROD: Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid the cleanup.

A review of the ROD list, as provided by EDR, and dated 12/11/2017 has revealed that there is 1 ROD site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HUDSON RIVER PCBS	*NO STREET APPLICABLE*	*WNW 1/4 - 1/2 (0.289 mi.)*	*0*	*11*

CONSENT: Major Legal settlements that establish responsibility and standards for cleanup at NPL (superfund) sites. Released periodically by U.S. District Courts after settlement by parties to litigation matters.

A review of the CONSENT list, as provided by EDR, and dated 09/30/2017 has revealed that there is 1 CONSENT site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HUDSON RIVER PCBS	*NO STREET APPLICABLE*	*WNW 1/4 - 1/2 (0.289 mi.)*	*0*	*11*

EXECUTIVE SUMMARY

NY E DESIGNATION: Lots designation with an ?E? on the Zoning Maps of the City of New York for potential hazardous material contamination, air and/or noise quality impacts.

A review of the NY E DESIGNATION list, as provided by EDR, and dated 10/31/2017 has revealed that there are 48 NY E DESIGNATION sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LOT 54,TAXBLOCK 700	536 WEST 29 STREET	E 0 - 1/8 (0.005 mi.)	A4	29
LOT 53,TAXBLOCK 700	534 WEST 29 STREET	ESE 0 - 1/8 (0.010 mi.)	A5	30
LOT 49,TAXBLOCK 700	526 WEST 29 STREET	ESE 0 - 1/8 (0.021 mi.)	A9	38
LOT 60,TAXBLOCK 700	548 WEST 29 STREET	E 0 - 1/8 (0.023 mi.)	A13	44
LOT 59,TAXBLOCK 700	546 WEST 29 STREET	E 0 - 1/8 (0.023 mi.)	A14	44
LOT 48,TAXBLOCK 700	524 WEST 29 STREET	ESE 0 - 1/8 (0.024 mi.)	A16	46
LOT 47,TAXBLOCK 700	522 WEST 29 STREET	ESE 0 - 1/8 (0.026 mi.)	B20	59
LOT 57,TAXBLOCK 700	542 WEST 29 STREET	E 0 - 1/8 (0.028 mi.)	B22	61
LOT 56,TAXBLOCK 700	540 WEST 29 STREET	E 0 - 1/8 (0.028 mi.)	B23	62
LOT 16,TAXBLOCK 701	529 WEST 29 STREET	NE 0 - 1/8 (0.032 mi.)	E28	65
LOT 22,TAXBLOCK 701	527 WEST 29 STREET	ENE 0 - 1/8 (0.039 mi.)	B31	67
LOT 23,TAXBLOCK 701	525 WEST 29 STREET	E 0 - 1/8 (0.043 mi.)	E32	68
LOT 45,TAXBLOCK 700	518 WEST 29 STREET	ESE 0 - 1/8 (0.045 mi.)	B37	71
LOT 18,TAXBLOCK 700	517 WEST 28 STREET	SSE 0 - 1/8 (0.049 mi.)	G40	78
LOT 59,TAXBLOCK 701	532 WEST 30 STREET	NE 0 - 1/8 (0.051 mi.)	E42	79
LOT 44,TAXBLOCK 700	516 WEST 29 STREET	ESE 0 - 1/8 (0.052 mi.)	H45	86
LOT 62,TAXBLOCK 701	534 WEST 30 STREET	N 0 - 1/8 (0.053 mi.)	J47	89
LOT 49,TAXBLOCK 699	526 WEST 28 STREET	S 0 - 1/8 (0.055 mi.)	G50	91
LOT 1,TAXBLOCK 701	302 11 AVENUE	NNW 0 - 1/8 (0.056 mi.)	K53	94
LOT 42,TAXBLOCK 700	512 WEST 29 STREET	ESE 0 - 1/8 (0.059 mi.)	H57	96
LOT 24,TAXBLOCK 701	517 WEST 29 STREET	E 0 - 1/8 (0.060 mi.)	H58	97
LOT 28,TAXBLOCK 701	515 WEST 29 STREET	E 0 - 1/8 (0.066 mi.)	I87	173
LOT 58,TAXBLOCK 701	530 WEST 30 STREET	ENE 0 - 1/8 (0.067 mi.)	P89	179
LOT 30,TAXBLOCK 701	509 WEST 29 STREET	E 0 - 1/8 (0.077 mi.)	S141	324
LOT 9,TAXBLOCK 699	537 WEST 27 STREET	S 0 - 1/8 (0.086 mi.)	Q155	356
LOT 22,TAXBLOCK 699	517 WEST 27 STREET	S 0 - 1/8 (0.087 mi.)	W161	362
LOT 33,TAXBLOCK 701	505 WEST 29 STREET	E 0 - 1/8 (0.087 mi.)	S162	362
LOT 23,TAXBLOCK 699	515 WEST 27 STREET	S 0 - 1/8 (0.090 mi.)	W167	374
LOT 24,TAXBLOCK 699	513 WEST 27 STREET	SSE 0 - 1/8 (0.091 mi.)	W170	383
LOT 43,TAXBLOCK 701	502 WEST 30 STREET	E 0 - 1/8 (0.092 mi.)	S171	383
LOT 36,TAXBLOCK 700	327 10 AVENUE	ESE 0 - 1/8 (0.093 mi.)	Y173	386
LOT 32,TAXBLOCK 700	319 10 AVENUE	SE 0 - 1/8 (0.093 mi.)	R177	389
LOT 25,TAXBLOCK 699	511 WEST 27 STREET	SSE 0 - 1/8 (0.095 mi.)	W181	397
LOT 34,TAXBLOCK 700	323 10 AVENUE	ESE 0 - 1/8 (0.098 mi.)	Y194	440
LOT 26,TAXBLOCK 699	509 WEST 27 STREET	SSE 0 - 1/8 (0.098 mi.)	W195	441
LOT 37,TAXBLOCK 701	333 10 AVENUE	E 0 - 1/8 (0.098 mi.)	S196	441
LOT 36,TAXBLOCK 701	331 10 AVENUE	ESE 0 - 1/8 (0.099 mi.)	S204	473
LOT 27,TAXBLOCK 699	507 WEST 27 STREET	SSE 0 - 1/8 (0.104 mi.)	AB215	496
LOT 42,TAXBLOCK 701	337 10 AVENUE	E 0 - 1/8 (0.105 mi.)	AD219	500
LOT 33,TAXBLOCK 699	303 10 AVENUE	SSE 0 - 1/8 (0.111 mi.)	AB224	514

Lower Elevation	Address	Direction / Distance	Map ID	Page
LOT 9,TAXBLOCK 700	539 WEST 28 STREET	SSW 0 - 1/8 (0.022 mi.)	A10	39
LOT 61,TAXBLOCK 700	550 WEST 29 STREET	WNW 0 - 1/8 (0.030 mi.)	D26	64
LOT 63,TAXBLOCK 699	554 WEST 28 STREET	SSW 0 - 1/8 (0.034 mi.)	C29	66
LOT 5,TAXBLOCK 699	547 WEST 27 STREET	SW 0 - 1/8 (0.064 mi.)	O77	132
LOT 1,TAXBLOCK 700	282 11 AVENUE	W 0 - 1/8 (0.064 mi.)	L82	168
LOT 14,TAXBLOCK 699	533 WEST 27 STREET	SSW 0 - 1/8 (0.070 mi.)	Q106	202
LOT 1,TAXBLOCK 699	262 11 AVENUE	WSW 0 - 1/8 (0.074 mi.)	L140	324
LOT 1,TAXBLOCK 698	244 11 AVENUE	SW 0 - 1/8 (0.118 mi.)	AF255	568

EXECUTIVE SUMMARY

NY MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the NY MANIFEST list, as provided by EDR, and dated 12/31/2017 has revealed that there are 143 NY MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON - VAULT S EPA ID: NYP004924328	534 W 30 ST	N 0 - 1/8 (0.053 mi.)	J48	89
CON EDISON - MANHOLE EPA ID: NYP004969842	514 W 29 ST	ESE 0 - 1/8 (0.056 mi.)	H52	94
MIDTOWN NEON SIGN CO EPA ID: NYR000083519	***550 W 30TH ST***	***NNE 0 - 1/8 (0.061 mi.)***	***J66***	***110***
CON EDISON - VAULT S EPA ID: NYP004967206	540 W 30 ST	NE 0 - 1/8 (0.062 mi.)	N68	116
CON ED EPA ID: NYP004832537	540 W 30TH ST	NE 0 - 1/8 (0.062 mi.)	N71	119
28TH HIGHLINE ASSOCI EPA ID: NYR000208587 EPA ID: NYP004821340	***520 W 28TH ST***	***SSE 0 - 1/8 (0.071 mi.)***	***G112***	***214***
HIGHLINE 28-29 DEVEL EPA ID: NYD001312529	***507 -515 WEST 28TH S***	***SE 0 - 1/8 (0.072 mi.)***	***G118***	***224***
TENANTS IN COMMON 27 EPA Id: NYR000133108	***537-545 W 27TH ST***	***S 0 - 1/8 (0.086 mi.)***	***Q154***	***352***
CONSOLDIATED EDISON EPA ID: NYP004146247	W 30TH ST & 11TH AVE	NNW 0 - 1/8 (0.086 mi.)	V158	359
CON EDISON EPA ID: NYP004612727	W. 30TH & 11TH AVE	NNW 0 - 1/8 (0.086 mi.)	V159	359
HUDSON YARDS TERRA F EPA ID: NYR000214411	***553 W 30TH ST***	***N 0 - 1/8 (0.090 mi.)***	***X164***	***364***
CON EDISON EPA ID: NYP004663530	315 10TH AVE & 28TH	SE 0 - 1/8 (0.095 mi.)	R182	398
CON EDISON EPA ID: NYP004663514	315 10TH AVE & 28TH	SE 0 - 1/8 (0.095 mi.)	R183	399
NYC DEPC EPA ID: NYP000968388	605 W 30TH ST	NNW 0 - 1/8 (0.096 mi.)	V187	404
HIGHLINE HOLDINGS LL EPA ID: NYR000192435	***500 W 30TH ST***	***E 0 - 1/8 (0.097 mi.)***	***S192***	***437***
CON ED EPA ID: NYP004833865	331 10TH AVE	ESE 0 - 1/8 (0.099 mi.)	S202	471
NEWPORT PAINTING & D EPA Id: NYR000169896	***523 W 30TH ST***	***ENE 0 - 1/8 (0.102 mi.)***	***AA205***	***474***
CON EDISON OTHER - S EPA ID: NYP004398723	***520 W 27TH ST***	***S 0 - 1/8 (0.103 mi.)***	***Z212***	***489***
CON EDISON EPA ID: NYP004578084	309-311 10TH ST & AV	SE 0 - 1/8 (0.105 mi.)	AC218	498
NYCDEP EPA ID: NYP010000396	10TH AVE & 29TH ST	ESE 0 - 1/8 (0.111 mi.)	Y231	533
CON EDISON MANHOLE:	10 AVE & 29TH ST SE	ESE 0 - 1/8 (0.111 mi.)	Y232	534

EPA ID: NYP004280178				
CON EDISON MANHOLE: EPA ID: NYP004278693	***W 29TH ST & 10TH AVE***	***ESE 0 - 1/8 (0.113 mi.)***	***Y237***	***539***
CON EDISON SERVICE B EPA ID: NYP004279543	***10TH AVE & 28TH ST M***	***SE 0 - 1/8 (0.114 mi.)***	***AC241***	***545***
CON EDISON SERVICE B EPA ID: NYP004279618	***10TH AVE & 28TH ST M***	***SE 0 - 1/8 (0.114 mi.)***	***AC244***	***550***
NYCDEP EPA ID: NYP003662079	10TH AVE & W 28TH ST	SE 0 - 1/8 (0.114 mi.)	AC245	553
28TH UNDER HIGHLINE EPA ID: NYR000232488	***505 W 27TH ST***	***SSE 0 - 1/8 (0.115 mi.)***	***AB247***	***555***
CON EDISON EPA ID: NYP004747705	510 W 27TH ST	S 0 - 1/8 (0.118 mi.)	AE256	569
NYC DEP EPA ID: NYP003664372	***606 W 30TH ST***	***NW 0 - 1/8 (0.118 mi.)***	***AG259***	***573***
NYC DEPT OF SANITATI EPA ID: NYN008007197	***606 W 30TH ST***	***NW 0 - 1/8 (0.118 mi.)***	***AG261***	***577***
NYCDEP EPA ID: NYP003661709	10TH AVE BTW W29TH &	E 1/8 - 1/4 (0.128 mi.)	AD276	601
CON EDISON EPA ID: NYP004569182	W 27TH ST & 10TH AVE	SSE 1/8 - 1/4 (0.137 mi.)	AK285	619
CON EDISON SERVICE B EPA ID: NYP004278537	***10TH AVE & 27TH ST***	***SSE 1/8 - 1/4 (0.137 mi.)***	***AK288***	***623***
CON EDISON SERVICE B EPA ID: NYP004278685	***10TH AVE & 27TH ST***	***SSE 1/8 - 1/4 (0.137 mi.)***	***AK289***	***626***
CON EDISON SERVICE B EPA ID: NYP004278719	***10TH AVE & 27TH ST***	***SSE 1/8 - 1/4 (0.137 mi.)***	***AK290***	***628***
CON EDISON SERVICE B EPA ID: NYP004278388	***10TH AVE & 27TH ST***	***SSE 1/8 - 1/4 (0.137 mi.)***	***AK291***	***630***
CON EDISON SERVICE B EPA ID: NYP004394441	***288 10TH AVE***	***SSE 1/8 - 1/4 (0.152 mi.)***	***AK309***	***704***
CON EDISON SERVICE B EPA ID: NYP004394433	***281 10TH AVE SB1681***	***SSE 1/8 - 1/4 (0.154 mi.)***	***AO310***	***706***
CON EDISON EPA ID: NYP004325056	10TH AVE & W 31ST ST	ENE 1/8 - 1/4 (0.159 mi.)	AQ315	720
CON EDISON SERVICE B EPA ID: NYP004411567	***W 31ST ST & 10TH AVE***	***ENE 1/8 - 1/4 (0.159 mi.)***	***AQ317***	***723***
CON EDISON EPA ID: NYP004702064	10TH AVE & W 31ST ST	ENE 1/8 - 1/4 (0.159 mi.)	AQ319	727
STUART DEAN EPA ID: NYD986925659 EPA ID: NYP004690632	366 10TH AVE	ENE 1/8 - 1/4 (0.159 mi.)	AQ320	729
CON EDISON EPA ID: NYP004747630	657 W 30TH ST	NW 1/8 - 1/4 (0.167 mi.)	AS332	807
CON EDISON EPA ID: NYP004609004	462 W 26 ST	S 1/8 - 1/4 (0.169 mi.)	AO335	811
CON EDISON	W 26TH ST & 10TH AVE	S 1/8 - 1/4 (0.171 mi.)	AO344	827

EPA ID: NYP004276200				
CON EDISON SERVICE B EPA ID: NYP004276622 EPA ID: NYP004278347	***W 26TH ST & 10TH AVE***	***S 1/8 - 1/4 (0.171 mi.)***	***AO345***	***828***
CON EDISON VAULT: 49 EPA ID: NYP004418109	***W 26TH ST & 10 AVE***	***S 1/8 - 1/4 (0.171 mi.)***	***AO348***	***834***
CON EDISON - MANHOLE EPA ID: NYP004940050	259 10 AVE	S 1/8 - 1/4 (0.184 mi.)	AW377	892
EVERGREENE ARCHITECT EPA ID: NYD001869882	***450 W 31ST STREET (7***	***E 1/8 - 1/4 (0.191 mi.)***	***AX391***	***921***
CON EDISON GAS DRIP: EPA ID: NYP004289666	***450 W 31ST ST***	***E 1/8 - 1/4 (0.191 mi.)***	***AX392***	***930***
CORNELL TECH MURAL R EPA ID: NYR000213165	***450 W 31ST ST 7TH FL***	***E 1/8 - 1/4 (0.191 mi.)***	***AX393***	***932***
CON EDISON EPA ID: NYP004327292	368 10TH AVE FRONT O	ENE 1/8 - 1/4 (0.195 mi.)	BA402	957
CON EDISON - VAULT 8 EPA ID: NYP004327318	***368 10 AVENUE***	***ENE 1/8 - 1/4 (0.195 mi.)***	***BA403***	***958***
CON EDISON - VAULT 1 EPA ID: NYP004327300	***368 10 AVENUE***	***ENE 1/8 - 1/4 (0.195 mi.)***	***BA404***	***961***
CON EDISON - GAS DRI EPA ID: NYP004296679	***376 10TH AVE***	***ENE 1/8 - 1/4 (0.196 mi.)***	***BA405***	***964***
CON EDISON MANHOLE: EPA ID: NYP004277976	***264 10TH AVE***	***S 1/8 - 1/4 (0.198 mi.)***	***406***	***968***
CON EDISON - VAULT 2 EPA ID: NYP004128336	***401 W 29 STREET***	***ESE 1/8 - 1/4 (0.198 mi.)***	***407***	***970***
CON EDISON GAS DRIP: EPA ID: NYP004292744	***382 10TH AVE***	***ENE 1/8 - 1/4 (0.206 mi.)***	***BA409***	***975***
CON EDISON EPA ID: NYP004610432	437 W 31 ST	E 1/8 - 1/4 (0.207 mi.)	AX410	978
CON EDISON SERVICE B EPA ID: NYP004277166	***10TH AVE & 25TH ST***	***S 1/8 - 1/4 (0.210 mi.)***	***BC412***	***982***
CON EDISON SERVICE B EPA ID: NYP004276671	***10TH AVE & 25TH ST***	***S 1/8 - 1/4 (0.210 mi.)***	***BC413***	***984***
CON EDISON - MANHOLE EPA ID: NYP004971980	W 33RD & 11TH AVE	NNE 1/8 - 1/4 (0.218 mi.)	423	1000
CON EDISON EPA ID: NYP004610457	430 W 31 ST	E 1/8 - 1/4 (0.218 mi.)	424	1000
BROOKFIELD OFFICE PR EPA ID: NYD053542015	450 W 33RD ST	ENE 1/8 - 1/4 (0.221 mi.)	BF428	1009
DAILY NEWS LP NY HEA EPA ID: NYR000006056	***450 W 33RD ST 3RD FL***	***ENE 1/8 - 1/4 (0.221 mi.)***	***BF430***	***1013***
OTIS ELEVATOR EPA ID: NYR000113332	***515 W 33RD ST***	***NE 1/8 - 1/4 (0.226 mi.)***	***BG434***	***1021***
CON EDISON EPA ID: NYP004613303	513 W 33 ST WLY	NE 1/8 - 1/4 (0.227 mi.)	BG435	1026
CON EDISON - MANHOLE	***553 W 33RD ST***	***NNE 1/8 - 1/4 (0.227 mi.)***	***438***	***1031***

EPA ID: NYP004297974				
CON EDISON SERVICE B EPA ID: NYP004271219	***252 10TH AVE***	***S 1/8 - 1/4 (0.234 mi.)***	***BC453***	***1061***
CON EDISON - TRENCH EPA ID: NYP004359105	***396 10TH AVE***	***ENE 1/8 - 1/4 (0.235 mi.)***	***BO460***	***1082***
KING GRAPHIC TECHNOL EPA ID: NYR000034819	***511 W 33RD ST STE 10***	***NE 1/8 - 1/4 (0.235 mi.)***	***BG461***	***1085***
CON EDISON VAULT: 92 EPA ID: NYP004397956	***447 W 25TH ST FRONT***	***SSE 1/8 - 1/4 (0.236 mi.)***	***BP462***	***1088***
CON EDISON - VS 6145 EPA ID: NYP004113221	***513-25 W.33RD STREET***	***ENE 1/8 - 1/4 (0.238 mi.)***	***BO473***	***1117***
MTA LIRR - WEST SIDE EPA Id: NYR000117523	***401 10TH AVE***	***NE 1/8 - 1/4 (0.238 mi.)***	***BO474***	***1120***
CON EDISON MANHOLE: EPA ID: NYP004273728	***W 33RD ST & 10TH AVE***	***ENE 1/8 - 1/4 (0.239 mi.)***	***BO478***	***1129***
JAMES BANYON PHOTO E EPA ID: NYR000017285	***406 W 31ST ST***	***E 1/8 - 1/4 (0.242 mi.)***	***BQ480***	***1132***
EXPANSION GROUP THE EPA ID: NYR000120170	***406 W 31ST ST - BASE***	***E 1/8 - 1/4 (0.242 mi.)***	***BQ482***	***1145***
MANHATTAN WEST - SOU EPA ID: NYR000218610 EPA ID: NYR000232595	371 9TH AVE & 31ST S	E 1/8 - 1/4 (0.248 mi.)	BR491	1174

Lower Elevation	Address	Direction / Distance	Map ID	Page
AVALON WEST CHELSEA EPA ID: NYR000191569	***525 W 28TH ST***	***SW 0 - 1/8 (0.020 mi.)***	***A7***	***31***
CON EDISON EPA ID: NYP004658985	549 W 28 ST	WSW 0 - 1/8 (0.029 mi.)	C24	62
W C 28 REALTY LLC EPA ID: NYR000214361	***530 WEST 28TH ST***	***S 0 - 1/8 (0.048 mi.)***	***F39***	***74***
CON EDISON EPA ID: NYP004281192	W 29TH ST & 11TH AVE	NW 0 - 1/8 (0.060 mi.)	K59	97
CON EDISON SERVICE B EPA ID: NYP004279477	***529 W 29TH ST & 11TH***	***NW 0 - 1/8 (0.060 mi.)***	***K61***	***100***
CON EDISON MANHOLE: EPA ID: NYP004282109	***W 29TH & 11TH AVE MH***	***NW 0 - 1/8 (0.063 mi.)***	***K72***	***120***
ADMIRAL ENGRAVING & EPA ID: NYD982738916	***547 W 27TH ST***	***SW 0 - 1/8 (0.064 mi.)***	***O76***	***127***
CON EDISON SERVICE B EPA ID: NYP004280368	***519 W 28TH ST & 11TH***	***W 0 - 1/8 (0.068 mi.)***	***L94***	***185***
CON EDISON SERVICE B EPA ID: NYP004289898	***W 28TH ST & 11TH AVE***	***W 0 - 1/8 (0.068 mi.)***	***L97***	***190***
CON EDISON EPA ID: NYP004290078	W 28TH & 11TH ST SB	W 0 - 1/8 (0.068 mi.)	L102	197
CON EDISON EPA ID: NYP982177743	281 11TH AVE	WNW 0 - 1/8 (0.072 mi.)	M125	242

EPA ID: NYP004844144				
CON EDISON - W 28TH EPA ID: NYD982177743	***281 11TH AVE***	***WNW 0 - 1/8 (0.072 mi.)***	***M128***	***250***
CON EDISON W 28TH ST EPA ID: NYD982127243 EPA ID: NYP004664793	***281 11TH AVENUE***	***WNW 0 - 1/8 (0.072 mi.)***	***M135***	***307***
CON EDISON OTHER - S EPA ID: NYP004315164	***281 11TH AVE***	***WNW 0 - 1/8 (0.072 mi.)***	***M136***	***314***
JEFF KOONS PRODUCTIO EPA Id: NYR000128975	***601 W 29TH ST***	***NW 0 - 1/8 (0.072 mi.)***	***K137***	***318***
CON EDISION - SEWER EPA ID: NYP004059580 EPA ID: NYP004071668	***27TH ST. AT 11TH AVE***	***WSW 0 - 1/8 (0.102 mi.)***	***U207***	***481***
CON EDISON - MANHOLE EPA ID: NYP004994602	W 27 ST & 11TH AVE	WSW 0 - 1/8 (0.102 mi.)	U209	485
CON EDISION - MH4588 EPA ID: NYP004071650	***27TH ST. AT 11TH AVE***	***WSW 0 - 1/8 (0.102 mi.)***	***U211***	***487***
NYC HRA OFA EPA ID: NYD986875656	***260 11TH AVE***	***SW 0 - 1/8 (0.117 mi.)***	***AF253***	***565***
CON EDISON EPA ID: NYP004785986	533 W 26TH ST	SSW 0 - 1/8 (0.120 mi.)	AH265	583
CON EDISON EPA ID: NYP004690707	549 W 26 ST	SW 0 - 1/8 (0.120 mi.)	AH267	585
CON EDISON EPA ID: NYP004523593	557 W 26TH ST	SW 1/8 - 1/4 (0.127 mi.)	AF274	598
WATERFRONT REALTY CO EPA ID: NYR000021733	***224 12TH AVE***	***W 1/8 - 1/4 (0.135 mi.)***	***280***	***608***
CON EDISON MANHOLE: EPA ID: NYP004277281	***521 W 26TH ST FRONT***	***S 1/8 - 1/4 (0.136 mi.)***	***AI282***	***613***
CON EDISON EPA ID: NYP004781456	525 W 26TH ST	S 1/8 - 1/4 (0.136 mi.)	AI284	618
CON EDISON EPA ID: NYP004563102	632 W 28TH ST	WNW 1/8 - 1/4 (0.138 mi.)	AL292	632
CON EDISON EPA ID: NYP004563128	632 W 28TH ST	WNW 1/8 - 1/4 (0.138 mi.)	AL293	634
CON EDISON SERVICE B EPA ID: NYP004277950	***542 W 26TH ST***	***SW 1/8 - 1/4 (0.142 mi.)***	***AM300***	***667***
CON EDISON EPA ID: NYP004708038	245 11 AV	SW 1/8 - 1/4 (0.144 mi.)	AN302	673
CON EDISON EPA ID: NYP004708046	245 11 AV	SW 1/8 - 1/4 (0.144 mi.)	AN303	674
NYC TRANSIT NO 7 SUB EPA ID: NYR000132274	***554 W 26TH ST***	***SW 1/8 - 1/4 (0.144 mi.)***	***AM304***	***676***
CON EDISON MANHOLE: EPA ID: NYP004281739	***W 26TH ST & 11TH AVE***	***SW 1/8 - 1/4 (0.144 mi.)***	***AN305***	***678***
PENSKE TRUCK LEASING EPA ID: NYD101106565	***536 W 26TH ST***	***SW 1/8 - 1/4 (0.152 mi.)***	***AM307***	***683***
INTEGRATED IMAGING C	***508 W 26TH ST***	***S 1/8 - 1/4 (0.157 mi.)***	***AP313***	***713***

EPA ID: NYD001313410				
FBI AUTOMOTIVE REPAI	***601 W 26TH ST - 2ND***	***WSW 1/8 - 1/4 (0.159 mi.)***	***AR322***	***750***
EPA ID: NYR000019513				
EPA ID: NYD001538842				
WILLIAMS COMMUNICATI	***601 W 26TH ST 1ST FL***	***WSW 1/8 - 1/4 (0.159 mi.)***	***AR325***	***762***
EPA ID: NYR000099903				
NYCT-PARKING LOT	***220 11TH AVENUE***	***SW 1/8 - 1/4 (0.162 mi.)***	***329***	***799***
EPA ID: NYR000122630				
CON EDISON MANHOLE:	***543 W 25TH ST***	***SSW 1/8 - 1/4 (0.167 mi.)***	***AT333***	***808***
EPA ID: NYP004276812				
CON EDISON MANHOLE:	***511 W 25TH ST***	***S 1/8 - 1/4 (0.170 mi.)***	***AP337***	***815***
EPA ID: NYP004276820				
CON EDISON	541 W 25TH ST	SSW 1/8 - 1/4 (0.171 mi.)	AT342	824
EPA ID: NYP004759395				
CON EDISON - SERVICE	***204 W 55TH STREET***	***SW 1/8 - 1/4 (0.172 mi.)***	***AT349***	***837***
EPA ID: NYP004271854				
CON EDISON - VAULT 1	525 W 25TH ST	SSW 1/8 - 1/4 (0.173 mi.)	AT350	840
EPA ID: NYP004864399				
CONSOLIDATED EDISON	601 W 26 ST	WSW 1/8 - 1/4 (0.174 mi.)	AU352	843
EPA ID: NYP004147450				
ASI SIGN SYTEMS	***555 W 25TH ST - 4TH***	***SSW 1/8 - 1/4 (0.175 mi.)***	***AT354***	***845***
EPA ID: NY0000232215				
L & M METAL INDUSRIE	***555 W 25TH ST 1ST FL***	***SSW 1/8 - 1/4 (0.175 mi.)***	***AT356***	***851***
EPA ID: NYR000039578				
CON EDISON MANHOLE:	***626 W 26TH ST OPPOSI***	***WSW 1/8 - 1/4 (0.178 mi.)***	***AR360***	***863***
EPA ID: NYP004276929				
CON EDISON MANHOLE:	***626 W 26TH ST***	***WSW 1/8 - 1/4 (0.178 mi.)***	***AR361***	***864***
EPA ID: NYP004276911				
CON EDISON	630 W 26TH ST	WSW 1/8 - 1/4 (0.181 mi.)	AU365	870
EPA ID: NYP004826002				
CON EDISON	630 W 26TH ST VAULT1	WSW 1/8 - 1/4 (0.181 mi.)	AU366	871
EPA ID: NYP004825994				
CON EDISON	630 W 26TH ST VAULT9	WSW 1/8 - 1/4 (0.181 mi.)	AU373	881
EPA ID: NYP004826010				
259 10TH AVENUE BUIL	***259 10TH AVENUE***	***S 1/8 - 1/4 (0.182 mi.)***	***AW375***	***887***
EPA ID: NYR000183640				
CON EDISON SERVICE B	***550 W 25TH ST***	***SSW 1/8 - 1/4 (0.184 mi.)***	***AT378***	***892***
EPA ID: NYP004270294				
CON EDISON	638 W 26TH ST	WSW 1/8 - 1/4 (0.186 mi.)	AU380	897
EPA ID: NYP004839035				
CONSOLIDATED EDISON	11TH AVE & 25TH ST	SW 1/8 - 1/4 (0.189 mi.)	AV389	919
EPA ID: NYP004027694				
CON EDISON SERVICE B	***562 W 25TH ST FRONT***	***SW 1/8 - 1/4 (0.191 mi.)***	***AY394***	***935***
EPA ID: NYP004277216				
HANDY LAUNDRY & CLEA	***204 W 55TH ST***	***SW 1/8 - 1/4 (0.191 mi.)***	***AY395***	***937***
EPA ID: NYP004271862				
EPA ID: NYR000018424				
CON EDISON	***218 W 12TH AVE***	***W 1/8 - 1/4 (0.213 mi.)***	***BE416***	***989***

EPA ID: NYP004171088				
CON EDISON EPA ID: NYP004734828	W 28TH ST & 12TH AVE	WNW 1/8 - 1/4 (0.216 mi.)	BD419	994
CON EDISON SERVICE B EPA ID: NYP004324570	***201-11 SHERMAN AVE N***	***WSW 1/8 - 1/4 (0.230 mi.)***	***BJ444***	***1043***
CON EDISON SERVICE B EPA ID: NYP004279501	***636-640 W 30TH & 12T***	***NW 1/8 - 1/4 (0.237 mi.)***	***BK464***	***1092***
PORT AUTH OF NY & NJ EPA ID: NYD981877087	***W 30TH ST & 12TH AVE***	***NW 1/8 - 1/4 (0.237 mi.)***	***BK466***	***1095***
VHS 239 LLC FORMER10 EPA ID: NYR000215756	239 10TH AVE	S 1/8 - 1/4 (0.237 mi.)	BI468	1100
CON EDISON EPA ID: NYP004402186	11 AVE & W 24TH ST	SW 1/8 - 1/4 (0.238 mi.)	BN475	1125
CON EDISON EPA ID: NYP004903686	11TH AVE & WEST 24TH	SW 1/8 - 1/4 (0.238 mi.)	BN476	1126
CON EDISON SERVICE B EPA ID: NYP004260956	***196 11TH AVE***	***SW 1/8 - 1/4 (0.243 mi.)***	***BN483***	***1148***
CON EDISON EPA ID: NYP004772414	514 W 24TH ST	SSW 1/8 - 1/4 (0.247 mi.)	BH488	1157

NJ MANIFEST: Hazardous waste manifest information.

A review of the NJ MANIFEST list, as provided by EDR, and dated 12/31/2016 has revealed that there are 45 NJ MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
ROSENBLATT & THOMPSO EPA Id: NYD001312529	515 WEST 28TH STREET	SSE 0 - 1/8 (0.052 mi.)	G44	81
W C 28 REALTY LLC EPA Id: NYR000214361	526-530 W 28TH ST	S 0 - 1/8 (0.055 mi.)	G51	91
CON EDISON EPA Id: NYP004821340	520 W 28TH ST	SSE 0 - 1/8 (0.058 mi.)	G55	95
MIDTOWN NEON SIGN CO EPA ID: NYR000083519	***550 W 30TH ST***	***NNE 0 - 1/8 (0.061 mi.)***	***J66***	***110***
CON EDISON EPA Id: NYP004832537	540 W 30 ST	NE 0 - 1/8 (0.062 mi.)	N70	118
TENANTS IN COMMON 27 EPA Id: NYR000133108	***537-545 W 27TH ST***	***S 0 - 1/8 (0.086 mi.)***	***Q154***	***352***
HUDSON YARDS TERRA F EPA Id: NYR000214411	553 W 30TH ST	N 0 - 1/8 (0.090 mi.)	X165	367
NYC DEPC EPA Id: NYP000968388	605 W 30TH ST	NNW 0 - 1/8 (0.096 mi.)	V186	403
HIGHLINE HOLDINGS LL EPA Id: NYR000192435	500 W 30TH ST	E 0 - 1/8 (0.097 mi.)	S189	414
CON EDISON EPA Id: NYP004833865	331 10TH AVE	ESE 0 - 1/8 (0.099 mi.)	S203	472
NEWPORT PAINTING & D	***523 W 30TH ST***	***ENE 0 - 1/8 (0.102 mi.)***	***AA205***	***474***

EPA Id: NYR000169896				
CON EDISON SERVICE B EPA Id: NYP004276770	507 W 27TH ST E OF 1	SSE 0 - 1/8 (0.104 mi.)	AB216	496
MTA - HUDSON YARD EPA Id: NYR000182113	501-551 W 30TH ST	ENE 0 - 1/8 (0.105 mi.)	AA221	503
CON EDISON MANHOLE: EPA Id: NYP004280178	10 AVE & 29TH ST SE	ESE 0 - 1/8 (0.111 mi.)	Y234	536
CON EDISON SERVICE B EPA Id: NYP004279543	10TH AVE & 28TH ST	SE 0 - 1/8 (0.114 mi.)	AC246	554
CON EDISON EPA Id: NYP004747705	510 W 27TH ST	S 0 - 1/8 (0.118 mi.)	AE257	570
CON EDISON SERVICE B EPA Id: NYP004276432	531 W 27TH ST & 10TH	SSE 1/8 - 1/4 (0.137 mi.)	AK287	622
CON EDISON EPA Id: NYP004747630	657 W 30TH ST	NW 1/8 - 1/4 (0.167 mi.)	AS330	803
OTIS ELEVATOR EPA ID: NYR000113332	***515 W 33RD ST***	***NE 1/8 - 1/4 (0.226 mi.)***	***BG434***	***1021***
MTA LIRR - WEST SIDE EPA Id: NYR000117523	***401 10TH AVE***	***NE 1/8 - 1/4 (0.238 mi.)***	***BO474***	***1120***
CON EDISON MANHOLE: EPA Id: NYP004273728	W 33RD ST & 10TH AVE	ENE 1/8 - 1/4 (0.239 mi.)	BO479	1131
MANHATTAN WEST PLATF EPA Id: NYR000218610	371 9TH AVENUE	E 1/8 - 1/4 (0.248 mi.)	BR490	1160

Lower Elevation	Address	Direction / Distance	Map ID	Page
AVALON WEST CHELSEA EPA Id: NYR000191569	525 W 28TH ST	SW 0 - 1/8 (0.020 mi.)	A8	34
CON EDISON SERVICE B EPA Id: NYP004279477	W 29TH & 11TH AVE	NW 0 - 1/8 (0.060 mi.)	K60	99
CON EDISON SERVICE B EPA Id: NYP004280350	W 28TH ST & 11TH AVE	W 0 - 1/8 (0.068 mi.)	L96	189
CON EDISON - W 28TH EPA ID: NYD982177743	***281 11TH AVE***	***WNW 0 - 1/8 (0.072 mi.)***	***M128***	***250***
JEFF KOONS PRODUCTIO EPA Id: NYR000128975	***601 W 29TH ST***	***NW 0 - 1/8 (0.072 mi.)***	***K137***	***318***
CON EDISON EPA Id: NYP004785986	533 W 26TH ST	SSW 0 - 1/8 (0.120 mi.)	AH264	582
CON EDISON EPA Id: NYP004781456	525 W 26TH ST	SSW 1/8 - 1/4 (0.127 mi.)	AI272	596
NYCT-PARKING LOT EPA ID: NYR000122630	***220 11TH AVENUE***	***SW 1/8 - 1/4 (0.162 mi.)***	***329***	***799***
CON EDISON MANHOLE: EPA Id: NYP004276812	543 W 25TH ST	SSW 1/8 - 1/4 (0.167 mi.)	AT334	810
CON EDISON EPA Id: NYP004759395	541 W 25TH ST	SSW 1/8 - 1/4 (0.171 mi.)	AT341	823
CON EDISON MANHOLE:	626 W 26TH ST OPPOSI	WSW 1/8 - 1/4 (0.178 mi.)	AR362	866

EPA Id: NYP004276929				
CON EDISON MANHOLE: EPA Id: NYP004276911	626 W 26TH ST	WSW 1/8 - 1/4 (0.178 mi.)	AR363	867
CON EDISON MANHOLE: EPA Id: NYP004276820	511 W 25TH ST	S 1/8 - 1/4 (0.179 mi.)	AP364	868
CON EDISON EPA Id: NYP004825994	630 W 26TH ST VAULT1	WSW 1/8 - 1/4 (0.181 mi.)	AU367	873
CON EDISON EPA Id: NYP004826002	630 W 26TH ST	WSW 1/8 - 1/4 (0.181 mi.)	AU369	876
CON EDISON EPA Id: NYP004826010	630 W 26TH ST VAULT9	WSW 1/8 - 1/4 (0.181 mi.)	AU372	880
CON EDISON EPA Id: NYP004839035	638 W 26TH ST	WSW 1/8 - 1/4 (0.186 mi.)	AU381	898
US POSTAL SVC VMF EPA Id: NY7355825210	25TH ST & 11TH	SW 1/8 - 1/4 (0.189 mi.)	AV388	911
CON EDISON EPA ID: NYP004171088	***218 W 12TH AVE***	***W 1/8 - 1/4 (0.213 mi.)***	***BE416***	***989***
CON EDISON - MANHOLE EPA Id: NYP004734828	W 28TH ST & 12TH AVE	WNW 1/8 - 1/4 (0.216 mi.)	BD418	993
CON EDISON SERVICE B EPA Id: NYP004279501	W 30TH & 12TH AVE	NW 1/8 - 1/4 (0.237 mi.)	BK463	1090
VHS 239 LLC FORMER 1 EPA Id: NYR000215756	239 10TH AVE	S 1/8 - 1/4 (0.237 mi.)	BI469	1101
CON EDISON EPA Id: NYP004772414	514 W 24TH ST	SSW 1/8 - 1/4 (0.247 mi.)	BH486	1155

PA MANIFEST: Hazardous waste manifest information.

A review of the PA MANIFEST list, as provided by EDR, and dated 12/31/2016 has revealed that there are 4 PA MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
28TH HIGHLINE ASSOCI Generator EPA Id: NYR000208587	514-520 W 28TH ST	SSE 0 - 1/8 (0.071 mi.)	G108	203
THE RELATED COMPANIE Generator EPA Id: NYR000192435	500 W 30TH ST	E 0 - 1/8 (0.097 mi.)	S191	432
EVERGREENE ARCHITETU Generator EPA Id: NYD001869882	450 W 31ST STREET	E 1/8 - 1/4 (0.191 mi.)	AX390	920

Lower Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON WEST 28TH Generator EPA Id: NYD982177743	281 11TH AVE	WNW 0 - 1/8 (0.072 mi.)	M134	302

EXECUTIVE SUMMARY

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

A review of the EDR MGP list, as provided by EDR, has revealed that there are 7 EDR MGP sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON - WEST 42	WEST 41ST - WEST 42N	NNE 1/2 - 1 (0.640 mi.)	590	1423
CON EDISON - 12TH AV	12TH AVE BETWEEN W 4	NNE 1/2 - 1 (0.794 mi.)	CP591	1423
CON EDISON - WEST 45	12TH AVE BETWEEN WES	NNE 1/2 - 1 (0.794 mi.)	CP592	1423
Lower Elevation	**Address**	**Direction / Distance**	**Map ID**	**Page**
CON EDISON - 19TH ST	11TH AVE BETWEEN W 1	SSW 1/4 - 1/2 (0.452 mi.)	CK568	1361
CON EDISON - EAST 19	524 E. 19TH ST.	SSW 1/4 - 1/2 (0.488 mi.)	CO582	1416
CON EDISON - WEST 18	WEST 16TH - WEST 20T	SSW 1/2 - 1 (0.503 mi.)	588	1422
19TH STREET DEVELOPM	80 11TH AVENUE	SSW 1/2 - 1 (0.504 mi.)	589	1422

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 13 EDR Hist Auto sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
MICKEYS SERVICE STAT	309 11 AVE	NNW 0 - 1/8 (0.086 mi.)	V148	335
UNITED MOBIL SVC STA	30TH ST & 11TH AVE	NNW 0 - 1/8 (0.086 mi.)	V156	357
HODES THEODORE	327 10TH AVE	ESE 0 - 1/8 (0.093 mi.)	Y174	386
KELLYS TAXI GROUP IN	333-335 10TH AVE	E 0 - 1/8 (0.099 mi.)	S200	469
STEVE DETAILING	516 W 27TH ST	S 0 - 1/8 (0.109 mi.)	AE223	514
KELLYS TAXI SERVICE	303-309 10TH AVE	SSE 0 - 1/8 (0.111 mi.)	AB230	532
SHLOMI & AVI AUTO RE	305 10TH AVE	SE 0 - 1/8 (0.112 mi.)	AC236	538
KELLYS TAXI GROUP IN	330 10TH AVE	ESE 0 - 1/8 (0.117 mi.)	254	568
Lower Elevation	**Address**	**Direction / Distance**	**Map ID**	**Page**
BIG JOHN AUTO TRANSM	546 W 28TH ST	SW 0 - 1/8 (0.045 mi.)	C35	70

EXECUTIVE SUMMARY

Lower Elevation	Address	Direction / Distance	Map ID	Page
MARTINS AUTO TRANSMI	560 W 28TH ST	WSW 0 - 1/8 (0.057 mi.)	L54	95
BRAUNFIELD TRANSMISS	286 11TH AVE	W 0 - 1/8 (0.059 mi.)	M56	96
GENERAL AUTO TRANS R	547 W 27TH ST	SW 0 - 1/8 (0.073 mi.)	O138	322
YITZ 24 HOUR TRANSMI	533 W 26TH ST	SSW 0 - 1/8 (0.120 mi.)	AH266	585

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 8 records.

Site Name	Database(s)
TOTTENVILLE COPPER CO.	SEMS-ARCHIVE, LEAD SMELTERS
WEST 29TH STREET PLUME TRACKDOWN	NY SHWS
WEST 9TH STREET GW	NY SHWS
AUTOMOTIVE REPAIR (FORMER)	NJ VCP
PROPOSED FEDERAL EXPRESS DISTRIBUT	NY VCP
CE - W. 58TH ST. STATION	NY VCP
CE - W. 18TH ST. GAS WORKS	NY VCP
CE - E. 32ND ST. STATION	NY VCP

OVERVIEW MAP - 5233497.2S



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- County Boundary
- Power transmission lines
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- State Wetlands
- Upgradient Area

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME:	538-540 West 29th Street	CLIENT:	ESPL Env. Consultants Corp.
ADDRESS:	538-540 West 29th Street New York NY 10001	CONTACT:	Margaret Tavares
LAT/LONG:	40.75204 / 74.003425	INQUIRY #:	5233497.2s
		DATE:	March 26, 2018 1:52 pm

Copyright © 2018 EDR, Inc. © 2015 TomTom Rel. 2015.

DETAIL MAP - 5233497.2S



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites

0 1/16 1/8 1/4 Miles

- Indian Reservations BIA
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 538-540 West 29th Street	CLIENT: ESPL Env. Consultants Corp.
ADDRESS: 538-540 West 29th Street New York NY 10001	CONTACT: Margaret Tavares
LAT/LONG: 40.75204 / 74.003425	INQUIRY #: 5233497.2s DATE: March 26, 2018 1:55 pm

Copyright © 2018 EDR, Inc. © 2015 TomTom Rel. 2015.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Federal NPL site list								
NPL	1.000		0	0	1	0	NR	1
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	TP		NR	NR	NR	NR	NR	0
Federal Delisted NPL site list								
Delisted NPL	1.000		0	0	0	0	NR	0
Federal CERCLIS list								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	2	NR	NR	2
Federal CERCLIS NFRAP site list								
SEMS-ARCHIVE	0.500		1	0	1	NR	NR	2
Federal RCRA CORRACTS facilities list								
CORRACTS	1.000		0	0	0	0	NR	0
Federal RCRA non-CORRACTS TSD facilities list								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Federal RCRA generators list								
RCRA-LQG	0.250		6	15	NR	NR	NR	21
RCRA-SQG	0.250		3	6	NR	NR	NR	9
RCRA-CESQG	0.250		2	7	NR	NR	NR	9
Federal institutional controls / engineering controls registries								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	1	NR	NR	1
US INST CONTROL	0.500		0	0	1	NR	NR	1
Federal ERNS list								
ERNS	TP		NR	NR	NR	NR	NR	0
State- and tribal - equivalent CERCLIS								
NY SHWS	1.000		0	0	1	1	NR	2
NJ SHWS	1.000		0	0	0	0	NR	0
State and tribal landfill and/or solid waste disposal site lists								
NY SWF/LF	0.500		2	1	0	NR	NR	3
NJ SWF/LF	0.500		0	0	0	NR	NR	0
State and tribal leaking storage tank lists								
INDIAN LUST	0.500		0	0	0	NR	NR	0
NY LTANKS	0.500		7	20	69	NR	NR	96

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NY HIST LTANKS	0.500		0	0	0	NR	NR	0
State and tribal registered storage tank lists								
FEMA UST	0.250		0	0	NR	NR	NR	0
NY UST	0.250		13	18	NR	NR	NR	31
NJ UST	0.250		0	0	NR	NR	NR	0
NY CBS UST	0.250		0	0	NR	NR	NR	0
NY MOSF UST	0.500		0	0	0	NR	NR	0
NY MOSF	0.500		0	0	0	NR	NR	0
NY CBS	0.250		0	3	NR	NR	NR	3
NY AST	0.250		15	23	NR	NR	NR	38
NY CBS AST	0.250		0	0	NR	NR	NR	0
NY MOSF AST	0.500		0	0	0	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
NY TANKS	0.250		1	3	NR	NR	NR	4
State and tribal institutional control / engineering control registries								
NY RES DECL	0.125		0	NR	NR	NR	NR	0
NY ENG CONTROLS	0.500		0	0	1	NR	NR	1
NJ ENG CONTROLS	0.500		0	0	0	NR	NR	0
NY INST CONTROL	0.500		0	0	1	NR	NR	1
NJ INST CONTROL	0.500		0	0	0	NR	NR	0
State and tribal voluntary cleanup sites								
NY VCP	0.500		7	5	12	NR	NR	24
INDIAN VCP	0.500		0	0	0	NR	NR	0
NJ VCP	0.500		0	0	0	NR	NR	0
State and tribal Brownfields sites								
NY BROWNFIELDS	0.500		1	0	8	NR	NR	9
NJ BROWNFIELDS	0.500		0	0	0	NR	NR	0
NY ERP	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
NY SWRCY	0.500		0	1	0	NR	NR	1
NY SWTIRE	0.500		0	0	0	NR	NR	0
NJ SWRCY	0.500		0	0	0	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US HIST CDL	TP		NR	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NY DEL SHWS	1.000		0	0	0	0	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
Local Lists of Registered Storage Tanks								
NY HIST UST	0.250		0	0	NR	NR	NR	0
NY HIST AST	TP		NR	NR	NR	NR	NR	0
Local Land Records								
NY LIENS	TP		NR	NR	NR	NR	NR	0
NJ LIENS	TP		NR	NR	NR	NR	NR	0
LIENS 2	TP		NR	NR	NR	NR	NR	0
Records of Emergency Release Reports								
HMIRS	TP		NR	NR	NR	NR	NR	0
NY Spills	0.125		79	NR	NR	NR	NR	79
NY Hist Spills	0.125		0	NR	NR	NR	NR	0
NY SPILLS 90	0.125		0	NR	NR	NR	NR	0
NJ SPILLS 90	0.125		0	NR	NR	NR	NR	0
NY SPILLS 80	0.125		0	NR	NR	NR	NR	0
NJ SPILLS 80	0.125		0	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250	1	36	69	NR	NR	NR	106
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	1	0	NR	1
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	1	0	NR	1
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP	1	NR	NR	NR	NR	NR	1
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0
ECHO	TP	1	NR	NR	NR	NR	NR	1
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
NY AIRS	TP		NR	NR	NR	NR	NR	0
NJ AIRS	TP		NR	NR	NR	NR	NR	0
NY COAL ASH	0.500		0	0	0	NR	NR	0
NJ COAL ASH	0.500		0	0	0	NR	NR	0
NY DRYCLEANERS	0.250		0	0	NR	NR	NR	0
NJ DRYCLEANERS	0.250		0	0	NR	NR	NR	0
NY E DESIGNATION	0.125	1	48	NR	NR	NR	NR	49
NJ Financial Assurance	TP		NR	NR	NR	NR	NR	0
NY Financial Assurance	TP		NR	NR	NR	NR	NR	0
NY HSWDS	0.500		0	0	0	NR	NR	0
NY MANIFEST	0.250	1	50	93	NR	NR	NR	144
NJ MANIFEST	0.250		22	23	NR	NR	NR	45
PA MANIFEST	0.250		3	1	NR	NR	NR	4
NJ NPDES	TP		NR	NR	NR	NR	NR	0
NY SPDES	TP		NR	NR	NR	NR	NR	0
NY VAPOR REOPENED	0.500		0	0	0	NR	NR	0
NY UIC	TP		NR	NR	NR	NR	NR	0
NJ UIC	TP		NR	NR	NR	NR	NR	0
EDR HIGH RISK HISTORICAL RECORDS								
EDR Exclusive Records								
EDR MGP	1.000		0	0	2	5	NR	7
EDR Hist Auto	0.125		13	NR	NR	NR	NR	13
EDR Hist Cleaner	0.125		0	NR	NR	NR	NR	0
EDR RECOVERED GOVERNMENT ARCHIVES								
Exclusive Recovered Govt. Archives								
NY RGA HWS	TP		NR	NR	NR	NR	NR	0
NJ RGA HWS	TP		NR	NR	NR	NR	NR	0
NY RGA LF	TP		NR	NR	NR	NR	NR	0
NJ RGA LF	TP		NR	NR	NR	NR	NR	0
- Totals --		5	309	288	102	6	0	710

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

A1 **LOT 55,TAXBLOCK 700** **NY E DESIGNATION** **S108076970**
Target **538 WEST 29 STREET** **N/A**
Property **MANHATTAN, NY**

Site 1 of 18 in cluster A

Actual: **13 ft.**

E DESIGNATION:

Tax Lot(s):	55
Tax Block:	700
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date:	Not reported
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported
Description:	Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

A2 **CON EDISON** **NY MANIFEST** **S119073460**
Target **538 W 29TH ST & 11TH AVE FRONT** **N/A**
Property **NEW YORK, NY 10001**

Site 2 of 18 in cluster A

Actual: **13 ft.**

NY MANIFEST:

Country:	USA
EPA ID:	NYP004278743
Facility Status:	Not reported
Location Address 1:	F/O 538 W 29TH ST & 11TH AVE
Code:	BP
Location Address 2:	SERV BOX 5426
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004278743
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported

CON EDISON (Continued) **S119073460**

Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	02/26/2013
Trans1 Recv Date:	02/26/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/26/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004278743
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010708038JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

A3 Target Property **CON EDISON SERVICE BOX: 5426**
538 W 29TH ST & 11TH AVE FRONT OF
NEW YORK, NY 10001

RCRA NonGen / NLR 1016149212
FINDS NYP004278743
ECHO

Site 3 of 18 in cluster A

Actual: 13 ft.

RCRA NonGen / NLR:

Date form received by agency:	03/26/2013
Facility name:	CON EDISON SERVICE BOX: 5426
Facility address:	538 W 29TH ST & 11TH AVE FRONT OF SB 5426 NEW YORK, NY 10001
EPA ID:	NYP004278743
Contact:	JOSE MONTALVO
Contact address:	Not reported Not reported
Contact country:	US
Contact telephone:	212-427-1331
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	02/26/2013
Site name:	CON EDISON SERVICE BOX: 5426
Classification:	Conditionally Exempt Small Quantity Generator
Violation Status:	No violations found

FINDS:

Registry ID: 110055466641

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

CON EDISON SERVICE BOX: 5426 (Continued) **1016149212**

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1016149212
Registry ID: 110055466641
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110055466641

NPL **HUDSON RIVER PCBS** **NPL** **1000384273**
Region **NO STREET APPLICABLE** **SEMS** **NYD980763841**
WNW **HUDSON RIVER, NY 12801** **RCRA-SQG**
1/4-1/2 **US ENG CONTROLS**
1527 ft. **US INST CONTROL**
NY Spills
ROD
PRP
CONSENT

NPL:
EPA ID: NYD980763841
Cerclis ID: 202229
EPA Region: 2
Federal: N
Final Date: 1984-09-21 00:00:00
Site Score: 54.659999999999997
Latitude: 43.110199999999999
Longitude: -73.576499999999996

Category Details:
NPL Status: Currently on the Final NPL
Category Description: Depth To Aquifer-<= 10 Feet
Category Value: 0

NPL Status: Currently on the Final NPL
Category Description: Distance To Nearest Population-> 0 And <= 1/4 Mile
Category Value: 10

Site Details:
Site Name: HUDSON RIVER PCBS
Site Status: Final
Site Zip: 12801
Site City: HUDSON RIVER
Site State: NY
Federal Site: No
Site County: WASHINGTON
EPA Region: 02
Date Proposed: 09/08/83
Date Deleted: Not reported
Date Finalized: 09/21/84

Substance Details:
NPL Status: Currently on the Final NPL
Substance ID: Not reported
Substance: Not reported
CAS #: Not reported

HUDSON RIVER PCBS (Continued) **1000384273**

Pathway: Not reported
Scoring: Not reported

NPL Status: Currently on the Final NPL
Substance ID: A046
Substance: POLYCHLORINATED BIPHENYLS
CAS #: 1336-36-3
Pathway: AIR PATHWAY
Scoring: 4

NPL Status: Currently on the Final NPL
Substance ID: A046
Substance: POLYCHLORINATED BIPHENYLS
CAS #: 1336-36-3
Pathway: SURFACE WATER PATHWAY
Scoring: 4

Summary Details:

Conditions at listing September 1983): The Hudson River PCBs Site is a 40-mile stretch of the Hudson River between Mechanicville and Fort Edward, New York. General Electric Co. discharged an estimated l.l million pounds of PCBs into this stretch of river. The State has identified 40 hot spots, defined as sediments contaminated with greater than 50 parts per million ppm) of PCBs. Also included in the site are five remnant areas, which are river sediments exposed when thelevel of the river was lowered due to removal of the Fort Edward Dam. The State has taken initial measures to stabili e the remnant areas from erosion. In September 1980, Congress passed an amendment to the Clean Water Act CWA) that included the Hudson River PCB Reclamation Demonstration Project. Under this legislation, the EPA Administrator could authori e a 75 percent grant, not to exceed 20 million. EPA issued a final Environmental Impact Statement in October 1982 evaluating various dredging alternatives for a demonstration project. EPA has prepared a feasibility study to evaluate alternative remedial actions under CERCLA. The Administrator has determined that CERCLA funds may be used for remedial action atthe remnant areas and for evaluating the effectiveness of the water supply system at Waterford, New York. Status June 1984): EPA has completed a draft feasibility study identifying alternatives for remedial action. A search for partiespotentially responsible for wastes associated with the site has been completed, and EPA has sent letters to two potentially responsible parties notifying them of possible legal action under CERCLA.

Site Status Details:
NPL Status: Final
Proposed Date: 09/08/1983
Final Date: 09/21/1984
Deleted Date: Not reported

Narratives Details:
NPL Name: HUDSON RIVER PCBS
City: HUDSON RIVER
State: NY

SEMS:
Site ID: 202229
EPA ID: NYD980763841

HUDSON RIVER PCBS (Continued) **1000384273**

Cong District: 21
FIPS Code: 36115
Latitude: 43.110199999999999
Longitude: -73.576499999999996
FF: N
NPL: Currently on the Final NPL
Non NPL Status: Not reported

SEMS Detail:

Region: 2
Site ID: 202229
EPA ID: NYD980763841
Site Name: HUDSON RIVER PCBS
NPL: F
FF: N
OU: 0
Action Code: DS
Action Name: DISCVRY
SEQ: 1
Start Date: 1983-07-01 00:00:00
Finish Date: 7/1/1983
Qual: Not reported
Current Action Lead: EPA Perf

Region: 2
Site ID: 202229
EPA ID: NYD980763841
Site Name: HUDSON RIVER PCBS
NPL: F
FF: N
OU: 3
Action Code: RS
Action Name: RV ASSESS
SEQ: 3
Start Date: 1998-06-03 00:00:00
Finish Date: 6/24/1999
Qual: Not reported
Current Action Lead: EPA Perf

Region: 2
Site ID: 202229
EPA ID: NYD980763841
Site Name: HUDSON RIVER PCBS
NPL: F
FF: N
OU: 0
Action Code: CR
Action Name: CI
SEQ: 1
Start Date: 1991-09-30 00:00:00
Finish Date: Not reported
Qual: Not reported
Current Action Lead: EPA Perf

Region: 2
Site ID: 202229
EPA ID: NYD980763841
Site Name: HUDSON RIVER PCBS

HUDSON RIVER PCBS (Continued) **1000384273**

NPL: F
FF: N
OU: 2
Action Code: RO
Action Name: ROD
SEQ: 2
Start Date: 2002-02-01 00:00:00
Finish Date: 2/1/2002
Qual: R
Current Action Lead: EPA Perf

Region: 2
Site ID: 202229
EPA ID: NYD980763841
Site Name: HUDSON RIVER PCBS
NPL: F
FF: N
OU: 1
Action Code: RO
Action Name: ROD
SEQ: 1
Start Date: 1984-09-25 00:00:00
Finish Date: 9/25/1984
Qual: Not reported
Current Action Lead: EPA Perf

Region: 2
Site ID: 202229
EPA ID: NYD980763841
Site Name: HUDSON RIVER PCBS
NPL: F
FF: N
OU: 0
Action Code: RS
Action Name: RV ASSESS
SEQ: 1
Start Date: 1990-04-17 00:00:00
Finish Date: 8/21/1990
Qual: S
Current Action Lead: EPA Perf

Region: 2
Site ID: 202229
EPA ID: NYD980763841
Site Name: HUDSON RIVER PCBS
NPL: F
FF: N
OU: 0
Action Code: NF
Action Name: NPL FINL
SEQ: 1
Start Date: 1984-09-21 00:00:00
Finish Date: 9/21/1984
Qual: Not reported
Current Action Lead: EPA Perf

Region: 2

HUDSON RIVER PCBS (Continued) **1000384273**

Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	2
Action Code:	CO
Action Name:	RI/FS
SEQ:	2
Start Date:	1990-07-25 00:00:00
Finish Date:	2/1/2002
Qual:	Not reported
Current Action Lead:	EPA Perf

Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	2
Action Code:	AR
Action Name:	ADMIN REC
SEQ:	1
Start Date:	1992-04-24 00:00:00
Finish Date:	Not reported
Qual:	E
Current Action Lead:	EPA Perf

Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	MA
Action Name:	ST COOP
SEQ:	2
Start Date:	1991-02-22 00:00:00
Finish Date:	4/3/2007
Qual:	Not reported
Current Action Lead:	EPA Perf

Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	SI
Action Name:	SI
SEQ:	1
Start Date:	1983-08-01 00:00:00
Finish Date:	9/1/1983
Qual:	H

HUDSON RIVER PCBS (Continued) **1000384273**

Current Action Lead: EPA Perf

Region: 2
Site ID: 202229
EPA ID: NYD980763841
Site Name: HUDSON RIVER PCBS
NPL: F
FF: N
OU: 2
Action Code: RA
Action Name: RA
SEQ: 3
Start Date: 2008-12-04 00:00:00
Finish Date: 12/23/2009
Qual: FR
Current Action Lead: EPA Perf

Region: 2
Site ID: 202229
EPA ID: NYD980763841
Site Name: HUDSON RIVER PCBS
NPL: F
FF: N
OU: 2
Action Code: RA
Action Name: RA
SEQ: 2
Start Date: 2008-05-09 00:00:00
Finish Date: 11/24/2009
Qual: FR
Current Action Lead: EPA Perf

Region: 2
Site ID: 202229
EPA ID: NYD980763841
Site Name: HUDSON RIVER PCBS
NPL: F
FF: N
OU: 0
Action Code: CR
Action Name: CI
SEQ: 3
Start Date: 2005-11-07 00:00:00
Finish Date: Not reported
Qual: Not reported
Current Action Lead: EPA Perf

Region: 2
Site ID: 202229
EPA ID: NYD980763841
Site Name: HUDSON RIVER PCBS
NPL: F
FF: N
OU: 1
Action Code: RD
Action Name: RD
SEQ: 2

HUDSON RIVER PCBS (Continued) **1000384273**

Start Date:	1989-02-02 00:00:00
Finish Date:	6/5/1989
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	1
Action Code:	CO
Action Name:	RI/FS
SEQ:	1
Start Date:	1984-03-30 00:00:00
Finish Date:	9/25/1984
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	3
Action Code:	RS
Action Name:	RV ASSESS
SEQ:	4
Start Date:	1998-10-14 00:00:00
Finish Date:	1/7/1999
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	AR
Action Name:	ADMIN REC
SEQ:	2
Start Date:	2000-03-28 00:00:00
Finish Date:	Not reported
Qual:	V
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0

HUDSON RIVER PCBS (Continued) **1000384273**

Action Code:	SS
Action Name:	ESI RI
SEQ:	1
Start Date:	2002-06-30 00:00:00
Finish Date:	8/31/2005
Qual:	W
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	TG
Action Name:	TA GRANT
SEQ:	1
Start Date:	1995-09-29 00:00:00
Finish Date:	9/20/2005
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	FE
Action Name:	5 YEAR
SEQ:	1
Start Date:	2012-06-01 00:00:00
Finish Date:	6/1/2012
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	3
Action Code:	RV
Action Name:	RMVL
SEQ:	1
Start Date:	1999-10-06 00:00:00
Finish Date:	9/14/2001
Qual:	S
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS

HUDSON RIVER PCBS (Continued) **1000384273**

NPL:	F
FF:	N
OU:	0
Action Code:	CR
Action Name:	CI
SEQ:	2
Start Date:	2002-03-25 00:00:00
Finish Date:	11/2/2006
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	PA
Action Name:	PA
SEQ:	1
Start Date:	1983-09-01 00:00:00
Finish Date:	9/1/1983
Qual:	L
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	3
Action Code:	RS
Action Name:	RV ASSESS
SEQ:	2
Start Date:	1992-11-19 00:00:00
Finish Date:	12/1/1992
Qual:	S
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	NP
Action Name:	PROPOSED
SEQ:	1
Start Date:	1983-09-08 00:00:00
Finish Date:	9/8/1983
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	2

HUDSON RIVER PCBS (Continued) **1000384273**

Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	1
Action Code:	BF
Action Name:	PRP RA
SEQ:	2
Start Date:	1990-09-28 00:00:00
Finish Date:	9/29/1992
Qual:	Not reported
Current Action Lead:	EPA Ovrsght

Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	2
Action Code:	BF
Action Name:	PRP RA
SEQ:	4
Start Date:	2010-12-31 00:00:00
Finish Date:	Not reported
Qual:	Not reported
Current Action Lead:	EPA Ovrsght

Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	1
Action Code:	BE
Action Name:	PRP RD
SEQ:	1
Start Date:	1989-05-18 00:00:00
Finish Date:	1/7/1991
Qual:	Not reported
Current Action Lead:	EPA Ovrsght

Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	1
Action Code:	BF
Action Name:	PRP RA
SEQ:	1
Start Date:	1989-10-13 00:00:00
Finish Date:	9/29/1992
Qual:	Not reported

HUDSON RIVER PCBS (Continued) **1000384273**

Current Action Lead: EPA Ovrsght

Region: 2
Site ID: 202229
EPA ID: NYD980763841
Site Name: HUDSON RIVER PCBS
NPL: F
FF: N
OU: 4
Action Code: BB
Action Name: PRP RV
SEQ: 1
Start Date: 2007-09-11 00:00:00
Finish Date: 4/10/2012
Qual: S
Current Action Lead: EPA Ovrsght

Region: 2
Site ID: 202229
EPA ID: NYD980763841
Site Name: HUDSON RIVER PCBS
NPL: F
FF: N
OU: 0
Action Code: PJ
Action Name: RP EM REM
SEQ: 1
Start Date: 2007-08-24 00:00:00
Finish Date: 8/27/2007
Qual: C
Current Action Lead: EPA Ovrsght

Region: 2
Site ID: 202229
EPA ID: NYD980763841
Site Name: HUDSON RIVER PCBS
NPL: F
FF: N
OU: 2
Action Code: BE
Action Name: PRP RD
SEQ: 6
Start Date: 2003-08-14 00:00:00
Finish Date: 4/26/2011
Qual: Not reported
Current Action Lead: EPA Ovrsght

Region: 2
Site ID: 202229
EPA ID: NYD980763841
Site Name: HUDSON RIVER PCBS
NPL: F
FF: N
OU: 2
Action Code: BF
Action Name: PRP RA
SEQ: 3

HUDSON RIVER PCBS (Continued) **1000384273**

Start Date:	2005-09-06 00:00:00
Finish Date:	9/4/2012
Qual:	Not reported
Current Action Lead:	EPA Ovrsght
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	2
Action Code:	BE
Action Name:	PRP RD
SEQ:	3
Start Date:	2002-07-23 00:00:00
Finish Date:	Not reported
Qual:	Not reported
Current Action Lead:	EPA Ovrsght
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	2
Action Code:	BE
Action Name:	PRP RD
SEQ:	4
Start Date:	2003-08-14 00:00:00
Finish Date:	1/25/2008
Qual:	Not reported
Current Action Lead:	EPA Ovrsght
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	1
Action Code:	BE
Action Name:	PRP RD
SEQ:	2
Start Date:	1989-09-27 00:00:00
Finish Date:	9/28/1990
Qual:	Not reported
Current Action Lead:	EPA Ovrsght
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	4

HUDSON RIVER PCBS (Continued) **1000384273**

Action Code:	BD
Action Name:	PRP RI/FS
SEQ:	1
Start Date:	2008-09-08 00:00:00
Finish Date:	Not reported
Qual:	Not reported
Current Action Lead:	EPA Ovrsght
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	EL
Action Name:	PRP CR
SEQ:	1
Start Date:	1989-07-07 00:00:00
Finish Date:	Not reported
Qual:	Not reported
Current Action Lead:	EPA Ovrsght
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	1
Action Code:	RD
Action Name:	RD
SEQ:	1
Start Date:	1984-09-28 00:00:00
Finish Date:	5/18/1990
Qual:	Not reported
Current Action Lead:	St Perf

RCRA-SQG:

Date form received by agency:	03/03/2014
Facility name:	GE HUDSON RIVER SEDIMENT REMEDIATION PROCESSING AND TRANSPORTATION FACILITY
Facility address:	446 LOCK 8 WAY HUDSON FALLS, NY 12839
EPA ID:	NYD980763841
Mailing address:	BROADWAY BLDG 40 FORT EDWARD, NY 12828
Contact:	JAY SNOW
Contact address:	BROADWAY BLDG 40 FORT EDWARD, NY 12828
Contact country:	US
Contact telephone:	518-746-5678
Contact email:	JAY.SNOW@GE.COM
EPA Region:	02
Classification:	Small Small Quantity Generator

HUDSON RIVER PCBS (Continued) **1000384273**

Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	GE HUDSON RIVER SEDIMENT REMEDIATION
Owner/operator address:	BROADWAY FORT EDWARD, NY 12828
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	04/23/2007
Owner/Op end date:	Not reported

Owner/operator name:	GE HUDSON RIVER SEDIMENT REMEDIATION
Owner/operator address:	BROADWAY FORT EDWARD, NY 12828
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	04/23/2007
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

. Waste code:	D006
. Waste name:	CADMIUM

. Waste code:	D007
. Waste name:	CHROMIUM

HUDSON RIVER PCBS (Continued) **1000384273**

. Waste code: D008
. Waste name: LEAD

. Waste code: B007
. Waste name: B007

Historical Generators:
Date form received by agency: 03/01/2012
Site name: GE HUDSON RIVER SEDIMENT REMEDIATION PROCESSING AND TRANSPORTATION FACILITY
Classification: Large Quantity Generator

. Waste code: B002
. Waste name: B002

. Waste code: B007
. Waste name: B007

Date form received by agency: 03/03/2010
Site name: GE HUDSON RIVER SEDIMENT REMEDIATION PROCESSING AND TRANSPORTATION FACILITY
Classification: Large Quantity Generator

. Waste code: B007
. Waste name: B007

Date form received by agency: 08/29/2008
Site name: HUDSON RIVER PCBS (ROGERS ISLAND) SUPERFUND USEPA
Classification: Large Quantity Generator

Date form received by agency: 01/01/2007
Site name: HUDSON RIVER PCBS (ROGERS ISLAND) USEPA
Classification: Not a generator, verified

Date form received by agency: 01/01/2006
Site name: HUDSON RIVER PCBS (ROGERS ISLAND) USEPA
Classification: Not a generator, verified

Date form received by agency: 01/01/2001
Site name: HUDSON RIVER PCBS (ROGERS ISLAND) USEPA
Classification: Large Quantity Generator

Violation Status: No violations found

US ENG CONTROLS:
EPA ID: NYD980763841
Site ID: 0202229
Name: HUDSON RIVER PCBS
Address: NO STREET APPLICABLE
HUDSON RIVER, NY 12801
EPA Region: 02
County: WASHINGTON
Event Code: Not reported
Actual Date: 12/30/2001
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

HUDSON RIVER PCBS (Continued) **1000384273**

Action ID: 001
Action Name: RECORD OF DECISION
Action Completion date: 09/25/1984
Operable Unit: 01
Contaminated Media : Sediment
Engineering Control: Containment, (N.O.S.)
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 001
Action Name: RECORD OF DECISION
Action Completion date: 09/25/1984
Operable Unit: 01
Contaminated Media : Sediment
Engineering Control: No Action
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 001
Action Name: RECORD OF DECISION
Action Completion date: 09/25/1984
Operable Unit: 01
Contaminated Media : Sediment
Engineering Control: Revegetation
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 001
Action Name: RECORD OF DECISION
Action Completion date: 09/25/1984
Operable Unit: 01
Contaminated Media : Sediment
Engineering Control: Slope Stabilization
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 02/01/2002
Operable Unit: 02
Contaminated Media : Sediment
Engineering Control: Dewatering
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 02/01/2002
Operable Unit: 02
Contaminated Media : Sediment
Engineering Control: Disposal
Contact Name: Not reported

HUDSON RIVER PCBS (Continued) **1000384273**

Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 02/01/2002
Operable Unit: 02
Contaminated Media : Sediment
Engineering Control: Excavation
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 02/01/2002
Operable Unit: 02
Contaminated Media : Sediment
Engineering Control: Solidification/Stabilization (Ex-Situ)
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 02/01/2002
Operable Unit: 02
Contaminated Media : Surface Water
Engineering Control: Monitoring
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 02/01/2002
Operable Unit: 02
Contaminated Media : Surface Water
Engineering Control: Natural Attenuation
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

US INST CONTROL:
EPA ID: NYD980763841
Site ID: 0202229
Name: HUDSON RIVER PCBS
Action Name: RECORD OF DECISION
Address: NO STREET APPLICABLE
HUDSON RIVER, NY 12801
EPA Region: 02
County: WASHINGTON
Event Code: Not reported
Inst. Control: Fishing Advisory
Actual Date: 12/30/2001
Complet. Date: 02/01/2002

HUDSON RIVER PCBS (Continued) **1000384273**

Operable Unit: 02
Contaminated Media : Surface Water
Contact Name : Not reported
Contact Phone and Ext : Not reported
Event Code Description: Not reported

SPILLS:

Facility ID:	0308107
Facility Type:	ER
Spill Number:	0308107
DER Facility ID:	278391
Site ID:	237813
DEC Region:	3
Closed Date:	2003-10-31
Spill Cause:	Abandoned Drums
Spill Class:	D4
SWIS:	6000
Spill Date:	2003-10-31
Investigator:	rxamato
Referred To:	Not reported
Reported to Dept:	2003-10-31
CID:	297
Water Affected:	HUDSON RIVER
Spill Source:	Unknown
Spill Notifier:	Federal Government
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2003-10-31
Spill Record Last Update:	2003-11-06
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	PETTY OFFFICER HAWKINS
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SMITH 10/31/03: MEG hired by USCG to remove test and dispose. Container did not leak."
Remarks:	"CALL TO NRC REPORTING A 55 GALLON DRUM OF UNKNOWN PETROLEUM FLOATING - USCG IS REPOSNDING TO THE SITE"

All Materials:

Site ID:	237813
Operable Unit ID:	874400
Operable Unit:	01
Material ID:	501630
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	55.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

HUDSON RIVER PCBS (Continued) **1000384273**

ROD:

Full-text of USEPA Record of Decision(s) is available from EDR.

PRP:

PRP name:
DELAWARE AND HUDSON RAILWAY CO INC
GENERAL ELECTRIC COMPANY
GENERAL ELECTRIC COMPANY
GENERAL ELECTRIC COMPANY
GENERAL ELECTRIC COMPANY
GENERAL ELECTRIC COMPANY
GENERAL ELECTRIC COMPANY
GENERAL ELECTRIC COMPANY
GENERAL ELECTRIC COMPANY
GOLUB PROPERTIES OF WATERVLIET INC
NEW YORK STATE CANAL CORPORATION
NIAGARA MOHAWK POWER COMPANY
TOWN OF HALFMOON NEW YORK
VILLAGE OF STILLWATER
WATER COMMISSIONERS OF THE TOWN OF WATERFORD

CONSENT:

EPA ID: NYD980763841
Site ID: 0284
Case Title: U.S.V. GENERAL ELECTRIC COMPANY (HUDSON RIVER) (EPA-SUPERFUND)
Court Num: 05-1270
District: New York, North
Entered Date: 11/02/06
Full-text of the consent decree for this site issued by the United States District Court is available from EDR. Contact your EDR Account Executive.

A4 **LOT 54,TAXBLOCK 700** **NY E DESIGNATION** **S108076969**
East **536 WEST 29 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.005 mi.
28 ft. **Site 4 of 18 in cluster A**

Relative:
Higher

Actual:
13 ft.

E DESIGNATION:

Tax Lot(s): 54
Tax Block: 700
Borough Code: Not reported
E-No: E-142
Effective Date: 6/23/2005
Satisfaction Date: Not reported
Ceqr Number: 03DCP069M
Ulurp Number: 050161 ZRM
Zoning Map No: 8b

Description: Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date: Not reported

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

A5 **LOT 53,TAXBLOCK 700** **NY E DESIGNATION** **S108076967**
ESE **534 WEST 29 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.010 mi.
51 ft. **Site 5 of 18 in cluster A**

Relative:
Higher

Actual:
13 ft.

E DESIGNATION:

Tax Lot(s):	53
Tax Block:	700
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported
Description:	Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date:	Not reported

A6 **534 WEST 29TH STREET** **NY VCP** **S118943338**
ESE **534 WEST 29TH STREET** **N/A**
< 1/8 **NEW YORK CITY, NY**
0.010 mi.
51 ft. **Site 6 of 18 in cluster A**

Relative:
Higher

Actual:
13 ft.

VCP NYC:

Project ID:	14CVCP199M
Project Name:	534 WEST 29TH STREET
Project Address:	534 WEST 29TH STREET
Borough:	MANHATTAN

VCP NYC:

Project ID:	14CVCP199M
File Name:	2013-12-16.RIR
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP199M/2013-11-29.14CVCP199M.534_West_29th_Street.RIR.pdf.pdf
Project ID:	14CVCP199M
File Name:	2013-12-16.RAWP_Draft
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP199M/2013-12-16.14CVCP199M.534_West_29th_Street.RAWP.Draft.pdf.pdf
Project ID:	14CVCP199M
File Name:	2013-12-16.Factsheet-1
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP199M/2013-12-16.14CVCP199M.534_West_29th_Street.FactSheet-1.pdf.pdf
Project ID:	14CVCP199M
File Name:	2013-12-16.Translated_Factsheet-1
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP199M/2013-12-16.14CVCP199M.534_West_29th_Street.Translated_FactS

534 WEST 29TH STREET (Continued) **S118943338**

heet-1.pdf

Project ID: 14CVCP199M
File Name: 2013-12-16.Translated_CPS
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP199M/2013-12-16.14CVCP199M.534_West_29th_Street.Translated_CPS.pdf

Project ID: 14CVCP199M
File Name: 2014-01-23.Stipulation_List
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP199M/2014-01-1X 14CVCP199M 534_West_29th_Street Stipulation_List_FINAL.pdf

---

A7 **AVALON WEST CHELSEA** **RCRA NonGen / NLR** **1014927363**
SW **525 W 28TH ST** **NY MANIFEST** **NYR000191569**
< 1/8 **NEW YORK, NY 10001**
0.020 mi.
108 ft. **Site 7 of 18 in cluster A**

Relative: **Lower**
Actual: **12 ft.**

RCRA NonGen / NLR:
Date form received by agency: 09/27/2012
Facility name: AVALON WEST CHELSEA
Facility address: 525 W 28TH ST
NEW YORK, NY 10001
EPA ID: NYR000191569
Mailing address: W 28TH ST
NEW YORK, NY 10001
Contact: ANDREW BARANELLO
Contact address: SEVENTH AVE 25TH FL
NEW YORK, NY 10001
Contact country: US
Contact telephone: 212-309-1611
Contact email: ABARANELLO@AVALONBAY.COM
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: EAST SIDE 11TH & 28TH LLC
Owner/operator address: PARK AVE 10TH FL
NEW YORK, NY 10022
Owner/operator country: US
Owner/operator telephone: 212-836-4050
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 12/31/2009
Owner/Op end date: Not reported

Owner/operator name: ANDREW BARANELLO
Owner/operator address: Not reported
Not reported
Owner/operator country: US

AVALON WEST CHELSEA (Continued) **1014927363**

Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 12/01/2007
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
Date form received by agency: 03/06/2012
Site name: AVALON WEST CHELSEA
Classification: Large Quantity Generator

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYR000191569
Facility Status: Not reported
Location Address 1: 525 WEST 28TH STREET
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000191569
Mailing Name: AVALON WEST CHELSEA
Mailing Contact: EAST SIDE 11TH & 28TH LLC
Mailing Address 1: 445 PARK AVENUE-10TH FL.

AVALON WEST CHELSEA (Continued) **1014927363**

Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10022
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	6317745597

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2012
Trans1 State ID:	NJR000029967
Trans2 State ID:	Not reported
Generator Ship Date:	03/15/2012
Trans1 Recv Date:	03/15/2012
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/15/2012
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000191569
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	008930352JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	Y
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H111
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	61360.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DT - Dump trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1.0
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

AVALON WEST CHELSEA (Continued) **1014927363**

Click this hyperlink while viewing on your computer to access
4 additional NY_MANIFEST: record(s) in the EDR Site Report.

A8 **AVALON WEST CHELSEA** **NJ MANIFEST** **S117987409**
SW **525 W 28TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.020 mi.
108 ft. **Site 8 of 18 in cluster A**

Relative:
Lower

Actual:
12 ft.

NJ MANIFEST:

EPA Id:	NYR000191569
Mail Address:	W 28TH ST
Mail City/State/Zip:	NEW YORK, NY 10001
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	ANDREW BARANELLO
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	008930347JJK
EPA ID:	NYR000191569
Date Shipped:	3/14/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported

AVALON WEST CHELSEA (Continued) **S117987409**

Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10001
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	59,260.00 Pounds

Manifest Number:	008930346JJK
EPA ID:	NYR000191569
Date Shipped:	3/14/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10001

AVALON WEST CHELSEA (Continued) **S117987409**

Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 59,980.00 Pounds

Manifest Number: 008930353JJK
EPA ID: NYR000191569
Date Shipped: 3/15/2012
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJR000029967
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10001
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 62,620.00 Pounds

Manifest Number: 008930348JJK

AVALON WEST CHELSEA (Continued) **S117987409**

EPA ID:	NYR000191569
Date Shipped:	3/14/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10001
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	59,120.00 Pounds

Manifest Number:	008930352JJK
EPA ID:	NYR000191569
Date Shipped:	3/15/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported

AVALON WEST CHELSEA (Continued) **S117987409**

Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10001
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	61,360.00 Pounds

A9 **LOT 49,TAXBLOCK 700** **NY E DESIGNATION** **S108076960**
ESE **526 WEST 29 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.021 mi.
112 ft. **Site 9 of 18 in cluster A**

Relative:
Higher

Actual:
14 ft.

E DESIGNATION:

Tax Lot(s):	49
Tax Block:	700
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date:	Not reported

LOT 49,TAXBLOCK 700 (Continued) **S108076960**

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

A10 **LOT 9,TAXBLOCK 700** **NY E DESIGNATION** **S108077011**
SSW **539 WEST 28 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.022 mi.
115 ft. **Site 10 of 18 in cluster A**

Relative: **Lower**
Actual: **12 ft.**

E DESIGNATION:
Tax Lot(s): 9
Tax Block: 700
Borough Code: Not reported
E-No: E-142
Effective Date: 6/23/2005
Satisfaction Date: Not reported
Ceqr Number: 03DCP069M
Ulurp Number: 050161 ZRM
Zoning Map No: 8b

Description: Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date: Not reported

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

A11 **UNOCCUPIED NIGHT CLUB / APT HOUSE** **NY Spills** **S113916125**
SW **528 - 530 WEST 28TH ST** **N/A**
< 1/8 **NEW YORK, NY**
0.022 mi.
116 ft. **Site 11 of 18 in cluster A**

Relative: **Lower**
Actual: **12 ft.**

SPILLS:
Facility ID: 1306369
Facility Type: ER
Spill Number: 1306369
DER Facility ID: 442078
Site ID: 486977
DEC Region: 2
Closed Date: 2013-12-10
Spill Cause: Unknown
Spill Class: Not reported
SWIS: 3101
Spill Date: 2013-09-17
Investigator: HRPATEL
Referred To: Not reported
Reported to Dept: 2013-09-17
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial

UNOCCUPIED NIGHT CLUB / APT HOUSE (Continued) **S113916125**

Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2013-09-17
Spill Record Last Update:	2017-08-09
Spiller Name:	MR LARRY GREENBERG
Spiller Company:	SENTAUR PROPERTY LLC
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	KEVIN MCGRATH
DEC Memo:	"09/23/13-Hiralkumar Patel. alternate address: 526-532 W 28th Street, 525-531 W 27th Street no PBS or other spills found. 10:50 AM:- spoke with Kevin. the site going to be redeveloped with at least 7 story mixed use building with full basement. Kevin mentioned that the existing structure will be demolished and the entire site will be excavated to a depth of 15 ft bg. during Phase I, they noted a 20,000 gal #4 oil tank which was abandoned in-place in late 1940s. during site inspection, they noted covered corner in basement and the tank might be in there. last week, during phase II investigation, they noted contaminated soil in area near the suspected tank location. Kevin mentioned that groundwater underneath the site fluctuates between 9 and 14 ft bg. bedrock found at 21 ft bt. NYC OER is also overseeing the investigation, under e designation. asked Kevin to submit previous environmental reports and property owner/developer's contact information. Kevin mentioned that Phase II report will be submitted by the end of 10/18/13. Kevin McGrath Chazen Companies Ph. (518) 266-7370 email: kmcgrath@chazencompanies.com 12:15 PM:- received email from Kevin including propert owner's contact information. WC 28 Realty LLC. c/o Centaur Properties LLC. 580 5th Avenue, 32nd Floor New York, NY 10036 Attn.: Larry Greenberg Ph. (212) 308-4443 (O) (917) 656-9321 (C) Fax (212) 308-8630 email: larry@centaurproperties.com Kevin mentinoed that based on visual observations, there appears to be a very old petroleum spill along the west side of the property extending from 9-11 feet below grade at the north end to 9-14 feet below grade at the south end. the soils are stained grey, have a faint odor, and register 10-100 ppm on the PID (north to south). water table was at 11 feet below grade at beginning of the investigation and at about 9.5 feet below grade at the end (very heavy rains for two consecutive days). the Remedial Action, which has already been discussed with OER, will consist of the removal of all soils to at least 14 feet below grade to prepare the site for new construction. extensive dewatering of the excavation with pretreatment and disposal to the sewer will be required during construction and should mitigate any residual groundwater impacts. Kevin also submitted Phase I and work plan for Phase II. abstract of Phase I: - propety was constructed as two individual buildings in the late 1800s to 1916 - site was originally built and occupied by E.R. Merrill Spring Company, a manufacturer of automobile sptrings/parts and parts for Sherman Tanks - historical site uses included a truck terminal garage, warehouse and foundary, warehouse for storage and construction of theatrical props and scenery and was reportedly used as a studio for filming - from 1998 to 2002 the building was used by the current owner as a warehouse for a packaging supply company -

UNOCCUPIED NIGHT CLUB / APT HOUSE (Continued) **S113916125**

Remarks: between 2002 and 2003, the owner renovated the structure for use as two night clubs 12/10/13-Hiralkumar Patel. 10:31 AM:- spoke with Kevin regarding Phase II report. he mentioned that a draft report has been submitted to NYC OER for review and comment. once finalized, he will submit copy to DEC also. asked Kevin to submit sample results and site map for review. 12:46 PM:- received email from Kevin including figures, boring logs and data tables. Kevin mentioned that the site has several ft of urban fill material, which is impacted with several heavy metals and PAHs. no evidence of significant petroleum release was detected in the soil, groundwater, or soil-vapor data. redevelopment plans include the excavation and removal of all soil within the property boundary to bedrock and dewatering. reviewed boring logs. found maximum PID of 101 ppm in boring B-8. but no contamination noted in soil samples. well MW-5 installed in boring B-8. no contamination noted in groundwater sample from MW-5 either. based on submitted sample result, no further investigation needed. case closed. 07/25/17-Hiralkumar Patel. 11:39 AM:- DEC Piper forwarded email from Kevin including a report. during site redevelopment, three previously unknown 550 gal USTs were found at the site. one of the former UST was found in poor condition with evidence of petroleum impact to subsurface soil. all soil, and approx. 3-6 ft of bedrock, within property footprint has been removed as part of site redevelopment. 08/09/17-Hiralkumar Patel. 10:56 AM:- received email from Kevin inquiring about PBS registration number. 12:24 PM:- spoke with Kevin. informed him that the Department has received report dated 07/25/17. asked him to submit PBS application, with original signature, to PBS unit for processing. 12:50 PM:- sent email to Kevin and asked him to submit PBS application to PBS unit for processing. email copied to OER Shaminder. **e designation**" "e designation on property - boring location had layer of 100ppm - cleanup pending"

All Materials:

Site ID:	486977
Operable Unit ID:	1236619
Operable Unit:	01
Material ID:	2236044
Material Code:	0064A
Material Name:	unknown material
Case No.:	Not reported
Material FA:	Other
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

A12 **MIDTOWN CENTER AUTO REPAIR INC** **NY AST** **A100356934**
East **548 WEST 29TH ST** **N/A**
< 1/8 **NYC, NY 10001**
0.023 mi.
120 ft. **Site 12 of 18 in cluster A**

Relative: **Higher**

Actual: **14 ft.**

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-611575

MIDTOWN CENTER AUTO REPAIR INC (Continued) **A100356934**

Program Type:	PBS
UTM X:	584104.52161
UTM Y:	4511746.19922
Expiration Date:	09/19/2016
Site Type:	Auto Service/Repair (No Gasoline Sales)

Affiliation Records:

Site Id:	448111
Affiliation Type:	Facility Operator
Company Name:	MIDTOWN CENTER AUTO REPAIR INC
Contact Type:	Not reported
Contact Name:	RABA H. ABRAMOV
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 629-1028
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2011-09-19

Site Id:	448111
Affiliation Type:	Emergency Contact
Company Name:	548 HIGH LINE LLC
Contact Type:	Not reported
Contact Name:	MR. RABA H. ABRAMOV
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(917) 596-3673
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2011-09-19

Site Id:	448111
Affiliation Type:	Facility Owner
Company Name:	548 HIGH LINE LLC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	ONE PENN PLAZA, SUITE 3406
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10019
Country Code:	001
Phone:	(212) 629-1028
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2011-09-19

MIDTOWN CENTER AUTO REPAIR INC (Continued) **A100356934**

Site Id:	448111
Affiliation Type:	Mail Contact
Company Name:	548 HIGH LINE LLC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	ONE PENN PLAZA
Address2:	SUITE 3406
City:	NEW YORK
State:	NY
Zip Code:	10019
Country Code:	001
Phone:	(212) 629-1028
EMail:	MIDTOWNCENTERAUTO@GMAIL.COM
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2011-09-19

Tank Info:

Tank Number:	001
Tank Id:	238875
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Equipment Records:

F00 - Pipe External Protection - None
A03 - Tank Internal Protection - Fiberglass Liner (FRP)
C01 - Pipe Location - Aboveground
G05 - Tank Secondary Containment - Synthetic Liner
J00 - Dispenser - None
D00 - Pipe Type - No Piping
L00 - Piping Leak Detection - None
B04 - Tank External Protection - Fiberglass
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
K01 - Spill Prevention - Catch Basin

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	01/01/1992
Capacity Gallons:	270
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	BVCAMPBE
Last Modified:	04/14/2017
Material Name:	waste oil/used oil

A13 **LOT 60,TAXBLOCK 700** **NY E DESIGNATION** **S108076985**
East **548 WEST 29 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.023 mi.
120 ft. **Site 13 of 18 in cluster A**

Relative:
Higher

Actual:
14 ft.

E DESIGNATION:

Tax Lot(s):	60
Tax Block:	700
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date:	Not reported
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported
Description:	Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

A14 **LOT 59,TAXBLOCK 700** **NY E DESIGNATION** **S108076981**
East **546 WEST 29 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.023 mi.
120 ft. **Site 14 of 18 in cluster A**

Relative:
Higher

Actual:
14 ft.

E DESIGNATION:

Tax Lot(s):	59
Tax Block:	700
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date:	Not reported
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported
Description:	Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

A15
NW
< 1/8
0.024 mi.
125 ft.

MIDTOWN SERVICE CENTER
548 W. 29TH STREET
NEW YORK, NY 10606

Site 15 of 18 in cluster A

NY Spills **S117851165**
N/A

Relative:
Lower

Actual:
12 ft.

SPILLS:

Facility ID:	1201778
Facility Type:	ER
Spill Number:	1201778
DER Facility ID:	418906
Site ID:	464507
DEC Region:	2
Closed Date:	2012-06-27
Spill Cause:	Other
Spill Class:	Not reported
SWIS:	3101
Spill Date:	2012-05-18
Investigator:	AAOBLIGA
Referred To:	Not reported
Reported to Dept:	Not reported
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	DEC
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	Not reported
Remediation Phase:	0
Date Entered In Computer:	2012-05-23
Spill Record Last Update:	2012-07-10
Spiller Name:	Not reported
Spiller Company:	midtown service center
Spiller Address:	548 W. 29th Street
Spiller Company:	999
Contact Name:	Not reported
DEC Memo:	"5/18/12 : Obligado - See also Open Spill Number 0700587. DER Staff inpsected this site after reviewing a Hydrogeologic and Forensic Report submitted by Fleming Lee Shue for Spill No. 0700587 282 11th Avenue. The report identifies a gasoline UST vent at 548 West 29th Street repair garage. The report concludes contamination in the soil and ground water on the north border of 282 11th Avenue is coming from off-site sources. Upon arriving at the site, I asked the mechanic there if they had any oil tanks. He showed me an oil tank in the back of the station. The 275 gallon waste oil tank had no lable and had secondary containment had about an inch of oil stained sand. There was evindence of multiple spills on the concrete as well as a fresh spill from a transmission removal. I spoke to the mechanic, who says the waste oil company comes once a month to empty the wate oil tank. During that process they lift up the tank and clean the oil soaked sand from the secondary containment. I pointed out the poor housekeeping issues to the manager, Zoar (718-869-4550, who showed up shortly after. They applied speedy dry sand to the spill areas. I also noticed an abandoned tank manhole. This tank coincides with the location of a 550 gallon gasoline UST from historical sanborn maps and the vent location on the roof. The manager did not know anything about the tank. Due to apparent PBS issues with waste oil tank and

MIDTOWN SERVICE CENTER (Continued) **S117851165**

abandoned tank, I contacted Moses Ajuko to perform a PBS inspection of the facility. Moses issued PBS violations. Due to poor housekeeping, stained concrete indicating historical spills,and abandoned gasoline tank it is a possible source. Additional investigation will be necessary. The facility owner is: 548 HIGH LINE LLC ONE PENN PLAZA, SUITE 3406 NEW YORK, NY 10019 Contact: MR. RABA H. ABRAMOV 5/25/12 - Obligado - Sent letter to owner requiring closure or removal of abandoned gasoline UST and a site assessment within 30 days of receipt of letter. Cetrified mail receipt #7005 0390 0005 8448 2432 6/1/12 - Obligado - From USPS website: Track & ConfirmYou entered: 70050390000584482432 6/25/12 - Obligado - Item returned undelivered. 6/27/12 - Obligado - The owner of this site came to the DEC for a PBS settlement conference. Mr. Abramov provided photodocumentation of the manhole which was identified as a potential aboandoned gasoline UST. He had opened it up and it was not a UST, but rather a manhole for a former piston lift. Since there is no gasoline UST this site is no longer considered a source for gasoline contamination in soil and groundwater behind the repair shop at 282 11th Ave, Spill Number 0700587. After discussion with DEC Hussein and Ketani, this spill is closed. "

Remarks: "Petroleum contamination in soil and groundwater behind property. During DEC inspection, DEC Staff found an abandoned gasoline UST, poor housekeeping, and petroleum spills on the concrete in repair shop."

All Materials:

Site ID:	464507
Operable Unit ID:	1214557
Operable Unit:	01
Material ID:	2212611
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

A16 **LOT 48,TAXBLOCK 700** **NY E DESIGNATION** **S108076958**
ESE **524 WEST 29 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.024 mi.
126 ft. **Site 16 of 18 in cluster A**

Relative: **Higher**
Actual: **14 ft.**

E DESIGNATION:

Tax Lot(s):	48
Tax Block:	700
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b

Description: Air Quality - HVAC fuel limited to natural gas

LOT 48,TAXBLOCK 700 (Continued) **S108076958**

Lot Remediation Date: Not reported

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

A17 **SOORI HIGHLINE** **NY UST** **U000394692**
ESE **522-524-532 WEST 29TH STREET** **NY Spills** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.024 mi.
126 ft. **Site 17 of 18 in cluster A**

Relative:
Higher

Actual:
14 ft.

UST:
Id/Status: 2-089559 / Unregulated/Closed
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: N/A
UTM X: 584267.08186
UTM Y: 4511679.72072
Site Type: Other

Affiliation Records:
Site Id: 2125
Affiliation Type: Mail Contact
Company Name: W 29TH HIGHLINE OWNERS, LLC
Contact Type: Not reported
Contact Name: STEFANO CAFISO
Address1: 520 W 27TH ST
Address2: SUITE 302
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 924-1724
EMail: SC@FOUNDATIONSGROUP.COM
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 2014-12-11

Site Id: 2125
Affiliation Type: Facility Operator
Company Name: SOORI HIGHLINE
Contact Type: Not reported
Contact Name: N/A
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: N/A
EMail: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 2014-12-11

SOORI HIGHLINE (Continued) **U000394692**

Site Id:	2125
Affiliation Type:	Emergency Contact
Company Name:	W 29TH HIGHLINE OWNERS, LLC
Contact Type:	Not reported
Contact Name:	STEFANO CAFISO
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(347) 806-8459
EMail:	Not reported
Fax Number:	Not reported
Modified By:	CGFREEDM
Date Last Modified:	2014-12-11

Site Id:	2125
Affiliation Type:	Facility Owner
Company Name:	W 29TH HIGHLINE OWNERS, LLC
Contact Type:	PROJECT MANAGER
Contact Name:	STEFANO CAFISO
Address1:	520 W 27TH ST, SUITE 302
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 924-1724
EMail:	Not reported
Fax Number:	Not reported
Modified By:	CGFREEDM
Date Last Modified:	2014-12-11

Tank Info:

Tank Number:	001
Tank ID:	3396
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	2000
Install Date:	01/01/1982
Date Tank Closed:	02/01/2001
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

SOORI HIGHLINE (Continued) **U000394692**

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Number: 002
Tank ID: 3397
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 4000
Install Date: 12/01/1980
Date Tank Closed: 10/01/2003
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None

Tank Number: 003
Tank ID: 3398
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 500
Install Date: Not reported
Date Tank Closed: 10/01/2003
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported

SOORI HIGHLINE (Continued) **U000394692**

Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Number: 004
Tank ID: 253860
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 08/28/2014
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: CGFREEDM
Last Modified: 04/14/2017

Equipment Records:

D00 - Pipe Type - No Piping

Tank Number: 005
Tank ID: 253861
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 1000
Install Date: Not reported
Date Tank Closed: 09/22/2014
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: CGFREEDM
Last Modified: 04/14/2017

Equipment Records:

D00 - Pipe Type - No Piping

SOORI HIGHLINE (Continued) **U000394692**

SPILLS:

Facility ID:	0408382
Facility Type:	ER
Spill Number:	0408382
DER Facility ID:	268353
Site ID:	333103
DEC Region:	2
Closed Date:	2004-11-01
Spill Cause:	Other
Spill Class:	Not reported
SWIS:	3101
Spill Date:	2004-10-29
Investigator:	JBVOUGHT
Referred To:	Not reported
Reported to Dept:	2004-10-29
CID:	407
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2004-10-29
Spill Record Last Update:	2004-11-01
Spiller Name:	ANTHONY SIGONA
Spiller Company:	FENLEY AND NICOL
Spiller Address:	445 BROOK AVE
Spiller Company:	001
Contact Name:	WALTER SEELIG
DEC Memo:	"11/1/04-Vought-This spill closed due to non petroleum spill and open spill #0307633 at same location."
Remarks:	"Caller states that while performing drilling to install monitoring wells the adjacent tennant to high ridge enterprise reported diesel fumes inside the building, fenley and nicol shut the job down. plan to bring in exhaust hose for the drill rig on monday and install an explosion proof fan as a precaution, will monitor the air quality. dec rep is jeff vought."

All Materials:

Site ID:	333103
Operable Unit ID:	1095282
Operable Unit:	01
Material ID:	575422
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	.00
Oxygenate:	Not reported

A18
ESE
< 1/8
0.024 mi.
126 ft.

HIGH RIDGE ENTERPRISES
524 WEST 29TH STREET
MANHATTAN, NY

Site 18 of 18 in cluster A

NY LTANKS **S104275619**
NY Spills **N/A**

Relative:
Higher

Actual:
14 ft.

LTANKS:

Facility ID:	9008960
Site ID:	235183
Closed Date:	2003-03-04
Spill Number:	9008960
Spill Date:	1990-11-14
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	A3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	ADMIN. CLOSED
Referred To:	Not reported
Reported to Dept:	1990-11-15
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1990-11-19
Spill Record Last Update:	2005-07-21
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	148161
DEC Memo:	""
Remarks:	"4K TANK FAILED HORNER EZY CHECK WITH A LEAK RATE RATE OF -.16GPH,WILL EXCAVATE & ISOLATE, POSSIBLE LINE FAILURE. CLOSED DUE TO LACK OF ANY RECENT INFO - DOES NOT MEET ANY CLEANUP REQUIREMENTS. "

All TTF:

Facility ID:	9008960
Spill Number:	9008960
Spill Tank Test:	1537886
Site ID:	235183
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported

HIGH RIDGE ENTERPRISES (Continued) **S104275619**

Modified By: Spills
Last Modified Date: Not reported

All Materials:
Site ID: 235183
Operable Unit ID: 946159
Operable Unit: 01
Material ID: 554502
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: -1.00
Units: L
Recovered: .00
Oxygenate: Not reported

SPILLS:
Facility ID: 0307633
Facility Type: ER
Spill Number: 0307633
DER Facility ID: 148161
Site ID: 176283
DEC Region: 2
Closed Date: 2012-03-12
Spill Cause: Unknown
Spill Class: B3
SWIS: 3101
Spill Date: 2003-10-20
Investigator: aaobliga
Referred To: NFA
Reported to Dept: 2003-10-20
CID: 365
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: 2004-02-10
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2003-10-20
Spill Record Last Update: 2012-03-12
Spiller Name: WALTER SEELIG
Spiller Company: HIGH RIDGE ENTERPRISES
Spiller Address: P.O. BOX 2542
Spiller Company: 001
Contact Name: WALTER SEELIG
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was VOUGHT 10/20/03. Contaminated soil letter sent to Walter Seelig (High Ridge Enterpr.). Also see spill # 9008960. YK. 11/21/03 Rommel Met Brian McCabe, senior geologist, on site. Soil samples collected from 8 to 16 feet below grade were contaminated. Groundwater (15 to 18 feet) was also sampled during the investigation and were impacted by

HIGH RIDGE ENTERPRISES (Continued) **S104275619**

BTEX and MTBE. They will excavate what soil they can and install a minimum of three monitoring wells (one outside by remote fills). Spill 9008960 reported TTF of 4000 gallon gas UST 11/14/1990 STIPULATION SIGNED RD 2/18/04. 3/18/04-Vought-Spoke with Rob Ferguson (631-586-4900). Subsurface Investigation report sent to DEC on 2/3/2004. Ferguson will send small CAP upon receiving subsurface investigation report review. Ferguson requires review of subsurface investigation as per STIP. Vought requested that another copy of the Subsurface investigation be sent to DEC. 4/1/04-Vought-Spoke with Tom Melia (F&N) and he requested that he be point of contact. Spill transferred from Rommel to Vought. 4/6/04-Vought-File review by Vought: Contaminated soil letter sent form DEC Krimgold to High Ridge Enterprises. Site meeting minutes (Fenley & Nicol Brian McCabe)-11/25/03. Site meetin on 11/24/03. In attendance were DEC Rommel, F&N McCabe, F&N Melia and F&N Hole. The results of the sampling indicated that the contamination is located in the northern portion of the building. The effected area extended from the north end od the 4000 gallon tank excavation to the front of the building, approximately thirty five feet and from the center for the 550-gallon tank excavation west to the side of the building, approximately twenty feet. DEC recommended additional soil excavation without comprimising structural intergrity and required 1)installation of one well inside the building after backfilling completed 2)installation of two wells on sidewalk at the location of the former remote fills and twenty feet west of the bay door. Letter from Fenley & Nicol(Thomas Melia) to DEC(Rommel)-12/18/03. The new owner of the building indicated that his intended use for the building is as an art gallery . During building remodeling excavation was performed and tanks were discovered under floor. Two gasoline USTs (one 4000-gallon and one 550-gallon) were removed and were in separate lcoations fifteen to twenty feet apart. Upon removal of the bottom slab the soil encountered was saturated with liquid phase hydrocarbon . Depth to water expected to be 18’ below grade. F&N proposes delineation of soil and groundwater contamination, installation of wells and additional soil excavation. See also Spill #9008960 reported in 1990 for tank test failure and administratively closed on 3/4/03. Letter from DEC Rommel-12/4/03. Letter approving installation of wells on the sidewalk on the south side of West 29th Street between 10th and 11th Avenues and requesting expediting of sidewalk permits. Letter from F&N(Melia) to DEC Rommel-12/18/03. At this time we are continuing our efforts to delineate the extent of the contamination... . Three monitoring wells installed (one inside and two outside building). At this time the owener of ther property feels that it would be too far costly to excavate the contaminated soil without jeopardizing the structural integrity of the building, and would prefer that we install an air sparge/soil vapor extraction (As/SVE) system to remediate the hydrocarbon impact . Please indicate your approval below. No approval indicated by DEC Rommel. Stipulation Agreement-1/15/04. Stip with deadline of 2/13/04 sent to: Walter Seeling High Ridge Enterprises, Inc. P.O. Box 2542 York, Pa. 17405. Subsurface Investigation Report (F&N-Melia 631-586-4900x190) -3/19/04. Investigation consisted of six soil borings, six temporary groundwater monitoring points and three monitoring wells. The central and eastern units are currently vacant and undergoing renovations for use as an art gallery . Depth to groundwater is 8-9’ and flows northwest. Soil analyticals show 35ppb benzene(SP-1 at 12’), 882ppb benzene(SP-2 at 12’), 14ppb (SP-3 at 12’), 4900ppb benzene(SP-4 at

HIGH RIDGE ENTERPRISES (Continued) **S104275619**

12'), 817ppb benzene(SP-5 at 12'). Groundwater analyticals show 2.5 ppb benzene(TW-1), 1459ppb benzene(TW-2), 45ppb benzene(YW-3), 2109ppb benzene(TW-4), 254ppb benzene(TW-5), 11ppb benzene(TW-6), 1200ppb benzene(FN-1), 206ppb benzene(FN-2), 4.2ppb benzene(FN-3). Report recommends Air Spage/Soil Vapor extraction system. NYSDEC requires: 1)signing of Stipulation before any further correspondence l 2)presence or absence of free product and interim remedial recovery if present 3)surrounding area site plan including property usage 4)additional wells east of FN-2 and well north of FN-2 to calculate required radius of influence for system design. 4/6/04-Vought called F&N(Milea) to repeat Stipulation requirement and left message to return call to DEC. 4/7/04-Vought-Received faxed copy of STIP already implemented by DEC Kunkel on 2/18/04 (Copy of original not in file). 4/8/04-Vought-Sent letter to High Ridge requiring well installation north of FN2 and east of FN2, submission of monitoring well data and surrounding property sketch. 4/16/04-Vought-Wells will be installed next week (tentatively). Wells for pilot test will also installed. Mailing address is: High Ridge Enterprises P.O. Box 2542 York, Pa. 17405 4/18/04-Vought-Received message from David Oloke (F&N-631-586-4900x144) that he is new project manager for site. Vought called David and two additional well installed (one north of FN2 and one east of FN2). All onsite wells were sampled. No free product in new wells. Four vapor wells installed and air sparge well will be installed. DEC will receive pilot test report by 7/15/04. 6/23/04-Vought-Spoke with David and initial results faxed on 6/9/04. .5 of free product in well in 1 vapor well sent for fingerprinting. EFR not effective. DEC requires recovery of free product and submission of pilot test. 9/2/04-Vought-File review by Vought: Groundwater results (F&N)-6/23/04. Groundwater analyticals show 1.2ppb benzene(FN5), 1.8ppb benzene(FN4), 14ppb benzene(FN3), 26ppb xylene(FN3), 474ppb benzene(FN2), 621ppb MTBE(FN2), 8ppb toluene(FN2), 2065ppb benzene(FN1), 47170ppb MTBE(FN1), 4106ppb toluene(FN1) and 2761ppb xylene(FN1). Addendum to the direction beneath the site was found to be toward the north. Property uSubsurface Investigation Report (F&N)-7/14/04. On 5/7/04 two additional monitoring wells were installed. On June 4, 2004 the AS/SVE pilot tests were conducted . One inch of floating product was detected in P2. The results of the AS pilot test indicated that the introduction of air pressure into the formation below the contaminant zone is a viable remediation technique . Report recommends commencement of an interim remedial measure to recover product from P-2 via weekly EFR. Report also recommends installation of another well to replace P2. Vought called David from F&N to approve of workplan. Well installation will be included with final remedial action plan. Vought sent letter approving of proposed workplan (installation of well at P2 and IRM) and included requirement of determination of groundwater flow direction and surrounding property sketch. 9/3/04-Vought-Received fax from Oloke (F&N). The groundwater flow sage of downgradient sites to the north are a parking garage and an art studio. Vought called Oloke and approved workplan as per 9/2/04 letter. Vought called Oloke and he will begin drafting RAP for submission to DEC. 9/29/04-Vought-Spoke to David F&N and he will be sending RAP in overnight. 10/1/04-Vought-Reviewed RAP received by DEC on 10/30/04. Site is currently occupied by a masonary block structure which is subdivided into three sections. An art gallery occupies the western unit. The central and eastern units are currently vacant and are undergoing renovations for use as an art gallery. RAP proposes

HIGH RIDGE ENTERPRISES (Continued) **S104275619**

weekly recovery of free product from FN2 via a peristaltic pump until well is converted to a 2 product recovery well designated at FN6. Two additional wells will be installed in the interior of the building. Monthly groundwater monitoring and quarterly sampling. Five air sparge and four SVE wells will be installed in the interior of the building. Remedial system will be installed on the roof of the building. Daily monitoring for the first week, weekly monitoring for the first month, monthly maintenance visits and effluent sampling, quarterly effluent sampling and groundwater sampling. Vought sent letter approving of RAP. 10/28/04-Vought-Spoke to David(F&N) and FN1 must be reinstalled due to it was a bent well. Wells will be installed during the next few days. 9/27/05 - SPILL TRANSFERRED FROM VOUGHT TO OBLIGADO 11/9/05 - Obligado - Review System STartup Report. AS/SVE system consists of 5 HP compressor and 3.5 hp blower and 5 air sparge wells and four soil vapor extraction wells. Effluent air stack results show 31.4 ug/m3 for benzene. Operation and maintenance schedule proposes monthly SVE effluentmonitoring and Quarterly Status Reports. System started in May 2005. Due to noise generation, the system only runs from 9pm to 6am. Quarterly Status Report - Groundwater analyticals show 4.7 ppb benzene (FN3), 50.1 ppb MTBE (FN2), 78.3 ppb MTBE SVE5, 1.7 ppb MTBE SVE3. Benzene effluent show 46.74 ug/m3. 5/15/06 - Obligado - Called David Oloke. Asked that he send recent Quarterly Status Reports. 5/22/06 - Obligado - 2Q06 Quarterly Status Report, submitted by Fenley Nicol, Inc. Ground water analyticals show 9 ppb benzene 35 ppb MTBE in FN3 and and 3.7 ppb benzene in FN4. Benzene effluent below STIP limits. There is duplicated data on Table 2 Air Sampling Results, probably a cut and paste error, call Dave Oloke, he said he will look into it at send a new table with the electronic copy. Report recommends continuing system operation. 6/23/06 - Obligado - Called David Oloke. Asked for the corrected Table. He said he will email it to me. 10/23/06 - Obligado - Called David Oloke. Left message requesting most recent quarterly status report. David Oloke call me back and said he would send the report shortly and he would correct the typo on Table 2. 1/30/07 - Obligado - Review 3Q06 monitoring report. Typo in 2Q06 table has been fixed in cumulative table. AS/SVE system online and working at 100% maximum capacity. Air samples collected monthly. Benzene in gw exceeds standard at 4 ppb. in 2 wells. All effluent below STIP guidance. Benzene detected in VES/AS effluent at 4.86 ug/m3 in 6/06. Recommends continued operation of the system. Review 4Q06 monitoring report - AS/SVE system operating at 100% capacity 9 hours per day. All effluent samples below STIP guidance. BTEX effluent at 361.71 ug/m3 during 10/27/06 Report recommends continued operation of system. GW results show minor exceedences of Benzene - max concentration at 8 ppb in FN3. However gw monitoring does not include FN1 where highest contamination was found. 9/13/07 - Obligado - Review 1Q07 monitoring report. According to the report, the AS/SVE syste is running at 100% capacity. System is still pulling vapors, at a flow rate of 50 cfm and a concentration in March 07 of 111.30 ug/m3 BTEX. Benzene (12.8 ug/m3) was below the STIP limit. Recommends continued operation of AS/SVE system. 10/26/07 - Obligado - Review 2Q07/3Q07 monitoring report. Benzene detected during quarterly monitoring at MW3 adn MW4 slightly above standards. Analytical results of air stream were below the max benzene STIP Limit. Recommneds continued operation of the AS/SVE System. 9/3/08 - Obligado - Review 1Q08 monitoring report. AS/SVE running for 9 hours a day at 100% capacity. Effluent collected monthly. Benzene detected

HIGH RIDGE ENTERPRISES (Continued) **S104275619**

slightly above standards in MW2,3,4,and5. System effluent ND for BTEX. 6/3/09 - Obligado - REview 1Q09 monitoring report. Requests to shut down system for a 1 year post remedial monitoring period to determine if system was effective and monitor for rebound. Sent a letter to Seeling cc to David Oloke approving system shut down temporarily but requiring sampling of monitoring wells MW1, MW6, adn MW7 beneath the building as required by approved RAWP. Required 90 days to submit an update report on system shutdown and additional sampling. 12/3/09 - Obligad - Met with David Oloke on site. The AS/SVE system was down as proposed. According to David they were unable to collect ground water samples from the three sampling points. According to David the water he collected was too silty. He recommended doing an exposure assessment to close the spill number or to install the well in an alternate location in the building entrance. I told him I would review the spill file to determine if that location was acceptable. 12/22/09 - Sent email to Mr. Oloke - The Department has determined that the proposed location is cross-gradient and outside the of the source area, and would not provide the necessary data to confirm the site remedation was successful. As such, the Department reiterates its requirement in the June 2, 2009 letter, to sample the 3 monitoring wells FN1, FN6, and FN7 (as originally proposed in the approved RAWP) and submit a Monitoring Report within 90 days of this notice. If sufficient ground water can not be obtained from these sampling points (after exhausting all available well sampling and well development techniques), than a Remedial Investigation Work Plan (RIWP) to install a new monitoring well in the gallery in between FN1, FN6, and FN7 must be submitted within 90 days of this notice. The RIWP should contain an implementation schedule. 10/9/10 - Obligado - Email from David Oloke I would like to inform you that we’re scheduled to be onsite to install one groundwater monitoring well on the sidewalk directionally towards the source area beneath the building in order to determine the current groundwater quality beneath the site. We scheduled for Monday 25 through Wednesday 27. 1/14/11 - Obligado - Email from David Oloke We are set to go back to High Ridge, 524 West 29th Street in Manhattan on Monday 1/17/11 to install the groundwater monitoring well for spill inactivation. The client is making plans to be onsite as well . 1/19/11 - Obligado Email from David Oloke We core drilled through the foundation wall and could not get the well rods to the desired depth due to refusal. So we back to square one. Our client spoke with the tenant again yesterday to see if he will allow us access into the building. 4/1/11 - Obligado - I sent email to David Oloke related to potential alternative methods for obtaining ground water samples at the site since the diagonal well method was not successful, such as snaking new tubing into the existing system wells, and high vaccuum extraction to obtain ground water samples from the sparge wells. I asked Mr. Oloke to look into these options, as well as any other methods and report back the findings to the DEC. 3/12/12 - Obligado - I reviewed a Site Status Report. They collected samples from MW1, MW6, and MW7 under the gallery slab using the vacuum extraction technicque. Samples were collected in June and November of 2011. During the most recent sampling event in NOvember, the maximum VOCs was 117.3 ug/L in MW-7. MW1 had 63.42 ug/L total VOCs, and MW6 had 59.75 ug/L VOCs. Several compounds were slightly above standards. The greatest exceedence was 36 ug/L napthalene in MW7, which is above the standard of 10 ug/L. In NOvember they turned on the AS/SVE system and allowed it to run for four weeks. At the end

HIGH RIDGE ENTERPRISES (Continued) **S104275619**

of the four weeks , air samples were collected and all the targeted VOCs were ND. Based on the above, they requested closure. Ground water contamination has been greatly reduced. The AS/SVE system reached asymptotic recovery rates. Additional remediation is not warranted nor feasible. After discussion with DEC Hussein and Ketani, this spill is closed. A spill closure letter ahs been sent to Walter Seeling, cc to David Oloke."

Remarks: "caller was hired to remove a few tanks from the site - x-ref spill # 9008960 - they encountered contaminated soil - they are stockpiling soil now"

All Materials:

Site ID:	176283
Operable Unit ID:	874031
Operable Unit:	01
Material ID:	501158
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

B19 **522-532 WEST 29TH STREET** **NY VCP** **S118943288**
ESE **522-532 WEST 29TH STREET** **N/A**
< 1/8 **NEW YORK CITY, NY**
0.026 mi.
138 ft. **Site 1 of 7 in cluster B**

Relative: Higher

Actual: 14 ft.

VCP NYC:

Project ID:	13CVCP151M
Project Name:	522-532 WEST 29TH STREET
Project Address:	522-532 WEST 29TH STREET
Borough:	MANHATTAN

VCP NYC:

Project ID:	13CVCP151M
File Name:	2013-07-29.RIR
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP151M/2012-07-25.13CVCP151M.522-532_W_29th_Street.RIR.pdf

Project ID:	13CVCP151M
File Name:	2013-07-29.RAWP_Draft
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP151M/2012-07-25.13CVCP151M.522-532_W_29th_Street.RAWP.pdf

Project ID:	13CVCP151M
File Name:	2013-07-29.Factsheet-1
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP151M/2013-07-31.13CVCP151M 522-532_West_29th_Street FactSheet-1.pdf

Project ID:	13CVCP151M
File Name:	2013-07-29.Translated_Factsheet-1
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP151M/2012-07-31.13CVCP151M.522-532_W_29th_Street.Tanslated_Facts

522-532 WEST 29TH STREET (Continued) **S118943288**

heet-1.pdf

Project ID: 13CVCP151M
File Name: 2013-07-29.Translated_CPS
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP151M/2012-07-31.13CVCP151M.522-532_W_29th_Street.Tanslated_CPS.pdf.pdf

Project ID: 13CVCP151M
File Name: 2013-08-19.Stipulation_List
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP151M/2013-08-19.13CVCP151M.522-532_West_29th_Street Stipulation_List.pdf

---

B20 **LOT 47,TAXBLOCK 700** **NY E DESIGNATION** **S108076957**
ESE **522 WEST 29 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.026 mi.
138 ft. **Site 2 of 7 in cluster B**

Relative: **Higher**
Actual: **14 ft.**

E DESIGNATION:
Tax Lot(s): 47
Tax Block: 700
Borough Code: Not reported
E-No: E-142
Effective Date: 6/23/2005
Satisfaction Date: Not reported
Ceqr Number: 03DCP069M
Ulurp Number: 050161 ZRM
Zoning Map No: 8b

Description: Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date: Not reported

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

B21 **CONSTRUCTION SITE** **NY Spills** **S117268968**
ESE **522 WEST 29TH STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.026 mi.
138 ft. **Site 3 of 7 in cluster B**

Relative: **Higher**
Actual: **14 ft.**

SPILLS:
Facility ID: 1404620
Facility Type: ER
Spill Number: 1404620
DER Facility ID: 453021
Site ID: 498021
DEC Region: 2
Closed Date: 2015-04-10
Spill Cause: Equipment Failure

CONSTRUCTION SITE (Continued) **S117268968**

Spill Class:	Not reported
SWIS:	3101
Spill Date:	2014-07-07
Investigator:	HRAHMED
Referred To:	Not reported
Reported to Dept:	2014-07-29
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2014-07-29
Spill Record Last Update:	2015-04-10
Spiller Name:	CLIFFORD BELL
Spiller Company:	CONSTRUCTION SITE
Spiller Address:	522 W29TH ST
Spiller Company:	999
Contact Name:	CLIFFORD BELL
DEC Memo:	"8/4/13-Vought-Received email from OER Chawla that Jeff: During remediation, a spill was called in at the above address. Please let me know who this spill is assigned to so that we can coordinate remedial efforts. Thanks, Shaminder. Email contains string from GZA Clifford Bell that The findings of stained soils immediately surrounding and underlying the approximate 2,000 gallon tank on July 7 were reported to the NYS DEC. The Spill # is 1404620. I will keep you informed on the case manager and path forward. Thank you. Clifford Bell C.P.G. LEED AP GZA GeoEnvironmental of New York 104 West 29th Street, 10th Floor New York, New York 10001 Office: 212-594-8140 x 8931 Direct: 646-929-8931 Cell: 646-483-6250 Email: clifford.bell@gza.com Vought sent email to OER Chawla with cc to Bell, Ahmed and RSE that Shaminder, Still catching up on emails. The project manager for the spill is Hasan Ahmed (copied above) and you or Clifford Bell (also copied above) can also call him at 718-482-6405. Please keep in mind that Hasan will be managing the case only if it a short term excavation or remedy. If the case is long term (eg submission of work plans and reports) then the case will be transferred to another Project Manager in the Spills Unit. Can you or Cliff provide a brief one paragraph email with the scope of work and current status so Hasan can best decide the Project Manager? Thanks. 8/5/14-Vought-Received reply from GZA Bell that Jeffrey: We do not intend for the tank closure to be long term. The previously abandoned-in-place tank filled with concrete was removed on July 8 by the excavation team assisted by an FDNY Certified UST firm. Soils immediately adjacent to the tank and impacted soils as defined by visual staining, olfactory conditions, and photoionization detector responses were removed, segregated and transported to an approved petroleum handling facility. The tank was resting on a concrete slab. Plastic was placed on top of the resulting excavation. Our intention is to step out and excavate additional soils beyond and at the depth of the underlying concrete slab to confirm removal of impacted soils as indicated by field observations. The slab will be removed. Additional endpoint samples will be collected for

CONSTRUCTION SITE (Continued) **S117268968**

confirmation. We plan to perform this work within the next 2 weeks. We will notify Hasan 2 days in advance of the excavation. Please do not hesitate to contact us as needed for further details. Thank you. Vought spoke with DEC Ahmed and he noted that he would reply to above 8/5/14 email from GZA Bell and that he will remain project manager. 8/6/14- Ahmed - Replied back to clifford today saying: Clifford As per conversation with you on 8/1/14 over the phone, you mentioned that as per the revised plan, the planned excavation depth for the foundation at the tank location is 15 ft and the depth of the concrete slab is 4 ft. You have the option to take end point samples at the final depth of excavation or at any depth you mentioned in the email. Please send me a site plan showing the location of the tank and planned excavation. What is the groundwater depth at this site? Thank you. "

Remarks: "Tank removal with soil impact. Prior historical closed-intact tank but impactsed soil discovered during removal. Cleanup is pending."

All Materials:

Site ID:	498021
Operable Unit ID:	1247473
Operable Unit:	01
Material ID:	2248760
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

B22 **LOT 57,TAXBLOCK 700** **NY E DESIGNATION** **S108076976**
East **542 WEST 29 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.028 mi.
146 ft. **Site 4 of 7 in cluster B**

Relative:
Higher

Actual:
14 ft.

E DESIGNATION:

Tax Lot(s):	57
Tax Block:	700
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date:	Not reported
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported
Description:	Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

B23
East
< 1/8
0.028 mi.
146 ft.

LOT 56,TAXBLOCK 700
540 WEST 29 STREET
MANHATTAN, NY 10001

Site 5 of 7 in cluster B

NY E DESIGNATION **S108076972**
N/A

Relative:
Higher

Actual:
14 ft.

E DESIGNATION:

Tax Lot(s):	56
Tax Block:	700
Borough Code:	MN
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date:	Not reported
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported
Description:	Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

C24
WSW
< 1/8
0.029 mi.
152 ft.

CON EDISON
549 W 28 ST
NEW YORK, NY 10001

Site 1 of 4 in cluster C

NY MANIFEST **S117318371**
N/A

Relative:
Lower

Actual:
11 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004658985
Facility Status:	Not reported
Location Address 1:	549 W 28 ST
Code:	BP
Location Address 2:	SB5228
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004658985
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL
Mailing Address 2:	15TH FL
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported

CON EDISON (Continued) **S117318371**

Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	09/17/2014
Trans1 Recv Date:	09/17/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/18/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004658985
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002609384GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

D25 **550 WEST 29TH STREET** **NY VCP** **S118943450**
WNW **550 WEST 29TH STREET** **N/A**
< 1/8 **NEW YORK CITY, NY**
0.030 mi.
159 ft. **Site 1 of 2 in cluster D**

Relative:
Lower

Actual:
12 ft.

VCP NYC:
Project ID: 15CVCP060M
Project Name: 550 WEST 29TH STREET
Project Address: 550 WEST 29TH STREET
Borough: MANHATTAN

VCP NYC:
Project ID: 15CVCP060M
File Name: 2014-09-30.RIR
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP060M/2014-09-30.15CVCP060M.15EHAN008M.550 West 29th.Report.RIR.pdf

Project ID: 15CVCP060M
File Name: 2014-12-22.RAWP_Draft
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP060M/2014-12-22.15CVCP060M.15EHAN008M.550-West_29th.RAWP.pdf

Project ID: 15CVCP060M
File Name: 2014-12-22.FactSheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP060M/2014-12-22.15EHAN008M.550_West_29th_St.FactSheet-1.pdf

Project ID: 15CVCP060M
File Name: 2014-12-18.Translated_FactSheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP060M/2014-12-18.15EHAN008M.550_w_29th.Translated_Factsheet-1.pdf

Project ID: 15CVCP060M
File Name: 2014-12-18.Translated_CPS
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP060M/2014-12-18.15EHAN008M.550_w_29th.Translated_CPS.pdf

---

D26 **LOT 61,TAXBLOCK 700** **NY E DESIGNATION** **S108076989**
WNW **550 WEST 29 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.030 mi.
159 ft. **Site 2 of 2 in cluster D**

Relative:
Lower

Actual:
12 ft.

E DESIGNATION:
Tax Lot(s): 61
Tax Block: 700
Borough Code: Not reported
E-No: E-142
Effective Date: 6/23/2005
Satisfaction Date: Not reported
Ceqr Number: 03DCP069M
Ulurp Number: 050161 ZRM
Zoning Map No: 8b

Description: Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date: Not reported

LOT 61,TAXBLOCK 700 (Continued) **S108076989**

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

E27 **529 WEST 29TH STREET** **NY VCP** **S118943182**
NE **529 WEST 29TH STREET** **N/A**
< 1/8 **NEW YORK CITY, NY**
0.030 mi.
161 ft. **Site 1 of 5 in cluster E**

Relative:
Higher

Actual:
14 ft.

VCP NYC:
Project ID: 12CVCP038M
Project Name: 529 WEST 29TH STREET
Project Address: 529 WEST 29TH STREET
Borough: MANHATTAN

VCP NYC:
Project ID: 12CVCP038M
File Name: 2012-03-23.RIR
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/12CBCP038M/2012-03-23.12CBCP038M_529_West_29th_Street.RIR.pdf

Project ID: 12CVCP038M
File Name: 2012-03-23.FactSheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/12CBCP038M/2012-03-23.12CBCP038M_529_West_29th_Street.FACT_SHEET.pdf

Project ID: 12CVCP038M
File Name: 2012-05-14.RAWP_Final
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/12CBCP038M/2012-05-14.12CBCP038M.529_West_29th_Street.RAWP_Final.pdf

Project ID: 12CVCP038M
File Name: 2012-08-06.FactSheet-2
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/12CBCP038M/2012-08-06.12CBCP038M.FactSheet2.pdf

---

E28 **LOT 16,TAXBLOCK 701** **NY E DESIGNATION** **S108076877**
NE **529 WEST 29 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.032 mi.
167 ft. **Site 2 of 5 in cluster E**

Relative:
Higher

Actual:
14 ft.

E DESIGNATION:
Tax Lot(s): 16
Tax Block: 701
Borough Code: Not reported
E-No: E-142
Effective Date: 6/23/2005
Satisfaction Date: Not reported
Ceqr Number: 03DCP069M
Ulurp Number: 050161 ZRM
Zoning Map No: 8b

LOT 16,TAXBLOCK 701 (Continued) **S108076877**

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

C29 **LOT 63,TAXBLOCK 699** **NY E DESIGNATION** **S108076993**
SSW **554 WEST 28 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.034 mi.
177 ft. **Site 2 of 4 in cluster C**

Relative: **Lower**
Actual: **12 ft.**

E DESIGNATION:
Tax Lot(s): 63
Tax Block: 699
Borough Code: Not reported
E-No: E-142
Effective Date: 6/23/2005
Satisfaction Date: Not reported
Ceqr Number: 03DCP069M
Ulurp Number: 050161 ZRM
Zoning Map No: 8b

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

C30 **SB-5 AVALON WEST CHELSEA LLC** **NY Spills** **S112147762**
West **SITE 2 282 11TH AVE** **N/A**
< 1/8 **NEW YORK, NY**
0.036 mi.
189 ft. **Site 3 of 4 in cluster C**

Relative: **Lower**
Actual: **11 ft.**

SPILLS:
Facility ID: 1203713
Facility Type: ER
Spill Number: 1203713
DER Facility ID: 420886
Site ID: 466553
DEC Region: 2
Closed Date: 2012-07-31
Spill Cause: Unknown
Spill Class: C4
SWIS: 3101
Spill Date: 2012-07-17
Investigator: AAOBLIGA
Referred To: Not reported
Reported to Dept: 2012-07-17
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False

SB-5 AVALON WEST CHELSEA LLC (Continued) **S112147762**

Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2012-07-17
Spill Record Last Update:	2012-07-31
Spiller Name:	Not reported
Spiller Company:	SB-5 AVALON WEST CHELSEA LLC
Spiller Address:	SITE 2 282 11TH AVE
Spiller Company:	999
Contact Name:	RAHUL BAHTIA
DEC Memo:	"7-31-12 - Obligado - closed and consolidated with 0700587."
Remarks:	"SOIL CONTAMINATION"

All Materials:

Site ID:	466553
Operable Unit ID:	1216541
Operable Unit:	01
Material ID:	2214740
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

B31 **LOT 22,TAXBLOCK 701** **NY E DESIGNATION** **S108076886**
ENE **527 WEST 29 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.039 mi.
208 ft. **Site 6 of 7 in cluster B**

Relative:
Higher

Actual:
15 ft.

E DESIGNATION:

Tax Lot(s):	22
Tax Block:	701
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported
Description:	Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

E32 **LOT 23,TAXBLOCK 701** **NY E DESIGNATION** **S108076888**
East **525 WEST 29 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.043 mi.
227 ft. **Site 3 of 5 in cluster E**

Relative: **Higher**
Actual: **15 ft.**

E DESIGNATION:

Tax Lot(s):	23
Tax Block:	701
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported
Description:	Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

F33 **EXCAVATION** **NY Spills** **S110488252**
SSW **538 WEST 28 ST** **N/A**
< 1/8 **MANHATTAN, NY**
0.043 mi.
229 ft. **Site 1 of 5 in cluster F**

Relative: **Lower**
Actual: **12 ft.**

SPILLS:

Facility ID:	1004180
Facility Type:	ER
Spill Number:	1004180
DER Facility ID:	392405
Site ID:	437442
DEC Region:	2
Closed Date:	2011-01-13
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2010-07-14
Investigator:	RWAUSTIN
Referred To:	Not reported
Reported to Dept:	2010-07-14
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2010-07-14
Spill Record Last Update:	2011-01-13
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller Company:	999

EXCAVATION (Continued) **S110488252**

Contact Name: ERT
DEC Memo: "1/13/11 - Austin - Discolored soil tested and found to be non-hazardous - Con Ed contained and cleaned up the spill - see eDocs for more information - Spill closed - end"
Remarks: "contaminated soil found during excavation/clean up pending test results"

All Materials:
Site ID: 437442
Operable Unit ID: 1188120
Operable Unit: 01
Material ID: 2183029
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: .13
Units: G
Recovered: Not reported
Oxygenate: Not reported

F34 **538 W 28TH ST** **NY Spills** **S102141508**
SSW **538 W 28TH ST** **N/A**
< 1/8 **NYC, NY**
0.043 mi.
229 ft. **Site 2 of 5 in cluster F**

Relative: **Lower**
Actual: **12 ft.**

SPILLS:
Facility ID: 9109612
Facility Type: ER
Spill Number: 9109612
DER Facility ID: 71474
Site ID: 76462
DEC Region: 2
Closed Date: 1994-11-21
Spill Cause: Human Error
Spill Class: D4
SWIS: 3101
Spill Date: 1991-12-10
Investigator: SIGONA
Referred To: Not reported
Reported to Dept: 1991-12-10
CID: Not reported
Water Affected: STORM DRAIN
Spill Source: Commercial Vehicle
Spill Notifier: Responsible Party
Cleanup Ceased: 1994-11-21
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1991-12-13
Spill Record Last Update: 1994-11-21
Spiller Name: Not reported
Spiller Company: MERIDAN TRANS
Spiller Address: 43 CLAREMONT AVE

538 W 28TH ST (Continued) **S102141508**

Spiller Company: 001
Contact Name: Not reported
DEC Memo: ""
Remarks: "TRUCK STRUCK MANHOLE COVER. CLEAN VENTURES, FD, & SANITATION ON SCENE TO CLEAN UP."

All Materials:
Site ID: 76462
Operable Unit ID: 963405
Operable Unit: 01
Material ID: 418212
Material Code: 0008
Material Name: diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: 55.00
Units: G
Recovered: .00
Oxygenate: Not reported

C35 **BIG JOHN AUTO TRANSMISSION** **EDR Hist Auto** **1021093936**
SW **546 W 28TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.045 mi.
236 ft. **Site 4 of 4 in cluster C**

Relative: EDR Hist Auto
Lower

Actual: Year: Name: Type:
11 ft. 2000 BIG JOHN AUTO TRANSMISSION Automotive Transmission Repair Shops

---

F36 **WEST 28TH ST PARKING GAR.** **NY Spills** **S103574788**
SSW **534-536 WEST 28TH STREET** **N/A**
< 1/8 **NEW YORK, NY**
0.045 mi.
237 ft. **Site 3 of 5 in cluster F**

Relative: SPILLS:
Lower
Facility ID: 9830018
Actual: Facility Type: ER
12 ft. Spill Number: 9830018
DER Facility ID: 105264
Site ID: 121271
DEC Region: 2
Closed Date: 1998-11-25
Spill Cause: Other
Spill Class: D6
SWIS: 3101
Spill Date: 1998-11-20
Investigator: MMMULQUE
Referred To: Not reported
Reported to Dept: 1998-07-22
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Citizen

WEST 28TH ST PARKING GAR. (Continued) **S103574788**

Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	1998-11-23
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1998-11-25
Spill Record Last Update:	1999-01-22
Spiller Name:	MOE YAGHUBI
Spiller Company:	OWNER OF GARAGE AT
Spiller Address:	534-536 WEST 28TH STREET
Spiller Company:	001
Contact Name:	MOE YAGHUBI
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MULQUEEN LOCATION IS ON WEST SIDE OF MANHATTAN, IN A MIXED COMMERCIAL/ INDUSTRIAL AREA. IN JULY, 1998 EMG PEPARED A SITE ASSESSMENT. SOIL SAMPLES INDICATED RESIDUAL BTEX WITH HIGHEST BEING IN THE SOURCE AREA, DECREASING DOWN GRADIENT. ONE WATER SAMPLE HAD DETECTED ETHYLEBENZENE AND XYLENES AT 130 & 250 RESPECTIVELY. IT IS EXPECTED THAT NATURAL ATTENUATION WILL CONTINUE, NO FURTHER ACTION REQUIRED."
Remarks:	"CALLER BUYING PROPERTY, SITE ASSESSMENT FOUND IMPACTED SOILS IN FORMER UST LOCATION. GROUNDWATER SAMPLING DID NOT INDICATE ANY IMPACT."

All Materials:

Site ID:	121271
Operable Unit ID:	1076939
Operable Unit:	01
Material ID:	309048
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

B37 **LOT 45,TAXBLOCK 700** **NY E DESIGNATION** **S108076952**
ESE **518 WEST 29 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.045 mi.
238 ft. **Site 7 of 7 in cluster B**

Relative: **Higher**
Actual: **15 ft.**

E DESIGNATION:

Tax Lot(s):	45
Tax Block:	700
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Air Quality - HVAC fuel limited to natural gas

LOT 45,TAXBLOCK 700 (Continued) **S108076952**

Lot Remediation Date: Not reported

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

F38 **CONSTRUCTION SITE** **NY Spills** **S118141456**
South **526-530 WEST 28TH STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.046 mi.
241 ft. **Site 4 of 5 in cluster F**

Relative: **Higher**
Actual: **13 ft.**

SPILLS:

Facility ID:	1504458
Facility Type:	ER
Spill Number:	1504458
DER Facility ID:	465372
Site ID:	510799
DEC Region:	2
Closed Date:	2016-02-01
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2015-07-27
Investigator:	RMPIPER
Referred To:	Not reported
Reported to Dept:	2015-07-27
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2015-07-27
Spill Record Last Update:	2016-02-01
Spiller Name:	KEVIN MCGRATH
Spiller Company:	UNKNOWN
Spiller Address:	526-530 WEST 28 ST
Spiller Company:	999
Contact Name:	KEVIN MCGRATH
DEC Memo:	"7/27/15 TJD Left messages on both work and cell phones for the notifier requesting callback with additional information. Received a call back from Kevin McGrath at Chazen with updated information. Email (pasted below) provides historical information and direction to assigned responder (Piper). I received a call back from the notifier, this is a redevelopment site with an old closed spill number (1306369 - Patel) and is also a NYCOER E-designation parcel. With the above stated it appears the reported condition is unrelated to either of these known conditions. The notifier describes an open excavation approximately 28 feet deep (4 feet into bedrock) that the bottom is level and graded pending construction. Today product, believed to be a weathered #2 fuel oil is migrating into the open excavation (from

CONSTRUCTION SITE (Continued) **S118141456**

offsite parcel) from the seams on construction sheeting at an elevation of approximately 16 ft bgs. Product is accumulating at the bottom of the open excavation. The contractor has scheduled a vac truck for tomorrow morning to pump product (Atlas Disposal out of Dover NJ). Soil and product samples have been collected for product ID and 8260/8270 analysis. Your site contact is Eric Orlowski, his cell phone is 518.928.5823. Please perform a site inspection first thing tomorrow morning to investigate and document findings. THIS IS NOT A RECALL - however, if you want to modify your work hours and start your day early - please let me know. They are scheduled to start pumping at 8AM, but I have requested that they await your arrival estimated at before 9AM so you can take a look before there is nothing to see. 7/28/15- DEC Piper responded to site to inspect and meet Env coordinator. A seep of oil has entered the SW corner of the property. It appears that it was from the adjacent building. That building is now on gas though historical sandborns show tank. Unclear weather tank was AST or UST and / or fill line was buried and leaking. Contractor to pump out oil in bottom of excavation. 7/30/15- DEC Piper received email from contactor. A vac truck cleaned the oil of f the water in the bottom of the excavation that day. Since then, no other oil has been observed. They will pour wall in a couple days with appropriate vapor. moisture barrier. Based on work to date and no reoccurrence, this spill is closed. 10/21/15-Vought-Received email from OER Chawla with cc to RSE that Jeff and Randy:Please let me know who is managing this spill. thanks. Included in OER Chawla's email string was email from Integral (Kevin McGrath) to OER Alfieri dated 10/19/15 that Hi Alysha, Progress at the Site is still slow as the new CM transitions into the site. The construction contractor (Veritas) responsible for the excavation and removal of soil and bedrock has completed all of the removal action down to the bedrock final grade elevation. The last week was spent cutting the rock on the SE corner of the site and loading it out. The soil access ramp has been removed and the floor of the excavation is now ready for the final mud-slab, vapor barrier, floor slab installation. We had an issue last week with fuel oil leaking through the eastern barrier wall between the site and the adjacent Scores nightclub property next door. At least three of the seams in the barrier wall that were sealed back in July reopened. I inspected the site on Friday and it is clear to me that the oil is on the water table beneath the building next door. The CM was instructed to berm off and contain the leaking groundwater mixed with fuel and pump it to an oil-water separator so the free-product can be drained off and disposed of properly. They will also be mobilizing a team to the site to seal the leaking joints (again). At the moment they have less than 5-10 gallons of old fuel-oil, floating on the water in a pool in the SW corner of the site which should be cleaned up in the next couple days. I will speak to NYSDEC later this morning about the situation. We still have an open spill number for this issue so we do not need to report a new spill. I would like to get some understanding of what NYSDEC is doing with the adjacent property owner to help mitigate this issue so it stops being a problem for us. I also have a query in to the manufacturer of the pre-pruff vapor barrier material to assess the potential impact, if any, to the effectiveness of the vapor barrier layer from long-term exposure to free phase petroleum. You are of course welcome to visit the Site anytime. Thanks. As subject of spill was from OER Chawla was 1306369 (closed spill also at this site that was assigned to DEC Patel), Vought replied to all that

CONSTRUCTION SITE (Continued) **S118141456**

Shaminder, This spill was closed by Kumar Patel on 12/10/13. Due to the reports of new product infiltration as per the below email which was not known at the time of spill closure, the spill will likely be reopened by Kumar. I will follow up with him to ensure he responds to all. DEC Patel responded to all parties that Please note that the spill number 1306369 was reported based on field observations during installation of soil borings at the site and the case was closed based on results of soil and groundwater samples which shows presence of metals and PAHs. Another spill case (#1504458) was reported on 07/27/2015 due to findings of petroleum product on groundwater. Ryan Piper was the case manager. Spill reopened by Vought after discussion with DEC Demeo and RSE. Vought corrected spill address and city spelling on UIS in case of future searches by address and project manager for spill to be determined by DEC Demeo. 2/1/16- DEC Piper- additional seep was less than 2 gal. Based on extent of petroleum and work completed to date on both properties, this spill is closed."

Remarks: "historical spill - clean up pending"

All Materials:

Site ID:	510799
Operable Unit ID:	1260066
Operable Unit:	01
Material ID:	2263429
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

F39 **W C 28 REALTY LLC** **RCRA-LQG** **1016974976**
South **530 WEST 28TH ST** **NY MANIFEST** **NYR000214361**
< 1/8 **NEW YORK, NY 10038**
0.048 mi.
255 ft. **Site 5 of 5 in cluster F**

Relative: **Lower**
Actual: **12 ft.**

RCRA-LQG:

Date form received by agency:	03/02/2016
Facility name:	W C 28 REALTY LLC
Facility address:	530 WEST 28TH ST NEW YORK, NY 10038
EPA ID:	NYR000214361
Mailing address:	FIFTH AVE 32ND FLR NEW YORK, NY 10010
Contact:	LARRY GREENBERG
Contact address:	FIFTH AVE 32ND FLR NEW YORK, NY 10010
Contact country:	US
Contact telephone:	212-308-4443
Contact email:	LARRY@CENTAURPROPERTIES.COM
EPA Region:	02
Classification:	Large Quantity Generator
Description:	Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste

W C 28 REALTY LLC (Continued) **1016974976**

during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name:	WC 28 REALTY LLC
Owner/operator address:	FIFTH AVE 32ND FLR
	NEW YORK, NY 10010
Owner/operator country:	US
Owner/operator telephone:	212-244-5270
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	08/08/2013
Owner/Op end date:	Not reported

Owner/operator name:	W C 28 REALTY LLC
Owner/operator address:	FIFTH AVE
	NEW YORK, NY 10010
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	08/08/2013
Owner/Op end date:	Not reported

Owner/operator name:	WCW28TH REALTY LLC
Owner/operator address:	Not reported
	Not reported
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	07/15/2013
Owner/Op end date:	Not reported

Owner/operator name:	WCW28TH REALTY LLC
Owner/operator address:	FIFTH AVE
	NEW YORK, NY 10036
Owner/operator country:	US
Owner/operator telephone:	212-308-4443
Owner/operator email:	Not reported

W C 28 REALTY LLC (Continued) **1016974976**

Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 07/15/2013
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
Date form received by agency: 11/03/2014
Site name: WCW28TH REALTY LLC - 14CVPC241M
Classification: Large Quantity Generator

. Waste code: D008
. Waste name: LEAD

Biennial Reports:

Last Biennial Reporting Year: 2017

Annual Waste Handled:
Waste code: D008
Waste name: LEAD
Amount (Lbs): 148000

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYR000214361
Facility Status: Not reported
Location Address 1: 530 WEST 28TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY

W C 28 REALTY LLC (Continued) **1016974976**

Location Zip:	10038
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000214361
Mailing Name:	WCW28TH REALTY LLC - 14CVPC241M
Mailing Contact:	WCW28TH REALTY LLCWCW28TH REALTY LLC
Mailing Address 1:	580 5TH AVE - 32ND FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10036
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	7326720239

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJR000029967
Trans2 State ID:	Not reported
Generator Ship Date:	01/22/2015
Trans1 Recv Date:	01/22/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/22/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000214361
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	013918335JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	Y
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	50740
Units:	P - Pounds
Number of Containers:	1
Container Type:	DT - Dump trucks
Handling Method:	T Chemical, physical, or biological treatment.

W C 28 REALTY LLC (Continued) **1016974976**

Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
66 additional NY_MANIFEST: record(s) in the EDR Site Report.

G40 **LOT 18,TAXBLOCK 700** **NY E DESIGNATION** **S108076880**
SSE **517 WEST 28 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.049 mi.
259 ft. **Site 1 of 15 in cluster G**

Relative: **Higher**
Actual: **14 ft.**

E DESIGNATION:

Tax Lot(s):	18
Tax Block:	700
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported
Description:	Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

E41 **VACANT WAREHOUSE** **NY Spills** **S104501903**
NE **518 WEST 30TH ST** **N/A**
< 1/8 **MANHATTAN, NY**
0.050 mi.
262 ft. **Site 4 of 5 in cluster E**

Relative: **Higher**
Actual: **15 ft.**

SPILLS:

Facility ID:	9604278
Facility Type:	ER
Spill Number:	9604278
DER Facility ID:	253056
Site ID:	313828
DEC Region:	2
Closed Date:	1996-07-16
Spill Cause:	Unknown
Spill Class:	C3
SWIS:	3101
Spill Date:	1996-06-27
Investigator:	O'DOWD
Referred To:	Not reported
Reported to Dept:	1996-06-28

VACANT WAREHOUSE (Continued) **S104501903**

CID:	312
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1996-06-28
Spill Record Last Update:	1996-08-28
Spiller Name:	Not reported
Spiller Company:	BANK OF AMERICA
Spiller Address:	560 DAVIS ST
Spiller Company:	001
Contact Name:	Not reported
DEC Memo:	""
Remarks:	"UNK HOW IT HAPPENED - CALLER IS A CONSULTANT FOR THE MANAGEMENT COMPANY"

All Materials:

Site ID:	313828
Operable Unit ID:	1031934
Operable Unit:	01
Material ID:	350567
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

E42
NE
< 1/8
0.051 mi.
267 ft.

LOT 59,TAXBLOCK 701
532 WEST 30 STREET
MANHATTAN, NY

Site 5 of 5 in cluster E

NY E DESIGNATION **S108076982**
N/A

Relative:
Higher

Actual:
15 ft.

E DESIGNATION:

Tax Lot(s):	59
Tax Block:	701
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date:	Not reported
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported

LOT 59,TAXBLOCK 701 (Continued) **S108076982**

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

G43 **PARKING LOT OF** **NY LTANKS** **S103558674**
SSE **515 WEST 28TH ST** **N/A**
< 1/8 **MANHATTAN, NY**
0.052 mi.
275 ft. **Site 2 of 15 in cluster G**

Relative: **Higher**
Actual: **14 ft.**

LTANKS:

Facility ID:	9811167
Site ID:	86623
Closed Date:	1998-12-07
Spill Number:	9811167
Spill Date:	1998-12-05
Spill Cause:	Tank Overfill
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	MCTIBBE
Referred To:	Not reported
Reported to Dept:	1998-12-05
CID:	384
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1998-12-05
Spill Record Last Update:	2002-05-14
Spiller Name:	ANTHONY MILANESE
Spiller Company:	EAST COAST PETRO INC
Spiller Address:	340 JACKSON AVE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	79443
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE CLEANED BY RP."
Remarks:	"OVERFILL DUE TO ORDERING BY CUSTOMER. PETRO WILL BE DOING CLEAN UP."

All Materials:

Site ID:	86623
Operable Unit ID:	1068562
Operable Unit:	01
Material ID:	315017
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10.00
Units:	G
Recovered:	10.00

PARKING LOT OF (Continued) **S103558674**

Oxygenate: Not reported

G44 **ROSENBLATT & THOMPSON INC** **NJ MANIFEST** **S120665294**
SSE **515 WEST 28TH STREET** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.052 mi.
275 ft. **Site 3 of 15 in cluster G**

Relative:
Higher

Actual:
14 ft.

NJ MANIFEST:

EPA Id:	NYD001312529
Mail Address:	Not reported
Mail City/State/Zip:	Not reported
Facility Phone:	2122790435
Emergency Phone:	Not reported
Contact:	LANCE ROSENBLATT
Comments:	Not reported
SIC Code:	Not reported
County:	00
Municipal:	00
Previous EPA Id:	Not reported
Gen Flag:	X
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	014730284JJK
EPA ID:	NYD001312529
Date Shipped:	7/20/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	MAC300006038
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported

ROSENBLATT & THOMPSON INC (Continued) **S120665294**

Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

Manifest Number:	014730285JJK
EPA ID:	NYD001312529
Date Shipped:	7/20/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	MAC300006038
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

Manifest Number:	014730286JJK
EPA ID:	NYD001312529
Date Shipped:	7/20/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	MAC300006038

ROSENBLATT & THOMPSON INC (Continued) **S120665294**

Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

Manifest Number:	014730290JJK
EPA ID:	NYD001312529
Date Shipped:	7/20/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported

ROSENBLATT & THOMPSON INC (Continued) **S120665294**

Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

Manifest Number:	014730288JJK
EPA ID:	NYD001312529
Date Shipped:	7/20/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	MAC300006038
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported

ROSENBLATT & THOMPSON INC (Continued) **S120665294**

Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported
Manifest Number:	014730289JJK
EPA ID:	NYD001312529
Date Shipped:	7/20/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	MAC300006038
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported
Manifest Number:	014730376JJK
EPA ID:	NYD001312529
Date Shipped:	7/28/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported

ROSENBLATT & THOMPSON INC (Continued) **S120665294**

Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

H45 **LOT 44,TAXBLOCK 700** **NY E DESIGNATION** **S108076951**
ESE **516 WEST 29 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.052 mi.
276 ft. **Site 1 of 4 in cluster H**

Relative: **Higher**
Actual: **15 ft.**

E DESIGNATION:

Tax Lot(s):	44
Tax Block:	700
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date:	Not reported
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported
Description:	Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

I46 **BLDG UNDER CONSTRUCTION** **NY Spills** **S120700953**
East **517 WEST 29TH ST** **N/A**
< 1/8 **MANHATTAN, NY**
0.053 mi.
278 ft. **Site 1 of 3 in cluster I**

Relative: **Higher**

Actual: **16 ft.**

SPILLS:

Facility ID:	1610851
Facility Type:	ER
Spill Number:	1610851
DER Facility ID:	495444
Site ID:	541704
DEC Region:	2
Closed Date:	Not reported
Spill Cause:	Unknown
Spill Class:	Not reported
SWIS:	2401
Spill Date:	2017-03-03
Investigator:	RMPIPER
Referred To:	Not reported
Reported to Dept:	2017-03-03
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	1
Date Entered In Computer:	2017-03-03
Spill Record Last Update:	2017-03-06
Spiller Name:	CHERYL BENMERGUI
Spiller Company:	TBD
Spiller Address:	517 WEST 29TH ST
Spiller Company:	999
Contact Name:	CHERYL BENMERGUI
DEC Memo:	"3/6/17-Vought-Received email from OER Chawla with cc to OER Walsh and OER Wong on 3/3/17 that I am reviewing RIR for a site at above address. The Site is located at 517 West 29th Street in the Hudson Yards section in Manhattan, New York and is identified as Block 701 and Lot 24 on the New York City Tax Map. Is there any spill at this property? Soil boring descriptions are: " Soil boring SB-01 was advanced in the basement. A 2-inch layer of unknown tar material and olfactory evidence of petroleum contamination was encountered under the concrete surface at the 1 to 2-foot interval. " Soil boring SB-01 was advanced in the basement. A 2-inch layer of unknown tar material and olfactory evidence of petroleum contamination was encountered under the concrete surface at the 1 to 2-foot interval. " Soil boring SB-03 was advanced in the basement. PID readings elevated to 69.2 ppm. " Soil boring SB-05 was advanced in the basement. A 2-inch layer of layer of unknown tar material and olfactory evidence of petroleum contamination was encountered under the concrete surface at the 1 to 2-foot interval. " Soil boring SB-06 was advanced in the basement. PID readings elevated to 22.4 ppm. A 2-inch layer of layer of unknown tar material and olfactory evidence of petroleum contamination was encountered under the concrete surface at the 1 to 2-foot interval. New consultant don t know if spill was called in. Thanks Vought

BLDG UNDER CONSTRUCTION (Continued) **S120700953**

replied to OER on 3/3/17 with cc to all that Shaminder, There are no listed spills at the above address range. The closest spill, albeit closed, was down the block at 522-526 West 29th Street. I also checked PBS database and there is no record of any tank at the above address range as well. The boring logs you sent below noted that an unknown tar material was under the concrete floor in all four borings at a 1-2 foot interval. This material may possibly from a foundation sealer and the site may also be in part of an MGP site (which I know is also down in the 20 s along 10th and 11th Avenue. I would suggest a spill be called in and we can make further decisions upon reviewing the soil sample data, assuming that soil samples were collected and analyzed, from the borings referenced in the email chain below. OER Chawla replied that Thanks Jeff: Not much detected in soils other than SVOCs. No VOCs detected. Here is more info: " Soil results showed no volatile organic compounds (VOCs) above Track 2 SCOs in any of the soil samples collected. Only xylenes (0.4 ppm) slightly exceeded Unrestricted Use SCOs. Several SVOCs were detected in the soil samples collected including 2-Methylnaphthalene (maximum 82.5 parts per million [ppm]), Benzo(a)anthracene (maximum 105 ppm), Benzo(a)pyrene (maximum 48.6 ppm), Benzo(b)fluoranthene (maximum 75.8 ppm), Benzo(k)fluoroanthene (maximum 15.1 ppm), Chrysene (maximum 105 ppm), Dibenzo(a,h)anthracene (maximum 9.63 ppm), and indeno(1,2,3-cd)pyrene (maximum 61.1 ppm), detected above Restricted Residential Use SCOs. Several metals including chromium, iron and lead exceeded Unrestricted Use SCOs and only Iron (maximum 21,500 ppm) detected above Track 2 SCOs. No pesticides were detected above Track 2 SCOs in any of the soil samples collected. PCBs detections in the soil samples collected. Overall, soil chemistry is similar to sites with urban historic fill in New York City. " Soil vapor sampling detected PCE and TCE were not detected in soil vapor. Vinyl Chloride in several samples (maximum 970 mcg/m3). Highest concentrations were detected for Xylenes (9,800 mcg/m3). Petroleum related compounds (BETX) were detected at elevated concentrations to a maximum of (28,900 mcg/m3). Concentrations of Vinyl Chloride are above the mitigation levels established by the NYSDOH guidance matrices. (mcg/m3)SV-01SV-02SV-03SV-04SV-05IA-06OA-07 Benzene17002400220015002200 1.91.1 Ethyl Benzene42008500310023003000 9.62.9 o-Xylene41002700130013001400 113.1 p-& m-Xylenes98007700360042004500 297.3 Toluene61007600480037004100 227.3 GW not sampled .We will ask consultant/developer to call in spill. 3/6/17-Vought-Received email from OER Chawla with cc to OER Walsh and RSE that Jeff: Per your instructions, Spill was called in. Spill #1610851 was assigned. Please let me know who is managing this spill. thanks Vought replied to OER Chawla and DEC Piper with cc to OER Walsh and RSE that Shaminder, That spill case is being managed by Ryan Piper as he was on duty after hours when the spill was received. He is copied above and you may also reach him at 718-482-4927. Ryan, Please see the data in the email below and respond to Shaminder accordingly. Thanks! "

Remarks: "now a self storage facility being renovated. samples came back; 2 inch layer of unknown tar and smell of petroleum."

All Materials:

Site ID: 541704
Operable Unit ID: 1290253
Operable Unit: 01
Material ID: 2296086
Material Code: 0066A

BLDG UNDER CONSTRUCTION (Continued) **S120700953**

Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

J47 **LOT 62,TAXBLOCK 701** **NY E DESIGNATION** **S108076990**
North **534 WEST 30 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.053 mi.
281 ft. **Site 1 of 6 in cluster J**

Relative:
Higher

Actual:
14 ft.

E DESIGNATION:

Tax Lot(s):	62
Tax Block:	701
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date:	Not reported
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported
Description:	Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

J48 **CON EDISON - VAULT SUBMERSIBLE VS20286** **NY MANIFEST** **S120958242**
North **534 W 30 ST** **N/A**
< 1/8 **MANHATTAN, NY 10001**
0.053 mi.
281 ft. **Site 2 of 6 in cluster J**

Relative:
Higher

Actual:
14 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004924328
Facility Status:	Not reported
Location Address 1:	534 W 30 ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	MANHATTAN
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004924328
Mailing Name:	CON EDISON - VAULT SUBMERSIBLE VS20286

CON EDISON - VAULT SUBMERSIBLE VS20286 (Continued) **S120958242**

Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL 15TH FL NE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

G49 **526-530 WEST 28TH STREET** **NY VCP** **S118943375**
South **526-530 WEST 28TH STREET** **N/A**
< 1/8 **NEW YORK CITY, NY**
0.055 mi.
292 ft. **Site 4 of 15 in cluster G**

Relative:
Higher

Actual:
13 ft.

VCP NYC:

Project ID:	14CVCP241M
Project Name:	526-530 WEST 28TH STREET
Project Address:	526-530 WEST 28TH STREET
Borough:	MANHATTAN

VCP NYC:

Project ID:	14CVCP241M
File Name:	2014-01-09.RIR
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP241M/2014-01-09.14CVCP241M.report.RIR.final.pdf

Project ID:	14CVCP241M
File Name:	2014-07-08.RAWP_Draft
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP241M/2014-07-08.14CVCP241M.report.RAWP.draft.pdf

Project ID:	14CVCP241M
File Name:	2014-07-08.Factsheet-1
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP241M/2014-07-07.14CVCP241M.526-530_West_28th_Street.FactSheet-1.pdf

Project ID:	14CVCP241M
File Name:	2014-07-08.Translated_Factsheet-1
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP241M/2014-07-07.14CVCP241M.doc.translated_Factsheet-1.pdf

Project ID:	14CVCP241M
File Name:	2014-07-08.Translated_CPS
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP241M/2014-07-07.14CVCP241M.doc.translated_CPS.pdf

G50 **LOT 49,TAXBLOCK 699** **NY E DESIGNATION** **S108076959**
South **526 WEST 28 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.055 mi.
292 ft. **Site 5 of 15 in cluster G**

Relative:
Higher

Actual:
13 ft.

E DESIGNATION:

Tax Lot(s):	49
Tax Block:	699
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date:	Not reported
Description:	Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported

G51 **W C 28 REALTY LLC** **NJ MANIFEST** **S120679034**
South **526-530 W 28TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.055 mi.
292 ft. **Site 6 of 15 in cluster G**

Relative:
Higher

Actual:
13 ft.

NJ MANIFEST:

EPA Id:	NYR000214361
Mail Address:	FIFTH AVE 32ND FL
Mail City/State/Zip:	NEW YORK, NY 10036
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	LARRY GREENBERG
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	013918215JJK
EPA ID:	NYR000214361
Date Shipped:	1/20/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported

W C 28 REALTY LLC (Continued) **S120679034**

Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10036
Reason Load Was Rejected:	Not reported

Manifest Number:	013918335JJK
EPA ID:	NYR000214361
Date Shipped:	1/22/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported

W C 28 REALTY LLC (Continued) **S120679034**

TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10036
Reason Load Was Rejected:	Not reported

Manifest Number:	013918216JJK
EPA ID:	NYR000214361
Date Shipped:	1/20/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10036
Reason Load Was Rejected:	Not reported

H52 **CON EDISON - MANHOLE 5430** **NY MANIFEST** **S120958846**
ESE **514 W 29 ST** **N/A**
< 1/8 **MANHATTAN, NY 10001**
0.056 mi.
295 ft. **Site 2 of 4 in cluster H**

Relative:
Higher

Actual:
15 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004969842
Facility Status:	Not reported
Location Address 1:	514 W 29 ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	MANHATTAN
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004969842
Mailing Name:	CON EDISON - MANHOLE 5430
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL 15TH FL NE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

K53 **LOT 1,TAXBLOCK 701** **NY E DESIGNATION** **S108076867**
NNW **302 11 AVENUE** **N/A**
< 1/8 **MANHATTAN, NY**
0.056 mi.
295 ft. **Site 1 of 12 in cluster K**

Relative:
Higher

Actual:
13 ft.

E DESIGNATION:

Tax Lot(s):	1
Tax Block:	701
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date:	Not reported
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported
Description:	Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

L54 **MARTINS AUTO TRANSMISSION** **EDR Hist Auto** **1021986343**
WSW **560 W 28TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.057 mi.
303 ft. **Site 1 of 24 in cluster L**

Relative: EDR Hist Auto
Lower

Actual:
10 ft.

Year:	Name:	Type:
2000	MARTINS AUTO TRANSMISSION	Automotive Transmission Repair Shops
2001	MARTINS AUTO TRANSMISSION	Automotive Transmission Repair Shops
2002	MARTINS AUTO TRANSMISSION	Automotive Transmission Repair Shops
2003	MARTINS AUTO TRANSMISSION	Automotive Transmission Repair Shops
2004	MARTINS AUTO TRANSMISSION	Automotive Transmission Repair Shops

---

G55 **CON EDISON** **NJ MANIFEST** **S120675231**
SSE **520 W 28TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.058 mi.
307 ft. **Site 7 of 15 in cluster G**

Relative: NJ MANIFEST:
Higher

Actual:
13 ft.

EPA Id:	NYP004821340
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	002612094GBF
EPA ID:	NYP004821340
Date Shipped:	8/10/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported

CON EDISON (Continued) **S120675231**

Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

M56 **BRAUNFIELD TRANSMISSIONS** **EDR Hist Auto** **1021892714**
West **286 11TH AVE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.059 mi.
312 ft. **Site 1 of 22 in cluster M**

Relative: EDR Hist Auto
Lower

Actual:
11 ft.

Year:	Name:	Type:
2005	BRAUNFIELD TRANSMISSIONS	Automotive Transmission Repair Shops
2006	BRAUNFIELD TRANSMISSIONS	Automotive Transmission Repair Shops
2007	BRAUNFIELD TRANSMISSIONS	Automotive Transmission Repair Shops
2008	BRAUNFIELD TRANSMISSIONS	Automotive Transmission Repair Shops

---

H57 **LOT 42,TAXBLOCK 700** **NY E DESIGNATION** **S108076945**
ESE **512 WEST 29 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.059 mi.
314 ft. **Site 3 of 4 in cluster H**

Relative: E DESIGNATION:
Higher

Actual:
15 ft.

Tax Lot(s):	42
Tax Block:	700
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date:	Not reported

LOT 42,TAXBLOCK 700 (Continued) **S108076945**

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

H58 **LOT 24,TAXBLOCK 701** **NY E DESIGNATION** **S108076891**
East **517 WEST 29 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.060 mi.
315 ft. **Site 4 of 4 in cluster H**

Relative: **Higher**
Actual: **16 ft.**

E DESIGNATION:
Tax Lot(s): 24
Tax Block: 701
Borough Code: Not reported
E-No: E-142
Effective Date: 6/23/2005
Satisfaction Date: Not reported
Ceqr Number: 03DCP069M
Ulurp Number: 050161 ZRM
Zoning Map No: 8b

Description: Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date: Not reported

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

K59 **CON EDISON** **NY MANIFEST** **S119073471**
NW **W 29TH ST & 11TH AVE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.060 mi.
319 ft. **Site 2 of 12 in cluster K**

Relative: **Lower**
Actual: **12 ft.**

NY MANIFEST:
Country: USA
EPA ID: NYP004281192
Facility Status: Not reported
Location Address 1: OPP 536 W 29TH ST & 11TH AVE
Code: BP
Location Address 2: SERV BOX 5417
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004281192
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported

CON EDISON (Continued) **S119073471**

Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	02/28/2013
Trans1 Recv Date:	02/28/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/04/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004281192
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010708146JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

CON EDISON (Continued) **S119073471**

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

K60 **CON EDISON SERVICE BOX: 5428** **NJ MANIFEST** **S120665933**
NW **W 29TH & 11TH AVE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.060 mi.
319 ft. **Site 3 of 12 in cluster K**

Relative:
Lower

Actual:
12 ft.

NJ MANIFEST:

EPA Id:	NYP004279477
Mail Address:	Not reported
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	JOSE MONTALVO
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	001674609GBF
EPA ID:	NYP004279477
Date Shipped:	12/4/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported

CON EDISON SERVICE BOX: 5428 (Continued) **S120665933**

Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	150.00 gallons

K61 **CON EDISON SERVICE BOX: 5428** **RCRA NonGen / NLR** **1016149284**
NW **529 W 29TH ST & 11TH AVE E OF** **FINDS** **NYP004279477**
< 1/8 **NEW YORK, NY 10001** **ECHO**
0.060 mi. **NY MANIFEST**
319 ft. **Site 4 of 12 in cluster K**

Relative:
Lower

Actual:
12 ft.

RCRA NonGen / NLR:

Date form received by agency:	03/26/2013
Facility name:	CON EDISON SERVICE BOX: 5428
Facility address:	529 W 29TH ST & 11TH AVE E OF SB 5428 NEW YORK, NY 10001
EPA ID:	NYP004279477
Contact:	JOSE MONTALVO
Contact address:	Not reported Not reported
Contact country:	US
Contact telephone:	212-427-1331
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No

CON EDISON SERVICE BOX: 5428 (Continued) **1016149284**

Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 02/26/2013
Site name: CON EDISON SERVICE BOX: 5428
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110055468630

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1016149284
Registry ID: 110055468630
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110055468630

NY MANIFEST:
Country: USA
EPA ID: NYP004279477
Facility Status: Not reported
Location Address 1: F/O 529 W29ST E/O 11TH AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004279477
Mailing Name: CONED
Mailing Contact: CONED
Mailing Address 1: 4 IRVING PLACE
Mailing Address 2: ROOM 818
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

CON EDISON SERVICE BOX: 5428 (Continued) **1016149284**

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	02/26/2013
Trans1 Recv Date:	02/26/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/26/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004279477
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010708039JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

K62 **11TH AVE & W 29TH ST** **NY Spills** **S103483483**
NW **11TH AVE & W 29TH ST** **N/A**
< 1/8 **MANHATTAN, NY**
0.060 mi.
319 ft. **Site 5 of 12 in cluster K**

Relative: **Lower**

Actual: **12 ft.**

SPILLS:

Facility ID:	9113336
Facility Type:	ER
Spill Number:	9113336
DER Facility ID:	132171
Site ID:	156154
DEC Region:	2
Closed Date:	Not reported
Spill Cause:	Equipment Failure
Spill Class:	B3
SWIS:	3101
Spill Date:	1991-08-16
Investigator:	VXBREVDO
Referred To:	Not reported
Reported to Dept:	1995-05-04
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	1
Date Entered In Computer:	Not reported
Spill Record Last Update:	2016-11-02
Spiller Name:	Not reported
Spiller Company:	CON ED
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	Not reported
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL APPENDIX B SITE NO. 78. 1/5/16 - based on meeting among Con Edison and DEC Region 2 management, Con Edison agreed it would revise the SIWP without getting specific comments but rather would use the general agreements reached for scoping such investigations; this was further discussed at meeting with Con Edison on 11/10/15; received email from Barry Cohen, Con Edison, on 11/24 requesting review of the spills included in the draft work plan and whether the Department believed there were any other open spills which should be included in the SIWP. The spills were reviewed along with review through the Department's records. Replied by email 12/2 that no additional spills were found to be included. (JOC) 10/26/2016 - V. Brevdo Due to Project Manager Joe O'Connell's promotion to the DMM, and per discussions between Chiefs of Spill Prevention and Response and Remediation Section B, this spill case is re-assigned to Remediation Section B. VB "
Remarks:	"Reported by Con Ed as required under Consent Order."

All Materials:

Site ID:	156154
Operable Unit ID:	964096
Operable Unit:	01

11TH AVE & W 29TH ST (Continued) **S103483483**

Material ID:	414845
Material Code:	0541A
Material Name:	dielectric fluid
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	9000.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

K63 **SPILL NUMBER 0204281** **NY Spills** **S106005906**
NW **W 29TH ST & 11TH AV** **N/A**
< 1/8 **MANHATTAN, NY**
0.060 mi.
319 ft. **Site 6 of 12 in cluster K**

Relative: SPILLS:
Lower

Actual: Facility ID:	0204281
12 ft. Facility Type:	ER
Spill Number:	0204281
DER Facility ID:	93391
Site ID:	105907
DEC Region:	2
Closed Date:	2004-09-24
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2002-07-24
Investigator:	KMFOLEY
Referred To:	Not reported
Reported to Dept:	2002-07-24
CID:	365
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Affected Persons
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2002-07-24
Spill Record Last Update:	2004-09-24
Spiller Name:	Not reported
Spiller Company:	THIRD PARTY
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	Not reported
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was FOLEY Con Ed e2mis #144136: @11:00 hrs A.Morales #50608 vvir.supv flush dept reported that private vehicle leak 2 qt of untreated water on street at w.29 st flush pit while loading debris from flush pit at 10:40 hrs. Contractor name R.P.Blair Corp. No sample taken. Cleanup in progress at this time UPDATE: @11:45 HRS Cleanup was completed at 11:43 hrs. Reported by A.Morales #50608 evir supv. "
Remarks:	"leaking seal on a contractors truck - 2 quarts of untreated water from a flush pit - all cleaned up - ref #144136"

SPILL NUMBER 0204281 (Continued) **S106005906**

All Materials:

Site ID:	105907
Operable Unit ID:	857073
Operable Unit:	01
Material ID:	518537
Material Code:	0064A
Material Name:	unknown material
Case No.:	Not reported
Material FA:	Other
Quantity:	1.00
Units:	G
Recovered:	1.00
Oxygenate:	Not reported

J64 **550 WEST 30TH STREET** **NY LTANKS** **S104619635**
NNE **550 WEST 30TH STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.061 mi.
321 ft. **Site 3 of 6 in cluster J**

Relative: **Higher**
Actual: **15 ft.**

LTANKS:

Facility ID:	0303799
Site ID:	178934
Closed Date:	2003-09-02
Spill Number:	0303799
Spill Date:	2003-07-10
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	SMSANGES
Referred To:	Not reported
Reported to Dept:	2003-07-10
CID:	405
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2003-07-10
Spill Record Last Update:	2003-09-02
Spiller Name:	FRAN GOLDNED
Spiller Company:	MIDTOWN NEON SIGN
Spiller Address:	550 WEST 30TH ST
Spiller County:	001
Spiller Contact:	FRAN GOLDNED
Spiller Phone:	(212) 699-8908
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	150199
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SANGESLAND Sangesland DDO TTF letter sent to: Ms Fran Goldned Matthew Adam Properties 127 East 59th St New York, NY 10022 8/28/2003 PTC

550 WEST 30TH STREET (Continued) **S104619635**

submitted soil boring results and a short writeup. DEC sent back a letter requesting test results compared to TAGM and justification for exceeding limits. 9/2/2003 PTC resubmitted their letter with the TAGM comparison information added. Results are just slightly above the standard and are consistent with old coal ash fill material. Spill Closed"

Remarks: "uncover repair and retest"

All Materials:

Site ID:	178934
Operable Unit ID:	872058
Operable Unit:	01
Material ID:	504656
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	9805607
Site ID:	81855
Closed Date:	2005-10-26
Spill Number:	9805607
Spill Date:	1998-08-05
Spill Cause:	Tank Test Failure
Spill Source:	Private Dwelling
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	JBMCCULL
Referred To:	Not reported
Reported to Dept:	1998-08-05
CID:	266
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1998-08-05
Spill Record Last Update:	2005-10-27
Spiller Name:	BARBARA
Spiller Company:	TARANTO & ASSOCIATES
Spiller Address:	267 5TH AVENUE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	75604
DEC Memo:	"According to the NYSDEC records, on August 5, 1998, the on-site 2,000 gallon UST failed a tank tightness test and was issued Spill #98-05607. After review of information received from the client, it

550 WEST 30TH STREET (Continued) **S104619635**

has been determined that after the UST failed tank tightness testing, the UST was cleaned, sandblasted, and relined with an epoxy lining, and the associated piping was replaced in September 1998. On July 10, 2003, the 2,000 gallon UST failed a tank tightness test wasissued Spill #03-03799. It appears that soil borings were performed to determine the extent of the UST leak/spill. Upon reviewing data received from the NYSDEC Spills Database, the NYSDEC notes section determined the soils were slightly above TAGM guidelines due to levels consistent with old coal ash fill materials and was granted closure status on September 2, 2003. The UST was emptied and taken out of service, and an 1,080 gallon steel registered AST was installed in a small cellar area near the north bay door area. On September 28, 2005, EnviroTrac contacted the NYSDEC regarding Spill #98-05607 to determine what isneeded to close the Spill. It was determined that since Spill #98-05607 was prior to Spill #03-03799 which is closed , and was the same tank and area, it should be closed as well. "

Remarks: "TANK TO BE EVACUATED, CLEANED, AND LINES TO BE TESTED."

All TTF:

Facility ID:	9805607
Spill Number:	9805607
Spill Tank Test:	1546129
Site ID:	81855
Tank Number:	1
Tank Size:	2000
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	03
Test Method 2:	Horner EZ Check I or II
Leak Rate:	.00
Gross Fail:	F
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	81855
Operable Unit ID:	1063374
Operable Unit:	01
Material ID:	320350
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

J65 **550 WEST 30TH STREET** **NY UST** **U004077943**
NNE **550 WEST 30TH STREET** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.061 mi.
321 ft. **Site 4 of 6 in cluster J**

Relative:
Higher

Actual:
15 ft.

UST:

Id/Status:	2-289728 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	584229.51600
UTM Y:	4511779.21098
Site Type:	Manufacturing (Other than Chemical)/Processing

Affiliation Records:

Site Id:	13059
Affiliation Type:	Facility Owner
Company Name:	MATTHEW ADAMS
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	127 E. 59TH ST.
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 699-8900
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	13059
Affiliation Type:	Mail Contact
Company Name:	MATTHEW ADAMS
Contact Type:	Not reported
Contact Name:	FRAN GOLDEN
Address1:	127 EAST 59TH STREET
Address2:	3RD FLOOR
City:	NEW YORK
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 699-8908
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	13059
Affiliation Type:	Facility Operator
Company Name:	550 WEST 30TH STREET
Contact Type:	Not reported
Contact Name:	OMAR PALJEVIC
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

550 WEST 30TH STREET (Continued) **U004077943**

Zip Code:	Not reported
Country Code:	001
Phone:	(212) 243-4000
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	13059
Affiliation Type:	Emergency Contact
Company Name:	MATTHEW ADAMS
Contact Type:	Not reported
Contact Name:	FRAN GOLDEN
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 699-8908
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank ID:	18912
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	3000
Install Date:	Not reported
Date Tank Closed:	10/01/2003
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Tightness Test Method:	03
Date Test:	09/01/1998
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating

550 WEST 30TH STREET (Continued) **U004077943**

I05 - Overfill - Vent Whistle

J66 **MIDTOWN NEON SIGN CORP** **RCRA-CESQG** **1001961559**
NNE **550 W 30TH ST** **FINDS** **NYR000083519**
< 1/8 **NEW YORK, NY 10001** **NJ MANIFEST**
0.061 mi. **NY MANIFEST**
321 ft. **Site 5 of 6 in cluster J**

Relative: Higher
Actual: 15 ft.

RCRA-CESQG:

Date form received by agency:	01/01/2007
Facility name:	BUILDING BLOCK THE
Facility address:	550 W 30TH ST NEW YORK, NY 10001-1399
EPA ID:	NYR000083519
Mailing address:	W 30TH ST NEW YORK, NY 10001-1399
Contact:	NOAH BLOCK
Contact address:	W 30TH ST NEW YORK, NY 10001-1399
Contact country:	US
Contact telephone:	212-714-9333
Contact email:	Not reported
EPA Region:	02
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name:	BEAUVAIS REALTY C-O RJ BERNSTEIN
Owner/operator address:	666 5TH AVE NEW YORK, NY 10103
Owner/operator country:	US
Owner/operator telephone:	212-757-5531
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	BEAUVAIS REALTY C-O RJ BERNSTEIN
Owner/operator address:	666 5TH AVE NEW YORK, NY 10103
Owner/operator country:	US

MIDTOWN NEON SIGN CORP (Continued) **1001961559**

Owner/operator telephone: 212-757-5531
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: BUILDING BLOCK THE
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 01/07/2000
Site name: BUILDING BLOCK THE
Classification: Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

Violation Status: No violations found

FINDS:

Registry ID: 110019429162

Environmental Interest/Information System
FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

NJ MANIFEST:
EPA Id: NYR000083519
Mail Address: 550 WEST 30TH STREET

MIDTOWN NEON SIGN CORP (Continued) **1001961559**

Mail City/State/Zip:	NEW YORK 10001
Facility Phone:	2127149333
Emergency Phone:	Not reported
Contact:	NOAH BLOCK
Comments:	Not reported
SIC Code:	Not reported
County:	00
Municipal:	00
Previous EPA Id:	Not reported
Gen Flag:	X
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	NJA5032661
EPA ID:	NYR000083519
Date Shipped:	01/20/2005
TSDF EPA ID:	NJD002454544
Transporter EPA ID:	NYD064748304
Transporter 2 EPA ID:	NJD002454544
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	01/20/2005
Date Trans2 Transported Waste:	01/21/2005
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	01/21/2005
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	04120525
Was Load Rejected:	NEW YORK 10001
Reason Load Was Rejected:	Not reported

MIDTOWN NEON SIGN CORP (Continued) **1001961559**

NY MANIFEST:

Country:	USA
EPA ID:	NYR000083519
Facility Status:	Not reported
Location Address 1:	550 W 30TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000083519
Mailing Name:	BUILDING BLOCK
Mailing Contact:	BOB SHERMAN
Mailing Address 1:	550 W 30TH ST
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10001
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	NJA5032661
Manifest Status:	Not reported
seq:	Not reported
Year:	2005
Trans1 State ID:	NYD064748304
Trans2 State ID:	NJD002454544
Generator Ship Date:	01/20/2005
Trans1 Recv Date:	01/20/2005
Trans2 Recv Date:	01/21/2005
TSD Site Recv Date:	01/21/2005
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000083519
Trans1 EPA ID:	26676JENY
Trans2 EPA ID:	2809
TSDF ID 1:	NJD002454544
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	F003 - UNKNOWN

MIDTOWN NEON SIGN CORP (Continued) **1001961559**

Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	02100
Units:	P - Pounds
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

J67 **550 WEST 30TH STREET** **NY AST** **A100292521**
NNE **550 WEST 30TH STREET** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.061 mi.
321 ft. **Site 6 of 6 in cluster J**

Relative:
Higher

Actual:
15 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-289728
Program Type:	PBS
UTM X:	584229.51600
UTM Y:	4511779.21098
Expiration Date:	N/A
Site Type:	Manufacturing (Other than Chemical)/Processing

Affiliation Records:

Site Id:	13059
Affiliation Type:	Facility Owner
Company Name:	MATTHEW ADAMS
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	127 E. 59TH ST.
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 699-8900
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	13059
Affiliation Type:	Mail Contact
Company Name:	MATTHEW ADAMS
Contact Type:	Not reported
Contact Name:	FRAN GOLDEN
Address1:	127 EAST 59TH STREET
Address2:	3RD FLOOR

550 WEST 30TH STREET (Continued) **A100292521**

City:	NEW YORK
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 699-8908
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	13059
Affiliation Type:	Facility Operator
Company Name:	550 WEST 30TH STREET
Contact Type:	Not reported
Contact Name:	OMAR PALJEVIC
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 243-4000
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	13059
Affiliation Type:	Emergency Contact
Company Name:	MATTHEW ADAMS
Contact Type:	Not reported
Contact Name:	FRAN GOLDEN
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 699-8908
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	002
Tank Id:	67164
Material Code:	0009
Common Name of Substance:	Gasoline

Equipment Records:

J02 - Dispenser - Suction Dispenser
C01 - Pipe Location - Aboveground
G05 - Tank Secondary Containment - Synthetic Liner
I04 - Overfill - Product Level Gauge (A/G)

550 WEST 30TH STREET (Continued) **A100292521**

G03 - Tank Secondary Containment - Vault (w/o access)
F02 - Pipe External Protection - Original Sacrificial Anode
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
I05 - Overfill - Vent Whistle

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	10/03/2003
Capacity Gallons:	1080
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	TRANSLAT
Last Modified:	04/14/2017
Material Name:	gasoline

N68 **CON EDISON - VAULT SUBMERSIBLE VS43502** **NY MANIFEST** **S120958815**
NE **540 W 30 ST** **N/A**
< 1/8 **MANHATTAN, NY 10001**
0.062 mi.
326 ft. **Site 1 of 4 in cluster N**

Relative:
Higher

Actual:
15 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004967206
Facility Status:	Not reported
Location Address 1:	540 W 30 ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	MANHATTAN
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004967206
Mailing Name:	CON EDISON - VAULT SUBMERSIBLE VS43502
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL 15TH FL NE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

N69 **CON EDISON** **RCRA NonGen / NLR** **1019325503**
NE **540 W 30 ST** **NYP004832537**
< 1/8 **NEW YORK, NY 10001**
0.062 mi.
326 ft. **Site 2 of 4 in cluster N**

Relative:
Higher

Actual:
15 ft.

RCRA NonGen / NLR:

Date form received by agency:	02/26/2016
Facility name:	CON EDISON
Site name:	CON EDISON - MANHOLE 5632
Facility address:	540 W 30 ST NEW YORK, NY 10001
EPA ID:	NYP004832537
Mailing address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact:	THERESA BURKARD
Contact address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact country:	US
Contact telephone:	212-460-2262
Contact email:	BURKARDT@CONED.COM
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PLACE NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	08/31/2015
Owner/Op end date:	Not reported

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PLACE NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	08/31/2015
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No

CON EDISON (Continued) **1019325503**

Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
Date form received by agency: 08/31/2015
Site name: CON EDISON
Classification: Not a generator, verified

Date form received by agency: 08/31/2015
Site name: CON EDISON
Classification: Large Quantity Generator

Biennial Reports:

Last Biennial Reporting Year: 2017

Annual Waste Handled:
Waste code: D008
Waste name: LEAD
Amount (Lbs): 3000

Violation Status: No violations found

N70 **CON EDISON** **NJ MANIFEST** **S120676161**
NE **540 W 30 ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.062 mi.
326 ft. **Site 3 of 4 in cluster N**

Relative:
Higher

Actual:
15 ft.

NJ MANIFEST:
EPA Id: NYP004832537
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THERESA BURKARD
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

CON EDISON (Continued) **S120676161**

Manifest:

Manifest Number:	002612842GBF
EPA ID:	NYP004832537
Date Shipped:	8/31/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

N71 **CON ED** **NY MANIFEST** **S118563494**
NE **540 W 30TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.062 mi.
326 ft. **Site 4 of 4 in cluster N**

Relative:
Higher

Actual:
15 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004832537
Facility Status:	Not reported
Location Address 1:	540 W 30 ST
Code:	BP
Location Address 2:	Not reported

CON ED (Continued) **S118563494**

Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004832537
Mailing Name: CON ED
Mailing Contact: THERESA BURKARD
Mailing Address 1: 4 IRVING PL 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602262

K72 **CON EDISON MANHOLE: 5418** **RCRA NonGen / NLR** **1016149545**
NW **W 29TH & 11TH AVE MH 5418** **FINDS** **NYP004282109**
< 1/8 **NEW YORK, NY 10001** **ECHO**
0.063 mi. **NY MANIFEST**
334 ft. **Site 7 of 12 in cluster K**

Relative:
Lower

Actual:
12 ft.

RCRA NonGen / NLR:
Date form received by agency: 03/28/2013
Facility name: CON EDISON MANHOLE: 5418
Facility address: W 29TH & 11TH AVE MH 5418
NEW YORK, NY 10001
EPA ID: NYP004282109
Contact: JOSE MONTALVO
Contact address: Not reported
Not reported
Contact country: US
Contact telephone: 212-427-1331
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

CON EDISON MANHOLE: 5418 (Continued) **1016149545**

Historical Generators:
Date form received by agency: 02/28/2013
Site name: CON EDISON MANHOLE: 5418
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110055459374

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1016149545
Registry ID: 110055459374
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110055459374

NY MANIFEST:
Country: USA
EPA ID: NYP004282109
Facility Status: Not reported
Location Address 1: FO 529 W 29TH ST & 11TH AVE
Code: BP
Location Address 2: MH # 5418
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004282109
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported

CON EDISON MANHOLE: 5418 (Continued) **1016149545**

Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	02/28/2013
Trans1 Recv Date:	02/28/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/04/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004282109
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010708149JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

K73 **CON EDISON MANHOLE: 5412** **RCRA NonGen / NLR** **1017779091**
NW **W 29TH ST & 11TH AVE 280 FEET** **FINDS** **NYP004570602**
< 1/8 **NEW YORK, NY 10001**
0.063 mi.
334 ft. **Site 8 of 12 in cluster K**

Relative:
Lower

Actual:
12 ft.

RCRA NonGen / NLR:

Date form received by agency:	07/19/2014
Facility name:	CON EDISON MANHOLE: 5412
Facility address:	W 29TH ST & 11TH AVE 280 FEET W OF NEW YORK, NY 10001
EPA ID:	NYP004570602
Mailing address:	IRVING PL, 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	06/19/2014
Site name:	CON EDISON
Classification:	Conditionally Exempt Small Quantity Generator

Date form received by agency:	06/19/2014
Site name:	CON EDISON
Classification:	Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110063832072

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource

CON EDISON MANHOLE: 5412 (Continued) **1017779091**

Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

K74 **CON EDISON SERVICE BOX: 5417** **RCRA NonGen / NLR** **1016149456**
NW **W 29TH ST & 11TH AVE SB 5417** **FINDS** **NYP004281192**
< 1/8 **NEW YORK, NY 10001**
0.063 mi.
334 ft. **Site 9 of 12 in cluster K**

Relative:
Lower

Actual:
12 ft.

RCRA NonGen / NLR:

Date form received by agency:	03/28/2013
Facility name:	CON EDISON SERVICE BOX: 5417
Facility address:	W 29TH ST & 11TH AVE SB 5417 NEW YORK, NY 10001
EPA ID:	NYP004281192
Contact:	JOSE MONTALVO
Contact address:	Not reported Not reported
Contact country:	US
Contact telephone:	212-427-1331
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	02/28/2013
Site name:	CON EDISON SERVICE BOX: 5417
Classification:	Conditionally Exempt Small Quantity Generator
Violation Status:	No violations found

FINDS:

CON EDISON SERVICE BOX: 5417 (Continued) **1016149456**

Registry ID: 110055457134

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

O75 **MARINERS GATE, LLC** **NY AST** **U004078630**
SW **547 WEST 27TH STREET** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.064 mi.
336 ft. **Site 1 of 5 in cluster O**

Relative:
Lower

Actual:
10 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-610259
Program Type:	PBS
UTM X:	584094.41514
UTM Y:	4511583.43147
Expiration Date:	N/A
Site Type:	Other

Affiliation Records:

Site Id:	365743
Affiliation Type:	Facility Owner
Company Name:	MARINERS GATE, LLC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	547 W. 27TH STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 279-5600
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2008-01-29

Site Id:	365743
Affiliation Type:	Mail Contact
Company Name:	PINETREE GROUP, LLC
Contact Type:	Not reported
Contact Name:	JIM PASTREICH
Address1:	547 WEST 27TH STREET
Address2:	Not reported
City:	NEW YORK
State:	NY

MARINERS GATE, LLC (Continued) **U004078630**

Zip Code: 10001
Country Code: 001
Phone: (212) 279-5600
EMail: JIM@PINETREEGROUP.COM
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2008-01-29

Site Id: 365743
Affiliation Type: Facility Operator
Company Name: MARINERS GATE, LLC
Contact Type: Not reported
Contact Name: HERIBERTO DE JESUS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 283-1935
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2008-01-29

Site Id: 365743
Affiliation Type: Emergency Contact
Company Name: MARINERS GATE, LLC
Contact Type: Not reported
Contact Name: JIM PASTREICH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 279-5600
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2006-06-21

Tank Info:

Tank Number: 001
Tank Id: 212333
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

L00 - Piping Leak Detection - None
D02 - Pipe Type - Galvanized Steel
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
J00 - Dispenser - None

MARINERS GATE, LLC (Continued) **U004078630**

A00 - Tank Internal Protection - None
K00 - Spill Prevention - None
C03 - Pipe Location - Aboveground/Underground Combination
F06 - Pipe External Protection - Wrapped
G00 - Tank Secondary Containment - None
B05 - Tank External Protection - Jacketed

Tank Location:	6
Tank Type:	Steel Tank in Concrete
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	7000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	09/24/2007
Register:	True
Modified By:	NRLOMBAR
Last Modified:	04/14/2017
Material Name:	#6 fuel oil (on-site consumption)

O76 **ADMIRAL ENGRAVING & ETCHING LTD** **NY Spills** **1000261079**
SW **547 W 27TH ST** **RCRA NonGen / NLR** **NYD982738916**
< 1/8 **NEW YORK, NY 10001** **FINDS**
0.064 mi. **ECHO**
336 ft. **Site 2 of 5 in cluster O** **NY MANIFEST**

Relative:
Lower

Actual:
10 ft.

SPILLS:

Facility ID:	0601544
Facility Type:	ER
Spill Number:	0601544
DER Facility ID:	313995
Site ID:	363806
DEC Region:	2
Closed Date:	2007-09-24
Spill Cause:	Other
Spill Class:	C4
SWIS:	3101
Spill Date:	2006-05-11
Investigator:	rmpiper
Referred To:	Not reported
Reported to Dept:	2006-05-11
CID:	444
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2006-05-11
Spill Record Last Update:	2007-09-24
Spiller Name:	MARK SALAMACK
Spiller Company:	APARTMENT
Spiller Address:	547 WEST 27TH STREET
Spiller Company:	001

ADMIRAL ENGRAVING & ETCHING LTD (Continued) **1000261079**

Contact Name: MARK SALAMACK
DEC Memo: "5/12/2006 Sangesland spoke with Joe Ostrowski at PTC about this site. He said the tank is in a tank room and began to leak. The owner hired PTC to ONLY vac out the tank. Joe says approx. 25-30 gal of #6 oil remains under the tank along with oil soaked debris. Unknown who is doing the cleanup. Property Shark says the building has several alternate addresses: a/k/a 548-552 West 28th St & 547-553 West 27th St NO PBS records found for any of these addresses.... Probably in PBS Violation Property Shark Owner: Mariners Gate, LLC 548 West 28th St, NY, NY 11101 Property manager- Jim Pastreich, Pinetree Group 212-279-5600 Sangesland spoke to Mr. Pastreich's secretary. He'll call back. 5/12/06- DEC Piper responded to site. Oil soaked debris remains under tank. Tank was emptied and cleaned yesterday. Seam in tank was cracked. DEC Piper instructed Jim of Pinetree to contract cleanup co. ECO Kurt Bush responded to site and issued ticket for un registered tank. PTC issued proposal. PTC to cleanup on Monday and investigate presence of oil b/w tank and vault. 5/16/06- DEC Piper spoke w/ PTC. As per conversation, there is oil between the tank and the vault. A hole drilled through the vault revealed product. Piper issued CSL. 5/19/06- DEC Piper spoke w/ Jim. As per conversation, soil contamination removed. Repairs will be made to tank and retested. Jim did not mention contaminated material b/w tnak and vault as PTC described to DEC earlier. Jim will contract out another concractor as PTC services were not rendered/ nor wanted. Piper faxed list of contractors to Jim. This work needs to be completed. 10/4/06- DEC Piper left message for Jip P to call back w/ update and documentation. Piper searched PBS and the tank is now registered. 4/27/07- DEC Piper has not recieved any info on cleanup or repairs. Additionally, the PBS reg is expired. Referred to PBS for inspection. 9/24/07- DECP iper recieved disposal mainfests from work performed in 9/ 2006. Soil samples were recently collected. No VOC's over TAGM though there are a few SVOC's over. The tank has been repaired. PBS violations exist and has was referred to legal. This spill is closed. See edocs if warranted."
Remarks: "TANK IS LEAKING AND STILL INVESTIGATING CAUSE: IN PROCESS OF CLEANING AND IS IN A ENCLOSED TANK ROOM"

All Materials:
Site ID: 363806
Operable Unit ID: 1121862
Operable Unit: 01
Material ID: 2111344
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: G
Recovered: .00
Oxygenate: Not reported

RCRA NonGen / NLR:
Date form received by agency: 01/01/2007
Facility name: ADMIRAL ENGRAVING & ETCHING LTD
Facility address: 547 W 27TH ST
NEW YORK, NY 10001

ADMIRAL ENGRAVING & ETCHING LTD (Continued) **1000261079**

EPA ID:	NYD982738916
Mailing address:	W 27TH ST NEW YORK, NY 10001
Contact:	Not reported
Contact address:	W 27TH ST NEW YORK, NY 10001
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Land type:	Facility is not located on Indian land. Additional information is not known.
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	UNKNOWN
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	212-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	UNKNOWN
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	212-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No

ADMIRAL ENGRAVING & ETCHING LTD (Continued) **1000261079**

Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: ADMIRAL ENGRAVING & ETCHING LTD
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Site name: ADMIRAL ENGRAVING & ETCHING LTD
Classification: Not a generator, verified

Date form received by agency: 07/19/1989
Site name: ADMIRAL ENGRAVING & ETCHING LTD
Classification: Large Quantity Generator

. Waste code: NONE
. Waste name: None

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 06/06/1996
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

Evaluation date: 10/13/1993
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA Contractor/Grantee

Evaluation date: 08/17/1993
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA Contractor/Grantee

FINDS:

Registry ID: 110004430964

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

ADMIRAL ENGRAVING & ETCHING LTD (Continued) **1000261079**

Envid:	1000261079
Registry ID:	110004430964
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004430964

NY MANIFEST:

Country:	USA
EPA ID:	NYD982738916
Facility Status:	Not reported
Location Address 1:	547 WEST 27TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD982738916
Mailing Name:	B M W MANHATTAN
Mailing Contact:	B M W MANHATTAN
Mailing Address 1:	547 WEST 27TH ST
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10001
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2122686700

NY MANIFEST:

Document ID:	NJA2522139
Manifest Status:	C
seq:	Not reported
Year:	1996
Trans1 State ID:	08690
Trans2 State ID:	Not reported
Generator Ship Date:	07/29/1996
Trans1 Recv Date:	07/29/1996
Trans2 Recv Date:	/ /
TSD Site Recv Date:	07/30/1996
Part A Recv Date:	/ /
Part B Recv Date:	08/13/1996
Generator EPA ID:	NYD982738916
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD000768093
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported

ADMIRAL ENGRAVING & ETCHING LTD (Continued) **1000261079**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00005
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Waste Code:	D039 - TETRACHLOROETHYLENE 0.73 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00045
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access
54 additional NY_MANIFEST: record(s) in the EDR Site Report.

O77 **LOT 5,TAXBLOCK 699** **NY E DESIGNATION** **S108076961**
SW **547 WEST 27 STREET** **N/A**
< 1/8 **MANHATTAN, NY 10001**
0.064 mi.
336 ft. **Site 3 of 5 in cluster O**

Relative: **Lower**
Actual: **10 ft.**

E DESIGNATION:

Tax Lot(s):	5
Tax Block:	699
Borough Code:	MN
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date:	Not reported
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported
Description:	Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

O78 **PINETREE GROUP INC** **NY AST** **U003389724**
SW **548 W 28TH STREET** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.064 mi.
336 ft. **Site 4 of 5 in cluster O**

Relative:
Lower

Actual:
10 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-249572
Program Type:	PBS
UTM X:	584102.82159
UTM Y:	4511580.72360
Expiration Date:	N/A
Site Type:	Other

Affiliation Records:

Site Id:	9920
Affiliation Type:	Facility Owner
Company Name:	WEST 125TH STREET ASSOCIATES LLC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	548 WEST 28TH STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 279-5600
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	9920
Affiliation Type:	Mail Contact
Company Name:	PINETREE GROUP INC
Contact Type:	Not reported
Contact Name:	JIM PASTREICH
Address1:	548 WEST 28TH STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 279-5600
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	9920
Affiliation Type:	Facility Operator
Company Name:	PINETREE GROUP INC
Contact Type:	Not reported
Contact Name:	HERBERTO "AL" DEJESUS
Address1:	Not reported
Address2:	Not reported
City:	Not reported

PINETREE GROUP INC (Continued) **U003389724**

State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 279-5600
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	9920
Affiliation Type:	Emergency Contact
Company Name:	WEST 125TH STREET ASSOCIATES LLC
Contact Type:	Not reported
Contact Name:	HERBERTO "AL" DEJESUS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 279-5600
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank Id:	17434
Material Code:	0003
Common Name of Substance:	#6 Fuel Oil (On-Site Consumption)

Equipment Records:

G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
I05 - Overfill - Vent Whistle
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	7000
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	08/25/2006
Register:	True

PINETREE GROUP INC (Continued) **U003389724**

Modified By: LXZIELIN
Last Modified: 07/28/2017
Material Name: #6 fuel oil (on-site consumption)

L79 **AVALON WEST** **NY Spills** **S108636200**
West **282 11TH AVE** **N/A**
< 1/8 **NEW YORK CITY, NY**
0.064 mi.
339 ft. **Site 2 of 24 in cluster L**

Relative: **Lower**
Actual: **10 ft.**

SPILLS:

Facility ID:	0700587
Facility Type:	ER
Spill Number:	0700587
DER Facility ID:	329437
Site ID:	379949
DEC Region:	2
Closed Date:	2014-06-19
Spill Cause:	Unknown
Spill Class:	Not reported
SWIS:	3101
Spill Date:	2007-04-16
Investigator:	AAOBLIGA
Referred To:	POST REMEDIAL MONITORING
Reported to Dept:	2007-04-16
CID:	408
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2007-04-16
Spill Record Last Update:	2014-06-19
Spiller Name:	Not reported
Spiller Company:	NOT AVAILABLE
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	MOHAMAD AHMED
DEC Memo:	"04/17/07-Vought-Off hours responder. Vought called Carroll (212-675-3225 fax 212-675-3224) and soil boring was being performed for E designation. Unsure of tank size. DEP contact is Mohammed Ahmed (212-675-3225). Site is going to be mixed commercial and residential. Spill will be remdiated via excavation for building. Proposed development will include 400sq ft below grade parking spaces. No soil sample analyticals but strong gasoline odors and free phase product in soil. Sheen on groundwater in one boring. Groundwater depth at 11'. Dewatering will most likely take place and DEP sewer permit will be required. Report will submitted within two months. Buildings are still onsite. Carroll will call back Vought with current and former owner of USTs. Upon reception of owner information Vought will send out soil contamination letter with below requirements. DEC requires: 1)copies of everything 2)regular intermittent sampling of groundwater 3)moisture barrier or vapor barrier description 3)delineation soil and groundwater 4)updating of PBS registration to show that tanks are

AVALON WEST (Continued) **S108636200**

temporarily out of service 5)cc and call to DEP Ahmed. 8/3/07 - Austin - Transferred from Vought to Patel for further review and action - end 08/27/07-Hiralkumar Patel. visited site. site lot is divided into two different area. site area along 11th ave is occupied by parking lot and remaining half portion of site along W 28th Street is occupied by autobody shop. spoke with Moe (212-502-4236) at parking lot. he doesn't have any UST and doesn't have any knowledge of any tanks. spoke with Sam Garcia, owner of autobody shop who has sub-leased this property from Kaz Systems, Inc. as per Mr. Garcia, he is unaware of any underground tanks on-site. he is using two aboveground tanks for waste oil. Sam Garcia Complete Automotive Service Ph. (212) 691-0200 Fax 9212) 967-7383 Kaz Systems, Inc. 1683 Lexington Avenue, Suite # 101 New York, NY 10029 Ph. (212) 831-6905 Fax (212) 828-6373 spoke with Mr. Carroll. asked him to submit report and owner's information. found PBS record. PBS #: 2-350281. as per PBS record, site has eight 550 gal USTs, temporarily out of service. alternate site addresses: 282-292 11 AVe, 282-288 11 Ave, 298 11 Ave, 552 W 29 St, 553 W 28 ST, 560 W 29 St 09/05/07-Hiralkumar Patel. spoke with Mr. Carroll. he just got approval from his client to release the report. he will send report by end of this week. 09/11/07-Hiralkumar Patel. received email from Mr. Carroll containing copy of investigation report. he mentioned another spill # (0603351), which is assigned to DEC Tang in remediation, was reported as found groundwater contaminated during Phase II investigation in July 2006. ********** abstract of Phase II report, done in July 2006: - investigation done by Envirotrac - based on Phase I done in Dec. 2005, Envirotrac did Phase II - collected soil samples from six temporary boring locations and groundwater samples from three temporary boring locations - at each soil borings, continuous soil samples were collected from surface grade to maximum depth of approx. 12 ft bg less than ---------- (report doesn't include exact depth of each sample) - site has two UST fields: one consists 8 out-of-service USTs and another has 3 out-of-service USTs - all 11 tanks are 550 gal tanks - field screening shows site has fill material from grade to depth of 5 ft bg - found only Xylene (1,493 ppb) in GP-2 less than ---------- - found groundwater contaminated ----------GP-4--------GW-1 Ethylbenzene----------218 Xylene----------177 1,3,5-Trimethylbenzene---137 1,2,4-Trimethylbenzene---229 Naphthalene----------113 MTBE----------1,470 groundwater sample GP-4 was taken at 13 ft bg (groundwater table at 10 ft) and GP-5 was taken at 14 ft bg (groundwater table at 10 ft), both samples were taken deeper than water table. ********** abstract of investigation report, done in Sep. 2007: - Fleming-Lee Shue did investigation - site has e designation less than ---------- - site is currently developed with two parking lots and two buildings - both parking lots have aboveground hydraulic lift systems - a one-story building, located at the corner of 11th ave and 29th street, is used as an auto repair shop less than ---------- - another one-story building, located between two parking lots with an entrance on 28th street, is used for a combination of auto repair and finishing, including painting and detailing less than --------- - site would be developed as residential less than ---------- - based on topography and proximity to the Hudson river, anticipated groundwater flow is to the west - groundwater was observed to vary from 6 to 12.5 ft bg, with an average depth of approx. 10.25 ft bg - site has 11 550-gal gasoline USTs, all are out-of-service - eight 550

AVALON WEST (Continued) **S108636200**

gal gasoline tanks, which are located in northern portion of parking lot, are registered (PBS #: 2-350281) less than ---------- - three 550 gal gasoline tanks, which are located in southeatern portion of parking lot, are not registerd less than ---------- - soil samples were collected from total of 14 borings (SB-11 through SB-24) - groundwater samples were collected at 7 of 14 boring locations (SB-11,12,14,18,19,20 & 24) - soil borings were installed to depths ranging 12 to 16 ft bg - two soil samples were collected from each borings: one at the surface between grade and 2 ft bg and one based on field screening (highest PID or directly above groundwater interface or directly above depth of refusal) - most of the soil at the site is urban fill material, extending to depths ranging from 4 to 16 ft bg. fill consisted of mixtures of brick, concrete, ASH, cinders, wood and gravel in matrix of silty sand less than ---------- - found about four SVOC compounds in almost all soil samples (may be due to ash in fill material) - found xylene contamination (10,000 ppb) in soil sample from boring SB-16 at depth of 9-11 ft bg less than ---------- - found groundwater contaminated
----------SB-12------SB-14------SB-18-----SB-20------SB-24
Benzene----------110----------497
MTBE----------118--------228-----1,040
********** NO INVESTIGATION HAS DONE ALONG UNDERGROUND LINES ASSOCIATED WITH OUT-OF-SERVICE GASOLINE TANKS, AT DISPENSER ISLANDS AND AT OLD FILL PORTS less than ---------- spoke with Jeff at Envirotrac. asked him to submit Phase I report, done in Dec. 2005. also asked him to submit depth of soil samples taken during Phase II in July 2006. received phase I report. during Phase I, found 275 gal waste oil AST and parts washer was observed along the north side of the repair bay area. no staining or floor drains observed near waste oil AST or part washer area. less than ---------- left message for Roy Bernstein (212-757-5531), property owner. received call from Mr. Bernstein. he mentioned that he has leased this property to AvalonBay, who will develop a residential complex at site. Mr. Bernstein has hired Envirotrac and AvalonBay has hired Fleming-Lee Shue for environmental work. Valeray Real Estate Co, Inc. **property owner** C/O Roy J. Bernstein 666 5th Avenue, 14th Floor New York, NY 10103 Ph. (212) 757-5531 (O) (917) 667-2293 (C) Fax (212) 582-0176 email: royjbernstein@aol.com Jeff Bohlen **owner's consultant** EnviroTrac Ltd. Ph. (631) 924-3001 Fax (631) 924-5001 AvalonBay Communities, Inc. **future tenant** 275 7th Avenue, 25th Floor NY, NY 10001 Attn.: Tom Javits Ph. (212) 309-1601 Fax (212) 370-1415 Mohamed Ahmed **future tenant's consultant** Fleming-Lee Shue, Inc. Ph. (212) 675-3225 (O) (917) 612-6018 (C) Fax (212) 675-3224 email: Mohamed@flemingleeshue.com old spill #: 0603351 has closed and will be investigated under this case. less than ------- 09/13/07-Hiralkumar Patel. sent letter to Mr. Bernstein and Mr. Javits requiring complete soil/groundwater delineation around entire tank systems, surrounding area site map with locations of all tanks, dispenser islands, fill ports etc, registration of three USTs and one used oil AST, submission of RAP including monthly monitoring and quarterly sampling of groundwater (as construction will start around Sep. 08), endpoint samples, vapor barrier, possible SSDS and CAMP. letter faxed to Mr. Bernstein, Mr. Javits, Mr. Heath at DEP, Jeff and Mr. Ahmed. 09/14/07-Hiralkumar Patel. received message from Mr. Ahmed. left message for Mr. Ahmed. received call from Mr. Ahmed. he mentioned that delineation work has done. explain him that three out

AVALON WEST (Continued) **S108636200**

of four wells, where found groundwater contaminated, are located on property boundry and to define area of contamination, the department requires further delineation on-site as well as off-site. also the department requires delineation at fill ports, dispenser island and any other area of concern (hydraulic tank, drain etc.). he was mentioning that all this work will be done during construction at site. told Mr. Ahmed that investigation must be done, according to letter, in specified deadline. Mr. Ahmed wants to discuss further about sampling locations. he will send scaled site map with locations of all samples (current and previous), tanks, dispenser islands, remote fill ports, drains, hydraulic lifts etc. Mr. Ahmed will send site map next week. 09/27/07-Hiralkumar Patel. received email from Bill from Fleeming Lee Shue with proposed well locations. Mr. Ahmed proposed total of four wells on sidewalk (two on 11th ave, one on W 28th St and one on W 29th St). sent email with changes in proposed well locations. asked him to install wells in each area of concern (previous borings SB-12, SB-14, SB-18, SB-20 & SB-24), according to DER-10. also asked to include sampling points along old supply/return lines, fill lines, fill ports etc. asked Mr. Ahmed to submit work plan by Oct. 5, 2007. spoke with Mr. Ahmed. he mentioned that during development, entire site will be excavated down to 10 ft below water table, as part of sub-basement. 10/04/07-Hiralkumar Patel. received message from Mr. Ahmed. he has prepared work plan for further delineation and has sent to owner's consultant for review. he will send work plan by Tuesday 10/09/07. 10/09/07-Hiralkumar Patel. received work plan for groundwater delineation. will install six monitoring wells (three in each area of previous tanks) 10/16/07-Hiralkumar Patel. sent email to Mr. Ahmed with approval of submitted work plan. 11/21/07-Hiralkumar Patel. received message from Mr. Ahmed stating that they having some trouble getting access to property for well installation. spoke with Mr. Ahmed. they got permit to install well on sidewalk but having hard time getting access into site. asked him to provide tenant's contact info. 11/28/07-Hiralkumar Patel. received message from Mr. Ahmed. spoke with Mr. Ahmed. he asked to call Ali. spoke with Ali, tenant renting property from Mr. Bernstein. he is running parking lot in corner of 11th ave and W 28th street and has subleased corner at 11th ave and W 29th street to garage operator. Ali mentioned that he never used tanks which are in ground and didn't knew about it. as existing USTs belongs to site owner, Ali asked for compensation for a week as he need to close his business for week for monitoring well installation work. as Ali not getting any compensation, he refused access to site. Ali Yaghoubi **current tenant** Kaz Systems Inc. 1683 Lexington Avenue Suite # 101 New York, NY 10029 Ph. (212) 831-8300 (917) 217-4843 Fax (212) 828-6373 email: comprop3@aol.com Laurance Kalik **current tenant's attorney** Herzseld & Rubin Ph. (212) 471-8545 Fax (212) 232-6645 left message for Mr. Bernstein. received call from Mr. Berstein. he will talk to tenant and will schedule work. asked Mr. Bernstein to submit delineation report by Dec. 31, 2007. 12/05/07-Hiralkumar Patel. received call from Mr. Ahmed asking help getting access to site. also spoke with Roberta Gordos, attorney representing Avalon Bay. as per Ms. Gordos, Avalon Bay is now ground leasee and will do all required work. Ms. Gordos asked for help from the Department getting access to the site. Roberta Gordas **Avalon Bay's attorney** Ph. (212) 541-2076 discussed with DEC Urda. he spoke with Mr. Berstein. Mr. Berstein confirmed that Avalon Bay is ground leasee and now has right to enter. Urda will send letter to Mr. Yaghoubi.

AVALON WEST (Continued) **S108636200**

12/14/07-Hiralkumar Patel. DEC Urda sent letter to Ali requiring access to the site. 12/18/07-Hiralkumar Patel. received message from Jessica Tofi, attorney representing Mr. Yaghoubi. spoke with Jessica with DEC Urda. they are currently negotiating with property owner. she asked what needs to be done at site. explained her that without reviewing groundwater delineation report (as required), the department can't comment on possible remediation at site. asked her to submit groundwater delineation report by Jan. 15, 2008. Jessica Tofi **current tenant's attorney** Law office of Borah Goldstein PH. (212) 965-2614 (O) (646) 436-5996 (C) email: jtofi@borahgoldstein.com 12/19/07-Hiralkumar Patel. sent email to Ms. Tofi with copy of Phase I, Phase II and remedial investigation report. left message for Collista Nazaire at NYC DEP. asked her to provide project manager's information in DEP who is handling this e designated site. Collista Nazaire Ph. (718) 595-4401 Fax (718) 595-4479 email: cnazaire@dep.nyc.gov received call from Ms. Nazaire. she mentioned that DEP hasn't received any application for redevelopment, so not working on-site. sent email to Gary Heath with all available reports and copy of all correspondance, for their record, with information of all involved parties. 01/17/08-Hiralkumar Patel. spoke with Mr. Ahmed. currently owner and tenant are in court fighting for access. once access agreement get signed, Mr. Ahmed will apply for sidewalk permit and will submit work schedule. 02/08/08-Hiralkumar Patel. left message for Mr. Ahmed. received call from Mr. Ahmed. owner and tenant just reached an agreement and will sign agreement by end of Feb. 2008. Mr. Ahmed will do well installation after that in Mar. 2008. 03/06/08-Hiralkumar Patel. received message from Mr. Ahmed. they installed six monitoring wells at site. will do monitoring for free product. sent email to Mr. Ahmed. asked him for groundwater samples also alongwith soil samples during well installation. also asked for product sample, if found free product in any well. received call from Mr. Ahmed. he mentioned that as per their proposed work plan, they had only planned to monitor wells for any free product and not planned to collect any water samples. will monitor wells untill site remediation begins during proposed site development. after reviewing work plan, spoke with Mr. Ahmed. asked him to take one groundwater sample from each of upgradient well in two sets (one set in corner of 11th ave & W 28th st and second set in corner of 11th ave & W 29th st). Mr. Ahmed mentioned that after defining groundwater flow direction, will take water samples from upgradient wells. 03/31/08-Hiralkumar Patel. received well installation and gauging report. abstract: - six monitoring wells installed - soil sample with highest PID or just above water table were collected during each well installation - wells were installed to depths of between 16 to 18 ft bgs and were constructed with ten ft of 2 inch dia. PVC screen - during well installation, 10 ppm PID were observed in soil samples collected at 7 to 9 ft bgs - petroleum odors observed in soil samples collected at 7 to 9 ft bg - no free- phase product observed on groundwater surface in any well - will continue to monitor wells monthly for the presence and possible volume of free-phase product - will do well survey to define groundwater flow direction and based on flow direction, will collect groundwater sample from most upgradient well 04/23/08-Hiralkumar Patel. sent email to Mr. Ahmed requiring submission of schedule for well survey and groundwater sampling from upgradient wells. 05/14/08-Hiralkumar Patel. received monitoring well gauging/sampling report. during well gauging, found groundwater flowing into west direction. based on groundwater flow direction,

AVALON WEST (Continued) **S108636200**

they collected sample from one upgradient well MW-1 and found MTBE contamination (187 ppb) in groundwater. no sample collected from well MW-6 which is upgradient from second set of wells located in corner of 11th ave and W 29th street. during previous study, highest contamination was found in boring SB-20 which is located near tank field in corner of 11th ave and W 28th street and recent upgradient groundwater sample from that end showed little contamination. will gauge wells for any free product. based on submitted report, the department will wait for complete remediation that will occur during site redevelopment. 06/11/08-Hiralkumar Patel. received monitoring well gauging report. wells MW-1 through MW-6 were gauged on 05/12/08. no product found in any wells. 06/20/08-Hiralkumar Patel. received monitoring well gauging report. wells MW-1 through MW-6 were gauged on 06/12/08. no product found in any wells. 07/30/08-Hiralkumar Patel. received well gauging report for July 08. no free product measured in any wells. 09/11/08-Hiralkumar Patel. received well gauging report for Aug 08. no free product measured in any wells. spoke with Mr. Bernstein, property owner. he mentioned that tenants has left the site. and Avalon Bay is in process of redevelopment. left message for Mr. Javits at Avalon Bay, new leasee. 09/12/08-Hiralkumar Patel. received message from Mr. Javits. spoke with Mr. Javits. Mr. Javits mentioned that all tenants have left the site and they have applied for permit for demolition of existing building. they are expecting to demolish all building in Jan./Feb. 2009 and from spring 2009 they will start excavation of the site. asked Mr. Javits to submit updates monthly. 11/20/08-Hiralkumar Patel. received remedial action work plan from Flaming lee shue. abstract: - petroleum contaminated soil will be excavated down to the depth of the proposed building foundation which, at approx. 12 to 15 ft bg, is below the groundwater table - post excavation soil samples will be collected - vapor barrier will be installed beneath the foundation and along the below-grade portion of the foundation walls - building sub-grade will be below the groundwater table, consequently, waterproofing will be necessary and a sub-slab depressurizing system is infeasible - petroleum-contaminated groundwater will be treated by using the ORC - will submit remedial action report and alongwith it will include a work plan to sample the groundwater monitoring wells; groundwater will be sampled quarterly for two years and analyzed for VOCs (no SVOCs) and for natural attenuation parameters spoke with Mr. Ahmed at fleming lee-shue regarding ORC application and dewatering. Mr. Ahmed mentioned that during excavation for foundation, they will excavate below water table and will dewater the area. will collect contaminated water and treat on-site under dewatering permit from DEP (not received yet). once they reach to bottom of proposed excavation, then will apply ORC (dry or slurry) on soil and will install vapor barrier. asked Mr. Ahmed to submit dewatering plan. Dan Cole **DEP case manager for e-designation** NYC DEP Ph. (718) 595-4536 email: dcole@dep.nyc.gov 11/21/08-Hiralkumar Patel. received email from Fleming lee shue with copy of Nov. 2008 well monitoring well gauging report. no free product found in any wells. 12/22/08-Hiralkumar Patel. received monitoring well gauging report for Dec. 2008. no free product found in any wells during gauging on 12/19/08. 02/13/09-Hiralkumar Patel. received monitoring well gauging report for Feb. 2009. no free product found in any wells. 02/24/09-Hiralkumar Patel. spoke with Mr. Ahmed. he mentioned that due to financial problem, owner is planning to start project by end of 2009. Mr. Ahmed requested to decrease

AVALON WEST (Continued) **S108636200**

frequency of well gauging. based on earlier gauging reports, approved his request and asked him to gauge wells quarterly. spoke with Mr. Javits at Avalon Bay. informed him about quarterly monitoring. Mr. Javits asked to contact Ms. Loeb who is development manager at Avalon Bay. Rachael Loeb Developement Manager AvalonBay Communities, Inc. 275 7th Avenue, 25th Floor New York, NY 10001 Ph. (212) 309-1612 email: rloeb@avb.com 10/14/09-Hiralkumar Patel. 11:23 AM:- received well gauging report for Aug. 2009. no free product found on water. 04/01/10-Hiralkumar Patel. 3:38 PM:- spoke with Mr. Harris (as Ms. Loeb is on leave until Jul. 2010). they are waiting for permit which was applied in Jun 2009. Mr. Harris will call once gets permit. Fred Harris Ph. (212) 309-2984 email: fharris@avb.com 08/24/10-Hiralkumar Patel. received message from Mr. Ahmed (at 2:38 PM on 08/23/10). 5:27 PM:- spoke with Mr. Ahmed. he inquire about approval/disapproval for work plan submitted in Nov. 2008. 08/25/10-Hiralkumar Patel. 11:39 AM:- spoke with Mr. Ahmed. informed him that the department approves soil excavation and collection of endpoint soil and groundwater samples only and doesn't approve application of ORC yet as may require additional investigation after reviewing results of endpoint samples. 08/30/10-Hiralkumar Patel. 2:59 PM:- left message for Ms. Loeb at AvalonBay. 3:24 PM:- sent letter, approving soil excavation and collection of endpoint soil and groundwater samples, to Ms. Loeb and Mr. Bernstein. informed them that the endpoint sample results must be submitted prior to application of ORC and installation of vapor barrier as may require additional investigation. letter emailed to Mr. Bernstein, Ms. Loeb and Mr. Ahmed. 03/23/11-Hiralkumar Patel. 11:13 AM:- left message for (and sent email to) Ms. Loeb requesting updates. email copied to Mr. Ahmed. 2:20 PM:- received call from Ms. Loeb. she mentioned that they are ready for project but waiting for demolition permit which may take couple of months for entire process. Ms. Loeb will call once permit is issued. 06/06/11-Hiralkumar Patel. received email from Alana Brannon (at 11:32 AM on 06/02/11) from Fleming Lee Shue including well gauging report (dated 11/15/2010). no product found in any well. Alana mentioned that based on the commencement of construction/remediation phase activities, as well as the fact that LNAPL has consistently not been detected, all gauging activities should be discontinued. 06/15/11-Hiralkumar Patel. 12:25 PM:- received message from Arnie Fleming (212-675-3225) from Fleming Lee Shue. he mentioned that construction will begin soon and tank and associated contamination will be removed as proposed in work plan (dated 11/20/08). 3:14 PM:- left message for Arnie Fleming. 08/05/11-Hiralkumar Patel. 4:05 PM:- left message for Arnie Fleming. 4:15 PM:- received call from Arnie. he mentioned that contractor has submitted sheeting and shoring plan to NYC DOB and expect to get permit by 08/19/11. Arnie will send update once gets permit. 08/30/11-Hiralkumar Patel. 4:58 PM:- received email from Jesse Mausner from Fleming Lee Shue. he mentioned that AvalonBay will being uncovering the USTs on 09/06/11. Fleming Lee Shue will perform air monitoring during all intrusive activities. Jesse mentioned that tanks will not be removed for several more days, as sheeting needs to be installed before further excavation. Jesse Mausner, P.G. Fleming-Lee Shue, Inc. Ph. (212) 675-3225 Ext. 310 (646) 841-3099 (C) Fax (212) 675-3324 email: jesse@flemingleeshue.com 09/13/11-Hiralkumar Patel. 10:06 AM:- left message for Jesse. 10:53 AM:- received call from Jesse. he mentioned that contractor is installing sheeting for safe removal of all tanks. he mentioned that tank removal work will probably begin from 09/19/11. asked him to

AVALON WEST (Continued) **S108636200**

schedule a site inspection once tanks removed from ground. 09/14/11-Hiralkumar Patel. 11:17 AM:- received email from Jesse. he mentioned that contractor has started tank removal today. 09/16/11-Hiralkumar Patel. 2:03 PM:- received call from Jesse. he mentioned that some tanks are already removed and some will be removed on 09/19/11. scheduled a site visit at 9:30 AM on 09/19/11. during conversation, Jesse inquired about endpoint sidewall samples as all soil within piling area will be removed. informed him that as piling were installed to secure surrounding structure and as it may not be installed outside of contaminated zone, the department requires soil samples outside the piles. 09/19/11-Hiralkumar Patel. 9:20 AM:- visited site. met Bill Maniquez from Fleming Lee Shue and Margie Nesbitt from AvalonBay. they were removing tanks from area along the W 28th Street. while reviewing map in Bill's document, found that there were more lots included in the subject site (on W 28th Street) and soil/groundwater investigation performed on these additional lots. but that information was not submitted to the Department. asked Bill to submit results of recent investigation(s). found strong odors in tank excavation area. asked Bill to monitor air quality downgradient from the work area. Bill mentioned that currently they are removing all the tanks from the ground for disposal, but they are not excavating any contaminated soil as still waiting for approval from disposal facility. Bill Maniquez Fleming Lee Shue Ph. (212) 675-3225 (O) (646) 584-2319 (C) email: bill@flemingleeshue.com during site visit, Ms. Nesbitt mentioned that Ms. Loeb is no longer with company and Jon Vogel is the person-in-charge. Jon Vogel AvalonBay Communities, Inc. 275 7th Avenue, 25th Floor New York, NY 10001 Ph. (212) 309-1610 email: jon_vogel@avalonbay.com 09/21/11-Hiralkumar Patel. 2:01 PM:- received call from Jesse. he will submit any investigation reports done after March 2008. he mentioned that total of 17 tanks removed from the entire site (all lots). they are still waiting for approval from disposal facility. once they get approval, they will remove contaminated soil into trucks and transport it off-site, instead of stockpiling on the site. they will remove soil to water table. asked Jesse to collect endpoint soil samples and water sample from excavation. suggested him to leave tank excavation area open, if safe, until reviews the endpoint sample results. also asked him to delineate any soil contamination outside the piles installed at the tank areas. asked him to screen soil from surface to water table in all borings and collect soil sample from highest contaminated area (PID/staining/odors). informed him that if no indication of contamination in entire boring length, then soil sample must be collected from right above the water table. asked Jesse to provide update by 09/23/11. 10/12/11-Hiralkumar Patel. received copy of email sent to DEC Austin from Jesse (on 09/28/11). Jesse requested a site visit prior to backfilling excavation in day or two. 10/19/11-Hiralkumar Patel. 1:55 PM:- sent email to Jesse inquiring updates. 2:01 PM:- received email from Jesse. they finished UST removals and now waiting for endpoint sample results. 11/02/11-Hiralkumar Patel. 11:56 AM:- received email from Jesse including only result of endpoint soil samples and a site map showing tank location. no VOC contamination found in any samples except some minor contmaination found in sample C1-BS. some SVOC contamination found in samples. no other information included. no results of any water samples included. 11/14/11-Hiralkumar Patel. 4:09 PM:- sent email to Jesee and asked him to submit complete report for review.

AVALON WEST (Continued) **S108636200**

also asked him to submit reports regarding investigation on additional lots. 11/16/11-Hiarlkumar Patel. 1:51 PM:- received call from Jesee. asked him about results of water samples. he mentioned that excavations were done to a depth right above the water table and they collected bottom soil samples from excavation. as they did not extend the excavations into water, no water samples were collected. asked Jesee to submit report for excavation work and any investigation reports after Mar. 2008. 11/17/11-Hiralkumar Patel. 10:30 AM:- received email from Jesse including sample result table and site map. he mentioned that samples were collected from test pits for soil disposal characterization done in 2009 and 2011. found very high VOC contamination in samples from testpits TP-19, TP-20, TP-21 and TP-26. as per site map, these soil samples were collected between 10 and 13 ft depth. soil analyticals:
----------TP-19--------TP-20--------TP-21--------TP-26 10 ft 11 ft 12 ft 13 ft
Benzene----------118----------513----------3,820
Toluene----------2,110--------3,890----------5,110
Ethylbenzene----------1,880--------8,150-------13,000-------43,300
Xylene----------14,200-------52,300-------35,300------285,000 MTBE----------472
11/25/11-Hiralkumar Patel. 3:47 PM:- sent email to Jesse and asked him to submit complete report regarding test pit sampling. asked him to submit report by 11/30/11. email copied to Arnold Fleming at Fleming Lee Shue. 11/29/11-Hiralkumar Patel. 5:03 PM:- received email from Jesse. he mentioned that test pit sampling was performed for waste disposal purposes only for use by contractors. one 8-point composite sample was collected for each 800 cu. yard in a grid across the site. the data was not collected for the purposes of site characterization, and no report was generated for this data. 12/19/11-Hiralkumar Patel. 1:58 PM:- received report from Jesse. abstract: - site is located on Block 700, Lots 1, 9 and 18 - lot 1 is located along the majority of 11th Ave, forming rectangle with W 28th street - lots 9 and 18 are located farther east alnog W 28th St - removed total of sixteen (16) 550 gal gasoline USTs - all tanks were approx. 4 ft in diameter by 6 ft in length - tanks were found in four separate areas: Area A, Area B, Area C1 and C2 and Area D - Area A located on the northern portion of lot 1 - eight (8) USTs were found encased in concrete in Area A - Area B located on the southern portion of lot 1 - three (3) USTs were found in Area B - Area C1 and C2 located on the southwest portion of lot 18 - three (3) USTs were found encased in concrete in Area C1 and C2 - Area D located on the south portion of lot 9 - two (2) USTs were found in Area D - prior to excavation, shoring and sheeting were installed to support the sidewalks along 11th Ave and 28th street - in Area A, excavation area is approx. 48 ft by 36 ft and approx. 12 ft deep - in Area B, excavation area is approx. 30 ft by 35 ft and approx. 12 ft deep - in Area C1, excavation area is approx. 45 ft by 45 ft and approx. 12 ft deep - in Area C2, excavation area is approx. 20 ft by 15 ft and approx. 12 ft deep - in Area D, excavation area is approx. 10 ft by 10 ft and approx. 11 ft deep - total of 1,237.79 tons of petroleum contaminated soil was removed - excavation extended down to a depth of approx. 1 ft below the water table - water table was encountered between 10 and 12 ft bg in excavations - endpoint samples were

AVALON WEST (Continued) **S108636200**

collected from excavation sidewalls and bottoms - all samples found clean, except bottom sample from Area C1 where 514 ppb Xylene found less than ----- - recommends to sample existing monitoring wells along the 11th ave side of the site for four quarters groundwater samples were not collected from excavation. 12/20/11-Hiralkumar Patel. 3:45 PM:- spoke with Jesse about excavation of contaminated material found during test-pit investigation. he mentioned that there is a partial basement in the building and contaminated soil in the basement area will be removed. but there will be no excavation in other areas where contamination found. 3:55 PM:- spoke with Mr. Baranello at Avalonbay. Mr. Baranello is the construction manager at Avalonbay. informed him that based on results of test-pit investigation, the department requires further investigation/remediation at the site. he asked to send letter. Andrew Baranello **construction manager** AvalonBay Communities, Inc. 275 7th Avenue, 25th Floor New York, NY 10001 Ph. (212) 309-1611 email: andrew_baranello@avalonbay.com 12/21/11-Hiralkumar Patel. 1:27 PM:- left message for Jesse. 2:15 PM:- sent email to Jesse and asked him to submit following information/document: - whether shoring removed - # of previously installed wells still at the site - scaled map including existing monitoring wells on property, excavation area with endpoint sample locations (as included in USTs closure report), test-pit sample locations, area of proposed basement excavation and its depth and location of soil borings installed in sep. 2007 2:42 PM:- received email from Jesse. he mentioned that shoring was removed shortly after tanks were pulled. he believes that two monitoring wells remain in the sidewalk of 11th Ave and possibly one more on the northern end of the site along 29th street. he will send scaled site map soon. 12/30/11-Hiralkumar Patel. 1:24 PM:- received email from Jesse including a scaled site map. 01/03/12-Hiralkumar Patel. 2:03 PM:- sent letter to Mr. Bernstein and Mr. Baranello requiring soil/GW delineation at location where contamination found during test pit investigation and quarterly groundwater monitoring/sampling for minimum of one year. asked to submit investigation/first quarterly gw monitoring report by 02/29/12. letter emailed to Mr. Bernstein, Mr. Baranello and Jesse. 3:30 PM:- received email from Jesse requesting meeting to discuss the requirements. 3:35 PM:- spoke with Jesse. he mentioned that based on investigation done in 2007, soil delineation has been completed. informed him that in 2007, Fleming Lee Shue installed boring SB-11 to SB-24 and groundwater contamination was found in SB-24 which is in area between test pits TP-18 and TP-19, but there are no borings in area of TP-20 or TP-21. also, as composite soil samples were collected from a test pit, soil profile and exact location of contamination is not available. informed him that the Department is looking for vertical and horizontal profile of the contamination. informed him that an investigation will be required by upgradient properties, if contamination is coming from off-site. Jesse mentioned that a temporary well should be installed as the wells will be destroyed during construction. informed him that the department may require additional rounds of groundwater sampling, so if they can install temporary wells with proper screen depth which allows survey and resampling, the department may agree with that. Jesse will talk to their client and call back. while reviewing the scaled site map with all boring/well locations, that Jesse sent on 12/30/11, found that soil borings/well points SB-1 through SB-10 were installed on lot 9 and 18 during 2007 investigation. 3:57 PM:- spoke with Jesse again and asked him to submit complete data for

AVALON WEST (Continued) **S108636200**

investigation done on lot 9 and 18. 4:22 PM:- sent email to Jesse and asked him to submit results of all environmental investigations done at the site (including all lots). email copied to Mr. Bernstein and Mr. Baranello. 4:24 PM:- received email from Jesse including copy of Remedial Investigation Report which includes details about borings SB-1 through SB-10. abstract: - the site will be developed with two connected buildings: building 1 will be a 27-story tower along 11th Ave and building 2 will be a 13-story building on the northern side of W 28th Street - it will be residential buildings with 678 apartment homes - rentable retail space will be available on the first floor - upto 400 below-grade parking spaces will be present in the cellar - total of twenty-four (24) soil borings (SB-1 through SB-24) were installed to depths ranging from 3 ft bg to 20 ft bg - with exception of boring SB-8, two soil samples were collected from each boring: one sample at the surface between grade and 2 ft bg and one sample based on field observations (at the hight PID or directly above groundwater interface or at refusal) - refusal was encountered before groundwater in borings SB-2 (at 7 ft bg), SB-4 (at 8 ft bg) and SB-8 (within 1 ft bg) - groundwater samples were collected via installing a one-inch temporary wells at borings SB-3, SB-6, SB-7, SB-9, SB-10, SB-11, SB-12, SB-14, SB-18, SB-19, SB-20 and SB-24 - groundwater found between 6 and 14 ft bg - found strong petroleum odors and high PID readings found in borings SB-9 (155 ppm at 7 ft bg), SB-12 (250 ppm at 14 ft bg), SB-16 (from 5 to 8 ft bg) and SB-18 (from 4 to 8 ft bg) less than --------- - observed petroleum-contaminated soil and groundwater (slight to strong petroleum odors at water table; slight sheen on groundwater sample) associated with three 550 gal USTs that are located in the southeastern section of the parking lot fronting 11th ave - found only Xylene (465 ppb at 14-16 ft in SB-12 and 10,000 ppb at 9-11 ft in SB-16) and Ethylbenzene (3,440 ppb at 9-11 ft in SB-16) in soil samples less than --------- - found petroleum and chlorinated compounds in groundwater groundwater analyticals:
----------SB-3--------SB-7--------SB-9--------SB
-10--------SB-12
Benzene----------
----------110
Toluene----------69
Ethylbenzene----------346----------48
Xylene----------134----------271
MTBE----------162----------14----------
----------73
1,1-Dichloroethane----------331-------1,
050----------58----------116
1,1-Dichloroethene----------96
trans-1,2-Dichloroethene----------16----------89 Vinyl
Chloride----------1,510-------1,030----------62----------133
----------SB-14--------SB-18--------SB-20-------
-SB-24
Benzene----------
---497
Xylene----------
----40
MTBE----------118----------228--------1,
040----------16 PCE----------1
1,1-Dichloroethane----------9
1,1-Dichloroethene----------5 Vinyl

AVALON WEST (Continued) **S108636200**

Chloride----------10 discussed with DEC Jane regarding chlorinated compounds found in groundwater samples. DEC Jane will send email to DEC Cozzy. discussed with DEC Austin. after reviewing data, Austin asked for resampling of groundwater in the area where petroleum and chlorinated solvent contamination found. 3:51 PM:- spoke with Jesse and informed him that the department requires groundwater investigation in Lot 18 also due to chlorinated solvent contamiantion. Jesse mentioned that there will be an active SSDS and vapor barrier at the site. he will talk to his supervisor and will call back. 4:13 PM:- received call from Arnie Fleming and Jesse. Mr. Fleming mentioned that chlorinated solvent contamination has been found on other sites in neighbourhood, as they worked on multiple projects in area. Mr. Fleming suspects Evan Auto Inc. (located at 319 10th Ave, Manhattan) as the source of chlorinated solvent contamination. Mr. Fleming mentioned that construction at the site will start in approximately two weeks so permanent wells are not possible. Mr. Fleming proposed groundwater investigation via geoprobes. discussed with DEC Austin. he agreed with the proposal of groundwater sampling via geoprobes. 4:42 PM:- spoke with Jesse and Mr. Fleming and informed them that temporary well points are fine for required groundwater investigation along the northern and eastern property line (and also inside the property, if needed) where petroleum/chlorinated contamination was found. Jesse will send a site map with proposed geoprobe locations. 01/05/12-Hiralkumar Patel. 1:31 PM:- due to findings of chlorinated solvent contamination, sent email to DEC Jane with site history and a site map (including sampling results). email copied to DEC Austin and DEC Vought. 3:30 PM:- visited sites on Block 700. also reviewed available tax map, NYC DOB records, DEC PBS and Spills databases and found following: - there are total of 26 lots (1, 9, 18, 27, 29, 30, 31, 32, 34, 36, 38, 40, 42, 44, 45, 47, 48, 49, 53, 54, 55, 56, 57, 59, 60 and 61) on Block 700 - Lots 1, 9 and 18 will be developed by Avalon Bay - total of 15 lots (27, 42, 44, 45, 47, 48, 49, 53, 54, 55, 56, 57, 59, 60 and 61) have common boundaries with the lots that will be developed by Avalon Bay - total of seven open/close spill numbers found on Block 700: 9811167 for Lot 27, 0700172 for Lots 32/34, 0701228/0702824 for Lot 36 and 9008960/0307633/0408382 for Lots 48/49 - total of four PBS records found on Block 700: 2-350281 for Lots 1/9/18 (sixteen 550 gal USTs removed), 2-611326 for Lot 32 (three 275 gal waste oil ASTs in-service), 2-089559 for Lots 48/49 (one 4,000 gal gasoline UST removed in Oct. 2003, one 2,000 gal #2 oil UST closed-in-place in Feb. 2001, one 500 gal gasoline UST removed in Oct. 2003) and 2-611575 for Lot 60 (270 gal waste oil AST in-service) during subsurface investigation on Avalon Bay property in 2007, petroleum contamination was found in soil (at the groundwater interface in smear zone) and groundwater samples in the northeastern corner of Lot 1 and along northern line of western half of Lot 9. this contamination is southwest of the possible source at 524 W 29th Street (Lots 48/49) (spill #: 0307633, DEC Manager: Andre Obligado). Lots 48 and 49 are owned by same company. both lots are leased by Sean Kelly Gallary. spoke with Sean Kelly (212-239-1181) at Sean Kelly Gallary. he mentioned that after leasing both lots, they divided lot 49 in two sections and then sub-leased the eastern section of Lot 49 and entire lot 48 to Peter Blum Gallary. Mr. Kelly mentioned that the former gasoline tanks and associated excavation area was located under the eastern section of Lot 49. spoke with David Blum (212-244-6055) at Peter Blum Gallary. David mentioned that

AVALON WEST (Continued) **S108636200**

there are some monitoring wells installed on the property, but those wells are covered under the floor. there is an active remediation system on-site. during visit, found three monitoring wells on sidewalk, in front of Lots 48/49 (one to the west of entrance to Sean Kelly Gallary, one at the junction of two gallaries and one at the eastern end of Peter Blum Gallary). Victor At West 29, LLC. **owner of Lots 48/49** c/o Victor Homes 3349 Highway 138, Building C Wall, NJ 07719 during subsurface investigation on Avalon Bay property in 2007, chlorinated solvent contamination was found in groundwater samples collected from Lot 9 (eastern half) and Lot 18. while searching for possible source, found an open spill number (0700172, DEC Manager: Ryan Piper) for Lot 32 which is occupied by Evan Auto Inc. the spill #: 0700172 was reported on 04/05/2007 as contaminated soil and groundwater was found on four lots (27, 32, 34 and 38) during subsurface investigation as part of proposed redevelopment. during this investigation, heavy PCE contamination (40,100 ppb) was found in soil from 0-2 ft bg. also, chlorinated solvent contmaination found in groundwater samples. according to the site investigation report dated 12/27/2007: - Lot 27 (507-515 W 28th Street) is developed with a one-story (no basement) nightclub identified as Mystic - Lot 32 (319-321 10th Ave) is developed with a one-story (with basement) auto repair shop known as Evan Auto. basement used for storage - Lot 34 (323-325 10th Ave) is developed as a surface parking lot and is adjacent to the auto repair shop - Lot 38 (504-506 W 29th Street) is part of the auto repair shop and is located beneath the High Line (former elevated railroad tracks) Kadima Tenth Avenue SPE LLC. **owner of Lot 27** Maestro West Chelsea SPE LLC. **owner of Lots 32, 34 & 38** 319 10th Avenue New York, NY 10001 Attn.: Abraham Heby Ph. (212) 265-3088 (917) 597-5371 01/06/12-Hiralkumar Patel. 2:20 PM:- received email from Jesse including a map with location of three proposed temporary well points: one in the northeastern corner of Lot 18, one in southeastern corner of Lot 9 and one in northwestern corner of Lot 9. Jesse mentioned that they will screen soils from these locations and sample groundwater from six temporary well points and three permanent wells on-site. samples will be analysed for VOCs only. based on historical data, need another five temporary well points: one in the area of SB-12/TP-26, one in the area of SB-24, one closer to TP-21 along norther property line (right under the Lot 49), one in the area of TP-23 and one in the area of SB-7. also need to move one well point in the area of TP-20. 2:30 PM:- spoke with Jesse. informed him that based on findings of petroleum and chlorinated solvent contamination in 2007, the Department requires additional temporary wells. 2:36 PM:- sent email to Jesse including a map with changes in proposed temporary well point locations. 3:l4 PM:- received call from Jesse. as the area around SB-12/TP-26 will be excavated down to 12-13 ft bg as part of basement, Jesse asked to eliminate well point in that area. informed Jesse that if the Department receives written confirmation (email) from developer that basement area will be excavated down to 13 ft bg, then no need for well point in the area of SB-12/TP-26. Jesse also asked to remove one well point along the norther property line. informed him that the five well points along northern line is necessary to confirm the previous petroleum/chlorinated solvent data. also asked him to sample soil with high PID/odors/staining. he will talk to developer and will call back. informed him that all samples must be analyzed via 8260 full list. 3:42 PM:- sent email to DEC Jane including a site map with results of soil and groundwater samples

AVALON WEST (Continued) **S108636200**

from Evan Auto Inc. site. email copied to DEC Austin, DEC Vought and DEC Piper. 01/10/12-Hiralkumar Patel. 3:12 PM:- received email from Jesse including a work plan with proposed well locations. he proposed to install seven temporary well points on lot 9 and 18. groundwater samples from temporary well points and permemanent wells on 11th ave sidewalk will be analyzed for target compound list. well points will be installed tomorrow. 01/11/12-Hiralkumar Patel. 10:41 AM:- sent email to Jesse. informed him that analysis must include chlorinated compounds. also informed him that soil must be analyzed if shows any PID/odors/stains etc. email copied to Mr. Baranello, Jon Vogel (jon_vogel@AvalonBay.Com) and Marjorie Nesbitt (menesbitt@eightpointsam.com). 01/13/12-Hiralkumar Patel. 10:55 AM:- received email from Jesse. they installed temorary well points. they also sampled two wells MW-2 and MW-6. well MW-5 could not be located and may have been destroyed. contaminated soils were identified in two borings on north side of lot 9 at depth of 10-11 ft (most likely part of smear zone) and soil samples was collected from both borings. 01/26/12-Hiralkumar Patel. DEC Austin informed that DEC Mike MacCabe in Albany is handling a plume trackdown in area and will work on chlorinated solvent issue. 01/27/12-Hiralkumar Patel. 2:54 PM:- sent email to Jesse inquiring upates. 3:14 PM:- received email from Jesse. he received data this afternoon and will submit report soon. 02/13/12-Hiralkumar Patel. 2:08 PM:- spoke with Jesse. he will submit report in this week. 02/17/12-Hiralkumar Patel. received email from Jesse (at 12:00 PM on 02/16/12) including report. abstract: - installed seven 1-inch temporary monitoring wells on lots 9 an 18, with 10 ft of screen - soils were screened for evidence of impacts using visual or olfactory means and a PID - two borings/temporary well locations tMW-1 and tMW-3, exhibited evidence of petroleum impacts in soils from approx. 10 ft bg extending below the soil-water interface at approx. 12 ft bg - soil sample was collected from between 10 to 11 ft in both borings - groundwater samples were collected from all temporary wells and both existing permanent wells (MW-2 and MW-6) - samples were analyzed for VOCs only soil analyticals: ----------tMW-1----------tMW-3
10-11 ft 10-11 ft
Benzene----------2,260----------292
Ethylbenzene----------38,200----------8,540
Xylene----------163,000----------87,200
1,2,4-Trimethylbenzene----------117,000----------55,100
1,3,5-Trimethylbenzene----------34,800----------17,000
Naphthalene----------29,300----------11,900 groundwater analyticals:
----------tMW-1----tMW-3----tMW-4----tMW-7----tMW-8----tMW-9----tMW-10 Benzene----------490------492
Toluene----------26-------31
Ethylbenzene----------524------538
Xylene----------2,070------986
Naphthalene----------219------167
MTBE----------15-------16
1,1,
1-Tricholroethane----------1
2
1,
1-Dichloroethane----------35-------19--------5------217--------23
cis-1,

AVALON WEST (Continued) **S108636200**

2-Dichloroethene----------449-------80----------1,
220-------103 Vinyl
Chloride----------13--------3--------5------175
02/22/12-Hiralkumar Patel. 3:24 PM:- received email from Jesse. they found another 550 gal UST. tank was filled with liquid and was encased in concrete. will collect endpoint samples after removing tank. 3:25 PM:- sent email to Jesse and asked to send site map with tank location. 3:43 PM:- received email from Jesse with site map. tank was found along southern property line on lot 9.
02/28/12-Hiralkumar Patel. discussed with DEC Austin. based on available information, he approved case transfer to remediation. informed him that DEC MacCabe is handling chlorinated solvent issue in area. 11:33 AM:- spoke with DEC MacCabe and informed him about the current sampling data. he has added this site into plume trackdown (# 231078). he asked to send lab data. 11:40 AM:- sent email to DEC MacCabe including site maps for the subject site and Evan Auto. 12:41 PM:- sent email to DEC Austin requesting case transfer.
03/13/12-Hiralkumar Patel. 3:57 PM:- received email from DEC Austin approving case transfer. 03/16/12-Hiralkumar Patel. case assigned to DEC Hussein. *-*-** e designation at site** 4/2/12 - Obligado - Spill transferred to Obligado from Patel. 4/3/12 - Obligado - I reviewed the ground water investigation report. According to the report, petroleum contamination on north portion of Block 9 and solventcontamination on Lot 18 is coming from off-site. However, no ground water contour map showing ground water flow direction was provided. I sent a letter disapproving of report and requiring a hydrogeologic investigation to confirm ground water flow direction and a geophysical investigaiton to investigate source of contamination on north side of lot 9. I also requried a new RAWP to address new contamination found on Lot 9 and Lot 18. (previous RAWP only covered Lot 1) I sent a Stipulation Agreement and CAP to the following to be signed and returned by April 24, 2012: Property owner: East Side 11th and 8th LLC, c/o Marjorie E. Nesbitt 445 Park Avenue 10th Floor New York, New York 10022 and developer: Mr. Marty Piazzola Avalon West Chelsea 275 Seventh Avenue, 25th Floor New York, NY 10001 Stips sent via certified mail, certified receipt #s7010 0290 0000 9758 2612 and 7010 0290 0000 9758 2585 4/16/12 - Obligado - DEC met with Avalon Bay, FLS, and AKRF. 4/17/12 - Obligado - Sent a meeting summary email to all parties: This email summarizes our discussions in yesterday's meeting: Participants: DEC: Andre Obligado, Hassan Hussein Avalon Bay - Steven Spiro, Jon Vogel Fleming Lee Shue - Arnie Fleming, Jesse Mausner AKRF - Mark Godick - Avalon Bay is holding a 99 year lease on the property. AKRF is the on-site consultant responsible for field oversight. Fleming Lee Shue provides general environmental consulting. - The Development plans were discussed. Development is progressing quite rapidly. Steel sheeting is being installed to depth of 15 to 20 ft to excavate for a basement on the south portion of the site. Depth of the basement floor will be about 12 feet. Contamination found in vicinity of test pit 26 will be removed during basement excavation. Excavation will require some dewatering and groundwater treatment. A water proofing barrier will be installed under basement. All other areas will have an SSDS system and vapor barrier. - DEC McCabe in Albany is the manager of the up-gradient chlorinated p-site. In my discussions with Mr. McCabe, the source has not been confirmed yet. - The Department is in receipt of the geophysical survey, so this item from the April 4th letter is no longer required by the Department. - Since there were multiple

AVALON WEST (Continued) **S108636200**

potential on-site sources (17 USTs removed), no off-site source has been positively identified, and ground water flow direction has not been confirmed, the Department at the present time considers Avalon to be responsible for the clean-up of north side of Lot 9. - A hydrogeologic investigation will be performed to confirm the groundwater flow direction. FLS/AKRF will gauge and survey one of the existing off-site monitoring wells along 29th ave and add it to the existing 2 wells to determine groundwater flow direction. FLS/AKRF may install one monitoring well on-site to aid in the hydrogeologic investigation. FLS/AKRF will proceed quickly due to the installation of the hydraulic sheeting which may influence the groundwater flow determination. FLS will inspect adjacent properties to north to try to identify evidence of potential sources such as vent pipes. - Potential remedies for contamination of the gasoline impacted soil and groundwater along the north side of Lot 9 were discussed. Due to structural concerns in this area, and short time frame before slab construction, chemical oxidation was the determined to be the most promising remedy. FLS suggested pulsed injection to aid in oxidant dispersion due to tight river sediments. - Avalon is considering proceeding remediation of north side of Lot 9 regardless of source determination. If it is determined the source is off-site, Avalon would seek reimbursement from the Spill Fund. If source is determined to be off-site and Avalon chooses not to remediate this area, than the Department will consider a state-funded cleanup in this portion of the site. - The Department will hold off on the requirement to sign the Stipulation Agreement while the hydrogeologic investigation proceeds. - DEC will schedule a site visit in near future. 4/24/12 - obligado - I emailed Jesse Mausner to inquire about the gw investigation. Response from Jesse Hi Andre - We have a letter report prepared that is being reviewed by the client. We hope to send it over within the next day or two. 5/8/12 - Obligado - Emailed Jesse Mausner to inquire about gw flow investigation. Still has not been submitted. 5/11/12 - Obligado - I received Hydrogeologic and forensic report. 5/14/12 - Obligado - The report includes a ground water contour map showing flow to the west/northwest. The report claims 282 11th avenue is not the source of contamination on the north side of Lot 9. They provided a forensic analysis using BTEX ratios and comparing the BTEX compounds in the source areas to those found on Lot 9. The report points to auto repair operations on 29th street as possible sources as well as the former remediation site at 524 w. 29th st. The report claims the Site didn’t have historic auto repair operations. 5/14/12 - Obligado - I emailed Steve Panter and requested historical sanborn maps of the block, which he provided. 5/15/12 - Obligado - I called Steve Panter of FLS and pointed out to him that the site did in fact have multiple auto repair operations. He revised the report and resubmitted it. Obligado - I emailed Steve requesting boring logs for TMW1, TMW3, TMW4, SB24 and SB9 in Lot 9 to see if there was any impact identified above the water table which could indicate an on-site source in the north side of Lot 9/18. I also asked for a revised contour map becuase the elevations in the table included in the map did not correspond with the elevations in the contour map. Jesse Mausner emailed me a new contour map. He explained the actual contour map was correct but the elevations in the table were not correct. The revised table had the correct elevations. I 5/18/12 - Obligado - I went to the site to look for potential off-site sources. I went to 548 W. 29th Street and asked the mechanic there if they had any oil tanks. He showed me an oil tank in the back

AVALON WEST (Continued) **S108636200**

of the station. The 275 gallon waste oil tank had no lable and had secondary containment had about an inch of oil stained sand. There was evindence of multiple spills on the concrete as well as a fresh spill from a transmission removal. I spoke to the menachic, who says the waste oil company comes once a month to empty the wate oil tank. During that process they lift up the tank and clean the oil soaked sand from the secondary containment. I pointed out the poor housekeeping issues to the manager, Zoar (718-869-4550, who showed up shortly after. They applied speedy dry sand to the spill areas. I also noticed manhole which may be an abandoned tank. This manhole coincides with the location of a 550 gallon gasoline UST from historical sanborn maps. The manhole also is in the vicinity of the vent pipe on the roof. The manager did not know anything about the manhole. Due to apparent PBS issues with waste oil tank and possible abandoned tank, I contacted Moses Ajuko to perform a PBS inspection of the facility. PBS #2-611575, owner: Raba H. Abramov (212) 596 3673. Moses issued PBS violations. It is not clear whether this site is a source for contamination on 282 11th ave. Due to poor housekeeping, stained concrete indicating historical spills,and abandoned gasoline tank it is a possible source. Additional investigation will be necessary. While waiting for Moses to arrive, I spoke to the owner of 542 west 29th Street, which is also listed as an auto repair facility on 1994 sanborn. The site is now a fish packing wharehouse. According to the property owner, John McGuire (212)-268-9169, they purchased the site in 1995. They don't have any oil storage since 1995 and he states there are no tanks on the site. He said prior to the purchase a site assessemnt was performed. I asked if I could get a copy of that assessment and he said the bank probably has it. I will follow up. He provided his contact information (212)-268-9169. I then when to visit the 282 11th avenue construction site. At the site I met Jeff of AKRF who is the on-site environmental consultant. We performed a site walk through. Development is in progress. Steel sheeting has been installed around the basement area of the future building. Concrete pile caps have been installed on east side of site. Jeff mentioned that a test pit was performed on 2/24/12 north of the sheeting and south of 542 West 29th street building. According to Jeff, contaminated soil with strong odors encountered at approximately 4 ft bgs. They continued excavating until 8 feet and very strong odors forced them to stop test pitting due to lack of air respirators and backfill. Jeff said odors were noticable from approximately 100 feet away. I asked him if they reached the water table during the test pit. He replied that they did not. I asked if they could open a shallow test pit in that area for me. He checked with site foreman. There was equipment in the vicinity of the test pit location that would need to be moved. We agreed to post pone until MOnday. 5/21/12 - Obligado - I received a call from FLS. Due to thunderstorms, test pitting postponed. 5/24/12 - Obligado - I went to the site for test pit. 2 test pits were dug behind the 548 west 29th street garage. In both test pits, no PID readings or visual evidence of petroleum contamination in the vadose zone. Strong gasoline odors were present in the saturated zone. This supports FLS assertion that contamination in the north portion of the site is from an off-site source and migrated to the site via ground water. I reviewed the ground water monitoring data for the 282 11th avenue site. No quarterly sampling was performed, only gauging. MW5 was installed but never sampled. I sent an email to Jesse Please perform another round of ground water sampling and collect a ground

AVALON WEST (Continued) **S108636200**

water sample from all existing monitoring wells including any newly installed wells for the hydrogeologic investigation and submit the results within 30 days. He responded back that they sampled MW6 and MW2 in January and they were ND for all compounds. He requested only to sample existing MW5 and newly installed MW7. I concurred. 6/26/12 - Obligado - I received an email from Jimit Shah at DEP OER. : As discussed earlier today, spill-like conditions were encountered at the above referenced site (staining, elevated PID hits, petroleum-like odor, etc) on March 2nd and March 13th 2012 within the south-central portion of the site (within the TP-21 and TP-36 regions: see the attached site map). These conditions are attributed by one of the project's two environmental consultant (Fleming-Lee Shue- FLS) to a 550 gallon UST encountered within the vicinity on February 22, 2012, and removed from the site on February 28, 2012. When clarification was requested from FLS as to whether or not a spill number was called in after the UST and surrounding petroleum-impacted soils were discovered, OER was informed that DEC was made aware of the situation, and that a new number was not called in as this finding is linked to current spill number(s) on-site (06-03351 and 07-00587). I responded that I was not aware of the spill like conditions associated with this tank. I requested the daily reports from OER. Jimit provided the daily reports. I sent an email to Jesse Mausner of FLS inquiring if they collected endpoint samples from the 2/28/12 tank removal and inquired as to the tank contents. Jesse responded they did collect endpoint samples and provided the analytical reports, which showed exeedences of CP51 soil clean-up levels in 3 of 5 soil samples. The UST bottom sample 7ft was the most contaminated with 7 exceednces of CP-51 in ug/kg: ethylbenzene: 19200 isopropybenzene : 4680 n-propylbenzene: 13100 1,2,4-trimethylbenzene: 87,100 1,3,5 trimethylbenzene: 21,300 m,p - xylene: 50,100 o-xylene: 6890 He also provided a tank removal affadavit which said the tank was filled with water and gas. I requested a site map with UST and sample locations, the AKRF field notes, and photographs as soon as possible. Jesse provided the site map and said they would provide additional information shortly. 6/28/12 - I sent a letter to Avalon Chelsea West cc to Fleming Lee Shue which can be summarized as follows 1) The presence of contaminated soil under UST #17 on Lot 9 signified a discharge from that tank and should have been reported to the DEC within 2 hours as per NYCRR Part 613.8. 2) This data should have been included and considered in the forensic analysis submitted 5/15/12 which investigate potential sources of the contamination found on north side of that lot. The Department rejects the Forensic Report as it was based on incomplete data. 3) The leaking UST on Lot 9 is the probable source for the contamination on norht side of Lot 9. A RAWP for the remediation of this area must be submitted prior to foundation slab construction. 4) A Stipulation Agreement is attached to the letter which must be signed by 7/6/12 or case would be referred for enforcement. 5) The Stip includes a CAP which requires submission of a RAWP within 30 days to remediate the entire site. Letter sent via email. 7/12/12 - Obligado - DER Staff met with the developer and consultants. The developer agreed to do a soil boring investigation to confirm whether on-site tanks are source of the petroleum contamination on the north side of the property. Fleming Lee Shue plans to submit a RAWP for chemical oxidation injection system beneath building on the north side of the property. The developer submitted geotechnical reports which they say support their

AVALON WEST (Continued) **S108636200**

claim that excavation in not feasible. DER Staff forwarded the reports to technical support staff in Central Office. DER stated no objection to continued construction on condition that contaminated area north of the sheeting is accessible for additional investigation and remediation. 7/17/12, - Obligado - DER Staff was involved in a conference call between OER, Fleming Lee Shue (FLS), and AKRF. FLS and AKRF will provide daily reports to the DEC and OER on site activities. DEC informed FLS that the Department is only to be notified of spill in case of discovery of new source such as a tank, leaking drum, etc. In the call, AKRF notifed DEC that a crushed drum was discovered during excavation which contained about 5 gallons of oil. DEC requested identification of product. 7/27/12 - Obligado - Excavation for the building basement is on-going at the site. Slab construction on the east and north portions of the site is on-going. Central Office Technical staff reviewed a Geotechnical Report submitted by Muesler Rutlidge regarding feasibility of excavation north of the sheeting adjacent to buildings. CO technical staff agreed with the conclusions in the report, that excavation north of the sheeting was not recommended. A letter report documenting soil sampling north of the basement sheeting was submitted by FLS to the Department. 8/22/12 - Obligado - DER Staff reviewed the results of soil and ground water investigation along the sheeting line outside the proposed area of excavation which revealed benzene concentrations in ground water in excees of 6000 ug/L down gradient of the former USTs. The investigation confirms the on-site USTs are a source of the petroleum contamination in ground water. DER sent another Stipulation Agreement to the RP for signature within 15 days with the requirement to submit a Remedial Action Plan to remediate the entire site. 9/17/12 - Obligado - DER Staff received a fully executed Stipulation Agreement. According to the Corrective Action Plan, the due date for an amended RAP is 9/24/12. 10/5/12 - Obligado - DER Staff completed its review of a Revised Remedial Action Work Plan. DER staff disapproved of the plan and sent a comment letter to Avalon Bay with the requirement to submit a revised plan within 15 days 10/15/12 - Obligado - DER Staff met with the RP and their consultants to discuss the Department concerns. Based on the discussions, Avalon will submit a revised RAWP. 11/5/12 - Obligado - DER approved a RAP for chemical oxidation. 1/30/13 - Obligado - DER Staff met contractors and consultants on-site to inspect the progress of remediation. The foundation slab on the south portion of the site is nearly complete. The midrise building is under construction and at the 4th story. We did a walk through of the remediation area. The consultants showed me the injection and monitoring wells that were installed. They are having difficulties due to congestion with all the construction. They need to reinstall wells that were destroyed and install one more well in a location that was not accessible. They anticipate injection in February. 9/12/13 - Obligado - Update from Steve Panter - As you know, we completed the chemical treatment on May 16 and were waitinguntil the oxidant fully reacted. Recent monitoring (no sampling, groundwater parameters only) has shown that the oxidation reaction is complete. Consequently, we plan to complete the post-treatment soil and groundwater sampling in the next one to three weeks. MW-7 and MW-3 were destroyed due to construction. We plan to sample groundwater and use one of the injection wells (IW-3 or IW-5) in lieu of MW-3. MW-7 and MW-3 will be re-installed (MW-3 if possible) and sampled during quarterly groundwater sampling. Please contact me if you have any questions or comments. 10/11/13 - Obligado

AVALON WEST (Continued) **S108636200**

- Update from Steve Panter: We are planning to collect the post-treatment groundwater samples next Tuesday and Wednesday of next week. On Thursday and Friday, we plan to re-install the two monitoring wells damaged during construction, MW-3 and MW-7. We will also collect the post-treatment soil samples at that time (in the two soil ports) and seal the three injection wells with leaders that extend to the bike room. We plan to re-install both wells with flush-mount casings. Re-installation of MW-7 requires a smaller rig that can fit between the corridor walls that now frame that location. This limits the drill rig's power, and means we may have difficulty getting to the desired depth. We will attempt a 1-inch-diameter well in this location with a 10-ft pre-pack well screen to increase the chance of getting to depth. If not successful, we may have to install a 1-inch-diameter well with no sand pack. The attached photo shows the location of MW-7 as it appears now. MW-7 will go near the cart in the back of the photo. Bear in mind the schedule is subject to change due to ongoing fireproofing. 1/16/14 - Obligado - I reviewed the Remedial Action Report, submitted by Steve Panter. The report documents the in situ chemical oxidation. Treatmetn began on May 9, 2013 and complete don May 16. In total 35,432 gallons of oxidant mixtrue as injected through 5 injection well. The oxidant mixture consisted of 72,732 lbs of sodium persulfate and 33,652 lbs of 100% sodium hydroxide solution to activate the persulfate. Following treatment, soil samples were collected from pre-installed sample ports. All soil samples met CP51 soil cleanup objectives. Following treatment, gw impacts above TOGs still remain. Maximum BTEX is 1185 ug/L in MW4. The report request spill closure. I called Steve Panter and requested continued ground water monitoring for at least 2 additional quarters. 4/7/14 - Obligado - I reviewed the Quarterly monitoring report. BTEX concentration continue to decrease as a result of remedial actions. According to the report, benzene concentration decreased more than 96 percent reduction within the treatment area. Groundwater conditions remain favorable for continued microbial degradation given the available sulfate, favorable ORP, pH, and increasing dissolved oxygen levels. The number of wells where concentrations reached non-detect levels increased by three in the current period. According to Steve Panter, the next sampling event is May 5. 6/18/20 - Obligado - I reviewed the May 29 2014 quarterly sampling report. Teh report documents post remedial groundwater conditions 12 months after oxidant injections. Significant BTEX reductions have occurred. Reductions in total BTEX in ug/L are as follows: MW4: Pre-treatemnt 3976, Post treatment - 371, MW3 : Pre-treatment 12,244, Post treatment 565 MW10: Pre-treatemtn 236, Post treatment 65 MW1: Pre-treatment 4794, Post treatment 46.3 According to the report, MNA monitoring parameters document dissolved oxygen levels have increased 7 fold in the treatment area. According to the report, the weight-of-evidence for geochemical parameters suggests a shift in favor of increasing aerobic degradation. This spill is closed based on: 1) Significant reductions in groundwater contamination 2) Following treatment, soil samples were collected from pre-installed sample ports. All soil samples met CP51 soil cleanup objectives. 3) Removal of 17 USTs 4) REmoval of 1,779.8 tons petroleum-contaminated soils. 5) Installation of a vapor barrier and SSDS as per NYC OER requirements. 6) MNA monitoring demonstrate conditions are favorable to continued attenuation, and decreasing trends are expected to continue 7) Spill has been remediated to the extent feasible 8) No apparent off-site migration"

AVALON WEST (Continued) **S108636200**

Remarks: "CONTAMINATION FOUND WHILE BORING; BELIEVE A TANK IS IN THE AREA; NOT YET CLEANED;"

All Materials:

Site ID:	379949
Operable Unit ID:	1137443
Operable Unit:	01
Material ID:	2127396
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	.00
Oxygenate:	Not reported

L80 **CONTMINATION SB-3 AVALON WEST CHELSEA LLC** **NY Spills** **S112147761**
West **282 11TH AVE** **N/A**
< 1/8 **NEW YORK, NY**
0.064 mi.
339 ft. **Site 3 of 24 in cluster L**

Relative: **Lower**

Actual: **10 ft.**

SPILLS:

Facility ID:	1203712
Facility Type:	ER
Spill Number:	1203712
DER Facility ID:	420885
Site ID:	466552
DEC Region:	2
Closed Date:	2012-07-17
Spill Cause:	Other
Spill Class:	C4
SWIS:	3101
Spill Date:	2012-07-17
Investigator:	AAOBLIGA
Referred To:	Not reported
Reported to Dept:	2012-07-17
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2012-07-17
Spill Record Last Update:	2012-07-31
Spiller Name:	Not reported
Spiller Company:	SB-3AVALON WEST CHELSEA LLC
Spiller Address:	282 11TH AVE
Spiller Company:	999
Contact Name:	RAHUL BAHTIA
DEC Memo:	"7-31-12 - Obligado - closed and consolidated with 0700587."
Remarks:	"soil borings confirm CONATMINATION SB-3"

CONTMINATION SB-3 AVALON WEST CHELSEA LLC (Continued) **S112147761**

All Materials:

Site ID:	466552
Operable Unit ID:	1216540
Operable Unit:	01
Material ID:	2214738
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

Site ID:	466552
Operable Unit ID:	1216540
Operable Unit:	01
Material ID:	2214739
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

L81 **AVALON WEST CHELSEA LLC** **NY UST** **U001839713**
West **282-298 ELEVENTH AVENUE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.064 mi.
339 ft. **Site 4 of 24 in cluster L**

Relative: **Lower**

Actual: **10 ft.**

UST:

Id/Status:	2-350281 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	584017.18712
UTM Y:	4511721.89000
Site Type:	Other

Affiliation Records:

Site Id:	17279
Affiliation Type:	Mail Contact
Company Name:	AVALON WEST CHELSEA LLC
Contact Type:	Not reported
Contact Name:	ANDREW BARANELLO
Address1:	275 SEVENTH AVENUE
Address2:	25TH FLOOR
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 370-9269
EMail:	ANDREW_BARANELLO@AVALONBAY.COM

AVALON WEST CHELSEA LLC (Continued) **U001839713**

Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2012-03-21

Site Id:	17279
Affiliation Type:	Facility Operator
Company Name:	AVALON WEST CHELSEA LLC
Contact Type:	Not reported
Contact Name:	N/A
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(000) 000-0000
EMail:	Not reported
Fax Number:	Not reported
Modified By:	BVCAMPBE
Date Last Modified:	2011-07-12

Site Id:	17279
Affiliation Type:	Emergency Contact
Company Name:	VALERAY REAL ESTATE CO, INC
Contact Type:	Not reported
Contact Name:	N/A
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(000) 000-0000
EMail:	Not reported
Fax Number:	Not reported
Modified By:	BVCAMPBE
Date Last Modified:	2011-07-12

Site Id:	17279
Affiliation Type:	Facility Owner
Company Name:	EAST SIDE 11TH & 28TH LLC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	445 PARK AVE, 10TH FLOOR
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 836-4050
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2012-03-21

Tank Info:

AVALON WEST CHELSEA LLC (Continued) **U001839713**

Tank Number:	001
Tank ID:	33798
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	550
Install Date:	12/01/1956
Date Tank Closed:	07/12/2011
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	BVCAMPBE
Last Modified:	04/14/2017

Equipment Records:

J00 - Dispenser - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
L00 - Piping Leak Detection - None
C03 - Pipe Location - Aboveground/Underground Combination
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None

Tank Number:	002
Tank ID:	33799
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	550
Install Date:	12/01/1956
Date Tank Closed:	07/12/2011
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	BVCAMPBE
Last Modified:	04/14/2017

Equipment Records:

K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

AVALON WEST CHELSEA LLC (Continued) **U001839713**

A00 - Tank Internal Protection - None
J00 - Dispenser - None
L00 - Piping Leak Detection - None
I00 - Overfill - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
G00 - Tank Secondary Containment - None

Tank Number: 003
Tank ID: 33800
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 550
Install Date: 12/01/1956
Date Tank Closed: 07/12/2011
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: BVCAMPBE
Last Modified: 04/14/2017

Equipment Records:

J00 - Dispenser - None
L00 - Piping Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
C03 - Pipe Location - Aboveground/Underground Combination
G00 - Tank Secondary Containment - None

Tank Number: 004
Tank ID: 33801
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 550
Install Date: 12/01/1956
Date Tank Closed: 07/12/2011
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009

AVALON WEST CHELSEA LLC (Continued) **U001839713**

Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: BVCAMPBE
Last Modified: 04/14/2017

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
C03 - Pipe Location - Aboveground/Underground Combination
G00 - Tank Secondary Containment - None
J00 - Dispenser - None
L00 - Piping Leak Detection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 005
Tank ID: 33802
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 550
Install Date: 12/01/1956
Date Tank Closed: 07/12/2011
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: BVCAMPBE
Last Modified: 04/14/2017

Equipment Records:

J00 - Dispenser - None
L00 - Piping Leak Detection - None
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
I00 - Overfill - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
G00 - Tank Secondary Containment - None

AVALON WEST CHELSEA LLC (Continued) **U001839713**

Tank Number:	006
Tank ID:	33803
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	550
Install Date:	12/01/1956
Date Tank Closed:	07/12/2011
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	BVCAMPBE
Last Modified:	04/14/2017

Equipment Records:

L00 - Piping Leak Detection - None
J00 - Dispenser - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
C03 - Pipe Location - Aboveground/Underground Combination
G00 - Tank Secondary Containment - None

Tank Number:	007
Tank ID:	33804
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	550
Install Date:	12/01/1956
Date Tank Closed:	07/12/2011
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	BVCAMPBE
Last Modified:	04/14/2017

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
G00 - Tank Secondary Containment - None

AVALON WEST CHELSEA LLC (Continued) **U001839713**

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
J00 - Dispenser - None
L00 - Piping Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 008
Tank ID: 33805
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 550
Install Date: 12/01/1956
Date Tank Closed: 07/12/2011
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: BVCAMPBE
Last Modified: 04/14/2017

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
J00 - Dispenser - None
C03 - Pipe Location - Aboveground/Underground Combination
G00 - Tank Secondary Containment - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
L00 - Piping Leak Detection - None

Tank Number: 009
Tank ID: 239985
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 550
Install Date: 12/01/1956
Date Tank Closed: 07/12/2011
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009

AVALON WEST CHELSEA LLC (Continued) **U001839713**

Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: BVCAMPBE
Last Modified: 04/14/2017

Equipment Records:

J00 - Dispenser - None
L00 - Piping Leak Detection - None
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
E00 - Piping Secondary Containment - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None

Tank Number: 010
Tank ID: 239986
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 550
Install Date: 12/01/1956
Date Tank Closed: 07/12/2011
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: BVCAMPBE
Last Modified: 04/14/2017

Equipment Records:

J00 - Dispenser - None
L00 - Piping Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None

AVALON WEST CHELSEA LLC (Continued) **U001839713**

Tank Number:	011
Tank ID:	239987
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	550
Install Date:	12/01/1956
Date Tank Closed:	07/12/2011
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	BVCAMPBE
Last Modified:	04/14/2017

Equipment Records:

L00 - Piping Leak Detection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J00 - Dispenser - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	012
Tank ID:	239988
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	550
Install Date:	12/01/1956
Date Tank Closed:	07/12/2011
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	BVCAMPBE
Last Modified:	04/14/2017

Equipment Records:

J00 - Dispenser - None
L00 - Piping Leak Detection - None

AVALON WEST CHELSEA LLC (Continued) **U001839713**

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None

Tank Number:	013
Tank ID:	239989
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	550
Install Date:	12/01/1956
Date Tank Closed:	07/12/2011
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	BVCAMPBE
Last Modified:	04/14/2017

Equipment Records:

L00 - Piping Leak Detection - None
J00 - Dispenser - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None

Tank Number:	014
Tank ID:	239990
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	550
Install Date:	12/01/1956
Date Tank Closed:	07/12/2011
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009

AVALON WEST CHELSEA LLC (Continued) **U001839713**

Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: BVCAMPBE
Last Modified: 04/14/2017

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
J00 - Dispenser - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
L00 - Piping Leak Detection - None

Tank Number: 015
Tank ID: 239991
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 550
Install Date: 12/01/1956
Date Tank Closed: 07/12/2011
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: BVCAMPBE
Last Modified: 04/14/2017

Equipment Records:

L00 - Piping Leak Detection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
J00 - Dispenser - None

AVALON WEST CHELSEA LLC (Continued) **U001839713**

Tank Number:	016
Tank ID:	239992
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	550
Install Date:	12/01/1956
Date Tank Closed:	07/12/2011
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	BVCAMPBE
Last Modified:	04/14/2017

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J00 - Dispenser - None
L00 - Piping Leak Detection - None

Tank Number:	17
Tank ID:	243297
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	02/28/2012
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NRLOMBAR
Last Modified:	04/14/2017

Equipment Records:

L00 - Piping Leak Detection - None
A00 - Tank Internal Protection - None

AVALON WEST CHELSEA LLC (Continued) **U001839713**

D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
J00 - Dispenser - None

L82 **LOT 1,TAXBLOCK 700** **NY E DESIGNATION** **S108076866**
West **282 11 AVENUE** **N/A**
< 1/8 **MANHATTAN, NY**
0.064 mi.
339 ft. **Site 5 of 24 in cluster L**

Relative: **Lower**
Actual: **10 ft.**

E DESIGNATION:

Tax Lot(s):	1
Tax Block:	700
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported
Description:	Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

L83 **CONSTRUCTION SITE** **NY Spills** **S112147736**
West **282 11TH AVE** **N/A**
< 1/8 **NEW YORK, NY**
0.064 mi.
339 ft. **Site 6 of 24 in cluster L**

Relative: **Lower**
Actual: **10 ft.**

SPILLS:

Facility ID:	1203680
Facility Type:	ER
Spill Number:	1203680
DER Facility ID:	420885
Site ID:	466518
DEC Region:	2
Closed Date:	2012-07-31
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2012-07-16
Investigator:	AAOBLIGA
Referred To:	Not reported
Reported to Dept:	2012-07-16
CID:	Not reported

CONSTRUCTION SITE (Continued) **S112147736**

Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2012-07-16
Spill Record Last Update:	2012-07-31
Spiller Name:	Not reported
Spiller Company:	AVALON WEST CHELSEA LLC
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	RAHUL PHITIA
DEC Memo:	"Petro 7-31-12 - Obligado - closed and consolidated with 0700587."
Remarks:	"Impacted soil from a probe sample. Soil Boring Area SB-1"

All Materials:

Site ID:	466518
Operable Unit ID:	1216507
Operable Unit:	01
Material ID:	2214703
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

L84
West
< 1/8
0.064 mi.
339 ft.

CONSTRUCTION SITE BORING SD-4 **NY Spills** **S112147776**
282 11TH AVE **N/A**
NEW YORK, NY

Site 7 of 24 in cluster L

Relative:
Lower

Actual:
10 ft.

SPILLS:

Facility ID:	1203731
Facility Type:	ER
Spill Number:	1203731
DER Facility ID:	420885
Site ID:	466571
DEC Region:	2
Closed Date:	2012-07-31
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2012-07-17
Investigator:	AAOBLIGA
Referred To:	Not reported
Reported to Dept:	2012-07-17
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial

CONSTRUCTION SITE BORING SD-4 (Continued) **S112147776**

Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2012-07-17
Spill Record Last Update:	2012-07-31
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	RAHUL BHATIA
DEC Memo:	"7-31-12 - Obligado - closed and consolidated with 0700587."
Remarks:	"cleanup pending"

All Materials:

Site ID:	466571
Operable Unit ID:	1216559
Operable Unit:	01
Material ID:	2214761
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

L85 **PARKING GARAGE** **NY Spills** **S108057815**
West **282-296 11TH AVE** **N/A**
< 1/8 **NEW YORK, NY**
0.064 mi.
339 ft. **Site 8 of 24 in cluster L**

Relative: **Lower**
Actual: **10 ft.**

SPILLS:

Facility ID:	0603351
Facility Type:	ER
Spill Number:	0603351
DER Facility ID:	316138
Site ID:	366053
DEC Region:	2
Closed Date:	2007-09-11
Spill Cause:	Other
Spill Class:	C4
SWIS:	3101
Spill Date:	2006-06-27
Investigator:	hrpatel
Referred To:	Not reported
Reported to Dept:	2006-06-27
CID:	444
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported

PARKING GARAGE (Continued) **S108057815**

Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2006-06-27
Spill Record Last Update:	2007-09-11
Spiller Name:	JEFF BOHLEN
Spiller Company:	PARKING GARAGE
Spiller Address:	282-296 11TH AVE
Spiller Company:	001
Contact Name:	JEFF BOHLEN
DEC Memo:	"7/14/06 - Raphael Ketani. The contaminated soil was found on 6/27. I tried calling Jeff Bohlen of Envirotract (631) 471-1500, but could only leave a message. 7/18/06 - Raphael Ketani. I could only leave a voice message. 7/19/06 - Raphael Ketani. Jeff of Envirotrak called to say that they are preparing the phase I and II report for DEC. There is a tank field with 8 USTs and another with 3 USTs. There is soil and groundwater contamination. They are negotiating with the owner to remove the tanks. However, one set of tanks can't be removed and will be abandoned in place as it is under the lift that brings the cars to the upper floors of the garage. 8/7/06 - Raphael Ketani. Today, I received the July 21, 2006 Phase II Environmental Site Assessment Report from Envirotrac (631) 471-1500. Soil samples with exceedences of the TAGM are GP-1 (SVOCs only), and GP-2 (total xylenes). Groundwater samples with TAGM exceedences are GP-4 (many VOCs), GP-5 (many VOCs), and GW-1 (only MTBE). They recommend removing the 8 USTs, the soil, and the groundwater. The report didn't have a site map showing where the borings were done. They, also, don't mention whether they checked the areas of the remote fills or the pump islands for contamination. They need to do borings and sampling in these areas. They need to revise their PBS record if they remove or abandon in place the tanks. As the phase II investigation found gasoline contamination of groundwater, I am transfering the case to Koon Tang. 8/21/06 - Mr. Jeff Bohlen from Envirotra, 613-471-1500. They will tell the RP that DEC requires full delineation of contaminated soil and GW. The source of the spill has not been characterized. He mentioned that teh tanks are still in the ground, abandoned with water/oil mixture in them. Don't know if there is contaminated soil around the tank or pipings acting as a source to contaminate the GW. Told Envirotra to send in a RI report so I can prioritize the spill. - KST 10/18/06 - (KST) reviewed the Phase 2 and provided the following comments to ENvirotrac. Comments on the Phase 2 Report: 1) The write-up should provide more detailed discussion on the results. Need to know the depth of each soil samples, depth to groundwater, some discussion of the site geology. Are the USTs actively used? If not, what happened to the dispensers and fill port? 2) Data gap at the fuel dispensers and along the fill port and fill lines of the USTs. Should have taken soil and groundwater samples along these possible release points. 3) Detection limits (DL) should have been reported on the data summary table. Without the DL, DEC can not tell if the non-detected (ND) is below the regulatory guidance numbers or the lab instrument was masked to see the contamination. Looks like many of the soil samples could have VOCs over the TAGM numbers based on the lab reported DL. 4) Need boring logs describing the lithology as well as visible/olfactory observation. Based on the data in the report, the level of contamination is low and your

PARKING GARAGE (Continued) **S108057815**

recommendation of USTs removal and end-point samples is an acceptable means to ascertain if further remedial work is needed. Pls revise the report to address all the comments above and proceed with the tanks removal. 09/11/07-Hiralkumar Patel. another spill reported at site. case closed. will be investigated under new spill number. refer spill #: 0700587."

Remarks: "FOR A REAL ESTATE TRANSACTION DID BORINGS AND FOUND SOME CONTAMINATION:"

All Materials:

Site ID:	366053
Operable Unit ID:	1124015
Operable Unit:	01
Material ID:	2113494
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	.00
Oxygenate:	Not reported

L86 **CONSTRUCTION SITE** **NY Spills** **S112147778**
West **282 11TH AVE** **N/A**
< 1/8 **MANHATTAN, NY**
0.064 mi.
339 ft. **Site 9 of 24 in cluster L**

Relative: **Lower**

Actual: **10 ft.**

SPILLS:

Facility ID:	1203735
Facility Type:	ER
Spill Number:	1203735
DER Facility ID:	420907
Site ID:	466576
DEC Region:	2
Closed Date:	2013-03-20
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2012-07-17
Investigator:	AAOBLIGA
Referred To:	Not reported
Reported to Dept:	2012-07-17
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2012-07-17
Spill Record Last Update:	2013-03-20
Spiller Name:	Not reported

CONSTRUCTION SITE (Continued) **S112147778**

Spiller Company: AKRS
Spiller Address: Not reported
Spiller Company: 999
Contact Name: KATE BRUNNER
DEC Memo: "UNCOVERED 55 GALLON DRUM DURING EXCAVATION, CONTAINS MOSTLY SLUDGE, SOIL IMPACT IN AREA. 3/19/13 - Obligado - DER Section C Staff met to discuss a closure of Spill No. 1203735. After the internal discussion, the request for spill closure was approved based on the following: - An abandoned drum was discovered and removed during a excavation for a building construction. - The endpoint sample from below the drum met CP-51 unrestricted soil clean-up levels. - Based on the endpoint sample, the drum does not appear to have leaked petroleum. This spill is closed. "
Remarks: "UNCOVERED 55 GALLON DRUM DURING EXCAVATION, CONTAINS MOSTLY SLUDGE, SOIL IMPACT IN AREA."

All Materials:
Site ID: 466576
Operable Unit ID: 1216563
Operable Unit: 01
Material ID: 2214767
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Oxygenate: Not reported

I87 **LOT 28,TAXBLOCK 701** **NY E DESIGNATION** **S108076901**
East **515 WEST 29 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.066 mi.
349 ft. **Site 2 of 3 in cluster I**

Relative:
Higher

Actual:
16 ft.

E DESIGNATION:
Tax Lot(s): 28
Tax Block: 701
Borough Code: Not reported
E-No: E-142
Effective Date: 6/23/2005
Satisfaction Date: Not reported
Ceqr Number: 03DCP069M
Ulurp Number: 050161 ZRM
Zoning Map No: 8b

Description: Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date: Not reported

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

I88 **SAM-FAY REALTY CORP.** **NY AST** **A100178243**
East **515 WEST 29TH STREET** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.066 mi.
349 ft. **Site 3 of 3 in cluster I**

Relative:
Higher

Actual:
16 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Inactive
Facility Id:	2-606180
Program Type:	PBS
UTM X:	584268.05355
UTM Y:	4511668.11546
Expiration Date:	N/A
Site Type:	Other

Affiliation Records:

Site Id:	28044
Affiliation Type:	Facility Owner
Company Name:	SAM-FAY REALTY CORP.
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	48-85 MASPETH AVE.
Address2:	Not reported
City:	MASPETH
State:	NY
Zip Code:	11378
Country Code:	001
Phone:	(718) 417-1119
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	28044
Affiliation Type:	Facility Operator
Company Name:	SAM-FAY REALTY CORP.
Contact Type:	Not reported
Contact Name:	SYLVESTER REDDICK
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(917) 346-6398
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	28044
Affiliation Type:	Emergency Contact
Company Name:	SAM-FAY REALTY CORP.
Contact Type:	Not reported
Contact Name:	MYRON ZUCKERMAN
Address1:	Not reported
Address2:	Not reported
City:	Not reported

SAM-FAY REALTY CORP. (Continued) **A100178243**

State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 417-1119
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 28044
Affiliation Type: Mail Contact
Company Name: MYRON ZUCKERMAN
Contact Type: Not reported
Contact Name: Not reported
Address1: 48-85 MASPETH AVENUE
Address2: Not reported
City: MASPETH
State: NY
Zip Code: 11378
Country Code: 001
Phone: (718) 417-1119
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank Id: 61070
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
B05 - Tank External Protection - Jacketed
I05 - Overfill - Vent Whistle
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 07/30/2001
Register: True
Modified By: TRANSLAT

SAM-FAY REALTY CORP. (Continued) **A100178243**

Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 001
Tank Id: 60842
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B05 - Tank External Protection - Jacketed
I05 - Overfill - Vent Whistle
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 11/14/2013
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Affiliation Records:
Site Id: 27879
Affiliation Type: Mail Contact
Company Name: BAUHOUSE GROUP
Contact Type: Not reported
Contact Name: CHRIS J ONES
Address1: 100 WEST PUTNAM AVE.
Address2: Not reported
City: GREENWICH
State: CT
Zip Code: 06830
Country Code: 001
Phone: (917) 346-0616
EMail: CJ@BAUHOUSEGROUP.COM
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 2014-07-21

SAM-FAY REALTY CORP. (Continued) **A100178243**

Site Id:	27879
Affiliation Type:	Facility Operator
Company Name:	515 WEST 29TH STREET
Contact Type:	Not reported
Contact Name:	N/A
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	N/A
EMail:	Not reported
Fax Number:	Not reported
Modified By:	CGFREEDM
Date Last Modified:	2014-07-21

Site Id:	27879
Affiliation Type:	Emergency Contact
Company Name:	515 WEST 29TH STREET OWNER LLC
Contact Type:	Not reported
Contact Name:	N/A
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	N/A
EMail:	Not reported
Fax Number:	Not reported
Modified By:	CGFREEDM
Date Last Modified:	2014-07-21

Site Id:	27879
Affiliation Type:	Facility Owner
Company Name:	515 WEST 29TH STREET OWNER LLC
Contact Type:	VP
Contact Name:	DAVID SHEPIN
Address1:	80 STATE STREET
Address2:	Not reported
City:	ALBANY
State:	NY
Zip Code:	12207
Country Code:	001
Phone:	(917) 346-0616
EMail:	Not reported
Fax Number:	Not reported
Modified By:	CGFREEDM
Date Last Modified:	2014-07-21

Tank Info:

Tank Number:	001
Tank Id:	61070
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

SAM-FAY REALTY CORP. (Continued) **A100178243**

Equipment Records:

C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
B05 - Tank External Protection - Jacketed
I05 - Overfill - Vent Whistle
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Tank Converted to Non-Regulated Use
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	3000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	07/30/2001
Register:	True
Modified By:	TRANSLAT
Last Modified:	04/14/2017
Material Name:	#2 fuel oil (on-site consumption)
Tank Number:	001
Tank Id:	60842
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B05 - Tank External Protection - Jacketed
I05 - Overfill - Vent Whistle
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	3000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	11/14/2013

SAM-FAY REALTY CORP. (Continued) **A100178243**

Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

P89 **LOT 58,TAXBLOCK 701** **NY E DESIGNATION** **S108076979**
ENE **530 WEST 30 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.067 mi.
353 ft. **Site 1 of 2 in cluster P**

Relative:
Higher

Actual:
16 ft.

E DESIGNATION:
Tax Lot(s): 58
Tax Block: 701
Borough Code: Not reported
E-No: E-142
Effective Date: 6/23/2005
Satisfaction Date: Not reported
Ceqr Number: 03DCP069M
Ulurp Number: 050161 ZRM
Zoning Map No: 8b

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

L90 **CON EDISON MANHOLE: 5227** **RCRA NonGen / NLR** **1017778848**
West **W 28TH ST & 11TH AVE 138 FEET** **FINDS** **NYP004568036**
< 1/8 **NEW YORK, NY 10001**
0.068 mi.
358 ft. **Site 10 of 24 in cluster L**

Relative:
Lower

Actual:
10 ft.

RCRA NonGen / NLR:
Date form received by agency: 07/17/2014
Facility name: CON EDISON MANHOLE: 5227
Facility address: W 28TH ST & 11TH AVE 138 FEET
W OF
NEW YORK, NY 10001
EPA ID: NYP004568036
Mailing address: IRVING PL, 15TH FL NE
NEW YORK, NY 10003
Contact: THOMAS TEELING
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: 212-460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No

CON EDISON MANHOLE: 5227 (Continued) **1017778848**

Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	06/17/2014
Site name:	CON EDISON
Classification:	Small Quantity Generator

Date form received by agency:	06/17/2014
Site name:	CON EDISON
Classification:	Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110063825053

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

L91 **CON EDISON SERVICE BOX: 5228** **RCRA NonGen / NLR** **1017778849**
West **W 28TH ST & 11TH AVE 150 FEET** **FINDS** **NYP004568044**
< 1/8 **NEW YORK, NY 10001**
0.068 mi.
358 ft. **Site 11 of 24 in cluster L**

Relative: **Lower**
Actual: **10 ft.**

RCRA NonGen / NLR:

Date form received by agency:	07/17/2014
Facility name:	CON EDISON SERVICE BOX: 5228
Facility address:	W 28TH ST & 11TH AVE 150 FEET E OF NEW YORK, NY 10001
EPA ID:	NYP004568044
Mailing address:	IRVING PL, 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported

CON EDISON SERVICE BOX: 5228 (Continued) **1017778849**

Not reported
Contact country: Not reported
Contact telephone: 212-460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 06/17/2014
Site name: CON EDISON
Classification: Small Quantity Generator

Date form received by agency: 06/17/2014
Site name: CON EDISON
Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110063825062

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

L92 **NYCT** **NY Spills** **S106017729**
West **28TH ST/11TH AVE** **N/A**
< 1/8 **NEW YORK, NY**
0.068 mi.
359 ft. **Site 12 of 24 in cluster L**

Relative: **Lower**

Actual: **10 ft.**

SPILLS:

Facility ID:	0305824
Facility Type:	ER
Spill Number:	0305824
DER Facility ID:	173835
Site ID:	209665
DEC Region:	2
Closed Date:	2013-03-27
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2003-09-02
Investigator:	RVKETANI
Referred To:	Not reported
Reported to Dept:	2003-09-02
CID:	281
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Affected Persons
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2003-09-02
Spill Record Last Update:	2013-03-27
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	RICHARD WETHERBEE
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE 11/12/10 - spill re-assigned from Tibbe to Joe O'Connell 2/7/2012 - changed Lead DEC from Joe O'Connell to JFeng. Toni Watts is the NYCT case manager. Her phone is (646) 252-5939. Her e-mail is Toni.Watts@nyct.com. 2/28/13 - Raphael Ketani. The February 2013 NYCT monthly progress meeting took place today. As part of this meeting, Ms. Watts discussed the 28th Street and 11th Avenue spill. She stated that she tried to research this spill in the NYCT records, but could not find any documentation. So it is unclear where the contamination was found that generated the spill reporting. Later, I searched the UIS database and the paper files in storage downstairs, but I could not find any records. I tried to contact the person who had called in the spill back in 2003, Richard Wetherbee, but the phone number was not in service. 3/27/13 - Raphael Ketani. I investigated whether there had been any spills near the site in the past. I discovered that a Con Ed storage yard at 281 11th Avenue had over 24 spills. These were mostly hydraulic fluid spills. All of the cases had been closed. There is also another spill site, Avalon West Chelsea LLC at 282 11th Avenue. This was some type of taxi or other vehicle service station. It is still an active case and the site is being developed. The responsible parties are remediating the site. The spill that

NYCT (Continued) **S106017729**

caused the contaminated soil could have come from either of these two sites. However, the exact location of the soil boring is still unknown. As such, I am closing this spill case as there is active environmental monitoring taking place at the Avalon site. So there is oversight coverage. The closure will be effective today. "

Remarks: "Soil contamination discovered during boaring at above location."

All Materials:

Site ID:	209665
Operable Unit ID:	872423
Operable Unit:	01
Material ID:	503061
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

L93 **WEST 28TH ST YARD** **NY Spills** **S103575143**
West **WEST 28TH/11TH AVE** **N/A**
< 1/8 **MANHATTAN, NY**
0.068 mi.
359 ft. **Site 13 of 24 in cluster L**

Relative: SPILLS:
Lower

Actual: Facility ID:	9811200
10 ft. Facility Type:	ER
Spill Number:	9811200
DER Facility ID:	66044
Site ID:	69463
DEC Region:	2
Closed Date:	2003-11-04
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	1998-12-06
Investigator:	CAENGELH
Referred To:	Not reported
Reported to Dept:	1998-12-06
CID:	382
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1998-12-06
Spill Record Last Update:	2003-11-12
Spiller Name:	ERNIE ROWLAND
Spiller Company:	CON ED
Spiller Address:	4 IRVING PLACE

WEST 28TH ST YARD (Continued) **S103575143**

Spiller Company: 001
Contact Name: ERNIE ROWLAND
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was ENGELHARDT E2MIS 121751 THIS INCIDENT IS VOIDED BECAUSE IT IS IN THE WRONG SITE. IT IS REPLACED BY INCIDENT #121761 IN THE W 28 ST SITE. MAKE ALL UPDATES TO INCIDENT 121761. 12/06/98 08:00 HRS KENNETH SCHNORR #64555 REPORTS PALL UNIT ON THE BACK OF TRUCK #40751 LEAKED 2-GALLONS OF TRANSFORMER OIL ONTO FLOOR OF FLATBED OF TRUCK. NO WATERWAYS OR SEWER EFFECTED. SAMPLE TAKEN AND CLEAN UP IS IN PROGRESS. 12/06/98 12:30hrs - Update to spill - In accordance with I&A OS, K. Schnorr #64555, no sample was taken today. Oil spill is from PALL unit and therefore, from last unit (after recycling) that the PALL was used for. Paged ERT - no answer. 12/06/98 13:05hrs - Contacted ERT (Wallace #84274)- need more information about spill - Did oil spill only on truck or also on pavement? 12/06/98 13:10hrs I&A Splicer, M. Reiter #27277 reports spill was on truck 40751 (approx 1/2 gallon) and on pavement at tail gate of truck (approx 1 1/2 gallons). Only historical data available is hard copy displaying 182PPM from before last transformer was recycled - which is V5147 at 56 Hudson St. However, PCB count after recycling should be less. New sample was taken on 11/28/98 after V5147 was recycled. The PCB count on the Nov 28 sample should be the same as for today's spill as it is the same oil. The Nov 28, 1998 sample is waiting for results to be posted. 12/06/98 13:20hrs I&A OS K. Schnorr reports spill was cleaned up 12/06/98 @ 08:15hrs. I&A Cleanup crew was M. Reiter #27277 and J. Jones #48534. Area on truck and pavement was double washed with slix. Original hard copy of 182 PPM was used with 1 barrel of assumed >49PPM waste stream generated and stored in PCB temorary storage area at W. 28 St. Update to waste stream and this E2MIS report pending sample results of Nov 28, 1998 (from V5147 @ 56 Hudson) 12/06/98 13:25hrs ERT phone busy 12/06/98 13:35hrs ERT (Wallace #84274) updated. Cannot take additional sample from PALL unit as requested by ERT. 12/06/98 13:45hrs Chem lab contacted and requested to upgrade status of 11/28/98 sample of vault 5147 56 Hudson St to Emergency sample. Chem lab supervisor, J. Hendrick will look into matter 12/06/98 13:50hrs ERT (Wallace #84274) updated 12/06/98 14:20hrs Astoria Chem Lab supervisor, J. Hendricks reports 11/28/98 sample for V5147 @ 56 Hudson St cannot be found. 12/06/98 15:05 CIG, E. Rowland #43784 updated....A. Johnon #81226 12/10/98 18:00PM No sample results can be found by district I&A or Astoria Lab. Told information to ERT (W. Wallace #84274). PCB count of 182PPM as found on original hard copy (prior to recycling) is acceptable limits to close out job. Cleanup on 12/6/98 was in accordance with 182 PPM even though count is probably lower. Job can be closed out. E2MIS 121761 THIS INCIDENT REPLACES INCIDENT #121751 WHICH WAS ENTERED INTO THE WRONG SITE (MEDS) 12/06/98 08:00 HRS KENNETH SCHNORR #64555 REPORTS PALL UNIT ON BACK OF TRUCK#40751 LEAKED 2-GALLONS OF TRANSFORMER OIL ONTO FLOOR OF FLATBED. NO WATERWAYS OR SEWER EFFECTED . SAMPLE TAKEN AND CLEAN UP IS IN PROGRESS. JUAN MEJIAS JR. #44729 12/07/98 11:00 JUAN MEJIAS ENTERED INCIDENT AGAIN SEE INCIDENT#121571 FOR THE ORGINAL REPORT. JUAN MEJIAS JR #44729 12/06/98 12:30hrs - Update to spill - In accordance with I&A OS, K. Schnorr #64555, no sample was taken today. Oil spill is from PALL unit and therefore, from last unit (after recycling) that the PALL was used for. Paged ERT - no answer. 12/06/98 13:05hrs - Contacted ERT (Wallace #84274)- need more information about spill - Did oil spill only on truck or also on pavement? 12/06/98 13:10hrs I&A Splicer, M. Reiter #27277 reports

WEST 28TH ST YARD (Continued) **S103575143**

spill was on truck 40751 (approx 1/2 gallon) and on pavement at tail gate of truck (approx 1 1/2 gallons). Only historical data available is hard copy displaying 182PPM from before last transformer was recycled - which is V5147 at 56 Hudson St. However, PCB count after recycling should be less. New sample was taken on 11/28/98 after V5147 was recycled. The PCB count on the Nov 28 sample should be the same as for today's spill as it is the same oil. The Nov 28, 1998 sample is waiting for results to be posted. Environmental Detailed Incident Report 12/06/98 13:20hrs I&A OS K. Schnorr reports spill was cleaned up 12/06/98 @ 08:15hrs. I&A Cleanup crew was M. Reiter #27277 and J. Jones #48534. Area on truck and pavement was double washed with slix. Original hard copy of 182 PPM was used with 1 barrel of assumed >49PPM waste stream generated and stored in PCB temorary storage area at W. 28 St. Update to waste stream and this E2MIS report pending sample results of Nov 28, 1998 (from V5147 @ 56 Hudson) 12/06/98 13:25hrs ERT phone busy 12/06/98 13:35hrs ERT (Wallace #84274) updated. Cannot take additional sample from PALL unit as requested by ERT. 12/06/98 13:45hrs Chem lab contacted and requested to upgrade status of 11/28/98 sample of vault 5147 56 Hudson St to Emergency sample. Chem lab supervisor, J. Hendrick will look into matter 12/06/98 13:50hrs ERT (Wallace #84274) updated 12/06/98 14:20hrs Astoria Chem Lab supervisor, J. Hendricks reports 11/28/98 sample for V5147 @ 56 Hudson St cannot be found. 12/06/98 14:30hrs ERT (Wallace #84274) updated Logger: A. Johnson #81226, I&A South 12/06/98 15:05 CIG, E. Rowland #43784 updated....A. Johnon #81226 7/11/02 R. Colanero #26498: Added notification info. from voided incident #121751, MEDS "

Remarks: "A PALL UNIT ON THE FLAT BED OF TRUCK NUMBER 40751 FAILED CAUSING THE SPILL.CLEAN UP IS COMPLETE. CON ED 121-751"

All Materials:

Site ID:	69463
Operable Unit ID:	1072064
Operable Unit:	01
Material ID:	315048
Material Code:	0541A
Material Name:	dielectric fluid
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	2.00
Units:	G
Recovered:	2.00
Oxygenate:	Not reported

L94 **CON EDISON SERVICE BOX: 5232** **RCRA NonGen / NLR 1016149373**
West **519 W 28TH ST & 11TH AVE SB 5232** **NY MANIFEST NYP004280368**
< 1/8 **NEW YORK, NY 10001**
0.068 mi.
359 ft. **Site 14 of 24 in cluster L**

Relative: **Lower**
Actual: **10 ft.**

RCRA NonGen / NLR:

Date form received by agency:	03/27/2013
Facility name:	CON EDISON SERVICE BOX: 5232
Facility address:	519 W 28TH ST & 11TH AVE SB 5232 FRONT OF NEW YORK, NY 10001
EPA ID:	NYP004280368

CON EDISON SERVICE BOX: 5232 (Continued) **1016149373**

Contact: JOSE MONTALVO
Contact address: Not reported
Not reported
Contact country: US
Contact telephone: 212-427-1331
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 02/27/2013
Site name: CON EDISON SERVICE BOX: 5232
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004280368
Facility Status: Not reported
Location Address 1: F/O 519 W 28 ST & 11 AVE
Code: BP
Location Address 2: SERVICE BOX # 5232
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004280368
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported

CON EDISON SERVICE BOX: 5232 (Continued) **1016149373**

Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	02/27/2013
Trans1 Recv Date:	02/27/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/04/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004280368
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010708048JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	750
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

L95 **ROADWAY** **NY Spills** **S102663543**
West **WEST 28TH ST AND 11TH AVE** **N/A**
< 1/8 **MANHATTAN, NY**
0.068 mi.
359 ft. **Site 15 of 24 in cluster L**

Relative: **Lower**

Actual: **10 ft.**

SPILLS:

Facility ID:	9706409
Facility Type:	ER
Spill Number:	9706409
DER Facility ID:	243268
Site ID:	300758
DEC Region:	2
Closed Date:	1998-05-01
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	1997-08-27
Investigator:	MCTIBBE
Referred To:	Not reported
Reported to Dept:	1997-08-27
CID:	370
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1997-08-27
Spill Record Last Update:	1998-05-22
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	MR ROMANO CON ED
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE CLEANED BY SANITATION. "
Remarks:	"SPILL FROM UNKNOWN TYPE OF TRAILER INFO WAS VERY SKETCHY SANITATION IS ON THE WAY NOW"

All Materials:

Site ID:	300758
Operable Unit ID:	1049777
Operable Unit:	01
Material ID:	331993
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

L96 **CON EDISON SERVICE BOX: 5230** **NJ MANIFEST** **S117987151**
West **W 28TH ST & 11TH AVE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.068 mi.
359 ft. **Site 16 of 24 in cluster L**

Relative:
Lower

Actual:
10 ft.

NJ MANIFEST:

EPA Id:	NYP004280350
Mail Address:	Not reported
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	JOSE MONTALVO
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	001676068GBF
EPA ID:	NYP004280350
Date Shipped:	12/12/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported

CON EDISON SERVICE BOX: 5230 (Continued) **S117987151**

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 300.00 gallons

L97 **CON EDISON SERVICE BOX: 5241** **RCRA NonGen / NLR** **1016449993**
West **W 28TH ST & 11TH AVE** **NY MANIFEST** **NYP004289898**
< 1/8 **NEW YORK, NY 10001**
0.068 mi.
359 ft. **Site 17 of 24 in cluster L**

Relative:
Lower

Actual:
10 ft.

RCRA NonGen / NLR:
Date form received by agency: 03/28/2013
Facility name: CON EDISON SERVICE BOX: 5241
Facility address: W 28TH ST & 11TH AVE
NEW YORK, NY 10001
EPA ID: NYP004289898
Contact: JOSE MONTALVO
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: 212-427-1331
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 02/28/2013
Site name: CON EDISON SERVICE BOX: 5241

CON EDISON SERVICE BOX: 5241 (Continued) **1016449993**

Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004289898
Facility Status: Not reported
Location Address 1: OPP 515 W 28 ST & 11TH AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004289898
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2013
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 02/28/2013
Trans1 Recv Date: 02/28/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/28/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004289898
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010708159JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported

CON EDISON SERVICE BOX: 5241 (Continued) **1016449993**

Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

L98 **CON ED** **NY Spills** **S106126778**
West **W. 28TH AND 11TH AVE** **N/A**
< 1/8 **MANHATTAN, NY**
0.068 mi.
359 ft. **Site 18 of 24 in cluster L**

Relative: **Lower**

Actual: **10 ft.**

SPILLS:

Facility ID:	0310177
Facility Type:	ER
Spill Number:	0310177
DER Facility ID:	73663
Site ID:	79239
DEC Region:	2
Closed Date:	2004-02-03
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2003-12-01
Investigator:	AERODRIG
Referred To:	Not reported
Reported to Dept:	2003-12-01
CID:	404
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	Not reported
Spill Record Last Update:	2004-02-03

CON ED (Continued) **S106126778**

Spiller Name:	Not reported
Spiller Company:	VENDORS TRUCK
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	EMERGENCY RESPONSE TEAM
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was RODRIGUEZ E2MIS 151323 On 12/1/03 at 17:25 W. Zuk # 85848 of W. 28 st transportation reports a spill of gasoline. He states that at 17:15 1 qt. of gasoline spilled from the back of a contractors vehicle (Transclean) onto the ground. This was near a 3' square drain that previously had a baricaides (a board with rubber seal that was provided by Transclean) around it. However about 8 oz has leaked past & into the drain. Additional diapers were put down around the drain. The spill has stopped at this time. He also says that in this 3' drain there is about 60 gallons of water. Wilson Renalds of Clean Harbors will have a truck & crew to drain & clean the liquid that is still in the drain. They should be on location at 8 pm. There was no fire or smoke involved. No private property was affected. No injuries were related to the spill. Weather conditions do not contribute to the hazard of the spill. Update 12/12/03 Cleanup completed by Clean Harbors on 12/01/03 @ 2230."
Remarks:	"8 oz of gasoline leaked from a box truck into the sewer but it is now contained and no more is leaking out."

All Materials:

Site ID:	79239
Operable Unit ID:	875266
Operable Unit:	01
Material ID:	499107
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

L99 **VAULT 0853** **NY Spills** **S106010776**
West **W 28TH ST & 11TH AVE** **N/A**
< 1/8 **MANHATTAN, NY**
0.068 mi.
359 ft. **Site 19 of 24 in cluster L**

Relative: **Lower**
Actual: **10 ft.**

SPILLS:

Facility ID:	0210471
Facility Type:	ER
Spill Number:	0210471
DER Facility ID:	65101
Site ID:	68310
DEC Region:	2
Closed Date:	2003-09-29
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2003-01-17
Investigator:	KMFOLEY

VAULT 0853 (Continued) **S106010776**

Referred To:	Not reported
Reported to Dept:	2003-01-17
CID:	257
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2003-01-17
Spill Record Last Update:	2003-09-29
Spiller Name:	CHARLIE MCCARTHY
Spiller Company:	CON ED
Spiller Address:	4 IRVING PLACE
Spiller Company:	001
Contact Name:	KEVIN MCARDLE
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was FOLEY Con Ed e2mis #146784: 1/17/2003 @ 11:40 At 11:15 Reiter # 27277 of I&A reported to me that while doing switch repairs he discovered in V-853 approx 5 gallons of dieletric fluiid in the structure as the result of a Bottom Leak. He was working on Feeder 13M53. The location is at 628 W.28 st & 11 Av. No fire/smoke was involved, no injuries, weather did not contribute, No private property was affected. No substantial cracks observed, no sump verified, no sewer connection as per Conduit plate # 22-C-3. There is Dieletric filled equipment in the structure. The source of the spil is the Tranformer and the cause is a Bottom leak. Environmental tag # 18352 was hung. Two samples for PCB and ID will be taken and courier called for pickup. Chain of Custody # BB 04312 will be used for this incident. Baloneys and absorbent pads placed around the Transformer and contained the spill. The Feeder is being requested taken out of service OOE / 2 to schedule cleanup. Equipment is a Westinghouse year 1961 with Serial # 2200389 with a capacity of 290 gallons and 13 PPM as per Cindy . It is a Class v-4 and 500 KVa. 1/17/2003 @ 12:27 hrs I spoke to Shift Manager M Barry in the Manhattan Control Center and he informed me that as of now due to contingencies on this network, this Feeder 13M53 can not be scheduled at this time to be taken out of service. Analysis indicates the presence of a substance similar to a dielectric fluid. UPDATE 1/17/03 Lab Sequence Number: 03-00483-001 Date Approved: 1/17/2003 E2 Incident Number: 146784 Date Received: 1/17/2003 Chain of Custody ID: BB04312 Date Sampled: 1/17/2003 MATRIX: OIL GRAB LOCATION: 628-58 W.28 ST STRUCTURE: VAULT 853 FEEDER ID: 13M53 EQUIPMENT: TRANSFORMER SERIAL #: QC ID: 06-200301162217 TEST DESCRIPTION RESULT UNIT METHOD Aroclor 1242 < 1.0 ppm EPA 608/8082 Aroclor 1254 < 1.0 ppm EPA 608/8082 Aroclor 1248 < 1.0 ppm EPA 608/8082 Aroclor 1260 11.3 ppm EPA 608/8082 TOTAL PCB 11 ppm Transformer removed and replaced on 4/18/03 ..... Zoeller, 11940 4/17/03 21:20 V. Mirance # 58484 cable/cleanup supervisor called to report that the cleanup was completed at 21:15. All debris & liquid was removed by the flush truck. The structure was double washed with slix & rinsed down with the flush truck. The spill tag # 18352 was removed. The cleanup crew was: J. Bauer # 03431, R. Laroza # 12108, M. Pelusio # 87327, R. Barger # 14903."
Remarks:	"cleanup pending power being turned off ref #146784"

VAULT 0853 (Continued) **S106010776**

All Materials:

Site ID:	68310
Operable Unit ID:	863906
Operable Unit:	01
Material ID:	513854
Material Code:	0541A
Material Name:	dielectric fluid
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

L100 **CON EDISON SERVICE BOX: 5243 SEE NYP004279519** **RCRA NonGen / NLR** **1016450012**
West **W 28TH & 11TH ST SB 5243** **FINDS** **NYP004290078**
< 1/8 **NEW YORK, NY 10001** **ECHO**
0.068 mi.
359 ft. **Site 20 of 24 in cluster L**

Relative:
Lower

Actual:
10 ft.

RCRA NonGen / NLR:

Date form received by agency:	04/01/2013
Facility name:	CON EDISON SERVICE BOX: 5243 SEE NYP004279519
Facility address:	W 28TH & 11TH ST SB 5243 NEW YORK, NY 10001
EPA ID:	NYP004290078
Contact:	JOSE MONTALVO
Contact address:	Not reported Not reported
Contact country:	US
Contact telephone:	212-427-1331
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	03/01/2013

CON EDISON SERVICE BOX: 5243 SEE NYP004279519 (Continued) **1016450012**

Site name: CON EDISON SERVICE BOX: 5243
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110055936073

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1016450012
Registry ID: 110055936073
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110055936073

L101 **CON EDISON SERVICE BOX: 5230** **RCRA NonGen / NLR** **1016149372**
West **W 28TH ST & 11TH AVE SB 5230** **FINDS** **NYP004280350**
< 1/8 **NEW YORK, NY 10001** **ECHO**
0.068 mi.
359 ft. **Site 21 of 24 in cluster L**

Relative: **Lower**
Actual: **10 ft.**

RCRA NonGen / NLR:
Date form received by agency: 03/27/2013
Facility name: CON EDISON SERVICE BOX: 5230
Facility address: W 28TH ST & 11TH AVE SB 5230
NEW YORK, NY 10001
EPA ID: NYP004280350
Contact: JOSE MONTALVO
Contact address: Not reported
Not reported
Contact country: US
Contact telephone: 212-427-1331
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No

CON EDISON SERVICE BOX: 5230 (Continued) **1016149372**

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 02/27/2013
Site name: CON EDISON SERVICE BOX: 5230
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110055454994

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1016149372
Registry ID: 110055454994
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110055454994

L102 **CON EDISON** **NY MANIFEST** **S119073542**
West **W 28TH & 11TH ST SB 5243** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.068 mi.
359 ft. **Site 22 of 24 in cluster L**

Relative:
Lower

Actual:
10 ft.

NY MANIFEST:
Country: USA
EPA ID: NYP004290078
Facility Status: Not reported
Location Address 1: FO 502 W 28TH AND 11TH AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004290078
Mailing Name: CON EDISON

CON EDISON (Continued) **S119073542**

Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	03/01/2013
Trans1 Recv Date:	03/01/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/06/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004290078
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010708051JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported

CON EDISON (Continued) **S119073542**

Waste Code 1_6: Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

L103 **PAVEMENT** **NY Spills** **S111317875**
West **11TH AVE BETWEEN W 28TH AND W 29TH ST** **N/A**
< 1/8 **MANHATTAN, NY**
0.068 mi.
359 ft. **Site 23 of 24 in cluster L**

Relative: **Lower**
Actual: **10 ft.**

SPILLS:

Facility ID:	1108912
Facility Type:	ER
Spill Number:	1108912
DER Facility ID:	411191
Site ID:	456659
DEC Region:	2
Closed Date:	2011-11-09
Spill Cause:	Equipment Failure
Spill Class:	D4
SWIS:	3101
Spill Date:	2011-10-15
Investigator:	RWAUSTIN
Referred To:	Not reported
Reported to Dept:	2011-10-15
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2011-10-15
Spill Record Last Update:	2011-11-09
Spiller Name:	Not reported
Spiller Company:	CONN ED
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	ERT
DEC Memo:	"emis 227751. Small spill to roadway. 11/9/11 - Austin - A vacuum tank track operated by Con Ed leaked 1.25 gals. of transmission fluid onto the street leading into the Manhattan Electricl Operations yard - Con Ed contained and cleaned up the spill on the street and facility - Spill closed - end"
Remarks:	"Caller advised 1.25 gallons of fluid spilled onto asphalt from commercial vehicle. Clean up is in progress."

All Materials:

Site ID:	456659
Operable Unit ID:	1206795
Operable Unit:	01
Material ID:	2203918
Material Code:	0021

PAVEMENT (Continued) **S111317875**

Material Name:	transmission fluid
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.25
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

K104 **TRANSFORMER VAULT VS7361** **NY Spills** **S106468984**
NW **WEST 29TH ST/11TH AVE** **N/A**
< 1/8 **MANHATTAN, NY**
0.069 mi.
365 ft. **Site 10 of 12 in cluster K**

Relative: **Lower**

Actual: **12 ft.**

SPILLS:

Facility ID:	0401531
Facility Type:	ER
Spill Number:	0401531
DER Facility ID:	189641
Site ID:	230080
DEC Region:	2
Closed Date:	2004-08-20
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2004-04-12
Investigator:	SKARAKHA
Referred To:	Not reported
Reported to Dept:	2004-05-13
CID:	74
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2004-05-13
Spill Record Last Update:	2004-08-20
Spiller Name:	ERT DESK
Spiller Company:	CON ED
Spiller Address:	128 WEST END AVE.
Spiller Company:	001
Contact Name:	ERT DESK
DEC Memo:	"e2mis 153351 At 16:15hr I&A Supv. K Wilkinson #24331 was inspecting VS7361 and discovered 5 gal of an unknown substance. Supv. stated a body shop sit in front of the vault. Source of spill unknown, cause of spill unknown. No sewer/waterway affected. No Sewer connetion. Chain of custody #cc18096 three samples will be taken oil id, pcb, and flash point. environment tag #18353 was placed in vault. Lab Sequence Number: 04-03647-002 Flash Point, PMCC < 77 deg F Oil Identification Analysis by NYSDOH 310- (Hydrocarbon Scan) Analysis indicates the presence of a substance similar to a light fuel oil. Lab Sequence Number: 04-03647-001 PCBs < 1 PPM. Lab Sequence Number: 04-03783-001: Total Organic Halides (TOX) 6.80 mg/L 5/17/04 16:55 M.

TRANSFORMER VAULT VS7361 (Continued) **S106468984**

Lyons I&A supervisor called to report that clean Harbors was completed with the cleanup. He Gave the phone to Hector Soler Supervisor from Clean Harbors Who gave the report. He states that the cleanup was completed at 16:45. There was 1 drum of solid waste generated from this cleanup. Their tanker removed 380 gallons of water/oil mixture. The structure was triple washed with citrus cleaner. The Clean Harbors crew was: R. Sanchez, & L. Scott . The spill tag was removed."

Remarks: "Found in a manhole in standing water. A body shop sits in front of the vault."

All Materials:

Site ID:	230080
Operable Unit ID:	883369
Operable Unit:	01
Material ID:	492736
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

K105 **29TH ST & 11TH AVE/SEWER** **NY Spills** **S102141226**
NW **29TH ST & 11TH AVE/SEWER** **N/A**
< 1/8 **NYC, NY**
0.069 mi.
365 ft. **Site 11 of 12 in cluster K**

Relative: **Lower**

Actual: **12 ft.**

SPILLS:

Facility ID:	9105295
Facility Type:	ER
Spill Number:	9105295
DER Facility ID:	63983
Site ID:	66880
DEC Region:	2
Closed Date:	1991-09-19
Spill Cause:	Unknown
Spill Class:	Not reported
SWIS:	3101
Spill Date:	1991-08-16
Investigator:	SJMILLER
Referred To:	Not reported
Reported to Dept:	1991-08-16
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Fire Department
Cleanup Ceased:	1991-09-19
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1991-08-30

29TH ST & 11TH AVE/SEWER (Continued) **S102141226**

Spill Record Last Update:	1991-09-27
Spiller Name:	Not reported
Spiller Company:	CON ED
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	Not reported
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MILLER "
Remarks:	"SPILL DYKED"

All Materials:

Site ID:	66880
Operable Unit ID:	959487
Operable Unit:	01
Material ID:	421098
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	200.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Site ID:	66880
Operable Unit ID:	959487
Operable Unit:	01
Material ID:	421099
Material Code:	0541A
Material Name:	dielectric fluid
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	Not reported
Recovered:	.00
Oxygenate:	Not reported

Q106 **LOT 14,TAXBLOCK 699** **NY E DESIGNATION** **S108076873**
SSW **533 WEST 27 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.070 mi.
368 ft. **Site 1 of 9 in cluster Q**

Relative:
Lower

Actual:
12 ft.

E DESIGNATION:

Tax Lot(s):	14
Tax Block:	699
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date:	Not reported

LOT 14,TAXBLOCK 699 (Continued) **S108076873**

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

P107 **518-526 WEST 30TH STREET** **NY VCP** **S118943302**
ENE **518-526 WEST 30TH STREET** **N/A**
< 1/8 **NEW YORK CITY, NY**
0.070 mi.
372 ft. **Site 2 of 2 in cluster P**

Relative:
Higher

Actual:
16 ft.

VCP NYC:
Project ID: 14CVCP163M
Project Name: 518-526 WEST 30TH STREET
Project Address: 518-526 WEST 30TH STREET
Borough: MANHATTAN

VCP NYC:
Project ID: 14CVCP163M
File Name: 2013-08-15.RIR
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP163M/2013-08-15.14CVCP163M.RIR.pdf

Project ID: 14CVCP163M
File Name: 2013-08-27.RAWP_Draft
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP163M/2013-08-27.14CVCP163M.RAWP_Draft.pdf

Project ID: 14CVCP163M
File Name: 2013-08-30.FactSheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP163M/2013-08-30.14CVCP163M.FactSheet-1.pdf

---

G108 **28TH HIGHLINE ASSOCIATES LLC** **PA MANIFEST** **S118068434**
SSE **514-520 W 28TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.071 mi.
374 ft. **Site 8 of 15 in cluster G**

Relative:
Higher

Actual:
15 ft.

Manifest Details:
Year: 2014
Manifest Number: 011805207JJK
Manifest Type: TSD Copy
Generator EPA Id: NYR000208587
Generator Date: 06/02/2014
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address: 2869 Sandstone Dr
TSD Facility City: Hatfield
TSD Facility State: PA

28TH HIGHLINE ASSOCIATES LLC (Continued) **S118068434**

Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Dump truck
Waste Quantity:	23
Unit:	Tons (2000 Pounds)
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported
Year:	2014
Manifest Number:	011805184JJK
Manifest Type:	TSD Copy
Generator EPA Id:	NYR000208587
Generator Date:	07/15/2014
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Dump truck
Waste Quantity:	23
Unit:	Tons (2000 Pounds)
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported
Year:	2014
Manifest Number:	011805215JJK
Manifest Type:	TSD Copy
Generator EPA Id:	NYR000208587
Generator Date:	07/17/2014
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1

28TH HIGHLINE ASSOCIATES LLC (Continued) **S118068434**

Waste Number:	D008
Container Number:	1
Container Type:	Dump truck
Waste Quantity:	23
Unit:	Tons (2000 Pounds)
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported
Year:	2014
Manifest Number:	011805171JJK
Manifest Type:	TSD Copy
Generator EPA Id:	NYR000208587
Generator Date:	07/14/2014
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Dump truck
Waste Quantity:	23
Unit:	Tons (2000 Pounds)
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported
Year:	2014
Manifest Number:	011805175JJK
Manifest Type:	TSD Copy
Generator EPA Id:	NYR000208587
Generator Date:	07/15/2014
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Dump truck

28TH HIGHLINE ASSOCIATES LLC (Continued) **S118068434**

Waste Quantity:	23
Unit:	Tons (2000 Pounds)
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported
Year:	2014
Manifest Number:	011805181JJK
Manifest Type:	TSD Copy
Generator EPA Id:	NYR000208587
Generator Date:	07/15/2014
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Dump truck
Waste Quantity:	23
Unit:	Tons (2000 Pounds)
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported
Year:	2014
Manifest Number:	011805186JJK
Manifest Type:	TSD Copy
Generator EPA Id:	NYR000208587
Generator Date:	07/16/2014
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Dump truck
Waste Quantity:	23
Unit:	Tons (2000 Pounds)
Handling Code:	Not reported

28TH HIGHLINE ASSOCIATES LLC (Continued) **S118068434**

TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported
Year:	2014
Manifest Number:	011805198JJK
Manifest Type:	TSD Copy
Generator EPA Id:	NYR000208587
Generator Date:	07/11/2014
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Dump truck
Waste Quantity:	23
Unit:	Tons (2000 Pounds)
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported
Year:	2014
Manifest Number:	011805203JJK
Manifest Type:	TSD Copy
Generator EPA Id:	NYR000208587
Generator Date:	07/11/2014
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Dump truck
Waste Quantity:	23
Unit:	Tons (2000 Pounds)
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported

28TH HIGHLINE ASSOCIATES LLC (Continued) **S118068434**

Year:	2014
Manifest Number:	011805212JJK
Manifest Type:	TSD Copy
Generator EPA Id:	NYR000208587
Generator Date:	07/17/2014
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Dump truck
Waste Quantity:	23
Unit:	Tons (2000 Pounds)
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported

Click this hyperlink while viewing on your computer to access
34 additional PA_MANIFEST: record(s) in the EDR Site Report.

G109 **514-520 WEST 28TH STREET** **NY BROWNFIELDS** **S112818548**
SSE **514-520 WEST 28TH STREET** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.071 mi.
374 ft. **Site 9 of 15 in cluster G**

Relative:
Higher

Actual:
15 ft.

BROWNFIELDS:

Program:	BCP
Site Code:	477443
Acres:	0.51
HW Code:	C231082
SWIS:	3101
Town:	New York City
Record Added Date:	01/02/2013
Record Updated Date:	12/31/2014
Update By:	BXANDERS
Site Description:	Location: The site is located at 514 - 520 West 28th Street in New York City, New York County and has an area of approximately 0.51 acres. It is between 10th and 11th Avenues and is bounded to the north by West 28th Street and the south by West 27th Street. Commercial structures are adjacent to the east and west boundaries. Site Features: Presently, the site is undergoing redevelopment. Prior to remediation and redevelopment, the two lots that made up the site contained a vehicle rental company and a scrap yard. Current Zoning and Land Use: The site is zoned commercial (C6-3) and is located in a commercial and residential area of the West Chelsea section of the Borough of Manhattan. Past Use of the Site: The site has been occupied by several residential structures, laundry cleaning, metal

514-520 WEST 28TH STREET (Continued) **S112818548**

works, manufacturing, motor freight storage, automobile repair and a scrap yard. Site Geology and Hydrogeology: Prior to remediation, subsurface material present below the site included historic fill from prior developments that may have been used to stabilize soil or to elevate the existing ground. The fill included concrete, brick, cinders, and other construction debris mixed, silt, sand and gravel and was generally present from 1-10 feet below ground. Below the fill the shallow subsurface soil at the site consists of sands and silts, glacial till intermixed with lean clay. Depth to bedrock ranged from 15 to 25 feet below grade. The surface geology of Manhattan generally includes very thin layers of unconsolidated glacial deposits underlain by bedrock. Groundwater at the site is encountered at approximately 8 to 11 feet below ground surface. Regional groundwater flow direction is westerly toward the Hudson

Env Problem: Soil: Investigations found no evidence of significant VOC contamination in soil. Trimethylbenzenes and xylenes were present in one of the 21 soil samples at concentrations above their unrestricted use SCOs, but well below residential use SCOs. PAHs were observed in about half of the samples at concentrations indicative of historic fill. Metals are also present in soil at concentrations typical of historic fill and urban background. However, mercury concentrations ranged from non-detect to 69.6 parts per million (ppm). The unrestricted use SCO for mercury is 0.18 ppm; restricted residential is 0.81 ppm. The entire site has been excavated beyond the site boundary on all side and and to bedrock over about two-thirds of the site. The remaining soil meets unrestricted SCOs for all constituents. Groundwater: Cis-1,2-dichloroethene (DCE) was found in groundwater samples from two wells near the north-west corner of the site at concentrations up to 260 ppb. DCE has been documented in up-gradient groundwater and is not due to an on-site source. Soil Vapor: The presence of chlorinated VOCs in soil vapor and groundwater presents the possibility of vapor intrusion to future on-site buildings. The maximum concentrations of tetrachloroethene (PCE) and trichloroethene (TCE) were detected along the west boundary at the respective concentrations of 308 micrograms per cubic meter (ug/m3) and 828 ug/m3. The site has been excavated to below the water table and the new on-site building will have a water vapor barrier USTs Two USTs were exhumed in August 2013 and disposed of off-site. Two more wells were removed during the site remediation activities.

Health Problem: The site is fenced and covered by concrete, people will not come into contact with site related soil and groundwater contamination unless they dig below the surface. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains its water from a different source not affected by this contamination. Volatile organic compounds may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air or buildings, is referred to as soil vapor intrusion. Because the site is vacant, the inhalation of site related contaminants due to soil vapor intrusion does not represent a concern for the site in its current condition.

Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False

514-520 WEST 28TH STREET (Continued) **S112818548**

Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	1/3/2013 10:39:00 AM
Record Upd:	11/24/2014 1:11:00 PM
Updated By:	JAMORAS
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Ashley Curran
Owner Company:	New York Public Library
Owner Address:	Muhlenberg Branch
Owner Addr2:	209 West 23rd Street
Owner City,St,Zip:	New York, NY 10011-2379
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	P03
Owner Name:	Greg Gushee
Owner Company:	28th Highline Associates, L.L.C.
Owner Address:	c/o Related Companies, 60 Columbus Circle
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10023
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	P03
Owner Name:	Not reported
Owner Company:	28th Highline Associates, L.L.C.
Owner Address:	c/o Related Companies
Owner Addr2:	60 Columbus Circle
Owner City,St,Zip:	New York, NY 10023
Owner Country:	United States of America
HW Code:	C231082
Waste Type:	DICHLOROETHYLENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231082
Waste Type:	MERCURY
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231082
Waste Type:	XYLENE (MIXED)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231082
Waste Type:	BENZO(B)FLUORANTHENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231082
Waste Type:	Chrysene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231082
Waste Type:	ARSENIC
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231082
Waste Type:	LEAD

514-520 WEST 28TH STREET (Continued) **S112818548**

Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231082
Waste Type:	CADMIUM
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231082
Waste Type:	ZINC
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231082
Waste Type:	TETRACHLOROETHYLENE (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231082
Waste Type:	1,2,4-TRIMETHYLBENZENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231082
Waste Type:	BENZO(A)PYRENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231082
Waste Type:	BENZO(A)PYRENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231082
Waste Type:	BENZO[K]FLUORANTHENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231082
Waste Type:	COPPER
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231082
Waste Type:	1,3,5-Trimethylbenzene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231082
Waste Type:	NICKEL
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231082
Waste Type:	BARIUM
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231082
Waste Type:	CHROMIUM
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231082
Waste Type:	TRICHLOROETHENE (TCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231082
Waste Type:	1,1 Dichloroethene
Waste Quantity:	UNKNOWN

514-520 WEST 28TH STREET (Continued) **S112818548**

Waste Code:	Not reported
Crossref ID:	C231082-03-13
Cross Ref Type Code:	23
Cross Ref Type:	Agreement/Consent Order Number
Record Added Date:	11/18/2014 3:34:00 PM
Record Updated:	11/18/2014 3:34:00 PM
Updated By:	MDMACCAB

G110 **REDEVELOPEMENT PROPERTY** **NY Spills** **S113493355**
SSE **514-520 WEST 28TH ST** **N/A**
< 1/8 **MANHATTAN, NY**
0.071 mi.
374 ft. **Site 10 of 15 in cluster G**

Relative:
Higher

Actual:
15 ft.

SPILLS:

Facility ID:	1300765
Facility Type:	ER
Spill Number:	1300765
DER Facility ID:	436395
Site ID:	481110
DEC Region:	2
Closed Date:	2015-03-23
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2013-04-23
Investigator:	MDMACCAB
Referred To:	Not reported
Reported to Dept:	2013-04-23
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2013-04-23
Spill Record Last Update:	2015-03-23
Spiller Name:	ALANA CARROLL
Spiller Company:	REDEVELOPEMENT PROPERTY
Spiller Address:	514 WEST 27TH ST
Spiller Company:	999
Contact Name:	ALANA CARROLL
DEC Memo:	"04/15/14 - The address has been corrected to 514-520 West 28th Street. 12/30/14 - Spill closed. The spill assigned to UST discovered on Brownfield site C231082, 514-520 West 28th Street. The site was remediated to Track 1 SCOs and the CoC was signed on 12/30/14."
Remarks:	"Project # C231082 / site Manager Michael McCabe. USTs on site but unknown if they are causing the contamination."

All Materials:

Site ID:	481110
Operable Unit ID:	1230891
Operable Unit:	01
Material ID:	2229585

REDEVELOPEMENT PROPERTY (Continued) **S113493355**

Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

G111 **CON EDISON** **RCRA NonGen / NLR** **1019906465**
SSE **520 W 28TH ST** **NYP004821340**
< 1/8 **NEW YORK, NY 10001**
0.071 mi.
374 ft. **Site 11 of 15 in cluster G**

Relative:
Higher

Actual:
15 ft.

RCRA NonGen / NLR:

Date form received by agency:	08/10/2015
Facility name:	CON EDISON
Facility address:	520 W 28TH ST NEW YORK, NY 10001
EPA ID:	NYP004821340
Mailing address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	08/10/2015
Site name:	CON EDISON
Classification:	Small Quantity Generator

Violation Status: No violations found

G112 **28TH HIGHLINE ASSOCIATES LLC** **RCRA NonGen / NLR** **1016678111**
SSE **520 W 28TH ST** **FINDS** **NYR000208587**
< 1/8 **NEW YORK, NY 10001** **ECHO**
0.071 mi. **NY MANIFEST**
374 ft. **Site 12 of 15 in cluster G**

Relative:
Higher

Actual:
15 ft.

RCRA NonGen / NLR:

Date form received by agency:	12/09/2014
Facility name:	28TH HIGHLINE ASSOCIATES LLC
Facility address:	520 W 28TH ST NEW YORK, NY 10001
EPA ID:	NYR000208587
Mailing address:	COLUMBUS CIR NEW YORK, NY 10023
Contact:	MICHAEL GIULIANO
Contact address:	COLUMBUS CIR NEW YORK, NY 10023
Contact country:	US
Contact telephone:	646-582-2216
Contact email:	MICHAEL.GIULIANO@RELATED.COM
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	28TH HIGHLINE ASSOCIATES LLC
Owner/operator address:	COMPANIES 60 COLUMBUS CIR NEW YORK, NY 10023
Owner/operator country:	US
Owner/operator telephone:	646-582-2216
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	12/17/2012
Owner/Op end date:	Not reported

Owner/operator name:	NY CONCRETE
Owner/operator address:	Not reported Not reported
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	03/03/2014
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No

28TH HIGHLINE ASSOCIATES LLC (Continued) **1016678111**

On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
Date form received by agency: 03/26/2014
Site name: 28TH HIGHLINE ASSOCIATES LLC
Classification: Large Quantity Generator

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

FINDS:

Registry ID: 110058880778

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1016678111
Registry ID: 110058880778
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110058880778

NY MANIFEST:
Country: USA
EPA ID: NYR000208587
Facility Status: Not reported
Location Address 1: 514-520 W 28 ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

28TH HIGHLINE ASSOCIATES LLC (Continued) **1016678111**

NY MANIFEST:

EPAID:	NYR000208587
Mailing Name:	28TH HIGHLINE ASSOCIATES LLC
Mailing Contact:	MICHAEL GIULIANO
Mailing Address 1:	60 COLUMBUS CIRCLE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10023
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	6465822216

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	PAD146714878
Trans2 State ID:	Not reported
Generator Ship Date:	07/17/2014
Trans1 Recv Date:	07/17/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/17/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000208587
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	PAD085690592
TSDF ID 2:	Not reported
Manifest Tracking Number:	011805216JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	Y
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	52600
Units:	P - Pounds
Number of Containers:	1
Container Type:	DT - Dump trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008

28TH HIGHLINE ASSOCIATES LLC (Continued) **1016678111**

Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
147 additional NY_MANIFEST: record(s) in the EDR Site Report.

Country:	USA
EPA ID:	NYP004821340
Facility Status:	Not reported
Location Address 1:	520 W 28TH ST
Code:	BP
Location Address 2:	BC 12175
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10021
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004821340
Mailing Name:	CON ED
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	08/10/2015
Trans1 Recv Date:	08/10/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/12/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004821340
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002612094GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N

28TH HIGHLINE ASSOCIATES LLC (Continued) **1016678111**

Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

M113 **WEST 28TH ST YARD** **NY Spills** **S106866745**
West **281' 11TH AVE** **N/A**
< 1/8 **MANHATTAN, NY**
0.072 mi.
378 ft. **Site 2 of 22 in cluster M**

Relative: **Lower**

Actual: **10 ft.**

SPILLS:

Facility ID:	0412374
Facility Type:	ER
Spill Number:	0412374
DER Facility ID:	273202
Site ID:	337865
DEC Region:	2
Closed Date:	2005-02-22
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2005-02-19
Investigator:	JHOCONNE
Referred To:	Not reported
Reported to Dept:	2005-02-19
CID:	41
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False

WEST 28TH ST YARD (Continued) **S106866745**

Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2005-02-22
Spill Record Last Update:	2005-02-22
Spiller Name:	Not reported
Spiller Company:	CON ED
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	ERT DESK
DEC Memo:	"e2mis no. 157318: Derwin L Rush 18319, Auto A Mech. Reports that in process of doing repairs to Veh60470 at the location of W 28 st vehicle repair center. Found that 60 gallons of hydraulic fluid was leaking from hydraulic system to concrete floor. He goes on to report that the reel boom had to be moved and that the only way to move it was to engage P.T.O (Power Take Off). He also states that up until this time was not able to find source of leak. And upon discovery of source vehicle was shut down and repairs are being made and a clean up is in progress at time of this report @20:50 hrs. Also take note that this vehicle was involved in an incident @13:30 hrs on 02/19/05 as well and that a Clean was done at this time also (Incident 157316) and complete @ 14:00 hrs. Hence making this a new spill. Clean up is complete, and repairs are being made."
Remarks:	"HYDROLIC FLUID LEAKING FROM VEHICLE 60470 ONTO CONCRETE FLOOR (DURING REPAIRS) - NO TO FIVE QUESTIONS"

All Materials:

Site ID:	337865
Operable Unit ID:	1099876
Operable Unit:	01
Material ID:	580152
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	60.00
Units:	G
Recovered:	60.00
Oxygenate:	Not reported

M114 **WEST 28TH STREET YARD** **NY Spills** **S102446792**
West **WEST 28TH STREET YARD** **N/A**
< 1/8 **MANHATTAN, NY**
0.072 mi.
378 ft. **Site 3 of 22 in cluster M**

Relative: **Lower**
Actual: **10 ft.**

SPILLS:

Facility ID:	9611698
Facility Type:	ER
Spill Number:	9611698
DER Facility ID:	96567
Site ID:	110143
DEC Region:	2
Closed Date:	1998-06-03
Spill Cause:	Unknown
Spill Class:	C4

WEST 28TH STREET YARD (Continued) **S102446792**

SWIS:	3101
Spill Date:	1996-12-26
Investigator:	CAENGELH
Referred To:	Not reported
Reported to Dept:	1996-12-26
CID:	205
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Affected Persons
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1996-12-26
Spill Record Last Update:	1998-06-03
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	CALLER
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ENGELHARDT "
Remarks:	"IQT SPILL ON GROUND FROM UNKNOWN VEHICLE."

All Materials:

Site ID:	110143
Operable Unit ID:	1039612
Operable Unit:	01
Material ID:	340349
Material Code:	0043A
Material Name:	antifreeze
Case No.:	Not reported
Material FA:	Other
Quantity:	1.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

M115 **WEST 28TH ST YARD** **NY Spills** **S102961749**
West **WEST 29TH ST** **N/A**
< 1/8 **MANHATTAN, NY**
0.072 mi.
378 ft. **Site 4 of 22 in cluster M**

Relative:
Lower

Actual:
10 ft.

SPILLS:

Facility ID:	9709006
Facility Type:	ER
Spill Number:	9709006
DER Facility ID:	105586
Site ID:	121635
DEC Region:	2
Closed Date:	1997-11-04
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101

WEST 28TH ST YARD (Continued) **S102961749**

Spill Date:	1997-11-01
Investigator:	CAENGELH
Referred To:	Not reported
Reported to Dept:	1997-11-01
CID:	369
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1997-11-01
Spill Record Last Update:	2000-07-03
Spiller Name:	TIM SOILCH
Spiller Company:	CON EDISON
Spiller Address:	4 IRVING PLACE
Spiller Company:	001
Contact Name:	MR HCHUGH
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ENGELHARDT REFERRED TO SAM ARAKHAN OF HAZARDOUS MATERIALS UNIT. E-mail message from Lisa Lukshides, Con Ed ERT: The oil (approx 1 gal) came from an unknown source. Everything that was contaminated, flush truck and vault were all double washed. One of the ERTs visited the flush pit and it was determined that the oil remained in the pit and its holding tanks and no oil was discharged into the sewers. All material was disposed of as pcb contaminated. Clean up complete 2 Nov 97. CON ED E2MIS NOTES 10-26-97 21:25hrs. Approx. 1 gal of unknown oil and 100 gals.of water in MH #33860 The spill is contained, no waterways or sewers affected. Sample taken and tag installed #10071 11-01-97 19:35 Cleanup done as <1ppm. Astoria informed of possible contamination of foul oil truck. Astoria reported no liquid was picked up from this location but that cleanup was done by flush truck. This was confirmed and the flush truck reportedly quarantined in the W28th St Yard. Flush truck was dumped in Flush pit at approx. 09:00 on 10-3 -97 Control Center was directed to notify CIG of possible PCB spill into sewer. 11-02-97 19:48 Flush Pit closed off 11-02-97 20:25 ERT advises no need for chemist. All action should be based on lab results showing 75ppm 04:00 ERT was at Flush pit and has ruled oil is contained to Flush Pit "
Remarks:	"ORIG SPILL OCT 26TH-CON ED CALLED IN 1 GAL OIL TO 100 GAL WATER SPILL. GOT TEST RESULT OF LESS THAN 1 PPM PCB. CON ED THEN DUMPED MIXTURE IN A FLUSH PIT AT ABOVE ADRESS. GOT A SECOND TEST BACK SAYING IT HAD A 75 PPM PCB READING. "

All Materials:

Site ID:	121635
Operable Unit ID:	1055391
Operable Unit:	01
Material ID:	330941
Material Code:	9999
Material Name:	other -
Case No.:	Not reported
Material FA:	Other
Quantity:	.00
Units:	G

WEST 28TH ST YARD (Continued) **S102961749**

Recovered: .00
Oxygenate: Not reported

M116 **WEST 28TH ST YARD** **NY Spills** **S102446675**
West **WEST 28TH ST YARD** **N/A**
< 1/8 **MANHATTAN, NY**
0.072 mi.
378 ft. **Site 5 of 22 in cluster M**

Relative: **Lower**
Actual: **10 ft.**

SPILLS:

Facility ID:	9610781
Facility Type:	ER
Spill Number:	9610781
DER Facility ID:	78686
Site ID:	85673
DEC Region:	2
Closed Date:	1996-12-02
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	1996-11-30
Investigator:	MMMULQUE
Referred To:	Not reported
Reported to Dept:	1996-11-30
CID:	199
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1996-11-30
Spill Record Last Update:	1996-12-05
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	RICHARD ROACH
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MULQUEEN "
Remarks:	"LEAK IN CON ED TRUCK CAUSED APPROX 2 GAL TO LEAK UNTO GROUND MATERAL CLEANED UP BY CON ED"

All Materials:

Site ID:	85673
Operable Unit ID:	1038695
Operable Unit:	01
Material ID:	342998
Material Code:	0028A
Material Name:	ethylene glycol
Case No.:	00107211
Material FA:	Hazardous Material
Quantity:	2.00
Units:	G

WEST 28TH ST YARD (Continued) **S102446675**

Recovered: 2.00
Oxygenate: Not reported

M117 **WESTSIDE SERVICE CENTER** **NY Spills** **S103567609**
West **WEST 28TH ST** **N/A**
< 1/8 **MANHATTAN, NY**
0.072 mi.
378 ft. **Site 6 of 22 in cluster M**

Relative: **Lower**
Actual: **10 ft.**

SPILLS:

Facility ID:	9510282
Facility Type:	ER
Spill Number:	9510282
DER Facility ID:	256666
Site ID:	318421
DEC Region:	2
Closed Date:	1997-11-21
Spill Cause:	Other
Spill Class:	C3
SWIS:	3101
Spill Date:	1995-11-16
Investigator:	JHOCONNE
Referred To:	Not reported
Reported to Dept:	1995-11-16
CID:	351
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Affected Persons
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1995-11-16
Spill Record Last Update:	1998-03-02
Spiller Name:	Not reported
Spiller Company:	CON EDISON
Spiller Address:	4 IRVING PLACE
Spiller Company:	001
Contact Name:	JEFF GNALL
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL Six pails of solid waste (approx. 1.5 gallons) in drum on pallet in preparation for transit to Astoria fell in yard. 80 ppm PCB content. Cleanup completed."
Remarks:	"MATERIAL WAS RECOVERED FROM MAN HOLES "

All Materials:

Site ID:	318421
Operable Unit ID:	1024759
Operable Unit:	01
Material ID:	361209
Material Code:	1711A
Material Name:	solid waste
Case No.:	Not reported
Material FA:	Other
Quantity:	6.00

WESTSIDE SERVICE CENTER (Continued) **S103567609**

Units: G
Recovered: 6.00
Oxygenate: Not reported

G118 **HIGHLINE 28-29 DEVELOPMENT** **RCRA-LQG** **1000207231**
SE **507 -515 WEST 28TH ST** **ICIS** **NYD001312529**
< 1/8 **NEW YORK, NY 10001** **US AIRS**
0.072 mi. **NY MANIFEST**
378 ft. **Site 13 of 15 in cluster G**

Relative: **Higher**
Actual: **15 ft.**

RCRA-LQG:
Date form received by agency: 05/25/2016
Facility name: HIGHLINE 28-29 DEVELOPMENT
Facility address: 507 -515 WEST 28TH ST
NEW YORK, NY 10001
EPA ID: NYD001312529
Mailing address: MARCUS AVE
SUITE 310
LAKE SUCCESS, NY 11042
Contact: JOE KEHL
Contact address: MARCUS AVE SUITE 310
LAKE SUCCESS, NY 11042
Contact country: US
Contact telephone: 516-488-3000
Contact email: JKEHL@TGNICKEL.COM
EPA Region: 02
Land type: Private
Classification: Large Quantity Generator
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:
Owner/operator name: HIGHLINE 28-29 DEVELOPMENT
Owner/operator address: MARCUS AVE
LAKE SUCCESS, NY 11042
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/1900
Owner/Op end date: Not reported

Owner/operator name: ROSENBLATT & THOMPSON

HIGHLINE 28-29 DEVELOPMENT (Continued) **1000207231**

Owner/operator address:	NOT REQUIRED
	NOT REQUIRED, WY 99999
Owner/operator country:	Not reported
Owner/operator telephone:	212-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	MAESTRO WEST CHELSEA SPE LLC
Owner/operator address:	Not reported
	Not reported
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	07/12/2011
Owner/Op end date:	Not reported

Owner/operator name:	KADIMA TENTH AVENUE LLC & MAESTRO LLC
Owner/operator address:	MARCUS AVE SUITE 310
	LAKE SUCCESS, NY 11042
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	08/11/2014
Owner/Op end date:	Not reported

Owner/operator name:	KADIMA TENTH AVENUE SPE LLC
Owner/operator address:	MARCUS AVE SUITE 310
	LAKE SUCCESS, NY 11042
Owner/operator country:	US
Owner/operator telephone:	516-488-3000
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	07/12/2011
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No

HIGHLINE 28-29 DEVELOPMENT (Continued) **1000207231**

Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D039
. Waste name: TETRACHLOROETHYLENE

Historical Generators:
Date form received by agency: 07/16/2015
Site name: HIGHLINE 28-29 DEVELOPMENT
Classification: Large Quantity Generator

. Waste code: D008
. Waste name: LEAD

. Waste code: D039
. Waste name: TETRACHLOROETHYLENE

Date form received by agency: 06/03/2014
Site name: HIGHLINE 28-29 DEVELOPMENT
Classification: Not a generator, verified

. Waste code: D008
. Waste name: LEAD

Date form received by agency: 11/06/2013
Site name: HIGHLINE 28-29 DEVELOPMENT
Classification: Large Quantity Generator

. Waste code: D008
. Waste name: LEAD

Date form received by agency: 01/01/2007
Site name: ROSENBLATT & THOMPSON INC
Classification: Not a generator, verified

Date form received by agency: 01/01/2006
Site name: ROSENBLATT & THOMPSON INC
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Site name: ROSENBLATT & THOMPSON INC
Classification: Not a generator, verified

Date form received by agency: 05/09/1988
Site name: ROSENBLATT & THOMPSON INC
Classification: Small Quantity Generator

. Waste code: U159
. Waste name: 2-BUTANONE (I,T) (OR) METHYL ETHYL KETONE (MEK) (I,T)

HIGHLINE 28-29 DEVELOPMENT (Continued) **1000207231**

. Waste code: U220
. Waste name: BENZENE, METHYL- (OR) TOLUENE

. Waste code: U226
. Waste name: ETHANE, 1,1,1-TRICHLORO- (OR) METHYL CHLOROFORM

Biennial Reports:

Last Biennial Reporting Year: 2017

Annual Waste Handled:
Waste code: D039
Waste name: TETRACHLOROETHYLENE
Amount (Lbs): 315200

Facility Has Received Notices of Violations:
Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 08/13/1990
Date achieved compliance: 08/13/1990
Violation lead agency: State
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 08/13/1990
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - General
Date achieved compliance: 08/13/1990
Evaluation lead agency: State

ICIS:
Enforcement Action ID: NY000A0000262050012700006
FRS ID: 110009463981
Action Name: ROSENBLATT/THOMPSON INC - 515 W 28TH ST 360610042000006
Facility Name: ROSENBLATT/THOMPSON INC - 515 W 28TH ST
Facility Address: 515 WEST 28TH STREET
NEW YORK, NY 10001
Enforcement Action Type: Notice of Violation
Facility County: BRONX
Program System Acronym: AIR
Enforcement Action Forum Desc: Administrative - Informal
EA Type Code: NOV
Facility SIC Code: 3479
Federal Facility ID: Not reported
Latitude in Decimal Degrees: 40.751266
Longitude in Decimal Degrees: -74.002858
Permit Type Desc: Not reported
Program System Acronym: NY0000002620500127
Facility NAICS Code: 236116

HIGHLINE 28-29 DEVELOPMENT (Continued) **1000207231**

Tribal Land Code: Not reported

Enforcement Action ID: 02-000F000360610042000005
FRS ID: 110009463981
Action Name: ROSENBLATT/THOMPSON INC - 515 W 28TH ST 360610042000005
Facility Name: ROSENBLATT/THOMPSON INC - 515 W 28TH ST
Facility Address: 515 WEST 28TH STREET
NEW YORK, NY 10001
Enforcement Action Type: Notice of Violation
Facility County: BRONX
Program System Acronym: AIR
Enforcement Action Forum Desc: Administrative - Informal
EA Type Code: NOV
Facility SIC Code: 3479
Federal Facility ID: Not reported
Latitude in Decimal Degrees: 40.751266
Longitude in Decimal Degrees: -74.002858
Permit Type Desc: Not reported
Program System Acronym: NY0000002620500127
Facility NAICS Code: 236116
Tribal Land Code: Not reported

US AIRS (AFS):
Envid: 1000207231
Region Code: 02
County Code: NY005
Programmatic ID: AIR NY0000002620500127
Facility Registry ID: 110009463981
D and B Number: Not reported
Facility Site Name: ROSENBLATT/THOMPSON INC - 515 W 28TH ST
Primary SIC Code: 3479
NAICS Code: 236116
Default Air Classification Code: SMI
Facility Type of Ownership Code: POF
Air CMS Category Code: Not reported
HPV Status: Not reported

US AIRS (AFS):
Region Code: 02
Programmatic ID: AIR NY0000002620500127
Facility Registry ID: 110009463981
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1987-09-18 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 02
Programmatic ID: AIR NY0000002620500127
Facility Registry ID: 110009463981
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards

HIGHLINE 28-29 DEVELOPMENT (Continued) **1000207231**

Activity Date: 1992-07-13 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 02
Programmatic ID: AIR NY0000002620500127
Facility Registry ID: 110009463981
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1993-01-06 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 02
Programmatic ID: AIR NY0000002620500127
Facility Registry ID: 110009463981
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1994-09-01 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 02
Programmatic ID: AIR NY0000002620500127
Facility Registry ID: 110009463981
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1999-02-24 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 02
Programmatic ID: AIR NY0000002620500127
Facility Registry ID: 110009463981
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1999-04-20 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 02
Programmatic ID: AIR NY0000002620500127
Facility Registry ID: 110009463981

HIGHLINE 28-29 DEVELOPMENT (Continued) **1000207231**

Air Operating Status Code:	OPR
Default Air Classification Code:	SMI
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	1993-05-05 00:00:00
Activity Status Date:	1993-05-05 00:00:00
Activity Group:	Enforcement Action
Activity Type:	Administrative - Informal
Activity Status:	Achieved

Region Code:	02
Programmatic ID:	AIR NY0000002620500127
Facility Registry ID:	110009463981
Air Operating Status Code:	OPR
Default Air Classification Code:	SMI
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	1993-12-20 00:00:00
Activity Status Date:	1993-12-20 00:00:00
Activity Group:	Enforcement Action
Activity Type:	Administrative - Informal
Activity Status:	Achieved

NY MANIFEST:

Country:	USA
EPA ID:	NYD001312529
Facility Status:	Not reported
Location Address 1:	507 -515 WEST 28TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD001312529
Mailing Name:	HIGHLINE 28-29 DEVELOPMENT
Mailing Contact:	HIGHLINE 28-29 DEVELOPMENT
Mailing Address 1:	319 SYCAMORE AVE
Mailing Address 2:	Not reported
Mailing City:	SHREWSBURY
Mailing State:	NJ
Mailing Zip:	07702
Mailing Zip 4:	4526
Mailing Country:	USA
Mailing Phone:	2122790455

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJR000029967
Trans2 State ID:	Not reported
Generator Ship Date:	07/28/2015
Trans1 Recv Date:	07/28/2015

HIGHLINE 28-29 DEVELOPMENT (Continued) **1000207231**

Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/28/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD001312529
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	014730376JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	Y
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	46600
Units:	P - Pounds
Number of Containers:	1
Container Type:	DT - Dump trucks
Handling Method:	L Landfill.
Specific Gravity:	1
Waste Code:	D039
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
30 additional NY_MANIFEST: record(s) in the EDR Site Report.

G119 **507-515 WEST 28TH STREET** **NY VCP** **S118943244**
SE **507-515 WEST 28TH STREET** **N/A**
< 1/8 **NEW YORK CITY, NY**
0.072 mi.
378 ft. **Site 14 of 15 in cluster G**

Relative:
Higher

Actual:
15 ft.

VCP NYC:

Project ID:	13CVCP106M
Project Name:	507-515 WEST 28TH STREET
Project Address:	507-515 WEST 28TH STREET
Borough:	MANHATTAN

VCP NYC:

Project ID:	13CVCP106M

507-515 WEST 28TH STREET (Continued) **S118943244**

File Name: 2013-02-13.RIR
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP106M/2013-02-13.13CVCP106M.507_West_28th_Street.RIR.pdf

Project ID: 13CVCP106M
File Name: 2013-02-15.RAWP_Draft
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP106M/2013-02-15.13CVCP106M.507_West_28th_Street.RAWP_Draft.pdf

Project ID: 13CVCP106M
File Name: 2013-02-14.Factsheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP106M/2013-02-14.13CVCP106M.507_West_28th_Street.Factsheet1.pdf

Project ID: 13CVCP106M
File Name: 2013-02-19.Translated_Factsheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP106M/2013-02-19.13CVCP106M.507_West_28th_Street.Translated_Factsheet1.pdf

Project ID: 13CVCP106M
File Name: 2013-02-19.Translated_CPS
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP106M/2013-02-19.13CVCP106M.507_West_28th_Street.Translated_Community_Protection_Statement.pdf

Project ID: 13CVCP106M
File Name: 2013-10-24.Factsheet-2
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP106M/2013-10-24.13CVCP106M.507_West_28th_Street.Fact_Sheet_2.pdf

Project ID: 13CVCP106M
File Name: 2013-10-24.Translated_Factsheet-2
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP106M/2013-10-17.13CVCP106M.507_West_28th_Street.Fact_Sheet_2_Translated.pdf

---

G120 **28-29 HIGHLINE** **NY UST** **U004224035**
SE **507-515 WEST 28TH ST** **N/A**
< 1/8 **NY, NY 10001**
0.072 mi.
378 ft. **Site 15 of 15 in cluster G**

Relative: **Higher**
Actual: **15 ft.**

UST:
Id/Status: 2-612265 / Unregulated/Closed
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: N/A
UTM X: 584133.33149
UTM Y: 4511650.31914
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 497801
Affiliation Type: Facility Owner
Company Name: KADIMA TENTH AVE SPE LLC/MAESTROWEST CHALSEA SPE

28-29 HIGHLINE (Continued) **U004224035**

Contact Type:	AGENT
Contact Name:	KADIMA TENTH AVE SPE LLC/MAESTROWEST CHALSEA SPE
Address1:	1999 MARCUS AVE.
Address2:	Not reported
City:	LAKE SUCCESS
State:	NY
Zip Code:	11042
Country Code:	001
Phone:	(516) 488-3000
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-07-23

Site Id:	497801
Affiliation Type:	Mail Contact
Company Name:	KADIMA TENTH AVE SPE LLC/MAESTROWEST CHALSEA SPE
Contact Type:	Not reported
Contact Name:	KEVIN LALEZARIAN
Address1:	1999 MARCUS AVE.
Address2:	Not reported
City:	LAKE SUCCESS
State:	NY
Zip Code:	11042
Country Code:	001
Phone:	(516) 488-3000
EMail:	KEVIN@LALEZARIAN.COM
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-07-23

Site Id:	497801
Affiliation Type:	Facility Operator
Company Name:	28-29 HIGHLINE
Contact Type:	Not reported
Contact Name:	KADIMA TENTH AVE SPE LLC/MAESTROWEST CHALSEA SPE
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	Not reported
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-07-23

Site Id:	497801
Affiliation Type:	Emergency Contact
Company Name:	KADIMA TENTH AVE SPE LLC/MAESTROWEST CHALSEA SPE
Contact Type:	Not reported
Contact Name:	KEVIN LALEZARAN
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

28-29 HIGHLINE (Continued) **U004224035**

Zip Code:	Not reported
Country Code:	001
Phone:	(516) 488-3000
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-07-23

Tank Info:

Tank Number:	01
Tank ID:	252577
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	1100
Install Date:	Not reported
Date Tank Closed:	11/01/2013
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MSBAPTIS
Last Modified:	04/14/2017

Equipment Records:

E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
J00 - Dispenser - None
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
L00 - Piping Leak Detection - None
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None

Tank Number:	02
Tank ID:	252578
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	250
Install Date:	Not reported
Date Tank Closed:	11/01/2013
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MSBAPTIS

28-29 HIGHLINE (Continued) **U004224035**

Last Modified: 04/14/2017

Equipment Records:

D00 - Pipe Type - No Piping
L00 - Piping Leak Detection - None
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None
J00 - Dispenser - None

Tank Number: 03
Tank ID: 252579
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 1100
Install Date: Not reported
Date Tank Closed: 01/20/2014
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MSBAPTIS
Last Modified: 04/14/2017

Equipment Records:

E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
J00 - Dispenser - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
D00 - Pipe Type - No Piping
L00 - Piping Leak Detection - None
G00 - Tank Secondary Containment - None

M121 **WESTSIDE OPERATIONS CENTER** **NY TANKS** **S116714980**
WNW **281 ELEVENTH AVENUE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.072 mi.
379 ft. **Site 7 of 22 in cluster M**

Relative: TANKS:
Lower
Facility Id: 2-452793
Actual: Region: STATE
11 ft. DEC Region: 2
Site Status: Active

WESTSIDE OPERATIONS CENTER (Continued) **S116714980**

Program Type:	PBS
Expiration Date:	08/23/2018
UTM X:	584054.48082
UTM Y:	4511724.59910

M122
WNW
< 1/8
0.072 mi.
379 ft.

WESTSIDE SERVICE CTR **NY Spills** **S104496019**
281 11TH AVENUE **N/A**
MANHATTAN, NY

Site 8 of 22 in cluster M

Relative:
Lower

Actual:
11 ft.

SPILLS:

Facility ID:	9500548
Facility Type:	ER
Spill Number:	9500548
DER Facility ID:	162861
Site ID:	308572
DEC Region:	2
Closed Date:	2015-04-20
Spill Cause:	Unknown
Spill Class:	B3
SWIS:	3101
Spill Date:	1995-04-13
Investigator:	JMOCONNE
Referred To:	Not reported
Reported to Dept:	1995-04-13
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1995-05-15
Spill Record Last Update:	2015-04-20
Spiller Name:	Not reported
Spiller Company:	CON EDISON
Spiller Address:	4 IRVING PLACE
Spiller Company:	999
Contact Name:	Not reported
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL site address in UIS was entered as 281 WEST 28TH STREET; changed this to 281 11TH AVENUE; Con Edison's Westside Service Center is located west of 11th Avenue and north of West 28th Street. 3/16/95: Soil samples collected from boil boring B-1 adjacent to tank by MEG. Results reported by EcoTest Labs on 3/30/95 indicate concentrations of lead above standards. Also flashpoint at 37 deg C (99 deg F). Additional results reported 4/19 for high BTEX cocnentrations. 1/24/97: Con Ed submits site investiagtion report. Four groundwater monitoring wells were installed. No free product in wells, but high concentrations of BTEX in soil and groundwater (exceeding groundwater standards). Con Ed proposes to continue quarterly groundwater monitoring/sampling to develop baseline data. 9/16/97: Con Ed submits copy of work plan dated 6/17/96 prepared by CEH/Jacques Whitford for the previous site investigation. 9/30/97:

WESTSIDE SERVICE CTR (Continued) **S104496019**

TRANSFERRED FROM KATZ TO O'CONNELL. 11/10/98: Site visit to observe tank removal. Soil on walls of excavation appeared dark - there was petrol odor in vicinity but pulled tank had been placed upwind of excavation. There is gw in hole. Slight sheen on water. Sidewall samples to be collected, but no bottom samples since concrete pad is to remain for new tanks. If soil results come back high, may required additional excavation. (CAE) 10/2/00: Con Ed submits UST closure report, which consists of Pre-Closure Assessment conducted by in 1996, and post-excavation sampling results (circa 11/98). 1/11/01: Letter to Con Edison - review of quarterly gw sampling results for last 3 years indicates dissolved oxygen and redox potential measured in gw does not support natural attenuation, as suggested by Con Ed. Request expanded well network and tidal influence study, as well as remedial alternative study. (KMF) 3/19/01: Con Ed submits work plan for supplemental investigation. Comment letter sent same day to Con Ed - monor comments related to sampling and analytical methods, etc. (KMF) 3/27/01: Con Ed submits work plan for tidal influence study. 3/29/01: E-mail comments to Con Ed on tidal influence study work plan. (KMF) 4/12/02: Supplemental investigation report and tidal influence study submitted for review. Newly installed well MW-5 was destroyed following collection of initial gw sample. The sample indicated concentrations of MTBE which exceeds groundwater standard. No other VOCs were detected. 4/3/03: Letter to Con Ed requesting well MW-5 be replaced. Also, requested Remedial Action Plan be submitted 30 days following receipt of sampling results. (KMF) 4/29/03: Letter work plan from Con Ed to replace MW-5, and add 2 additional wells. 5/7/03: E-mail from Con Ed indicating that MW-5 had been found undamaged beneath a pile of construction materials. Awaiting approval of work plan for other 2 wells. 5/28/03: Approval granted for installation of 2 additional monitoring wells. (KMF) 12/16/03: Meeting with Mariela Gonzalez. Additional wells have been installed and sampled - still high MTBE and benzene. JWC has submitted draft RAWP to Con Ed proposing ORC injection. She expects to get final to DEC by early January. (JHO) 8/27/12 - 2Q12 groundwater monitoring report saved to edocs 12/5/12 - 3Q12 groundwater monitoring report saved to edocs; did not have access to/could not sample MW-2; recommended continue to monitor (JOC) 1/31/13 - 4Q12 groundwater monitoring report recommends continued monitoring (JOC) 3/5/13 - followup from Con Edison project manager inquired about recommendations from consultant report for 1Q13 sampling - advised that DER has no objection to not performing 1Q13 groundwater monitoring event (JOC) 5/31/13 - received 1Q13 monitoring report; sampling conducted on March 18th for MW-1 and MW-2; VOCs are ND in MW-1, MTBE less than TOGS criteria in MW-2. Recommends continued monitoring of Mw-1 and Mw-2 (JOC) 7/8/13 - received 2Q13 monitoring report; sampling conducted on June 24th for MW-1 and MW-2; VOCs less than TOGs criteria in MW-1, 9.6 ppb isopropyl benzene in MW-2 and MTBE and n-propyl benzene less than TOGs; report recommends continued monitoring of MW-1 and MW-2 (JOC) 3/4/14 - received 4Q13 monitoring report; recommends continued monitoring of MW-1 and MW-2. Briefly discussed with Con Edison PM on 2/26. (JOC) 2/10/15 - received 4Q14 monitoring report; recommends discontinuing monitoring; report under review (JOC) 4/20/15 - file review/summary - Con Edison s Westside Service Center is a multi-purpose facility used to support the operation and maintenance of energy distribution systems throughout the area. Included is a vehicle fueling facility roughly in the middle of the property which historically had two 4,000 gallon

WESTSIDE SERVICE CTR (Continued) **S104496019**

gasoline and one 4,000 gallon diesel USTs. The tank area is roughly 600 feet to the east of the Hudson River. The area is zoned manufacturing according to publicly available NYC Department of City Planning information. In preparation for replacing the three motor fuel tanks to comply with 1998 regulatory changes, one soil boring was advanced in 1996 just to the east of the field to evaluate conditions, and impacted soil was identified. Based on the finding, a spill was reported and an investigation was subsequently completed with 8 Geoprobe soil borings around the tank field and the installation of 4 groundwater monitoring wells. Sample results for the two borings completed on the east side of the tank field had exceedances of the soil criteria, with the southern of these two borings showing the most impact including what was described as apparent free product in the soil samples. A well was installed at that location (MW-2). Soil criteria at the time were based on the Department s STARS Memorandum #1. As an additional note on the history, the three USTs in the tank field had successfully passed tightness testing in 1994/1995. The tanks were removed in 1998 along with 191 tons of petroleum impacted soil, and post-excavation sampling was completed. Three of four sidewall soil samples had exceedances of the criteria for VOCs (STARS Memo #1), again with most impacts evident on the east side of the tank field. Groundwater is relatively shallow at the location, and the tank excavation had standing water. Over the course of the site monitoring, ground water depth ranged roughly from 5 to 10 feet below ground surface, depending on the well. Approximately 21,000 gallons of water/groundwater was removed during the course of tank replacement. A light, spotty sheen was noted on the standing water surface at the time of tank removal. The tanks were evaluated and found to be in good condition with no holes. A specific route for release of petroleum from the tank system was not identified. Groundwater at MW-2 was contaminated with petroleum VOCs, initially at 3 to 4 ppm total petroleum VOCs, but no LNAPL was identified. The other wells had minor exceedances, within an order of magnitude of the groundwater standards. In the first few rounds of sampling MTBE was not detected in any of the wells, but then without any specific explanation it was then detected, initially at 7 ppm in MW-2 and at much lower concentrations in the other wells, including the upgradient well. Additional wells were installed to better delineate the area of contamination and monitoring continued. The groundwater flow direction was determined to be predominantly toward the southwest. There were periods when groundwater was lowest that the direction varied toward the southeast. In three wells, hydraulic conductivity was estimated through slug testing to range from 0.4 to 40.9 feet per day, confirming the variability of the subsurface materials, which consists of fill, some sands and clays, and some peat at depth. Subsequent to the tank and soil removal, groundwater contaminant levels showed some reduction at MW-2 but it was felt additional remedial work was warranted. After additional study, 2,200 pounds of ORC was injected in the area of the groundwater plume through 24 injection points. This showed to have some effect, but still petroleum VOC concentrations near MW-2 persisted in excess of standards. Additional soil sampling around the tank field in 2006 found exceedances of TAGM 4046 criteria, the guidance in place at the time, in one boring to the east of the tank field, in the vicinity and upgradient of MW-2, with total petroleum VOCs of approximately 1700 ppm. Since this concentration at this one location seemed

WESTSIDE SERVICE CTR (Continued) **S104496019**

inconsistent with the other nearby historic soil data, which was approximately an order of magnitude less, along with the relatively higher concentrations of benzene in nearby well MW-2 suggested a more recent release. As such, the tank system was tested for tightness and passed. The spill bucket at the fill ports was additionally checked and found to be tight. Pilot testing for a soil vapor extraction/air sparge system was conducted while groundwater monitoring continued. Well MW-2 was re-developed to ensure groundwater samples were representative. Soil samples were collected during boring completion for installation of sparge and extraction points. One point was put in (P-5/AS-1) at the location of the previously identified elevated soil concentrations (GP-13), with more vertical delineation; four samples were collected between 9 feet and 16 feet below grade. Soil exceedances were identified in P-5 in the 9-11 foot interval for benzene (212 ug/kg) and total xylenes (800 ug/kg) and in the 12 foot depth sample for benzene (591 ug/kg) and total xylenes (1692 ug/kg), which is much different from the results collected at GP-13. No explanation for the gross difference between the soil results of these two soils borings, taken in very close proximity to one another, was given. At the time of the latter soil sampling, groundwater samples taken at the same time for immediately downgradient well MW-2 and at P-5 showed very similar results, with most of the petroleum VOCs on the order of 10s of ppb or less. The AS/SVE pilot testing showed some short-circuiting of the system due to the proximity of the tank field (with coarser backfill) when using impacted well MW-2 as the extraction point. Subsequent to the initial pilot test, groundwater results showed a decrease in contaminant concentrations. A separate SVE only pilot test was completed using an extraction point further to the east, which showed a more typical radius of influence. However, based on the more recent soil data results and the groundwater plume being limited in area, and the attenuating groundwater concentrations in the source area, continued monitoring of groundwater was proposed and accepted. In early 2009, 0.2 feet of LNAPL was identified in well MW-2. It was removed and an absorbent sock was placed in the well. At the same time, groundwater results, even within that well, remained consistent with prior results and relatively low in concentration. As such, monitoring continued. It is not clear what was actually observed in the well, or if it was LNAPL, the type of material was not identified. It was not observed again and concentrations continued to decrease. All of the monitoring wells have had 8 quarters of sampling with no exceedances of groundwater standards for petroleum VOCs. Con Edison has requested to stop further monitoring and for closure of the spill. Based on the documentation provided to date, the spill is closed. A letter stating such was sent to Con Edison today, including that monitoring wells should be closed in accordance with the Commissioner s Policy on decommissioning monitoring wells. (JOC) "

Remarks: "DID GROUND SAMPLE TEST, FOUND TO BE CONTAMINATED - ALL SOIL WILL BE REMOVED"

All Materials:

Site ID: 308572
Operable Unit ID: 1014670
Operable Unit: 01
Material ID: 369170
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported

WESTSIDE SERVICE CTR (Continued) **S104496019**

Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

M123 **SERVICE CENTER** **NY Spills** **S118707451**
WNW **281 11TH AVE** **N/A**
< 1/8 **NEW YORK, NY**
0.072 mi.
379 ft. **Site 9 of 22 in cluster M**

Relative: **Lower**

Actual: **11 ft.**

SPILLS:

Facility ID:	1604675
Facility Type:	ER
Spill Number:	1604675
DER Facility ID:	298914
Site ID:	531189
DEC Region:	2
Closed Date:	Not reported
Spill Cause:	Unknown
Spill Class:	Not reported
SWIS:	3101
Spill Date:	2016-08-08
Investigator:	HRAHMED
Referred To:	Not reported
Reported to Dept:	2016-08-08
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	1
Date Entered In Computer:	2016-08-08
Spill Record Last Update:	2017-12-29
Spiller Name:	RICK KNOB
Spiller Company:	CON ED
Spiller Address:	281 11TH AVE
Spiller Company:	999
Contact Name:	RICK KNOB
DEC Memo:	"08/09/16- Ahmed - EMIS# 249094 While prepping to build a platform in the W. 28th Street Flush facility excavation at 281 11th Avenue, coned collected soil samples. The lab results indicated 7350 ppm of lead from the soil excavated, based on the soil weight it was calculated 68lbs of lead found in the soil. Another foot of soil will be removed and the soil will be retested. Based on the discussion with Jeff and Jane, spill assigned to Ahmed."
Remarks:	"lead found in soil. area was cleaned up and removed from location"

All Materials:

Site ID:	531189
Operable Unit ID:	1279972
Operable Unit:	01

SERVICE CENTER (Continued) **S118707451**

Material ID:	2285066
Material Code:	0030A
Material Name:	lead
Case No.:	07439921
Material FA:	Hazardous Material
Quantity:	68.00
Units:	L
Recovered:	Not reported
Oxygenate:	Not reported

M124 **CON ED TRANSPORTATION YD** **NY Spills** **S102560158**
WNW **281 W 11TH AVE** **N/A**
< 1/8 **NYC, NY**
0.072 mi.
379 ft. **Site 10 of 22 in cluster M**

Relative: **Lower**
Actual: **11 ft.**

SPILLS:

Facility ID:	9612456
Facility Type:	ER
Spill Number:	9612456
DER Facility ID:	263076
Site ID:	326578
DEC Region:	2
Closed Date:	2003-12-29
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	1997-01-18
Investigator:	CAENGELH
Referred To:	Not reported
Reported to Dept:	1997-01-18
CID:	371
Water Affected:	Not reported
Spill Source:	Major Facility (MOSF) > 400,000 gal
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1997-01-18
Spill Record Last Update:	2004-10-19
Spiller Name:	PAT MCHUGH
Spiller Company:	CON ED
Spiller Address:	4 IRVING PLACE
Spiller Company:	001
Contact Name:	MR ROMANO
DEC Memo:	"TRANSFERRED FROM MULQUEEN TO ENGELHARDT ON 1/21/97. ~~~~~~~~~~~~~~~~ E2MIS 103138 01/18/97 0700 HRS R.ZAHN #14641 REPORTS: AT BEGGINING OF SHIFT IN TRANSP. BAY AT W.28 ST YD FOUND VEH. #60355 LEAKING HYDRAULIC FLUID APPROX. 20 GLS ON TO FLOOR AND HE BELIEVES IT ENTERED DRAIN ON FLOOR TO SEWER SYSTEM. SPILL IS CONTAINED AT THIS TIME. DG 27-Jan-97 Close out letter written and sent to appropriate dept heads on 29 Jan 97, 08:36 hrs KF95729. all repairs were completed on this vehicle by W. 28th St. garage."
Remarks:	"SUPERVISOR FOUND SPILL UNDER TRUCK. CAUSE UNKNOWN. SEWER NEARBY BUT

CON ED TRANSPORTATION YD (Continued) **S102560158**

CONTAM UNKNOWN. CLEANUP UNDERWAY. "

All Materials:

Site ID:	326578
Operable Unit ID:	1040311
Operable Unit:	01
Material ID:	341099
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	20.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

M125 **CON EDISON** **NY MANIFEST** **S118091469**
WNW **281 11TH AVE** **N/A**
< 1/8 **NEW YORK, NY 10010**
0.072 mi.
379 ft. **Site 11 of 22 in cluster M**

Relative: **Lower**

Actual: **11 ft.**

NY MANIFEST:

Country:	USA
EPA ID:	NYP982177743
Facility Status:	Not reported
Location Address 1:	281 11TH AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10010
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP982177743
Mailing Name:	CON EDISON
Mailing Contact:	TOM TELLING
Mailing Address 1:	4 IRVING PLACE-15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	04/27/2015
Trans1 Recv Date:	04/27/2015

CON EDISON (Continued) **S118091469**

Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/27/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP982177743
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	014454205JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	916
Units:	P - Pounds
Number of Containers:	2
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D002
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

Country:	USA
EPA ID:	NYP004844144
Facility Status:	Not reported
Location Address 1:	281 11TH AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004844144

CON EDISON (Continued) **S118091469**

Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NYD006982359
Trans2 State ID:	Not reported
Generator Ship Date:	09/25/2015
Trans1 Recv Date:	09/25/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/25/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004844144
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	014086440JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	Y
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	2545
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	L Landfill.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	B007
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported

CON EDISON (Continued) **S118091469**

Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Click this hyperlink while viewing on your computer to access
1 additional NY_MANIFEST: record(s) in the EDR Site Report.

M126 **CON EDISON** **RCRA NonGen / NLR** **1017778985**
WNW **281 11TH AVE** **NYP004569489**
< 1/8 **NEW YORK, NY 10001**
0.072 mi.
379 ft. **Site 12 of 22 in cluster M**

Relative:
Lower

Actual:
11 ft.

RCRA NonGen / NLR:
Date form received by agency: 07/19/2014
Facility name: CON EDISON
Site name: CON EDISON VAULT: 2704,9489.9191,9536
Facility address: 281 11TH AVE
NEW YORK, NY 10001
EPA ID: NYP004569489
Mailing address: IRVING PL, 15TH FL NE
NEW YORK, NY 10003
Contact: THOMAS TEELING
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: 212-460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 06/19/2014
Site name: CON EDISON
Classification: Large Quantity Generator

Date form received by agency: 06/19/2014
Site name: CON EDISON
Classification: Not a generator, verified

CON EDISON (Continued) **1017778985**

Violation Status: No violations found

M127 **WEST 28 TH ST YARD** **NY Spills** **S108465687**
WNW **281 11 TH AV** **N/A**
< 1/8 **MANHATTAN, NY**
0.072 mi.
379 ft. **Site 13 of 22 in cluster M**

Relative:
Lower

Actual:
11 ft.

SPILLS:

Facility ID:	0604150
Facility Type:	ER
Spill Number:	0604150
DER Facility ID:	317085
Site ID:	367065
DEC Region:	2
Closed Date:	2007-11-08
Spill Cause:	Other
Spill Class:	C4
SWIS:	3101
Spill Date:	2006-07-14
Investigator:	GDBREEN
Referred To:	Not reported
Reported to Dept:	2006-07-14
CID:	444
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2006-07-14
Spill Record Last Update:	2007-11-08
Spiller Name:	ERTS
Spiller Company:	CON EDISON
Spiller Address:	281 11TH AVE
Spiller Company:	999
Contact Name:	ERTS
DEC Memo:	"11/08/07 - See eDocs for Con Ed report detailing cleanup and closure. 201141. see eDocs"
Remarks:	"COMING OUT OF A GARBAGE DUMPSTER: SOME DID GO INTO DRAIN: NO TO 5 QUESTIONS. 201141"

All Materials:

Site ID:	367065
Operable Unit ID:	1124990
Operable Unit:	01
Material ID:	2114497
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	3.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

WEST 28 TH ST YARD (Continued) **S108465687**

Facility ID:	0612001
Facility Type:	ER
Spill Number:	0612001
DER Facility ID:	326347
Site ID:	376762
DEC Region:	2
Closed Date:	2007-04-24
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2007-01-30
Investigator:	GDBREEN
Referred To:	Not reported
Reported to Dept:	2007-01-30
CID:	408
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2007-01-30
Spill Record Last Update:	2007-04-24
Spiller Name:	Not reported
Spiller Company:	CON EDISON
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	ERTS
DEC Memo:	"04/24/07 - See e-docs for Con Ed report detailing cleanup and closure. 204336. see eDocs"
Remarks:	"FLUSH WATER BUT UNCERTAIN WHAT IT CONTAINS; TESTS ARE IN PROCESS; HAS NOT YET BEEN CLEANED; CONTAINED; 204336"

All Materials:

Site ID:	376762
Operable Unit ID:	1134326
Operable Unit:	01
Material ID:	2124182
Material Code:	0064A
Material Name:	unknown material
Case No.:	Not reported
Material FA:	Other
Quantity:	300.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	0610810
Facility Type:	ER
Spill Number:	0610810
DER Facility ID:	324963
Site ID:	375319
DEC Region:	2
Closed Date:	2007-01-17

WEST 28 TH ST YARD (Continued) **S108465687**

Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2006-12-24
Investigator:	GDBREEN
Referred To:	Not reported
Reported to Dept:	2006-12-24
CID:	74
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Affected Persons
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2006-12-24
Spill Record Last Update:	2007-01-17
Spiller Name:	ERT DESK' MIKE DAUGHTERY
Spiller Company:	CON EDISON VEH 60710
Spiller Address:	281 11TH AVE
Spiller Company:	999
Contact Name:	ERT DESK' MIKE DAUGHTERY
DEC Memo:	"01/17/07 - See e-docs for Con Ed report detailing cleanup and closure. 203848. see eDocs"
Remarks:	"ONTO ASPHALT - FROM WORK VEHICLE REF203848 CLEANUP IN PROGRESS "

All Materials:

Site ID:	375319
Operable Unit ID:	1132960
Operable Unit:	01
Material ID:	2122753
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	0612171
Facility Type:	ER
Spill Number:	0612171
DER Facility ID:	326558
Site ID:	376967
DEC Region:	2
Closed Date:	2007-02-16
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2007-02-05
Investigator:	GDBREEN
Referred To:	Not reported
Reported to Dept:	2007-02-05
CID:	410

WEST 28 TH ST YARD (Continued) **S108465687**

Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2007-02-05
Spill Record Last Update:	2007-02-16
Spiller Name:	ERTS
Spiller Company:	CON EDISON
Spiller Address:	281 11TH AVE
Spiller Company:	999
Contact Name:	ERTS
DEC Memo:	"02/16/07 - See e-docs for Con Ed report detailing cleanup and closure. 204428. see eDocs"
Remarks:	"NO TO FIVE QUESTIONS: FAULTY HOSE ON TRUCK: CLEANUP PENDING CREW: CONED: 204428"

All Materials:

Site ID:	376967
Operable Unit ID:	1134521
Operable Unit:	01
Material ID:	2124393
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	9613350
Facility Type:	ER
Spill Number:	9613350
DER Facility ID:	155154
Site ID:	185519
DEC Region:	2
Closed Date:	1997-02-13
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	1997-02-11
Investigator:	CAENGELH
Referred To:	Not reported
Reported to Dept:	1997-02-11
CID:	211
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False

WEST 28 TH ST YARD (Continued) **S108465687**

UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1997-02-11
Spill Record Last Update:	2003-04-04
Spiller Name:	Not reported
Spiller Company:	CON EDISON
Spiller Address:	4 IRVING PLACE
Spiller Company:	001
Contact Name:	STEVE ROMERO
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ENGELHARDT E2MIS 104205 02/11/97 14:55 IANNINO #51505 REPORTS: A SPILL OF VEH. ANTIFREEZE OF APPRX. 1 GAL..WAS CLEANED UP IMMEDIATELY COMPLETE IN 10 MINS...WAS FOUND AT 14:45...COMP....14:55...NO WATER ...WAS CONTAINED DID NOT ENTER WATERWAY OR SEWER SYSTEM.....DR #23349 Chronology: On Feb 11, 1997 at 1445 hrs A. Perez started vehicle 40630 to move it into a parking space. After parking the vehicle and turning off the engine, he got out and noticed anitfreeze leaking onto the pavement from the radiator hose. He put a pan under vehicle to catch any dripping antifreeze and cleaned up antifreeze from pavement with absorbent and pads. About one gallon of antifreeze was cleaned up. No impact on waterway or sewer. #9 notified and report was given to Mr. J. Carroll. Vehicle was turned into transportation for repair."
Remarks:	"POSS HOSE BROKE CAUSING PRODUCT TO SPILL - PRODUCT CLEANED UP"

All Materials:

Site ID:	185519
Operable Unit ID:	1040926
Operable Unit:	01
Material ID:	338459
Material Code:	0043A
Material Name:	antifreeze
Case No.:	Not reported
Material FA:	Other
Quantity:	1.00
Units:	G
Recovered:	1.00
Oxygenate:	Not reported

M128 **CON EDISON - W 28TH STREET SERVICE CTR** **RCRA-LQG** **1000111675**
WNW **281 11TH AVE** **NY SWF/LF** **NYD982177743**
< 1/8 **NEW YORK, NY 10001** **NJ MANIFEST**
0.072 mi. **NY MANIFEST**
379 ft. **Site 14 of 22 in cluster M**

Relative: **Lower**
Actual: **11 ft.**

RCRA-LQG:

Date form received by agency:	02/05/2016
Facility name:	CON EDISON - W 28TH STREET SERVICE CTR
Facility address:	281 11TH AVE NEW YORK, NY 10001-1212
EPA ID:	NYD982177743
Mailing address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact:	THERESA BURKARD
Contact address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact country:	US

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

Contact telephone: 212-460-2262
Contact email: BURKARDT@CONED.COM
EPA Region: 02
Land type: Private
Classification: Large Quantity Generator
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name: CONSOLIDATED EDISON CO OF NY INC
Owner/operator address: IRVING PL
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/2006
Owner/Op end date: Not reported

Owner/operator name: CON EDISON
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: 212-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: CONSOLIDATED EDISON CO OF NY INC
Owner/operator address: IRVING PL
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/2006
Owner/Op end date: Not reported

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: 4 IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 12/29/1978
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D008
. Waste name: LEAD

. Waste code: D018
. Waste name: BENZENE

. Waste code: B007
. Waste name: B007

Historical Generators:
Date form received by agency: 03/27/2014
Site name: CON EDISON - W 28TH STREET SERVICE CENTER
Classification: Large Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D008
. Waste name: LEAD

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

. Waste code: D010
. Waste name: SELENIUM

. Waste code: D018
. Waste name: BENZENE

. Waste code: D024
. Waste name: M-CRESOL

. Waste code: D025
. Waste name: P-CRESOL

. Waste code: B002
. Waste name: B002

. Waste code: B007
. Waste name: B007

Date form received by agency: 02/21/2008
Site name: CON EDISON - W. 28TH STREET SERVICE CENT
Classification: Large Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D008
. Waste name: LEAD

. Waste code: D009
. Waste name: MERCURY

. Waste code: D010
. Waste name: SELENIUM

. Waste code: D018
. Waste name: BENZENE

. Waste code: D024
. Waste name: M-CRESOL

. Waste code: D025
. Waste name: P-CRESOL

. Waste code: B002
. Waste name: B002

. Waste code: B007
. Waste name: B007

Date form received by agency: 01/01/2007
Site name: CON EDISON - W. 28TH STREET SERVICE CENT
Classification: Small Quantity Generator

Date form received by agency: 02/21/2006
Site name: CON EDISON - W. 28TH STREET SERVICE CENT
Classification: Large Quantity Generator

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D008
. Waste name: LEAD

. Waste code: D010
. Waste name: SELENIUM

. Waste code: D018
. Waste name: BENZENE

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

. Waste code: D039
. Waste name: TETRACHLOROETHYLENE

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: B002
. Waste name: B002

. Waste code: B007
. Waste name: B007

Date form received by agency: 02/20/2006
Site name: CON EDISON - W. 28TH STREET SERVICE CENT
Classification: Small Quantity Generator

Date form received by agency: 02/25/2004
Site name: CON EDISON - W. 28TH STREET
Classification: Large Quantity Generator

. Waste code: D001

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D006
. Waste name: CADMIUM

. Waste code: D008
. Waste name: LEAD

. Waste code: D010
. Waste name: SELENIUM

. Waste code: D018
. Waste name: BENZENE

. Waste code: B002
. Waste name: B002

. Waste code: B007
. Waste name: B007

Date form received by agency: 05/31/2002
Site name: CON EDISION - W. 28TH ST.
Classification: Large Quantity Generator

Date form received by agency: 01/01/2001
Site name: W. 28TH ST.
Classification: Large Quantity Generator

Date form received by agency: 02/26/1998
Site name: CON ED - WEST 28TH STREET SERVICE CTR
Classification: Large Quantity Generator

Date form received by agency: 03/29/1996
Site name: CON EDISON W 28TH ST SERVICE CENTER
Classification: Large Quantity Generator

Date form received by agency: 03/31/1994
Site name: CON EDISON - WEST 28TH STREET SVC CTR
Classification: Large Quantity Generator

Date form received by agency: 04/21/1987
Site name: CON EDISON - WEST 28TH STREET
Classification: Large Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

Biennial Reports:

Last Biennial Reporting Year: 2017

Annual Waste Handled:
Waste code: D001
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
Amount (Lbs): 3353.5

Waste code: D002
Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.
Amount (Lbs): 916

Waste code: D008
Waste name: LEAD
Amount (Lbs): 13581

Waste code: D018
Waste name: BENZENE
Amount (Lbs): 2543

Facility Has Received Notices of Violations:
Regulation violated: SR - 372.2(b)(2)(i),(ii)
Area of violation: Generators - General
Date violation determined: 07/01/2004
Date achieved compliance: 07/26/2004
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 07/26/2004
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 373-3.2(g)(2)
Area of violation: Generators - General
Date violation determined: 10/01/2003
Date achieved compliance: 12/04/2003
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 11/06/2003
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

Evaluation date: 07/14/2016
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 02/12/2010
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

Evaluation date: 07/01/2004
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 07/26/2004
Evaluation lead agency: State

Evaluation date: 10/01/2003
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 12/04/2003
Evaluation lead agency: State

SWF/LF:
Flag: INACTIVE
Region Code: 2
Phone Number: 2122393138
Owner Name: Not reported
Owner Type: Not reported
Owner Address: Not reported
Owner Addr2: Not reported
Owner City,St,Zip: Not reported
Owner Email: Not reported
Owner Phone: Not reported
Contact Name: HARRY COATES
Contact Address: Not reported
Contact Addr2: Not reported
Contact City,St,Zip: Not reported
Contact Email: Not reported
Contact Phone: Not reported
Activity Desc: C&D processing - registration
Activity Number: [31W12]
Active: No
East Coordinate: 584000
North Coordinate: 4511500
Accuracy Code: Not reported
Regulatory Status: Permit
Waste Type: Not reported
Authorization #: 2-6205-00035
Authorization Date: 01/24/1991
Expiration Date: 01/24/1996
Operator Name: Not reported
Operator Type: Not reported
Laste Date: Not reported

NJ MANIFEST:

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

EPA Id:	NYP004844144
Mail Address:	IRVING PL15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THERESA BURKARD
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	014086440JJK
EPA ID:	NYP004844144
Date Shipped:	9/25/2015
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NYD006982359
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

EPA Id:	NYD982177743
Mail Address:	Not reported
Mail City/State/Zip:	Not reported
Facility Phone:	2122393133
Emergency Phone:	Not reported
Contact:	Not reported
Comments:	Not reported
SIC Code:	Not reported
County:	00
Municipal:	00
Previous EPA Id:	Not reported
Gen Flag:	X
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	NJA5272129
EPA ID:	NYD982177743
Date Shipped:	10/05/2005
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	10/05/2005
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	10/05/2005
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	02030621
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

Manifest Number:	004810897FLE
EPA ID:	NYD982177743
Date Shipped:	3/30/2015
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NYD006982359
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

Manifest Number:	000680947VES
EPA ID:	NYD982177743
Date Shipped:	6/28/2012
TSDF EPA ID:	NJD980536593
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	Not reported
Quantity:	75.00 Pounds

Manifest Number:	000266714GBF
EPA ID:	NYD982177743
Date Shipped:	09/19/2007
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	09/19/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	09/19/2007
TSDF EPA Facility Name:	Not reported

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	H11
Quantity:	42660 P

Manifest Number:	NJA5272127
EPA ID:	NYD982177743
Date Shipped:	10/29/2004
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	10/29/2004
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	10/29/2004
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

Manifest Discrepancy Type:	Not reported
Data Entry Number:	02030621
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported
Manifest Number:	NJA5272128
EPA ID:	NYD982177743
Date Shipped:	10/29/2005
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	10/29/2005
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	10/29/2005
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	02030621
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported
Manifest Number:	004730355JJK
EPA ID:	NYD982177743
Date Shipped:	02/27/2009
TSDF EPA ID:	NJD002182897
Transporter EPA ID:	NYD006982359
Transporter 2 EPA ID:	MAD985286988
Transporter 3 EPA ID:	TXR000050930
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	02/27/2009
Date Trans2 Transported Waste:	03/02/2009
Date Trans3 Transported Waste:	03/05/2009
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	03/06/2009
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H061
Quantity:	300 P

Manifest Number:	NJA5338700
EPA ID:	NYD982177743
Date Shipped:	08/04/2006
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	08/04/2006
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	08/04/2006
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	08300622
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported

Manifest Number:	000266910GBF
EPA ID:	NYD982177743
Date Shipped:	11/10/2007
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	11/10/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	11/10/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

Data Entry Number:	Not reported
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported
Manifest Number:	000266716GBF
EPA ID:	NYD982177743
Date Shipped:	09/19/2007
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	09/19/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	09/19/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	H11
Quantity:	40100 P

Manifest Number:	001027112JJK
EPA ID:	NYD982177743
Date Shipped:	06/11/2007
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	06/11/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	06/11/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D025
Hand Code:	H14
Quantity:	209 KG

Manifest Number:	000623306VES
EPA ID:	NYD982177743
Date Shipped:	7/24/2013
TSDF EPA ID:	NJD980536593
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	Not reported
Quantity:	75.00 Pounds

Manifest Number:	000266907GBF
EPA ID:	NYD982177743
Date Shipped:	11/10/2007
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	11/10/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	11/10/2007
TSDF EPA Facility Name:	Not reported

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported

Manifest Number:	001439852FLE
EPA ID:	NYD982177743
Date Shipped:	11/15/2010
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	11/15/2010
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	11/15/2010
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

Waste Code:	D008
Hand Code:	H111
Quantity:	1500 P

Manifest Number:	000266909GBF
EPA ID:	NYD982177743
Date Shipped:	11/10/2007
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	11/10/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	11/10/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported

Manifest Number:	NJA5272125
EPA ID:	NYD982177743
Date Shipped:	12/07/2004
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	12/07/2004
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	12/07/2004
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	02030621
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported

Manifest Number:	NJA5272126
EPA ID:	NYD982177743
Date Shipped:	12/07/2004
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	12/07/2004
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	12/07/2004
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	02030621
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported

Manifest Number:	000517477VES
EPA ID:	NYD982177743
Date Shipped:	2/13/2012
TSDF EPA ID:	NJD980536593
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

Hand Code:	Not reported
Quantity:	85.00 Pounds
Manifest Number:	002609921GBF
EPA ID:	NYD982177743
Date Shipped:	1/28/2015
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NYD006982359
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported
Manifest Number:	007660323JJK
EPA ID:	NYD982177743
Date Shipped:	8/19/2011
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	H111
Quantity:	1,500.00 Pounds

NY MANIFEST:

Country:	USA
EPA ID:	NYD982177743
Facility Status:	Not reported
Location Address 1:	281 11TH AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	1212

NY MANIFEST:

EPAID:	NYD982177743
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PL 15TH FL NE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY

CON EDISON - W 28TH STREET SERVICE CTR (Continued) **1000111675**

Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2017
Trans1 State ID:	NYD006982359
Trans2 State ID:	Not reported
Generator Ship Date:	11/15/2017
Trans1 Recv Date:	11/15/2017
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	11/21/2017
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982177743
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980593636
TSDF ID 2:	Not reported
Manifest Tracking Number:	008169670FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	Y
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	40
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	1
Container Type:	DM - Metal drums, barrels
Handling Method:	L Landfill.
Specific Gravity:	1
Waste Code:	B002
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	D001
Waste Code 1_6:	D018

Click this hyperlink while viewing on your computer to access
41330 additional NY_MANIFEST: record(s) in the EDR Site Report.

M129 **W28TH ST YARD** **NY Spills** **S104503650**
WNW **281 11TH AV** **N/A**
< 1/8 **MANHATTAN, NY**
0.072 mi.
379 ft. **Site 15 of 22 in cluster M**

Relative: **Lower**

Actual: **11 ft.**

SPILLS:

Facility ID:	1002564
Facility Type:	ER
Spill Number:	1002564
DER Facility ID:	82062
Site ID:	435725
DEC Region:	2
Closed Date:	2010-09-01
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2010-06-06
Investigator:	RWAUSTIN
Referred To:	Not reported
Reported to Dept:	2010-06-06
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2010-06-06
Spill Record Last Update:	2010-09-01
Spiller Name:	Not reported
Spiller Company:	CON ED
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	ERT
DEC Memo:	"9/1/2010 - Austin - 1/2 gal. anti-freeze leak from vactor truck - Con Ed contained and cleaned up the spill - see EMIS report in eDocs for details - spill closed - end "
Remarks:	"spill to paved area/clean up complete"

All Materials:

Site ID:	435725
Operable Unit ID:	1186464
Operable Unit:	01
Material ID:	2181256
Material Code:	0043A
Material Name:	antifreeze
Case No.:	Not reported
Material FA:	Other
Quantity:	.50
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

Facility ID:	1010941
Facility Type:	ER

W28TH ST YARD (Continued) **S104503650**

Spill Number:	1010941
DER Facility ID:	82062
Site ID:	444560
DEC Region:	2
Closed Date:	2011-02-25
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2011-01-27
Investigator:	RWAUSTIN
Referred To:	Not reported
Reported to Dept:	2011-01-27
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2011-01-27
Spill Record Last Update:	2011-02-25
Spiller Name:	ERT
Spiller Company:	CON EDISON
Spiller Address:	281 11TH AVE
Spiller Company:	999
Contact Name:	ERT
DEC Memo:	"2/25/11 - Austin - Con Ed backhoe lost 2 gals. hydr. oil when hose burst during snow removal ops. - Spill contained and cleaned up by Con Ed - see documents in Edocs for further information - spill closed - end"
Remarks:	"From vehicle onto snow and asphalt, clean up pending"

All Materials:

Site ID:	444560
Operable Unit ID:	1195007
Operable Unit:	01
Material ID:	2190959
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	2.00
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

Facility ID:	1010124
Facility Type:	ER
Spill Number:	1010124
DER Facility ID:	82062
Site ID:	443714
DEC Region:	2
Closed Date:	2011-02-11
Spill Cause:	Equipment Failure

W28TH ST YARD (Continued) **S104503650**

Spill Class:	C4
SWIS:	3101
Spill Date:	2010-12-25
Investigator:	RWAUSTIN
Referred To:	Not reported
Reported to Dept:	2010-12-25
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2010-12-25
Spill Record Last Update:	2011-02-11
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller Company:	Not reported
Contact Name:	ERT
DEC Memo:	"2/11/11 - Austin - Antifreeze leak of 10 gals. onto asphalt and catch basin in Con Ed yard from one of their vehicles - Con Ed contained and cleaned up the spill - see additional info in the eDocs files - spil closed - end"
Remarks:	"3 gallons onto aspalt, the other 7 gallons contained, an once into sewer. Clean up is pending"

All Materials:

Site ID:	443714
Operable Unit ID:	1194165
Operable Unit:	01
Material ID:	2189887
Material Code:	0043A
Material Name:	antifreeze
Case No.:	Not reported
Material FA:	Other
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

Facility ID:	9706546
Facility Type:	ER
Spill Number:	9706546
DER Facility ID:	284981
Site ID:	195654
DEC Region:	2
Closed Date:	1997-09-02
Spill Cause:	Equipment Failure
Spill Class:	C3
SWIS:	3101
Spill Date:	1997-08-31
Investigator:	CAENGELH
Referred To:	Not reported

W28TH ST YARD (Continued) **S104503650**

Reported to Dept:	1997-08-31
CID:	323
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1997-08-31
Spill Record Last Update:	1998-01-26
Spiller Name:	FRANK MASSERIA
Spiller Company:	CON ED
Spiller Address:	4 IRVING PLACE
Spiller Company:	001
Contact Name:	FRANK MASSERIA
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ENGELHARDT CLEANED BY CE."
Remarks:	"REAR OF SLUDGE TRUCK CAME OPEN AND SLUDGE CAME OUT. IN THE PROCESS OF CLEANING IT UP."

All Materials:

Site ID:	195654
Operable Unit ID:	1052762
Operable Unit:	01
Material ID:	332125
Material Code:	0058A
Material Name:	sludge
Case No.:	Not reported
Material FA:	Other
Quantity:	200.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	9811887
Facility Type:	ER
Spill Number:	9811887
DER Facility ID:	277041
Site ID:	195655
DEC Region:	2
Closed Date:	2006-10-13
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	1998-12-21
Investigator:	JHOCONNE
Referred To:	Not reported
Reported to Dept:	1998-12-21
CID:	323
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False

W28TH ST YARD (Continued) **S104503650**

Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1998-12-21
Spill Record Last Update:	2006-10-13
Spiller Name:	STEVEN ROMERO
Spiller Company:	CON EDISON
Spiller Address:	4 IRVING PLACE
Spiller Company:	001
Contact Name:	MR BOSZE
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ENGELHARDT 12/21/98: Oil/water separator overflow tank inside transportation garage store room. Excavation about 4' deep, no odor, no visible contamination in soil. Soil is very dry. Tank was 65 to 75 gal capacity. Told them to take endpoint samples. There will only be 2 sidewall samples since 2 walls are concrete. Both USTs for oil/water separator overfill are not being replaced. Pulled covers of oil/water separator - 2ndary containment full of oil. Can't tell how oil got there. Facility will block off all floor drains and remove product from o/w spearator vault. See spill file for site sketch. (CAE) ~~~~~~~~~~~~~~~~~~ E2MIS 122078 12/21/98 14:15HRS -- HOLDING AREA FOR SEPARATER -- TRANSPORTATION -- 281 11AV M.HARTE 95970, CONST-MGMT REPORTS FOUND APPOX 550GALS UNKNOWN FLUID IN ADJACENT CONTAINMENT AREA FOR OIL & WATER SEPARATER. LOCATION IS INSIDE TRANSPORTATION GARAGE (TIRE ROOM). SPILL WAS FOUND DURING INSPECTION BY DEC C. ENGLEHARDT AND R. FITZPATRICK (CON ED). IN PROCESS OF INSPECTING PREVIOUS REMOVAL OF OVERFLOW TANK OF OIL AND WATER SEPARATER THIS VAULTED AREA WAS FOUND CONTAINING UNKNOWN FLUID. THIS VAULTED AREA ACTS AS A SECONDARY CONTAINMENT FOR OIL/WATER SEPARATER. M.HARTE REPORTS UNABLE TO VERIFY CRACKS, SUMP, OR SEWER CONNECTION. CHEM LAB TO TAKE SAMPLE From: Romanelli, Anthony Sent: Tuesday, December 22, 1998 8:13 AM To: Zoeller, Richard Subject: W 28th RICHARD RECEIVED TEST RESULTS FOR PCB ON LIQUID DISCOVERED IN SEPARATOR VAULT AND SEPARATOR. STILL AWAITING RESULTS FOR BENZENE AND HALOGENS. WILL KEEP YOU POSTED ON PENDING RESULTS. TEST RESULTS WILL BE FORWARDED TO YOU. INCIDENT NUMBER 122078. Update 10/17/05, at this time the type of oil cannot be determined, however; it was determined that the separator was the source of the leakage and has been repaired and operating correctly to date. The entire area is cleaned and working. "
Remarks:	"DURING AN INSPECTION FROM DEC CHRIS ENGLEHART, UNDERGROUND SECONDARY CONTAINMENT AREA WAS FOUND TO HAVE THIS OIL/WATER MIX. "

All Materials:

Site ID:	195655
Operable Unit ID:	1069147
Operable Unit:	01
Material ID:	312169
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	550.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

W28TH ST YARD (Continued) **S104503650**

Facility ID:	9815475
Facility Type:	ER
Spill Number:	9815475
DER Facility ID:	284981
Site ID:	195656
DEC Region:	2
Closed Date:	1999-04-14
Spill Cause:	Equipment Failure
Spill Class:	C3
SWIS:	3101
Spill Date:	1999-03-29
Investigator:	JHOCONNE
Referred To:	Not reported
Reported to Dept:	1999-03-29
CID:	365
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1999-03-29
Spill Record Last Update:	2000-06-19
Spiller Name:	Not reported
Spiller Company:	CON EDISON
Spiller Address:	4 IRVING PLACE
Spiller Company:	999
Contact Name:	MIKE CESARE
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL CON ED E2MIS NOTES At W.28 St. cable yard while loading cable truck #60560 a hydraulic line broke spilling approx. 5 gals. of fluid onto blacktop. Have spill contained with booms and oil absorbents. Oil did not enter sewers or waterways. 3-29-99 20:15 Cleanup complete, have small amount of absorbent under vehicle, this will be removed when vehicle is removed. "
Remarks:	"BROKEN HUDRAULIC LINE CAUSED SPILL ONTO BLACK TOP - CLEAN UP IN PROGRESS - CON ED 123938"

All Materials:

Site ID:	195656
Operable Unit ID:	1073487
Operable Unit:	01
Material ID:	308580
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	9902379
Facility Type:	ER

W28TH ST YARD (Continued) **S104503650**

Spill Number:	9902379
DER Facility ID:	284981
Site ID:	195657
DEC Region:	2
Closed Date:	2000-05-18
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	1999-06-01
Investigator:	JHOCONNE
Referred To:	Not reported
Reported to Dept:	1999-06-01
CID:	323
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1999-06-01
Spill Record Last Update:	2000-06-12
Spiller Name:	CALLER
Spiller Company:	CON ED
Spiller Address:	4 IRVING PLACE
Spiller Company:	001
Contact Name:	JOE DIVOTI
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL CON ED E2MIS NOTES 6-18-99 A spill of Hydraulic fluid, approx. 2 qts from cable truck #60270. Fluid is contained on blacktop with pigs, pads and absorbents. Unable to proceed with cleanup until vehicle can be moved. Repairs to vehicle in progress. Hydraulic fluid 2qts. Concrete/Black Top/ Asphalt"
Remarks:	"TRUCK LEAKED. WHEN TRUCK IS MOVED, REST OF 2 QUART SPILL CAN BE CLEANED UP. CON ED# 125235 "

All Materials:

Site ID:	195657
Operable Unit ID:	1077155
Operable Unit:	01
Material ID:	305883
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	1105728
Facility Type:	ER
Spill Number:	1105728
DER Facility ID:	82062
Site ID:	453393

W28TH ST YARD (Continued) **S104503650**

DEC Region:	2
Closed Date:	2011-10-04
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2011-08-19
Investigator:	RWAUSTIN
Referred To:	Not reported
Reported to Dept:	2011-08-19
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2011-08-19
Spill Record Last Update:	2011-10-04
Spiller Name:	Not reported
Spiller Company:	CON ED
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	ERT
DEC Memo:	"10/4/11 - Austin - Backhoe leaked 4 gals. hydraulic oil, including 21 gal. into catch basin Con Ed contained and cleaned up the spill - See eDocs for further information - Spill closed -end"
Remarks:	"con ed backhoe onto blacktop and concrete, 1 gallon went into drainage system that may connect to catch basin. Clean up pending"

All Materials:

Site ID:	453393
Operable Unit ID:	1203548
Operable Unit:	01
Material ID:	2200218
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	4.00
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

Site ID:	453393
Operable Unit ID:	1203548
Operable Unit:	01
Material ID:	2200217
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	4.00
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

W28TH ST YARD (Continued) **S104503650**

Facility ID:	1101534
Facility Type:	ER
Spill Number:	1101534
DER Facility ID:	82062
Site ID:	448994
DEC Region:	2
Closed Date:	2011-06-03
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2011-05-10
Investigator:	RWAUSTIN
Referred To:	Not reported
Reported to Dept:	2011-05-10
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2011-05-10
Spill Record Last Update:	2011-06-03
Spiller Name:	ERT
Spiller Company:	CON ED
Spiller Address:	281 11TH AVE
Spiller Company:	999
Contact Name:	ERT
DEC Memo:	"6/3/11 - Austin -Con Ed backhoe loader leaked 10 gals. hydraulic fluid onto pavement at Con Ed facility - Con Ed contained and cleaned up the spill - Look at the files in the eDocs folder for further info - Spill closed - end"
Remarks:	"Hydraulic line broke. Spilled on to asphalt. Emis # Didn't create one."

All Materials:

Site ID:	448994
Operable Unit ID:	1199217
Operable Unit:	01
Material ID:	2195572
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10.00
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

Facility ID:	1113529
Facility Type:	ER
Spill Number:	1113529
DER Facility ID:	82062
Site ID:	461528

W28TH ST YARD (Continued) **S104503650**

DEC Region:	2
Closed Date:	2012-05-04
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2012-03-02
Investigator:	RWAUSTIN
Referred To:	Not reported
Reported to Dept:	2012-03-02
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2012-03-02
Spill Record Last Update:	2012-05-04
Spiller Name:	Not reported
Spiller Company:	CON ED
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	ERT
DEC Memo:	"5/4/12 - Austin - 3 0z cable oil leak from feeder cable reel in yard, onto pavement - Con Ed contained and cleaned up the spill, and the cable was repaired - - See eDocs files for further information - Case closed - end"
Remarks:	"3 oz into containment pit - cleanup pending investigation"

All Materials:

Site ID:	461528
Operable Unit ID:	1211614
Operable Unit:	01
Material ID:	2209426
Material Code:	0020B
Material Name:	cable oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

Facility ID:	1610624
Facility Type:	ER
Spill Number:	1610624
DER Facility ID:	82062
Site ID:	541469
DEC Region:	2
Closed Date:	2017-03-29
Spill Cause:	Equipment Failure
Spill Class:	C1
SWIS:	3101
Spill Date:	2017-02-26

W28TH ST YARD (Continued) **S104503650**

Investigator:	PXLAKHAN
Referred To:	Not reported
Reported to Dept:	2017-02-26
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2017-02-26
Spill Record Last Update:	2017-03-29
Spiller Name:	Not reported
Spiller Company:	CONEDISON
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	PAUL DIDOMENICO
DEC Memo:	"Emis # 255699 2/27/17-Zhune spoke to Mike Beto from ConED. Mike said hydraulic oil leaked onto the concrete from one of the ConEd vehicles in the ConEd property. It will be clean this afternoon. 03/29/17 - Lakhani - 30 gallons of hydraulic fluid leaked from a vehicle onto concrete/asphalt and spilled on concrete/asphalt - Con Ed contained and cleaned up the spill by speedi dry, diapers, and simple green - See document files for further information - Spill closed."
Remarks:	"The spill was concrete but they would not be able to clean it up before the 2 hours"

All Materials:

Site ID:	541469
Operable Unit ID:	1290019
Operable Unit:	01
Material ID:	2295842
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	2.00
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

Facility ID:	1202587
Facility Type:	ER
Spill Number:	1202587
DER Facility ID:	82062
Site ID:	465360
DEC Region:	2
Closed Date:	2013-03-26
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2012-06-15
Investigator:	RWAUSTIN
Referred To:	Not reported

W28TH ST YARD (Continued) **S104503650**

Reported to Dept:	2012-06-15
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2012-06-15
Spill Record Last Update:	2013-03-26
Spiller Name:	Not reported
Spiller Company:	CON EDISON
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	ERT
DEC Memo:	"6/15/12-Vought-Daytime duty officer. Spill assigned to DEC Feroze as part of Con Edison minor spill portfolio review and possible closure. Initial EMIS #230053 added to Cross Reference Field, deleted from proxy and added to e-docs. As per EMIS, F. Walker #87547 reports that while moving cable, he discovered approximately 10 gallons of hydraulic fluid had leaked from the backhoe #f92134. 6 gallons leaked onto asphalt and 4 gallons were released into the catch basin. Cleanup is in progress and kitty litter and diapers are in place on the asphalt. G.Pertsas supv will inspect catch basin to verify whether there was a release to a sewer. Transportation, CIG and ERT were notified. Later remarks note, Corrective Action: On 6/15/12 @ 18:36, Supv. G. Pertsas (11653) reports O.S. B. Bamonte (16614) on location with Clean Ventures to perform Hydraulic Fluid Clean-Up in the catch basin at the West 28th Street yard. Approximately 30 gallons including wash water were removed and taken by Clean Ventures. Structure was double washed using 5 gallons of Bio-Gen 760. After Clean-up the structure was inspected and no oil was found. Supv. Pertsas used kitty litter and diapers to clean the asphalt. He generated 2 50 gallon drums of debri. The drums will be classified as Non-Hazardous Hydraulic Oil and turned in to stores @ West 28th Street Yard to have Transportation pick the drums up and ship them to Astoria. 3/26/13 - Austin - Con Ed contained and cleaned up the 10 gal. hydraulic oil spill - See eDocs for further information - Spill closed - end "
Remarks:	"spill to paved surface and catch basin/clean up pending"

All Materials:

Site ID:	465360
Operable Unit ID:	1215382
Operable Unit:	01
Material ID:	2213508
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10.00
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

W28TH ST YARD (Continued) **S104503650**

Facility ID:	0808314
Facility Type:	ER
Spill Number:	0808314
DER Facility ID:	82062
Site ID:	405703
DEC Region:	2
Closed Date:	2008-12-19
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2008-10-24
Investigator:	RWAUSTIN
Referred To:	Not reported
Reported to Dept:	2008-10-24
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2008-10-24
Spill Record Last Update:	2008-12-19
Spiller Name:	ERT
Spiller Company:	CON ED
Spiller Address:	281 11TH AVE
Spiller Company:	999
Contact Name:	ERT
DEC Memo:	"12/19/08 - Austin - Received final EMIS, and spill reported as contained and cleaned up - closed - end "
Remarks:	"A line failure on a vehicle caused oil to spill onto blacktop and concrete. Clean up is ongoing and spill has been contained."

All Materials:

Site ID:	405703
Operable Unit ID:	1162315
Operable Unit:	01
Material ID:	2153554
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5.25
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

Facility ID:	0000810
Facility Type:	ER
Spill Number:	0000810
DER Facility ID:	82062
Site ID:	90979
DEC Region:	2
Closed Date:	2000-04-20

W28TH ST YARD (Continued) **S104503650**

Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2000-04-20
Investigator:	JHOCONNE
Referred To:	Not reported
Reported to Dept:	2000-04-20
CID:	120
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2000-04-20
Spill Record Last Update:	2000-05-22
Spiller Name:	CALLER
Spiller Company:	CON ED
Spiller Address:	4 IRVING PL
Spiller Company:	001
Contact Name:	CALLER
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL CON ED E2 MIS REPORT 4/20/00 12oz. of cable oil in the pilc cage, the oil was leaking from cable ends that were left on the floor, he cleaned it up as 50 to 499ppm, there was no water, no visible movement,did not get into any waterway, no smoke , no fire, no cracks, no sumps. Did not enter the waterway, cleanup completed at 07:30hrs. did not take sample no sigh hung... "
Remarks:	"CALLER REPORTED 12OZ SPILL FROM CABLE SPILLED TO GROUND. CLEANUP COMPLETED. CON ED# 130966."

All Materials:

Site ID:	90979
Operable Unit ID:	822560
Operable Unit:	01
Material ID:	289052
Material Code:	0020B
Material Name:	cable oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	0001737
Facility Type:	ER
Spill Number:	0001737
DER Facility ID:	82062
Site ID:	90980
DEC Region:	2
Closed Date:	2003-12-29
Spill Cause:	Equipment Failure
Spill Class:	C4

W28TH ST YARD (Continued) **S104503650**

SWIS:	3101
Spill Date:	2000-05-10
Investigator:	JHOCONNE
Referred To:	Not reported
Reported to Dept:	2000-05-10
CID:	252
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2000-05-10
Spill Record Last Update:	2004-03-24
Spiller Name:	JAY FOX
Spiller Company:	WEST 28TH ST CABLE YARD
Spiller Address:	281 11TH AVE
Spiller Company:	001
Contact Name:	JAY FOX
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL e2mis no. 130331/131550: 05/10/00 02:00 K. Holley #08406 from stores reports while loading cable truck at w. 28th st cable yard, 5-6 gallons of hydraulic fluid leaked from truck. Clean up in progress. "
Remarks:	"MATERIAL LEAKED FROM A CON-ED TRUCK-CLEAN UP IS IN PROGRESS CON ED #131331"

All Materials:

Site ID:	90980
Operable Unit ID:	823260
Operable Unit:	01
Material ID:	289951
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	0005483
Facility Type:	ER
Spill Number:	0005483
DER Facility ID:	82062
Site ID:	90981
DEC Region:	2
Closed Date:	2003-12-30
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2000-08-08
Investigator:	JHOCONNE
Referred To:	Not reported

W28TH ST YARD (Continued) **S104503650**

Reported to Dept:	2000-08-08
CID:	205
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2000-08-08
Spill Record Last Update:	2003-12-30
Spiller Name:	Not reported
Spiller Company:	CON EDISON
Spiller Address:	4 IRVING PLACE
Spiller Company:	999
Contact Name:	Not reported
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL e2mis no. 132753: 8/8/00 Mr L. Faro, EH&S, #34079, reported a tar like substance spilled from a gas pipe inside W.28 st hazardous containment area onto a concrete pad. The substance is known to contain 137 ppm PCB's Samples were taken on 8/1/00 and results from Chem lab received on 8/7/00. Mr Faro has made area safe and is arranging clean up. Update 08-AUG-2000 09:50 am Pipe was brought in from field location at 301 West 38th pending analysis. Pipe ends were wrapped with plastic and duct tape and pipe was placed in hazardous waste storage area. Spill occurred when the tar residue inside pipe melted from the heat and leaked past plastic containment onto concrete pad. Spill cleanup overseen by Gary Windman, Manhattan Gas Environmental Coordinator. Spill occurred when the tar residue inside pipe melted from the heat and leaked past plastic containment onto concrete pad. Spill cleanup overseen by Gary Windman, Manhattan Gas Environmental Coordinator. Spill was triple washed and section of concrete with stain removed for proper disposal. Lab Sequence Number: 00-07434 OIL AROCLOR 1242 - 137 PPM UPDATE - August 8, 2000 09:45 Cleanup of spill is complete. The concrete has a small layer of tar still on the surface. Repeated scrubbings with wire brush and degreaser not removing tar. Crew setting up to breakout 18 x 18 square of concrete. On August 8th, gas construction crew broke out 18 x 18 concrete where spill occurred. Concrete was disposed of as PCB/Benzene hazardous waste. "
Remarks:	"TAR LIKE SUBSTANCE LEAKING FROM PIPE. PCB 137PPM. CLEANUP PENDING."

All Materials:

Site ID:	90981
Operable Unit ID:	828066
Operable Unit:	01
Material ID:	550211
Material Code:	0064A
Material Name:	unknown material
Case No.:	Not reported
Material FA:	Other
Quantity:	1.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

W28TH ST YARD (Continued) **S104503650**

Facility ID:	0108979
Facility Type:	ER
Spill Number:	0108979
DER Facility ID:	82062
Site ID:	90982
DEC Region:	2
Closed Date:	2003-12-29
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2001-05-24
Investigator:	AERODRIG
Referred To:	Not reported
Reported to Dept:	2001-12-10
CID:	396
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2001-12-10
Spill Record Last Update:	2003-12-29
Spiller Name:	Not reported
Spiller Company:	CON EDISON
Spiller Address:	4 IRVING PLACE
Spiller Company:	001
Contact Name:	Not reported
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was RODRIGUEZ e2mis no. 137265: Mech B J.Napolitano #19711 of the cable dept. found approx. 10 gal. of hydraulic oil (fluid) leaking from load lugger from a line someplace in body of vehicle #60400. In w 28 st cable yard on asphalt. At this time the spill is contaned and is in the process of being cleaned up. reparirs are to be made by transportation dept. at W.28 st. "
Remarks:	"hyd line broke on veh # 60400. Ref #137265"

All Materials:

Site ID:	90982
Operable Unit ID:	847309
Operable Unit:	01
Material ID:	530186
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10.00
Units:	G
Recovered:	10.00
Oxygenate:	Not reported

Facility ID:	0205664
Facility Type:	ER
Spill Number:	0205664

W28TH ST YARD (Continued) **S104503650**

DER Facility ID:	82062
Site ID:	90983
DEC Region:	2
Closed Date:	2003-12-28
Spill Cause:	Equipment Failure
Spill Class:	C3
SWIS:	3101
Spill Date:	2002-08-30
Investigator:	KMFOLEY
Referred To:	Not reported
Reported to Dept:	2002-08-30
CID:	196
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2002-08-30
Spill Record Last Update:	2004-09-29
Spiller Name:	ANDREW MORRIS
Spiller Company:	CON ED
Spiller Address:	4 IRVING PLACE
Spiller Company:	001
Contact Name:	ANDREW MORRIS
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was FOLEY Con Ed e2mis #144803: On 8/30 @ 16:26 HRS D Derasmo # 35379 of SSC reported to me that driver M Stewart # 16223 while in Boom truck # 60162 hit the yellow station by the gas tanks in the W.28 st yard and spilled approx 35 gallons of hydraulic fluid on the asphalt. Sewer/ waterways may be affected because the spill entered the metal boxes that may be connected to our drainage system. On further investigation by company forces, the metal boxes are not connected to the waterways. No sample was taken. The cleanup is in progress at this time. UPDATE 8/30 @ 17:20 HRS Derasmo informed me that the cleanup start was 16:05 and completion time was 17:05 on 8/30/2002"
Remarks:	"line broke on boom truck #60162. spill in process of cleanup by con ed. "

All Materials:

Site ID:	90983
Operable Unit ID:	858246
Operable Unit:	01
Material ID:	519862
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	35.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	0207130

W28TH ST YARD (Continued) **S104503650**

Facility Type:	ER
Spill Number:	0207130
DER Facility ID:	82062
Site ID:	90984
DEC Region:	2
Closed Date:	2004-01-20
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2002-10-07
Investigator:	AERODRIG
Referred To:	Not reported
Reported to Dept:	2002-10-09
CID:	282
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2002-10-09
Spill Record Last Update:	2004-01-21
Spiller Name:	PETE MCGUIRE
Spiller Company:	CON ED
Spiller Address:	4 IRVING PLACE
Spiller Company:	001
Contact Name:	PETE MCGUIRE
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was RODRIGUEZ E2MIS NOTES 145512 At 22:45 hrs on Oct 09,200 Mr. Horace Davis #80496 Section Manager Cable Dept. At 28 st yard. 281 11 Ave. reports that on 10/07/09 @ 00:25 hrs That Joseph Napolitano #19711 Mech B of the cable dept. was doing an inspection on Veh60654 And found approx 1 oz of hydraulic oil dripping from under truck On to asphalt. At this point according to Mr. Davis, Mr. Napolitano failed to respond to this Incident. Mr. Davis did however observe that oil absorbent was spread over leak and that it was cleaned up on the same date, but he states it is unknown as to who did the clean up. No samples taken at this spill location No fire or smoke from Veh60654 No sewers or waterways affected from this spill from Veh60654 The clean up is complete, But clean up persons are unknown and furthermore It is unknown as to the time it took to do the clean up,according to Mr Davis."
Remarks:	"A HYDRAULIC LINE BROKE ON A TRUCK 60654 IS THE TRUCK NUMBER SPILL WAS 1 OUNCE "

All Materials:

Site ID:	90984
Operable Unit ID:	859956
Operable Unit:	01
Material ID:	517714
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00

W28TH ST YARD (Continued) **S104503650**

Units:	G
Recovered:	1.00
Oxygenate:	Not reported
Facility ID:	0314290
Facility Type:	ER
Spill Number:	0314290
DER Facility ID:	82062
Site ID:	90985
DEC Region:	2
Closed Date:	2005-06-30
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2004-03-31
Investigator:	JHOCONNE
Referred To:	Not reported
Reported to Dept:	2004-03-31
CID:	444
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2004-03-31
Spill Record Last Update:	2005-06-30
Spiller Name:	ERT DESK
Spiller Company:	CON ED 29TH YARD
Spiller Address:	281 11TH AVE
Spiller Company:	001
Contact Name:	ERT DESK
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL e2mis no. 152716: w 28 st yard found an oil sheen all over yard appox 1 gal of unknown oil sheen. Went into storm drain. Substance: Unknown Source of spill: Unknown Cause of spill: Unknown Spill on: Asphalt Update: 4/2/04 @ 16:23 hrs. The following is a clarification of this incident based on a review of the audio tapes and the Manhattan Environmental Desk's notification to CIG. At 09:26 hrs. on 3/31/04 Bill Zuk of Transportation notified the Manhattan Environmental Desk (Wally Lee) of a sheen throughout the parking lot at the West 28th Street Work-out Facility. Mr. Zuk stated that he was notified of the spill by Facilities at approx. 09:20 hours. He was asked what the source of the spill was and replied that he didn't know. He was then asked what time the spill was discovered. Mr. Zuk didn't know but asked someone in the yard. He replied that the spill was discovered at 09:10 hours. He also stated that the sheen went into the catch basin. When we learned that the sheen went into the catch basin R. Pellegrino #38620 called CIG at 09:33 hrs. and spoke to Bill Murphy. When he explained the incident to CIG, Mr. Murphy stated that they (CIG) were already aware of the incident. Mr. Pellegrino asked how that could be since we were just notified of the incident from Transportation. Mr. Murphy turned to someone at his

W28TH ST YARD (Continued) **S104503650**

desk to inquire and stated that they were called by Bob Philips (Facilities) directly. Mr. Pellegrino stated that it was great that CIG got the call directly from the site (since the call to the Environmental Desk was 16 minutes after discovery into the catch basin). At 09:37 hrs. Mr. Lee spoke to Mr. Zuk again to get the remainder of the information for the e2MIS report. Mr. Zuk stated that the incident was a sheen and the substance (& source) was unknown. He also stated that the ERT just arrived on location. Based on an e-mail from Paula Jones to Ed Radtke dated 4/1/04 @ 09:52 hrs. the following is information regarding the cleanup: Facilities Management contacted Allstate Power (P.O. 2-22768) to perform the clean up. Allstate performed the clean up. A sample was taken. Chain of custody DD 02391. As soon as the results are in from the Chem. Lab the waste will be disposed of. It was determined the cause of the leak was diesel fuel from truck #40970 (I&A) which is in Transportation for repairs. Manhattan Environmental Desk contacted Bill Zuk of Transportation to get the details of the cleanup. Mr. Zuk stated that Facilities arranged for the cleanup by Allstate and Mr. Delahoz would have more information regarding the details of the cleanup. Closure of this incident is pending details of the cleanup from Mr. Delahoz. 05/21/04 @ 14:15 R Phillips # 78645 of Maintenence Facility reported about this incident that occured at W. 28 St. yard that the final cleanup was completed on 3/31/2004 at 09:00. No solid waste was removed and the type of liquid was removed by Outside Vendor - Allstate Power Vac. Approx 355 gallons was removed. The materials used to clean the strucutre were reported as unknown. Cleanup was done by the Vendor. The source of the spill was Con Edison truck # 40970."

Remarks: "DUE TO RAIN: NO TO 5 QUESTIONS: SOME OF SHEEN ENTERD STORM DRAIN: PLACED PADS DOWN: "

All Materials:

Site ID:	90985
Operable Unit ID:	881112
Operable Unit:	01
Material ID:	495864
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	0400801
Facility Type:	ER
Spill Number:	0400801
DER Facility ID:	82062
Site ID:	90986
DEC Region:	2
Closed Date:	2009-02-18
Spill Cause:	Other
Spill Class:	C3
SWIS:	3101
Spill Date:	2004-04-23
Investigator:	JMKRIMGO

W28TH ST YARD (Continued) **S104503650**

Referred To:	Not reported
Reported to Dept:	2004-04-23
CID:	444
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2004-04-23
Spill Record Last Update:	2009-02-19
Spiller Name:	ERT DESK
Spiller Company:	Con Ed
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	ERT DESK
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL 4/26/04: met on site with Dave Perez (CFS EH&S) - during pre-inspection for audit found old sump that was apparently used to drain former hydraulic lifts. Pit is approx. 4' x 4' x 20' deep. There is sump pump at bottom of trench which connects to the sewer. Dave told me that the oil ID came back as similar to dielectric fluid . I asked him to send copy of lab results, including chromatogram for sample and reference standards for both df and hydraulic oil. The pit was cleaned by Clean Harbors. I aked Dave to have sewer trap checked, cleaned and sealed (since this pit is no longer used). (JHO) 4/27/04: Lab report faxed from Chem Lab indicates results are hydraulic fluid, not dielectirc fluid. (JHO) 02/19/09. J.Krimgold reviewed the e2miss_153047(eDocs). Based on the info provided the release was cleaned up. NFA. ~~~~~~~~~~~~~~~~~~~~ e2mis no. 153047: D. Perez # 80578 of EH&S for central field services called to report that at 11:00 while making an inspecting for an audit at the W. 28 St. yard (281 11 Ave) he found 30 gallons of an unknown oil mixed with 20 gallons of water. He states that the oil is in a pit that was used to catch oil & water that came from an old lift that has been dismatled a few years ago. He does not know where the oil came from of what type it is. The pit use to be connected to piping out to a sanitary sewer, is is unknown if the piping is still intact. Spill in pit in garage at West 28th street. Clean Harbors will be here to clean up today by three o'clock. Chem. Lab to take samples for PCB and ID. "
Remarks:	"DURING INSPECTION FOUND AN ABANDON PIT: IN IT WAS AND OLD LIFT: NO TO 5 QUESTIONS: "

All Materials:

Site ID:	90986
Operable Unit ID:	882837
Operable Unit:	01
Material ID:	492039
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	30.00
Units:	G
Recovered:	.00

W28TH ST YARD (Continued) **S104503650**

Oxygenate: Not reported

M130 **CON ED 28TH ST YARD** **NY Spills** **S113820159**
WNW **281 11TH AVE** **N/A**
< 1/8 **MANHATTAN, NY**
0.072 mi.
379 ft. **Site 16 of 22 in cluster M**

Relative: **Lower**

Actual: **11 ft.**

SPILLS:

Facility ID:	1305258
Facility Type:	ER
Spill Number:	1305258
DER Facility ID:	82062
Site ID:	485817
DEC Region:	2
Closed Date:	2013-11-05
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2013-08-15
Investigator:	RWAUSTIN
Referred To:	Not reported
Reported to Dept:	2013-08-15
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2013-08-15
Spill Record Last Update:	2013-11-05
Spiller Name:	ERT
Spiller Company:	CON ED
Spiller Address:	281 11TH AVE
Spiller Company:	999
Contact Name:	CHRIS MUGGIO
DEC Memo:	"11/5/13 - Austin - Con Ed vehicle allided with a pole, resulting in a 7 gal. hydraulic fluid spill on pavement - Con Ed contained and cleaned up the spill, and repaired vehicle - See eDocs files for further information - Spill closed - end"
Remarks:	"Spilled in the yard from Con Ed truck. Spill has been cleaned."

All Materials:

Site ID:	485817
Operable Unit ID:	1235474
Operable Unit:	01
Material ID:	2234733
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	7.00
Units:	G

CON ED 28TH ST YARD (Continued) **S113820159**

Recovered: Not reported
Oxygenate: Not reported

M131
WNW
< 1/8
0.072 mi.
379 ft.

15 GALLONS HYDAULIC FLUID HOSE BURST **NY Spills** **S108297479**
281 W 11 AVENUE **N/A**
MANHATTAN, NY

Site 17 of 22 in cluster M

Relative:
Lower

Actual:
11 ft.

SPILLS:

Facility ID:	0611412
Facility Type:	ER
Spill Number:	0611412
DER Facility ID:	325703
Site ID:	376106
DEC Region:	2
Closed Date:	2007-02-16
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2007-01-15
Investigator:	GDBREEN
Referred To:	Not reported
Reported to Dept:	2007-01-15
CID:	41
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2007-01-16
Spill Record Last Update:	2007-02-16
Spiller Name:	Not reported
Spiller Company:	CON EDISON
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	ERT DESK
DEC Memo:	"02/16/07 - See e-docs for Con Ed report detailing cleanup and closure. 204072. see eDocs"
Remarks:	"CLEANUP IN PROGRESS - ON CONCRETE FLOOR - NO TO FIVE QUESTIONS - REF # 204072"

All Materials:

Site ID:	376106
Operable Unit ID:	1133711
Operable Unit:	01
Material ID:	2123532
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	15.00
Units:	G

15 GALLONS HYDAULIC FLUID HOSE BURST (Continued) **S108297479**

Recovered: .00
Oxygenate: Not reported

M132 **TEN GAL HYDRAULIC FROM VEHICLE** **NY Spills** **S108955424**
WNW **281 11 AVENUE. WEST 28 STREET YARD** **N/A**
< 1/8 **MANHATTAN, NY**
0.072 mi.
379 ft. **Site 18 of 22 in cluster M**

Relative:
Lower

Actual:
11 ft.

SPILLS:

Facility ID:	0707352
Facility Type:	ER
Spill Number:	0707352
DER Facility ID:	337555
Site ID:	388037
DEC Region:	2
Closed Date:	2007-11-27
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2007-10-03
Investigator:	gdbreen
Referred To:	Not reported
Reported to Dept:	2007-10-03
CID:	404
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2007-10-03
Spill Record Last Update:	2007-11-27
Spiller Name:	Not reported
Spiller Company:	CON EDISON
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	ERTSDESK
DEC Memo:	"11/27/07 - See eDocs for Con Ed report detailing cleanup and closure. 208372. see eDocs"
Remarks:	"from vechile # 60709; spill contained; clean up is in the process. 208372"

All Materials:

Site ID:	388037
Operable Unit ID:	1145223
Operable Unit:	01
Material ID:	2135554
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10.00
Units:	G

TEN GAL HYDRAULIC FROM VEHICLE (Continued) **S108955424**

Recovered: .00
Oxygenate: Not reported

M133 **CON EDISON** **RCRA NonGen / NLR** **1019325643**
WNW **281 11TH AVE** **NYP004844144**
< 1/8 **NEW YORK, NY 10001**
0.072 mi.
379 ft. **Site 19 of 22 in cluster M**

Relative: **Lower**

Actual: **11 ft.**

RCRA NonGen / NLR:
Date form received by agency: 02/05/2016
Facility name: CON EDISON
Site name: CON EDISON - OTHER - SPECIFY WWT FACILITY
Facility address: 281 11TH AVE
NEW YORK, NY 10001
EPA ID: NYP004844144
Mailing address: IRVING PL15TH FL NE
NEW YORK, NY 10003
Contact: THERESA BURKARD
Contact address: IRVING PL15TH FL NE
NEW YORK, NY 10003
Contact country: US
Contact telephone: 212-460-2262
Contact email: BURKARDT@CONED.COM
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: CONSOLIDATED EDISON CO OF NY INC
Owner/operator address: IRVING PL
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 09/25/2015
Owner/Op end date: Not reported

Owner/operator name: CONSOLIDATED EDISON CO OF NY INC
Owner/operator address: IRVING PL
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 09/25/2015
Owner/Op end date: Not reported

CON EDISON (Continued) **1019325643**

Handler Activities Summary:
- U.S. importer of hazardous waste: No
- Mixed waste (haz. and radioactive): No
- Recycler of hazardous waste: No
- Transporter of hazardous waste: No
- Treater, storer or disposer of HW: No
- Underground injection activity: No
- On-site burner exemption: No
- Furnace exemption: No
- Used oil fuel burner: No
- Used oil processor: No
- User oil refiner: No
- Used oil fuel marketer to burner: No
- Used oil Specification marketer: No
- Used oil transfer facility: No
- Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
- Date form received by agency: 09/25/2015
- Site name: CON EDISON
- Classification: Not a generator, verified

- Date form received by agency: 09/25/2015
- Site name: CON EDISON
- Classification: Small Quantity Generator

Biennial Reports:

Last Biennial Reporting Year: 2017

Annual Waste Handled:
- Waste code: D008
- Waste name: LEAD
- Amount (Lbs): 5599

Violation Status: No violations found

M134 **CON EDISON WEST 28TH ST** **PA MANIFEST** **S120844396**
WNW **281 11TH AVE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.072 mi.
379 ft. **Site 20 of 22 in cluster M**

Relative:
Lower

Actual:
11 ft.

Manifest Details:
- Year: 2016
- Manifest Number: 016310396JJK
- Manifest Type: TSD Copy
- Generator EPA Id: NYD982177743
- Generator Date: 10/28/2016
- Mailing Address: Not reported
- Mailing City,St,Zip: Not reported
- Contact Name: Not reported
- Contact Phone: 212-643-3045
- TSD EPA Id: Not reported

CON EDISON WEST 28TH ST (Continued) **S120844396**

TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Waste Quantity:	20
Unit:	Cubic Yards
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported

Year:	2016
Manifest Number:	016318107JJK
Manifest Type:	TSD Copy
Generator EPA Id:	NYD982177743
Generator Date:	10/25/2016
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	212-643-3045
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Waste Quantity:	54560
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported

Year:	2016
Manifest Number:	005110091JJK
Manifest Type:	TSD Copy
Generator EPA Id:	NYD982177743
Generator Date:	08/26/2016
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	212-643-3045
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr

CON EDISON WEST 28TH ST (Continued) **S120844396**

TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Waste Quantity:	20
Unit:	Cubic Yards
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported

Year:	2016
Manifest Number:	016309793JJK
Manifest Type:	TSD Copy
Generator EPA Id:	NYD982177743
Generator Date:	12/14/2016
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	212-643-3045
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Waste Quantity:	20
Unit:	Tons (2000 Pounds)
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported

Year:	2016
Manifest Number:	016310394JJK
Manifest Type:	TSD Copy
Generator EPA Id:	NYD982177743
Generator Date:	10/27/2016
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	212-643-3045
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported

CON EDISON WEST 28TH ST (Continued) **S120844396**

Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Waste Quantity:	20
Unit:	Cubic Yards
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported
Year:	2016
Manifest Number:	005110103JJK
Manifest Type:	TSD Copy
Generator EPA Id:	NYD982177743
Generator Date:	08/29/2016
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	212-643-3045
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Waste Quantity:	20
Unit:	Cubic Yards
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported
Year:	2016
Manifest Number:	016318108JJK
Manifest Type:	TSD Copy
Generator EPA Id:	NYD982177743
Generator Date:	10/26/2016
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	212-643-3045
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008

CON EDISON WEST 28TH ST (Continued) **S120844396**

Container Number:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Waste Quantity:	20
Unit:	Cubic Yards
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported
Year:	2016
Manifest Number:	005110105JJK
Manifest Type:	TSD Copy
Generator EPA Id:	NYD982177743
Generator Date:	08/30/2016
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	212-643-3045
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Waste Quantity:	20
Unit:	Cubic Yards
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported
Year:	2016
Manifest Number:	005110106JJK
Manifest Type:	TSD Copy
Generator EPA Id:	NYD982177743
Generator Date:	08/30/2016
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	212-643-3045
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Waste Quantity:	20

CON EDISON WEST 28TH ST (Continued) **S120844396**

Unit:	Cubic Yards
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported
Year:	2016
Manifest Number:	016318102JJK
Manifest Type:	TSD Copy
Generator EPA Id:	NYD982177743
Generator Date:	10/24/2016
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	212-643-3045
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Waste Quantity:	41720
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported

Click this hyperlink while viewing on your computer to access
3 additional PA_MANIFEST: record(s) in the EDR Site Report.

M135 **CON EDISON W 28TH STREET FLUSH TRUCK FACILITY** **NY SWF/LF** **S102239843**
WNW **281 11TH AVENUE** **NY Spills** **N/A**
< 1/8 **NEW YORK, NY 10001** **NY MANIFEST**
0.072 mi.
379 ft. **Site 21 of 22 in cluster M**

Relative: SWF/LF:
Lower

Actual:
11 ft.

Flag:	ACTIVE
Region Code:	2
Phone Number:	7186664678
Owner Name:	Consolidated Edison Co of NY Inc
Owner Type:	Private
Owner Address:	4 Irving Place; Rm 15 NE
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10003
Owner Email:	Not reported
Owner Phone:	2126133014
Contact Name:	Tracy Taylor
Contact Address:	Not reported
Contact Addr2:	Not reported
Contact City,St,Zip:	Not reported
Contact Email:	TylerB@coned.com
Contact Phone:	2122034942

CON EDISON W 28TH STREET FLUSH TRUCK FACILITY (Continued) **S102239843**

Activity Desc: Transfer station - registration
Activity Number: [31W12]
Active: Yes
East Coordinate: 584029
North Coordinate: 4511757
Accuracy Code: Not reported
Regulatory Status: Exempt
Waste Type: Not reported
Authorization #: Not reported
Authorization Date: Not reported
Expiration Date: Not reported
Operator Name: Tracy Taylor
Operator Type: Private
Laste Date: Not reported

SPILLS:
Facility ID: 0506426
Facility Type: ER
Spill Number: 0506426
DER Facility ID: 298914
Site ID: 351642
DEC Region: 2
Closed Date: 2007-07-02
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 2005-08-24
Investigator: GDBREEN
Referred To: Not reported
Reported to Dept: 2005-08-24
CID: 407
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2005-08-24
Spill Record Last Update: 2007-07-02
Spiller Name: Not reported
Spiller Company: NYU
Spiller Address: Not reported
Spiller Company: 999
Contact Name: ERT DESK'
DEC Memo: "160699. On 8/24/05 at 15:24 P. Matsis # 85647 of transportation called to report that at 14:39 J. Baptiste the guard from W. 28 St yard reported to him that a N.Y. University trolly bus license plate 33218BA had spilled 1 qt of antifreeze near the gas pumps at W. 28 St while gassing up. The fluid landed onto concrete. There was no sewers or waterways affected. No fire or smoke was involved. No private property was affected. No injuries were related to the spill. The cleanup was started at 14:42 and completed at 14:55. The crew was R. Cardio # 12238 , E. Cross # 05574. They used pads and granuals & will dispose of the waste in W. 28 St transportation. 8/24/05 16:12 CIG T.

CON EDISON W 28TH STREET FLUSH TRUCK FACILITY (Continued) **S102239843**

Enright # 48536 was notified. * R. Bruns # 21106 "
Remarks: "amount 1 quart, con ed #160699"

All Materials:
Site ID: 351642
Operable Unit ID: 1109142
Operable Unit: 01
Material ID: 2099129
Material Code: 0043A
Material Name: antifreeze
Case No.: Not reported
Material FA: Other
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

Facility ID: 0510490
Facility Type: ER
Spill Number: 0510490
DER Facility ID: 306551
Site ID: 356478
DEC Region: 2
Closed Date: 2008-03-20
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 2005-12-06
Investigator: GDBREEN
Referred To: Not reported
Reported to Dept: 2005-12-06
CID: 41
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Notifier: Local Agency
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2005-12-07
Spill Record Last Update: 2008-03-20
Spiller Name: Not reported
Spiller Company: CON EDISON - FILCO
Spiller Address: UNKNOWN
Spiller Company: 999
Contact Name: ERT DESK'
DEC Memo: "03/20/08 - See eDocs for Con Ed report detailing cleanup and closure. 162146. This is a third party spill. On 12/6/05 at 22:02 E. Fermaint # 11181 flush supervisor called to report that at 22:00 while entering the yard at W. 28 st (281 11 Ave) he saw that a contractors truck had leaked 7 gallons of hydraulic fluid onto the concrete & asphalt. The contractor is Filco they pick up the wood debris. E. Fermaint spoke to the supervisor of Filco at 22:00 and he told E. Fermaint that the would be at the location in a 1/2 an hr to do the cleanup. There was no sewers or waterways affected. No fire or

CON EDISON W 28TH STREET FLUSH TRUCK FACILITY (Continued) **S102239843**

smoke was involved. No private property was affected. No injuries were related to the spill. R. Bruns # 21106 "
Remarks: "leak from Filco truck - Filco will be cleaning up - ref 162146"

All Materials:
Site ID: 356478
Operable Unit ID: 1113783
Operable Unit: 01
Material ID: 2103841
Material Code: 0010
Material Name: hydraulic oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 7.00
Units: G
Recovered: .00
Oxygenate: Not reported

Facility ID: 9601370
Facility Type: ER
Spill Number: 9601370
DER Facility ID: 163007
Site ID: 195653
DEC Region: 2
Closed Date: 1996-05-12
Spill Cause: Human Error
Spill Class: C3
SWIS: 3101
Spill Date: 1996-04-26
Investigator: CAENGELH
Referred To: Not reported
Reported to Dept: 1996-04-26
CID: 349
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1996-04-26
Spill Record Last Update: 1998-04-16
Spiller Name: MR CIAVARRA
Spiller Company: CON ED
Spiller Address: Not reported
Spiller Company: 001
Contact Name: MR CIAVARRA
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was ENGELHARDT "
Remarks: "pail was knocked over in garage"

All Materials:
Site ID: 195653
Operable Unit ID: 1029020
Operable Unit: 01

CON EDISON W 28TH STREET FLUSH TRUCK FACILITY (Continued) **S102239843**

Material ID:	351177
Material Code:	0043A
Material Name:	antifreeze
Case No.:	Not reported
Material FA:	Other
Quantity:	2.00
Units:	G
Recovered:	2.00
Oxygenate:	Not reported

Facility ID:	0808754
Facility Type:	ER
Spill Number:	0808754
DER Facility ID:	298914
Site ID:	406161
DEC Region:	2
Closed Date:	2009-02-12
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2008-11-03
Investigator:	asnagi
Referred To:	Not reported
Reported to Dept:	2008-11-03
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2008-11-03
Spill Record Last Update:	2009-02-12
Spiller Name:	Not reported
Spiller Company:	CON ED
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	ERT
DEC Memo:	"02/12/09 - See eDocs for Con Ed report detailing cleanup and closure. "
Remarks:	"It's contained- in the process of clean up."

All Materials:

Site ID:	406161
Operable Unit ID:	1162768
Operable Unit:	01
Material ID:	2154048
Material Code:	1264A
Material Name:	mobil oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	6.00
Units:	G
Recovered:	Not reported

CON EDISON W 28TH STREET FLUSH TRUCK FACILITY (Continued) **S102239843**

Oxygenate: Not reported

NY MANIFEST:
Country: USA
EPA ID: NYD982127243
Facility Status: Not reported
Location Address 1: 281 11TH AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYD982127243
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:
Document ID: NJA3062616
Manifest Status: Not reported
seq: 01
Year: 2000
Trans1 State ID: S09041
Trans2 State ID: Not reported
Generator Ship Date: 01/27/2000
Trans1 Recv Date: 01/27/2000
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/27/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD982127243
Trans1 EPA ID: NJD982744260
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported

CON EDISON W 28TH STREET FLUSH TRUCK FACILITY (Continued) **S102239843**

Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	03000
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

Country:	USA
EPA ID:	NYP004664793
Facility Status:	Not reported
Location Address 1:	281 11TH AVENUE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004664793
Mailing Name:	CON EDISON
Mailing Contact:	TOM TELLING
Mailing Address 1:	4 IRVING PLACE-15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NYD982177749
Trans2 State ID:	Not reported
Generator Ship Date:	09/18/2014
Trans1 Recv Date:	09/18/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/24/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported

CON EDISON W 28TH STREET FLUSH TRUCK FACILITY (Continued) **S102239843**

Generator EPA ID:	NYP004664793
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	003205064FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1400
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

M136 **CON EDISON OTHER - SPECIFY: VEHICLE~61075** **RCRA-LQG** **1016677837**
WNW **281 11TH AVE** **FINDS** **NYP004315164**
< 1/8 **NEW YORK, NY 10001** **ECHO**
0.072 mi. **NY MANIFEST**
379 ft. **Site 22 of 22 in cluster M**

Relative: **Lower**
Actual: **11 ft.**

RCRA-LQG:

Date form received by agency:	03/27/2014
Facility name:	CON EDISON - OTHER - SPECIFY VEHICLE 610
Facility address:	281 11TH AVE NEW YORK, NY 10001
EPA ID:	NYP004315164
Mailing address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact:	DENNIS HUACON
Contact address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact country:	US

CON EDISON OTHER - SPECIFY: VEHICLE~61075 (Continued) **1016677837**

Contact telephone: 212-460-2757
Contact email: HUACOND@CONED.COM
EPA Region: 02
Classification: Large Quantity Generator
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name: CONSOLIDATED EDISON CO OF NY INC
Owner/operator address: IRVING PL
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 05/21/2013
Owner/Op end date: Not reported

Owner/operator name: CONSOLIDATED EDISON CO OF NY INC
Owner/operator address: IRVING PL
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 05/21/2013
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No

CON EDISON OTHER - SPECIFY: VEHICLE~61075 (Continued) **1016677837**

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

. Waste code: B007
. Waste name: B007

Historical Generators:
Date form received by agency: 06/21/2013
Site name: CON EDISON OTHER - SPECIFY: VEHICLE~61075
Classification: Not a generator, verified

Date form received by agency: 05/21/2013
Site name: CON EDISON OTHER - SPECIFY: VEHICLE~61075
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110058871332

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

HAZARDOUS WASTE BIENNIAL REPORTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1016677837
Registry ID: 110058871332
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110058871332

NY MANIFEST:
Country: USA
EPA ID: NYP004315164
Facility Status: Not reported
Location Address 1: 281 ELEVENTH AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001

CON EDISON OTHER - SPECIFY: VEHICLE~61075 (Continued) **1016677837**

Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004315164
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2013
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 05/23/2013
Trans1 Recv Date: 05/23/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/23/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004315164
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 000328348FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: Y
Discr Type Indicator: Y
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 3700
Units: K - Kilograms (2.2 pounds)
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1

CON EDISON OTHER - SPECIFY: VEHICLE~61075 (Continued) **1016677837**

Waste Code:	B007
Waste Code 1_2:	B002
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

K137 **JEFF KOONS PRODUCTIONS INC** **RCRA-SQG** **1007880989**
NW **601 W 29TH ST** **NY MANIFEST** **NYR000128975**
< 1/8 **NEW YORK, NY 10001** **NJ MANIFEST**
0.072 mi.
380 ft. **Site 12 of 12 in cluster K**

Relative: **Lower**
Actual: **12 ft.**

RCRA-SQG:

Date form received by agency:	01/01/2007
Facility name:	JEFF KOONS PRODUCTIONS INC
Facility address:	601 W 29TH ST NEW YORK, NY 10001
EPA ID:	NYR000128975
Mailing address:	W 29TH ST NEW YORK, NY 10001
Contact:	CHARLES A LEDBETTER
Contact address:	W 29TH ST NEW YORK, NY 10001
Contact country:	US
Contact telephone:	646-674-1163
Contact email:	Not reported
EPA Region:	02
Land type:	Private
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	NO NAME FOUND
Owner/operator address:	Not reported Not reported
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	12/01/2000
Owner/Op end date:	Not reported

Owner/operator name:	NO NAME FOUND
Owner/operator address:	Not reported Not reported

JEFF KOONS PRODUCTIONS INC (Continued) **1007880989**

Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/2004
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: JEFF KOONS PRODUCTIONS INC
Classification: Small Quantity Generator

Date form received by agency: 11/26/2004
Site name: JEFF KOONS PRODUCTIONS INC
Classification: Small Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 05/23/2007
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

NY MANIFEST:
Country: USA
EPA ID: NYR000128975
Facility Status: Not reported
Location Address 1: 601 W 29TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001

JEFF KOONS PRODUCTIONS INC (Continued) **1007880989**

Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000128975
Mailing Name: JEFF KOONS PRODUCTIONS
Mailing Contact: N/S
Mailing Address 1: 601 W 29TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2122262894

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2017
Trans1 State ID: TXR000081205
Trans2 State ID: PAR000524041
Generator Ship Date: 11/29/2017
Trans1 Recv Date: 11/29/2017
Trans2 Recv Date: 12/04/2017
TSD Site Recv Date: 12/11/2017
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000128975
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: ARD069748192
TSDF ID 2: Not reported
Manifest Tracking Number: 006013448SKS
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 100
Units: P - Pounds
Number of Containers: 1
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1

JEFF KOONS PRODUCTIONS INC (Continued) **1007880989**

Waste Code:	F003
Waste Code 1_2:	F005
Waste Code 1_3:	D001
Waste Code 1_4:	D005
Waste Code 1_5:	D006
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
168 additional NY_MANIFEST: record(s) in the EDR Site Report.

NJ MANIFEST:

EPA Id:	NYR000128975
Mail Address:	W 29TH ST
Mail City/State/Zip:	NEW YORK, NY 10001
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	CHARLES A LEDBETTER
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	001253225SKS
EPA ID:	NYR000128975
Date Shipped:	06/24/2008
TSDF EPA ID:	NJD002182897
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	NJD000692061
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	06/24/2008
Date Trans2 Transported Waste:	07/03/2008
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	07/03/2008
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported

JEFF KOONS PRODUCTIONS INC (Continued) **1007880989**

Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10001
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	F005
Hand Code:	H020
Quantity:	100 P

O138 **GENERAL AUTO TRANS REPAIR** **EDR Hist Auto** **1020907026**
SW **547 W 27TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.073 mi.
387 ft. **Site 5 of 5 in cluster O**

Relative: EDR Hist Auto
Lower

Actual:
10 ft.

Year:	Name:	Type:
1994	STAR WHEELS SERVICE CORP	Automotive Repair Shops, NEC, NEC
1995	STAR WHEELS SERVICE CORP	Automotive Repair Shops, NEC, NEC
1995	GENERAL AUTO TRANS REPAIR	Automotive Transmission Repair Shops
1996	STAR WHEELS SERVICE INC	Automotive Repair Shops, NEC, NEC
1996	GENERAL AUTO TRANS REPAIR	Automotive Transmission Repair Shops
1997	STAR WHEELS SERVICE INC	Automotive Repair Shops, NEC, NEC
1997	GENERAL AUTO TRANS REPAIR	Automotive Transmission Repair Shops
1998	SAINES 547 AUTO SERVICES INC	Automotive Repair Shops, NEC, NEC
1999	JOHN-ALI TRANSMISSIONS	Automotive Transmission Repair Shops
1999	SAINES 547 AUTO SERVICES INC	Automotive Repair Shops, NEC, NEC
2000	JOHN-ALI TRANSMISSIONS	Automotive Transmission Repair Shops

---

R139 **IN FIELD** **NY Spills** **S112226309**
SE **509 WEST 28TH STREET** **N/A**
< 1/8 **NEW YORK, NY**
0.073 mi.
388 ft. **Site 1 of 6 in cluster R**

Relative: SPILLS:
Higher

Actual:
15 ft.

Facility ID:	1205473
Facility Type:	ER
Spill Number:	1205473
DER Facility ID:	422715
Site ID:	468427
DEC Region:	2

IN FIELD (Continued) **S112226309**

Closed Date:	2016-03-30
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2012-08-30
Investigator:	HRPATEL
Referred To:	Not reported
Reported to Dept:	2012-08-30
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2012-08-30
Spill Record Last Update:	2016-03-30
Spiller Name:	JASON HAYS
Spiller Company:	UNKNOWN
Spiller Address:	509 WEST 28TH STREET
Spiller Company:	999
Contact Name:	JASON HAYS
DEC Memo:	"Sangesland left a voice message asking for more information (what does In Field mean?). Received messsage from Jason Hayes (Ph:212-479-5427) case transferred from DEC Vought to DEC Patel. 03/30/16-Hiralkumar Patel. alternate address: 507-515 W 28th Street PBS #: 2-612265. as per PBS record, the site had following tanks: - one (1) 1,100 gal #2 oil UST, removed in Nov. 2013 - one (1) 250 gal #2 oil UST, removed in Nov. 2013 - one (1) 1,100 gal #2 oil UST, removed in Jan. 2014 other spill # 9811167 was reported on 12/05/1998 as 10 gal of #2 fuel spilled due to overfill. case closed. the subject spill case was reported by Langan Engineering as unknown petroleum observed in field. no other information available. on PBS record, found a letter dated 06/11/14 sent by Langan Engineering. as per the letter, three tanks (two 1,100 gal and one 250 gal) were removed from the site. PAL Env. removed one 1,100 gal and one 250 gal tanks, which were previously cleaned, on 11/01/13. PAL Env. removed the second 1,100 gal tank on 01/22/14, after cleaning it. case closed administratively based on review of available limited information regarding the spill and information on PBS record."
Remarks:	"Observed in field"

All Materials:

Site ID:	468427
Operable Unit ID:	1218350
Operable Unit:	01
Material ID:	2216726
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

L140
WSW
< 1/8
0.074 mi.
393 ft.

LOT 1,TAXBLOCK 699
262 11 AVENUE
MANHATTAN, NY

Site 24 of 24 in cluster L

NY E DESIGNATION

S108076865
N/A

Relative:
Lower

Actual:
9 ft.

E DESIGNATION:

Tax Lot(s):	1
Tax Block:	699
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date:	Not reported
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported
Description:	Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

S141
East
< 1/8
0.077 mi.
406 ft.

LOT 30,TAXBLOCK 701
509 WEST 29 STREET
MANHATTAN, NY

Site 1 of 15 in cluster S

NY E DESIGNATION

S108076911
N/A

Relative:
Higher

Actual:
17 ft.

E DESIGNATION:

Tax Lot(s):	30
Tax Block:	701
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date:	Not reported
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported
Description:	Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

Q142 **BORE HOLE** **NY Spills** **S107488865**
SSW **WEST 27 STREET BTWN 10 & 11 AVE** **N/A**
< 1/8 **MANHATTAN, NY**
0.080 mi.
421 ft. **Site 2 of 9 in cluster Q**

Relative: **Lower**
Actual: **12 ft.**

SPILLS:

Facility ID:	0510434
Facility Type:	ER
Spill Number:	0510434
DER Facility ID:	306468
Site ID:	356410
DEC Region:	2
Closed Date:	2009-12-30
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2005-11-21
Investigator:	JMKRIMGO
Referred To:	Not reported
Reported to Dept:	2005-12-05
CID:	407
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2005-12-05
Spill Record Last Update:	2009-12-30
Spiller Name:	Not reported
Spiller Company:	NOT CON EDISON
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	ERT DESK'
DEC Memo:	"162129. Found @ 11:00 Nov 21,2005 Called E/V desk 14:48 Dec 05,2005. TEST BORE HOLE - SWK S/S W 27 ST BET 10 AVE & 11 AVE. Sherry R Login 96081,Senior Specialist reports that at this location on the above date Jacques Winford Inc was digging test bore holes, and one of the contractors Chad Pfeiffer reported to S.Login that the soil had an odor of oil or fuel to it. this is a 3rd party spill and is a Z: Abnormal Occurrence, for reporting reasons the amount found is one pound. And she also adds she was advised to call this desk by Thomas A Healy Environment, Health & Safety. There was no fire or smoke involved and no sewer or waterway was affected. There were no injuries related to the spill and no weather conditions contributed to the hazards of the spill. There was no private property affected. The source and cause of the spill is unknown. Logger F.Curtis 38078 Lab Sequence Number: 05-12590-001 MATRIX: SOIL GRAB DESCRIPTION: 55 GAL DRUM - 00096 LOCATION: W 28 ST YARD REGULATORY TEST DESCRIPTION LIMIT mg/L RESULT UNIT METHOD --- ---------- (TCLP) RCRA Metals by EPA 200.7/200 Series/6010B/7000 Series --- ---------- Arsenic as As 5.0 < 1.00 mg/L 1311/6010B, SW-846

BORE HOLE (Continued) **S107488865**

Barium as Ba 100.0 < 10.0 mg/L 1311/6010B SW-846 Cadmium as Cd 1.0 < 0.100 mg/L 1311/6010B SW-846 Chromium as Cr 5.0 < 0.500 mg/L 1311/6010B SW-846 Lead as Pb 5.0 < 0.500 mg/L 1311/6010B SW-846 Mercury as Hg 0.2 < 0.0200 mg/L SW-846 7470 Selenium as Se 1.0 < 0.500 mg/L 1311/6010B, SW-846 Silver as Ag 5.0 < 0.100 mg/L 1311/6010B SW-846

---------- Analyzed by: AmeriSci New York Logger F.Curtis 12/30/09. Indefinable address of the spill location. Unable follow up. Case closed. JK. "

Remarks: "Test bore hole, found odor of petrol in soil. 3rd party spill. 1621129."

All Materials:

Site ID:	356410
Operable Unit ID:	1113715
Operable Unit:	01
Material ID:	2103780
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	.00
Oxygenate:	Not reported

T143 **NASSAU SMELTING & REFINING CO.** **SEMS-ARCHIVE** **1020125202**
NW **603 W. 29TH ST.** **LEAD SMELTERS** **NYN000206658**
< 1/8 **NEW YORK, NY 10001**
0.082 mi.
431 ft. **Site 1 of 3 in cluster T**

Relative: Higher
Actual: 13 ft.

SEMS Archive:

Site ID:	206658
EPA ID:	NYN000206658
Cong District:	Not reported
FIPS Code:	Not reported
FF:	N
NPL:	Not on the NPL
Non NPL Status:	Removal Only Site (No Site Assessment Work Needed)

SEMS Archive Detail:

Region:	2
Site ID:	206658
EPA ID:	NYN000206658
Site Name:	NASSAU SMELTING & REFINING CO.
NPL:	N
FF:	N
OU:	0
Action Code:	RS
Action Name:	RV ASSESS
SEQ:	1
Start Date:	2015-01-12 00:00:00
Finish Date:	2015-01-12 00:00:00
Qual:	Not reported
Current Action Lead:	EPA Perf

NASSAU SMELTING & REFINING CO. (Continued) **1020125202**

Lead Smelter Sites:

Site ID:	206658
Facility Region Id:	2
Latitude:	Not reported
Longitude:	Not reported
CoC Ind:	Not reported
Contaminant Name:	Not reported
FF Ind:	N
NAI:	N
Non-Primary Site-Sub Type:	Not reported
NPL:	Not on the NPL
Primary Site-Sub Type:	Batteries/scrap metals/secondary smelting/precious metal recovery (Recycling)
Special Initiative:	Unrecognized Smelter per 2001 Report

U144 **MANHATTAN MOTORCARS** **NY AST** **A100360390**
WSW **270 ELEVENTH AVE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.083 mi.
436 ft. **Site 1 of 9 in cluster U**

Relative: **Lower**

Actual: **9 ft.**

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-611732
Program Type:	PBS
UTM X:	585737.50990
UTM Y:	4514860.19295
Expiration Date:	08/15/2020
Site Type:	Auto Service/Repair (No Gasoline Sales)

Affiliation Records:

Site Id:	459870
Affiliation Type:	Facility Owner
Company Name:	DEZER PROPERTIES 11TH AVENUE LLC
Contact Type:	PRES.
Contact Name:	BRIAN MILLER
Address1:	262-270 11TH AVENUE
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 929-1285
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-06-29

Site Id:	459870
Affiliation Type:	Facility Operator
Company Name:	MANHATTAN MOTORCARS
Contact Type:	Not reported
Contact Name:	REMMISH DOOKIE
Address1:	Not reported
Address2:	Not reported
City:	Not reported

MANHATTAN MOTORCARS (Continued) **A100360390**

State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 594-6200
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-06-29

Site Id: 459870
Affiliation Type: Emergency Contact
Company Name: DEZER PROPERTIES 11TH AVENUE LLC
Contact Type: Not reported
Contact Name: JOHN LOMANDO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 594-4557
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-06-29

Site Id: 459870
Affiliation Type: Mail Contact
Company Name: MANHATTAN MOTORCARS
Contact Type: Not reported
Contact Name: DAVE MARINO
Address1: 270 11TH AVE.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 594-6200
EMail: DAVE.MARINO@MANHATTANMOTORCARS.COM
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2012-03-21

Tank Info:

Tank Number: 010
Tank Id: 242447
Material Code: 0022
Common Name of Substance: Waste Oil/Used Oil

Equipment Records:

C02 - Pipe Location - Underground/On-ground
F06 - Pipe External Protection - Wrapped
E04 - Piping Secondary Containment - Double walled UG
H02 - Tank Leak Detection - Interstitial - Manual Monitoring
J01 - Dispenser - Pressurized Dispenser

MANHATTAN MOTORCARS (Continued) **A100360390**

G04 - Tank Secondary Containment - Double-Walled (Underground)
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
B03 - Tank External Protection - Original Impressed Current
D05 - Pipe Type - Steel Encased in Concrete
I01 - Overfill - Float Vent Valve
L02 - Piping Leak Detection - Interstitial - Manual Monitoring

Tank Location:	3
Tank Type:	Galvanized Steel Alloy
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	08/15/1995
Capacity Gallons:	195
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	NTFREEMA
Last Modified:	04/14/2017
Material Name:	waste oil/used oil

Tank Number:	011
Tank Id:	243295
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Equipment Records:

E04 - Piping Secondary Containment - Double walled UG
H02 - Tank Leak Detection - Interstitial - Manual Monitoring
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None
B03 - Tank External Protection - Original Impressed Current
D05 - Pipe Type - Steel Encased in Concrete
I01 - Overfill - Float Vent Valve
G04 - Tank Secondary Containment - Double-Walled (Underground)
L02 - Piping Leak Detection - Interstitial - Manual Monitoring
K01 - Spill Prevention - Catch Basin
C02 - Pipe Location - Underground/On-ground
F06 - Pipe External Protection - Wrapped

Tank Location:	3
Tank Type:	Galvanized Steel Alloy
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	08/15/1995
Capacity Gallons:	195
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	NTFREEMA
Last Modified:	04/14/2017
Material Name:	waste oil/used oil

R145 **PRADERA REALTY CO.** **NY AST** **A100178218**
SE **501 W 28 STREET** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.085 mi.
447 ft. **Site 2 of 6 in cluster R**

Relative:
Higher

Actual:
16 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-605989
Program Type:	PBS
UTM X:	584254.98690
UTM Y:	4511584.70067
Expiration Date:	06/11/2021
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	27854
Affiliation Type:	Facility Owner
Company Name:	PRADERA REALTY CO.
Contact Type:	AGENT
Contact Name:	ANASTASIOS TZEZAILIDIS
Address1:	P.O. BOX 1001
Address2:	Not reported
City:	MELVILLE
State:	NY
Zip Code:	11747
Country Code:	001
Phone:	(631) 367-9128
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2011-05-09

Site Id:	27854
Affiliation Type:	Mail Contact
Company Name:	PRADERA REALTY CO.
Contact Type:	AGENT
Contact Name:	ANASTASIOS TZEZAILIDIS
Address1:	P.O. BOX 1001
Address2:	Not reported
City:	MELVILLE
State:	NY
Zip Code:	11747
Country Code:	001
Phone:	(631) 367-9128
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2011-05-09

Site Id:	27854
Affiliation Type:	Facility Operator
Company Name:	PRADERA REALTY CO.
Contact Type:	Not reported
Contact Name:	ANASTASIOS TZEZAILIDIS
Address1:	Not reported
Address2:	Not reported
City:	Not reported

PRADERA REALTY CO. (Continued) **A100178218**

State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(917) 796-8474
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	2006-04-26

Site Id:	27854
Affiliation Type:	Emergency Contact
Company Name:	PRADERA REALTY CO.
Contact Type:	Not reported
Contact Name:	ANASTASIOS TZEZAILIDIS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(516) 626-6364
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2011-05-09

Tank Info:

Tank Number:	1
Tank Id:	60814
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
F00 - Pipe External Protection - None
C01 - Pipe Location - Aboveground
L00 - Piping Leak Detection - None
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
I05 - Overfill - Vent Whistle

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	09/15/1982
Capacity Gallons:	4000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True

PRADERA REALTY CO. (Continued) **A100178218**

Modified By: DMPOKRZY
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

U146 **WATERFRONT NY REALTOR** **NY Spills** **S104495235**
West **271 11TH AVE** **N/A**
< 1/8 **MANHATTAN, NY**
0.085 mi.
448 ft. **Site 2 of 9 in cluster U**

Relative: **Lower**

Actual: **9 ft.**

SPILLS:

Facility ID:	9002583
Facility Type:	ER
Spill Number:	9002583
DER Facility ID:	279986
Site ID:	255436
DEC Region:	2
Closed Date:	2006-01-18
Spill Cause:	Deliberate
Spill Class:	C1
SWIS:	3101
Spill Date:	1988-01-01
Investigator:	JCGRATHW
Referred To:	Not reported
Reported to Dept:	1990-06-06
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Citizen
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1990-06-13
Spill Record Last Update:	2006-02-01
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	Not reported
DEC Memo:	"1/18/06 - Performed site inspection. Difficulty finding the building as it is currently 261 11th Avenue (inclusive 271). Building sup't Ali provided access to the basement. He was employed by this building management and recalled the spill. He knows the spill amount is a gross overestimation. Noted 2 large aboveground petroleum storage tanks. No oil on floor or adjacent drain/sump. Former spill area clean and took photos. Spill closed. 6/15/05 - No file. DEC Lead changed to Grathwol. Prior to Sept, 2004 data translation this spill Lead_DEC Field was M TIBBE "
Remarks:	"EMPLOYEE TOLD TO REMOVE ASBESTOS FROM BOILER AND DISPOSE IN GARBAGE BACK SUMP LOADED WITH #6 FUEL OIL"

All Materials:

Site ID:	255436
Operable Unit ID:	940600
Operable Unit:	01

WATERFRONT NY REALTOR (Continued) **S104495235**

Material ID:	437324
Material Code:	0003A
Material Name:	#6 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	73500.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported
Site ID:	255436
Operable Unit ID:	940600
Operable Unit:	01
Material ID:	437325
Material Code:	0026A
Material Name:	asbestos
Case No.:	01332214
Material FA:	Hazardous Material
Quantity:	.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported
Facility ID:	9611656
Facility Type:	ER
Spill Number:	9611656
DER Facility ID:	276592
Site ID:	255437
DEC Region:	2
Closed Date:	1996-12-24
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	1996-12-24
Investigator:	SMMARTIN
Referred To:	Not reported
Reported to Dept:	1996-12-24
CID:	312
Water Affected:	Not reported
Spill Source:	Tank Truck
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1996-12-24
Spill Record Last Update:	1997-01-06
Spiller Name:	CHARLIE
Spiller Company:	MYSTIC OIL
Spiller Address:	19-01 STEINWAY ST
Spiller Company:	001
Contact Name:	CHARLIE
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MARTINKAT "

WATERFRONT NY REALTOR (Continued) **S104495235**

Remarks: "DEFECTIVE GAUGE ON THE TANK - CLEANUP IN PROCESS"

All Materials:

Site ID:	255437
Operable Unit ID:	1039594
Operable Unit:	01
Material ID:	340308
Material Code:	0002A
Material Name:	#4 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	25.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

U147 **271 11TH AVE/MANHATTAN** **NY LTANKS** **S102671246**
West **271 11TH AVE** **N/A**
< 1/8 **NEW YORK CITY, NY**
0.085 mi.
448 ft. **Site 3 of 9 in cluster U**

Relative: **Lower**

Actual: **9 ft.**

LTANKS:

Facility ID:	8710036
Site ID:	255435
Closed Date:	1988-12-29
Spill Number:	8710036
Spill Date:	1988-02-29
Spill Cause:	Tank Overfill
Spill Source:	Tank Truck
Spill Class:	Not reported
Cleanup Ceased:	1988-12-29
SWIS:	3101
Investigator:	TOMASELLO
Referred To:	Not reported
Reported to Dept:	1988-02-29
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1988-03-02
Spill Record Last Update:	1989-01-19
Spiller Name:	Not reported
Spiller Company:	WATERFRONT REALTY
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	209227
DEC Memo:	""
Remarks:	"SPILL CONTAINED IN TANK VAULT ROOM OF BUILDING, OCCURRED DURING

271 11TH AVE/MANHATTAN (Continued) **S102671246**

DELIVERY."

All Materials:

Site ID:	255435
Operable Unit ID:	914958
Operable Unit:	01
Material ID:	461823
Material Code:	0003A
Material Name:	#6 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1000.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

V148 **MICKEYS SERVICE STATION** **EDR Hist Auto** **1020266709**
NNW **309 11 AVE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.086 mi.
452 ft. **Site 1 of 14 in cluster V**

Relative: EDR Hist Auto
Higher

Actual:
14 ft.

Year:	Name:	Type:
1969	MICKEYS SERVICE STATION	Gasoline Service Stations
1970	MICKEYS SERVICE STATION	Gasoline Service Stations
1971	MICKEYS SERVICE STATION	Gasoline Service Stations
1972	MICKEYS SERVICE STATION	Gasoline Service Stations
1973	MICKEYS SERVICE STATION	Gasoline Service Stations
1974	MICKEYS SERVICE STATION	Gasoline Service Stations
1975	MICKEYS SERVICE STATION	Gasoline Service Stations
1976	MICKEYS SERVICE STATION	Gasoline Service Stations
1977	MICKEYS SERVICE STATION	Gasoline Service Stations
1980	BOB-JOHN SERVICE STATION INC	Gasoline Service Stations
1982	BOB-JOHN SERVICE STATION INC	Gasoline Service Stations
1982	WESTWIND AUTOMOTIVE	Gasoline Service Stations
1983	BOB-JOHN SERVICE STATION INC	Gasoline Service Stations
1983	WESTWIND AUTOMOTIVE	Gasoline Service Stations
1985	BOB-JOHN SERVICE STATION INC	Gasoline Service Stations
1985	ALBRO OPERATING CORP	Gasoline Service Stations
1986	BOB-JOHN SERVICE STATION INC	Gasoline Service Stations
1986	ALBRO OPERATING CORP	Gasoline Service Stations
1987	BOB-JOHN SERVICE STATION INC	Gasoline Service Stations
1987	ALBRO OPERATING CORP	Gasoline Service Stations
1988	BOB-JOHN SERVICE STATION INC	Gasoline Service Stations
1988	ALBRO OPERATING CORP	Gasoline Service Stations
1989	BOB-JOHN SERVICE STATION INC	Gasoline Service Stations
1989	ALBRO OPERATING CORP	Gasoline Service Stations, NEC
1990	ALBRO OPERATING CORP	Gasoline Service Stations, NEC
1990	BOB-JOHN SERVICE STATION INC	Gasoline Service Stations
1991	ALBRO OPERATING CORP	Gasoline Service Stations, NEC
1991	BOB-JOHN SERVICE STATION INC	Gasoline Service Stations
1992	ALBRO OPERATING CORP	Gasoline Service Stations, NEC
1992	BOB-JOHN SERVICE STATION INC	Gasoline Service Stations
1994	MOBIL SERVICE CENTER	Automotive Repair Shops, NEC
1995	MOBIL SERVICE CENTER	Automotive Repair Shops, NEC

MICKEYS SERVICE STATION (Continued) **1020266709**

1996	UNITED MOBIL	Automotive Repair Shops, NEC
1997	UNITED MOBIL	Automotive Repair Shops, NEC
1998	GEICO MOBIL INC	Automotive Repair Shops, NEC
1999	GEICO MOBIL INC	Automotive Repair Shops, NEC
2000	UNITED MOBIL SVC STATION	Gasoline Service Stations
2000	GEICO MOBIL INC	Automotive Repair Shops, NEC
2001	UNITED MOBIL SVC STATION	Gasoline Service Stations
2001	GEICO MOBIL INC	Automotive Repair Shops, NEC
2002	UNITED MOBIL SVC STATION	Gasoline Service Stations
2002	GEICO MOBIL INC	Automotive Repair Shops, NEC
2003	ALL STATE SERVICE STATION INC	Automotive Repair Shops, NEC
2004	ALL STATE CORPORATION	Automotive Repair Shops, NEC
2005	ALL STATE CORPORATION	Gasoline Service Stations, NEC
2006	ALL STATE CORPORATION	Gasoline Service Stations, NEC
2007	ALL STATE CORPORATION	Gasoline Service Stations, NEC
2008	ALL STATE CORPORATION	Gasoline Service Stations, NEC
2009	ALL STATE CORPORATION	Gasoline Service Stations, NEC
2010	ALL STATE CORPORATION	Gasoline Service Stations, NEC
2011	ALL STATE CORPORATION	Gasoline Service Stations, NEC
2012	ALL STATE CORPORATION	Gasoline Service Stations, NEC
2012	30TH STREET SERVICE STN INC	Gasoline Service Stations
2013	30TH STREET SERVICE STN INC	Gasoline Service Stations
2013	ALL STATE CORPORATION	Gasoline Service Stations, NEC
2014	30TH STREET SERVICE STN INC	Gasoline Service Stations
2014	ALL STATE CORPORATION	Gasoline Service Stations, NEC

V149 **XTRAMART?? - RETAIL GAS STATION** **NY Spills** **S118704677**
NNW **309 11TH AVE** **N/A**
< 1/8 **NEW YORK, NY**
0.086 mi.
452 ft. **Site 2 of 14 in cluster V**

Relative: **Higher**
Actual: **14 ft.**

SPILLS:

Facility ID:	1601588
Facility Type:	ER
Spill Number:	1601588
DER Facility ID:	481120
Site ID:	526930
DEC Region:	2
Closed Date:	2016-05-18
Spill Cause:	Equipment Failure
Spill Class:	B4
SWIS:	3101
Spill Date:	2016-05-15
Investigator:	RMPIPER
Referred To:	Not reported
Reported to Dept:	2016-05-16
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2016-05-16

XTRAMART?? - RETAIL GAS STATION (Continued) **S118704677**

Spill Record Last Update:	2016-05-19
Spiller Name:	Not reported
Spiller Company:	ALLIANCE GLOBAL
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	KEVIN BROWN
DEC Memo:	"5/16/16- DEC piper spoke with ECS Eclipse. Spill was in spill pan. DEC directed AG to clean spill today rather than tomorrow. IP & T dispatched later in evening to clean. 5/18/18- DEC piper spoke with Star at ECS. She will provide info and email. DEC piper spoke with Matt S at IP & T. He will look into work and get back to me as well. 5/19/16- DEC Piper received email form ECS starting impact valve was replaced and gas was pumped out by IP & T. I spoke with Matt at IP & T and he confirmed pumpout and repairs were done. Spill closed. "
Remarks:	"contained - repairs done - cleanup pending"

All Materials:

Site ID:	526930
Operable Unit ID:	1275829
Operable Unit:	01
Material ID:	2280605
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	30.00
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

Q150 **537 WEST 27TH ST** **NY Spills** **S109062986**
South **537 WEST 27TH** **N/A**
< 1/8 **MANHATTEN, NY**
0.086 mi.
454 ft. **Site 3 of 9 in cluster Q**

Relative:
Higher

Actual:
13 ft.

SPILLS:

Facility ID:	0801913
Facility Type:	ER
Spill Number:	0801913
DER Facility ID:	347338
Site ID:	397954
DEC Region:	2
Closed Date:	2008-05-20
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2008-05-19
Investigator:	hrpatel
Referred To:	Not reported
Reported to Dept:	2008-05-19
CID:	444
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False

537 WEST 27TH ST (Continued) **S109062986**

Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	Not reported
Remediation Phase:	0
Date Entered In Computer:	2008-05-19
Spill Record Last Update:	2008-05-20
Spiller Name:	JIM PASTREICH
Spiller Company:	Not reported
Spiller Address:	537 WEST 27TH
Spiller Company:	001
Contact Name:	JIM PASTREICH
DEC Memo:	"05/20/08-Hiralkumar Patel. visited site. during excavation for development, three tanks found in middle of property. all three tanks were approx. 1000 gal size. one tank was found empty and removed from ground. found multiple holes in removed tank. another two tanks sitting next to each other and found product in it. will remove tanks properly and will collect endpoint samples. asked contractor to collect groundwater sample if finds contamination to that depth. as per supervisor, proposed excavation depth is 20 ft bg and dewatering will happen during development. case closed. refer to spill #: 0613440."
Remarks:	"REMOVING TANK AND LEAKING OIL"

All Materials:

Site ID:	397954
Operable Unit ID:	1154872
Operable Unit:	01
Material ID:	2145705
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Q151 **537-545 W 27TH ST** **NY UST** **U004122082**
South **537-545 W 27TH ST** **N/A**
< 1/8 **NEW YORK, NY 10012**
0.086 mi.
454 ft. **Site 4 of 9 in cluster Q**

Relative:
Higher

Actual:
13 ft.

UST:

Id/Status:	2-610856 / Inactive
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	584115.03626
UTM Y:	4511572.63315
Site Type:	Other

Affiliation Records:

Site Id:	398843
Affiliation Type:	Facility Owner
Company Name:	537 WEST 27TH STREET OWNERS LLC
Contact Type:	MEMBER

537-545 W 27TH ST (Continued) **U004122082**

Contact Name:	ERIK T. ECKSTIEN
Address1:	750 LEXINGTON AVE 16TH FLR
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 736-4492
EMail:	Not reported
Fax Number:	Not reported
Modified By:	msbaptis
Date Last Modified:	2008-06-09

Site Id:	398843
Affiliation Type:	Mail Contact
Company Name:	ENVIRONMENTAL WASTE MGT
Contact Type:	Not reported
Contact Name:	ROB EDGAR
Address1:	100 MISTY LANE
Address2:	Not reported
City:	PARSIPPANY
State:	NJ
Zip Code:	07054
Country Code:	001
Phone:	(973) 560-1400
EMail:	Not reported
Fax Number:	Not reported
Modified By:	msbaptis
Date Last Modified:	2008-06-09

Site Id:	398843
Affiliation Type:	Facility Operator
Company Name:	537-545 W 27TH ST
Contact Type:	Not reported
Contact Name:	ENVIRONMENTAL WASTE MGT
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(973) 560-1400
EMail:	Not reported
Fax Number:	Not reported
Modified By:	msbaptis
Date Last Modified:	2008-06-09

Site Id:	398843
Affiliation Type:	Emergency Contact
Company Name:	537 WEST 27TH STREET OWNERS LLC
Contact Type:	Not reported
Contact Name:	ROB EDGAR
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported

537-545 W 27TH ST (Continued) **U004122082**

Country Code:	001
Phone:	(973) 703-6627
EMail:	Not reported
Fax Number:	Not reported
Modified By:	msbaptis
Date Last Modified:	2008-06-09

Tank Info:

Tank Number:	1
Tank ID:	223491
Tank Status:	Tank Converted to Non-Regulated Use
Material Name:	Tank Converted to Non-Regulated Use
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Z
Material Code:	0008
Common Name of Substance:	Diesel
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	msbaptis
Last Modified:	04/14/2017

Equipment Records:

L00 - Piping Leak Detection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number:	2
Tank ID:	223492
Tank Status:	Tank Converted to Non-Regulated Use
Material Name:	Tank Converted to Non-Regulated Use
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Z
Material Code:	0008
Common Name of Substance:	Diesel
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	msbaptis

537-545 W 27TH ST (Continued) **U004122082**

Last Modified: 04/14/2017

Equipment Records:

C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None
L00 - Piping Leak Detection - None

Tank Number: 3
Tank ID: 223493
Tank Status: Tank Converted to Non-Regulated Use
Material Name: Tank Converted to Non-Regulated Use
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Z
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: msbaptis
Last Modified: 04/14/2017

Equipment Records:

C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
L00 - Piping Leak Detection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None

Tank Number: 4
Tank ID: 223494
Tank Status: Tank Converted to Non-Regulated Use
Material Name: Tank Converted to Non-Regulated Use
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Z
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported

537-545 W 27TH ST (Continued) **U004122082**

Pipe Model: Not reported
Modified By: msbaptis
Last Modified: 04/14/2017

Equipment Records:

L00 - Piping Leak Detection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number: 5
Tank ID: 223495
Tank Status: Tank Converted to Non-Regulated Use
Material Name: Tank Converted to Non-Regulated Use
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Z
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: msbaptis
Last Modified: 04/14/2017

Equipment Records:

L00 - Piping Leak Detection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number: 6
Tank ID: 223496
Tank Status: Tank Converted to Non-Regulated Use
Material Name: Tank Converted to Non-Regulated Use
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Z
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN

537-545 W 27TH ST (Continued) **U004122082**

Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	msbaptis
Last Modified:	04/14/2017

Equipment Records:

L00 - Piping Leak Detection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Q152 **COMMERICAL PROPERTY** **NY Spills** **S108467893**
South **537-545 WEST 27TH STREET** **N/A**
< 1/8 **NEW YORK, NY**
0.086 mi.
454 ft. **Site 5 of 9 in cluster Q**

Relative: **Higher**
Actual: **13 ft.**

SPILLS:

Facility ID:	0613440
Facility Type:	ER
Spill Number:	0613440
DER Facility ID:	328004
Site ID:	378471
DEC Region:	2
Closed Date:	2011-12-20
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2007-03-14
Investigator:	rmpiper
Referred To:	Not reported
Reported to Dept:	2007-03-14
CID:	410
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	True
Remediation Phase:	0
Date Entered In Computer:	2007-03-14
Spill Record Last Update:	2011-12-20
Spiller Name:	WILLIAM CIRILLO
Spiller Company:	WILLIAM CIRILLO
Spiller Address:	33 TIERS ST APT F
Spiller Company:	001
Contact Name:	WILLIAM CIRILLO
DEC Memo:	"Sangesland spoke with Carol Owings of Key Environmental. She said the site is an industrial building that had several buried tanks removed. There is contaminated soil on the site that can not be removed, so the area will be treated in place. Key Enviornmental will work on a plan to submit to the DEC for review. Sangesland wrote a

COMMERICAL PROPERTY (Continued) **S108467893**

CSL letter and listed Ryan Piper as the contact for the site. CSL sent to one of the owners: William Cirillo, 33 Tiers St, Apt F, Bronx, NY 10464 5-31-07- EWMA- new contractor. will contact me. 2/6/08- DEC Piper reivewed RAWP addendum and approves. 05/20/08-Hiralkumar Patel. another spill reported (Spill #: 0801913) as found more tanks from site. during excavation, found three approx. 1000 gal size tanks, in middle of property. one tank was found empty and has been removed from ground. multiple holes noted on that tank. another two tanks sitting next to each other and has product in it. contractor will remove tank properly and will take endpoint samples. 09/10/08-Hiralkumar Patel. another spill reported (spill #: 0806482) as found oil coming out from ground in excavated area. 11/14/11- DEC Piper psoke with consultant. Report has been generated and will be sent shortly. 12/20/11- DEC Piper reviewed UST closure report. 5 permanent mw's installed . The wells were set to a depth of 25 feet b.s.g. and constructed with 10 feet of screen and 15 feet of riser. however groundwater is at 7.5- 8 feet bgs. On February 13, 2008 a representative of EWMA sampled MW-1 through MW-5 and MW-27 for VO+10, BN+15 and lead. Sample MW-1 was obtained from MW-1 (located downgradient of the former UST location and along 27th Street) and revealed concentrations of benzene at 471 ppb and in excess of the TOGS 1 ppb standard; and concentrations of toluene at 76.4 and in excess of the TOGS 5 ppb standard; and concentrations of ethylbenzene at 333 ppb and in excess of the TOGS 5 ppb standard; and concentrations of total xylenes at 357 ppb and in excess of the TOGS 5 ppb standard; and concentrations of naphthalene at 99 ppb and in excess of the TOGS 10 ppb standard; Sample MW-27 was obtained from MW-27 (located along 27th Street) and revealed concentrations of benzene at 13 ppb and in excess of the TOGS 1 ppb standard; and concentrations of total xylenes at 11 ppb and in excess of the TOGS 5 ppb standard; Sample MW-2 was obtained from MW-2 (located along 27th Street) and revealed concentrations of benzene at 196 ppb and in excess of the TOGS 1 ppb standard; and concentrations of toluene at 27.7 and in excess of the TOGS 5 ppb standard; and concentrations of ethylbenzene at 243 ppb and in excess of the TOGS 5 ppb standard; and concentrations of total xylenes at 578 ppb and in excess of the TOGS 5 ppb standard. The soil excavated that exhibited fill material type characteristics was transported by truck and delivered to Total Recycling Corporation (TRC) of Allentown, Pennsylvania. The excavated soils, including the soil that exhibited evidence of petroleum impacts from the former USTs were also transported to Total Recycling Corporation (TRC) of Allentown, Pennsylvania. Approximately 3,556 cubic yards of soil was excavated from the Property. In September 2008, and following the initial four foot soil removal additional soil was removed from the site. The additional soil was removed because the original design of the building was changed to include a basement which required the additional removal of soil. Specifically, from September 29th 2008 through February 30th. 2009, representatives of Impact and EWMA coordinated the direct soil load out an additional 22 feet of soil from the Property. This phase of the excavation was coordinated during the installation of steel sheeting, tie backs and foundation piles following the initial excavation of soil to four (4) feet b.s.g. The soil excavated that exhibited fill material type characteristics was transported by truck and delivered to Total Recycling Corporation (TRC) of Allentown, Pennsylvania. The excavated soils, including the soil that exhibited evidence of petroleum impacts from the former USTs were also transported to Total Recycling

COMMERICAL PROPERTY (Continued) **S108467893**

Corporation (TRC) of Allentown, Pennsylvania. Approximately 19,556 cubic yards of soil was excavated from the Property. On May 20, 2008, during the Property redevelopment and the initial upper layer soil removal, three (3) additional unknown underground storage tanks (USTs) were encountered within the footprint and beneath the concrete floor of the former building. One (1) 1,000-gallon fuel oil and two (2) 550-gallon fuel oil USTs were observed during soil removal. The USTs were located in the footprint of the former building. Prior to the UST removal, Mr. Hiralkumar Patelof the (NYSDEC) visited the site, inspected the USTs, and approved the removal of the USTs.Mr. Patel requested that the USTs be properly removed, which included the pumping of liquids,cutting, cleaning and disposing of their contents. Soil samples were also requested by Mr. Patelin accordance with NYSDEC UST regulations and local and state guidelines. W.R.Grace Preprufe 300R/160R membrane was installed as a barrier between sub-grade soils and exterior surfaces of basement slab areas, and between vertical soil retention systems and exterior surfaces of sub-surface wall areas. These membranes are manufactured in accordance with ASTM Standards, demonstrate an ASTM E154 permeance of 0.010 Perms, and are comprised of multilayered composite high density polyethylene (HDPE) sheets. The 300R membrane has a thickness of 40 mils and the 160R membrane has a thickness of 32 mils. Ambient air venting systems are installed beneath the basement slab areas and the slab on grade areas. The basement sub-slab venting system consists of a 12-inch thick bed of -inch crushed stone beneath the slab, an embedded air inlet header with ambient air inlets at one end of the building, and an embedded vent header with venting outlets at the other end of the building. The slab-on-grade sub-slab venting system consists of a 6-inch thick bed of -inch crushed stone beneath the slab with a 6-mil polyethylene vapor barrier and a layer of geotextile fabric between the slab and the stone, an embedded air inlet header with ambient air inlets at one end of the building, and an embedded vent header with venting outlets at the other end of the building. the venting systems will be active, with radon fans and back draft dampers installed in the vent outlet piping at one end of the building at locations that can be inspected, monitored and maintained. The ambient air inlets will receive air from about two feet above ground surface at one end of the building, and the venting outlets will vent air from about twenty feet above ground surface at the other end of the building. The inlet and outlet locations can be inspected and monitored as needed. Together, the barriers and venting systems will provide two layers of vapor intrusion control and will provide a conservative and maintainable vapor intrusion control system that will be an integral component of the planned building. During the week of September 3, 2010, Zebra Environmental Corp. of Lynbrook, New York installed five (5) permanent 2-inch monitoring wells at the property under the direct supervision of a EWMA representative. The intent was to re-install the replacement wells in or near the previous locations. Ground water was generally encountered between 10.0 and 12.0 feet b.s.g. Soil cuttings during installation activities were screened using a PID and split spoon samples were collected every five feet. EWMA did not note visual signs of contamination during the installation of the wells and no elevated PID readings were recorded. The monitoring wells were constructed using two-inch diameter, 0.020-inch machine slot Schedule 40 PVC well screen intersecting ground water at the time of the well installation. Solid two inch diameter Schedule 40 PVC completed the

COMMERICAL PROPERTY (Continued) **S108467893**

upper portion of the well. The connection between the riser and well screen was flush-joint threading with no adhesive required. The wells were filter packed with clean, No. 2 sand from the bottom of the borehole to approximately two feet above the top of the screen. The remaining annular space around the upper portion of each well was grouted using Benseal and cement. The monitoring wells were completed as flush mount wells with concrete pads. On September 20, 2010 a representative of EWMA sampled MW-1R, MW-27R, MW-2R, MW- 3R, and MW-5R for VO+10, BN+15 and lead. The results of the ground water sampling event revealed volatile organic compounds above the NYSDEC NYSDEC TOGS 1.1.1 Groundwater Standards/Criteria in the groundwater samples of four (4) monitoring wells, MW-1R, MW-27R. MW-2R, and MW-3R. EWMA notes that the results of the sampling event did not detect any exceedences in monitoring well MW-5R, which is located along West 28th Street. Laboratory analysis revealed the following: " Sample MW-1R was obtained from MW-R1 (located downgradient of the former UST location and along 27th Street) and revealed concentrations of benzene at 9.88 ppb and in excess of the TOGS 1 ppb standard; and concentrations of ethylbenzene at 83.9 ppb and in excess of the TOGS 5 ppb standard; and concentrations of total xylenes at 352 ppb and in excess of the TOGS 5 ppb standard; and concentrations of naphthalene at 16.1 ppb and in excess of the TOGS 10 ppb standard; " Sample MW-27R was obtained from MW-27R (located along 27th Street) and revealed concentrations of benzene at 5.11 ppb and in excess of the TOGS 1 ppb standard; and concentrations of ethylbenzene at 54.3 ppb and in excess of the TOGS 5 ppb standard; and concentrations of total xylenes at 227 ppb and in excess of the TOGS 5 ppb standard; " Sample MW-2R was obtained from MW-2R (located along 27th Street) and revealed concentrations of benzene at 3.29 ppb and in excess of the TOGS 1 ppb standard; and concentrations of ethylbenzene at 39.9 ppb and in excess of the TOGS 5 ppb standard; and concentrations of total xylenes at 173 ppb and in excess of the TOGS 5 ppb standard; and concentrations of naphthalene at 11.8 ppb and in excess of the TOGS 10 ppb standard; " Sample MW-3R was obtained from MW-3R (located along 28th Street) and revealed concentrations of benzene at 13.4 ppb and in excess of the TOGS 1 ppb standard; and concentrations of total xylenes at 10.1 ppb and in excess of the TOGS 5 ppb standard; " EWMA notes that the results of the September 20, 2010 sampling event did not detect any exceedences in monitoring well MW-5R, which is located along West 28th Street. On October 26, 2010 a representative of EWMA sampled MW-1R, MW-27R, MW-2R, MW-3R, and MW-5R for VO+10 and BN+15. The results of the ground water sampling event revealed volatile organic compounds above the NYSDEC NYSDEC TOGS 1.1.1 Groundwater Standards/Criteria in the groundwater samples of four (4) monitoring wells, MW-1R, MW-27R, MW-2R, and MW-3R. EWMA notes that the results of the sampling event did not detect any exceedences in monitoring well MW-5R, which is located along West 28th Street. Ground water flow is relatively flat throughout the Property however, topographic grade is to the southwesterly direction. Laboratory analysis revealed the following: " Sample MW-1R was obtained from MW-R1 (located downgradient of the former UST location and along 27th Street) and revealed concentrations of benzene at 4.99 ppb and in excess of the TOGS 1 ppb standard; and concentrations of ethylbenzene at 186 ppb and in excess of the TOGS 5 ppb standard; and concentrations of total xylenes at 808 ppb and in excess of the TOGS 5 ppb standard; " Sample MW-27R was obtained from MW-27R (located along 27th Street) and revealed

COMMERICAL PROPERTY (Continued) **S108467893**

concentrations of benzene at 3.62 ppb and in excess of the TOGS 1 ppb standard; and concentrations of ethylbenzene at 35.2 ppb and in excess of the TOGS 5 ppb standard; and concentrations of total xylenes at 156 ppb and in excess of the TOGS 5 ppb standard; " Sample MW-2R was obtained from MW-2R (located along 27th Street) and revealed concentrations of benzene at 3.60 ppb and in excess of the TOGS 1 ppb standard; and concentrations of ethylbenzene at 19.3 ppb and in excess of the TOGS 5 ppb standard; and concentrations of total xylenes at 85.8 ppb and in excess of the TOGS 5 ppb standard; " Sample MW-3R was obtained from MW-3R (located along 28th Street) and revealed concentrations of benzene at 4.33 ppb and in excess of the TOGS 1 ppb standard; and concentrations of total xylenes at 8.66 ppb and in excess of the TOGS 5 ppb standard; " EWMA notes that the results of the October 26, 2010 sampling event did not detect any exceedences in monitoring well MW-5R, which is topographically upgradient and located along West 28th Street. Two rounds of groundwater sample results from the wells indicate that the dissolved ground water contamination at the Property has been significantly reduced. However, groundwater contaminants continue to be present at low levels that exceed the GWQS in the perimeter ground water monitoring wells. Based on the presence of concentrations of contaminants above the GWQS in the upgradient wells, ground water contamination may be migrating on site from off site source(s). Due to the removal of site soils down to 25 feet and the water table, there are no source soils remaining at the site. Therefore, natural attenuation for the remaining residual ground water contaminants is proposed. EWMA recommend no further investigation and closure for NYSDEC Spill Case No. 0613440. The NYCDEP reviewed the Closure Report and the Property was provided with a Notice of Satisfaction. Based on work to date, this spill is closed. see edocs if warranted. "

Remarks: "TANKS WERE REMOVED: REMEDIATION PENDING:"

All Materials:

Site ID:	378471
Operable Unit ID:	1135976
Operable Unit:	01
Material ID:	2125907
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Q153 **CONSTRUCTION SITE** **NY Spills** **S109372079**
South **537 WEST 27TH ST** **N/A**
< 1/8 **MANHATTAN, NY**
0.086 mi.
454 ft. **Site 6 of 9 in cluster Q**

Relative: **Higher**

Actual: **13 ft.**

SPILLS:

Facility ID:	0807436
Facility Type:	ER
Spill Number:	0807436
DER Facility ID:	354051

CONSTRUCTION SITE (Continued) **S109372079**

Site ID:	404785
DEC Region:	2
Closed Date:	2008-10-08
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2008-10-02
Investigator:	rvketani
Referred To:	Not reported
Reported to Dept:	2008-10-02
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Fire Department
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2008-10-02
Spill Record Last Update:	2008-10-08
Spiller Name:	ROB EDGAR
Spiller Company:	537 W. 27 STREET OWNERS, LLC
Spiller Address:	537 WEST 27TH ST
Spiller Company:	999
Contact Name:	FIRE DEPT
DEC Memo:	"10/02/08-Hiralkumar Patel. spoke with dispatcher 258 at FDNY. he mentioned that large quantity of diesel spilled in open excavation at construction site. 10/02/08 - Raphael Ketani. Earlier cases are associated with this site and are listed under the Spills managers Ryan Piper and Hiralkumar Patel. They are 0613440-tank failure (active case), 0801913-discovered fuel tanks, 0806482-found oil in ground. The site is block and lot 699 and 9. The owner is 537 West 27 Street Owners, LLC, c/o RD Management, LLC, 810 7th Avenue, 28th Floor, NY, 10019. The site main address is 537 West 27 Street, but alternative addresses are 537-545 W. 27 Street and 538-546 W. 28 Street. The site had a one story garage/service station from old pictures in Property Shark. The site has an E-designation and the DEP contacts are Terrell Estesen (718) 595-4473 and Maurice Winter (718) 595-4514. PBS case #2-610856 lists 6 closed 550 gallon tanks. Two had diesel fuel and the rest had #2 oil. The owner is listed as 537 W. 27 Street Owners, LLC. I visited the site today. I met Leeron Tagger, Environmental Technician from Environmental Waste Management Associates (973) 560-1400/FAX (973) 560-0400. He said that the FDNY was here and left. He said that they showed up because a neighbor had complained about strong odors in the air in their ventilation system. He said that 3 tanks were discovered at the site, two in the center and one in the southeast corner. He said that all three had a hole or two and had leaked oil. Mr. Tagger said that the two tanks that were in the middle of the property were discovered with oil in them. I noticed that they had dug out the site to about 7 feet below grade. I asked him how much more soil was going to be dug out. The construction foreman said that they will dig out to about 12 feet below grade, but groundwater is 10 feet below grade. I asked the foreman where bedrock was. He said it varied between 20 feet to 40 feet below the site. Mr. Tagger stated that they will conduct site

CONSTRUCTION SITE (Continued) **S109372079**

dewatering and collect the contaminated water and filter it for the oil and other contaminants. I smelled a strong odor of diesel fuel. I asked him whether contaminated soil had been removed. He said that some had been removed and that he has a manifest for the soil. I asked him whether end-point samples were taken. He said that they had. I told him that I smelled strong diesel odors and that much more soil will need to be removed. He said that it will. I told him that EWMA will need to submit a report with a sit map showing the locations where the tanks were and where the oil contaminated soil is, manifests for the soil removed, and end point sample results. He said that a report is being prepared for the site right now. I asked him whether the tanks had been registered with DEC. He said that he thought they had been, and that two checks had been sent to DEC, but that I should talk to the project manager, Rob Edgar at (973) 560-1400, ext 159. I took 3 pictures of the site and left. Later, I tried to call Mr. Edgar regarding the need to remove more soil because the odors were strong and because there had been odor complaints from a neighbor. I could only leave a message. However, I did state that the matter was urgent and that EWMA had to institute an odor management/abatement program immediately and to call me back as soon as possible. Mr. Edgar called me back. He said that they already took out 55 truck loads of soil. He said that he has someone on site who is monitoring for fugitive dust and odors. He said that Mr. Tagger walks around with a PID meter and checks the vapor concentrations. He said that, so far, they have not been over the limits. I told Mr. Edgar that it's not just a matter of how high the vapor concentrations are, but also whether the odors are a nuisance. I told him that the vapors got into the ventilation system of a neighbor and there were complaints to DEC. He said that he was aware of this and that there's oil in the soil, so there are odors. He said that's the situation at the site. I told him that not only does he have to get the construction company to remove soil quickly, but that he has to come up with a method of controlling and abating the odors. He suggested covering the affected areas with plastic. I told him that plastic may not be the best method. I told him that I will talk to my supervisor, Randall Austin, Chief of the Spills Unit. Mr. Austin recommended that they use odor suppressing foam to control the vapors and that they come up with an odor management plan. However, he said that plastic can be used as a temporary measure. I called Mr. Edgar and told him that the plastic sheeting can be used as a temporary measure, but that foam should be put down to control the odors while they dig. He said that the construction company doesn't like using the foam. I told him that he will have to come up with some plan to take care of the odors and that the odor control has to begin immediately. He said that EWMA always complies with all environmental regulations and laws. I told him that his company will have to get control of the odors fast and abate this problem, otherwise there could be more complaints and more problems. With that the conversation ended. 10/3/08 - Raphael Ketani. I made an unannounced site visit today at about 2:11PM. I met Mr. Tagger of EWMA and Mark Trashaj of L&M Builders, LLC - foreman for the development company (914) 833-3000. I saw that no digging was taking place, but the crew was laying plastic sheeting over the site where the oil had spilled (see photos in E-docs). The odors at the site were slight, except where the backhoe was sitting. My PID meter registered up to 2100 ppb of vapors at one foot above the soil with a slight breeze blowing. I showed Mr. Tagger and Mr. Trashaj that my

CONSTRUCTION SITE (Continued) **S109372079**

PID meter was detecting up to 2100 ppb of total vapors. They said that the soil which comprises the platform for the excavator is contaminated with oil. I asked them when this soil will be removed and when the rest of the soil will be carted away. Mr. Trashaj said that they can't remove any more soil or else the steel sheet pilings will fall into the site. He said that the next step will be to install holdfasts for the steel pilings over the next two weeks. I told him that the contaminated soil has to be moved. He said that they will keep the contaminated areas covered with plastic at all times and if any gets ripped, then they will replace the damaged plastic. I told him that the contaminated soil which comprises the platform has to be removed next week. He said that this will be done as it doesn't affect the stability of the steel sheet pilings. Mr. Tagger assured me that when they dig, there are many trucks lined up to take loads of soil. He said that they will work hard to remove the rest of the soil after the holdfasts are installed and that they will maintain the plastic covering. After this, I left, but I told them that I will be back next week. 10/8/08 - Raphael Ketani. I spoke to the case manager for the site, Ryan Piper of DEC Region 2 Spills. I debriefed him on what when on at the site the two times I visited it and about the odor complaint. I told him about the installation of the plastic sheeting and that Randall Austin, Chief of the unit, had approved its use temporarily. I told Mr. Piper about the oil contaminated soil that was being used as a platform for the excavator and that no digging will take place over the next two weeks as tie backs need to be installed all around. I mentioned that I had informed Mr. Tagger, Mr. Trashaj, and Mr. Edgar that the contaminated platform soil had to go immediately. Mr. Piper told me to close out this case and refer it back to the active one, #0613440. Therefore, I am closing out this case today and referring it back to the initial spill case that is still active with Mr. Piper."

Remarks: "Unknown spill at a construction site. Caller had no further info."

All Materials:

Site ID:	404785
Operable Unit ID:	1161429
Operable Unit:	01
Material ID:	2152626
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	100.00
Units:	G
Recovered:	100.00
Oxygenate:	Not reported

Facility ID:	0806482
Facility Type:	ER
Spill Number:	0806482
DER Facility ID:	352988
Site ID:	403764
DEC Region:	2
Closed Date:	2008-09-09
Spill Cause:	Unknown
Spill Class:	Not reported
SWIS:	2401

CONSTRUCTION SITE (Continued) **S109372079**

Spill Date:	2008-09-09
Investigator:	hrpatel
Referred To:	Not reported
Reported to Dept:	2008-09-09
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2008-09-09
Spill Record Last Update:	2008-09-11
Spiller Name:	SEAN DONOHUE
Spiller Company:	UNKNOWN
Spiller Address:	537 WEST 27TH STREET
Spiller Company:	999
Contact Name:	SEAN DONOHUE
DEC Memo:	"09/09/08-Hiralkumar Patel. Visited site. Met Mark Trashaj, construction manager. Mark mentioned that as part of re-survey of the site, they need to excavate some soil to expose top of the some installed piles. After finishing excavation, found oil (similar to diesel or #2 fuel oil) coming out from ground. Observed free product and sheen on water collected inside excavation. Also found water in some piles (which are hollow round pipe) at about 25 ft bg and found sheen on water in pile. Heavy odors in the area. Spoke with consultant Environmental waste management associates. He mentioned that spill was reported earlier (spill : 0613440) and DEC Ryan Piper is a project manager. He also mentioned that they removed diesel USTs from the site. Site has e designation. Mark gave copy of DEP approval letter to proceed, dated Dec. 17, 2007 (forwarded to DEC Piper). Mark Trashaj L&M Builder LLC. 1865 Palmer Ave, Suite 107 Larchmont, NY 10538 Ph. (917) 615-6255 (O) (914) 447-3075 (C) email: mtrashaj@lmdevpartners.com Rob Edgar Environmental Waste Management Associates Ph. (973) 560-1400 fax (973) 560-0400 case closed. refer to spill #: 0613440."
Remarks:	"CALLER STATES THAT OIL SEEMS TO BE COMING FROM A CONSTRUCTION SITE AT THE ABOVE ADDRESS. NO FURTHER INFORMATION IS AVAIL."

All Materials:

Site ID:	403764
Operable Unit ID:	1160451
Operable Unit:	01
Material ID:	2151626
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Q154 **TENANTS IN COMMON 27TH STREET** **RCRA-CESQG** **1008374561**
South **537-545 W 27TH ST** **NY MANIFEST** **NYR000133108**
< 1/8 **NEW YORK, NY 10001** **NJ MANIFEST**
0.086 mi.
454 ft. **Site 7 of 9 in cluster Q**

Relative:
Higher

Actual:
13 ft.

RCRA-CESQG:

Date form received by agency:	01/01/2007
Facility name:	TENANTS IN COMMON 27TH STREET
Facility address:	537-545 W 27TH ST NEW YORK, NY 10001-5505
EPA ID:	NYR000133108
Mailing address:	TIER ST APT F BRONX, NY 10464
Contact:	WILLIAM V CIRILLO
Contact address:	TIER ST APT F BRONX, NY 10464
Contact country:	US
Contact telephone:	718-885-3255
Contact email:	BILLYVC@OPTONLINE.NET
EPA Region:	02
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name:	GSA TENANT
Owner/operator address:	Not reported Not reported
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Federal
Owner/Operator Type:	Operator
Owner/Op start date:	01/01/2004
Owner/Op end date:	Not reported

Owner/operator name:	27 STREET OWNERS
Owner/operator address:	Not reported Not reported
Owner/operator country:	Not reported
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported

TENANTS IN COMMON 27TH STREET (Continued) **1008374561**

Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	01/30/1970
Owner/Op end date:	Not reported
Owner/operator name:	KAZ SYSTEMS INC
Owner/operator address:	E GRASSY SPRAIN RD SUITE 209
	YONKERS, NY 10710
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Federal
Owner/Operator Type:	Owner
Owner/Op start date:	10/01/2001
Owner/Op end date:	Not reported
Owner/operator name:	NO NAME FOUND
Owner/operator address:	Not reported
	Not reported
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	01/30/1970
Owner/Op end date:	Not reported
Owner/operator name:	NO NAME FOUND
Owner/operator address:	Not reported
	Not reported
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Federal
Owner/Operator Type:	Operator
Owner/Op start date:	01/01/2004
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No

TENANTS IN COMMON 27TH STREET (Continued) **1008374561**

Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 12/14/2006
Site name: TENANTS IN COMMON 27TH STREET
Classification: Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D018
. Waste name: BENZENE

Date form received by agency: 12/13/2006
Site name: TENANTS IN COMMON 27TH STREET
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 07/19/2005
Site name: D H S GARAGE
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYR000133108
Facility Status: Not reported
Location Address 1: 537-545 W 27TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: 5506

NY MANIFEST:
EPAID: NYR000133108
Mailing Name: DHS GARAGE
Mailing Contact: N/S
Mailing Address 1: 601 W 26TH ST 7TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 6462303277

NY MANIFEST:
Document ID: NJA5263525
Manifest Status: Not reported
seq: Not reported
Year: 2005
Trans1 State ID: NJD080631369

TENANTS IN COMMON 27TH STREET (Continued) **1008374561**

Trans2 State ID:	Not reported
Generator Ship Date:	12/08/2005
Trans1 Recv Date:	12/08/2005
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	12/08/2005
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000133108
Trans1 EPA ID:	50160
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD980536593
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00400
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	L Landfill.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

NJ MANIFEST:

EPA Id:	NYR000133108
Mail Address:	601 W 26TH STREET
Mail City/State/Zip:	NEW YORK 10001
Facility Phone:	6462303277
Emergency Phone:	Not reported
Contact:	RON SINGLETON
Comments:	Not reported
SIC Code:	Not reported
County:	00
Municipal:	00
Previous EPA Id:	Not reported
Gen Flag:	X
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported

TENANTS IN COMMON 27TH STREET (Continued) **1008374561**

Date Change: Not reported

Manifest:
Manifest Number: NJA5263525
EPA ID: NYR000133108
Date Shipped: 12/08/2005
TSDF EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 12/08/2005
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 12/08/2005
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: 02240625
Was Load Rejected: NEW YORK 10001
Reason Load Was Rejected: Not reported

Q155 **LOT 9,TAXBLOCK 699** **NY E DESIGNATION** **S108077010**
South **537 WEST 27 STREET** **N/A**
< 1/8 **MANHATTAN, NY 10001**
0.086 mi.
454 ft. **Site 8 of 9 in cluster Q**

Relative: **Higher**
Actual: **13 ft.**

E DESIGNATION:
Tax Lot(s): 9
Tax Block: 699
Borough Code: MN
E-No: E-142
Effective Date: 6/23/2005

LOT 9,TAXBLOCK 699 (Continued) **S108077010**

Satisfaction Date: Not reported
Ceqr Number: 03DCP069M
Ulurp Number: 050161 ZRM
Zoning Map No: 8b

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

V156 **UNITED MOBIL SVC STATION** **EDR Hist Auto** **1020437336**
NNW **30TH ST & 11TH AVE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.086 mi.
454 ft. **Site 3 of 14 in cluster V**

Relative: EDR Hist Auto
Higher

Actual: **14 ft.**

Year:	Name:	Type:
1998	UNITED MOBIL SVC STATION	Gasoline Service Stations
1999	UNITED MOBIL SVC STATION	Gasoline Service Stations

V157 **HUDSON YARDS CONSTRUCTION YARD** **NY Spills** **S118261541**
NNW **30TH ST AND 11TH AVE** **N/A**
< 1/8 **MANHATTAN, NY**
0.086 mi.
454 ft. **Site 4 of 14 in cluster V**

Relative: SPILLS:
Higher

Actual: **14 ft.**

Facility ID: 1506341
Facility Type: ER
Spill Number: 1506341
DER Facility ID: 468251
Site ID: 513757
DEC Region: 2
Closed Date: 2015-12-11
Spill Cause: Unknown
Spill Class: Not reported
SWIS: 3101
Spill Date: 2015-09-15
Investigator: HRPATEL
Referred To: Not reported
Reported to Dept: 2015-09-15
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2015-09-15
Spill Record Last Update: 2015-12-14

HUDSON YARDS CONSTRUCTION YARD (Continued) **S118261541**

Spiller Name:	BRANDON NATHE
Spiller Company:	HISTORIC SPILL
Spiller Address:	30TH ST AND 11TH AVE
Spiller Company:	999
Contact Name:	BRANDON NATHE
DEC Memo:	"9/15/15: J.Kann - contacted Brandon of Langan who indicated that a shallow trench was excavated and odors were noted in the soil. The excavation was 30'x2'x1' and were alongside a rail track. The soils were stockpiled on plastic and covered. Endpoints were collected and should be available in 5 days. A sample will also be collected from the stockpile for disposal analysis. No free product was present in the trench. The side is an OER site and the project manager is Shana Holberton. 10/01/15-Hiralkumar Patel. 2:59 PM:- left message for Brandon. 10/09/15-Hiralkumar Patel. 3:13 PM:- left message for Brandon. 10/13/15-Hiralkumar Patel. 1:10 PM:- spoke with Brandon. he mentioned that no contamination noted in endpoint samples. he will submit report once disposal manifests are available, which may take another 2-3 weeks. 12/11/15-Hiralkumar Patel. 12:26 PM:- left message for Brandon. 2:00 PM:- received call from Brandon. he mentioned that they are still waiting for disposal manifests from contractor. he mentioned that the property is owned by MTA and has been leased out. asked Brandon to submit report, except disposal manifest and contact information for the contractor/lease. 12/11/15-Hiralkumar Patel. 3:14 PM:- received email from Brandon including work summary. during excavation of an about 30 ft long, 2 ft wide and 1 ft deep utility trench, historic fill with apparent petroleum-like odors, staining and maximum PID reading of 237.6 ppm was observed. endpoint samples were collected and analyzed. no contamination noted in endpoint samples. Edgar Vidal Tutor Perini Corp. *contractor** PH. (646) 569-4211 email: EVidal@perini.com case closed based on available information."
Remarks:	"found during excavation, field observations. C/u complete, samples pending"

All Materials:

Site ID:	513757
Operable Unit ID:	1262971
Operable Unit:	01
Material ID:	2266619
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

V158
NNW
< 1/8
0.086 mi.
454 ft.

CONSOLDIATED EDISON
W 30TH ST & 11TH AVE
NEW YORK, NY

Site 5 of 14 in cluster V

NY MANIFEST **S108650420**
N/A

Relative:
Higher

Actual:
14 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004146247
Facility Status:	Not reported
Location Address 1:	W 30TH ST & 11TH AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004146247
Mailing Name:	CONSOLDIATED EDISON
Mailing Contact:	FRANKLYN MURRAY
Mailing Address 1:	4 IRVING PL RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

V159
NNW
< 1/8
0.086 mi.
454 ft.

CON EDISON
W. 30TH & 11TH AVE
NEW YORK, NY 10001

Site 6 of 14 in cluster V

NY MANIFEST **S117314228**
N/A

Relative:
Higher

Actual:
14 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004612727
Facility Status:	Not reported
Location Address 1:	W. 30TH & 11TH AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004612727
Mailing Name:	CON EDISON
Mailing Contact:	TOM TELLING
Mailing Address 1:	4 IRVING PLACE-15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003

CON EDISON (Continued) **S117314228**

Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJD000024773
Trans2 State ID:	Not reported
Generator Ship Date:	08/18/2015
Trans1 Recv Date:	08/18/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/18/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004612727
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	014470793JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	24
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	L Landfill.
Specific Gravity:	1
Waste Code:	Not reported
Waste Code 1_2:	Not reported
Waste Code 1_3:	D018
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
10 additional NY_MANIFEST: record(s) in the EDR Site Report.

W160 **519 WEST 27TH STREET** **NY Spills** **S104503407**
South **519 WEST 27TH STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.086 mi.
455 ft. **Site 1 of 7 in cluster W**

Relative:
Higher

Actual:
14 ft.

SPILLS:

Facility ID:	9704105
Facility Type:	ER
Spill Number:	9704105
DER Facility ID:	206930
Site ID:	252612
DEC Region:	2
Closed Date:	1997-07-07
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	1997-07-07
Investigator:	TOMASELLO
Referred To:	Not reported
Reported to Dept:	1997-07-07
CID:	266
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Citizen
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1997-07-07
Spill Record Last Update:	1998-01-23
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	519 WEST 27TH STREET
Spiller Company:	001
Contact Name:	Not reported
DEC Memo:	""
Remarks:	"ANTIFREEZE LEAKING FROM A CAB GARAGE. RUNNING ALL DOWN THE STREET AND INTO THE SEWERS. CALLER ADVISED TO DIAL 911 TO NOTIFY THE FIRE DEPARTMENT."

All Materials:

Site ID:	252612
Operable Unit ID:	1049968
Operable Unit:	01
Material ID:	333363
Material Code:	0043A
Material Name:	antifreeze
Case No.:	Not reported
Material FA:	Other
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

W161 **LOT 22,TAXBLOCK 699** **NY E DESIGNATION** **S108076885**
South **517 WEST 27 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.087 mi.
457 ft. **Site 2 of 7 in cluster W**

Relative: E DESIGNATION:
Higher
Tax Lot(s): 22
Actual: Tax Block: 699
14 ft. Borough Code: Not reported
E-No: E-142
Effective Date: 6/23/2005
Satisfaction Date: Not reported
Ceqr Number: 03DCP069M
Ulurp Number: 050161 ZRM
Zoning Map No: 8b

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

S162 **LOT 33,TAXBLOCK 701** **NY E DESIGNATION** **S108076925**
East **505 WEST 29 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.087 mi.
459 ft. **Site 2 of 15 in cluster S**

Relative: E DESIGNATION:
Higher
Tax Lot(s): 33
Actual: Tax Block: 701
17 ft. Borough Code: Not reported
E-No: E-142
Effective Date: 6/23/2005
Satisfaction Date: Not reported
Ceqr Number: 03DCP069M
Ulurp Number: 050161 ZRM
Zoning Map No: 8b

Description: Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date: Not reported

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

V163 **KISKA CONSTRUCTION YARD** **RCRA-SQG** **1012186660**
NNW **30TH ST BETW 10TH & 11TH AVES** **NYR000165225**
< 1/8 **NEW YORK, NY 10014**
0.088 mi.
466 ft. **Site 7 of 14 in cluster V**

Relative: RCRA-SQG:
Higher
Date form received by agency: 05/27/2009
Actual: Facility name: KISKA CONSTRUCTION YARD
14 ft. Facility address: 30TH ST BETW 10TH & 11TH AVES
NEW YORK, NY 10014
EPA ID: NYR000165225

KISKA CONSTRUCTION YARD (Continued) **1012186660**

Mailing address:	WEST ST NEW YORK, NY 10014
Contact:	EMRE ERTUGRUL
Contact address:	WEST ST NEW YORK, NY 10014
Contact country:	US
Contact telephone:	646-415-8452
Contact email:	EMRE@KISKACONSTRUCTION.COM
EPA Region:	02
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	KISKA CONSTRUCTION
Owner/operator address:	Not reported Not reported
Owner/operator country:	Not reported
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	02/01/2009
Owner/Op end date:	Not reported

Owner/operator name:	KISKA CONSTRUCTION
Owner/operator address:	Not reported Not reported
Owner/operator country:	Not reported
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	02/01/2009
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No

KISKA CONSTRUCTION YARD (Continued) **1012186660**

Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

X164 **HUDSON YARDS TERRA FIRMA** **RCRA-LQG** **1016974981**
North **553 W 30TH ST** **NY MANIFEST** **NYR000214411**
< 1/8 **NEW YORK, NY 10001**
0.090 mi.
473 ft. **Site 1 of 2 in cluster X**

Relative:
Higher

Actual:
16 ft.

RCRA-LQG:
Date form received by agency: 02/01/2016
Facility name: HUDSON YARDS TERRA FIRMA
Facility address: 553 W 30TH ST
NEW YORK, NY 10001
EPA ID: NYR000214411
Mailing address: WEST 30TH STREET
NEW YORK, NY 10001
Contact: RON WACKROW
Contact address: WEST 30TH STREET
NEW YORK, NY 10001
Contact country: US
Contact telephone: 646-582-2258
Contact email: Not reported
EPA Region: 02
Classification: Large Quantity Generator
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:
Owner/operator name: RONALD WACKROW
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 04/10/2013
Owner/Op end date: Not reported

HUDSON YARDS TERRA FIRMA (Continued) **1016974981**

Owner/operator name: ERY TENANT LLC
Owner/operator address: COLUMBUS CIR
NEW YORK, NY 10023
Owner/operator country: US
Owner/operator telephone: 212-801-1122
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 04/10/2013
Owner/Op end date: Not reported

Owner/operator name: ERY TENANT LLC
Owner/operator address: ERY TENANT LLC
NEW YORK, NY 10023
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 04/08/2014
Owner/Op end date: Not reported

Owner/operator name: ERY TENANT LLC
Owner/operator address: ERY TENANT LLC
NEW YORK, NY 10023
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 04/08/2014
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008

HUDSON YARDS TERRA FIRMA (Continued) **1016974981**

. Waste name: LEAD

Historical Generators:
Date form received by agency: 11/10/2014
Site name: HUDSON YARDS TERRA FIRMA
Classification: Large Quantity Generator

. Waste code: D008
. Waste name: LEAD

Biennial Reports:

Last Biennial Reporting Year: 2017

Annual Waste Handled:
Waste code: D008
Waste name: LEAD
Amount (Lbs): 284120

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYR000214411
Facility Status: Not reported
Location Address 1: 553 W 30TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000214411
Mailing Name: HUDSON YARDS TERRA FIRMA
Mailing Contact: RICH HOLLISTER
Mailing Address 1: 511 W 33RD ST 2ND FLOOR
Mailing Address 2: ELIZABETH WONG
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 6466341278

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2015
Trans1 State ID: PAR000501577
Trans2 State ID: PAD146714878
Generator Ship Date: 08/04/2015
Trans1 Recv Date: 08/04/2015
Trans2 Recv Date: 08/04/2015

HUDSON YARDS TERRA FIRMA (Continued) **1016974981**

TSD Site Recv Date:	08/14/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000214411
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	011811173JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	265
Units:	P - Pounds
Number of Containers:	1
Container Type:	DM - Metal drums, barrels
Handling Method:	L Landfill.
Specific Gravity:	1
Waste Code:	Not reported
Waste Code 1_2:	D008
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
22 additional NY_MANIFEST: record(s) in the EDR Site Report.

X165 **HUDSON YARDS TERRA FIRMA** **NJ MANIFEST** **S120679036**
North **553 W 30TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.090 mi.
473 ft. **Site 2 of 2 in cluster X**

Relative: **Higher**
Actual: **16 ft.**

NJ MANIFEST:

EPA Id:	NYR000214411
Mail Address:	WEST 30TH STREET
Mail City/State/Zip:	NEW YORK, NY 10001
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	RON WACKROW
Comments:	Not reported
SIC Code:	Not reported

HUDSON YARDS TERRA FIRMA (Continued) **S120679036**

County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	014730087JJK
EPA ID:	NYR000214411
Date Shipped:	6/18/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10001
Reason Load Was Rejected:	Not reported

Manifest Number:	014730088JJK
EPA ID:	NYR000214411
Date Shipped:	3/18/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported

HUDSON YARDS TERRA FIRMA (Continued) **S120679036**

Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10001
Reason Load Was Rejected:	Not reported

Manifest Number:	014730083JJK
EPA ID:	NYR000214411
Date Shipped:	6/18/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported

HUDSON YARDS TERRA FIRMA (Continued) **S120679036**

Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10001
Reason Load Was Rejected:	Not reported

Manifest Number:	014730086JJK
EPA ID:	NYR000214411
Date Shipped:	6/18/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10001

HUDSON YARDS TERRA FIRMA (Continued) **S120679036**

Reason Load Was Rejected:	Not reported
Manifest Number:	011811173JJK
EPA ID:	NYR000214411
Date Shipped:	8/4/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	PAR000501577
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10001
Reason Load Was Rejected:	Not reported
Manifest Number:	014730084JJK
EPA ID:	NYR000214411
Date Shipped:	6/18/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported

HUDSON YARDS TERRA FIRMA (Continued) **S120679036**

Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10001
Reason Load Was Rejected:	Not reported

Manifest Number:	014730085JJK
EPA ID:	NYR000214411
Date Shipped:	6/18/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported

HUDSON YARDS TERRA FIRMA (Continued) **S120679036**

Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10001
Reason Load Was Rejected:	Not reported

W166 **515** **NY Spills** **S104502597**
South **515 W. 27TH ST** **N/A**
< 1/8 **MANHATTAN, NY**
0.090 mi.
473 ft. **Site 3 of 7 in cluster W**

Relative: **Higher**

Actual: **14 ft.**

SPILLS:

Facility ID:	9611540
Facility Type:	ER
Spill Number:	9611540
DER Facility ID:	204869
Site ID:	249922
DEC Region:	2
Closed Date:	1996-12-30
Spill Cause:	Deliberate
Spill Class:	C3
SWIS:	3101
Spill Date:	1996-12-19
Investigator:	ADZHITOM
Referred To:	Not reported
Reported to Dept:	1996-12-19
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Fire Department
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1996-12-19
Spill Record Last Update:	1997-02-11
Spiller Name:	Not reported
Spiller Company:	UNK
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	Not reported
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ZHITOMIRSKY NYCDEP RESPONDED."
Remarks:	"A CONTAINER OF USED OIL LEFT IN DUMPSTER CALLER WAS FROM NYC FD DISPT 380 (212) 570-4300 SOME OIL TO SEWER APX 200 GAL CONTAINER 30-40 GALLONS SPILLED TO STREET NYC FD AND HAZ MAT RESPONDED 2/3 STILL IN CONTAINER "

515 (Continued) **S104502597**

All Materials:
- Site ID: 249922
- Operable Unit ID: 1039541
- Operable Unit: 01
- Material ID: 340182
- Material Code: 0022
- Material Name: waste oil/used oil
- Case No.: Not reported
- Material FA: Petroleum
- Quantity: 40.00
- Units: G
- Recovered: .00
- Oxygenate: Not reported

W167 **LOT 23,TAXBLOCK 699** **NY E DESIGNATION** **S108076887**
South **515 WEST 27 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.090 mi.
473 ft. **Site 4 of 7 in cluster W**

Relative: **Higher**
Actual: **14 ft.**

E DESIGNATION:
- Tax Lot(s): 23
- Tax Block: 699
- Borough Code: Not reported
- E-No: E-142
- Effective Date: 6/23/2005
- Satisfaction Date: Not reported
- Ceqr Number: 03DCP069M
- Ulurp Number: 050161 ZRM
- Zoning Map No: 8b

- Description: Underground Gasoline Storage Tanks* Testing Protocol.
- Lot Remediation Date: Not reported

V168 **DSNY M DISTRICT 6 GARAGE** **NY AST** **A100343919**
NNW **319 ELEVENTH AVENUE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.091 mi.
481 ft. **Site 8 of 14 in cluster V**

Relative: **Higher**
Actual: **14 ft.**

AST:
- Region: STATE
- DEC Region: 2
- Site Status: Unregulated/Closed
- Facility Id: 2-601983
- Program Type: PBS
- UTM X: 584106.59965
- UTM Y: 4511819.11348
- Expiration Date: N/A
- Site Type: Municipality (Incl. Waste Water Treatment Plants, Utilities, Swimming Pools, etc.)

Affiliation Records:
- Site Id: 23942
- Affiliation Type: Facility Operator
- Company Name: DSNY M DISTRICT 6 GARAGE

DSNY M DISTRICT 6 GARAGE (Continued) **A100343919**

Contact Type:	Not reported
Contact Name:	JOSEPH GAVRITY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 868-0286
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2016-11-28

Site Id:	23942
Affiliation Type:	Mail Contact
Company Name:	NYC DEPT OF SANITATION
Contact Type:	Not reported
Contact Name:	FRANK SCARPACI
Address1:	125 WORTH STREET RM 823B
Address2:	Not reported
City:	NY
State:	NY
Zip Code:	10013
Country Code:	001
Phone:	(646) 885-4887
EMail:	FSCARPACI@DSNY.NYC.GOV
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2016-11-28

Site Id:	23942
Affiliation Type:	Emergency Contact
Company Name:	MD BRUNIN LLC
Contact Type:	Not reported
Contact Name:	BUREAU OF CLEANING AND COLLECTIONS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(646) 885-5051
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-09-16

Site Id:	23942
Affiliation Type:	Facility Owner
Company Name:	MD BRUNIN LLC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	5851 WILKINSON AVE.
Address2:	Not reported
City:	LA
State:	CA

DSNY M DISTRICT 6 GARAGE (Continued) **A100343919**

Zip Code:	91607
Country Code:	001
Phone:	(818) 613-5253
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2016-11-28

Tank Info:

Tank Number:	007
Tank Id:	230087
Material Code:	0015
Common Name of Substance:	Motor Oil

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
J02 - Dispenser - Suction Dispenser
G01 - Tank Secondary Containment - Diking (Aboveground)
L00 - Piping Leak Detection - None
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	10/01/1994
Capacity Gallons:	275
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	06/04/2014
Register:	True
Modified By:	MSBAPTIS
Last Modified:	04/14/2017
Material Name:	motor oil

Tank Number:	008
Tank Id:	230088
Material Code:	0010
Common Name of Substance:	Hydraulic Oil

Equipment Records:

G01 - Tank Secondary Containment - Diking (Aboveground)
J03 - Dispenser - Gravity
L00 - Piping Leak Detection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None

DSNY M DISTRICT 6 GARAGE (Continued) **A100343919**

B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	10/01/1994
Capacity Gallons:	275
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	06/04/2014
Register:	True
Modified By:	MSBAPTIS
Last Modified:	04/14/2017
Material Name:	hydraulic oil

Tank Number:	009
Tank Id:	230089
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
J00 - Dispenser - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
D00 - Pipe Type - No Piping
G01 - Tank Secondary Containment - Diking (Aboveground)
L00 - Piping Leak Detection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
K00 - Spill Prevention - None

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	10/01/1994
Capacity Gallons:	275
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	06/04/2014
Register:	True
Modified By:	MSBAPTIS
Last Modified:	04/14/2017
Material Name:	waste oil/used oil

V169 **DSNY M DISTRICT 6 GARAGE** **NY UST** **U002222971**
NNW **319 ELEVENTH AVENUE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.091 mi.
481 ft. **Site 9 of 14 in cluster V**

Relative:
Higher

Actual:
14 ft.

UST:

Id/Status:	2-601983 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	584106.59965
UTM Y:	4511819.11348
Site Type:	Municipality (Incl. Waste Water Treatment Plants, Utilities, Swimming Pools, etc.)

Affiliation Records:

Site Id:	23942
Affiliation Type:	Facility Operator
Company Name:	DSNY M DISTRICT 6 GARAGE
Contact Type:	Not reported
Contact Name:	JOSEPH GAVRITY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 868-0286
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2016-11-28

Site Id:	23942
Affiliation Type:	Mail Contact
Company Name:	NYC DEPT OF SANITATION
Contact Type:	Not reported
Contact Name:	FRANK SCARPACI
Address1:	125 WORTH STREET RM 823B
Address2:	Not reported
City:	NY
State:	NY
Zip Code:	10013
Country Code:	001
Phone:	(646) 885-4887
EMail:	FSCARPACI@DSNY.NYC.GOV
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2016-11-28

Site Id:	23942
Affiliation Type:	Emergency Contact
Company Name:	MD BRUNIN LLC
Contact Type:	Not reported
Contact Name:	BUREAU OF CLEANING AND COLLECTIONS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

DSNY M DISTRICT 6 GARAGE (Continued) **U002222971**

Zip Code:	Not reported
Country Code:	999
Phone:	(646) 885-5051
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-09-16

Site Id:	23942
Affiliation Type:	Facility Owner
Company Name:	MD BRUNIN LLC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	5851 WILKINSON AVE.
Address2:	Not reported
City:	LA
State:	CA
Zip Code:	91607
Country Code:	001
Phone:	(818) 613-5253
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2016-11-28

Tank Info:

Tank Number:	001
Tank ID:	48584
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	2500
Install Date:	10/01/1994
Date Tank Closed:	10/17/2007
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	0008
Common Name of Substance:	Diesel

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MSBAPTIS
Last Modified:	04/14/2017

Equipment Records:

C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
J02 - Dispenser - Suction Dispenser
B04 - Tank External Protection - Fiberglass
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
I02 - Overfill - High Level Alarm
A03 - Tank Internal Protection - Fiberglass Liner (FRP)
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
G02 - Tank Secondary Containment - Vault (w/access)

DSNY M DISTRICT 6 GARAGE (Continued) **U002222971**

Tank Number:	002
Tank ID:	48585
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	2500
Install Date:	10/01/1994
Date Tank Closed:	10/17/2007
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	0008
Common Name of Substance:	Diesel
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MSBAPTIS
Last Modified:	04/14/2017

Equipment Records:

G02 - Tank Secondary Containment - Vault (w/access)
C02 - Pipe Location - Underground/On-ground
J02 - Dispenser - Suction Dispenser
B04 - Tank External Protection - Fiberglass
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
I02 - Overfill - High Level Alarm
A03 - Tank Internal Protection - Fiberglass Liner (FRP)
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

Tank Number:	003
Tank ID:	48586
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	1000
Install Date:	10/01/1994
Date Tank Closed:	06/02/2014
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	0015
Common Name of Substance:	Motor Oil
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MSBAPTIS
Last Modified:	04/14/2017

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
F04 - Pipe External Protection - Fiberglass
J02 - Dispenser - Suction Dispenser
B04 - Tank External Protection - Fiberglass
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
I02 - Overfill - High Level Alarm

DSNY M DISTRICT 6 GARAGE (Continued) **U002222971**

L09 - Piping Leak Detection - Exempt Suction Piping
E04 - Piping Secondary Containment - Double walled UG
A00 - Tank Internal Protection - None
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
K00 - Spill Prevention - None
L08 - Piping Leak Detection - Tank Top Sump
G04 - Tank Secondary Containment - Double-Walled (Underground)
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Number:	004
Tank ID:	48587
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	1000
Install Date:	10/01/1994
Date Tank Closed:	06/02/2014
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	0010
Common Name of Substance:	Hydraulic Oil
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MSBAPTIS
Last Modified:	04/14/2017

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
F04 - Pipe External Protection - Fiberglass
J02 - Dispenser - Suction Dispenser
B04 - Tank External Protection - Fiberglass
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
L09 - Piping Leak Detection - Exempt Suction Piping
I02 - Overfill - High Level Alarm
E04 - Piping Secondary Containment - Double walled UG
A00 - Tank Internal Protection - None
L08 - Piping Leak Detection - Tank Top Sump
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
K00 - Spill Prevention - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Number:	005
Tank ID:	221515
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	2500
Install Date:	10/24/2007
Date Tank Closed:	05/30/2014
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	2710

DSNY M DISTRICT 6 GARAGE (Continued) **U002222971**

Common Name of Substance: Biodiesel

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: D
Modified By: MSBAPTIS
Last Modified: 04/14/2017

Equipment Records:

C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
J02 - Dispenser - Suction Dispenser
B04 - Tank External Protection - Fiberglass
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
E04 - Piping Secondary Containment - Double walled UG
A00 - Tank Internal Protection - None
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I03 - Overfill - Automatic Shut-Off
L08 - Piping Leak Detection - Tank Top Sump
G04 - Tank Secondary Containment - Double-Walled (Underground)
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Number: 006
Tank ID: 221516
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 2500
Install Date: 10/24/2007
Date Tank Closed: 06/02/2014
Registered: True
Tank Location: Underground
Tank Type: Equivalent technology
Material Code: 2710
Common Name of Substance: Biodiesel

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: D
Modified By: MSBAPTIS
Last Modified: 04/14/2017

Equipment Records:

J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
I02 - Overfill - High Level Alarm
B04 - Tank External Protection - Fiberglass
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
E04 - Piping Secondary Containment - Double walled UG
L08 - Piping Leak Detection - Tank Top Sump

DSNY M DISTRICT 6 GARAGE (Continued) **U002222971**

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I03 - Overfill - Automatic Shut-Off
A00 - Tank Internal Protection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
H05 - Tank Leak Detection - In-Tank System (ATG)

W170 **LOT 24,TAXBLOCK 699** **NY E DESIGNATION** **S108076890**
SSE **513 WEST 27 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.091 mi.
482 ft. **Site 5 of 7 in cluster W**

Relative: **Higher**
Actual: **14 ft.**

E DESIGNATION:

Tax Lot(s):	24
Tax Block:	699
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported

S171 **LOT 43,TAXBLOCK 701** **NY E DESIGNATION** **S108076948**
East **502 WEST 30 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.092 mi.
485 ft. **Site 3 of 15 in cluster S**

Relative: **Higher**
Actual: **17 ft.**

E DESIGNATION:

Tax Lot(s):	43
Tax Block:	701
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported
Description:	Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date:	Not reported

S172 **502 WEST 30TH ST LLC** **NY AST** **U003391604**
East **502 WEST 30TH STREET** **N/A**
< 1/8 **NEW YORK, NY 10019**
0.092 mi.
485 ft. **Site 4 of 15 in cluster S**

Relative:
Higher

Actual:
17 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-402001
Program Type:	PBS
UTM X:	584359.79326
UTM Y:	4511723.74086
Expiration Date:	10/06/2007
Site Type:	Other

Affiliation Records:

Site Id:	19238
Affiliation Type:	Facility Owner
Company Name:	CERTIFIED MOVING & STORAGE
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	438 WEST 51ST STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10019
Country Code:	001
Phone:	(212) 245-1900
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	19238
Affiliation Type:	Mail Contact
Company Name:	CERTIFIED MOVING & STORAGE
Contact Type:	Not reported
Contact Name:	CHARLES SAMBERG
Address1:	438 WEST 51ST STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10019
Country Code:	001
Phone:	(212) 245-1900
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	19238
Affiliation Type:	Facility Operator
Company Name:	502 WEST 30TH ST LLC
Contact Type:	Not reported
Contact Name:	CERTIFIED MOVING & STORAGE
Address1:	Not reported
Address2:	Not reported
City:	Not reported

502 WEST 30TH ST LLC (Continued) **U003391604**

State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 245-1900
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 19238
Affiliation Type: Emergency Contact
Company Name: CERTIFIED MOVING & STORAGE
Contact Type: Not reported
Contact Name: ROCCO SICOCOLFI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 245-1900
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank Id: 21876
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H99 - Tank Leak Detection - Other
G01 - Tank Secondary Containment - Diking (Aboveground)
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser
A01 - Tank Internal Protection - Epoxy Liner
L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT

502 WEST 30TH ST LLC (Continued) **U003391604**

Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Y173 **LOT 36,TAXBLOCK 700** **NY E DESIGNATION** **S108076931**
ESE **327 10 AVENUE** **N/A**
< 1/8 **MANHATTAN, NY**
0.093 mi.
490 ft. **Site 1 of 14 in cluster Y**

Relative: **Higher**
Actual: **17 ft.**

E DESIGNATION:
Tax Lot(s): 36
Tax Block: 700
Borough Code: Not reported
E-No: E-142
Effective Date: 6/23/2005
Satisfaction Date: Not reported
Ceqr Number: 03DCP069M
Ulurp Number: 050161 ZRM
Zoning Map No: 8b

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

Y174 **HODES THEODORE** **EDR Hist Auto** **1020373313**
ESE **327 10TH AVE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.093 mi.
490 ft. **Site 2 of 14 in cluster Y**

Relative: **Higher**
Actual: **17 ft.**

EDR Hist Auto

Year:	Name:	Type:
1969	HODES THEODORE	Gasoline Service Stations
1969	HODES THEODORE	Gasoline Service Stations
1970	HODES THEODORE	Gasoline Service Stations
1971	HODES THEODORE	Gasoline Service Stations
1972	HODES THEODORE	Gasoline Service Stations
1973	HODES THEODORE	Gasoline Service Stations
1974	HODES THEODORE	Gasoline Service Stations
1975	HODES THEODORE	Gasoline Service Stations

Y175 **FORMER GAS STATION** **NY Spills** **S108636696**
ESE **327 10TH AVE** **N/A**
< 1/8 **NEW YORK, NY**
0.093 mi.
490 ft. **Site 3 of 14 in cluster Y**

Relative: **Higher**
Actual: **17 ft.**

SPILLS:
Facility ID: 0701228
Facility Type: ER
Spill Number: 0701228
DER Facility ID: 330126

FORMER GAS STATION (Continued) **S108636696**

Site ID:	380698
DEC Region:	2
Closed Date:	Not reported
Spill Cause:	Other
Spill Class:	C4
SWIS:	3101
Spill Date:	2007-04-30
Investigator:	rmpiper
Referred To:	Not reported
Reported to Dept:	2007-04-30
CID:	444
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	Not reported
UST Trust:	Not reported
Remediation Phase:	1
Date Entered In Computer:	2007-04-30
Spill Record Last Update:	2017-02-22
Spiller Name:	PETER FILIBERTO
Spiller Company:	FORMER GAS STATION
Spiller Address:	327 10TH AVE
Spiller Company:	001
Contact Name:	PETER FILIBERTO
DEC Memo:	"CSL sent to property owner: (copy faxed to Mr Ray Kahn 212-330-7505) Mr. Peter J. Filiberto 327 10th Ave Corp. 45-54 61st Street Woodside, NY 11377 tanks will be pulled. 6/7/08- DEC Piper psoke w. Ray Kahn, They have found 6 ust's filled w. water. They are pumping them out today and will begin removal. endpoints will be collected. 10/1/07- DECP iper reived call from Ray Espo. The excavation has been open for some time now and is not covered. There is gross soil contaminaiton that is being washed down. Investigaiton.work needed letter sent to Mr. Peter J. Filiberto327 10th Ave Corp. 10/9/07- DEC Piper revied subsurface investigation of adjacent property, open spill 0700172. A high rise is going to be built on four lots which includes 321-325 10th Ave. Soil borings revealed no VOC's in soil though BTEX constituents and MtBE were found in GW. Some constituents were under TAGM and some were over, particularily MTBE at 471 ppb at 321 10th ave most downgradient well. The suspect source of the dissolved contaminants are the adjacent gasoline station at 327 10th ave.(This spill site) ********** ********** ********** 10/22/07- DEC Piper spoke with David Lent of IVI Env. They are putting together a work plan. The site will be redeveloped with a high rise. Excavation of the entire site will be part of the project. IVI will conduct a subsurface investigation to delineate the soils and gw. 2/23/16- DEC piper sent info req to 327th 10th Avenue Manhattan LLC 40-54 61st Street Woodside, NY 11377 3/9/16 - Obligado - Desk Duty - I received a call from Mr. Anthony Nicoletti, who works on behalf of the Estate of Peter Filiberto, (516-665-2659, tonick46@yahoo.com) inquiring why he received a letter. He was under the impression that the spill issue has been cleaned up and resolved. I told him the spill was still open and the Case Manager is Ryan Piper who was currently out of the office but

FORMER GAS STATION (Continued) **S108636696**

could be could be contacted directly with regard to DEC requirements. He requested prior violation notices. I emailed him a the prior two CSL letters and a copy of the Spill Report and advised him he could submit a FOIL request if he requested additional information.
2/22/17- DEC piper emailed Anthony Nicolertti requesting site status.
"

Remarks: "DURING A PHASE TWO, FOUND CONTAMIANTED SOIL"

All Materials:

Site ID:	380698
Operable Unit ID:	1138177
Operable Unit:	01
Material ID:	2128156
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Site ID:	380698
Operable Unit ID:	1138177
Operable Unit:	01
Material ID:	2128155
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Y176 **VACANT LOT** **NY Spills** **S108637926**
ESE **327 10TH AVE.** **N/A**
< 1/8 **MANHATTAN, NY**
0.093 mi.
490 ft. **Site 4 of 14 in cluster Y**

Relative: **Higher**
Actual: **17 ft.**

SPILLS:

Facility ID:	0702824
Facility Type:	ER
Spill Number:	0702824
DER Facility ID:	332068
Site ID:	382628
DEC Region:	2
Closed Date:	2007-06-08
Spill Cause:	Deliberate
Spill Class:	C4
SWIS:	3101
Spill Date:	2007-06-07
Investigator:	smsanges
Referred To:	Not reported
Reported to Dept:	2007-06-07
CID:	406

VACANT LOT (Continued) **S108637926**

Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Citizen
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	Not reported
UST Trust:	Not reported
Remediation Phase:	0
Date Entered In Computer:	2007-06-07
Spill Record Last Update:	2007-06-08
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	GIL EL
DEC Memo:	"This is a citizen's call about an exisiting ongoing spill case managed by Ryan Piper. Sangesland called the citizen and told him the case is already being managed by the DEC."
Remarks:	"Caller says people are pulling old oil tanks from the ground without permits at 327 10th Ave. Would like DEC to call. (Caller says that he cannot see any actual spillage)"

All Materials:

Site ID:	382628
Operable Unit ID:	1140016
Operable Unit:	01
Material ID:	2130066
Material Code:	0064A
Material Name:	unknown material
Case No.:	Not reported
Material FA:	Other
Quantity:	Not reported
Units:	G
Recovered:	.00
Oxygenate:	Not reported

R177 **LOT 32,TAXBLOCK 700** **NY E DESIGNATION** **S108076920**
SE **319 10 AVENUE** **N/A**
< 1/8 **MANHATTAN, NY**
0.093 mi.
491 ft. **Site 3 of 6 in cluster R**

Relative:
Higher

Actual:
17 ft.

E DESIGNATION:

Tax Lot(s):	32
Tax Block:	700
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported

LOT 32,TAXBLOCK 700 (Continued) **S108076920**

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

R178 **EVAN AUTO INC** **NY AST** **A100350445**
SE **319 TENTH AVENUE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.093 mi.
491 ft. **Site 4 of 6 in cluster R**

Relative:
Higher

Actual:
17 ft.

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-611326
Program Type: PBS
UTM X: 584266.36202
UTM Y: 4511600.38462
Expiration Date: 07/29/2015
Site Type: Auto Service/Repair (No Gasoline Sales)

Affiliation Records:
Site Id: 433752
Affiliation Type: Facility Owner
Company Name: ABRAHAM HEBY
Contact Type: Not reported
Contact Name: Not reported
Address1: 201 E. 87TH ST.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10128
Country Code: 001
Phone: (212) 594-8087
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2010-07-29

Site Id: 433752
Affiliation Type: Mail Contact
Company Name: EVAN AUTO INC
Contact Type: Not reported
Contact Name: ABRAHAM HEBY
Address1: 319 TENTH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 265-3088
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2010-04-27

Site Id: 433752
Affiliation Type: Facility Operator
Company Name: EVAN AUTO INC

EVAN AUTO INC (Continued) **A100350445**

Contact Type:	Not reported
Contact Name:	ABRAHAM HEBY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 265-3088
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2010-04-27

Site Id:	433752
Affiliation Type:	Emergency Contact
Company Name:	ABRAHAM HEBY
Contact Type:	Not reported
Contact Name:	ABRAHAM HEBY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(917) 597-5371
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2010-04-27

Tank Info:

Tank Number:	01
Tank Id:	234093
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Equipment Records:

F00 - Pipe External Protection - None
G02 - Tank Secondary Containment - Vault (w/access)
C01 - Pipe Location - Aboveground
B99 - Tank External Protection - Other
J02 - Dispenser - Suction Dispenser
L00 - Piping Leak Detection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	02/01/2008

EVAN AUTO INC (Continued) **A100350445**

Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 04/14/2017
Material Name: waste oil/used oil

Tank Number: 02
Tank Id: 234094
Material Code: 0022
Common Name of Substance: Waste Oil/Used Oil

Equipment Records:

I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
C01 - Pipe Location - Aboveground
L00 - Piping Leak Detection - None
B99 - Tank External Protection - Other
J02 - Dispenser - Suction Dispenser
F00 - Pipe External Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
G02 - Tank Secondary Containment - Vault (w/access)

Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 02/01/2008
Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 04/14/2017
Material Name: waste oil/used oil

Tank Number: 03
Tank Id: 234095
Material Code: 0022
Common Name of Substance: Waste Oil/Used Oil

Equipment Records:

J02 - Dispenser - Suction Dispenser
C01 - Pipe Location - Aboveground
B99 - Tank External Protection - Other
L00 - Piping Leak Detection - None
F00 - Pipe External Protection - None

EVAN AUTO INC (Continued) **A100350445**

E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G02 - Tank Secondary Containment - Vault (w/access)

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	02/01/2008
Capacity Gallons:	275
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	NRLOMBAR
Last Modified:	04/14/2017
Material Name:	waste oil/used oil

Q179 **536 WEST 27TH STREET** **NY UST** **U000410943**
SSW **536 WEST 27TH STREET** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.094 mi.
494 ft. **Site 9 of 9 in cluster Q**

Relative: **Lower**
Actual: **12 ft.**

UST:

Id/Status:	2-476560 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	584145.14601
UTM Y:	4511569.64602
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	21103
Affiliation Type:	Facility Owner
Company Name:	MILTON BRESLAW/RICHARD BRESLAW
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	559 WEST 45TH STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10036
Country Code:	001
Phone:	(212) 265-4023
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2008-09-03

Site Id:	21103
Affiliation Type:	Facility Operator

536 WEST 27TH STREET (Continued) **U000410943**

Company Name:	536 WEST 27TH STREET
Contact Type:	Not reported
Contact Name:	MILTON BRESLAW/RICHARD BRESLAW
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 695-1888
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	21103
Affiliation Type:	Emergency Contact
Company Name:	MILTON BRESLAW/RICHARD BRESLAW
Contact Type:	Not reported
Contact Name:	MILTON BRESLAW/RICHARD BRESLAW
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 265-4023
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	21103
Affiliation Type:	Mail Contact
Company Name:	27TH STREET PROPERTY LLC
Contact Type:	Not reported
Contact Name:	MILTON BRESLAW
Address1:	35 EAST 21ST STREET
Address2:	3RD FLOOR
City:	NEW YORK
State:	NY
Zip Code:	10010
Country Code:	001
Phone:	(212) 308-4443
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2008-09-03

Tank Info:

Tank Number:	001
Tank ID:	40992
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	5000
Install Date:	Not reported

536 WEST 27TH STREET (Continued) **U000410943**

Date Tank Closed:	01/01/1989
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0003
Common Name of Substance:	#6 Fuel Oil (On-Site Consumption)
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NRLOMBAR
Last Modified:	04/14/2017

Equipment Records:

G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None

Z180 **530 WEST 27TH ST/MANH** **NY Spills** **S104275540**
SSW **530 WEST 27TH STREET** **N/A**
< 1/8 **NEW YORK CITY, NY**
0.095 mi.
499 ft. **Site 1 of 4 in cluster Z**

Relative: **Lower**

Actual: **12 ft.**

SPILLS:

Facility ID:	8901381
Facility Type:	ER
Spill Number:	8901381
DER Facility ID:	131980
Site ID:	155911
DEC Region:	2
Closed Date:	2008-11-06
Spill Cause:	Equipment Failure
Spill Class:	B3
SWIS:	3101
Spill Date:	1989-05-11
Investigator:	HRAHMED
Referred To:	Not reported
Reported to Dept:	1989-05-11
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Non Major Facility > 1,100 gal
Spill Notifier:	Federal Government
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1989-05-18
Spill Record Last Update:	2008-11-06
Spiller Name:	Not reported

530 WEST 27TH ST/MANH (Continued) **S104275540**

Spiller Company: RICHARD BRESLOW
Spiller Address: 559 WEST 45TH STREET
Spiller Company: 001
Contact Name: Not reported
DEC Memo: "letter to be sent Last update by JBMCCULL on 12/20/05 - transferred back to R-2 3/5/08 - Austin - Assigned to Ketani for further investigation - end 4/21/08 - Raphael Ketani. The spill occurred on 5/11/89. The UST was filled with water and the top of the tank and the cement were seeping oil. The tank holds #6 oil. Richard Breslow, 559 W. 45 Street, NY (212) 265-4023 was on the original spill report as the spiller. There is no file for the case. I checked Property Shark, NYC Property Tax listings, and ACRIS and found the owners as: 27th Street Property, LLC, c/o Centaur Properties, LLC, 35 E. 21 Street, 3rd Floor, NY, 10010; and Gaiety Investments, Ltd., c/o Hartman & Craven, LLP, 488 Madison Avenue, NY, 10022. The PBS registration is for 536 W. 27 Street. The number is #2-476560. It shows a 5000 gal. tank that was closed, but used to contain #6 oil. I sent CSLs to both 27th Street Property and Gaiety Investments, Ltd. 4/23/08 - Raphael Ketani. Joe Graceson of Centaur Properties (212) 308-4443 called and left his phone number in a voice mail message. I made contact with Mr. Graceson. He said that Centaur is the sole owner. He said that the building uses gas only. The building was bought from Gaiety a little while ago. Centaur has had little cooperation from Gaiety in obtaining old records. He asked for any records that DEC has. I told him we have nothing. He asked what the next step would be if he can't find any information regarding the cleanup. I told him that Centaur will have to hire an environmental company to do an investigation and cleanup. I told him that DEC will need to receive the investigation plan, the site investigation report, the remediation plan, and the remediation report. He said he understood. With that, the conversation ended. 4/28/08 - Raphael Ketani. Steve O'Connell of Hartman & Craven (212) 836-4933 called. He said he represents Gaiety. He said that his company was involved when Gaiety first purchased the property and when they recently sold it. He said that Gaiety has no involvement with the site. 5/28/08 - Raphael Ketani. Mohammed Ahmed of Fleming Lei Shue called and said that he can't find any records or plans showing where the fuel tank used to be. He asked whether DEC had any records. I told him No. He said he will try to put together an investigation plan. He said that he thinks he has a general idea of where the tank used to be. I told him that it may boil down to just doing some geoprobing all over the basement. He said that may be what will happen. 5/29/08 - Raphael Ketani. Mr. Ahmed called. He said that he found a 1 page document from the NYFD stating that the tank was removed. I told him to send the document to me. I also told him that this doesn't preclude doing a soil investigation. He said he understood and that he will send a proposal for the work to be done. I received the Fire Department document by FAX from Mr. Ahmed. 6/3/08 - Raphael Ketani. Today I received the site investigation plan dated 5/29/08 via e-mail from Mr. Ahmed. I reviewed the plan, found it acceptable and e-mail Mr. Ahmed to go ahead with the work. 8/15/08 - Raphael Ketani. In preparation for case transfer, I am annotating the database as regards what needs to be done at the site to resolve the alleged or known environmental contamination. Followup is needed to see whether Fleming Lei Shue conducted the investigation and to get a copy of the report. Mr. Ahmed (212) 675-3225 called me. He said that the report is complete. He said he will send it, but only a little contamination

530 WEST 27TH ST/MANH (Continued) **S104275540**

was found on the concrete slab that used to support the tank. He said the groundwater has a little benzene, but this is not from the tank as it had #6 oil. He said the benzene levels are in the single digits to about 19 ppb. 09/02/08-HRAHMED-Returned Mohamed of Flemming Lee Sue call and left a message to call back. 09/03/08-HRAHMED-Mohamed sent me Limited Site Assessment Report with end point sample analyticles. As per the report, New York City Fire Department (FDNY) records have indicated that the UST has been removed from the Site . 09/24/08-HRAHMED-Met with Mohamed of Flemming Lee Sue. No visual sign of affected drain or pit, no odor noticed. The openning of the basement is small. The base floor is a concrete finished basement. It used to be a club. this case is closed. "

Remarks: "BURIED UNDERGROUND TANK FILLED WITH WATER BUT SURFACE SOIL AROUND TANKTOP & CEMENT IS SEEPING WITH OIL, OIL WAS SAMPLED."

All Materials:

Site ID:	155911
Operable Unit ID:	927510
Operable Unit:	01
Material ID:	449130
Material Code:	0003A
Material Name:	#6 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Not reported
Recovered:	.00
Oxygenate:	Not reported

W181 **LOT 25,TAXBLOCK 699** **NY E DESIGNATION** **S108076893**
SSE **511 WEST 27 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.095 mi.
501 ft. **Site 6 of 7 in cluster W**

Relative:
Higher

Actual:
14 ft.

E DESIGNATION:

Tax Lot(s):	25
Tax Block:	699
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported

R182 **CON EDISON** **NY MANIFEST** **S117318777**
SE **315 10TH AVE & 28TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.095 mi.
502 ft. **Site 5 of 6 in cluster R**

Relative:
Higher

Actual:
16 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004663530
Facility Status:	Not reported
Location Address 1:	315 10TH AVE & 28TH ST
Code:	BP
Location Address 2:	SB 43155
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004663530
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	09/22/2014
Trans1 Recv Date:	09/22/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/25/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004663530
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	013255716JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported

CON EDISON (Continued) **S117318777**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

R183 **CON EDISON** **NY MANIFEST** **S117318775**
SE **315 10TH AVE & 28TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.095 mi.
502 ft. **Site 6 of 6 in cluster R**

Relative: **Higher**

Actual: **16 ft.**

NY MANIFEST:

Country:	USA
EPA ID:	NYP004663514
Facility Status:	Not reported
Location Address 1:	315 10TH AVE & 28TH ST
Code:	BP
Location Address 2:	SB 43154
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004663514
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

CON EDISON (Continued) **S117318775**

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	09/22/2014
Trans1 Recv Date:	09/22/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/25/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004663514
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	013255715JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

V184
NNW
< 1/8
0.096 mi.
509 ft.

SPILL NUMBER 0303971
605 WEST 30TH ST
MANHATTAN, NY

Site 10 of 14 in cluster V

NY Spills **S106016123**
N/A

Relative:
Higher

Actual:
14 ft.

SPILLS:

Facility ID:	0303971
Facility Type:	ER
Spill Number:	0303971
DER Facility ID:	113770
Site ID:	132083
DEC Region:	2
Closed Date:	2003-07-16
Spill Cause:	Human Error
Spill Class:	C4
SWIS:	3101
Spill Date:	2003-07-15
Investigator:	CESAWYER
Referred To:	Not reported
Reported to Dept:	2003-07-15
CID:	418
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Federal Government
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2003-07-15
Spill Record Last Update:	2003-07-16
Spiller Name:	ANTHONY VELVESCOVO
Spiller Company:	SHABONE,FRONTEIR,TEMPER
Spiller Address:	605 WEST 30TH ST
Spiller Company:	001
Contact Name:	CALLER
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SAWYER Sawyer confirmed that the clean up was complete"
Remarks:	"caller states the forlift operator punctured the barrels while trying to move them, clean up is complete"

All Materials:

Site ID:	132083
Operable Unit ID:	870991
Operable Unit:	01
Material ID:	504831
Material Code:	0015
Material Name:	motor oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	50.00
Units:	G
Recovered:	50.00
Oxygenate:	Not reported

Site ID:	132083
Operable Unit ID:	870991
Operable Unit:	01

SPILL NUMBER 0303971 (Continued) **S106016123**

Material ID:	504832
Material Code:	0021
Material Name:	transmission fluid
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	50.00
Units:	G
Recovered:	50.00
Oxygenate:	Not reported

V185 **NYC DEP-TUNNEL NO 3 SHAFT 26B** **RCRA NonGen / NLR** **1014957335**
NNW **605 W 30TH ST** **NYP000968388**
< 1/8 **NEW YORK, NY 10001**
0.096 mi.
509 ft. **Site 11 of 14 in cluster V**

Relative:
Higher

Actual:
14 ft.

RCRA NonGen / NLR:

Date form received by agency:	10/12/2012
Facility name:	NYC DEP-TUNNEL NO 3 SHAFT 26B
Facility address:	605 W 30TH ST NEW YORK, NY 10001
EPA ID:	NYP000968388
Mailing address:	W 49TH ST NEW YORK, NY 10019
Contact:	JOHN MCCLUSKEY
Contact address:	W 49TH ST NEW YORK, NY 10019
Contact country:	US
Contact telephone:	212-262-2340
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	06/14/2012
Site name:	NYC DEPC
Classification:	Conditionally Exempt Small Quantity Generator

NYC DEP-TUNNEL NO 3 SHAFT 26B (Continued) **1014957335**

Violation Status: No violations found

V186 **NYC DEPC** **NJ MANIFEST** **S117984952**
NNW **605 W 30TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.096 mi.
509 ft. **Site 12 of 14 in cluster V**

Relative: Higher

Actual: 14 ft.

NJ MANIFEST:

EPA Id:	NYP000968388
Mail Address:	W 49TH ST
Mail City/State/Zip:	NEW YORK, NY 10019
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	JOHN MCCLUSKEY
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	008972620JJK
EPA ID:	NYP000968388
Date Shipped:	6/20/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD991291105
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported

NYC DEPC (Continued) **S117984952**

Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10019
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D009
Hand Code:	Not reported
Quantity:	30.00 Pounds

V187 **NYC DEPC** **NY MANIFEST** **S112139537**
NNW **605 W 30TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.096 mi.
509 ft. **Site 13 of 14 in cluster V**

Relative:
Higher

Actual:
14 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP000968388
Facility Status:	Not reported
Location Address 1:	605 W 30TH ST TUNNEL NO 3 SHAFT 26B
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP000968388
Mailing Name:	NYC DEPC
Mailing Contact:	NYC DEPC
Mailing Address 1:	605 W 30TH ST TUNNEL NO 3 SHAFT 26B
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10001
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2012
Trans1 State ID:	NJD991291105
Trans2 State ID:	Not reported
Generator Ship Date:	06/20/2012

NYC DEPC (Continued) **S112139537**

Trans1 Recv Date:	06/20/2012
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/20/2012
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP000968388
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	008972620JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	30.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	L Landfill.
Specific Gravity:	1.0
Waste Code:	D009
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

S188 **NORTH CHELSEA** **NY UST** **U004190187**
East **500 WEST 30TH STREET** **N/A**
< 1/8 **NY, NY 10022**
0.097 mi.
512 ft. **Site 5 of 15 in cluster S**

Relative: **Higher**
Actual: **17 ft.**

UST:

Id/Status:	2-611806 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	584326.97580

NORTH CHELSEA (Continued) **U004190187**

UTM Y: 4511709.46619
Site Type: Other

Affiliation Records:

Site Id: 463424
Affiliation Type: Facility Owner
Company Name: WEST 30TH HIGHLINE HOLDINGS, LLC C/O THE RELATED
Contact Type: VP
Contact Name: GREG GUSHEE
Address1: 60 COLUMBUS CIRCLE
Address2: Not reported
City: NY
State: NY
Zip Code: 10023
Country Code: 001
Phone: (212) 801-1160
EMail: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2012-04-24

Site Id: 463424
Affiliation Type: Mail Contact
Company Name: TUTOR PERINI CORP.
Contact Type: Not reported
Contact Name: GREG GUSHEE
Address1: 1000 MAIN ST
Address2: Not reported
City: NEW ROCHELLE
State: NY
Zip Code: 10801
Country Code: 001
Phone: (914) 755-8997
EMail: RLABBE@PERINI.COM
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2012-04-24

Site Id: 463424
Affiliation Type: Facility Operator
Company Name: NORTH CHELSEA
Contact Type: Not reported
Contact Name: TUTOR PERINI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (914) 739-1908
EMail: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2012-04-24

Site Id: 463424
Affiliation Type: Emergency Contact
Company Name: WEST 30TH HIGHLINE HOLDINGS, LLC C/O THE RELATED

NORTH CHELSEA (Continued) **U004190187**

Contact Type:	Not reported
Contact Name:	ROB LABBE
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(914) 755-8997
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2012-04-24

Tank Info:

Tank Number:	001
Tank ID:	243786
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	03/28/2012
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	CGFREEDM
Last Modified:	04/14/2017

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
J00 - Dispenser - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None
D00 - Pipe Type - No Piping
L00 - Piping Leak Detection - None

Tank Number:	002
Tank ID:	243787
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported

NORTH CHELSEA (Continued) **U004190187**

Date Tank Closed: 03/28/2012
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: CGFREEDM
Last Modified: 04/14/2017

Equipment Records:

E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
D00 - Pipe Type - No Piping
L00 - Piping Leak Detection - None
J00 - Dispenser - None
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None

Tank Number: 003
Tank ID: 243788
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 03/28/2012
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: CGFREEDM
Last Modified: 04/14/2017

Equipment Records:

E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J00 - Dispenser - None

NORTH CHELSEA (Continued) **U004190187**

D00 - Pipe Type - No Piping
L00 - Piping Leak Detection - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None

Tank Number: 004
Tank ID: 243789
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 03/28/2012
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: CGFREEDM
Last Modified: 04/14/2017

Equipment Records:

G00 - Tank Secondary Containment - None
L00 - Piping Leak Detection - None
D00 - Pipe Type - No Piping
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J00 - Dispenser - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
E00 - Piping Secondary Containment - None
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None

Tank Number: 005
Tank ID: 243790
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 03/28/2012
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported

NORTH CHELSEA (Continued) **U004190187**

Modified By: CGFREEDM
Last Modified: 04/14/2017

Equipment Records:

D00 - Pipe Type - No Piping
L00 - Piping Leak Detection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None
J00 - Dispenser - None

Tank Number: 006
Tank ID: 243791
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 03/28/2012
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: CGFREEDM
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
J00 - Dispenser - None
D00 - Pipe Type - No Piping
L00 - Piping Leak Detection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None

Tank Number: 007
Tank ID: 243792
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550

NORTH CHELSEA (Continued) **U004190187**

Install Date: Not reported
Date Tank Closed: 03/28/2012
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: CGFREEDM
Last Modified: 04/14/2017

Equipment Records:

G00 - Tank Secondary Containment - None
L00 - Piping Leak Detection - None
D00 - Pipe Type - No Piping
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
J00 - Dispenser - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None

Tank Number: 008
Tank ID: 243793
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 03/28/2012
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: CGFREEDM
Last Modified: 04/14/2017

Equipment Records:

D00 - Pipe Type - No Piping
L00 - Piping Leak Detection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
J00 - Dispenser - None
B00 - Tank External Protection - None

NORTH CHELSEA (Continued) **U004190187**

C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None

Tank Number: 009
Tank ID: 243794
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 03/28/2012
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: CGFREEDM
Last Modified: 04/14/2017

Equipment Records:

J00 - Dispenser - None
D00 - Pipe Type - No Piping
L00 - Piping Leak Detection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None

Tank Number: 010
Tank ID: 243795
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 03/28/2012
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported

NORTH CHELSEA (Continued) **U004190187**

Pipe Model: Not reported
Modified By: CGFREEDM
Last Modified: 04/14/2017

Equipment Records:

F00 - Pipe External Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
G00 - Tank Secondary Containment - None
J00 - Dispenser - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
L00 - Piping Leak Detection - None
D00 - Pipe Type - No Piping

Tank Number: 011
Tank ID: 243796
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 03/29/2012
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: CGFREEDM
Last Modified: 04/14/2017

Equipment Records:

E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None
D00 - Pipe Type - No Piping
L00 - Piping Leak Detection - None
J00 - Dispenser - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None

S189 **HIGHLINE HOLDINGS LLC** **NJ MANIFEST** **S117987414**
East **500 W 30TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.097 mi.
512 ft. **Site 6 of 15 in cluster S**

Relative:
Higher

Actual:
17 ft.

NJ MANIFEST:

EPA Id:	NYR000192435
Mail Address:	C/O THE RELATED COMPANIES
Mail City/State/Zip:	NEW YORK, NY 10023
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	JASON EBY
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	008971530JJK
EPA ID:	NYR000192435
Date Shipped:	5/1/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000076729
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported

HIGHLINE HOLDINGS LLC (Continued) **S117987414**

Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10023
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	57,860.00 Pounds

Manifest Number:	008970194JJK
EPA ID:	NYR000192435
Date Shipped:	4/13/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJ0000363820
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10023
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported

HIGHLINE HOLDINGS LLC (Continued) **S117987414**

Quantity:	56,000.00 Pounds
Manifest Number:	008970357JJK
EPA ID:	NYR000192435
Date Shipped:	4/17/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000076729
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10023
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	48,720.00 Pounds
Manifest Number:	008970381JJK
EPA ID:	NYR000192435
Date Shipped:	4/17/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000076729
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported

HIGHLINE HOLDINGS LLC (Continued) **S117987414**

Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10023
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	57,800.00 Pounds

Manifest Number:	008970396JJK
EPA ID:	NYR000192435
Date Shipped:	4/20/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000076729
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported

HIGHLINE HOLDINGS LLC (Continued) **S117987414**

Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10023
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	60,820.00 Pounds

Manifest Number:	008970402JJK
EPA ID:	NYR000192435
Date Shipped:	4/30/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000076729
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported

HIGHLINE HOLDINGS LLC (Continued) **S117987414**

Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10023
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	59,620.00 Pounds

Manifest Number:	008970408JJK
EPA ID:	NYR000192435
Date Shipped:	4/30/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000076729
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported

HIGHLINE HOLDINGS LLC (Continued) **S117987414**

Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10023
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 53,940.00 Pounds

Manifest Number: 008970410JJK
EPA ID: NYR000192435
Date Shipped: 4/30/2012
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJR000076729
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10023
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 60,500.00 Pounds

HIGHLINE HOLDINGS LLC (Continued) **S117987414**

Manifest Number:	008970411JJK
EPA ID:	NYR000192435
Date Shipped:	4/30/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000076729
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10023
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	25.00 Cubic Yards

Manifest Number:	008970420JJK
EPA ID:	NYR000192435
Date Shipped:	4/30/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000076729
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported

HIGHLINE HOLDINGS LLC (Continued) **S117987414**

Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10023
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	61,800.00 Pounds

Manifest Number:	008971560JJK
EPA ID:	NYR000192435
Date Shipped:	4/27/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000076729
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported

HIGHLINE HOLDINGS LLC (Continued) **S117987414**

Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10023
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	64,640.00 Pounds

Manifest Number:	008971562JJK
EPA ID:	NYR000192435
Date Shipped:	4/27/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000076729
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported

HIGHLINE HOLDINGS LLC (Continued) **S117987414**

Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10023
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	68,900.00 Pounds

Manifest Number:	008971565JJK
EPA ID:	NYR000192435
Date Shipped:	4/27/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000076729
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10023
Reason Load Was Rejected:	Not reported

HIGHLINE HOLDINGS LLC (Continued) **S117987414**

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 57,640.00 Pounds

Manifest Number: 008970094JJK
EPA ID: NYR000192435
Date Shipped: 4/12/2012
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJ0000363820
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10023
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 59,680.00 Pounds

Manifest Number: 008970102JJK
EPA ID: NYR000192435

HIGHLINE HOLDINGS LLC (Continued) **S117987414**

Date Shipped:	4/12/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJ0000363820
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10023
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	61,340.00 Pounds

Manifest Number:	008970117JJK
EPA ID:	NYR000192435
Date Shipped:	4/12/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJ0000363820
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported

HIGHLINE HOLDINGS LLC (Continued) **S117987414**

Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10023
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	55,140.00 Pounds

Manifest Number:	008970121JJK
EPA ID:	NYR000192435
Date Shipped:	4/13/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJ0000363820
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported

HIGHLINE HOLDINGS LLC (Continued) **S117987414**

Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10023
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	54,120.00 Pounds

Manifest Number:	008971576JJK
EPA ID:	NYR000192435
Date Shipped:	4/27/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000076729
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported

HIGHLINE HOLDINGS LLC (Continued) **S117987414**

Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10023
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	48,520.00 Pounds

Manifest Number:	008971581JJK
EPA ID:	NYR000192435
Date Shipped:	4/27/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000076729
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10023
Reason Load Was Rejected:	Not reported

Waste:

HIGHLINE HOLDINGS LLC (Continued) **S117987414**

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	49,560.00 Pounds

Manifest Number:	008971567JJK
EPA ID:	NYR000192435
Date Shipped:	4/27/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000076729
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10023
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	59,540.00 Pounds

S190 **CONSTRUCTION SITE** **NY Spills** **S111835178**
East **500 WEST 30TH ST** **N/A**
< 1/8 **NEW YORK (MANHATTAN), NY**
0.097 mi.
512 ft. **Site 7 of 15 in cluster S**

Relative:
Higher

Actual:
17 ft.

SPILLS:

Facility ID:	1114471
Facility Type:	ER
Spill Number:	1114471
DER Facility ID:	416953
Site ID:	462530
DEC Region:	2
Closed Date:	2012-09-06
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	2012-03-29
Investigator:	RMPIPER
Referred To:	Not reported
Reported to Dept:	2012-03-29
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2012-03-29
Spill Record Last Update:	2012-09-06
Spiller Name:	KEVIN MCGUNISS
Spiller Company:	UNK SPILLER
Spiller Address:	500 WEST 30TH ST
Spiller Company:	999
Contact Name:	KEVIN MCGUNISS
DEC Memo:	"DEC Piper reviewed the tank closure report. 11 550 tanks were removed in total along with all cont soil. Endpoints showed low level VOCs and SVOCs. Site is being redeveloped and will have a vapro barrier as the basement will be set in GW. Historically gw showed low level CVOCs from adjacent site though none in sopil and soil vapor. Based on work to date, no further action is warranted. A CVOC plume trackdown investigation is being conducted at the adjacent site and surrounding area. See edoc for report. "
Remarks:	"during excavation tank w/ water found, c/u pending"

All Materials:

Site ID:	462530
Operable Unit ID:	1212614
Operable Unit:	01
Material ID:	2210491
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported

CONSTRUCTION SITE (Continued) **S111835178**

Oxygenate: Not reported

S191 **THE RELATED COMPANIES** **PA MANIFEST** **S113739505**
East **500 W 30TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.097 mi.
512 ft. **Site 8 of 15 in cluster S**

Relative: **Higher**

Actual: **17 ft.**

Manifest Details:

Year:	2012
Manifest Number:	005077687FLE
Manifest Type:	TSD Copy
Generator EPA Id:	NYR000192435
Generator Date:	04/20/2012
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address:	2869 SANDSTONE DRIVE
TSD Facility City:	HATFIELD
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Waste Quantity:	20
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported

Year:	2012
Manifest Number:	005077697FLE
Manifest Type:	TSD Copy
Generator EPA Id:	NYR000192435
Generator Date:	04/20/2012
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address:	2869 SANDSTONE DRIVE
TSD Facility City:	HATFIELD
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)

THE RELATED COMPANIES (Continued) **S113739505**

Waste Quantity: 20
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

Year: 2012
Manifest Number: 005077495FLE
Manifest Type: TSD Copy
Generator EPA Id: NYR000192435
Generator Date: 04/17/2012
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address: 2869 SANDSTONE DRIVE
TSD Facility City: HATFIELD
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D008
Container Number: 1
Container Type: Dump truck
Waste Quantity: 20
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

Year: 2012
Manifest Number: 005077486FLE
Manifest Type: TSD Copy
Generator EPA Id: NYR000192435
Generator Date: 04/17/2012
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address: 2869 SANDSTONE DRIVE
TSD Facility City: HATFIELD
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D008
Container Number: 1
Container Type: Dump truck
Waste Quantity: 30
Unit: Pounds
Handling Code: Not reported

THE RELATED COMPANIES (Continued) **S113739505**

TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

Year: 2012
Manifest Number: 005077686FLE
Manifest Type: TSD Copy
Generator EPA Id: NYR000192435
Generator Date: 04/20/2012
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address: 2869 SANDSTONE DRIVE
TSD Facility City: HATFIELD
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D008
Container Number: 1
Container Type: Metal boxes, cartons, cases (including roll-offs)
Waste Quantity: 20
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

Year: 2012
Manifest Number: 005077693FLE
Manifest Type: TSD Copy
Generator EPA Id: NYR000192435
Generator Date: 04/20/2012
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address: 2869 SANDSTONE DRIVE
TSD Facility City: HATFIELD
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D008
Container Number: 1
Container Type: Metal boxes, cartons, cases (including roll-offs)
Waste Quantity: 20
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

THE RELATED COMPANIES (Continued) **S113739505**

Year:	2012
Manifest Number:	005077695FLE
Manifest Type:	TSD Copy
Generator EPA Id:	NYR000192435
Generator Date:	04/20/2012
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address:	2869 SANDSTONE DRIVE
TSD Facility City:	HATFIELD
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Waste Quantity:	20
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported

Year:	2012
Manifest Number:	005077689FLE
Manifest Type:	TSD Copy
Generator EPA Id:	NYR000192435
Generator Date:	04/20/2012
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address:	2869 SANDSTONE DRIVE
TSD Facility City:	HATFIELD
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Waste Quantity:	20
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported

Year:	2012
Manifest Number:	005077479FLE
Manifest Type:	TSD Copy

THE RELATED COMPANIES (Continued) **S113739505**

Generator EPA Id:	NYR000192435
Generator Date:	04/17/2012
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address:	2869 SANDSTONE DRIVE
TSD Facility City:	HATFIELD
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Dump truck
Waste Quantity:	20
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported

Year:	2012
Manifest Number:	005077696FLE
Manifest Type:	TSD Copy
Generator EPA Id:	NYR000192435
Generator Date:	04/20/2012
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address:	2869 SANDSTONE DRIVE
TSD Facility City:	HATFIELD
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Waste Quantity:	20
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported

Click this hyperlink while viewing on your computer to access
10 additional PA_MANIFEST: record(s) in the EDR Site Report.

S192 **HIGHLINE HOLDINGS LLC** **RCRA NonGen / NLR** **1014958007**
East **500 W 30TH ST** **NY MANIFEST** **NYR000192435**
< 1/8 **NEW YORK, NY 10001**
0.097 mi.
512 ft. **Site 9 of 15 in cluster S**

Relative:
Higher

Actual:
17 ft.

RCRA NonGen / NLR:

Date form received by agency:	09/17/2012
Facility name:	HIGHLINE HOLDINGS LLC
Facility address:	500 W 30TH ST NEW YORK, NY 10001
EPA ID:	NYR000192435
Mailing address:	C/O THE RELATED COMPANIES 60 COLUMBUS CIRCLE NEW YORK, NY 10023
Contact:	JASON EBY
Contact address:	C/O THE RELATED COMPANIES 60 COLUMBUS CIRCLE NEW YORK, NY 10023
Contact country:	US
Contact telephone:	702-210-1271
Contact email:	JEBY@PERINIWEST.COM
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	THE RELATED COMPANIES
Owner/operator address:	COLUMBUS CIRCLE NEW YORK, NY 10023
Owner/operator country:	US
Owner/operator telephone:	212-801-3791
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	09/22/2004
Owner/Op end date:	Not reported

Owner/operator name:	TUTOR PERINI
Owner/operator address:	Not reported Not reported
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	09/22/2004
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No

HIGHLINE HOLDINGS LLC (Continued) **1014958007**

Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
Date form received by agency: 04/04/2012
Site name: HIGHLINE HOLDINGS LLC
Classification: Small Quantity Generator

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYR000192435
Facility Status: Not reported
Location Address 1: 500 WEST 30TH STREET & 10TH AVENUE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000192435
Mailing Name: HIGHLINE HOLDINGS LLC
Mailing Contact: RAHUL BHATIA
Mailing Address 1: 60 COLUMBUS CIRCLE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10023
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 7022101271

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2012
Trans1 State ID: NJR000076729
Trans2 State ID: Not reported

HIGHLINE HOLDINGS LLC (Continued) **1014958007**

Generator Ship Date:	05/01/2012
Trans1 Recv Date:	05/01/2012
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/01/2012
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000192435
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	008971556JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	Y
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H111
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	65600.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DT - Dump trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1.0
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
223 additional NY_MANIFEST: record(s) in the EDR Site Report.

---

193 **WEST 28TH STREET YARD** **NY Spills** **S110540908**
WNW **281 11TH AVE** **N/A**
< 1/8 **MAHATTAN, NY**
0.098 mi.
516 ft.

Relative: SPILLS:
Lower

Facility ID:	1006545
Facility Type:	ER
Spill Number:	1006545
DER Facility ID:	394905
Site ID:	439904

Actual:
12 ft.

WEST 28TH STREET YARD (Continued) **S110540908**

DEC Region:	2
Closed Date:	2010-09-16
Spill Cause:	Equipment Failure
Spill Class:	D5
SWIS:	3101
Spill Date:	2010-09-16
Investigator:	smsanges
Referred To:	Not reported
Reported to Dept:	2010-09-16
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2010-09-16
Spill Record Last Update:	2010-10-19
Spiller Name:	ERT
Spiller Company:	CONEDISON
Spiller Address:	4 IRVING PLACE
Spiller Company:	999
Contact Name:	ERT
DEC Memo:	"10/19/10 - Austin - 1-pint anti-freeze spill from Con Ed vehicle - Con Ed contained and cleaned up the release - see eDocs documents for more information - closed - end "
Remarks:	"Company Vehicle 60876 spilled on to blacktop, asphalt, clean up is complete as of 1136 hours. Approx.16 oz."

All Materials:

Site ID:	439904
Operable Unit ID:	1190534
Operable Unit:	01
Material ID:	2185557
Material Code:	0043A
Material Name:	antifreeze
Case No.:	Not reported
Material FA:	Other
Quantity:	.05
Units:	Not reported
Recovered:	.05
Oxygenate:	Not reported

Y194 **LOT 34,TAXBLOCK 700** **NY E DESIGNATION** **S108076926**
ESE **323 10 AVENUE** **N/A**
< 1/8 **MANHATTAN, NY**
0.098 mi.
517 ft. **Site 5 of 14 in cluster Y**

Relative: **Higher**

Actual: **17 ft.**

E DESIGNATION:

Tax Lot(s):	34
Tax Block:	700
Borough Code:	Not reported
E-No:	E-142

LOT 34,TAXBLOCK 700 (Continued) **S108076926**

Effective Date: 6/23/2005
Satisfaction Date: Not reported
Ceqr Number: 03DCP069M
Ulurp Number: 050161 ZRM
Zoning Map No: 8b

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

W195
SSE
< 1/8
0.098 mi.
520 ft.

LOT 26,TAXBLOCK 699
509 WEST 27 STREET
MANHATTAN, NY

NY E DESIGNATION **S108076895**
N/A

Site 7 of 7 in cluster W

Relative:
Higher

Actual:
14 ft.

E DESIGNATION:
Tax Lot(s): 26
Tax Block: 699
Borough Code: Not reported
E-No: E-142
Effective Date: 6/23/2005
Satisfaction Date: Not reported
Ceqr Number: 03DCP069M
Ulurp Number: 050161 ZRM
Zoning Map No: 8b

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

S196
East
< 1/8
0.098 mi.
520 ft.

LOT 37,TAXBLOCK 701
333 10 AVENUE
MANHATTAN, NY

NY E DESIGNATION **S108076937**
N/A

Site 10 of 15 in cluster S

Relative:
Higher

Actual:
17 ft.

E DESIGNATION:
Tax Lot(s): 37
Tax Block: 701
Borough Code: Not reported
E-No: E-142
Effective Date: 6/23/2005
Satisfaction Date: Not reported
Ceqr Number: 03DCP069M
Ulurp Number: 050161 ZRM
Zoning Map No: 8b

Description: Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date: Not reported

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation

LOT 37,TAXBLOCK 701 (Continued) **S108076937**

Lot Remediation Date: Not reported

Y197 **501 WEST 29TH STREET** **NY AST** **U003391411**
ESE **501 WEST 29TH STREET** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.099 mi.
521 ft. **Site 6 of 14 in cluster Y**

Relative:
Higher

Actual:
17 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-373893
Program Type:	PBS
UTM X:	584279.23271
UTM Y:	4511666.22216
Expiration Date:	10/06/2022
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	18790
Affiliation Type:	Facility Owner
Company Name:	BILL LAMBROS
Contact Type:	MANAGING AGENT
Contact Name:	NIKOLAOS LEONARDOS
Address1:	862 MCDONALD AVE
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11218
Country Code:	001
Phone:	(718) 854-5077
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	2007-09-10

Site Id:	18790
Affiliation Type:	Mail Contact
Company Name:	ATHANASIA LAMBROS
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	308 84TH STREET
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11209
Country Code:	001
Phone:	(718) 854-5077
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	18790
Affiliation Type:	Facility Operator
Company Name:	501 WEST 29TH STREET
Contact Type:	Not reported

501 WEST 29TH STREET (Continued) **U003391411**

Contact Name:	ATHANASIA LAMBROS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 854-5077
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	18790
Affiliation Type:	Emergency Contact
Company Name:	BILL LAMBROS
Contact Type:	Not reported
Contact Name:	ATHANASIA LAMBROS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 854-5077
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank Id:	21421
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	01/01/1924
Capacity Gallons:	1500
Tightness Test Method:	NN
Date Test:	Not reported

501 WEST 29TH STREET (Continued) **U003391411**

Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	KXTANG
Last Modified:	04/14/2017
Material Name:	#2 fuel oil (on-site consumption)

T198 **MOBIL STATION 17510** **NY Spills** **S107408798**
NNW **309 11TH AVE** **N/A**
< 1/8 **MANHATTAN, NY**
0.099 mi.
522 ft. **Site 2 of 3 in cluster T**

Relative: **Higher**
Actual: **14 ft.**

SPILLS:

Facility ID:	0807364
Facility Type:	ER
Spill Number:	0807364
DER Facility ID:	299588
Site ID:	404708
DEC Region:	2
Closed Date:	2008-11-20
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2008-09-30
Investigator:	MJHAGGER
Referred To:	Not reported
Reported to Dept:	2008-09-30
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2008-09-30
Spill Record Last Update:	2017-01-31
Spiller Name:	MIKE MEYERHOEFER
Spiller Company:	MOBIL STATION 17510
Spiller Address:	309 11TH AVE
Spiller Company:	999
Contact Name:	MIKE MEYERHOEFER
DEC Memo:	"11/20/08 - Haggerty: Spill called in due to an Ethanol detection in 1 well of 700ppb. Crompco tested tank system. System tight. Spill closed managing the remediation of the property under Spill # 93-05598 1/31/17-Vought-Spill 9305598 previously closed by DEC Haggerty. Vought received email from OER Chawla that Closed Spill # 9305598, 0506979, 0807364 at 609 West 29th Street- Jeff and Randy: We have a developer coming for 609 West 29th Street property with three closed spills. Please let me know who is managing this. Thanks, . Vought replied to OER Chawla that Shaminder, Two of the three above spills were managed by Mike Haggerty, who is copied above. In a recent inquiry with respect to anther closed spill of his we were told he is no longer managing Spills cases. When we close spills, it is due to no further concern with respect to soil, groundwater, and

MOBIL STATION 17510 (Continued) **S107408798**

soil vapor. As future use has changed our only concerns would be with respect to a possible need for vapor mitigation. As such, I will be managing this and will track my work under Spill 0807364 which will remain closed for now. As groundwater is shallow in that area, hopefully the development will include excavation into the water table for total source removal, development into the water table to avoid complications associated with SSDS approval, or parking garage or mechanical spaces on the lowest levels. Thanks and I look forward to receiving more information on the development plans, . Vought received reply from OER Chawla that Thanks Jeff: We met developer today. This is going to be gig $500 million development that includes retail, parking and 950 apartments. Currently, they are in ULURP process. We are scoping investigation plan with them and will keep you in loop. They plan to enter State BCP in future. Vought replied with Thanks again for the info . DEC Possibly Requires: 1)Submission of OER development plans with possible need for vapor mitigation and possible spill reopening, if necessary. 2)No further concerns with respect to soil and groundwater, as of 1/31/17, due to spill closure by DEC Haggerty. 3)CC to OER Chawla and DEC Haggerty"

Remarks: "CALLER STATES THAT THEY GOT TEST RESULTS BACK TODAY SHOWING ETHANOL IN GROUND WATER. CLEAN UP IS PENDING FURTHER INVESTIGATION."

All Materials:

Site ID:	404708
Operable Unit ID:	1161352
Operable Unit:	01
Material ID:	2152553
Material Code:	0303A
Material Name:	ethanol
Case No.:	00064175
Material FA:	Other
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	True

Facility ID:	0506979
Facility Type:	ER
Spill Number:	0506979
DER Facility ID:	299588
Site ID:	352291
DEC Region:	2
Closed Date:	2006-12-14
Spill Cause:	Unknown
Spill Class:	C3
SWIS:	3101
Spill Date:	2005-09-08
Investigator:	DKHARRIN
Referred To:	Not reported
Reported to Dept:	2005-09-08
CID:	409
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported

MOBIL STATION 17510 (Continued) **S107408798**

Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2005-09-08
Spill Record Last Update:	2006-12-14
Spiller Name:	FRANK MUSSENA
Spiller Company:	MOBILE#17-510
Spiller Address:	309 11TH AVE
Spiller Company:	001
Contact Name:	FRANK MUSSENA
DEC Memo:	"tracking under spill 93-05598"
Remarks:	"CLEAN UP IS IN PROCESS. INVESTIGATION GOING ON UNDER AN OLD CASE # 93-05598. SPOKE WITH DAVE HERRINGTON THAT WORKS IN REGION 2. FOUND IT IN GROUND WATER SAMPLING."

All Materials:

Site ID:	352291
Operable Unit ID:	1109797
Operable Unit:	01
Material ID:	2099816
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	.00
Oxygenate:	Not reported

T199 **MOBIL OIL CORP SS #510** **NY UST** **1000553497**
NNW **309 11TH AVE** **NY Spills** **NYD986959187**
< 1/8 **NEW YORK, NY 10001** **RCRA NonGen / NLR**
0.099 mi. **US AIRS**
522 ft. **Site 3 of 3 in cluster T**

Relative: Higher
Actual: 14 ft.

UST:

Id/Status:	2-157953 / Active
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	11/18/2020
UTM X:	584054.04535
UTM Y:	4511837.08611
Site Type:	Retail Gasoline Sales

Affiliation Records:

Site Id:	5259
Affiliation Type:	Facility Operator
Company Name:	GLOBAL MONTELLO GROUP #1737
Contact Type:	Not reported
Contact Name:	ERIC HARVEY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 594-1515

MOBIL OIL CORP SS #510 (Continued) **1000553497**

EMail:	Not reported
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-12-04

Site Id:	5259
Affiliation Type:	Emergency Contact
Company Name:	WEST SIDE 11TH & 29TH LLC % MARJORIE E NEWSBITT
Contact Type:	Not reported
Contact Name:	CALL CENTER
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(888) 674-7601
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2015-09-25

Site Id:	5259
Affiliation Type:	Facility Owner
Company Name:	WEST SIDE 11TH & 29TH LLC
Contact Type:	AUTHORIZED REPRESENTATIVE
Contact Name:	MEGAN KAZMIERCZAK
Address1:	445 PARK AVE, SUITE 1503
Address2:	Not reported
City:	NEW ORK
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 567-8100
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2017-09-13

Site Id:	5259
Affiliation Type:	Mail Contact
Company Name:	ATC ECLIPSE
Contact Type:	Not reported
Contact Name:	MEGAN KAZMIERCZAK
Address1:	705 A LAKEVIEW PLAZA BLVD.
Address2:	Not reported
City:	WORTHINGTON
State:	OH
Zip Code:	43085
Country Code:	001
Phone:	(413) 789-3530
EMail:	MEGAN.KAZMIERCZAK@ATCASSOCIATES.COM
Fax Number:	Not reported
Modified By:	MFLEONAR
Date Last Modified:	2017-10-30

MOBIL OIL CORP SS #510 (Continued) **1000553497**

Tank Info:

Tank Number:	001
Tank ID:	27717
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	4000
Install Date:	06/01/1973
Date Tank Closed:	09/01/1993
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	09
Date Test:	11/01/1993
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

I00 - Overfill - None
B04 - Tank External Protection - Fiberglass
J01 - Dispenser - Pressurized Dispenser
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground

Tank Number:	002
Tank ID:	27718
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	4000
Install Date:	06/01/1973
Date Tank Closed:	09/01/1993
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	09
Date Test:	11/01/1993
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser

MOBIL OIL CORP SS #510 (Continued) **1000553497**

B04 - Tank External Protection - Fiberglass
I00 - Overfill - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
A00 - Tank Internal Protection - None
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
C02 - Pipe Location - Underground/On-ground

Tank Number: 003
Tank ID: 27719
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 1000
Install Date: 12/01/1973
Date Tank Closed: 12/01/1973
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser

Tank Number: 004
Tank ID: 27720
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 4000
Install Date: 12/01/1973
Date Tank Closed: 12/01/1973
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT

MOBIL OIL CORP SS #510 (Continued) **1000553497**

Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None

Tank Number: 005
Tank ID: 27721
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 2000
Install Date: 12/01/1973
Date Tank Closed: 12/01/1973
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None

Tank Number: 006
Tank ID: 27722
Tank Status: Tank Converted to Non-Regulated Use
Material Name: Tank Converted to Non-Regulated Use
Capacity Gallons: 550
Install Date: 12/01/1973
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

MOBIL OIL CORP SS #510 (Continued) **1000553497**

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number: 007
Tank ID: 42028
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 6000
Install Date: 06/01/1973
Date Tank Closed: 09/01/1993
Registered: True
Tank Location: Underground
Tank Type: Equivalent technology
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 09
Date Test: 11/01/1993
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
B04 - Tank External Protection - Fiberglass
I00 - Overfill - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
C02 - Pipe Location - Underground/On-ground

Tank Number: 008
Tank ID: 47907
Tank Status: In Service
Material Name: In Service
Capacity Gallons: 4000
Install Date: 09/01/1993
Date Tank Closed: Not reported

MOBIL OIL CORP SS #510 (Continued) **1000553497**

Registered:	True
Tank Location:	Underground
Tank Type:	Fiberglass coated steel
Material Code:	2712
Common Name of Substance:	Gasoline/Ethanol
Tightness Test Method:	09
Date Test:	11/01/1993
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	DAFRANCI
Last Modified:	09/13/2017

Equipment Records:

L07 - Piping Leak Detection - Pressurized Piping Leak Detector
G04 - Tank Secondary Containment - Double-Walled (Underground)
B04 - Tank External Protection - Fiberglass
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
E04 - Piping Secondary Containment - Double walled UG
J01 - Dispenser - Pressurized Dispenser
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I01 - Overfill - Float Vent Valve

Tank Number:	009A
Tank ID:	47908
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	8000
Install Date:	09/01/1993
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Fiberglass coated steel
Material Code:	2712
Common Name of Substance:	Gasoline/Ethanol
Tightness Test Method:	09
Date Test:	11/01/1993
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	DAFRANCI
Last Modified:	09/13/2017

Equipment Records:

C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I01 - Overfill - Float Vent Valve
E04 - Piping Secondary Containment - Double walled UG

MOBIL OIL CORP SS #510 (Continued) **1000553497**

J01 - Dispenser - Pressurized Dispenser
L07 - Piping Leak Detection - Pressurized Piping Leak Detector
B04 - Tank External Protection - Fiberglass
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number:	009B
Tank ID:	47909
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	0
Install Date:	09/01/1993
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Fiberglass coated steel
Material Code:	2712
Common Name of Substance:	Gasoline/Ethanol

Tightness Test Method:	09
Date Test:	11/01/1993
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	DAFRANCI
Last Modified:	09/13/2017

Equipment Records:

C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I01 - Overfill - Float Vent Valve
B04 - Tank External Protection - Fiberglass
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
E04 - Piping Secondary Containment - Double walled UG
G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number:	011
Tank ID:	47910
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	4000
Install Date:	09/01/1993
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Fiberglass coated steel
Material Code:	2712
Common Name of Substance:	Gasoline/Ethanol

MOBIL OIL CORP SS #510 (Continued) **1000553497**

Tightness Test Method: 09
Date Test: 11/01/1993
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: DAFRANCI
Last Modified: 09/13/2017

Equipment Records:

B04 - Tank External Protection - Fiberglass
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
G04 - Tank Secondary Containment - Double-Walled (Underground)
E04 - Piping Secondary Containment - Double walled UG
A00 - Tank Internal Protection - None
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I01 - Overfill - Float Vent Valve
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
J02 - Dispenser - Suction Dispenser

Tank Number: 012
Tank ID: 47911
Tank Status: In Service
Material Name: In Service
Capacity Gallons: 4000
Install Date: 09/01/1993
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Fiberglass coated steel
Material Code: 0008
Common Name of Substance: Diesel

Tightness Test Method: 09
Date Test: 11/01/1993
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: DAFRANCI
Last Modified: 09/13/2017

Equipment Records:

C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
L07 - Piping Leak Detection - Pressurized Piping Leak Detector
E04 - Piping Secondary Containment - Double walled UG
H04 - Tank Leak Detection - Groundwater Well
J01 - Dispenser - Pressurized Dispenser
B04 - Tank External Protection - Fiberglass
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
G04 - Tank Secondary Containment - Double-Walled (Underground)
A00 - Tank Internal Protection - None
I01 - Overfill - Float Vent Valve

MOBIL OIL CORP SS #510 (Continued) **1000553497**

Tank Number:	013
Tank ID:	50648
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	1000
Install Date:	09/01/1993
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Fiberglass coated steel
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NTFREEMA
Last Modified:	04/14/2017

Equipment Records:

D00 - Pipe Type - No Piping
L00 - Piping Leak Detection - None
B04 - Tank External Protection - Fiberglass
E00 - Piping Secondary Containment - None
I00 - Overfill - None
K01 - Spill Prevention - Catch Basin
J00 - Dispenser - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
H04 - Tank Leak Detection - Groundwater Well
G04 - Tank Secondary Containment - Double-Walled (Underground)
A00 - Tank Internal Protection - None

Tank Number:	100
Tank ID:	228389
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	08/18/1993
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NRLOMBAR
Last Modified:	04/14/2017

Equipment Records:

B00 - Tank External Protection - None
A00 - Tank Internal Protection - None

MOBIL OIL CORP SS #510 (Continued) **1000553497**

G00 - Tank Secondary Containment - None

Tank Number: 101
Tank ID: 228390
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 08/18/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None

Tank Number: 102
Tank ID: 228391
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 08/18/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None

Tank Number: 103
Tank ID: 228392
Tank Status: Closed - Removed

MOBIL OIL CORP SS #510 (Continued) **1000553497**

Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 08/18/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None

Tank Number: 104
Tank ID: 228393
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 08/18/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None

Tank Number: 105
Tank ID: 228394
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 08/18/1993
Registered: True
Tank Location: Underground

MOBIL OIL CORP SS #510 (Continued) **1000553497**

Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None

Tank Number: 106
Tank ID: 228395
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 08/18/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None

Tank Number: 107
Tank ID: 228396
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 08/18/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported

MOBIL OIL CORP SS #510 (Continued) **1000553497**

Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None

Tank Number: 108
Tank ID: 228397
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 08/18/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None

Tank Number: 109
Tank ID: 228398
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 08/18/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None

MOBIL OIL CORP SS #510 (Continued) **1000553497**

G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None

Tank Number: 110
Tank ID: 228399
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 08/18/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None

Tank Number: 111
Tank ID: 228400
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 08/18/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None

Tank Number: 112
Tank ID: 228401

MOBIL OIL CORP SS #510 (Continued) **1000553497**

Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 08/18/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:
B00 - Tank External Protection - None
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None

Tank Number: 113
Tank ID: 228402
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 08/18/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:
B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None

Tank Number: 114
Tank ID: 228403
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 08/18/1993
Registered: True

MOBIL OIL CORP SS #510 (Continued) **1000553497**

Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None

Tank Number: 115
Tank ID: 228404
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 08/18/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None

Tank Number: 116
Tank ID: 228405
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 08/18/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN

MOBIL OIL CORP SS #510 (Continued) **1000553497**

Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None

SPILLS:

Facility ID: 9305598
Facility Type: ER
Spill Number: 9305598
DER Facility ID: 158726
Site ID: 190224
DEC Region: 2
Closed Date: 2014-11-26
Spill Cause: Equipment Failure
Spill Class: B3
SWIS: 3101
Spill Date: 1993-08-05
Investigator: MJHAGGER
Referred To: Not reported
Reported to Dept: 1993-08-05
CID: Not reported
Water Affected: Not reported
Spill Source: Gasoline Station or other PBS Facility
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: True
Remediation Phase: 0
Date Entered In Computer: 1993-08-09
Spill Record Last Update: 2014-11-26
Spiller Name: FRANK MESSINA
Spiller Company: EXXONMOBIL CORPORATION
Spiller Address: 1545 ROUTE 22 EAST
Spiller Company: 001
Contact Name: Not reported
DEC Memo: "2/10/2004: This spill case was reassigned from Sigona to Rommel for management. (Sigona) 10/7/2004: Project management transferred to D. Harrington in Central Office. (Rommel) 10/7/2004: Sent letter to Exxon Mobil approving the site characterization work plan. (Harrington) 6/6/2005: Sent Exxon Mobil a letter approving the SI report and the supplemental SI work plan. Additional monitoring wells will be installed along West 30th Street. Quarterly sampling will be conducted for 1 year, then a remedial plan will be developed if necessary. (Harrington) 9/8/2005: Spill no. 05-06979 was assigned due free product being observed in MW-1. Nature of the product was unknown at the time spill was called in. (Harrington) 10/4/2005: Sent e-mail to Exxon Mobil approving the revised supplemental SI work plan, which changed the location of the proposed monitoring wells along the south side of West 30th Street due to utility clearance

MOBIL OIL CORP SS #510 (Continued) **1000553497**

issues. (Harrington) 2/1/2006: Approved the supplemental SI report. Station is currently scheduled for divestment in the first half of 2006. Exxon Mobil to submit documentation regarding decommissioning activities when they occur. RAP will be developed after receipt and review of decomission report and the analytical results of 4 additional rounds of quarterly groundwater sampling. (Harrington) 3/8/07 - DEC lead changed from Dave Harrington to Mike Haggerty 7/3/07 - Haggerty - approved Groundwater Characterization Work Plan dated 6/28/07. MW-1 along West 30th Street has had intermittent product over the past year. Kleinfelder didn t believe product to be petroleum based. Running parallel to the sidewalk are Oil-o-Static Electric lines. These underground lines are insulated by a di-electric. Kleinfelder believed PCB s could be the unknown product in the well. I was on-site July 26, 2007 when they sampled to see for myself. No free product. Analyticals proved no PCB s are present, only petroleum compounds detected. 7/26/07 - I was on-site while they sampled to see for myself. No free product. Analyticals eventually proved no PCB s are present, only petroleum compounds detected. 1/3/08 - Haggerty - spoke with Shan Zuidema from Kleinfelder concerning future remediation plans. EFR events were conducted monthly starting in September. Effectiveness will be determined after the January EFR event. Additional remedial strategies will be proposed. Also, groundwater isn't fully delineated. The placement of additional downgradient MWs is difficult due to the presence of underground utilities in the adjacent sidewalks. 6/2/08 - Haggerty - approved Remedial Investigation Work Plan dated May 20, 2008. Additional wells will be installed in the northern portion of the site to track down free product and get a sample for analysis. Kleinfelder proposed eliminating EFR events. Approved discontinuation of EFR events because BTEX dissolved concentrations low. EFRs originally intended to collect LPH but had limited success. Instead, LPH absorbent socks will be installed. 10/1/08 - Haggerty: Ethanol detected at 717ppb on groundwater. spill 08-07364 called in 11/20/08 - Haggerty: spill 08-07364 closed. Ethanol ND in groundwater. Not a new release. Due to the presence of sensitive utilities in the sidewalk of West 30th Street and the transit yard/depot across West 30th Street, the Department will not require further delineation at this time. The Department reserves the right to require further delineation on West 30th Street. 12/9/08 - Haggerty: Product found in 1 of the newly installed wells. PM re-initiated quarterly EFR events 4/1/09 - Haggerty: PM reduced reporting schedule to Bi-annual, still sampling quarterly 9/09 - Haggerty: 4 additional wells installed. 0.4ft of product encountered in 1 of the newly installed wells. PM re-instated quarterly EFR events. April '10 Absorbent LPH Socks will be installed in MW-1 and MW-5. PM approved RegenOx injection pilot test in April May '10 Installation of injection points scheduled for the 2nd week of June June 2010 - Pilot test completed 6/6 and 6/10. Results will be reported in subsequent QMR's November 2010 - EM has handed the project over to Liberty Petroleum Realty LLC. See 11/18/10 letter from Liberty. February 2011 - Feasibility Report under reivew March 2011 - Waiting for new data to determine effectiveness of ChemOx injection April 2011: reviewed Quarterly Report. Gw conditions have returned to pre-injection conditions. RegenOx appears to have had little to no effect after 3 rounds of quarterly sampling. Spoke with Jerome Oertling from Arcadis (new consultant), they are developing a new remedial plan, possibly a stronger oxidant or excavation or both. I sent email requiring a RAP/CAP be submitted

MOBIL OIL CORP SS #510 (Continued) **1000553497**

July July 2011: RAP/CAP submitted August 2011: Revised RAP/CAP under review per my comments on the original RAP/CAP Sept 2011 - approved Revised RAP/CAP November 2011 - Bolla has yet to sign the CO January 2012 - RAP/ CAP approved. Need CO to implement February 2012 - CO executed, injections can now proceed May 2012 - waiting on preliminary results August 2012 - Additional VTE events have been conducted to remove the product in MW-8 December 2012 - Arcadis still removing residual product using dual-phase extraction events. Injections will begin after the product has been removed May 2013 - 0.5ft of product in MW-8 remains after multiple attempts/ technologies to remove it, but heard the property is to be sold to someone purchasing much of the block. We have a Consent Order will the current owner, Liberty Petroleum (owned by Capital Petroleum) so OGC will need to be contacted if the property is sold. December 2013 - Arcadis overdrilled MW-8 hoping that larger diameter well will increase the product recovery November 26, 2014 - Spill closed does not meet standards based on the remedial action implemented to date and the fact that further remediation is not feasible. Contamination is limited to groundwater in one area (MW-8R) and does not appear to be migrating off-site. All reasonable remedial technologies have been attempted but due the geology, the only viable technology remaining is excavation. While excavation at MW-8R would remove the residual LPH in the pore space impacting groundwater, excavation is not feasible; depth is approximately 15fbg and is 10ft or less from (Con Edison and NYC sewer) utilities. Review the following Historical Remedial Activities: " Between January 16, 2006 and March 2010, twelve enhanced fluid recovery (EFR) events were conducted on monitoring wells MW-1, MW-5, MW-7 and MW-8, recovering approximately 2,442 gallons of groundwater/LPH mixture. " Between June 7, and June 10, 2010, a total of approximately 780 pounds of RegenOx was injected into wells IP-1 through IP-3 during a Feasibility Study completed by Kleinfelder. " On September 26, 2011, ARCADIS completed a vacuum enhanced recovery (VER) pilot test on MW-8. During the test, approximately 28 gallons of impacted groundwater were recovered and disposed of via vacuum truck. Additionally, 0.46 pounds (lbs) of vapor-phase volatile organic compounds (VOCs) were removed under vacuum and destroyed via an internal combustion engine (ICE) unit. " An EFR event was conducted on April 9, 2012. This event was in response to the LPH detection in wells MW-5 and MW-8 on April 4, 2012. Approximately 80 gallons of liquid was removed over 7.3 hours of operation. " LPH gauging and recovery events were conducted on April 4, April 12, May 8, June 20, July 16, and August 6, 2012. MW-5 and MW-8 were gauged with an interface probe for depth to LPH and depth to water. LPH was recovered with a polyethylene bailer and stored on site in a labeled Department of Transportation (DOT) 55-gallon drum for later disposal. " On August 6, 2012, MW-8 was redeveloped in an attempt to increase the yield from the formation. " On August 29, 2012, a High Vacuum Dual-Phase Extraction (HVDPE) event took place on monitoring well MW-8 to remove LPH and vapor-phase hydrocarbons from the well. Two 55-gallon granular activated carbon (GAC) drums were used to treat effluent vapor before exhausting to the atmosphere. Approximately 95 gallons of liquid was removed during this event. " On October 3, 2012, a High Vacuum Dual-Phase Extraction (HVDPE) event took place on monitoring well MW-8 to remove LPH and vapor-phase hydrocarbons from the well. Two 55-gallon granular activated carbon (GAC) drums were used to treat effluent vapor before exhausting to the atmosphere. Approximately 100 gallons of liquid was

MOBIL OIL CORP SS #510 (Continued) **1000553497**

removed during this event. " On March 19, 2013, A Data Acquisition and Processing Laboratory (DAPL) unit was used for liquid removal and soil vapor extraction (SVE) at MW-8. The object of this event was essentially a push/pull event to address impacts observed in vadose and smear zone soils. Air was introduced into IP-2 to aid in circulation through both the vadose and saturated zones. A total of 1.235 lbs of VOCs were removed via the vapor stream at MW-8. Approximately 100 gallons of liquid was recovered from MW-8. " MW-8R was installed on December 18, 2013. The original MW-8 was over drilled via hollow stem auger drilling. All original well material, well screen sand, and grout were removed and drummed for proper disposal. This well replacement was an attempt to remove LPH impacted soil and gravel pack from around the well screen as well as to create increased yield from the well. MW-8R was developed on December 26, 2013. A total of 15 gallons of liquid was removed during development. " LNAPL gauging and recovery events, including product absorbing sock change outs, occurred monthly in 2014 from February through August. The highest recorded product thickness was 0.23 ft in February and decreased to non-detect in both June and July and only 0.07 ft in August. "

Remarks: "CONTAMINATED SOIL IN U/G TANK EXCAVATION -"

All Materials:

Site ID:	190224
Operable Unit ID:	987112
Operable Unit:	01
Material ID:	395511
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	MOBIL OIL CORP SS #510
Facility address:	309 11TH AVE NEW YORK, NY 10001-1213
EPA ID:	NYD986959187
Mailing address:	GALLOWS RD - MKTG ENVIRON FAIRFAX, NY 22037-0001
Contact:	Not reported
Contact address:	GALLOWS RD - MKTG ENVIRON FAIRFAX, NY 22037-0001
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	MOBIL OIL CORP

MOBIL OIL CORP SS #510 (Continued) **1000553497**

Owner/operator address: 3225 GALLOWS RD
FAIRFAX, VA 22037
Owner/operator country: US
Owner/operator telephone: 703-849-3330
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: MOBIL OIL CORP
Owner/operator address: 3225 GALLOWS RD
FAIRFAX, VA 22037
Owner/operator country: US
Owner/operator telephone: 703-849-3330
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: MOBIL OIL CORP SS #510
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Site name: MOBIL OIL CORP SS #510
Classification: Not a generator, verified

Date form received by agency: 07/25/1994
Site name: MOBIL OIL CORPORATION - 17-510
Classification: Large Quantity Generator

Date form received by agency: 04/10/1991

MOBIL OIL CORP SS #510 (Continued) **1000553497**

Site name: MOBIL OIL CORP SS #510
Classification: Small Quantity Generator

. Waste code: D000
. Waste name: Not Defined

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

US AIRS MINOR:
Envid: 1000553497
Region Code: 02
Programmatic ID: AIR NY0000002620500040
Facility Registry ID: 110004470279
D and B Number: Not reported
Primary SIC Code: 5541
NAICS Code: 999999
Default Air Classification Code: MIN
Facility Type of Ownership Code: POF
Air CMS Category Code: Not reported
HPV Status: Not reported

US AIRS MINOR:
Region Code: 02
Programmatic ID: AIR NY0000002620500040
Facility Registry ID: 110004470279
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1988-04-13 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

US AIRS MINOR:
Envid: 1000553497
Region Code: 02
Programmatic ID: AIR NY0000002620500040
Facility Registry ID: 110004470279
D and B Number: Not reported
Primary SIC Code: 5541
NAICS Code: 999999
Default Air Classification Code: MIN
Facility Type of Ownership Code: POF
Air CMS Category Code: Not reported
HPV Status: Not reported

US AIRS MINOR:
Region Code: 02
Programmatic ID: AIR NY0000002620500040
Facility Registry ID: 110004470279

MOBIL OIL CORP SS #510 (Continued) **1000553497**

Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1988-04-13 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

S200 **KELLYS TAXI GROUP INC** **EDR Hist Auto** **1021067517**
East **333-335 10TH AVE** **N/A**
< 1/8 **NEW YORK, NY 10007**
0.099 mi.
523 ft. **Site 11 of 15 in cluster S**

Relative: EDR Hist Auto
Higher

Actual: **17 ft.**

Year:	Name:	Type:
1971	KELLYS TAXI GROUP INC	Gasoline Service Stations
1972	KELLYS TAXI GROUP INC	Gasoline Service Stations
1973	KELLYS TAXI GROUP INC	Gasoline Service Stations
1974	KELLYS TAXI GROUP INC	Gasoline Service Stations

S201 **CON EDISON** **RCRA NonGen / NLR** **1019325524**
ESE **331 10TH AVE** **NYP004833865**
< 1/8 **NEW YORK, NY 10001**
0.099 mi.
524 ft. **Site 12 of 15 in cluster S**

Relative: RCRA NonGen / NLR:
Higher
Date form received by agency: 02/05/2016

Actual: **17 ft.**

Facility name: CON EDISON
Site name: CON EDISON - VAULT SUBMERSIBLE 47491
Facility address: 331 10TH AVE
NEW YORK, NY 10001
EPA ID: NYP004833865
Mailing address: IRVING PLACE, 15TH FL NE
NEW YORK, NY 10003
Contact: THERESA BURKARD
Contact address: IRVING PLACE, 15TH FL NE
NEW YORK, NY 10003
Contact country: US
Contact telephone: 212-460-2262
Contact email: BURKARDT@CONED.COM
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported

CON EDISON (Continued) **1019325524**

Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 09/02/2015
Owner/Op end date: Not reported

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 09/02/2015
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
Date form received by agency: 09/02/2015
Site name: CON EDISON
Classification: Not a generator, verified

Date form received by agency: 09/02/2015
Site name: CON EDISON
Classification: Large Quantity Generator

Biennial Reports:

Last Biennial Reporting Year: 2017

Annual Waste Handled:
Waste code: D008
Waste name: LEAD
Amount (Lbs): 3000

CON EDISON (Continued) **1019325524**

Violation Status: No violations found

S202 **CON ED** **NY MANIFEST** **S118462661**
ESE **331 10TH AVE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.099 mi.
524 ft. **Site 13 of 15 in cluster S**

Relative:
Higher

Actual:
17 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004833865
Facility Status:	Not reported
Location Address 1:	331 10TH AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004833865
Mailing Name:	CON ED
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	09/02/2015
Trans1 Recv Date:	09/02/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/12/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004833865
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002613058GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N

CON ED (Continued) **S118462661**

Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	3000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
1 additional NY_MANIFEST: record(s) in the EDR Site Report.

S203 **CON EDISON** **NJ MANIFEST** **S120676287**
ESE **331 10TH AVE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.099 mi.
524 ft. **Site 14 of 15 in cluster S**

Relative:
Higher

Actual:
17 ft.

NJ MANIFEST:

EPA Id:	NYP004833865
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	002613058GBF
EPA ID:	NYP004833865
Date Shipped:	9/2/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047

CON EDISON (Continued) **S120676287**

Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

S204 **LOT 36,TAXBLOCK 701** **NY E DESIGNATION** **S108076932**
ESE **331 10 AVENUE** **N/A**
< 1/8 **MANHATTAN, NY**
0.099 mi.
524 ft. **Site 15 of 15 in cluster S**

Relative: **Higher**
Actual: **17 ft.**

E DESIGNATION:

Tax Lot(s):	36
Tax Block:	701
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported

LOT 36,TAXBLOCK 701 (Continued) **S108076932**

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

AA205 **NEWPORT PAINTING & DECORATING** **RCRA-SQG** **1012187124**
ENE **523 W 30TH ST** **NY MANIFEST** **NYR000169896**
< 1/8 **NEW YORK, NY 10001** **NJ MANIFEST**
0.102 mi.
536 ft. **Site 1 of 3 in cluster AA**

Relative:
Higher

Actual:
17 ft.

RCRA-SQG:

Date form received by agency:	11/10/2009
Facility name:	NEWPORT PAINTING & DECORATING
Facility address:	523 W 30TH ST NEW YORK, NY 10001
EPA ID:	NYR000169896
Mailing address:	W 30TH ST NEW YORK, NY 10001
Contact:	EUGENE S BOHNARCZYK JR
Contact address:	W 30TH ST NEW YORK, NY 10001
Contact country:	US
Contact telephone:	212-465-9080
Telephone ext.:	26
Contact email:	Not reported
EPA Region:	02
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	BRENDAN J MURRAY
Owner/operator address:	S FRANKLIN TNPK RAMSEY, NJ 07446
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	01/01/1974
Owner/Op end date:	Not reported
Owner/operator name:	EUGENE BOHNARCZYK JR
Owner/operator address:	Not reported Not reported
Owner/operator country:	Not reported
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	12/07/2003

NEWPORT PAINTING & DECORATING (Continued) **1012187124**

Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D005
. Waste name: BARIUM

. Waste code: D006
. Waste name: CADMIUM

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D008
. Waste name: LEAD

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYR000169896
Facility Status: Not reported
Location Address 1: 523 W 30TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000169896
Mailing Name: NEWPORT PAINTING & DECORATING
Mailing Contact: NEWPORT PAINTING & DECORATING
Mailing Address 1: 523 W 30TH ST
Mailing Address 2: Not reported

NEWPORT PAINTING & DECORATING (Continued) **1012187124**

Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10001
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124659060

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJR986628162
Trans2 State ID:	Not reported
Generator Ship Date:	05/16/2013
Trans1 Recv Date:	05/16/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/16/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000169896
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	000517971WAS
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H061
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	55
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1
Waste Code:	D001
Waste Code 1_2:	F003
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

NEWPORT PAINTING & DECORATING (Continued) **1012187124**

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

NJ MANIFEST:

EPA Id:	NYR000169896
Mail Address:	W 30TH ST
Mail City/State/Zip:	NEW YORK, NY 10001
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	EUGENE S BOHNARCZYK JR
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	000517971WAS
EPA ID:	NYR000169896
Date Shipped:	5/16/2013
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR986628162
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported

NEWPORT PAINTING & DECORATING (Continued) **1012187124**

Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10001
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001 F003
Hand Code:	Not reported
Quantity:	55.00 gallons

Manifest Number:	000423203WAS
EPA ID:	NYR000169896
Date Shipped:	10/11/2011
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NYD046765574
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10001
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001

NEWPORT PAINTING & DECORATING (Continued) **1012187124**

Hand Code:	H061
Quantity:	110.00 gallons
Manifest Number:	000200211WAS
EPA ID:	NYR000169896
Date Shipped:	08/19/2010
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NYD046765574
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	08/19/2010
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	08/19/2010
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10001
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H061
Quantity:	220 G

U206 **11TH AVENUE & WEST 27TH S** **NY Spills** **S104951624**
WSW **11TH AVENUE & WEST 27TH S** **N/A**
< 1/8 **MANHATTAN, NY**
0.102 mi.
538 ft. **Site 4 of 9 in cluster U**

Relative: **Lower**
Actual: **9 ft.**

SPILLS:

Facility ID:	0013708
Facility Type:	ER
Spill Number:	0013708
DER Facility ID:	108342
Site ID:	125230
DEC Region:	2
Closed Date:	2009-08-18
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2001-03-31
Investigator:	JMKRIMGO
Referred To:	Not reported
Reported to Dept:	2001-03-31
CID:	404
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Affected Persons
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2001-03-31
Spill Record Last Update:	2009-08-18
Spiller Name:	UNKNOWN
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	Not reported
DEC Memo:	"08/18/09 - See eDocs for Con Ed report detailing cleanup and closure. Prior to Sept, 2004 data translation this spill Lead_DEC Field was FOLEY 6/25/03 Requested additional information regarding old leaks from section of M54/M55 feeder which runs on 11th Ave between 23rd and 30th Sts.(KMF) 9/8/04: Unrelated to App. B site 78 (located at W. 29th St.). Close out. (JHO) ~~~~~~~~~~~~~~~~~~ Con Ed e2mis #136202: @14:00 hrs. Felix construction digging on w/s 11 ave 80 's/o w.27 st. found unknown substance in soil excavation,while working for con edison, and reported to cib inspector. 8 cubic yards of stained soil in open excavation on side walk. Sample was taken @ 15:42 hrs. Lab Sequence #01-03171-001 Date Reported: 3/31/01 @ 21:25 hrs. Oil ID = OIL IDENTIFICATION: EXCAVATION: AN IDENTIFICATION OF THIS SAMPLE IS NOT POSSIBLE DUE TO THE INSUFFICIENT AMOUNT OF MATERIAL RECOVERED. 05/06/03 @ 8:40 - As per Joe Fleigner the non haz contaminated soil was removed by Clean Harbors. "
Remarks:	"DIGGING AT CONSTRUCTION SITE. A STAIN ON THE GROUND APPROX. 8 CUBIC YARDS WAS NOTICED. SAMPLES WERE TAKEN. CLEANUP PENDING INVESTIGATION." Not reported

All Materials:

Site ID:	125230
Operable Unit ID:	835806

11TH AVENUE & WEST 27TH S (Continued) **S104951624**

Operable Unit:	01
Material ID:	540406
Material Code:	0064A
Material Name:	unknown material
Case No.:	Not reported
Material FA:	Other
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

U207 **CON EDISION - SEWER** **RCRA NonGen / NLR** **1007207601**
WSW **27TH ST. AT 11TH AVE 27TH ST.** **NY MANIFEST** **NYP004071668**
< 1/8 **NEW YORK, NY 10003**
0.102 mi.
538 ft. **Site 5 of 9 in cluster U**

Relative: **Lower**

Actual: **9 ft.**

RCRA NonGen / NLR:

Date form received by agency:	06/02/2002
Facility name:	CON EDISION - SEWER
Facility address:	27TH ST. AT 11TH AVE 27TH ST. NEW YORK, NY 10003
EPA ID:	NYP004071668
Mailing address:	IRVING PLACE NEW YORK, NY 10003
Contact:	ANTHONY DRUMMINGS
Contact address:	IRVING PLACE NEW YORK, NY 10003
Contact country:	US
Contact telephone:	212-460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	06/01/2002
Site name:	CON EDISION - SEWER
Classification:	Not a generator, verified

CON EDISION - SEWER (Continued) **1007207601**

Date form received by agency: 05/31/2002
Site name: CON EDISION - SEWER
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004059580
Facility Status: Not reported
Location Address 1: W 27TH ST & 11TH AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004059580
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:
Document ID: CTF0906252
Manifest Status: Not reported
seq: 01
Year: 2000
Trans1 State ID: 51440MA
Trans2 State ID: 51440MA
Generator Ship Date: 08/10/2000
Trans1 Recv Date: 08/10/2000
Trans2 Recv Date: 08/15/2000
TSD Site Recv Date: 08/15/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004059580
Trans1 EPA ID: MAD039322250
Trans2 EPA ID: MAD039322250
TSDF ID 1: CTD000604488
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported

CON EDISION - SEWER (Continued) **1007207601**

Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00001
Units:	Y - Cubic yards* (.85 tons)
Number of Containers:	001
Container Type:	DT - Dump trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

Country:	USA
EPA ID:	NYP004071668
Facility Status:	Not reported
Location Address 1:	W 27TH ST & 11TH AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004071668
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	CTF0810613
Manifest Status:	Not reported
seq:	01
Year:	2001
Trans1 State ID:	13014MA
Trans2 State ID:	Not reported
Generator Ship Date:	01/14/2001
Trans1 Recv Date:	01/14/2001
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/18/2001

CON EDISION - SEWER (Continued) **1007207601**

Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004071668
Trans1 EPA ID:	MAD039322250
Trans2 EPA ID:	Not reported
TSDF ID 1:	CTD000604488
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00015
Units:	Y - Cubic yards* (.85 tons)
Number of Containers:	001
Container Type:	DT - Dump trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

U208 **WEST 27TH ST & 11TH AVE** **NY Spills** **S104952122**
WSW **W. 27TH ST & 11TH AVE** **N/A**
< 1/8 **MANHATTAN, NY**
0.102 mi.
538 ft. **Site 6 of 9 in cluster U**

Relative: **Lower**

Actual: **9 ft.**

SPILLS:

Facility ID:	0011181
Facility Type:	ER
Spill Number:	0011181
DER Facility ID:	92901
Site ID:	105271
DEC Region:	2
Closed Date:	2001-01-16
Spill Cause:	Human Error
Spill Class:	B3
SWIS:	3101
Spill Date:	2001-01-13
Investigator:	JHOCONNE
Referred To:	Not reported
Reported to Dept:	2001-01-13
CID:	282

WEST 27TH ST & 11TH AVE (Continued) **S104952122**

Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Federal Government
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2001-01-13
Spill Record Last Update:	2002-10-02
Spiller Name:	Not reported
Spiller Company:	UNKNOWN FOR NOW
Spiller Address:	SAME
Spiller Company:	001
Contact Name:	PO ORTEZ
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL Duplicate of spill # 0011180."
Remarks:	"A CONTRACTOR WAS WORKING IN THE AREA THERE AND STRUCK A UNDERGROUND FEEDER LINE NO FURTHER INFO ON THE CALL. "

All Materials:

Site ID:	105271
Operable Unit ID:	833255
Operable Unit:	01
Material ID:	541504
Material Code:	0541A
Material Name:	dielectric fluid
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

U209 **CON EDISON - MANHOLE M33089** **NY MANIFEST** **S120959131**
WSW **W 27 ST & 11TH AVE** **N/A**
< 1/8 **MANHATTAN, NY 10001**
0.102 mi.
538 ft. **Site 7 of 9 in cluster U**

Relative:
Lower

Actual:
9 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004994602
Facility Status:	Not reported
Location Address 1:	W 27 ST & 11TH AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	MANHATTAN
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004994602
Mailing Name:	CON EDISON - MANHOLE M33089
Mailing Contact:	CON EDISON

CON EDISON - MANHOLE M33089 (Continued) **S120959131**

Mailing Address 1:	4 IRVING PL 15TH FL NE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

U210 **FEEDER M54** **NY Spills** **S104951212**
WSW **WEST 27TH ST/11TH AVE** **N/A**
< 1/8 **MANHATTAN, NY**
0.102 mi.
539 ft. **Site 8 of 9 in cluster U**

Relative: **Lower**

Actual: **9 ft.**

SPILLS:

Facility ID:	0011180
Facility Type:	ER
Spill Number:	0011180
DER Facility ID:	177807
Site ID:	214610
DEC Region:	2
Closed Date:	2001-02-13
Spill Cause:	Human Error
Spill Class:	B3
SWIS:	3101
Spill Date:	2001-01-13
Investigator:	JHOCONNE
Referred To:	Not reported
Reported to Dept:	2001-01-13
CID:	281
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Affected Persons
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2001-01-13
Spill Record Last Update:	2007-11-30
Spiller Name:	Not reported
Spiller Company:	FELIX CONTRACTORS
Spiller Address:	UNKNOWN
Spiller Company:	001
Contact Name:	JIM FOX
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL 1/13/01: Tim DeMeo responded off-hours and called O'Connell for guidance. I advised him to remain on-site until temporary clamp was installed. Total leak amount 6500 gallons. (JHO) DeMeo's notes: Felix Industries, while performing contract work for Con Ed, cut into housing of 5-inch feeder cable. The work being performed was a saw-cut across 11th Avenue. Upon arrival Con Ed, NYPD and FDNY were on-scene. Material contained using sand dikes with minor impacts to sewers. Clean Harbors and S&D were retained by Con Ed for clean up. Street and sidewalk were to be pressure washed after absorbents

FEEDER M54 (Continued) **S104951212**

cleaned up. (TD) 1/17/01: Chem lab on-site collecting post-ex samples, as follows: 4 sidewalls, 2 floor for benzene, TPH df. On site were John Tranchina (Con Ed TO) and Joe Floryshak (Con Ed Remediation). (JHO) 2/13/01: lab results indicate no detectable levels of benzene. All TPH results all below 1000 ppm. Close out. (JHO)"

Remarks: "UNDERGROUND LINE STRUCK DURING CONSTRUCTION AT ABOVE LOCATION. LEAK IS STILL ACTIVE AT TIME OF CALL. CON ED ON SCENE AND MATERIAL HAS BEEN CONTAINED. CON ED # NOT AVAILABLE, NO CALL BACK REQUESTED. UNKNOWN AMOUNT OIL WENT INTO THE SEWER UPDATED AT 17:58 01/13"

All Materials:

Site ID:	214610
Operable Unit ID:	833253
Operable Unit:	01
Material ID:	541503
Material Code:	0541A
Material Name:	dielectric fluid
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

U211 **CON EDISION - MH45881** **RCRA NonGen / NLR** **1007207600**
WSW **27TH ST. AT 11TH AVE 27TH ST.** **NY MANIFEST** **NYP004071650**
< 1/8 **NEW YORK, NY 10003**
0.102 mi.
540 ft. **Site 9 of 9 in cluster U**

Relative: **Lower**

Actual: **9 ft.**

RCRA NonGen / NLR:

Date form received by agency:	06/02/2002
Facility name:	CON EDISION - MH45881
Facility address:	27TH ST. AT 11TH AVE 27TH ST. NEW YORK, NY 10003
EPA ID:	NYP004071650
Mailing address:	IRVING PLACE NEW YORK, NY 10003
Contact:	ANTHONY DRUMMINGS
Contact address:	IRVING PLACE NEW YORK, NY 10003
Contact country:	US
Contact telephone:	212-460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No

CON EDISION - MH45881 (Continued) **1007207600**

Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 06/01/2002
Site name: CON EDISION - MH45881
Classification: Not a generator, verified

Date form received by agency: 05/31/2002
Site name: CON EDISION - MH45881
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004071650
Facility Status: Not reported
Location Address 1: 11TH AVE & W 27TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10003
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004071650
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:
Document ID: CTF0810591
Manifest Status: Not reported
seq: 01
Year: 2001
Trans1 State ID: PUL9202OH
Trans2 State ID: Not reported
Generator Ship Date: 01/14/2001
Trans1 Recv Date: 01/14/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/19/2001

CON EDISION - MH45881 (Continued) **1007207600**

Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004071650
Trans1 EPA ID:	MAD039322250
Trans2 EPA ID:	Not reported
TSDF ID 1:	CTD000604488
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00015
Units:	Y - Cubic yards* (.85 tons)
Number of Containers:	002
Container Type:	DT - Dump trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

Z212 **CON EDISON OTHER - SPECIFY: 11510** **RCRA NonGen / NLR** **1016967039**
South **520 W 27TH ST** **NY MANIFEST** **NYP004398723**
< 1/8 **NEW YORK, NY 10001**
0.103 mi.
542 ft. **Site 2 of 4 in cluster Z**

Relative: **Higher**

Actual: **13 ft.**

RCRA NonGen / NLR:

Date form received by agency:	12/27/2013
Facility name:	CON EDISON OTHER - SPECIFY: 11510
Facility address:	520 W 27TH ST NEW YORK, NY 10001
EPA ID:	NYP004398723
Mailing address:	IRVING PL, 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator

CON EDISON OTHER - SPECIFY: 11510 (Continued) **1016967039**

Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 11/27/2013
Site name: CON EDISON OTHER - SPECIFY: 11510
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004398723
Facility Status: Not reported
Location Address 1: FT OF 520 WEST 27TH ST
Code: BP
Location Address 2: BC 11510
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004398723
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2013

CON EDISON OTHER - SPECIFY: 11510 (Continued) **1016967039**

Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	11/27/2013
Trans1 Recv Date:	11/27/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	12/09/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004398723
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002236087GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	300
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

Z213 **HART REALTY** **NY UST** **U001840994**
South **520 WEST 27TH STREET** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.103 mi.
542 ft. **Site 3 of 4 in cluster Z**

Relative:
Higher

Actual:
13 ft.

UST:

Id/Status:	2-480711 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	584175.90468
UTM Y:	4511552.56546
Site Type:	Unknown

Affiliation Records:

Site Id:	21462
Affiliation Type:	Facility Owner
Company Name:	HART REALTY
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	520 WEST 27TH STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 279-5280
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	21462
Affiliation Type:	Mail Contact
Company Name:	HART REALTY
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	520 WEST 27TH STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 279-5280
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	21462
Affiliation Type:	Facility Operator
Company Name:	HART REALTY
Contact Type:	Not reported
Contact Name:	AMERICAN HUNGER~FIXTURE CORP.
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

HART REALTY (Continued) **U001840994**

Zip Code:	Not reported
Country Code:	001
Phone:	(212) 279-5280
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	21462
Affiliation Type:	Emergency Contact
Company Name:	HART REALTY
Contact Type:	Not reported
Contact Name:	PHILLIP STEINHARDT
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(516) 365-4786
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank ID:	41119
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	5000
Install Date:	Not reported
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None

V214 **MIKE SIE PALM** **NY AST** **A100343984**
NNW **604 WEST 30TH STREET** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.104 mi.
547 ft. **Site 14 of 14 in cluster V**

Relative:
Higher

Actual:
14 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-611129
Program Type:	PBS
UTM X:	584075.42278
UTM Y:	4511847.02625
Expiration Date:	07/28/2014
Site Type:	Auto Service/Repair (No Gasoline Sales)

Affiliation Records:

Site Id:	416620
Affiliation Type:	Facility Owner
Company Name:	MIKE SIE PALM
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	1048 SHERIDAN AVE 2B
Address2:	Not reported
City:	BRONX
State:	NY
Zip Code:	10456
Country Code:	001
Phone:	(917) 744-7178
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2009-07-28

Site Id:	416620
Affiliation Type:	Mail Contact
Company Name:	MIKES AUTO REPAIR
Contact Type:	Not reported
Contact Name:	MIKE SIE PALM
Address1:	604 WEST 30TH STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 695-0250
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2009-07-16

Site Id:	416620
Affiliation Type:	Facility Operator
Company Name:	MIKE SIE PALM
Contact Type:	Not reported
Contact Name:	MIKE SIE PALM
Address1:	Not reported
Address2:	Not reported
City:	Not reported

MIKE SIE PALM (Continued) **A100343984**

State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(917) 744-7178
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2009-07-16

Site Id:	416620
Affiliation Type:	Emergency Contact
Company Name:	MIKE SIE PALM
Contact Type:	Not reported
Contact Name:	MIKE SIE PALM
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(917) 744-7178
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2009-07-16

Tank Info:

Tank Number:	102306
Tank Id:	229521
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Equipment Records:

J01 - Dispenser - Pressurized Dispenser
A01 - Tank Internal Protection - Epoxy Liner
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
K01 - Spill Prevention - Catch Basin
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
G00 - Tank Secondary Containment - None
L00 - Piping Leak Detection - None
C01 - Pipe Location - Aboveground

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	01/05/2009
Capacity Gallons:	275
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported

MIKE SIE PALM (Continued) **A100343984**

Register: True
Modified By: NRLOMBAR
Last Modified: 04/14/2017
Material Name: waste oil/used oil

AB215 **LOT 27,TAXBLOCK 699** **NY E DESIGNATION** **S108076898**
SSE **507 WEST 27 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.104 mi.
547 ft. **Site 1 of 11 in cluster AB**

Relative: **Higher**
Actual: **15 ft.**

E DESIGNATION:
Tax Lot(s): 27
Tax Block: 699
Borough Code: Not reported
E-No: E-142
Effective Date: 6/23/2005
Satisfaction Date: Not reported
Ceqr Number: 03DCP069M
Ulurp Number: 050161 ZRM
Zoning Map No: 8b

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

AB216 **CON EDISON SERVICE BOX: 5020** **NJ MANIFEST** **S117986945**
SSE **507 W 27TH ST E OF 11TH AVE FRONT** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.104 mi.
547 ft. **Site 2 of 11 in cluster AB**

Relative: **Higher**
Actual: **15 ft.**

NJ MANIFEST:
EPA Id: NYP004276770
Mail Address: Not reported
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JOSE MONTALVO
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456988JJK
EPA ID: NYP004276770
Date Shipped: 11/1/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported

CON EDISON SERVICE BOX: 5020 (Continued) **S117986945**

Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	Not reported
Quantity:	1,500.00 Pounds

AC217 **CON EDISON SERVICE BOX: 1694** **RCRA NonGen / NLR** **1017779791**
SE **309-311 10TH ST & AVENUE A** **NYP004578084**
< 1/8 **NEW YORK, NY 10009**
0.105 mi.
553 ft. **Site 1 of 11 in cluster AC**

Relative:
Higher

Actual:
16 ft.

RCRA NonGen / NLR:

Date form received by agency:	07/26/2014
Facility name:	CON EDISON SERVICE BOX: 1694
Facility address:	309-311 10TH ST & AVENUE A NEW YORK, NY 10009
EPA ID:	NYP004578084
Mailing address:	IRVING PL, 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING

CON EDISON SERVICE BOX: 1694 (Continued) **1017779791**

Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: 212-460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 06/26/2014
Site name: CON EDISON
Classification: Small Quantity Generator

Date form received by agency: 06/26/2014
Site name: CON EDISON
Classification: Not a generator, verified

Violation Status: No violations found

AC218 **CON EDISON** **NY MANIFEST** **S117065265**
SE **309-311 10TH ST & AVENUE A** **N/A**
< 1/8 **NEW YORK, NY 10009**
0.105 mi.
553 ft. **Site 2 of 11 in cluster AC**

Relative:
Higher

Actual:
16 ft.

NY MANIFEST:
Country: USA
EPA ID: NYP004578084
Facility Status: Not reported
Location Address 1: 305 10 ST & AVE A
Code: BP
Location Address 2: SB 1694
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10009
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004578084

CON EDISON (Continued) **S117065265**

Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	06/26/2014
Trans1 Recv Date:	06/26/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/30/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004578084
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	013254502JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported

CON EDISON (Continued) **S117065265**

Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AD219 **LOT 42,TAXBLOCK 701** **NY E DESIGNATION** **S108076946**
East **337 10 AVENUE** **N/A**
< 1/8 **MANHATTAN, NY**
0.105 mi.
554 ft. **Site 1 of 2 in cluster AD**

Relative:
Higher

Actual:
18 ft.

E DESIGNATION:
Tax Lot(s): 42
Tax Block: 701
Borough Code: Not reported
E-No: E-142
Effective Date: 6/23/2005
Satisfaction Date: Not reported
Ceqr Number: 03DCP069M
Ulurp Number: 050161 ZRM
Zoning Map No: 8b

Description: Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date: Not reported

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

AA220 **METAL PURCHASING CO INC** **NY UST** **U000416406**
ENE **501-551 WEST 30TH STREET** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.105 mi.
555 ft. **Site 2 of 3 in cluster AA**

Relative:
Higher

Actual:
17 ft.

UST:
Id/Status: 2-043516 / Unregulated/Closed
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: N/A
UTM X: 584368.64069
UTM Y: 4511732.72323
Site Type: Other

Affiliation Records:
Site Id: 416
Affiliation Type: Mail Contact
Company Name: LANGAN ENGR AND ENVIRONMENTAL SERVICES, PC
Contact Type: Not reported
Contact Name: STUART KNOOP
Address1: 360 WEST 31ST STREET
Address2: 8TH FLOOR

METAL PURCHASING CO INC (Continued) **U000416406**

City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 479-5461
EMail:	SKNOOP@LANGAN.COM
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2011-08-16

Site Id:	416
Affiliation Type:	Emergency Contact
Company Name:	METROPOLITAN TRANSIT AUTHORITY
Contact Type:	Not reported
Contact Name:	GEORGE EHRHARDT
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(212) 643-5085
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2011-04-25

Site Id:	416
Affiliation Type:	Facility Operator
Company Name:	METAL PURCHASING CO INC
Contact Type:	Not reported
Contact Name:	FACILITY INACTIVE
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 643-5085
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2011-04-25

Site Id:	416
Affiliation Type:	Facility Owner
Company Name:	METROPOLITAN TRANSIT AUTHORITY
Contact Type:	DIR
Contact Name:	GEORGE EHRHARDT
Address1:	347 MADISON AVE
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10017-3739
Country Code:	001
Phone:	(212) 643-5085
EMail:	Not reported

METAL PURCHASING CO INC (Continued) **U000416406**

Fax Number:	Not reported
Modified By:	CGFREEDM
Date Last Modified:	2011-04-29

Tank Info:

Tank Number:	001
Tank ID:	1149
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	5000
Install Date:	12/01/1937
Date Tank Closed:	05/10/1977
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0003
Common Name of Substance:	#6 Fuel Oil (On-Site Consumption)
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NRLOMBAR
Last Modified:	04/14/2017

Equipment Records:

H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G99 - Tank Secondary Containment - Other
I04 - Overfill - Product Level Gauge (A/G)

Tank Number:	002
Tank ID:	238978
Tank Status:	Tank Converted to Non-Regulated Use
Material Name:	Tank Converted to Non-Regulated Use
Capacity Gallons:	4000
Install Date:	01/01/1988
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0003
Common Name of Substance:	#6 Fuel Oil (On-Site Consumption)
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NRLOMBAR
Last Modified:	04/14/2017

METAL PURCHASING CO INC (Continued) **U000416406**

Equipment Records:

E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
L00 - Piping Leak Detection - None
J00 - Dispenser - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None

AA221 **MTA - HUDSON YARD** **NJ MANIFEST** **S117987374**
ENE **501-551 W 30TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.105 mi.
555 ft. **Site 3 of 3 in cluster AA**

Relative:
Higher

Actual:
17 ft.

NJ MANIFEST:

EPA Id:	NYR000182113
Mail Address:	94TH AVE
Mail City/State/Zip:	JAMAICA, NY 11435
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	ALBERT S ALBANO
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	010559753JJK
EPA ID:	NYR000182113
Date Shipped:	10/4/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJ0000363820
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported

MTA - HUDSON YARD (Continued) **S117987374**

Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	JAMAICA, NY 11435
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	56,660.00 Pounds

Manifest Number:	010559759JJK
EPA ID:	NYR000182113
Date Shipped:	10/5/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJ0000363820
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported

MTA - HUDSON YARD (Continued) **S117987374**

Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	JAMAICA, NY 11435
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	62,440.00 Pounds

Manifest Number:	010559752JJK
EPA ID:	NYR000182113
Date Shipped:	10/4/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJ0000363820
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	JAMAICA, NY 11435

MTA - HUDSON YARD (Continued) **S117987374**

Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 50,160.00 Pounds

Manifest Number: 010559760JJK
EPA ID: NYR000182113
Date Shipped: 10/5/2012
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJ0000363820
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: JAMAICA, NY 11435
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 62,180.00 Pounds

Manifest Number: 010559755JJK

MTA - HUDSON YARD (Continued) **S117987374**

EPA ID:	NYR000182113
Date Shipped:	10/4/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJ0000363820
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	JAMAICA, NY 11435
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	56,840.00 Pounds

Manifest Number:	010559761JJK
EPA ID:	NYR000182113
Date Shipped:	10/5/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJ0000363820
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported

MTA - HUDSON YARD (Continued) **S117987374**

Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	JAMAICA, NY 11435
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	55,780.00 Pounds

Manifest Number:	010559754JJK
EPA ID:	NYR000182113
Date Shipped:	10/4/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJ0000363820
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported

MTA - HUDSON YARD (Continued) **S117987374**

Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	JAMAICA, NY 11435
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	57,500.00 Pounds

Manifest Number:	010559757JJK
EPA ID:	NYR000182113
Date Shipped:	10/5/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJ0000363820
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported

MTA - HUDSON YARD (Continued) **S117987374**

Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	JAMAICA, NY 11435
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	63,280.00 Pounds

Manifest Number:	010559762JJK
EPA ID:	NYR000182113
Date Shipped:	10/5/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJ0000363820
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	JAMAICA, NY 11435
Reason Load Was Rejected:	Not reported

MTA - HUDSON YARD (Continued) **S117987374**

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	65,880.00 Pounds
Manifest Number:	010559756JJK
EPA ID:	NYR000182113
Date Shipped:	10/5/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJ0000363820
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	JAMAICA, NY 11435
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	72,620.00 Pounds
Manifest Number:	010559758JJK
EPA ID:	NYR000182113

MTA - HUDSON YARD (Continued) **S117987374**

Date Shipped:	10/5/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJ0000363820
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	JAMAICA, NY 11435
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	76,680.00 Pounds

Z222 **CONSTRUCTION SITE** **NY Spills** **S109060541**
South **520 WEST 27TH STREET** **N/A**
< 1/8 **MANHATTEN, NY**
0.105 mi.
557 ft. **Site 4 of 4 in cluster Z**

Relative:
Higher

Actual:
13 ft.

SPILLS:

Facility ID:	0713118
Facility Type:	ER
Spill Number:	0713118

CONSTRUCTION SITE (Continued) **S109060541**

DER Facility ID:	344365
Site ID:	394822
DEC Region:	2
Closed Date:	2008-03-13
Spill Cause:	Equipment Failure
Spill Class:	Not reported
SWIS:	3101
Spill Date:	2008-03-12
Investigator:	hrpatel
Referred To:	Not reported
Reported to Dept:	2008-03-12
CID:	444
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	Not reported
Remediation Phase:	0
Date Entered In Computer:	2008-03-12
Spill Record Last Update:	2008-03-13
Spiller Name:	SHAWN DONOHUE
Spiller Company:	CONSTRUCTION SITE
Spiller Address:	520 WEST 27TH STREET
Spiller Company:	001
Contact Name:	SHAWN DONOHUE
DEC Memo:	"03/13/08-Hiralkumar Patel. visited site on 03/12/08. met Joe Sarro (347-203-3556), site supervisor. they are doing construction out on street and installing piles. no spill noticed. he mentioned that there was hydrant broke and water spill on street. no oil spill. case closed."
Remarks:	"CRANE LEAKED FLUIDS AND STREET IS COVERED AND CLOSED"

All Materials:

Site ID:	394822
Operable Unit ID:	1151769
Operable Unit:	01
Material ID:	2142517
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	.00
Oxygenate:	Not reported

AE223 **STEVE DETAILING** **EDR Hist Auto** **1021631923**
South **516 W 27TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.109 mi.
575 ft. **Site 1 of 5 in cluster AE**

Relative: EDR Hist Auto
Higher

Actual:
13 ft.

Year:	Name:	Type:
1991	SDB TRANSMISSIONS	Automotive Transmission Repair Shops
1991	466-10TH AVE AUTO REPAIR	General Automotive Repair Shops
1992	AMERICAN CLASSIC SERVICE INC	Auto And Home Supply Stores, NEC
1992	466-10TH AVE AUTO REPAIR	General Automotive Repair Shops
1993	466-10TH AVE AUTO REPAIR	General Automotive Repair Shops
1993	AMERICAN CLASSIC SERVICE INC	Auto And Home Supply Stores, NEC
1994	AMERICAN CLASSIC SERVICE INC	Auto And Home Supply Stores, NEC
1994	ECONOMY TIRES OF NEW YORK	Tire Retreading And Repair Shops, NEC
1995	STEVE DETAILING	Tire Retreading And Repair Shops, NEC
1995	AMERICAN CLASSIC SERVICE INC	Auto And Home Supply Stores, NEC
1996	STEVE DETAILING	Tire Retreading And Repair Shops, NEC
1997	STEVE DETAILING	Tire Retreading And Repair Shops, NEC
1998	STEVE DETAILING	Tire Retreading And Repair Shops, NEC
1999	STEVE DETAILING	Tire Retreading And Repair Shops, NEC
2000	STEVE DETAILING	Tire Retreading And Repair Shops, NEC
2001	STEVE DETAILING	Tire Retreading And Repair Shops, NEC
2002	STEVE DETAILING	Tire Retreading And Repair Shops, NEC
2003	STEVE DETAILING	Tire Retreading And Repair Shops, NEC
2004	STEVE DETAILING	Tire Retreading And Repair Shops, NEC
2005	STEVE DETAILING	Tire Retreading And Repair Shops, NEC
2006	STEVE DETAILING	Tire Retreading And Repair Shops, NEC
2007	STEVE DETAILING	Tire Retreading And Repair Shops, NEC

AB224 **LOT 33,TAXBLOCK 699** **NY E DESIGNATION** **S108076924**
SSE **303 10 AVENUE** **N/A**
< 1/8 **MANHATTAN, NY**
0.111 mi.
584 ft. **Site 3 of 11 in cluster AB**

Relative: E DESIGNATION:
Higher

Actual:
16 ft.

Tax Lot(s):	33
Tax Block:	699
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b
Description:	Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date:	Not reported
Description:	Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported

AB225 **FORMER GAS STATION** **NY Spills** **S108058323**
SSE **303 10TH AVE** **N/A**
< 1/8 **MANHATTAN, NY**
0.111 mi.
584 ft. **Site 4 of 11 in cluster AB**

Relative:
Higher

Actual:
16 ft.

SPILLS:

Facility ID:	0603967
Facility Type:	ER
Spill Number:	0603967
DER Facility ID:	316865
Site ID:	366826
DEC Region:	2
Closed Date:	2010-10-27
Spill Cause:	Other
Spill Class:	C4
SWIS:	3101
Spill Date:	2006-07-11
Investigator:	RVKETANI
Referred To:	Not reported
Reported to Dept:	2006-07-11
CID:	444
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2006-07-11
Spill Record Last Update:	2010-10-27
Spiller Name:	DOUG HARM
Spiller Company:	FORMER GAS STATION
Spiller Address:	303 10TH AVE
Spiller Company:	001
Contact Name:	DOUG HARM
DEC Memo:	"03/15/07-Vought-File review by Vought: Letter from American Environmental Solutions (AES)- Brain Pendergast (ph:631-475-0020 fax:631-475-0025) to DEC Falvey-12/19/06: Atlantic Development Group, LLC has retained Brinkerhoff Environmental Services, Inc. as the environmental consultant and American Enviornmental Solutions, Inc. (AES) as the remediation supervisor... . In 9/06, AES removed one (4000-gallon) diesel UST and three (4000-gallon) gasoline USTs from the site. The tanks were encased in concrete and there was no evidence of a petroleum release . A small amount of contaminated soil was located in the area east of the former pump island . Approximately 20 tons of soil was excavated in 11/06. Revised PBS application being submitted by AES. Five PBS violations found by DEC Falvey during inspection. Remedial Action Report (Brinkerhoff Environmental-732-223-2225). Site was formerly occupied by a gasoline station and auto repair facility. In 9/06 AES collected endpoint samples from waste oil UST excavation and endpoint sampling was not conducted in the gasoline and diesel UST excavation since the USTs had been encased in concrete. No evidence of discharge was observed in the field in either the gasoline/diesel UST excavation or in the waste oil excavation . In 11/06 Brinkerhoff directed excavation of soil in the area of the dispenser island and the former sample

FORMER GAS STATION (Continued) **S108058323**

location that reported VOCs. Report proposes No Further Action. Nine soil boring performed in 6/06. PID readings, petroleum staining and petroleum odors were encountered in Soil Boring SB-4 and SB-9 . Soil analyticals from boring show both samples were DILUTED: 260ppb benzene(SB9 3'bg),111000ppb xylene (SB9 3'bg), 70000ppb 1,2,4-trimethylbenzene(SB9 3'bg), 26000ppb 1,3,5-trimethylbenzene(SB9 3'bg), 370ppb MTBE(SB9 3'bg). SITE IS E DESIGNATED. Four endpoint samples collected from excavation of soils at SB9 show no TAGM 4046 Required Soil Cleanup Objective exceedences. SVOC exceedences attributed to urban fill material. Endpoint samples from excavation of SB9 collected at least ten feet away from initial soil boring location. Samples collected from 11'bg at SB9 show VOCs below TAGM. Tank Closure Report (American Environmental Solutions-January 2007. The site is currently being redeveloped for future use as a hotel. Five USTs were removed from 9/06-11/06 including one (1000-gallon)waste oil UST, three (4000-gallon) gasoline USTs and one (4000-gallon) diesel. All lines and piping associated with the tanks located on the site were removed . Thirty tons of soil was disposed from site. Soil was excavated from the area just east of the pump island. AES collected five endpoint soil samples from waste oil excavation in 9/06 and Brinkerhoff collected soil samples in 11/06. No endpoint samples collected from gasoline and diesel USTs because they were entirely cased in concrete and there were no holes in anay of these tanks and no evidence of a petroleum discharge was observed . Report recommends no further action. Waste oil samples show no TAGM exceedenced except for PAHs attributed to fill material. Endpoint soil samples collected from pump island excavations show no TAGM 4046 Soil Quality Objective exceedences except for PAHs attibutable to fill material. 3/20/07-Vought-See also closed spill numbers: 8605682, 9410208, 9410209 and 8302630(Open pin #). Vought spoke to DEC Krimgold who is preparing Consent Order for PBS violations and requested to add remedial requirements. Conference call with DEC Urda, AG Nyoff and AG Riggi showed that approximately 354K still owed to AG for past cleanup costs. Due to same ownership (Citigas) prior costs may be included in Consent Order. Vought submitted CAP for below requirements to DEC Urda. Riggi and Nyhoff also approved submission of Final ISR and closure of spill as any new funds spent by the DEC need a new PIN number since settlement already reached with old responsible party. Vought called Snyder, summarized consent order and left message to return call. DEC requires: 1)collection of water sample at SB9 due to shallow groundwater table and historical video for spill #8302630 showing bailer from monitoring well adjacent to pump islands with free product 2)expected depth of foundation 2)vapor barrier/SSDS 3/26/07-Vought-Received call from Matt Snyder (212-318-1650x253 cell 914-522-0759) and returned call and spoke to Snyder. Contact at Brinkerhoff that Urda is using is Doug Harm. Vought referred Snyder to Doug Harm at Brinkerhoff. DEC sent Consent Order to Doug Harm. 04/04/07-Vought-Receied message from Doug Harm (732-223-2225) regarding site and returned call and left message to return call. 4/5/07-Vought-Received call from and spoke to Harm who received CAP for Consent Order. Brinkerhoff will collect groundwater samples on 4/10 and report will be submitted to DEC. Workplan submitted to DEP for their additional requirements and DEP will not approve plan until they receive plan for building. Building will not occur until Consent Order obligations are completed. ISR will be submitted to DEC. RAP may not be submitted for 90-120 days as owner not decided on how to develop property as of yet. 4/6/7-Vought-Vought

FORMER GAS STATION (Continued) **S108058323**

called Harm who proposed 60 days for ISR and 180 days for submission of RAP as owner still undecided on development plans. Harm assured DEC Vought that development will not take place as permits cannot currently be obtained from DEP due to outstanding E designation requirements. Vought approved of proposed changes to CAP and submitted to DEC Urda. Harm also sent in letter with request as per Vought. 4/13/07-Vought-Reviewed Corrective Action Plan Extension Request dated 4/5/07 submitted by Brinkerhoff (Harm). Groundwater sampling scheduled to be conducted on 4/10/07. An extension for submittal of the RAP of 180 days is requested . See above entry for 4/5/07 as 120 day extension for RAP is acceptable by Department. Vought sent email to DEP Naizaire requesting information on DEP project manager. 06/04/07-Vought-Received email from DEC Nazaire that DEP project manager is Tracy Goldman (718-595-6443) and left message to return call. 06/26/07-Vought-Received call from and spoke to Suman Khanna (718-349-0555) who put in foil request and he received detailed PDF report and was not aware of prior Attorney General action. 10/23/09-Vought-Received message from Harm (732-223-2225) on 9/28 that property being developed with residential apartments and that vapor barrier and SSD installed. Vought spoke to Harm and 3000 tons of soil was removed and post excavation samples were collected. Excavation occurred to water table. No sidewalk wells remain. DEC will receive closure and excavation report within the next couple of weeks (by 12/1/09). Vought called and spoke to NYSOAG John Nyhoff and informed him of property development. 8/6/10 - Raphael Ketani. I took over the case from Jeff Vought of Spills who transfered to Unit A, Superfund Sites and Brownfields, within DER. On 7/11/06, oil contaminated soil was discovered during a site investigation. The site was a former gas station. The address is 303 10th Avenue in Manhattan. The consultant was Doug Harm of Brinkerhoff Environmental (732-223-2225). The site is located at 303-309 10th Avenue, Manhattan. The block and lot are 699 and 33. According to ACRIS, the deed shows that 303 10th Avenue Hospitality, LLC is still the owner of the property. Their address is 20 West 46th Street, 2nd Floor, NY, 10036. There are two PBS registrations. The earlier one, #2-601361, shows four 4,000 gal. USTs with gasoline and diesel fuel. They were installed on 9/1/98 and removed on 2/1/77. The second registration is #2-604322. There is one 250 gal. lube oil UST. I left a message for Mr. Harm (732) 223-2225 requesting the closure report for the site along with the groundwater results. Also, I spoke Mr. Vought regarding the site. He said that they were putting in the foundation for a building when he had the case. 8/9/10 - Raphael Ketani. Mr. Harm called me back. He said that the last step in the investigation would be to install a monitoring well in front of the building. However, for a long time, there had been scaffolding in place which prevented any well installations. The scaffolding has finally come down and Brinkerhoff will install the well. The groundwater analytical results will be sent to the DEC in about 60 days. 10/26/10 - Raphael Ketani. Today I received the 10/5/10 Closure Report from Brinkerhoff Envirionmental Services, Inc. I began my review of the report. 10/27/10 - Raphael Ketani. I finished my review of the Closure Report. According to the information contained in the report, almost all of the soil within the footprint of the former gas station was removed down to 13 feet from 5/27/08 to 3/17/09. Eight (8) soil end point samples were taken from 8/27/08 to 3/19/09 and indicated that there was no BTEX contamination and generally low concentrations of SVOCs. The only SVOCs that exceeded the TAGM standards were the

FORMER GAS STATION (Continued) **S108058323**

benzo series and their associated combustion products. Given that only these analytes exceeded the TAGM standards, the soil results resemble those for historical fill. Groundwater samples were taken on 9/25/07, and 2/11/08 from wells MW-1 to MW-3. After 2/11/08, the wells were destroyed due to the foundation construction for the new apartment building. The results for MW-1 were in the thousands of parts per billion for samples that were taken during both rounds. The other two wells had non-detect or very low analytical results during the second round. A groundwater sample was taken on 03/19/09 from a test pit and the results indicated that the tested VOCs were non-detect, except for slightly elevated results for MTBE and TBA. A later well, MW-4, was installed on 8/12/10 downgradient to the former location of MW-1 after the construction was finished in order to check the groundwater analyte concentrations. The analytical results for the sample that was collected on 8/26/10 were almost entirely non-detect. According to the Closure Report, a sub-slab vapor barrier and a passive vapor ventilation system were installed. Based upon the information in the 10/5/10 Closure Report, I have determined that the petroleum contamination has been remediated. Also, as a vapor barrier and passive ventilation system were installed, I have determined that there is no threat to the public or the environment. Therefore, I am closing the spill case effective today."

Remarks: "DURING SOIL TESTING FOUND CONTAMINATION: - OWNER IS 303 10TH AVE HOSPITALITY LLC 20 WEST 46TH STREET NEW YOR NEW YORK 10036"

All Materials:

Site ID:	366826
Operable Unit ID:	1124757
Operable Unit:	01
Material ID:	2114259
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	.00
Oxygenate:	Not reported

AB226 **10TH AVE SS INC - DHINSA GAS - CITY GAS** **RCRA NonGen / NLR** **1001080176**
SSE **303 10TH AVE** **ICIS** **NYU005000237**
< 1/8 **NEW YORK, NY 10034** **FINDS**
0.111 mi. **ECHO**
584 ft. **Site 5 of 11 in cluster AB**

Relative: **Higher**
Actual: **16 ft.**

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	10TH AVE SS INC - DHINSA GAS - CITY GAS
Facility address:	303 10TH AVE NEW YORK, NY 10034
EPA ID:	NYU005000237
Mailing address:	10TH AVE NEW YORK, NY 10034
Contact:	Not reported
Contact address:	10TH AVE NEW YORK, NY 10034
Contact country:	US

10TH AVE SS INC - DHINSA GAS - CITY GAS (Continued) **1001080176**

Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: UNK
Owner/operator address: NOT REQUIRED
NOT REQUIRED, NY 99999
Owner/operator country: US
Owner/operator telephone: 212-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: UNK
Owner/operator address: NOT REQUIRED
NOT REQUIRED, NY 99999
Owner/operator country: US
Owner/operator telephone: 212-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: 10TH AVE SS INC - DHINSA GAS - CITY GAS
Classification: Not a generator, verified

10TH AVE SS INC - DHINSA GAS - CITY GAS (Continued) **1001080176**

Date form received by agency: 09/29/1995
Site name: 10TH AVE SS INC - DHINSA GAS - CITY GAS
Classification: Unverified

. Waste code: NONE
. Waste name: None

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 05/25/1999
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

Evaluation date: 06/29/1995
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

ICIS:
Enforcement Action ID: 02-2001-0004
FRS ID: 110001596354
Action Name: CITYGAS CORP ET AL
Facility Name: 10TH AVE SS INC - DHINSA GAS - CITY GAS
Facility Address: 303 10TH AVE
NEW YORK, NY 10034
Enforcement Action Type: Civil Judicial Action
Facility County: NEW YORK
Program System Acronym: RCRAINFO
Enforcement Action Forum Desc: Judicial
EA Type Code: CIV
Facility SIC Code: Not reported
Federal Facility ID: Not reported
Latitude in Decimal Degrees: 40.659745
Longitude in Decimal Degrees: -73.977623
Permit Type Desc: Not reported
Program System Acronym: NYU005000237
Facility NAICS Code: Not reported
Tribal Land Code: Not reported

Facility Name: 10TH AVE SS INC - DHINSA GAS - CITY GAS
Address: 303 10TH AVE
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: 10TH AVE SS INC - DHINSA GAS - CITY GAS
Address: 303 10TH AVE
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

10TH AVE SS INC - DHINSA GAS - CITY GAS (Continued) **1001080176**

FINDS:

Registry ID: 110001596354

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1001080176
Registry ID: 110001596354
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110001596354

AB227 **SHLOMI & AVI REPAIR INC.** **NY UST** **U003712143**
SSE **303-309 10TH AVENUE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.111 mi.
584 ft. **Site 6 of 11 in cluster AB**

Relative: Higher
Actual: 16 ft.

UST:
Id/Status: 2-604322 / Unregulated/Closed
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: N/A
UTM X: 584232.35261
UTM Y: 4511551.35929
Site Type: Other

Affiliation Records:
Site Id: 26199
Affiliation Type: Facility Owner
Company Name: BNYC STREET REALTY CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 276 NORTH HENRY STREET
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11222
Country Code: 001
Phone: (718) 349-0555
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 26199
Affiliation Type: Mail Contact

SHLOMI & AVI REPAIR INC. (Continued) **U003712143**

Company Name:	SHLOMI & AVI AUTO REPAIR INC
Contact Type:	Not reported
Contact Name:	SHLOMO FARAG
Address1:	303-309 10TH AVENUE
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 629-5865
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	26199
Affiliation Type:	Facility Operator
Company Name:	SHLOMI & AVI REPAIR INC.
Contact Type:	Not reported
Contact Name:	SHLOMO FARAG
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 629-5865
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	26199
Affiliation Type:	Emergency Contact
Company Name:	BNYC STREET REALTY CORP
Contact Type:	Not reported
Contact Name:	SHLOMO FARAG
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 629-5865
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank ID:	57368
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	250
Install Date:	10/01/1994

SHLOMI & AVI REPAIR INC. (Continued) **U003712143**

Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0013
Common Name of Substance:	Lube Oil
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
I01 - Overfill - Float Vent Valve
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None

AB228 **TENTH GAS (NY) INC.** **NY UST** **U003069155**
SSE **303 TENTH AVENUE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.111 mi.
584 ft. **Site 7 of 11 in cluster AB**

Relative:
Higher

Actual:
16 ft.

UST:

Id/Status:	2-601361 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	586036.98235
UTM Y:	4514838.39391
Site Type:	Retail Gasoline Sales

Affiliation Records:

Site Id:	23328
Affiliation Type:	Facility Operator
Company Name:	TENTH GAS (NY) INC.
Contact Type:	Not reported
Contact Name:	TENTH GAS (NY) INC.
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NY
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 239-0213
EMail:	Not reported
Fax Number:	Not reported
Modified By:	BKFALVEY
Date Last Modified:	2006-12-06
Site Id:	23328

TENTH GAS (NY) INC. (Continued) **U003069155**

Affiliation Type:	Emergency Contact
Company Name:	303-309, 10TH AVENUE, LLC
Contact Type:	Not reported
Contact Name:	MARIAM AZADALLI
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 349-0555
EMail:	Not reported
Fax Number:	Not reported
Modified By:	BKFALVEY
Date Last Modified:	2006-12-06

Site Id:	23328
Affiliation Type:	Facility Owner
Company Name:	303-309, 10TH AVENUE, LLC
Contact Type:	PRINCIPAL
Contact Name:	MARC ALTHEIM
Address1:	276 N. HENRY STREET
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11222
Country Code:	001
Phone:	(718) 349-0555
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2006-12-21

Site Id:	23328
Affiliation Type:	Mail Contact
Company Name:	276 N. HENRY STREET LLC
Contact Type:	Not reported
Contact Name:	DIDAR SINGH, CONTROLLER
Address1:	276 NORTH HENRY STREET
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11222
Country Code:	001
Phone:	(718) 349-0555
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2008-02-11

Tank Info:

Tank Number:	001
Tank ID:	45740
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	4000

TENTH GAS (NY) INC. (Continued) **U003069155**

Install Date: 02/01/1977
Date Tank Closed: 09/15/2006
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 21
Date Test: 05/08/2003
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

F07 - Pipe External Protection - Retrofitted Sacrificial Anode
H05 - Tank Leak Detection - In-Tank System (ATG)
J01 - Dispenser - Pressurized Dispenser
B02 - Tank External Protection - Original Sacrificial Anode
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin

Tank Number: 002
Tank ID: 45741
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 4000
Install Date: 02/01/1977
Date Tank Closed: 09/15/2006
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 21
Date Test: 05/08/2003
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

F07 - Pipe External Protection - Retrofitted Sacrificial Anode
H05 - Tank Leak Detection - In-Tank System (ATG)
J01 - Dispenser - Pressurized Dispenser
B02 - Tank External Protection - Original Sacrificial Anode
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
I02 - Overfill - High Level Alarm

TENTH GAS (NY) INC. (Continued) **U003069155**

K01 - Spill Prevention - Catch Basin

Tank Number: 003
Tank ID: 45742
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 4000
Install Date: 02/01/1977
Date Tank Closed: 09/15/2006
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 21
Date Test: 05/08/2003
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

F07 - Pipe External Protection - Retrofitted Sacrificial Anode
H05 - Tank Leak Detection - In-Tank System (ATG)
J01 - Dispenser - Pressurized Dispenser
B02 - Tank External Protection - Original Sacrificial Anode
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
C02 - Pipe Location - Underground/On-ground
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin

Tank Number: 004
Tank ID: 45743
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 4000
Install Date: 02/01/1977
Date Tank Closed: 09/15/2006
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0008
Common Name of Substance: Diesel

Tightness Test Method: 21
Date Test: 05/08/2003
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

F07 - Pipe External Protection - Retrofitted Sacrificial Anode

TENTH GAS (NY) INC. (Continued) **U003069155**

H05 - Tank Leak Detection - In-Tank System (ATG)
J01 - Dispenser - Pressurized Dispenser
B02 - Tank External Protection - Original Sacrificial Anode
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
C02 - Pipe Location - Underground/On-ground
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin

AB229 **10TH AVE. W 27/W 28 ST. G** **NY LTANKS** **S102671142**
SSE **303 10TH AVE** **NY Spills** **N/A**
< 1/8 **NEW YORK CITY, NY**
0.111 mi.
584 ft. **Site 8 of 11 in cluster AB**

Relative:
Higher

Actual:
16 ft.

LTANKS:

Facility ID:	8606807
Site ID:	225246
Closed Date:	1987-02-05
Spill Number:	8606807
Spill Date:	1987-02-05
Spill Cause:	Tank Overfill
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	Not reported
Cleanup Ceased:	1987-02-05
SWIS:	3101
Investigator:	Unassigned
Referred To:	Not reported
Reported to Dept:	1987-02-05
CID:	Not reported
Water Affected:	UNK
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1987-02-10
Spill Record Last Update:	2004-12-14
Spiller Name:	Not reported
Spiller Company:	RGR
Spiller Address:	SPILL
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	220188
DEC Memo:	"See PIN 4169, spills #8302630, 9410209, 9410208, 8605682."
Remarks:	"HOPEFULLY THEY WILL START TO CLEAN IT UP. NOTIFIER LT.MC GOVERN NYFD 212-570-4261"

All Materials:

Site ID:	225246
Operable Unit ID:	904394
Operable Unit:	01
Material ID:	472363

10TH AVE. W 27/W 28 ST. G (Continued) **S102671142**

Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	100.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	8605682
Site ID:	256335
Closed Date:	1986-12-05
Spill Number:	8605682
Spill Date:	1986-12-04
Spill Cause:	Tank Overfill
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	Not reported
Cleanup Ceased:	1986-12-05
SWIS:	3101
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	1986-12-05
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Fire Department
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1987-01-08
Spill Record Last Update:	2005-01-03
Spiller Name:	Not reported
Spiller Company:	UNK NAMED GAS STATION
Spiller Address:	303 10 AVE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	220188
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was 10/10/95: This is additional information about material spilled from the translation of the old spill file: POTEN SPILL. See PIN 4169, spills #8302630,8606807,9410208,9410209."
Remarks:	"@"

All Materials:

Site ID:	256335
Operable Unit ID:	902641
Operable Unit:	01
Material ID:	474849
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1000.00

10TH AVE. W 27/W 28 ST. G (Continued) **S102671142**

Units:	L
Recovered:	.00
Oxygenate:	Not reported

SPILLS:

Facility ID:	8302630
Facility Type:	ER
Spill Number:	8302630
DER Facility ID:	220188
Site ID:	270444
DEC Region:	2
Closed Date:	2007-04-23
Spill Cause:	Unknown
Spill Class:	D4
SWIS:	3101
Spill Date:	1984-05-09
Investigator:	JBVOUGHT
Referred To:	SIR DUE 07/22/06 (PIN JOB)
Reported to Dept:	1984-05-09
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1986-06-10
Spill Record Last Update:	2007-04-24
Spiller Name:	Not reported
Spiller Company:	ALEX GOFFMAN
Spiller Address:	303-309 10TH AVE
Spiller Company:	001
Contact Name:	Not reported
DEC Memo:	"09/25/95: PIN-4169 - ASSIGNED TO CHRIS FOR TRACKING PURPOSES. 10/6/03 See also PIN 4169, spill #s 8605682, 8606807, 9410208, 9410209. 1/8/04 Reassigned from Tomasello to K Foley. 06/20/06: Re-assigned from Foley to Yau. (Yau) 06/22/06: Prepared and sent an old spill letter to property owner through certified mail. A site investigation report (SIR) is expected to be due on 07/22/06. (Yau) 06/27/06: Owner called to inquire about the spill. Stated that he brought the property recently (around 2002) and had no idea where is the spill was. Told him that DEC will look into it and call him back with the exact location of the spill. (Yau) 08/02/06: Owner called to request an update to the site. Told him that a review is underway. Found that DEC had a PIN job for this site. Unsure whether the cleanup is complete. If the cleanup is incomplete, the owner might have to re-do the cleanup. Will call owner back as soon as review is completed. (Yau) 10/16/06 Reassign from Yau to Chanda (Chanda) 12/12/06-Vought-Spill reassigned from DEC Chanda to DEC Vought. 03/20/07-Vought-File review by Vought: See also open spill #0603967 at same location. Videotape-unknown date (circa 19884)-tape showing well being bailed with free product thickness of 1 . Registered CSL Letter sent by DEC Yau to Tenth Gas Inc (address as per Property

10TH AVE. W 27/W 28 ST. G (Continued) **S102671142**

Shark). FOIL request from Brinkerhoff-8/18/06. Vought called AG Bechard for status of PIN case. PIN case assigned to AG John Nyhoff. Vought called Nyhoff and left message to return call. 3/20/07-Vought-See also closed spill numbers: 8605682, 9410208, 9410209 and 8302630(Open pin #). Vought spoke to DEC Krimgold who is preparing Consent Order for PBS violations and requested to add remedial requirements. Conference call with DEC Urda, AG Nyoff and AG Riggi showed that approximately 354K still owed to AG for past cleanup costs. Due to same ownership (Citigas) prior costs may be included in Consent Order. Vought submitted CAP for below requirements to DEC Urda. Riggi and Nyhoff also approved submission of Final ISR and closure of spill as any new funds spent by the DEC need a new PIN number since settlement already reached with old responsible party. Vought called Snyder, summarized consent order and left message to return call. 03/21/07-Vought-Left message for AG Nyhoff to call Vought with status of PIN. Vought and DEC Urda spoke with AG Nyoff and as per Nyoff default judgement was made against former owner of property resulting in lean of approximately 354K. 3/26/07-Vought-Received ISR from Nyoff. Vought left message for Nyoff to return call with which party was found responsible (Alex Goffman or Westside Tripple Auto Repair). 4/23/07-Final ISR submitted to DEC Austin for review and spill closed by Vought. "

Remarks: ""

All Materials:

Site ID:	270444
Operable Unit ID:	894766
Operable Unit:	01
Material ID:	481492
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	8302630
Facility Type:	ER
Spill Number:	8302630
DER Facility ID:	220188
Site ID:	270444
DEC Region:	2
Closed Date:	2007-04-23
Spill Cause:	Unknown
Spill Class:	D4
SWIS:	3101
Spill Date:	1984-05-09
Investigator:	JBVOUGHT
Referred To:	SIR DUE 07/22/06 (PIN JOB)
Reported to Dept:	1984-05-09
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Other
Cleanup Ceased:	Not reported

10TH AVE. W 27/W 28 ST. G (Continued) **S102671142**

Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1986-06-10
Spill Record Last Update:	2007-04-24
Spiller Name:	Not reported
Spiller Company:	WESTSIDE TRIPLE AUTO REPAIR
Spiller Address:	303-309 10TH AVE
Spiller Company:	001
Contact Name:	Not reported
DEC Memo:	"09/25/95: PIN-4169 - ASSIGNED TO CHRIS FOR TRACKING PURPOSES. 10/6/03 See also PIN 4169, spill #s 8605682, 8606807, 9410208, 9410209. 1/8/04 Reassigned from Tomasello to K Foley. 06/20/06: Re-assigned from Foley to Yau. (Yau) 06/22/06: Prepared and sent an old spill letter to property owner through certified mail. A site investigation report (SIR) is expected to be due on 07/22/06. (Yau) 06/27/06: Owner called to inquire about the spill. Stated that he brought the property recently (around 2002) and had no idea where is the spill was. Told him that DEC will look into it and call him back with the exact location of the spill. (Yau) 08/02/06: Owner called to request an update to the site. Told him that a review is underway. Found that DEC had a PIN job for this site. Unsure whether the cleanup is complete. If the cleanup is incomplete, the owner might have to re-do the cleanup. Will call owner back as soon as review is completed. (Yau) 10/16/06 Reassign from Yau to Chanda (Chanda) 12/12/06-Vought-Spill reassigned from DEC Chanda to DEC Vought. 03/20/07-Vought-File review by Vought: See also open spill #0603967 at same location. Videotape-unknown date (circa 19884)-tape showing well being bailed with free product thickness of 1 . Registered CSL Letter sent by DEC Yau to Tenth Gas Inc (address as per Property Shark). FOIL request from Brinkerhoff-8/18/06. Vought called AG Bechard for status of PIN case. PIN case assigned to AG John Nyhoff. Vought called Nyhoff and left message to return call. 3/20/07-Vought-See also closed spill numbers: 8605682, 9410208, 9410209 and 8302630(Open pin #). Vought spoke to DEC Krimgold who is preparing Consent Order for PBS violations and requested to add remedial requirements. Conference call with DEC Urda, AG Nyoff and AG Riggi showed that approximately 354K still owed to AG for past cleanup costs. Due to same ownership (Citigas) prior costs may be included in Consent Order. Vought submitted CAP for below requirements to DEC Urda. Riggi and Nyhoff also approved submission of Final ISR and closure of spill as any new funds spent by the DEC need a new PIN number since settlement already reached with old responsible party. Vought called Snyder, summarized consent order and left message to return call. 03/21/07-Vought-Left message for AG Nyhoff to call Vought with status of PIN. Vought and DEC Urda spoke with AG Nyoff and as per Nyoff default judgement was made against former owner of property resulting in lean of approximately 354K. 3/26/07-Vought-Received ISR from Nyoff. Vought left message for Nyoff to return call with which party was found responsible (Alex Goffman or Westside Tripple Auto Repair). 4/23/07-Final ISR submitted to DEC Austin for review and spill closed by Vought. "
Remarks:	""

All Materials:

Site ID:	270444

10TH AVE. W 27/W 28 ST. G (Continued) **S102671142**

Operable Unit ID:	894766
Operable Unit:	01
Material ID:	481492
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

AB230 **KELLYS TAXI SERVICE INC** **EDR Hist Auto** **1020374706**
SSE **303-309 10TH AVE** **N/A**
< 1/8 **NEW YORK, NY 10034**
0.111 mi.
587 ft. **Site 9 of 11 in cluster AB**

Relative: EDR Hist Auto
Higher

Actual:
16 ft.

Year:	Name:	Type:
1977	KELLYS TAXI SERVICE INC	Automotive Repair Shops, NEC
1978	KELLYS TAXI SERVICE INC	Automotive Repair Shops, NEC
1979	KELLYS TAXI SERVICE INC	Automotive Repair Shops, NEC
1980	KELLYS TAXI SERVICE INC	Automotive Repair Shops, NEC
1982	KELLYS TAXI SERVICE INC	Automotive Repair Shops, NEC
1983	WEST SDE TRPL	Gasoline Service Stations
1990	JACOB & MOTY AUTO REPAIRS	General Automotive Repair Shops
1991	JACOB & MOTY AUTO REPAIRS	General Automotive Repair Shops
1996	10TH AVENUE GAS STATION INC	Gasoline Service Stations
1997	10TH AVENUE GAS STATION INC	Gasoline Service Stations
1998	10TH AVENUE GAS STATION INC	Gasoline Service Stations
1999	10TH AVENUE GAS STATION INC	Gasoline Service Stations
2000	10TH AVENUE GAS STATION INC	Gasoline Service Stations
2001	10TH AVENUE GAS STATION INC	Gasoline Service Stations
2002	10TH AVENUE GAS STATION INC	Gasoline Service Stations
2003	10TH AVENUE GAS STATION INC	Gasoline Service Stations
2003	MOTY AND JACOB AUTO CENTER	General Automotive Repair Shops
2004	MOTY AND JACOB AUTO CENTER	General Automotive Repair Shops
2004	10TH AVENUE GAS STATION INC	Gasoline Service Stations
2005	MOTY AND JACOB AUTO CENTER	General Automotive Repair Shops
2005	10TH AVENUE GAS STATION INC	Gasoline Service Stations
2006	SHLOMI & AVI AUTO REPAIR INC	General Automotive Repair Shops
2006	10TH AVENUE GAS STATION INC	Gasoline Service Stations
2006	MOTY AND JACOB AUTO CENTER	General Automotive Repair Shops
2007	MOTY AND JACOB AUTO CENTER	General Automotive Repair Shops
2007	SHLOMI & AVI AUTO REPAIR INC	General Automotive Repair Shops
2007	10TH AVENUE GAS STATION INC	Gasoline Service Stations
2010	10TH AVENUE GAS STATION INC	Gasoline Service Stations
2011	10TH AVENUE GAS STATION INC	Gasoline Service Stations

Y231 **NYCDEP** **NY MANIFEST** **1009244211**
ESE **10TH AVE & 29TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.111 mi.
588 ft. **Site 7 of 14 in cluster Y**

Relative:
Higher

Actual:
18 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP010000396
Facility Status:	Not reported
Location Address 1:	10TH AVE & 29TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP010000396
Mailing Name:	NYCDEP
Mailing Contact:	N/S
Mailing Address 1:	1 CENTRE ST RM 2444
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10007
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2126698930

NY MANIFEST:

Document ID:	NYB2170332
Manifest Status:	K
seq:	Not reported
Year:	1991
Trans1 State ID:	PC4341
Trans2 State ID:	Not reported
Generator Ship Date:	03/19/1991
Trans1 Recv Date:	03/19/1991
Trans2 Recv Date:	/ /
TSD Site Recv Date:	03/19/1991
Part A Recv Date:	04/09/1991
Part B Recv Date:	04/18/1991
Generator EPA ID:	NYP010000396
Trans1 EPA ID:	NYD049178296
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD049178296
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported

NYCDEP (Continued) **1009244211**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D007 - CHROMIUM 5.0 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00300
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

Y232 **CON EDISON MANHOLE: 43161** **NY MANIFEST** **S120957772**
ESE **10 AVE & 29TH ST SE** **N/A**
< 1/8 **NEW YORK, NY 10009**
0.111 mi.
588 ft. **Site 8 of 14 in cluster Y**

Relative:
Higher

Actual:
18 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004280178
Facility Status:	Not reported
Location Address 1:	10 AVE & 29 ST SE COR
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10009
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004280178
Mailing Name:	CON EDISON MANHOLE: 43161
Mailing Contact:	THERESA BURKARD
Mailing Address 1:	4 IRVING PL 15TH FL NE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602262

Y233 **CON EDISON MANHOLE: 43161** **RCRA NonGen / NLR** **1016149354**
ESE **10 AVE & 29TH ST SE** **FINDS** **NYP004280178**
< 1/8 **NEW YORK, NY 10009** **ECHO**
0.111 mi.
588 ft. **Site 9 of 14 in cluster Y**

Relative:
Higher

Actual:
18 ft.

RCRA NonGen / NLR:

Date form received by agency:	07/28/2017
Facility name:	CON EDISON MANHOLE: 43161
Facility address:	10 AVE & 29TH ST SE NEW YORK, NY 10009
EPA ID:	NYP004280178
Mailing address:	IRVING PL, RM 828 NEW YORK, NY 10003
Contact:	RICARDO CARTY
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	646-772-3407
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	12/11/2012
Site name:	CON EDISON MANHOLE: 43161
Classification:	Conditionally Exempt Small Quantity Generator
Violation Status:	No violations found

FINDS:

Registry ID: 110055454084

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

CON EDISON MANHOLE: 43161 (Continued) **1016149354**

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016149354
Registry ID:	110055454084
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055454084

Y234 **CON EDISON MANHOLE: 43161** **NJ MANIFEST** **S117987139**
ESE **10 AVE & 29TH ST SE** **N/A**
< 1/8 **NEW YORK, NY 10009**
0.111 mi.
588 ft. **Site 10 of 14 in cluster Y**

Relative:
Higher

Actual:
18 ft.

NJ MANIFEST:

EPA Id:	NYP004280178
Mail Address:	IRVING PL, RM 828
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	RICARDO CARTY
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	010840129JJK
EPA ID:	NYP004280178
Date Shipped:	12/11/2012
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported

CON EDISON MANHOLE: 43161 (Continued) **S117987139**

Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	2,000.00 Pounds

Y235 **MORGAN PARKING LOT** **NY Spills** **S102142029**
ESE **W.29TH ST / 10TH AVE** **N/A**
< 1/8 **MANHATTAN, NY**
0.112 mi.
594 ft. **Site 11 of 14 in cluster Y**

Relative:
Higher

Actual:
18 ft.

SPILLS:

Facility ID:	8907464
Facility Type:	ER
Spill Number:	8907464
DER Facility ID:	59048
Site ID:	60493
DEC Region:	2
Closed Date:	1995-06-20
Spill Cause:	Human Error
Spill Class:	C3
SWIS:	3101
Spill Date:	1989-10-27
Investigator:	FINGER
Referred To:	Not reported
Reported to Dept:	1989-10-27
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Affected Persons
Cleanup Ceased:	1995-06-20
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1989-11-03

MORGAN PARKING LOT (Continued) **S102142029**

Spill Record Last Update:	2003-04-15
Spiller Name:	Not reported
Spiller Company:	CROWN CONSTRUCTION CO
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	Not reported
DEC Memo:	""
Remarks:	"275 GAL TANK STRUCK BY BACKHOE. THIS PREVIOUSLY WAS A TANK IN THE BASEMENT OF A BLDG RAZED IN 1962. TANK LEFT THERE BY TYREE BROS. WILL CALL MONDAY ABOUT CLEANING."

All Materials:

Site ID:	60493
Operable Unit ID:	935068
Operable Unit:	01
Material ID:	444254
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

AC236 **SHLOMI & AVI AUTO REPAIR INC** **EDR Hist Auto** **1022138445**
SE **305 10TH AVE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.112 mi.
594 ft. **Site 3 of 11 in cluster AC**

Relative: EDR Hist Auto
Higher

Actual:
16 ft.

Year:	Name:	Type:
1996	SHLOMI & AVI AUTO REPAIR INC	General Automotive Repair Shops
1997	SHLOMI & AVI AUTO REPAIR INC	General Automotive Repair Shops
1998	SHLOMI & AVI AUTO REPAIR INC	General Automotive Repair Shops
1999	SHLOMI & AVI AUTO REPAIR INC	General Automotive Repair Shops
2000	SHLOMI & AVI AUTO REPAIR INC	General Automotive Repair Shops
2001	SHLOMI & AVI AUTO REPAIR INC	General Automotive Repair Shops
2002	SHLOMI & AVI AUTO REPAIR INC	General Automotive Repair Shops
2003	SHLOMI & AVI AUTO REPAIR INC	General Automotive Repair Shops
2004	SHLOMI & AVI AUTO REPAIR INC	General Automotive Repair Shops
2005	SHLOMI & AVI AUTO REPAIR INC	General Automotive Repair Shops
2005	A BETTER TRANSMISSION	Automotive Transmission Repair Shops
2006	A BETTER TRANSMISSION	Automotive Transmission Repair Shops
2007	A BETTER TRANSMISSION	Automotive Transmission Repair Shops
2008	A BETTER TRANSMISSION	Automotive Transmission Repair Shops

Y237 **CON EDISON MANHOLE: 43161** **RCRA NonGen / NLR** **1016149207**
ESE **W 29TH ST & 10TH AVE SE COR** **NY MANIFEST** **NYP004278693**
< 1/8 **NEW YORK, NY 10001**
0.113 mi.
597 ft. **Site 12 of 14 in cluster Y**

Relative:
Higher

Actual:
18 ft.

RCRA NonGen / NLR:

Date form received by agency:	07/28/2017
Facility name:	CON EDISON MANHOLE: 43161
Facility address:	W 29TH ST & 10TH AVE SE COR NEW YORK, NY 10001
EPA ID:	NYP004278693
Mailing address:	IRVING PL, RM 828 NEW YORK, NY 10003
Contact:	JOSE MONTALVO
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-427-1331
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	11/21/2012
Site name:	CON EDISON MANHOLE: 43161
Classification:	Conditionally Exempt Small Quantity Generator
Violation Status:	No violations found

NY MANIFEST:

Country:	USA
EPA ID:	NYP004278693
Facility Status:	Not reported
Location Address 1:	SEC W 29TH ST & 110TH AVE
Code:	BP
Location Address 2:	MH 43161
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001

CON EDISON MANHOLE: 43161 (Continued) **1016149207**

Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004278693
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2012
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 11/21/2012
Trans1 Recv Date: 11/21/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/21/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004278693
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010840203JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0

CON EDISON MANHOLE: 43161 (Continued) **1016149207**

Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

Y238 **CON EDISON SERVICE BOX: 5436** **RCRA NonGen / NLR** **1017773847**
ESE **402 W 29TH ST & 10TH AVE** **FINDS** **NYP004516407**
< 1/8 **NEW YORK, NY 10001**
0.113 mi.
597 ft. **Site 13 of 14 in cluster Y**

Relative: **Higher**
Actual: **18 ft.**

RCRA NonGen / NLR:

Date form received by agency:	05/29/2014
Facility name:	CON EDISON SERVICE BOX: 5436
Facility address:	402 W 29TH ST & 10TH AVE NEW YORK, NY 10001
EPA ID:	NYP004516407
Mailing address:	IRVING PL, 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	04/29/2014
Site name:	CON EDISON
Classification:	Small Quantity Generator

CON EDISON SERVICE BOX: 5436 (Continued) **1017773847**

Date form received by agency: 04/29/2014
Site name: CON EDISON
Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110063794194

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Y239 **EVANS AUTO** **NY Spills** **S108635852**
ESE **319-325 10TH AVE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.113 mi.
597 ft. **Site 14 of 14 in cluster Y**

Relative: **Higher**
Actual: **18 ft.**

SPILLS:

Facility ID:	0700172
Facility Type:	ER
Spill Number:	0700172
DER Facility ID:	328945
Site ID:	379465
DEC Region:	2
Closed Date:	2016-03-18
Spill Cause:	Other
Spill Class:	C4
SWIS:	3101
Spill Date:	2007-04-05
Investigator:	MDMACCAB
Referred To:	Not reported
Reported to Dept:	2007-04-05
CID:	444
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	2016-02-25
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2007-04-05
Spill Record Last Update:	2016-03-18
Spiller Name:	VIC RICCHEZZA
Spiller Company:	COMMERCIAL PROPERTY
Spiller Address:	319-325 10TH AVE

EVANS AUTO (Continued) **S108635852**

Spiller Company: 001
Contact Name: VIC RICCHEZZA
DEC Memo: "DEC Piper spoke w. Vic, as per conversation plans are for a high rise. The property is three separate lots and all had some type of contaminants. Vic will forward Phase I and II and a work plan is going to be drawn up. This site is a E-designated site and will be monitored by the NYC DEP. High Line Development Group. Michael Shananbrook 212-937-8861 As per GZA, funding was lost in 2008. 1/9/12- csl sent to High Line Development Group. Michael Shananbrook 550 W 29th St. NY, NY 10001 04/24/14 - The project has been reassigned to M. MacCabe in the central office. Staff is reviewing a remedial work plan intended to address the chlorinated VOCs in groundwater. 02/25/16 - The site was remediated under the oversight of the NYC Office of Environmental Remediation project No. 13EHAN009M and has been closed."
Remarks: "WHILE TESTING SOIL AT ABOVE LOCATIONS FOUND CONTAMINATED SOIL: ALL PROPERTIES WERE EFFECTED"

All Materials:
Site ID: 379465
Operable Unit ID: 1136946
Operable Unit: 01
Material ID: 2126889
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: G
Recovered: .00
Oxygenate: Not reported

AE240 **M.J. CAHN CO., INC.** **NY AST** **U004047474**
South **510 WEST 27TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.114 mi.
600 ft. **Site 2 of 5 in cluster AE**

Relative: Higher
Actual: 14 ft.

AST:
Region: STATE
DEC Region: 2
Site Status: Unregulated/Closed
Facility Id: 2-161225
Program Type: PBS
UTM X: 584195.10766
UTM Y: 4511541.90381
Expiration Date: N/A
Site Type: Other

Affiliation Records:
Site Id: 5545
Affiliation Type: Facility Owner
Company Name: CAHN FAMILY ASSOCIATES
Contact Type: Not reported
Contact Name: Not reported
Address1: 510 WEST 27TH ST.
Address2: Not reported
City: NEW YORK

M.J. CAHN CO., INC. (Continued) **U004047474**

State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 563-7292
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 5545
Affiliation Type: Mail Contact
Company Name: CAHN FAMILY ASSOCIATES
Contact Type: Not reported
Contact Name: DANIEL S. CAHN
Address1: 510 WEST 27TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 563-7292
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 5545
Affiliation Type: Facility Operator
Company Name: M.J. CAHN CO., INC.
Contact Type: Not reported
Contact Name: RENE HERNANDEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 563-7292
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 5545
Affiliation Type: Emergency Contact
Company Name: CAHN FAMILY ASSOCIATES
Contact Type: Not reported
Contact Name: DANIEL S. CAHN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 563-7292
EMail: Not reported
Fax Number: Not reported

M.J. CAHN CO., INC. (Continued) **U004047474**

Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank Id: 24753
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

I05 - Overfill - Vent Whistle
H00 - Tank Leak Detection - None
G00 - Tank Secondary Containment - None
F00 - Pipe External Protection - None
C01 - Pipe Location - Aboveground
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 12/01/1950
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 10/12/2001
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

AC241 **CON EDISON SERVICE BOX: 43155** **RCRA NonGen / NLR** **1016149291**
SE **10TH AVE & 28TH ST MH43155** **FINDS** **NYP004279543**
< 1/8 **NEW YORK, NY 10001** **ECHO**
0.114 mi. **NY MANIFEST**
604 ft. **Site 4 of 11 in cluster AC**

Relative: **Higher**
Actual: **16 ft.**

RCRA NonGen / NLR:
Date form received by agency: 03/26/2013
Facility name: CON EDISON SERVICE BOX: 43155
Facility address: 10TH AVE & 28TH ST MH43155
FRONT OF 319-21 10TH AVE
NEW YORK, NY 10001
EPA ID: NYP004279543
Contact: JOSE MONTALVO
Contact address: Not reported
Not reported
Contact country: US
Contact telephone: 212-427-1331
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

CON EDISON SERVICE BOX: 43155 (Continued) **1016149291**

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 02/26/2013
Site name: CON EDISON SERVICE BOX: 43155
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110055427220

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1016149291
Registry ID: 110055427220
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110055427220

NY MANIFEST:
Country: USA
EPA ID: NYP004279543
Facility Status: Not reported
Location Address 1: F/O 319-21 10TH AVE N/O 28ST
Code: BP
Location Address 2: SERVICE BOX # 43155
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001

CON EDISON SERVICE BOX: 43155 (Continued) **1016149291**

Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004279543
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2013
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 02/26/2013
Trans1 Recv Date: 02/26/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/28/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004279543
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010708026JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1

CON EDISON SERVICE BOX: 43155 (Continued) **1016149291**

Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AC242 **DRUM RUN** **NY Spills** **S108130377**
SE **WEST 28TH & 10TH AVE** **N/A**
< 1/8 **MANHATTAN, NY**
0.114 mi.
604 ft. **Site 5 of 11 in cluster AC**

Relative: **Higher**
Actual: **16 ft.**

SPILLS:

Facility ID:	0606110
Facility Type:	ER
Spill Number:	0606110
DER Facility ID:	319290
Site ID:	369408
DEC Region:	2
Closed Date:	2006-10-18
Spill Cause:	Abandoned Drums
Spill Class:	C3
SWIS:	3101
Spill Date:	2006-08-28
Investigator:	SFRAHMAN
Referred To:	Not reported
Reported to Dept:	2006-08-28
CID:	444
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2006-08-28
Spill Record Last Update:	2006-10-18
Spiller Name:	NICK LOAKNAUTH
Spiller Company:	SIDEWALK
Spiller Address:	WEST 28TH & 10TH AVE
Spiller Company:	001
Contact Name:	NICK LOAKNAUTH
DEC Memo:	"10/18/06 Rahman- Drum was found on 10/17/06, was pumped out, NYC sanitation was faxed the list to pick up the empty drum."
Remarks:	"1 DRUM ON SIDEWALK"

All Materials:

Site ID:	369408
Operable Unit ID:	1127245
Operable Unit:	01
Material ID:	2116836

DRUM RUN (Continued) **S108130377**

Material Code:	0022
Material Name:	waste oil/used oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	.00
Oxygenate:	Not reported

AC243 **SERVICE BOX # 05231** **NY Spills** **S106968442**
SE **WEST 28TH & 10TH AVE** **N/A**
< 1/8 **MANHATTAN, NY**
0.114 mi.
604 ft. **Site 6 of 11 in cluster AC**

Relative: **Higher**
Actual: **16 ft.**

SPILLS:

Facility ID:	0502649
Facility Type:	ER
Spill Number:	0502649
DER Facility ID:	293342
Site ID:	347052
DEC Region:	2
Closed Date:	2008-03-20
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	2401
Spill Date:	2005-06-06
Investigator:	GDBREEN
Referred To:	Not reported
Reported to Dept:	2005-06-06
CID:	444
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2005-06-06
Spill Record Last Update:	2008-03-20
Spiller Name:	Not reported
Spiller Company:	UNKNOWN AT THIS TIME
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	ERT DESK MIKE DAUGHTERY
DEC Memo:	"03/20/08 - See eDocs for Con Ed report detailing cleanup and closure. 158962. June 06, 2005 @ 09:00 @ 08:45 UG Supervisor S. Falkowski reported to T. Haynes that, UG Splicer Carmen Cabbell #20479 was pumping out service box 5231, located at 517 W 28 St. She noticed oil being pump out also. The oil didn't leak into the City drain. She had placed absorbent pads on the asphalt to absorb the oil. The oil in the service box is contained. Approximately 1 pint of oil and 20 gallons of water in total less than .05 was pumped onto the street. Incident occurred at 08:40. Acct. 12018 No sewer/waterways affected. No fire/smoke involved. No injuries related

SERVICE BOX # 05231 (Continued) **S106968442**

to the spill. Weather condition did not contribute to the spill. No private property affected. Spill on concrete and asphalt. Clean-up is set-up for 15:00 06-06-2005. No, sewer connection. No concrete sump. No visual water movement. No sump pump. Yes, standing water. Environmental tag #17086 Two samples taken 1-pcb 1-oil id. Chain of custody #dd 04443. Logger: T. Haynes CIG: M. Piropato #18699 notified @ 09:44"

Remarks: "Employee PUMPED OIL OUT: NO TO 5 QUESTIIONS: PADS WERE PLACED DOWN: ALL CONTAINED: LESS THEN 1 PINT; 158962"

All Materials:

Site ID:	347052
Operable Unit ID:	1104799
Operable Unit:	01
Material ID:	1262129
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

AC244 **CON EDISON SERVICE BOX: 43156** **RCRA NonGen / NLR** **1016149298**
SE **10TH AVE & 28TH ST MH43156** **FINDS** **NYP004279618**
< 1/8 **NEW YORK, NY 10001** **ECHO**
0.114 mi. **NY MANIFEST**
604 ft. **Site 7 of 11 in cluster AC**

Relative: Higher

Actual: 16 ft.

RCRA NonGen / NLR:

Date form received by agency:	03/26/2013
Facility name:	CON EDISON SERVICE BOX: 43156
Facility address:	10TH AVE & 28TH ST MH43156 NEW YORK, NY 10001
EPA ID:	NYP004279618
Contact:	JOSE MONTALVO
Contact address:	Not reported Not reported
Contact country:	US
Contact telephone:	212-427-1331
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No

CON EDISON SERVICE BOX: 43156 (Continued) **1016149298**

User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 02/26/2013
Site name: CON EDISON SERVICE BOX: 43156
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110055469531

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1016149298
Registry ID: 110055469531
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110055469531

NY MANIFEST:
Country: USA
EPA ID: NYP004279618
Facility Status: Not reported
Location Address 1: F/O 325 10TH AVE N/O 28 ST
Code: BP
Location Address 2: SERVICE BOX # 43156
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004279618
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported

CON EDISON SERVICE BOX: 43156 (Continued) **1016149298**

Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	02/26/2013
Trans1 Recv Date:	02/26/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/28/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004279618
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010708027JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AC245 **NYCDEP** **NY MANIFEST** **1009235723**
SE **10TH AVE & W 28TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.114 mi.
604 ft. **Site 8 of 11 in cluster AC**

Relative:
Higher

Actual:
16 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP003662079
Facility Status:	Not reported
Location Address 1:	10TH AVE & W 28TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP003662079
Mailing Name:	NYCDEP
Mailing Contact:	N/S
Mailing Address 1:	59-17 JUNCTION BLVD
Mailing Address 2:	Not reported
Mailing City:	FLUSHING
Mailing State:	NY
Mailing Zip:	11373
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	3473863093

NY MANIFEST:

Document ID:	NYG2709009
Manifest Status:	Not reported
seq:	Not reported
Year:	2004
Trans1 State ID:	45349PANY
Trans2 State ID:	Not reported
Generator Ship Date:	08/28/2004
Trans1 Recv Date:	08/28/2004
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/30/2004
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP003662079
Trans1 EPA ID:	NYD049178296
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD049178
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported

NYCDEP (Continued) **1009235723**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00500
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AC246 **CON EDISON SERVICE BOX: 43155** **NJ MANIFEST** **S117987084**
SE **10TH AVE & 28TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.114 mi.
604 ft. **Site 9 of 11 in cluster AC**

Relative: **Higher**

Actual: **16 ft.**

NJ MANIFEST:

EPA Id:	NYP004279543
Mail Address:	Not reported
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	JOSE MONTALVO
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	001674738GBF
EPA ID:	NYP004279543
Date Shipped:	12/4/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported

CON EDISON SERVICE BOX: 43155 (Continued) **S117987084**

Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	300.00 gallons

AB247 **28TH UNDER HIGHLINE ASSOCIATES LLC** **NY LTANKS** **S106703590**
SSE **505 W 27TH ST** **NY MANIFEST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.115 mi.
609 ft. **Site 10 of 11 in cluster AB**

Relative: **Higher**
Actual: **15 ft.**

LTANKS:

Facility ID:	9109614
Site ID:	172881
Closed Date:	2003-12-15
Spill Number:	9109614
Spill Date:	1991-12-10
Spill Cause:	Tank Overfill
Spill Source:	Non Major Facility > 1,100 gal
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	SIGONA
Referred To:	Not reported
Reported to Dept:	1991-12-10
CID:	Not reported

28TH UNDER HIGHLINE ASSOCIATES LLC (Continued) **S106703590**

Water Affected:	Not reported
Spill Notifier:	DEC
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1991-12-13
Spill Record Last Update:	2003-12-15
Spiller Name:	Not reported
Spiller Company:	CENTRAL IRON
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	145487
DEC Memo:	""
Remarks:	"2-550 GAL TANKS/500 HEATING OIL."

All Materials:

Site ID:	172881
Operable Unit ID:	959724
Operable Unit:	01
Material ID:	570445
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

NY MANIFEST:

Country:	USA
EPA ID:	NYR000232488
Facility Status:	Not reported
Location Address 1:	505 W 27TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000232488
Mailing Name:	28TH UNDER HIGHLINE ASSOCIATES LLC
Mailing Contact:	28TH UNDER HIGHLINE ASSOCIATES LLC
Mailing Address 1:	60 COLUMBUS CIRCLE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10023

28TH UNDER HIGHLINE ASSOCIATES LLC (Continued) **S106703590**

Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2017
Trans1 State ID:	NJR000029967
Trans2 State ID:	Not reported
Generator Ship Date:	08/17/2017
Trans1 Recv Date:	08/17/2017
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/17/2017
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000232488
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	PAD085690592
TSDF ID 2:	Not reported
Manifest Tracking Number:	017043971JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	Y
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	42760
Units:	P - Pounds
Number of Containers:	1
Container Type:	DT - Dump trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	Not reported
Waste Code 1_2:	D008
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
4 additional NY_MANIFEST: record(s) in the EDR Site Report.

AB248 **LOT 27 GALLERY ROW** **RCRA-LQG** **1023679270**
SSE **505 W 27TH ST** **NYR000232488**
< 1/8 **NEW YORK, NY 10001**
0.115 mi.
609 ft. **Site 11 of 11 in cluster AB**

Relative:
Higher

Actual:
15 ft.

RCRA-LQG:

Date form received by agency:	07/05/2017
Facility name:	LOT 27 GALLERY ROW
Facility address:	505 W 27TH ST NEW YORK, NY 10001
EPA ID:	NYR000232488
Mailing address:	COLUMBUS CIR NEW YORK, NY 10023
Contact:	LEI HUANG
Contact address:	COLUMBUS CIR NEW YORK, NY 10023
Contact country:	US
Contact telephone:	212-801-3512
Contact email:	LEI.HUANG@RELATED.COM
EPA Region:	02
Classification:	Large Quantity Generator
Description:	Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name:	28TH UNDER HIGHLINE ASSOCIATES LLC
Owner/operator address:	Not reported Not reported
Owner/operator country:	Not reported
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	05/01/2017
Owner/Op end date:	Not reported

Owner/operator name:	505-507 WEST 27TH STREET LIMITED PARTNERSHIP
Owner/operator address:	MAMARONECK AVE C/O PATRICK HALLORAN, O CONNOR DAVIES HARRISON, NY 10528
Owner/operator country:	US
Owner/operator telephone:	646-582-2216
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner

LOT 27 GALLERY ROW (Continued) **1023679270**

Owner/Op start date: 12/17/2012
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

AC249 **10TH AVENUE AT** **NY Spills** **S106013989**
SE **WEST 28TH STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.116 mi.
615 ft. **Site 10 of 11 in cluster AC**

Relative: **Higher**
Actual: **17 ft.**

SPILLS:
Facility ID: 0301562
Facility Type: ER
Spill Number: 0301562
DER Facility ID: 138540
Site ID: 164293
DEC Region: 2
Closed Date: 2003-07-03
Spill Cause: Abandoned Drums
Spill Class: C2
SWIS: 3101
Spill Date: 2003-05-13
Investigator: TJDEMEO
Referred To: Not reported
Reported to Dept: 2003-05-13
CID: 204
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2003-05-13
Spill Record Last Update: 2003-07-03

10TH AVENUE AT (Continued) **S106013989**

Spiller Name:	UNKNOWN
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	CHRIS HAAS
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEMEO Steve Sangesland on desk duty Add to Drum Run list 7/3/03 TJD Drum emptied as part of Drum Run . No further action required."
Remarks:	"ABANDONED DRUMS-3 "

All Materials:

Site ID:	164293
Operable Unit ID:	867966
Operable Unit:	01
Material ID:	506054
Material Code:	0022
Material Name:	waste oil/used oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

AC250 **SPILL NUMBER 0310244** **NY Spills** **S106125065**
SE **TENTH AVE. W.28TH STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.116 mi.
615 ft. **Site 11 of 11 in cluster AC**

Relative: **Higher**

Actual: **17 ft.**

SPILLS:

Facility ID:	0310244
Facility Type:	ER
Spill Number:	0310244
DER Facility ID:	166935
Site ID:	200598
DEC Region:	2
Closed Date:	2003-12-16
Spill Cause:	Abandoned Drums
Spill Class:	D4
SWIS:	3101
Spill Date:	2003-12-03
Investigator:	TJDEMEO
Referred To:	Not reported
Reported to Dept:	2003-12-03
CID:	444
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2003-12-03
Spill Record Last Update:	2003-12-17

SPILL NUMBER 0310244 (Continued) **S106125065**

Spiller Name:	WAI MAN WONG
Spiller Company:	UNKNOWN
Spiller Address:	10TH AVE.WEST 28TH STREET
Spiller Company:	001
Contact Name:	WAI MAN WONG
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEMEO Drum Run 12/16/03 TJD Drum emptied as part of drum run. Spill closed. See #9930008."
Remarks:	"found on the street, DEP checked out to find it was waste oil-"

All Materials:

Site ID:	200598
Operable Unit ID:	877889
Operable Unit:	01
Material ID:	568438
Material Code:	0022
Material Name:	waste oil/used oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	20.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

AF251 **260 11 AVENUE** **NY AST** **A100178170**
SW **260 11TH AVENUE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.117 mi.
617 ft. **Site 1 of 7 in cluster AF**

Relative: **Lower**

Actual: **8 ft.**

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-605932
Program Type:	PBS
UTM X:	584022.90905
UTM Y:	4511634.75899
Expiration Date:	07/31/2020
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	27798
Affiliation Type:	Mail Contact
Company Name:	VORNADO OFFICE MGMT LLC
Contact Type:	Not reported
Contact Name:	JOHN MCARTER
Address1:	350 PARK AVENUE
Address2:	25TH FLOOR
City:	NEW YORK
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 758-2033
EMail:	JMCARTER@VNO.COM
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-10-09

260 11 AVENUE (Continued) **A100178170**

Site Id:	27798
Affiliation Type:	Facility Operator
Company Name:	260 11 AVENUE
Contact Type:	Not reported
Contact Name:	ANTHONY WOODS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(646) 735-1838
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-10-09

Site Id:	27798
Affiliation Type:	Emergency Contact
Company Name:	CIRCLE 1 LLC C/O VORNADO MGMT LLC
Contact Type:	Not reported
Contact Name:	ANTHONY WOODS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(646) 735-1838
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-10-09

Site Id:	27798
Affiliation Type:	Facility Owner
Company Name:	CIRCLE 1 LLC C/O VORNADO MGMT LLC
Contact Type:	VICE PRESIDENT VORNADO OFFICE MGMT
Contact Name:	MARTIN DRESNER
Address1:	888 SEVENTH AVENUE
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10019
Country Code:	001
Phone:	(201) 587-1000
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-10-09

Tank Info:

Tank Number:	001
Tank Id:	64378
Material Code:	0003
Common Name of Substance:	#6 Fuel Oil (On-Site Consumption)

260 11 AVENUE (Continued) **A100178170**

Equipment Records:

E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
F00 - Pipe External Protection - None
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
I05 - Overfill - Vent Whistle
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	09/01/2002
Capacity Gallons:	14000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	12/01/2012
Register:	True
Modified By:	DMMOLOUG
Last Modified:	04/14/2017
Material Name:	#6 fuel oil (on-site consumption)

Tank Number:	002
Tank Id:	248090

Equipment Records:

E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
F00 - Pipe External Protection - None
G02 - Tank Secondary Containment - Vault (w/access)
I05 - Overfill - Vent Whistle
J02 - Dispenser - Suction Dispenser
C01 - Pipe Location - Aboveground
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	12/01/2012
Capacity Gallons:	7500
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True

260 11 AVENUE (Continued) **A100178170**

Modified By:	NTFREEMA
Last Modified:	04/14/2017
Material Name:	#2 fuel oil (on-site consumption)
Tank Number:	FO 001
Tank Id:	60728
Material Code:	0003
Common Name of Substance:	#6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
F00 - Pipe External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction Dispenser
I05 - Overfill - Vent Whistle

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	20000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	09/01/2002
Register:	True
Modified By:	TRANSLAT
Last Modified:	04/14/2017
Material Name:	#6 fuel oil (on-site consumption)

AF252 **COMMERCIAL BUILDING** **NY LTANKS** **S105994894**
SW **260 11TH AVE** **N/A**
< 1/8 **NEW YORK CITY, NY**
0.117 mi.
617 ft. **Site 2 of 7 in cluster AF**

Relative: **Lower**
Actual: **8 ft.**

LTANKS:

Facility ID:	0109855
Site ID:	275745
Closed Date:	2005-06-27
Spill Number:	0109855
Spill Date:	2002-01-09
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	MJHAGGER
Referred To:	Not reported
Reported to Dept:	2002-01-11
CID:	282
Water Affected:	Not reported

COMMERCIAL BUILDING (Continued) **S105994894**

Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2002-01-11
Spill Record Last Update:	2005-06-27
Spiller Name:	ISAAC MUNGRA
Spiller Company:	COMMERCIAL BUILDING
Spiller Address:	260 11TH AVE
Spiller County:	001
Spiller Contact:	ISAAC MUNGRA
Spiller Phone:	(718) 624-4842
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	224181
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEMEO 6/27/05 - Haggerty - Recieved an invoice from Petroleum Tank Cleaners, Inc. detailing the clean-up and disposal of contaminats from the site. 18.89 tons of contaminated soil was removed and properly disposed of. "
Remarks:	"LEAKING TANK CAUSED THE SPILL SOME OF THE PRODUCT WENT INTO THE SUMP PIT.SPILL OCCURRED ON JAN 9TH. THEY SETUP A TEMPORARY TANK AND PUMPED OUT THE DAMAGED TANK. THE SPILL HAS NOT BEEN CLEANED UP AS OF YET. "

All Materials:

Site ID:	275745
Operable Unit ID:	848206
Operable Unit:	01
Material ID:	527499
Material Code:	0003A
Material Name:	#6 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

AF253 **NYC HRA OFA** **RCRA NonGen / NLR** **1000550331**
SW **260 11TH AVE** **NY MANIFEST** **NYD986875656**
< 1/8 **NEW YORK, NY 10001**
0.117 mi.
617 ft. **Site 3 of 7 in cluster AF**

Relative: **Lower**

Actual: **8 ft.**

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	NYC HRA OFA
Facility address:	260 11TH AVE NEW YORK, NY 10001-1205
EPA ID:	NYD986875656
Mailing address:	11TH AVE NEW YORK, NY 10001
Contact:	ANTHONY PASCIUTO
Contact address:	11TH AVE NEW YORK, NY 10001

NYC HRA OFA (Continued) **1000550331**

Contact country: US
Contact telephone: 212-630-9342
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: CITY OF NEW YORK HRA OFA
Owner/operator address: 260 11TH AVE
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: 212-630-9342
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: CITY OF NEW YORK HRA OFA
Owner/operator address: 260 11TH AVE
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: 212-630-9342
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: NYC HRA OFA
Classification: Not a generator, verified

NYC HRA OFA (Continued) **1000550331**

Date form received by agency: 06/12/1998
Site name: NYC HRA OFA
Classification: Small Quantity Generator

. Waste code: NONE
. Waste name: None

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYD986875656
Facility Status: Not reported
Location Address 1: 260 11TH AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYD986875656
Mailing Name: HRA CITY OF NEW YORK OFO
Mailing Contact: TONY PASCIUTO
Mailing Address 1: 260 11TH AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2126309342

NY MANIFEST:
Document ID: NYG1403064
Manifest Status: Not reported
seq: 01
Year: 1998
Trans1 State ID: PY3640
Trans2 State ID: AB68894
Generator Ship Date: 08/14/1998
Trans1 Recv Date: 08/14/1998
Trans2 Recv Date: 08/17/1998
TSD Site Recv Date: 08/18/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986875656
Trans1 EPA ID: NYD082785429
Trans2 EPA ID: PAD008781072
TSDF ID 1: OHD980613541
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported

NYC HRA OFA (Continued) **1000550331**

Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	U411 - CARBAMATE - NOT REGULATED BY NYSDEC
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00039
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	008
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	00.83

Click this hyperlink while viewing on your computer to access
1 additional NY_MANIFEST: record(s) in the EDR Site Report.

---

254 **KELLYS TAXI GROUP INC** **EDR Hist Auto** **1020905813**
ESE **330 10TH AVE** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.117 mi.
620 ft.

Relative: EDR Hist Auto
Higher

Actual:
18 ft.

Year:	Name:	Type:
1977	KELLYS TAXI GROUP INC	Automotive Repair Shops, NEC
1978	KELLYS TAXI GROUP INC	Automotive Repair Shops, NEC
1979	KELLYS TAXI GROUP INC	Gasoline Service Stations
1980	KELLYS TAXI GROUP INC	Gasoline Service Stations
1982	KELLYS TAXI GROUP INC	Gasoline Service Stations
1983	KELLYS TAXI GROUP INC	Gasoline Service Stations

AF255 **LOT 1,TAXBLOCK 698** **NY E DESIGNATION** **S108076864**
SW **244 11 AVENUE** **N/A**
< 1/8 **MANHATTAN, NY**
0.118 mi.
621 ft. **Site 4 of 7 in cluster AF**

Relative: E DESIGNATION:
Lower

Actual:
8 ft.

Tax Lot(s):	1
Tax Block:	698
Borough Code:	Not reported
E-No:	E-142
Effective Date:	6/23/2005
Satisfaction Date:	Not reported
Ceqr Number:	03DCP069M
Ulurp Number:	050161 ZRM
Zoning Map No:	8b

LOT 1,TAXBLOCK 698 (Continued) **S108076864**

Description: Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date: Not reported

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

AE256 **CON EDISON** **NY MANIFEST** **S117741534**
South **510 W 27TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.118 mi.
622 ft. **Site 3 of 5 in cluster AE**

Relative:
Higher

Actual:
14 ft.

NY MANIFEST:
Country: USA
EPA ID: NYP004747705
Facility Status: Not reported
Location Address 1: 510 W 27TH ST
Code: BP
Location Address 2: SB 5029
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004747705
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2015
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 03/10/2015
Trans1 Recv Date: 03/10/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/10/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004747705
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105

CON EDISON (Continued) **S117741534**

TSDF ID 2:	Not reported
Manifest Tracking Number:	002611201GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

AE257 **CON EDISON** **NJ MANIFEST** **S120668694**
South **510 W 27TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.118 mi.
622 ft. **Site 4 of 5 in cluster AE**

Relative: NJ MANIFEST:
Higher

EPA Id:	NYP004747705
Mail Address:	IRVING PL, 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported

Actual:
14 ft.

CON EDISON (Continued) **S120668694**

Date Change: Not reported

Manifest:

Manifest Number:	002611201GBF
EPA ID:	NYP004747705
Date Shipped:	3/10/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

AE258 **CON EDISON** **RCRA NonGen / NLR** **1018279914**
South **510 W 27TH ST** **FINDS** **NYP004747705**
< 1/8 **NEW YORK, NY 10001** **ECHO**
0.118 mi.
622 ft. **Site 5 of 5 in cluster AE**

Relative:
Higher

Actual:
14 ft.

RCRA NonGen / NLR:

Date form received by agency:	03/10/2015
Facility name:	CON EDISON
Facility address:	510 W 27TH ST NEW YORK, NY 10001
EPA ID:	NYP004747705

CON EDISON (Continued) **1018279914**

Mailing address: IRVING PL, 15TH FL NE
NEW YORK, NY 10003
Contact: THOMAS TEELING
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: 212-460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 03/10/2015
Site name: CON EDISON
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110067699093

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1018279914
Registry ID: 110067699093
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110067699093

AG259 **NYC DEP** **RCRA NonGen / NLR** **1014395537**
NW **606 W 30TH ST** **FINDS** **NYP003664372**
< 1/8 **NEW YORK, NY 10001** **ECHO**
0.118 mi. **NY MANIFEST**
624 ft. **Site 1 of 4 in cluster AG**

Relative:
Higher

Actual:
14 ft.

RCRA NonGen / NLR:

Date form received by agency:	06/18/2009
Facility name:	NYC DEP
Facility address:	606 W 30TH ST NEW YORK, NY 10001
EPA ID:	NYP003664372
Mailing address:	JUNCTION BLVD FLUSHING, NY 11373
Contact:	JOANNE NURSE
Contact address:	JUNCTION BLVD FLUSHING, NY 11373
Contact country:	US
Contact telephone:	718-595-4675
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

FINDS:

Registry ID: 110004510379

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

NYC DEP (Continued) **1014395537**

ECHO:
- Envid: 1014395537
- Registry ID: 110004510379
- DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110004510379

NY MANIFEST:
- Country: USA
- EPA ID: NYP003664372
- Facility Status: Not reported
- Location Address 1: 606 W. 30TH STREET
- Code: BP
- Location Address 2: Not reported
- Total Tanks: Not reported
- Location City: NEW YORK
- Location State: NY
- Location Zip: Not reported
- Location Zip 4: Not reported

NY MANIFEST:
- EPAID: NYP003664372
- Mailing Name: NYCDEP
- Mailing Contact: NYCDEP
- Mailing Address 1: 96-05 HORACE HARDING EXPRESSWAY
- Mailing Address 2: Not reported
- Mailing City: CORONA
- Mailing State: NY
- Mailing Zip: 11368
- Mailing Zip 4: Not reported
- Mailing Country: USA
- Mailing Phone: 6465844925

NY MANIFEST:
- Document ID: Not reported
- Manifest Status: Not reported
- seq: Not reported
- Year: 2009
- Trans1 State ID: NYD049178296
- Trans2 State ID: Not reported
- Generator Ship Date: 06/02/2009
- Trans1 Recv Date: 06/02/2009
- Trans2 Recv Date: Not reported
- TSD Site Recv Date: 06/12/2009
- Part A Recv Date: Not reported
- Part B Recv Date: Not reported
- Generator EPA ID: NYP003664372
- Trans1 EPA ID: Not reported
- Trans2 EPA ID: Not reported
- TSDF ID 1: CDX480000000
- TSDF ID 2: Not reported
- Manifest Tracking Number: 004855000JJK
- Import Indicator: N
- Export Indicator: Y
- Discr Quantity Indicator: N
- Discr Type Indicator: N
- Discr Residue Indicator: N
- Discr Partial Reject Indicator: N

NYC DEP (Continued) **1014395537**

Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	10.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	L Landfill.
Specific Gravity:	1.0
Waste Code:	D001
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

AG260 **NYC DEPT OF SANITATION** **NY Spills** **S107788423**
NW **606 WEST 30TH STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.118 mi.
624 ft. **Site 2 of 4 in cluster AG**

Relative:
Higher

Actual:
14 ft.

SPILLS:

Facility ID:	0602047
Facility Type:	ER
Spill Number:	0602047
DER Facility ID:	314657
Site ID:	364436
DEC Region:	2
Closed Date:	2010-04-12
Spill Cause:	Other
Spill Class:	C4
SWIS:	3101
Spill Date:	2006-05-24
Investigator:	HRPATEL
Referred To:	Not reported
Reported to Dept:	2006-05-24
CID:	444
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	Not reported

NYC DEPT OF SANITATION (Continued) **S107788423**

Remediation Phase:	0
Date Entered In Computer:	2006-05-24
Spill Record Last Update:	2010-04-12
Spiller Name:	JAY SHAW
Spiller Company:	NYC DEPT OF SANITATION
Spiller Address:	606 WEST 30TH STREET
Spiller Company:	001
Contact Name:	JAY SHAW
DEC Memo:	"05/25/06-Hiralkumar Patel. Spoke to Mr. Shah. he gave me PBS # 2-601983 and tank is registered with following address: 319 11th Ave New York, NY 10001 he asked me to send TTF at following address: Neil Gallagher Director Bureau Building Maintenance 52-35 58th Street Room 410 Woodside, NY 11377 Ph. (718) 334-9100/9117 (646) 235-3182 (C) FAX (718) 334-9334 email: ngallagh@dsny.nyc.gov TTF sent out to Mr. Gallagher. faxed to Mr. Gallagher. 06/28/06-Hiralkumar Patel. Received letter from Mr. Gallagher. they did isolation test and found wet leak. product was contained in the annular space. tank is empty currently and they are working to solve this. 08/10/06-Hiralkumar Patel. spoke with Mr. Shah. he will check with Mr. Gallagher and will call back. 08/11/06-Hiralkumar Patel. received call from Mr. Gallagher. he handed this project in his engineering department and they are working on it. as tank was double walled, spill was contained. will call with updates. 09/25/06-Hiralkumar Patel. left message for Mr. Gallagher. 09/27/06-Hiralkumar Patel. received message from Mr. Gallagher (718-334-9117). spoke with Mr. Gallagher. he will be meeting other personals wokring on this matter, next week. if their engineering department allow them to remove this tank, they will remove within 3-4 months. if they don't get permission for tank removal then tank will be removed after winter, probably in next april. 12/05/06-Hiralkumar Patel. left message for Mr. Gallagher. 06/04/07-Hiralkumar Patel. left message for Jay Shah at Mr. Gallagher's office. 06/05/07-Hiralkumar Patel. received message from Mr. Shah. left message for Mr. Shah. spoke with Mr. Shah. as per him, their engineering department will replace leaking tank. Mr. Shah will call back with more information. 10/31/07-Hiralkumar Patel. spoke with Mr. Shah. he asked to contact Mr. Gallagher. left message for Mr. Gallagher. 11/01/07-Hiralkumar Patel. received message from Mr. Gallagher. left message for Mr. Gallagher. received call from Mr. Gallagher. as per him, tank has been replaced. he will call his consultant and ask him to call me. 11/26/07-Hiralkumar Patel. spoke with Mr. Gallagher. asked to submit report. 03/21/08-Hiralkumar Patel. left message for Mr. Gallagher. received call from Mr. Shah. he will look for report and will call back. 03/19/09-Hiralkumar Patel. left message for Mr. Gallagher. 03/20/09-Hiralkumar Patel. received message from Mr. Gallagher. spoke with Mr. Gallagher. sanitation dept. changed tanks at the site. asked Mr. Gallagher to submit report. 12/17/09-Hiralkumar Patel. 10:19 AM:- spoke with Mr. Gallagher and asked to submit report. he will talk to DDC and their contractor, who did work. 12/21/09-Hiralkumar Patel. received message from Mr. Gallagher (at 1 PM on 12/19/09). he mentioned that person who handled this project is on vacation and will call back after 01/01/10. 04/02/10-Hiralkumar Patel. 11:09 AM:- spoke with Mr. Gallagher and asked him to submit report by end of 04/09/10. 04/09/10-Hiralkumar Patel. received tanks removal affidavit from Mr. Gallagher. as per tanks removal affidavit from Empire environmental, two 2,500 gal diesel USTs and associated lines were removed on 10/17/07 and no visual or odor contmaination was found.

NYC DEPT OF SANITATION (Continued) **S107788423**

04/12/10-Hiralkumar Patel. 9:14 AM:- left message for Michael at Empire Environmental. Michael Giustiniani Empire Environmental Ph. (718) 714-6898 9:28 AM:- received call from Carol from Empire environmental. 9:36 AM:- spoke with Carol. she confirmed that no contamination found after tanks removed and new tanks installed in same location. as old tanks were double wall and product was contained inside annular space and as no contamination found during tank systems removal, case closed."

Remarks: "FURTHER INVESTIGATION"

All TTF:

Facility ID:	0602047
Spill Number:	0602047
Spill Tank Test:	1550012
Site ID:	364436
Tank Number:	1
Tank Size:	2500
Material:	0008
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	03
Test Method 2:	Horner EZ Check I or II
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified Date:	Not reported

All Materials:

Site ID:	364436
Operable Unit ID:	1122460
Operable Unit:	01
Material ID:	2111928
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	.00
Oxygenate:	Not reported

AG261 **NYC DEPT OF SANITATION** **RCRA NonGen / NLR** **1001460187**
NW **606 W 30TH ST** **NY MANIFEST** **NYN008007197**
< 1/8 **NEW YORK, NY 10001**
0.118 mi.
624 ft. **Site 3 of 4 in cluster AG**

Relative:
Higher

Actual:
14 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	NYC DEPT OF SANITATION
Facility address:	606 W 30TH ST NEW YORK, NY 10001
EPA ID:	NYN008007197
Mailing address:	W 30TH ST NEW YORK, NY 10001

NYC DEPT OF SANITATION (Continued) **1001460187**

Contact:	Not reported
Contact address:	W 30TH ST NEW YORK, NY 10001
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Land type:	Private
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	NON REGULATED
Owner/operator address:	NOT REQUIRED NOT REQUIRED, NY 99999
Owner/operator country:	US
Owner/operator telephone:	212-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	NON REGULATED
Owner/operator address:	NOT REQUIRED NOT REQUIRED, NY 99999
Owner/operator country:	US
Owner/operator telephone:	212-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

NYC DEPT OF SANITATION (Continued) **1001460187**

Historical Generators:
Date form received by agency: 01/01/2006
Site name: NYC DEPT OF SANITATION
Classification: Not a generator, verified

Date form received by agency: 02/05/1999
Site name: NYC DEPT OF SANITATION
Classification: Not a generator, verified

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 09/09/1999
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

NY MANIFEST:
Country: USA
EPA ID: NYN008007197
Facility Status: Not reported
Location Address 1: 606 W 30TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYN008007197
Mailing Name: NYC DEPT OF SANITATION
Mailing Contact: UNITED OIL RECOVERY INC
Mailing Address 1: 136 GRACEY AVE
Mailing Address 2: Not reported
Mailing City: MERIDEN
Mailing State: CT
Mailing Zip: 06451
Mailing Zip 4: 2270
Mailing Country: USA
Mailing Phone: 2032386751

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2010
Trans1 State ID: CTD021816889
Trans2 State ID: Not reported
Generator Ship Date: 01/27/2010
Trans1 Recv Date: 01/27/2010
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/27/2010
Part A Recv Date: Not reported
Part B Recv Date: Not reported

NYC DEPT OF SANITATION (Continued) **1001460187**

Generator EPA ID:	NYN008007197
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	CTD002593887
TSDF ID 2:	Not reported
Manifest Tracking Number:	000200380UIS
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	13.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	L Landfill.
Specific Gravity:	1.0
Waste Code:	D002
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AH262 **537 W 26TH ST** **NY Spills** **S102142780**
SSW **537 W 26TH ST** **N/A**
< 1/8 **MANHATTAN, NY**
0.119 mi.
630 ft. **Site 1 of 8 in cluster AH**

Relative: **Lower**

Actual: **11 ft.**

SPILLS:

Facility ID:	9200736
Facility Type:	ER
Spill Number:	9200736
DER Facility ID:	200866
Site ID:	244535
DEC Region:	2
Closed Date:	2010-02-05
Spill Cause:	Abandoned Drums
Spill Class:	C4
SWIS:	3101
Spill Date:	1992-03-19

537 W 26TH ST (Continued) **S102142780**

Investigator:	RWAUSTIN
Referred To:	Not reported
Reported to Dept:	1992-04-20
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1992-04-24
Spill Record Last Update:	2010-02-05
Spiller Name:	Not reported
Spiller Company:	CASELLA CONST
Spiller Address:	10 MINEOLA AVE
Spiller Company:	001
Contact Name:	Not reported
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MILLER No PBS Austin - 2/5/10 - Report of drums/poorhousekeeping from 18 years ago - closed - End"
Remarks:	"TWO 550'S & ONE 4K"

All Materials:

Site ID:	244535
Operable Unit ID:	964558
Operable Unit:	01
Material ID:	557186
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

AH263 **CON EDISON** **RCRA NonGen / NLR** **1019903469**
SSW **533 W 26TH ST** **NYP004785986**
< 1/8 **NEW YORK, NY 10001**
0.120 mi.
631 ft. **Site 2 of 8 in cluster AH**

Relative: **Lower**
Actual: **12 ft.**

RCRA NonGen / NLR:

Date form received by agency:	05/23/2015
Facility name:	CON EDISON
Facility address:	533 W 26TH ST NEW YORK, NY 10001
EPA ID:	NYP004785986
Mailing address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported

CON EDISON (Continued) **1019903469**

Contact telephone: 212-460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 05/23/2015
Site name: CON EDISON
Classification: Small Quantity Generator

Violation Status: No violations found

AH264 **CON EDISON** **NJ MANIFEST** **S120672075**
SSW **533 W 26TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.120 mi.
631 ft. **Site 3 of 8 in cluster AH**

Relative:
Lower

Actual:
12 ft.

NJ MANIFEST:
EPA Id: NYP004785986
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 002614089GBF
EPA ID: NYP004785986
Date Shipped: 5/23/2015

CON EDISON (Continued) **S120672075**

TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

AH265 **CON EDISON** **NY MANIFEST** **S118090952**
SSW **533 W 26TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.120 mi.
631 ft. **Site 4 of 8 in cluster AH**

Relative: NY MANIFEST:
Lower

Actual: Country:	USA
12 ft. EPA ID:	NYP004785986
Facility Status:	Not reported
Location Address 1:	533 W 26TH ST
Code:	BP
Location Address 2:	M 4807
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

CON EDISON (Continued) **S118090952**

NY MANIFEST:

EPAID:	NYP004785986
Mailing Name:	CON EDISON
Mailing Contact:	DENNIS HUACON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	05/23/2015
Trans1 Recv Date:	05/23/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/26/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004785986
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002614089GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008

CON EDISON (Continued) **S118090952**

Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

AH266 **YITZ 24 HOUR TRANSMISSIONS** **EDR Hist Auto** **1022039838**
SSW **533 W 26TH ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.120 mi.
631 ft. **Site 5 of 8 in cluster AH**

Relative: EDR Hist Auto
Lower

Actual: **12 ft.**

Year:	Name:	Type:
2002	SPECIAL AUTO SERVICES INC	General Automotive Repair Shops
2003	SPECIAL AUTO SERVICES INC	General Automotive Repair Shops
2004	SPECIAL AUTO SERVICES INC	General Automotive Repair Shops
2005	YITZ 24 HOUR TRANSMISSIONS	Automotive Transmission Repair Shops
2006	YITZ 24 HOUR TRANSMISSIONS	Automotive Transmission Repair Shops
2007	YITZ 24 HOUR TRANSMISSIONS	Automotive Transmission Repair Shops
2008	YITZ 24 HOUR TRANSMISSIONS	Automotive Transmission Repair Shops
2010	YITZ 24 HOUR TRANSMISSIONS	Automotive Transmission Repair Shops
2011	YITZ 24 HOUR TRANSMISSIONS	Automotive Transmission Repair Shops
2013	YITZ 24 HOUR TRANSMISSIONS	Automotive Transmission Repair Shops

---

AH267 **CON EDISON** **NY MANIFEST** **S117536587**
SW **549 W 26 ST** **N/A**
< 1/8 **NEW YORK, NY 10001**
0.120 mi.
634 ft. **Site 6 of 8 in cluster AH**

Relative: NY MANIFEST:
Lower

Actual: **9 ft.**

Country:	USA
EPA ID:	NYP004690707
Facility Status:	Not reported
Location Address 1:	549 W 26 ST
Code:	BP
Location Address 2:	SB 4804
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004690707
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL
Mailing Address 2:	15TH FL
Mailing City:	NEW YORK
Mailing State:	NY

CON EDISON (Continued) **S117536587**

Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	NJD003812047
Generator Ship Date:	11/05/2014
Trans1 Recv Date:	11/05/2014
Trans2 Recv Date:	11/06/2014
TSD Site Recv Date:	11/06/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004690707
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002330504GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AH268 **LAB RESULTS** **NY Spills** **S113818130**
SW **549 W 26TH STREET** **N/A**
< 1/8 **NEW YORK, NY**
0.120 mi.
634 ft. **Site 7 of 8 in cluster AH**

Relative: **Lower**
Actual: **9 ft.**

SPILLS:

Facility ID:	1302987
Facility Type:	ER
Spill Number:	1302987
DER Facility ID:	438654
Site ID:	483448
DEC Region:	2
Closed Date:	2013-09-27
Spill Cause:	Other
Spill Class:	Not reported
SWIS:	3101
Spill Date:	2013-06-19
Investigator:	HRPATEL
Referred To:	Not reported
Reported to Dept:	2013-06-19
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2013-06-19
Spill Record Last Update:	2013-09-27
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	DEBORAH BROWN
DEC Memo:	"Spoke with Deborah Brown at G&C, 631-206-3700.G&C doing Phase II investigation and found elevated level of SVOCs in soil samples. Propery Owner: G&R 11th Avenue Associates, LLC 60 Cutter Mill Road#303 Greatneck, NY 11021 Attn: William Bouton, 516-466-3100.(sr) 06/19/13-Hiralkumar Patel. 1:54 PM:- spoke with Debroah. she mentioned that some SVOCs found above cleanup standards. as Phase II report is not ready yet, asked her to submit lab data and boring location map for review. Deborah Brown GC Environmental Ph. (631) 206-3700 06/27/13-Hiralkumar Patel. 9:06 AM:- received limited Phase II report from Ravi from GC Env. abstract: - Phase I done in Apr. 2013 - site improved by two structures: five (5) story and seven (7) story buildings - seven (7) story building is located at 549 W 26th St, constructed circa 1911. building is occupied by NYC government offices - five (5) story building (Annex Building) is located at 547-557 W 26th St, constructed circa 1901 - ground level of Annex building is occupied by Chelsea Truck Rental - upper four floors of Annex building are connected to main building and are occupied by NYC government offices - property is located at an elevation of approx. 9 ft above mean sea level - historical Sanborn maps shows two (2) 550 gal gasoline USTs in the eastern portion of the garage of the annex building and two (2) 275 gal gasoline USTs along the eastern wall of

LAB RESULTS (Continued) **S113818130**

the main building in the area of current fire sprinkler room ---------- - three (3) former hydraulic lifts along the eastern wall of the Annex building - GPR survey revealed two anomalies on the southeastern portion of the garage. data collected indicate the possibility of two (2) 550 gal gasoline USTs on the southeastern portion of the garage. visual inspection revealed the presence of two (2) vent pipes in that area of the garage ---------- - GPR survey revealed an anomaly on the central western portion of the garage - traced anomalies for the product lines underneath the sidewalk along the W 26th St leading towards/inside the shop area of the garage from the southwestern wall, in the area of the concrete patch for the two (2) suspected 275 gal USTs where product line anomalies colimate - visual inspection revealed the presence of three (3) former hydraulic lifts inside the garage building, out of which two former lifts were identified on the northern portion and one former lift on the southeastern portion of the garage - lift still contains oil - two concrete patches were suspected to be former hydraulic lift locations were identified on the northeastern portion of the garage building - visual inspection also revealed the presence of one (1) former oil/water separator on the southwestern portion of the garage building - oil/water separator was concrete structure with solid base - found oil, grease and water in oil/water separator - floor drians connected to oil/water separator - advanced nine soil borings (B-1 through B-9) to approx. 10 ft bg - no indication (PID/visual/olfactory) of contamination noted in any soil boring - collected nine soil samples, each from 5-10 ft interval - submitted eight samples (S-1 through S-8) for VOCs and SVOCs analyses; samples from B-1 and B-2 were combined in S-1 - geology consists of approx. 2 to 3 ft of fill, represented by dark clay, underlain by approx. 7-8 ft of brown clay material with little gravel ---------- - depth to groundwater at the property is 7-10 ft bg ---------- - groundwater samples were collected from boring B-1 and B-3, but did not analyzed as no field indication of contamination noted in soil samples ---------- - no VOCs found in any sample - few SVOC compounds noted in sample S-1 (composite of boring B-1 and B-2; slightly above cleanup values) and S-7 (boring B-5; max. 8,400 ppb Benzo(a)anthracene) as per cover letter of the limited Phase II report, following work is planned: - excavation in area of boring locations B-1/2 and B-5, to a depth of 8 ft to remove impacted fill material - removal of existing hydraulic lift systems and associated contamination - collection of endpoint samples from excavations for VOC/SVOC/PCB analyses 06/28/13-Hiralkumar Patel. 1:41 PM:- spoke with Ravi and asked to submit previous Phase I and GPR reports for review. also asked him to submit property owner/manager’s contact information. 4:06 PM:- received call from Greg Collins from GC Env. he mentioned that as part of refinancing, bank asked for subsurface investigation due to tanks on Sanborn maps. as there was no indication of contamination noted, Bank refused to analyze groundwater samples. Greg mentioned that there is an existing monitoring well on sidewalk, possibly near former fillport for gasoline tanks. based on available information, informed Greg that groundwater sample must be collected and analyzed. 07/01/13-Hiralkumar Patel. received email from Ravi (at 6:52 PM on 06/28/13) including Phase I and GPR report. he also submitted their client’s contact information. G&R 11th Avenue Associates, LLC. / Gould 11th Avenue, LLC. **property owners** c/o Majestic Property Management Corp. 60 Cutter Mill Road, Suite 303 Great Neck, NY 11021

LAB RESULTS (Continued) **S113818130**

Attn.: William Bouton **property manager** Ph. (516) 466-3100 (516) 773-2740 email: billb@majprop.com Ravi inquired about analytical methods for groundwater samples. abstract of Phase I: - report dated 07/29/05 - address: 260 11th Ave. Block 698 / Lot 1 - site consists of irregularly-shaped parcel developed with two contiguous, interconnected office buidings - main buiding consists of seven (7) stories, and the attached annex building consists of five (5) stories - property also consits of a concrete paved surface parking lot located on the northeastern portion - property was developed with the existing improvements in the early 1900s - property is listed as a RCRA facility. NYC HRA, a former tenant at the site, is listed as a RCRA hazardous waste generator. NYC HRA previously conducted automobile maintenance activities and generated petroleum and hazardous waste ---------- - partial basement level below the main buiding in the northwest corner of the building consists of the boiler room, heating oil storage room and other utility meter rooms - observed groundwater seepage into the basement of the property building. discolored groundwater is appeared to be contaminated with rust and tar. source of water seepage was suspected to be a broken water main ---------- - historical sanborn maps (1930 to 1996) showed presence of two 550 gal gasoline USTs within the southeastern corner of the annex building, and two 275 gal gasoline tanks along the southeastern wall of the main building - observed the presence of three vent pipes (similar to those typically attached to gasoline USTs or oil-water separators) located on the southwest corner of the annex building - no other evidence of 550 gal or 275 gal tanks was observed - observed the presence of two (2) monitoring wells along the W 26th street sidewalk - historical use of the property included a wood and coal yard and a portion for an iron foundry, and a brass and bronze working operations in the late 1890s and early 1900s - property was also used as automobile garage in the early 1900s and as an elevator manufacturing and repair operation from the 1910s to the 1970s - property was used as an office and a grage from the late 1970s - building permit information dated 1955 reportedly identified an oil-water separator connected to the drainage system in the annex building ---------- - observed storage of paint and cleaning chemicals at various locations of the site --------- abstract of GPR survey: - GPR survey was unsuccessful in delineating the two 550 gal USTs in annex building or two 275 gal USTs in main building - traced two product lines from the wall to the center of the garage area in annex building (to area of suspected 550 gal USTs) - two of the vent pipes lead to the rear of the buildign were a concrete patch was present - third vent pipe was observed to run toward the center of the garage in the vicinity of where the product lines end alternate addresses: 244-260 11th Ave, 549-559 West 26th Street, 550-558 West 27th Street PBS #: 2-605932. as per PBS record, the site has/had following tanks: - one (1) 20,000 gal #6 oil AST on saddles removed in Sep. 2002 - one (1) 14,000 gal #6 oil AST on saddles installed in Sep. 2002 and removed in Dec. 2012 - one (1) 7,500 gal #2 oil AST on saddles installed in Dec. 2012, in-service as per NYC DOB record, a permit was approved on 01/22/2002 to replace 20,000 gal fuel oil tank with 14,000 gal tank in existing tank room. ---------- as per NYC DOB record, a permit was approved on 03/01/2013 to replace 14,000 gal fuel oil tank with 7,500 gal tank. other spill #: 0109855 was reported on 01/11/2002 due to #6 oil spill from leaking tank. spill closed based on invoice from PTC. as per invoice, 18.89 tons of contaminated soil removed during cleanup. 1:08 PM:- spoke with Ravi.

LAB RESULTS (Continued) **S113818130**

informed him that based on historical use of the site, department requires full list VOCs/SVOCs and filtere/unfiltered metal analyses for groundwater samples. asked him to check for anymore wells either on 11th ave or W 27th Street. informed him about discolored water seepage in basement. also asked him to submit appendices of Phase I report. 07/11/13-Hiralkumar Patel. 4:37 PM:- received email from Ravi including results of groundwater samples from two existing monitoring wells on W 26th street sidewalk. some metals found dissolved in groundwater. minor SVOC compounds noted in groundwater samples. reviewed site map submitted with limited Phase II report, which shows location of two wells. 07/12/13-Hiralkumar Patel. 10:46 AM:- spoke with Ravi. asked him about schedule of proposed excavation. informed him that during excavation, if they come across water table then groundwater sample must be collected for STARs 8260/8270 analyses. Ravi will send scope of work. reminded him to submit appendices of Phase I report. 11:58 AM:- received email from Ravi including scope of work.: - excavation in area of B-1/2 and B-5 - removal of underground lifts and associated tanks - collection and analysis of upto 5 fsamples for 8260/8270 (PAHs)/PCBs - removal of vent lines - oil/water separator to class V injection well - collection/analysis of water samples, if found in excavation scope of work is not accpetable and needs to be revised for following reasons: - it proposes to collect upto five endpoint samples. instead endpoint samples must be collected, as per DER-10, from each excavation and number of samples must not be limited to five - need more clarification about investigation of oil/water separator structure to confirm no discharge into sub-surface 4:12 PM:- received message from Ravi. he mentioned that owner does not have Phase I appendices. 07/15/13-Hiralkumar Patel. 10:05 AM:- spoke with Debra at GCE. informed her that endpoint samples must be collected, as per DER-10, from each excavation and sample number must not be limited to five. also asked her to clarify cleanup/investigation method for oil/water separator (confirmation about no discharge into subsurface). asked her to submit revised scope of work. 12:33 PM:- received email from Greg from GC Env. including scope of work. abstract: - will collect endpoint bottom and sidewall samples, as per DER-10, from excavation area around B-1/2 - will collect endpoint bottom sample only from lift excavation area, as lifts are only approx. 1 ft in diameter and based on the size of the excavation to reach the end point, the diameter will be at least five feet - excavation in lift area will be expanded, if needed - endpoint samples will be analyzed for 8260/8270 (PAHs)/PCBs - will do a die test of the oil/water separator system - if oil/water separator system discharges to any point other than city serwer, will collect samples from the discharge point 07/18/13-Hiralkumar Patel. 11:48 AM:- sent email to Greg approving scope of work (email dated 07/15/13), pending inclusion of collection and analysis of water sample(s) if present in any excavation. asked him to submit report by the end of 08/30/13. email copied to Ravi, Debra and Mr. Bouton. 08/30/13-Hiralkumar Patel. 11:09 AM:- received email from Ravi. they collected total 14 soil samples, from different excavations. he sent samples to lab to analyze for 8260/8270/8082. Ravi inquired if any change needed in analytical methods. 12:43 PM:- sent email to Ravi approving sample analyticals methods. email copied to Greg and Debra. 09/19/13-Hiralkumar Patel. 3:08 PM:- received email from Ravi including spill closure report. area around previous borings B1/B2, B3, B5, B6 and B7 excavated to a depth of 8-8.5 ft below surface. total 14 endpoint soil samples were collected for

LAB RESULTS (Continued) **S113818130**

analysis from four excavations. no contamination noted in endpoint samples. during excavation, no tanks or piping found in suspected UST area. based on available information, no further remediation needed in former tank/lift area. report is missing information about oil/water separator. 09/24/13-Hiralkumar Patel. 2:18 PM:- sent email to Ravi and inquired him about oil/water separator. email copied to Greg. 09/25/13-Hiralkumar Patel. received email from Ravi (at 4:46 PM on 09/24/13). they will schedule work with respect to oil/water separator this week and will send update. 09/27/13-Hiralkumar Patel. 10:50 AM:- received email from Ravi including result of oil/water separator investigation. they did dye test and confirmed that oil/water separator discharges into sewer system. based on available information, case closed."

Remarks: "soil samples are elevated"

All Materials:

Site ID:	483448
Operable Unit ID:	1233156
Operable Unit:	01
Material ID:	2232034
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

AH269 **M.G. TOTAL CAR CARE INC.** **NY AST** **A100194260**
SSW **545 WEST 26TH STREET** **N/A**
< 1/8 **NEW YORK, NY 10011**
0.122 mi.
646 ft. **Site 8 of 8 in cluster AH**

Relative:
Lower

Actual:
10 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-607243
Program Type:	PBS
UTM X:	584085.50942
UTM Y:	4511497.73283
Expiration Date:	12/06/2006
Site Type:	Other

Affiliation Records:

Site Id:	29096
Affiliation Type:	Facility Owner
Company Name:	M.G. TOTAL CAR CARE INC.
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	545 WEST 26TH STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10011
Country Code:	001

M.G. TOTAL CAR CARE INC. (Continued) **A100194260**

Phone:	(212) 695-6902
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	29096
Affiliation Type:	Mail Contact
Company Name:	M.G. TOTAL CAR CARE INC.
Contact Type:	Not reported
Contact Name:	MORRIS GIWNER
Address1:	545 WEST. 26TH STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10011
Country Code:	001
Phone:	(212) 695-6902
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	29096
Affiliation Type:	Facility Operator
Company Name:	M.G. TOTAL CAR CARE INC.
Contact Type:	Not reported
Contact Name:	MORRIS GIWNER
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 695-6902
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	29096
Affiliation Type:	Emergency Contact
Company Name:	M.G. TOTAL CAR CARE INC.
Contact Type:	Not reported
Contact Name:	MORRIS GIWNER
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 695-6902
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

M.G. TOTAL CAR CARE INC. (Continued) **A100194260**

Tank Info:

Tank Number:	001
Tank Id:	62602
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Equipment Records:

D00 - Pipe Type - No Piping
J00 - Dispenser - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
G10 - Tank Secondary Containment - Impervious Underlayment
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	275
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	TRANSLAT
Last Modified:	04/14/2017
Material Name:	waste oil/used oil

---

270 NNE < 1/8 0.123 mi. 647 ft. **LIRR 11TH AVE & 31ST STREET MANHATTAN, NY** **NY Spills** **S106699674 N/A**

Relative: Higher

Actual: 17 ft.

SPILLS:

Facility ID:	0407107
Facility Type:	ER
Spill Number:	0407107
DER Facility ID:	206106
Site ID:	251465
DEC Region:	2
Closed Date:	2006-04-06
Spill Cause:	Other
Spill Class:	C4
SWIS:	3101
Spill Date:	2004-09-25
Investigator:	MCTIBBE
Referred To:	Not reported
Reported to Dept:	2004-09-27
CID:	444
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other

LIRR (Continued) **S106699674**

Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2004-09-27
Spill Record Last Update:	2008-06-16
Spiller Name:	TARAK
Spiller Company:	LONG ISLAND RAILROAD
Spiller Address:	11TH & 31 ST STREET
Spiller Company:	001
Contact Name:	TARAK
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEMEO 9/27/04 - AUSTIN - SPOKE WITH JOEL LANDES,LANGAN ENGINEERING (212-479-5404) WHO HAD CALLED THE RD'S OFFICE ON THIS MATTER TODAY. HE SAID THEY WERE DOING SOME PHASE 2 WORK WHEN THEY MADE THEIR DISCOVERY. WANTED TO KNOW WHO THE PROJECT MGR. WOULD BE FROM DEC. GAVE HIM TIM'S NUMBER - REPORTED BACK TO RD'S OFFICE ON RESULTS OF CALLBACK - END 9/28/04 TJD Received a call from Joel Landes from Langan Engineering regarding contamination identified during a Phase 2 investigation which is being performed at the site prior to the construction of a new sports arena over the existing rail yards. Contaminated soils and seperate phase petroleum were found in a boring adjacent to track 14. Langan/LIRR have requested a night meeting on site with DEC to perform a walk-thru. Tentatively scheduled for 9/30/04. Lew Wunderlick from LIRR was contacted in an effort to obtain additional information, he will be reviewing site plans in an effort to identify any possible sources of contamination. 3/23/05 - Austin - Transferred from DeMeo to Tibbe - end 04/06/06: Contamination discovered in a large void in a boring under tracks in the LIRR yard. Becuase of the fact that trains were using these tracks, the void could not be left unfilled. The void and boring were filled with grout. Soil and groundwater analysis from surrounding borings show minimal to nonexistant contamination. NFA signed by K. S. Tang. "
Remarks:	"DOING SOIL BORINGS AT TRAC K 14: AND HAD HIGH PID READINGS: AND SOMETHING ALSO FLOATING: WILL SEND SAMPLE TO LAB"

All Materials:

Site ID:	251465
Operable Unit ID:	890370
Operable Unit:	01
Material ID:	484950
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

AF271 **SPILL NUMBER 0201423** **NY Spills** **S106003393**
WSW **11TH AV BET 26TH & 27TH** **N/A**
< 1/8 **MANHATTAN, NY**
0.123 mi.
651 ft. **Site 5 of 7 in cluster AF**

Relative: **Lower**
Actual: **8 ft.**

SPILLS:

Facility ID:	0201423
Facility Type:	ER
Spill Number:	0201423
DER Facility ID:	198433
Site ID:	241335
DEC Region:	2
Closed Date:	2003-04-21
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2002-05-08
Investigator:	JHOCONNE
Referred To:	Not reported
Reported to Dept:	2002-05-08
CID:	211
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2002-05-08
Spill Record Last Update:	2003-04-22
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	BILL MURPHY
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL E2mis no. 142-723: On 05/08/02 at 10:34 Kerry Watts #19705 reported that at 09:00 the con Edison subcontractor while digging a excavation for a 460 volt reach in two locations (45.5' s/s/c w 27 st and 92.5' s/s/c w27 st) they found app. Five gallons in each location of something that smelled like fuel oil mixed in the dirt. This is a third party spill of unknown origin. Chem. lab to take samples. Updated 8/7/2002 @ 15:50 - As per Joe Fleigner, Project Specialist Construction Management EHS the Lab sample results indicated no contamination (Lab Seq. No. 02-04125 and 02-04126 date May 9 and 12). The soil was handled was C&D and disposed of at an approved recycling facility. Incident Closed. Updated by Bharat Mukhi, Project Specialist CM EHS."
Remarks:	"caller had crew excvating and discovered unk oil in hole - sample will be taken - 2nd party spill - no clean up present time "

All Materials:

Site ID:	241335
Operable Unit ID:	854691
Operable Unit:	01
Material ID:	522843
Material Code:	0066A

SPILL NUMBER 0201423 (Continued) **S106003393**

Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

AI272 **CON EDISON** **NJ MANIFEST** **S120671675**
SSW **525 W 26TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.127 mi.
670 ft. **Site 1 of 7 in cluster AI**

Relative:
Lower

Actual:
12 ft.

NJ MANIFEST:

EPA Id:	NYP004781456
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	002609877GBF
EPA ID:	NYP004781456
Date Shipped:	5/11/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported

CON EDISON (Continued) **S120671675**

Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

AI273 **CON EDISON** **RCRA NonGen / NLR** **1019903099**
SSW **525 W 26TH ST** **FINDS** **NYP004781456**
1/8-1/4 **NEW YORK, NY 10001** **ECHO**
0.127 mi.
670 ft. **Site 2 of 7 in cluster AI**

Relative: **Lower**
Actual: **12 ft.**

RCRA NonGen / NLR:

Date form received by agency:	05/11/2015
Facility name:	CON EDISON
Facility address:	525 W 26TH ST NEW YORK, NY 10001
EPA ID:	NYP004781456
Mailing address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No

CON EDISON (Continued) **1019903099**

Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 05/11/2015
Site name: CON EDISON
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110069646878

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1019903099
Registry ID: 110069646878
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110069646878

AF274 **CON EDISON** **NY MANIFEST** **S117060149**
SW **557 W 26TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.127 mi.
670 ft. **Site 6 of 7 in cluster AF**

Relative:
Lower

Actual:
8 ft.

NY MANIFEST:
Country: USA
EPA ID: NYP004523593
Facility Status: Not reported
Location Address 1: 557 W 26 ST
Code: BP
Location Address 2: VS 4000
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004523593
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY

CON EDISON (Continued) **S117060149**

Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	05/07/2014
Trans1 Recv Date:	05/07/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/07/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004523593
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002417290GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AF275
SW
1/8-1/4
0.127 mi.
670 ft.

CON EDISON VAULT SUBMERSIBLE: 4000
557 W 26TH ST
NEW YORK, NY 10001

Site 7 of 7 in cluster AF

RCRA NonGen / NLR | **1017774547** | **NYP004523593**

Relative:
Lower

Actual:
8 ft.

RCRA NonGen / NLR:

Date form received by agency:	06/07/2014
Facility name:	CON EDISON VAULT SUBMERSIBLE: 4000
Facility address:	557 W 26TH ST NEW YORK, NY 10001
EPA ID:	NYP004523593
Mailing address:	IRVING PL, 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	05/07/2014
Site name:	CON EDISON
Classification:	Small Quantity Generator

Date form received by agency:	05/07/2014
Site name:	CON EDISON
Classification:	Not a generator, verified

Violation Status: No violations found

AD276 **NYCDEP** **NY MANIFEST** **1009235694**
East **10TH AVE BTW W29TH & W30TH ST** **N/A**
1/8-1/4 **NEW YORK, NY**
0.128 mi.
677 ft. **Site 2 of 2 in cluster AD**

Relative:
Higher

Actual:
19 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP003661709
Facility Status:	Not reported
Location Address 1:	10TH AVE BTW W29TH & W30TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP003661709
Mailing Name:	NYCDEP
Mailing Contact:	N /S
Mailing Address 1:	59-17 JUNCTION BLVD
Mailing Address 2:	Not reported
Mailing City:	CORONA
Mailing State:	NY
Mailing Zip:	11368
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	7185954814

NY MANIFEST:

Document ID:	NYG2708532
Manifest Status:	Not reported
seq:	01
Year:	2003
Trans1 State ID:	6899AN
Trans2 State ID:	Not reported
Generator Ship Date:	09/08/2003
Trans1 Recv Date:	09/08/2003
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/08/2003
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP003661709
Trans1 EPA ID:	NYD049178296
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD049178296
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported

NYCDEP (Continued) **1009235694**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00220
Units:	P - Pounds
Number of Containers:	003
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AJ277 **WEST SIDE YARD** **NY TANKS** **S116349285**
East **351 TENTH AVENUE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.132 mi.
696 ft. **Site 1 of 2 in cluster AJ**

Relative: **Higher**
Actual: **19 ft.**

TANKS:

Facility Id:	2-433942
Region:	STATE
DEC Region:	2
Site Status:	Active
Program Type:	PBS
Expiration Date:	04/19/2018
UTM X:	586126.89648
UTM Y:	4515006.94717

AJ278 **SHAFT 26 B, DEP CONTARCT 538C** **NY AST** **A100317701**
East **351 10TH AVENUE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.132 mi.
696 ft. **Site 2 of 2 in cluster AJ**

Relative: **Higher**
Actual: **19 ft.**

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-610674
Program Type:	PBS
UTM X:	586126.89648
UTM Y:	4515006.94717
Expiration Date:	10/10/2012
Site Type:	Other

Affiliation Records:

Site Id:	388301
Affiliation Type:	Facility Owner
Company Name:	SCHIAVONE/SHEA/FRONTIER-KEMPER J.V

SHAFT 26 B, DEP CONTARCT 538C (Continued) **A100317701**

Contact Type:	PROJECT MANAGER
Contact Name:	KEVIN CLARK
Address1:	150 MEADOWLANDS PARKWAY
Address2:	Not reported
City:	SECAUCUS
State:	NJ
Zip Code:	07094-1589
Country Code:	001
Phone:	(212) 564-8552
EMail:	Not reported
Fax Number:	Not reported
Modified By:	dxliving
Date Last Modified:	2009-06-12

Site Id:	388301
Affiliation Type:	Mail Contact
Company Name:	SCHIAVONE/SHEA/FRONTIER-KEMPER J.V
Contact Type:	Not reported
Contact Name:	KEVIN CLARK
Address1:	150 MEADOWLANDS PARKWAY
Address2:	3RD FLOOR
City:	SECAUCUS
State:	NJ
Zip Code:	07094-1589
Country Code:	001
Phone:	(212) 564-8552
EMail:	KCLARK@SCHIAVONE.NET
Fax Number:	Not reported
Modified By:	dxliving
Date Last Modified:	2009-06-15

Site Id:	388301
Affiliation Type:	Facility Operator
Company Name:	SHAFT 26 B, DEP CONTARCT 538C
Contact Type:	Not reported
Contact Name:	SCHINARE/SHEA/FRONTIER-KEMPER JV
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 564-8552
EMail:	Not reported
Fax Number:	Not reported
Modified By:	dxliving
Date Last Modified:	2009-06-12

Site Id:	388301
Affiliation Type:	Emergency Contact
Company Name:	SCHIAVONE/SHEA/FRONTIER-KEMPER J.V
Contact Type:	Not reported
Contact Name:	KEVIN CLARK
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

SHAFT 26 B, DEP CONTARCT 538C (Continued) **A100317701**

Zip Code:	Not reported
Country Code:	999
Phone:	(212) 564-8552
EMail:	Not reported
Fax Number:	Not reported
Modified By:	dxliving
Date Last Modified:	2009-06-12

Tank Info:

Tank Number:	001
Tank Id:	219765
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Equipment Records:

K00 - Spill Prevention - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
F06 - Pipe External Protection - Wrapped
I00 - Overfill - None
E00 - Piping Secondary Containment - None
C00 - Pipe Location - No Piping
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
L00 - Piping Leak Detection - None
F02 - Pipe External Protection - Original Sacrificial Anode
J00 - Dispenser - None

Tank Location:	2
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	03/01/2006
Capacity Gallons:	550
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	dxliving
Last Modified:	04/14/2017
Material Name:	waste oil/used oil

Tank Number:	002
Tank Id:	228912
Material Code:	0008
Common Name of Substance:	Diesel

Equipment Records:

K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
J02 - Dispenser - Suction Dispenser
G00 - Tank Secondary Containment - None

SHAFT 26 B, DEP CONTARCT 538C (Continued) **A100317701**

I00 - Overfill - None
F00 - Pipe External Protection - None
L00 - Piping Leak Detection - None
E07 - Piping Secondary Containment - Trench Liner
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
D10 - Pipe Type - Copper
C01 - Pipe Location - Aboveground

Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 04/12/2009
Capacity Gallons: 1000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 04/14/2017
Material Name: diesel

Tank Number: 003
Tank Id: 228913
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
K00 - Spill Prevention - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
E00 - Piping Secondary Containment - None
I00 - Overfill - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
L00 - Piping Leak Detection - None
D00 - Pipe Type - No Piping

Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 04/12/2009
Capacity Gallons: 240
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 04/14/2017
Material Name: diesel

AK279 **TENTH AVENUE PARTNERS, L.P.** **NY AST** **A100173257**
SSE **299/301 TENTH AVE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.134 mi.
709 ft. **Site 1 of 10 in cluster AK**

Relative:
Higher

Actual:
16 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-045209
Program Type:	PBS
UTM X:	584221.57353
UTM Y:	4511531.92057
Expiration Date:	11/20/2020
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	548
Affiliation Type:	Facility Owner
Company Name:	TENTH AVE. PARTNERS, LP
Contact Type:	OWNER
Contact Name:	MARK SCHARFMAN
Address1:	111 NORTH CENTRAL PARK AVE, SUITE 400
Address2:	Not reported
City:	HARTSDALE
State:	NY
Zip Code:	10530
Country Code:	001
Phone:	(914) 517-8800
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-10-22

Site Id:	548
Affiliation Type:	Mail Contact
Company Name:	TENTH AVE. PARTNERS, LP C/O BEACH LAVE MGMT INC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	111 NORTH CENTRAL PARK AVE
Address2:	SUITE 400
City:	HARTSDALE
State:	NY
Zip Code:	10530
Country Code:	001
Phone:	(914) 517-8800
EMail:	EMILY@APTSNY.COM
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-10-22

Site Id:	548
Affiliation Type:	Facility Operator
Company Name:	TENTH AVENUE PARTNERS, L.P.
Contact Type:	Not reported
Contact Name:	MIGUEL
Address1:	Not reported
Address2:	Not reported
City:	Not reported

TENTH AVENUE PARTNERS, L.P. (Continued) **A100173257**

State: NN
Zip Code: Not reported
Country Code: 001
Phone: (914) 438-6748
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-10-22

Site Id: 548
Affiliation Type: Emergency Contact
Company Name: TENTH AVE. PARTNERS, LP
Contact Type: Not reported
Contact Name: DAVID KULE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (914) 224-3035
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-10-22

Tank Info:

Tank Number: 001
Tank Id: 1417
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J02 - Dispenser - Suction Dispenser
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 06/28/1994
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NTFREEMA

TENTH AVENUE PARTNERS, L.P. (Continued) **A100173257**

Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

---

280 West 1/8-1/4 0.135 mi. 713 ft.

WATERFRONT REALTY CORP
224 12TH AVE
NEW YORK, NY 10001

RCRA NonGen / NLR **1001090336**
FINDS **NYR000021733**
ECHO
NY MANIFEST

Relative: Lower

Actual: 10 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	WATERFRONT REALTY CORP
Facility address:	224 12TH AVE NEW YORK, NY 10001-1097
EPA ID:	NYR000021733
Mailing address:	12TH AVE NEW YORK, NY 10001
Contact:	Not reported
Contact address:	12TH AVE NEW YORK, NY 10001
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	WATERFRONT REALTY CORP
Owner/operator address:	224 12TH AVE NEW YORK, NY 10001
Owner/operator country:	US
Owner/operator telephone:	212-695-8090
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	WATERFRONT REALTY CORP
Owner/operator address:	224 12TH AVE NEW YORK, NY 10001
Owner/operator country:	US
Owner/operator telephone:	212-695-8090
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No

WATERFRONT REALTY CORP (Continued) **1001090336**

Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: WATERFRONT REALTY CORP
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Site name: WATERFRONT REALTY CORP
Classification: Not a generator, verified

Date form received by agency: 04/02/1996
Site name: WATERFRONT REALTY CORP
Classification: Large Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

Violation Status: No violations found

FINDS:

Registry ID: 110004523631

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1001090336
Registry ID: 110004523631
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110004523631

NY MANIFEST:
Country: USA
EPA ID: NYR000021733

WATERFRONT REALTY CORP (Continued) **1001090336**

Facility Status:	Not reported
Location Address 1:	224 12TH AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000021733
Mailing Name:	WATERFRONT REALTY CORP
Mailing Contact:	DONAL CARROLL
Mailing Address 1:	224 12TH AVE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10001
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2126958090

NY MANIFEST:

Document ID:	NJA2568541
Manifest Status:	C
seq:	Not reported
Year:	1996
Trans1 State ID:	S5811
Trans2 State ID:	Not reported
Generator Ship Date:	04/09/1996
Trans1 Recv Date:	04/09/1996
Trans2 Recv Date:	/ /
TSD Site Recv Date:	04/09/1996
Part A Recv Date:	/ /
Part B Recv Date:	04/26/1996
Generator EPA ID:	NYR000021733
Trans1 EPA ID:	NJ0000027193
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported

WATERFRONT REALTY CORP (Continued) **1001090336**

Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00090
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access
3 additional NY_MANIFEST: record(s) in the EDR Site Report.

AI281 **ADMIRATION GLOBE FUR DYEING CORP** **RCRA NonGen / NLR** **1000261119**
South **521 W 26 ST** **FINDS** **NYD000235838**
1/8-1/4 **NEW YORK, NY 10001** **ECHO**
0.136 mi.
720 ft. **Site 3 of 7 in cluster AI**

Relative:
Lower

Actual:
12 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	ADMIRATION GLOBE FUR DYEING CORP
Facility address:	521 W 26 ST NEW YORK, NY 10001
EPA ID:	NYD000235838
Mailing address:	W 26 ST NEW YORK, NY 10001
Contact:	ANTHONY BET
Contact address:	W 26 ST NEW YORK, NY 10001
Contact country:	US
Contact telephone:	718-736-5688
Contact email:	Not reported
EPA Region:	02
Land type:	Facility is not located on Indian land. Additional information is not known.
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	Not reported
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	212-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	Not reported
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	212-555-1212

ADMIRATION GLOBE FUR DYEING CORP (Continued) **1000261119**

Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: ADMIRATION GLOBE FUR DYEING CORP
Classification: Not a generator, verified

Date form received by agency: 07/08/1980
Site name: ADMIRATION GLOBE FUR DYEING CORP
Classification: Not a generator, verified

. Waste code: U122
. Waste name: FORMALDEHYDE

. Waste code: U123
. Waste name: FORMIC ACID (C,T)

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 12/06/1983
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

FINDS:

Registry ID: 110004326328

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of

ADMIRATION GLOBE FUR DYEING CORP (Continued) **1000261119**

events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000261119
Registry ID: 110004326328
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110004326328

AI282 **CON EDISON MANHOLE: 57850** **RCRA NonGen / NLR** **1016149071**
South **521 W 26TH ST FRONT OF** **NY MANIFEST** **NYP004277281**
1/8-1/4 **NEW YORK, NY 10001**
0.136 mi.
720 ft. **Site 4 of 7 in cluster AI**

Relative: **Lower**
Actual: **12 ft.**

RCRA NonGen / NLR:
Date form received by agency: 03/25/2013
Facility name: CON EDISON MANHOLE: 57850
Facility address: 521 W 26TH ST FRONT OF
NEW YORK, NY 10001
EPA ID: NYP004277281
Contact: RICARDO CARTY
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: 646-772-3407
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

CON EDISON MANHOLE: 57850 (Continued) **1016149071**

Historical Generators:
Date form received by agency: 02/25/2013
Site name: CON EDISON MANHOLE: 57850
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004277281
Facility Status: Not reported
Location Address 1: F/O 521 W 26TH ST
Code: BP
Location Address 2: MH 57850
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004277281
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2013
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 02/25/2013
Trans1 Recv Date: 02/25/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/25/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004277281
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010841330JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

CON EDISON MANHOLE: 57850 (Continued) **1016149071**

Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AI283 **513 WEST 26TH REALTY LLC** **NY AST** **A100412814**
South **525 WEST 26TH STREET** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.136 mi.
720 ft. **Site 5 of 7 in cluster AI**

Relative:
Lower

Actual:
12 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-402990
Program Type:	PBS
UTM X:	584163.72558
UTM Y:	4511487.48057
Expiration Date:	10/15/2022
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	19326
Affiliation Type:	Mail Contact
Company Name:	LAKE REALTY MANAGEMENT LLC
Contact Type:	Not reported
Contact Name:	JOSEPH SCHIK
Address1:	521 WEST 26TH STREET
Address2:	6TH FLOOR
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001

513 WEST 26TH REALTY LLC (Continued) **A100412814**

Phone:	(212) 971-9800
EMail:	JOSEPH@LAKEREALTYLLC.COM
Fax Number:	Not reported
Modified By:	HDDUPIGN
Date Last Modified:	2015-12-28

Site Id:	19326
Affiliation Type:	Facility Operator
Company Name:	513 WEST 26TH REALTY LLC
Contact Type:	Not reported
Contact Name:	JORGE MORAN
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 971-9800
EMail:	Not reported
Fax Number:	Not reported
Modified By:	LSZINOMA
Date Last Modified:	2014-12-02

Site Id:	19326
Affiliation Type:	Emergency Contact
Company Name:	513 WEST 26TH REALTY LLC
Contact Type:	Not reported
Contact Name:	JOSEPH SCHIK
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(212) 971-9800
EMail:	Not reported
Fax Number:	Not reported
Modified By:	LSZINOMA
Date Last Modified:	2014-12-02

Site Id:	19326
Affiliation Type:	Facility Owner
Company Name:	513 WEST 26TH REALTY LLC
Contact Type:	MEMBER
Contact Name:	WALTER SCHIK
Address1:	521 WEST 26TH STREET, 6TH FL.
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 971-9800
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DMPOKRZY
Date Last Modified:	2017-10-23

513 WEST 26TH REALTY LLC (Continued) **A100412814**

Tank Info:

Tank Number:	001
Tank Id:	22942
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser
I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping
G01 - Tank Secondary Containment - Diking (Aboveground)
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	12/01/1990
Capacity Gallons:	7500
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	05/01/1999
Register:	True
Modified By:	HDDUPIGN
Last Modified:	04/14/2017
Material Name:	#2 fuel oil (on-site consumption)

Tank Number:	002
Tank Id:	57277
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
G03 - Tank Secondary Containment - Vault (w/o access)
L09 - Piping Leak Detection - Exempt Suction Piping
I05 - Overfill - Vent Whistle
J02 - Dispenser - Suction Dispenser
C01 - Pipe Location - Aboveground
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	05/01/1999
Capacity Gallons:	3000

513 WEST 26TH REALTY LLC (Continued) **A100412814**

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	DMPOKRZY
Last Modified:	10/23/2017
Material Name:	#2 fuel oil (on-site consumption)

AI284 **CON EDISON** **NY MANIFEST** **S118090515**
South **525 W 26TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.136 mi.
720 ft. **Site 6 of 7 in cluster AI**

Relative:
Lower

Actual:
12 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004781456
Facility Status:	Not reported
Location Address 1:	525 W 26TH ST
Code:	BP
Location Address 2:	SB 4808
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004781456
Mailing Name:	CON EDISON
Mailing Contact:	DENNIS HUACON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	05/11/2015
Trans1 Recv Date:	05/11/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/19/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004781456
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105

CON EDISON (Continued) **S118090515**

TSDF ID 2:	Not reported
Manifest Tracking Number:	002609877GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

AK285 **CON EDISON** **NY MANIFEST** **S117064431**
SSE **W 27TH ST & 10TH AVE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.137 mi.
723 ft. **Site 2 of 10 in cluster AK**

Relative:
Higher

Actual:
16 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004569182
Facility Status:	Not reported
Location Address 1:	ELY NEC W 27 ST & 10TH AVE
Code:	BP
Location Address 2:	MH 43148
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004569182
Mailing Name:	CON EDISON

CON EDISON (Continued) **S117064431**

Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	06/18/2014
Trans1 Recv Date:	06/18/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/24/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004569182
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002501956GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	250
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported

CON EDISON (Continued) **S117064431**

Waste Code 1_6: Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AK286 **CON EDISON MANHOLE: 43148** **RCRA NonGen / NLR** **1017778957**
SSE **W 27TH ST & 10TH AVE** **FINDS** **NYP004569182**
1/8-1/4 **NEW YORK, NY 10001**
0.137 mi.
723 ft. **Site 3 of 10 in cluster AK**

Relative:
Higher

Actual:
16 ft.

RCRA NonGen / NLR:

Date form received by agency:	07/18/2014
Facility name:	CON EDISON MANHOLE: 43148
Facility address:	W 27TH ST & 10TH AVE NEW YORK, NY 10001
EPA ID:	NYP004569182
Mailing address:	IRVING PL, 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	06/18/2014
Site name:	CON EDISON
Classification:	Small Quantity Generator

Date form received by agency:	06/18/2014
Site name:	CON EDISON
Classification:	Not a generator, verified

Violation Status: No violations found

CON EDISON MANHOLE: 43148 (Continued) **1017778957**

FINDS:

Registry ID: 110063827667

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

AK287 **CON EDISON SERVICE BOX: 5017** **NJ MANIFEST** **S117986931**
SSE **531 W 27TH ST & 10TH AVE SB 5017** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.137 mi.
723 ft. **Site 4 of 10 in cluster AK**

Relative: **Higher**

Actual: **16 ft.**

NJ MANIFEST:

EPA Id:	NYP004276432
Mail Address:	Not reported
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	JOSE MONTALVO
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	001675266GBF
EPA ID:	NYP004276432
Date Shipped:	10/26/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported

CON EDISON SERVICE BOX: 5017 (Continued) **S117986931**

Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	200.00 gallons

AK288 **CON EDISON SERVICE BOX: 43150** **RCRA NonGen / NLR** **1016149193**
SSE **10TH AVE & 27TH ST** **ECHO** **NYP004278537**
1/8-1/4 **NEW YORK, NY 10001** **NY MANIFEST**
0.137 mi.
723 ft. **Site 5 of 10 in cluster AK**

Relative:
Higher

Actual:
16 ft.

RCRA NonGen / NLR:

Date form received by agency:	03/26/2013
Facility name:	CON EDISON SERVICE BOX: 43150
Facility address:	10TH AVE & 27TH ST NEW YORK, NY 10001
EPA ID:	NYP004278537
Contact:	JOSE MONTALVO
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-427-1331
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No

CON EDISON SERVICE BOX: 43150 (Continued) **1016149193**

Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 02/26/2013
Site name: CON EDISON SERVICE BOX: 43150
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

ECHO:
Envid: 1016149193
Registry ID: 110064102064
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110064102064

NY MANIFEST:
Country: USA
EPA ID: NYP004278537
Facility Status: Not reported
Location Address 1: 287 10TH AVE & 27TH ST
Code: BP
Location Address 2: SERV BOX 43150
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004278537
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2013

CON EDISON SERVICE BOX: 43150 (Continued) **1016149193**

Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	02/26/2013
Trans1 Recv Date:	02/26/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/26/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004278537
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010708035JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AK289 **CON EDISON SERVICE BOX: 43149** **RCRA NonGen / NLR** **1016149206**
SSE **10TH AVE & 27TH ST** **NY MANIFEST** **NYP004278685**
1/8-1/4 **NEW YORK, NY 10001**
0.137 mi.
723 ft. **Site 6 of 10 in cluster AK**

Relative:
Higher

Actual:
16 ft.

RCRA NonGen / NLR:

Date form received by agency:	03/26/2013
Facility name:	CON EDISON SERVICE BOX: 43149
Facility address:	10TH AVE & 27TH ST NEW YORK, NY 10001
EPA ID:	NYP004278685
Contact:	JOSE MONTALVO
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-427-1331
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	02/26/2013
Site name:	CON EDISON SERVICE BOX: 43149
Classification:	Conditionally Exempt Small Quantity Generator
Violation Status:	No violations found

NY MANIFEST:

Country:	USA
EPA ID:	NYP004278685
Facility Status:	Not reported
Location Address 1:	OPP 299 10TH AVE N/O 27TH ST
Code:	BP
Location Address 2:	SERV BOX 43149
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

CON EDISON SERVICE BOX: 43149 (Continued) **1016149206**

NY MANIFEST:

EPAID:	NYP004278685
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	02/26/2013
Trans1 Recv Date:	02/26/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/26/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004278685
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010708036JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008

CON EDISON SERVICE BOX: 43149 (Continued) **1016149206**

Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AK290 **CON EDISON SERVICE BOX: 43144** **RCRA NonGen / NLR** **1016149209**
SSE **10TH AVE & 27TH ST** **ECHO** **NYP004278719**
1/8-1/4 **NEW YORK, NY 10001** **NY MANIFEST**
0.137 mi.
723 ft. **Site 7 of 10 in cluster AK**

Relative:
Higher

Actual:
16 ft.

RCRA NonGen / NLR:
Date form received by agency: 03/26/2013
Facility name: CON EDISON SERVICE BOX: 43144
Facility address: 10TH AVE & 27TH ST
NEW YORK, NY 10001
EPA ID: NYP004278719
Contact: JOSE MONTALVO
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: 212-427-1331
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 02/26/2013
Site name: CON EDISON SERVICE BOX: 43144
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

ECHO:

CON EDISON SERVICE BOX: 43144 (Continued) **1016149209**

Envid: 1016149209
Registry ID: 110063899018
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110063899018

NY MANIFEST:
Country: USA
EPA ID: NYP004278719
Facility Status: Not reported
Location Address 1: F/O 299 10TH AVE N/O 27TH ST
Code: BP
Location Address 2: SERV BOX 43144
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004278719
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2013
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 02/26/2013
Trans1 Recv Date: 02/26/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/26/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004278719
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010708037JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported

CON EDISON SERVICE BOX: 43144 (Continued) **1016149209**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AK291 **CON EDISON SERVICE BOX: 43151** **RCRA NonGen / NLR** **1016149178**
SSE **10TH AVE & 27TH ST** **NY MANIFEST** **NYP004278388**
1/8-1/4 **NEW YORK, NY 10001**
0.137 mi.
723 ft. **Site 8 of 10 in cluster AK**

Relative: **Higher**

Actual: **16 ft.**

RCRA NonGen / NLR:

Date form received by agency:	03/26/2013
Facility name:	CON EDISON SERVICE BOX: 43151
Facility address:	10TH AVE & 27TH ST NEW YORK, NY 10001
EPA ID:	NYP004278388
Contact:	JOSE MONTALVO
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-427-1331
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No

CON EDISON SERVICE BOX: 43151 (Continued) **1016149178**

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 02/26/2013
Site name: CON EDISON SERVICE BOX: 43151
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004278388
Facility Status: Not reported
Location Address 1: 285 10TH AVE N/O 27TH ST
Code: BP
Location Address 2: SERV BOX 43151
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004278388
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2013
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 02/26/2013
Trans1 Recv Date: 02/26/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/26/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004278388
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported

CON EDISON SERVICE BOX: 43151 (Continued) **1016149178**

TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010708034JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AL292 **CON EDISON** **NY MANIFEST** **S117063860**
WNW **632 W 28TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.138 mi.
731 ft. **Site 1 of 4 in cluster AL**

Relative:
Lower

Actual:
11 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004563102
Facility Status:	Not reported
Location Address 1:	632 W 28 ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004563102

CON EDISON (Continued) **S117063860**

Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	06/12/2014
Trans1 Recv Date:	06/12/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/13/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004563102
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	013255186JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	3000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported

CON EDISON (Continued) **S117063860**

Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AL293 **CON EDISON** **NY MANIFEST** **S117736754**
WNW **632 W 28TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.138 mi.
731 ft. **Site 2 of 4 in cluster AL**

Relative: **Lower**

Actual: **11 ft.**

NY MANIFEST:
Country: USA
EPA ID: NYP004563128
Facility Status: Not reported
Location Address 1: 632 W 28 ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004563128
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2014
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/16/2014
Trans1 Recv Date: 06/16/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/19/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004563128
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 013255493JJK

CON EDISON (Continued) **S117736754**

Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
1 additional NY_MANIFEST: record(s) in the EDR Site Report.

AL294 **CON EDISON VAULT: 920** **RCRA NonGen / NLR** **1017778386**
WNW **632 W 28TH ST** **FINDS** **NYP004563102**
1/8-1/4 **NEW YORK, NY 10001**
0.138 mi.
731 ft. **Site 3 of 4 in cluster AL**

Relative: RCRA NonGen / NLR:
Lower

Date form received by agency:	07/12/2014
Facility name:	CON EDISON VAULT: 920
Facility address:	632 W 28TH ST NEW YORK, NY 10001
EPA ID:	NYP004563102
Mailing address:	IRVING PL, 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Actual:
11 ft.

CON EDISON VAULT: 920 (Continued) **1017778386**

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 06/12/2014
Site name: CON EDISON
Classification: Large Quantity Generator

Date form received by agency: 06/12/2014
Site name: CON EDISON
Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110063836979

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

AL295 **CON EDISON VAULT: 853** **RCRA NonGen / NLR** **1017778388**
WNW **632 W 28TH ST** **NYP004563128**
1/8-1/4 **NEW YORK, NY 10001**
0.138 mi.
731 ft. **Site 4 of 4 in cluster AL**

Relative:
Lower

Actual:
11 ft.

RCRA NonGen / NLR:
Date form received by agency: 07/12/2014
Facility name: CON EDISON VAULT: 853
Facility address: 632 W 28TH ST
NEW YORK, NY 10001
EPA ID: NYP004563128
Mailing address: IRVING PL, 15TH FL NE

CON EDISON VAULT: 853 (Continued) **1017778388**

NEW YORK, NY 10003
Contact: THOMAS TEELING
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: 212-460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 06/12/2014
Site name: CON EDISON
Classification: Small Quantity Generator

Date form received by agency: 06/12/2014
Site name: CON EDISON
Classification: Not a generator, verified

Violation Status: No violations found

AK296 **CON EDISON MANHOLE: 43142** **RCRA NonGen / NLR** **1016148986**
SSE **W 27TH ST & 10TH AVE MH 43142** **FINDS** **NYP004276424**
1/8-1/4 **NEW YORK, NY 10001** **ECHO**
0.139 mi.
732 ft. **Site 9 of 10 in cluster AK**

Relative:
Higher

Actual:
16 ft.

RCRA NonGen / NLR:
Date form received by agency: 03/24/2013
Facility name: CON EDISON MANHOLE: 43142
Facility address: W 27TH ST & 10TH AVE MH 43142
SE CORNER
NEW YORK, NY 10001
EPA ID: NYP004276424
Contact: JOSE MONTALVO
Contact address: Not reported
Not reported
Contact country: US
Contact telephone: 212-427-1331
Contact email: Not reported

CON EDISON MANHOLE: 43142 (Continued) **1016148986**

EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 02/24/2013
Site name: CON EDISON MANHOLE: 43142
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110055461405

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1016148986
Registry ID: 110055461405
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110055461405

AG297 **RYDER TRUCK RENTAL INC** **NY UST** **U000416463**
NW **624 WEST 30TH STREET** **N/A**
1/8-1/4 **MANHATTAN, NY 10001**
0.139 mi.
733 ft. **Site 4 of 4 in cluster AG**

Relative:
Higher

Actual:
13 ft.

UST:

Id/Status:	2-054917 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	584066.30948
UTM Y:	4511880.16092
Site Type:	Unknown

Affiliation Records:

Site Id:	790
Affiliation Type:	Facility Owner
Company Name:	RYDER TRUCK RENTAL INC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	1018 SAWMILL RIVER ROAD
Address2:	Not reported
City:	YONKERS
State:	NY
Zip Code:	10710
Country Code:	001
Phone:	(914) 969-3535
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	790
Affiliation Type:	Mail Contact
Company Name:	RYDER TRUCK RENTAL INC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	1018 SAWMILL RIVER ROAD
Address2:	Not reported
City:	YONKERS
State:	NY
Zip Code:	10710
Country Code:	001
Phone:	(914) 969-3535
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	790
Affiliation Type:	Facility Operator
Company Name:	RYDER TRUCK RENTAL INC
Contact Type:	Not reported
Contact Name:	RYDER TRUCK RENTAL INC
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

RYDER TRUCK RENTAL INC (Continued) **U000416463**

Zip Code:	Not reported
Country Code:	001
Phone:	(212) 564-8338
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	790
Affiliation Type:	Emergency Contact
Company Name:	RYDER TRUCK RENTAL INC
Contact Type:	Not reported
Contact Name:	WILLIAM E MARTIN
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(914) 496-5759
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank ID:	40033
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
G00 - Tank Secondary Containment - None
H99 - Tank Leak Detection - Other

RYDER TRUCK RENTAL INC (Continued) **U000416463**

Tank Number:	002
Tank ID:	40034
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
J01 - Dispenser - Pressurized Dispenser
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
H99 - Tank Leak Detection - Other

Tank Number:	003
Tank ID:	40035
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None

RYDER TRUCK RENTAL INC (Continued) **U000416463**

J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
H99 - Tank Leak Detection - Other

Tank Number:	004
Tank ID:	40036
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
G00 - Tank Secondary Containment - None
I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
H99 - Tank Leak Detection - Other

Tank Number:	005
Tank ID:	40037
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

RYDER TRUCK RENTAL INC (Continued) **U000416463**

Equipment Records:
I04 - Overfill - Product Level Gauge (A/G)
J01 - Dispenser - Pressurized Dispenser
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
H99 - Tank Leak Detection - Other

Tank Number:	006
Tank ID:	40038
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:
I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
H99 - Tank Leak Detection - Other

Tank Number:	007
Tank ID:	40039
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0008
Common Name of Substance:	Diesel

RYDER TRUCK RENTAL INC (Continued) **U000416463**

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
I04 - Overfill - Product Level Gauge (A/G)
H99 - Tank Leak Detection - Other

Tank Number: 008
Tank ID: 40040
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 2000
Install Date: 03/01/1978
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0008
Common Name of Substance: Diesel

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
H99 - Tank Leak Detection - Other

Tank Number: 009
Tank ID: 40041
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 2000
Install Date: 03/01/1978
Date Tank Closed: Not reported

RYDER TRUCK RENTAL INC (Continued) **U000416463**

Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0008
Common Name of Substance: Diesel

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
G00 - Tank Secondary Containment - None
H99 - Tank Leak Detection - Other

Tank Number: 010
Tank ID: 40042
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 2000
Install Date: 03/01/1978
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0008
Common Name of Substance: Diesel

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
H99 - Tank Leak Detection - Other

Tank Number: 101

RYDER TRUCK RENTAL INC (Continued) **U000416463**

Tank ID:	40004
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
H99 - Tank Leak Detection - Other

Tank Number:	102
Tank ID:	40005
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

H99 - Tank Leak Detection - Other
D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping

RYDER TRUCK RENTAL INC (Continued) **U000416463**

F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None

Tank Number:	103
Tank ID:	40006
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
H99 - Tank Leak Detection - Other

Tank Number:	104
Tank ID:	40007
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

RYDER TRUCK RENTAL INC (Continued) **U000416463**

I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
H99 - Tank Leak Detection - Other

Tank Number:	105
Tank ID:	40008
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

H99 - Tank Leak Detection - Other
J01 - Dispenser - Pressurized Dispenser
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None

Tank Number:	106
Tank ID:	40009
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported

RYDER TRUCK RENTAL INC (Continued) **U000416463**

Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

H99 - Tank Leak Detection - Other
I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None

Tank Number: 201
Tank ID: 40010
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 2000
Install Date: 03/01/1978
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0008
Common Name of Substance: Diesel

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
G00 - Tank Secondary Containment - None
I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping
H99 - Tank Leak Detection - Other

Tank Number: 202
Tank ID: 40011
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 2000
Install Date: 03/01/1978
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground

RYDER TRUCK RENTAL INC (Continued) **U000416463**

Tank Type: Steel/carbon steel
Material Code: 0008
Common Name of Substance: Diesel

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

H99 - Tank Leak Detection - Other
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None

Tank Number: 203
Tank ID: 40012
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 2000
Install Date: 03/01/1978
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0008
Common Name of Substance: Diesel

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

H99 - Tank Leak Detection - Other
I04 - Overfill - Product Level Gauge (A/G)
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None

Tank Number: 204
Tank ID: 40013
Tank Status: Closed Prior to Micro Conversion, 03/91

RYDER TRUCK RENTAL INC (Continued) **U000416463**

Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0008
Common Name of Substance:	Diesel
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

H99 - Tank Leak Detection - Other
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None

Affiliation Records:

Site Id:	115
Affiliation Type:	Facility Owner
Company Name:	THE GREAT A & P TEA CO.
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	2 PARAGON DRIVE
Address2:	Not reported
City:	MONTVALE
State:	NJ
Zip Code:	10710
Country Code:	001
Phone:	Not reported
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	115
Affiliation Type:	Mail Contact
Company Name:	THE GREAT A & P TEA CO.
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	2 PARAGON DRIVE
Address2:	Not reported
City:	MONTVALE
State:	NJ
Zip Code:	10710
Country Code:	001

RYDER TRUCK RENTAL INC (Continued) **U000416463**

Phone:	Not reported
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	115
Affiliation Type:	Facility Operator
Company Name:	MENDON TRUCK LEASING
Contact Type:	Not reported
Contact Name:	THE GREAT A & P TEA CO.
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 564-8338
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	115
Affiliation Type:	Emergency Contact
Company Name:	THE GREAT A & P TEA CO.
Contact Type:	Not reported
Contact Name:	THE GREAT A & P TEA CO.
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 320-0203
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank ID:	40033
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline

Tightness Test Method:	NN
Date Test:	Not reported

RYDER TRUCK RENTAL INC (Continued) **U000416463**

Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
G00 - Tank Secondary Containment - None
H99 - Tank Leak Detection - Other

Tank Number: 002
Tank ID: 40034
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 2000
Install Date: 03/01/1978
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
J01 - Dispenser - Pressurized Dispenser
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
H99 - Tank Leak Detection - Other

Tank Number: 003
Tank ID: 40035
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 2000
Install Date: 03/01/1978
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground

RYDER TRUCK RENTAL INC (Continued) **U000416463**

Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
H99 - Tank Leak Detection - Other

Tank Number: 004
Tank ID: 40036
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 2000
Install Date: 03/01/1978
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
G00 - Tank Secondary Containment - None
I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
H99 - Tank Leak Detection - Other

Tank Number: 005
Tank ID: 40037
Tank Status: Closed Prior to Micro Conversion, 03/91

RYDER TRUCK RENTAL INC (Continued) **U000416463**

Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
J01 - Dispenser - Pressurized Dispenser
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
H99 - Tank Leak Detection - Other

Tank Number:	006
Tank ID:	40038
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None

RYDER TRUCK RENTAL INC (Continued) **U000416463**

H99 - Tank Leak Detection - Other

Tank Number: 007
Tank ID: 40039
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 2000
Install Date: 03/01/1978
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0008
Common Name of Substance: Diesel

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
I04 - Overfill - Product Level Gauge (A/G)
H99 - Tank Leak Detection - Other

Tank Number: 008
Tank ID: 40040
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 2000
Install Date: 03/01/1978
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0008
Common Name of Substance: Diesel

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping

RYDER TRUCK RENTAL INC (Continued) **U000416463**

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
H99 - Tank Leak Detection - Other

Tank Number:	009
Tank ID:	40041
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0008
Common Name of Substance:	Diesel
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
G00 - Tank Secondary Containment - None
H99 - Tank Leak Detection - Other

Tank Number:	010
Tank ID:	40042
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0008
Common Name of Substance:	Diesel
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported

RYDER TRUCK RENTAL INC (Continued) **U000416463**

Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
H99 - Tank Leak Detection - Other

Tank Number: 101
Tank ID: 40004
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 2000
Install Date: 03/01/1978
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
H99 - Tank Leak Detection - Other

Tank Number: 102
Tank ID: 40005
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 2000
Install Date: 03/01/1978
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009

RYDER TRUCK RENTAL INC (Continued) **U000416463**

Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

H99 - Tank Leak Detection - Other
D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None

Tank Number: 103
Tank ID: 40006
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 2000
Install Date: 03/01/1978
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
H99 - Tank Leak Detection - Other

Tank Number: 104
Tank ID: 40007
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 2000

RYDER TRUCK RENTAL INC (Continued) **U000416463**

Install Date: 03/01/1978
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
H99 - Tank Leak Detection - Other

Tank Number: 105
Tank ID: 40008
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 2000
Install Date: 03/01/1978
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

H99 - Tank Leak Detection - Other
J01 - Dispenser - Pressurized Dispenser
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None

RYDER TRUCK RENTAL INC (Continued) **U000416463**

Tank Number:	106
Tank ID:	40009
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

H99 - Tank Leak Detection - Other
I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None

Tank Number:	201
Tank ID:	40010
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0008
Common Name of Substance:	Diesel
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser

RYDER TRUCK RENTAL INC (Continued) **U000416463**

G00 - Tank Secondary Containment - None
I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping
H99 - Tank Leak Detection - Other

Tank Number: 202
Tank ID: 40011
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 2000
Install Date: 03/01/1978
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0008
Common Name of Substance: Diesel

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

H99 - Tank Leak Detection - Other
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None

Tank Number: 203
Tank ID: 40012
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 2000
Install Date: 03/01/1978
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0008
Common Name of Substance: Diesel

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

RYDER TRUCK RENTAL INC (Continued) **U000416463**

Equipment Records:

H99 - Tank Leak Detection - Other
I04 - Overfill - Product Level Gauge (A/G)
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None

Tank Number:	204
Tank ID:	40013
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	2000
Install Date:	03/01/1978
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0008
Common Name of Substance:	Diesel
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

H99 - Tank Leak Detection - Other
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None

AI298 **513 WEST 26TH ASSOCIATES** **NY UST** **U002096636**
South **533 WEST 26TH STREET** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.141 mi.
747 ft. **Site 7 of 7 in cluster AI**

Relative:
Higher

Actual:
13 ft.

UST:

Id/Status:	2-602027 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	584146.65069
UTM Y:	4511496.61218
Site Type:	Trucking/Transportation/Fleet Operation

513 WEST 26TH ASSOCIATES (Continued) **U002096636**

Affiliation Records:

Site Id:	23986
Affiliation Type:	Facility Owner
Company Name:	513 WEST 26TH ASSOCIATES
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	353 WEST 51 STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10019
Country Code:	001
Phone:	(212) 977-3805
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	23986
Affiliation Type:	Mail Contact
Company Name:	LOGIL MANAGEMENT
Contact Type:	Not reported
Contact Name:	GIL PRICE
Address1:	353 WEST 51 STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10019-6460
Country Code:	001
Phone:	(212) 977-3805
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	23986
Affiliation Type:	Facility Operator
Company Name:	513 WEST 26TH ASSOCIATES
Contact Type:	Not reported
Contact Name:	CEASAR SUP
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 695-4172
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	23986
Affiliation Type:	Emergency Contact
Company Name:	513 WEST 26TH ASSOCIATES
Contact Type:	Not reported
Contact Name:	GIL PRICE

513 WEST 26TH ASSOCIATES (Continued) **U002096636**

Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 977-3805
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank ID:	48779
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	2000
Install Date:	05/01/1954
Date Tank Closed:	07/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

F99 - Pipe External Protection - Other
H05 - Tank Leak Detection - In-Tank System (ATG)
D02 - Pipe Type - Galvanized Steel
J01 - Dispenser - Pressurized Dispenser
B99 - Tank External Protection - Other
A99 - Tank Internal Protection - Other
I04 - Overfill - Product Level Gauge (A/G)
C02 - Pipe Location - Underground/On-ground
G03 - Tank Secondary Containment - Vault (w/o access)

AM299 **540 WEST 26 ST** **NY AST** **A100433730**
SW **540 WEST 26 ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.141 mi.
747 ft. **Site 1 of 7 in cluster AM**

Relative: AST:
Lower

Actual:
9 ft.

Region:	STATE
DEC Region:	2
Site Status:	Unregistered
Facility Id:	2-612779
Program Type:	PBS
UTM X:	Not reported

540 WEST 26 ST (Continued) **A100433730**

UTM Y: Not reported
Expiration Date: N/A
Site Type: School

Affiliation Records:
Site Id: 558917
Affiliation Type: Facility Owner
Company Name: 540 WEST 26TH STREET PROPERTY INVESTORS IIA, LLC
Contact Type: DIRECTOR OF CONSTRUCTION
Contact Name: ERIC DESIMONE
Address1: 430 PARK AVENUE, 12TH FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 229-0101
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2017-09-07

Site Id: 558917
Affiliation Type: Mail Contact
Company Name: 540 WEST 26 ST PROPERTY INVESTORS IIA, LLC
Contact Type: Not reported
Contact Name: Not reported
Address1: 430 PARK AVENUE
Address2: 12TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 229-0101
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2017-09-07

Site Id: 558917
Affiliation Type: Emergency Contact
Company Name: 540 WEST 26TH STREET PROPERTY INVESTORS IIA, LLC
Contact Type: Not reported
Contact Name: STEPHEN MCCABE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (848) 231-3075
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2017-09-07

Tank Info:

540 WEST 26 ST (Continued) **A100433730**

Tank Number: 0001
Tank Id: 271686

Equipment Records:

E00 - Piping Secondary Containment - None
G01 - Tank Secondary Containment - Diking (Aboveground)
L00 - Piping Leak Detection - None
J02 - Dispenser - Suction Dispenser
F00 - Pipe External Protection - None
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
I05 - Overfill - Vent Whistle
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Unregistered
Pipe Model: Not reported
Install Date: 08/01/2017
Capacity Gallons: 500
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MRBARROW
Last Modified: 09/07/2017
Material Name: #2 fuel oil (on-site consumption)

AM300 **CON EDISON SERVICE BOX: 4813** **RCRA NonGen / NLR** **1016149137**
SW **542 W 26TH ST** **NY MANIFEST** **NYP004277950**
1/8-1/4 **NEW YORK, NY 10001**
0.142 mi.
749 ft. **Site 2 of 7 in cluster AM**

Relative:
Lower

Actual:
9 ft.

RCRA NonGen / NLR:
Date form received by agency: 03/25/2013
Facility name: CON EDISON SERVICE BOX: 4813
Facility address: 542 W 26TH ST
NEW YORK, NY 10001
EPA ID: NYP004277950
Contact: JUAN RODRIGUEZ
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: 347-865-5931
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No

CON EDISON SERVICE BOX: 4813 (Continued) **1016149137**

Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 02/25/2013
Site name: CON EDISON SERVICE BOX: 4813
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004277950
Facility Status: Not reported
Location Address 1: 542 W 26 ST
Code: BP
Location Address 2: SERVICE BOX # 4813
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004277950
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2013
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 02/25/2013
Trans1 Recv Date: 02/25/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/26/2013

CON EDISON SERVICE BOX: 4813 (Continued) **1016149137**

Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004277950
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010841395JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AM301 **7 LINE SUBWAY CONSTRUCTION SITE** **NY AST** **A100322457**
SW **550 WEST 26TH STREET** **N/A**
1/8-1/4 **MANHATTAN, NY 10001**
0.143 mi.
756 ft. **Site 3 of 7 in cluster AM**

Relative: **Lower**
Actual: **8 ft.**

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-610999
Program Type:	PBS
UTM X:	583963.47990
UTM Y:	4511551.02681
Expiration Date:	12/01/2013
Site Type:	Other

7 LINE SUBWAY CONSTRUCTION SITE (Continued) **A100322457**

Affiliation Records:

Site Id:	408701
Affiliation Type:	Facility Owner
Company Name:	S3 II TUNNEL CONSTRUCTORS - A JOINT VENTURE
Contact Type:	SITE SAFETY MANAGER
Contact Name:	DAVID S. WALBOURNE
Address1:	360 WEST 31ST STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(201) 835-9555
EMail:	JFSHEA51DAVEW@GMAIL.COM
Fax Number:	Not reported
Modified By:	dxliving
Date Last Modified:	2009-05-04

Site Id:	408701
Affiliation Type:	Mail Contact
Company Name:	S3 II TUNNEL CONSTRUCTORS - A JOINT VENTURE
Contact Type:	SITE SAFETY MANAGER
Contact Name:	DAVID S. WALBOURNE
Address1:	360 WEST 31ST STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(201) 835-9555
EMail:	JFSHEA51DAVEW@GMAIL.COM
Fax Number:	Not reported
Modified By:	dxliving
Date Last Modified:	2009-05-04

Site Id:	408701
Affiliation Type:	Facility Operator
Company Name:	7 LINE SUBWAY CONSTRUCTION SITE
Contact Type:	Not reported
Contact Name:	S3 II TUNNEL CONSTRUCTORS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 216-8500
EMail:	Not reported
Fax Number:	Not reported
Modified By:	dxliving
Date Last Modified:	2009-01-08

Site Id:	408701
Affiliation Type:	Emergency Contact
Company Name:	S3 II TUNNEL CONSTRUCTORS - A JOINT VENTURE
Contact Type:	Not reported
Contact Name:	KELVIN SAMPSON

7 LINE SUBWAY CONSTRUCTION SITE (Continued) **A100322457**

Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(202) 345-8642
EMail:	Not reported
Fax Number:	Not reported
Modified By:	dxliving
Date Last Modified:	2009-01-08

Tank Info:

Tank Number:	700F650B
Tank Id:	226851
Material Code:	0008
Common Name of Substance:	Diesel

Equipment Records:

D00 - Pipe Type - No Piping
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
L00 - Piping Leak Detection - None
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
K00 - Spill Prevention - None
I00 - Overfill - None
C00 - Pipe Location - No Piping

Tank Location:	2
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	12/01/2008
Capacity Gallons:	250
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	dxliving
Last Modified:	04/14/2017
Material Name:	diesel

Tank Number:	958995
Tank Id:	228293
Material Code:	0008
Common Name of Substance:	Diesel

Equipment Records:

D00 - Pipe Type - No Piping
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
L00 - Piping Leak Detection - None
C00 - Pipe Location - No Piping

7 LINE SUBWAY CONSTRUCTION SITE (Continued) **A100322457**

J01 - Dispenser - Pressurized Dispenser
I00 - Overfill - None
A00 - Tank Internal Protection - None
G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
K00 - Spill Prevention - None

Tank Location:	2
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	12/01/2008
Capacity Gallons:	1000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	dxliving
Last Modified:	04/14/2017
Material Name:	diesel

Tank Number:	WO-001
Tank Id:	226852
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Equipment Records:

J00 - Dispenser - None
L00 - Piping Leak Detection - None
D00 - Pipe Type - No Piping
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
C00 - Pipe Location - No Piping
K00 - Spill Prevention - None
G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
A00 - Tank Internal Protection - None
I00 - Overfill - None

Tank Location:	2
Tank Type:	Plastic
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	12/01/2008
Capacity Gallons:	500
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	dxliving
Last Modified:	04/14/2017
Material Name:	waste oil/used oil

AN302 **CON EDISON** **NY MANIFEST** **S117538160**
SW **245 11 AV** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.144 mi.
760 ft. **Site 1 of 3 in cluster AN**

Relative:
Lower

Actual:
7 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004708038
Facility Status:	Not reported
Location Address 1:	245 11 AV
Code:	BP
Location Address 2:	VS2609
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004708038
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL
Mailing Address 2:	15TH FL
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	NJD003812047
Generator Ship Date:	12/18/2014
Trans1 Recv Date:	12/18/2014
Trans2 Recv Date:	12/19/2014
TSD Site Recv Date:	12/19/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004708038
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002610225GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported

CON EDISON (Continued) **S117538160**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AN303 **CON EDISON** **NY MANIFEST** **S117538161**
SW **245 11 AV** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.144 mi.
760 ft. **Site 2 of 3 in cluster AN**

Relative: **Lower**

Actual: **7 ft.**

NY MANIFEST:

Country:	USA
EPA ID:	NYP004708046
Facility Status:	Not reported
Location Address 1:	245 11 AV
Code:	BP
Location Address 2:	V8931
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004708046
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL
Mailing Address 2:	15TH FL
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

CON EDISON (Continued) **S117538161**

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	NJD003812047
Generator Ship Date:	12/18/2014
Trans1 Recv Date:	12/18/2014
Trans2 Recv Date:	12/19/2014
TSD Site Recv Date:	12/19/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004708046
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002610227GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AM304 **NYC TRANSIT NO 7 SUBWAY SITE A** **RCRA NonGen / NLR** **1008374488**
SW **554 W 26TH ST** **NY MANIFEST** **NYR000132274**
1/8-1/4 **NEW YORK, NY 10001**
0.144 mi.
761 ft. **Site 4 of 7 in cluster AM**

Relative:
Lower

Actual:
8 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	NYC TRANSIT NO 7 SUBWAY SITE A
Facility address:	554 W 26TH ST NEW YORK, NY 10001
EPA ID:	NYR000132274
Mailing address:	BROADWAY 2ND FLOOR CPM ENVIRONMENTAL NYCT NEW YORK, NY 10004
Contact:	PAUL KAHOUTIS
Contact address:	BROADWAY 2ND FLOOR CPM ENVIRONMENTAL NYCT NEW YORK, NY 10004
Contact country:	US
Contact telephone:	646-252-4793
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	293 TENTH AVENUE CORP
Owner/operator address:	W 26TH ST NEW YORK, NY 10001
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	03/01/1983
Owner/Op end date:	Not reported

Owner/operator name:	293 TENTH AVENUE CORP
Owner/operator address:	W 26TH ST NEW YORK, NY 10001
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	03/01/1983
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No

NYC TRANSIT NO 7 SUBWAY SITE A (Continued) **1008374488**

Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: NYC TRANSIT NO 7 SUBWAY SITE A
Classification: Not a generator, verified

Date form received by agency: 05/19/2005
Site name: NYC TRANSIT NO 7 SUBWAY SITE A
Classification: Large Quantity Generator

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYR000132274
Facility Status: Not reported
Location Address 1: 554 WEST 26TH STREET
Code: BP
Location Address 2: NUMBER 7 SUBWAY SITE A
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000132274
Mailing Name: NYC TA
Mailing Contact: PAUL KAHOUTIS
Mailing Address 1: 2 BROADWAY 2ND FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10004
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 6462524793

AN305 **CON EDISON MANHOLE: 33083** **RCRA-CESQG** **1016149509**
SW **W 26TH ST & 11TH AVE NW COR** **NY MANIFEST** **NYP004281739**
1/8-1/4 **NEW YORK, NY 10001**
0.144 mi.
761 ft. **Site 3 of 3 in cluster AN**

Relative:
Lower

Actual:
7 ft.

RCRA-CESQG:

Date form received by agency:	01/06/2013
Facility name:	CON EDISON MANHOLE: 33083
Facility address:	W 26TH ST & 11TH AVE NW COR NEW YORK, NY 10001
EPA ID:	NYP004281739
Mailing address:	IRVING PL, RM 828 NEW YORK, NY 10003
Contact:	BENJAMIN BAMONTE
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-894-9549
Contact email:	Not reported
EPA Region:	02
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

NY MANIFEST:

Country:	USA
EPA ID:	NYP004281739

CON EDISON MANHOLE: 33083 (Continued) **1016149509**

Facility Status:	Not reported
Location Address 1:	NW COR W 26TH ST & 11TH AVE
Code:	BP
Location Address 2:	MH 33083
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004281739
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	01/06/2013
Trans1 Recv Date:	01/06/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/07/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004281739
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010408712JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported

CON EDISON MANHOLE: 33083 (Continued) **1016149509**

Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AM306 **PENSKE TRUCK LEASING CO., L.P.** **NY AST** **U003074358**
SW **536 WEST 26TH STREET** **N/A**
1/8-1/4 **NY, NY 10001**
0.152 mi.
802 ft. **Site 5 of 7 in cluster AM**

Relative:
Lower

Actual:
8 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-108774
Program Type:	PBS
UTM X:	584133.55638
UTM Y:	4511489.80226
Expiration Date:	N/A
Site Type:	Other

Affiliation Records:

Site Id:	3234
Affiliation Type:	Facility Owner
Company Name:	PENSKE TRUCK LEASING CO., L.P.
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	RT. 10, GREEN HILLS, P.O. BOX 7635
Address2:	Not reported
City:	READING
State:	PA
Zip Code:	19603-7535
Country Code:	001
Phone:	(215) 775-6000
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	3234
Affiliation Type:	Mail Contact
Company Name:	PENSKE TRUCK LEASING CO., L.P.
Contact Type:	Not reported

PENSKE TRUCK LEASING CO., L.P. (Continued) **U003074358**

Contact Name:	ENVIRONMENTAL SERVICES
Address1:	RT. 10, GREEN HILLS, P.O. BOX 563536 W 2
Address2:	Not reported
City:	READING
State:	PA
Zip Code:	19603-7635
Country Code:	001
Phone:	(215) 775-6000
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	3234
Affiliation Type:	Facility Operator
Company Name:	PENSKE TRUCK LEASING CO., L.P.
Contact Type:	Not reported
Contact Name:	PENKE TRUCK LEASING
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 741-9808
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	3234
Affiliation Type:	Emergency Contact
Company Name:	PENSKE TRUCK LEASING CO., L.P.
Contact Type:	Not reported
Contact Name:	JOE ANTORINI
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 741-9800
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	A1
Tank Id:	44898
Material Code:	9999
Common Name of Substance:	Other

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)

PENSKE TRUCK LEASING CO., L.P. (Continued) **U003074358**

C01 - Pipe Location - Aboveground
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 550
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: other

Tank Number: A2
Tank Id: 44899
Material Code: 9999
Common Name of Substance: Other

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 270
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: other

AM307 **PENSKE TRUCK LEASING CO L P** **NY LTANKS** **1000382741**
SW **536 W 26TH ST** **NY Spills** **NYD101106565**
1/8-1/4 **NEW YORK, NY 10001** **RCRA NonGen / NLR**
0.152 mi. **FINDS**
802 ft. **Site 6 of 7 in cluster AM** **ECHO**
NY MANIFEST

Relative:
Lower

Actual:
8 ft.

LTANKS:

Facility ID:	9211726
Site ID:	144036
Closed Date:	1993-01-21
Spill Number:	9211726
Spill Date:	1993-01-13
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	C4
Cleanup Ceased:	1993-01-21
SWIS:	3101
Investigator:	O'DOWD
Referred To:	Not reported
Reported to Dept:	1993-01-13
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1993-01-14
Spill Record Last Update:	1995-03-27
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	122793
DEC Memo:	""
Remarks:	"EIR"

All TTF:

Facility ID:	9211726
Spill Number:	9211726
Spill Tank Test:	1541057
Site ID:	144036
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills

PENSKE TRUCK LEASING CO L P (Continued) **1000382741**

Last Modified Date: Not reported

All Materials:
Site ID: 144036
Operable Unit ID: 976175
Operable Unit: 01
Material ID: 405108
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: -1.00
Units: Not reported
Recovered: .00
Oxygenate: Not reported

SPILLS:
Facility ID: 9801954
Facility Type: ER
Spill Number: 9801954
DER Facility ID: 178260
Site ID: 215150
DEC Region: 2
Closed Date: Not reported
Spill Cause: Unknown
Spill Class: C3
SWIS: 3101
Spill Date: 1998-05-14
Investigator: RVKETANI
Referred To: 121417 REVWD DEC 2017 GW DATA
Reported to Dept: 1998-05-14
CID: 281
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: 2003-12-23
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 1
Date Entered In Computer: 1998-05-14
Spill Record Last Update: 2017-12-15
Spiller Name: RICHARD SAUT
Spiller Company: PENSKE TRUCK LEASING
Spiller Address: 536 WEST 26TH STREET
Spiller Company: 001
Contact Name: RICHARD SAUT
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was ROMMEL Formerly assigned to Tomasello 4/10/2002 - Someone from Penske Truck Leasing called looking for a closure letter on this site. Sangesland spoke to him. DeMeo was on duty for the day, therefore it was assigned to DeMeo. Sangesland suggested the rep from Penske should send a copy of the original closure report to DeMeo along with a request for closure. 8/29/03 TJD Work plan approved. 12/9/03 TJD

PENSKE TRUCK LEASING CO L P (Continued) **1000382741**

Transferred Demeo greater than greater than greater than Rommel. 1/7/04 Reviewed 12/31/03 report from GES proposing 5 additional delineation wells. Spoke to Tony Dellaria, GES, verbally approved additional well locations with the addition of one well downgradient of MW4. Letter to Penske, Route 10, Green Hills, PO Box 7635 Redding PA 19603-7635 Rommel 3/8/04 Spoke to Debra Kaplan,GES. Wells are scheduled for 3/22/04. Rommel. greater than greater than greater than 05/13/04 10:46AM greater than greater than greater than Ms. Rommel, Attached please find the Subsurface Investigation Report for the above-referenced site. The hard copy of the report was sent to you today. If you have any questions, please feel free to call Anthony Dellaria at (631) 420-5095. Thank you. greater than greater than greater than Jennifer Rommel 05/13/04 03:43PM greater than greater than greater than DEC approves the work proposed in the Subsurface Investigation Report dated 5/13/04. At the end of the three months of HIT events, please submit an evaluation of the need for a permanent recovery system. 5/17/04 Received summary, 4 mw installed. Total 8 wells. Product in MW1 and MW4 - quarterly bailing recommended. Rommel 10/14/04 Reassigned from Rommel to Sun. 10/31/04 File Update by Sun: - On 11/22/04, Sun sent a letter to Richard Saut of Penske requiring complete delineation of soil and groundwater contaminations, submittal of an Investigation Summary Report followed by a Remedial Action Plan. The Department set a deadline of 12/10/04 for signing the Stipulation Agreement. The Stipulation Agreement was signed by Penske on 12/10/04 and implemented by the Department on 12/27/04. -On 12/21/04, Sun sent a letter to Richard Saut of Penske informing him that the Department has approved the Remedial Action Plan (RAP)/HypeAir Work Plan prepared by his Consultant, Groundwater & Environmental Service (GES) for the subject site; specifically two in-situ chemical oxidation events at the site via HypeAir air and Hydrogen peroxide injection system. The Department requires that due to the proximity of existing utility corridors, temperature, pH, pressure, oxidation-redox potential (ORP), conductivity and dissolved oxygen (DO) shall be monitored on all the monitoring wells. Any potential accumulation of vapors during the injection activities shall be avoided. (Sun) 02/21/06: Sun received 4th Quarter 2005 Site Status Update Report. Review of this report is pending. (Sun) 02/27/06: The Department approves the GES s request for two (2) additional injection events to be completed in April and May 2006; specifically two in-situ chemical oxidation (Chem-Ox) events at the above referenced site utilizing a hydrogen peroxide, ozone, and persulfate injection system (HypeAir). (Sun) 07/23/07-Sun: On 07/23/07 the Department approves the GES s request for performing enhanced product recovery through the injection of surfactant into MW-5. The Department also approves a series of high intensity targeted (HIT) remediation events using high vacuum extraction at monitoring wells MW-3, MW-4, and MW-5 to reduce residual hydrocarbons impacts on-site for 8-hour events for approximately four (4) months. (Sun) 08/09/07-Sun: On 7/18/07 Joe Sun of DEC was informed by Kevin Heaphy of Parson Brinckerfoff Amercica (PB) that the MTA will be using this site (Lot 60) and the adjacent Fed Ex lot for a mocking pit to build the initial shaft for Tunnel boring machine to be used for the No. 7 subway extension project. In general, the site is slated to be used as a staging area for the project. A meeting was held on 8/9/07 to discuss project among all the key parties, including DEC, MTA, NYCT, Developer, Parson Brinckerfoff (PB), Penske, property owner (Michael Silvermintz)and Penske s consultant,

PENSKE TRUCK LEASING CO L P (Continued) **1000382741**

GES. The meeting concluded that PB will first review the GES s investigation and remediation reports and then will discuss with GES and MTA project team to assess if other viable remedial action plans (RAP) can be implemented to expedite the cleanup process. Any new proposed RAP will be submitted to DEC for review and approval. (Sun) 08/23/07-Sun: Sun received 2nd Quarter 2007 Site Status Update Report. Based on laboratory analytical results, a 64% reduction of disslved benzene, toluene, ethylbenze, and total xylenes (BTEX) concentrations has been observed on and off-site since initiating hydrogen peroxide and ozone injections at the site. (sun) 08/30/07: Sun received the following email from Heather Cloud of GES Joe, Penske and GES submitted all historical documents to Kevin Heaphy for his review. He reviewed the documents and we had a follow up call with him and the MTA this past Monday (8/27). During the call, Kevin brought up a suggestion of relocating the wells off-site or installing remote access points in the sidewalk. As discussed at the NYSDEC meeting, we told Kevin that that locating the wells offsite was not an option, and installing remote access points in the sidewalk could not be sufficient for our liquid level measurements and groundwater sampling activities. Additionally, there is a high pressure gas main in the sidewalk, so we would not be able to drill safely in this area. They did not have any additional suggestions or ideas beyond relocating the wells. (Sun) Since they did not have any additional suggestions, it was decided that GES is going to proceed with our approved work plan. We are actually scheduled to conduct our surfactant injection on September 5 and the high vacuum extraction events on the 6th and 7th. Once we get the data back from the first event, we will evaluate the effectiveness and move forward from there. (Sun) 11/19/07-Sun: Sun received the following email from Heather Cloud of GES, Hi Joe, We conducted the Surfactant Injection at MW-5 on September 5, 2007 followed by a high vacuum extraction event on September 7, 2007 to remove and recover residual product at MW-5. Since conducting the injection event, we have not seen any product at MW-5. Groundwater data at MW-5 prior to the injection (July 3, 2007) was 489 ppb BTEX (144 ppb benzene). Following the injection (October 12, 2007), groundwater data at MW-5 was 87 ppb BTEX (66 ppb benzene). Since the injection event, we have conducted 2 high vacuum extraction events on MW-3 and MW-4. These events were completed in September and October. Between the 2 high vacuum extraction events, we have recovered 5 pounds of mass and 1,300 gallons of water. We were at the site today and are at the site tomorrow to complete our 3rd high vacuum extraction event on MW-3, MW-4, and MW-5. The 3rd QTR Site Status Update Report is currently being reviewed by the client, so you should have it shortly. (Sun) 02/15/08-Sun: DEc received the following email from Andrew Cullen of Penske, All, After much review, we have come to the conclusion that we will make an attemp to meet the requirements of the contractor and complete the necessary remediation work required by the NY DEC on two Saturday’s per month. However, I need all the parties to understand that our agreement specifically states we need 2 to 3 days per month to perform the necessary remediation. Limiting us to only two days per month may cause the remedial efforts to go past our original estimates. Moreover, MTA also agreed to reimburse Penske for any premium costs assoicated with work that must be scheduled outside of normal working hours (i.e. Monday to Friday 8:00am to 5:00pm) . If at any time we find the contractor is not cooperating, our remedial efforts will require more than 2 days per month, or any invoices for

PENSKE TRUCK LEASING CO L P (Continued) **1000382741**

premium costs or damage by the contractor are not paid in accordance with our agreement, we will alert the appropriate parties. I do not anticpate this happening, but given the events that have lead us to this point, I feel compelled to remind everyone of the terms and conditions of our agreement. (Sun) 03/04/08-Sun: Sun sent the following email to all the parties invloved, Penske may have to conduct remedial efforts more often than 2-3 days a month if project demands. The required frequency and nature of remedial efforts will depend on results of on-going remediation to be received in future. If current extraction method does not produce acceptable (to the NYSDEC) results, DEC reserves its rights to require Penske to undertake more aggressive remedial efforts. NYSDEC is not a party to any of the agreements between Penske and MTA, and reserves all rights under the existing Laws and Regulations. (Sun) 03/25/08-Sun: Sun received the 4th Quarter 2007 Site Status Update Report. (Sun) 07/03/08-Sun: Sun received from Heather Cloud of GES on the current site status: We are currently conducting quarterly groundwater monitoring and sampling. Our next groundwater sampling event is scheduled for this month. - Based upon the recent groundwater data, we are not seeing a reduction in the BTEX concentrations. See attached groundwater analytical tables. Therefore, the high vacuum extraction events don't appear to be overly effective at this time. We are currently evaluating alternate options to address the dissolved phase impacts. We are looking at potentially injecting sodium percarbonate or other potential oxidizers. The total BTEX concentrations are primarily comprised of benzene. We have seen great success in reducing benzene levels with sodium percarbonate at other sites. Also, this type of technology is not intrusive at all. With the MTA project going on, we are limited with the technologies that we can go with. - The 1st QTR QMR is currently being reviewed by Penske. You should have this report within the next week or so. (Sun) 8/4/08 - Carlson: Case reassigned to Carlson. Reviewed 1st Quarterly 2008 report. Wells sampled on 1/3/08. Maximum BTEX concentration 5,425 ppb (MW3), maximum MTBE concentration 64 ppb (MW3). Report notes that VEFR is not effective. Sent letter requiring submission of a new RAP and additional delineation by 9/12/08. 9/11/08 - Carlson: Approved extension to 11/14/08 for submission of a new RAP. Scheduled site visit for 9/25/08 to discuss potential locations for an additional delineation well. 9/30/08 - Carlson: Performed site visit on 9/25/08. Met with Heather Cloud of GES, Richard Saut of Penske, Charles Stives of Liro Engineering, as well as representatives from MTA and NYCT. Five monitoring/remediation wells have be destroyed during recent activities. A location was identified for the installation of an additional monitoring well. RAP due 11/14/08. 10/6/08 - Carlson: Reviewed update report dated 9/23/08. Wells sampled on 4/26/08. Maximum BTEX concentration 3,537 ppb (MW3). They are pilot testing sodium percarbonate. 3/20/09 - Carlson: Reviewed Site Status Report dated 2/25/09. Delineation well discussed during 9/30/08 site visit was not installed. Destroyed wells were not replaced. Sodium percarbonate solution was injected into MW-1, MW-2, and MW-4 on 9/20/08. Wells were sampled on 10/25/08. Decreased concentrations were found in MW1 and MW2, but BTEX increased in MW4. Spoke to Heather Cloud at GES. She will submit workplan. Received Remediation and Delineation Work Plan dated 2/10/09. 4/16/09 - Carlson: Meeting held with Penske. Mark requested the addition of another boring. 4/23/09 - Carlson: Meeting held MTA. Access to most of the site not possible for 1 year because the TBM is in operation.

PENSKE TRUCK LEASING CO L P (Continued) **1000382741**

Access to the sidewalk can be arranged. MTA will submit a construction timeline. 5/4/09 - Carlson: Received phone message from Sal McCabe - construction timeline will be submitted. 5/7/09: Received update report. Received email from Christopher Ward - mw5 has been located and will be abandoned (under future muck bin). 5/15/09 - Carlson: Received email. MW5 will be abandoned tomorrow. 7/1/09 - Carlson: Received cc of penske access request to sample wells on 7/25 7/2/09 - Carlson: Paul matthews of mta responded - requested sampling be delayed for one month. 7/2/09 - Carlson: I replied saying one month delay is ok. Construction timeline was not submitted as requested at the last meeting. 7/6/09 - Carlson: Received cc of penske access request to sample wells on 8/22/09. 9/18/09 - Carlson: Left voice message for Chris Ward to followup on case status. 11/5/09 - Carlson: Received cc of letter requesting access from MTA to sampling wells. Left voice message for Chris Ward to see if they were given access - need to get phone number for MTA contact Paul Matthews. 11/10/09 - Carlson: GES received access from MTA to sample wells. 2/12/2010: Received cc of letter from GES to MTA - access requested to sample wells on 2/20/2010. Spoke to Chris Ward. Update report will be submitted. 5/26/2010 - Carlson: Received cc of access request by GES to MTA to sample wells on 6/12/2010. 6/25/2010 - Carlson: Received cc of access request by GES to MTA to sample wells on 6/12/2010. Left message for MTA Philip McGrade to followup on status of construction. 6/29/10 - Carlson: Spoke to Paul Matthews at MTA (212-616-4462). TBM is still in operation 5 days/wk 24hr/day. No construction on weekends when GES samples wells. Remedial work on Saturdays would be very difficult due to access on site. Project completion scheduled for 2013. 7/27/2010 - Carlson: Meeting held with Penske on 7/27. NYSDEC to organize meeting with MTA to discuss access/remedial plan. 8/24/2010 - Carlson: Meeting held with MTA and Penske on 8/24. Penske to reinstall wells on a weekend. Wells to be covered with roadplates. Contractor will remove roadplates prior to remedial activitiy at the site. Penske/MTA/NYSDEC to perform site visit to confirm locations of new wells. 9/22/2010 - Carlson: Site meeting held to discuss well installation locations and procedures. GES will prepared updated site plan. 3-11-11. - Breen: Consultant, GES, sent in Site Status Update Report on CD today. Heather Cloud is Operations Manager. Sarken Dressler is the Staff Hydrogeologist. Report for 9610811 is on the same CD. 6/6/12 - Carlson: Reviewed Site Status Update Report dated 4/30/12. Wells sampled on 2/25/12. Wells destroyed in 2008 were not replaced. Max BTEX only 588 in MW-4. Max MTBE only 3 ppb in MW-8. Called MTA Philip McGrade at number in file. Voice mail indicated this is not his number anymore. Left message at this number for help getting status of MTA 7-line extension project at this site. 6/8/12 - Carlson: Left message for Phil McGrade (646 252 8315) to follow up on 7 train extension project. 7/11/12 - Carlson: See new spill 1201147 at site - MTA found a diesel/#2 fuel oil in tank shaft location. Tank was removed. 9/14/12 - Carlson: Reviewed 2nd quarter 2012 update report. Existing wells show low concentrations. Destroyed wells were never replaced. Continue to followup on status of 1201147. Need to contact MTA to get status of MTA project. 11/19/12 - Carlson: Spoke to Paul Matthews at MTA - he isn't involved in project anymore. New contact is Steve Asquith 646-252-8326. Left message for Steve Asquith. 11/26/12 - Carlson: Spoke to Steve Asquith (917-217-4765). He is arranging access with Penske/GES. Send him my email address, he will cc me on correspondence with penske/GES; 11/27/12 - Carlson: Emailed Steve

PENSKE TRUCK LEASING CO L P (Continued) **1000382741**

Asquith (sasquith@mtacc.info) - please cc me on correspondence with Penske/GES as discussed during yesterdays phone conversation. 12/11/12 - Carlson: Site meeting with Healther Cloud (GES) and Dave Mariani (Skanska). Well locations were marked out. Wells will be installed in january. 9/17/2013 - Carlson: Received FOIL request from Michael Silvermintz (michaelsilvermintz@gmail.com, 646-831-1443). Forwarded to DEC Silva for processing. 9/23/13 - Carlson: Received phone call from Steve Cambruschini - new owner will purchase this property and redevelop. They intend to sign a new stip. They plan on excavating impacted soil. He will email me for a FOIL request of file. Need to get contact info of new owner to send new stip. 10/10/13: received phone call from Christopher McMahon requesting FOIL review. Sent email to email Gloria Silva for FOIL review. Also, I requested he send me contact info for new owner so I can send new stipulation agreement. 10/28/2013 - Carlson: Reviewed 3rd Quarter 2013 Site Status Report. Monitoring wells gauged and sampled on 9/28/2013. Sheen (0.04ft) in MW-3R. Maximum BTEX concentration 1,410 ppb (MW-3R). 10/29/2013 - Carlson: Issued new Stipulation Agreement to 293 Tenth Ave. Corp, c/o Michael Silvermintz. Signed Stip due by 11/12/2013. RAWP due 30 days after effective date of the Stipulation. 2/21/14 - Carlson: Reviewed RAWP dated January 2014. Site to be excavation, dewatered, and redeveloped. Site will be excavated in former tank area to 11 ft below grade (4 ft below gw table). Excavation will be dewatered in order to extend below groundwater table. Hotspots encountered will be overexcavated, to the extent feasible. Two downgradient wells will be reinstalled in southern portion of property that will not contain a basement. Endpoint samples will be collected as per DER-10. Issued approval letter. 3/31/14 - Raphael Ketani. As of today, I am taking over case management from Ms. Carlson. The contact person is Chris McMahon at Langan Engineering, River Drive Center 1, 619 River Drive, Elmwood, NJ, 07407, (201) 794-6900. The proposed development of the site is as a 7 story combined commercial and office building. 4/9/14 - Raphael Ketani. I made an unannounced site visit. The site contained triple stacked office trailers on the West 26th Street side of the site. Standing from the outside, I could see that there was a lot of activity and equipment on site from the MTA construction next door for the 7 Train tunnel construction. So, I didn't enter the bounds of the site. However, I did take pictures of the site from the outside. I could see that workers were still finishing the brick work outside the MTA building that had been constructed above the tunnel shaft. 4/10/14 - Raphael Ketani. I tried to contact Steve Asquith (917) 217-4765 of the MTA to let him know that I was the new DEC project manager, but I could only leave a message. Later, I contacted Mr. McMahon (201) 794-6900. He told me that the MTA plans to be done with their work and off of the site by the second week in May 2014. Mr. McMahon added that the new owner intended to first demolish the former Fed Ex building that is adjacent to the east of the site during July 2014. Excavation of the entire site will take place to 14 feet below grade. Endpoint samples will be taken as per the plan included in the approved RAWP. I told Mr. McMahon that Langan should follow the soil contamination as much as possible before taking endpoint samples. This way, the samples will be low or non-detect with regard to any analytes and the whole process will go smoothly. Mr. McMahon stated that groundwater was about 8 or 9 feet below grade and asked about sampling the groundwater after the MTA leaves. I told him that this wont be necessary as Langan will dig out all of the

PENSKE TRUCK LEASING CO L P (Continued) **1000382741**

contamination below the water table. Mr. McMahon stated that the beginning of redevelopment is planned for either September or October of 2014. I asked Mr. McMahon to send me the endpoint sampling map with a cover letter describing what will take place regarding the endpoint sampling and sample processing. I added that, later, the DEC will need the letter of acceptance from the facility that will receive the soil. Also, I stated, the DEC will need a letter from the facility that will accept the contaminated water that is collected. Mr. McMahon stated that once they know where everything will go, then he will send these letters. After this point, I said, the DEC will need a schedule describing the excavating, endpoint sampling, sample processing, foundation construction and so forth. Mr. McMahon said that he will send this to the DEC. At the end of our conversation, Mr. McMahon asked about the request by the owner for a change in the Stipulation Agreement whereby Penske is let off of the hook. I told Mr. McMahon that this is something Lou Oliva, Region 2 Chief Counsel, will have to work out with Penske. With that, the conversation ended. Mr. Asquith (917) 217-4765 called me back. He said that Skanska, the construction company building the ventilation shaft, is presently cleaning up the site. They told him that they expect to be off of the site by the end of April 2014. 5/2/14 - Raphael Ketani. I reviewed the First Quarter 2014 Site Status Update Report dated 4/29/14 that was submitted by GES. Groundwater sampling took place on 3/15/14 for wells MW-1, MW-2, MW-3R, MW-4, MW-6 to MW-8 and MW-10. MW-9R was not sampled as MTA equipment was over it. There was 0.02' of product in MW-3R. All of the analyses were for just BTEX. MW-1 had results from non-detect to just above the TOGS 1.1.1 standards. MW-3R had the results 660 ppb total xylenes, 913 ppb ethylbenzene, 95.5 ppb benzene, 13.1 ppb toluene. MW-4 results were 237 ppb ethylbenzene, 215 ppb benzene, 18.4 total xylenes, 10.7 ppb toluene. MW-10 had 2 non-detects and 2 very low hits. For MW-2, MW-6 to MW-8, the results were either entirely non-detect or mostly non-detect with one very low hit. MTBE varied in concentration from mostly non-detect to 8.98 ppb. Quarterly sampling is planned for June 2014. 5/19/14 - Raphael Ketani. Today I received a copy of the signed Stipulation Agreement from 293 Tenth Avenue Corporation. It was signed by Michael Silvermintz, President of the corporation, on 5/2/14. I hand delivered the Stip to the Region 2 legal division. According to the schedule in the approved Remedial Action Work Plan dated 1/24/14, the remedial activities are anticipated to take 4 months beginning in October 2014. Later, I was informed that the DEC needed the original signature page in order to make the executed Stipulation Agreement. I contacted Mr. McMahon (201) 794-6900 and asked him to have his client send the original signature page with Mr. Silvermintz' original signature as soon as possible by regular mail. Mr. McMahon agreed to do this. 6/13/14 - Raphael Ketani. The Stipulation Agreement with the original signature of the president of 293 Tenth Avenue Corporation, Mr. Silvermintz, was given to me today. 6/17/14 - Raphael Ketani. The Stipulation Agreement was submitted to the Region 2 legal division for processing. 6/23/14 - Raphael Ketani. The Stipulation Agreement was signed by Venetia Lannon, Region 2 Director, and the original was sent to Mr. Silvermintz. 8/1/14 - Raphael Ketani. I reviewed the second quarter 2014 groundwater monitoring report for the site. The document was titled Site Status Update Report and dated 7/31/14. On 6/21/14, groundwater sampling took place at 6 onsite wells. Groundwater elevations were from 6.04' bgs at MW-8 to 6.71' bgs at MW-6. Flow was to the south. The wells sampled were MW-1, 2, 4, 6, 7

PENSKE TRUCK LEASING CO L P (Continued) **1000382741**

and 8. Wells MW-3R, 9R and 10 were inaccessible at the time. Well MW-5 had been abandoned some time ago. The VOC results for wells MW-1, 2, 6 and 7 were entirely non-detect for BTEX and MTBE. The sample from MW-8 had hits just above and just below the TOGS 1.1.1 standards. The results for MW-4 had 260 ppb of benzene and 424 ppb of ethylbenzene. In addition, a sample was taken from IW-2R on 3/21/13 and had 3530 ppb of benzene. Why this well was not sampled again was not explained. The contamination in the groundwater at MW-4 needs to be addressed. IW-2R needs to be sampled again. Also, wells MW-3R, 9R and 10 need to be made available for sampling, given that their loss is significant as there are not many wells for sampling.
Additionally, I checked the property database ACRIS for the current ownership information. The property is still owned by 293 Tenth Avenue Corporation at 5 Rosewood Lane, Wesley Hills, NY, 10901. The property block and lot are 697 and 56. There is a UCC1 with 540 West 26th Street Property Debt Investors IIA, LLC at 10 East 53rd Street, 37th Floor, NY, NY, 10022. 8/4/14 - Raphael Ketani. A letter was sent today to Mr. Silvermintz of 293 10th Avenue Corporation. In the letter, I stated that the work plan was overdue and that 293 10th Ave was in violation of the Stip. I added that if the work plan is not received by August 22, 2014, then the Department will take legal action. 8/28/14 - Raphael Ketani. Mr. McMahon (201) 794-6900/cell (201) 218-2339 had called and left a message that he wanted to talk to me about the site. I tried to return his call, but could only leave a voice message. 9/8/14 - Raphael Ketani. I spoke to Mr. McMahon (201) 794-6900/cell (201) 218-2339 today about future monitoring work at the site. He said that, right now, the owner is having trouble with the tenant of the building on the other lot. He refuses to move. So, the excavating has been pushed back to March 2015. Mr. McMahon stated that the MTA had destroyed all but two wells on the truck leasing site. He proposed that groundwater sampling be stopped as all of the contamination will be removed by the excavating. The excavating will include the areas of MW-2 and IW-2R, the two most contaminated locations. I asked Mr. McMahon whether end point samples will be taken. He said that the sides of the pit and the bottom will be sampled as per the guidance in the DEC regulations. I told him that the DEC will need manifests for all of the material that is removed. He said that we will get copies of every manifest. I told Mr. McMahon that this will be the approved plan of action for the foreseeable future. With that, the conversation ended. Later, Mr. McMahon sent me an e-mail clarifying and memorializing the excavation plan in more detail. He included 3 figures with the e-mail. 7/9/15 - Raphael Ketani. As I hadn't received any information about the spill case in some time from Mr. McMahon, I sent him an email requesting an update. Mr. McMahon sent a response email today: Progress at the site has been advancing; however, our schedule may have been a bit aggressive when we last spoke. The existing building demolition is nearing completion and we are working with the NYC TA to clear up a couple of issues regarding the building plans and the influence with their neighboring building and subway tunnel. Those issues are supposed to be resolved within the next two weeks and the site will pull their building and start construction immediately thereafter. I actually had put it in my mind to give you a heads up today or tomorrow that construction was going to begin shortly to give you a little advance notice if you were interested in visiting during construction/remediation. My client is VERY eager to start the project and has already signed a lease for

PENSKE TRUCK LEASING CO L P (Continued) **1000382741**

80% of the building that carries very heavy penalties for not meeting certain deadlines that are driving the project forward at this point. I am certain that barring further issues with TA that we will be mobilizing to the site within weeks. 7/10/15 - Raphael Ketani. I responded today by email to Mr. McMahon [(201) 398-4535/cell (201) 218-2339/cmcmahon@langan.com] and stated that the Department requires a report showing the work that had taken place to demolish the building, copies of all manifests for all materials that are removed from the site, copies of manifests for asbestos and asbestos contaminated material disposal - the receiving facility must be permitted for asbestos and the Department needs a copy of this permit, pictures of the demolition and excavation work, end point sample results, groundwater grab sample results (if any samples are taken), manifests for all liquids, contaminated soil and clean soil removed from the site and maps showing where the end point samples were taken. 8/20/15 - Raphael Ketani. Mr. McMahon (201) 398-4535/cell (201) 218-2339 had called and left a message yesterday and I returned his call today. He stated that preliminary construction had begun at the site. However, he stated that the building that was going to be demolished was not on or part of the spill site. It was on an adjacent property. I told him that, in this situation, he didn't need to send the Department any manifests or information regarding the demolition. He added that the groundwater would be prevented from entering the site by the construction of a barrier wall around where the basement would be. A machine would be used which would auger down 10 feet below grade. The auger will have holes in it. Once the auger reaches the target depth, then concrete will be pumped down the auger and the auger withdrawn. This will leave a column of concrete. Mr. McMahon mentioned that this would be like creating a secant pile wall, except that there would be more soil left between the piles. They would auger all around the proposed basement area. Any contaminated soil and groundwater will be collected and sent to appropriate disposal sites which heat the materials as a means of disposal. I told Mr. McMahon that this sounded alright to the Department. 12/1/15 - Raphael Ketani. Melissa Ng, Senior Staff Engineer from Langan (212) 479-5490/mng@langan.com sent Ryan Piper of the Spills Unit an email requesting information regarding the site as she was writing a Phase I for another site nearby. I sent her a copy of the case notes. 12/2/15 - Raphael Ketani. Ms. Ng contacted me directly by email and requested the 1/29/14 Remedial Action Work Plan for the site. I sent her the plan. 12/11/15 - Raphael Ketani. As there have been no updates since 8/20/15, I sent an email to Mr. McMahon [(201) 398-4535/cell (201) 218-2339/cmcmahon@langan.com] requesting information regarding the demolition of the building and the excavating of the site. 6/23/16 - Raphael Ketani. As there have been no reports submitted or progress updates, I sent an email to Mr. McMahon requesting an update, soil and groundwater analytical data, disposal manifests and pictures. Mr. McMahon responded to my email. He stated the following: The majority of the material at the site has been removed in conjunction with the remedial efforts at the site associated with the foundation construction. To date, we have collected 29 post-excavation soil samples and have a single sample that remains to be collected. Of the 29 samples, we have results for 27 of them. Based on a preliminary review of the results, there have been no exceedances of the CP-51 criteria. As of today, trucking is still occurring occasionally at the site. All petroleum impacted material has been shipped to the Bayshore facility in Keasby, NJ for

PENSKE TRUCK LEASING CO L P (Continued) **1000382741**

treatment. We have yet to receive the manifests from the foundation contractor, but they were requested last week. I anticipate that it will take a few weeks to compile them. I have provided a link below for you to access recent pictures (6/17/16) of the site and I d be happy to speak with you regarding the project. http://clients.langan.com/lph/default.aspx?postTransaction=1231963216 Mr. McMahon [(973) 560-4861/cmcmahon@langan.com] included a list of 15 pictures which were available at the internet link. Two pictures, 6801 and 6804, showed cylindrical objects sticking up in groups of 3 or 5 with some showing rebar sticking out of them. I sent an email to Mr. McMahon asking him what these structures were. He replied by email that they are concrete and steel filled caissons, which are drilled foundation elements that provide support to the building, several dozen were installed as part of the building foundation construction. The purpose of the picture is to show the waterproofing going beneath the pile caps and grade beams at the site. 9/19/2016 - Colton McPartland. Scanned paper file for DEC Raphael Ketani and placed on computer desktop for future bulk upload once naming convention is received from DEC Jane Obrecht. 9/22/16 - Raphael Ketani. I spoke to Mr. McMahon today by phone. He stated that the foundation has been constructed. Twenty three thousand cubic yards of soil was removed. The contaminated soil was taken to Bayshore for burning and recycling. Thirty post-excavation soil samples were taken. The results were non-detect for VOCs with only a small number of SVOCs. The last groundwater sample was completely non-detect. Samples taken from the dewatering system were clean. Another groundwater sample will be collected very soon. Two 550 gallon tanks were removed and will be registered. Two wells will be installed outside the foundation footprint. A private school will be constructed in the lower part of the building. 2/27/17 - Raphael Ketani. As no communications nor reports had been received in many months regarding the remediation of the site, I sent an email to Mr. McMahon [(973) 560-4861/cmcmahon@langan.com] requesting the documents. A due date of 3/17/17 was set for the submission of the remediation report and the PBS registration. 4/12/17 - Raphael Ketani. I sent an email to Mr. McMahon informing him that the reports were overdue and requesting their immediate submission. Mr. McMahon called me today regarding my email today. He stated that the report was delayed because they wanted to collect a second round of groundwater samples. They did collect the samples and found that one sample had 230 ppb of benzene. So he will recommend quarterly sampling to the client. He added that he had most of the documentation for the report and that it is in draft form right now. I asked him when the DEC might receive the report. He stated that he believed Langan could send it by the end of next week. With that, the conversation ended. 6/16/17 - Raphael Ketani. As the analytical results report was never sent, I sent an email to Mr. McMahon stating that 293 Tenth Avenue Corporation was in violation of the Stipulation Agreement. I added that we required the submission of the report by June 30th, 2016 or else fines and legal action can and may be taken. 6/21/17 - Raphael Ketani. Mr. McMahon (973) 560-4900 called to apologize for not sending the analytical results report. He said that the DEC will receive the report next week. He added that the latest groundwater sample was taken on 6/6/17 from the one remaining well which is outside the secant/foundation wall. He sent me an email with the VOC and SVOC analytical results table. All of the analytical results had decreased significantly, except for benzene. It was 230

PENSKE TRUCK LEASING CO L P (Continued) **1000382741**

ppb in the previous sample and was now 240 ppb in the current sample. He said that he didn't understand why only benzene remained high. He added that the earlier low analytical results for benzene were due to groundwater being pumped from the site. The pumping system was turned off during late 2016 and after this the benzene concentration rose. I told Mr. McMahon that, as a result of the cessation of pumping, the water table at the well may have also risen into some more contaminated soil and, thus, more oil dissolved in the groundwater. However, I could not explain why benzene would be affected, but not the other analytes. Mr. McMahon stated that the well will be sampled 3 months from now in order to see what the long term concentration trend is. I told him that would be fine. With this, the conversation ended. 6/30/17 - Raphael Ketani. I reviewed the Langan Engineers June 2017 DRAFT Remedial Action Report. The site will be developed by constructing a 7 story tall building which will house various facilities, including a multifloor private school. Six USTs containing gasoline and diesel were removed from the site. As a deep foundation was required for the building, a deep pit was dug which included removing 219 tons of petroleum contaminated soil. Initially, a groundwater monitoring well array was installed and elevated concentrations of various analytes were detected in the samples. Site investigations took place during 2002, 2003 and 2004. Wells MW-1 to MW-10 were installed both on and off site. Vacuum extraction events and LNAPL recovery took place. This resulted in the collection of 174.63 gallons of product. Injection wells IW-1 to IW-4 were installed during December 2004. Hydrogen peroxidie, ozone, sodium persulfate, sodium percarbonate and surfactant were injected from 2005 to 2008. The vacuum events were completed during 2007 and 2008 and recovered 4,827 gallons of oil contaminated groundwater. Also, 8.80 lbs. of product were collected in the vapor phase. Quarterly monitoring took place from October 2003 to March 2013. During March 2013, 12 wells were sampled. About 0.01 feet of product was found in MW-3R. BTEX was present in all of the on site water samples and in the off site sample from MW-8. LNAPL thickness varied from 0.01 feet to 0.18 feet and historically appeared in MW-1, MW-4 and MW-5 during monitoring events which took place from 2004 to 2006. The site was remediated in accordance with the January 2014 RAP. Soil and fill were excavated to 11 feet below grade. A total of 364 tons of non-hazardous soil and fill and 11,378 tons of petroleum contaminated soil and fill were removed. The materials were sent to Capital Development in Bangor, Pennsylvania and Bayshore Soil Management in Keasbey, New Jersey. Grace Preprufe 300R, Grace Preprufe 160R and Grace Bituthene 4000 vapor barrier sheeting with a minimum thickness of 20 mil was installed as part of the foundation construction. Grace Preprufe 300R vapor barrier with a thickness of 46 mil was installed beneath the cellar slab, elevator pit slab, first floor slab and on the interior of the elevator pit sidewalls. Grace Prepruf 4000 vapor barrier with a thickness of 62 mil was installed on the exterior elevator pit sidewalls. Grace Preprufe 160R vapor barrier with a thickness of 32 mil was installed on the exterior of the western foundation sidewall and Grace Bituthene 4000 vapor barrier with a thickness of 62 mil was installed on the exterior of the northern, eastern and southern foundation sidewalls. A Health and Safety Plan (HASP), Community Air Monitoring Plan (CAMP), Soil Materials Management Plan (SMMP), Stormwater Pollution Prevention Plan (SPPP) and groundwater dewatering were conducted during the remediation of the site. Utilities and easements were located prior to any invasive

PENSKE TRUCK LEASING CO L P (Continued) **1000382741**

work. Excavated soil and fill were screened for contamination. Suspect contaminated soil was stockpiled on site and covered prior to delivery to the disposal facilities. Each dirt hauling truck was inspected for contaminated soil on the undercarriage and tires prior to leaving the site. If contaminated material was present, then it was removed before the truck entered the street. The USTs were encountered at about 7.5 feet below grade in the eastern part of the site. They were 42 inches in diameter and 87 inches long. AARCO removed the two 550 gallon gasoline USTs on 9/26/15. About 630 gallons of mixed liquid was collected and disposed of at Tyree Services Corp. in Farmingdale, NY. Residual sludge and water was drummed and taken to Triumvirate Environmental in Astoria, Queens. The USTs were cleaned and cut up and sent to TNT Scrap in Brooklyn, NY. Thirty soil end point samples (PE-1 to PE-30) were taken from the sidewalls and the bottom of the tank graves from 3/31/16 to 6/28/16. The samples were sent to York Analytical Labs for processing via methods 8260B and 8270C. The analytical results were compared to the CP-51 standards. Five groundwater dewatering samples were collected before treatment from 6/22/16 to 8/11/16 and sent to the lab. The samples were processed via methods 8260B and 8270C. On 7/27/16, two permanent monitoring wells were installed (LMW-1 and LMW-2) to the south of the southern cellar foundation and soilcrete walls. The borings were drilled to 15 and 16 feet below the ground surface. Each well was constructed with a 10 foot long 10 slot screen. Post remediation monitoring was conducted using 5 onsite wells. Wells MW-6 to MW-8 were situated upgradient and across West 26th Street from the site. LMW-1 and LMW-2 were sampled on 8/11/16, 3/16/17 and 6/6/17. MW-6 to MW-8 were sampled on 6/1/17. Table 1 indicated that the results for the PE series of soil end point samples were almost entirely non-detect for VOCs and SVOCs. Table 2 showed that the influent water sample results for Discharge 1, 2 and 5 were almost entirely non-detect for VOCs and SVOCs. The results for Discharge 3 and 4 were more limited, but still showed that there were no detections. The groundwater sample results for LMW-1, LMW-2, and MW-6 to MW-8 were displayed in Table 3. LMW-1 had consistent very low to high (max. 240 ppb) analyte exceedences, but, with the exception of a sample from LMW-2 (3/16/17) and one from MW-8 (6/1/17), the VOC results for the other samples and the SVOC results for all of the samples were almost entirely non-detect. 7/6/17 - Raphael Ketani. I reviewed the Langan Engineers FINAL Remedial Action Report dated 7/5/17. The contents of the FINAL report appeared to be the same as in the DRAFT report. I approved the report without comment. 10/25/17 - Raphael Ketani. I sent an email to Mr. McMahon [(973) 560-4861/cmcmahon@langan.com requesting the latest groundwater analytical data. 12/8/17 - Raphael Ketani. I sent an email to Mr. McMahon requesting the latest groundwater data. 12/14/17 - Raphael Ketani. Mr. McMahon sent me the 12/5/17 and 12/6/17 groundwater sample analytical data for the site. Samples were taken from MW-1, MW-2, MW-6, MW-7 and MW-8. Locations MW-6 to MW-8 were upgradient and across the street to the north. MW-2 was in the southwestern quarter of the site. MW-1 was in the southeastern quarter of the site, but almost in the center of the site. The VOC exceedences for the samples from MW-2 and MW-6 to MW-8 were either none or no more than 19.2 ppb. However, the MW-1 12/5/17 sample had 10 VOC exceedences. Most of the exceedences varied from 6.3 ppb to 73.1 ppb, but benzene was 238 ppb. Mr. McMahon called me on the phone and we discussed the results. We agreed that the benzene result for MW-1 stood out. I commented that

PENSKE TRUCK LEASING CO L P (Continued) **1000382741**

it was too high to close the case with. We looked at the historical trend for benzene from MW-1. The decreasing trend was noted. I asked Mr. McMahon whether any treatment solutions has been injected into MW-1. He stated that Langan had not done this. I told him that the Department will require that another round of groundwater sampling take place in order to see whether the decreasing trend continues and whether the benzene concentration has decreased further. He agreed to do more sampling. I also asked him to include a Kendall-Mann trend graph in the next monitoring report. With that, the conversation ended. "

Remarks: "CALLER RESPONDED TO ABOVE LOCATION TO REMOVE FUEL TANKS. UPON REMOVAL SOME SOIL CONTAMINATION DISCOVERED. TANKS REMOVED AND SOIL EXCAVATION IN PROGRESS. NO CALL BACK REQUESTED."

All Materials:

Site ID:	215150
Operable Unit ID:	1062495
Operable Unit:	01
Material ID:	323866
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	PENSKE TRUCK LEASING CO L P
Facility address:	536 W 26TH ST NEW YORK, NY 10001
EPA ID:	NYD101106565
Mailing address:	W 26TH ST NEW YORK, NY 10001
Contact:	Not reported
Contact address:	W 26TH ST NEW YORK, NY 10001
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	293 10TH AVE CORP
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	212-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private

PENSKE TRUCK LEASING CO L P (Continued) **1000382741**

Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: 293 10TH AVE CORP
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: 212-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: PENSKE TRUCK LEASING CO L P
Classification: Not a generator, verified

Date form received by agency: 07/14/1999
Site name: PENSKE TRUCK LEASING CO L P
Classification: Small Quantity Generator

Date form received by agency: 10/21/1986
Site name: PENSKE TRUCK LEASING CO L P
Classification: Large Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D008
. Waste name: LEAD

. Waste code: F002
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE,

PENSKE TRUCK LEASING CO L P (Continued) **1000382741**

CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F004
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

FINDS:

Registry ID: 110004378307

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000382741
Registry ID:	110004378307
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004378307

NY MANIFEST:

Country:	USA
EPA ID:	NYD101106565
Facility Status:	Not reported
Location Address 1:	536 WEST 26TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD101106565
Mailing Name:	PENSKE TRUCK LEASING CO
Mailing Contact:	PENSKE TRUCK LEASING CO

PENSKE TRUCK LEASING CO L P (Continued) **1000382741**

Mailing Address 1:	536 WEST 26TH ST
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10001
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2127419837

NY MANIFEST:

Document ID:	NJA3224828
Manifest Status:	Not reported
seq:	01
Year:	2000
Trans1 State ID:	08690
Trans2 State ID:	Not reported
Generator Ship Date:	09/22/2000
Trans1 Recv Date:	09/22/2000
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/28/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD101106565
Trans1 EPA ID:	SCR000075150
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD000768093
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D039 - TETRACHLOROETHYLENE 0.73 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00030
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
98 additional NY_MANIFEST: record(s) in the EDR Site Report.

AM308 **PENSKE TRUCK LEASING CO., L.P.** **NY UST** **U004081649**
SW **536 WEST 26TH STREET** **N/A**
1/8-1/4 **NY, NY 10001**
0.152 mi.
802 ft. **Site 7 of 7 in cluster AM**

Relative:
Lower

Actual:
8 ft.

UST:

Id/Status:	2-108774 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	584133.55638
UTM Y:	4511489.80226
Site Type:	Other

Affiliation Records:

Site Id:	3234
Affiliation Type:	Facility Owner
Company Name:	PENSKE TRUCK LEASING CO., L.P.
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	RT. 10, GREEN HILLS, P.O. BOX 7635
Address2:	Not reported
City:	READING
State:	PA
Zip Code:	19603-7535
Country Code:	001
Phone:	(215) 775-6000
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	3234
Affiliation Type:	Mail Contact
Company Name:	PENSKE TRUCK LEASING CO., L.P.
Contact Type:	Not reported
Contact Name:	ENVIRONMENTAL SERVICES
Address1:	RT. 10, GREEN HILLS, P.O. BOX 563536 W 2
Address2:	Not reported
City:	READING
State:	PA
Zip Code:	19603-7635
Country Code:	001
Phone:	(215) 775-6000
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	3234
Affiliation Type:	Facility Operator
Company Name:	PENSKE TRUCK LEASING CO., L.P.
Contact Type:	Not reported
Contact Name:	PENKE TRUCK LEASING
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

PENSKE TRUCK LEASING CO., L.P. (Continued) **U004081649**

Zip Code:	Not reported
Country Code:	001
Phone:	(212) 741-9808
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	3234
Affiliation Type:	Emergency Contact
Company Name:	PENSKE TRUCK LEASING CO., L.P.
Contact Type:	Not reported
Contact Name:	JOE ANTORINI
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 741-9800
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank ID:	5476
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	03/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline

Tightness Test Method:	14
Date Test:	12/01/1996
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None

PENSKE TRUCK LEASING CO., L.P. (Continued) **U004081649**

Tank Number: 002
Tank ID: 5477
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 03/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 14
Date Test: 12/01/1996
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel

Tank Number: 003
Tank ID: 5478
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 03/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 14
Date Test: 12/01/1996
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
H00 - Tank Leak Detection - None

PENSKE TRUCK LEASING CO., L.P. (Continued) **U004081649**

G03 - Tank Secondary Containment - Vault (w/o access)
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None

Tank Number:	004
Tank ID:	5479
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	03/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	14
Date Test:	12/01/1996
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Number:	101
Tank ID:	5480
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	4000
Install Date:	Not reported
Date Tank Closed:	03/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0008
Common Name of Substance:	Diesel
Tightness Test Method:	14
Date Test:	12/01/1996
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

PENSKE TRUCK LEASING CO., L.P. (Continued) **U004081649**

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None

AK309 **CON EDISON SERVICE BOX: 1690** **RCRA NonGen / NLR** **1016966596**
SSE **288 10TH AVE** **NY MANIFEST** **NYP004394441**
1/8-1/4 **NEW YORK, NY 10009**
0.152 mi.
802 ft. **Site 10 of 10 in cluster AK**

Relative:
Higher

Actual:
16 ft.

RCRA NonGen / NLR:

Date form received by agency:	12/19/2013
Facility name:	CON EDISON SERVICE BOX: 1690
Facility address:	288 10TH AVE NEW YORK, NY 10009
EPA ID:	NYP004394441
Mailing address:	IRVING PL, 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	11/19/2013
Site name:	CON EDISON SERVICE BOX: 1690
Classification:	Conditionally Exempt Small Quantity Generator

CON EDISON SERVICE BOX: 1690 (Continued) **1016966596**

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004394441
Facility Status: Not reported
Location Address 1: 288 E 10TH ST
Code: BP
Location Address 2: SB1690
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10009
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004394441
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PLACE
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2013
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 11/19/2013
Trans1 Recv Date: 11/19/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/20/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004394441
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002237143GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110

CON EDISON SERVICE BOX: 1690 (Continued) **1016966596**

Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AO310 **CON EDISON SERVICE BOX: 1681** **RCRA NonGen / NLR** **1016966595**
SSE **281 10TH AVE SB1681** **NY MANIFEST** **NYP004394433**
1/8-1/4 **NEW YORK, NY 10009**
0.154 mi.
815 ft. **Site 1 of 8 in cluster AO**

Relative: **Higher**
Actual: **14 ft.**

RCRA NonGen / NLR:

Date form received by agency:	12/19/2013
Facility name:	CON EDISON SERVICE BOX: 1681
Facility address:	281 10TH AVE SB1681 NEW YORK, NY 10009
EPA ID:	NYP004394433
Mailing address:	IRVING PL, 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No

CON EDISON SERVICE BOX: 1681 (Continued) **1016966595**

Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 11/19/2013
Site name: CON EDISON SERVICE BOX: 1681
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004394433
Facility Status: Not reported
Location Address 1: 281 E 10TH ST
Code: BP
Location Address 2: SB1681
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10009
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004394433
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PLACE
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2013
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 11/19/2013
Trans1 Recv Date: 11/19/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/20/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004394433
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105

CON EDISON SERVICE BOX: 1681 (Continued) **1016966595**

TSDF ID 2:	Not reported
Manifest Tracking Number:	002237142GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AP311 **EFFANBEE DOLL CORP** **RCRA NonGen / NLR** **1000151051**
South **508 W 26TH ST** **FINDS** **NYD057375677**
1/8-1/4 **NEW YORK, NY 10001** **ECHO**
0.157 mi.
827 ft. **Site 1 of 8 in cluster AP**

Relative: **Lower**
Actual: **12 ft.**

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	EFFANBEE DOLL CORP
Facility address:	508 W 26TH ST NEW YORK, NY 10001
EPA ID:	NYD057375677
Mailing address:	W 26TH ST NEW YORK, NY 10001
Contact:	Not reported
Contact address:	W 26TH ST NEW YORK, NY 10001
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Land type:	Facility is not located on Indian land. Additional information is not known.

EFFANBEE DOLL CORP (Continued) **1000151051**

Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: Not reported
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: 212-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: Not reported
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: 212-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: EFFANBEE DOLL CORP
Classification: Not a generator, verified

Date form received by agency: 12/31/1979
Site name: EFFANBEE DOLL CORP
Classification: Not a generator, verified

EFFANBEE DOLL CORP (Continued) **1000151051**

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 10/07/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

FINDS:

Registry ID: 110009467406

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000151051
Registry ID: 110009467406
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110009467406

AP312 **WOLF BUILDING** **NY AST** **U003392172**
South **526 WEST 26TH STREET** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.157 mi.
827 ft. **Site 2 of 8 in cluster AP**

Relative: **Lower**
Actual: **12 ft.**

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-218537
Program Type: PBS
UTM X: 584046.79636
UTM Y: 4511500.48391
Expiration Date: 01/10/2017
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 8329
Affiliation Type: Facility Operator
Company Name: WOLF BUILDING
Contact Type: Not reported
Contact Name: MIKE SOSA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported

WOLF BUILDING (Continued) **U003392172**

Country Code:	001
Phone:	(212) 243-7433
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2011-04-15

Site Id:	8329
Affiliation Type:	Emergency Contact
Company Name:	WEST CHELSEA BLDG , LLC
Contact Type:	Not reported
Contact Name:	MIKE SOSA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(212) 243-7433
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2011-04-15

Site Id:	8329
Affiliation Type:	Facility Owner
Company Name:	WEST CHELSEA BLDG , LLC
Contact Type:	BLDG MGR
Contact Name:	MIKE SOSA
Address1:	526 WEST 26TH STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 243-7433
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KAKYER
Date Last Modified:	2012-10-05

Site Id:	8329
Affiliation Type:	Mail Contact
Company Name:	WEST CHELSEA BLDG , LLC
Contact Type:	BLDG MGR
Contact Name:	MIKE SOSA
Address1:	526 WEST 26TH STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 243-7433
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KAKYER
Date Last Modified:	2012-10-05

WOLF BUILDING (Continued) **U003392172**

Tank Info:

Tank Number:	001
Tank Id:	23963
Material Code:	0002
Common Name of Substance:	#4 Fuel Oil (On-Site Consumption)

Equipment Records:

H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None
G02 - Tank Secondary Containment - Vault (w/access)
B00 - Tank External Protection - None
E02 - Piping Secondary Containment - Vault (with Access)
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	05/01/1957
Capacity Gallons:	7600
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	KAKYER
Last Modified:	04/14/2017
Material Name:	#4 fuel oil (on-site consumption)

Tank Number:	002
Tank Id:	23964
Material Code:	0002
Common Name of Substance:	#4 Fuel Oil (On-Site Consumption)

Equipment Records:

D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
G02 - Tank Secondary Containment - Vault (w/access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
J01 - Dispenser - Pressurized Dispenser
B00 - Tank External Protection - None
E02 - Piping Secondary Containment - Vault (with Access)
F00 - Pipe External Protection - None
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron

WOLF BUILDING (Continued) **U003392172**

Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	05/01/1957
Capacity Gallons:	7500
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	KAKYER
Last Modified:	04/14/2017
Material Name:	#4 fuel oil (on-site consumption)

Tank Number:	003
Tank Id:	23965
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
G02 - Tank Secondary Containment - Vault (w/access)
B00 - Tank External Protection - None
E02 - Piping Secondary Containment - Vault (with Access)
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	05/01/1957
Capacity Gallons:	1080
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	KAKYER
Last Modified:	04/14/2017
Material Name:	#2 fuel oil (on-site consumption)

AP313 **INTEGRATED IMAGING CENTER IIC** **RCRA-CESQG 1000334258**
South **508 W 26TH ST** **US AIRS NYD001313410**
1/8-1/4 **NEW YORK, NY 10001** **NY MANIFEST**
0.157 mi.
827 ft. **Site 3 of 8 in cluster AP**

Relative: **Lower**
Actual: **12 ft.**

RCRA-CESQG:

Date form received by agency:	01/01/2007
Facility name:	INTEGRATED IMAGING CENTER IIC
Facility address:	508 W 26TH ST

INTEGRATED IMAGING CENTER IIC (Continued) **1000334258**

NEW YORK, NY 10001
EPA ID: NYD001313410
Mailing address: W 26TH ST
NEW YORK, NY 10001
Contact: JOSEPH ADDESSO
Contact address: W 26TH ST
NEW YORK, NY 10001
Contact country: US
Contact telephone: 212-366-6672
Contact email: Not reported
EPA Region: 02
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:
Owner/operator name: JANNOCK LTD
Owner/operator address: 40 KING ST W
TORONTO ONTARIO M5H322, NY 99999
Owner/operator country: US
Owner/operator telephone: 416-364-5911
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: JANNOCK LTD
Owner/operator address: 40 KING ST W
TORONTO ONTARIO M5H322, NY 99999
Owner/operator country: US
Owner/operator telephone: 416-364-5911
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

INTEGRATED IMAGING CENTER IIC (Continued) **1000334258**

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
Site name: INTEGRATED IMAGING CENTER IIC
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 03/22/1996
Site name: INTEGRATED IMAGING CENTER
Classification: Large Quantity Generator

Date form received by agency: 02/28/1995
Site name: INTEGRATED IMAGING CENTER IIC
Classification: Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D005
. Waste name: BARIUM

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 03/24/1994

INTEGRATED IMAGING CENTER IIC (Continued) **1000334258**

Site name: POTOMAC INDUSTRIES
Classification: Large Quantity Generator

Date form received by agency: 02/27/1992
Site name: POTOMAC INDU
Classification: Large Quantity Generator

Facility Has Received Notices of Violations:
Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 08/01/1994
Date achieved compliance: 10/20/1994
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 08/01/1994
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 05/18/1994
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 10/20/1994
Evaluation lead agency: State

US AIRS MINOR:
Envid: 1000334258
Region Code: 02
Programmatic ID: AIR NY0000002620500251
Facility Registry ID: 110000806691
D and B Number: Not reported
Primary SIC Code: 2751
NAICS Code: 999999
Default Air Classification Code: MIN
Facility Type of Ownership Code: POF
Air CMS Category Code: Not reported
HPV Status: Not reported

US AIRS MINOR:
Region Code: 02
Programmatic ID: AIR NY0000002620500251
Facility Registry ID: 110000806691
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1997-02-13 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

INTEGRATED IMAGING CENTER IIC (Continued) **1000334258**

US AIRS MINOR:
Envid: 1000334258
Region Code: 02
Programmatic ID: AIR NY0000002620500251
Facility Registry ID: 110000806691
D and B Number: Not reported
Primary SIC Code: 2751
NAICS Code: 999999
Default Air Classification Code: MIN
Facility Type of Ownership Code: POF
Air CMS Category Code: Not reported
HPV Status: Not reported

US AIRS MINOR:
Region Code: 02
Programmatic ID: AIR NY0000002620500251
Facility Registry ID: 110000806691
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1997-02-13 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

NY MANIFEST:
Country: USA
EPA ID: NYD001313410
Facility Status: Not reported
Location Address 1: 508 WEST 26TH STREET
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYD001313410
Mailing Name: INTEGRATED IMAGING CENTER
Mailing Contact: INTEGRATED IMAGING CENTER
Mailing Address 1: 508 WEST 26TH STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2129244880

NY MANIFEST:
Document ID: NYC7212150
Manifest Status: Not reported
seq: Not reported

INTEGRATED IMAGING CENTER IIC (Continued) **1000334258**

Year:	2004
Trans1 State ID:	NYAP6277
Trans2 State ID:	T365NJ
Generator Ship Date:	04/15/2004
Trans1 Recv Date:	04/15/2004
Trans2 Recv Date:	04/20/2004
TSD Site Recv Date:	04/28/2004
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD001313410
Trans1 EPA ID:	TXR000050930
Trans2 EPA ID:	Not reported
TSDF ID 1:	KYD053348
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	01140
Units:	P - Pounds
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
82 additional NY_MANIFEST: record(s) in the EDR Site Report.

AQ314 **CON EDISON - VAULT 1606** **RCRA-LQG** **1016960511**
ENE **10TH AVE & WEST 31ST ST** **NYP004325049**
1/8-1/4 **NEW YORK, NY 10001**
0.159 mi.
838 ft. **Site 1 of 7 in cluster AQ**

Relative:
Higher

Actual:
20 ft.

RCRA-LQG:

Date form received by agency:	03/27/2014
Facility name:	CON EDISON - VAULT 1606
Facility address:	10TH AVE & WEST 31ST ST NEW YORK, NY 10001
EPA ID:	NYP004325049
Mailing address:	IRVING PLACE, 15TH FL NE NEW YORK, NY 10003
Contact:	DENNIS HUACON

CON EDISON - VAULT 1606 (Continued) **1016960511**

Contact address: IRVING PLACE, 15TH FL NE
NEW YORK, NY 10003
Contact country: US
Contact telephone: 212-460-2757
Contact email: HUACOND@CONED.COM
EPA Region: 02
Classification: Large Quantity Generator
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:
Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 07/06/2013
Owner/Op end date: Not reported

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 07/06/2013
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No

CON EDISON - VAULT 1606 (Continued) **1016960511**

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
Date form received by agency: 08/06/2013
Site name: CON EDISON VAULT: 1606
Classification: Not a generator, verified

Date form received by agency: 07/06/2013
Site name: CON EDISON VAULT: 1606
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

AQ315 **CON EDISON** **NY MANIFEST** **S119073679**
ENE **10TH AVE & W 31ST ST V 8173** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.159 mi.
838 ft. **Site 2 of 7 in cluster AQ**

Relative:
Higher

Actual:
20 ft.

NY MANIFEST:
Country: USA
EPA ID: NYP004325056
Facility Status: Not reported
Location Address 1: 10TH AVE & WEST 31ST ST.
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004325056
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported

CON EDISON (Continued) **S119073679**

Year:	2013
Trans1 State ID:	NJD003812047
Trans2 State ID:	NJD003812047
Generator Ship Date:	07/06/2013
Trans1 Recv Date:	07/06/2013
Trans2 Recv Date:	07/08/2013
TSD Site Recv Date:	07/08/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004325056
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002085155GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	5000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AQ316 **CON EDISON - SERVICE BOX 43177** **RCRA-SQG** **1016150017**
ENE **42 10TH AVE & 31 ST** **NYP004286860**
1/8-1/4 **NEW YORK, NY 10001**
0.159 mi.
838 ft. **Site 3 of 7 in cluster AQ**

Relative:
Higher

Actual:
20 ft.

RCRA-SQG:

Date form received by agency:	03/27/2014
Facility name:	CON EDISON - SERVICE BOX 43177
Facility address:	42 10TH AVE & 31 ST NEW YORK, NY 10001
EPA ID:	NYP004286860
Mailing address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact:	DENNIS HUACON
Contact address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact country:	US
Contact telephone:	212-460-2757
Contact email:	HUACOND@CONED.COM
EPA Region:	02
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PL NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	02/28/2013
Owner/Op end date:	Not reported

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PL NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	02/28/2013
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No

CON EDISON - SERVICE BOX 43177 (Continued) **1016150017**

Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

. Waste code: B002
. Waste name: B002

Historical Generators:
Date form received by agency: 03/28/2013
Site name: CON EDISON SERVICE BOX: 43177
Classification: Not a generator, verified

Date form received by agency: 02/28/2013
Site name: CON EDISON SERVICE BOX: 43177
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

AQ317 **CON EDISON SERVICE BOX: 43176** **RCRA NonGen / NLR** **1016967558**
ENE **W 31ST ST & 10TH AVE** **NY MANIFEST** **NYP004411567**
1/8-1/4 **NEW YORK, NY 10001**
0.159 mi.
838 ft. **Site 4 of 7 in cluster AQ**

Relative:
Higher

Actual:
20 ft.

RCRA NonGen / NLR:
Date form received by agency: 01/29/2014
Facility name: CON EDISON SERVICE BOX: 43176
Facility address: W 31ST ST & 10TH AVE
NEW YORK, NY 10001
EPA ID: NYP004411567
Mailing address: IRVING PL, 15TH FL NE
NEW YORK, NY 10003
Contact: THOMAS TEELING
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: 212-460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No

CON EDISON SERVICE BOX: 43176 (Continued) **1016967558**

Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	12/29/2013
Site name:	CON EDISON SERVICE BOX: 43176
Classification:	Conditionally Exempt Small Quantity Generator
Violation Status:	No violations found

NY MANIFEST:

Country:	USA
EPA ID:	NYP004411567
Facility Status:	Not reported
Location Address 1:	10TH AVE & WEST 31ST ST
Code:	BP
Location Address 2:	SB43176
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004411567
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PLACE
Mailing Address 2:	15TH FL
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	12/29/2013
Trans1 Recv Date:	12/29/2013
Trans2 Recv Date:	Not reported

CON EDISON SERVICE BOX: 43176 (Continued) **1016967558**

TSD Site Recv Date:	01/02/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004411567
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002299517GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AQ318 **CON EDISON - VAULT 8173** **RCRA-LQG** **1016960513**
ENE **10TH AVE & WEST 31ST ST.** **NYP004325056**
1/8-1/4 **NEW YORK, NY 10001**
0.159 mi.
838 ft. **Site 5 of 7 in cluster AQ**

Relative: **Higher**
Actual: **20 ft.**

RCRA-LQG:

Date form received by agency:	03/27/2014
Facility name:	CON EDISON - VAULT 8173
Facility address:	10TH AVE & WEST 31ST ST. NEW YORK, NY 10001
EPA ID:	NYP004325056
Mailing address:	IRVING PLACE, 15TH FL NE NEW YORK, NY 10003
Contact:	DENNIS HUACON

CON EDISON - VAULT 8173 (Continued) **1016960513**

Contact address: IRVING PLACE, 15TH FL NE
NEW YORK, NY 10003
Contact country: US
Contact telephone: 212-460-2757
Contact email: HUACOND@CONED.COM
EPA Region: 02
Classification: Large Quantity Generator
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:
Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 07/06/2013
Owner/Op end date: Not reported

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 07/06/2013
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No

CON EDISON - VAULT 8173 (Continued) **1016960513**

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
Date form received by agency: 08/06/2013
Site name: CON EDISON VAULT: 8173
Classification: Not a generator, verified

Date form received by agency: 07/06/2013
Site name: CON EDISON VAULT: 8173
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

AQ319 **CON EDISON** **NY MANIFEST** **S117537625**
ENE **10TH AVE & W 31ST ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.159 mi.
838 ft. **Site 6 of 7 in cluster AQ**

Relative:
Higher

Actual:
20 ft.

NY MANIFEST:
Country: USA
EPA ID: NYP004702064
Facility Status: Not reported
Location Address 1: 10TH AVE & W 31ST ST
Code: BP
Location Address 2: DM 69560
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004702064
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported

CON EDISON (Continued) **S117537625**

Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	NJD003812047
Generator Ship Date:	12/03/2014
Trans1 Recv Date:	12/03/2014
Trans2 Recv Date:	12/04/2014
TSD Site Recv Date:	12/04/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004702064
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002609466GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AQ320 **STUART DEAN** **NY MANIFEST** **S117737934**
ENE **366 10TH AVE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.159 mi.
838 ft. **Site 7 of 7 in cluster AQ**

Relative:
Higher

Actual:
21 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYD986925659
Facility Status:	Not reported
Location Address 1:	366 TENTH AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD986925659
Mailing Name:	STUART DEAN
Mailing Contact:	STUART DEAN
Mailing Address 1:	366 TENTH AVE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10001
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2126953180

NY MANIFEST:

Document ID:	SCA0402040
Manifest Status:	Not reported
seq:	Not reported
Year:	2004
Trans1 State ID:	Not reported
Trans2 State ID:	Not reported
Generator Ship Date:	04/02/2004
Trans1 Recv Date:	04/02/2004
Trans2 Recv Date:	04/06/2004
TSD Site Recv Date:	04/20/2004
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986925659
Trans1 EPA ID:	NY0000182675
Trans2 EPA ID:	Not reported
TSDF ID 1:	SCD036275
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported

STUART DEAN (Continued) **S117737934**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D035 - METHYL ETHYL KETONE 200.0 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	01450
Units:	P - Pounds
Number of Containers:	004
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
18 additional NY_MANIFEST: record(s) in the EDR Site Report.

Country:	USA
EPA ID:	NYP004690632
Facility Status:	Not reported
Location Address 1:	366 10TH AVENUE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004690632
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL
Mailing Address 2:	15TH FL
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NYD006982359
Trans2 State ID:	Not reported
Generator Ship Date:	12/11/2014
Trans1 Recv Date:	12/11/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	12/12/2014
Part A Recv Date:	Not reported

STUART DEAN (Continued) **S117737934**

Part B Recv Date:	Not reported
Generator EPA ID:	NYP004690632
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980593636
TSDF ID 2:	Not reported
Manifest Tracking Number:	007962894FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	225
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	5
Container Type:	DM - Metal drums, barrels
Handling Method:	L Landfill.
Specific Gravity:	1
Waste Code:	Not reported
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	B007
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
16 additional NY_MANIFEST: record(s) in the EDR Site Report.

AR321 **601 WEST 26TH STREET** **NY LTANKS** **S104275653**
WSW **601 WEST 26TH STREET** **NY Spills** **N/A**
1/8-1/4 **MANHATTAN, NY**
0.159 mi.
842 ft. **Site 1 of 12 in cluster AR**

Relative: LTANKS:
Lower

Facility ID:	9100519
Site ID:	154650
Closed Date:	1997-10-16
Spill Number:	9100519
Spill Date:	1991-04-12
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3101

Actual:
6 ft.

601 WEST 26TH STREET (Continued) **S104275653**

Investigator:	TJDEMEO
Referred To:	Not reported
Reported to Dept:	1991-04-12
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1991-04-17
Spill Record Last Update:	2005-08-02
Spiller Name:	Not reported
Spiller Company:	OWNER
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	131104
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEMEO 05/18/2001 Reassigned from Finger to Demeo"
Remarks:	"20K TANK, TANK DORMANT FOR 4YRS,WATER GETTING INTO TANK VIA FILL LINE,OIL FLOATED OUT ONTO CONCRETEBASEMENT FLOOR IN TANKROOM,VAC TRUCK & SPEEDY DRY WAS USED."

All Materials:

Site ID:	154650
Operable Unit ID:	951519
Operable Unit:	01
Material ID:	426710
Material Code:	0003A
Material Name:	#6 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	150.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

SPILLS:

Facility ID:	0407003
Facility Type:	ER
Spill Number:	0407003
DER Facility ID:	131104
Site ID:	127577
DEC Region:	2
Closed Date:	2005-10-06
Spill Cause:	Other
Spill Class:	Not reported
SWIS:	3101
Spill Date:	2004-09-24
Investigator:	MCTIBBE
Referred To:	Not reported

601 WEST 26TH STREET (Continued) **S104275653**

Reported to Dept:	2004-09-24
CID:	444
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2004-09-24
Spill Record Last Update:	2005-10-06
Spiller Name:	REBECCA TUMMON
Spiller Company:	SIDEWALK OF 11TH AVE
Spiller Address:	601 WEST 26TH STREET
Spiller Company:	001
Contact Name:	REBECCA TUMMON
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE Boring on 11th Avenue. 10-06-05: Contamination discoveredin borings performed for #7 line extension. Contamination found in another boring in the area (0406966). Spill already exists for site 0311818. Closed and referred. Boring log and notes in eDocs."
Remarks:	"FOUND CONTAMINATED SOIL WWHILE DRILLING: MONITORING GROUND NOW; PID ARE BETWWEN 50-300PPM"

All Materials:

Site ID:	127577
Operable Unit ID:	890313
Operable Unit:	01
Material ID:	484846
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	Not reported
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	0311818
Facility Type:	ER
Spill Number:	0311818
DER Facility ID:	131104
Site ID:	180561
DEC Region:	2
Closed Date:	2006-03-30
Spill Cause:	Unknown
Spill Class:	C3
SWIS:	3101
Spill Date:	2004-01-21
Investigator:	SMSANGES
Referred To:	Not reported
Reported to Dept:	2004-01-21
CID:	444
Water Affected:	Not reported
Spill Source:	Unknown

601 WEST 26TH STREET (Continued) **S104275653**

Spill Notifier:	Citizen
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2004-01-21
Spill Record Last Update:	2006-03-30
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	Not reported
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SANGESLAND Cross ref #9304676 1/21/2004 Sangesland contacted several parties associated with the spill in this building. Apparently on 1/20/2004 a leak was discovered in an elbow of the fill line in the basement Tunnel Room of this address. Building Manager: Harold Brody - Responsible Party According to Paul at New York Combustion (718-763-6100), Mr. Brody called NY Comb. to ask them to come and fix the leaking pipe. Paul informed Mr. Brody that a spill would need to be reported. Neither Mr. Brody or Paul reported the spill. Romeo Santos at Don Carlo Environmental (718-857-2100) was hired either evening of 1/20 or morning of 1/21 to do the actual clean up of the oil. Mr. Santos says that he called in the Anonymous spill report #0311818 earlier this morning and then he sub contracted the cleanup work to Petroleum Tank Cleaners. All clean up work is complete. Paul from New York Combustion finished the pipe repair work. 1/23/2004 PTC called to say that they in fact DID NOT complete the clean up at the site. PTC was hired only to vac out the liquid portion of the spill. PTC was told by Don Carlo Enviornmental that they will be responsible for the final cleanup. Don Carlo says the clean up was done by PTC and DC will not be doing any further work. In frustration, Sangesland sent DEC Enironmental Control Officer Paul Blanton to visit the site. He asked why the owner or consultants failed to call in the spill within the 2 hours required by law. There was considerable finger pointing and no one took responsibility for the error. There was some discussion of how the oil went into a second unused tank. No ticket was issued. 3/31/2004 As of this date, the case is still open. No follow up documentation has been submitted to the DEC to close out this case. 10-06-05: NYCT performing borings for #7 line extension. Two boring performedin the area of this facility noted strong contamination (04-06966 & 04-07003). Boring logs and notes in eDocs. MCT 3/30/2006 Sangesland closed this case and referenced this to spill #9304676. All tanks on site were removed. Impacted Soil was excavated. Still some impacted GW as of 10/05 Consultant will take another round of GW samples in 4/06. This spill is closed "
Remarks:	"718-857-1800- DC Envirormental phone, this is the only info I could get out of caller. Might be a leak in the fill line."

All Materials:

Site ID:	180561
Operable Unit ID:	879413
Operable Unit:	01
Material ID:	497061
Material Code:	0002A
Material Name:	#4 fuel oil

601 WEST 26TH STREET (Continued) **S104275653**

Case No.:	Not reported
Material FA:	Petroleum
Quantity:	4000.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	1106143
Facility Type:	ER
Spill Number:	1106143
DER Facility ID:	408426
Site ID:	453819
DEC Region:	2
Closed Date:	2013-03-26
Spill Cause:	Other
Spill Class:	Not reported
SWIS:	3101
Spill Date:	2011-08-28
Investigator:	HRPATEL
Referred To:	Not reported
Reported to Dept:	2011-08-28
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2011-08-28
Spill Record Last Update:	2013-03-26
Spiller Name:	SANDY HAHN
Spiller Company:	RXRSL OWNER LLC
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	TODD HASSOLD
DEC Memo:	"08/28/11-Hiralkumar Patel. 9:45 PM:- visited site. met Todd from Recovery. inspected boiler room. found water and oil in boiler room. Todd mentioned that they could not inspect the entire boiler room as water in rear of the boiler room is deeper and water level was rising. spoke with Mario, building super. he mentioned that there are no drains in the boiler room floor and only one sump pit in entire boiler room. sump pit has four pumps inside it. they had 3,000 gal vacuum truck which can not hold all the water/oil in the boiler room. also, they were not sure about condition in rear of the boiler room. absorbent pads were on water. as water level was rising, Todd was worried about impact to electric panels which is about 10 higher than water level in boiler room. Todd requested to turn on sump pumps to throw water only from bottom into city sewer system. he mentioned that by lowering water level, oil may impact the wall and other structure, but that can be cleaned easily with power wash at later time. but he was worried about impacting electric panels and other part of basement as water level was rising. after discussing with DEC Austin, approved Todd's request to turn on sump pumps so they can

601 WEST 26TH STREET (Continued) **S104275653**

lower the water level in boiler room. after they remove most of the water (only), they will remove remaining water/oil into vacuum truck. asked Todd to secure sump area with absorbent pads and booms to prevent any oil get into city sewer system. also asked him to turn off pumps frequently to check boiler room for any unusual thing. asked Todd to call with update. Mario mentioned that the entire tank system is turned off. Mario Onichimiuk **building super** Ph. (917) 817-1927 Todd Hassold Recovery Environmental Services, Inc. PH. (973) 940-3144 (O) (973) 896-6185 (C) Fax (973) 940-3146 email: thassold@recoverysrvs.com 08/29/11-Hiralkumar Patel. 9:45 AM:- visited site. cleanup crew was still on-site removing oil. two sump pumps were still working. currently, contractor is skimming off oil from top of water. after water level dropped, super inspected the rear end of the boiler room and found two buckets were knocked down during flooding and caused spill. inspected tank room which is in garage area. site has two 20,000 gal #6 oil ASTs. no spill inside the tank room. boiler room is right underneath the tank room location. as per super, no leak noticed from any fuel piping. asked Mario to call back for re-inspection, once basement is dry. 5:09 PM:- received call from Tom from Recovery. he mentioned that during cleanup, they found oil/water separator in back of the boiler room. he requested a site inspection. 08/30/11-Hiralkumar Patel. 11:00 AM:- visited site. met Tom from Recovery. inspected boiler room. Tom mentioned that sump pumps were turned off yesterday night and when they left, area around sump was clean. but they found more oil this morning. during cleanup last night, they found oil/water separator in boiler room. inspected oil/water separator. found oil on top of oil/water separator, but no indication of any oil overflowed the separator. two pipes enters into oil/water separator. one pipe goes to a loading dock above the boiler room (contractor will find out where this pipe comes from) and second pipe goes into a tunnel located at the west end of the boiler room. there is an hatch boiler room ceiling in area where the oil/water separator inlet pipe crosses to loading dock. tunnel is located along the boiler room ceiling in west end of the boiler room. this tunnel runs east-west and then north-south. this tunnel structure is completely within building footprint and underneath the loading dock area. found oil leak from the northern most end of the tunnel. currently active tanks are located right above the northern end of the tunnel and currently active supply/return lines running aboveground in tunnel. no sign of leak found from currently active lines. found two sumps in the tunnel: first along the western wall of the north-south portion of the tunnel and another along the southern wall of the east-west portion of the tunnel. found a pipe coming out of the western wall of the tunnel in the area south of sump in north-south section. Tom closed the valve on this pipe and water flow into the separator was dropped. as purpose of this inlet pipe was unknown, asked Tom to leave valve open. Mario mentioned that there were three 20,000 gal #6 oil USTs abandoned-in-place behind the western wall of the tunnel (north-south section). found oil seepage from the northern wall of the ease-west section of the tunnel. as sump pumps in tunnel are connected to the oil/water separator, it looks like whatever oil seeped into the tunnel was thrown into oil/water separator. as there was no oil recovery from the separator, oil followed the water discharge pipe into the main sump. informed Mario that main sump pumps must not be used until the cleanup is completed as water coming into sump may be contaminated (dissolved phase). all water from basement must be disposed off as contaminated

601 WEST 26TH STREET (Continued) **S104275653**

material. as per Mario, the former 20,000 gal tanks were under the loading dock platform. Mario gave copy of tank abandonment documents. as per the documents: - Don Carlo Environmental abandoned three (3) 20,000 gal USTs on 07/10/2001. tanks were abandoned using foam and lines were discontinued and closed - Malbro Inc. abandoned three (3) 20,000 gal USTs in Aug. and Sep. of 2005. tanks and all associated piping were filled with lightweight cellular concrete slurry mixture during inspection, found a 3,000 gal diesel AST for emergency generator. Mario mentioned that emergency generator is located on first floor. during inspection, found a coned vault in boiler room containing high voltage lines. this coned vault is located on other side of boiler room, opposite of the main sump in the boiler room. met with Sandy Hahn, property manager. informed her that leak in the boiler room, could be left over spilled material inside the concrete vault (if any) around the former 20,000 gal USTs. due to heavy rain over the weekend (harricane Irene), water may have entered around the abandoned tanks and pushed oil into the tunnel which end up into main sump via oil/water separator. asked her to submit a scaled site map with old/current tanks, piping, tunnel, sumps (in passage as well as boiler room) and oil/water separator. asked her to find out purpose of the pipe that comes out from the old UST area. also asked her to investigate in the old tank area. RXR SL Owner LLC. **property owner** c/o RXR Realty 601 West 26th Street, Suite 1260 New York, NY 10001 Attn.: Sandra Hahn **property manager** Director of Operations PH. (212) 400-2440 (212) 924-3880 (917) 574-4085 (C) Fax (212) 727-3752 email: shahn@rxrrealty.com alternate addresses: 601-649 West 26th Street, 600-650 West 27th Street, 245-259 11th Ave, 198-218 12th Ave PBS #s: 2-600389, 2-604877, 2-607987, 2-611131 as per PBS #: 2-600389 (which is expired), site has/had following tanks: - three 20,000 gal ASTs in vault with access and currently active - three 20,000 gal #6 oil ASTs in vault with access and closed-in-place as per PBS #: 2-604877 (which is expired), site has one 10,000 gal diesel AST on legs. diesel tank installed in Apr. 2000. as per PBS #: 2-607987, site has one 275 gal waste oil AST on legs. as per PBS #: 2-611131, site has one 10,000 gal diesel AST in contact with imprevious barrier. tank was installed in Jan. 2000. other spills #: 9100519, 9106840, 9304676, 9412158, 0311818, 0406966, 0407003, 0911011 spill #: 9100519 was reported on 04/12/1991 as 150 gal #6 oil spilled onto basement floor. oil spilled as water entered into tank through fill line. case closed. spill #: 9106840 was reported on 09/25/1991 as #6 oil spilled into tnak room. case closed. spill #: 9304676 was reported on 07/14/1993 as 2,500 gal #6 oil spilled into tank and boiler room. case closed after investigation/remediation. spill #: 9412158 was reported on 12/12/1994 as 15 gal gasoline spilled onto road pavement. case closed. spill #: 0311818 was reported on 01/21/2004 as 4,000 gal #4 oil spill. spill was reported by anonynomous caller. spill was closed and merged with spill #: 9304676. spill #: 0406966 was reported on 09/23/2004 by NYC Transit. they found petroleum odors and contaminated soil in boring installed in front of 601 W 26th street. this boring was installed as part of 7 line extension project. case closed and merged with spill #: 0311818. spill #: 0407003 was reported on 09/24/2004 by NYC Transit. they found petroleum odors and contaminated soil in boring installed in front of 601 W 26th street. this boring was installed as part of 7 line extension project. case closed and merged with spill #: 0311818. spill #: 0911011 was reported on 01/12/2010 due to dielectric fluid spilled in vault (probably vault in boiler room). case closed. found

601 WEST 26TH STREET (Continued) **S104275653**

files on e-docs for spill #: 9304676, 0406966 and 0407003. review of documents under spill #: 9304676
--*-

601 WEST 26TH STREET (Continued) **S104275653**

installing more monitoring wells) found around the western tank field - Emteque installed three (3) 4-inch monitoring well through the sidewalk equally spaced around the northeast corner of the intersection of 12th Ave and 26th street - three wells (MW-6, MW-7 and MW-8) were installed to a depth of 14 ft bg with 10 ft of screen - wells were set aprpox. 7 ft into the water table - no evidence of fuel oil contamination was identified in wells - soil samples collected at the water table during the well installation - no contamination found in soil samples collected during well installation - advanced five (5) soil borings (ETFSB-1 through ETFSB-5), to a depth of 12-16 ft bg, through the basement floor over the eastern tank field, collecting soil samples to a depth of approx. 4 ft below the groundwater table - soil samples collected at the water table during soil boring installation - no contmaination found in soil samples collected from soil boring in eastern tank field - 1 inch piezometers installed in three borings (ETFSB-1, ETFSB-2 and ETFSB-3) surrounding the tank field to the south and east - tunnel's wall contains groundwater on west side of eastern tank field - access was not provided to the north side of the eastern tank field - free phase product found on water in eastern tank field area - investigation revealed that contamination associated with leak from the house tank appears to be contained within the vicinity of the house tank between the south wall, the north adjacent tank, the western tank tunnel and has not migrated more than 10 ft east of the tank 4) 06/16/2003: Revised Proposed Petroleum Contamination Corrective Action Plan: - groundwater local to the western tank field is approx. 10 ft below the first floor slab, approx. 6 ft below surrounding grade and flowing predominantly westerly - groundwater lcoal to the eastern tank field is approx. 10 ft below the parking garage of the FBI unit and apparently not flowing, since the groundwater flow is restricted on its western margin by the tank tunnel and to the south and east by basement boiler room walls - a small local easterlly gradient in the vicinity of the plume around western tank field and also in eastern tank field is being induced by dewatering to prevent flooding of the building basement 5) Spill Closure Petition Report: <--------- missing 6) 05/12/2006: Spill Closure Petition Report - Update #1: - collected groundwater samples from well MW-1 and recovery wells RW-1, RW-2, RW-3 and RW-4 - found minor VOC contamination during second round (maximum 46 ppb Benzene in RW-1) - removed almost 53,000 gal of contaminated groundwater and 1,637 tons of soil from the site
- review of documents under spill #s: 0406966 and 0407003
+-/+-/+-/

601 WEST 26TH STREET (Continued) **S104275653**

petroleum odor and black staining were noted in the soil (PID: 83 ppm) at 6 ft bg. boring was extended to 11 ft bg. strong petroleum odors persisted in entire boring length (PID from 60 to 70 ppm). boring SB2-4 was temianted at 11 ft bg (due to obstruction) and was abandoned. based on notes from MTA, both borings were installed on eastern property line, but the #6 oil storage tanks (associated with spill #: 9304676) were located along the western side of the property. contamination found in borings under the west sidewalk of 11th ave, could be result of petroleum release from other tanks on property (owned by tenants).
+-/+-/+-/

601 WEST 26TH STREET (Continued) **S104275653**

(C) Fax (212) 867-9715 email: mborello@ebsllcnyc.com based on given information, a FBI rents building space on north side of eastern tank vault. 10:03 AM:- left message at FBI (212-384-5000). 09/01/11-Hiralkumar Patel. 8:00 AM:- received message from Mr. Borello. 12:25 PM:- spoke with Mr. Borello. he mentioned that based on available information, the new tanks are located right above the old western tank vault. they have collected water sample yesterday. he will submit scaled site map and water sample result by 09/08/11. 12:58 PM:- spoke with Eric at Emteque regarding missing initial spill closure report. Eric will check file and submit report, if available. Eric mentioned that they did Phase I report for Chase bank (lender) in 2010. Eric Telemaque Emteque PH. (212) 631-9000 email: eric@emteque.com 9/2/11-Vought-Received call from and spoke to Todd Hassold (Recovery Environmental Ph:973-896-6185) who noted that he had urgent issue on hand in that he was recovering approximately 25,000-gallons of oil/water mixture a day from the oil/water separator (source of water was seepage from adjacent Hudson River) and source of oil still undetermined. Hassold noted the liquid is mostly water with minor petroleum sheen. Hassold noted also that he was in the process of submitting a NYCDEP Discharge Permit Application to dispose of the water from the oil/water separator. Hassold noted that Clean Harbors was closed (disposal facility) and that he did not have the storage capacity for the 25,000-gallons per day over the weekend and such was requesting an emergency permit to discharge to the sewer. Vought spoke to DEC Elburn who noted that due to Hurricane (causing of flooding) that DEC had an emergency permit reqiuirement exemption and as such no permit was needed for DEC. DEC Elburn noted however that NYCDEP also needed to be contacted (NYCDEP Leslie Lipton Ph:718-595-4730). Hassold called Lipton and as per Hassold, Lipton did not respond but Hassold was told by another DEP employee to call 311. Vought suggested that Hassold send an email with a description of the issue to DEC Vought as soon as possible so that he may forward email to DEC Patel, Elburn and DEP Lipton. Vought received email from Thomas Domke (VP Operations Recovery Environmental) confirming phone conversation but not including any details of issue. Vought sent reply email with cc to DEC Patel, Elburn and DEC Lipton that a full description is needed and that Vought on vacation for next two weeks and as such all parties should be copied on full description. Vought and all parties received full description and Vought reviewed description with DEC Water Unit Elburn and sent reply email that DEC had no objections to discharge to sewers as long as NYCDEP requirements were met also. 09/07/11-Hiralkumar Patel. 10:41 AM:- received call from Todd. he mentioned that NYC DEP approved water discharge to city sewer. now the entire boiler room is dry. 10:50 AM:- received call from Mr. Borello. he mentioned that no dissolved contamination found in water sample collected from boiler room last week. asked him to submit result for review. he also mentioned that they are waiting for result of water sample that was collected to get DEP permit to discharge water from oil/water separator into city sewer system. currently, they are planning to drill some holes in tunnel walls for further investigation. Mr. Borello will submit scaled site map today. 12:21 PM:- received message from Eric. he did not found spill closure report prepared probably in Oct. 2005. 09/08/11-Hiralkumar Patel. 10:22 AM:- received email from Mr. Borello including site map (including oil tanks on property), desgin of oil/water separator system and groundwater sample result. no dissolved contmaination

601 WEST 26TH STREET (Continued) **S104275653**

found in water sample. as per the submitted site map, the entire site has total of fifteen (15) tanks: - one 5,000 gal tank at the end of garage ramp (from W 27th street), owned by property owner - two 20,000 gal tanks (currently in-service #6 oil tanks) in loading dock area, owned by property owner - one 10,000 gal tank in loading dock area, owned by Broadview - one 3,000 gal tank (diesel tank) in loading dock ramp, owned by Level III - four 275 gal tanks on 3rd floor, owned by property owner - four 275 gal tanks on 4th floor, owned by Broadview - two 250 gal tanks on 6th floor, owned by Level III reviewed PBS record again. PBS #: 2-600389 - three 20,000 gal in-service #6 oil ASTs in vault with access and three 20,000 gal closed-in-place #6 oil ASTs in vault with access. this PBS registration has expired in July 2006. as per PBS record, tanks owned by previous property owner. as per available information, the remaining three tanks were also closed-in-place in 2005. this PBS registration needs to be renewed/updated/closed with correct information (tanks closed/new property owner). PBS #: 2-604877 - one 10,000 gal diesel AST on legs/saddles. as per PBS record, tank owned by Wiltel Communications Group, Inc. this registration has expired in Dec. 2010. this registration needs to be renewed. PBS #: 2-607987 - one 275 gal waste oil AST on legs/saddles. as per PBS record, tank owned by Verizon. registration currently active. PBS #: 2-611131 - one 10,000 gal diesel AST in contact with imprevious barrier. tank was installed in Jan. 2000. as per PBS record, tank owned by Level III Communications LLC. registration currently active. this registration may need to be updated because as per Mr. Borello, Level III owns a 3,000 gal diesel AST (which is located in loading dock ramp). 2:27 PM:- spoke with Timothy Kimball at Level III Communications. he confirmed that Level III owns 10,000 gal diesel tank which is located in loading dock area and a generator is located next to the tank. he mentioned that they don't own 3,000 gal diesel tank. he also confirmed that they don't have any day tanks on 6th floor. during conversation, he mentioned that Level 3 Communication acquired Wiltel Communications Group in 2007-2008. informed him that the tank registration under Wiltel Communication (for 10,000 gal diesel tank) has not been closed out properly. asked him to close the PBS registration that is under Wiltel Communications's name. Timothy Kimball Level 3 Communications LLC. (also owns Wiltel Communications Group) Ph. (720) 888-4744 email: timothy.kimball@level3.com 2:51 PM:- left message Gregory Myka (315-432-8486) at Verizon to confirm that Verizon only owns one 275 gal waste oil tank at the site. 3:05 PM:- left message for Mr. Borello and informed him that tanks' information provided on map is not accurate. 4:36 PM:- received message from Mr. Myka from Verizon. he confirmed that they have only one 275 gal waste oil tank at the site. they don't have any other tanks. 4:42 PM:- received message from Mr. Borello. he mentioned that he got tank's information from chief engineer. but they will do site survey and talk to each tenant to find out exact number of tanks and its owners. 09/09/11-Hiralkumar Patel. 9:18 AM:- visited site. inspected boiler room. no oil or sheen found on water in entire boiler room. boiler room walls/floor and other oil impacted structures were cleaned. found clean water going into main sump from oil/water separator. frac tank was on W 27th street, but wasn't connected to main sump. 9:27 AM:- spoke with Mr. Borello. informed him that there are multiple PBS records for the subject site. he requested copy of PBS records. 3:49 PM:- sent email to Mr. Borello including PBS records. asked him to submit all on-site tank's information (location, size, owner etc.) by

601 WEST 26TH STREET (Continued) **S104275653**

the end of 09/16/11. informed him that PBS registrations must be updated/renewed immediately. email copied to Ms. Hahn. 09/14/11-Hiralkumar Patel. 10:43 AM:- spoke with Todd. he mentioned that insurance company requested an estimate for investigation. Todd is preparing the estimate and will submit to insurance company. 09/19/11-Hiralkumar Patel. received PBS application package in FedEx. as per submitted application, site has following tanks: - two 20,000 gal #6 oil ASTs in loading dock area; tank owned by property owner - one 5,000 gal #2 oil AST in basement (at end of garage ramp from W 27th street); tank owned by property owner - one 250 gal #2 oil AST in generator room on 3rd floor; tank being used to start up the generator; tank owned by property owner - one 250 gal #2 oil AST on 3rd floor along 12th Ave side by Verizon; tank being used to start up the generator; tank owed by property owner - two 250 gal ASTs on 3rd floor along 11th ave side; both tanks are closed-in-place; tanks owned by property owner - one 10,000 gal diesel tank in loading dock; tank owned by Broad View Network - one 250 gal #2 oil tank under the generator in central office on 4th floor; tank owned by Broad View Network - one 250 gal #2 oil tank closed-in-place in central office on 4th floor; tank owned by Broad View Network - one 250 gal #2 oil tank under the generator in data center on 4th floor; tank owned by Broad View Network - one 250 gal #2 oil tank closed-in-place in data center on 4th floor; tank owned by Broad View Network - one 10,000 gal diesel tank in loading dock (PBS #: 2-611131); tank owned by Level 3 Communication - one 247 gal waste oil tank in basement (PBS #: 2-607987); tank owned by Verizon - one 1,000 gal waste oil tank in basement; tank owned by FBI - one 500 gal oil tank on 2nd floor; tank owned by FBI there is no information about 3,000 gal AST observed in loading dock area. 09/20/11-Hiralkumar Patel. 12:18 PM:- received message from Mr. Borello. 4:29 PM:- spoke with Mr. Borello. he mentioned that they drilled some holes in both side tank vaults and found oil pouring out from holes. as such they will break larger access to these vaults for further inspection/cleanup. he will send pics that he collected today. he will also schedule a site inspection, once larger holes made in wall. 4:31 PM:- receive email from Mr. Borello including a pic and a video showing oil pouring out of vault. 09/23/11-Hiralkumar Patel. 1:18 PM:- received call from Todd. he mentioned that they drilled small holes in both vaults and found product coming out from eastern vault only. only water came out through holes in western vault. based on that observations, they made 18 inches by 24 inches hole in western wall of the eastern vault (vault towards the boiler room). found free product in the vault. Todd mentioned that the hole is about 2 ft above the product level in vault, so they are not concerned about overflow through this hole. as there is heavy rain for today and tomorrow, asked Todd to secure the hole to prevent any spill in boiler room, if water level rise in vault. scheduled a site inspection at 3:30 PM on 09/26/11. 1:55 PM:- spoke with Mr. Borello. informed him about possibilty of oil overflow from hole in eastern vault due to heavy rain. Mr. Borello has already spoken with building management/super and they will inspect area frequently. if any spill noticed, they will call contractor for cleanup. also informed Mr. Borello about no information on PBS application about 3,000 gal tank observed in loading dock area. Mr. Borello will confirm that and will submit revised PBS application. 09/26/11-Hiralkumar Patel. 3:30 PM:- visited site. inspected hole made in eastern tank vault area. found free product and water in hole. the area behind the wall was filled with construction debris

601 WEST 26TH STREET (Continued) **S104275653**

and filled with large concrete/stone pieces. met Ms. Hahn, Todd, Tom and Mike. informed them that the department requires delineation of soil/groundwater contamination on north and east side of eastern tank vault. no investigation needed on west and south of the eastern tank vault (as it is in tunnel area). Tom mentioned that they only found some water from holes mades in western tank vault area. asked Mike to prepare a scaled site map for area around tank vaults. asked Ms. Hahn to submit an investigation work plan for delineation. during meeting, Mike confirmed that the 3,000 gal diesel AST observed in loading dock area is owned by Broad View Network and there is no 10,000 gal tank owned by Broad View Network. Mike will submit revised PBS application to DEC Nick. forwarded previously received (incorrect) PBS application (which includes a check) to DEC Nick. asked him not to process application as a new updated PBS application will be submitted. 10/12/11-Hiralkumar Patel. received email from Ms. Hahn (at 11:39 AM on 09/30/11) including copy of revised PBS application and letter describing tank owners. PBS application was sent to PBS unit. as per revised tank owner letter, Broad View Network owns 3,000 gal diesel tank in loading dock and not the 10,000 gal diesel tank as mentioned in earlier PBS application submitted on 09/19/11. all other tank info is the same. 10/26/11-Hiralkumar Patel. 4:18 PM:- received email from Joe Horowitz (Horow137@aol.com) including copy of letter from DEP with conditional authorization for water discharge. 11/02/11-Hiralkumar Patel. 3:21 PM:- received email from Mike including a draft work plan for review. he proposed to install nine soil borings which will be converted to monitoring wells. these borings/wells are proposed around two sets of abandoned USTs. draft work plan doesn't include a work schedule. also need a site map with structures in basement (tunnel, sumps in tunnel, main sump in boiler room, oil/water separator and boring/well locations). 11/14/11-Hiralkumar Patel. 9:45 AM:- spoke with Mike. informed him that the draft work plan looks fine except it is missing two things: work schedule and a site map with structures in cellar (tunnel, sumps in tunnel etc.). he will submit final work plan. 02/03/12-Hiralkumar Patel. 4:31 PM:- left message for Mike. 4:32 PM:- sent email to Mike, Ms. Hahn and Todd inquiring update. 5:08 PM:- received email from Mike. they are in process of obtaining bids from drilling companies and will start work once contractor is selected. he mentioned that oil/water separator is working fine and no additional oil observed in basement. 02/07/12-Hiralkumar Patel. 2:13 PM:- sent email to Mike and asked him about schedule for contractor selection. also asked him about the amount of oil recovered since the oil/water separator turned on. email copied to Ms. Hahn. 02/21/12-Hiralkumar Patel. 11:15 AM:- received email from Mike. they are in final stage of hiring drilling contractor and will schedule work shortly. till now, they recovered less than 55 gal of oil. 07/24/12-Hiralkumar Patel. 2:27 PM:- received email from Mike. they have installed numerous borings and wells at the site. they are having some logistical problems in few areas and requested a site visit. 07/26/12-Hiralkumar Patel. 3:42 PM:- left message for Mike. asked him to submit status report for work done till now, prior to any site visit. 3:47 PM:- sent email to Mike and asked to submit status report for work done till now. informed him that site visit can be done only after completing review of the additional information. email copied to Ms. Hahn. 07/27/12-Hiralkumar Patel. 9:51 AM:- received email from Mike including site map and field notes. as per field notes, four wells installed at the site: two wells (Point A and Point B) on the west

601 WEST 26TH STREET (Continued) **S104275653**

side and two wells (Point G and Point H) on the east side of the former tank field. fuel oil smell noted during installation of wells Point A and Point B. Mike mentioned that a third well could not be installed on east side (in the FBI space) due to refusal. he also mentioned that driller is hesitant to drill in the boiler room due to possible flooding. 11:28 AM:- spoke with Mike. he mentioned that installation of four wells was completed on 07/23/12. dark soil and petroleum odors were noted during installation of wells Point A and Point B on the west side of the tank field. no sign of contamination observed in wells on east side (Point G and Point H) in FBI parking space. he does not know about any product on water as wells are not developed yet. asked him to develope the four wells, define site-specific groundwater flow direction and collect groundwater samples for VOC/SVOC analysis. informed him that wells should not be installed in basement boiler room due to possible flooding issues. asked him to submit detailed boring/well logs for review. 11:47 AM:- sent email to Mike and asked to submit boring/well logs, results of groundwater samples and site-specific groundwater flow direction by the end of 08/20/12. email copied to Ms. Hahn. 09/07/12-Hiralkumar Patel. 11:53 AM:- received email from Mike including soil boring logs and soil/gw data. received boring logs for borings Point A, Point B, Point G and Point H. Point A and Point B were installed in RXR Parking Garage and fuel oil smell noted in both borings at 10 ft depth. wells were installed to 25-30 ft depth in Point A and Point B. borings Point G and Point H were installed in FBI parking space. in Point G, bedrock encountered at 16 ft depth. found PID readings in Point A and Point B, but PID unit is not included in logs. as per lab report, four soil samples collected. one soil sample from 10 ft depth from each of four borings. no VOC contamination found in soil samples, but some SVOC compounds were detected (below cleanup standard) in soil samples. as per lab report, four groundwater samples collected from borings. no contamination found in groundwater samples. the site map does not show location of Point H. needs revised boring logs (with PID unit) and site map (with boring locations). 10/03/12-Hiralkumar Patel. 2:28 PM:- sent email to Mike. asked him to submit revised boring logs and site map. also asked him about amount of product removed till date using on-site recovery system. email copied to Ms. Hahn. 11/26/12-Hiralkumar Patel. went to site for inspection to see impact after hurricane Sandy. met with Mario. he mentioned that the entire basement was full of water, but no more oil observed on water. the oil/water separator, as part of the on-going cleanup, was emptied out right before storm. as boilers were damaged during storm, they have temporary boilers on street. they are also in process of converting to #2 oil. 01/15/13-Hiralkumar Patel. received message from Mike (at 1:11 PM on 01/14/13). he mentioned that he is waiting for response for data he submitted on 09/07/12. 11:33 AM:- sent email to Mike and informed him that the department responded on 10/03/12 and asked for revised boring logs and product recovery data, which has not received yet. 11:37 AM:- received email from Mike including copy of email that he sent on 10/09/12. email included revised boring logs and site map. 12:14 PM:- received email from Mike. they recovered less than 55 gal oil since oil/water separator installed. reviewed available boring logs, site map and sample results. borings A, B, G and H were installed to a depth of 25-30 ft bg (except boring G which was installed at 16 ft bg). maximum PID reading of 2 ppm was recorded at 10 ft in boring B which is located southwest of the former tank rooms. soil and

601 WEST 26TH STREET (Continued) **S104275653**

groundwater samples were collected from these four borings. no contamination found in soil or groundwater samples. 12:23 PM:- spoke with Mike. asked him to submit depth of borings/wells and former tank room reference to single point. 3:14 PM:- received email from Mike. he mentioned that points G and H inside the FBI space were to a depth of 15 ft and would be below the 6 USTs that were closed in place. he also mentioned that points A and B were advanced to a depth of 20 ft but from street grade and are not below the USTs. 01/30/13-Hiralkumar Patel. discussed with DEC Austin. based on site history, available sampling data and observations during site visit after hurricane Sandy, Austin asked to close the case. 1:59 PM:- sent email to Mike. asked him to submit spill closure report. email copied to Ms. Hahn. 02/28/13-Hiralkumar Patel. 2:43 PM:- sent email to Mike inquiring about closure report. email copied to Ms. Hahn. 03/22/13-Hiralkumar Patel. 4:50 PM:- received email from Sharon Dyal (sdyal@ebsllcnyc.com) from Environmental Building Solutions, including spill closure report. 03/26/13-Hiralkumar Patel. based on available information, case closed. 2:45 PM:- sent spill closure letter to Ms. Hahn. letter emailed to Ms. Hahn and Mike."

Remarks: "weather related - cleanup starting"

All Materials:

Site ID:	453819
Operable Unit ID:	1203975
Operable Unit:	01
Material ID:	2200714
Material Code:	0002A
Material Name:	#4 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	500.00
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

Facility ID:	9304676
Facility Type:	ER
Spill Number:	9304676
DER Facility ID:	131104
Site ID:	154651
DEC Region:	2
Closed Date:	2006-05-22
Spill Cause:	Equipment Failure
Spill Class:	C3
SWIS:	3101
Spill Date:	1993-07-14
Investigator:	SMSANGES
Referred To:	Not reported
Reported to Dept:	1993-07-14
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False

601 WEST 26TH STREET (Continued) **S104275653**

UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1993-07-14
Spill Record Last Update:	2006-05-22
Spiller Name:	Not reported
Spiller Company:	UNK
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	Not reported
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SANGESLAND 05/18/2001 Reassigned from Tomasello to Demeo 3/25/2004 Reassigned from Demeo to Sangesland 2/28/2005 Sangesland received a note from John Raguso stating that Emteque was going to begin it's remediation process at the site. The contractor will mobilize and then clean and close the remaining tanks onsite. Once the permits have been finalized, the contractor will then begin the major construction phase of the project to break ground, put in the required shoring and conduct the required remediation/soil removal activities. Contact: John Raguso 631-271-6622 7/7/05 Excavation has begun on the western tank field. When all soil is removed down to the water table (10-13 ft) the pit will be kept open and a vac truck will be on site for several days to vac out any petroleum floating on the water table. The site has several structural issues with surrounding buildings and a Security wall Several end points will be taken, but we already know that this whole area was coal ash fill from the late 1800's. We will expect to see SVOC's, but we do NOT want to see any VOC's. They will dig down to the water table, so that is as much soil removal as can be done. This work (on western tank field) should be finished by 7/15/05. Then similar work will be done on the eastern tank field John Raguso cell #646-529-6531 3/13/2006 Sangesland completed the review of a Spill Closure Petition Report prepared by Emteque Corp. (John Raguso - 631-774-9519) The report provides a history of the site including details of the 6 USTs on site. 3 were closed out several years ago and the other 3 were closed out in 2005 during this closure process. In additon, large soil excavations were made in the areas around these 6 tanks (3 eastern tanks & 3 western tanks) Due to structural issues, all of the contaminated soil could not be removed, but an overwhelming majority (over 95% according to Emteque) of the contaminated soil was removed. The end point sampling conducted in Oct 2005, show VOC and SVOC below TAGM and the GW samples were very good, with only some minor hits . The one item of some concern was Benzene. All 5 GW samples taken were above TAGM for benzene. The TAGM GW limit is 0.7ppb and the levels in all 5 GW samples ranged from 8.2ppb up to 43ppb. 3/30/2006 Sangesland confirmed with John Raguso at Emteque that another round of GW samples will be taken in April '06. If these numbers show a decline, the case may be closed due to natural attenuation. 5/22/2006 Sangesland reviewed a submittal from John Raguso of Emteque. As requested by the DEC, another round of groundwater samples were taken at the site. These samples showed the expected drop in contamination levels. While there are still some slight exceedences of the GW standards, the NYSDEC believes these levels will attenuate naturally over time. Based on the high commercial usage level of the area and the history of train yards, gas stations and historical fill the site is OK to close out as is with no further action Closure letter was sent to 601 West Associates c/o John Raguso with specific requirement to properly close out all monitoring wells on the site."

601 WEST 26TH STREET (Continued) **S104275653**

Remarks: "GAGE LINE BROKE ? CONTAINED IN BOILER RM. AND TANK ROOM - PETROL TANK CLEANER IS SUCKING UP OIL NOW. SENT TO DEP."

All Materials:

Site ID:	154651
Operable Unit ID:	986355
Operable Unit:	01
Material ID:	398160
Material Code:	0003A
Material Name:	#6 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	2500.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	0406966
Facility Type:	ER
Spill Number:	0406966
DER Facility ID:	131104
Site ID:	198670
DEC Region:	2
Closed Date:	2005-10-06
Spill Cause:	Other
Spill Class:	D4
SWIS:	3101
Spill Date:	2004-09-23
Investigator:	MCTIBBE
Referred To:	Not reported
Reported to Dept:	2004-09-23
CID:	444
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2004-09-23
Spill Record Last Update:	2005-10-06
Spiller Name:	REBECCA TUMMON
Spiller Company:	IN FRONT 601 21ST STREET
Spiller Address:	26 TH & 11TH AVE
Spiller Company:	001
Contact Name:	REBECCA TUMMON
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE 10-06-05: Contamination discovered in boring for #7 line extension in front of 601 West 26th Street. A second boring in the area (0407003) was also contaminated. Exisiting spill # 0311818. Closed and referred. Boring log and notes in eDocs."
Remarks:	"DURING DRILLING FOUND A STRONG ODOR AND CONTAMINATED SOIL: 20-50 PPM: INVESTIGATION WAS FOR NYC TRANSIT"

Facility ID: 1211206

601 WEST 26TH STREET (Continued) **S104275653**

Facility Type:	ER
Spill Number:	1211206
DER Facility ID:	131104
Site ID:	474343
DEC Region:	2
Closed Date:	2012-12-04
Spill Cause:	Human Error
Spill Class:	C4
SWIS:	3101
Spill Date:	2012-11-18
Investigator:	SMSANGES
Referred To:	Not reported
Reported to Dept:	2012-11-18
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2012-11-18
Spill Record Last Update:	2012-12-04
Spiller Name:	Not reported
Spiller Company:	EAST COAST PATROLEUM
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	ANTHONY MILANESE
DEC Memo:	"spill to sidewalk during tank fill. cleanup done by oil delivery company. "
Remarks:	"1507 THE SPILL WAS DUE TO A TANK OVER FLOW ONTO ASPHALT. THE SPILL IS CONTAINED. THE CLEAN UP HAS BEEN CONDUCTED."

All Materials:

Site ID:	474343
Operable Unit ID:	1224182
Operable Unit:	01
Material ID:	2222354
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10.00
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

AR322 **FBI AUTOMOTIVE REPAIR UNIT** **RCRA-CESQG** **1001090118**
WSW **601 W 26TH ST - 2ND FLOOR** **US AIRS** **NYR000019513**
1/8-1/4 **NEW YORK, NY 10001** **NY MANIFEST**
0.159 mi.
842 ft. **Site 2 of 12 in cluster AR**

Relative:
Lower

Actual:
6 ft.

RCRA-CESQG:

Date form received by agency:	01/01/2007
Facility name:	FBI AUTOMOTIVE REPAIR UNIT
Facility address:	601 W 26TH ST - 2ND FLOOR STARRETT LEHIGH BLDG NEW YORK, NY 10001
EPA ID:	NYR000019513
Mailing address:	FEDERAL PLZ - FBI NEW YORK, NY 10278
Contact:	LAWRENCE LANG
Contact address:	FEDERAL PLZ - FBI STARRETT LEHIGH BLDG NEW YORK, NY 10278
Contact country:	US
Contact telephone:	212-335-2700
Contact email:	Not reported
EPA Region:	02
Land type:	Private
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name:	HELMSLEY SPEAR INC
Owner/operator address:	60 E 42ND ST NEW YORK, NY 10017
Owner/operator country:	US
Owner/operator telephone:	212-687-6400
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	HELMSLEY SPEAR INC
Owner/operator address:	60 E 42ND ST NEW YORK, NY 10017
Owner/operator country:	US
Owner/operator telephone:	212-687-6400
Owner/operator email:	Not reported

FBI AUTOMOTIVE REPAIR UNIT (Continued) **1001090118**

Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: FBI AUTOMOTIVE REPAIR UNIT
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 02/08/1996
Site name: FBI AUTOMOTIVE REPAIR UNIT
Classification: Small Quantity Generator

. Waste code: D000
. Waste name: Not Defined

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D006
. Waste name: CADMIUM

. Waste code: D008
. Waste name: LEAD

. Waste code: D018
. Waste name: BENZENE

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

. Waste code: D039
. Waste name: TETRACHLOROETHYLENE

FBI AUTOMOTIVE REPAIR UNIT (Continued) **1001090118**

. Waste code: D040
. Waste name: TRICHLORETHYLENE

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 07/26/2005
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA Contractor/Grantee

US AIRS MINOR:
Envid: 1001090118
Region Code: 02
Programmatic ID: AIR 020000003606102000
Facility Registry ID: 110004522311
D and B Number: Not reported
Primary SIC Code: 9221
NAICS Code: 922120
Default Air Classification Code: MIN
Facility Type of Ownership Code: FDF
Air CMS Category Code: Not reported
HPV Status: Not reported

US AIRS MINOR:
Region Code: 02
Programmatic ID: AIR 020000003606102000
Facility Registry ID: 110004522311
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Stratospheric Ozone Protection
Activity Date: 2005-07-26 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

US AIRS MINOR:
Envid: 1001090118
Region Code: 02
Programmatic ID: AIR 020000003606102000
Facility Registry ID: 110004522311
D and B Number: Not reported
Primary SIC Code: 9221
NAICS Code: 922120
Default Air Classification Code: MIN
Facility Type of Ownership Code: FDF
Air CMS Category Code: Not reported
HPV Status: Not reported

US AIRS MINOR:
Region Code: 02
Programmatic ID: AIR 020000003606102000
Facility Registry ID: 110004522311
Air Operating Status Code: OPR
Default Air Classification Code: MIN

FBI AUTOMOTIVE REPAIR UNIT (Continued) **1001090118**

Air Program:	Stratospheric Ozone Protection
Activity Date:	2005-07-26 00:00:00
Activity Status Date:	Not reported
Activity Group:	Compliance Monitoring
Activity Type:	Inspection/Evaluation
Activity Status:	Not reported

NY MANIFEST:

Country:	USA
EPA ID:	NYR000019513
Facility Status:	Not reported
Location Address 1:	601 W 26TH ST/2ND FL STAR BLDG
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000019513
Mailing Name:	FBI AUTOMOTIVE REPAIR UNIT
Mailing Contact:	LAWRENCE LANG
Mailing Address 1:	26 FEDERAL PLAZA - FBI
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10278
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2123352700

NY MANIFEST:

Document ID:	NYC7585097
Manifest Status:	Not reported
seq:	Not reported
Year:	2005
Trans1 State ID:	TXR000050930
Trans2 State ID:	Not reported
Generator Ship Date:	07/19/2005
Trans1 Recv Date:	07/19/2005
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/25/2005
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000019513
Trans1 EPA ID:	NY94889JE
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported

FBI AUTOMOTIVE REPAIR UNIT (Continued) **1001090118**

Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D039 - TETRACHLOROETHYLENE 0.73 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00048
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
82 additional NY_MANIFEST: record(s) in the EDR Site Report.

Country:	USA
EPA ID:	NYD001538842
Facility Status:	Not reported
Location Address 1:	601 WEST 26 ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD001538842
Mailing Name:	REPUBLIC ENGRAVING
Mailing Contact:	REPUBLIC ENGRAVING
Mailing Address 1:	601 WEST 26 ST
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10001
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2122431787

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJD991291105
Trans2 State ID:	Not reported
Generator Ship Date:	04/15/2013

FBI AUTOMOTIVE REPAIR UNIT (Continued) **1001090118**

Trans1 Recv Date:	04/15/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/15/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD001538842
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	011235423JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	55
Units:	P - Pounds
Number of Containers:	1
Container Type:	DM - Metal drums, barrels
Handling Method:	L Landfill.
Specific Gravity:	1
Waste Code:	D002
Waste Code 1_2:	U122
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
17 additional NY_MANIFEST: record(s) in the EDR Site Report.

AR323 **STARRETT - LEHIGH BUILDING** **RCRA-CESQG** **1000424135**
WSW **601 W 26TH ST** **NYD001538842**
1/8-1/4 **NEW YORK, NY 10001**
0.159 mi.
842 ft. **Site 3 of 12 in cluster AR**

Relative: RCRA-CESQG:
Lower

Date form received by agency:	08/20/2012
Facility name:	STARRETT - LEHIGH BUILDING
Facility address:	601 W 26TH ST NEW YORK, NY 10001
EPA ID:	NYD001538842
Mailing address:	W 26TH ST

Actual:
6 ft.

STARRETT - LEHIGH BUILDING (Continued) **1000424135**

NEW YORK, NY 10001
Contact: SANDRA HAHN
Contact address: W 26TH ST
NEW YORK, NY 10001
Contact country: US
Contact telephone: 212-924-3880
Contact email: SHAHN@RXRREALTY.COM
EPA Region: 02
Land type: Private
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:
Owner/operator name: 601 WEST ASSOCIATES
Owner/operator address: W 42ND ST - 12TH FLOOR
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/1998
Owner/Op end date: Not reported

Owner/operator name: RXR PROPERTY MGMT LLC
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 07/29/2011
Owner/Op end date: Not reported

Owner/operator name: RXR PROPERTY MGMT
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported

STARRETT - LEHIGH BUILDING (Continued) **1000424135**

Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	07/29/2011
Owner/Op end date:	Not reported
Owner/operator name:	S & L BLDG CO HELMSLEY-SPEAR INC
Owner/operator address:	60 E 42ND ST
	NEW YORK, NY 10165
Owner/operator country:	US
Owner/operator telephone:	212-880-0120
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	01/01/2001
Owner/Op end date:	Not reported
Owner/operator name:	RXR SL ONER LLC
Owner/operator address:	LEHIGH BLDG - 601 W 26TH ST
	NEW YORK, NY 10001
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	07/29/2011
Owner/Op end date:	Not reported
Owner/operator name:	601 WEST ASSOCIATES
Owner/operator address:	W 42ND ST - 12TH FLOOR
	NEW YORK, NY 10001
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	01/01/1998
Owner/Op end date:	Not reported
Owner/operator name:	RXR SL OWNER LLC- C/O RXR PROPERTY MGMT
Owner/operator address:	Not reported
	Not reported
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner

STARRETT - LEHIGH BUILDING (Continued) **1000424135**

Owner/Op start date: 07/29/2011
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): Yes
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Universal Waste Summary:
Waste type: Lamps
Accumulated waste on-site: Yes
Generated waste on-site: Not reported

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D009
. Waste name: MERCURY

. Waste code: F001
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLORETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Historical Generators:
Date form received by agency: 08/03/2012
Site name: STARRETT - LEHIGH BUILDING
Classification: Not a generator, verified

. Waste code: D002
. Waste name: CORROSIVE WASTE

Date form received by agency: 02/13/2012
Site name: STARRETT - LEHIGH BUILDING
Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D002
. Waste name: CORROSIVE WASTE

STARRETT - LEHIGH BUILDING (Continued) **1000424135**

Date form received by agency: 01/01/2007
Site name: 601 WEST ASSOCIATES- STARRETT BLDG
Classification: Small Quantity Generator

Date form received by agency: 01/01/2006
Site name: 601 WEST ASSOCIATES- STARRETT BLDG
Classification: Small Quantity Generator

Date form received by agency: 05/16/2005
Site name: 601 WEST ASSOCIATES- STARRETT BLDG
Classification: Small Quantity Generator

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D007
. Waste name: CHROMIUM

Date form received by agency: 09/01/1993
Site name: HELMSLEY SPEAR INC
Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D008
. Waste name: LEAD

. Waste code: D009
. Waste name: MERCURY

. Waste code: D010
. Waste name: SELENIUM

Date form received by agency: 02/26/1992
Site name: REPUBLIC ENG
Classification: Large Quantity Generator

Facility Has Received Notices of Violations:
Regulation violated: Not reported
Area of violation: Universal Waste - Small Quantity Handlers
Date violation determined: 10/27/2010
Date achieved compliance: 10/27/2010
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 11/04/2010
Enf. disposition status: Action Satisfied (Case Closed)
Enf. disp. status date: 11/04/2010
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

STARRETT - LEHIGH BUILDING (Continued) **1000424135**

Evaluation Action Summary:

Evaluation date:	10/27/2010
Evaluation:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation:	Universal Waste - Small Quantity Handlers
Date achieved compliance:	10/27/2010
Evaluation lead agency:	State

Evaluation date:	05/27/1994
Evaluation:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation:	Not reported
Date achieved compliance:	Not reported
Evaluation lead agency:	State

AR324 **ELECTRICAL BUSS COMPARTMENT** **NY LTANKS** **S101341240**
WSW **601 W 26TH ST** **NY Spills** **N/A**
1/8-1/4 **MANHATTAN, NY**
0.159 mi.
842 ft. **Site 4 of 12 in cluster AR**

Relative:
Lower

Actual:
6 ft.

LTANKS:

Facility ID:	9412158
Site ID:	120666
Closed Date:	1994-12-12
Spill Number:	9412158
Spill Date:	1994-12-12
Spill Cause:	Tank Failure
Spill Source:	Passenger Vehicle
Spill Class:	C4
Cleanup Ceased:	1994-12-12
SWIS:	3101
Investigator:	SMMARTIN
Referred To:	Not reported
Reported to Dept:	1994-12-12
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Fire Department
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-01-27
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	UNKNOWN VEHICLE
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	104757
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MARTINKAT "
Remarks:	"SPILL CONTAINED ON ROAD PAVEMENT. F.D. RESPONDED & SANITATION APPEAR SAND & P/UP"

All Materials:

Site ID:	120666

ELECTRICAL BUSS COMPARTMENT (Continued) **S101341240**

Operable Unit ID: 1005924
Operable Unit: 01
Material ID: 374490
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 15.00
Units: G
Recovered: .00
Oxygenate: Not reported

SPILLS:
Facility ID: 1403083
Facility Type: ER
Spill Number: 1403083
DER Facility ID: 451320
Site ID: 496428
DEC Region: 2
Closed Date: 2014-06-20
Spill Cause: Unknown
Spill Class: D5
SWIS: 3101
Spill Date: 2014-06-20
Investigator: TJDEMEO
Referred To: Not reported
Reported to Dept: 2014-06-20
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2014-06-20
Spill Record Last Update: 2014-06-20
Spiller Name: Not reported
Spiller Company: CONN ED
Spiller Address: Not reported
Spiller Company: 999
Contact Name: ERT
DEC Memo: "6/20/14 TJD Mahat contacted Con Edison ERT desk to confirm notification has been made to NYCDEP. ERT states NYCDEP and USEPA were notified. As per ERT, contractor removed copper piping with asbestos wrap to an unknown location. No furhter action required by DEC - spill closed."
Remarks: "Caller advised more than 1 pound of asbestos has been removed from an electrical buss compartment unknown who took the product."

All Materials:
Site ID: 496428
Operable Unit ID: 1245916
Operable Unit: 01

ELECTRICAL BUSS COMPARTMENT (Continued) **S101341240**

Material ID:	2246986
Material Code:	0026A
Material Name:	asbestos
Case No.:	01332214
Material FA:	Hazardous Material
Quantity:	1.00
Units:	L
Recovered:	Not reported
Oxygenate:	Not reported

AR325 **WILLIAMS COMMUNICATIONS GROUP** **RCRA NonGen / NLR** **1004762731**
WSW **601 W 26TH ST 1ST FLOOR** **NY MANIFEST** **NYR000099903**
1/8-1/4 **NEW YORK, NY 10001**
0.159 mi.
842 ft. **Site 5 of 12 in cluster AR**

Relative: **Lower**
Actual: **6 ft.**

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	WILLIAMS COMMUNICATIONS GROUP
Facility address:	601 W 26TH ST 1ST FLOOR NEW YORK, NY 10001
EPA ID:	NYR000099903
Mailing address:	W 26TH ST 1ST FLOOR NEW YORK, NY 10001
Contact:	JOE BASILE
Contact address:	W 26TH ST 1ST FLOOR NEW YORK, NY 10001
Contact country:	US
Contact telephone:	518-383-6789
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	WILLIAMS COMMUNICATIONS GROUP
Owner/operator address:	601 W 26TH ST 1ST FLOOR NEW YORK, NY 10001
Owner/operator country:	US
Owner/operator telephone:	918-740-8541
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	01/01/2001
Owner/Op end date:	Not reported

Owner/operator name:	WILLIAMS COMMUNICATIONS GROUP
Owner/operator address:	601 W 26TH ST 1ST FLOOR NEW YORK, NY 10001
Owner/operator country:	US
Owner/operator telephone:	918-740-8541
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported

WILLIAMS COMMUNICATIONS GROUP (Continued) **1004762731**

Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: WILLIAMS COMMUNICATIONS GROUP
Classification: Not a generator, verified

Date form received by agency: 08/16/2001
Site name: WILLIAMS COMMUNICATIONS GROUP
Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYR000099903
Facility Status: Not reported
Location Address 1: 601 W 26TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000099903
Mailing Name: WILLIAMS COMMUNICATIONS GROUP C/O APEX
Mailing Contact: RONALD VELELLA
Mailing Address 1: 632 PLANK RD STE 203
Mailing Address 2: Not reported
Mailing City: CLIFTON PARK
Mailing State: NY

WILLIAMS COMMUNICATIONS GROUP (Continued) **1004762731**

Mailing Zip:	12065
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	5183836789

NY MANIFEST:

Document ID:	NJA3258132
Manifest Status:	Not reported
seq:	01
Year:	2001
Trans1 State ID:	S2265
Trans2 State ID:	Not reported
Generator Ship Date:	08/21/2001
Trans1 Recv Date:	08/21/2001
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/22/2001
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000099903
Trans1 EPA ID:	NJD054126164
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002385730
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00875
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AR326
WSW
1/8-1/4
0.159 mi.
842 ft.

VERIZON NEW YORK INC-NY-15117
601 WEST 26TH STREET
NEW YORK, NY 11010

Site 6 of 12 in cluster AR

NY TANKS **U000412100**
N/A

Relative:
Lower

Actual:
6 ft.

TANKS:

Facility Id:	2-604877
Region:	STATE
DEC Region:	2
Site Status:	Inactive
Program Type:	PBS
Expiration Date:	N/A
UTM X:	583773.97796
UTM Y:	4511671.43917

AR327
WSW
1/8-1/4
0.159 mi.
842 ft.

STARRETT-LEHIGH BLDG
601 WEST 26TH STREET
NEW YORK, NY 10001

Site 7 of 12 in cluster AR

NY AST **A100343950**
N/A

Relative:
Lower

Actual:
6 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Inactive
Facility Id:	2-611131
Program Type:	PBS
UTM X:	583773.97796
UTM Y:	4511671.43917
Expiration Date:	N/A
Site Type:	Other

Affiliation Records:

Site Id:	416650
Affiliation Type:	Facility Operator
Company Name:	LEVEL 3 COMMUNICATIONS LLC-NYCPNYYK
Contact Type:	Not reported
Contact Name:	DAVE TRAINOR
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(917) 305-2320
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2011-07-01

Site Id:	416650
Affiliation Type:	Emergency Contact
Company Name:	LEVEL 3 COMMUNICATIONS LLC
Contact Type:	Not reported
Contact Name:	DAVE TRAINOR
Address1:	Not reported
Address2:	Not reported
City:	Not reported

STARRETT-LEHIGH BLDG (Continued) **A100343950**

State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(917) 305-2320
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2011-07-01

Site Id:	416650
Affiliation Type:	Facility Owner
Company Name:	LEVEL 3 COMMUNICATIONS LLC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	1025 ELDORADO BLVD
Address2:	Not reported
City:	BROOMFIELD
State:	CO
Zip Code:	80021
Country Code:	001
Phone:	(720) 888-4744
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2011-07-01

Site Id:	416650
Affiliation Type:	Mail Contact
Company Name:	LEVEL 3 COMMUNICATIONS LLC
Contact Type:	Not reported
Contact Name:	ENVIRONMENTAL MANAGEMENT
Address1:	1025 ELDORADO BOULEVARD
Address2:	Not reported
City:	BROOMFIELD
State:	CO
Zip Code:	80021
Country Code:	001
Phone:	(720) 888-4744
EMail:	TIMOTHY.KIMBALL@LEVEL3.COM
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2011-07-01

Tank Info:

Tank Number:	001
Tank Id:	42428
Material Code:	0003
Common Name of Substance:	#6 Fuel Oil (On-Site Consumption)

Equipment Records:

J02 - Dispenser - Suction Dispenser
C03 - Pipe Location - Aboveground/Underground Combination
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping

STARRETT-LEHIGH BLDG (Continued) **A100343950**

E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
A01 - Tank Internal Protection - Epoxy Liner
I04 - Overfill - Product Level Gauge (A/G)
K00 - Spill Prevention - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Location:	6
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - In Place
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	20000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	05/31/2005
Register:	True
Modified By:	CGFREEDM
Last Modified:	04/14/2017
Material Name:	#6 fuel oil (on-site consumption)

Tank Number:	002
Tank Id:	42429
Material Code:	0003
Common Name of Substance:	#6 Fuel Oil (On-Site Consumption)

Equipment Records:

F00 - Pipe External Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
A01 - Tank Internal Protection - Epoxy Liner
J02 - Dispenser - Suction Dispenser
C03 - Pipe Location - Aboveground/Underground Combination
I04 - Overfill - Product Level Gauge (A/G)
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B01 - Tank External Protection - Painted/Asphalt Coating

Tank Location:	6
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - In Place
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	20000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	05/31/2005
Register:	True
Modified By:	CGFREEDM
Last Modified:	04/14/2017
Material Name:	#6 fuel oil (on-site consumption)

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Tank Number: 003
Tank Id: 42430
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:
F00 - Pipe External Protection - None
A01 - Tank Internal Protection - Epoxy Liner
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
C03 - Pipe Location - Aboveground/Underground Combination
J02 - Dispenser - Suction Dispenser
I04 - Overfill - Product Level Gauge (A/G)
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
Tank Location: 6
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - In Place
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 20000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 05/31/2005
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 004
Tank Id: 42431
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:
J02 - Dispenser - Suction Dispenser
C03 - Pipe Location - Aboveground/Underground Combination
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
A01 - Tank Internal Protection - Epoxy Liner
I04 - Overfill - Product Level Gauge (A/G)
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B01 - Tank External Protection - Painted/Asphalt Coating
Tank Location: 6
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - In Place
Pipe Model: Not reported
Install Date: Not reported

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Capacity Gallons:	20000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	05/31/2005
Register:	True
Modified By:	CGFREEDM
Last Modified:	04/14/2017
Material Name:	#6 fuel oil (on-site consumption)

Tank Number:	005
Tank Id:	42432
Material Code:	0003
Common Name of Substance:	#6 Fuel Oil (On-Site Consumption)

Equipment Records:

F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
A01 - Tank Internal Protection - Epoxy Liner
J02 - Dispenser - Suction Dispenser
C03 - Pipe Location - Aboveground/Underground Combination
I04 - Overfill - Product Level Gauge (A/G)
K00 - Spill Prevention - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Location:	6
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - In Place
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	20000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	05/31/2005
Register:	True
Modified By:	CGFREEDM
Last Modified:	04/14/2017
Material Name:	#6 fuel oil (on-site consumption)

Tank Number:	006
Tank Id:	61337
Material Code:	0003
Common Name of Substance:	#6 Fuel Oil (On-Site Consumption)

Equipment Records:

J02 - Dispenser - Suction Dispenser
C03 - Pipe Location - Aboveground/Underground Combination
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None

STARRETT-LEHIGH BLDG (Continued) **A100343950**

A01 - Tank Internal Protection - Epoxy Liner
I04 - Overfill - Product Level Gauge (A/G)
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B01 - Tank External Protection - Painted/Asphalt Coating

Tank Location:	6
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - In Place
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	20000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	05/31/2005
Register:	True
Modified By:	CGFREEDM
Last Modified:	04/14/2017
Material Name:	#6 fuel oil (on-site consumption)

Tank Number:	007-WIT1
Tank Id:	242227
Material Code:	0008
Common Name of Substance:	Diesel

Equipment Records:

H99 - Tank Leak Detection - Other
J02 - Dispenser - Suction Dispenser
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
E00 - Piping Secondary Containment - None
G01 - Tank Secondary Containment - Diking (Aboveground)
C01 - Pipe Location - Aboveground
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - In Place
Pipe Model:	Not reported
Install Date:	04/01/2000
Capacity Gallons:	10000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	CGFREEDM
Last Modified:	04/14/2017
Material Name:	diesel

Tank Number:	008
Tank Id:	242228
Material Code:	0003

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
J01 - Dispenser - Pressurized Dispenser
B00 - Tank External Protection - None
E02 - Piping Secondary Containment - Vault (with Access)
H00 - Tank Leak Detection - None
G02 - Tank Secondary Containment - Vault (w/access)
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
F01 - Pipe External Protection - Painted/Asphalt Coating
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 06/01/2006
Capacity Gallons: 20000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: JAAVERSA
Last Modified: 04/18/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 009
Tank Id: 242229
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
J01 - Dispenser - Pressurized Dispenser
E02 - Piping Secondary Containment - Vault (with Access)
H00 - Tank Leak Detection - None
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
G02 - Tank Secondary Containment - Vault (w/access)
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating

Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 02/01/2000
Capacity Gallons: 20000
Tightness Test Method: NN

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: JAAVERSA
Last Modified: 04/18/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 010
Tank Id: 242230
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
J01 - Dispenser - Pressurized Dispenser
E02 - Piping Secondary Containment - Vault (with Access)
B00 - Tank External Protection - None
G02 - Tank Secondary Containment - Vault (w/access)
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None

Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 05/01/2000
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 011
Tank Id: 242231
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
J03 - Dispenser - Gravity
C01 - Pipe Location - Aboveground
K00 - Spill Prevention - None

STARRETT-LEHIGH BLDG (Continued) **A100343950**

D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I01 - Overfill - Float Vent Valve
A00 - Tank Internal Protection - None

Tank Location:	2
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	05/01/2000
Capacity Gallons:	250
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	CGFREEDM
Last Modified:	04/14/2017
Material Name:	#2 fuel oil (on-site consumption)

Tank Number:	012
Tank Id:	242232
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
J03 - Dispenser - Gravity
C01 - Pipe Location - Aboveground
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I01 - Overfill - Float Vent Valve
K00 - Spill Prevention - None

Tank Location:	2
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	05/01/2000
Capacity Gallons:	250
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	CGFREEDM
Last Modified:	04/14/2017
Material Name:	#2 fuel oil (on-site consumption)

Tank Number:	013
Tank Id:	242233

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
E02 - Piping Secondary Containment - Vault (with Access)
B00 - Tank External Protection - None
K01 - Spill Prevention - Catch Basin
G02 - Tank Secondary Containment - Vault (w/access)
I04 - Overfill - Product Level Gauge (A/G)
J00 - Dispenser - None
C01 - Pipe Location - Aboveground
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - In Place
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 250
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 05/31/2000
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 014
Tank Id: 242234
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
E02 - Piping Secondary Containment - Vault (with Access)
K01 - Spill Prevention - Catch Basin
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
G02 - Tank Secondary Containment - Vault (w/access)
I04 - Overfill - Product Level Gauge (A/G)
J00 - Dispenser - None
C01 - Pipe Location - Aboveground
F01 - Pipe External Protection - Painted/Asphalt Coating
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - In Place
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 250

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	05/31/2000
Register:	True
Modified By:	CGFREEDM
Last Modified:	04/14/2017
Material Name:	#6 fuel oil (on-site consumption)

Tank Number:	015
Tank Id:	242235
Material Code:	0008
Common Name of Substance:	Diesel

Equipment Records:

B00 - Tank External Protection - None
E02 - Piping Secondary Containment - Vault (with Access)
J02 - Dispenser - Suction Dispenser
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
D00 - Pipe Type - No Piping
G02 - Tank Secondary Containment - Vault (w/access)
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
K00 - Spill Prevention - None

Tank Location:	2
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	04/01/2011
Capacity Gallons:	3000
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	10/12/2016
Register:	True
Modified By:	JAAVERSA
Last Modified:	04/18/2017
Material Name:	diesel

Tank Number:	016
Tank Id:	242236
Material Code:	9999
Common Name of Substance:	Other

Equipment Records:

J02 - Dispenser - Suction Dispenser
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I00 - Overfill - None
E00 - Piping Secondary Containment - None
L00 - Piping Leak Detection - None

STARRETT-LEHIGH BLDG (Continued) **A100343950**

G02 - Tank Secondary Containment - Vault (w/access)
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Location:	2
Tank Type:	Stainless Steel Alloy
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	03/01/1999
Capacity Gallons:	250
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	CGFREEDM
Last Modified:	04/14/2017
Material Name:	other

Tank Number:	017
Tank Id:	242237
Material Code:	9999
Common Name of Substance:	Other

Equipment Records:

E02 - Piping Secondary Containment - Vault (with Access)
G03 - Tank Secondary Containment - Vault (w/o access)
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
J00 - Dispenser - None
C01 - Pipe Location - Aboveground
K00 - Spill Prevention - None
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - In Place
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	250
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	12/31/2005
Register:	True
Modified By:	CGFREEDM
Last Modified:	04/14/2017
Material Name:	other

Tank Number:	019
Tank Id:	242238
Material Code:	9999

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Common Name of Substance: Other

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
E02 - Piping Secondary Containment - Vault (with Access)
G03 - Tank Secondary Containment - Vault (w/o access)
D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
J00 - Dispenser - None
C01 - Pipe Location - Aboveground
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
K00 - Spill Prevention - None
B01 - Tank External Protection - Painted/Asphalt Coating
F01 - Pipe External Protection - Painted/Asphalt Coating
A00 - Tank Internal Protection - None

Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - In Place
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 250
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 12/31/2005
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: other

Tank Number: 020-L3C1
Tank Id: 242239
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

D03 - Pipe Type - Stainless Steel Alloy
J02 - Dispenser - Suction Dispenser
F00 - Pipe External Protection - None
H02 - Tank Leak Detection - Interstitial - Manual Monitoring
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
E00 - Piping Secondary Containment - None
G06 - Tank Secondary Containment - Remote Impounding Area
I02 - Overfill - High Level Alarm
L00 - Piping Leak Detection - None
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None

Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 01/01/2000
Capacity Gallons: 10000
Tightness Test Method: -

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	10/12/2016
Register:	True
Modified By:	DMPOKRZY
Last Modified:	04/14/2017
Material Name:	diesel

Tank Number:	021-V001
Tank Id:	242240
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Equipment Records:

D03 - Pipe Type - Stainless Steel Alloy
J01 - Dispenser - Pressurized Dispenser
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I02 - Overfill - High Level Alarm
E00 - Piping Secondary Containment - None
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
L00 - Piping Leak Detection - None
K00 - Spill Prevention - None
B01 - Tank External Protection - Painted/Asphalt Coating
G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
A00 - Tank Internal Protection - None

Tank Location:	2
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	01/01/2000
Capacity Gallons:	275
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	08/24/2016
Register:	True
Modified By:	DMPOKRZY
Last Modified:	04/14/2017
Material Name:	motor oil

Tank Number:	022-FBI001
Tank Id:	242241
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Equipment Records:

J02 - Dispenser - Suction Dispenser
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
E12 - Piping Secondary Containment - Double-Walled (AG only)
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

STARRETT-LEHIGH BLDG (Continued) **A100343950**

C01 - Pipe Location - Aboveground
I01 - Overfill - Float Vent Valve
B01 - Tank External Protection - Painted/Asphalt Coating
G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
A00 - Tank Internal Protection - None

Tank Location:	2
Tank Type:	Steel Tank in Concrete
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	01/01/1996
Capacity Gallons:	1000
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	08/24/2016
Register:	True
Modified By:	DMPOKRZY
Last Modified:	04/14/2017
Material Name:	waste oil/used oil

Tank Number:	023-FBI002
Tank Id:	242242
Material Code:	0013
Common Name of Substance:	Lube Oil

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
G00 - Tank Secondary Containment - None
F00 - Pipe External Protection - None
D02 - Pipe Type - Galvanized Steel
E00 - Piping Secondary Containment - None
I04 - Overfill - Product Level Gauge (A/G)
J00 - Dispenser - None
C01 - Pipe Location - Aboveground
K00 - Spill Prevention - None
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
B03 - Tank External Protection - Original Impressed Current

Tank Location:	2
Tank Type:	Galvanized Steel Alloy
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	01/01/1996
Capacity Gallons:	500
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	08/24/2016
Register:	True
Modified By:	JAAVERSA
Last Modified:	04/18/2017
Material Name:	lube oil

Tank Number:	1

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Tank Id: 229532
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

E00 - Piping Secondary Containment - None
G06 - Tank Secondary Containment - Remote Impounding Area
I02 - Overfill - High Level Alarm
L00 - Piping Leak Detection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
H02 - Tank Leak Detection - Interstitial - Manual Monitoring
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None
D03 - Pipe Type - Stainless Steel Alloy

Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: 01/01/2000
Capacity Gallons: 10000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: diesel

Tank Number: GEN-1500KW
Tank Id: 267489

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
J02 - Dispenser - Suction Dispenser
E02 - Piping Secondary Containment - Vault (with Access)
B00 - Tank External Protection - None
D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None

Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 04/01/2013
Capacity Gallons: 275
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Date Tank Closed: Not reported
Register: True
Modified By: JAAVERSA
Last Modified: 04/18/2017
Material Name: diesel

Tank Number: GEN-800KW
Tank Id: 267490

Equipment Records:

J01 - Dispenser - Pressurized Dispenser
E02 - Piping Secondary Containment - Vault (with Access)
B00 - Tank External Protection - None
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None

Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 05/01/2016
Capacity Gallons: 75
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: JAAVERSA
Last Modified: 04/18/2017
Material Name: diesel

Affiliation Records:

Site Id: 22372
Affiliation Type: Mail Contact
Company Name: RXR PROPERTY MANAGEMENT LLC
Contact Type: Not reported
Contact Name: MITCHELL GRANT
Address1: 601 WEST 26TH ST
Address2: SUITE M265
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 928-3880
EMail: MGRANT@RXRREALTY.COM
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2016-12-12

Site Id: 22372
Affiliation Type: Facility Operator

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Company Name:	STARRETT-LEHIGH BLDG
Contact Type:	Not reported
Contact Name:	NICK ZOUEZOS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 924-3880
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DMPOKRZY
Date Last Modified:	2016-12-12

Site Id:	22372
Affiliation Type:	Emergency Contact
Company Name:	RXR SL OWNER LLC
Contact Type:	Not reported
Contact Name:	MITCHELL GRANT
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(212) 924-3880
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DMPOKRZY
Date Last Modified:	2016-12-12

Site Id:	22372
Affiliation Type:	Facility Owner
Company Name:	RXR SL OWNER LLC
Contact Type:	OPERATIONS MANAGER
Contact Name:	R&R OWNER LLC, MITCHEL GRANT
Address1:	625 RXR PLAZA
Address2:	Not reported
City:	UNIONDALE
State:	NY
Zip Code:	11556
Country Code:	001
Phone:	Not reported
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DMPOKRZY
Date Last Modified:	2016-12-12

Tank Info:

Tank Number:	001
Tank Id:	42428
Material Code:	0003
Common Name of Substance:	#6 Fuel Oil (On-Site Consumption)

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Equipment Records:
J02 - Dispenser - Suction Dispenser
C03 - Pipe Location - Aboveground/Underground Combination
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
A01 - Tank Internal Protection - Epoxy Liner
I04 - Overfill - Product Level Gauge (A/G)
K00 - Spill Prevention - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Location: 6
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - In Place
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 20000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 05/31/2005
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 002
Tank Id: 42429
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:
F00 - Pipe External Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
A01 - Tank Internal Protection - Epoxy Liner
J02 - Dispenser - Suction Dispenser
C03 - Pipe Location - Aboveground/Underground Combination
I04 - Overfill - Product Level Gauge (A/G)
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B01 - Tank External Protection - Painted/Asphalt Coating

Tank Location: 6
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - In Place
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 20000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Date Tank Closed: 05/31/2005
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 003
Tank Id: 42430
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:
F00 - Pipe External Protection - None
A01 - Tank Internal Protection - Epoxy Liner
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
C03 - Pipe Location - Aboveground/Underground Combination
J02 - Dispenser - Suction Dispenser
I04 - Overfill - Product Level Gauge (A/G)
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None

Tank Location: 6
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - In Place
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 20000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 05/31/2005
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 004
Tank Id: 42431
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:
J02 - Dispenser - Suction Dispenser
C03 - Pipe Location - Aboveground/Underground Combination
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
A01 - Tank Internal Protection - Epoxy Liner
I04 - Overfill - Product Level Gauge (A/G)
K00 - Spill Prevention - None

STARRETT-LEHIGH BLDG (Continued) **A100343950**

D01 - Pipe Type - Steel/Carbon Steel/Iron
B01 - Tank External Protection - Painted/Asphalt Coating
Tank Location: 6
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - In Place
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 20000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 05/31/2005
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 005
Tank Id: 42432
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
A01 - Tank Internal Protection - Epoxy Liner
J02 - Dispenser - Suction Dispenser
C03 - Pipe Location - Aboveground/Underground Combination
I04 - Overfill - Product Level Gauge (A/G)
K00 - Spill Prevention - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
Tank Location: 6
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - In Place
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 20000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 05/31/2005
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 006
Tank Id: 61337
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Equipment Records:
J02 - Dispenser - Suction Dispenser
C03 - Pipe Location - Aboveground/Underground Combination
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
A01 - Tank Internal Protection - Epoxy Liner
I04 - Overfill - Product Level Gauge (A/G)
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B01 - Tank External Protection - Painted/Asphalt Coating

Tank Location:	6
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - In Place
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	20000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	05/31/2005
Register:	True
Modified By:	CGFREEDM
Last Modified:	04/14/2017
Material Name:	#6 fuel oil (on-site consumption)

Tank Number:	007-WIT1
Tank Id:	242227
Material Code:	0008
Common Name of Substance:	Diesel

Equipment Records:
H99 - Tank Leak Detection - Other
J02 - Dispenser - Suction Dispenser
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
E00 - Piping Secondary Containment - None
G01 - Tank Secondary Containment - Diking (Aboveground)
C01 - Pipe Location - Aboveground
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - In Place
Pipe Model:	Not reported
Install Date:	04/01/2000
Capacity Gallons:	10000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: diesel

Tank Number: 008
Tank Id: 242228
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
J01 - Dispenser - Pressurized Dispenser
B00 - Tank External Protection - None
E02 - Piping Secondary Containment - Vault (with Access)
H00 - Tank Leak Detection - None
G02 - Tank Secondary Containment - Vault (w/access)
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
F01 - Pipe External Protection - Painted/Asphalt Coating
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 06/01/2006
Capacity Gallons: 20000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: JAAVERSA
Last Modified: 04/18/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 009
Tank Id: 242229
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
J01 - Dispenser - Pressurized Dispenser
E02 - Piping Secondary Containment - Vault (with Access)
H00 - Tank Leak Detection - None
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
G02 - Tank Secondary Containment - Vault (w/access)
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

STARRETT-LEHIGH BLDG (Continued) **A100343950**

F01 - Pipe External Protection - Painted/Asphalt Coating
Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 02/01/2000
Capacity Gallons: 20000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: JAAVERSA
Last Modified: 04/18/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 010
Tank Id: 242230
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
J01 - Dispenser - Pressurized Dispenser
E02 - Piping Secondary Containment - Vault (with Access)
B00 - Tank External Protection - None
G02 - Tank Secondary Containment - Vault (w/access)
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 05/01/2000
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 011
Tank Id: 242231
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Equipment Records:
B00 - Tank External Protection - None
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
J03 - Dispenser - Gravity
C01 - Pipe Location - Aboveground
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I01 - Overfill - Float Vent Valve
A00 - Tank Internal Protection - None

Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 05/01/2000
Capacity Gallons: 250
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 012
Tank Id: 242232
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:
B00 - Tank External Protection - None
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
J03 - Dispenser - Gravity
C01 - Pipe Location - Aboveground
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I01 - Overfill - Float Vent Valve
K00 - Spill Prevention - None

Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 05/01/2000
Capacity Gallons: 250
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Date Tank Closed: Not reported
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 013
Tank Id: 242233
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
E02 - Piping Secondary Containment - Vault (with Access)
B00 - Tank External Protection - None
K01 - Spill Prevention - Catch Basin
G02 - Tank Secondary Containment - Vault (w/access)
I04 - Overfill - Product Level Gauge (A/G)
J00 - Dispenser - None
C01 - Pipe Location - Aboveground
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - In Place
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 250
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 05/31/2000
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 014
Tank Id: 242234
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
E02 - Piping Secondary Containment - Vault (with Access)
K01 - Spill Prevention - Catch Basin
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
G02 - Tank Secondary Containment - Vault (w/access)
I04 - Overfill - Product Level Gauge (A/G)
J00 - Dispenser - None
C01 - Pipe Location - Aboveground
F01 - Pipe External Protection - Painted/Asphalt Coating

STARRETT-LEHIGH BLDG (Continued) **A100343950**

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - In Place
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	250
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	05/31/2000
Register:	True
Modified By:	CGFREEDM
Last Modified:	04/14/2017
Material Name:	#6 fuel oil (on-site consumption)

Tank Number:	015
Tank Id:	242235
Material Code:	0008
Common Name of Substance:	Diesel

Equipment Records:

B00 - Tank External Protection - None
E02 - Piping Secondary Containment - Vault (with Access)
J02 - Dispenser - Suction Dispenser
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
D00 - Pipe Type - No Piping
G02 - Tank Secondary Containment - Vault (w/access)
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
K00 - Spill Prevention - None

Tank Location:	2
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	04/01/2011
Capacity Gallons:	3000
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	10/12/2016
Register:	True
Modified By:	JAAVERSA
Last Modified:	04/18/2017
Material Name:	diesel

Tank Number:	016
Tank Id:	242236
Material Code:	9999
Common Name of Substance:	Other

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Equipment Records:
J02 - Dispenser - Suction Dispenser
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I00 - Overfill - None
E00 - Piping Secondary Containment - None
L00 - Piping Leak Detection - None
G02 - Tank Secondary Containment - Vault (w/access)
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Location:	2
Tank Type:	Stainless Steel Alloy
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	03/01/1999
Capacity Gallons:	250
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	CGFREEDM
Last Modified:	04/14/2017
Material Name:	other

Tank Number:	017
Tank Id:	242237
Material Code:	9999
Common Name of Substance:	Other

Equipment Records:
E02 - Piping Secondary Containment - Vault (with Access)
G03 - Tank Secondary Containment - Vault (w/o access)
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
J00 - Dispenser - None
C01 - Pipe Location - Aboveground
K00 - Spill Prevention - None
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - In Place
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	250
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	12/31/2005
Register:	True

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: other

Tank Number: 019
Tank Id: 242238
Material Code: 9999
Common Name of Substance: Other

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
E02 - Piping Secondary Containment - Vault (with Access)
G03 - Tank Secondary Containment - Vault (w/o access)
D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
J00 - Dispenser - None
C01 - Pipe Location - Aboveground
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
K00 - Spill Prevention - None
B01 - Tank External Protection - Painted/Asphalt Coating
F01 - Pipe External Protection - Painted/Asphalt Coating
A00 - Tank Internal Protection - None

Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - In Place
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 250
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 12/31/2005
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: other

Tank Number: 020-L3C1
Tank Id: 242239
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

D03 - Pipe Type - Stainless Steel Alloy
J02 - Dispenser - Suction Dispenser
F00 - Pipe External Protection - None
H02 - Tank Leak Detection - Interstitial - Manual Monitoring
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
E00 - Piping Secondary Containment - None
G06 - Tank Secondary Containment - Remote Impounding Area
I02 - Overfill - High Level Alarm
L00 - Piping Leak Detection - None
K00 - Spill Prevention - None

STARRETT-LEHIGH BLDG (Continued) **A100343950**

A00 - Tank Internal Protection - None
Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 01/01/2000
Capacity Gallons: 10000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 10/12/2016
Register: True
Modified By: DMPOKRZY
Last Modified: 04/14/2017
Material Name: diesel

Tank Number: 021-V001
Tank Id: 242240
Material Code: 0022
Common Name of Substance: Waste Oil/Used Oil

Equipment Records:

D03 - Pipe Type - Stainless Steel Alloy
J01 - Dispenser - Pressurized Dispenser
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I02 - Overfill - High Level Alarm
E00 - Piping Secondary Containment - None
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
L00 - Piping Leak Detection - None
K00 - Spill Prevention - None
B01 - Tank External Protection - Painted/Asphalt Coating
G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
A00 - Tank Internal Protection - None
Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 01/01/2000
Capacity Gallons: 275
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 08/24/2016
Register: True
Modified By: DMPOKRZY
Last Modified: 04/14/2017
Material Name: motor oil

Tank Number: 022-FBI001
Tank Id: 242241
Material Code: 0022
Common Name of Substance: Waste Oil/Used Oil

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Equipment Records:

J02 - Dispenser - Suction Dispenser
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
E12 - Piping Secondary Containment - Double-Walled (AG only)
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
C01 - Pipe Location - Aboveground
I01 - Overfill - Float Vent Valve
B01 - Tank External Protection - Painted/Asphalt Coating
G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
A00 - Tank Internal Protection - None

Tank Location:	2
Tank Type:	Steel Tank in Concrete
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	01/01/1996
Capacity Gallons:	1000
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	08/24/2016
Register:	True
Modified By:	DMPOKRZY
Last Modified:	04/14/2017
Material Name:	waste oil/used oil

Tank Number:	023-FBI002
Tank Id:	242242
Material Code:	0013
Common Name of Substance:	Lube Oil

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
G00 - Tank Secondary Containment - None
F00 - Pipe External Protection - None
D02 - Pipe Type - Galvanized Steel
E00 - Piping Secondary Containment - None
I04 - Overfill - Product Level Gauge (A/G)
J00 - Dispenser - None
C01 - Pipe Location - Aboveground
K00 - Spill Prevention - None
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
B03 - Tank External Protection - Original Impressed Current

Tank Location:	2
Tank Type:	Galvanized Steel Alloy
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	01/01/1996
Capacity Gallons:	500
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Date Tank Closed:	08/24/2016
Register:	True
Modified By:	JAAVERSA
Last Modified:	04/18/2017
Material Name:	lube oil
Tank Number:	1
Tank Id:	229532
Material Code:	0008
Common Name of Substance:	Diesel

Equipment Records:

E00 - Piping Secondary Containment - None
G06 - Tank Secondary Containment - Remote Impounding Area
I02 - Overfill - High Level Alarm
L00 - Piping Leak Detection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
H02 - Tank Leak Detection - Interstitial - Manual Monitoring
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None
D03 - Pipe Type - Stainless Steel Alloy

Tank Location:	2
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Tank Converted to Non-Regulated Use
Pipe Model:	Not reported
Install Date:	01/01/2000
Capacity Gallons:	10000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	CGFREEDM
Last Modified:	04/14/2017
Material Name:	diesel
Tank Number:	GEN-1500KW
Tank Id:	267489

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
J02 - Dispenser - Suction Dispenser
E02 - Piping Secondary Containment - Vault (with Access)
B00 - Tank External Protection - None
D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None

Tank Location:	2

STARRETT-LEHIGH BLDG (Continued) **A100343950**

Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	04/01/2013
Capacity Gallons:	275
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	JAAVERSA
Last Modified:	04/18/2017
Material Name:	diesel
Tank Number:	GEN-800KW
Tank Id:	267490

Equipment Records:

J01 - Dispenser - Pressurized Dispenser
E02 - Piping Secondary Containment - Vault (with Access)
B00 - Tank External Protection - None
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None

Tank Location:	2
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	05/01/2016
Capacity Gallons:	75
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	JAAVERSA
Last Modified:	04/18/2017
Material Name:	diesel

AR328 **CON EDISON - VAULT 1535** **RCRA-LQG** **1010327596**
WSW **26 ST 601** **NYP004147450**
1/8-1/4 **NEW YORK, NY 10001**
0.159 mi.
842 ft. **Site 8 of 12 in cluster AR**

Relative:
Lower

Actual:
6 ft.

RCRA-LQG:

Date form received by agency:	02/21/2008
Facility name:	CON EDISON - VAULT 1535
Facility address:	26 ST 601 NEW YORK, NY 10001
EPA ID:	NYP004147450
Mailing address:	4 IRVING PLACE

CON EDISON - VAULT 1535 (Continued) **1010327596**

NEW YORK, NY 10003
Contact: FRANKLIN MURRAY
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: 212-460-2808
Contact email: MURRAYFR@CONED.COM
EPA Region: 02
Classification: Large Quantity Generator
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:
Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: 4 IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 12/04/2006
Owner/Op end date: Not reported

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: 4 IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 12/04/2006
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No

CON EDISON - VAULT 1535 (Continued) **1010327596**

On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

. Waste code: B007
. Waste name: B007

Historical Generators:
Date form received by agency: 04/11/2007
Site name: CON EDISON
Classification: Not a generator, verified

Date form received by agency: 04/10/2007
Site name: CON EDISON
Classification: Not a generator, verified

Date form received by agency: 04/09/2007
Site name: CON EDISON
Classification: Unverified

Violation Status: No violations found

---

329 SW 1/8-1/4 0.162 mi. 858 ft.

NYCT-PARKING LOT
220 11TH AVENUE
NEW YORK, NY 10001

RCRA-SQG 1007208706
NY CBS NYR000122630
NJ MANIFEST
NY MANIFEST

Relative: Lower

Actual: 7 ft.

RCRA-SQG:
Date form received by agency: 01/01/2007
Facility name: NYCT-PARKING LOT
Facility address: 220 11TH AVENUE
NEW YORK, NY 10001
EPA ID: NYR000122630
Mailing address: 2 BROADWAY
27TH FLOOR
NEW YORK, NY 10004
Contact: JOSEPHINE F BROWN
Contact address: Not reported
Not reported
Contact country: US
Contact telephone: 646-252-5777
Contact email: JOBROWN4@NYCT.COM
EPA Region: 02
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of

NYCT-PARKING LOT (Continued) **1007208706**

hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: 220 11TH LLC C/O MONIAN GROUP
Owner/operator address: UNKNOWN
UNKNOWN, NY 99999
Owner/operator country: US
Owner/operator telephone: 212-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 03/19/2002
Owner/Op end date: Not reported

Owner/operator name: NO NAME FOUND
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: State
Owner/Operator Type: Operator
Owner/Op start date: 06/01/1953
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/31/2006
Site name: NYCT-PARKING LOT
Classification: Large Quantity Generator

. Waste code: D008
. Waste name: LEAD

Date form received by agency: 01/30/2006
Site name: NYCT-PARKING LOT

NYCT-PARKING LOT (Continued) **1007208706**

Classification: Small Quantity Generator

Date form received by agency: 02/19/2004
Site name: NYCT - #7 SUBWAY LINE EXTENSION
Classification: Small Quantity Generator

. Waste code: D008
. Waste name: LEAD

. Waste code: D018
. Waste name: BENZENE

. Waste code: D039
. Waste name: TETRACHLOROETHYLENE

Violation Status: No violations found

CBS:
CBS Number: 2-000501
Program Type: CBS
Facility Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: 583911.77316
UTMY: 4511499.26790

NJ MANIFEST:
EPA Id: NYR000122630
Mail Address: 2 BROADWAY
Mail City/State/Zip: NEW YORK 10004
Facility Phone: 6462524793
Emergency Phone: Not reported
Contact: PAUL KOHATS
Comments: Not reported
SIC Code: Not reported
County: 00
Municipal: 00
Previous EPA Id: Not reported
Gen Flag: X
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: NJA3178483
EPA ID: NYR000122630
Date Shipped: 02/20/2004
TSDF EPA ID: NJD002200046
Transporter EPA ID: PAD146714878
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported

NYCT-PARKING LOT (Continued) **1007208706**

Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	02/20/2004
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	02/20/2004
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	03230425
Was Load Rejected:	NEW YORK 10004
Reason Load Was Rejected:	Not reported

NY MANIFEST:

Country:	USA
EPA ID:	NYR000122630
Facility Status:	Not reported
Location Address 1:	220 11TH AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000122630
Mailing Name:	NYCTA
Mailing Contact:	N/S
Mailing Address 1:	2 BROADWAY
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10004
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	6462524793

NYCT-PARKING LOT (Continued) **1007208706**

NY MANIFEST:

Document ID:	NJA3178483
Manifest Status:	Not reported
seq:	Not reported
Year:	2004
Trans1 State ID:	57110
Trans2 State ID:	Not reported
Generator Ship Date:	02/20/2004
Trans1 Recv Date:	02/20/2004
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/20/2004
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000122630
Trans1 EPA ID:	PAD146714878
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00900
Units:	P - Pounds
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AS330 **CON EDISON** **NJ MANIFEST** **S120668689**
NW **657 W 30TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.167 mi.
881 ft. **Site 1 of 3 in cluster AS**

Relative: NJ MANIFEST:
Higher

EPA Id:	NYP004747630
Mail Address:	IRVING PL, 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003

Actual:
13 ft.

CON EDISON (Continued) **S120668689**

Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	002611307GBF
EPA ID:	NYP004747630
Date Shipped:	3/10/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

AS331 **CON EDISON** **RCRA NonGen / NLR** **1018279907**
NW **657 W 30 ST** **FINDS** **NYP004747630**
1/8-1/4 **NEW YORK, NY 10001** **ECHO**
0.167 mi.
881 ft. **Site 2 of 3 in cluster AS**

Relative:
Higher

Actual:
13 ft.

RCRA NonGen / NLR:

Date form received by agency:	02/05/2016
Facility name:	CON EDISON
Site name:	CON EDISON - MANHOLE 47059
Facility address:	657 W 30 ST NEW YORK, NY 10001
EPA ID:	NYP004747630
Mailing address:	IRVING PLACE, 15TH FL NE NEW YORK, NY 10003
Contact:	THERESA BURKARD
Contact address:	IRVING PLACE, 15TH FL NE NEW YORK, NY 10003
Contact country:	US
Contact telephone:	212-460-2262
Contact email:	BURKARDT@CONED.COM
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PLACE NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	03/10/2015
Owner/Op end date:	Not reported

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PLACE NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	03/10/2015
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No

CON EDISON (Continued) **1018279907**

Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
Date form received by agency: 03/10/2015
Site name: CON EDISON
Classification: Not a generator, verified

Date form received by agency: 03/10/2015
Site name: CON EDISON
Classification: Large Quantity Generator

Biennial Reports:

Last Biennial Reporting Year: 2017

Annual Waste Handled:
Waste code: D008
Waste name: LEAD
Amount (Lbs): 2500

Violation Status: No violations found

FINDS:

Registry ID: 110067697941

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1018279907
Registry ID: 110067697941
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110067697941

AS332 **CON EDISON** **NY MANIFEST** **S117741527**
NW **657 W 30TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.167 mi.
881 ft. **Site 3 of 3 in cluster AS**

Relative:
Higher

Actual:
13 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004747630
Facility Status:	Not reported
Location Address 1:	657 W 30 ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004747630
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	03/10/2015
Trans1 Recv Date:	03/10/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/10/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004747630
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002611307GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported

CON EDISON (Continued) **S117741527**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	2500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

AT333 **CON EDISON MANHOLE: 4610** **RCRA NonGen / NLR** **1016149024**
SSW **543 W 25TH ST** **FINDS** **NYP004276812**
1/8-1/4 **NEW YORK, NY 10001** **ECHO**
0.167 mi. **NY MANIFEST**
884 ft. **Site 1 of 14 in cluster AT**

Relative:
Lower

Actual:
10 ft.

RCRA NonGen / NLR:

Date form received by agency:	07/28/2017
Facility name:	CON EDISON MANHOLE: 4610
Facility address:	543 W 25TH ST NEW YORK, NY 10001
EPA ID:	NYP004276812
Mailing address:	IRVING PL, RM 828 NEW YORK, NY 10003
Contact:	JUAN RODRIGUEZ
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	347-865-5931
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No

CON EDISON MANHOLE: 4610 (Continued) **1016149024**

On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	11/02/2012
Site name:	CON EDISON MANHOLE: 4610
Classification:	Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110055462459

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016149024
Registry ID:	110055462459
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055462459

NY MANIFEST:

Country:	USA
EPA ID:	NYP004276812
Facility Status:	Not reported
Location Address 1:	543 W 25TH ST
Code:	BP
Location Address 2:	MH 4610
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004276812
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported

CON EDISON MANHOLE: 4610 (Continued) **1016149024**

Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

AT334 **CON EDISON MANHOLE: 4610** **NJ MANIFEST** **S117986947**
SSW **543 W 25TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.167 mi.
884 ft. **Site 2 of 14 in cluster AT**

Relative: **Lower**
Actual: **10 ft.**

NJ MANIFEST:

EPA Id:	NYP004276812
Mail Address:	IRVING PL, RM 828
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	JUAN RODRIGUEZ
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	010457162JJK
EPA ID:	NYP004276812
Date Shipped:	11/2/2012
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported

CON EDISON MANHOLE: 4610 (Continued) **S117986947**

TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	2,000.00 Pounds

AO335 **CON EDISON** **NY MANIFEST** **S117313909**
South **462 W 26 ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.169 mi.
891 ft. **Site 2 of 8 in cluster AO**

Relative:
Higher

Actual:
13 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004609004
Facility Status:	Not reported
Location Address 1:	462 W 26 ST
Code:	BP
Location Address 2:	SB4829
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004609004
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL
Mailing Address 2:	15TH FL
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

CON EDISON (Continued) **S117313909**

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	07/28/2014
Trans1 Recv Date:	07/28/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/29/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004609004
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002608593GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AP336 **511 WEST 25TH STREET OWNER LP.** **NY AST** **U004077386**
South **511 W 25TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.170 mi.
898 ft. **Site 4 of 8 in cluster AP**

Relative:
Lower

Actual:
12 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-290556
Program Type:	PBS
UTM X:	584162.91495
UTM Y:	4511395.32543
Expiration Date:	06/03/2019
Site Type:	Other

Affiliation Records:

Site Id:	13135
Affiliation Type:	Mail Contact
Company Name:	L+L HOLDING COMPANY
Contact Type:	Not reported
Contact Name:	ALLISON TESTONE
Address1:	511 WEST 25TH STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 255-3614
EMail:	ALLISON.TESTONE@LL-HOLDING.COM
Fax Number:	Not reported
Modified By:	MFLEONAR
Date Last Modified:	2017-06-12

Site Id:	13135
Affiliation Type:	Facility Operator
Company Name:	511 WEST 25TH STREET OWNER LP.
Contact Type:	Not reported
Contact Name:	NELSON BURGOS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(212) 255-3614
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MFLEONAR
Date Last Modified:	2017-06-12

Site Id:	13135
Affiliation Type:	Emergency Contact
Company Name:	511 WEST 25TH STREET OWNER LP.
Contact Type:	Not reported
Contact Name:	NELSON BURGOS
Address1:	Not reported
Address2:	Not reported
City:	Not reported

511 WEST 25TH STREET OWNER LP. (Continued) **U004077386**

State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 255-3614
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-06-12

Site Id: 13135
Affiliation Type: Facility Owner
Company Name: 511 WEST 25TH STREET OWNER LP.
Contact Type: PROPERTY MANAGER
Contact Name: 511 WEST 25TH STREET OWNERS LP
Address1: 511 WEST 25TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 255-3614
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-06-12

Tank Info:

Tank Number: 001
Tank Id: 18987
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
J00 - Dispenser - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None

Tank Location: 6
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/1925
Capacity Gallons: 3000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported

511 WEST 25TH STREET OWNER LP. (Continued) **U004077386**

Register: True
Modified By: MFLEONAR
Last Modified: 06/12/2017
Material Name: #4 fuel oil (on-site consumption)

AP337 **CON EDISON MANHOLE: 4613** **RCRA NonGen / NLR** **1016149025**
South **511 W 25TH ST** **FINDS** **NYP004276820**
1/8-1/4 **NEW YORK, NY 10001** **ECHO**
0.170 mi. **NY MANIFEST**
898 ft. **Site 5 of 8 in cluster AP**

Relative: **Lower**
Actual: **12 ft.**

RCRA NonGen / NLR:
Date form received by agency: 07/28/2017
Facility name: CON EDISON MANHOLE: 4613
Facility address: 511 W 25TH ST
NEW YORK, NY 10001
EPA ID: NYP004276820
Mailing address: IRVING PL, RM 828
NEW YORK, NY 10003
Contact: JUAN RODRIGUEZ
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: 347-865-5931
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 11/02/2012
Site name: CON EDISON MANHOLE: 4613
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110055422635

CON EDISON MANHOLE: 4613 (Continued) **1016149025**

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016149025
Registry ID:	110055422635
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055422635

NY MANIFEST:

Country:	USA
EPA ID:	NYP004276820
Facility Status:	Not reported
Location Address 1:	511 W 25TH ST
Code:	BP
Location Address 2:	MH 4613
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004276820
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2012
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	11/02/2012
Trans1 Recv Date:	11/02/2012
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	11/03/2012
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported

CON EDISON MANHOLE: 4613 (Continued) **1016149025**

Generator EPA ID:	NYP004276820
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010457163JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H111
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1500.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1.0
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AP338 **531 WEST 25TH STREET** **NY AST** **U003395468**
South **531 WEST 25TH STREET** **N/A**
1/8-1/4 **NEW YORK, NY 10013**
0.170 mi.
898 ft. **Site 6 of 8 in cluster AP**

Relative: **Lower**
Actual: **12 ft.**

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-511234
Program Type:	PBS
UTM X:	584112.55290
UTM Y:	4511421.06487
Expiration Date:	06/03/2019
Site Type:	Apartment Building/Office Building

Affiliation Records:

531 WEST 25TH STREET (Continued) **U003395468**

Site Id:	21927
Affiliation Type:	Facility Operator
Company Name:	531 WEST 25TH STREET
Contact Type:	Not reported
Contact Name:	NELSON BURGOS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 255-3613
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-05-18

Site Id:	21927
Affiliation Type:	Emergency Contact
Company Name:	511 WEST 25TH STREET OWNER LP
Contact Type:	Not reported
Contact Name:	LISA WERNER
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 578-3219
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-05-18

Site Id:	21927
Affiliation Type:	Facility Owner
Company Name:	511 WEST 25TH STREET OWNER LP
Contact Type:	OWNERS AGENT
Contact Name:	LISA WERNER
Address1:	142 WEST 57TH STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10013
Country Code:	001
Phone:	(212) 920-3393
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-05-18

Site Id:	21927
Affiliation Type:	Mail Contact
Company Name:	511 WEST 25TH STREET OWNER LP
Contact Type:	Not reported
Contact Name:	LISA WERNER
Address1:	511 WEST 25TH STREET

531 WEST 25TH STREET (Continued) **U003395468**

Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10013
Country Code:	001
Phone:	(212) 255-3613
EMail:	LISA.WERNER@LL-HOLDING.COM
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-05-18

Tank Info:

Tank Number:	001
Tank Id:	39820
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

I05 - Overfill - Vent Whistle
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
J02 - Dispenser - Suction Dispenser
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	01/01/1920
Capacity Gallons:	5000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	NTFREEMA
Last Modified:	04/14/2017
Material Name:	#2 fuel oil (on-site consumption)

AP339 **511 WEST 25TH STREET** **NY AST** **U003395467**
South **511 WEST 25TH STREET** **N/A**
1/8-1/4 **NEW YORK, NY 10013**
0.170 mi.
898 ft. **Site 7 of 8 in cluster AP**

Relative:
Lower

Actual:
12 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Inactive
Facility Id:	2-511226
Program Type:	PBS
UTM X:	584162.91495
UTM Y:	4511395.32543
Expiration Date:	N/A
Site Type:	Unknown

Affiliation Records:

Site Id:	21926
Affiliation Type:	Emergency Contact
Company Name:	WHITEHALL BUSINESS ARCHIVES
Contact Type:	Not reported
Contact Name:	MR.FUCHS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 966-4800
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	21926
Affiliation Type:	Facility Owner
Company Name:	WHITEHALL BUSINESS ARCHIVES
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	40 WORTH STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10013
Country Code:	001
Phone:	(212) 966-4800
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	21926
Affiliation Type:	Mail Contact
Company Name:	WHITEHALL BUSINESS ARCHIVES
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	40 WORTH STREET
Address2:	Not reported
City:	NEW YORK

511 WEST 25TH STREET (Continued) **U003395467**

State: NY
Zip Code: 10013
Country Code: 001
Phone: (212) 966-4800
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 21926
Affiliation Type: Facility Operator
Company Name: 511 WEST 25TH STREET
Contact Type: Not reported
Contact Name: ERNIE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 966-4800
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank Id: 39819
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction Dispenser

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NRLOMBAR

511 WEST 25TH STREET (Continued) **U003395467**

Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

AT340 **CON EDISON** **RCRA NonGen / NLR** **1018281018**
SSW **541 W 25TH ST** **FINDS** **NYP004759395**
1/8-1/4 **NEW YORK, NY 10003** **ECHO**
0.171 mi.
901 ft. **Site 3 of 14 in cluster AT**

Relative:
Lower

Actual:
11 ft.

RCRA NonGen / NLR:
Date form received by agency: 03/27/2015
Facility name: CON EDISON
Facility address: 541 W 25TH ST
NEW YORK, NY 10003
EPA ID: NYP004759395
Mailing address: IRVING PL, 15TH FL NE
NEW YORK, NY 10003
Contact: THOMAS TEELING
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: 212-460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 03/27/2015
Site name: CON EDISON
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110067686409

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource

CON EDISON (Continued) **1018281018**

Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1018281018
Registry ID:	110067686409
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110067686409

AT341 **CON EDISON** **NJ MANIFEST** **S120669726**
SSW **541 W 25TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10003**
0.171 mi.
901 ft. **Site 4 of 14 in cluster AT**

Relative: **Lower**
Actual: **11 ft.**

NJ MANIFEST:

EPA Id:	NYP004759395
Mail Address:	IRVING PL, 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	002611187GBF
EPA ID:	NYP004759395
Date Shipped:	3/27/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported

CON EDISON (Continued) **S120669726**

Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

AT342 **CON EDISON** **NY MANIFEST** **S118088382**
SSW **541 W 25TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10003**
0.171 mi.
901 ft. **Site 5 of 14 in cluster AT**

Relative: **Lower**

Actual: **11 ft.**

NY MANIFEST:

Country:	USA
EPA ID:	NYP004759395
Facility Status:	Not reported
Location Address 1:	541 W 25TH ST
Code:	BP
Location Address 2:	V 23137
Total Tanks:	Not reported
Location City:	MANHATTAN
Location State:	NY
Location Zip:	10003
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004759395
Mailing Name:	CON EDISON
Mailing Contact:	DENNIS HUACON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

CON EDISON (Continued) **S118088382**

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJD003812047
Trans2 State ID:	NJD003812047
Generator Ship Date:	03/27/2015
Trans1 Recv Date:	03/27/2015
Trans2 Recv Date:	03/31/2015
TSD Site Recv Date:	03/31/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004759395
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002611187GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

AO343 **CON EDISON SERVICE BOX: 4808** **RCRA NonGen / NLR** **1016149174**
South **W 26TH ST & 10TH AVE SB 4808** **ECHO** **NYP004278347**
1/8-1/4 **NEW YORK, NY 10001**
0.171 mi.
903 ft. **Site 3 of 8 in cluster AO**

Relative:
Higher

Actual:
14 ft.

RCRA NonGen / NLR:

Date form received by agency:	03/25/2013
Facility name:	CON EDISON SERVICE BOX: 4808
Facility address:	W 26TH ST & 10TH AVE SB 4808 NEW YORK, NY 10001
EPA ID:	NYP004278347
Contact:	JOSE MONTALVO
Contact address:	Not reported Not reported
Contact country:	US
Contact telephone:	212-427-1331
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	02/25/2013
Site name:	CON EDISON SERVICE BOX: 4808
Classification:	Conditionally Exempt Small Quantity Generator
Violation Status:	No violations found

ECHO:

Envid:	1016149174
Registry ID:	110063898992
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110063898992

AO344 **CON EDISON** **NY MANIFEST** **S119073453**
South **W 26TH ST & 10TH AVE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.171 mi.
903 ft. **Site 4 of 8 in cluster AO**

Relative:
Higher

Actual:
14 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004276200
Facility Status:	Not reported
Location Address 1:	F/O 505 W 26TH ST & 10TH AVE
Code:	BP
Location Address 2:	SERV BOX 4811
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004276200
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	02/25/2013
Trans1 Recv Date:	02/25/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/26/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004276200
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010708012JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported

CON EDISON (Continued) **S119073453**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AO345 **CON EDISON SERVICE BOX: 4816** **RCRA NonGen / NLR** **1016149005**
South **W 26TH ST & 10TH AVE SB 4816** **FINDS** **NYP004276622**
1/8-1/4 **NEW YORK, NY 10001** **ECHO**
0.171 mi. **NY MANIFEST**
903 ft. **Site 5 of 8 in cluster AO**

Relative: **Higher**

Actual: **14 ft.**

RCRA NonGen / NLR:

Date form received by agency:	03/25/2013
Facility name:	CON EDISON SERVICE BOX: 4816
Facility address:	W 26TH ST & 10TH AVE SB 4816 NEW YORK, NY 10001
EPA ID:	NYP004276622
Contact:	JOSE MONTALVO
Contact address:	Not reported Not reported
Contact country:	US
Contact telephone:	212-427-1331
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No

CON EDISON SERVICE BOX: 4816 (Continued) **1016149005**

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 02/25/2013
Site name: CON EDISON SERVICE BOX: 4816
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110063898992

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Registry ID: 110055422500

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1016149005
Registry ID: 110055422500
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110055422500

NY MANIFEST:
Country: USA
EPA ID: NYP004276622
Facility Status: Not reported
Location Address 1: F/O 508 W 26TH ST E/O 11TH AVE
Code: BP
Location Address 2: SERV BOX 4816
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY

CON EDISON SERVICE BOX: 4816 (Continued) **1016149005**

Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004276622
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2013
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 02/25/2013
Trans1 Recv Date: 02/25/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/26/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004276622
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010708014JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.

CON EDISON SERVICE BOX: 4816 (Continued) **1016149005**

Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

Country:	USA
EPA ID:	NYP004278347
Facility Status:	Not reported
Location Address 1:	FO 531-25 W 26TH ST & 11TH AVE
Code:	BP
Location Address 2:	SERV BOX 4808
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004278347
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	02/26/2013
Trans1 Recv Date:	02/26/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/26/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004278347
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010708030JJK
Import Indicator:	N

CON EDISON SERVICE BOX: 4816 (Continued) **1016149005**

Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	250
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AO346 **CON EDISON SERVICE BOX: 4811** **RCRA NonGen / NLR** **1016148964**
South **505 W 26TH ST & 10TH AVE SB 4811** **FINDS** **NYP004276200**
1/8-1/4 **NEW YORK, NY 10001** **ECHO**
0.171 mi.
903 ft. **Site 6 of 8 in cluster AO**

Relative: **Higher**

Actual: **14 ft.**

RCRA NonGen / NLR:

Date form received by agency:	03/24/2013
Facility name:	CON EDISON SERVICE BOX: 4811
Facility address:	505 W 26TH ST & 10TH AVE SB 4811 FRONT OF NEW YORK, NY 10001
EPA ID:	NYP004276200
Contact:	JOSE MONTALVO
Contact address:	Not reported Not reported
Contact country:	US
Contact telephone:	212-427-1331
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

CON EDISON SERVICE BOX: 4811 (Continued) **1016148964**

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	02/24/2013
Site name:	CON EDISON SERVICE BOX: 4811
Classification:	Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110055460344

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016148964
Registry ID:	110055460344
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055460344

AO347 **DEL. SPILL /W.28ST.&10AV** **NY LTANKS** **S102671130**
South **W. 26TH ST & 10TH AVE** **N/A**
1/8-1/4 **NEW YORK CITY, NY**
0.171 mi.
903 ft. **Site 7 of 8 in cluster AO**

Relative:
Higher

Actual:
14 ft.

LTANKS:

Facility ID:	8605584
Site ID:	295262
Closed Date:	1986-12-04
Spill Number:	8605584
Spill Date:	1986-12-04
Spill Cause:	Tank Overfill

DEL. SPILL /W.28ST.&10AV (Continued) **S102671130**

Spill Source:	Commercial/Industrial
Spill Class:	Not reported
Cleanup Ceased:	1986-12-04
SWIS:	3101
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	1986-12-04
CID:	Not reported
Water Affected:	NONE
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1986-12-06
Spill Record Last Update:	2002-03-26
Spiller Name:	Not reported
Spiller Company:	ONDPR TRUCKING
Spiller Address:	702 OAK ST.
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	238927
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was "
Remarks:	"NYCFD CONTAINED SPILL WITH SORBENT PADS. UNKNOWN NOTIFIER."

All Materials:

Site ID:	295262
Operable Unit ID:	902966
Operable Unit:	01
Material ID:	474759
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	400.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

AO348 **CON EDISON VAULT: 4967** **RCRA NonGen / NLR** **1016968200**
South **W 26TH ST & 10 AVE** **NY MANIFEST** **NYP004418109**
1/8-1/4 **NEW YORK, NY 10001**
0.171 mi.
903 ft. **Site 8 of 8 in cluster AO**

Relative:
Higher

Actual:
14 ft.

RCRA NonGen / NLR:

Date form received by agency:	02/14/2014
Facility name:	CON EDISON VAULT: 4967
Facility address:	W 26TH ST & 10 AVE NEW YORK, NY 10001
EPA ID:	NYP004418109
Mailing address:	IRVING PL, 15TH FL NE NEW YORK, NY 10003

CON EDISON VAULT: 4967 (Continued) **1016968200**

Contact: THOMAS TEELING
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: 212-460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/14/2014
Site name: CON EDISON VAULT: 4967
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004418109
Facility Status: Not reported
Location Address 1: W 26 ST N 21 W 10TH AVE
Code: BP
Location Address 2: SB4967
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004418109
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PLACE
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported

CON EDISON VAULT: 4967 (Continued) **1016968200**

Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2014
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 01/14/2014
Trans1 Recv Date: 01/14/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/15/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004418109
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002328598GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AT349 **CON EDISON - SERVICE BOX 10666** **RCRA-LQG** **1016148606**
SW **204 W 55TH STREET** **NY MANIFEST** **NYP004271854**
1/8-1/4 **NEW YORK, NY 10019**
0.172 mi.
907 ft. **Site 6 of 14 in cluster AT**

Relative:
Lower

Actual:
9 ft.

RCRA-LQG:

Date form received by agency:	03/27/2014
Facility name:	CON EDISON - SERVICE BOX 10666
Facility address:	204 W 55TH STREET NEW YORK, NY 10019
EPA ID:	NYP004271854
Mailing address:	IRVING PLACE, 15TH FL NE NEW YORK, NY 10003
Contact:	DENNIS HUACON
Contact address:	IRVING PLACE, 15TH FL NE NEW YORK, NY 10003
Contact country:	US
Contact telephone:	212-460-2757
Contact email:	HUACOND@CONED.COM
EPA Region:	02
Classification:	Large Quantity Generator
Description:	Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PLACE NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	02/22/2013
Owner/Op end date:	Not reported

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PLACE NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator

CON EDISON - SERVICE BOX 10666 (Continued) **1016148606**

Owner/Op start date: 02/22/2013
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
Date form received by agency: 03/22/2013
Site name: CON EDISON SERVICE BOX: 4609
Classification: Not a generator, verified

Date form received by agency: 02/22/2013
Site name: CON EDISON SERVICE BOX: 4609
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004271854
Facility Status: Not reported
Location Address 1: 551 W 25 ST
Code: BP
Location Address 2: SERVICE BOX # 4609
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10014
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004271854
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported

CON EDISON - SERVICE BOX 10666 (Continued) **1016148606**

Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	02/22/2013
Trans1 Recv Date:	02/22/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/22/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004271854
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010840425JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	2500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AT350 **CON EDISON - VAULT 1673** **NY MANIFEST** **S120957805**
SSW **525 W 25TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.173 mi.
911 ft. **Site 7 of 14 in cluster AT**

Relative:
Lower

Actual:
11 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004864399
Facility Status:	Not reported
Location Address 1:	525 W 25TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004864399
Mailing Name:	CON EDISON - VAULT 1673
Mailing Contact:	THERESA BURKARD
Mailing Address 1:	4 IRVING PL 15TH FL NE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602262

AU351 **BROADVIEW NETWORKS, INC** **NY AST** **A100429496**
WSW **601 WEST 26 ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.174 mi.
918 ft. **Site 1 of 19 in cluster AU**

Relative:
Lower

Actual:
7 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-612648
Program Type:	PBS
UTM X:	583773.97795
UTM Y:	4511671.43917
Expiration Date:	11/14/2021
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	537361
Affiliation Type:	Facility Owner
Company Name:	RXR SL OWNER LLC
Contact Type:	NETWORK OPERATIONS MANAGER
Contact Name:	MICHAEL SAUTNER
Address1:	625 RXR PLAZA
Address2:	Not reported
City:	UNIONDALE
State:	NY
Zip Code:	11556

BROADVIEW NETWORKS, INC (Continued) **A100429496**

Country Code:	001
Phone:	(212) 924-3880
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DMPOKRZY
Date Last Modified:	2016-12-12

Site Id:	537361
Affiliation Type:	Mail Contact
Company Name:	BROADVIEW NETWORKS, INC
Contact Type:	Not reported
Contact Name:	MICHAEL SAUTNER
Address1:	601 WEST 26 ST
Address2:	SUITE 420
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(646) 839-0543
EMail:	MSAUTNER@BROADVIEWNET.COM
Fax Number:	Not reported
Modified By:	MRBARROW
Date Last Modified:	2016-12-09

Site Id:	537361
Affiliation Type:	Facility Operator
Company Name:	BROADVIEW NETWORKS, INC
Contact Type:	Not reported
Contact Name:	NICK ZOUVELOS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(646) 839-0543
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MRBARROW
Date Last Modified:	2016-12-09

Site Id:	537361
Affiliation Type:	Emergency Contact
Company Name:	RXR SL OWNER LLC
Contact Type:	Not reported
Contact Name:	MICHAEL SAUTNER
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(646) 839-0543
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MRBARROW
Date Last Modified:	2016-12-09

BROADVIEW NETWORKS, INC (Continued) **A100429496**

Tank Info:

Tank Number:	001
Tank Id:	266103

Equipment Records:

D00 - Pipe Type - No Piping
E00 - Piping Secondary Containment - None
B00 - Tank External Protection - None
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
K00 - Spill Prevention - None
J02 - Dispenser - Suction Dispenser
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location:	2
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	04/01/2011
Capacity Gallons:	3000
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	DMPOKRZY
Last Modified:	04/14/2017
Material Name:	diesel

Tank Number:	002
Tank Id:	266104

Equipment Records:

K00 - Spill Prevention - None
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
E00 - Piping Secondary Containment - None
I02 - Overfill - High Level Alarm
D00 - Pipe Type - No Piping
C01 - Pipe Location - Aboveground
B00 - Tank External Protection - None
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
J02 - Dispenser - Suction Dispenser

Tank Location:	2
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	02/01/2012
Capacity Gallons:	275
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported

BROADVIEW NETWORKS, INC (Continued) **A100429496**

Register:	True
Modified By:	DMPOKRZY
Last Modified:	04/14/2017
Material Name:	diesel
Tank Number:	003
Tank Id:	266106

Equipment Records:

E00 - Piping Secondary Containment - None
I02 - Overfill - High Level Alarm
C01 - Pipe Location - Aboveground
D00 - Pipe Type - No Piping
J02 - Dispenser - Suction Dispenser
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
K00 - Spill Prevention - None

Tank Location:	2
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	02/01/2012
Capacity Gallons:	75
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	DMPOKRZY
Last Modified:	04/14/2017
Material Name:	diesel

AU352 **CONSOLIDATED EDISON** **NY MANIFEST** **S119072869**
WSW **601 W 26 ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.174 mi.
918 ft. **Site 2 of 19 in cluster AU**

Relative:
Lower

Actual:
7 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004147450
Facility Status:	Not reported
Location Address 1:	26 ST 601
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004147450
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	WOO DONG KIM

CONSOLIDATED EDISON (Continued) **S119072869**

Mailing Address 1:	4 IRVING PL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	7182044090

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2007
Trans1 State ID:	NYD006982359
Trans2 State ID:	Not reported
Generator Ship Date:	01/11/2007
Trans1 Recv Date:	01/11/2007
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/12/2007
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004147450
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD077444263
TSDF ID 2:	Not reported
Manifest Tracking Number:	001436456FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1400
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	7
Container Type:	DM - Metal drums, barrels
Handling Method:	L Landfill.
Specific Gravity:	1
Waste Code:	B007
Waste Code 1_2:	D008
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

CONSOLIDATED EDISON (Continued) **S119072869**

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

---

353 **RED BALL INTERIOR DEMOLITION** **NY SWF/LF** **S108146083**
NW **625 WEST 29 STREET** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.175 mi.
925 ft.

Relative: **Lower**
Actual: **12 ft.**

SWF/LF:

Flag:	INACTIVE
Region Code:	2
Phone Number:	2125942931
Owner Name:	Not reported
Owner Type:	Not reported
Owner Address:	Not reported
Owner Addr2:	Not reported
Owner City,St,Zip:	Not reported
Owner Email:	Not reported
Owner Phone:	Not reported
Contact Name:	DANIEL PALMADESSA; PRESIDENT
Contact Address:	Not reported
Contact Addr2:	Not reported
Contact City,St,Zip:	Not reported
Contact Email:	Not reported
Contact Phone:	Not reported
Activity Desc:	Transfer station - permit
Activity Number:	[31T08]
Active:	No
East Coordinate:	584200
North Coordinate:	4512900
Accuracy Code:	Not reported
Regulatory Status:	Permit
Waste Type:	Not reported
Authorization #:	2-6205-00003
Authorization Date:	Not reported
Expiration Date:	12/31/1999
Operator Name:	Not reported
Operator Type:	Not reported
Laste Date:	Not reported

AT354 **ASI SIGN SYTEMS** **RCRA NonGen / NLR** **1000890045**
SSW **555 W 25TH ST - 4TH FLOOR** **FINDS** **NY0000232215**
1/8-1/4 **NEW YORK, NY 10001** **ECHO**
0.175 mi. **NY MANIFEST**
925 ft. **Site 8 of 14 in cluster AT**

Relative: **Lower**
Actual: **10 ft.**

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	ASI SIGN SYTEMS
Facility address:	555 W 25TH ST - 4TH FLOOR NEW YORK, NY 10001
EPA ID:	NY0000232215
Mailing address:	W 25TH ST - 4TH FLOOR NEW YORK, NY 10001

ASI SIGN SYTEMS (Continued) **1000890045**

Contact:	CHARLES TAYLOR
Contact address:	W 25TH ST - 4TH FLOOR NEW YORK, NY 10001
Contact country:	US
Contact telephone:	718-675-8686
Contact email:	Not reported
EPA Region:	02
Land type:	Facility is not located on Indian land. Additional information is not known.
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	ASI SIGN SYSTEMS
Owner/operator address:	555 W 25TH ST NEW YORK, NY 10001
Owner/operator country:	US
Owner/operator telephone:	214-352-9140
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	ASI SIGN SYSTEMS
Owner/operator address:	555 W 25TH ST NEW YORK, NY 10001
Owner/operator country:	US
Owner/operator telephone:	214-352-9140
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

ASI SIGN SYTEMS (Continued) **1000890045**

Historical Generators:
Date form received by agency: 01/01/2006
Site name: ASI SIGN SYTEMS
Classification: Not a generator, verified

Date form received by agency: 04/19/1994
Site name: ASI SIGN SYTEMS
Classification: Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 09/27/2002
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

FINDS:

Registry ID: 110004314224

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

ASI SIGN SYTEMS (Continued) **1000890045**

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000890045
Registry ID:	110004314224
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004314224

NY MANIFEST:

Country:	USA
EPA ID:	NY0000232215
Facility Status:	Not reported
Location Address 1:	555 W 25TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NY0000232215
Mailing Name:	ASI SIGN SYSTEMS
Mailing Contact:	ROBERT MILLER
Mailing Address 1:	555 W 25TH ST
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10001
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2126758686

NY MANIFEST:

Document ID:	NJA3022052
Manifest Status:	Not reported
seq:	01
Year:	1999
Trans1 State ID:	NJDEPE086
Trans2 State ID:	H10364
Generator Ship Date:	03/11/1999
Trans1 Recv Date:	03/11/1999
Trans2 Recv Date:	03/19/1999
TSD Site Recv Date:	03/22/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0000232215
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	SCD987574647
TSDF ID 1:	NJD002182897
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported

ASI SIGN SYTEMS (Continued) **1000890045**

Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	F003 - UNKNOWN
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00383
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
28 additional NY_MANIFEST: record(s) in the EDR Site Report.

AT355 **555 WEST 25 ST** **NY AST** **A100177869**
SSW **555 WEST 25TH STREET** **N/A**
1/8-1/4 **NEW YORK, NY 10038**
0.175 mi.
925 ft. **Site 9 of 14 in cluster AT**

Relative: **Lower**
Actual: **10 ft.**

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-604055
Program Type:	PBS
UTM X:	583961.26824
UTM Y:	4511481.93488
Expiration Date:	01/29/2019
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	25941
Affiliation Type:	Facility Operator
Company Name:	555 WEST 25 ST
Contact Type:	Not reported
Contact Name:	MASSILON OLIVEIRA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(917) 519-5415
EMail:	Not reported
Fax Number:	Not reported

555 WEST 25 ST (Continued) **A100177869**

Modified By: DMPOKRZY
Date Last Modified: 2016-07-08

Site Id: 25941
Affiliation Type: Emergency Contact
Company Name: HIGH LINE REALTY ASSOCIATES, LLC
Contact Type: Not reported
Contact Name: MARK SONNINO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 209-2035
EMail: Not reported
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2016-07-08

Site Id: 25941
Affiliation Type: Facility Owner
Company Name: HIGH LINE REALTY ASSOCIATES, LLC
Contact Type: MANAGER
Contact Name: MARK SONNINO
Address1: 350 WEST BROADWAY APT 5
Address2: Not reported
City: NY
State: NY
Zip Code: 10013
Country Code: 001
Phone: (212) 209-2035
EMail: Not reported
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2016-07-08

Site Id: 25941
Affiliation Type: Mail Contact
Company Name: HIGH LINE REALTY ASSOCIATES, LLC
Contact Type: Not reported
Contact Name: MARK SONNINO
Address1: 350 WEST BROADWAY APT # 5
Address2: Not reported
City: NY
State: NY
Zip Code: 10013
Country Code: 001
Phone: (212) 209-2035
EMail: MARK.SONNINO@SATELLITE-NY.COM
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2016-07-08

Tank Info:

Tank Number: 001

555 WEST 25 ST (Continued) **A100177869**

Tank Id:	56508
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

I05 - Overfill - Vent Whistle
J02 - Dispenser - Suction Dispenser
C01 - Pipe Location - Aboveground
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	12/01/1985
Capacity Gallons:	2000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	DMPOKRZY
Last Modified:	04/14/2017
Material Name:	#2 fuel oil (on-site consumption)

AT356 **L & M METAL INDUSRIES INC** **RCRA NonGen / NLR** **1004760305**
SSW **555 W 25TH ST 1ST FLOOR** **US AIRS** **NYR000039578**
1/8-1/4 **NEW YORK, NY 10001** **NY MANIFEST**
0.175 mi.
925 ft. **Site 10 of 14 in cluster AT**

Relative:
Lower

Actual:
10 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	L & M METAL INDUSRIES INC
Facility address:	555 W 25TH ST 1ST FLOOR NEW YORK, NY 10001
EPA ID:	NYR000039578
Mailing address:	W 25TH ST 1ST FLOOR NEW YORK, NY 10001
Contact:	PETER LORENZO
Contact address:	W 25TH ST 1ST FLOOR NEW YORK, NY 10001
Contact country:	US
Contact telephone:	212-924-3400
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	PETER LORENZO
Owner/operator address:	555 W 25TH ST 1ST FLOOR

L & M METAL INDUSRIES INC (Continued) **1004760305**

NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: 212-924-3400
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: PETER LORENZO
Owner/operator address: 555 W 25TH ST 1ST FLOOR
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: 212-924-3400
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: L & M METAL INDUSRIES INC
Classification: Not a generator, verified

Date form received by agency: 05/16/1997
Site name: L & M METAL INDUSRIES INC
Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: F001
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLORETHYLENE, METHYLENE CHLORIDE,

L & M METAL INDUSRIES INC (Continued) **1004760305**

1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

US AIRS MINOR:
Envid: 1004760305
Region Code: 02
Programmatic ID: AIR NY0000002620500307
Facility Registry ID: 110004534497
D and B Number: Not reported
Primary SIC Code: 9999
NAICS Code: 999999
Default Air Classification Code: MIN
Facility Type of Ownership Code: POF
Air CMS Category Code: Not reported
HPV Status: Not reported

US AIRS MINOR:
Region Code: 02
Programmatic ID: AIR NY0000002620500307
Facility Registry ID: 110004534497
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1999-08-04 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

US AIRS MINOR:
Envid: 1004760305
Region Code: 02
Programmatic ID: AIR NY0000002620500307
Facility Registry ID: 110004534497
D and B Number: Not reported
Primary SIC Code: 9999
NAICS Code: 999999
Default Air Classification Code: MIN
Facility Type of Ownership Code: POF

L & M METAL INDUSRIES INC (Continued) **1004760305**

Air CMS Category Code: Not reported
HPV Status: Not reported

US AIRS MINOR:
Region Code: 02
Programmatic ID: AIR NY0000002620500307
Facility Registry ID: 110004534497
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1999-08-04 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

NY MANIFEST:
Country: USA
EPA ID: NYR000039578
Facility Status: Not reported
Location Address 1: 555 W 25TH ST - 1ST FLR
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000039578
Mailing Name: L&M METAL INDUSTRIES INC
Mailing Contact: PETER LORENZO
Mailing Address 1: 555 W 25TH ST - 1ST FLR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2129243400

NY MANIFEST:
Document ID: NJA2816448
Manifest Status: Not reported
seq: 01
Year: 1998
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 04/30/1998
Trans1 Recv Date: 04/30/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/05/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000039578

L & M METAL INDUSRIES INC (Continued) **1004760305**

Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002182897
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00100
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
1 additional NY_MANIFEST: record(s) in the EDR Site Report.

AV357 **BALWARK BUILDING** **NY AST** **U000402525**
SW **239 11TH AVE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.177 mi.
933 ft. **Site 1 of 3 in cluster AV**

Relative:
Lower

Actual:
6 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-287504
Program Type:	PBS
UTM X:	583916.18817
UTM Y:	4511553.89199
Expiration Date:	N/A
Site Type:	Other

Affiliation Records:

Site Id:	12871
Affiliation Type:	Facility Owner
Company Name:	BULGROUP COLORADO LLC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	224 12TH AVE
Address2:	Not reported

BALWARK BUILDING (Continued) **U000402525**

City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 695-8090
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	12871
Affiliation Type:	Mail Contact
Company Name:	BULGROUP COLORADO LLC
Contact Type:	Not reported
Contact Name:	LEE J. PARSONS
Address1:	224 12TH AVE
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 695-8090
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	12871
Affiliation Type:	Facility Operator
Company Name:	BALWARK BUILDING
Contact Type:	Not reported
Contact Name:	ALI KAHN
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 695-6277
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	12871
Affiliation Type:	Emergency Contact
Company Name:	BULGROUP COLORADO LLC
Contact Type:	Not reported
Contact Name:	ERNEST WILLIAMS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 947-1361
EMail:	Not reported

BALWARK BUILDING (Continued) **U000402525**

Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank Id:	17752
Material Code:	0000
Common Name of Substance:	Empty

Equipment Records:

J02 - Dispenser - Suction Dispenser
I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
D00 - Pipe Type - No Piping
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None

Tank Location:	6
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - In Place
Pipe Model:	Not reported
Install Date:	02/01/1992
Capacity Gallons:	7500
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	02/01/1992
Register:	True
Modified By:	TRANSLAT
Last Modified:	04/14/2017
Material Name:	empty

AT358 **SPILL NUMBER 0201897** **NY LTANKS** **S105995914**
SSW **543 - 545 WEST 25TH ST** **N/A**
1/8-1/4 **MANHATTAN, NY**
0.177 mi.
936 ft. **Site 11 of 14 in cluster AT**

Relative: LTANKS:
Lower

Actual: Facility ID:	0201897
11 ft. Site ID:	291496
Closed Date:	2003-04-11
Spill Number:	0201897
Spill Date:	2002-05-22
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	SMSANGES
Referred To:	Not reported
Reported to Dept:	2002-05-22
CID:	207

SPILL NUMBER 0201897 (Continued) **S105995914**

Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2002-05-22
Spill Record Last Update:	2003-04-11
Spiller Name:	MARK ROBBINS ENV.CONSLT
Spiller Company:	ALSO KNOWN AS:
Spiller Address:	525 WEST 25TH ST
Spiller County:	001
Spiller Contact:	JACK FUCHS - OWNER
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	236035
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SANGESLAND Question on proper address of this building. Originally called in as 525 W 25th. Later called 543-545 West 25th St. 5/22/02 - Sangesland spoke with Mark Robbins of Hydro Tech (631-462-5866) cell # 516-996-5559 Property owner Jack Fuchs - Whitehall Business Archives, Inc. 40 Worth Street, NY, NY 10013 Hydro Tech was pulling a buried 3,000 gal #2 oil tank from a parking lot. 15 ft to nearest neighbor, south end of tank is at the sidewalk line. They discovered 10 large holes in the tank. The pit has product in it. Hydro will vac out the hole and will excavate out contaminated soil to clean endpoints. If all contamination can not be excavated a remediation plan will be prepared and submitted. 7/2/2002 - Mark Robbins of Hydro Tech submitted a report which outlines the removal of a UST and the over excavation of the tank pit area. Sidewall endpoint samples were all below TAGM levels for VOC and SVOC's except for a handful of slight exceedences. No bottom soil samples were taken because of the presence of ground water. Hydro Tech recommends the installation of a monitoring well in the north side of the excavation area. The well should be monitored for the presence of separate-phase and dissolved phase product. DEC instructs Hydro Tech to install a monitoring well on the site, develop the well and sample for VOC's and SVOC's. The DEC will require 2 rounds of Clean samples taken at least 3 months apart in order to close out. 10/29/2002 - Sangesland reviewed submittal from Hydro Tech Environmental. Water sample taken from monitoring well on site showed no product and sample was clean for everything except a minor hit 1.1 ug/l of Benzene. SVOC all below detect. 4/11/2003 - Sangesland reviewed a submittal from Hydro Tech dated Feb 28, 2003. This report shows the second round of GW sampling. All results were ND, therefore the spill can be closed out. Spill Closed."
Remarks:	"case when assigned call the notifier 516 996 5559 "

All Materials:

Site ID:	291496
Operable Unit ID:	852853
Operable Unit:	01
Material ID:	523311
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported

SPILL NUMBER 0201897 (Continued) **S105995914**

Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

AT359 **CHELSEA ARTS TOWER CONDOMINIUM** **NY UST** **U004045637**
SSW **543-545 WEST 25TH STREET** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.177 mi.
936 ft. **Site 12 of 14 in cluster AT**

Relative:
Lower

Actual:
11 ft.

UST:

Id/Status:	2-607706 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	584047.69624
UTM Y:	4511429.69172
Site Type:	Other

Affiliation Records:

Site Id:	29558
Affiliation Type:	Mail Contact
Company Name:	YOUNG, WOO & ASSOCIATES LLC
Contact Type:	Not reported
Contact Name:	GLAUCO LOLLI-GHETTI/CHRISTINE HEWITT
Address1:	435 HUDSON STREET
Address2:	SUITE 402
City:	NEW YORK
State:	NY
Zip Code:	10014
Country Code:	001
Phone:	(212) 477-8008
EMail:	GLAUCO@IYOUNGWOO.COM
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2007-07-27

Site Id:	29558
Affiliation Type:	Facility Operator
Company Name:	CHELSEA ARTS TOWER CONDOMINIUM
Contact Type:	Not reported
Contact Name:	GRUBB & ELLIS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 326-4794
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2007-07-27

CHELSEA ARTS TOWER CONDOMINIUM (Continued) **U004045637**

Site Id:	29558
Affiliation Type:	Emergency Contact
Company Name:	BASS ASSOCIATES LLC
Contact Type:	Not reported
Contact Name:	ROBERT
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(917) 217-0301
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2007-07-27

Site Id:	29558
Affiliation Type:	Facility Owner
Company Name:	BASS ASSOCIATES LLC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	435 HUDSON ST, SUITE 402
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10014
Country Code:	001
Phone:	(212) 477-8008
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2007-07-27

Tank Info:

Tank Number:	001
Tank ID:	63398
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	05/23/2002
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NRLOMBAR
Last Modified:	04/14/2017

Equipment Records:

CHELSEA ARTS TOWER CONDOMINIUM (Continued) **U004045637**

J00 - Dispenser - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
C02 - Pipe Location - Underground/On-ground

Tank Number: 002
Tank ID: 63399
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 05/23/2002
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

C02 - Pipe Location - Underground/On-ground
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
I00 - Overfill - None
J00 - Dispenser - None

Tank Number: 003
Tank ID: 63400
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 05/23/2002
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported

CHELSEA ARTS TOWER CONDOMINIUM (Continued) **U004045637**

Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

I00 - Overfill - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
C02 - Pipe Location - Underground/On-ground
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
J00 - Dispenser - None

Tank Number: 004
Tank ID: 63401
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 05/23/2002
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

J00 - Dispenser - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
C02 - Pipe Location - Underground/On-ground

Tank Number: 005
Tank ID: 218556
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 3000
Install Date: Not reported
Date Tank Closed: 05/23/2002
Registered: True
Tank Location: Underground

CHELSEA ARTS TOWER CONDOMINIUM (Continued) **U004045637**

Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NRLOMBAR
Last Modified:	04/14/2017

AR360 **CON EDISON MANHOLE: 4797** **RCRA NonGen / NLR** **1016149035**
WSW **626 W 26TH ST OPPOSITE** **NY MANIFEST** **NYP004276929**
1/8-1/4 **NEW YORK, NY 10001**
0.178 mi.
941 ft. **Site 9 of 12 in cluster AR**

Relative: **Lower**
Actual: **6 ft.**

RCRA NonGen / NLR:

Date form received by agency:	07/28/2017
Facility name:	CON EDISON MANHOLE: 4797
Facility address:	626 W 26TH ST OPPOSITE NEW YORK, NY 10001
EPA ID:	NYP004276929
Mailing address:	IRVING PL, RM 828 NEW YORK, NY 10003
Contact:	RICARDO CARTY
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-643-3044
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	11/03/2012
Site name:	CON EDISON MANHOLE: 4797
Classification:	Conditionally Exempt Small Quantity Generator

CON EDISON MANHOLE: 4797 (Continued) **1016149035**

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004276929
Facility Status: Not reported
Location Address 1: OPP 626 W 26TH ST
Code: BP
Location Address 2: MH 4797
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004276929
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

AR361 **CON EDISON MANHOLE: 4802** **RCRA NonGen / NLR** **1016149034**
WSW **626 W 26TH ST** **FINDS** **NYP004276911**
1/8-1/4 **NEW YORK, NY 10001** **ECHO**
0.178 mi. **NY MANIFEST**
941 ft. **Site 10 of 12 in cluster AR**

Relative:
Lower

Actual:
6 ft.

RCRA NonGen / NLR:
Date form received by agency: 07/28/2017
Facility name: CON EDISON MANHOLE: 4802
Facility address: 626 W 26TH ST
NEW YORK, NY 10001
EPA ID: NYP004276911
Mailing address: IRVING PL, RM 828
NEW YORK, NY 10003
Contact: RICARDO CARTY
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: 212-643-3044
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No

CON EDISON MANHOLE: 4802 (Continued) **1016149034**

Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 11/03/2012
Site name: CON EDISON MANHOLE: 4802
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110055462510

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1016149034
Registry ID: 110055462510
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110055462510

NY MANIFEST:
Country: USA
EPA ID: NYP004276911
Facility Status: Not reported
Location Address 1: 626 W 26TH ST
Code: BP
Location Address 2: MH 4802
Total Tanks: Not reported
Location City: NEW
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004276911
Mailing Name: CON EDISON
Mailing Contact: CON EDISON

CON EDISON MANHOLE: 4802 (Continued) **1016149034**

Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

AR362 **CON EDISON MANHOLE: 4797** **NJ MANIFEST** **S117986955**
WSW **626 W 26TH ST OPPOSITE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.178 mi.
941 ft. **Site 11 of 12 in cluster AR**

Relative:
Lower

Actual:
6 ft.

NJ MANIFEST:

EPA Id:	NYP004276929
Mail Address:	IRVING PL, RM 828
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	RICARDO CARTY
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	010456555JJK
EPA ID:	NYP004276929
Date Shipped:	11/3/2012
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported

CON EDISON MANHOLE: 4797 (Continued) **S117986955**

Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	500.00 Pounds

AR363 **CON EDISON MANHOLE: 4802** **NJ MANIFEST** **S117986954**
WSW **626 W 26TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.178 mi.
941 ft. **Site 12 of 12 in cluster AR**

Relative: **Lower**
Actual: **6 ft.**

NJ MANIFEST:

EPA Id:	NYP004276911
Mail Address:	IRVING PL, RM 828
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	RICARDO CARTY
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	010456572JJK
EPA ID:	NYP004276911
Date Shipped:	11/3/2012
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported

CON EDISON MANHOLE: 4802 (Continued) **S117986954**

Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	1,000.00 Pounds

AP364 **CON EDISON MANHOLE: 4613** **NJ MANIFEST** **S117986948**
South **511 W 25TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.179 mi.
947 ft. **Site 8 of 8 in cluster AP**

Relative: NJ MANIFEST:
Lower

Actual: EPA Id:	NYP004276820
12 ft. Mail Address:	IRVING PL, RM 828
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	JUAN RODRIGUEZ
Comments:	Not reported
SIC Code:	Not reported

CON EDISON MANHOLE: 4613 (Continued) **S117986948**

County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	010457163JJK
EPA ID:	NYP004276820
Date Shipped:	11/2/2012
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	1,500.00 Pounds

AU365 **CON EDISON** **NY MANIFEST** **S119077274**
WSW **630 W 26TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.181 mi.
955 ft. **Site 3 of 19 in cluster AU**

Relative:
Lower

Actual:
6 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004826002
Facility Status:	Not reported
Location Address 1:	630 W 26TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004826002
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	08/19/2015
Trans1 Recv Date:	08/19/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/19/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004826002
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002612925GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported

CON EDISON (Continued) **S119077274**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	3000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

AU366 **CON EDISON** **NY MANIFEST** **S119077273**
WSW **630 W 26TH ST VAULT1285 SUBMER** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.181 mi.
955 ft. **Site 4 of 19 in cluster AU**

Relative:
Lower

Actual:
6 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004825994
Facility Status:	Not reported
Location Address 1:	630 W 26TH ST
Code:	BP
Location Address 2:	V 1285
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004825994
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

CON EDISON (Continued) **S119077273**

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	08/19/2015
Trans1 Recv Date:	08/19/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/19/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004825994
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002612927GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	2000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

AU367 **CON EDISON** **NJ MANIFEST** **S120675554**
WSW **630 W 26TH ST VAULT1285 SUBMERSIBL** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.181 mi.
955 ft. **Site 5 of 19 in cluster AU**

Relative: **Lower**

Actual: **6 ft.**

NJ MANIFEST:

EPA Id:	NYP004825994
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	002612927GBF
EPA ID:	NYP004825994
Date Shipped:	8/19/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported

CON EDISON (Continued) **S120675554**

Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported
Manifest Number:	002610847GBF
EPA ID:	NYP004825994
Date Shipped:	9/1/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

AU368
WSW
1/8-1/4
0.181 mi.
955 ft.

CON EDISON
630 W 26TH ST
NEW YORK, NY 10001

Site 6 of 19 in cluster AU

RCRA NonGen / NLR **1019325423**
NYP004826002

Relative:
Lower

Actual:
6 ft.

RCRA NonGen / NLR:

Date form received by agency:	02/05/2016
Facility name:	CON EDISON
Site name:	CON EDISON - VAULT 2889
Facility address:	630 W 26TH ST NEW YORK, NY 10001
EPA ID:	NYP004826002
Mailing address:	IRVING PLACE, 15TH FL NE NEW YORK, NY 10003
Contact:	THERESA BURKARD
Contact address:	IRVING PLACE, 15TH FL NE NEW YORK, NY 10003
Contact country:	US
Contact telephone:	212-460-2262
Contact email:	BURKARDT@CONED.COM
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PLACE NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	08/19/2015
Owner/Op end date:	Not reported

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PLACE NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	08/19/2015
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No

CON EDISON (Continued) **1019325423**

Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

. Waste code: D008
. Waste name: LEAD

Historical Generators:

Date form received by agency: 08/19/2015
Site name: CON EDISON
Classification: Not a generator, verified

Date form received by agency: 08/19/2015
Site name: CON EDISON
Classification: Small Quantity Generator

Biennial Reports:

Last Biennial Reporting Year: 2017

Annual Waste Handled:

Waste code: D008
Waste name: LEAD
Amount (Lbs): 3000

Violation Status: No violations found

AU369 **CON EDISON** **NJ MANIFEST** **S120675555**
WSW **630 W 26TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.181 mi.
955 ft. **Site 7 of 19 in cluster AU**

Relative: NJ MANIFEST:
Lower

Actual: EPA Id: NYP004826002
6 ft. Mail Address: IRVING PLACE, 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THERESA BURKARD
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

CON EDISON (Continued) **S120675555**

Manifest:

Manifest Number:	002612925GBF
EPA ID:	NYP004826002
Date Shipped:	8/19/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

AU370 **CON EDISON** **RCRA NonGen / NLR** **1019906750**
WSW **630 W 26TH ST VAULT1285 SUBMERSIBL** **NYP004825994**
1/8-1/4 **NEW YORK, NY 10001**
0.181 mi.
955 ft. **Site 8 of 19 in cluster AU**

Relative: **Lower**

Actual: **6 ft.**

RCRA NonGen / NLR:

Date form received by agency:	08/19/2015
Facility name:	CON EDISON
Facility address:	630 W 26TH ST VAULT1285 SUBMERSIBL E NEW YORK, NY 10001
EPA ID:	NYP004825994

CON EDISON (Continued) **1019906750**

Mailing address: IRVING PL 15TH FL NE
NEW YORK, NY 10003
Contact: THOMAS TEELING
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: 212-460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 08/19/2015
Site name: CON EDISON
Classification: Small Quantity Generator

Violation Status: No violations found

AU371 **CON EDISON** **RCRA NonGen / NLR** **1019325424**
WSW **630 W 26TH ST** **NYP004826010**
1/8-1/4 **NEW YORK, NY 10001**
0.181 mi.
955 ft. **Site 9 of 19 in cluster AU**

Relative:
Lower

Actual:
6 ft.

RCRA NonGen / NLR:
Date form received by agency: 02/05/2016
Facility name: CON EDISON
Site name: CON EDISON - VAULT 9040
Facility address: 630 W 26TH ST
NEW YORK, NY 10001
EPA ID: NYP004826010
Mailing address: IRVING PLACE, 15TH FL NE
NEW YORK, NY 10003
Contact: THERESA BURKARD
Contact address: IRVING PLACE, 15TH FL NE
NEW YORK, NY 10003
Contact country: US
Contact telephone: 212-460-2262
Contact email: BURKARDT@CONED.COM
EPA Region: 02

CON EDISON (Continued) **1019325424**

Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 08/19/2015
Owner/Op end date: Not reported

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 08/19/2015
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
Date form received by agency: 08/19/2015
Site name: CON EDISON
Classification: Not a generator, verified

Date form received by agency: 08/19/2015

CON EDISON (Continued) **1019325424**

Site name: CON EDISON
Classification: Small Quantity Generator

Biennial Reports:

Last Biennial Reporting Year: 2017

Annual Waste Handled:
Waste code: D008
Waste name: LEAD
Amount (Lbs): 6500

Violation Status: No violations found

AU372 **CON EDISON** **NJ MANIFEST** **S120675556**
WSW **630 W 26TH ST VAULT9040** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.181 mi.
955 ft. **Site 10 of 19 in cluster AU**

Relative:
Lower

Actual:
6 ft.

NJ MANIFEST:
EPA Id: NYP004826010
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 002612926GBF
EPA ID: NYP004826010
Date Shipped: 8/19/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported

CON EDISON (Continued) **S120675556**

Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

AU373 **CON EDISON** **NY MANIFEST** **S119077275**
WSW **630 W 26TH ST VAULT9040** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.181 mi.
955 ft. **Site 11 of 19 in cluster AU**

Relative: **Lower**
Actual: **6 ft.**

NY MANIFEST:

Country:	USA
EPA ID:	NYP004826010
Facility Status:	Not reported
Location Address 1:	630 W 26TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004826010
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported

CON EDISON (Continued) **S119077275**

seq:	Not reported
Year:	2015
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	09/01/2015
Trans1 Recv Date:	09/01/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/01/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004826010
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002610847GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	2000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
4 additional NY_MANIFEST: record(s) in the EDR Site Report.

AW374 **AVENUES, THE WORLD SCHOOL** **NY UST** **U004180307**
South **259 10TH AVENUE** **NY AST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.182 mi.
962 ft. **Site 1 of 3 in cluster AW**

Relative:
Lower

Actual:
12 ft.

UST:

Id/Status:	2-611576 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	584151.30052
UTM Y:	4511411.85378
Site Type:	School

Affiliation Records:

Site Id:	448183
Affiliation Type:	Facility Owner
Company Name:	TEN TWENTY-SIX INVESTORS LP
Contact Type:	ENVIRONMENTAL CONSULTANT
Contact Name:	BRIAN CONNOLLY (AGENT TO AVENUES)
Address1:	21 EAST 66TH STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10065
Country Code:	001
Phone:	(212) 288-7318
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DMMOLOUG
Date Last Modified:	2012-07-02

Site Id:	448183
Affiliation Type:	Mail Contact
Company Name:	STV, INC.
Contact Type:	Not reported
Contact Name:	BRIAN CONNOLLY (AGENT TO AVENUES)
Address1:	225 PARK AVE SOUTH
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10003
Country Code:	001
Phone:	(212) 505-4926
EMail:	BRIAN.CONNOLLY@STVINC.COM
Fax Number:	Not reported
Modified By:	DMMOLOUG
Date Last Modified:	2012-07-02

Site Id:	448183
Affiliation Type:	Facility Operator
Company Name:	AVENUES, THE WORLD SCHOOL
Contact Type:	Not reported
Contact Name:	TEN TWENTY-SIX INVESTORS LP
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

AVENUES, THE WORLD SCHOOL (Continued) **U004180307**

Zip Code:	Not reported
Country Code:	001
Phone:	(212) 288-7318
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DMMOLOUG
Date Last Modified:	2012-07-02

Site Id:	448183
Affiliation Type:	Emergency Contact
Company Name:	TEN TWENTY-SIX INVESTORS LP
Contact Type:	Not reported
Contact Name:	DOUGLAS OLIVER
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(212) 288-7318
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DMMOLOUG
Date Last Modified:	2012-07-02

Tank Info:

Tank Number:	1
Tank ID:	238947
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	10000
Install Date:	Not reported
Date Tank Closed:	04/20/2011
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0003
Common Name of Substance:	#6 Fuel Oil (On-Site Consumption)

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	BVCAMPBE
Last Modified:	04/14/2017

Equipment Records:

L00 - Piping Leak Detection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

AVENUES, THE WORLD SCHOOL (Continued) **U004180307**

E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

AST:
Region: STATE
DEC Region: 2
Site Status: Unregulated/Closed
Facility Id: 2-611576
Program Type: PBS
UTM X: 584151.30052
UTM Y: 4511411.85378
Expiration Date: N/A
Site Type: School

Affiliation Records:
Site Id: 448183
Affiliation Type: Facility Owner
Company Name: TEN TWENTY-SIX INVESTORS LP
Contact Type: ENVIRONMENTAL CONSULTANT
Contact Name: BRIAN CONNOLLY (AGENT TO AVENUES)
Address1: 21 EAST 66TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10065
Country Code: 001
Phone: (212) 288-7318
EMail: Not reported
Fax Number: Not reported
Modified By: DMMOLOUG
Date Last Modified: 2012-07-02

Site Id: 448183
Affiliation Type: Mail Contact
Company Name: STV, INC.
Contact Type: Not reported
Contact Name: BRIAN CONNOLLY (AGENT TO AVENUES)
Address1: 225 PARK AVE SOUTH
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 505-4926
EMail: BRIAN.CONNOLLY@STVINC.COM
Fax Number: Not reported
Modified By: DMMOLOUG
Date Last Modified: 2012-07-02

Site Id: 448183
Affiliation Type: Facility Operator
Company Name: AVENUES, THE WORLD SCHOOL
Contact Type: Not reported
Contact Name: TEN TWENTY-SIX INVESTORS LP
Address1: Not reported
Address2: Not reported

AVENUES, THE WORLD SCHOOL (Continued) **U004180307**

City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 288-7318
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DMMOLOUG
Date Last Modified:	2012-07-02

Site Id:	448183
Affiliation Type:	Emergency Contact
Company Name:	TEN TWENTY-SIX INVESTORS LP
Contact Type:	Not reported
Contact Name:	DOUGLAS OLIVER
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(212) 288-7318
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DMMOLOUG
Date Last Modified:	2012-07-02

Tank Info:

Tank Number:	2
Tank Id:	244621
Material Code:	0003
Common Name of Substance:	#6 Fuel Oil (On-Site Consumption)

Equipment Records:

E00 - Piping Secondary Containment - None
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
L00 - Piping Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	10/10/2003
Capacity Gallons:	10000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported

AVENUES, THE WORLD SCHOOL (Continued) **U004180307**

Date Tank Closed:	06/06/2011
Register:	True
Modified By:	DMMOLOUG
Last Modified:	04/14/2017
Material Name:	#6 fuel oil (on-site consumption)

AW375 **259 10TH AVENUE BUILDING** **RCRA-LQG** **1014919576**
South **259 10TH AVENUE** **FINDS** **NYR000183640**
1/8-1/4 **NEW YORK, NY 10001** **NY MANIFEST**
0.182 mi.
962 ft. **Site 2 of 3 in cluster AW**

Relative:
Lower

Actual:
12 ft.

RCRA-LQG:

Date form received by agency:	04/09/2012
Facility name:	AVENUE WORLD SCHOOL THE
Facility address:	259 10TH AVE NEW YORK, NY 10001
EPA ID:	NYR000183640
Mailing address:	10TH AVE NEW YORK, NY 10001
Contact:	DOUGLAS OLIVER
Contact address:	E 66TH ST NEW YORK, NY 10065
Contact country:	US
Contact telephone:	212-288-7318
Contact email:	DOUGLASOLIVER@YAHOO.COM
EPA Region:	02
Classification:	Large Quantity Generator
Description:	Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name:	AVENUES WORLD SCHOOL THE
Owner/operator address:	Not reported Not reported
Owner/operator country:	Not reported
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	03/01/2011
Owner/Op end date:	Not reported
Owner/operator name:	TEN TWENTY SIX INVESTORS LP
Owner/operator address:	E 66TH ST 10TH FL

259 10TH AVENUE BUILDING (Continued) **1014919576**

NEW YORK, NY 10065
Owner/operator country: US
Owner/operator telephone: 212-288-7318
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 11/24/1978
Owner/Op end date: Not reported

Owner/operator name: AVENUES - THE WORLD SCHOOL
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 11/30/2010
Owner/Op end date: Not reported

Owner/operator name: TEN TWENTY - SIX INVESTORS LP
Owner/operator address: E 66TH ST
NEW YORK, NY 10065
Owner/operator country: US
Owner/operator telephone: 212-288-7318
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/15/1978
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

259 10TH AVENUE BUILDING (Continued) **1014919576**

Historical Generators:
Date form received by agency: 08/19/2011
Site name: AVENUES THE WORLD SCHOOL
Classification: Large Quantity Generator

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

FINDS:

Registry ID: 110019826465

Environmental Interest/Information System
FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

NY MANIFEST:
Country: USA
EPA ID: NYR000183640
Facility Status: Not reported
Location Address 1: 259 10TH AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000183640
Mailing Name: AVENUES THE WORLD SCHOOL
Mailing Contact: THE WORLD SCHOOL
Mailing Address 1: 259 10TH AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2126143412

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2011
Trans1 State ID: NYR000134791
Trans2 State ID: NJD064126164
Generator Ship Date: 09/14/2011

259 10TH AVENUE BUILDING (Continued) **1014919576**

Trans1 Recv Date:	09/14/2011
Trans2 Recv Date:	09/15/2011
TSD Site Recv Date:	10/11/2011
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000183640
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	MID980991566
TSDF ID 2:	Not reported
Manifest Tracking Number:	008574756JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H111
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	14400.0
Units:	P - Pounds
Number of Containers:	24.0
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1.0
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AX376 **456-462 WEST 31ST STREET LLC CC** **RCRA-SQG** **1010787519**
East **456-462 W 31ST ST** **NYR000154633**
1/8-1/4 **NEW YORK, NY 10001**
0.182 mi.
962 ft. **Site 1 of 6 in cluster AX**

Relative: RCRA-SQG:
Higher

Date form received by agency:	02/14/2008
Facility name:	456-462 WEST 31ST STREET LLC CC
Facility address:	456-462 W 31ST ST NEW YORK, NY 10001
EPA ID:	NYR000154633
Mailing address:	W 31ST ST

Actual:
22 ft.

456-462 WEST 31ST STREET LLC CC (Continued) **1010787519**

NEW YORK, NY 10001
Contact: PAMELA F SAMUELS
Contact address: 3RD AVE 7TH FL C/O TELL DEVELOPEMENT CO
NEW YORK, NY 10002
Contact country: US
Contact telephone: 212-712-6013
Contact email: PSAMUELS@EXTELLDEV.COM
EPA Region: 02
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: EXTELL 31/10 LLC
Owner/operator address: THIRD AVE 7TH FLOOR C/O EXTELL DEVELOPMENT CO
NEW YORK, NY 10022
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 05/01/2007
Owner/Op end date: Not reported

Owner/operator name: EXTELL 31/10 LLC
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 05/01/2007
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No

456-462 WEST 31ST STREET LLC CC (Continued) **1010787519**

Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
Date form received by agency: 02/13/2008
Site name: 456-462 WEST 31ST STREET LLC CC
Classification: Small Quantity Generator

Violation Status: No violations found

AW377 **CON EDISON - MANHOLE 43124** **NY MANIFEST** **S120958469**
South **259 10 AVE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.184 mi.
970 ft. **Site 3 of 3 in cluster AW**

Relative:
Higher

Actual:
13 ft.

NY MANIFEST:
Country: USA
EPA ID: NYP004940050
Facility Status: Not reported
Location Address 1: 259 10 AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004940050
Mailing Name: CON EDISON - MANHOLE 43124
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

AT378 **CON EDISON SERVICE BOX: 9756** **RCRA NonGen / NLR** **1016144240**
SSW **550 W 25TH ST** **NY MANIFEST** **NYP004270294**
1/8-1/4 **NEW YORK, NY 10014**
0.184 mi.
972 ft. **Site 13 of 14 in cluster AT**

Relative:
Lower

Actual:
11 ft.

RCRA NonGen / NLR:
Date form received by agency: 03/22/2013
Facility name: CON EDISON SERVICE BOX: 9756
Facility address: 550 W 25TH ST
NEW YORK, NY 10014

CON EDISON SERVICE BOX: 9756 (Continued) **1016144240**

EPA ID: NYP004270294
Contact: JUAN RODRIGUEZ
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: 347-865-5931
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 02/22/2013
Site name: CON EDISON SERVICE BOX: 9756
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004270294
Facility Status: Not reported
Location Address 1: 550 W 23RD ST
Code: BP
Location Address 2: SERV BOX 9756
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10014
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004270294
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003

CON EDISON SERVICE BOX: 9756 (Continued) **1016144240**

Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	02/22/2013
Trans1 Recv Date:	02/22/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/22/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004270294
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010408529JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AT379 **DHL WORLDWIDE EXPRESS** **NY UST** **U001836197**
SSW **560 W 25TH ST (550 W 25TH ST)** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.184 mi.
972 ft. **Site 14 of 14 in cluster AT**

Relative:
Lower

Actual:
11 ft.

UST:

Id/Status:	2-287229 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	583988.91564
UTM Y:	4511452.67227
Site Type:	Other

Affiliation Records:

Site Id:	12846
Affiliation Type:	Facility Owner
Company Name:	550 WEST 25TH ST ASSOC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	641 LEXINGTON AVENUE % WINTERS
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 935-5252
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	12846
Affiliation Type:	Mail Contact
Company Name:	550 WEST 25TH ST ASSOC
Contact Type:	Not reported
Contact Name:	WINTER MANAGEMENT CORP
Address1:	641 LEXINGTON AVENUE % WINTERS
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 935-5252
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	12846
Affiliation Type:	Facility Operator
Company Name:	DHL WORLDWIDE EXPRESS
Contact Type:	Not reported
Contact Name:	LOU JEHAMY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

DHL WORLDWIDE EXPRESS (Continued) **U001836197**

Zip Code:	Not reported
Country Code:	001
Phone:	(212) 633-1033
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	12846
Affiliation Type:	Emergency Contact
Company Name:	550 WEST 25TH ST ASSOC
Contact Type:	Not reported
Contact Name:	LOU JEHAMY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 633-1033
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	542
Tank ID:	17720
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	6000
Install Date:	Not reported
Date Tank Closed:	03/01/1989
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None

AU380 **CON EDISON** **NY MANIFEST** **S118462706**
WSW **638 W 26TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.186 mi.
983 ft. **Site 12 of 19 in cluster AU**

Relative:
Lower

Actual:
6 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004839035
Facility Status:	Not reported
Location Address 1:	638 W 26TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004839035
Mailing Name:	CON EDISON
Mailing Contact:	DENNIS HUACON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	09/16/2015
Trans1 Recv Date:	09/16/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/23/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004839035
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002613106GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported

CON EDISON (Continued) **S118462706**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	12000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
1 additional NY_MANIFEST: record(s) in the EDR Site Report.

AU381 **CON EDISON** **NJ MANIFEST** **S120676736**
WSW **638 W 26TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.186 mi.
983 ft. **Site 13 of 19 in cluster AU**

Relative: **Lower**
Actual: **6 ft.**

NJ MANIFEST:

EPA Id:	NYP004839035
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	002613106GBF
EPA ID:	NYP004839035
Date Shipped:	9/16/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported

CON EDISON (Continued) **S120676736**

Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

AU382 **CON EDISON** **RCRA NonGen / NLR** **1019325580**
WSW **638 W 26TH ST** **NYP004839035**
1/8-1/4 **NEW YORK, NY 10001**
0.186 mi.
983 ft. **Site 14 of 19 in cluster AU**

Relative: RCRA NonGen / NLR:
Lower

Actual: Date form received by agency: 02/05/2016
6 ft.

Facility name:	CON EDISON
Site name:	CON EDISON - VAULT 2889
Facility address:	638 W 26TH ST NEW YORK, NY 10001
EPA ID:	NYP004839035
Mailing address:	IRVING PLACE, 15TH FL NE NEW YORK, NY 10003
Contact:	THERESA BURKARD
Contact address:	IRVING PLACE, 15TH FL NE NEW YORK, NY 10003
Contact country:	US
Contact telephone:	212-460-2262
Contact email:	BURKARDT@CONED.COM
EPA Region:	02

CON EDISON (Continued) **1019325580**

Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 09/16/2015
Owner/Op end date: Not reported

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 09/16/2015
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
Date form received by agency: 09/16/2015
Site name: CON EDISON
Classification: Not a generator, verified

Date form received by agency: 09/16/2015

CON EDISON (Continued) **1019325580**

Site name: CON EDISON
Classification: Large Quantity Generator

Biennial Reports:

Last Biennial Reporting Year: 2017

Annual Waste Handled:
Waste code: D008
Waste name: LEAD
Amount (Lbs): 12000

Violation Status: No violations found

AU383 **MANHATTAN REPAIR SHOP** **NY CBS** **S109375680**
WSW **640 WEST 26TH ST.** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.188 mi.
991 ft. **Site 15 of 19 in cluster AU**

Relative: CBS:
Lower
Actual: CBS Number: 2-000473
6 ft. Program Type: CBS
Facility Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: 583832.76055
UTMY: 4511620.94054

AU384 **NYC DEPT OF SANITATION** **NY LTANKS** **S109583684**
WSW **640 WEST 26TH ST** **N/A**
1/8-1/4 **MANHATTAN, NY**
0.188 mi.
991 ft. **Site 16 of 19 in cluster AU**

Relative: LTANKS:
Lower
Actual: Facility ID: 0813987
6 ft. Site ID: 411708
Closed Date: 2009-05-22
Spill Number: 0813987
Spill Date: 2009-03-26
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: hrpatel
Referred To: Not reported
Reported to Dept: 2009-03-26
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0

NYC DEPT OF SANITATION (Continued) **S109583684**

Date Entered In Computer:	2009-03-26
Spill Record Last Update:	2009-05-22
Spiller Name:	JAY SHAW
Spiller Company:	NYC DEPT OF SANITATION
Spiller Address:	640 WEST 26TH ST
Spiller County:	999
Spiller Contact:	MICHAEL SEPE
Spiller Phone:	(516) 818-8767
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	360906
DEC Memo:	"03/27/09-Hiralkumar Patel. spoke with MIke at F&N. he mentioned they have schedule isolation test on 03/30/09. Mike will call back with result of isolation test. as per NYC Dept. of sanitation, tank is been empty for more than a year. PBS #: 2-605738. Neil Gallagher Director Bureau Building Maintenance 52-35 58th Street Room 410 Woodside, NY 11377 Ph. (718) 334-9100/9117 (646) 235-3182 (C) FAX (718) 334-9334 05/20/09-Hiralkumar Patel. spoke with Jason (631-586-4900 Ext. 180) at F&N regarding isolation test result. he will call back. received message from Jason. 05/22/09-Hiralkumar Patel. spoke with Jason. Jason mentioned that during initial test, oil/water separator was connected to the tank system and test was inconclusive. they disocnnected oil/water separator from tank system and then tested tank system and system passed. asked Jason to send copy of test result. received tank test result. test result forwarded to DEC Falvey for review. case closed. "
Remarks:	"TANK TEST FAILURE ON A 1000 GALLON UST. TANK IS EMPTY. UNK IF ANY PRODUCT SPILLED."

All Materials:

Site ID:	411708
Operable Unit ID:	1168187
Operable Unit:	01
Material ID:	2159797
Material Code:	0015
Material Name:	motor oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

AU385 **NYC SANITATION** **NY LTANKS** **S117535323**
WSW **640 WEST 26TH STREET** **N/A**
1/8-1/4 **NEW YORK, NY**
0.188 mi.
991 ft. **Site 17 of 19 in cluster AU**

Relative: **Lower**

Actual: **6 ft.**

LTANKS:

Facility ID:	1410686
Site ID:	504387
Closed Date:	Not reported
Spill Number:	1410686
Spill Date:	2015-02-04
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial

NYC SANITATION (Continued) **S117535323**

Spill Class:	Not reported
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	VXBREVDO
Referred To:	Not reported
Reported to Dept:	2015-02-04
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	1
Date Entered In Computer:	2015-02-04
Spill Record Last Update:	2015-02-05
Spiller Name:	AL NIGNONE
Spiller Company:	NYC SANITATION
Spiller Address:	640 WEST 26TH STREET
Spiller County:	999
Spiller Contact:	AL NIGNONE
Spiller Phone:	(718) 334-9100
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	459269
DEC Memo:	"2-4-15 - Obligado (Desk Duty) - I called AARco and left message to call back DEc. 2-5-15 - Obligado - I called Aarco again, left another message for John Bananno"
Remarks:	"caller reporting a failed tank test on a 1,000 gallon tank. tan will removed and replaced."

All Materials:

Site ID:	504387
Operable Unit ID:	1253734
Operable Unit:	01
Material ID:	2256047
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

AU386 **NYC DEPT OF SANITATION** **RCRA NonGen / NLR** **1001460188**
WSW **640 W 26TH ST** **FINDS** **NYN008007205**
1/8-1/4 **NEW YORK, NY 10001** **ECHO**
0.188 mi.
991 ft. **Site 18 of 19 in cluster AU**

Relative: **Lower**
Actual: **6 ft.**

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	NYC DEPT OF SANITATION
Facility address:	640 W 26TH ST NEW YORK, NY 10001
EPA ID:	NYN008007205

NYC DEPT OF SANITATION (Continued) **1001460188**

Mailing address:	W 26TH ST
	NEW YORK, NY 10001
Contact:	Not reported
Contact address:	W 26TH ST
	NEW YORK, NY 10001
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Land type:	Private
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	NON REGULATED
Owner/operator address:	NOT REQUIRED
	NOT REQUIRED, NY 99999
Owner/operator country:	US
Owner/operator telephone:	212-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	NON REGULATED
Owner/operator address:	NOT REQUIRED
	NOT REQUIRED, NY 99999
Owner/operator country:	US
Owner/operator telephone:	212-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

NYC DEPT OF SANITATION (Continued) **1001460188**

Historical Generators:
Date form received by agency: 01/01/2006
Site name: NYC DEPT OF SANITATION
Classification: Not a generator, verified

Date form received by agency: 02/05/1999
Site name: NYC DEPT OF SANITATION
Classification: Not a generator, verified

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 10/24/1998
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

FINDS:

Registry ID: 110004510388

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1001460188
Registry ID: 110004510388
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110004510388

AU387 **DSNY MN BORO REPAIR SHOP** **NY UST** **U004078412**
WSW **640 WEST 26TH STREET** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.188 mi.
991 ft. **Site 19 of 19 in cluster AU**

Relative: **Lower**
Actual: **6 ft.**

UST:
Id/Status: 2-605738 / Active
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: 04/24/2021
UTM X: 583901.27136
UTM Y: 4511609.84383
Site Type: Municipality (Incl. Waste Water Treatment Plants, Utilities, Swimming Pools, etc.)

Affiliation Records:
Site Id: 27605

DSNY MN BORO REPAIR SHOP (Continued) **U004078412**

Affiliation Type:	Facility Owner
Company Name:	NYC DEPARTMENT OF SANITATION
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	125 WORTH STREET, ROOM 823B
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10013
Country Code:	001
Phone:	(646) 885-4856
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2016-12-14

Site Id:	27605
Affiliation Type:	Emergency Contact
Company Name:	NYC DEPARTMENT OF SANITATION
Contact Type:	Not reported
Contact Name:	BUREAU OF CLEANING & COLLECTION
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(646) 885-5051
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MXAJOKU
Date Last Modified:	2015-11-18

Site Id:	27605
Affiliation Type:	Mail Contact
Company Name:	NYC DEPT. OF SANITATION
Contact Type:	Not reported
Contact Name:	FRANK SCARPACI
Address1:	125 WORTH STREET
Address2:	RM 823B
City:	NEW YORK
State:	NY
Zip Code:	10013
Country Code:	001
Phone:	(646) 885-4887
EMail:	FSCARPACI@DSNY.NYC.GOV
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2016-12-14

Site Id:	27605
Affiliation Type:	Facility Operator
Company Name:	DSNY MN BORO REPAIR SHOP
Contact Type:	Not reported
Contact Name:	DOUGLAS LUBACK
Address1:	Not reported
Address2:	Not reported

DSNY MN BORO REPAIR SHOP (Continued) **U004078412**

City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 807-6861
EMail:	Not reported
Fax Number:	Not reported
Modified By:	AYLAGATI
Date Last Modified:	2017-07-28

Tank Info:

Tank Number:	001
Tank ID:	60392
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	1000
Install Date:	08/01/1994
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	0015
Common Name of Substance:	Motor Oil
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MRBARROW
Last Modified:	04/14/2017

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
C03 - Pipe Location - Aboveground/Underground Combination
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
B04 - Tank External Protection - Fiberglass
E00 - Piping Secondary Containment - None
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
G03 - Tank Secondary Containment - Vault (w/o access)
I02 - Overfill - High Level Alarm

Tank Number:	002
Tank ID:	60393
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	1000
Install Date:	08/01/1994
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground

DSNY MN BORO REPAIR SHOP (Continued) **U004078412**

Tank Type: Equivalent technology
Material Code: 0010
Common Name of Substance: Hydraulic Oil

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MRBARROW
Last Modified: 04/14/2017

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
J02 - Dispenser - Suction Dispenser
C03 - Pipe Location - Aboveground/Underground Combination
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
A00 - Tank Internal Protection - None
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
B04 - Tank External Protection - Fiberglass
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)

Tank Number: 003
Tank ID: 60394
Tank Status: In Service
Material Name: In Service
Capacity Gallons: 1000
Install Date: 08/01/1994
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Equivalent technology
Material Code: 0021
Common Name of Substance: Transmission Fluid

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MRBARROW
Last Modified: 04/14/2017

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
J02 - Dispenser - Suction Dispenser
C03 - Pipe Location - Aboveground/Underground Combination
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
E00 - Piping Secondary Containment - None

DSNY MN BORO REPAIR SHOP (Continued) **U004078412**

G03 - Tank Secondary Containment - Vault (w/o access)
I02 - Overfill - High Level Alarm
B04 - Tank External Protection - Fiberglass

Tank Number:	004
Tank ID:	60395
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	1000
Install Date:	08/01/1994
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MRBARROW
Last Modified:	04/14/2017

Equipment Records:

F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
G04 - Tank Secondary Containment - Double-Walled (Underground)
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
K01 - Spill Prevention - Catch Basin
G03 - Tank Secondary Containment - Vault (w/o access)
I02 - Overfill - High Level Alarm
B04 - Tank External Protection - Fiberglass
E00 - Piping Secondary Containment - None
J00 - Dispenser - None
L00 - Piping Leak Detection - None
D00 - Pipe Type - No Piping

Tank Number:	005
Tank ID:	60396
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	1000
Install Date:	08/01/1994
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported

DSNY MN BORO REPAIR SHOP (Continued) **U004078412**

Modified By: MRBARROW
Last Modified: 04/14/2017

Equipment Records:

C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
B04 - Tank External Protection - Fiberglass
J00 - Dispenser - None
L00 - Piping Leak Detection - None
D00 - Pipe Type - No Piping

Tank Number: 006
Tank ID: 60397
Tank Status: In Service
Material Name: In Service
Capacity Gallons: 1000
Install Date: 08/01/1994
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Equivalent technology
Material Code: 0022
Common Name of Substance: Waste Oil/Used Oil

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MRBARROW
Last Modified: 04/14/2017

Equipment Records:

F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
G04 - Tank Secondary Containment - Double-Walled (Underground)
K00 - Spill Prevention - None
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
I02 - Overfill - High Level Alarm
B04 - Tank External Protection - Fiberglass
E00 - Piping Secondary Containment - None
J00 - Dispenser - None
L00 - Piping Leak Detection - None
D00 - Pipe Type - No Piping

Tank Number: 007
Tank ID: 227389
Tank Status: In Service

DSNY MN BORO REPAIR SHOP (Continued) **U004078412**

Material Name:	In Service
Capacity Gallons:	1000
Install Date:	08/01/1994
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	0015
Common Name of Substance:	Motor Oil
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MRBARROW
Last Modified:	04/14/2017

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
J02 - Dispenser - Suction Dispenser
C03 - Pipe Location - Aboveground/Underground Combination
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
B04 - Tank External Protection - Fiberglass

AV388 **US POSTAL SVC VMF** **NJ MANIFEST** **S108793888**
SW **25TH ST & 11TH** **N/A**
1/8-1/4 **NEW YORK, NY 10199**
0.189 mi.
1000 ft. **Site 2 of 3 in cluster AV**

Relative:
Lower

Actual:
6 ft.

NJ MANIFEST:

EPA Id:	NY7355825210
Mail Address:	25TH ST & 11TH
Mail City/State/Zip:	NEW YORK 10199
Facility Phone:	2123302542
Emergency Phone:	Not reported
Contact:	Not reported
Comments:	Not reported
SIC Code:	Not reported
County:	00
Municipal:	00
Previous EPA Id:	Not reported
Gen Flag:	X
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	000000

Manifest:

Manifest Number:	000092749SKS
EPA ID:	NY7355825210

US POSTAL SVC VMF (Continued) **S108793888**

Date Shipped:	11/15/2007
TSDF EPA ID:	NJD982270506
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	11/15/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	11/20/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK 10199
Reason Load Was Rejected:	Not reported
Manifest Number:	000817693SKS
EPA ID:	NY7355825210
Date Shipped:	11/15/2007
TSDF EPA ID:	NJD002182897
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	11/15/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported

US POSTAL SVC VMF (Continued) **S108793888**

Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	11/28/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK 10199
Reason Load Was Rejected:	Not reported

Manifest Number:	000899064SKS
EPA ID:	NY7355825210
Date Shipped:	02/26/2009
TSDF EPA ID:	NJD002182897
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	NJD071629976
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	02/26/2009
Date Trans2 Transported Waste:	03/13/2009
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	03/13/2009
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported

US POSTAL SVC VMF (Continued) **S108793888**

Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK 10199
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	F005
Hand Code:	H020
Quantity:	100 P

Manifest Number:	002084734SKS
EPA ID:	NY7355825210
Date Shipped:	08/10/2009
TSDF EPA ID:	NJD002182897
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	08/10/2009
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	08/18/2009
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK 10199
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	F005

US POSTAL SVC VMF (Continued) **S108793888**

Hand Code:	H020
Quantity:	50 P
Manifest Number:	000074051SKS
EPA ID:	NY7355825210
Date Shipped:	12/14/2007
TSDF EPA ID:	NJD982270506
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	12/14/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	12/31/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK 10199
Reason Load Was Rejected:	Not reported
Manifest Number:	000028860SKS
EPA ID:	NY7355825210
Date Shipped:	05/10/2007
TSDF EPA ID:	NJD982270506
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported

US POSTAL SVC VMF (Continued) **S108793888**

Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	05/10/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	05/15/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK 10199
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D039
Hand Code:	H14
Quantity:	14 G

Manifest Number:	000092684SKS
EPA ID:	NY7355825210
Date Shipped:	11/01/2007
TSDF EPA ID:	NJD982270506
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	11/01/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported

US POSTAL SVC VMF (Continued) **S108793888**

Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	11/06/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK 10199
Reason Load Was Rejected:	Not reported

Manifest Number:	000340269SKS
EPA ID:	NY7355825210
Date Shipped:	01/15/2007
TSDF EPA ID:	NJD982270506
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	01/15/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	01/21/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported

US POSTAL SVC VMF (Continued) **S108793888**

Was Load Rejected:	NEW YORK 10199
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D039
Hand Code:	H14
Quantity:	30 G

Manifest Number:	002708926SKS
EPA ID:	NY7355825210
Date Shipped:	10/5/2011
TSDF EPA ID:	NJD982270506
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK 10199
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D039
Hand Code:	H141
Quantity:	15.00 gallons

AV389
SW
1/8-1/4
0.189 mi.
1000 ft.

CONSOLIDATED EDISON
11TH AVE & 25TH ST
NEW YORK, NY

Site 3 of 3 in cluster AV

NY MANIFEST **1009237496**
N/A

Relative:
Lower

Actual:
6 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004027694
Facility Status:	Not reported
Location Address 1:	11TH AVE & 25TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004027694
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYE0261090
Manifest Status:	Not reported
seq:	01
Year:	1998
Trans1 State ID:	80336AB
Trans2 State ID:	Not reported
Generator Ship Date:	12/02/1998
Trans1 Recv Date:	12/02/1998
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	12/02/1998
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004027694
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD077444263
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported

CONSOLIDATED EDISON (Continued) **1009237496**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00040
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	L Landfill.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AX390 **EVERGREENE ARCHITETUAL ARTS** **PA MANIFEST** **S118889696**
East **450 W 31ST STREET** **N/A**
1/8-1/4 **NY, NY 10001**
0.191 mi.
1007 ft. **Site 2 of 6 in cluster AX**

Relative: **Higher**

Actual: **23 ft.**

Manifest Details:

Year:	2016
Manifest Number:	016309108JJK
Manifest Type:	TSD Copy
Generator EPA Id:	NYD001869882
Generator Date:	11/17/2016
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D001
Container Number:	3
Container Type:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	350
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported
Year:	2015
Manifest Number:	014817250JJK
Manifest Type:	TSD Copy
Generator EPA Id:	NYD001869882

EVERGREENE ARCHITETUAL ARTS (Continued) **S118889696**

Generator Date:	12/03/2015
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D001
Container Number:	1
Container Type:	Metal drums, barrels, kegs
Waste Quantity:	30
Unit:	Gallons (liquids only)
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported

AX391 **EVERGREENE ARCHITECTURAL ARTS** **RCRA-LQG** **1000308227**
East **450 W 31ST STREET (7TH FLOOR)** **NY MANIFEST** **NYD001869882**
1/8-1/4 **NEW YORK, NY 10001**
0.191 mi.
1007 ft. **Site 3 of 6 in cluster AX**

Relative: **Higher**

Actual: **23 ft.**

RCRA-LQG:

Date form received by agency:	01/26/2010
Facility name:	EVERGREENE ARCHITECTURAL ARTS
Facility address:	450 W 31ST STREET (7TH FLOOR) NEW YORK, NY 10001
EPA ID:	NYD001869882
Mailing address:	W 31ST STREET (7TH FLOOR) NEW YORK, NY 10001
Contact:	ALLEN M WELKIS
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-244-2800
Telephone ext.:	25
Contact email:	AWELKIS@EVERGREENE.COM
EPA Region:	02
Land type:	Private
Classification:	Large Quantity Generator
Description:	Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than

EVERGREENE ARCHITECTURAL ARTS (Continued) **1000308227**

100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name:	JEFF GREENE
Owner/operator address:	181 RIVER RD
	UPPER GRAND VIEW, NY 10960
Owner/operator country:	Not reported
Owner/operator telephone:	914-365-0271
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	JEFF GREENE
Owner/operator address:	W 31ST STREET (7TH FLOOR)
	NEW YORK, NY 10001
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	07/08/1978
Owner/Op end date:	Not reported

Owner/operator name:	EVERGREENE ARCHITECTURAL
Owner/operator address:	W 31ST STREET (7TH FLOOR)
	NEW YORK, NY 10001
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	12/31/1979
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No

EVERGREENE ARCHITECTURAL ARTS (Continued) **1000308227**

Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Historical Generators:
Date form received by agency: 01/01/2007
Site name: EVERGREENE PAINTING STUDIOS
Classification: Small Quantity Generator

Date form received by agency: 01/01/2006
Site name: EVERGREENE PAINTING STUDIOS
Classification: Small Quantity Generator

Date form received by agency: 10/21/1998
Site name: EVERGREENE PAINTING STUDIOS
Classification: Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: F002
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL

EVERGREENE ARCHITECTURAL ARTS (Continued) **1000308227**

ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Facility Has Received Notices of Violations:

Regulation violated: Not reported
Area of violation: State Statute or Regulation
Date violation determined: 05/15/2012
Date achieved compliance: 05/15/2012
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/24/2012
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - Pre-transport
Date violation determined: 05/15/2012
Date achieved compliance: 05/15/2012
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/24/2012
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - Manifest
Date violation determined: 05/03/2012
Date achieved compliance: 06/26/2012
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/24/2012
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: State Statute or Regulation
Date violation determined: 05/03/2012
Date achieved compliance: 06/26/2012
Violation lead agency: State

EVERGREENE ARCHITECTURAL ARTS (Continued) **1000308227**

Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/24/2012
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Listing - General
Date violation determined: 05/03/2012
Date achieved compliance: 06/26/2012
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/24/2012
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD IS-Preparedness and Prevention
Date violation determined: 05/03/2012
Date achieved compliance: 06/26/2012
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/24/2012
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - Pre-transport
Date violation determined: 05/03/2012
Date achieved compliance: 06/26/2012
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/24/2012
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 05/03/2012
Date achieved compliance: 09/06/2012
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL

EVERGREENE ARCHITECTURAL ARTS (Continued) **1000308227**

Enforcement action date: 05/24/2012
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - Pre-transport
Date violation determined: 05/23/2007
Date achieved compliance: 05/23/2007
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/25/2007
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - Pre-transport
Date violation determined: 05/23/2007
Date achieved compliance: 07/20/2007
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/25/2007
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD IS-Preparedness and Prevention
Date violation determined: 05/23/2007
Date achieved compliance: 07/20/2007
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/25/2007
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: State Statute or Regulation
Date violation determined: 05/23/2007
Date achieved compliance: 07/20/2007
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/25/2007

EVERGREENE ARCHITECTURAL ARTS (Continued) **1000308227**

Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 05/03/2012
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - Pre-transport
Date achieved compliance: 06/26/2012
Evaluation lead agency: State

Evaluation date: 05/03/2012
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 09/06/2012
Evaluation lead agency: State

Evaluation date: 05/03/2012
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: State Statute or Regulation
Date achieved compliance: 05/15/2012
Evaluation lead agency: State

Evaluation date: 05/03/2012
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD IS-Preparedness and Prevention
Date achieved compliance: 06/26/2012
Evaluation lead agency: State

Evaluation date: 05/03/2012
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - Pre-transport
Date achieved compliance: 05/15/2012
Evaluation lead agency: State

Evaluation date: 05/03/2012
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Listing - General
Date achieved compliance: 06/26/2012
Evaluation lead agency: State

Evaluation date: 05/03/2012
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: State Statute or Regulation
Date achieved compliance: 06/26/2012
Evaluation lead agency: State

Evaluation date: 05/03/2012
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - Manifest
Date achieved compliance: 06/26/2012
Evaluation lead agency: State

Evaluation date: 05/23/2007

EVERGREENE ARCHITECTURAL ARTS (Continued) **1000308227**

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: State Statute or Regulation
Date achieved compliance: 07/20/2007
Evaluation lead agency: State

Evaluation date: 05/23/2007
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - Pre-transport
Date achieved compliance: 05/23/2007
Evaluation lead agency: State

Evaluation date: 05/23/2007
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD IS-Preparedness and Prevention
Date achieved compliance: 07/20/2007
Evaluation lead agency: State

Evaluation date: 05/23/2007
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - Pre-transport
Date achieved compliance: 07/20/2007
Evaluation lead agency: State

Evaluation date: 08/13/1993
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA Contractor/Grantee

NY MANIFEST:
Country: USA
EPA ID: NYD001869882
Facility Status: Not reported
Location Address 1: 450 W 31ST STREET 7TH FLOOR
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYD001869882
Mailing Name: EVERGREENE PAINTING STUDIOS INC
Mailing Contact: CHRISTINA GRINNELL
Mailing Address 1: 450 W 31ST ST - 7TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip 4: 4608
Mailing Country: USA
Mailing Phone: 2122442800

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported

EVERGREENE ARCHITECTURAL ARTS (Continued) **1000308227**

seq:	Not reported
Year:	2017
Trans1 State ID:	PAD982661381
Trans2 State ID:	Not reported
Generator Ship Date:	02/17/2017
Trans1 Recv Date:	02/17/2017
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/22/2017
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD001869882
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	RID040098352
TSDF ID 2:	Not reported
Manifest Tracking Number:	016790642JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	10
Units:	P - Pounds
Number of Containers:	1
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1
Waste Code:	D002
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
204 additional NY_MANIFEST: record(s) in the EDR Site Report.

AX392 **CON EDISON GAS DRIP: GAS~MAIN** **RCRA NonGen / NLR** **1016449971**
East **450 W 31ST ST** **NY MANIFEST** **NYP004289666**
1/8-1/4 **NEW YORK, NY 10001**
0.191 mi.
1007 ft. **Site 4 of 6 in cluster AX**

Relative:
Higher

Actual:
23 ft.

RCRA NonGen / NLR:

Date form received by agency:	03/15/2013
Facility name:	CON EDISON GAS DRIP: GAS~MAIN
Facility address:	450 W 31ST ST
	NEW YORK, NY 10001
EPA ID:	NYP004289666
Contact:	LOUIS CLARK
Contact address:	Not reported
	Not reported
Contact country:	Not reported
Contact telephone:	347-539-6192
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	02/15/2013
Site name:	CON EDISON GAS DRIP: GAS~MAIN
Classification:	Conditionally Exempt Small Quantity Generator
Violation Status:	No violations found

NY MANIFEST:

Country:	USA
EPA ID:	NYP004289666
Facility Status:	Not reported
Location Address 1:	W 31 ST & 10TH AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

CON EDISON GAS DRIP: GAS~MAIN (Continued) **1016449971**

NY MANIFEST:

EPAID:	NYP004289666
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	02/16/2013
Trans1 Recv Date:	02/16/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/19/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004289666
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	001675614GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	200
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D018

CON EDISON GAS DRIP: GAS~MAIN (Continued) **1016449971**

Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AX393 **CORNELL TECH MURAL RESTORATION** **RCRA NonGen / NLR** **1016974855**
East **450 W 31ST ST 7TH FL SITE 2** **NY MANIFEST** **NYR000213165**
1/8-1/4 **NEW YORK, NY 10001**
0.191 mi.
1007 ft. **Site 5 of 6 in cluster AX**

Relative:
Higher

Actual:
23 ft.

RCRA NonGen / NLR:

Date form received by agency:	04/09/2015
Facility name:	CORNELL TECH MURAL RESTORATION
Facility address:	450 W 31ST ST 7TH FL SITE 2 NEW YORK, NY 10001
EPA ID:	NYR000213165
Mailing address:	8TH AVE #302 NEW YORK, NY 10011
Contact:	JONATHAN E LIBUTTI
Contact address:	8TH AVE #302 NEW YORK, NY 10011
Contact country:	US
Contact telephone:	646-632-4906
Contact email:	JEL@CORNELL.EDU
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	450 W 31ST OWNERS CORP LLC
Owner/operator address:	W 31ST ST NEW YORK, NY 10001
Owner/operator country:	US
Owner/operator telephone:	212-684-8282
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	05/07/1987
Owner/Op end date:	Not reported
Owner/operator name:	CORNELL TECH
Owner/operator address:	Not reported Not reported
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private

CORNELL TECH MURAL RESTORATION (Continued) **1016974855**

Owner/Operator Type: Operator
Owner/Op start date: 05/12/2014
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
Date form received by agency: 09/16/2014
Site name: CORNELL TECH MURAL RESTORATION
Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYR000213165
Facility Status: Not reported
Location Address 1: 450 W 31ST ST 7TH FL SITE 2
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000213165
Mailing Name: CORNELL TECH MURAL RESTORATION
Mailing Contact: CORNELL UNIVERSITY
Mailing Address 1: 111 8TH AV SUITE 302
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip 4: Not reported

CORNELL TECH MURAL RESTORATION (Continued) **1016974855**

Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NYD082785429
Trans2 State ID:	PAD982661381
Generator Ship Date:	10/20/2014
Trans1 Recv Date:	10/20/2014
Trans2 Recv Date:	10/23/2014
TSD Site Recv Date:	10/23/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000213165
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	RID040098352
TSDF ID 2:	Not reported
Manifest Tracking Number:	007175399FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1965
Units:	P - Pounds
Number of Containers:	25
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AY394 **CON EDISON SERVICE BOX: 4614** **RCRA NonGen / NLR** **1016149064**
SW **562 W 25TH ST FRONT OF** **NY MANIFEST** **NYP004277216**
1/8-1/4 **NEW YORK, NY 10001**
0.191 mi.
1007 ft. **Site 1 of 3 in cluster AY**

Relative:
Lower

Actual:
9 ft.

RCRA NonGen / NLR:

Date form received by agency:	03/25/2013
Facility name:	CON EDISON SERVICE BOX: 4614
Facility address:	562 W 25TH ST FRONT OF NEW YORK, NY 10001
EPA ID:	NYP004277216
Contact:	RICARDO CARTY
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	646-772-3407
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	02/25/2013
Site name:	CON EDISON SERVICE BOX: 4614
Classification:	Conditionally Exempt Small Quantity Generator
Violation Status:	No violations found

NY MANIFEST:

Country:	USA
EPA ID:	NYP004277216
Facility Status:	Not reported
Location Address 1:	F/O 562 W 25TH ST
Code:	BP
Location Address 2:	SERV BOX
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

CON EDISON SERVICE BOX: 4614 (Continued) **1016149064**

NY MANIFEST:

EPAID:	NYP004277216
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	02/25/2013
Trans1 Recv Date:	02/25/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/25/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004277216
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010841329JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008

CON EDISON SERVICE BOX: 4614 (Continued) **1016149064**

Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AY395 **HANDY LAUNDRY & CLEANERS** **RCRA NonGen / NLR** **1004759714**
SW **204 W 55TH ST** **NY MANIFEST** **NYR000018424**
1/8-1/4 **NEW YORK, NY 10019**
0.191 mi.
1008 ft. **Site 2 of 3 in cluster AY**

Relative:
Lower

Actual:
8 ft.

RCRA NonGen / NLR:
Date form received by agency: 01/01/2007
Facility name: HANDY LAUNDRY & CLEANERS
Facility address: 204 W 55TH ST
NEW YORK, NY 10019
EPA ID: NYR000018424
Mailing address: W 55TH ST
NEW YORK, NY 10019
Contact: HEON PYUN
Contact address: W 55TH ST
NEW YORK, NY 10019
Contact country: US
Contact telephone: 212-247-0922
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: ROCKEFELLER PLAZA ASSOCIATES
Owner/operator address: 204 W 55TH ST
NEW YORK, NY 10019
Owner/operator country: US
Owner/operator telephone: 212-247-2000
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: ROCKEFELLER PLAZA ASSOCIATES
Owner/operator address: 204 W 55TH ST
NEW YORK, NY 10019
Owner/operator country: US
Owner/operator telephone: 212-247-2000
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private

HANDY LAUNDRY & CLEANERS (Continued) **1004759714**

Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: HANDY LAUNDRY & CLEANERS
Classification: Not a generator, verified

Date form received by agency: 01/11/1996
Site name: HANDY LAUNDRY & CLEANERS
Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D000
. Waste name: Not Defined

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D039
. Waste name: TETRACHLOROETHYLENE

. Waste code: D040
. Waste name: TRICHLORETHYLENE

. Waste code: F002
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

HANDY LAUNDRY & CLEANERS (Continued) **1004759714**

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004271862
Facility Status: Not reported
Location Address 1: 564 W 25 ST
Code: BP
Location Address 2: SERVICE BOX # 4614
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10014
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004271862
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2013
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 02/22/2013
Trans1 Recv Date: 02/22/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/22/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004271862
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010707022JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110

HANDY LAUNDRY & CLEANERS (Continued) **1004759714**

Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	2500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

Country:	USA
EPA ID:	NYR000018424
Facility Status:	Not reported
Location Address 1:	204 W 55TH STREET
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10019
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000018424
Mailing Name:	HANDY LAUNDRY & CLEANERS
Mailing Contact:	HEON J PYUN
Mailing Address 1:	204 W 55TH STREET
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10019
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2122470922

NY MANIFEST:

Document ID:	NYC6572272
Manifest Status:	Not reported
seq:	01
Year:	2001
Trans1 State ID:	08690
Trans2 State ID:	SC004
Generator Ship Date:	08/31/2001
Trans1 Recv Date:	08/31/2001

HANDY LAUNDRY & CLEANERS (Continued) **1004759714**

Trans2 Recv Date:	09/10/2001
TSD Site Recv Date:	09/11/2001
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000018424
Trans1 EPA ID:	SCR000075150
Trans2 EPA ID:	NJD071629976
TSDF ID 1:	OHD980587364
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00280
Units:	P - Pounds
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
16 additional NY_MANIFEST: record(s) in the EDR Site Report.

AZ396 **STUART DEAN CO INC NY DIV** **RCRA-SQG 1000457407**
East **366 TENTH AVE** **US AIRS NYD986925659**
1/8-1/4 **NEW YORK, NY 10001**
0.191 mi.
1011 ft. **Site 1 of 4 in cluster AZ**

Relative: **Higher**
Actual: **23 ft.**

RCRA-SQG:

Date form received by agency:	01/01/2007
Facility name:	STUART DEAN CO INC NY DIV
Facility address:	366 TENTH AVE NEW YORK, NY 10001
EPA ID:	NYD986925659
Mailing address:	TENTH AVE NEW YORK, NY 10001
Contact:	PAUL NOVACK
Contact address:	TENTH AVE NEW YORK, NY 10001
Contact country:	US
Contact telephone:	718-695-3180
Contact email:	Not reported

STUART DEAN CO INC NY DIV (Continued) **1000457407**

EPA Region: 02
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: STUART DEAN CO INC
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: 212-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: STUART DEAN CO INC
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: 212-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: STUART DEAN CO INC NY DIV

STUART DEAN CO INC NY DIV (Continued) **1000457407**

Classification: Small Quantity Generator

Date form received by agency: 05/01/1994
Site name: STUART - DEAN CO. INC
Classification: Large Quantity Generator

Date form received by agency: 10/04/1990
Site name: STUART DEAN CO INC NY DIV
Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Facility Has Received Notices of Violations:
Regulation violated: Not reported
Area of violation: LDR - General
Date violation determined: 06/20/1996
Date achieved compliance: 01/16/1997
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 10/10/1996
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 06/20/1996
Date achieved compliance: 01/16/1997
Violation lead agency: State

STUART DEAN CO INC NY DIV (Continued) **1000457407**

Enforcement action: WRITTEN INFORMAL
Enforcement action date: 10/10/1996
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: LDR - General
Date violation determined: 06/20/1996
Date achieved compliance: 01/16/1997
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 06/20/1996
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 06/20/1996
Date achieved compliance: 01/16/1997
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 06/20/1996
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 06/11/1996
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 01/16/1997
Evaluation lead agency: State

Evaluation date: 06/11/1996
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: LDR - General
Date achieved compliance: 01/16/1997
Evaluation lead agency: State

US AIRS (AFS):
Envid: 1000457407
Region Code: 02
County Code: NY005
Programmatic ID: AIR NY0000002620500358
Facility Registry ID: 110001606101
D and B Number: Not reported

STUART DEAN CO INC NY DIV (Continued) **1000457407**

Facility Site Name:	STUART DEAN CO INC
Primary SIC Code:	7349
NAICS Code:	999999
Default Air Classification Code:	SMI
Facility Type of Ownership Code:	POF
Air CMS Category Code:	Not reported
HPV Status:	Not reported

AZ397 **STUART DEAN COMPANY** **NY LTANKS** **S105997685**
East **366 10TH AV** **N/A**
1/8-1/4 **MANHATTAN, NY**
0.191 mi.
1011 ft. **Site 2 of 4 in cluster AZ**

Relative: **Higher**
Actual: **23 ft.**

LTANKS:

Facility ID:	0209637
Site ID:	287180
Closed Date:	2006-05-31
Spill Number:	0209637
Spill Date:	2002-12-19
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	KSTANG
Referred To:	Not reported
Reported to Dept:	2002-12-19
CID:	365
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2002-12-19
Spill Record Last Update:	2006-05-31
Spiller Name:	PEDRO LUGO
Spiller Company:	STUART DEAN, INC
Spiller Address:	366 10TH AV
Spiller County:	001
Spiller Contact:	PEDRO LUGO
Spiller Phone:	(212) 695-3180
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	232628
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ZHAO/DO 12/19/02 - AUSTIN, DDO - TTF LETTER SENT 1/11/06- DEC Piper spoke w/ Eugene Degan, (PRev. Owner Rep 845.294.7509) regarding tank test. He could not be sure though he thinks the tanks are still empty. He will look into this. Piper then contacted new owner Dov Hertz, Extell Group. 212.712.0633. He knows nothing and will have previous owner get info. Galden Frankel performed Phase I and II on property. Left message at GF requesting call back. 1/18/06- DEC Piper spoke w/ property manager, Rob Scharf 212.712.6111. Stewart Dean Co. -212.695.3180. He will fax info. DEC Piper to review and inform Rob of additional work if warranted. 2/6/06- DEC Piper spoke w/ Rob S. I

STUART DEAN COMPANY (Continued) **S105997685**

explained to him that he was still in violation of PBS code. I have received analytical suggesting that there was no release at the site. The tank test results indicated a dry ullage leak. The tank is empty and still needs to be removed or closed iin place. As per Rob, he will be sending in the new appplication this week. I instructed him to include a line item that that due to the razing of the building, that they will remove the tank when the activities have been completed. Afterwards, he will need to update the PBS records to insicate that the tank has been removed. Upon review of a limited phase II investigation of the site performed by Galden Frankel, of the six soil samples taken from various locations throughout the site, no elevated constituents were detected. However, three GW samples were collected. The results indicate 1,040 ppb of MtBE and slightly elevated levels of PERC and its byproducts. 5/15/06- DEC Piper. Referred to Remediation. 5/31/06 - reviewed file: MTBE was detected without other VOCs usually present in a petroleum release. The MTBE is likely the leading edge of an off-site impact. Low level of CVOCs are also detected. These CVOCs are only detected in GW with no soil contamination or other sources on site. Spill is closed, no NFA issued since no remediation was ever conducted at site. - KST"

Remarks: "they are going to abandoned the tank"

All TTF:

Facility ID:	0209637
Spill Number:	0209637
Spill Tank Test:	1527857
Site ID:	287180
Tank Number:	1
Tank Size:	3000
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	03
Test Method 2:	Horner EZ Check I or II
Leak Rate:	.00
Gross Fail:	F
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	287180
Operable Unit ID:	862851
Operable Unit:	01
Material ID:	513064
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

AZ398 **ROSE PLAZA** **NY AST** **A100178204**
East **356 10TH AVENUE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.191 mi.
1011 ft. **Site 3 of 4 in cluster AZ**

Relative:
Higher

Actual:
23 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-605970
Program Type:	PBS
UTM X:	584351.55355
UTM Y:	4511734.90150
Expiration Date:	N/A
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	27835
Affiliation Type:	Facility Owner
Company Name:	EXTELL 31/10 LLC
Contact Type:	VP
Contact Name:	JEFF DVORETT
Address1:	805 THIRD AVE, 7TH FLR
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 712-6000
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2011-01-20

Site Id:	27835
Affiliation Type:	Mail Contact
Company Name:	EXTELL 31/10 LLC
Contact Type:	VP
Contact Name:	JEFF DVORETT
Address1:	805 THIRD AVE, 7TH FLR
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 712-6000
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2011-01-20

Site Id:	27835
Affiliation Type:	Facility Operator
Company Name:	ROSE PLAZA
Contact Type:	Not reported
Contact Name:	N/A
Address1:	Not reported
Address2:	Not reported
City:	Not reported

ROSE PLAZA (Continued) **A100178204**

State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	N/A
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2011-01-20

Site Id:	27835
Affiliation Type:	Emergency Contact
Company Name:	EXTELL 31/10 LLC
Contact Type:	Not reported
Contact Name:	N/A
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	N/A
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2011-01-24

Tank Info:

Tank Number:	001
Tank Id:	60771
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
J02 - Dispenser - Suction Dispenser
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
I05 - Overfill - Vent Whistle

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	11/30/2006
Capacity Gallons:	1500
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	11/30/2006
Register:	True

ROSE PLAZA (Continued) **A100178204**

Modified By: NRLOMBAR
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

AZ399 **STUART DEAN CO. INC.** **NY UST** **U003800437**
East **366 10TH AVENUE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.191 mi.
1011 ft. **Site 4 of 4 in cluster AZ**

Relative:
Higher

Actual:
23 ft.

UST:
Id/Status: 2-606661 / Unregulated/Closed
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: N/A
UTM X: 586122.60047
UTM Y: 4515067.61326
Site Type: Other

Affiliation Records:
Site Id: 28519
Affiliation Type: Emergency Contact
Company Name: EXTELL 31/10 LLC
Contact Type: Not reported
Contact Name: N/A
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: N/A
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2011-01-24

Site Id: 28519
Affiliation Type: Mail Contact
Company Name: EXTELL 31/10 LLC
Contact Type: Not reported
Contact Name: JEFF DVORETT
Address1: % EXTELL DEVELOPMENT COMPANY
Address2: 805 THIRD AVENUE, 7TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10022
Country Code: 001
Phone: (212) 712-6000
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2011-01-24

Site Id: 28519
Affiliation Type: Facility Operator
Company Name: STUART DEAN CO. INC.

STUART DEAN CO. INC. (Continued) **U003800437**

Contact Type:	Not reported
Contact Name:	N/A
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	N/A
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2011-01-24

Site Id:	28519
Affiliation Type:	Facility Owner
Company Name:	EXTELL 31/10 LLC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	805 THIRD AVENUE, 7TH FLOOR
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 712-6000
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2011-01-24

Tank Info:

Tank Number:	001
Tank ID:	61729
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	1500
Install Date:	Not reported
Date Tank Closed:	02/04/2008
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Tightness Test Method:	00
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NRLOMBAR
Last Modified:	04/14/2017

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)

STUART DEAN CO. INC. (Continued) **U003800437**

I05 - Overfill - Vent Whistle
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
C03 - Pipe Location - Aboveground/Underground Combination
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

---

400 SSW 1/8-1/4 0.193 mi. 1020 ft. **534-548 WEST 25TH STREET** **NY UST** **U003758118**
534-548 WEST 25TH STREET **N/A**
NEW YORK, NY 10001

Relative: Lower
Actual: 10 ft.

UST:

Id/Status:	2-604824 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	584049.96203
UTM Y:	4511421.35316
Site Type:	Unknown

Affiliation Records:

Site Id:	26693
Affiliation Type:	Facility Owner
Company Name:	WENAT REALTY ASSOCIATES C/O S. WEINBERG
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	122 E. 42ND ST. - 46TH FLOOR
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10168
Country Code:	001
Phone:	(212) 490-1130
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	26693
Affiliation Type:	Mail Contact
Company Name:	WENAT REALTY ASSOCIATES
Contact Type:	Not reported
Contact Name:	S. WEINBERG
Address1:	122 E. 42ND STREET
Address2:	46TH FLOOR
City:	NEW YORK
State:	NY
Zip Code:	10168
Country Code:	001
Phone:	(212) 490-1130
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT

534-548 WEST 25TH STREET (Continued) **U003758118**

Date Last Modified: 2004-03-04

Site Id: 26693
Affiliation Type: Facility Operator
Company Name: 534-548 WEST 25TH STREET
Contact Type: Not reported
Contact Name: NONE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 490-1130
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 26693
Affiliation Type: Emergency Contact
Company Name: WENAT REALTY ASSOCIATES C/O S. WEINBERG
Contact Type: Not reported
Contact Name: SAM WEINBERG
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 490-1130
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank ID: 58950
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 08/01/2000
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

534-548 WEST 25TH STREET (Continued) **U003758118**

Equipment Records:

G00 - Tank Secondary Containment - None
J00 - Dispenser - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None

Tank Number:	002
Tank ID:	58951
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	08/01/2000
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

J00 - Dispenser - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping

Tank Number:	003
Tank ID:	58952
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	08/01/2000
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline

534-548 WEST 25TH STREET (Continued) **U003758118**

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

J00 - Dispenser - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
G00 - Tank Secondary Containment - None
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D00 - Pipe Type - No Piping

Tank Number:	004
Tank ID:	58953
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	08/01/2000
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

G00 - Tank Secondary Containment - None
J00 - Dispenser - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None

Tank Number:	005
Tank ID:	58954
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	08/01/2000

534-548 WEST 25TH STREET (Continued) **U003758118**

Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

J00 - Dispenser - None
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None

BA401 **CON EDISON - VAULT 1238** **RCRA-LQG** **1016960644**
ENE **368 10 AVENUE** **NYP004327292**
1/8-1/4 **NEW YORK, NY 10001**
0.195 mi.
1029 ft. **Site 1 of 6 in cluster BA**

Relative:
Higher

Actual:
23 ft.

RCRA-LQG:

Date form received by agency:	03/27/2014
Facility name:	CON EDISON - VAULT 1238
Facility address:	368 10 AVENUE NEW YORK, NY 10001
EPA ID:	NYP004327292
Mailing address:	IRVING PLACE, 15TH FL NE NEW YORK, NY 10003
Contact:	DENNIS HUACON
Contact address:	IRVING PLACE, 15TH FL NE NEW YORK, NY 10003
Contact country:	US
Contact telephone:	212-460-2757
Contact email:	HUACOND@CONED.COM
EPA Region:	02
Classification:	Large Quantity Generator
Description:	Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

CON EDISON - VAULT 1238 (Continued) **1016960644**

Owner/Operator Summary:

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PLACE
	NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	07/10/2013
Owner/Op end date:	Not reported

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PLACE
	NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	07/10/2013
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

. Waste code:	D008
. Waste name:	LEAD

Historical Generators:

Date form received by agency:	08/10/2013
Site name:	CON EDISON VAULT: 1238
Classification:	Not a generator, verified

Date form received by agency:	07/10/2013
Site name:	CON EDISON VAULT: 1238
Classification:	Conditionally Exempt Small Quantity Generator

CON EDISON - VAULT 1238 (Continued) **1016960644**

Violation Status: No violations found

BA402 **CON EDISON** **NY MANIFEST** **S119073686**
ENE **368 10TH AVE FRONT OF V 1238** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.195 mi.
1029 ft. **Site 2 of 6 in cluster BA**

Relative:
Higher

Actual:
23 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004327292
Facility Status:	Not reported
Location Address 1:	368 10 AVENUE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004327292
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	07/10/2013
Trans1 Recv Date:	07/10/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/12/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004327292
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002085484GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N

CON EDISON (Continued) **S119073686**

Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	3000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

BA403 **CON EDISON - VAULT 8299** **RCRA-LQG** **1016960648**
ENE **368 10 AVENUE** **NY MANIFEST** **NYP004327318**
1/8-1/4 **NEW YORK, NY 10001**
0.195 mi.
1029 ft. **Site 3 of 6 in cluster BA**

Relative: **Higher**
Actual: **23 ft.**

RCRA-LQG:

Date form received by agency:	03/27/2014
Facility name:	CON EDISON - VAULT 8299
Facility address:	368 10 AVENUE NEW YORK, NY 10001
EPA ID:	NYP004327318
Mailing address:	IRVING PLACE, 15TH FL NE NEW YORK, NY 10003
Contact:	DENNIS HUACON
Contact address:	IRVING PLACE, 15TH FL NE NEW YORK, NY 10003
Contact country:	US
Contact telephone:	212-460-2757
Contact email:	HUACOND@CONED.COM
EPA Region:	02
Classification:	Large Quantity Generator
Description:	Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less

CON EDISON - VAULT 8299 (Continued) **1016960648**

of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PLACE
	NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	07/10/2013
Owner/Op end date:	Not reported

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PLACE
	NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	07/10/2013
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

. Waste code:	D008
. Waste name:	LEAD

Historical Generators:

Date form received by agency:	08/10/2013
Site name:	CON EDISON VAULT: 8299
Classification:	Not a generator, verified

CON EDISON - VAULT 8299 (Continued) **1016960648**

Date form received by agency: 07/10/2013
Site name: CON EDISON VAULT: 8299
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004327318
Facility Status: Not reported
Location Address 1: 368 10 AVENUE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004327318
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2013
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 07/10/2013
Trans1 Recv Date: 07/10/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/12/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004327318
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002085481GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N

CON EDISON - VAULT 8299 (Continued) **1016960648**

Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	10000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

BA404 **CON EDISON - VAULT 1532** **RCRA-LQG** **1016960646**
ENE **368 10 AVENUE** **NY MANIFEST** **NYP004327300**
1/8-1/4 **NEW YORK, NY 10001**
0.195 mi.
1029 ft. **Site 4 of 6 in cluster BA**

Relative: **Higher**

Actual: **23 ft.**

RCRA-LQG:

Date form received by agency:	03/27/2014
Facility name:	CON EDISON - VAULT 1532
Facility address:	368 10 AVENUE NEW YORK, NY 10001
EPA ID:	NYP004327300
Mailing address:	IRVING PLACE, 15TH FL NE NEW YORK, NY 10003
Contact:	DENNIS HUACON
Contact address:	IRVING PLACE, 15TH FL NE NEW YORK, NY 10003
Contact country:	US
Contact telephone:	212-460-2757
Contact email:	HUACOND@CONED.COM
EPA Region:	02
Classification:	Large Quantity Generator
Description:	Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting

CON EDISON - VAULT 1532 (Continued) **1016960646**

from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PLACE
	NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	07/10/2013
Owner/Op end date:	Not reported

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PLACE
	NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	07/10/2013
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

. Waste code:	D008
. Waste name:	LEAD

Historical Generators:

Date form received by agency:	08/10/2013
Site name:	CON EDISON VAULT: 1532
Classification:	Not a generator, verified

CON EDISON - VAULT 1532 (Continued) **1016960646**

Date form received by agency: 07/10/2013
Site name: CON EDISON VAULT: 1532
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004327300
Facility Status: Not reported
Location Address 1: 368 10 AVENUE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004327300
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2013
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 07/10/2013
Trans1 Recv Date: 07/10/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/12/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004327300
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002085482GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N

CON EDISON - VAULT 1532 (Continued) **1016960646**

Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	3000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

BA405 **CON EDISON - GAS DRIP GAS MAIN** **RCRA-LQG** **1016450642**
ENE **376 10TH AVE** **FINDS** **NYP004296679**
1/8-1/4 **NEW YORK, NY 10001** **ECHO**
0.196 mi. **NY MANIFEST**
1035 ft. **Site 5 of 6 in cluster BA**

Relative: **Higher**

Actual: **24 ft.**

RCRA-LQG:

Date form received by agency:	03/27/2014
Facility name:	CON EDISON - GAS DRIP GAS MAIN
Facility address:	376 10TH AVE NEW YORK, NY 10001
EPA ID:	NYP004296679
Mailing address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact:	DENNIS HUACON
Contact address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact country:	US
Contact telephone:	212-460-2757
Contact email:	HUACOND@CONED.COM
EPA Region:	02
Classification:	Large Quantity Generator
Description:	Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting

CON EDISON - GAS DRIP GAS MAIN (Continued) **1016450642**

from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name:	CONSOLIDATED EDISON CO OF NY INC
Owner/operator address:	IRVING PL
	NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	03/27/2013
Owner/Op end date:	Not reported

Owner/operator name:	CONSOLIDATED EDISON CO OF NY INC
Owner/operator address:	IRVING PL
	NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	03/27/2013
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

. Waste code:	D018
. Waste name:	BENZENE

Historical Generators:

Date form received by agency:	04/27/2013
Site name:	CON EDISON GAS DRIP: GAS~MAIN
Classification:	Not a generator, verified

CON EDISON - GAS DRIP GAS MAIN (Continued) **1016450642**

Date form received by agency: 03/27/2013
Site name: CON EDISON GAS DRIP: GAS~MAIN
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110056328870

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

HAZARDOUS WASTE BIENNIAL REPORTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1016450642
Registry ID: 110056328870
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110056328870

NY MANIFEST:
Country: USA
EPA ID: NYP004296679
Facility Status: Not reported
Location Address 1: 376 10TH AVENUE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004296679
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported

CON EDISON - GAS DRIP GAS MAIN (Continued) **1016450642**

Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJD003812047
Trans2 State ID:	NJD003812047
Generator Ship Date:	04/10/2013
Trans1 Recv Date:	04/10/2013
Trans2 Recv Date:	04/11/2013
TSD Site Recv Date:	04/11/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004296679
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	001675613GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D018
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

406
South
1/8-1/4
0.198 mi.
1045 ft.

CON EDISON MANHOLE: 43129
264 10TH AVE
NEW YORK, NY 10001

RCRA NonGen / NLR
NY MANIFEST

1016149139
NYP004277976

Relative:
Higher

Actual:
14 ft.

RCRA NonGen / NLR:

Date form received by agency:	03/25/2013
Facility name:	CON EDISON MANHOLE: 43129
Facility address:	264 10TH AVE NEW YORK, NY 10001
EPA ID:	NYP004277976
Contact:	JUAN RODRIGUEZ
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	347-865-5931
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	02/25/2013
Site name:	CON EDISON MANHOLE: 43129
Classification:	Conditionally Exempt Small Quantity Generator
Violation Status:	No violations found

NY MANIFEST:

Country:	USA
EPA ID:	NYP004277976
Facility Status:	Not reported
Location Address 1:	264 10TH AVE
Code:	BP
Location Address 2:	MH # 43129
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

CON EDISON MANHOLE: 43129 (Continued) **1016149139**

NY MANIFEST:

EPAID:	NYP004277976
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	02/25/2013
Trans1 Recv Date:	02/25/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/26/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004277976
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010841396JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008

CON EDISON MANHOLE: 43129 (Continued) **1016149139**

Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

---

407 ESE 1/8-1/4 0.198 mi. 1046 ft.

CON EDISON - VAULT 2476
401 W 29 STREET
NEW YORK, NY 10199

RCRA NonGen / NLR **1010325495**
NY MANIFEST **NYP004128336**

Relative: Higher

Actual: 23 ft.

RCRA NonGen / NLR:
Date form received by agency: 02/23/2006
Facility name: CON EDISON - VAULT 2476
Facility address: 401 W 29 STREET
NEW YORK, NY 10199
EPA ID: NYP004128336
Mailing address: 4 IRVING PLACE
NEW YORK, NY 10003
Contact: FRANKLIN MURRAY
Contact address: 4 IRVING PLACE
NEW YORK, NY 10003
Contact country: US
Contact telephone: 212-460-2808
Contact email: MURRAYFR@CONED.COM
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: 4 IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/19/2005
Owner/Op end date: Not reported

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: 4 IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private

CON EDISON - VAULT 2476 (Continued) **1010325495**

Owner/Operator Type: Owner
Owner/Op start date: 01/19/2005
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 02/22/2006
Site name: CON EDISON - VAULT 2476
Classification: Not a generator, verified

Date form received by agency: 02/21/2006
Site name: CON EDISON - VAULT 2476
Classification: Large Quantity Generator

. Waste code: B002
. Waste name: B002

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004128336
Facility Status: Not reported
Location Address 1: F/O 401 W 29TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004128336
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVNG PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003

CON EDISON - VAULT 2476 (Continued) **1010325495**

Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124608208

NY MANIFEST:

Document ID:	NYE0619182
Manifest Status:	Not reported
seq:	Not reported
Year:	2005
Trans1 State ID:	NYD006982359
Trans2 State ID:	Not reported
Generator Ship Date:	01/19/2005
Trans1 Recv Date:	01/19/2005
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/20/2005
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004128336
Trans1 EPA ID:	46235JM
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980593636
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	01091
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AY408 **210 11TH AVE** **NY AST** **A100364467**
SW **210 ELEVENTH AVENUE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.201 mi.
1059 ft. **Site 3 of 3 in cluster AY**

Relative:
Lower

Actual:
7 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-155306
Program Type:	PBS
UTM X:	583927.20770
UTM Y:	4511466.81152
Expiration Date:	03/31/2020
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	5023
Affiliation Type:	Facility Owner
Company Name:	ONBAR LLC C/O ABS PARTNERS REAL ESTATE, LLC
Contact Type:	AGENT
Contact Name:	RAYMOND MOSLEY
Address1:	200 PARK AVENUE SOUTH, 10TH FLOOR
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10003
Country Code:	001
Phone:	(212) 400-2351
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-06-01

Site Id:	5023
Affiliation Type:	Mail Contact
Company Name:	ONBAR LLC
Contact Type:	Not reported
Contact Name:	RAYMOND MOSLEY
Address1:	C/O ABS PARTNERS REAL ESTATE, LLC
Address2:	200 PARK AVENUE SOUTH, 10TH FLOOR
City:	NEW YORK
State:	NY
Zip Code:	10003
Country Code:	001
Phone:	(212) 400-2351
EMail:	RMOSLEY@ABSRE.COM
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-06-01

Site Id:	5023
Affiliation Type:	Facility Operator
Company Name:	210 11TH AVE
Contact Type:	Not reported
Contact Name:	JERRY BIALOBRZEWSKI
Address1:	Not reported
Address2:	Not reported
City:	Not reported

210 11TH AVE (Continued) **A100364467**

State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 989-6990
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-06-01

Site Id:	5023
Affiliation Type:	Emergency Contact
Company Name:	ONBAR LLC C/O ABS PARTNERS REAL ESTATE, LLC
Contact Type:	Not reported
Contact Name:	JERRY BIALOBRZEWSKI
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(212) 989-6990
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-06-01

Tank Info:

Tank Number:	001
Tank Id:	8395
Material Code:	0003
Common Name of Substance:	#6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser
I05 - Overfill - Vent Whistle
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Location:	6
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	7500
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	11/01/2004
Register:	True

210 11TH AVE (Continued) **A100364467**

Modified By:	NRLOMBAR
Last Modified:	04/14/2017
Material Name:	#6 fuel oil (on-site consumption)
Tank Number:	002
Tank Id:	181000
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
G01 - Tank Secondary Containment - Diking (Aboveground)
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
I05 - Overfill - Vent Whistle
J02 - Dispenser - Suction Dispenser
F00 - Pipe External Protection - None

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	11/01/2004
Capacity Gallons:	4500
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	NTFREEMA
Last Modified:	04/14/2017
Material Name:	#2 fuel oil (on-site consumption)

BA409 **CON EDISON GAS DRIP: GAS~MAIN** **RCRA NonGen / NLR** **1016450251**
ENE **382 10TH AVE** **NY MANIFEST** **NYP004292744**
1/8-1/4 **NEW YORK, NY 10014**
0.206 mi.
1090 ft. **Site 6 of 6 in cluster BA**

Relative: **Higher**
Actual: **26 ft.**

RCRA NonGen / NLR:

Date form received by agency:	04/11/2013
Facility name:	CON EDISON GAS DRIP: GAS~MAIN
Facility address:	382 10TH AVE NEW YORK, NY 10014
EPA ID:	NYP004292744
Contact:	LOUIS CLARK
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	347-539-6192
Contact email:	Not reported

CON EDISON GAS DRIP: GAS~MAIN (Continued) **1016450251**

EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 03/11/2013
Site name: CON EDISON GAS DRIP: GAS~MAIN
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004292744
Facility Status: Not reported
Location Address 1: 10TH AVE AND 31ST ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004292744
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603370

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported

CON EDISON GAS DRIP: GAS~MAIN (Continued) **1016450251**

seq:	Not reported
Year:	2013
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	03/12/2013
Trans1 Recv Date:	03/12/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/12/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004292744
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	001675605GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	68
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D018
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AX410 **CON EDISON** **NY MANIFEST** **S117314018**
East **437 W 31 ST** **N/A**
1/8-1/4 **NEW YORK, NY 10008**
0.207 mi.
1091 ft. **Site 6 of 6 in cluster AX**

Relative:
Higher

Actual:
24 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004610432
Facility Status:	Not reported
Location Address 1:	437 W 31 ST
Code:	BP
Location Address 2:	SB5802
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10008
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004610432
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL
Mailing Address 2:	15TH FL
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	07/28/2014
Trans1 Recv Date:	07/28/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/29/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004610432
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002608443GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported

CON EDISON (Continued) **S117314018**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

BB411 **TRANSIT MIX CONCRETE CORP** **NY AST** **U004048580**
West **WEST 26 ST / TWELFTH AVE** **N/A**
1/8-1/4 **NEW YORK, NY 10011**
0.208 mi.
1096 ft. **Site 1 of 2 in cluster BB**

Relative: **Lower**
Actual: **7 ft.**

AST:

Region:	STATE
DEC Region:	2
Site Status:	Inactive
Facility Id:	2-283274
Program Type:	PBS
UTM X:	583795.25108
UTM Y:	4511674.70015
Expiration Date:	N/A
Site Type:	Unknown

Affiliation Records:

Site Id:	12499
Affiliation Type:	Facility Owner
Company Name:	TRANSIT MIX CONCRETE CORP
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	641 LEXINGTON AVE
Address2:	Not reported
City:	NEW YORK CITY
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 826-0026
EMail:	Not reported
Fax Number:	Not reported

TRANSIT MIX CONCRETE CORP (Continued) **U004048580**

Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 12499
Affiliation Type: Mail Contact
Company Name: TRANSIT MIX CONCRETE CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 641 LEXINGTON AVE
Address2: Not reported
City: NEW YORK CITY
State: NY
Zip Code: 10022
Country Code: 001
Phone: (212) 826-0026
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 12499
Affiliation Type: Facility Operator
Company Name: TRANSIT MIX CONCRETE CORP
Contact Type: Not reported
Contact Name: TRANSIT MIX CONCRETE CORP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 826-0021
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 12499
Affiliation Type: Emergency Contact
Company Name: TRANSIT MIX CONCRETE CORP
Contact Type: Not reported
Contact Name: WILLIAM MCVEIGH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (201) 652-0056
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001

TRANSIT MIX CONCRETE CORP (Continued) **U004048580**

Tank Id: 14884
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J02 - Dispenser - Suction Dispenser
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: ajsigona
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 002
Tank Id: 14885
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported

TRANSIT MIX CONCRETE CORP (Continued) **U004048580**

Date Tank Closed:	Not reported
Register:	True
Modified By:	ajsigona
Last Modified:	04/14/2017
Material Name:	#2 fuel oil (on-site consumption)

BC412 **CON EDISON SERVICE BOX: 43131** **RCRA NonGen / NLR** **1016149059**
South **10TH AVE & 25TH ST** **NY MANIFEST** **NYP004277166**
1/8-1/4 **NEW YORK, NY 10001**
0.210 mi.
1111 ft. **Site 1 of 4 in cluster BC**

Relative:
Higher

Actual:
13 ft.

RCRA NonGen / NLR:

Date form received by agency:	03/25/2013
Facility name:	CON EDISON SERVICE BOX: 43131
Facility address:	10TH AVE & 25TH ST NEW YORK, NY 10001
EPA ID:	NYP004277166
Contact:	JOSE MONTALVO
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-427-1331
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	02/25/2013
Site name:	CON EDISON SERVICE BOX: 43131
Classification:	Conditionally Exempt Small Quantity Generator
Violation Status:	No violations found

NY MANIFEST:

Country:	USA
EPA ID:	NYP004277166
Facility Status:	Not reported
Location Address 1:	FO 39 10TH AVE & 25TH ST

CON EDISON SERVICE BOX: 43131 (Continued) **1016149059**

Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004277166
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	02/26/2013
Trans1 Recv Date:	02/26/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/26/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004277166
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010708031JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported

CON EDISON SERVICE BOX: 43131 (Continued) **1016149059**

Quantity:	250
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
1 additional NY_MANIFEST: record(s) in the EDR Site Report.

BC413 **CON EDISON SERVICE BOX: 43130** **RCRA NonGen / NLR** **1016149010**
South **10TH AVE & 25TH ST** **NY MANIFEST** **NYP004276671**
1/8-1/4 **NEW YORK, NY 10001**
0.210 mi.
1111 ft. **Site 2 of 4 in cluster BC**

Relative:
Higher

Actual:
13 ft.

RCRA NonGen / NLR:

Date form received by agency:	03/25/2013
Facility name:	CON EDISON SERVICE BOX: 43130
Facility address:	10TH AVE & 25TH ST NEW YORK, NY 10001
EPA ID:	NYP004276671
Contact:	JOSE MONTALVO
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-427-1331
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

CON EDISON SERVICE BOX: 43130 (Continued) **1016149010**

Historical Generators:
Date form received by agency: 02/25/2013
Site name: CON EDISON SERVICE BOX: 43130
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004276671
Facility Status: Not reported
Location Address 1: FO 266 10TH AVE & W 25TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004276671
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2013
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 02/25/2013
Trans1 Recv Date: 02/25/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/26/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004276671
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010708020JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

CON EDISON SERVICE BOX: 43130 (Continued) **1016149010**

Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

BD414 **D26TH ST. & HUDSON PKWY.** **NY LTANKS** **S100494844**
WNW **26TH ST. & HUDSON PKWY.** **N/A**
1/8-1/4 **MANHATTAN, NY**
0.211 mi.
1115 ft. **Site 1 of 6 in cluster BD**

Relative: **Lower**
Actual: **10 ft.**

LTANKS:

Facility ID:	9213648
Site ID:	65652
Closed Date:	1995-03-31
Spill Number:	9213648
Spill Date:	1993-03-11
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	C3
Cleanup Ceased:	1995-03-31
SWIS:	3101
Investigator:	MCTIBBE
Referred To:	Not reported
Reported to Dept:	1993-03-11
CID:	Not reported
Water Affected:	HUDSON RIVER
Spill Notifier:	Federal Government
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1993-03-12

D26TH ST. & HUDSON PKWY. (Continued) **S100494844**

Spill Record Last Update:	1995-03-31
Spiller Name:	Not reported
Spiller Company:	GRACE CONCRETE CO.
Spiller Address:	26TH ST. & HUDSON PKWY.
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	62980
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE / / : HANDLED BY UCSG. 10/10/95: This is additional information about material spilled from the translation of the old spill file: CONCRETE ADDITIVES"
Remarks:	"U.S.C.G. TRIED TO CALL GRACE CONCRETE BUT COULD NOT GET PHONE NUMBER."

BE415 **FEDERAL EXPRESS CORP** **RCRA NonGen / NLR** **1000446163**
West **600 W 27TH ST** **FINDS** **NYD986904746**
1/8-1/4 **NEW YORK, NY 10001** **ECHO**
0.213 mi.
1122 ft. **Site 1 of 3 in cluster BE**

Relative: **Lower**
Actual: **9 ft.**

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	FEDERAL EXPRESS CORP
Facility address:	600 W 27TH ST NEW YORK, NY 10001
EPA ID:	NYD986904746
Mailing address:	W 27TH ST NEW YORK, NY 10001
Contact:	Not reported
Contact address:	W 27TH ST NEW YORK, NY 10001
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	FEDERAL EXPRESS CORP
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	212-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	FEDERAL EXPRESS CORP
Owner/operator address:	NOT REQUIRED

FEDERAL EXPRESS CORP (Continued) **1000446163**

NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: 212-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: FEDERAL EXPRESS CORP
Classification: Not a generator, verified

Date form received by agency: 10/21/1991
Site name: FEDERAL EXPRESS CORP
Classification: Not a generator, verified

Date form received by agency: 06/21/1990
Site name: FEDERAL EXPRESS CORP
Classification: Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

Violation Status: No violations found

FINDS:

Registry ID: 110004448679

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FEDERAL EXPRESS CORP (Continued) **1000446163**

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000446163
Registry ID: 110004448679
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110004448679

BE416 **CON EDISON** **RCRA NonGen / NLR** **1014395643**
West **218 W 12TH AVE** **NJ MANIFEST** **NYP004171088**
1/8-1/4 **NEW YORK, NY 10014** **NY MANIFEST**
0.213 mi.
1124 ft. **Site 2 of 3 in cluster BE**

Relative:
Lower

Actual:
10 ft.

RCRA NonGen / NLR:
Date form received by agency: 06/01/2016
Facility name: CON EDISON
Facility address: 218 W 12TH AVE
NEW YORK, NY 10014
EPA ID: NYP004171088
Mailing address: 4 IRVING PL, RM 828
NEW YORK, NY 10003
Contact: HERMAN BAKER
Contact address: Not reported
Not reported
Contact country: US
Contact telephone: 718-267-3853
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 06/05/2009
Site name: CON EDISON
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

CON EDISON (Continued) **1014395643**

NJ MANIFEST:

EPA Id:	NYP004171088
Mail Address:	4 IRVING PL, RM 828
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	HERMAN BAKER
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	003534254JJK
EPA ID:	NYP004171088
Date Shipped:	06/05/2009
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	06/05/2009
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	06/08/2009
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported

CON EDISON (Continued) **1014395643**

Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: H111
Quantity: 1800 P

NY MANIFEST:
Country: USA
EPA ID: NYP004171088
Facility Status: Not reported
Location Address 1: F/O 218 GREENWICH AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004171088
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address 1: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2009
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/05/2009
Trans1 Recv Date: 06/05/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/08/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004171088
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 003534254JJK

CON EDISON (Continued) **1014395643**

Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H111
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1800.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1.0
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

BC417 **500 WEST 25TH STREET** **NY VCP** **S121133132**
South **500 WEST 25TH STREET** **N/A**
1/8-1/4 **NEW YORK CITY, NY**
0.213 mi.
1125 ft. **Site 3 of 4 in cluster BC**

Relative:
Higher

Actual:
13 ft.

VCP NYC:

Project ID:	17CVCP047M
Project Name:	500 WEST 25TH STREET
Project Address:	500 WEST 25TH STREET
Borough:	MANHATTAN

VCP NYC:

Project ID:	17CVCP047M
File Name:	2016-10-18.RIR
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/17CVCP047M/2016-10-18.17CVCP047M.500 West 25th Street_RIR.pdf
Project ID:	17CVCP047M
File Name:	2017-02-06.Draft_RAWP
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/17CVCP047M/2017-02-06.17CVCP047M.500 West 25th Street_RAWP Draft.pdf
Project ID:	17CVCP047M

500 WEST 25TH STREET (Continued) **S121133132**

File Name: 2017-01-30.Factsheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/17CVCP047M/2017-01-31.17CVCP047M.500 West 25th Street_Factsheet-1.pdf

Project ID: 17CVCP047M
File Name: 2017-01-30.Translated_Factsheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/17CVCP047M/2017-01-31.17CVCP047M.500 West 25th Street_Translated Factsheet-1.pdf

Project ID: 17CVCP047M
File Name: 2017-01-20.Translated_CPS
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/17CVCP047M/2017-01-31.17CVCP047M.500 West 25th Street_Translated CPS.pdf

---

BD418 **CON EDISON - MANHOLE 5223** **NJ MANIFEST** **S120667557**
WNW **W 28TH ST & 12TH AVE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.216 mi.
1138 ft. **Site 2 of 6 in cluster BD**

Relative: **Lower**
Actual: **10 ft.**

NJ MANIFEST:

EPA Id:	NYP004734828
Mail Address:	IRVING PL, 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	002610635GBF
EPA ID:	NYP004734828
Date Shipped:	2/21/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported

CON EDISON - MANHOLE 5223 (Continued) **S120667557**

Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

BD419 **CON EDISON** **NY MANIFEST** **S117740318**
WNW **W 28TH ST & 12TH AVE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.216 mi.
1138 ft. **Site 3 of 6 in cluster BD**

Relative: **Lower**

Actual: **10 ft.**

NY MANIFEST:

Country:	USA
EPA ID:	NYP004734828
Facility Status:	Not reported
Location Address 1:	WEST 28TH ST & 12TH AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004734828
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRIVING PL
Mailing Address 2:	15TH FL
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

CON EDISON (Continued) **S117740318**

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	02/21/2015
Trans1 Recv Date:	02/21/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/26/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004734828
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002610635GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	3000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

BD420
WNW
1/8-1/4
0.216 mi.
1138 ft.

CON EDISON - MANHOLE 5223
WEST 28TH ST & 12TH AVE
NEW YORK, NY 10001

Site 4 of 6 in cluster BD

RCRA-LQG **1018278701**
NYP004734828

Relative:
Lower

Actual:
10 ft.

RCRA-LQG:

Date form received by agency:	02/05/2016
Facility name:	CON EDISON - MANHOLE 5223
Facility address:	WEST 28TH ST & 12TH AVE NEW YORK, NY 10001
EPA ID:	NYP004734828
Mailing address:	IRVING PLACE, 15TH FL NE NEW YORK, NY 10003
Contact:	THERESA BURKARD
Contact address:	IRVING PLACE, 15TH FL NE NEW YORK, NY 10003
Contact country:	US
Contact telephone:	212-460-2262
Contact email:	BURKARDT@CONED.COM
EPA Region:	02
Classification:	Large Quantity Generator
Description:	Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PLACE NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	02/21/2015
Owner/Op end date:	Not reported

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PLACE NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator

CON EDISON - MANHOLE 5223 (Continued) **1018278701**

Owner/Op start date: 02/21/2015
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
Date form received by agency: 02/21/2015
Site name: CON EDISON
Classification: Not a generator, verified

Date form received by agency: 02/21/2015
Site name: CON EDISON
Classification: Large Quantity Generator

Biennial Reports:

Last Biennial Reporting Year: 2017

Annual Waste Handled:
Waste code: D008
Waste name: LEAD
Amount (Lbs): 3000

Violation Status: No violations found

BD421 **CON EDISON SERVICE BOX: 5225** **RCRA NonGen / NLR** **1017778847**
WNW **W 28TH ST & 12TH AVE 300 FEET** **FINDS** **NYP004568028**
1/8-1/4 **NEW YORK, NY 10001**
0.217 mi.
1145 ft. **Site 5 of 6 in cluster BD**

Relative:
Lower

Actual:
10 ft.

RCRA NonGen / NLR:
Date form received by agency: 07/17/2014
Facility name: CON EDISON SERVICE BOX: 5225
Facility address: W 28TH ST & 12TH AVE 300 FEET
E OF
NEW YORK, NY 10001
EPA ID: NYP004568028
Mailing address: IRVING PL, 15TH FL NE

CON EDISON SERVICE BOX: 5225 (Continued) **1017778847**

NEW YORK, NY 10003
Contact: THOMAS TEELING
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: 212-460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 06/17/2014
Site name: CON EDISON
Classification: Small Quantity Generator

Date form received by agency: 06/17/2014
Site name: CON EDISON
Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110063825044

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

BD422 **CON EDISON SERVICE BOX: 5224** **RCRA NonGen / NLR** **1017778846**
WNW **W 28TH ST & 12TH AVE 170 FEET** **FINDS** **NYP004568010**
1/8-1/4 **NEW YORK, NY 10001**
0.217 mi.
1145 ft. **Site 6 of 6 in cluster BD**

Relative:
Lower

Actual:
10 ft.

RCRA NonGen / NLR:

Date form received by agency:	07/17/2014
Facility name:	CON EDISON SERVICE BOX: 5224
Facility address:	W 28TH ST & 12TH AVE 170 FEET E OF NEW YORK, NY 10001
EPA ID:	NYP004568010
Mailing address:	IRVING PL, 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	06/17/2014
Site name:	CON EDISON
Classification:	Conditionally Exempt Small Quantity Generator

Date form received by agency:	06/17/2014
Site name:	CON EDISON
Classification:	Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110063825035

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource

CON EDISON SERVICE BOX: 5224 (Continued) **1017778846**

Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

423
NNE
1/8-1/4
0.218 mi.
1151 ft.

CON EDISON - MANHOLE M6086
W 33RD & 11TH AVE
NEW YORK, NY 10001

NY MANIFEST **S120958877**
N/A

Relative:
Higher

Actual:
18 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004971980
Facility Status:	Not reported
Location Address 1:	W 33RD & 11TH AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004971980
Mailing Name:	CON EDISON - MANHOLE M6086
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL 15TH FL NE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

424
East
1/8-1/4
0.218 mi.
1151 ft.

CON EDISON
430 W 31 ST
NEW YORK, NY 10008

NY MANIFEST **S117314019**
N/A

Relative:
Higher

Actual:
25 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004610457
Facility Status:	Not reported
Location Address 1:	430 W 31 ST
Code:	BP
Location Address 2:	SB5811
Total Tanks:	Not reported

CON EDISON (Continued) **S117314019**

Location City: NEW YORK
Location State: NY
Location Zip: 10008
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004610457
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2014
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 07/28/2014
Trans1 Recv Date: 07/28/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/29/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004610457
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608445GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1

CON EDISON (Continued) **S117314019**

Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

BE425 **CLOSED-LACKOF RECENT INFO** **NY LTANKS** **S100144781**
West **918 27TH AVE.** **N/A**
1/8-1/4 **NEW YORK CITY, NY**
0.219 mi.
1157 ft. **Site 3 of 3 in cluster BE**

Relative: **Lower**
Actual: **9 ft.**

LTANKS:

Facility ID:	8704899
Site ID:	64809
Closed Date:	2003-03-03
Spill Number:	8704899
Spill Date:	1987-09-11
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	4101
Investigator:	ADMIN. CLOSED
Referred To:	Not reported
Reported to Dept:	1987-09-11
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1987-09-24
Spill Record Last Update:	2003-03-20
Spiller Name:	Not reported
Spiller Company:	ST. MARGARET MARY'S
Spiller Address:	918 27TH AVE.
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	62379
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ADMIN.CLOSED 03/03/2003- Closed Due To The Nature / Extent Of The Spill Report"
Remarks:	"10K TANK FAILED TEST- HIGH VOLUME LEAK.Closed due to lack of any recent info-does not meet any clean up requirements."

CLOSED-LACKOF RECENT INFO (Continued) **S100144781**

All TTF:

Facility ID:	8704899
Spill Number:	8704899
Spill Tank Test:	1531609
Site ID:	64809
Tank Number:	Not reported
Tank Size:	0
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	64809
Operable Unit ID:	908609
Operable Unit:	01
Material ID:	467512
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

BF426 **BROOKFIELD OFFICE PROPERTIES** **RCRA NonGen / NLR** **1000168015**
ENE **450 W 33RD ST** **FINDS** **NYD053542015**
1/8-1/4 **NEW YORK, NY 10001** **ECHO**
0.221 mi.
1168 ft. **Site 1 of 6 in cluster BF**

Relative:
Higher

Actual:
25 ft.

RCRA NonGen / NLR:

Date form received by agency:	04/18/2017
Facility name:	BROOKFIELD OFFICE PROPERTIES
Facility address:	450 W 33RD ST NEW YORK, NY 10001
EPA ID:	NYD053542015
Mailing address:	W 33RD ST NEW YORK, NY 10001
Contact:	JAMES GRECO
Contact address:	W 33RD ST NEW YORK, NY 10001
Contact country:	US
Contact telephone:	212-947-7887
Contact email:	JIM.GRECO@BROOKFIELD.COM
EPA Region:	02
Land type:	Private
Classification:	Non-Generator

BROOKFIELD OFFICE PROPERTIES (Continued) **1000168015**

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	BROOKFIELD PROPERTIES
Owner/operator address:	Not reported
	Not reported
Owner/operator country:	Not reported
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	08/01/2012
Owner/Op end date:	Not reported

Owner/operator name:	BROOKFIELD PROPERTIES
Owner/operator address:	Not reported
	Not reported
Owner/operator country:	Not reported
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	08/01/2012
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

. Waste code:	F002
. Waste name:	THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

BROOKFIELD OFFICE PROPERTIES (Continued) **1000168015**

Historical Generators:
Date form received by agency: 03/02/2015
Site name: BROOKFIELD OFFICE PROPERTIES
Classification: Small Quantity Generator

. Waste code: F002
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 01/01/2007
Site name: ARTCARVED INC
Classification: Not a generator, verified

Date form received by agency: 01/01/2006
Site name: ARTCARVED INC
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Site name: ARTCARVED INC
Classification: Not a generator, verified

Date form received by agency: 11/19/1980
Site name: ARTCARVED INC
Classification: Not a generator, verified

. Waste code: F007
. Waste name: SPENT CYANIDE PLATING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS.

. Waste code: K050
. Waste name: HEAT EXCHANGER BUNDLE CLEANING SLUDGE FROM THE PETROLEUM REFINING INDUSTRY.

. Waste code: P098
. Waste name: POTASSIUM CYANIDE (OR) POTASSIUM CYANIDE K(CN)

. Waste code: P106
. Waste name: SODIUM CYANIDE (OR) SODIUM CYANIDE NA(CN)

Date form received by agency: 08/18/1980
Site name: ARTCARVED INC
Classification: Small Quantity Generator

. Waste code: D000
. Waste name: Not Defined

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

BROOKFIELD OFFICE PROPERTIES (Continued) **1000168015**

. Waste code: D003
. Waste name: REACTIVE WASTE

. Waste code: F006
. Waste name: WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS, EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC, AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.

. Waste code: F007
. Waste name: SPENT CYANIDE PLATING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS.

. Waste code: F008
. Waste name: PLATING BATH RESIDUES FROM THE BOTTOM OF PLATING BATHS FROM ELECTROPLATING OPERATIONS IN WHICH CYANIDES ARE USED IN THE PROCESS.

. Waste code: F009
. Waste name: SPENT STRIPPING AND CLEANING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS IN WHICH CYANIDES ARE USED IN THE PROCESS.

. Waste code: K050
. Waste name: HEAT EXCHANGER BUNDLE CLEANING SLUDGE FROM THE PETROLEUM REFINING INDUSTRY.

. Waste code: P030
. Waste name: CYANIDES (SOLUBLE CYANIDE SALTS), NOT OTHERWISE SPECIFIED

. Waste code: P098
. Waste name: POTASSIUM CYANIDE (OR) POTASSIUM CYANIDE K(CN)

. Waste code: P099
. Waste name: ARGENTATE (1-), BIS(CYANO-C)-, POTASSIUM (OR) POTASSIUM SILVER CYANIDE

. Waste code: P104
. Waste name: SILVER CYANIDE (OR) SILVER CYANIDE AG(CN)

. Waste code: P106
. Waste name: SODIUM CYANIDE (OR) SODIUM CYANIDE NA(CN)

. Waste code: U002
. Waste name: 2-PROPANONE (I) (OR) ACETONE (I)

. Waste code: U019
. Waste name: BENZENE (I,T)

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 03/26/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

BROOKFIELD OFFICE PROPERTIES (Continued) **1000168015**

FINDS:

Registry ID: 110004359015

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000168015
Registry ID: 110004359015
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110004359015

BF427 **NEW YORK CLEARING HOUSE** **NY UST** **U001329651**
ENE **450 WEST 33RD STREET** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.221 mi.
1168 ft. **Site 2 of 6 in cluster BF**

Relative:
Higher

Actual:
25 ft.

UST:
Id/Status: 2-600927 / Inactive
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: N/A
UTM X: 584553.03573
UTM Y: 4511880.92822
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 22897
Affiliation Type: Facility Owner
Company Name: NEW YORK CLEARING HOUSE
Contact Type: ENGINEER
Contact Name: CHRIS MUMFORD
Address1: 100 BROAD STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10004
Country Code: 001
Phone: (212) 612-9200
EMail: Not reported
Fax Number: Not reported
Modified By: BKFALVEY
Date Last Modified: 2013-11-19

Site Id: 22897
Affiliation Type: Mail Contact

NEW YORK CLEARING HOUSE (Continued) **U001329651**

Company Name:	NEW YORK CLEARING HOUSE
Contact Type:	Not reported
Contact Name:	CHRISTOPHER C MUMFORD
Address1:	450 WEST 33RD STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 613-09884
EMail:	CHRIS.MUMFORD@THE CLEARINGHOUSE.ORG
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	2007-08-15

Site Id:	22897
Affiliation Type:	Emergency Contact
Company Name:	NEW YORK CLEARING HOUSE
Contact Type:	Not reported
Contact Name:	CHRIS MUMFORD
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(907) 693-6013
EMail:	Not reported
Fax Number:	Not reported
Modified By:	BKFALVEY
Date Last Modified:	2013-11-19

Site Id:	22897
Affiliation Type:	Facility Operator
Company Name:	NEW YORK CLEARING HOUSE
Contact Type:	Not reported
Contact Name:	CHRIS MUMFORD
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NY
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 613-9884
EMail:	Not reported
Fax Number:	Not reported
Modified By:	BKFALVEY
Date Last Modified:	2013-11-19

Tank Info:

Tank Number:	01
Tank ID:	44614
Tank Status:	Tank Converted to Non-Regulated Use
Material Name:	Tank Converted to Non-Regulated Use
Capacity Gallons:	3000
Install Date:	03/01/1982

NEW YORK CLEARING HOUSE (Continued) **U001329651**

Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)
Tightness Test Method:	21
Date Test:	10/11/2012
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NRLOMBAR
Last Modified:	04/14/2017

Equipment Records:

E00 - Piping Secondary Containment - None
C03 - Pipe Location - Aboveground/Underground Combination
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
F00 - Pipe External Protection - None
L00 - Piping Leak Detection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
I05 - Overfill - Vent Whistle
H99 - Tank Leak Detection - Other

BF428 **BROOKFIELD OFFICE PROPERTIES** **NY MANIFEST** **S117735952**
ENE **450 W 33RD ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.221 mi.
1168 ft. **Site 3 of 6 in cluster BF**

Relative:
Higher

Actual:
25 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYD053542015
Facility Status:	Not reported
Location Address 1:	450 W 33RD ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD053542015
Mailing Name:	BROOKFIELD OFFICE PROPERTIES
Mailing Contact:	BROOKFIELD OFFICE PROPERTIES
Mailing Address 1:	450 W 33RD ST
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10001
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2129477887

BROOKFIELD OFFICE PROPERTIES (Continued) **S117735952**

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NYR000134791
Trans2 State ID:	NYR000134957
Generator Ship Date:	03/13/2015
Trans1 Recv Date:	03/13/2015
Trans2 Recv Date:	03/19/2015
TSD Site Recv Date:	03/27/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD053542015
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	PAD085690592
TSDF ID 2:	Not reported
Manifest Tracking Number:	011980533JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	900
Units:	P - Pounds
Number of Containers:	3
Container Type:	DM - Metal drums, barrels
Handling Method:	L Landfill.
Specific Gravity:	1
Waste Code:	F002
Waste Code 1_2:	D039
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

BF429 **450 PARTNERS LLC** **NY UST** **U004197450**
ENE **450-460 WEST 33RD STREET** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.221 mi.
1168 ft. **Site 4 of 6 in cluster BF**

Relative:
Higher

Actual:
25 ft.

UST:

Id/Status:	2-456721 / Active
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	06/12/2017
UTM X:	584515.14193
UTM Y:	4511890.86786
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	20149
Affiliation Type:	Mail Contact
Company Name:	450 PARTNERS LLC
Contact Type:	Not reported
Contact Name:	JIM GERCO
Address1:	450-460 WEST 33RD STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 947-7887
EMail:	JIM.GRECO@BROOKFIELD.COM
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2017-08-23

Site Id:	20149
Affiliation Type:	Facility Operator
Company Name:	450 PARTNERS LLC
Contact Type:	Not reported
Contact Name:	PETER MIFSUD
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NY
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 947-7887
EMail:	Not reported
Fax Number:	Not reported
Modified By:	BKFALVEY
Date Last Modified:	2013-11-19

Site Id:	20149
Affiliation Type:	Facility Owner
Company Name:	450 PARTNERS LLC
Contact Type:	SR. PROPERTY MANAGER
Contact Name:	JIM GRECO
Address1:	450-460 WEST 33RD STREET
Address2:	Not reported
City:	NEW YORK
State:	NY

450 PARTNERS LLC (Continued) **U004197450**

Zip Code:	10001
Country Code:	001
Phone:	(212) 947-7887
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2017-08-23

Site Id:	20149
Affiliation Type:	Emergency Contact
Company Name:	450 PARTNERS LLC
Contact Type:	Not reported
Contact Name:	JIM GRECO
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(212) 947-7887
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2017-08-23

Tank Info:

Tank Number:	003
Tank ID:	249180
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	3000
Install Date:	03/01/1982
Date Tank Closed:	06/12/2017
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Tightness Test Method:	21
Date Test:	11/25/2013
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	DAFRANCI
Last Modified:	08/23/2017

Equipment Records:

I05 - Overfill - Vent Whistle
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
C03 - Pipe Location - Aboveground/Underground Combination
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
A01 - Tank Internal Protection - Epoxy Liner
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
L00 - Piping Leak Detection - None

BF430 **DAILY NEWS LP NY HEADQUARTER** **RCRA NonGen / NLR** **1001028373**
ENE **450 W 33RD ST 3RD FLOOR** **FINDS** **NYR000006056**
1/8-1/4 **NEW YORK, NY 10001** **ECHO**
0.221 mi. **NY MANIFEST**
1168 ft. **Site 5 of 6 in cluster BF**

Relative:
Higher

Actual:
25 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	DAILY NEWS LP NY HEADQUARTER
Facility address:	450 W 33RD ST 3RD FLOOR EDITORAL DEPT NEW YORK, NY 10001-2603
EPA ID:	NYR000006056
Mailing address:	W 33RD ST 3RD FLOOR EDITORAL DEPT NEW YORK, NY 10001-2681
Contact:	Not reported
Contact address:	W 33RD ST 3RD FLOOR NEW YORK, NY 10001-2681
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	THE JOHN HANCOCK MUTUAL LIFE
Owner/operator address:	450 W 33RD ST 3RD FLOOR NEW YORK, NY 10001
Owner/operator country:	US
Owner/operator telephone:	212-947-7887
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	01/01/2001
Owner/Op end date:	Not reported

Owner/operator name:	THE JOHN HANCOCK MUTUAL LIFE
Owner/operator address:	450 W 33RD ST 3RD FLOOR NEW YORK, NY 10001
Owner/operator country:	US
Owner/operator telephone:	212-947-7887
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	01/01/2001
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No

DAILY NEWS LP NY HEADQUARTER (Continued) **1001028373**

Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: DAILY NEWS LP NY HEADQUARTER
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Site name: DAILY NEWS LP NY HEADQUARTER
Classification: Not a generator, verified

Date form received by agency: 06/06/1995
Site name: DAILY NEWS LP NY HEADQUARTER
Classification: Small Quantity Generator

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D011
. Waste name: SILVER

Violation Status: No violations found

FINDS:

Registry ID: 110009484290

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1001028373
Registry ID: 110009484290
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110009484290

NY MANIFEST:
Country: USA

DAILY NEWS LP NY HEADQUARTER (Continued) **1001028373**

EPA ID:	NYR000006056
Facility Status:	Not reported
Location Address 1:	450 WEST 33RD STREET
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000006056
Mailing Name:	DAILY NEWS
Mailing Contact:	MARY RENOLDS
Mailing Address 1:	450 WEST 33RD STREET
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10001
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	0000000000

NY MANIFEST:

Document ID:	NYB6713343
Manifest Status:	C
seq:	Not reported
Year:	1995
Trans1 State ID:	PP8798
Trans2 State ID:	Not reported
Generator Ship Date:	06/21/1995
Trans1 Recv Date:	06/21/1995
Trans2 Recv Date:	/ /
TSD Site Recv Date:	06/23/1995
Part A Recv Date:	06/29/1995
Part B Recv Date:	07/07/1995
Generator EPA ID:	NYR000006056
Trans1 EPA ID:	NYD986974376
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported

DAILY NEWS LP NY HEADQUARTER (Continued) **1001028373**

Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00050
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

BF431 **NY CLEARINGHOUSE - TTF** **NY LTANKS** **S112231212**
ENE **450 W33RD ST** **N/A**
1/8-1/4 **NEW YORK, NY**
0.221 mi.
1168 ft. **Site 6 of 6 in cluster BF**

Relative: **Higher**
Actual: **25 ft.**

LTANKS:

Facility ID:	1205721
Site ID:	468686
Closed Date:	2013-02-28
Spill Number:	1205721
Spill Date:	2012-09-08
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	TJDEMEO
Referred To:	Not reported
Reported to Dept:	2012-09-08
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2012-09-08
Spill Record Last Update:	2013-02-28
Spiller Name:	ERIK DEITZ
Spiller Company:	NY CLEARINGHOUSE
Spiller Address:	450 W33RD ST
Spiller County:	999
Spiller Contact:	JIM YANCY
Spiller Phone:	3364048264
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	422967
DEC Memo:	"TTF was sent out to BROADWAY REAL ESTATE SERVICES 450-460 WEST 33RD STREET NEW YORK, NY 10043 ATTN: JAVIER CORRIPIO ** PBS 2-456721 ** 2/26/13 TJD File review. Tank failed tightness test on 9/8/12 - intially reported as a wet leak. Tank was uncovered and corrosion was identified at tank top fittings and associated piping. Repairs were

NY CLEARINGHOUSE - TTF (Continued) **S112231212**

performed and a tank only (isolation test) was performed on 10/2/12 which passed. A complete system tightness test was then permformed on 10/11/12, also with passing results. Contractor has provided the following statement in their closure report, Throughout excavation operations, close inspections indicated neither visual nor olfactory evidence of petroleum contamination, confirming that there was no loss of product into the subsurface. all required closure documentation has been submitted and uploaded to EDOCS. No further action is required at this time."

Remarks: ""

All Materials:

Site ID:	468686
Operable Unit ID:	1218603
Operable Unit:	01
Material ID:	2217006
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

---

432 **HELIPORT W 30TH ST/MANH - TTF** **NY LTANKS** **S100145501**
ESE **HELIPORT/W.30TH ST & 12TH** **N/A**
1/8-1/4 **NEW YORK CITY, NY**
0.223 mi.
1175 ft.

Relative:
Higher

Actual:
24 ft.

LTANKS:

Facility ID:	8903684
Site ID:	116887
Closed Date:	2014-10-27
Spill Number:	8903684
Spill Date:	1989-07-13
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	TJDEMEO
Referred To:	Not reported
Reported to Dept:	1989-07-13
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1989-07-14
Spill Record Last Update:	2014-10-27
Spiller Name:	Not reported
Spiller Company:	PORT AUTHORITY

HELIPORT W 30TH ST/MANH - TTF (Continued) **S100145501**

Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	101690
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MILLER DEC SIGONA REASSIGNED TO MILLER ON 1/23/98 3/5/10 - Austin - Reassigned as TTF to Jake Krimgold for further investigation. - end 08/13/12 - LZ As Randy Austin requested, the spill has been reassigned to Tim DeMeo 8/24/12 TJD Spill cross-referenced to PBS#. 10/09/14-Hiralkumar Patel. reviewed available documents for DEC DeMeo. site name: West 30th Street Heliport PBS #: 2-342211. as per PBS record, the site has/had following tanks: - one (1) 8,000 gal other product AST on saddles, in-service, installed in Apr. 1997 - one (1) 8,000 gal other product AST on soil, converted to non-regulated use, installed in Apr. 1997 (this could be same tank as above) 10/27/14 TJD File review - based upon above information obtained from Patel. - eleven (11) 550 gal other product USTs, closed-in-place, in Apr. 1997 - five (5) 550 gal other product USTs, closed prior to Mar. 1991 other spills #: 8804707, 8901091, 9504121 spill # 8804707 was reported on 08/29/1988 by USCG due to petroleum patch. case closed. spill # 8901091 was reported on 05/04/1989 due to tank test failure for eight (8) 550 gal jet fuel tanks. case closed. spill # 9504121 was reported on 07/06/1995 by USCG due to 40 gal jet fuel spill result of collision between two helicopters. case closed. reviewed documents on e-docs for PBS: - 12/18/1988: tanks 9 to 16 (550 gal jet A fuel) were passed - 12/07/1991: tanks 1 to 8 (550 gal jet A fuel) were passed - 06/11/2007: N. D. Eryou sent letter to DEC Falvey. he mentioned that the eleven (11) 550 gal USTs owned by Port Authority and they were conveyed with the land lease to NYS DOT (Aviation Division). he was not present during tanks abandonment in 1997, but believed that NYSDOT was going to remove the USTs as part of the stormwater upgrades that were underway as part of the immeidate adjacent Route 9 upgrades. 10/27/14 TJD File review. Based upon summarized review discussed above - (8) 550 gallon UST's passed tightness tests (Tanks 9 to 16) prior to reported spill (1988). Remaining (8) 550 gallon UST's (Tanks 1 to 8) passed a tighness test subsequent to reported spill (1991). As per PBS inspection 1/9/07 (Falvey) all UST's have been permanently closed on site. New 8K AST's are currently in operation at this facility. A total of (3) spill reports have been reported and closed at this facility since initial TTF report. Unknown what tank # failed the tighness test, however, all UST's are reported out of service. Due to proximity of the failure to the Hudson River if a significant petroleum discharge had occurred impacts to the adjacent surface waters would have been observed. No further action is required at this time. Spill is administratively closed."
Remarks:	"550 GALLON TANK FAILED HORNER EZY CHECK WITH A LEAK RATE OF .179GPH, TANK #8, PARTIALLY PUMPED OUT TANK, WILL FINISH PUMPING TANK LATER TODAY."

All TTF:

Facility ID:	8903684
Spill Number:	8903684
Spill Tank Test:	1535707
Site ID:	116887

HELIPORT W 30TH ST/MANH - TTF (Continued) **S100145501**

Tank Number:	Not reported
Tank Size:	0
Material:	0011
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	116887
Operable Unit ID:	931312
Operable Unit:	01
Material ID:	447763
Material Code:	0011
Material Name:	jet fuel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

433
WNW
1/8-1/4
0.223 mi.
1180 ft.

CLOSED-LACKOF RECENT INFO **NY LTANKS** **S100167437**
39038 29TH ST. **N/A**
NEW YORK CITY, NY

Relative:
Lower

Actual:
10 ft.

LTANKS:

Facility ID:	8705823
Site ID:	186869
Closed Date:	2003-03-04
Spill Number:	8705823
Spill Date:	1987-10-09
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	4101
Investigator:	ADMIN. CLOSED
Referred To:	Not reported
Reported to Dept:	1987-10-09
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0

CLOSED-LACKOF RECENT INFO (Continued) **S100167437**

Date Entered In Computer:	1987-10-15
Spill Record Last Update:	2003-03-14
Spiller Name:	Not reported
Spiller Company:	ST. PATRICK'S CHURCH
Spiller Address:	39-38 29TH ST.
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	156182
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ADMIN.CLOSED 03/04/2003-Closed Due To The Nature / Extent Of The Spill Report"
Remarks:	"4K TANK FAILED TEST WITH HIGH VOLUME LEAK, WILL EXCAVATE, ISOLATE, AND RETEST. CONTACT: FRANK FLORIO (718) 729-6060.CLOSED DUE TO LACK OF ANY RECENT INFO- DOES NOT MEET ANY CLEAN UP REQUIREMENTS."

All TTF:

Facility ID:	8705823
Spill Number:	8705823
Spill Tank Test:	1531886
Site ID:	186869
Tank Number:	Not reported
Tank Size:	0
Material:	0002
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	186869
Operable Unit ID:	909654
Operable Unit:	01
Material ID:	468390
Material Code:	0002A
Material Name:	#4 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

BG434 **OTIS ELEVATOR** **RCRA-SQG** **1006810527**
NE **515 W 33RD ST** **FINDS** **NYR000113332**
1/8-1/4 **NEW YORK, NY 10001** **ECHO**
0.226 mi. **NJ MANIFEST**
1191 ft. **Site 1 of 4 in cluster BG** **NY MANIFEST**

Relative: Higher

Actual: 29 ft.

RCRA-SQG:

Date form received by agency:	01/01/2007
Facility name:	OTIS ELEVATOR
Facility address:	515 W 33RD ST NEW YORK, NY 10001
EPA ID:	NYR000113332
Mailing address:	W 33RD ST NEW YORK, NY 10001
Contact:	DOMENICK DEMONTE
Contact address:	W 33RD ST NEW YORK, NY 10001
Contact country:	US
Contact telephone:	917-339-9605
Contact email:	Not reported
EPA Region:	02
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	UNITED TECHNOLOGY CORP
Owner/operator address:	W 33RD ST NEW YORK, NY 10001
Owner/operator country:	US
Owner/operator telephone:	917-339-9605
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	02/11/2003
Owner/Op end date:	Not reported

Owner/operator name:	OTIS ELEVATOR
Owner/operator address:	W 33RD ST NEW YORK, NY 10001
Owner/operator country:	US
Owner/operator telephone:	917-339-9605
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	02/11/2003
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No

OTIS ELEVATOR (Continued) **1006810527**

Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency: 01/01/2006
Site name: OTIS ELEVATOR
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 02/11/2003
Site name: OTIS ELEVATOR
Classification: Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D006
. Waste name: CADMIUM

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

. Waste code: D039
. Waste name: TETRACHLOROETHYLENE

. Waste code: F002
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

FINDS:

Registry ID: 110014366765

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

OTIS ELEVATOR (Continued) **1006810527**

program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1006810527
Registry ID:	110014366765
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110014366765

NJ MANIFEST:

EPA Id:	NYR000113332
Mail Address:	W 33RD ST
Mail City/State/Zip:	NEW YORK, NY 10001
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	DOMENICK DEMONTE
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	000106331SKS
EPA ID:	NYR000113332
Date Shipped:	01/10/2008
TSDF EPA ID:	NJD002182897
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	NJD071629976
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	01/10/2008
Date Trans2 Transported Waste:	01/25/2008
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	01/25/2008
TSDF EPA Facility Name:	Not reported

OTIS ELEVATOR (Continued) **1006810527**

QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10001
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	F003
Hand Code:	H141
Quantity:	700 P

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H061
Quantity:	200 P

Manifest Number:	001566049SKS
EPA ID:	NYR000113332
Date Shipped:	06/03/2009
TSDF EPA ID:	NJD002182897
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	NJD071629976
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	06/03/2009
Date Trans2 Transported Waste:	06/10/2009
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	06/10/2009
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported

OTIS ELEVATOR (Continued) **1006810527**

Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10001
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	F003
Hand Code:	H061
Quantity:	300 P

NY MANIFEST:

Country:	USA
EPA ID:	NYR000113332
Facility Status:	Not reported
Location Address 1:	515 W 33 STREET
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000113332
Mailing Name:	OTIS ELEVATOR
Mailing Contact:	V MAZZEI
Mailing Address 1:	515 W 33 STREET
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10001
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	9173399605

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2011
Trans1 State ID:	NYR000003582
Trans2 State ID:	Not reported
Generator Ship Date:	08/05/2011
Trans1 Recv Date:	08/05/2011
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/05/2011
Part A Recv Date:	Not reported

OTIS ELEVATOR (Continued) **1006810527**

Part B Recv Date:	Not reported
Generator EPA ID:	NYR000113332
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	004145788FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	60.0
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	2.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Waste Code:	D001
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
18 additional NY_MANIFEST: record(s) in the EDR Site Report.

BG435 **CON EDISON** **NY MANIFEST** **S117737148**
NE **513 W 33 ST WLY** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.227 mi.
1196 ft. **Site 2 of 4 in cluster BG**

Relative: **Higher**
Actual: **29 ft.**

NY MANIFEST:

Country:	USA
EPA ID:	NYP004613303
Facility Status:	Not reported
Location Address 1:	513 W 33 ST WLY
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001

CON EDISON (Continued) **S117737148**

Location Zip 4: Not reported

NY MANIFEST:

EPAID:	NYP004613303
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	07/31/2014
Trans1 Recv Date:	07/31/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/01/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004613303
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002608692GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	2500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1

CON EDISON (Continued) **S117737148**

Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

BH436 **CONSTRUCTION SITE** **RCRA-CESQG** **1008892156**
SSW **511 W 24TH ST** **NYR000135327**
1/8-1/4 **NEW YORK, NY 10011**
0.227 mi.
1197 ft. **Site 1 of 7 in cluster BH**

Relative: **Lower**
Actual: **11 ft.**

RCRA-CESQG:

Date form received by agency:	01/01/2007
Facility name:	CONSTRUCTION SITE
Facility address:	511 W 24TH ST NEW YORK, NY 10011-1104
EPA ID:	NYR000135327
Mailing address:	S 8TH ST BROOKLYN, NY 11211
Contact:	WILLIAM T FLEITES
Contact address:	S 8TH ST BROOKLYN, NY 11211
Contact country:	US
Contact telephone:	917-335-7774
Contact email:	Not reported
EPA Region:	02
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name:	NO NAME FOUND
Owner/operator address:	Not reported Not reported
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported

CONSTRUCTION SITE (Continued) **1008892156**

Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 10/01/2005
Owner/Op end date: Not reported

Owner/operator name: MORRIENNE BOESKY
Owner/operator address: W 22ND ST - 2ND FLOOR
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/14/2005
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: CONSTRUCTION SITE
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 10/31/2005
Site name: CONSTRUCTION SITE
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

BH437 **VACANT LOT** **NY LTANKS** **S106868700**
SSW **511 WEST 24TH STREET** **N/A**
1/8-1/4 **MANHATTAN, NY**
0.227 mi.
1197 ft. **Site 2 of 7 in cluster BH**

Relative:
Lower

Actual:
11 ft.

LTANKS:
Facility ID: 0412228
Site ID: 337632
Closed Date: 2005-03-16
Spill Number: 0412228
Spill Date: 2005-02-16

VACANT LOT (Continued) **S106868700**

Spill Cause:	Tank Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	SMSANGES
Referred To:	Not reported
Reported to Dept:	2005-02-16
CID:	444
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2005-02-16
Spill Record Last Update:	2005-03-16
Spiller Name:	TIM SIMMONS
Spiller Company:	VACANT LOT
Spiller Address:	511 WEST 24TH STREET
Spiller County:	001
Spiller Contact:	TIM SIMMONS
Spiller Phone:	(917) 353-7604
Spiller Extention:	CELL
DEC Region:	2
DER Facility ID:	272958
DEC Memo:	"Sangesland spoke with Roux Assoc. Tank excavation with some spillage around tanks. (Tanks had been previously abandoned in place). Now tanks are being pulled. Sangesland asked for several end point soil samples taken from tank grave after removal. Test for VOC & SVOC. 3/16/2005 Sangesland reviewed a report from Roux Assoc. dated 3/9/05 On 2/18/05 Roux collected 6 post-ex samples. One per each side & 2 bottom VOC's - All samples contained low levels of VOC's, but they were ALL BELOW RSCO Stds. SVOC's - Some minor Hits on PAHs consistant with historical fill levels. Results show some contaminants exceed regulatory standards. Samples taken on removed (waste) soils showed much higher VOC & SVOC levels. Roux conclusion says that the contamination source has been removed and the site should be closed out. Based on the soil sampling work performed on the site and the report prepared by Roux Assoc., the NYSDEC agrees with the conclusion and the spill case is closed with: No Further Action - Does Not Meet Standards "
Remarks:	"REMOVING TANK, JUST AN ODOR IN THE SOIL: NOT SURE HOW TO MOVE FORWARD WITH PROJECT:"

All Materials:

Site ID:	337632
Operable Unit ID:	1099574
Operable Unit:	01
Material ID:	579908
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00

VACANT LOT (Continued) **S106868700**

Oxygenate: Not reported

438
NNE
1/8-1/4
0.227 mi.
1201 ft.

CON EDISON - MANHOLE 55336
553 W 33RD ST
NEW YORK, NY 10001

RCRA-LQG **1016450770**
NY MANIFEST **NYP004297974**

Relative:
Higher

Actual:
20 ft.

RCRA-LQG:

Date form received by agency:	03/27/2014
Facility name:	CON EDISON - MANHOLE 55336
Facility address:	553 W 33RD ST NEW YORK, NY 10001
EPA ID:	NYP004297974
Mailing address:	IRVING PLACE, 15TH FL NE NEW YORK, NY 10003
Contact:	DENNIS HUACON
Contact address:	IRVING PLACE, 15TH FL NE NEW YORK, NY 10003
Contact country:	US
Contact telephone:	212-460-2757
Contact email:	HUACOND@CONED.COM
EPA Region:	02
Classification:	Large Quantity Generator
Description:	Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PLACE NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	04/01/2013
Owner/Op end date:	Not reported

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PLACE NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported

CON EDISON - MANHOLE 55336 (Continued) **1016450770**

Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 04/01/2013
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
Date form received by agency: 05/01/2013
Site name: CON EDISON MANHOLE: 55336
Classification: Not a generator, verified

Date form received by agency: 04/01/2013
Site name: CON EDISON MANHOLE: 55336
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004297974
Facility Status: Not reported
Location Address 1: 553 W 33RD ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004297974
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR

CON EDISON - MANHOLE 55336 (Continued) **1016450770**

Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	04/04/2013
Trans1 Recv Date:	04/04/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/05/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004297974
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010707722JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	5000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

CON EDISON - MANHOLE 55336 (Continued) **1016450770**

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

BB439 **HUB CHEVROLET** **RCRA NonGen / NLR** **1000106505**
West **200 12TH AVE** **FINDS** **NYD361448095**
1/8-1/4 **NEW YORK, NY 10001** **ECHO**
0.228 mi.
1202 ft. **Site 2 of 2 in cluster BB**

Relative:
Lower

Actual:
5 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	HUB CHEVROLET
Facility address:	200 12TH AVE NEW YORK, NY 10001-1009
EPA ID:	NYD361448095
Mailing address:	12TH AVE NEW YORK, NY 10001
Contact:	Not reported
Contact address:	12TH AVE NEW YORK, NY 10001
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	JULES LEVINE
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	212-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	JULES LEVINE
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	212-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No

HUB CHEVROLET (Continued) **1000106505**

Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: HUB CHEVROLET
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Site name: HUB CHEVROLET
Classification: Not a generator, verified

Date form received by agency: 09/18/1989
Site name: HUB CHEVROLET
Classification: Large Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: F002
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

FINDS:

Registry ID: 110004386539

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

HUB CHEVROLET (Continued) **1000106505**

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000106505
Registry ID: 110004386539
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110004386539

BG440 NE 1/8-1/4 0.228 mi. 1203 ft. **50 HYMC OWNER HOLDING, LLC** **NY AST** **A100433721**
511 W. 33RD ST. **N/A**
NEW YORK, NY 10001
Site 3 of 4 in cluster BG

Relative: Higher
Actual: 30 ft.

AST:
Region: STATE
DEC Region: 2
Site Status: Unregulated/Closed
Facility Id: 2-612766
Program Type: PBS
UTM X: Not reported
UTM Y: Not reported
Expiration Date: N/A
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 558438
Affiliation Type: Emergency Contact
Company Name: 50 HYMC OWNER HOLDING, LLC
Contact Type: Not reported
Contact Name: KRIS MUSCOLINO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 582-2192
EMail: Not reported
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2017-08-23

Site Id: 558438
Affiliation Type: Facility Owner
Company Name: 50 HYMC OWNER HOLDING, LLC
Contact Type: SVP RELATED HUDSON YARDS
Contact Name: EMAD LAOTFALLA
Address1: 60 COLUMBUS CIRCLE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10023
Country Code: 001
Phone: (212) 801-1001
EMail: Not reported
Fax Number: Not reported

50 HYMC OWNER HOLDING, LLC (Continued) **A100433721**

Modified By: ACDANIEL
Date Last Modified: 2017-08-23

Site Id: 558438
Affiliation Type: Mail Contact
Company Name: PAL ENVIRONMENTAL SERVICES, INC.
Contact Type: Not reported
Contact Name: MICHAEL BALDWIN
Address1: 11-02 QUEENS PLAZA SOUTH
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (516) 779-8234
EMail: MBALDWIN@PALCORP.COM
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2017-08-23

Site Id: 558438
Affiliation Type: Facility Operator
Company Name: 50 HYMC OWNER HOLDING, LLC
Contact Type: Not reported
Contact Name: EMAD LOTFALLA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 801-1001
EMail: Not reported
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2017-08-23

Tank Info:

Tank Number: 001
Tank Id: 271490

Equipment Records:

E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
J00 - Dispenser - None
L00 - Piping Leak Detection - None
C03 - Pipe Location - Aboveground/Underground Combination
G00 - Tank Secondary Containment - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Location: 6
Tank Type: Steel/Carbon Steel/Iron

50 HYMC OWNER HOLDING, LLC (Continued) **A100433721**

Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	10000
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	06/30/2017
Register:	True
Modified By:	ACDANIEL
Last Modified:	09/18/2017
Material Name:	#6 fuel oil (on-site consumption)

BI441 **507 WEST 24TH STREET** **NY VCP** **S118943187**
South **507 WEST 24TH STREET** **N/A**
1/8-1/4 **NEW YORK CITY, NY**
0.228 mi.
1205 ft. **Site 1 of 8 in cluster BI**

Relative:
Lower

Actual:
12 ft.

VCP NYC:

Project ID:	12CVCP047M
Project Name:	507 WEST 24TH STREET
Project Address:	507 WEST 24TH STREET
Borough:	MANHATTAN

VCP NYC:

Project ID:	12CVCP047M
File Name:	2012-03-23.RIR
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/12CVCP047M/2012-03-23.12CVCP047M.507_W_24th_Street.RIR.pdf

Project ID:	12CVCP047M
File Name:	2012-03-21.RAWP_Draft
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/12CVCP047M/2012-03-21.12CVCP047M.507_W_24th_Street.RAWP_Draft.pdf

Project ID:	12CVCP047M
File Name:	2012-03-23.FactSheet-1
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/12CVCP047M/2012-03-23.12CVCP047M.507_W_24th_Street.FactSheet1.pdf

Project ID:	12CVCP047M
File Name:	2012-06-22.FactSheet-2
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/12CVCP047M/2012-06-22.12CVCP047M.507_West_24th_Street.FactSheet2.pdf

BI442 **245-247 10TH AVE** **NY UST** **U004045283**
South **245-247 TENTH AVENUE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.229 mi.
1209 ft. **Site 2 of 8 in cluster BI**

Relative:
Higher

Actual:
13 ft.

UST:

Id/Status:	2-610129 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	584120.36030
UTM Y:	4511328.37660
Site Type:	Other Wholesale/Retail Sales

Affiliation Records:

Site Id:	359880
Affiliation Type:	Facility Owner
Company Name:	245 10TH AVENUE LLC
Contact Type:	VICE PRESIDENT
Contact Name:	DANIEL SPITZEN
Address1:	730 EAST ELM ST.
Address2:	Not reported
City:	CONSHOHOCKEN
State:	PA
Zip Code:	19428
Country Code:	001
Phone:	(215) 557-9900
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2006-02-21

Site Id:	359880
Affiliation Type:	Mail Contact
Company Name:	PROFESSIONAL SERVICE INDUSTRIES INC (PSI)
Contact Type:	Not reported
Contact Name:	ROLANDO ARCO
Address1:	9 EAST 37TH STREET
Address2:	11TH FLOOR
City:	NEW YORK
State:	NY
Zip Code:	10016
Country Code:	001
Phone:	(212) 889-0294
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2006-02-21

Site Id:	359880
Affiliation Type:	Facility Operator
Company Name:	245-247 10TH AVE
Contact Type:	Not reported
Contact Name:	N/A
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

245-247 10TH AVE (Continued) **U004045283**

Zip Code:	Not reported
Country Code:	001
Phone:	N/A
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2006-02-21

Site Id:	359880
Affiliation Type:	Emergency Contact
Company Name:	245 10TH AVENUE LLC
Contact Type:	Not reported
Contact Name:	ROLANDO ARCO
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 889-0294
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2006-02-21

Tank Info:

Tank Number:	001
Tank ID:	210103
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	1080
Install Date:	Not reported
Date Tank Closed:	02/03/2006
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NRLOMBAR
Last Modified:	04/14/2017

Equipment Records:

J00 - Dispenser - None
G00 - Tank Secondary Containment - None
C02 - Pipe Location - Underground/On-ground
H00 - Tank Leak Detection - None
I00 - Overfill - None
E00 - Piping Secondary Containment - None
L00 - Piping Leak Detection - None
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None

245-247 10TH AVE (Continued) **U004045283**

D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	002
Tank ID:	210104
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	02/03/2006
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NRLOMBAR
Last Modified:	04/14/2017

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
J00 - Dispenser - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
I00 - Overfill - None

BI443 **CHANDER AUTO BODY FORMER** **RCRA NonGen / NLR** **1009399972**
South **245 10TH AVE** **NYR000139402**
1/8-1/4 **NEW YORK, NY 10001**
0.229 mi.
1209 ft. **Site 3 of 8 in cluster BI**

Relative: **Higher**

Actual: **13 ft.**

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	CHANDER AUTO BODY FORMER
Facility address:	245 10TH AVE NEW YORK, NY 10001
EPA ID:	NYR000139402
Mailing address:	10TH AVE NEW YORK, NY 10001
Contact:	DANIEL SPITZEN
Contact address:	10TH AVE NEW YORK, NY 10001
Contact country:	US
Contact telephone:	215-557-9900
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

CHANDER AUTO BODY FORMER (Continued) **1009399972**

Owner/Operator Summary:
Owner/operator name: 245 10TH AVENUE LLC
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/23/2006
Owner/Op end date: Not reported

Owner/operator name: 245 10TH AVENUE LLC
Owner/operator address: E ELM ST SUITE 100
CONSHOHOCKEN, PA 19428
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/23/2006
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 03/03/2006
Site name: CHANDER AUTO BODY FORMER
Classification: Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

Date form received by agency: 03/02/2006
Site name: CHANDER AUTO BODY FORMER
Classification: Small Quantity Generator

CHANDER AUTO BODY FORMER (Continued) **1009399972**

Violation Status: No violations found

BJ444 **CON EDISON SERVICE BOX: 46199** **RCRA NonGen / NLR** **1016960473**
WSW **201-11 SHERMAN AVE N OF 204TH ST** **NY MANIFEST** **NYP004324570**
1/8-1/4 **NEW YORK, NY 10034**
0.230 mi.
1215 ft. **Site 1 of 3 in cluster BJ**

Relative:
Lower

Actual:
4 ft.

RCRA NonGen / NLR:

Date form received by agency:	08/03/2013
Facility name:	CON EDISON SERVICE BOX: 46199
Facility address:	201-11 SHERMAN AVE N OF 204TH ST NEW YORK, NY 10034
EPA ID:	NYP004324570
Mailing address:	IRVING PL, RM 828 NEW YORK, NY 10003
Contact:	JOSE MONTALVO
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-427-1331
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	07/03/2013
Site name:	CON EDISON SERVICE BOX: 46199
Classification:	Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:

Country:	USA
EPA ID:	NYP004324570
Facility Status:	Not reported
Location Address 1:	F/O 204 SHERMAN AVE
Code:	BP
Location Address 2:	SB #46199
Total Tanks:	Not reported

CON EDISON SERVICE BOX: 46199 (Continued) **1016960473**

Location City:	NEW YORK
Location State:	NY
Location Zip:	10034
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004324570
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJD003812047
Trans2 State ID:	NJD003812047
Generator Ship Date:	07/05/2013
Trans1 Recv Date:	07/05/2013
Trans2 Recv Date:	07/09/2013
TSD Site Recv Date:	07/09/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004324570
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002085118GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1

CON EDISON SERVICE BOX: 46199 (Continued) **1016960473**

Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
1 additional NY_MANIFEST: record(s) in the EDR Site Report.

BJ445 **201 11TH AVE/MANH/USPS** **NY LTANKS** **S100167779**
WSW **201 11TH AVENUE** **N/A**
1/8-1/4 **NEW YORK CITY, NY**
0.230 mi.
1215 ft. **Site 2 of 3 in cluster BJ**

Relative: LTANKS:
Lower

Actual:
4 ft.

Facility ID:	8908706
Site ID:	131667
Closed Date:	2003-03-04
Spill Number:	8908706
Spill Date:	1989-11-27
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	A3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	ADMIN. CLOSED
Referred To:	Not reported
Reported to Dept:	1989-12-04
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1989-12-07
Spill Record Last Update:	2005-11-04
Spiller Name:	Not reported
Spiller Company:	U S POSTAL SERVICE
Spiller Address:	JAMES A FARLEY BLDG
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	113443
DEC Memo:	""
Remarks:	"4K TANK, SYSTEMS TEST, FAILED VPLT WITH A LEAK RATE OF -.244GPH, WILL EXCAVATE, ISOLATE & RETEST. CLOSED DUE TO LACK OF ANY RECENT INFO - DOES NOT MEET ANY CLEANUP REQUIREMENTS. "

201 11TH AVE/MANH/USPS (Continued) **S100167779**

All TTF:

Facility ID:	8908706
Spill Number:	8908706
Spill Tank Test:	1536509
Site ID:	131667
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	131667
Operable Unit ID:	933752
Operable Unit:	01
Material ID:	441896
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	9005469
Site ID:	131668
Closed Date:	1990-05-11
Spill Number:	9005469
Spill Date:	1990-08-17
Spill Cause:	Tank Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Not reported
Cleanup Ceased:	1990-05-11
SWIS:	3101
Investigator:	BATTISTA
Referred To:	Not reported
Reported to Dept:	1990-08-17
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1990-08-20

201 11TH AVE/MANH/USPS (Continued) **S100167779**

Spill Record Last Update:	1990-10-16
Spiller Name:	Not reported
Spiller Company:	USPS
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	113443
DEC Memo:	""
Remarks:	"GASKET ON TANK IS LEAKING,SMALL AMOUNT OF CONTAMINATED SOIL, WILL EXPOSE & REPAIR TANK & CLEAN UP, TYREE BROS TO DO WORK."

All Materials:

Site ID:	131668
Operable Unit ID:	943005
Operable Unit:	01
Material ID:	436510
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Not reported
Recovered:	.00
Oxygenate:	Not reported

BJ446 **MANHATTAN VEHICLE MAINTENANCE FACILITY** **NY CBS S104506869**
WSW **201 11TH AVE.** **NY Spills N/A**
1/8-1/4 **NEW YORK, NY 10199**
0.230 mi.
1216 ft. **Site 3 of 3 in cluster BJ**

Relative:
Lower

Actual:
4 ft.

CBS:

CBS Number:	2-000384
Program Type:	CBS
Facility Status:	Unregulated/Closed
Expiration Date:	Not reported
Dec Region:	2
UTMX:	583841.31539
UTMY:	4511491.77211

SPILLS:

Facility ID:	9815241
Facility Type:	ER
Spill Number:	9815241
DER Facility ID:	202983
Site ID:	247207
DEC Region:	2
Closed Date:	2005-09-16
Spill Cause:	Housekeeping
Spill Class:	C3
SWIS:	3101
Spill Date:	1999-03-24
Investigator:	JBTAMBE
Referred To:	Not reported

MANHATTAN VEHICLE MAINTENANCE FACILITY (Continued) **S104506869**

Reported to Dept:	1999-03-24
CID:	312
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1999-03-24
Spill Record Last Update:	2005-09-16
Spiller Name:	Not reported
Spiller Company:	UNITED STATES POSTAL
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	RICHARD PAPESCA
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ROMMEL JOE LOCKWOOD AT SITE WANTS CALL BACK TO DISCUSS NEXT MOVE. HE WANTS TO CONTINUE WORKING. PLEASE CALL HIM AT SITE 212 330-4909. The contamination was reportedly discovered while excavating the piping for upgrading of PBS piping. DEC (sigona) spoke with Joe Lockwood several times regarding the cleanup. Requested that Apex collect soil samples every 25-50 feet along the piping system, and if possible install groundwater monitoring wells to determine the actual extent of contamination at the site. DEC (Sigona) called Joe Lockwood for an update on 5/7/99, left message. DEC (Sigona) inspected May 20th, 1999 at 2:30 P.M. met on-site w/Richard Papesca, USPS & John Hornak, Allstate Power Vac Replacing all 4K UST 10 years old w/new double wall FRP, with leak detection & new pipes. Cleaned all vaults pea gravel was removed and disposed. They will install new pump run outside concrete vault. Installing 3-4 MW's along pipe run outside vault. Installing new concrete pad. Area above tanks, piping and island under large canpy - roof. Originally, plan was to upgrade piping. Found the tanks were 10 years old, but did not meet all of the standards, decided to replace tanks. DEC Sigona spoke to Nick DeCarlo (212)330-3107 USPS Environmental Compliance, 421 8th Avenue, NY,NY 10199 Rm 5013 on August 28, 2001, indicated that MWs were installed in June 2001, and results of groundwater testing would be submitted to DEC with recomendations for closure of spill. On Sept 20, 2001, DEC Sigona received report from Apex Environmental, dated Sept 17, 2001. 4/12/04-Vought-Spill transferred from Sigona to Rommel as per Rommel. 9/16/2005 - Jacob- Base on report from Apex environmental, the depth to groundwater was measured using an electronic water level indicator. Depth for groundwater was 7.23'for MW-1, 8.72'for MW-2, and 8.56'for MW-3.Result for water analysis are on file."
Remarks:	"SITE IS AN OLD RAILYARD - POSS HISTORICAL STAIN - AT THE VMF"

All Materials:

Site ID:	247207
Operable Unit ID:	1073258
Operable Unit:	01
Material ID:	308357
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported

MANHATTAN VEHICLE MAINTENANCE FACILITY (Continued) **S104506869**

Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

BK447 **NYCDOS W 30TH ST RECYCLING FACILITY** **NY SWRCY** **S105838150**
NW **WEST 30TH ST & W SIDE HGWY (RT 9A)** **N/A**
1/8-1/4 **MANHATTAN, NY 10001**
0.232 mi.
1225 ft. **Site 1 of 9 in cluster BK**

Relative: **Lower**
Actual: **11 ft.**

SWRCY:

Region:	2
Facility Address 2:	Not reported
Phone Number:	2128378257
Owner Type:	Municipal
Owner Name:	NYC Department of Sanitation
Owner Address:	59 Maiden Lane; 5th Floor
Owner Address 2:	Not reported
Owner City,St,Zip:	New York, NY 10038
Owner Email:	Not reported
Owner Phone:	2128378257
Contact Name:	Kathyrn Garcia
Contact Address:	Not reported
Contact Address 2:	Not reported
Contact City,St,Zip:	Not reported
Contact Email:	Not reported
Contact Phone:	Not reported
Activity Desc:	RHRF - registration
Activity Number:	[31Z17]
Active:	No
East Coordinate:	583868
North Coordinate:	4511978
Accuracy Code:	Not reported
Regulatory Status:	Registration
Permit #:	31Z17
Auth. Date:	Not reported
Expiration Date:	Not reported
Waste Types:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Last Date:	Not reported

BL448 **30TH ST HELIPORT/MANH** **NY LTANKS** **S100167672**
NW **30TH STREET HELIPORT** **N/A**
1/8-1/4 **NEW YORK CITY, NY**
0.232 mi.
1226 ft. **Site 1 of 2 in cluster BL**

Relative: **Lower**
Actual: **10 ft.**

LTANKS:

Facility ID:	8901091
Site ID:	167220
Closed Date:	1992-11-12
Spill Number:	8901091

30TH ST HELIPORT/MANH (Continued) **S100167672**

Spill Date:	1989-05-04
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	1992-11-12
SWIS:	3101
Investigator:	SJMILLER
Referred To:	Not reported
Reported to Dept:	1989-05-04
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1989-05-05
Spill Record Last Update:	1998-01-23
Spiller Name:	Not reported
Spiller Company:	PORT AUTHORITY
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	140883
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MILLER DEC SIGONA REASSIGNED TO MILLER ON 1/23/98"
Remarks:	"(8) 550 GALLON TANKS, SYSTEMS TEST FAILURE, HORNER EZY CHECK, LEAK RATE -.25GPH, WILL EXCAVATE, ISOLATE & RETEST."

All TTF:

Facility ID:	8901091
Spill Number:	8901091
Spill Tank Test:	1535418
Site ID:	167220
Tank Number:	Not reported
Tank Size:	0
Material:	0011
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	167220
Operable Unit ID:	927224
Operable Unit:	01
Material ID:	452400

30TH ST HELIPORT/MANH (Continued) **S100167672**

Material Code:	0011
Material Name:	jet fuel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

BL449 **W 30TH HELIPORT/MANHATTAN** **NY LTANKS** **S100167700**
NW **W 30TH ST HELIPORT** **N/A**
1/8-1/4 **NEW YORK CITY, NY**
0.232 mi.
1226 ft. **Site 2 of 2 in cluster BL**

Relative: **Lower**
Actual: **10 ft.**

LTANKS:

Facility ID:	8903300
Site ID:	219617
Closed Date:	2003-12-30
Spill Number:	8903300
Spill Date:	1989-06-29
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	SJMILLER
Referred To:	Not reported
Reported to Dept:	1989-06-29
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1989-06-30
Spill Record Last Update:	2003-12-30
Spiller Name:	Not reported
Spiller Company:	PORT AUTHORITY OF NY
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	181626
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MILLER DEC SIGONA REASSIGNED TO MILLER ON 1/23/98 REFER TO SPILL NO. 8903684."
Remarks:	"4 (550) TANKS FAILED HORNER EZY CHECK WITH A LEAK RATE OF .2756GPH, PORT AUTHORITY ON SCENE, PUMP TANKS DOWN, RETEST, ISOLATE TANK."

All TTF:

Facility ID:	8903300
Spill Number:	8903300

W 30TH HELIPORT/MANHATTAN (Continued) **S100167700**

Spill Tank Test:	1535664
Site ID:	219617
Tank Number:	Not reported
Tank Size:	0
Material:	0064A
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	219617
Operable Unit ID:	930790
Operable Unit:	01
Material ID:	447405
Material Code:	0064A
Material Name:	unknown material
Case No.:	Not reported
Material FA:	Other
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

BK450 **GREYHOUND GARAGE** **NY LTANKS S103941004**
NW **260 12TH AVE** **NY Spills N/A**
1/8-1/4 **MANHATTAN, NY**
0.233 mi.
1232 ft. **Site 2 of 9 in cluster BK**

Relative:
Lower

Actual:
10 ft.

LTANKS:

Facility ID:	9901089
Site ID:	167169
Closed Date:	2004-05-11
Spill Number:	9901089
Spill Date:	1999-04-28
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	SIGONA
Referred To:	Not reported
Reported to Dept:	1999-04-28
CID:	382
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False

GREYHOUND GARAGE (Continued) **S103941004**

UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1999-04-28
Spill Record Last Update:	2009-02-20
Spiller Name:	JUNE WELRRICH
Spiller Company:	GREYHOUND LINE, INC
Spiller Address:	350 N. ST. PAUL STREET
Spiller County:	001
Spiller Contact:	MATTHEW
Spiller Phone:	(212) 971-6389
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	359542
DEC Memo:	""
Remarks:	"VACUTECH TEST WAS USED. GROSS FAILURE. "

All TTF:

Facility ID:	9901089
Spill Number:	9901089
Spill Tank Test:	1547121
Site ID:	167169
Tank Number:	Not reported
Tank Size:	2000
Material:	0008
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	99
Test Method 2:	Alternate Test per former 613.5(a)(2)(v)
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	167169
Operable Unit ID:	1079844
Operable Unit:	01
Material ID:	304628
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	0311517
Site ID:	200046
Closed Date:	2004-01-23
Spill Number:	0311517
Spill Date:	2004-01-12
Spill Cause:	Tank Failure
Spill Source:	Unknown

GREYHOUND GARAGE (Continued) **S103941004**

Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	CESAWYER
Referred To:	Not reported
Reported to Dept:	2004-01-12
CID:	405
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2004-01-12
Spill Record Last Update:	2004-03-30
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	BILL BRUEWER
Spiller Phone:	(212) 849-8411
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	166480
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SAWYER 1/16/04 1144 Hrs - Sawyer - Received a faxed waste disposal manifest for the above spill. The information was forwarded by a Bill Brewer of Greyhound Lines, Inc. Closed."
Remarks:	"since the pipes froze the diesel fuel came out. Clean up is complete. Clean harbors of brooklyn is doing the clean up"

All Materials:

Site ID:	200046
Operable Unit ID:	879121
Operable Unit:	01
Material ID:	500318
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	75.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

SPILLS:

Facility ID:	0012039
Facility Type:	ER
Spill Number:	0012039
DER Facility ID:	359542
Site ID:	167167
DEC Region:	2
Closed Date:	2004-05-11
Spill Cause:	Equipment Failure
Spill Class:	B3

GREYHOUND GARAGE (Continued) **S103941004**

SWIS:	3101
Spill Date:	2000-12-11
Investigator:	SIGONA
Referred To:	Not reported
Reported to Dept:	2001-02-08
CID:	282
Water Affected:	Not reported
Spill Source:	Non Major Facility > 1,100 gal
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2001-02-08
Spill Record Last Update:	2009-02-20
Spiller Name:	JUNE WELRICH
Spiller Company:	GREYHOUND LINES, INC
Spiller Address:	350 N. ST. PAUL STREET
Spiller Company:	001
Contact Name:	JUNE WEIRICH
DEC Memo:	""
Remarks:	"Caller was calling for greyhound they got the results back back in december and found petroleum constinuints in the soil."

All Materials:

Site ID:	167167
Operable Unit ID:	833405
Operable Unit:	01
Material ID:	542324
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	True

Site ID:	167167
Operable Unit ID:	833405
Operable Unit:	01
Material ID:	571931
Material Code:	1213A
Material Name:	MTBE (methyl-tert-butyl ether)
Case No.:	01634044
Material FA:	Hazardous Material
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	True

Facility ID:	0013487
Facility Type:	ER
Spill Number:	0013487
DER Facility ID:	359542

GREYHOUND GARAGE (Continued) **S103941004**

Site ID:	167168
DEC Region:	2
Closed Date:	2003-10-27
Spill Cause:	Unknown
Spill Class:	C3
SWIS:	3101
Spill Date:	2001-03-26
Investigator:	TJDEMEO
Referred To:	Not reported
Reported to Dept:	2001-03-26
CID:	382
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2001-03-26
Spill Record Last Update:	2009-02-20
Spiller Name:	Not reported
Spiller Company:	GREYHOUND LINES INC
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	RHONDA DERK
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEMEO 10/27/03 TJD Product spilled to ground surface. Contained and cleaned using absorbents. No disposal documents submitted. Spill administratively closed."
Remarks:	"SPILL UNDER INVESTIGATION - OCCURRED WHILE FILLING TANK AT DEPOT"

All Materials:

Site ID:	167168
Operable Unit ID:	834970
Operable Unit:	01
Material ID:	540199
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	40.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

BK451 **EMPIRE CITY SUBWAY COMPANY LTD.** **NY AST** **A100382362**
NW **260 12TH AVENUE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.233 mi.
1232 ft. **Site 3 of 9 in cluster BK**

Relative: AST:
Lower

Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed

Actual:
10 ft.

EMPIRE CITY SUBWAY COMPANY LTD. (Continued) **A100382362**

Facility Id:	2-602289
Program Type:	PBS
UTM X:	583931.41414
UTM Y:	4512042.16278
Expiration Date:	N/A
Site Type:	Utility (Other than Municipal)

Tank Info:

Tank Number:	001
Tank Id:	49720
Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	06/01/1998
Capacity Gallons:	2000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	03/12/2001
Register:	True
Modified By:	TRANSLAT
Last Modified:	04/14/2017
Material Name:	Not reported

Tank Number:	002
Tank Id:	49721
Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	06/01/1998
Capacity Gallons:	2000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	03/12/2001
Register:	True
Modified By:	TRANSLAT
Last Modified:	04/14/2017
Material Name:	Not reported

Tank Number:	003
Tank Id:	62686
Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	03/02/2001
Capacity Gallons:	6000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	06/15/2010
Register:	True

EMPIRE CITY SUBWAY COMPANY LTD. (Continued) **A100382362**

Modified By:	NRLOMBAR
Last Modified:	04/14/2017
Material Name:	Not reported

Tank Number:	004
Tank Id:	62687
Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	03/02/2001
Capacity Gallons:	6000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	06/15/2010
Register:	True
Modified By:	NRLOMBAR
Last Modified:	04/14/2017
Material Name:	Not reported

Tank Number:	005
Tank Id:	221703
Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	01/28/2008
Capacity Gallons:	480
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	06/15/2010
Register:	True
Modified By:	NRLOMBAR
Last Modified:	04/14/2017
Material Name:	Not reported

Tank Number:	006
Tank Id:	221704
Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	01/28/2008
Capacity Gallons:	280
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	06/15/2010
Register:	True
Modified By:	NRLOMBAR
Last Modified:	04/14/2017
Material Name:	Not reported

EMPIRE CITY SUBWAY COMPANY LTD. (Continued) **A100382362**

Tank Number:	007
Tank Id:	221705
Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	01/28/2008
Capacity Gallons:	280
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	06/15/2010
Register:	True
Modified By:	NRLOMBAR
Last Modified:	04/14/2017
Material Name:	Not reported

BK452 **NJ TRANSIT - ARC** **RCRA NonGen / NLR** **1014399660**
NW **260 12TH AVE** **FINDS** **NYR000177493**
1/8-1/4 **NEW YORK, NY 10001**
0.233 mi.
1232 ft. **Site 4 of 9 in cluster BK**

Relative:
Lower

Actual:
10 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/12/2012
Facility name:	NJ TRANSIT - ARC
Facility address:	260 12TH AVE NEW YORK, NY 10001
EPA ID:	NYR000177493
Mailing address:	PENN PLAZA EAST NEWARK, NJ 07105
Contact:	MARTIN D JUDD
Contact address:	PENN PLAZA EAST NEWARK, NJ 07105
Contact country:	US
Contact telephone:	973-491-7980
Contact email:	MJUDD@NJTRANSIT.COM
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	PORT AUTHORITY OF NY AND NJ
Owner/operator address:	PARK AVE SOUTH NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	07/01/2010
Owner/Op end date:	Not reported
Owner/operator name:	NJ TRANSIT CORPORATION
Owner/operator address:	Not reported

NJ TRANSIT - ARC (Continued) **1014399660**

Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: State
Owner/Operator Type: Operator
Owner/Op start date: 07/01/2010
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
Date form received by agency: 08/23/2010
Site name: NJ TRANSIT - ARC
Classification: Large Quantity Generator

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

FINDS:

Registry ID: 110019104538

Environmental Interest/Information System
FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

BC453 **CON EDISON SERVICE BOX: 43121** **RCRA NonGen / NLR** **1016148543**
South **252 10TH AVE** **NY MANIFEST** **NYP004271219**
1/8-1/4 **NEW YORK, NY 10014**
0.234 mi.
1234 ft. **Site 4 of 4 in cluster BC**

Relative:
Higher

Actual:
13 ft.

RCRA NonGen / NLR:

Date form received by agency:	03/22/2013
Facility name:	CON EDISON SERVICE BOX: 43121
Facility address:	252 10TH AVE NEW YORK, NY 10014
EPA ID:	NYP004271219
Contact:	JUAN RODRIGUEZ
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	347-865-5931
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	02/22/2013
Site name:	CON EDISON SERVICE BOX: 43121
Classification:	Conditionally Exempt Small Quantity Generator
Violation Status:	No violations found

NY MANIFEST:

Country:	USA
EPA ID:	NYP004271219
Facility Status:	Not reported
Location Address 1:	252 10TH AVE
Code:	BP
Location Address 2:	SERV BOX 43121
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10014
Location Zip 4:	Not reported

CON EDISON SERVICE BOX: 43121 (Continued) **1016148543**

NY MANIFEST:

EPAID:	NYP004271219
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	02/22/2013
Trans1 Recv Date:	02/22/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/26/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004271219
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010707025JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008

CON EDISON SERVICE BOX: 43121 (Continued) **1016148543**

Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

454
West
1/8-1/4
0.234 mi.
1237 ft.

DOESNOT MEET STANDARDS **NY LTANKS** **S100144702**
192-12 47TH AVENUE **N/A**
NEW YORK CITY, NY

Relative:
Lower

Actual:
3 ft.

LTANKS:

Facility ID:	8607549
Site ID:	199366
Closed Date:	2003-03-13
Spill Number:	8607549
Spill Date:	1987-03-13
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	4101
Investigator:	ADMIN. CLOSED
Referred To:	Not reported
Reported to Dept:	1987-03-13
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1987-03-13
Spill Record Last Update:	2007-02-02
Spiller Name:	Not reported
Spiller Company:	INTL. FOREIGN CAR SERVICE
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	165934
DEC Memo:	"2/2/07 - Haggerty - Another spill was called in to the same property in 2001 (#0012500). This spill is consolidated into the more recent spill"
Remarks:	"THREE 550 (SIPHORED TANKS) FAILED PRESSURE TEST. CLOSED DUE TO LACK OF ANY RECENT INFO - DOES NOT MEET ANY CLEANUP REQUIREMENTS."

All TTF:

Facility ID:	8607549
Spill Number:	8607549

DOESNOT MEET STANDARDS (Continued) **S100144702**

Spill Tank Test:	1530628
Site ID:	199366
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	199366
Operable Unit ID:	904134
Operable Unit:	01
Material ID:	473048
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

BM455 **ELLIOTT HOUSES (CHELSEA HOUSES)** **NY AST** **A100293897**
SE **426 WEST 27TH STREET** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.234 mi.
1238 ft. **Site 1 of 4 in cluster BM**

Relative:
Higher

Actual:
19 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-601955
Program Type:	PBS
UTM X:	584426.64977
UTM Y:	4511406.20940
Expiration Date:	09/02/2019
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	23917
Affiliation Type:	Facility Operator
Company Name:	ELLIOTT HOUSES (CHELSEA HOUSES)
Contact Type:	Not reported
Contact Name:	FUEL OIL REMEDIATION UNIT
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

ELLIOTT HOUSES (CHELSEA HOUSES) (Continued) **A100293897**

Zip Code:	Not reported
Country Code:	001
Phone:	(718) 707-5725
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2008-09-17

Site Id:	23917
Affiliation Type:	Mail Contact
Company Name:	NYC HOUSING AUTHORITY
Contact Type:	Not reported
Contact Name:	FUEL OIL REMEDIATION COORDINATOR
Address1:	23-02 49TH AVENUE
Address2:	TECH SERVS DEPT - 5TH FLOOR
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 707-5725
EMail:	YELENA.TKACH@NYCHA.NYC.GOV
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2015-08-14

Site Id:	23917
Affiliation Type:	Facility Owner
Company Name:	NEW YORK CITY HOUSING AUTHORITY
Contact Type:	FUEL OIL REMEDIATION COORDINATOR
Contact Name:	Not reported
Address1:	23-02 49TH AVENUE
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 707-5725
EMail:	Not reported
Fax Number:	Not reported
Modified By:	HDDUPIGN
Date Last Modified:	2016-03-11

Site Id:	23917
Affiliation Type:	Emergency Contact
Company Name:	NEW YORK CITY HOUSING AUTHORITY
Contact Type:	Not reported
Contact Name:	EMERGENCY SERVICES DEPARTMENT
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 707-5900
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR

ELLIOTT HOUSES (CHELSEA HOUSES) (Continued) **A100293897**

Date Last Modified: 2014-01-30

Tank Info:

Tank Number: W/O 1
Tank Id: 208291
Material Code: 0022
Common Name of Substance: Waste Oil/Used Oil

Equipment Records:

C01 - Pipe Location - Aboveground
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
I01 - Overfill - Float Vent Valve
K00 - Spill Prevention - None
E07 - Piping Secondary Containment - Trench Liner
G01 - Tank Secondary Containment - Diking (Aboveground)
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/13/1995
Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 04/14/2017
Material Name: waste oil/used oil

BM456 **ELLIOTT HOUSES (CHELSEA HOUSES)** **NY UST** **U004062619**
SE **426 WEST 27TH STREET** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.234 mi.
1238 ft. **Site 2 of 4 in cluster BM**

Relative:
Higher

Actual:
19 ft.

UST:
Id/Status: 2-601955 / Active
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: 09/02/2019
UTM X: 584426.64977
UTM Y: 4511406.20940
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 23917
Affiliation Type: Facility Operator
Company Name: ELLIOTT HOUSES (CHELSEA HOUSES)

ELLIOTT HOUSES (CHELSEA HOUSES) (Continued) **U004062619**

Contact Type:	Not reported
Contact Name:	FUEL OIL REMEDIATION UNIT
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 707-5725
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2008-09-17

Site Id:	23917
Affiliation Type:	Mail Contact
Company Name:	NYC HOUSING AUTHORITY
Contact Type:	Not reported
Contact Name:	FUEL OIL REMEDIATION COORDINATOR
Address1:	23-02 49TH AVENUE
Address2:	TECH SERVS DEPT - 5TH FLOOR
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 707-5725
EMail:	YELENA.TKACH@NYCHA.NYC.GOV
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2015-08-14

Site Id:	23917
Affiliation Type:	Facility Owner
Company Name:	NEW YORK CITY HOUSING AUTHORITY
Contact Type:	FUEL OIL REMEDIATION COORDINATOR
Contact Name:	Not reported
Address1:	23-02 49TH AVENUE
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 707-5725
EMail:	Not reported
Fax Number:	Not reported
Modified By:	HDDUPIGN
Date Last Modified:	2016-03-11

Site Id:	23917
Affiliation Type:	Emergency Contact
Company Name:	NEW YORK CITY HOUSING AUTHORITY
Contact Type:	Not reported
Contact Name:	EMERGENCY SERVICES DEPARTMENT
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

ELLIOTT HOUSES (CHELSEA HOUSES) (Continued) **U004062619**

Zip Code:	Not reported
Country Code:	999
Phone:	(718) 707-5900
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2014-01-30

Tank Info:

Tank Number:	1
Tank ID:	58776
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	25000
Install Date:	05/01/1997
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Fiberglass coated steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	E
Modified By:	NRLOMBAR
Last Modified:	04/14/2017

Equipment Records:

H05 - Tank Leak Detection - In-Tank System (ATG)
L02 - Piping Leak Detection - Interstitial - Manual Monitoring
F05 - Pipe External Protection - Jacketed
B04 - Tank External Protection - Fiberglass
I02 - Overfill - High Level Alarm
L09 - Piping Leak Detection - Exempt Suction Piping
C02 - Pipe Location - Underground/On-ground
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I03 - Overfill - Automatic Shut-Off
K00 - Spill Prevention - None
E04 - Piping Secondary Containment - Double walled UG
D11 - Pipe Type - Flexible Piping
G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number:	OLD 1
Tank ID:	52662
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	20000
Install Date:	05/01/1997
Date Tank Closed:	05/01/1997
Registered:	True
Tank Location:	Underground

ELLIOTT HOUSES (CHELSEA HOUSES) (Continued) **U004062619**

Tank Type: Fiberglass coated steel
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

F99 - Pipe External Protection - Other
H05 - Tank Leak Detection - In-Tank System (ATG)
A00 - Tank Internal Protection - None
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
B04 - Tank External Protection - Fiberglass
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
C02 - Pipe Location - Underground/On-ground
J02 - Dispenser - Suction Dispenser
D99 - Pipe Type - Other
G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: OLD 2
Tank ID: 48492
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 20000
Install Date: 04/01/1997
Date Tank Closed: 04/01/1997
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

C02 - Pipe Location - Underground/On-ground
F06 - Pipe External Protection - Wrapped
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

BM457
SE
1/8-1/4
0.234 mi.
1238 ft.

NYCHA - CHELSEA ELLIOTT HOUSES
426 W 27TH STREET DR
NEW YORK, NY 10001

Site 3 of 4 in cluster BM

RCRA NonGen / NLR

1005444300
NYR000106203

Relative:
Higher

Actual:
19 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	NYCHA - CHELSEA ELLIOTT HOUSES
Facility address:	426 W 27TH STREET DR NEW YORK, NY 10001
EPA ID:	NYR000106203
Mailing address:	49TH AVE LONG ISLAND CITY, NY 11101-4528
Contact:	ANTHONY SOLOMITA
Contact address:	49TH AVE LONG ISLAND CITY, NY 11101-4528
Contact country:	US
Contact telephone:	718-707-5731
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	NYCHA
Owner/operator address:	23-02 49TH AVE LONG ISLAND CITY, NY 11101
Owner/operator country:	US
Owner/operator telephone:	718-707-5731
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Municipal
Owner/Operator Type:	Operator
Owner/Op start date:	01/01/2001
Owner/Op end date:	Not reported

Owner/operator name:	NYCHA
Owner/operator address:	23-02 49TH AVE LONG ISLAND CITY, NY 11101
Owner/operator country:	US
Owner/operator telephone:	718-707-5731
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Municipal
Owner/Operator Type:	Owner
Owner/Op start date:	01/01/2001
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No

NYCHA - CHELSEA ELLIOTT HOUSES (Continued) **1005444300**

On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: NYCHA - CHELSEA ELLIOTT HOUSES
Classification: Not a generator, verified

Date form received by agency: 05/07/2002
Site name: NYCHA - CHELSEA ELLIOTT HOUSES
Classification: Small Quantity Generator

. Waste code: D002
. Waste name: CORROSIVE WASTE

Violation Status: No violations found

BM458 **ELLIOTT HOUSES -NYCHA** **NY LTANKS** **S104495199**
SE **426 WEST 27TH ST** **NY Spills** **N/A**
1/8-1/4 **NEW YORK CITY, NY**
0.234 mi.
1238 ft. **Site 4 of 4 in cluster BM**

Relative:
Higher

Actual:
19 ft.

LTANKS:
Facility ID: 9002184
Site ID: 246287
Closed Date: 2006-02-06
Spill Number: 9002184
Spill Date: 1990-05-25
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: C3
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: SWKRASZE
Referred To: Not reported
Reported to Dept: 1990-05-25
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1990-05-31
Spill Record Last Update: 2006-02-06
Spiller Name: Not reported
Spiller Company: NYCHA
Spiller Address: Not reported
Spiller County: 001

ELLIOTT HOUSES -NYCHA (Continued) **S104495199**

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 202268
DEC Memo: "12/14/05: This spill transferred from J.Kolleeny to S.Kraszewski.
02/06/06: This spill closed to consolidate with open spill #8908401.
- SK"
Remarks: "VISIBLE LEAKS AT GAUGES & (2) MANHOLE COVERS, MANIFOLD TANKS (2) 20K FAILED HORNER EZY CHECK WITH A GROSS LEAK, WILL REPAIR & RETEST."

All TTF:
Facility ID: 9002184
Spill Number: 9002184
Spill Tank Test: 1537127
Site ID: 246287
Tank Number: 001
Tank Size: 0
Material: Not reported
EPA UST: Not reported
UST: Not reported
Cause: Not reported
Source: Not reported
Test Method: 00
Test Method 2: Unknown
Leak Rate: .00
Gross Fail: Not reported
Modified By: Spills
Last Modified Date: Not reported

Facility ID: 9002184
Spill Number: 9002184
Spill Tank Test: 1537128
Site ID: 246287
Tank Number: 002
Tank Size: 0
Material: Not reported
EPA UST: Not reported
UST: Not reported
Cause: Not reported
Source: Not reported
Test Method: 00
Test Method 2: Unknown
Leak Rate: .00
Gross Fail: Not reported
Modified By: Spills
Last Modified Date: Not reported

All Materials:
Site ID: 246287
Operable Unit ID: 940253
Operable Unit: 01
Material ID: 436943
Material Code: 0002A
Material Name: #4 fuel oil
Case No.: Not reported
Material FA: Petroleum

ELLIOTT HOUSES -NYCHA (Continued) **S104495199**

Quantity:	-1.00
Units:	Not reported
Recovered:	.00
Oxygenate:	Not reported
Facility ID:	9602200
Site ID:	309346
Closed Date:	2006-02-06
Spill Number:	9602200
Spill Date:	1996-05-15
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	SWKRASZE
Referred To:	Not reported
Reported to Dept:	1996-05-15
CID:	257
Water Affected:	Not reported
Spill Notifier:	Affected Persons
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1996-05-15
Spill Record Last Update:	2006-02-06
Spiller Name:	FRANK OCELLO
Spiller Company:	NYCHA
Spiller Address:	250 BRAODWAY
Spiller County:	001
Spiller Contact:	SEBASTIN LOREFICE
Spiller Phone:	(212) 306-3229
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	202268
DEC Memo:	"12/14/05: This spill transferred from J.Kolleeny to S.Kraszewski. 02/06/06: This spill closed to consolidate with open spill #8908401. - SK"
Remarks:	"going to isolate and retest"

All Materials:

Site ID:	309346
Operable Unit ID:	1033758
Operable Unit:	01
Material ID:	352001
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

ELLIOTT HOUSES -NYCHA (Continued) **S104495199**

SPILLS:

Facility ID:	8908401
Facility Type:	ER
Spill Number:	8908401
DER Facility ID:	202268
Site ID:	252274
DEC Region:	2
Closed Date:	2017-01-25
Spill Cause:	Equipment Failure
Spill Class:	B3
SWIS:	3101
Spill Date:	1989-11-24
Investigator:	jkkann
Referred To:	Not reported
Reported to Dept:	1989-11-24
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1989-11-29
Spill Record Last Update:	2017-01-25
Spiller Name:	MR CARTER
Spiller Company:	NYCHA
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	Not reported
DEC Memo:	"12/14/05: This spill transferred from J.Kolleeny to S.Kraszewski. 9/22/06: Spill transferred from Kraszewski to Kann. 1/19/10: J.Kann - revised work plan received 11/17/09. WP approved 1/19/10. 9/23/10: J.kann - Quarterly Report recieved 9/01/10. 5/11/12: J.Kann - quarterly report recieved on 5/9/12. 9/6/12: J.kann - quarterly report received on 8/21/12. 1/16/13 : J.kann - 10/24/12 QR rcvd on 1/16/13. 5/21/14: J.Kann - email sent to NYCHA today stating: The Department understands that a recovery system is operating, that monthly VEFR is being performed and that quarterly monitoring is currently being done at the following five sites: Amsterdam Houses Elliott Houses Manhattanville Houses Melrose Houses Baruch Houses Since wells at these five sites have consistently (based on quarterly reports received over the past year) had no product, a sheen or less than 0.08 inch of product in their wells, the Department would like NYCHA to temporarily cease operation of the systems and VEFR at these sites. For the next 4 months, the wells must be monitored to determine if any significant recharge of product occurs. Accurate readings of product thickness must be made, which may require using the gauging method used at South Jamaica Houses on May 19, 2014. In addition, during this 4 month time period, no absorbent socks should be placed in the wells. Data from this monitoring, along with recommendations, must be included in the 2014 3rd quarter monitoring report for these sites, which is due to the Department by October 1, 2014. In the event that a significant recharge is noticed in any of the wells during these 4 months, the Department must be contacted

ELLIOTT HOUSES -NYCHA (Continued) **S104495199**

immediately (within 72 hours of gauging). 1/24/17: J.Kann - based on review of Quarterly monitoring reports, The source of petroleum has been removed. The PRS was operated between 1998 and 2014 Free product has not been observed in the accessible monitoring wells since 2007. Since halting the PRS in 2014, free product has not been observed in the accessible monitoring wells and little free product (less than 0.25in) has been observed in the recovery wells. No petroleum related VOCs or SVOCs (listed in Table 3 of CP-51) were detected in groundwater samples collected in April 2015 from the accessible monitoring wells. As per Randy in a discussion of January 20, 2017 if less than 0.25 inches of No. 6 oil has been in on-site wells for 2+ years and contamination has been delineated all around the impacted area and there is nothing off-site and no dissolved phase in wells, spills can be closed. The Closure Letter should contain the contaminated soil clause. Spill closure email will be prepared with contaminated soil clause and sent to NYCHA "

Remarks: "20K TANK - EVERYTIME FILLED ACTIVE FLOW TAKES PLACE INTO BASEMENT THRU WALLS - ABSORBED WITH SPEEDY DRY AND TEMPORARILY TAKING TANK OUT OF SERVICE"

All TTF:

Facility ID:	8908401
Spill Number:	8908401
Spill Tank Test:	1536460
Site ID:	252274
Tank Number:	Not reported
Tank Size:	0
Material:	0002
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	252274
Operable Unit ID:	935780
Operable Unit:	01
Material ID:	445144
Material Code:	0002A
Material Name:	#4 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

BN459 **DYNAMIC DELIVERY CORP.** **NY UST** **U000395484**
SW **202-208 11TH AVENUE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.235 mi.
1239 ft. **Site 1 of 4 in cluster BN**

Relative:
Lower

Actual:
8 ft.

UST:

Id/Status:	2-108154 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	583858.45466
UTM Y:	4511431.76901
Site Type:	Trucking/Transportation/Fleet Operation

Affiliation Records:

Site Id:	3178
Affiliation Type:	Facility Owner
Company Name:	DYNAMIC DELIVERY CORP
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	125 PENNSYLVANIA AVENUE
Address2:	Not reported
City:	SOUTH KEARNEY
State:	NJ
Zip Code:	07032
Country Code:	001
Phone:	(973) 344-6300
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	3178
Affiliation Type:	Mail Contact
Company Name:	DYNAMIC DELIVERY CORP
Contact Type:	Not reported
Contact Name:	THOMAS GAMBINO, JR.
Address1:	125 PENNSYLVANIA AVENUE
Address2:	Not reported
City:	SOUTH KEARNEY
State:	NJ
Zip Code:	07032
Country Code:	001
Phone:	(973) 344-6300
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	3178
Affiliation Type:	Facility Operator
Company Name:	DYNAMIC DELIVERY CORP.
Contact Type:	Not reported
Contact Name:	VACANT
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

DYNAMIC DELIVERY CORP. (Continued) **U000395484**

Zip Code:	Not reported
Country Code:	001
Phone:	(212) 255-5266
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	3178
Affiliation Type:	Emergency Contact
Company Name:	DYNAMIC DELIVERY CORP
Contact Type:	Not reported
Contact Name:	THOMAS GAMBINO, JR.
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(973) 344-6300
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank ID:	4778
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	2000
Install Date:	09/01/1976
Date Tank Closed:	04/01/1999
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
J02 - Dispenser - Suction Dispenser
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None

DYNAMIC DELIVERY CORP. (Continued) **U000395484**

Tank Number: 002
Tank ID: 4779
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 2000
Install Date: 09/01/1976
Date Tank Closed: 04/01/1999
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

F00 - Pipe External Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
J02 - Dispenser - Suction Dispenser
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None

Tank Number: 3
Tank ID: 56314
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 04/01/1999
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None

DYNAMIC DELIVERY CORP. (Continued) **U000395484**

H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Number: 4
Tank ID: 56315
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 04/01/1999
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Number: 5
Tank ID: 56316
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 5000
Install Date: Not reported
Date Tank Closed: 04/01/1999
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

DYNAMIC DELIVERY CORP. (Continued) **U000395484**

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Number:	6
Tank ID:	56317
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	04/01/1999
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
I00 - Overfill - None
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None

Tank Number:	7
Tank ID:	56318
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	04/01/1999
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline

DYNAMIC DELIVERY CORP. (Continued) **U000395484**

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Number: 8
Tank ID: 56319
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 3000
Install Date: Not reported
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

F00 - Pipe External Protection - None
B00 - Tank External Protection - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None

BO460 **CON EDISON - TRENCH GAS MAIN** **RCRA-LQG** **1016962865**
ENE **396 10TH AVE** **NY MANIFEST** **NYP004359105**
1/8-1/4 **NEW YORK, NY 10014**
0.235 mi.
1241 ft. **Site 1 of 5 in cluster BO**

Relative:
Higher

Actual:
31 ft.

RCRA-LQG:

Date form received by agency:	03/27/2014
Facility name:	CON EDISON - TRENCH GAS MAIN
Facility address:	396 10TH AVE NEW YORK, NY 10014
EPA ID:	NYP004359105
Mailing address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact:	DENNIS HUACON
Contact address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact country:	US
Contact telephone:	212-460-2757
Contact email:	HUACOND@CONED.COM
EPA Region:	02
Classification:	Large Quantity Generator
Description:	Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PLACE NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	09/11/2013
Owner/Op end date:	Not reported

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	IRVING PLACE NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner

CON EDISON - TRENCH GAS MAIN (Continued) **1016962865**

Owner/Op start date: 09/11/2013
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

. Waste code: D018
. Waste name: BENZENE

. Waste code: D024
. Waste name: M-CRESOL

. Waste code: D025
. Waste name: P-CRESOL

. Waste code: B002
. Waste name: B002

. Waste code: B007
. Waste name: B007

Historical Generators:
Date form received by agency: 10/12/2013
Site name: CON EDISON TRENCH: GAS~MAIN
Classification: Not a generator, verified

Date form received by agency: 09/12/2013
Site name: CON EDISON TRENCH: GAS~MAIN
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004359105
Facility Status: Not reported
Location Address 1: 10TH & 29TH STREET
Code: BP
Location Address 2: VAC 169
Total Tanks: Not reported

CON EDISON - TRENCH GAS MAIN (Continued) **1016962865**

Location City:	NEW YORK
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004359105
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	PAD146714878
Generator Ship Date:	09/27/2013
Trans1 Recv Date:	09/27/2013
Trans2 Recv Date:	10/14/2013
TSD Site Recv Date:	10/16/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004359105
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	ALD000622464
TSDF ID 2:	Not reported
Manifest Tracking Number:	011693528JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	Y
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H132
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1733
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	1

CON EDISON - TRENCH GAS MAIN (Continued) **1016962865**

Container Type:	CM - Metal boxes, cases, roll-offs
Handling Method:	L Landfill.
Specific Gravity:	1
Waste Code:	Not reported
Waste Code 1_2:	Not reported
Waste Code 1_3:	D008
Waste Code 1_4:	D018
Waste Code 1_5:	D026
Waste Code 1_6:	B007

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

BG461 **KING GRAPHIC TECHNOLOGIES** **RCRA NonGen / NLR** **1001968777**
NE **511 W 33RD ST STE 100** **FINDS** **NYR000034819**
1/8-1/4 **NEW YORK, NY 10001** **ECHO**
0.235 mi. **NY MANIFEST**
1242 ft. **Site 4 of 4 in cluster BG**

Relative: **Higher**

Actual: **31 ft.**

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	KING GRAPHIC TECHNOLOGIES
Facility address:	511 W 33RD ST STE 100 NEW YORK, NY 10001
EPA ID:	NYR000034819
Mailing address:	W 33RD ST STE 100 NEW YORK, NY 10001
Contact:	Not reported
Contact address:	W 33RD ST STE 100 NEW YORK, NY 10001
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	WAYNE SAPPER
Owner/operator address:	112-61 QUEENS BLVD FOREST HILLS, NY 11375
Owner/operator country:	US
Owner/operator telephone:	718-544-0760
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	WAYNE SAPPER
Owner/operator address:	112-61 QUEENS BLVD FOREST HILLS, NY 11375
Owner/operator country:	US
Owner/operator telephone:	718-544-0760

KING GRAPHIC TECHNOLOGIES (Continued) **1001968777**

Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: KING GRAPHIC TECHNOLOGIES
Classification: Not a generator, verified

Date form received by agency: 12/23/1999
Site name: KING GRAPHIC TECHNOLOGIES
Classification: Not a generator, verified

Date form received by agency: 01/23/1997
Site name: KING GRAPHIC TECHNOLOGIES
Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: K086
. Waste name: SOLVENT WASHES AND SLUDGES, CAUSTIC WASHES AND SLUDGES, OR WATER WASHES AND SLUDGES FROM CLEANING TUBS AND EQUIPMENT USED IN THE FORMULATION OF INK FROM PIGMENTS, DRIERS, SOAPS, AND STABILIZERS CONTAINING CHROMIUM AND LEAD.

Violation Status: No violations found

FINDS:

Registry ID: 110004531935

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport,

KING GRAPHIC TECHNOLOGIES (Continued) **1001968777**

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1001968777
Registry ID:	110004531935
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004531935

NY MANIFEST:

Country:	USA
EPA ID:	NYR000034819
Facility Status:	Not reported
Location Address 1:	511 W 33RD ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000034819
Mailing Name:	KING GRAPHICS TECHNOLOGIES
Mailing Contact:	JAMES SANTIAGO
Mailing Address 1:	511 W 33RD ST
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10001
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2122445484

NY MANIFEST:

Document ID:	NJA3029237
Manifest Status:	Not reported
seq:	01
Year:	1999
Trans1 State ID:	08690
Trans2 State ID:	H10364
Generator Ship Date:	12/03/1999
Trans1 Recv Date:	12/03/1999
Trans2 Recv Date:	12/08/1999
TSD Site Recv Date:	12/08/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported

KING GRAPHIC TECHNOLOGIES (Continued) **1001968777**

Generator EPA ID:	NYR000034819
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	SCD987574647
TSDF ID 1:	NJD002182897
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	01890
Units:	P - Pounds
Number of Containers:	005
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
4 additional NY_MANIFEST: record(s) in the EDR Site Report.

BP462 **CON EDISON VAULT: 9292** **RCRA NonGen / NLR** **1016966957**
SSE **447 W 25TH ST FRONT OF** **NY MANIFEST** **NYP004397956**
1/8-1/4 **NEW YORK, NY 10001**
0.236 mi.
1245 ft. **Site 1 of 2 in cluster BP**

Relative: RCRA NonGen / NLR:
Higher

Date form received by agency:	12/26/2013
Facility name:	CON EDISON VAULT: 9292
Facility address:	447 W 25TH ST FRONT OF NEW YORK, NY 10001
EPA ID:	NYP004397956
Mailing address:	IRVING PL, 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Actual:
15 ft.

CON EDISON VAULT: 9292 (Continued) **1016966957**

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 11/26/2013
Site name: CON EDISON VAULT: 9292
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004397956
Facility Status: Not reported
Location Address 1: F/O 447 W 25TH ST
Code: BP
Location Address 2: SB9292
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004397956
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PLACE
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2013
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported

CON EDISON VAULT: 9292 (Continued) **1016966957**

Generator Ship Date:	11/26/2013
Trans1 Recv Date:	11/26/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	11/27/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004397956
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002086664GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

BK463 **CON EDISON SERVICE BOX: 5618** **NJ MANIFEST** **S117987081**
NW **W 30TH & 12TH AVE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.237 mi.
1251 ft. **Site 5 of 9 in cluster BK**

Relative: NJ MANIFEST:
Lower

EPA Id:	NYP004279501
Mail Address:	Not reported
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported

Actual:
10 ft.

CON EDISON SERVICE BOX: 5618 (Continued) **S117987081**

Contact:	JOSE MONTALVO
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	001674732GBF
EPA ID:	NYP004279501
Date Shipped:	12/4/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported

CON EDISON SERVICE BOX: 5618 (Continued) **S117987081**

Quantity: 600.00 gallons

BK464 **CON EDISON SERVICE BOX: 5618** **RCRA NonGen / NLR** **1016149287**
NW **636-640 W 30TH & 12TH AVE E OF** **FINDS** **NYP004279501**
1/8-1/4 **NEW YORK, NY 10001** **ECHO**
0.237 mi. **NY MANIFEST**
1251 ft. **Site 6 of 9 in cluster BK**

Relative:
Lower

Actual:
10 ft.

RCRA NonGen / NLR:
Date form received by agency: 03/26/2013
Facility name: CON EDISON SERVICE BOX: 5618
Facility address: 636-640 W 30TH & 12TH AVE E OF
NEW YORK, NY 10001
EPA ID: NYP004279501
Mailing address: E 16TH ST
NEW YORK, NY 10009
Contact: JOSE MONTALVO
Contact address: E 16TH ST
NEW YORK, NY 10009
Contact country: US
Contact telephone: 212-427-1331
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 02/26/2013
Site name: CON EDISON SERVICE BOX: 5618
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110055468658

CON EDISON SERVICE BOX: 5618 (Continued) **1016149287**

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016149287
Registry ID:	110055468658
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055468658

NY MANIFEST:

Country:	USA
EPA ID:	NYP004279501
Facility Status:	Not reported
Location Address 1:	640-36 W 30TH ST E/O 12TH AVE
Code:	BP
Location Address 2:	SERV BOX 5618
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004279501
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	02/26/2013
Trans1 Recv Date:	02/26/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/26/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported

CON EDISON SERVICE BOX: 5618 (Continued) **1016149287**

Generator EPA ID:	NYP004279501
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010708040JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

BK465 **WEST 30TH ST HELIPORT** **NY TANKS** **U001839370**
NW **WEST 30TH STREET & 12TH AVENUE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.237 mi.
1251 ft. **Site 7 of 9 in cluster BK**

Relative: **Lower**
Actual: **10 ft.**

TANKS:

Facility Id:	2-342211
Region:	STATE
DEC Region:	2
Site Status:	Active
Program Type:	PBS
Expiration Date:	11/01/2021
UTM X:	583890.54226
UTM Y:	4511983.30330

BK466 **PORT AUTH OF NY & NJ WEST 30TH ST HELIPO** **RCRA NonGen / NLR** **1000390998**
NW **W 30TH ST & 12TH AVE** **NY MANIFEST** **NYD981877087**
1/8-1/4 **NEW YORK, NY 10001**
0.237 mi.
1251 ft. **Site 8 of 9 in cluster BK**

Relative:
Lower

Actual:
10 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	PORT AUTH OF NY & NJ WEST 30TH ST HELIPO
Facility address:	W 30TH ST & 12TH AVE NEW YORK, NY 10001
EPA ID:	NYD981877087
Contact:	Not reported
Contact address:	W 30TH ST & 12TH AVE NEW YORK, NY 10001
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	PORT AUTHORITY NY & NJ
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	212-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	PORT AUTHORITY NY & NJ
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	212-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No

PORT AUTH OF NY & NJ WEST 30TH ST HELIPO (Continued) **1000390998**

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: PORT AUTH OF NY & NJ WEST 30TH ST HELIPO
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Site name: PORT AUTH OF NY & NJ WEST 30TH ST HELIPO
Classification: Not a generator, verified

Date form received by agency: 02/24/1987
Site name: PORT AUTH OF NY & NJ WEST 30TH ST HELIPO
Classification: Large Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYD981877087
Facility Status: Not reported
Location Address 1: WEST 30TH STREET HELIPORT
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYD981877087
Mailing Name: PORT AUTHORITY OF NEW YORK & NEW JERSEY
Mailing Contact: PORT AUTHORITY OF NEW YORK & NEW JERSEY
Mailing Address 1: WEST 30TH STREET HELIPORT
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2012882761

NY MANIFEST:
Document ID: NJA0290657
Manifest Status: C
seq: Not reported
Year: 1988

PORT AUTH OF NY & NJ WEST 30TH ST HELIPO (Continued) **1000390998**

Trans1 State ID:	NJSWAS300
Trans2 State ID:	Not reported
Generator Ship Date:	11/28/1988
Trans1 Recv Date:	11/28/1988
Trans2 Recv Date:	/ /
TSD Site Recv Date:	11/28/1988
Part A Recv Date:	12/02/1988
Part B Recv Date:	12/07/1988
Generator EPA ID:	NYD981877087
Trans1 EPA ID:	NJD991291105
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00110
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access
3 additional NY_MANIFEST: record(s) in the EDR Site Report.

BI467 **VHS 239 LLC FORMER 10TH AVE GETTY STATION** **RCRA-LQG** **1016975115**
South **239 10TH AVE** **NYR000215756**
1/8-1/4 **NEW YORK, NY 10001**
0.237 mi.
1252 ft. **Site 4 of 8 in cluster BI**

Relative: RCRA-LQG:
Lower

Date form received by agency:	04/25/2016
Facility name:	VHS 239 LLC FORMER 10TH AVE GETTY STATION
Facility address:	239 10TH AVE NEW YORK, NY 10001
EPA ID:	NYR000215756
Mailing address:	HIGHWAY 138 BLDG C STE C WALL, NJ 07719
Contact:	DANIELLE AXELROD
Contact address:	HIGHWAY 138 BLDG C STE C

Actual:
12 ft.

VHS 239 LLC FORMER 10TH AVE GETTY STATION (Continued) **1016975115**

WALL, NJ 07719
Contact country: US
Contact telephone: 917-763-5993
Contact email: DANIELLE@THEAXELRODGROUP.COM
EPA Region: 02
Classification: Large Quantity Generator
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:
Owner/operator name: RAN KOROLIK
Owner/operator address: HWY 138 BLDG C SUITE C
WALL, NJ 07719
Owner/operator country: US
Owner/operator telephone: 732-280-8181
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 07/31/2013
Owner/Op end date: Not reported

Owner/operator name: RAN KOROLLIK
Owner/operator address: HIGHWAY 138 BLDG C STE C
WALL, NJ 07719
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 07/31/2013
Owner/Op end date: Not reported

Owner/operator name: VHS 239 LLC
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 07/31/2013

VHS 239 LLC FORMER 10TH AVE GETTY STATION (Continued) **1016975115**

Owner/Op end date: Not reported

Owner/operator name: VHS 239 LLC
Owner/operator address: HIGHWAY 138 BLDG C STE C
WALL, NJ 07719
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 07/31/2013
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
Date form received by agency: 12/12/2014
Site name: 10TH AVENUE GETTY STATION FORMER
Classification: Large Quantity Generator

. Waste code: D008
. Waste name: LEAD

Biennial Reports:

Last Biennial Reporting Year: 2017

Annual Waste Handled:
Waste code: D008
Waste name: LEAD
Amount (Lbs): 86200

Violation Status: No violations found

BI468 **VHS 239 LLC FORMER10TH AVE GETTY STATION** **NY MANIFEST** **S117742277**
South **239 10TH AVE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.237 mi.
1252 ft. **Site 5 of 8 in cluster BI**

Relative:
Lower

Actual:
12 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYR000215756
Facility Status:	Not reported
Location Address 1:	239 10TH AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000215756
Mailing Name:	VHS 239 LLC FORMER10TH AVE GETTY STATION
Mailing Contact:	VHS 239 LLC
Mailing Address 1:	3349 HIGHWAY 138 BLDG C - SUITE 3
Mailing Address 2:	Not reported
Mailing City:	WALL
Mailing State:	NJ
Mailing Zip:	07719
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	6312322600

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJD980772768
Trans2 State ID:	Not reported
Generator Ship Date:	02/19/2015
Trans1 Recv Date:	02/19/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/19/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000215756
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	013132221JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	Y
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported

VHS 239 LLC FORMER10TH AVE GETTY STATION (Continued) **S117742277**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	38150
Units:	P - Pounds
Number of Containers:	1
Container Type:	CM - Metal boxes, cases, roll-offs
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
8 additional NY_MANIFEST: record(s) in the EDR Site Report.

BI469 **VHS 239 LLC FORMER 10TH AVE GETTY STATION** **NJ MANIFEST** **S120679045**
South **239 10TH AVE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.237 mi.
1252 ft. **Site 6 of 8 in cluster BI**

Relative: **Lower**
Actual: **12 ft.**

NJ MANIFEST:

EPA Id:	NYR000215756
Mail Address:	HWY 138 BLDG C SUITE C
Mail City/State/Zip:	WALL, NJ 07719
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	DANIELLE AXELROD
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	013918128JJK
EPA ID:	NYR000215756
Date Shipped:	2/5/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD991291105
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported

VHS 239 LLC FORMER 10TH AVE GETTY STATION (Continued) **S120679045**

Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	WALL, NJ 07719
Reason Load Was Rejected:	Not reported

Manifest Number:	013918129JJK
EPA ID:	NYR000215756
Date Shipped:	1/22/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD980772768
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported

VHS 239 LLC FORMER 10TH AVE GETTY STATION (Continued) **S120679045**

Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	WALL, NJ 07719
Reason Load Was Rejected:	Not reported

Manifest Number:	013132221JJK
EPA ID:	NYR000215756
Date Shipped:	2/19/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD980772768
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	WALL, NJ 07719

VHS 239 LLC FORMER 10TH AVE GETTY STATION (Continued) **S120679045**

Reason Load Was Rejected: Not reported

BI470 **239 10TH AVENUE** **NY VCP** **S118943377**
South **239 10TH AVENUE** **N/A**
1/8-1/4 **NEW YORK CITY, NY**
0.237 mi.
1252 ft. **Site 7 of 8 in cluster BI**

Relative:
Lower

Actual:
12 ft.

VCP NYC:
Project ID: 14CVCP243M
Project Name: 239 10TH AVENUE
Project Address: 239 10TH AVENUE
Borough: MANHATTAN

VCP NYC:
Project ID: 14CVCP243M
File Name: 2014-05-13.RIR
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP243M/2014-05-13.14CVCP243M.report.RIR.RouxAssociates.pdf

Project ID: 14CVCP243M
File Name: 2014-06-13.RAWP_Final
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP243M/2014-06-17CVCP243M 239_10th_Avenue.RAWP_RouxAssociates.pdf

Project ID: 14CVCP243M
File Name: 2014-06-13.Factsheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP243M/2014-06-13.14CVCP243M.doc.FactSheet-1.SHolberton.pdf

Project ID: 14CVCP243M
File Name: 2014-06-13.Translated_Factsheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP243M/2014-06-13.14CVCP243M.doc.FactSheet-1.Translated.SHolberton.pdf

Project ID: 14CVCP243M
File Name: 2014-06-13.Translated_CPS
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP243M/2014-06-13.14CVCP243M.doc.Translated_Community_Protection_Statement.SHolberton.pdf

Project ID: 14CVCP243M
File Name: 2014-08-01.Stipulation_List
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP243M/2014-08-01.14CVCP243M.report.Stipulation_List_Roux.pdf

Project ID: 14CVCP243M
File Name: 2014-09-30.Factsheet-2
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP243M/2014-09-30.14CVCP243M.Factsheet-2_239_10th_Avenue.pdf

Project ID: 14CVCP243M
File Name: 2014-09-30.Translated_Factsheet-2
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP243M/2014-09-30.14CVCP243M.doc.FactSheet-2.Translated.SHolberton

239 10TH AVENUE (Continued) **S118943377**

.pdf

Project ID: 14CVCP243M
File Name: 2014-03-26.Decision_Document
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP243M/2015-03-26.14EH-N323M.doc.Decision_Document.OER.pdf

---

BI471 **VHS 239 LLC** **NY UST** **U004198726**
South **239 TENTH AVENUE** **N/A**
1/8-1/4 **NEW YORK, NY 10011**
0.237 mi.
1252 ft. **Site 8 of 8 in cluster BI**

Relative: **Lower**
Actual: **12 ft.**

UST:
Id/Status: 2-151270 / Unregulated/Closed
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: N/A
UTM X: 584097.29522
UTM Y: 4511330.81944
Site Type: Retail Gasoline Sales

Affiliation Records:
Site Id: 4669
Affiliation Type: Facility Operator
Company Name: VHS 239 LLC
Contact Type: Not reported
Contact Name: RAN KOROLIK
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 727-8793
EMail: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2013-08-22

Site Id: 4669
Affiliation Type: Mail Contact
Company Name: VICTOR SEVEN INC
Contact Type: Not reported
Contact Name: RAN KOROLIK
Address1: 3349 HIGHWAY 138
Address2: BUILDING C, SUITE C
City: WALL
State: NJ
Zip Code: 07719
Country Code: 001
Phone: (732) 280-8181
EMail: VATALLAIRE@AOL.COM
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2015-09-11

VHS 239 LLC (Continued) **U004198726**

Site Id:	4669
Affiliation Type:	Emergency Contact
Company Name:	VHS 239 LLC
Contact Type:	Not reported
Contact Name:	RAN KOROLIK
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(908) 420-8443
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2013-08-22

Site Id:	4669
Affiliation Type:	Facility Owner
Company Name:	VHS 239 LLC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	3349 HIGHWAY 138, BLDG C STE C
Address2:	Not reported
City:	WALL
State:	NJ
Zip Code:	07719
Country Code:	001
Phone:	(732) 280-8181
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2015-09-11

Tank Info:

Tank Number:	001
Tank ID:	57593
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	10000
Install Date:	12/01/1998
Date Tank Closed:	12/03/2014
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	2712
Common Name of Substance:	Gasoline/Ethanol

Tightness Test Method:	21
Date Test:	11/01/2004
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NRLOMBAR
Last Modified:	04/14/2017

Equipment Records:

VHS 239 LLC (Continued) **U004198726**

F04 - Pipe External Protection - Fiberglass
C02 - Pipe Location - Underground/On-ground
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
B04 - Tank External Protection - Fiberglass
G04 - Tank Secondary Containment - Double-Walled (Underground)
J01 - Dispenser - Pressurized Dispenser
E04 - Piping Secondary Containment - Double walled UG
I01 - Overfill - Float Vent Valve
L08 - Piping Leak Detection - Tank Top Sump
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
H99 - Tank Leak Detection - Other
L07 - Piping Leak Detection - Pressurized Piping Leak Detector

Tank Number:	001-A
Tank ID:	57594
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	4000
Install Date:	07/01/1975
Date Tank Closed:	11/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	14
Date Test:	06/01/1994
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

J02 - Dispenser - Suction Dispenser
B07 - Tank External Protection - Retrofitted Sacrificial Anode
C02 - Pipe Location - Underground/On-ground
H00 - Tank Leak Detection - None
I00 - Overfill - None
G03 - Tank Secondary Containment - Vault (w/o access)
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None

Tank Number:	002
Tank ID:	57595
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	10000
Install Date:	12/01/1998
Date Tank Closed:	12/03/2014
Registered:	True
Tank Location:	Underground

VHS 239 LLC (Continued) **U004198726**

Tank Type: Equivalent technology
Material Code: 2712
Common Name of Substance: Gasoline/Ethanol

Tightness Test Method: 21
Date Test: 11/01/2004
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
B04 - Tank External Protection - Fiberglass
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
L07 - Piping Leak Detection - Pressurized Piping Leak Detector
G04 - Tank Secondary Containment - Double-Walled (Underground)
J01 - Dispenser - Pressurized Dispenser
E04 - Piping Secondary Containment - Double walled UG
I01 - Overfill - Float Vent Valve
L08 - Piping Leak Detection - Tank Top Sump
A00 - Tank Internal Protection - None
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
H99 - Tank Leak Detection - Other

Tank Number: 002-A
Tank ID: 57596
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 4000
Install Date: 07/01/1975
Date Tank Closed: 11/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 14
Date Test: 06/01/1994
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
A00 - Tank Internal Protection - None
F07 - Pipe External Protection - Retrofitted Sacrificial Anode

VHS 239 LLC (Continued) **U004198726**

Tank Number:	003
Tank ID:	19323
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	4000
Install Date:	11/01/1998
Date Tank Closed:	11/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	14
Date Test:	06/01/1994
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
I00 - Overfill - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
A00 - Tank Internal Protection - None

Tank Number:	3
Tank ID:	257648
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	12/01/2014
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NRLOMBAR
Last Modified:	04/14/2017

Equipment Records:

G00 - Tank Secondary Containment - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
J00 - Dispenser - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping

VHS 239 LLC (Continued) **U004198726**

K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
L00 - Piping Leak Detection - None
D00 - Pipe Type - No Piping

BH472 **ADOLPHS TRUCKING CO, INC** **NY UST** **U001836250**
SSW **507-11 WEST 24TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10011**
0.237 mi.
1252 ft. **Site 3 of 7 in cluster BH**

Relative:
Lower

Actual:
11 ft.

UST:

Id/Status:	2-317888 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	584079.67848
UTM Y:	4511317.67985
Site Type:	Trucking/Transportation/Fleet Operation

Affiliation Records:

Site Id:	14637
Affiliation Type:	Emergency Contact
Company Name:	HIGH LINE PARTNER, LLC
Contact Type:	Not reported
Contact Name:	TIM SIMMONS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(212) 751-5432
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	2005-02-24

Site Id:	14637
Affiliation Type:	Facility Operator
Company Name:	ADOLPHS TRUCKING CO, INC
Contact Type:	Not reported
Contact Name:	TIM SIMMONS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 751-5432
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	2005-02-24

Site Id:	14637
Affiliation Type:	Mail Contact

ADOLPHS TRUCKING CO, INC (Continued) **U001836250**

Company Name:	HIGH LINE PARTNER, LLC
Contact Type:	MEMBER
Contact Name:	TIM SIMMONS
Address1:	460 PARK AVENUE, FL 22
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 751-5432
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MABARTLE
Date Last Modified:	2005-03-23

Site Id:	14637
Affiliation Type:	Facility Owner
Company Name:	HIGH LINE PROPERTIES
Contact Type:	MEMBER
Contact Name:	TIM SIMMONS
Address1:	460 PARK AVENUE, FL 22
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 751-5432
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MABARTLE
Date Last Modified:	2005-03-23

Tank Info:

Tank Number:	001
Tank ID:	17858
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	2000
Install Date:	05/01/1983
Date Tank Closed:	02/14/2005
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	KXTANG
Last Modified:	04/14/2017

Equipment Records:

G00 - Tank Secondary Containment - None
I04 - Overfill - Product Level Gauge (A/G)

ADOLPHS TRUCKING CO, INC (Continued) **U001836250**

A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser

Tank Number:	002
Tank ID:	17859
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	2000
Install Date:	05/01/1983
Date Tank Closed:	03/01/1999
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Number:	003
Tank ID:	17860
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	2000
Install Date:	Not reported
Date Tank Closed:	06/01/1997
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0008
Common Name of Substance:	Diesel
Tightness Test Method:	03
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported

ADOLPHS TRUCKING CO, INC (Continued) **U001836250**

Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
H00 - Tank Leak Detection - None
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
I04 - Overfill - Product Level Gauge (A/G)

Tank Number: 004
Tank ID: 17861
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 06/01/1997
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0008
Common Name of Substance: Diesel

Tightness Test Method: 03
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser

Tank Number: 005
Tank ID: 17862
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 06/01/1997
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0008

ADOLPHS TRUCKING CO, INC (Continued) **U001836250**

Common Name of Substance: Diesel

Tightness Test Method: 03
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
H00 - Tank Leak Detection - None
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Number: 006
Tank ID: 17863
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 02/14/2005
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: KXTANG
Last Modified: 04/14/2017

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None

Tank Number: 007
Tank ID: 17864
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported

ADOLPHS TRUCKING CO, INC (Continued) **U001836250**

Date Tank Closed: 02/14/2005
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: KXTANG
Last Modified: 04/14/2017

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None

Tank Number: 008
Tank ID: 17865
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 2642
Common Name of Substance: Used Oil (Heating, On-Site Consumption)

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Number: 10
Tank ID: 196270

ADOLPHS TRUCKING CO, INC (Continued) **U001836250**

Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 02/17/2005
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

L00 - Piping Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser

Tank Number: 9
Tank ID: 196271
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 02/17/2005
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MABARTLE
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None

ADOLPHS TRUCKING CO, INC (Continued) **U001836250**

I00 - Overfill - None
L00 - Piping Leak Detection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None

BO473 **CON EDISON - VS 6145** **RCRA NonGen / NLR** **1008195711**
ENE **513-25 W.33RD STREET & 10TH AV** **NY MANIFEST** **NYP004113221**
1/8-1/4 **NEW YORK, NY 10001**
0.238 mi.
1256 ft. **Site 2 of 5 in cluster BO**

Relative: **Higher**
Actual: **32 ft.**

RCRA NonGen / NLR:

Date form received by agency:	02/27/2004
Facility name:	CON EDISON - VS 6145
Facility address:	513-25 W.33RD STREET & 10TH AV NEW YORK, NY 10001
EPA ID:	NYP004113221
Mailing address:	4 IRVING PLACE NEW YORK, NY 10003
Contact:	ANTHONY DRUMMINGS
Contact address:	4 IRVING PLACE NEW YORK, NY 10003
Contact country:	US
Contact telephone:	212-460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	4 IRVING PLACE NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	07/19/2003
Owner/Op end date:	Not reported

Owner/operator name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address:	4 IRVING PLACE NEW YORK, NY 10003
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner

CON EDISON - VS 6145 (Continued) **1008195711**

Owner/Op start date: 07/19/2003
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 02/26/2004
Site name: CON EDISON - VS 6145
Classification: Not a generator, verified

Date form received by agency: 02/25/2004
Site name: CON EDISON - VS 6145
Classification: Large Quantity Generator

. Waste code: B002
. Waste name: B002

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004113221
Facility Status: Not reported
Location Address 1: W 33 ST & 10 AVE V6145
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10003
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004113221
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported

CON EDISON - VS 6145 (Continued) **1008195711**

Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYE0618525
Manifest Status:	Not reported
seq:	01
Year:	2003
Trans1 State ID:	46107JM
Trans2 State ID:	Not reported
Generator Ship Date:	07/19/2003
Trans1 Recv Date:	07/19/2003
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/19/2003
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004113221
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980593636
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	01227
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

BO474 **MTA LIRR - WEST SIDE YARD** **RCRA-SQG** **1006931268**
NE **401 10TH AVE** **NY MANIFEST** **NYR000117523**
1/8-1/4 **NEW YORK, NY 10001** **NJ MANIFEST**
0.238 mi.
1258 ft. **Site 3 of 5 in cluster BO**

Relative:
Higher

Actual:
32 ft.

RCRA-SQG:

Date form received by agency:	01/01/2007
Facility name:	MTA LIRR - WEST SIDE YARD
Facility address:	401 10TH AVE NEW YORK, NY 10001-1406
EPA ID:	NYR000117523
Mailing address:	183RD ST HOLLIS, NY 11423
Contact:	WILLIAM P KEENAN
Contact address:	183RD ST HOLLIS, NY 11423
Contact country:	US
Contact telephone:	718-558-3081
Contact email:	Not reported
EPA Region:	02
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	LIRR
Owner/operator address:	UNKNOWN UNKNOWN, NY 99999
Owner/operator country:	US
Owner/operator telephone:	212-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	State
Owner/Operator Type:	Operator
Owner/Op start date:	01/01/1850
Owner/Op end date:	Not reported

Owner/operator name:	MTA
Owner/operator address:	UNKNOWN UNKNOWN, NY 99999
Owner/operator country:	US
Owner/operator telephone:	212-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	State
Owner/Operator Type:	Owner
Owner/Op start date:	01/01/1968
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No

MTA LIRR - WEST SIDE YARD (Continued) **1006931268**

Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: MTA LIRR - WEST SIDE YARD
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 07/23/2003
Site name: MTA LIRR - WEST SIDE YARD
Classification: Small Quantity Generator

. Waste code: D006
. Waste name: CADMIUM

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYR000117523
Facility Status: Not reported
Location Address 1: 10TH AVE & 31ST ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000117523
Mailing Name: LIRR WESTSIDE YARD
Mailing Contact: N/S
Mailing Address 1: 10TH AVE & 31ST ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 7185584541

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported

MTA LIRR - WEST SIDE YARD (Continued) **1006931268**

seq:	Not reported
Year:	2011
Trans1 State ID:	NYR000003582
Trans2 State ID:	Not reported
Generator Ship Date:	05/11/2011
Trans1 Recv Date:	05/11/2011
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/12/2011
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000117523
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	004145774FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	120.0
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	4.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Waste Code:	D001
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
5 additional NY_MANIFEST: record(s) in the EDR Site Report.

NJ MANIFEST:

EPA Id:	NYR000117523
Mail Address:	10TH AVE & 31ST ST
Mail City/State/Zip:	NEW YORK 10001
Facility Phone:	6315676545
Emergency Phone:	Not reported
Contact:	LEWIS WUNDERLICH

MTA LIRR - WEST SIDE YARD (Continued) **1006931268**

Comments:	Not reported
SIC Code:	Not reported
County:	00
Municipal:	00
Previous EPA Id:	Not reported
Gen Flag:	X
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	NJA5332589
EPA ID:	NYR000117523
Date Shipped:	07/24/2006
TSDF EPA ID:	NJD002182897
Transporter EPA ID:	NYD049178296
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	07/24/2006
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	08/04/2006
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	09260621
Was Load Rejected:	NEW YORK 10001
Reason Load Was Rejected:	Not reported

Manifest Number:	003633583JJK
EPA ID:	NYR000117523
Date Shipped:	03/04/2010
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193

MTA LIRR - WEST SIDE YARD (Continued) **1006931268**

Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	03/04/2010
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	03/04/2010
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK 10001
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H061
Quantity:	55 G

Manifest Number:	000962390GBF
EPA ID:	NYR000117523
Date Shipped:	10/27/2009
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	10/27/2009

MTA LIRR - WEST SIDE YARD (Continued) **1006931268**

Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	10/27/2009
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK 10001
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H061
Quantity:	55 G

BN475 **CON EDISON** **NY MANIFEST** **S116291187**
SW **11 AVE & W 24TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10011**
0.238 mi.
1259 ft. **Site 2 of 4 in cluster BN**

Relative:
Lower

Actual:
7 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004402186
Facility Status:	Not reported
Location Address 1:	11 AVE & W 24TH ST
Code:	BP
Location Address 2:	MH6566
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10011
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004402186
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PLACE

CON EDISON (Continued) **S116291187**

Mailing Address 2:	15TH FL
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

BN476 **CON EDISON** **NY MANIFEST** **S120958013**
SW **11TH AVE & WEST 24TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10011**
0.238 mi.
1259 ft. **Site 3 of 4 in cluster BN**

Relative:
Lower

Actual:
7 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004903686
Facility Status:	Not reported
Location Address 1:	11TH AVE & WEST 24TH ST
Code:	BP
Location Address 2:	V# 5952
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10011
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004903686
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2017
Trans1 State ID:	NJD003812047
Trans2 State ID:	NJD003812047
Generator Ship Date:	01/26/2017
Trans1 Recv Date:	01/26/2017
Trans2 Recv Date:	02/02/2017
TSD Site Recv Date:	02/03/2017
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004903686
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD049836679

CON EDISON (Continued) **S120958013**

TSDF ID 2:	Not reported
Manifest Tracking Number:	003297701GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	Y
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H135
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	2960
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	Not reported
Waste Code 1_2:	B002
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

477
SSW
1/8-1/4
0.238 mi.
1259 ft.

23RD STREET VENTURE LLC **RCRA-CESQG** **1006817519**
540 W 24TH ST **NYR000116376**
NEW YORK, NY 10011

Relative:
Lower

Actual:
9 ft.

RCRA-CESQG:

Date form received by agency:	01/01/2007
Facility name:	23RD STREET VENTURE LLC
Facility address:	540 W 24TH ST NEW YORK, NY 10011
EPA ID:	NYR000116376
Mailing address:	235TH ST C/O DOUGLASTON DEVELOPMENT DOUGLASTON, NY 11363
Contact:	STEVEN CHARNO
Contact address:	235TH ST C/O DOUGLASTON DEVELOPMENT DOUGLASTON, NY 11363
Contact country:	US
Contact telephone:	718-224-7147
Contact email:	Not reported
EPA Region:	02

23RD STREET VENTURE LLC (Continued) **1006817519**

Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: 23RD STREET VENTURE LLC
Owner/operator address: 235TH ST
DOUGLASTON, NY 11363
Owner/operator country: US
Owner/operator telephone: 718-224-7147
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 12/31/1979
Owner/Op end date: Not reported

Owner/operator name: 23RD STREET VENTURE LLC
Owner/operator address: W 24TH ST
NEW YORK, NY 10011
Owner/operator country: US
Owner/operator telephone: 718-224-7147
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 12/31/1979
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No

23RD STREET VENTURE LLC (Continued) **1006817519**

Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: 23RD STREET VENTURE LLC
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 06/17/2003
Site name: 23RD STREET VENTURE LLC
Classification: Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

Violation Status: No violations found

BO478 **CON EDISON MANHOLE: 56706** **RCRA NonGen / NLR** **1016148749**
ENE **W 33RD ST & 10TH AVE** **NY MANIFEST** **NYP004273728**
1/8-1/4 **NEW YORK, NY 10001**
0.239 mi.
1260 ft. **Site 4 of 5 in cluster BO**

Relative:
Higher

Actual:
32 ft.

RCRA NonGen / NLR:
Date form received by agency: 07/28/2017
Facility name: CON EDISON MANHOLE: 56706
Facility address: W 33RD ST & 10TH AVE
NEW YORK, NY 10001
EPA ID: NYP004273728
Mailing address: IRVING PL, RM 828
NEW YORK, NY 10003
Contact: BENJAMIN BAMONTE
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: 212-894-9549
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

CON EDISON MANHOLE: 56706 (Continued) **1016148749**

Historical Generators:
Date form received by agency: 10/14/2012
Site name: CON EDISON MANHOLE: 56706
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004273728
Facility Status: Not reported
Location Address 1: WEST 33RD ST & 10TH AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004273728
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2012
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 10/14/2012
Trans1 Recv Date: 10/14/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/15/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004273728
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456418JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

CON EDISON MANHOLE: 56706 (Continued) **1016148749**

Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H111
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1500.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1.0
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

BO479 **CON EDISON MANHOLE: 56706** **NJ MANIFEST** **S117986705**
ENE **W 33RD ST & 10TH AVE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.239 mi.
1260 ft. **Site 5 of 5 in cluster BO**

Relative:
Higher

Actual:
32 ft.

NJ MANIFEST:

EPA Id:	NYP004273728
Mail Address:	IRVING PL, RM 828
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	BENJAMIN BAMONTE
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	010456418JJK
EPA ID:	NYP004273728
Date Shipped:	10/14/2012
TSDF EPA ID:	NJD002200046

CON EDISON MANHOLE: 56706 (Continued) **S117986705**

Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	1,500.00 Pounds

BQ480 **JAMES BANYON PHOTO ENGRAVING** **RCRA NonGen / NLR** **1001080021**
East **406 W 31ST ST** **NY MANIFEST** **NYR000017285**
1/8-1/4 **NEW YORK, NY 10001**
0.242 mi.
1279 ft. **Site 1 of 3 in cluster BQ**

Relative:
Higher

Actual:
27 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	JAMES BANYON PHOTO ENGRAVING
Facility address:	406 W 31ST ST NEW YORK, NY 10001
EPA ID:	NYR000017285

JAMES BANYON PHOTO ENGRAVING (Continued) **1001080021**

Mailing address: W 31ST ST
NEW YORK, NY 10001
Contact: BRIAN WELIKSON
Contact address: W 31ST ST
NEW YORK, NY 10001
Contact country: US
Contact telephone: 212-239-1290
Contact email: Not reported
EPA Region: 02
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: JAMES BANYON PHOTO ENGRAVING INC
Owner/operator address: 406 W 31ST ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: 212-239-1290
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: FASHION INSTITUTE OF TECHNOLOGY
Owner/operator address: 7TH AVE AT 27TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: 212-217-7141
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/2004
Owner/Op end date: Not reported

Owner/operator name: FASHION INSTITUTE OF TECHNOLOGY
Owner/operator address: 7TH AVE AT 27TH ST
NEW YORK, NY 10001
Owner/operator country: Not reported
Owner/operator telephone: 212-217-7141
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/2004
Owner/Op end date: Not reported

Owner/operator name: FASHION INSTITUTE OF TECHNOLOGY
Owner/operator address: 7TH AVE AT 27TH ST
NEW YORK, NY 10001
Owner/operator country: Not reported

JAMES BANYON PHOTO ENGRAVING (Continued) **1001080021**

Owner/operator telephone: 212-217-7141
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/2004
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: JAMES BANYON PHOTO ENGRAVING
Classification: Not a generator, verified

Date form received by agency: 10/12/2005
Site name: JAMES BANYON PHOTO ENGRAVING
Classification: Not a generator, verified

Date form received by agency: 12/05/1995
Site name: JAMES BANYON PHOTO ENGRAVING
Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D000
. Waste name: Not Defined

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D011
. Waste name: SILVER

Facility Has Received Notices of Violations:
Regulation violated: Not reported
Area of violation: Generators - Records/Reporting
Date violation determined: 08/26/1997
Date achieved compliance: 09/24/1997
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 08/26/1997

JAMES BANYON PHOTO ENGRAVING (Continued) **1001080021**

Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 03/01/1997
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - Records/Reporting
Date achieved compliance: 09/24/1997
Evaluation lead agency: State

NY MANIFEST:
Country: USA
EPA ID: NYR000017285
Facility Status: Not reported
Location Address 1: 406 W 31ST ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000017285
Mailing Name: JAMES BANYON PHOTO ENGRAVING
Mailing Contact: BRIAN WELIKSON
Mailing Address 1: 406 W 31ST ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2122391290

NY MANIFEST:
Document ID: NYB8019729
Manifest Status: C
seq: Not reported
Year: 1997
Trans1 State ID: AA106YNJ
Trans2 State ID: Not reported
Generator Ship Date: 01/22/1997
Trans1 Recv Date: 01/22/1997
Trans2 Recv Date: / /
TSD Site Recv Date: 01/29/1997
Part A Recv Date: / /
Part B Recv Date: 02/10/1997
Generator EPA ID: NYR000017285
Trans1 EPA ID: NJD046555033
Trans2 EPA ID: Not reported
TSDF ID 1: NYD045604964

JAMES BANYON PHOTO ENGRAVING (Continued) **1001080021**

TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00060
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	004
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access
5 additional NY_MANIFEST: record(s) in the EDR Site Report.

BQ481 **FASHION INSTITUTE OF TECHNOLOGY** **NY AST** **U004045519**
East **406 WEST 31ST STREET** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.242 mi.
1279 ft. **Site 2 of 3 in cluster BQ**

Relative:
Higher

Actual:
27 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-107247
Program Type:	PBS
UTM X:	584618.01953
UTM Y:	4511668.84525
Expiration Date:	07/19/2020
Site Type:	Other

Affiliation Records:

Site Id:	3097
Affiliation Type:	Facility Operator
Company Name:	FASHION INSTITUTE OF TECHNOLOGY
Contact Type:	Not reported
Contact Name:	NA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported

FASHION INSTITUTE OF TECHNOLOGY (Continued) **U004045519**

Country Code:	001
Phone:	(212) 217-7848
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MRBARROW
Date Last Modified:	2017-10-12

Site Id:	3097
Affiliation Type:	Emergency Contact
Company Name:	FASHION INSTITUTE OF TECHNOLOGY
Contact Type:	Not reported
Contact Name:	GEORGE JEFREMOW P.E.
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(212) 217-7848
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2006-07-25

Site Id:	3097
Affiliation Type:	Mail Contact
Company Name:	FASHION INSTITUTE OF TECHNOLOGY
Contact Type:	Not reported
Contact Name:	GEORGE JEFREMOW P.E.
Address1:	227 W 27TH STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 217-7848
EMail:	GEORGE_JEFREMOW@FITNYC.EDU
Fax Number:	Not reported
Modified By:	MRBARROW
Date Last Modified:	2017-10-12

Site Id:	3097
Affiliation Type:	Facility Owner
Company Name:	STUDENT HOUSING CORP. OF THE FASHION INST. OF TECH
Contact Type:	TREASURER & VP FOR FINANCE & ADMINISTRATION
Contact Name:	SHERRY F. BRABHAM
Address1:	227 W 27TH ST
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 217-4020
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MRBARROW
Date Last Modified:	2017-10-12

FASHION INSTITUTE OF TECHNOLOGY (Continued) **U004045519**

Tank Info:

Tank Number:	0002
Tank Id:	208129
Material Code:	9999
Common Name of Substance:	Other

Equipment Records:

C01 - Pipe Location - Aboveground
J00 - Dispenser - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
L00 - Piping Leak Detection - None
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	550
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	09/06/2005
Register:	True
Modified By:	NRLOMBAR
Last Modified:	04/14/2017
Material Name:	other

Tank Number:	001
Tank Id:	3825
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
C03 - Pipe Location - Aboveground/Underground Combination
J02 - Dispenser - Suction Dispenser

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	Not reported

FASHION INSTITUTE OF TECHNOLOGY (Continued) **U004045519**

Capacity Gallons: 14500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 09/06/2005
Register: True
Modified By: NRLOMBAR
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 001
Tank Id: 39471
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 15000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 06/01/1994
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 3
Tank Id: 212824
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

H00 - Tank Leak Detection - None
K01 - Spill Prevention - Catch Basin
C00 - Pipe Location - No Piping
E02 - Piping Secondary Containment - Vault (with Access)
F00 - Pipe External Protection - None
L00 - Piping Leak Detection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating

FASHION INSTITUTE OF TECHNOLOGY (Continued) **U004045519**

D01 - Pipe Type - Steel/Carbon Steel/Iron
I01 - Overfill - Float Vent Valve
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	05/17/2006
Capacity Gallons:	2000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MRBARROW
Last Modified:	10/12/2017
Material Name:	#2 fuel oil (on-site consumption)

Tank Number:	4
Tank Id:	212825
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

H00 - Tank Leak Detection - None
K01 - Spill Prevention - Catch Basin
L00 - Piping Leak Detection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
I01 - Overfill - Float Vent Valve
C00 - Pipe Location - No Piping
E02 - Piping Secondary Containment - Vault (with Access)
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	05/17/2006
Capacity Gallons:	16000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MRBARROW
Last Modified:	10/12/2017
Material Name:	#2 fuel oil (on-site consumption)

Affiliation Records:

Site Id:	21818
Affiliation Type:	Facility Owner

FASHION INSTITUTE OF TECHNOLOGY (Continued) **U004045519**

Company Name:	406 REALTIES,INC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	575 MADISON AVENUE
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 752-7474
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	21818
Affiliation Type:	Mail Contact
Company Name:	406 REALTIES,INC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	575 MADISON AVENUE
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 752-7474
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	21818
Affiliation Type:	Facility Operator
Company Name:	406 WEST 31ST STREET
Contact Type:	Not reported
Contact Name:	AL MEDORO
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 244-5089
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	21818
Affiliation Type:	Emergency Contact
Company Name:	406 REALTIES,INC
Contact Type:	Not reported
Contact Name:	EDWARD GOLL
Address1:	Not reported
Address2:	Not reported
City:	Not reported

FASHION INSTITUTE OF TECHNOLOGY (Continued) **U004045519**

State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 752-7474
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	0002
Tank Id:	208129
Material Code:	9999
Common Name of Substance:	Other

Equipment Records:

C01 - Pipe Location - Aboveground
J00 - Dispenser - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
L00 - Piping Leak Detection - None
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	550
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	09/06/2005
Register:	True
Modified By:	NRLOMBAR
Last Modified:	04/14/2017
Material Name:	other

Tank Number:	001
Tank Id:	3825
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None

FASHION INSTITUTE OF TECHNOLOGY (Continued) **U004045519**

B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
C03 - Pipe Location - Aboveground/Underground Combination
J02 - Dispenser - Suction Dispenser

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	14500
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	09/06/2005
Register:	True
Modified By:	NRLOMBAR
Last Modified:	04/14/2017
Material Name:	#2 fuel oil (on-site consumption)

Tank Number:	001
Tank Id:	39471
Material Code:	0003
Common Name of Substance:	#6 Fuel Oil (On-Site Consumption)

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Tank Converted to Non-Regulated Use
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	15000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	06/01/1994
Register:	True
Modified By:	TRANSLAT
Last Modified:	04/14/2017
Material Name:	#6 fuel oil (on-site consumption)

Tank Number:	3
Tank Id:	212824
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

FASHION INSTITUTE OF TECHNOLOGY (Continued) **U004045519**

Equipment Records:
H00 - Tank Leak Detection - None
K01 - Spill Prevention - Catch Basin
C00 - Pipe Location - No Piping
E02 - Piping Secondary Containment - Vault (with Access)
F00 - Pipe External Protection - None
L00 - Piping Leak Detection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
I01 - Overfill - Float Vent Valve
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	05/17/2006
Capacity Gallons:	2000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MRBARROW
Last Modified:	10/12/2017
Material Name:	#2 fuel oil (on-site consumption)

Tank Number:	4
Tank Id:	212825
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:
H00 - Tank Leak Detection - None
K01 - Spill Prevention - Catch Basin
L00 - Piping Leak Detection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
I01 - Overfill - Float Vent Valve
C00 - Pipe Location - No Piping
E02 - Piping Secondary Containment - Vault (with Access)
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	05/17/2006
Capacity Gallons:	16000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported

FASHION INSTITUTE OF TECHNOLOGY (Continued) **U004045519**

Date Tank Closed:	Not reported
Register:	True
Modified By:	MRBARROW
Last Modified:	10/12/2017
Material Name:	#2 fuel oil (on-site consumption)

BQ482 **EXPANSION GROUP THE** **RCRA-CESQG** **1007112701**
East **406 W 31ST ST - BASEMENT** **NY MANIFEST** **NYR000120170**
1/8-1/4 **NEW YORK, NY 10001**
0.242 mi.
1279 ft. **Site 3 of 3 in cluster BQ**

Relative:
Higher

Actual:
27 ft.

RCRA-CESQG:

Date form received by agency:	01/01/2007
Facility name:	EXPANSION GROUP THE
Facility address:	406 W 31ST ST - BASEMENT NEW YORK, NY 10001
EPA ID:	NYR000120170
Mailing address:	W 57TH ST NEW YORK, NY 10107
Contact:	ELLIOT SMALL
Contact address:	W 57TH ST NEW YORK, NY 10107
Contact country:	US
Contact telephone:	212-265-2800
Contact email:	Not reported
EPA Region:	02
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name:	THE EXPANSION GROUP
Owner/operator address:	W 31ST ST - BASEMENT NEW YORK, NY 10001
Owner/operator country:	US
Owner/operator telephone:	212-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	11/07/2003
Owner/Op end date:	Not reported

EXPANSION GROUP THE (Continued) **1007112701**

Owner/operator name: ELLIOT SMALL
Owner/operator address: UNKNOWN
UNKNOWN, NY 99999
Owner/operator country: US
Owner/operator telephone: 212-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/1994
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: EXPANSION GROUP THE
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 11/07/2003
Site name: EXPANSION GROUP THE
Classification: Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYR000120170
Facility Status: Not reported
Location Address 1: 406 W 31 STREET
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

EXPANSION GROUP THE (Continued) **1007112701**

NY MANIFEST:

EPAID:	NYR000120170
Mailing Name:	EXPANSION GROUP
Mailing Contact:	SPIRO DONGARI
Mailing Address 1:	406 W 31 STREET
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10001
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2122445089

NY MANIFEST:

Document ID:	NYG3521601
Manifest Status:	Not reported
seq:	01
Year:	2003
Trans1 State ID:	86617JHNY
Trans2 State ID:	Not reported
Generator Ship Date:	11/14/2003
Trans1 Recv Date:	11/14/2003
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	11/17/2003
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000120170
Trans1 EPA ID:	NYR000052373
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD049178296
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00300
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Waste Code:	D002 - NON-LISTED CORROSIVE WASTES

EXPANSION GROUP THE (Continued) **1007112701**

Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00150
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

BN483 **CON EDISON SERVICE BOX: 33073** **RCRA NonGen / NLR** **1016143357**
SW **196 11TH AVE** **NY MANIFEST** **NYP004260956**
1/8-1/4 **NEW YORK, NY 10014**
0.243 mi.
1283 ft. **Site 4 of 4 in cluster BN**

Relative:
Lower

Actual:
7 ft.

RCRA NonGen / NLR:

Date form received by agency:	03/21/2013
Facility name:	CON EDISON SERVICE BOX: 33073
Facility address:	196 11TH AVE
	NEW YORK, NY 10014
EPA ID:	NYP004260956
Contact:	JUAN RODRIGUEZ
Contact address:	Not reported
	Not reported
Contact country:	Not reported
Contact telephone:	347-865-5931
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	02/21/2013
Site name:	CON EDISON SERVICE BOX: 33073

CON EDISON SERVICE BOX: 33073 (Continued) **1016143357**

Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004260956
Facility Status: Not reported
Location Address 1: 196 11TH AVE
Code: BP
Location Address 2: SERV BOX 33073
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10014
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004260956
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2013
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 02/21/2013
Trans1 Recv Date: 02/21/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/22/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004260956
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010707140JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported

CON EDISON SERVICE BOX: 33073 (Continued) **1016143357**

Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

BK484 **WEST 30TH ST. RECYCLING FACILITY (SPECIAL WASTE)** **NY AST** **A100364834**
NW **WEST 30TH ST. & WEST SIDE HWY (RT 9A)** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.243 mi.
1284 ft. **Site 9 of 9 in cluster BK**

Relative: **Lower**
Actual: **10 ft.**

AST:

Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-611931
Program Type:	PBS
UTM X:	Not reported
UTM Y:	Not reported
Expiration Date:	N/A
Site Type:	Municipality (Incl. Waste Water Treatment Plants, Utilities, Swimming Pools, etc.)

Affiliation Records:

Site Id:	476418
Affiliation Type:	Mail Contact
Company Name:	NYC DEPT. OF SANITATION
Contact Type:	Not reported
Contact Name:	PABLO LACAYO
Address1:	44 BEAVER STREET
Address2:	5TH FLOOR
City:	NEW YORK
State:	NY
Zip Code:	10004
Country Code:	001
Phone:	(212) 437-4657
EMail:	PLACAYO@DSNY.NYC.GOV
Fax Number:	Not reported
Modified By:	BKFALVEY

WEST 30TH ST. RECYCLING FACILITY (SPECIAL WASTE) (Continued) **A100364834**

Date Last Modified: 2015-03-02

Site Id: 476418
Affiliation Type: Facility Operator
Company Name: WEST 30TH ST. RECYCLING FACILITY (SPECIAL WASTE)
Contact Type: Not reported
Contact Name: GARAGE SUPERVISOR
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 828-0286
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2014-10-29

Site Id: 476418
Affiliation Type: Emergency Contact
Company Name: NYC DEPT. OF SANITATION
Contact Type: Not reported
Contact Name: PABLO LACAYO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 437-4657
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2014-10-29

Site Id: 476418
Affiliation Type: Facility Owner
Company Name: NYC DEPT. OF SANITATION
Contact Type: Not reported
Contact Name: Not reported
Address1: 125 WORTH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10013
Country Code: 001
Phone: (212) 437-4657
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2014-10-29

Tank Info:

Tank Number: 1
Tank Id: 246546

WEST 30TH ST. RECYCLING FACILITY (SPECIAL WASTE) (Continued) **A100364834**

Material Code: 0022
Common Name of Substance: Waste Oil/Used Oil

Equipment Records:
D00 - Pipe Type - No Piping
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
L00 - Piping Leak Detection - None
G02 - Tank Secondary Containment - Vault (w/access)
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
E00 - Piping Secondary Containment - None
K01 - Spill Prevention - Catch Basin
I04 - Overfill - Product Level Gauge (A/G)
J00 - Dispenser - None

Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 07/12/2001
Capacity Gallons: 400
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 04/08/2014
Register: True
Modified By: NRLOMBAR
Last Modified: 04/14/2017
Material Name: waste oil/used oil

BP485 **CHELSEA HOUSES** **NY UST** **U001840750**
SSE **431 WEST 25TH STREET** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.245 mi.
1293 ft. **Site 2 of 2 in cluster BP**

Relative:
Higher

Actual:
16 ft.

UST:
Id/Status: 2-475483 / Active
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: 03/28/2019
UTM X: 584349.57587
UTM Y: 4511293.64588
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 21007
Affiliation Type: Facility Operator
Company Name: CHELSEA HOUSES
Contact Type: Not reported
Contact Name: FUEL OIL REMEDIATION UNIT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported

CHELSEA HOUSES (Continued) **U001840750**

Country Code:	001
Phone:	(718) 707-5725
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2008-09-16
Site Id:	21007
Affiliation Type:	Mail Contact
Company Name:	NYC HOUSING AUTHORITY
Contact Type:	Not reported
Contact Name:	FUEL OIL REMEDIATION COORDINATOR
Address1:	23-02 49TH AVENUE
Address2:	TECH SERVS DEPT - 5TH FLOOR
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 707-5725
EMail:	YELENA.TKACH@NYCHA.NYC.GOV
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2015-08-14
Site Id:	21007
Affiliation Type:	Emergency Contact
Company Name:	NEW YORK CITY HOUSING AUTHORITY
Contact Type:	Not reported
Contact Name:	EMERGENCY SERVICES DEPARTMENT
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 707-5900
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2014-01-30
Site Id:	21007
Affiliation Type:	Facility Owner
Company Name:	NEW YORK CITY HOUSING AUTHORITY
Contact Type:	FUEL OIL REMEDIATION COORDINATOR
Contact Name:	Not reported
Address1:	23-02 49TH AVENUE
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 707-5806
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MXLAY
Date Last Modified:	2017-03-10

CHELSEA HOUSES (Continued) **U001840750**

Tank Info:

Tank Number:	1
Tank ID:	58985
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	25000
Install Date:	09/01/2000
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Fiberglass coated steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NRLOMBAR
Last Modified:	04/14/2017

Equipment Records:

C02 - Pipe Location - Underground/On-ground
J02 - Dispenser - Suction Dispenser
E04 - Piping Secondary Containment - Double walled UG
F00 - Pipe External Protection - None
D11 - Pipe Type - Flexible Piping
G04 - Tank Secondary Containment - Double-Walled (Underground)
A00 - Tank Internal Protection - None
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I03 - Overfill - Automatic Shut-Off
K00 - Spill Prevention - None
B04 - Tank External Protection - Fiberglass
I02 - Overfill - High Level Alarm
L09 - Piping Leak Detection - Exempt Suction Piping
H05 - Tank Leak Detection - In-Tank System (ATG)
L02 - Piping Leak Detection - Interstitial - Manual Monitoring

Tank Number:	OLD 1
Tank ID:	37815
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	30000
Install Date:	05/01/1964
Date Tank Closed:	08/01/2000
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)
Tightness Test Method:	03
Date Test:	05/01/1990
Next Test Date:	Not reported
Pipe Model:	Not reported

CHELSEA HOUSES (Continued) **U001840750**

Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
F06 - Pipe External Protection - Wrapped
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
I00 - Overfill - None
H00 - Tank Leak Detection - None

BH486 **CON EDISON** **NJ MANIFEST** **S120670874**
SSW **514 W 24TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10011**
0.247 mi.
1306 ft. **Site 4 of 7 in cluster BH**

Relative:
Lower

Actual:
11 ft.

NJ MANIFEST:

EPA Id:	NYP004772414
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	002611770GBF
EPA ID:	NYP004772414
Date Shipped:	4/22/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported

CON EDISON (Continued) **S120670874**

Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

BH487 **514 WEST 24TH STREET** **NY VCP** **S118943495**
SSW **514 WEST 24TH STREET** **N/A**
1/8-1/4 **NEW YORK CITY, NY**
0.247 mi.
1306 ft. **Site 5 of 7 in cluster BH**

Relative:
Lower

Actual:
11 ft.

VCP NYC:

Project ID:	15CVCP106M
Project Name:	514 WEST 24TH STREET
Project Address:	514 WEST 24TH STREET
Borough:	MANHATTAN

VCP NYC:

Project ID:	15CVCP106M
File Name:	2015-03-27.RIR
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP106M/2015-03-27.11EH-N031M.report.RIR_514_West_24th_Street_DRAFT.pdf

Project ID:	15CVCP106M
File Name:	2015-04-01.RAWP_Draft
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP106M/2015-04-01.11EH-N031M.report.RAWP_514_West_24th_Street_DRAFT.pdf

Project ID:	15CVCP106M
File Name:	2015-04-01.Factsheet-1
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP106M/2015-04-01.15CVCP106M.doc.514_West_24th_Street.FactSheet-1.pdf

Project ID:	15CVCP106M
File Name:	2015-03-26.Translated_Factsheet-1
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP106M/2015-03-26.15CVCP106M.doc.514_West_24th_Street.Translated_F

514 WEST 24TH STREET (Continued) **S118943495**

actSheet-1.pdf

Project ID: 15CVCP106M
File Name: 2015-03-26.Translated_CPS
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP106M/2015-03-26.15CVCP106M.doc.514_West_24th_Street.Translated_Community_Protection_Statement.pdf

---

BH488 **CON EDISON** **NY MANIFEST** **S118089635**
SSW **514 W 24TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10011**
0.247 mi.
1306 ft. **Site 6 of 7 in cluster BH**

Relative: **Lower**

Actual: **11 ft.**

NY MANIFEST:

Country:	USA
EPA ID:	NYP004772414
Facility Status:	Not reported
Location Address 1:	514 W 24TH ST
Code:	BP
Location Address 2:	SB 4430
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10011
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004772414
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJD003812047
Trans2 State ID:	NJD003812047
Generator Ship Date:	04/22/2015
Trans1 Recv Date:	04/22/2015
Trans2 Recv Date:	04/28/2015
TSD Site Recv Date:	04/28/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004772414
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105

CON EDISON (Continued) **S118089635**

TSDF ID 2:	Not reported
Manifest Tracking Number:	002611770GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

BH489 **CON EDISON** **RCRA NonGen / NLR** **1019902328**
SSW **514 W 24TH ST** **FINDS** **NYP004772414**
1/8-1/4 **NEW YORK, NY 10011** **ECHO**
0.247 mi.
1306 ft. **Site 7 of 7 in cluster BH**

Relative: **Lower**

Actual: **11 ft.**

RCRA NonGen / NLR:

Date form received by agency:	04/22/2015
Facility name:	CON EDISON
Facility address:	514 W 24TH ST NEW YORK, NY 10011
EPA ID:	NYP004772414
Mailing address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	212-460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator

CON EDISON (Continued) **1019902328**

Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	04/22/2015
Site name:	CON EDISON
Classification:	Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110069681696

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1019902328
Registry ID:	110069681696
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110069681696

BR490 **MANHATTAN WEST PLATFORM NORTHEAST TOWER** **NJ MANIFEST** **S120679091**
East **371 9TH AVENUE** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.248 mi.
1309 ft. **Site 1 of 4 in cluster BR**

Relative:
Higher

Actual:
28 ft.

NJ MANIFEST:

EPA Id:	NYR000218610
Mail Address:	VESEY STREET
Mail City/State/Zip:	NEW YORK, NY 10281
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	HENRY CASO
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	014570575JJK
EPA ID:	NYR000218610
Date Shipped:	4/23/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported

MANHATTAN WEST PLATFORM NORTHEAST TOWER (Continued) **S120679091**

Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10281
Reason Load Was Rejected:	Not reported
Manifest Number:	014570576JJK
EPA ID:	NYR000218610
Date Shipped:	4/23/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10281
Reason Load Was Rejected:	Not reported
Manifest Number:	014570579JJK
EPA ID:	NYR000218610
Date Shipped:	4/23/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported

MANHATTAN WEST PLATFORM NORTHEAST TOWER (Continued) **S120679091**

Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10281
Reason Load Was Rejected:	Not reported
Manifest Number:	014570590JJK
EPA ID:	NYR000218610
Date Shipped:	4/24/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported

MANHATTAN WEST PLATFORM NORTHEAST TOWER (Continued) **S120679091**

QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10281
Reason Load Was Rejected:	Not reported
Manifest Number:	014570597JJK
EPA ID:	NYR000218610
Date Shipped:	4/24/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10281
Reason Load Was Rejected:	Not reported
Manifest Number:	014570614JJK

MANHATTAN WEST PLATFORM NORTHEAST TOWER (Continued) **S120679091**

EPA ID:	NYR000218610
Date Shipped:	4/28/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10281
Reason Load Was Rejected:	Not reported

Manifest Number:	013917748JJK
EPA ID:	NYR000218610
Date Shipped:	4/14/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported

MANHATTAN WEST PLATFORM NORTHEAST TOWER (Continued) **S120679091**

Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10281
Reason Load Was Rejected:	Not reported

Manifest Number:	013917756JJK
EPA ID:	NYR000218610
Date Shipped:	4/15/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported

MANHATTAN WEST PLATFORM NORTHEAST TOWER (Continued) **S120679091**

Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10281
Reason Load Was Rejected:	Not reported
Manifest Number:	014570574JJK
EPA ID:	NYR000218610
Date Shipped:	4/23/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10281
Reason Load Was Rejected:	Not reported
Manifest Number:	014570578JJK
EPA ID:	NYR000218610
Date Shipped:	4/23/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported

MANHATTAN WEST PLATFORM NORTHEAST TOWER (Continued) **S120679091**

Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10281
Reason Load Was Rejected:	Not reported

Manifest Number:	014570585JJK
EPA ID:	NYR000218610
Date Shipped:	4/24/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported

MANHATTAN WEST PLATFORM NORTHEAST TOWER (Continued) **S120679091**

Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10281
Reason Load Was Rejected:	Not reported

Manifest Number:	014570588JJK
EPA ID:	NYR000218610
Date Shipped:	4/24/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10281
Reason Load Was Rejected:	Not reported

MANHATTAN WEST PLATFORM NORTHEAST TOWER (Continued) **S120679091**

Manifest Number:	014570599JJK
EPA ID:	NYR000218610
Date Shipped:	4/28/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10281
Reason Load Was Rejected:	Not reported

Manifest Number:	013917750JJK
EPA ID:	NYR000218610
Date Shipped:	4/14/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported

MANHATTAN WEST PLATFORM NORTHEAST TOWER (Continued) **S120679091**

Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10281
Reason Load Was Rejected:	Not reported

Manifest Number:	013917757JJK
EPA ID:	NYR000218610
Date Shipped:	4/15/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported

MANHATTAN WEST PLATFORM NORTHEAST TOWER (Continued) **S120679091**

Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10281
Reason Load Was Rejected:	Not reported
Manifest Number:	013917760JJK
EPA ID:	NYR000218610
Date Shipped:	4/15/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10281
Reason Load Was Rejected:	Not reported
Manifest Number:	013917762JJK
EPA ID:	NYR000218610
Date Shipped:	4/15/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported

MANHATTAN WEST PLATFORM NORTHEAST TOWER (Continued) **S120679091**

Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10281
Reason Load Was Rejected:	Not reported

Manifest Number:	013917763JJK
EPA ID:	NYR000218610
Date Shipped:	4/15/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported

MANHATTAN WEST PLATFORM NORTHEAST TOWER (Continued) **S120679091**

Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10281
Reason Load Was Rejected:	Not reported

Manifest Number:	013917771JJK
EPA ID:	NYR000218610
Date Shipped:	4/15/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10281

MANHATTAN WEST PLATFORM NORTHEAST TOWER (Continued) **S120679091**

Reason Load Was Rejected:	Not reported
Manifest Number:	013917773JJK
EPA ID:	NYR000218610
Date Shipped:	4/15/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000029967
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10281
Reason Load Was Rejected:	Not reported

BR491 **MANHATTAN WEST - SOUTHEAST TOWER** **NY MANIFEST** **S118091695**
East **371 9TH AVE & 31ST ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.248 mi.
1309 ft. **Site 2 of 4 in cluster BR**

Relative:
Higher

Actual:
28 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYR000218610
Facility Status:	Not reported
Location Address 1:	371 9TH AVENUE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported

MANHATTAN WEST - SOUTHEAST TOWER (Continued) **S118091695**

Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000218610
Mailing Name: MANHATTAN WEST PLATFORM NORTHEAST TOWER - NYCOER VCP
Mailing Contact: BROOKFIELD OFFICE PROPERTIES
Mailing Address 1: 250 VESEY ST - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10261
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124172547

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2015
Trans1 State ID: NJR000029967
Trans2 State ID: Not reported
Generator Ship Date: 04/28/2015
Trans1 Recv Date: 04/28/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/28/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000218610
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 014570598JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: Y
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 55620
Units: P - Pounds
Number of Containers: 1

MANHATTAN WEST - SOUTHEAST TOWER (Continued) **S118091695**

Container Type:	DT - Dump trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
233 additional NY_MANIFEST: record(s) in the EDR Site Report.

Country:	USA
EPA ID:	NYR000232595
Facility Status:	Not reported
Location Address 1:	371 9TH AVE & 31ST ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10023
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000232595
Mailing Name:	MANHATTAN WEST - SOUTHEAST TOWER
Mailing Contact:	BOP SE LLC
Mailing Address 1:	450 WEST 33RD ST
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10001
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2017
Trans1 State ID:	NJR000032951
Trans2 State ID:	Not reported
Generator Ship Date:	12/08/2017
Trans1 Recv Date:	12/08/2017
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	12/08/2017
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000232595
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported

MANHATTAN WEST - SOUTHEAST TOWER (Continued) **S118091695**

Manifest Tracking Number:	018070162JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	Y
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	52920
Units:	P - Pounds
Number of Containers:	1
Container Type:	DT - Dump trucks
Handling Method:	L Landfill.
Specific Gravity:	1
Waste Code:	B007
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
17 additional NY_MANIFEST: record(s) in the EDR Site Report.

BR492 **MANHATTAN WEST PLATFORM NORTHEAST TOWER** **RCRA-LQG** **1017788122**
East **371 9TH AVENUE** **NYR000218610**
1/8-1/4 **NEW YORK, NY 10001**
0.248 mi.
1309 ft. **Site 3 of 4 in cluster BR**

Relative: RCRA-LQG:
Higher

Date form received by agency:	03/01/2016
Facility name:	MANHATTAN WEST PLATFORM NORTHEAST TOWER
Facility address:	371 9TH AVENUE NEW YORK, NY 10001
EPA ID:	NYR000218610
Mailing address:	VESEY STREET 15TH FLOOR NEW YORK, NY 10281
Contact:	HENRY CASO
Contact address:	VESEY STREET 15TH FLOOR NEW YORK, NY 10281
Contact country:	US
Contact telephone:	212-417-2547
Contact email:	HENRY.CASO@BROOKFIELD.COM
EPA Region:	02
Classification:	Large Quantity Generator

Actual:
28 ft.

MANHATTAN WEST PLATFORM NORTHEAST TOWER (Continued) **1017788122**

Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name: BROOKFIELD PROPERTIES W 33RD CO. L.P.
Owner/operator address: VESEY ST
NEW YORK, NY 10281
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 05/09/1989
Owner/Op end date: Not reported

Owner/operator name: BROOKFIELD PROPERTIES W 33RD CO LP
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 05/09/1986
Owner/Op end date: Not reported

Owner/operator name: BROOKFIELD PROPERTIES W 33RD CO. L.P.
Owner/operator address: VESEY STREET 15TH FLOOR
NEW YORK, NY 10281
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 05/09/1989
Owner/Op end date: Not reported

Owner/operator name: BROOKFIELD PROPERTIES W 33RD CO LP
Owner/operator address: VESEY ST
NEW YORK, NY 10281
Owner/operator country: US

MANHATTAN WEST PLATFORM NORTHEAST TOWER (Continued) **1017788122**

Owner/operator telephone: 212-417-7000
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 05/09/1986
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
Date form received by agency: 04/10/2015
Site name: MANHATTAN WEST PLATFORM NORTHEAST TOWER - NYCOER VCP
Classification: Large Quantity Generator

. Waste code: D008
. Waste name: LEAD

Biennial Reports:

Last Biennial Reporting Year: 2017

Annual Waste Handled:
Waste code: D008
Waste name: LEAD
Amount (Lbs): 5638620

Violation Status: No violations found

BR493 **371 9TH AVENUE** **NY VCP** **S118943494**
East **371 9TH AVENUE** **N/A**
1/8-1/4 **NEW YORK CITY, NY**
0.248 mi.
1309 ft. **Site 4 of 4 in cluster BR**

Relative:
Higher

Actual:
28 ft.

VCP NYC:
Project ID: 15CVCP105M
Project Name: 371 9TH AVENUE
Project Address: 371 9TH AVENUE
Borough: MANHATTAN

VCP NYC:
Project ID: 15CVCP105M
File Name: 2015-02-27.RIR
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP105M/2015-03-11.15EHAN319M.report.RIR.WCD.pdf

Project ID: 15CVCP105M
File Name: 2015-03-30.RAWP_Draft
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP105M/2015-03-23.15EHAN428M.RAWP_WCD.pdf

Project ID: 15CVCP105M
File Name: 2015-04-01.Factsheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP105M/2015-03-18.15CVCP105M.doc_371_9th_Ave_factsheet-1.pdf

Project ID: 15CVCP105M
File Name: 2015-04-01.Translated_Factsheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP105M/2015-03-18.15CVCP026M.doc.Translated_FS1.OER.pdf

---

BS494 **MTA NO.7 SUBLINE EXTENSION** **NY UST** **U004182952**
NNE **524 W 34TH ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.249 mi.
1317 ft. **Site 1 of 3 in cluster BS**

Relative:
Higher

Actual:
30 ft.

UST:
Id/Status: 2-611659 / Unregulated/Closed
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: N/A
UTM X: 584366.77780
UTM Y: 4512051.95354
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 453509
Affiliation Type: Facility Owner
Company Name: MTA/MTACC
Contact Type: ENGR
Contact Name: CRAIG ORTWERTH
Address1: 2 BROADWAY, 8TH FL
Address2: Not reported
City: MANHATTAN
State: NY
Zip Code: 10004

MTA NO.7 SUBLINE EXTENSION (Continued) **U004182952**

Country Code:	001
Phone:	(646) 252-2178
EMail:	Not reported
Fax Number:	Not reported
Modified By:	CGFREEDM
Date Last Modified:	2011-08-23

Site Id:	453509
Affiliation Type:	Mail Contact
Company Name:	IMPACT ENVIRONMENTAL
Contact Type:	Not reported
Contact Name:	JOEL ROGERS
Address1:	170 KEYLAND COURT
Address2:	Not reported
City:	BOHEMIA
State:	NY
Zip Code:	11716
Country Code:	001
Phone:	(646) 269-8800
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2011-08-23

Site Id:	453509
Affiliation Type:	Facility Operator
Company Name:	MTA NO.7 SUBLINE EXTENSION
Contact Type:	Not reported
Contact Name:	CRAIG ORTWERTH
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(646) 210-8153
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2011-08-23

Site Id:	453509
Affiliation Type:	Emergency Contact
Company Name:	MTA/MTACC
Contact Type:	Not reported
Contact Name:	CRAIG ORTWERTH
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(646) 210-8153
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2011-08-23

MTA NO.7 SUBLINE EXTENSION (Continued) **U004182952**

Tank Info:

Tank Number:	1
Tank ID:	240610
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	01/24/2011
Registered:	True
Tank Location:	Underground
Tank Type:	Fiberglass reinforced plastic [FRP]
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MSBAPTIS
Last Modified:	04/14/2017

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
J00 - Dispenser - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
L00 - Piping Leak Detection - None
K00 - Spill Prevention - None

Tank Number:	2
Tank ID:	240611
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	12000
Install Date:	Not reported
Date Tank Closed:	01/24/2011
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MSBAPTIS
Last Modified:	04/14/2017

MTA NO.7 SUBLINE EXTENSION (Continued) **U004182952**

Equipment Records:

E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
J00 - Dispenser - None
D00 - Pipe Type - No Piping
L00 - Piping Leak Detection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None

Tank Number:	3
Tank ID:	240612
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	01/24/2011
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MSBAPTIS
Last Modified:	04/14/2017

Equipment Records:

G00 - Tank Secondary Containment - None
L00 - Piping Leak Detection - None
D00 - Pipe Type - No Piping
J00 - Dispenser - None
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
I00 - Overfill - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Number:	4
Tank ID:	240613
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	1000
Install Date:	Not reported
Date Tank Closed:	01/24/2011

MTA NO.7 SUBLINE EXTENSION (Continued) **U004182952**

Registered:	True
Tank Location:	Underground
Tank Type:	Fiberglass reinforced plastic [FRP]
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MSBAPTIS
Last Modified:	04/14/2017

Equipment Records:

E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J00 - Dispenser - None
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
L00 - Piping Leak Detection - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None

BT495 **239 10TH AVE/MANH/GETTY** **NY LTANKS** **S100167969**
South **239 10TH AVENUE** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.252 mi.
1328 ft. **Site 1 of 2 in cluster BT**

Relative: LTANKS:
Lower

Actual: Facility ID:	8806160
12 ft. Site ID:	86009
Closed Date:	1994-07-29
Spill Number:	8806160
Spill Date:	1988-10-20
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	A3
Cleanup Ceased:	1994-07-29
SWIS:	3101
Investigator:	SULLIVAN
Referred To:	Not reported
Reported to Dept:	1988-10-21
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1988-12-05
Spill Record Last Update:	1994-08-01
Spiller Name:	Not reported

239 10TH AVE/MANH/GETTY (Continued) **S100167969**

Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	78946
DEC Memo:	""
Remarks:	"(2) 4K TANKS FAILED."

All TTF:

Facility ID:	8806160
Spill Number:	8806160
Spill Tank Test:	1534795
Site ID:	86009
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	86009
Operable Unit ID:	922990
Operable Unit:	01
Material ID:	454515
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Not reported
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	9005116
Site ID:	86010
Closed Date:	1992-07-16
Spill Number:	9005116
Spill Date:	1990-08-08
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	C4
Cleanup Ceased:	1992-07-16
SWIS:	3101
Investigator:	SULLIVAN
Referred To:	Not reported

239 10TH AVE/MANH/GETTY (Continued) **S100167969**

Reported to Dept:	1990-08-08
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1990-08-14
Spill Record Last Update:	1992-07-28
Spiller Name:	Not reported
Spiller Company:	GETTY
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	78946
DEC Memo:	""
Remarks:	"4K TANK FAILED AN AIR PRESSURE TEST."

All TTF:

Facility ID:	9005116
Spill Number:	9005116
Spill Tank Test:	1537408
Site ID:	86010
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	86010
Operable Unit ID:	942717
Operable Unit:	01
Material ID:	436177
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Not reported
Recovered:	.00
Oxygenate:	Not reported

BT496 **FORMER GETTY SERVICE STATION** **NY LTANKS** **S106703285**
South **239 10TH AVENUE** **NY BROWNFIELDS** **N/A**
1/4-1/2 **NEW YORK, NY 10001** **NY Spills**
0.252 mi.
1328 ft. **Site 2 of 2 in cluster BT**

Relative:
Lower

Actual:
12 ft.

LTANKS:

Facility ID:	8806159
Site ID:	315130
Closed Date:	1994-07-29
Spill Number:	8806159
Spill Date:	1988-10-20
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	A3
Cleanup Ceased:	1994-07-29
SWIS:	3101
Investigator:	SULLIVAN
Referred To:	Not reported
Reported to Dept:	1988-10-21
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1988-11-02
Spill Record Last Update:	2005-03-14
Spiller Name:	TOM DIXON(CONTACT)
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	254062
DEC Memo:	""
Remarks:	"2 4K TKS BOTH L R'S UNREADABLE. GETTY WILL EXCAV & INVES."

All TTF:

Facility ID:	8806159
Spill Number:	8806159
Spill Tank Test:	1534794
Site ID:	315130
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

FORMER GETTY SERVICE STATION (Continued) **S106703285**

All Materials:

Site ID:	315130
Operable Unit ID:	921327
Operable Unit:	01
Material ID:	454514
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

BROWNFIELDS:

Program:	BCP
Site Code:	488150
Acres:	0.13
HW Code:	C231086
SWIS:	3101
Town:	New York City
Record Added Date:	10/21/2013
Record Updated Date:	01/13/2014
Update By:	BXANDERS
Site Description:	Location: The site is located at the northwest corner of the intersection of West 24th Street and 10th Avenue. The site is approximately 0.13 acres in size. Site Features: The site currently is occupied by a non-operating gasoline service station, including a recently vacated 1-story commercial building last used as a convenience store. Current Zoning and Land Use: The subject property is zoned as M1-5, which allows for commercial and mixed-use buildings. The intended use of the site is for residential and commercial. The site is bounded directly adjacent by an 11-story residential building to the north, a car wash and mixed-use (residential and commercial) building to the south, and across 10th Avenue 4- and 6-story mixed-use buildings and a 20 story residential building. The site is approximately 100 feet away from the High Line Park, which overlooks the site to the east, separated by a one-story art gallery. Past Use of the Site: The site was operated as a small portion of a gas light fixture manufacturing facility that occupied the eastern third of the block in the 1890s. The site then operated as a gasoline filling station from at least 1930 until recent decommissioning in 2013. Since 1988 the site had 8 spill numbers assigned to it, out of which one spill number still remains open. In 1998 twelve 550-gallon gasoline USTs, three 4,000-gallon gasoline USTs, one 275-gallon fuel oil UST, and two fueling pump islands were removed and 1,853 tons of impacted soil was removed. Post excavation soil sampling results identified concentrations of volatile organic compounds (VOCs) exceeding NYSDEC Recommended Soil Cleanup Objectives (RSCOs). Petroleum impacted groundwater was also detected on-site which still remains. Site Geology and Hydrogeology: The geologic conditions at the site consists mainly of fine to medium grained sands mixed with gravels, boulders, construction debris and interbedded layers of silt down to 25 feet below grade (fbg). The Site s topography is generally flat and the surface elevation is

FORMER GETTY SERVICE STATION (Continued) **S106703285**

	approximately 43 feet above mean sea level. Groundwater occurs within the unconsolidated soils at depths ranging from approximately 7 to 10 fbg; based on historical gauging data, there appears to be an appreciable degree of seasonal variation in the direction of groundwater flow at the site, periodically fluctuating between south, southwest and west.
Env Problem:	Nature and Extent of Contamination: Based upon investigations conducted to date, the primary contaminants of concern for the site include petroleum hydrocarbon related volatile organic compounds (VOCs) compounds. Soil: Per 1998 lab results for the end point soil samples collected from 10 feet below grade (SW-7) the highest benzene concentration was detected as 44.5 ppm which exceeded the soil cleanup objective (SCO) for commercial use (to 44 ppm). Other SCO exceedances were ethylbenzene at 198 ppm (restricted residential SCO = 41 ppm), xylene at 1,990 ppm (industrial SCO=1000 ppm), toluene at 479 ppm (resrricted residential SCO=100 ppm) and MTBE at 124 ppm (restricted residential SCO= 100 ppm). Groundwater: Since 2001 twelve (12) monitoring wells have been installed on and off-site (3 on site and 9 off-site) related to the current open spill. Per August 2012 (latest available) monitoring data the highest on-site concentrations detected were: benzene (32 ppb), ethylbenzene (139 ppb), xylene (80.5 ppb) and MTBE (18.3 ppb). Groundwater standards have been exceeded for all of the above analytes. Site related soil vapor and indoor air samples never been analyzed. Special Resources Impacted/Threatened: The site is located in the urban area and Fish and Wildlife Impact Analysis is not warranted.
Health Problem:	Information submitted with the BCP application regarding the conditions at the site are currently under review and will be revised as additional information becomes available.
Dump:	Not reported
Structure:	Not reported
Lagoon:	Not reported
Landfill:	Not reported
Pond:	Not reported
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	Not reported
Record Upd:	Not reported
Updated By:	Not reported
Own Op:	Owner
Sub Type:	06
Owner Name:	Ran Korolik
Owner Company:	VHS 239, LLC
Owner Address:	3349 Highway 138, Bldg C, Suite C
Owner Addr2:	Not reported
Owner City,St,Zip:	Wall, NJ 07753
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	P03
Owner Name:	Ran Korolik
Owner Company:	VHS 239, LLC
Owner Address:	3349 Highway 138, Bldg. C, Suite C
Owner Addr2:	Not reported
Owner City,St,Zip:	Wall, NJ 07753
Owner Country:	United States of America

FORMER GETTY SERVICE STATION (Continued) **S106703285**

Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Ashley Forrest Curran
Owner Company:	Muhlenberg Libary
Owner Address:	209 West 23rd Street
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10011-2379
Owner Country:	United States of America
HW Code:	Not reported
Waste Type:	Not reported
Waste Quantity:	Not reported
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

SPILLS:

Facility ID:	0509792
Facility Type:	ER
Spill Number:	0509792
DER Facility ID:	305662
Site ID:	355627
DEC Region:	2
Closed Date:	2005-11-16
Spill Cause:	Human Error
Spill Class:	D4
SWIS:	3101
Spill Date:	2005-11-15
Investigator:	SFRAHMAN
Referred To:	Not reported
Reported to Dept:	2005-11-15
CID:	406
Water Affected:	Not reported
Spill Source:	Passenger Vehicle
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2005-11-15
Spill Record Last Update:	2005-11-16
Spiller Name:	UNKNOWN NAME
Spiller Company:	UNKNOWN CUSTOMER
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	MIKE CARR
DEC Memo:	"11.16.05 Sharif-Left a messege for Mike Carr, (518)786-3200x223 to follow up the spill .Tyree returned my call to say that spill was cleaned up by the getty operator. No sewer/soil was affected.It was on the concrete."
Remarks:	"1/2 gallon of material released due to customer overfill . Used speedy dry for clean up. Clean up is complete."

FORMER GETTY SERVICE STATION (Continued) **S106703285**

All Materials:

Site ID:	355627
Operable Unit ID:	1112975
Operable Unit:	01
Material ID:	2103021
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	.00
Oxygenate:	Not reported

497
SSW
1/4-1/2
0.252 mi.
1333 ft.

Relative:
Lower

Actual:
11 ft.

508 WEST 24TH STREET **NY VCP** **S118943184**
508 WEST 24TH STREET **N/A**
NEW YORK CITY, NY

VCP NYC:

Project ID:	12CVCP044M
Project Name:	508 WEST 24TH STREET
Project Address:	508 WEST 24TH STREET
Borough:	MANHATTAN

VCP NYC:

Project ID:	12CVCP044M
File Name:	2015-09-18.Translated_FactSheet-3
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/12CVCP044M/2015-09-18.12CVCP044M.508_West_24th_Street.Translated_FactSheet-3.pdf

Project ID:	12CVCP044M
File Name:	2012-03-07.RIR
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/12CVCP044M/2012-03-07.12CVCP044M.508_West_24th_Street.RIR.pdf

Project ID:	12CVCP044M
File Name:	2012-03-07.RAWP_Draft
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/12CVCP044M/2012-03-07.12CVCP044M.508_West_24th_Street.RAWP_Draft.pdf

Project ID:	12CVCP044M
File Name:	2012-03-07.FactSheet-1
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/12CVCP044M/2012-03-07.12CVCP044M.508_West_24th_Street.FactSheet1.pdf

Project ID:	12CVCP044M
File Name:	2012-03-19.Stipulation_List
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/12CVCP044M/2012-03-19.12CVCP044M.508_West_24th_Street.Stip_List.pdf

Project ID:	12CVCP044M
File Name:	2012-04-09.Decision_Document
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/12CVCP044M/2012-04-09.12CVCP044M.508_West_24th_Street.Decision_Documen

508 WEST 24TH STREET (Continued) **S118943184**

t.pdf

Project ID: 12CVCP044M
File Name: 2012-08-15.FactSheet-2
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/12CVCP044M/2012-08-15.12CVCP044M.508_West_24th_Street.FactSheet2.pdf

Project ID: 12CVCP044M
File Name: 2012-08-16.Translated_FactSheet-2
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/12CVCP044M/2012-08-16.12CVCP044M.508_West_24th_Street.Translated_FactSheet2.pdf

Project ID: 12CVCP044M
File Name: 2012-08-16.Translated_CPS
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/12CVCP044M/2012-08-16.12CVCP044M.508_West_24th_Street.Translated_Community_Protection_Statement.pdf

Project ID: 12CVCP044M
File Name: 2015-06-25.RAR
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/12CVCP044M/2015-06-25.12CVCP044M.508_West_24th_Street.report.RAR_Final.pdf

Project ID: 12CVCP044M
File Name: 2015-09-18.NOC
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/12CVCP044M/2015-09-18.12CVCP044M.508_West_24th_Street.NOC.pdf

Project ID: 12CVCP044M
File Name: 2015-09-18.FactSheet-3
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/12CVCP044M/2015-09-18.12CVCP044M.508_West_24th_Street.FactSheet-3.pdf

---

BS498 **528 W 34TH ST** **NY LTANKS** **S102672155**
NNE **528 W 34TH ST** **N/A**
1/4-1/2 **MANHATTAN, NY**
0.252 mi.
1333 ft. **Site 2 of 3 in cluster BS**

Relative: **Higher**
Actual: **31 ft.**

LTANKS:

Facility ID:	9300804
Site ID:	153341
Closed Date:	1993-04-16
Spill Number:	9300804
Spill Date:	1993-04-16
Spill Cause:	Tank Overfill
Spill Source:	Tank Truck
Spill Class:	C2
Cleanup Ceased:	1993-04-16
SWIS:	3101
Investigator:	CAMMISA
Referred To:	Not reported
Reported to Dept:	1993-04-16
CID:	Not reported
Water Affected:	Not reported

528 W 34TH ST (Continued) **S102672155**

Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1993-04-21
Spill Record Last Update:	1993-07-20
Spiller Name:	Not reported
Spiller Company:	WHALECO
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	130112
DEC Memo:	""
Remarks:	"CONTAINED IN SIDEWALK SENDING SPILL TEAM TO CLEANUP"

All Materials:

Site ID:	153341
Operable Unit ID:	979410
Operable Unit:	01
Material ID:	401544
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

BS499 **530 WEST 34TH ST/MANH** **NY LTANKS** **S104275563**
NNE **530 WEST 34TH STREET** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.253 mi.
1334 ft. **Site 3 of 3 in cluster BS**

Relative:
Higher

Actual:
31 ft.

LTANKS:

Facility ID:	8910499
Site ID:	115809
Closed Date:	1990-02-02
Spill Number:	8910499
Spill Date:	1990-02-02
Spill Cause:	Tank Overfill
Spill Source:	Tank Truck
Spill Class:	Not reported
Cleanup Ceased:	1990-02-02
SWIS:	3101
Investigator:	WILSON
Referred To:	Not reported
Reported to Dept:	1990-02-02
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party

530 WEST 34TH ST/MANH (Continued) **S104275563**

Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1990-02-05
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	100856
DEC Memo:	""
Remarks:	"INACCURATE GAUGE RESULTING IN OVERFILL ON SIDEWALK, CONTAINED ON SIDEWALK, SPILL CLEANED UP WITH SPEEDY DRY."

All Materials:

Site ID:	115809
Operable Unit ID:	935860
Operable Unit:	01
Material ID:	443601
Material Code:	0003A
Material Name:	#6 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	20.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

---

500 SE 1/4-1/2 0.253 mi. 1336 ft.

CLOSED-LACKOF RECENT INFO **NY LTANKS** **S100167612**
303 9TH AVENUE **N/A**
NEW YORK CITY, NY

Relative: Higher

Actual: 22 ft.

LTANKS:

Facility ID:	8807152
Site ID:	67824
Closed Date:	2003-03-05
Spill Number:	8807152
Spill Date:	1988-11-29
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	ADMIN. CLOSED
Referred To:	Not reported
Reported to Dept:	1988-11-29
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester

CLOSED-LACKOF RECENT INFO (Continued) **S100167612**

Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1988-11-29
Spill Record Last Update:	2003-03-19
Spiller Name:	Not reported
Spiller Company:	DEPT OF HEALTH CENTER
Spiller Address:	303 9TH AVENUE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	64752
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ADMIN.CLOSED 03/05/2003- Closed Due To The Nature / Extent Of The Spill Report"
Remarks:	"TANK FAILED WITH A LEAK RATE OF -.318GPH, WILL EXCAVATE & ISOLATE. CLOSED DUE TO LACK OF ANY RECENT INFO- DOES NOT MEET ANY CLEAN UP REQUIREMENTS."

All TTF:

Facility ID:	8807152
Spill Number:	8807152
Spill Tank Test:	1534940
Site ID:	67824
Tank Number:	Not reported
Tank Size:	0
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	67824
Operable Unit ID:	922484
Operable Unit:	01
Material ID:	455497
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

501
North
1/4-1/2
0.265 mi.
1399 ft.

ROY WEIDENER MOTOR LINE
651 W 33ST,MARSHALLING YD
MANHATTAN, NY

NY LTANKS **S106703392**
N/A

Relative:
Higher

Actual:
16 ft.

LTANKS:

Facility ID:	8907931
Site ID:	316029
Closed Date:	1989-11-09
Spill Number:	8907931
Spill Date:	1989-11-08
Spill Cause:	Tank Failure
Spill Source:	Commercial Vehicle
Spill Class:	Not reported
Cleanup Ceased:	1989-11-09
SWIS:	3101
Investigator:	SIGONA
Referred To:	Not reported
Reported to Dept:	1989-11-08
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1989-11-13
Spill Record Last Update:	2002-12-13
Spiller Name:	Not reported
Spiller Company:	ROY WEIDENER MOTOR LINE
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	254777
DEC Memo:	""
Remarks:	"20-30 YARDS OF CONTAMINATED SOIL."

All Materials:

Site ID:	316029
Operable Unit ID:	932860
Operable Unit:	01
Material ID:	570744
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	90.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

BU502 **MENDON LEASING** **NY LTANKS** **S104275477**
SSW **527 WEST 23RD STREET** **NY Spills** **N/A**
1/4-1/2 **NEW YORK, NY 10011**
0.266 mi.
1404 ft. **Site 1 of 3 in cluster BU**

Relative:
Lower

Actual:
9 ft.

LTANKS:

Facility ID:	9513588
Site ID:	216215
Closed Date:	2001-02-22
Spill Number:	9513588
Spill Date:	1996-01-26
Spill Cause:	Tank Test Failure
Spill Source:	Tank Truck
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	MCTIBBE
Referred To:	Not reported
Reported to Dept:	1996-01-26
CID:	349
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1996-01-26
Spill Record Last Update:	2005-08-10
Spiller Name:	TOM FASINI
Spiller Company:	MENDEN LEASING
Spiller Address:	523 W 23RD ST
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	(212) 675-8906
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	197
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE TRANSFERED FROM O'DOWD TO TIBBE ON 02/22/01. REFER TO 96-05688. SEE ALSO 95-11782, 98-08740, 86-05564."
Remarks:	"tested w/water - visual leak - 5 tanks all 550 gallons/ possibilty of a 6th tank that is buried"

All TTF:

Facility ID:	9513588
Spill Number:	9513588
Spill Tank Test:	1544374
Site ID:	216215
Tank Number:	1-5
Tank Size:	550
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	01
Test Method 2:	Petro-Tite/Petro Comp
Leak Rate:	.00

MENDON LEASING (Continued) **S104275477**

Gross Fail: Not reported
Modified By: Spills
Last Modified Date: Not reported

All Materials:
Site ID: 216215
Operable Unit ID: 1028074
Operable Unit: 01
Material ID: 357304
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

Facility ID: 8605564
Site ID: 301566
Closed Date: 1986-12-03
Spill Number: 8605564
Spill Date: 1986-12-03
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Cleanup Ceased: 1986-12-03
SWIS: 3101
Investigator: MCTIBBE
Referred To: Not reported
Reported to Dept: 1986-12-03
CID: Not reported
Water Affected: GROUND WATER
Spill Notifier: Affected Persons
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 1986-12-06
Spill Record Last Update: 2005-08-10
Spiller Name: Not reported
Spiller Company: MENDON LEASING
Spiller Address: 527 W. 23 ST.
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 197
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE 10/10/95: This is additional information about material spilled from the translation of the old spill file: UNK AMT. SPILLED REFER TO 96-05688. SEE ALSO 95-11782 AND 98-08740."
Remarks: "ONGOING FOR APPROX. 5 MONTHS & GROUND APPEARS TO BE SATURATED NEAR HUDSON RIVER. REPORTED BY USCG(PO BLYDEN)(212)668-7920"

MENDON LEASING (Continued) **S104275477**

All Materials:

Site ID:	301566
Operable Unit ID:	902510
Operable Unit:	01
Material ID:	474740
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	9511782
Site ID:	301889
Closed Date:	2004-05-27
Spill Number:	9511782
Spill Date:	1995-12-18
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	KMFOLEY
Referred To:	Not reported
Reported to Dept:	1995-12-18
CID:	311
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1995-12-18
Spill Record Last Update:	2005-08-10
Spiller Name:	TOM MASINI
Spiller Company:	MENDON LEASING CORP
Spiller Address:	362 KINGSLAND AV
Spiller County:	001
Spiller Contact:	RICH RICTHO
Spiller Phone:	(212) 675-8906
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	197
DEC Memo:	"8/15/96 SEE ALSO 96-05688, 98-08740, 86-05564. (MARK TIBBE) SPILL ORIGINALLY ASSIGNED TO MARTINKAT - FILE TRANSFERRED TO MULQUEEN. TRNSFERED TO TIBBE ON 2/12/01. 4/12/04-Vought-Spill transferred from Tibbe to Rommel as per Rommel. 4/19/04 Reassigned from Rommel to K. Foley. 5/27/04 Remediation work to be performed under spill #96-05688."
Remarks:	"TEST CONDUCTED AND RESULTS RECORDED."

All TTF:

Facility ID:	9511782

MENDON LEASING (Continued) **S104275477**

Spill Number:	9511782
Spill Tank Test:	1544328
Site ID:	301889
Tank Number:	1-4
Tank Size:	550
Material:	0008
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	01
Test Method 2:	Petro-Tite/Petro Comp
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	301889
Operable Unit ID:	1022460
Operable Unit:	01
Material ID:	359107
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

SPILLS:

Facility ID:	9605688
Facility Type:	ER
Spill Number:	9605688
DER Facility ID:	353585
Site ID:	301890
DEC Region:	2
Closed Date:	2008-09-22
Spill Cause:	Housekeeping
Spill Class:	B3
SWIS:	3101
Spill Date:	1996-08-02
Investigator:	jamaison
Referred To:	NFA
Reported to Dept:	1996-08-02
CID:	266
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False

MENDON LEASING (Continued) **S104275477**

Remediation Phase:	0
Date Entered In Computer:	1996-08-02
Spill Record Last Update:	2008-09-22
Spiller Name:	Not reported
Spiller Company:	MENDON LEASING
Spiller Address:	527 WEST 23RD STREET
Spiller Company:	001
Contact Name:	Not reported
DEC Memo:	"SEE ALSO 86-05564, 95-11782, 98-08740, 95-13588. 4/12/04-Vought-Spill transferred from Tibbe to Rommel as per Rommel. 4/19/04 Reassigned from Rommel to K Foley. 5/24/04 Tibbe received voicemail from Curt Schmidt, Fleming Lee Shue (212-675-3225). Replacing AKRF. 5/27/04 Added diesel and #2FO to material spilled to address spills #9808740 and 9511782. Spoke to C. Schmidt. Will set up a site meeting next week. 555 W 23th St(spill #0306399), the Tate building, is adjacent to Mendon property which has a system installed on the first floor (no basement). 6/3/04 Set up meeting with A. Fleming for Monday, 6/7. A. Fleming (office 212-675-3225, cell 917-885-1475). 6/7/04 Met with A. Fleming. System located inside Tate has not been in operation. Arnie needs to look into system manufacturer data to see if they can make changes to the system. Wells haven't been sampled since AKRF lost the job. Will arrange to have wells sampled. 7/15/04 Received call from C. Schmidt, FLS. Wells will be sampled 7/19-7/20. FLS still looking into making changes to existing system. 9/21/04 Spoke with Mohammed Ahmed, Fleming Lee Shue (917-612-6018). He was previously with AKRF. Would like to present all data and propose NFA. He will need to FOIL the file to get AKRF data. 10/13/04 Received summary from FLS proposing closure of site. Background: Site is currently a luxury apartment building with art galleries on the ground floor. The site was historically used for freight transportation and warehouse facilities. The Hudson River is approx 0.25mi to the west. Site was mainly used as a truck rental, fueling and maintenance yard. Hertz formerly occupied the site and built a two-story garage in 1963. Hertz installed six 550gal gas USTs in the adjacent parking area located along 24th Street. Hertz also installed a gas distribution system with 4 dispensers. In 1965, Hertz installed four additional 550gal diesel USTs and a separate dispenser. One 7500gal heating oil tank was installed in the SW portion of the building. CMCR, LTD acquired the site from Hertz and also used the site as a truck rental/leasing facility. In 1985, the site was leased to Mendon Leasing Corp. Mendon reported four spills, 9511782(diesel), 9513588(gas), 9605688(gas), 9808740(#2FO). Costco Wholesale purchased the site in 1998 in anticipation of zoning that would allow a retail development at the site and closed the fuel and gas tanks in place. In July 2000, the Related Companies purchased the property and built the current apartment building that covers the site. Tank testing: In July 1990, Mendon was issued an NOV from the FDNY for failing to do the 10yr tightness testing on the six gas tanks. In March 1991, Mendon has all the gas and diesel tanks tested. The gas tanks passed but the diesel tank failed. The diesel tank was repaired and passed retest. In 1993, the heating oil tank was tested and passed. In 1995, the diesel tanks were tested again and failed. The contents were emptied in 5/96 and filled with polyurethane foam. In Feb 1997, the gas tanks were also emptied and filled with water. Previous Investigations: Several invetigations were conducted between 1993 and 2001. ES Engineering did work on behalf of Greyhound Lines. ERM Northeast did work for DEC. AKRF did work for Costco and Related.

MENDON LEASING (Continued) **S104275477**

Soil and GW has been impcated by on-site releases of petroleum and possibly also off-site sources. Areas within the parking lot on the north side of the former two-story garage building and inside the building, in the vicinity of the heating oil tank, contained free product in soils and GW. Free product in the former parking lot ranged from 0.08 to 1.63'. Free product found inside the former garage building was as thick as 4'. Dissolved-phase VOCs were also detected in GW as high as 5408ppb. No SVOCs were detected. Soil/GW interface is located at approx 8'bgs, flowing west toward Hudson. GW is not tidal. Bedrock approx 63'bgs, sloping S-SW. Remedial Actions: In Dec 1999, four 550gal diesel USTs and six 550gal gas USTs were removed from beneath the open parking lot. The heating oil tank was removed in Oct 2000. Approx 1000 tons of grossly contaminated soils were excavated and disposed of. The free product appeared on the groundwater surface and removed with absorbant pads. The excavations were left open to monitor for free product. No additional free product was observed and excavations were backfilled. No post-ex sampling was completed. The Department issued a letter on 2/12/01 with comments. A remedial workplan consisting of an in-situ remediation for soil and GW using SVE and bioremediation was presented and approved by the Dept. In March-April 2001, six geoprobes were completed. NMW-1 showed total BTEX in GW at 275400ppb, NWM-2 at 156200ppb, and NMW-4 at 1330ppb. Insufficient GW was recovered from NMW-3 and NMW-5. NMW-6 was non-detect. In October 2000, an SVE pilot was performed. An underslab SVE system was designed and installed to remove residual VOCs and to add atmospheric oxygen to allow bioremediation to occur. Air extracted from below the slab was carbon treated before venting to the roof. A vapor barrier was installed beneath the slab. Operation of the system began August 2002 and operated thru August 2003 for 1615hrs. VOCs, carbon dioxide, oxygen and moisture levels were monitored before the input and at the output of the carbon canisters. System inspection and monitoring were conducted daily for the first two weeks and then weekly inspections were made. At startup, VOCs were measured at 20-50ppm. Concentrations dropped from the initiation in August 2002 thru November 2002 when the system was stopped for seven weeks due to equipment problems. Upon restarting the system in Jan 2003, a rebound was measured with VOCs rising to 60ppm. The system was operated for two weeks with a second 4 week idle period(1/7/03-2/25/03). After this rest period, the rebound did not occur. The system operated for a period of four weeks with a continual decrease of VOC concentration. Equipment failure again shut the system down for five weeks(3/27/03-5/1/03). A slight rebound to several ppm occured when the system restarted. The system continued to operate thru June 2003 with day-long shutdown for maintenance with no rebounds observed. Levels of VOCs in the extracted air in June 2003 were zero. Between July 2003 and July 2004, the SVE system was out of service due to major damage in the main section of the blower. In August 2004, the SVE blower and motor were downsized to a 10HP regenerative blower capable of 200 scfm at 80 inches of water. VOCs were measured two days after startup which detected levels of VOCs in extracted air between 2 and 5ppm, indicating that no significant VOCs are being extracted from beneath the building. A total of 10 MWs exist on site. Four(MW-3, ERM-4, MW-14, MW-15) are currently located on the sidewalk. The other six(NMW-1 to NMW-6) are inside the Tate building. Max total BTEX detected in MW-14 at 1990ppb(7/16/02). Max MTBE detected in NMW-2 at 410ppb(8/8/03). By the concentrations of MTBE detected in upgradient

MENDON LEASING (Continued) **S104275477**

wells, MW-14 and MW-15, there may be an off-site source. (There are two gas stations upgradient at 24th St and 10th Ave.) Concentrations of BTEX have been decreasing in source areas. It appears that removal of grossly contaminated soils and free product at the time of the UST removal in 2001 eliminated the primary source of GW contamination. Groundwater samples to be collected 10/16/04. 11/1/04 Spoke to Mohammed Ahmed, FLS (212-675-3225). Approx 3 of free product(gasoline) was detected in MW-14 (sidegradient of tank field) on 8/17/04. One week later, there was no product detected. Sampled again on 10/14/04, no product detected. He suspects that it is from an off-site source. There is a LukOil Station at 239 10th Avenue (open spills #9810383, 9707190). Oct 2004 monitoring report to be submitted this week. 11/16/04 Received status update (FLS, 11/11/04). GW sampling conducted 10/12-10/13/04. No samples were collected from MW-15 located on the sidewalk of 24th St and NMW-1 located inside the Buia Gallery on 23rd St. MW-15 was backfilled during construction of the Tate Bldg. NMW-1 was inaccessible due to an exhibit. BTEX ranged from ND to 1086ppb(MW-14). MTBE ranged from ND to 130ppb(NMW-2). Off-site sources of contamination may be contributing to site conditions. However, it is not clear that it is not from onsite sources. 12/7/04 Issued letter requiring additional delineation around MW-14 and at former upgradient well location MW-15. Report to be submitted by 3/15/05. 12/20/04 Spoke to M. Ahmed, FLS. Will propose re-installation of upgradient MW-15, one well further upgradient (to confirm possible off-site impacts), and one west of MW-14(sidegradient). 12/29/04 Received proposal from FLS to install three additional MWs. 12/30/04 Issued letter approving workplan. 2/18/05 Received report for the installation of MW-14, 15A and 17. According to the report, there appears to be an off-site source on the northwest portion of property along W24th St. Concentrations of BTEX increased from 1086ppb to 2067ppb in MW-14. Report also states that the LukOil station may be contributing to the MTBE concentrations across the site. 3/15/05 Spoke to Mohammed Ahmed, FLS. Requested two Geoprobes across W 24th St to eliminate the Motor Freight Station and Auto Repair Shop as potential sources. 8/15/05 Spoke to M. Ahmed. A. Fleming spoke to NYSDOH at K. Tang's recommendation. NYSDOH requested subslab and indoor air samples. Results expected next week. FLS proposes to use this data to support closure. Explained that there is still dissolved which remains on the corner of the property. Agreed to wait for results to decide next steps. 11/29/05 Email to A. Fleming and M. Ahmed, FLS, provided comments on the October 17th request for spill closure. Regarding the indoor air and soil gas sampling which was performed, it is unclear if the concentrations detected within the building are due to any background interferences within the building. Directed FLS to conduct a full inventory as directed by the NYSDOH guidance for evaluating soil vapor intrusion. An additional round of indoor air samples must be taken at least 24hrs following the removal of any possible VOC sources. Results will be forwarded to NYSDOH. The Departments will determine further action for vapor mitigation, if required, following review. The groundwater data collected to date has been sporadic with five sampling rounds completed within the last three years. Quarterly groundwater sampling and monthly gauging must be completed and results submitted to the Department. Groundwater direction must be confirmed. The groundwater concentrations at MW-14 were as high as 4340ppb total VOCs in the last sampling round in January and have historically been fluctuating. MW-17, which was recently installed

MENDON LEASING (Continued) **S104275477**

west of MW-14, also had readings of 2777ppb total VOCs. The Department requires additional wells be installed across W 24th street, north of MW-14 and MW-17, and west of MW-17. A proposal to remediate the contamination in this area will be required. It is expected that the additional delineation, groundwater and indoor air sampling results, with scaled site and contour maps, will be submitted by the beginning of February. 4/20/06 Requested update from M. Ahmed of FLS. 6/30/06 DEC lead transferred from K. Foley to J.A. Maisonave. - JAM 7/06/06 Requested update from A. Flemming of FLS. Mr. Flemming and I spoke about the history of the site. He still believes the impacts to groundwater at wells MW-14 and MW-17 are from off-site contamination (possibly Lukoil site on 10th Ave and 24th Street). These wells are supposedly up-gradient side of the site. I requested Arnie send me the latest data on the site including groundwater sampling and indoor air sampling data. - JAM 7/25/06 Spoke with A. Flemming a number of times. I do not believe a second round of indoor air sampling was conducted, however a vapor barrier is in place. They conducted site-wide groundwater sampling in May 06. Mr. Flemming believes the latest GW results show that off-site sources are contributing to the GW contamination along W24th Street. He will submit a report of the wells that were sampled (not all were sampled because they were inaccessable). I requested that he state his justification for spill closure in the groundwater sampling report. 10/16/06 Received a call from Steve Panter of Fleming Lee Shue (212) 675-3225. He said the report is ready and will be submitted this week. - JAM 11/14/06 Received the report dated October 20, 2006 via email. The report summarizes all the groundwater analytical data since April 2003. FLS makes the argument that off-site sources are contaminating the sidewalk wells. A summary of all the off-site sources is included as well as a two part technical explanation for the difference between groundwater contamination in the sidewalk MWs and on-site MWs. The first part is a multivariate analysis, and the second is a comparison between Benzene and MTBE. The report is uploaded into edocs. - JAM 11/22/06 Received SVE System Data and Indoor Air Quality Data Summary Report from FLS. Report uploaded to eDocs. 01/22/07 Issued a letter to Greg Gushee The Related Companies, Inc. 60 Columbus Circle New York, NY 10022 with the NYSDEC's position on the FLS report. Chris Magee in Central Office reviewed the report and based on the material presented he does not concur with FLS' conclusion that off-site sources are contributing to the contamination found in the sidewalk wells. The letter states that The Related Companies, Inc. is responsible to monitor and remediate the site. Groundwater must be gauged and sampled quarterly and based on the results the NYSDEC will determine if a remedial strategy is necessary. The letter is uploaded into edocs. - JAM 8/21/07 Reviewed FLS letter submitted to the DEC on April 13, 2007 in response to DEC comments sent on 1/22/07. FLS believes that contamination found in off-site wells on West 24th Street stems from a different source. I sent the letter to Chris Magee in Central Office for review. - JAM 9/06/07 Sent email to Steve Panter at FLS. The email states that, the data are inconclusive and do not prove that an off-site source is affecting the groundwater in the monitoring wells in the sidewalk... The Department cannot approve spill closure at this time. A round of groundwater samples should be collected from all wells to obtain up-to-date groundwater quality data. Results should be submitted with appropriate recommendations for further monitoring and/or remedial activities if necessary. - JAM

MENDON LEASING (Continued) **S104275477**

1/18/08 Received an email from Jim Harrington in Central Office. Steve Panter from FLS contacted Mr. Harrington stating that they will do another round of sampling but he wants assurance that after the next round of GW sampling the spill case will be closed. Mr. Harrington said he will review the spill case and material forwarded by Mr. Panter. Afterwards, he will contact Region 2 staff for further discussion before responding to Mr. Panter. - JAM 9/22/08 Reviewed the Groundwater Sampling Report/Spill Closure Request submitted by Flemming Lee Shue dated May 12, 2008. All on- and off-site monitoring wells were sampled in February 2008. Groundwater monitoring results show no signicant change in contaminant levels in any of the on-site or off-site wells. The sidewalk wells continue to show exceedences for VOCs in groundwater (i.e. 748ug/L total VOCs in well MW-14 and 829ug/L total VOCs in MW-16) however, the exposure risk from these contaminants is low. The groundwater monitoring report is uploaded to eDocs. Senior technical staff in Central Office supports closure of this spill without meeting recommended objectives because of the low risk of exposure. This spill case was closed and a NFA letter was issued. NFA uploaded to eDocs. - JAM"

Remarks: "CALLER FOUND .7 FEET OF GASOLINE IN A TWO INCH GROUNDWATER MONITORING WELL. LOCATION IS A TRUCK LEASING COMPANY. MARK TIBBE NOTIFIED OF RESULTS. ADDITIONAL MONITORING WELLS TO BE INSTALLED AND SIX TANKS ARE TO BE PULLED."

All Materials:

Site ID:	301890
Operable Unit ID:	1036491
Operable Unit:	01
Material ID:	348432
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	True

Site ID:	301890
Operable Unit ID:	1036491
Operable Unit:	01
Material ID:	348434
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	True

Site ID:	301890
Operable Unit ID:	1036491
Operable Unit:	01
Material ID:	348433
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported

MENDON LEASING (Continued) **S104275477**

Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	True
Site ID:	301890
Operable Unit ID:	1036491
Operable Unit:	01
Material ID:	576796
Material Code:	1213A
Material Name:	MTBE (methyl-tert-butyl ether)
Case No.:	01634044
Material FA:	Hazardous Material
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	True
Site ID:	301890
Operable Unit ID:	1036491
Operable Unit:	01
Material ID:	576797
Material Code:	2645A
Material Name:	BTEX
Case No.:	Not reported
Material FA:	Oxygenates
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	True

BU503 **EDISON PARKING GARAGE** **NY LTANKS** **S104277387**
SSW **527 WEST 23RD ST** **N/A**
1/4-1/2 **MANHATTAN, NY**
0.266 mi.
1404 ft. **Site 2 of 3 in cluster BU**

Relative: LTANKS:
Lower

Facility ID:	9808740
Site ID:	103493
Closed Date:	2004-05-27
Spill Number:	9808740
Spill Date:	1998-10-14
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	KMFOLEY
Referred To:	Not reported
Reported to Dept:	1998-10-14
CID:	270
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False

Actual:
9 ft.

EDISON PARKING GARAGE (Continued) **S104277387**

Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1998-10-14
Spill Record Last Update:	2005-08-10
Spiller Name:	FRANK BROCKERAHOFF
Spiller Company:	EDISON PARKING GARAGE
Spiller Address:	527 WEST 23RD ST
Spiller County:	001
Spiller Contact:	FRANK BROCKERAHOFF
Spiller Phone:	(516) 921-9393
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	297702
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was K FOLEY SEE ALSO 86-05564, 95-11782, 96-05688. 5/27/04 Reassigned from Tibbe to K Foley. Remediation work to be performed under spill #96-05688."
Remarks:	"POSS REMOTE"

All TTF:

Facility ID:	9808740
Spill Number:	9808740
Spill Tank Test:	1546388
Site ID:	103493
Tank Number:	Not reported
Tank Size:	8000
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	14
Test Method 2:	VacuTest
Leak Rate:	.00
Gross Fail:	F
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	103493
Operable Unit ID:	1069928
Operable Unit:	01
Material ID:	316229
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

BU504 **MARY BOONE GALLERY** **NY LTANKS** **S104782023**
SSW **537-541 W. 24TH ST** **N/A**
1/4-1/2 **MANHATTAN, NY**
0.266 mi.
1404 ft. **Site 3 of 3 in cluster BU**

Relative: **Lower**
Actual: **10 ft.**

LTANKS:

Facility ID:	0005393
Site ID:	229980
Closed Date:	2007-06-08
Spill Number:	0005393
Spill Date:	2000-08-05
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	kkchanda
Referred To:	Not reported
Reported to Dept:	2000-08-05
CID:	322
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	2000-08-05
Spill Record Last Update:	2007-06-11
Spiller Name:	KRIS MAIN
Spiller Company:	Not reported
Spiller Address:	537 -541 W. 24TH ST
Spiller County:	001
Spiller Contact:	KRIS MAIN
Spiller Phone:	(732) 390-5858
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	189550
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SAWYER 4/22/03 SAMUEL- RCVD TANK CLOSURE & SITE ASSESSMENT REPORT. CONTACT PERSON:- HUGH J FREUND 212 705 7000- ATTORNEY FOR THE MARY BOONE GALLERY (R.P) 2/9/06- DEC Piper spoke w/ LEE WESTCHOTT at Whitman CO. As per conversation there was free floating product discovered at the property. There is a monitoring well network. It has been recently sampled and Lee will forward a summary status report to the dept. including analytical summaries within the next month. Case referred to Koon Tang. 06/08/06: This spill transferred to S.Kraszewski. - SK 08/14/06: Received a voicemail from Ira Whitman, concerning the status of the site. He gave no callback number. SK reviewed the Tank Closure Report from Fall 2001. It is evident that high levels of VOCs were detected around the fuel oil UST. Lower exceedances were also found around the gasoline USTs and the Oil/Water separator. No mention if GW was encountered; the site lies next tothe Hudson River so GW is probably shallow. No MWs were installed during the investigation. Must know the GW condition above all else at this point. - SK 08/15/06: Called Ira Whitman (732-553-4333) after he left a voicemail. He is no longer the consultant involved with this site, in fact he believes that no firm

MARY BOONE GALLERY (Continued) **S104782023**

is involved at all. He was involved on a site project adjacent from this one: Dynamic Delivery was the contractor involved with the clean-up. He said this site already received an NFA. I said, based on the report, the GW condition must be established. He said it might be worth-while to review the reports from the neighboring site, which is also downgradient from this one (closer to the Hudson.) He said to contact a John Houshmand, of Clark Construction, who discovered the tanks during renovation work on the property. - SK 08/18/06: Left a message for John Houshmand (917-553-4333). - SK 08/22/06: John Houshmand called back. He gave me the contact info for Mary Boone, owner of the gallery. Gallery: 212-753-2929, Cell: 917-861-2929. She is not the property owner of the site, she only rents the space. According to John, contractor for the building and several others nearby, after the abatement of the gasoline tanks, fuel oil tank and sump pit the entire area was covered in concrete and established as the Mary Boone Gallery. He also mentioned the adjacent site which supposedly has GW wells and may be useful in characterizing the GW condition for this site. I told John I would look into this other site and get back to him, since he regularly deals with the owner. - SK 08/29/06: I discussed the site situation with JK. The site needs a GW investigation, unfortunately their is no access to the interior so the MWs need to be placed on the sidewalk next to the former gasoline USTs and oil/water separator pit. Also, a soil boring next to the gasoline fill port will be needed. I called John Houshmand (917-553-4333) and explained what work would need to be done. I also asked him for the property owner's contact info since it is not on file. He will find out, plus he asked about other consultants to do the work since The Whitman company had a falling out with Mary Boone. I said to convince her that he seems like a reputable company based on the report. Letter was sent out asking for two MWs, a soil boring and sub-slab soilgas sampling. Property owner is a Samuel Weinberg. - SK 11/09/06: Reassigned from Stephen Kraszewski to Chanda. (Chanda) 01/02/07:Kartik Chnada of DEC sent a letter to Property Owner(Mr.Samuel Weinberg), requring that an additional investigation of GW and additional monitoring wells at the site. A work plan is mandated by 03/02/07 for approval. 01/10/07: Chanda received an e-mail from John Houshmand, Clark Construction Corp.He said that the RP will be retained Long Island Analytical Laboratories(LIAL), Inc. to perform this work. 2/27/07: Chanda received a limited subsurfsce investigstion work plan prepared by LIAL dated on 2/26/07. 2/28/07: Chnada reviewed the limited subsurface investigation work plan. on 2/28/07, the Department conditionaly approves this work plan. On 2/28/07, Chanda sent a letter to RP(Samuel Weingberg)and his consultant (John Hushmand), Michael Veraldi (LIAL), requiring that an investigation summary report be submitted to DEC for review by April 16, 2007. 4/19/07: Chnada received a phone call from Michael Veraldi, LIAL concerning the status of the site. He explained to me the cause of the delay on the investigation work report. 4/23/07: Chanda received a letter from Michael veraldi, LIAL regarding an extension to complete the approved work plan at the site. 4/24/07: Chanda sent a time extension approval letter to the RP(Samuel Weingberg) and his consultant (John Hushmand), Michael Veraldi (LIAL). An Investigation Summary Report must be submitted to the Department by May 4, 2007. (Chanda) 5/24/07: Chanda called John Hushmand (Clark Construction Corp.)and Micheael Veraldi (LIAL) regarding the investigation Summary Report and present site status. Micheal told me all work has been done and he is wating for analytical results. The report will be

MARY BOONE GALLERY (Continued) **S104782023**

submited to DEC for review by 5/31/07. 6/6/07: On 6/5/07, Chanda received a Limited sub-surface site investigation report prepared by LIAL dated May 30, 2007. 6/8/07:Kartik Chanda of DEC reviewed the imited sub-surface site investigation report regarding this spill. The soil samples, grondwater samples and soil vapor samples showed that results is not exceed our NYSDEC and NYSDOH guideline. Chanda discussed with Joe Sun (NYSDEC) regarding the results of soil, groundwater, and soil vapor samples. Based on the information presented to the Department DEC closed this spill case. 6/11/07: Chanda sent a NFA letter to Samual Weinberg, Weinberg Properties and his consultants (John Houshmand, and Miclael Vrraldi) regarding closed this spill case. "

Remarks: "while removing tanks contaminated soil found -"

All Materials:

Site ID: 229980
Operable Unit ID: 826450
Operable Unit: 01
Material ID: 2125258
Material Code: 2645A
Material Name: BTEX
Case No.: Not reported
Material FA: Oxygenates
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Oxygenate: True

Site ID: 229980
Operable Unit ID: 826450
Operable Unit: 01
Material ID: 550119
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: True

Site ID: 229980
Operable Unit ID: 826450
Operable Unit: 01
Material ID: 550118
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: True

Site ID: 229980
Operable Unit ID: 826450
Operable Unit: 01
Material ID: 2125257

MARY BOONE GALLERY (Continued) **S104782023**

Material Code:	0032A
Material Name:	methanol
Case No.:	00067561
Material FA:	Hazardous Material
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	True

BV505 **NYNEX** **NY LTANKS** **S104073407**
NNE **555 W. 34TH ST** **N/A**
1/4-1/2 **MANHATTAN, NY**
0.270 mi.
1426 ft. **Site 1 of 3 in cluster BV**

Relative:
Higher

Actual:
25 ft.

LTANKS:

Facility ID:	9512079
Site ID:	202578
Closed Date:	1995-12-26
Spill Number:	9512079
Spill Date:	1995-12-26
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	JMKRIMGO
Referred To:	Not reported
Reported to Dept:	1995-12-26
CID:	257
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-12-26
Spill Record Last Update:	1996-02-01
Spiller Name:	ROBERT BALDEZ
Spiller Company:	NYNEX
Spiller Address:	555 W. 34TH ST
Spiller County:	001
Spiller Contact:	ROBERT BALDEZ
Spiller Phone:	(212) 756-9450
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	168513
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was KRIMGOLD LEAKING VEHICLE - VEHICLE WAS TOWED AWAY FOR FIXING "
Remarks:	"LEAKING FUEL TANK SMALL LEAK ALL CLEANED UP"

All Materials:

Site ID:	202578
Operable Unit ID:	1026293
Operable Unit:	01
Material ID:	359397

NYNEX (Continued) **S104073407**

Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	2.00
Units:	G
Recovered:	2.00
Oxygenate:	Not reported

BV506 **WEST 34TH STREET DEVELOPMENT PROJECT** **NY BROWNFIELDS S104495666**
NNE **555 WEST 34TH STREET** **NY Spills N/A**
1/4-1/2 **MANHATTAN, NY 10001**
0.270 mi.
1426 ft. **Site 2 of 3 in cluster BV**

Relative:
Higher

Actual:
25 ft.

BROWNFIELDS:

Program:	BCP
Site Code:	359020
Acres:	1.02
HW Code:	C231049
SWIS:	3101
Town:	New York City
Record Added Date:	02/01/2006
Record Updated Date:	12/20/2012
Update By:	JAQUINN
Site Description:	Location: The Site is located at 555 West 34th Street, also known as 400 Eleventh Avenue, between 10th and 11th Avenues in Manhattan, New York City, New York County. Site Features: The property is identified as Block 706, Lot 1 in New York City s tax records and consists of a 37,800 square-foot (1.020 acre) rectangular-shaped vacant parcel. The surrounding urban area consists primarily of retail and commercial business. The Amtrak Railroad tunnel (and easement) runs through the northwest corner of the site. Current Zoning/uses: This site was designated as C6-3 on the NYC Zoning Map 8b which is a general central commercial district. This site is also an e-designation requiring NYCDEP approval. In January 2005, this site was rezoned as part of the City-led Hudson Yards District to allow for commercial and residential uses. The NYC MTA constructed a permanent entrance in the middle of this BCP site for the 34th Street Station of the No.7 Subway Extension. Historic Use: From 1890 to 1962, the site was used for commercial, residential, and manufacturing including a wagon house, black smith shop, electrical supplies and a warehouse. In 1973, the most recent business that covered the entire site was a 2-story commercial communications facility including numerous petroleum underground storage tanks (USTs). Six petroleum spills have occurred at this site between 1990 and 2007. Site Geology and Hydrogeology: The site is approximately 25 feet above mean sea level. Groundwater is 17 feet to 32 feet below ground surface. Surface water and groundwater flow is towards the Hudson River which is approximately 1,500 feet to the west of the site. The subsurface soil profile consists of urban fill overlying sand and silt deposits. Bedrock is located between 15 and 25 feet below grade. Between 2007 and 2012, all soil above bedrock was removed and replaced with clean fill. 12/19/12-DEC signed the Certificate of Completion for this site.
	Not reported
Env Problem:	Remediation at the site is complete. Prior to remediation, the primary contaminant of concern was low level petroleum

WEST 34TH STREET DEVELOPMENT PROJECT (Continued) **S104495666**

	(diesel/gasoline) in soil and in shallow groundwater.
Health Problem:	No site-related contaminants of concern were identified beyond the boundaries of the site, therefore no exposure pathways exist.
Dump:	False
Structure:	True
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	40:45'21 / 74:003.71
Dell:	False
Record Add:	2/2/2006 4:03:00 PM
Record Upd:	12/11/2012 8:40:00 AM
Updated By:	jedurnin
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	General Reference Services
Owner Company:	Document Repository
Owner Address:	Mid-Manhattan Library, 2nd Floor
Owner Addr2:	455 Fifth Avenue at 40th Street
Owner City,St,Zip:	New York, NY 10016
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	P03
Owner Name:	Joseph Moinian
Owner Company:	Meushar 34th Street, LLC (c/o The Moinian Group)
Owner Address:	530 Fifth Avenue
Owner Addr2:	18th Floor
Owner City,St,Zip:	New York, NY 10036
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	06
Owner Name:	Joseph Moinian
Owner Company:	Meushar 34th Street, LLC (c/o The Moinian Group)
Owner Address:	530 Fifth Avenue
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10036
Owner Country:	United States of America
HW Code:	C231049
Waste Type:	BENZENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231049
Waste Type:	METHYL-TERT-BUTYL ETHER (MTBE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231049
Waste Type:	NAPHTHALENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	A2-0577-1106
Cross Ref Type Code:	23
Cross Ref Type:	Agreement/Consent Order Number
Record Added Date:	12/11/2012 1:45:00 PM
Record Updated:	12/11/2012 1:45:00 PM
Updated By:	jedurnin

WEST 34TH STREET DEVELOPMENT PROJECT (Continued) **S104495666**

SPILLS:

Facility ID:	9314833
Facility Type:	ER
Spill Number:	9314833
DER Facility ID:	123197
Site ID:	144556
DEC Region:	2
Closed Date:	1996-08-06
Spill Cause:	Unknown
Spill Class:	B3
SWIS:	3101
Spill Date:	1994-03-18
Investigator:	MCTIBBE
Referred To:	Not reported
Reported to Dept:	1994-03-18
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1994-03-21
Spill Record Last Update:	1997-04-17
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	Not reported
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE 10/10/95: This is additional information about material spilled from the translation of the old spill file: SOIL BORE HOLES."
Remarks:	"WILL REPLACE TANKS & COUNTINGS SPILL & OVERFILLS (MARK TIBBE)."

All Materials:

Site ID:	144556
Operable Unit ID:	996767
Operable Unit:	01
Material ID:	386614
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

BV507 **VERIZON NEW YORK, INC.** **NY LTANKS** **S104275609**
NNE **555 WEST 34TH STREET** **NY TANKS** **N/A**
1/4-1/2 **NEW YORK, NY 10001** **NY Spills**
0.270 mi.
1426 ft. **Site 3 of 3 in cluster BV**

Relative:
Higher

Actual:
25 ft.

LTANKS:

Facility ID:	9007995
Site ID:	166747
Closed Date:	1996-08-06
Spill Number:	9007995
Spill Date:	1990-10-22
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	A3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	MCTIBBE
Referred To:	Not reported
Reported to Dept:	1990-10-22
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1990-11-05
Spill Record Last Update:	1997-04-17
Spiller Name:	Not reported
Spiller Company:	NYTEL
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	140496
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE "
Remarks:	"(2) 4K TANKS FAILED VACU TECH, POSSIBLE LINE FAILURES."

All TTF:

Facility ID:	9007995
Spill Number:	9007995
Spill Tank Test:	1537739
Site ID:	166747
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills

VERIZON NEW YORK, INC. (Continued) **S104275609**

Last Modified Date: Not reported

All Materials:
Site ID: 166747
Operable Unit ID: 945214
Operable Unit: 01
Material ID: 431830
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: -1.00
Units: L
Recovered: .00
Oxygenate: Not reported

TANKS:
Facility Id: 2-344745
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 12/14/2007
UTM X: 584400.90236
UTM Y: 4512072.92254

SPILLS:
Facility ID: 0503270
Facility Type: ER
Spill Number: 0503270
DER Facility ID: 294186
Site ID: 347847
DEC Region: 2
Closed Date: 2006-03-21
Spill Cause: Other
Spill Class: C4
SWIS: 3101
Spill Date: 2005-06-17
Investigator: KSTANG
Referred To: Not reported
Reported to Dept: 2005-06-17
CID: 444
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2005-06-17
Spill Record Last Update: 2006-04-27
Spiller Name: JEROME KUNG
Spiller Company: VERIZON BUILDING

VERIZON NEW YORK, INC. (Continued) **S104275609**

Spiller Address: 555 WEST 34TH STREET
Spiller Company: 001
Contact Name: JEROME KUNG
DEC Memo: "need to contact either jeff bohlen at envirotrack (631-471-1500) or Jerome Kung at verizon (212-338-6754) to determine what work is being done on the site. No letter has been sent yet. 06/21/05-SR// Spoke with jeff Bohlen(516-807-8983). He will forward all necessary documents to DEC. 10.07.05 Sharif is currently reviewing the subsurface investigation report submitted by Envirotrac. 3/20/06- DEC Piper reviewed tank closure report. As per report and database, there are two historic spills at the property, 9007995 and 9314833. In 1994, two 4K gasoline UST's were removed, and two 3K gasolne UST were installed. Samples collected from the limits of the excavation detected petroleum impacted soils in the vicinity of these USTs. Additonally, 8- 550 gal USTs are located in the basement of the property. These tanks were allegedly closed along w/ the two 4K gal USTs. SVOC's were detected exceeding NYSDEC TCLP guidance values. Spills 9007995 and 9314833 were closed on 8/6/96 after receipt of tank closure reports for the 2 4K USTs and 8- 550 USTs. In June-August 2005, seven (7) MWs were installed on site. Lab analytical revealed VOC's , SVOC's, and metals above TAGM 4046. Note: the groundwater was determined to be slightly to moderately saline. From Jan 6- 11, 2006, Envirotrac removed the two 3K gasoline USTs that were installed in 1994 and constructed of double wall fiberglass. A total of six (6) endpoint samples were collected from the excavation. With the exception of the West sidewall in which 226 ppb of benzene was detected, no other VOC's were detected above TAGM 4046. Additional excavation was performed in the area of the two- 4K UST remote fills and the two- 3K UST remote fills. Analytical results suggest that VOC's were not present above TAGM 4046, however SVOC's were. In additon to the sampling performed in reference to the UST's, soil samples were collected at the base of the Truck Elevator Shaft where it was determined that VOC's and SVOC's were detected above TAGM 4046, due to a bad seal. To minimize any future impact, the seals were replaced and vegetable oil was used in place of pet. based hydraulic oil. As per the report, the property is currently in negotiations to be sold. This party reportedly plans on razing the building and excavating to bedrock. ~45 feet bgs. In the meantime Envirotrac recommends quarterly sampling of the MW network. Referred to K. Tang 3/21/06 - reviewed the tank closure report. Soil and GW contamination is minimal, max GW VOCs is ~200 ppb and only one side wall sample is slight above TAGM 4046. Spill closed. - KST"
Remarks: "DURING SOIL BORINGS FOUND OIL IN GROUND:"

All Materials:
Site ID: 347847
Operable Unit ID: 1105526
Operable Unit: 01
Material ID: 1521340
Material Code: 0010
Material Name: hydraulic oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: G
Recovered: .00
Oxygenate: Not reported

VERIZON NEW YORK, INC. (Continued) **S104275609**

Facility ID:	0706755
Facility Type:	ER
Spill Number:	0706755
DER Facility ID:	294186
Site ID:	387329
DEC Region:	2
Closed Date:	2009-03-26
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2007-09-18
Investigator:	jedurnin
Referred To:	Not reported
Reported to Dept:	2007-09-18
CID:	444
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	Not reported
Remediation Phase:	0
Date Entered In Computer:	2007-09-18
Spill Record Last Update:	2009-03-26
Spiller Name:	JOHN DUNIN
Spiller Company:	BROWNFIELD SITE
Spiller Address:	555 WEST 34TH STREET
Spiller Company:	001
Contact Name:	MATTHEW CARROLL
DEC Memo:	"Spill Case is part of a long term Brownfields project. March 2009: As part of the Site BCP Project, all the on-site soil was removed to bedrock during the fall of 2007. During this process, an unknown UST was discovered and reported as Spill No. 0706755. The UST was decommissioned and properly removed from the site during the soil removal activities and therefore this Spill is closed. J. durnin "
Remarks:	"PBS No: 2-31049 -PBS No. not found in UIS, may be invalid. UNDERGROUIND TANK LEAKING:"

All Materials:

Site ID:	387329
Operable Unit ID:	1144538
Operable Unit:	01
Material ID:	2134845
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

BW508 **182-188 11TH AVENUE** **NY VCP** **S118943305**
SW **182-188 11TH AVENUE** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.271 mi.
1431 ft. **Site 1 of 2 in cluster BW**

Relative:
Lower

Actual:
7 ft.

VCP NYC:
Project ID: 14CVCP166M
Project Name: 182-188 11TH AVENUE
Project Address: 182-188 11TH AVENUE
Borough: MANHATTAN

VCP NYC:
Project ID: 14CVCP166M
File Name: 2013-08-15.RIR
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP166M/2013-08-15.14CVCP166M.182-188_11th_Avenue.RIR.pdf

Project ID: 14CVCP166M
File Name: 2013-08-15.RAWP
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP166M/2013-08-15.14CVCP166M.182-188_11th_Avenue.RAWP.pdf

Project ID: 14CVCP166M
File Name: 2013-08-13.FactSheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP166M/2013-08-13.14CVCP166M.182-188_11th_Avenue.FactSheet-1.pdf

Project ID: 14CVCP166M
File Name: 2013-08-13.Translated_FactSheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP166M/2013-08-13.14CVCP166M.182-188_11th_Avenue.Translated_FactSheet-1.pdf

Project ID: 14CVCP166M
File Name: 2013-08-13.Translated_CPS
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP166M/2013-08-13.14CVCP166M.182-188_11th_Avenue.Translated_CPS.pdf

Project ID: 14CVCP166M
File Name: 2013-09-18.Stipulation_List
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP166M/2013-09-18.14CVCP166M.182-188_11th_Avenue.Stipulation_List.pdf

Project ID: 14CVCP166M
File Name: 2014-01-24.Decision_Document
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP166M/2014-01-24.14CVCP166M.182-188_11th_Avenue.Decision_Document.pdf

Project ID: 14CVCP166M
File Name: 2014-10-30.Stipulation_List_Revised
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP166M/2014-10-30.14CVCP166M.182-188_11th_Avenue.Stipulation_List.pdf

Project ID: 14CVCP166M
File Name: 2015-03-02.Amended_Decision_Document

182-188 11TH AVENUE (Continued) **S118943305**

URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP166M/2015-03-02.14CVCP166M.182-188_11th_Avenue.Amended_Decision_Document.pdf

---

509 SSW 1/4-1/2 0.276 mi. 1455 ft. **COMMERICAL BUILDLING** **NY LTANKS** **S110762281**
521 WEST 23RD STREET **N/A**
NEW YORK, NY

Relative: Lower
Actual: 10 ft.

LTANKS:

Facility ID:	1010869
Site ID:	444486
Closed Date:	2012-11-27
Spill Number:	1010869
Spill Date:	2011-01-24
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Not reported
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	BKFALVEY
Referred To:	Not reported
Reported to Dept:	2011-01-24
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2011-01-24
Spill Record Last Update:	2012-11-27
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	BILL
Spiller Phone:	(212) 307-0500
Spiller Extention:	226
DEC Region:	2
DER Facility ID:	399382
DEC Memo:	"TTF letter was sent to A B C Realty 152 W 57th Street 12th Floor New York, NY 10019 Attn: William Harra TTF in edocs. 03/09/11-Hiralkumar Patel. 3:00 PM:- visited site as inspecting property at 535 W 23rd street, a property two doors west from the subject site. met Fraser (917-921-8309), building super. site has building on slab and a photo gallery is located on groundfloor. Fraser mentioned that the tank is located somewhere underneath the gallery floor. he mentioned that after the tank system failed the test, tank was drained using supply line connection in boiler room. boiler room is sub-grade and west of the tank location. inspected boiler room wall adjoining the tank location and found no oil staining or seeping. fill port found sealed. Fraser mentioned that management is planning to remove tank and install new tank at the same location. currently, site is using temp. tank. 6/7/11 Spoke to Seth Freedland, attorney representing the

COMMERICAL BUILDLING (Continued) **S110762281**

tenant, which is an art gallery. Phone: (212)344-1400 ext.202. He requested that they delay the work for the spill closure until July 2011. I would consider it, but would require a plan to do the investigation. He will contact the condo association and e-mail me back. Case has been open since January 2011. bf 6/7/11 bf: received the folowing e-mail: Resending. Below bounced back& Sorry. Seth D. Friedland Friedland Laifer & Robbins, LLP 62 William Street, Third Floor New York, New York 10005 Tel. 212.344.1400 x. 202 Fax 212.344.8735 email: sfriedland@friedlandlaifer.com This message and any attachments are solely for the use of the intended recipient(s). They may contain privileged and/or confidential information, attorney work product or other information protected from disclosure. If you are not an intended recipient, you are hereby notified that you received this email in error and that any review, dissemination, distribution or copying of this email and any attachment is strictly prohibited. If you have received this email in error, please contact the sender immediately and delete the message and any attachment from your system. Thank you for your cooperation. IRS Circular 230 Disclosure: To ensure compliance with requirements imposed by the U.S. Internal Revenue Service, we inform you that any tax advice contained in this communication (including any attachments) is not intended or written to be used, and cannot be used, by any taxpayer for the purpose of (1) avoiding tax-related penalties under the U.S. Internal Revenue Code or (2) promoting, marketing or recommending to another party any tax-related matters addressed herein. From: Seth D. Friedland Sent: Tuesday, June 07, 2011 12:46 PM To: 'bkfalvey@gw.dec.state..ny.us' Cc: Seth D. Friedland Subject: 521 West 23rd Street, NYC -- DEC Spill No. 1010869 - PBS No. 2-304158 Brian: Thanks for taking the time to discuss the above matte this morning. As mentioned, I represent the Steven Kasher Gallery which is the ground level tenant at the condominium building which is the subject of the above PBS case. Our client operates a gallery at the location, and the tank is suspected of being buried under the gallery floor. To accommodate our client s business requirements and to avoid undue disruption of our client s operations, as discussed, I would like to coordinate the proposed tank closure work to be performed during the month of July on a date or dates to be selected. You indicated that you would be amenable to the work being done in July. I will coordinate with the building manager and its consultant in order to propose the schedule of work and let you know. Should you have any questions, of course, please let me know. Thanks again for your assistance. Regards, Seth D. Friedland Friedland Laifer & Robbins, LLP 62 William Street, Third Floor New York, New York 10005 Tel. 212.344.1400 x. 202 Fax 212.344.8735 email: sfriedland@friedlandlaifer.com This message and any attachments are solely for the use of the intended recipient(s). They may contain privileged and/or confidential information, attorney work product or other information protected from disclosure. If you are not an intended recipient, you are hereby notified that you received this email in error and that any review, dissemination, distribution or copying of this email and any attachment is strictly prohibited. If you have received this email in error, please contact the sender immediately and delete the message and any attachment from your system. Thank you for your cooperation. IRS Circular 230 Disclosure: To ensure compliance with requirements imposed by the U.S. Internal Revenue Service, we inform you that any tax advice contained in this communication (including any attachments) is not intended or written

COMMERICAL BUILDLING (Continued) **S110762281**

to be used, and cannot be used, by any taxpayer for the purpose of (1) avoiding tax-related penalties under the U.S. Internal Revenue Code or (2) promoting, marketing or recommending to another party any tax-related matters addressed herein. 7/27/11 Received call from Rich Lovato of Advanced Site Restoration. Phone: (646)235-4800 and (212)809-1110. Contractor for gallery owner. Tank passed and lines failed ttt. I told him he needs to delineate contamination. He will send work plan. bf 8/14/12 PBS inspection today. Tank is still in use based on the petrometer which shows that there are approximately 1400 gallons of fuel in the tank. NOV issued and sent to William Harra at the above address. PBS settlement conference scheduled for 9/19/12. bf 9/19/12 Nopbody appeared for the PBS conference scheduled for today. bf 9/25/12 Today, received e-mail response from Riteway, contractor for the facility: Hi Brian, I sent this package back on Sept 27, 2011. I did not follow up with you and thought that you had closed it. I just received another violation from the client dated 8/14/2012 inspection #31107. Please let me know if you need anything else. From: David Chan [mailto:david@petroleumtek.com] Sent: Tuesday, September 27, 2011 3:34 PM To: 'Brian Falvey' Subject: spill 1010869 Hi Brian, Please find the closure report and supporting documentation for spill # 1010869. If you have any questions please do not hesitate to ask. Best regards, Dave Chan Riteway Tank Maintenance Corp. 700 Hicks Street Brooklyn, NY 11231 718-855-7272 phone 718-855-7244 fax david@petroleumtek.com ----------end---------- 10/1/12 On 9/25/12 received the following e-mail from David Chan of rite-way that also included attachments: site sketch, analytical sample results, closure requerst letter, and ttt tank only test report. ----------start---------- Hi Brian, I sent this package back on Sept 27, 2011. I did not follow up with you and thought that you had closed it. I just received another violation from the client dated 8/14/2012 inspection #31107. Please let me know if you need anything else. ----------end---------- On 9/28/12, received the following e-mail from David Chan which included the same attachments as the 9/25/12 e-mail: ----------start---------- Hi Brian.... ----------end---------- Tank failed because of hole in vent line. Submitted photos show the vent line with a corrosion hole and no visual contamination. Four samples were taken and were below DER- 10 allowances. A tank system test is required to close the spill case. today, responded to Mr. Chan's e-mail with the following: ----------start---------- David, The spill case can not be closed until the Department receives a passing tightness test for the whole system. The owner needs to correct the following registration information: 1. The product stored is #4 oil not #2 oil. 2.The tank overfill prevention is registered as a gauge. A gauge used for overfill prevention is only applicable to aboveground tanks. 3. The tank spill prevention is a catch basin. It is registered as none. 4. Pipe secondary containment is blank. The information correction application is attached. There is no fee for this application transaction and an original copy must be submitted (fax or e-mail copies will be returned unprocessed). Brian ----------end---------- bf 11/13/12 received the following e-mail from David Chan: Dear Brian, Please find the final tank and system test verifying the integrity of the system for the spill closure. I am following up with the owner with regards to their PBS. Please let me know if you need anything else for the closure. Thank you in advance. Best regards, David Chan Riteway Tank

COMMERICAL BUILDLING (Continued) **S110762281**

Maintenance Corp. 700 Hicks Street Brooklyn, NY 11231 718-855-7272 phone 718-855-7244 fax david@petroleumtek.com 11/27/12 Based on sampling results, case closed. bf"

Remarks: "Bill is the realitor of the building."

All Materials:

Site ID:	444486
Operable Unit ID:	1194933
Operable Unit:	01
Material ID:	2190855
Material Code:	0002A
Material Name:	#4 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

BW510 **555 WEST 23RD ST** **NY LTANKS** **S105999938**
SW **555 WEST 23RD ST** **N/A**
1/4-1/2 **MANHATTAN, NY**
0.279 mi.
1472 ft. **Site 2 of 2 in cluster BW**

Relative: **Lower**
Actual: **8 ft.**

LTANKS:

Facility ID:	0306399
Site ID:	203961
Closed Date:	2006-04-07
Spill Number:	0306399
Spill Date:	2003-09-17
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	SKCARLSO
Referred To:	NFA (4/7/06)
Reported to Dept:	2003-09-17
CID:	297
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	2003-09-17
Spill Record Last Update:	2006-04-07
Spiller Name:	Not reported
Spiller Company:	LAVIGNE BUILDERS
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	CURT SCHMIDT
Spiller Phone:	(212) 675-3225
Spiller Extention:	Not reported
DEC Region:	2

555 WEST 23RD ST (Continued) **S105999938**

DER Facility ID: 296101
DEC Memo: "Sangesland sent contaminated soil letter Curt Schmidt said that Mark Tibbe knows about a major spill site just upgradient from this site. 2/5/03 - TRANSFERRED FROM SAWYER TO ROMMEL 3/1/04 Reassigned from Rommel to K Foley. Spill Remediation Plan received 12/22/03 for removal of four 260gal gas USTs, one 500gal gas UST, and one 500gal no. 2 fuel oil UST. Site under development but once contained three buildings. A former auto service and plastic manufacturing existed on site. Five USTs from NW corner were removed 9/29/03 (four 260gal gas USTs and one 500gal gas UST). Soil excavation was postponed due to safety concerns. Will excavate and direct load for disposal. A minimum of four post-ex samples will be collected at PID hot spots on each sidewall. DTW is 6'bgs and therefore a bottom sample will probably not be feasible. If there is potential for structural damage to the adjacent building, two soil samples will be collected from that sidewall. Two samples will be collected from sidewalls greater than 20' in length. Analysis by VOCs (8021) and SVOCs (8270). Spill #9704542 was previously reported for a fuel oil release from UST. Scaled site map with former tank locations/hot spots and Phase I and II reports. There have been site investigations and proposed remediation plans submitted for 543-547 West 23rd St (spill #8605848). There is documented fuel oil and gasoline contamination of groundwater associated with sites to the east that have encroached upon the site. Mendon Leasing, 527 W 23rd file(#9605688,9808740,9511782, 9513588). 3/22/06 Reassigned from Foley to Tang. (KMF) 4/3/06: Reassigned to Andersen. Three sources of contamination: Fuel oil leak from a UST in northeast corner. Gasoline leak from five USTs in northwest corner. Gasoline groundwater contamination from adjacent Mendon Leasing site. All six tanks were removed by Fleming Lee Shue (FLS). The tank closure report was not received. Spoke with FLS and they will resend a report that was sent to Albany. 4/7/06: Received and reviewed tank closure report. Soil was excavated from three areas of contamination. Residual SVOC contamination from urban fill and VOC contamination from the adjacent spill site is present. The site will be redeveloped with a vapor barrier. NFA letter sent. "
Remarks: "CALLERS COMPANY PERFORMING EXCAVATIONS ON SITE, AND SOIL SAMPLES ARE SHOWING GASOLINE CONTAMINATION OF THE SOIL AROUND SOME UNDERGROUND TANK SITES ON THE PROPERTY"

All Materials:
Site ID: 203961
Operable Unit ID: 875124
Operable Unit: 01
Material ID: 503624
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

511
NE
1/4-1/2
0.281 mi.
1485 ft.

509 WEST 34TH STREET
509 WEST 34TH STREET
NEW YORK, NY 10001

NY BROWNFIELDS **S117851121**
N/A

Relative:
Higher

Actual:
35 ft.

BROWNFIELDS:

Program:	BCP
Site Code:	507330
Acres:	1.43
HW Code:	C231094
SWIS:	3101
Town:	New York City
Record Added Date:	05/01/2015
Record Updated Date:	06/10/2016
Update By:	JEBROWN
Site Description:	Location: The site is located at 509-527 West 34th Street, 435 Tenth Avenue and 510 West 35th Street in the Borough of Manhattan, City of New York in New York County. The site is comprised of three separate lots (i.e., lots 17, 20 and 29 of Block 706) and is approximately 1.43 acres in size. Site Features: Lot 17 is approximately .07 acres and is vacant land. Lot 20 is approximately .49 acres and is entirely covered by a four-story structure, with a partial basement. The building is utilized as a parking garage, photography studio, artist studio, elevator services and mixed office and warehouse space. Lot 29 is approximately 0.87 acres in which the entire lot is a paved parking lot utilized for commercial truck rental and parking. Current Zoning and Land Use: The site is currently used for commercial purposes, and is zoned C6-4. C6 districts permit a wide range of high-bulk commercial uses requiring a central location. The C6-4 district, typically mapped within a major business district, has a maximum floor area ratio (FAR) of 10.0 or 15.0, exclusive of any bonus. Past Use of the Site: Historical uses include an iron and brass foundry, and then a parking garage (Lot 20), a hatter s fur cutting company (Lot 29), and an electrical conduit company (Lot 17). Site Geology and Hydrogeology: Bedrock is present beneath the site at depths ranging from three to 18 feet below grade. A fill layer comprised of sand, gravel, boulder, concrete, and brick fragments is present from grade to bedrock and is underlain by a 3 to 6 foot thick native glacial silty sand in the western portion of the Site. Groundwater was encountered at a depth of approximately 12 feet.
Env Problem:	Information submitted with the BCP application regarding the environmental condition at the site are currently under review and will be revised as additional information becomes available.
Health Problem:	Information submitted with the BCP application regarding the conditions at the site are currently under review and will be revised as additional information becomes available.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	5/1/2015 2:45:00 PM
Record Upd:	5/1/2015 2:45:00 PM
Updated By:	SRHEIGEL

509 WEST 34TH STREET (Continued) **S117851121**

Own Op:	Owner
Sub Type:	06
Owner Name:	-
Owner Company:	509 W 34, LLC
Owner Address:	45 Rockefeller Plaza
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10111
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	John Balow
Owner Company:	New York Public Library
Owner Address:	Science, Industry and Business Library
Owner Addr2:	188 Madison Avenue at 34th Street
Owner City,St,Zip:	New York, NY 10016
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	P03
Owner Name:	Michael B. Benner
Owner Company:	509 W 34, L.L.C.
Owner Address:	45 Rockefeller Plaza
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10111
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	C01
Owner Name:	Jesse Bodine
Owner Company:	Manhattan Community Board 4
Owner Address:	330 West 42nd Street, Suite 2618
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10036
Owner Country:	United States of America
HW Code:	Not reported
Waste Type:	Not reported
Waste Quantity:	Not reported
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

---

512 ESE 1/4-1/2 0.283 mi. 1493 ft. **MANHATTAN GENERAL MAIL FACILITY** **SEMS-ARCHIVE** **1003864514**
WEST 29TH & 9TH AVE **NY6180000352**
NEW YORK, NY 10001

Relative: Higher
Actual: 29 ft.

SEMS Archive:

Site ID:	203777
EPA ID:	NY6180000352
Cong District:	15
FIPS Code:	36061
FF:	Y
NPL:	Not on the NPL
Non NPL Status:	NFRAP-Site does not qualify for the NPL based on existing information

MANHATTAN GENERAL MAIL FACILITY (Continued) **1003864514**

SEMS Archive Detail:

Region:	2
Site ID:	203777
EPA ID:	NY6180000352
Site Name:	MANHATTAN GENERAL MAIL FACILITY
NPL:	N
FF:	Y
OU:	0
Action Code:	VS
Action Name:	ARCH SITE
SEQ:	1
Start Date:	Not reported
Finish Date:	1993-09-15 00:00:00
Qual:	Not reported
Current Action Lead:	EPA Perf In-Hse

Region:	2
Site ID:	203777
EPA ID:	NY6180000352
Site Name:	MANHATTAN GENERAL MAIL FACILITY
NPL:	N
FF:	Y
OU:	0
Action Code:	DS
Action Name:	DISCVRY
SEQ:	1
Start Date:	1992-07-17 00:00:00
Finish Date:	1992-07-17 00:00:00
Qual:	Not reported
Current Action Lead:	EPA Perf

Region:	2
Site ID:	203777
EPA ID:	NY6180000352
Site Name:	MANHATTAN GENERAL MAIL FACILITY
NPL:	N
FF:	Y
OU:	0
Action Code:	PA
Action Name:	PA
SEQ:	1
Start Date:	Not reported
Finish Date:	1993-09-15 00:00:00
Qual:	N
Current Action Lead:	Fed Fac

513
WSW
1/4-1/2
0.283 mi.
1494 ft.

160-12 46TH AVE/QUEENS **NY LTANKS** **S100167973**
160-12 46TH AVENUE **N/A**
NEW YORK CITY, NY

Relative:
Lower

Actual:
2 ft.

LTANKS:

Facility ID:	9005212
Site ID:	223240
Closed Date:	1990-08-10

160-12 46TH AVE/QUEENS (Continued) **S100167973**

Spill Number:	9005212
Spill Date:	1990-08-06
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Not reported
Cleanup Ceased:	1990-08-10
SWIS:	4101
Investigator:	NIEVES
Referred To:	Not reported
Reported to Dept:	1990-08-10
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Local Agency
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1990-08-14
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	FLUSHING CARRIER TRANSIT
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	184583
DEC Memo:	""
Remarks:	"SPILLER DISPENSING FUEL, RESIDENTS IN AREA ARE CONCERNED ABOUT SOIL CONTAMINATION, DEC INVESTIGATED, MINOR PROBLEM."

All TTF:

Facility ID:	9005212
Spill Number:	9005212
Spill Tank Test:	1537417
Site ID:	223240
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	223240
Operable Unit ID:	945706
Operable Unit:	01
Material ID:	436267

160-12 46TH AVE/QUEENS (Continued) **S100167973**

Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Not reported
Recovered:	.00
Oxygenate:	Not reported

BX514 **34TH ST. AND 10TH AVE./AM** **NY LTANKS** **S102671194**
NE **34TH ST.& 10TH AVE.** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.285 mi.
1505 ft. **Site 1 of 2 in cluster BX**

Relative:
Higher

Actual:
35 ft.

LTANKS:

Facility ID:	8704567
Site ID:	86947
Closed Date:	1987-09-01
Spill Number:	8704567
Spill Date:	1987-09-01
Spill Cause:	Tank Overfill
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	Not reported
Cleanup Ceased:	1987-09-01
SWIS:	3101
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	1987-09-01
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Citizen
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1987-09-10
Spill Record Last Update:	1988-10-07
Spiller Name:	Not reported
Spiller Company:	AMOCO GAS STATION
Spiller Address:	34TH ST.& 10TH AVE.
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	79704
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was "
Remarks:	"TANK TRUCK (LICENSE PLATE # AP7359) INVOLVED IN TANK OVERFILL."

All Materials:

Site ID:	86947
Operable Unit ID:	911052
Operable Unit:	01
Material ID:	467199
Material Code:	0009

34TH ST. AND 10TH AVE./AM (Continued) **S102671194**

Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	Not reported
Recovered:	.00
Oxygenate:	Not reported

BX515 **34TH ST. & 10TH AVE./AMOC** **NY LTANKS** **S100143829**
NE **34TH ST. & 10TH AVE.** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.285 mi.
1505 ft. **Site 2 of 2 in cluster BX**

Relative:
Higher

Actual:
35 ft.

LTANKS:

Facility ID:	8705645
Site ID:	122904
Closed Date:	1987-10-05
Spill Number:	8705645
Spill Date:	1987-10-05
Spill Cause:	Tank Failure
Spill Source:	Tank Truck
Spill Class:	Not reported
Cleanup Ceased:	1987-10-05
SWIS:	3101
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	1987-10-05
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Citizen
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1987-10-07
Spill Record Last Update:	1989-05-02
Spiller Name:	Not reported
Spiller Company:	AMOCO
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	106534
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was "
Remarks:	"TANK OVERFILL ONE OR TWO TIMES A WEEK DURING SERVICE, APPROXIMATELY 50 GALLONS."

All TTF:

Facility ID:	8705645
Spill Number:	8705645
Spill Tank Test:	1531827
Site ID:	122904
Tank Number:	Not reported

34TH ST. & 10TH AVE./AMOC (Continued) **S100143829**

Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	122904
Operable Unit ID:	909469
Operable Unit:	01
Material ID:	468231
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	50.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

516
SE
1/4-1/2
0.288 mi.
1523 ft.

PUBLIC SCHOOL #33
281 9TH AVENUE
MANHATTAN, NY

NY LTANKS **U000411085**
N/A

Relative:
Higher

Actual:
22 ft.

LTANKS:

Facility ID:	9614151
Site ID:	252801
Closed Date:	1997-12-31
Spill Number:	9614151
Spill Date:	1997-03-05
Spill Cause:	Tank Overfill
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	MMMULQUE
Referred To:	Not reported
Reported to Dept:	1997-03-05
CID:	205
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1997-03-05

PUBLIC SCHOOL #33 (Continued) **U000411085**

Spill Record Last Update:	1998-01-06
Spiller Name:	ESTON CLARE
Spiller Company:	T & S TRUCKING
Spiller Address:	53 2ND AVENUE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	(718) 391-6575
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	207077
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MULQUEEN "
Remarks:	"CALLER STATED THAT 5,500GAL WAS ORDERED. TANK STARTED OVERFILLING AT 1,315 GALS."

All Materials:

Site ID:	252801
Operable Unit ID:	1045585
Operable Unit:	01
Material ID:	339261
Material Code:	0002A
Material Name:	#4 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	50.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	9713196
Site ID:	224963
Closed Date:	2003-03-03
Spill Number:	9713196
Spill Date:	1998-02-26
Spill Cause:	Tank Overfill
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	TOMASELLO
Referred To:	Not reported
Reported to Dept:	1998-02-26
CID:	366
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1998-02-26
Spill Record Last Update:	2003-03-03
Spiller Name:	Not reported
Spiller Company:	CASTLE OIL
Spiller Address:	290 LOCUST AVE
Spiller County:	001
Spiller Contact:	JOHN KASE

PUBLIC SCHOOL #33 (Continued) **U000411085**

Spiller Phone:	(718) 391-6590
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	185691
DEC Memo:	""
Remarks:	"CALLER REPORTING OVERFILL AT PUBLIC SCHOOL #33. CLEAN UP WILL BEGIN SHORTLY."

All Materials:

Site ID:	224963
Operable Unit ID:	1059258
Operable Unit:	01
Material ID:	324220
Material Code:	0003A
Material Name:	#6 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	60.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

517
NE
1/4-1/2
0.291 mi.
1535 ft.

527 WEST 34TH ST **NY LTANKS** **S112231173**
527 WEST 34TH ST **N/A**
NEW YORK (County), NY

Relative: Higher

Actual: 36 ft.

LTANKS:

Facility ID:	0750112
Site ID:	380286
Closed Date:	2007-04-23
Spill Number:	0750112
Spill Date:	2007-04-10
Spill Cause:	Tank Overfill
Spill Source:	Commercial/Industrial
Spill Class:	D4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	hrpatel
Referred To:	Not reported
Reported to Dept:	2007-04-23
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2007-04-23
Spill Record Last Update:	2007-04-23
Spiller Name:	Not reported
Spiller Company:	527 WEST 34TH ST
Spiller Address:	527 WEST 34TH ST
Spiller County:	999
Spiller Contact:	Not reported

527 WEST 34TH ST (Continued) **S112231173**

Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	329760
DEC Memo:	"referred from COn Ed See also Spill #0700391 duplicate spill. case closed. refer to old case."
Remarks:	"Leaked from a building into Vault #3863"

All Materials:

Site ID:	380286
Operable Unit ID:	1137770
Operable Unit:	01
Material ID:	2127726
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	4.00
Oxygenate:	False

BY518 **562 W 23RD ST/MANHATTAN** **NY LTANKS** **S104275573**
SW **562 WEST 23RD STREET** **NY Spills** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.293 mi.
1546 ft. **Site 1 of 2 in cluster BY**

Relative:
Lower

Actual:
7 ft.

LTANKS:

Facility ID:	0205608
Site ID:	149950
Closed Date:	2002-12-10
Spill Number:	0205608
Spill Date:	2002-08-27
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	MCTIBBE
Referred To:	Not reported
Reported to Dept:	2002-08-28
CID:	405
Water Affected:	Not reported
Spill Notifier:	Local Agency
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2002-08-28
Spill Record Last Update:	2002-12-10
Spiller Name:	Not reported
Spiller Company:	UHAUL INC
Spiller Address:	562 WEST 23RD ST
Spiller County:	001
Spiller Contact:	LEVENT ESKICAKIT

562 W 23RD ST/MANHATTAN (Continued) **S104275573**

Spiller Phone:	(212) 353-8280
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	127520
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE/SANGESLAND 12/10/2002 Sangesland reviewed a report prepared by David Winslow of ATC Associates Inc (212-353-8280). Report states that contamination was found around a buried 1000 gal tank under the floor of the building. The tank was cleaned out and excavated around. Because of foundation issues, the tank could not be removed and not all of the contaminated soil could be removed. Based on the soil conditions, Sangesland requested goundwater samples from the area. ATC took four groundwater samples in the area of this tank. GW is at approx 8 ft below the cement floor level. 3 of 4 samples are clean. One has some VOC hits just over 8020. Based on the location and the inability to excavate further, and that the surrounding water samples were clean, we can conclude that the contamination is localized and not spreading. Spill closed "
Remarks:	"CALLER STATES UPON REMOVAL OF THE UNDERGROUND TANK - FOUND HOLES IN THE TANK AND CONTAMINATED SOIL"

All Materials:

Site ID:	149950
Operable Unit ID:	858216
Operable Unit:	01
Material ID:	519806
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	9000199
Site ID:	313585
Closed Date:	2000-06-21
Spill Number:	9000199
Spill Date:	1990-03-26
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	A3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	SULLIVAN
Referred To:	Not reported
Reported to Dept:	1990-04-06
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1990-05-10

562 W 23RD ST/MANHATTAN (Continued) **S104275573**

Spill Record Last Update:	2000-06-21
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	284706
DEC Memo:	""
Remarks:	"TANK FAILED AIR PRESSURE TEST."

All Materials:

Site ID:	313585
Operable Unit ID:	938542
Operable Unit:	01
Material ID:	438608
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

SPILLS:

Facility ID:	9305627
Facility Type:	ER
Spill Number:	9305627
DER Facility ID:	274954
Site ID:	313586
DEC Region:	2
Closed Date:	1993-08-06
Spill Cause:	Abandoned Drums
Spill Class:	C4
SWIS:	3101
Spill Date:	1993-08-05
Investigator:	GRIFFIN
Referred To:	Not reported
Reported to Dept:	1993-08-05
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	DEC
Cleanup Ceased:	1993-08-06
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1993-08-09
Spill Record Last Update:	1996-10-25
Spiller Name:	Not reported
Spiller Company:	ED VILLAVICENCIO

562 W 23RD ST/MANHATTAN (Continued) **S104275573**

Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	Not reported
DEC Memo:	""
Remarks:	"TO DO CLEAN UP CALLED TONE TIGHT CO. FOR REMOVAL GOING TO CLEAN-UP PARKING LOT UNDER AIR CONDITIONER AS WEL AS SIDE WALK."

All Materials:

Site ID:	313586
Operable Unit ID:	983781
Operable Unit:	01
Material ID:	395538
Material Code:	0022
Material Name:	waste oil/used oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	55.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

BZ519 **23RD ST & EAST RIVER DR** **NY LTANKS** **S105053995**
SW **600 E.23RD ST** **N/A**
1/4-1/2 **MANHATTAN, NY**
0.294 mi.
1553 ft. **Site 1 of 3 in cluster BZ**

Relative:
Lower

Actual:
6 ft.

LTANKS:

Facility ID:	9506116
Site ID:	84527
Closed Date:	2003-04-15
Spill Number:	9506116
Spill Date:	1995-08-17
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	MCTIBBE
Referred To:	Not reported
Reported to Dept:	1995-08-17
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1995-09-22
Spill Record Last Update:	2003-04-15
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported

23RD ST & EAST RIVER DR (Continued) **S105053995**

Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 77731
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE REFER TO 9506959 & SP94396."
Remarks: "TANK #10 550 GAL US TEST 2000 - LEAK RATE IS FAILED"

All TTF:
Facility ID: 9506116
Spill Number: 9506116
Spill Tank Test: 1544095
Site ID: 84527
Tank Number: Not reported
Tank Size: 0
Material: 0008
EPA UST: Not reported
UST: Not reported
Cause: Not reported
Source: Not reported
Test Method: 00
Test Method 2: Unknown
Leak Rate: .00
Gross Fail: Not reported
Modified By: Spills
Last Modified Date: Not reported

All Materials:
Site ID: 84527
Operable Unit ID: 1017013
Operable Unit: 01
Material ID: 569850
Material Code: 0008
Material Name: diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: -1.00
Units: G
Recovered: .00
Oxygenate: Not reported

BZ520 **E.23RD ST & EAST RIVER DR** **NY LTANKS S100166644**
SW **600 E.23RD ST** **NY Spills N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.294 mi.
1553 ft. **Site 2 of 3 in cluster BZ**

Relative: **Lower**
Actual: **6 ft.**

LTANKS:
Facility ID: 8808749
Site ID: 84526
Closed Date: 1989-04-24
Spill Number: 8808749
Spill Date: 1989-02-07
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Cleanup Ceased: 1989-04-24
SWIS: 3101

E.23RD ST & EAST RIVER DR (Continued) **S100166644**

Investigator:	SULLIVAN
Referred To:	Not reported
Reported to Dept:	1989-02-08
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1989-02-08
Spill Record Last Update:	2002-10-01
Spiller Name:	Not reported
Spiller Company:	NY SKY PORTS- (GULF OIL)
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	275838
DEC Memo:	""
Remarks:	"(5) 550 GALLON TANK SYSTEM FAILED PETRO TITE AT -.347GPH. TANKS RE-TESTED, NO PRODUCT LOST. PIPING REPAIRED."

All TTF:

Facility ID:	8808749
Spill Number:	8808749
Spill Tank Test:	1535153
Site ID:	84526
Tank Number:	Not reported
Tank Size:	0
Material:	0008
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	84526
Operable Unit ID:	924662
Operable Unit:	01
Material ID:	453515
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00

E.23RD ST & EAST RIVER DR (Continued) **S100166644**

Oxygenate: Not reported

SPILLS:

Facility ID:	9508899
Facility Type:	ER
Spill Number:	9508899
DER Facility ID:	271481
Site ID:	263286
DEC Region:	2
Closed Date:	1995-10-26
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	1995-10-19
Investigator:	O'DOWD
Referred To:	Not reported
Reported to Dept:	1995-10-19
CID:	351
Water Affected:	EAST RIVER
Spill Source:	Unknown
Spill Notifier:	Citizen
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1995-10-19
Spill Record Last Update:	2005-07-07
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	SAME
DEC Memo:	""
Remarks:	"SHEEN IS IN RIVER EVERY DAY AT LOW TIDE ACCORDING TO CALLER - THE COAST GUARD AND DEP HAVE BEEN AWARE OF THE PROBLEM FOR SOME TIME AND THE CALLER IS UNHAPPY WITH THE WAY THEY HANDLED THE ENTIRE SITUATION - HE FEELS THAT THEIR ACTIONS WERE INSUFFICIENT TO RECTIFY THE PROBLEM - HE WOULD LIKE A CALL BACK"

All Materials:

Site ID:	263286
Operable Unit ID:	1019480
Operable Unit:	01
Material ID:	359859
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

BZ521 **GULF GAS STATION** **NY LTANKS** **S100167737**
SW **600 E.23RD ST, E. RIVER** **N/A**
1/4-1/2 **MANHATTAN, NY**
0.294 mi.
1553 ft. **Site 3 of 3 in cluster BZ**

Relative: **Lower**

Actual: **6 ft.**

LTANKS:

Facility ID:	8906042
Site ID:	283247
Closed Date:	2006-09-11
Spill Number:	8906042
Spill Date:	1989-09-19
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	A3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	JAKOLLEE
Referred To:	OLD PIN JOB
Reported to Dept:	1989-09-19
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1989-09-20
Spill Record Last Update:	2006-09-11
Spiller Name:	Not reported
Spiller Company:	CUMBERLAND FARMS
Spiller Address:	777 DEDHAM ST
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	(212) 686-4546
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	229732
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was K FOLEY 1/8/04 Reassigned from Sullivan to K Foley. (KMF) REFER TO 9506959 & SP94396. 09/11/06: This spill case is closed to consolidate with open spill 9506959, under which remediation of this area, along with the adjacent-to-the-south Stuyvesant Cove Park and Education Center, is being tracked as part of the DDC consent order. - J. Kolleeny"
Remarks:	"4K CAPACITY. TEST METHOD PETROTITE TO EXCAVATE AND INVESTIGATE INITIALINFORMATION. LEAKAGE .266 GPH"

All TTF:

Facility ID:	8906042
Spill Number:	8906042
Spill Tank Test:	1536050
Site ID:	283247
Tank Number:	Not reported
Tank Size:	0
Material:	0008
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported

GULF GAS STATION (Continued) **S100167737**

Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	283247
Operable Unit ID:	933693
Operable Unit:	01
Material ID:	446434
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

CA522 **AMOCO** **NY LTANKS** **S107410213**
ENE **436 TENTH AVE** **N/A**
1/4-1/2 **NEW YORK, NY 10018**
0.301 mi.
1589 ft. **Site 1 of 2 in cluster CA**

Relative:
Higher

Actual:
40 ft.

LTANKS:

Facility ID:	9506257
Site ID:	158202
Closed Date:	2002-05-03
Spill Number:	9506257
Spill Date:	1995-08-21
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	O'DOWD
Referred To:	Not reported
Reported to Dept:	1995-08-21
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-09-27
Spill Record Last Update:	2005-08-23
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller County:	999

AMOCO (Continued) **S107410213**

Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	11535
DEC Memo:	"O'Dowd Notes(KMF): Amoco will submit affadavit of work done, any contamination noted and passing tank test results. Will have to look up PBS# to see if any old USTs were here and if a site assessment was done. 8/21/95 2X4K failed UST-2000 Ullage Test. 8/22/95 Spoke to Jerry Kasper, Crompco. 1X4K has the extractor valve and 1X4K doesn't. Leak was above the liquid line. Problem believed to be with extractor valve. 5/3/2002-VOUGHT-See spill #0201270 at same location. This spill closed by Vought."
Remarks:	"TANKS WERE OINSPECTED AND BOTH FAILED"

All TTF:

Facility ID:	9506257
Spill Number:	9506257
Spill Tank Test:	1544101
Site ID:	158202
Tank Number:	Not reported
Tank Size:	0
Material:	0066A
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	158202
Operable Unit ID:	1017138
Operable Unit:	01
Material ID:	558531
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

CA523 **AMOCO** **NY LTANKS** **S107410233**
ENE **436 TENTH AVE** **N/A**
1/4-1/2 **NEW YORK, NY 10018**
0.301 mi.
1589 ft. **Site 2 of 2 in cluster CA**

Relative:
Higher

Actual:
40 ft.

LTANKS:

Facility ID:	9905246
Site ID:	250195
Closed Date:	1999-08-27
Spill Number:	9905246
Spill Date:	1999-08-01
Spill Cause:	Tank Overfill
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	SACCACIO
Referred To:	Not reported
Reported to Dept:	1999-08-01
CID:	246
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1999-08-01
Spill Record Last Update:	2005-08-23
Spiller Name:	Not reported
Spiller Company:	CONSOLIDATED TRANSPORTATI
Spiller Address:	ON
Spiller County:	001
Spiller Contact:	JULIO CALDER
Spiller Phone:	(718) 389-4910
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	11535
DEC Memo:	""
Remarks:	"tank was overfilled at location - speedy dry applied - cleanup crew enroute - some material may have flowed into storm drain and street update 0400 hrs - spill only 5-7 gal all cleaned up - none entered waterway "

All Materials:

Site ID:	250195
Operable Unit ID:	1079677
Operable Unit:	01
Material ID:	301550
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	20.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

524
ENE
1/4-1/2
0.303 mi.
1601 ft.

ST MICHEAL'S SCHOOL
425 WEST 33RD STREET
MANHATTAN, NY

NY LTANKS **S106703793**
N/A

Relative:
Higher

Actual:
44 ft.

LTANKS:

Facility ID:	0606006
Site ID:	369290
Closed Date:	2006-09-11
Spill Number:	0606006
Spill Date:	2006-08-24
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	D4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	rmpiper
Referred To:	Not reported
Reported to Dept:	2006-08-24
CID:	444
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2006-08-24
Spill Record Last Update:	2006-09-11
Spiller Name:	SISTER KATHLEEN
Spiller Company:	ST MICHEAL'S SCHOOL
Spiller Address:	425 WEST 33RD STREET
Spiller County:	001
Spiller Contact:	SISTER KATHLEEN
Spiller Phone:	(212) 594-9056
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	319177
DEC Memo:	"DEC Piper spoke w/ Charles Rose. Assistant to the principal. As per conversation, they were getting ready for winter and noticed a leak. When the janitor inspected found approx 200 gal in vaulted area. Spill is contained and in vault. PTC to respond today and pump out remaining oil and oil on floor. No drains, sewers effected. PTC to contact DEC upon completion of emergency cleanup. School is not in session and no children are present. Odors present in basement only and not in school. 9/11/06- DEC Piper spoke w/ Sister Katheleen, PTC had cleaned up emergency spill. Piper spoke w/ PTC, tank was above ground on concrete. Concrete was in good shape. School is going to replace tank. 6 drums of oil soaked speedy dry removed. CLosed."
Remarks:	"TANK IS LEAKING IN THE TANK ROOM OF SCHOOL: CREW ENROUTE TO PUMP OUT TANK AND CLEAN UP SPILL: NO DRAINS EFFECTED:"

All Materials:

Site ID:	369290
Operable Unit ID:	1127130
Operable Unit:	01
Material ID:	2116713
Material Code:	0002A
Material Name:	#4 fuel oil

ST MICHEAL'S SCHOOL (Continued) **S106703793**

Case No.:	Not reported
Material FA:	Petroleum
Quantity:	200.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	9608649
Site ID:	240388
Closed Date:	1996-10-11
Spill Number:	9608649
Spill Date:	1996-10-11
Spill Cause:	Tank Overfill
Spill Source:	Commercial/Industrial
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	SMMARTIN
Referred To:	Not reported
Reported to Dept:	1996-10-11
CID:	257
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1996-10-11
Spill Record Last Update:	2004-06-03
Spiller Name:	JIM CAREY
Spiller Company:	CASTLE OIL
Spiller Address:	290 LOCUST AVE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	(212) 563-2575
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	197687
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MARTINKAT "
Remarks:	"overfill of storage tank cleanup crew on the way "

All Materials:

Site ID:	240388
Operable Unit ID:	1039859
Operable Unit:	01
Material ID:	344379
Material Code:	0002A
Material Name:	#4 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	25.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

BY525 **168-11 12TH AVENUE** **NY LTANKS** **S104275514**
SW **168-11 12TH AVENUE** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.307 mi.
1622 ft. **Site 2 of 2 in cluster BY**

Relative:
Lower

Actual:
6 ft.

LTANKS:

Facility ID:	8803037
Site ID:	212375
Closed Date:	1992-09-30
Spill Number:	8803037
Spill Date:	1988-07-07
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	1992-09-30
SWIS:	4101
Investigator:	BATTISTA
Referred To:	Not reported
Reported to Dept:	1988-07-07
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1988-07-08
Spill Record Last Update:	2003-10-15
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	175986
DEC Memo:	""
Remarks:	"3K TANK, NEVER STABILIZED, INITIAL SYSTEM HORNER-EZY CHECK TEST."

All TTF:

Facility ID:	8803037
Spill Number:	8803037
Spill Tank Test:	1534245
Site ID:	212375
Tank Number:	Not reported
Tank Size:	0
Material:	0002
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

168-11 12TH AVENUE (Continued) **S104275514**

All Materials:

Site ID:	212375
Operable Unit ID:	918226
Operable Unit:	01
Material ID:	458601
Material Code:	0002A
Material Name:	#4 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

526
NNW
1/4-1/2
0.310 mi.
1639 ft.

LIRR WEST SIDE YARD **NY SHWS** **S113916804**
12TH AVE AND W 33RD ST **N/A**
MANHATTAN, NY 10001

Relative:
Lower

Actual:
11 ft.

SHWS:

Program:	HW
Site Code:	478613
Classification:	P
Region:	2
Acres:	2
HW Code:	231083
Record Add:	02/05/2013
Record Upd:	05/04/2017
Updated By:	GWCROSS

Site Description: Location: The LIRR West Side Yard Site (site) is located at the southeast corner of 12th Ave and W 33rd St in midtown Manhattan. This is the northwest corner of the Long Island Railroad's West Side Yard (WSY), where commuter trains which have discharged at Penn Station are stored for their next outbound trip. The West Side Highway lies immediately to the west. The northern end of the High Line Park traverses part of the site. Site Features: The site is largely flat, and is almost completely filled with railroad tracks. Small maintenance buildings are present along the western ends of the storage tracks. Current Zoning and Land Use: The WSY is currently used for the storage of passenger trains. Periodic and routine cleaning and washing of the interior of the passenger train cars is performed. The site is zoned for commercial use. Past Use of the Site: The WSY has been utilized for railroad operations for over 100 years. Currently and historically, the LIRR has not stored any petroleum products in tanks or bulk containers in the western portion of the WSY, nor has maintenance activities involved the use of petroleum products. This site was previously reported to and investigated under the Spills program as spill no. 0407411, beginning late 2004. Contamination was discovered in a soil boring on the site during a Phase II Environmental Site Investigation of the WSY for the NY Jets organization, which was then reported to the DEC. Site Geology and Hydrogeology: The northwest corner of the WSY is immediately underlain by a layer of historic fill, approximately 20 to 30 feet thick. Site contamination appears to have been co-deposited with this fill, which was used to extend the Hudson

LIRR WEST SIDE YARD (Continued) **S113916804**

River shoreline westward circa 1900. Below the historic fill exists a native low permeable silty clay to clay unit. Groundwater is present beneath the WSY within the urban fill at a depth of approximately 5 to 7 ft bgs, flowing in a northwesterly direction .

Env Problem: Nature and Extent of Contamination: Prior to Completion of Remediation Based upon investigations conducted to date, the primary contaminant of concern is coal tar. Soil- The most significant visual evidence of contamination, including staining, hydrocarbon and naphthalene-like odors and elevated PID readings, was observed within the fill deposits in soil borings SB-05 through SB-08, between 15 and 40 feet below grade, and starting at least 10 to 20 feet below the water table. Seventeen of the 20 subsurface soil samples exhibited detectable concentrations of PAHs, with total PAH concentrations ranging from 0.3 ppm in SB-03 (20.5 - 22.5 feet) to a maximum of 1,818 ppm in SB-05 (25 - 27 feet), adjacent to the West Side Yard along the east side of 12th Avenue in the vicinity of the historic observed area of contamination. This sample had visual evidence of contamination, which also exhibited the highest BTEX concentration, but were below the Industrial Use SCOs. Soil samples from SB-06 (21 - 23 feet) and SB-08 (30 - 33 feet) were sent for forensic fingerprint analysis. The analysis suggests that the sample contained pyrogenic material derived from coal and not petroleum, and the PAH distribution was very similar to tars formed from MGPs utilizing carbureted water gas processes. Groundwater- NAPL was not identified in any of the groundwater monitoring wells. However, six of the 17 groundwater samples identified BTEX and PAH compounds at concentrations above Class GA standards. These samples were collected at or in the vicinity of soil borings which exhibited soil contamination and were screened at a depth intercepting the zone of soil contamination observed at 15 to 40 feet below grade. Off-site wells demonstrate that this contamination is not migrated farther off-site. Soil Vapor and Indoor Air- Soil vapor and indoor air have not been evaluated.

Health Problem: As information for this site becomes available, it will be reviewed by the NYSDOH to determine if site contamination presents public health exposure concerns.

Dump: Not reported
Structure: Not reported
Lagoon: Not reported
Landfill: Not reported
Pond: Not reported
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: Not reported
Record Upd: Not reported
Updated By: Not reported
Own Op: Not reported
Sub Type: Not reported
Owner Name: Not reported
Owner Company: Not reported
Owner Address: Not reported
Owner Addr2: Not reported
Owner City,St,Zip: Not reported
Owner Country: Not reported
HW Code: Not reported

LIRR WEST SIDE YARD (Continued) **S113916804**

Waste Type:	Not reported
Waste Quantity:	Not reported
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

CB527 **AMOCO STATION** **NY LTANKS** **S100143360**
South **213-10 JAMAICA AVENUE** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.323 mi.
1703 ft. **Site 1 of 2 in cluster CB**

Relative:
Lower

Actual:
11 ft.

LTANKS:

Facility ID:	8604698
Site ID:	224510
Closed Date:	1987-03-24
Spill Number:	8604698
Spill Date:	1986-10-21
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	Not reported
Cleanup Ceased:	1987-03-24
SWIS:	4101
Investigator:	KMFOLEY
Referred To:	Not reported
Reported to Dept:	1986-10-22
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1987-03-31
Spill Record Last Update:	2004-02-03
Spiller Name:	Not reported
Spiller Company:	SPARTAN PETROLEUM
Spiller Address:	3333 NEW HYDE PARK RD
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	(914) 667-5800
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	185557
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was K FOLEY 10/10/95: This is additional information about material spilled from the translation of the old spill file: PREMIUM NO-LEAD. 2/3/04 Reassigned to K Foley. No case lead previously assigned. See spill #9607176."
Remarks:	"FOUR K U/G TANK SYSTEM FAILED HYDRO-STATIC TEST."

All TTF:

Facility ID:	8604698

AMOCO STATION (Continued) **S100143360**

Spill Number:	8604698
Spill Tank Test:	1530314
Site ID:	224510
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	224510
Operable Unit ID:	901896
Operable Unit:	01
Material ID:	473934
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

---

528 **400 WEST 25TH STREET** **NY LTANKS** **S103517586**
SSE **400 WEST 25TH STREET** **NY AST** **N/A**
1/4-1/2 **MANHATTAN, NY**
0.323 mi.
1706 ft.

Relative:
Higher

Actual:
19 ft.

LTANKS:

Facility ID:	9310011
Site ID:	300724
Closed Date:	1993-11-17
Spill Number:	9310011
Spill Date:	1993-11-17
Spill Cause:	Tank Overfill
Spill Source:	Commercial/Industrial
Spill Class:	C3
Cleanup Ceased:	1993-11-17
SWIS:	3101
Investigator:	CAMMISA
Referred To:	Not reported
Reported to Dept:	1993-11-17
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False

400 WEST 25TH STREET (Continued) **S103517586**

Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1993-11-18
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	243240
DEC Memo:	""
Remarks:	"POSSIBLE GAGE CONTAINED ON SIDEWALK - DRIVER APPLIED SORBENT - P/U."

All Materials:

Site ID:	300724
Operable Unit ID:	991716
Operable Unit:	01
Material ID:	392649
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-3.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-252107
Program Type:	PBS
UTM X:	584413.37684
UTM Y:	4511244.63610
Expiration Date:	11/16/2017
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	10145
Affiliation Type:	Emergency Contact
Company Name:	ELK INVESTORS
Contact Type:	Not reported
Contact Name:	JIM GALANIS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 371-5050
EMail:	Not reported
Fax Number:	Not reported

400 WEST 25TH STREET (Continued) **S103517586**

Modified By:	TRANSLAT
Date Last Modified:	2004-03-04
Site Id:	10145
Affiliation Type:	Mail Contact
Company Name:	ELK INVESTORS
Contact Type:	Not reported
Contact Name:	SHAZ MOSSANEN
Address1:	489 FIFTH AVENUE 7TH FLOOR
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10017
Country Code:	001
Phone:	(212) 371-5050
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2012-12-18
Site Id:	10145
Affiliation Type:	Facility Operator
Company Name:	400 WEST 25TH STREET
Contact Type:	Not reported
Contact Name:	CHARLIE SALIBA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(646) 296-6818
EMail:	Not reported
Fax Number:	Not reported
Modified By:	dxliving
Date Last Modified:	2008-01-08
Site Id:	10145
Affiliation Type:	Facility Owner
Company Name:	ELK INVESTORS
Contact Type:	MEMBER
Contact Name:	JM GALANIS
Address1:	489 FIFTH AVENUE
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10017
Country Code:	001
Phone:	(212) 371-5050
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2012-12-13

Tank Info:

Tank Number:	001

400 WEST 25TH STREET (Continued) **S103517586**

Tank Id:	11818
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
G04 - Tank Secondary Containment - Double-Walled (Underground)
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
J02 - Dispenser - Suction Dispenser
L09 - Piping Leak Detection - Exempt Suction Piping
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	12/01/1979
Capacity Gallons:	2500
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MSBAPTIS
Last Modified:	04/14/2017
Material Name:	#2 fuel oil (on-site consumption)

529
SW
1/4-1/2
0.324 mi.
1709 ft.

555 WEST 22ND STREET **NY BROWNFIELDS** **S118950495**
555 WEST 22ND STREET **N/A**
NEW YORK, NY 10011

Relative:
Lower

Actual:
6 ft.

BROWNFIELDS:

Program:	BCP
Site Code:	525716
Acres:	0.73
HW Code:	C231101
SWIS:	3101
Town:	New York City
Record Added Date:	04/13/2016
Record Updated Date:	04/18/2017
Update By:	SXDEWES
Site Description:	Location: The Site is located in an urban area, in a mixed use area of the West Chelsea section of the Borough of Manhattan. The site is comprised of four tax lots (0.73 acres and approx. 31,820 SF) identified on New York City tax maps as Block 694, Lots 5, 60, 61 and 65. In addition to 555 West 22nd Street, the site is also known as 548 West 23rd Street (Lot 60), 552 West 23rd Street (Lot 61) and 170 11th Avenue (Lot 65). The Site is bounded to the north by West 23rd Street, to the east by commercial/residential buildings and 10th Avenue, to the south by West 22nd Street, and to the west by 11th

555 WEST 22ND STREET (Continued) **S118950495**

Avenue. Site Features: The Site is improved with multiple connected one-to-three-story brick buildings used entirely by U-Haul as a retail and commercial U-Haul facility which consist of the following uses: vehicle rental, vehicle washing (hand), parking, moving supply retail, and mini-storage unit rental. An asphalt paved lot, facing 11th Avenue, is used for truck storage. Current Zoning and Land Use The site is zoned C6-3, C6-3A (Commercial) and M1-5 (Manufacturing) as part of the Special West Chelsea District. Per the NYC Planning website, "The Special West Chelsea District (WCh) provides a regulatory framework for the continued development of a dynamic mixed residential and commercial area centered around the public open space created by reuse of the High Line, a former elevated rail line running north-south through the length of the district." The site is currently an active U-Haul facility. Adjacent properties include mixed use commercial/residential to the north, industrial/manufacturing and commercial/residential to the east, office space and commercial/residential to the south and the West Side Highway to the west. Past Use of the Site: Historic Site uses included: lumber yard, iron works, garage, automotive repair services, chemical storage and storage and dispensing of petroleum products. It is unknown whether U-Haul continued to dispense gasoline after taking title to the property in the late 1970 s/early 1980 s. Currently, no vehicle repair or fueling takes place onsite. Site Geology and Hydrogeology: The Site consists of fairly level land and is located approximately 7 feet above sea level (NAVD 88). The subsurface consists of an approximate 8-9 foot thick layer of historic fill material, followed by sand and gravel deposits. Depth to water is approximately 8-9 ft below ground surface. Based on the proximity to the Hudson River groundwater is expected to flow to the west.

Env Problem:	Information submitted with the BCP application regarding the environmental condition at the site are currently under review and will be revised as additional information becomes available.
Health Problem:	Information submitted with the BCP application regarding the conditions at the site are currently under review and will be revised as additional information becomes available.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	8/8/2016 12:49:00 PM
Record Upd:	8/8/2016 12:49:00 PM
Updated By:	RJCOZZY
Own Op:	Applicant/Requestor
Sub Type:	P03
Owner Name:	Greg Gushee
Owner Company:	23rd and 11th Associates, L.L.C.
Owner Address:	c/o The Related Companies
Owner Addr2:	60 Columbus Circle
Owner City,St,Zip:	New York, NY 10023
Owner Country:	United States of America
Own Op:	Document Repository

555 WEST 22ND STREET (Continued) **S118950495**

Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Manhattan Community Board Four
Owner Address:	330 West 42nd Street, 26th Floor
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10036
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	E
Owner Name:	Matt Braccia
Owner Company:	Amerco Real Estate Co.
Owner Address:	2727 North Central Avenue
Owner Addr2:	Not reported
Owner City,St,Zip:	Phoenix, AZ 85004
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	New York Public Library - Muhlenberg Branch
Owner Address:	209 West 23rd Street
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10011
Owner Country:	United States of America
HW Code:	Not reported
Waste Type:	Not reported
Waste Quantity:	Not reported
Waste Code:	Not reported
Crossref ID:	9700188
Cross Ref Type Code:	01
Cross Ref Type:	Spill No.
Record Added Date:	4/14/2016 10:02:00 AM
Record Updated:	4/14/2016 10:02:00 AM
Updated By:	BXANDERS
Crossref ID:	9000199
Cross Ref Type Code:	01
Cross Ref Type:	Spill No.
Record Added Date:	4/14/2016 10:02:00 AM
Record Updated:	4/14/2016 10:02:00 AM
Updated By:	BXANDERS
Crossref ID:	0205608
Cross Ref Type Code:	01
Cross Ref Type:	Spill No.
Record Added Date:	4/14/2016 10:02:00 AM
Record Updated:	4/14/2016 10:02:00 AM
Updated By:	BXANDERS

---

530 **4305 35TH ST/AMERICAN GLO** **NY LTANKS** **S100145087**
NNE **4305 35TH ST** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.325 mi.
1716 ft.

Relative:
Higher

Actual:
25 ft.

LTANKS:

Facility ID:	8800711
Site ID:	124678
Closed Date:	1993-11-04
Spill Number:	8800711
Spill Date:	1988-04-22

4305 35TH ST/AMERICAN GLO (Continued) **S100145087**

Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	C4
Cleanup Ceased:	1993-11-04
SWIS:	4101
Investigator:	BATTISTA
Referred To:	Not reported
Reported to Dept:	1988-04-22
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1988-04-25
Spill Record Last Update:	1994-02-15
Spiller Name:	Not reported
Spiller Company:	AMERICAN GLOBAL FASTENERS
Spiller Address:	4305 35TH ST
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	107951
DEC Memo:	""
Remarks:	"2K TANK SYSTEM FAILED PETRO TITE WITH A LEAK RATE OF -.606GPH.CONTACT:MICHAEL BELL (718)-729-7500."

All TTF:

Facility ID:	8800711
Spill Number:	8800711
Spill Tank Test:	1533724
Site ID:	124678
Tank Number:	Not reported
Tank Size:	0
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	124678
Operable Unit ID:	916223
Operable Unit:	01
Material ID:	459887
Material Code:	0001A
Material Name:	#2 fuel oil

4305 35TH ST/AMERICAN GLO (Continued) **S100145087**

Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Not reported
Recovered:	.00
Oxygenate:	Not reported

CB531 **211-10-02 73RD AVE/QUEENS** **NY LTANKS** **S102671623**
South **211-10-02 73RD AVENUE** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.326 mi.
1722 ft. **Site 2 of 2 in cluster CB**

Relative:
Lower

Actual:
11 ft.

LTANKS:

Facility ID:	9010783
Site ID:	123862
Closed Date:	1991-01-09
Spill Number:	9010783
Spill Date:	1991-01-02
Spill Cause:	Tank Overfill
Spill Source:	Commercial/Industrial
Spill Class:	Not reported
Cleanup Ceased:	1991-01-09
SWIS:	4101
Investigator:	WILSON
Referred To:	Not reported
Reported to Dept:	1991-01-09
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1991-01-29
Spill Record Last Update:	1991-01-29
Spiller Name:	Not reported
Spiller Company:	HESS
Spiller Address:	1 HESS PLAZA
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	107351
DEC Memo:	""
Remarks:	"DRIVER DELIVERED TO WRONG TANK,OVERFILL RESULTED FROM VENT TO SOIL AREA,SPEEDY DRY WAS APPLIED, WILL PICK UP & DISPOSE."

All Materials:

Site ID:	123862
Operable Unit ID:	947926
Operable Unit:	01
Material ID:	430901
Material Code:	0003A
Material Name:	#6 fuel oil

211-10-02 73RD AVE/QUEENS (Continued) **S102671623**

Case No.:	Not reported
Material FA:	Petroleum
Quantity:	15.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

532
NNE
1/4-1/2
0.329 mi.
1735 ft.

CONSTRUCTION SITE
529 WEST 35TH ST
MANHATTAN, NY

NY LTANKS **S105055174**
N/A

Relative:
Higher

Actual:
35 ft.

LTANKS:

Facility ID:	0103274
Site ID:	246701
Closed Date:	2001-12-13
Spill Number:	0103274
Spill Date:	2001-06-25
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	JBVOUGHT
Referred To:	Not reported
Reported to Dept:	2001-06-25
CID:	382
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2001-06-25
Spill Record Last Update:	2001-12-13
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	GARY ZAID
Spiller Phone:	(212) 736-1626
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	202580
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was VOUGHT 8/2001-Tank closure report prepared by Franklin Company Contractors. 6/29/2001-Franklin implemented bioremediation by mixing 240lbs of ORC with surrounding soils and filling in excavation. 500 gallons of Waste stream technologies W-4 bio-blend mixture also injected.. Site was bakcfilled with 3 to 6 feet of clean fill, 6 inches of crushed stone and an 8-mil polyethylene vapor barrier. Area was then covered with 6 inch reinforced concrete slab. Soil VOC pass TAGM, soil SVOC exceed TAGM but are due to fill composition. Site visit by Jacob Krimgold showed no visual evidence of contamination. Groundwater VOC and SVOC also pass TAGM. 12/13/2001 Spill closed as

CONSTRUCTION SITE (Continued) **S105055174**

Remarks: per Mark Tibbe, Jacob Krimgold and myself (all NYSDEC personnel). " "SOIL SAMPLE RESULTS FROM REMOVAL OF 3 TANKS AT LOCATION. NO VISABLE SIGNS OF CONTAMINATION."

All Materials:

Site ID:	246701
Operable Unit ID:	841954
Operable Unit:	01
Material ID:	535365
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

---

533 NE 1/4-1/2 0.329 mi. 1737 ft.

444 10TH AVENUE
444 10TH AVENUE
NEW YORK CITY, NY

NY VCP **S118943369**
N/A

Relative: Higher

Actual: 40 ft.

VCP NYC:

Project ID:	14CVCP235M
Project Name:	444 10TH AVENUE
Project Address:	444 10TH AVENUE
Borough:	MANHATTAN

VCP NYC:

Project ID:	14CVCP235M
File Name:	2014-02-21.RIR
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP235M/2014-02-21.RIR.pdf
Project ID:	14CVCP235M
File Name:	2014-02-21.RAWP_Draft
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP235M/2014-02-21.RAWP_Draft.pdf
Project ID:	14CVCP235M
File Name:	2014-02-21.Factsheet-1
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP235M/2014-02-21.Factsheet-1.pdf
Project ID:	14CVCP235M
File Name:	2014-02-21.Translated_Factsheet-1
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP235M/2014-02-21.Translated_Factsheet-1.pdf
Project ID:	14CVCP235M
File Name:	2014-02-21.Translated_CPS
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP235M/2014-02-21.Translated_CPS.pdf
Project ID:	14CVCP235M
File Name:	2016-04-27.RAR

444 10TH AVENUE (Continued) **S118943369**

URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP235M/2016-04-27.14EH-N116M.report.RAR_FINAL_Text_Figures_Tables.Brinkerhoff.pdf

Project ID: 14CVCP235M
File Name: 2016-04-27.RAR_Appendices
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP235M/2016-04-27.14EH-N116M.report.RAR_FINAL_Appendices.Brinkerhoff.pdf

Project ID: 14CVCP235M
File Name: 2016-05-03.Factsheet-3
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP235M/2016-05-03.14CVCP235M.444_10th_Avenue_FactSheet-3.pdf

Project ID: 14CVCP235M
File Name: 2016-05-03.Translated_Factsheet-3
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP235M/2016-05-03.14CVCP235M.444_10th_Avenue_Translated_FactSheet-3.pdf

Project ID: 14CVCP235M
File Name: 2016-05-03.Notice_of_Completion
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP235M/2016-05-03.14CVCP235M.notice.Notice_Of_Completion.OER.pdf

---

534 ESE 1/4-1/2 0.332 mi. 1755 ft. **APARTMENT BUILDING 347 WEST 29TH ST MANHATTAN, NY** **NY LTANKS** **S102662670 N/A**

Relative: Higher

Actual: 30 ft.

LTANKS:

Facility ID:	9608521
Site ID:	111829
Closed Date:	1996-11-22
Spill Number:	9608521
Spill Date:	1996-10-08
Spill Cause:	Tank Overfill
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	MCTIBBE
Referred To:	Not reported
Reported to Dept:	1996-10-09
CID:	297
Water Affected:	Not reported
Spill Notifier:	Affected Persons
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1996-10-09
Spill Record Last Update:	2004-07-20
Spiller Name:	Not reported

APARTMENT BUILDING (Continued) **S102662670**

Spiller Company:	BAYSIDE FUEL OIL CORP
Spiller Address:	1810 SHORE PRKWY
Spiller County:	001
Spiller Contact:	SONDRA STEIN
Spiller Phone:	(212) 988-0688
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	97777
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was M TIBBE Bayside cleaned."
Remarks:	"CALLER IS THE APARTMENT COMPLEX OWNER AND RECIEVED A CALL FROM HER SUPERINTENDANT THATH THE OIL DELIVERY DRIVER SPILLED AN UNKNOWN AMOUNT OF OIL INTO A FLOWER GARDEN IN THE FRONT OF THE BLDG - WHEN THE CALLER CONTACTED THE OIL COMPANY THEY DID NOT GET BACK TO HER - CALLER WOULD LIKE A CALL BACK FOR MORE INFORMATION"

All Materials:

Site ID:	111829
Operable Unit ID:	1039727
Operable Unit:	01
Material ID:	344258
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

---

535 ESE 1/4-1/2 0.341 mi. 1802 ft.

UPSCALE DEVELOPMENT
349 WEST 30TH ST 1ST FL
MANHATTAN, NY

NY LTANKS **S104276873**
N/A

Relative: Higher

Actual: 33 ft.

LTANKS:

Facility ID:	9612243
Site ID:	121309
Closed Date:	1997-12-31
Spill Number:	9612243
Spill Date:	1997-01-10
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	MMMULQUE
Referred To:	Not reported
Reported to Dept:	1997-01-13
CID:	351
Water Affected:	Not reported
Spill Notifier:	Local Agency
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False

UPSCALE DEVELOPMENT (Continued) **S104276873**

Remediation Phase:	0
Date Entered In Computer:	1997-01-13
Spill Record Last Update:	1998-01-06
Spiller Name:	Not reported
Spiller Company:	CAPITOL FUEL
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	MAXINE WALDRON
Spiller Phone:	(212) 594-2515
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	105295
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MULQUEEN TANK OVERFILL, RUPTURED TANK. TOLD PROPERTY OWNER TO CONTACT OIL COMPANY IN REGARDS TO REPLACING TANK. OIL COMPANY DID CLEANUP."
Remarks:	"SPILL IS IN SUB BASEMENT OF BUILDING AND ODOR HAS TRAVELED THROUGH THE BUILDING - HAZ MAT IS BEING NOTIFIED"

All Materials:

Site ID:	121309
Operable Unit ID:	1043759
Operable Unit:	01
Material ID:	340898
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	50.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

536
NNW
1/4-1/2
0.353 mi.
1862 ft.

PIER 84 **NY LTANKS** **S106971362**
12TH AVE/WEST 34TH STREET **N/A**
MANHATTAN, NY

Relative:
Lower

Actual:
11 ft.

LTANKS:

Facility ID:	0407858
Site ID:	332435
Closed Date:	2004-10-19
Spill Number:	0407858
Spill Date:	2004-10-15
Spill Cause:	Tank Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	D4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	SMSANGES
Referred To:	Not reported
Reported to Dept:	2004-10-15
CID:	444
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False

PIER 84 (Continued) **S106971362**

Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2004-10-18
Spill Record Last Update:	2004-10-19
Spiller Name:	AXEL
Spiller Company:	PIER 84
Spiller Address:	12TH AVE/WEST 34TH STREET
Spiller County:	001
Spiller Contact:	AXEL
Spiller Phone:	(646) 459-3500
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	267625
DEC Memo:	"10/19/2004 Duplicate spill number Cross Ref. # 0107798"
Remarks:	"ASSOCIATED WITH SPILL # 0107798: FOUND WHILE REMOVING TANK: SHEEN ON GROUNDWATER"

All Materials:

Site ID:	332435
Operable Unit ID:	1094668
Operable Unit:	01
Material ID:	574791
Material Code:	0002A
Material Name:	#4 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	.00
Oxygenate:	Not reported

537
NE
1/4-1/2
0.357 mi.
1887 ft.

AD SCHEUMANN LUMBER **NY LTANKS** **S102233238**
524 WEST 36TH STREET **N/A**
NEW YORK, NY

Relative:
Higher

Actual:
34 ft.

LTANKS:

Facility ID:	9510491
Site ID:	175887
Closed Date:	1998-01-16
Spill Number:	9510491
Spill Date:	1995-11-17
Spill Cause:	Tank Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	MMMULQUE
Referred To:	Not reported
Reported to Dept:	1995-11-20
CID:	282
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False

AD SCHEUMANN LUMBER (Continued) **S102233238**

Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1995-11-20
Spill Record Last Update:	2003-11-14
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	ALAN
Spiller Phone:	(212) 594-5555
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	147834
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MULQUEEN 1/16/98 CROSS REFERENCED TO SPILL NUMBER 9610133. (O'DOWD)"
Remarks:	"THE TANK POSSIBLY LEAKED.THE TANK IS IN THE GROUND.THEY ARE DOING TESTS ON THE TANK TO DETERMINE IF IT IS THE TANK OR THE LINE."

All Materials:

Site ID:	175887
Operable Unit ID:	1024976
Operable Unit:	01
Material ID:	357854
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

538
SW
1/4-1/2
0.363 mi.
1916 ft.

THE MERRY GATES OF HEAVEN **NY LTANKS** **S100559977**
103-12 101ST AVENUE **N/A**
NEW YORK CITY, NY

Relative:
Lower

Actual:
3 ft.

LTANKS:

Facility ID:	8706124
Site ID:	297730
Closed Date:	1993-03-17
Spill Number:	8706124
Spill Date:	1987-10-20
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C4
Cleanup Ceased:	1993-03-17
SWIS:	4101
Investigator:	BATTISTA
Referred To:	Not reported
Reported to Dept:	1987-10-20
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported

THE MERRY GATES OF HEAVEN (Continued) **S100559977**

Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1987-10-22
Spill Record Last Update:	1994-02-15
Spiller Name:	Not reported
Spiller Company:	ST. MARY GATE OF HEAVEN
Spiller Address:	103-12 101ST AVE.
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	240884
DEC Memo:	""
Remarks:	"2K TANK FAILED TEST WITH A LEAK RATE OF .142 G/HR. WILL EXCAVATE, ISOLATE, AND RETEST."

All TTF:

Facility ID:	8706124
Spill Number:	8706124
Spill Tank Test:	1531978
Site ID:	297730
Tank Number:	Not reported
Tank Size:	0
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	297730
Operable Unit ID:	909923
Operable Unit:	01
Material ID:	465142
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Not reported
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	8803832
Site ID:	172122
Closed Date:	1993-03-17
Spill Number:	8803832

THE MERRY GATES OF HEAVEN (Continued) **S100559977**

Spill Date:	1988-08-01
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C4
Cleanup Ceased:	1993-03-17
SWIS:	4101
Investigator:	BATTISTA
Referred To:	Not reported
Reported to Dept:	1988-08-01
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1988-08-02
Spill Record Last Update:	1994-02-15
Spiller Name:	Not reported
Spiller Company:	THE MERRY GATES OF HEAVEN
Spiller Address:	103-12 101ST AVENUE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	144869
DEC Memo:	""
Remarks:	"SYSTEMS TEST, VISIBLE LEAK, BROKEN GASKET ON THE MAN WAY, WILL REPAIR GASKET AND RETEST."

All TTF:

Facility ID:	8803832
Spill Number:	8803832
Spill Tank Test:	1534382
Site ID:	172122
Tank Number:	Not reported
Tank Size:	0
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	172122
Operable Unit ID:	921011
Operable Unit:	01
Material ID:	459364
Material Code:	0001A

THE MERRY GATES OF HEAVEN (Continued) **S100559977**

Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5000.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

CC539 **NEW YORK STATE DEC** **NY LTANKS** **1007205199**
SSW **507 W 21ST ST** **NY Spills** **NYP000920066**
1/4-1/2 **NEW YORK, NY 10201** **RCRA NonGen / NLR**
0.366 mi. **NY MANIFEST**
1935 ft. **Site 1 of 4 in cluster CC**

Relative: **Lower**
Actual: **10 ft.**

LTANKS:

Facility ID:	9510154
Site ID:	312315
Closed Date:	1997-12-17
Spill Number:	9510154
Spill Date:	1993-06-08
Spill Cause:	Tank Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	B2
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	MCTIBBE
Referred To:	Not reported
Reported to Dept:	1995-11-14
CID:	266
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1995-11-14
Spill Record Last Update:	1997-12-17
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	251830
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE SEE FILE. SEE ALSO 91-12111 & 96-10012. "
Remarks:	"SITE OWNER HENRY & LLOYD COMPANY. ATTORNEY OF THE OWNER NOTIFIED NEW YORK CITY LAW DEPARTMENT ABOUT LEAKAGE FROM 14X550 GALLON TANKS AT SITE. (SEE COPY OF HIS LETTER)"

All Materials:

Site ID:	312315
Operable Unit ID:	1024627
Operable Unit:	01

NEW YORK STATE DEC (Continued) **1007205199**

Material ID: 361077
Material Code: 0008
Material Name: diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

Site ID: 312315
Operable Unit ID: 1024627
Operable Unit: 01
Material ID: 361078
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

SPILLS:
Facility ID: 9416028
Facility Type: ER
Spill Number: 9416028
DER Facility ID: 432415
Site ID: 312314
DEC Region: 2
Closed Date: 1996-01-02
Spill Cause: Other
Spill Class: C3
SWIS: 3101
Spill Date: 1995-03-11
Investigator: MCTIBBE
Referred To: Not reported
Reported to Dept: 1995-03-11
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Local Agency
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1995-04-13
Spill Record Last Update: 2012-12-26
Spiller Name: Not reported
Spiller Company: RED BALL DEMO DUMPSTER
Spiller Address: UNKNOWN CONSTRUCTION CO.
Spiller Company: 001
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was

NEW YORK STATE DEC (Continued) **1007205199**

TIBBE "
Remarks: "DEMOLITION DUMPSTER, 20 GALLONS IN MANHOLE COVER, CON EDISON TOOK SAMPLES. REQ CONTACT BY NYSDEC."

All Materials:
Site ID: 312314
Operable Unit ID: 1009479
Operable Unit: 01
Material ID: 371195
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: 60.00
Units: G
Recovered: 60.00
Oxygenate: Not reported

RCRA NonGen / NLR:
Date form received by agency: 01/03/1996
Facility name: NEW YORK STATE DEC
Facility address: 507 W 21ST ST
NEW YORK, NY 10201-0000
EPA ID: NYP000920066
Mailing address: 50 WOLF RD
ALBANY, NY 12233-0000
Contact: SECTION REPORTING
Contact address: 50 WOLF RD
ALBANY, NY 12233-0000
Contact country: US
Contact telephone: 999-999-9999
Telephone ext.: 9999
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:

NEW YORK STATE DEC (Continued) **1007205199**

Date form received by agency: 01/02/1996
Site name: NEW YORK STATE DEC
Classification: Not a generator, verified

Date form received by agency: 01/01/1996
Site name: NEW YORK STATE DEC
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP000920066
Facility Status: Not reported
Location Address 1: 507 WEST 21ST ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10011
Location Zip 4: 2811

NY MANIFEST:
EPAID: NYP000920066
Mailing Name: NYSDEC REGION 2 DIV OF SPILL PREVENTION
Mailing Contact: MARK C TIBBE
Mailing Address 1: 50 WOLF RD RM 340
Mailing Address 2: Not reported
Mailing City: ALBANY
Mailing State: NY
Mailing Zip: 12233
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 0000000000

NY MANIFEST:
Document ID: NYB5107176
Manifest Status: C
seq: Not reported
Year: 1995
Trans1 State ID: RK3196
Trans2 State ID: Not reported
Generator Ship Date: 04/27/1995
Trans1 Recv Date: 04/27/1995
Trans2 Recv Date: / /
TSD Site Recv Date: 05/12/1995
Part A Recv Date: / /
Part B Recv Date: 05/18/1995
Generator EPA ID: NYP000920066
Trans1 EPA ID: NYD064743263
Trans2 EPA ID: Not reported
TSDF ID 1: NYD082785429
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported

NEW YORK STATE DEC (Continued) **1007205199**

Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00250
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access
1 additional NY_MANIFEST: record(s) in the EDR Site Report.

CC540 **TIME WARNER CABLE** **NY AST** **U003074535**
SSW **511 WEST 21ST ST** **NY ENG CONTROLS** **N/A**
1/4-1/2 **NEW YORK, NY 10011** **NY INST CONTROL**
0.368 mi. **NY BROWNFIELDS**
1941 ft. **Site 2 of 4 in cluster CC** **NY Spills**

Relative:
Lower

Actual:
10 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-285919
Program Type:	PBS
UTM X:	584007.51842
UTM Y:	4511108.13116
Expiration Date:	N/A
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	12731
Affiliation Type:	Mail Contact
Company Name:	FLEMING-LEE SHUE, INC.
Contact Type:	Not reported
Contact Name:	ARNOLD FLEMING-ENVIRONMENTAL CONSULTANT
Address1:	158 WEST 29TH STREET, 9TH FL.
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 675-3225
EMail:	ARNIE@FLEMINGLEESHUE.COM
Fax Number:	Not reported
Modified By:	ACDANIEL

TIME WARNER CABLE (Continued) **U003074535**

Date Last Modified:	2016-12-02
Site Id:	12731
Affiliation Type:	Facility Operator
Company Name:	TIME WARNER CABLE OFFICES
Contact Type:	Not reported
Contact Name:	N'A
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	Not reported
EMail:	Not reported
Fax Number:	Not reported
Modified By:	ACDANIEL
Date Last Modified:	2016-12-02
Site Id:	12731
Affiliation Type:	Emergency Contact
Company Name:	510 WEST 22ND STRETT OWNER, LLC
Contact Type:	Not reported
Contact Name:	ARNOLD FLEMING
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(212) 675-3225
EMail:	Not reported
Fax Number:	Not reported
Modified By:	ACDANIEL
Date Last Modified:	2016-12-02
Site Id:	12731
Affiliation Type:	Facility Owner
Company Name:	510 WEST 22ND STRETT OWNER, LLC
Contact Type:	AUTHORIZED PERSON
Contact Name:	CHRISTOPHER ALBANESE
Address1:	1050 FRANKLIN AVE., C/O ALBANESE ORG.
Address2:	Not reported
City:	GARDEN CITY
State:	NY
Zip Code:	10002
Country Code:	001
Phone:	(516) 746-6000
EMail:	Not reported
Fax Number:	Not reported
Modified By:	ACDANIEL
Date Last Modified:	2016-12-02

Tank Info:

Tank Number:	001
Tank Id:	17644

TIME WARNER CABLE (Continued) **U003074535**

Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Location: 6
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 104
Tank Id: 47837
Material Code: 9999
Common Name of Substance: Other

Equipment Records:
H00 - Tank Leak Detection - None
J00 - Dispenser - None
D00 - Pipe Type - No Piping
G01 - Tank Secondary Containment - Diking (Aboveground)
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I01 - Overfill - Float Vent Valve
A00 - Tank Internal Protection - None

Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 05/01/1994
Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 10/11/2007
Register: True

TIME WARNER CABLE (Continued) **U003074535**

Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: other

Tank Number: 105
Tank Id: 47838
Material Code: 9999
Common Name of Substance: Other

Equipment Records:

J00 - Dispenser - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None

Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 03/01/1990
Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 10/11/2007
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: other

ENG CONTROLS:

Site Code: 475372
HW Code: C231080
Control Code: 15
Control Type: ENG
Date Record Added: 10/03/2016
Date Rec Updated: 12/21/2016
Updated By: RXSCHICK
Site Description: Location: The site is located at 511 West 21st Street in Manhattan, NY. The property is bounded by West 21st Street to the south and West 22nd Street to the north between 10th Avenue and 11th Avenue in Manhattan. The property has frontage on the north side of West 21st Street and the south side of West 22nd Street. Site Features: The site is approximately 0.45 acres in size, is currently an active construction site and there are no site occupants. The property is flat with average elevation approximately 10 feet above mean sea level and the elevated High Line Park runs along the eastern property boundary. Current Zoning and Land Use: The area is zoned for manufacturing and commercial use, and the City's zoning code for the site is M1-5. Past Use of the Site: The site has been used for manufacturing by a gas meter company and also as a service station.

TIME WARNER CABLE (Continued) **U003074535**

	Most recently it has been used by a television cable company for vehicle parking and maintenance, storage and offices. Site Geology and Hydrogeology: The site is underlain by 13 to 17 feet of man-made/historic fill. Native soils beneath the fill layer consist of organic silty clay of estuarine origin as well as sand and silt of glacial origin. The depth-to-bedrock varies from approximately 33 feet below grade at the northern end of the site to 65 feet below grade at the southern end of the site. The depth-to-groundwater at the site is approximately 6 to 7 feet below sidewalk grade and the local groundwater flow direction is to the southwest.
Env Problem:	Remediation at the site is complete. Prior to remediation, the primary contaminants of concern included metals, semi-volatile organic compounds (SVOCs), and volatile organic compounds (VOCs)in soil and /or groundwater. Remedial actions have successfully achieved soil cleanup objectives for commercial use. A Site Management Plan (SMP) will be implemented to manage remaining contamination in the future. An environmental easement will limit the future use of property, restrict the use of groundwater and require compliance with the SMP. All engineering controls (e.g., soil cover/cap) of the remedy will be operated and maintained under the SMP.
Health Problem:	Remedial actions are complete and measures are in place to control the potential for coming in contact with residual contamination that remains on-site.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	11/20/2012 3:11:00 PM
Record Upd:	11/16/2016 3:41:00 PM
Updated By:	JXPEREZM
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	New York Public Library
Owner Address:	Muhlenberg Branch
Owner Addr2:	209 West 23rd Street
Owner City,St,Zip:	New York, NY 10011-2379
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	P03
Owner Name:	Martin Dettling
Owner Company:	510 West 22nd Street Partners LLC
Owner Address:	c/o Albanese Development Corporation
Owner Addr2:	1050 Franklin Avenue
Owner City,St,Zip:	Garden City, NY 11530
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	E
Owner Name:	Christopher Albanese
Owner Company:	510 West 22nd Street Owner, LLC
Owner Address:	c/o Albanese Organization, Inc
Owner Addr2:	1050 Franklin Avenue

TIME WARNER CABLE (Continued) **U003074535**

Owner City,St,Zip:	Garden City, NY 11530
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	P03
Owner Name:	Christopher Albanese
Owner Company:	510 West 22nd Street Owner, LLC
Owner Address:	c/o Albanese Organization, Inc.
Owner Addr2:	1050 Franklin Avenue
Owner City,St,Zip:	Garden City, NY 11530
Owner Country:	United States of America
HW Code:	C231080
Waste Type:	ETHYLBENZENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231080
Waste Type:	METHYL-TERT-BUTYL ETHER (MTBE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231080
Waste Type:	DIBENZ[A,H]ANTHRACENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231080
Waste Type:	XYLENE (MIXED)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231080
Waste Type:	BENZENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231080
Waste Type:	BENZO(A)PYRENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231080
Waste Type:	METHYL ETHYL KETONE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231080
Waste Type:	TOLUENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231080
Waste Type:	COPPER
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231080
Waste Type:	DICHLORODIFLUOROMETHANE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	2016000216749
Cross Ref Type Code:	25
Cross Ref Type:	County Recording Identifier
Record Added Date:	7/11/2016 3:58:00 PM
Record Updated:	7/11/2016 3:58:00 PM
Updated By:	JEBROWN
Crossref ID:	C231080 02 13

TIME WARNER CABLE (Continued) **U003074535**

Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 11/16/2016 3:43:00 PM
Record Updated: 11/16/2016 3:43:00 PM
Updated By: JXPEREZM
Crossref ID: 8907798
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 11/23/2012 11:18:00 AM
Record Updated: 11/23/2012 11:18:00 AM
Updated By: JDJARRAT
Crossref ID: 0010394
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 11/23/2012 11:19:00 AM
Record Updated: 11/23/2012 11:19:00 AM
Updated By: JDJARRAT
Crossref ID: 2-285919
Cross Ref Type Code: 18
Cross Ref Type: PBS No.
Record Added Date: 11/23/2012 11:21:00 AM
Record Updated: 11/23/2012 11:21:00 AM
Updated By: JDJARRAT
Crossref ID: 1309055
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 12/11/2013 2:05:00 PM
Record Updated: 12/11/2013 2:05:00 PM
Updated By: JXPEREZM

INST CONTROL:
Site Code: 475372
Control Name: Environmental Easement
HW Code: C231080
Control Code: J
Control Type: INST
Dt record added: 10/03/2016
Dt rec updated: 12/21/2016
Updated By: RXSCHICK
Site Code: 475372
Site Description: Location: The site is located at 511 West 21st Street in Manhattan, NY. The property is bounded by West 21st Street to the south and West 22nd Street to the north between 10th Avenue and 11th Avenue in Manhattan. The property has frontage on the north side of West 21st Street and the south side of West 22nd Street. Site Features: The site is approximately 0.45 acres in size, is currently an active construction site and there are no site occupants. The property is flat with average elevation approximately 10 feet above mean sea level and the elevated High Line Park runs along the eastern property boundary. Current Zoning and Land Use: The area is zoned for manufacturing and commercial use, and the City’s zoning code for the site is M1-5. Past Use of the Site: The site has been used for manufacturing by a gas meter company and also as a service station. Most recently it has been used by a television cable company for vehicle parking and maintenance, storage and offices. Site Geology and Hydrogeology: The site is underlain by 13 to 17 feet of man-made/historic fill. Native soils beneath the fill layer consist

TIME WARNER CABLE (Continued) **U003074535**

of organic silty clay of estuarine origin as well as sand and silt of glacial origin. The depth-to-bedrock varies from approximately 33 feet below grade at the northern end of the site to 65 feet below grade at the southern end of the site. The depth-to-groundwater at the site is approximately 6 to 7 feet below sidewalk grade and the local groundwater flow direction is to the southwest.

Env Problem: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern included metals, semi-volatile organic compounds (SVOCs), and volatile organic compounds (VOCs)in soil and /or groundwater. Remedial actions have successfully achieved soil cleanup objectives for commercial use. A Site Management Plan (SMP) will be implemented to manage remaining contamination in the future. An environmental easement will limit the future use of property, restrict the use of groundwater and require compliance with the SMP. All engineering controls (e.g., soil cover/cap) of the remedy will be operated and maintained under the SMP.
Health Problem: Remedial actions are complete and measures are in place to control the potential for coming in contact with residual contamination that remains on-site.
Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 11/20/2012 3:11:00 PM
Record Upd: 11/16/2016 3:41:00 PM
Updated By: JXPEREZM
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: New York Public Library
Owner Address: Muhlenberg Branch
Owner Addr2: 209 West 23rd Street
Owner City,St,Zip: New York, NY 10011-2379
Owner Country: United States of America
Own Op: Applicant/Requestor
Sub Type: P03
Owner Name: Martin Dettling
Owner Company: 510 West 22nd Street Partners LLC
Owner Address: c/o Albanese Development Corporation
Owner Addr2: 1050 Franklin Avenue
Owner City,St,Zip: Garden City, NY 11530
Owner Country: United States of America
Own Op: Owner
Sub Type: E
Owner Name: Christopher Albanese
Owner Company: 510 West 22nd Street Owner, LLC
Owner Address: c/o Albanese Organization, Inc
Owner Addr2: 1050 Franklin Avenue
Owner City,St,Zip: Garden City, NY 11530
Owner Country: United States of America
Own Op: Applicant/Requestor
Sub Type: P03

TIME WARNER CABLE (Continued) **U003074535**

Owner Name: Christopher Albanese
Owner Company: 510 West 22nd Street Owner, LLC
Owner Address: c/o Albanese Organization, Inc.
Owner Addr2: 1050 Franklin Avenue
Owner City,St,Zip: Garden City, NY 11530
Owner Country: United States of America
HW Code: C231080
Waste Type: ETHYLBENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: METHYL-TERT-BUTYL ETHER (MTBE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: DIBENZ[A,H]ANTHRACENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: XYLENE (MIXED)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: BENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: BENZO(A)PYRENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: METHYL ETHYL KETONE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: TOLUENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: COPPER
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: DICHLORODIFLUOROMETHANE
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: 2016000216749
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 7/11/2016 3:58:00 PM
Record Updated: 7/11/2016 3:58:00 PM
Updated By: JEBROWN
Crossref ID: C231080 02 13
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 11/16/2016 3:43:00 PM
Record Updated: 11/16/2016 3:43:00 PM

TIME WARNER CABLE (Continued) **U003074535**

Updated By: JXPEREZM
Crossref ID: 8907798
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 11/23/2012 11:18:00 AM
Record Updated: 11/23/2012 11:18:00 AM
Updated By: JDJARRAT
Crossref ID: 0010394
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 11/23/2012 11:19:00 AM
Record Updated: 11/23/2012 11:19:00 AM
Updated By: JDJARRAT
Crossref ID: 2-285919
Cross Ref Type Code: 18
Cross Ref Type: PBS No.
Record Added Date: 11/23/2012 11:21:00 AM
Record Updated: 11/23/2012 11:21:00 AM
Updated By: JDJARRAT
Crossref ID: 1309055
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 12/11/2013 2:05:00 PM
Record Updated: 12/11/2013 2:05:00 PM
Updated By: JXPEREZM

Site Code: 475372
Control Name: Soil Management Plan
HW Code: C231080
Control Code: 14
Control Type: INST
Dt record added: 10/03/2016
Dt rec updated: 12/21/2016
Updated By: RXSCHICK
Site Code: 475372
Site Description: Location: The site is located at 511 West 21st Street in Manhattan, NY. The property is bounded by West 21st Street to the south and West 22nd Street to the north between 10th Avenue and 11th Avenue in Manhattan. The property has frontage on the north side of West 21st Street and the south side of West 22nd Street. Site Features: The site is approximately 0.45 acres in size, is currently an active construction site and there are no site occupants. The property is flat with average elevation approximately 10 feet above mean sea level and the elevated High Line Park runs along the eastern property boundary. Current Zoning and Land Use: The area is zoned for manufacturing and commercial use, and the City's zoning code for the site is M1-5. Past Use of the Site: The site has been used for manufacturing by a gas meter company and also as a service station. Most recently it has been used by a television cable company for vehicle parking and maintenance, storage and offices. Site Geology and Hydrogeology: The site is underlain by 13 to 17 feet of man-made/historic fill. Native soils beneath the fill layer consist of organic silty clay of estuarine origin as well as sand and silt of glacial origin. The depth-to-bedrock varies from approximately 33 feet below grade at the northern end of the site to 65 feet below grade at the southern end of the site. The depth-to-groundwater at the site is approximately 6 to 7 feet below sidewalk grade and the

TIME WARNER CABLE (Continued) **U003074535**

local groundwater flow direction is to the southwest.
Env Problem: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern included metals, semi-volatile organic compounds (SVOCs), and volatile organic compounds (VOCs)in soil and /or groundwater. Remedial actions have successfully achieved soil cleanup objectives for commercial use. A Site Management Plan (SMP) will be implemented to manage remaining contamination in the future. An environmental easement will limit the future use of property, restrict the use of groundwater and require compliance with the SMP. All engineering controls (e.g., soil cover/cap) of the remedy will be operated and maintained under the SMP.
Health Problem: Remedial actions are complete and measures are in place to control the potential for coming in contact with residual contamination that remains on-site.
Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 11/20/2012 3:11:00 PM
Record Upd: 11/16/2016 3:41:00 PM
Updated By: JXPEREZM
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: New York Public Library
Owner Address: Muhlenberg Branch
Owner Addr2: 209 West 23rd Street
Owner City,St,Zip: New York, NY 10011-2379
Owner Country: United States of America
Own Op: Applicant/Requestor
Sub Type: P03
Owner Name: Martin Dettling
Owner Company: 510 West 22nd Street Partners LLC
Owner Address: c/o Albanese Development Corporation
Owner Addr2: 1050 Franklin Avenue
Owner City,St,Zip: Garden City, NY 11530
Owner Country: United States of America
Own Op: Owner
Sub Type: E
Owner Name: Christopher Albanese
Owner Company: 510 West 22nd Street Owner, LLC
Owner Address: c/o Albanese Organization, Inc
Owner Addr2: 1050 Franklin Avenue
Owner City,St,Zip: Garden City, NY 11530
Owner Country: United States of America
Own Op: Applicant/Requestor
Sub Type: P03
Owner Name: Christopher Albanese
Owner Company: 510 West 22nd Street Owner, LLC
Owner Address: c/o Albanese Organization, Inc.
Owner Addr2: 1050 Franklin Avenue
Owner City,St,Zip: Garden City, NY 11530

TIME WARNER CABLE (Continued) **U003074535**

Owner Country: United States of America
HW Code: C231080
Waste Type: ETHYLBENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: METHYL-TERT-BUTYL ETHER (MTBE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: DIBENZ[A,H]ANTHRACENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: XYLENE (MIXED)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: BENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: BENZO(A)PYRENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: METHYL ETHYL KETONE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: TOLUENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: COPPER
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: DICHLORODIFLUOROMETHANE
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: 2016000216749
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 7/11/2016 3:58:00 PM
Record Updated: 7/11/2016 3:58:00 PM
Updated By: JEBROWN
Crossref ID: C231080 02 13
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 11/16/2016 3:43:00 PM
Record Updated: 11/16/2016 3:43:00 PM
Updated By: JXPEREZM
Crossref ID: 8907798
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 11/23/2012 11:18:00 AM

TIME WARNER CABLE (Continued) **U003074535**

Record Updated: 11/23/2012 11:18:00 AM
Updated By: JDJARRAT
Crossref ID: 0010394
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 11/23/2012 11:19:00 AM
Record Updated: 11/23/2012 11:19:00 AM
Updated By: JDJARRAT
Crossref ID: 2-285919
Cross Ref Type Code: 18
Cross Ref Type: PBS No.
Record Added Date: 11/23/2012 11:21:00 AM
Record Updated: 11/23/2012 11:21:00 AM
Updated By: JDJARRAT
Crossref ID: 1309055
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 12/11/2013 2:05:00 PM
Record Updated: 12/11/2013 2:05:00 PM
Updated By: JXPEREZM

Site Code: 475372
Control Name: Site Management Plan
HW Code: C231080
Control Code: 32
Control Type: INST
Dt record added: 10/03/2016
Dt rec updated: 12/21/2016
Updated By: RXSCHICK
Site Code: 475372
Site Description: Location: The site is located at 511 West 21st Street in Manhattan, NY. The property is bounded by West 21st Street to the south and West 22nd Street to the north between 10th Avenue and 11th Avenue in Manhattan. The property has frontage on the north side of West 21st Street and the south side of West 22nd Street. Site Features: The site is approximately 0.45 acres in size, is currently an active construction site and there are no site occupants. The property is flat with average elevation approximately 10 feet above mean sea level and the elevated High Line Park runs along the eastern property boundary. Current Zoning and Land Use: The area is zoned for manufacturing and commercial use, and the City's zoning code for the site is M1-5. Past Use of the Site: The site has been used for manufacturing by a gas meter company and also as a service station. Most recently it has been used by a television cable company for vehicle parking and maintenance, storage and offices. Site Geology and Hydrogeology: The site is underlain by 13 to 17 feet of man-made/historic fill. Native soils beneath the fill layer consist of organic silty clay of estuarine origin as well as sand and silt of glacial origin. The depth-to-bedrock varies from approximately 33 feet below grade at the northern end of the site to 65 feet below grade at the southern end of the site. The depth-to-groundwater at the site is approximately 6 to 7 feet below sidewalk grade and the local groundwater flow direction is to the southwest.
Env Problem: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern included metals, semi-volatile organic compounds (SVOCs), and volatile organic compounds (VOCs)in soil and /or groundwater. Remedial actions have successfully achieved

TIME WARNER CABLE (Continued) **U003074535**

	soil cleanup objectives for commercial use. A Site Management Plan (SMP) will be implemented to manage remaining contamination in the future. An environmental easement will limit the future use of property, restrict the use of groundwater and require compliance with the SMP. All engineering controls (e.g., soil cover/cap) of the remedy will be operated and maintained under the SMP.
Health Problem:	Remedial actions are complete and measures are in place to control the potential for coming in contact with residual contamination that remains on-site.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	11/20/2012 3:11:00 PM
Record Upd:	11/16/2016 3:41:00 PM
Updated By:	JXPEREZM
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	New York Public Library
Owner Address:	Muhlenberg Branch
Owner Addr2:	209 West 23rd Street
Owner City,St,Zip:	New York, NY 10011-2379
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	P03
Owner Name:	Martin Dettling
Owner Company:	510 West 22nd Street Partners LLC
Owner Address:	c/o Albanese Development Corporation
Owner Addr2:	1050 Franklin Avenue
Owner City,St,Zip:	Garden City, NY 11530
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	E
Owner Name:	Christopher Albanese
Owner Company:	510 West 22nd Street Owner, LLC
Owner Address:	c/o Albanese Organization, Inc
Owner Addr2:	1050 Franklin Avenue
Owner City,St,Zip:	Garden City, NY 11530
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	P03
Owner Name:	Christopher Albanese
Owner Company:	510 West 22nd Street Owner, LLC
Owner Address:	c/o Albanese Organization, Inc.
Owner Addr2:	1050 Franklin Avenue
Owner City,St,Zip:	Garden City, NY 11530
Owner Country:	United States of America
HW Code:	C231080
Waste Type:	ETHYLBENZENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported

TIME WARNER CABLE (Continued) **U003074535**

HW Code: C231080
Waste Type: METHYL-TERT-BUTYL ETHER (MTBE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: DIBENZ[A,H]ANTHRACENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: XYLENE (MIXED)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: BENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: BENZO(A)PYRENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: METHYL ETHYL KETONE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: TOLUENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: COPPER
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: DICHLORODIFLUOROMETHANE
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: 2016000216749
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 7/11/2016 3:58:00 PM
Record Updated: 7/11/2016 3:58:00 PM
Updated By: JEBROWN
Crossref ID: C231080 02 13
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 11/16/2016 3:43:00 PM
Record Updated: 11/16/2016 3:43:00 PM
Updated By: JXPEREZM
Crossref ID: 8907798
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 11/23/2012 11:18:00 AM
Record Updated: 11/23/2012 11:18:00 AM
Updated By: JDJARRAT
Crossref ID: 0010394
Cross Ref Type Code: 01
Cross Ref Type: Spill No.

TIME WARNER CABLE (Continued) **U003074535**

Record Added Date: 11/23/2012 11:19:00 AM
Record Updated: 11/23/2012 11:19:00 AM
Updated By: JDJARRAT
Crossref ID: 2-285919
Cross Ref Type Code: 18
Cross Ref Type: PBS No.
Record Added Date: 11/23/2012 11:21:00 AM
Record Updated: 11/23/2012 11:21:00 AM
Updated By: JDJARRAT
Crossref ID: 1309055
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 12/11/2013 2:05:00 PM
Record Updated: 12/11/2013 2:05:00 PM
Updated By: JXPEREZM

Site Code: 475372
Control Name: IC/EC Plan
HW Code: C231080
Control Code: 34
Control Type: INST
Dt record added: 10/03/2016
Dt rec updated: 12/21/2016
Updated By: RXSCHICK
Site Code: 475372
Site Description: Location: The site is located at 511 West 21st Street in Manhattan, NY. The property is bounded by West 21st Street to the south and West 22nd Street to the north between 10th Avenue and 11th Avenue in Manhattan. The property has frontage on the north side of West 21st Street and the south side of West 22nd Street. Site Features: The site is approximately 0.45 acres in size, is currently an active construction site and there are no site occupants. The property is flat with average elevation approximately 10 feet above mean sea level and the elevated High Line Park runs along the eastern property boundary. Current Zoning and Land Use: The area is zoned for manufacturing and commercial use, and the City's zoning code for the site is M1-5. Past Use of the Site: The site has been used for manufacturing by a gas meter company and also as a service station. Most recently it has been used by a television cable company for vehicle parking and maintenance, storage and offices. Site Geology and Hydrogeology: The site is underlain by 13 to 17 feet of man-made/historic fill. Native soils beneath the fill layer consist of organic silty clay of estuarine origin as well as sand and silt of glacial origin. The depth-to-bedrock varies from approximately 33 feet below grade at the northern end of the site to 65 feet below grade at the southern end of the site. The depth-to-groundwater at the site is approximately 6 to 7 feet below sidewalk grade and the local groundwater flow direction is to the southwest.
Env Problem: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern included metals, semi-volatile organic compounds (SVOCs), and volatile organic compounds (VOCs)in soil and /or groundwater. Remedial actions have successfully achieved soil cleanup objectives for commercial use. A Site Management Plan (SMP) will be implemented to manage remaining contamination in the future. An environmental easement will limit the future use of property, restrict the use of groundwater and require compliance with the SMP. All engineering controls (e.g., soil cover/cap) of the

TIME WARNER CABLE (Continued) **U003074535**

remedy will be operated and maintained under the SMP.
Health Problem: Remedial actions are complete and measures are in place to control the potential for coming in contact with residual contamination that remains on-site.
Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 11/20/2012 3:11:00 PM
Record Upd: 11/16/2016 3:41:00 PM
Updated By: JXPEREZM
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: New York Public Library
Owner Address: Muhlenberg Branch
Owner Addr2: 209 West 23rd Street
Owner City,St,Zip: New York, NY 10011-2379
Owner Country: United States of America
Own Op: Applicant/Requestor
Sub Type: P03
Owner Name: Martin Dettling
Owner Company: 510 West 22nd Street Partners LLC
Owner Address: c/o Albanese Development Corporation
Owner Addr2: 1050 Franklin Avenue
Owner City,St,Zip: Garden City, NY 11530
Owner Country: United States of America
Own Op: Owner
Sub Type: E
Owner Name: Christopher Albanese
Owner Company: 510 West 22nd Street Owner, LLC
Owner Address: c/o Albanese Organization, Inc
Owner Addr2: 1050 Franklin Avenue
Owner City,St,Zip: Garden City, NY 11530
Owner Country: United States of America
Own Op: Applicant/Requestor
Sub Type: P03
Owner Name: Christopher Albanese
Owner Company: 510 West 22nd Street Owner, LLC
Owner Address: c/o Albanese Organization, Inc.
Owner Addr2: 1050 Franklin Avenue
Owner City,St,Zip: Garden City, NY 11530
Owner Country: United States of America
HW Code: C231080
Waste Type: ETHYLBENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: METHYL-TERT-BUTYL ETHER (MTBE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080

TIME WARNER CABLE (Continued) **U003074535**

Waste Type: DIBENZ[A,H]ANTHRACENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: XYLENE (MIXED)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: BENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: BENZO(A)PYRENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: METHYL ETHYL KETONE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: TOLUENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: COPPER
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: DICHLORODIFLUOROMETHANE
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: 2016000216749
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 7/11/2016 3:58:00 PM
Record Updated: 7/11/2016 3:58:00 PM
Updated By: JEBROWN
Crossref ID: C231080 02 13
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 11/16/2016 3:43:00 PM
Record Updated: 11/16/2016 3:43:00 PM
Updated By: JXPEREZM
Crossref ID: 8907798
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 11/23/2012 11:18:00 AM
Record Updated: 11/23/2012 11:18:00 AM
Updated By: JDJARRAT
Crossref ID: 0010394
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 11/23/2012 11:19:00 AM
Record Updated: 11/23/2012 11:19:00 AM
Updated By: JDJARRAT
Crossref ID: 2-285919
Cross Ref Type Code: 18

TIME WARNER CABLE (Continued) **U003074535**

Cross Ref Type: PBS No.
Record Added Date: 11/23/2012 11:21:00 AM
Record Updated: 11/23/2012 11:21:00 AM
Updated By: JDJARRAT
Crossref ID: 1309055
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 12/11/2013 2:05:00 PM
Record Updated: 12/11/2013 2:05:00 PM
Updated By: JXPEREZM

Site Code: 475372
Control Name: Landuse Restriction
HW Code: C231080
Control Code: 25
Control Type: INST
Dt record added: 10/03/2016
Dt rec updated: 12/21/2016
Updated By: RXSCHICK
Site Code: 475372
Site Description: Location: The site is located at 511 West 21st Street in Manhattan, NY. The property is bounded by West 21st Street to the south and West 22nd Street to the north between 10th Avenue and 11th Avenue in Manhattan. The property has frontage on the north side of West 21st Street and the south side of West 22nd Street. Site Features: The site is approximately 0.45 acres in size, is currently an active construction site and there are no site occupants. The property is flat with average elevation approximately 10 feet above mean sea level and the elevated High Line Park runs along the eastern property boundary. Current Zoning and Land Use: The area is zoned for manufacturing and commercial use, and the City's zoning code for the site is M1-5. Past Use of the Site: The site has been used for manufacturing by a gas meter company and also as a service station. Most recently it has been used by a television cable company for vehicle parking and maintenance, storage and offices. Site Geology and Hydrogeology: The site is underlain by 13 to 17 feet of man-made/historic fill. Native soils beneath the fill layer consist of organic silty clay of estuarine origin as well as sand and silt of glacial origin. The depth-to-bedrock varies from approximately 33 feet below grade at the northern end of the site to 65 feet below grade at the southern end of the site. The depth-to-groundwater at the site is approximately 6 to 7 feet below sidewalk grade and the local groundwater flow direction is to the southwest.
Env Problem: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern included metals, semi-volatile organic compounds (SVOCs), and volatile organic compounds (VOCs)in soil and /or groundwater. Remedial actions have successfully achieved soil cleanup objectives for commercial use. A Site Management Plan (SMP) will be implemented to manage remaining contamination in the future. An environmental easement will limit the future use of property, restrict the use of groundwater and require compliance with the SMP. All engineering controls (e.g., soil cover/cap) of the remedy will be operated and maintained under the SMP.
Health Problem: Remedial actions are complete and measures are in place to control the potential for coming in contact with residual contamination that remains on-site.
Dump: False

TIME WARNER CABLE (Continued) **U003074535**

Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 11/20/2012 3:11:00 PM
Record Upd: 11/16/2016 3:41:00 PM
Updated By: JXPEREZM
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: New York Public Library
Owner Address: Muhlenberg Branch
Owner Addr2: 209 West 23rd Street
Owner City,St,Zip: New York, NY 10011-2379
Owner Country: United States of America
Own Op: Applicant/Requestor
Sub Type: P03
Owner Name: Martin Dettling
Owner Company: 510 West 22nd Street Partners LLC
Owner Address: c/o Albanese Development Corporation
Owner Addr2: 1050 Franklin Avenue
Owner City,St,Zip: Garden City, NY 11530
Owner Country: United States of America
Own Op: Owner
Sub Type: E
Owner Name: Christopher Albanese
Owner Company: 510 West 22nd Street Owner, LLC
Owner Address: c/o Albanese Organization, Inc
Owner Addr2: 1050 Franklin Avenue
Owner City,St,Zip: Garden City, NY 11530
Owner Country: United States of America
Own Op: Applicant/Requestor
Sub Type: P03
Owner Name: Christopher Albanese
Owner Company: 510 West 22nd Street Owner, LLC
Owner Address: c/o Albanese Organization, Inc.
Owner Addr2: 1050 Franklin Avenue
Owner City,St,Zip: Garden City, NY 11530
Owner Country: United States of America
HW Code: C231080
Waste Type: ETHYLBENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: METHYL-TERT-BUTYL ETHER (MTBE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: DIBENZ[A,H]ANTHRACENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: XYLENE (MIXED)

TIME WARNER CABLE (Continued) **U003074535**

Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: BENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: BENZO(A)PYRENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: METHYL ETHYL KETONE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: TOLUENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: COPPER
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: DICHLORODIFLUOROMETHANE
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: 2016000216749
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 7/11/2016 3:58:00 PM
Record Updated: 7/11/2016 3:58:00 PM
Updated By: JEBROWN
Crossref ID: C231080 02 13
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 11/16/2016 3:43:00 PM
Record Updated: 11/16/2016 3:43:00 PM
Updated By: JXPEREZM
Crossref ID: 8907798
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 11/23/2012 11:18:00 AM
Record Updated: 11/23/2012 11:18:00 AM
Updated By: JDJARRAT
Crossref ID: 0010394
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 11/23/2012 11:19:00 AM
Record Updated: 11/23/2012 11:19:00 AM
Updated By: JDJARRAT
Crossref ID: 2-285919
Cross Ref Type Code: 18
Cross Ref Type: PBS No.
Record Added Date: 11/23/2012 11:21:00 AM
Record Updated: 11/23/2012 11:21:00 AM
Updated By: JDJARRAT
Crossref ID: 1309055

TIME WARNER CABLE (Continued) **U003074535**

Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 12/11/2013 2:05:00 PM
Record Updated: 12/11/2013 2:05:00 PM
Updated By: JXPEREZM

Site Code: 475372
Control Name: Monitoring Plan
HW Code: C231080
Control Code: 31
Control Type: INST
Dt record added: 10/03/2016
Dt rec updated: 12/21/2016
Updated By: RXSCHICK
Site Code: 475372
Site Description: Location: The site is located at 511 West 21st Street in Manhattan, NY. The property is bounded by West 21st Street to the south and West 22nd Street to the north between 10th Avenue and 11th Avenue in Manhattan. The property has frontage on the north side of West 21st Street and the south side of West 22nd Street. Site Features: The site is approximately 0.45 acres in size, is currently an active construction site and there are no site occupants. The property is flat with average elevation approximately 10 feet above mean sea level and the elevated High Line Park runs along the eastern property boundary. Current Zoning and Land Use: The area is zoned for manufacturing and commercial use, and the City's zoning code for the site is M1-5. Past Use of the Site: The site has been used for manufacturing by a gas meter company and also as a service station. Most recently it has been used by a television cable company for vehicle parking and maintenance, storage and offices. Site Geology and Hydrogeology: The site is underlain by 13 to 17 feet of man-made/historic fill. Native soils beneath the fill layer consist of organic silty clay of estuarine origin as well as sand and silt of glacial origin. The depth-to-bedrock varies from approximately 33 feet below grade at the northern end of the site to 65 feet below grade at the southern end of the site. The depth-to-groundwater at the site is approximately 6 to 7 feet below sidewalk grade and the local groundwater flow direction is to the southwest.
Env Problem: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern included metals, semi-volatile organic compounds (SVOCs), and volatile organic compounds (VOCs)in soil and /or groundwater. Remedial actions have successfully achieved soil cleanup objectives for commercial use. A Site Management Plan (SMP) will be implemented to manage remaining contamination in the future. An environmental easement will limit the future use of property, restrict the use of groundwater and require compliance with the SMP. All engineering controls (e.g., soil cover/cap) of the remedy will be operated and maintained under the SMP.
Health Problem: Remedial actions are complete and measures are in place to control the potential for coming in contact with residual contamination that remains on-site.
Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported

TIME WARNER CABLE (Continued) **U003074535**

Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 11/20/2012 3:11:00 PM
Record Upd: 11/16/2016 3:41:00 PM
Updated By: JXPEREZM
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: New York Public Library
Owner Address: Muhlenberg Branch
Owner Addr2: 209 West 23rd Street
Owner City,St,Zip: New York, NY 10011-2379
Owner Country: United States of America
Own Op: Applicant/Requestor
Sub Type: P03
Owner Name: Martin Dettling
Owner Company: 510 West 22nd Street Partners LLC
Owner Address: c/o Albanese Development Corporation
Owner Addr2: 1050 Franklin Avenue
Owner City,St,Zip: Garden City, NY 11530
Owner Country: United States of America
Own Op: Owner
Sub Type: E
Owner Name: Christopher Albanese
Owner Company: 510 West 22nd Street Owner, LLC
Owner Address: c/o Albanese Organization, Inc
Owner Addr2: 1050 Franklin Avenue
Owner City,St,Zip: Garden City, NY 11530
Owner Country: United States of America
Own Op: Applicant/Requestor
Sub Type: P03
Owner Name: Christopher Albanese
Owner Company: 510 West 22nd Street Owner, LLC
Owner Address: c/o Albanese Organization, Inc.
Owner Addr2: 1050 Franklin Avenue
Owner City,St,Zip: Garden City, NY 11530
Owner Country: United States of America
HW Code: C231080
Waste Type: ETHYLBENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: METHYL-TERT-BUTYL ETHER (MTBE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: DIBENZ[A,H]ANTHRACENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: XYLENE (MIXED)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: BENZENE
Waste Quantity: UNKNOWN

TIME WARNER CABLE (Continued) **U003074535**

Waste Code: Not reported
HW Code: C231080
Waste Type: BENZO(A)PYRENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: METHYL ETHYL KETONE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: TOLUENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: COPPER
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: DICHLORODIFLUOROMETHANE
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: 2016000216749
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 7/11/2016 3:58:00 PM
Record Updated: 7/11/2016 3:58:00 PM
Updated By: JEBROWN
Crossref ID: C231080 02 13
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 11/16/2016 3:43:00 PM
Record Updated: 11/16/2016 3:43:00 PM
Updated By: JXPEREZM
Crossref ID: 8907798
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 11/23/2012 11:18:00 AM
Record Updated: 11/23/2012 11:18:00 AM
Updated By: JDJARRAT
Crossref ID: 0010394
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 11/23/2012 11:19:00 AM
Record Updated: 11/23/2012 11:19:00 AM
Updated By: JDJARRAT
Crossref ID: 2-285919
Cross Ref Type Code: 18
Cross Ref Type: PBS No.
Record Added Date: 11/23/2012 11:21:00 AM
Record Updated: 11/23/2012 11:21:00 AM
Updated By: JDJARRAT
Crossref ID: 1309055
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 12/11/2013 2:05:00 PM
Record Updated: 12/11/2013 2:05:00 PM
Updated By: JXPEREZM

TIME WARNER CABLE (Continued) **U003074535**

Site Code:	475372
Control Name:	Ground Water Use Restriction
HW Code:	C231080
Control Code:	08
Control Type:	INST
Dt record added:	10/03/2016
Dt rec updated:	12/21/2016
Updated By:	RXSCHICK
Site Code:	475372
Site Description:	Location: The site is located at 511 West 21st Street in Manhattan, NY. The property is bounded by West 21st Street to the south and West 22nd Street to the north between 10th Avenue and 11th Avenue in Manhattan. The property has frontage on the north side of West 21st Street and the south side of West 22nd Street. Site Features: The site is approximately 0.45 acres in size, is currently an active construction site and there are no site occupants. The property is flat with average elevation approximately 10 feet above mean sea level and the elevated High Line Park runs along the eastern property boundary. Current Zoning and Land Use: The area is zoned for manufacturing and commercial use, and the City's zoning code for the site is M1-5. Past Use of the Site: The site has been used for manufacturing by a gas meter company and also as a service station. Most recently it has been used by a television cable company for vehicle parking and maintenance, storage and offices. Site Geology and Hydrogeology: The site is underlain by 13 to 17 feet of man-made/historic fill. Native soils beneath the fill layer consist of organic silty clay of estuarine origin as well as sand and silt of glacial origin. The depth-to-bedrock varies from approximately 33 feet below grade at the northern end of the site to 65 feet below grade at the southern end of the site. The depth-to-groundwater at the site is approximately 6 to 7 feet below sidewalk grade and the local groundwater flow direction is to the southwest.
Env Problem:	Remediation at the site is complete. Prior to remediation, the primary contaminants of concern included metals, semi-volatile organic compounds (SVOCs), and volatile organic compounds (VOCs)in soil and /or groundwater. Remedial actions have successfully achieved soil cleanup objectives for commercial use. A Site Management Plan (SMP) will be implemented to manage remaining contamination in the future. An environmental easement will limit the future use of property, restrict the use of groundwater and require compliance with the SMP. All engineering controls (e.g., soil cover/cap) of the remedy will be operated and maintained under the SMP.
Health Problem:	Remedial actions are complete and measures are in place to control the potential for coming in contact with residual contamination that remains on-site.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	11/20/2012 3:11:00 PM
Record Upd:	11/16/2016 3:41:00 PM
Updated By:	JXPEREZM

TIME WARNER CABLE (Continued) **U003074535**

Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: New York Public Library
Owner Address: Muhlenberg Branch
Owner Addr2: 209 West 23rd Street
Owner City,St,Zip: New York, NY 10011-2379
Owner Country: United States of America
Own Op: Applicant/Requestor
Sub Type: P03
Owner Name: Martin Dettling
Owner Company: 510 West 22nd Street Partners LLC
Owner Address: c/o Albanese Development Corporation
Owner Addr2: 1050 Franklin Avenue
Owner City,St,Zip: Garden City, NY 11530
Owner Country: United States of America
Own Op: Owner
Sub Type: E
Owner Name: Christopher Albanese
Owner Company: 510 West 22nd Street Owner, LLC
Owner Address: c/o Albanese Organization, Inc
Owner Addr2: 1050 Franklin Avenue
Owner City,St,Zip: Garden City, NY 11530
Owner Country: United States of America
Own Op: Applicant/Requestor
Sub Type: P03
Owner Name: Christopher Albanese
Owner Company: 510 West 22nd Street Owner, LLC
Owner Address: c/o Albanese Organization, Inc.
Owner Addr2: 1050 Franklin Avenue
Owner City,St,Zip: Garden City, NY 11530
Owner Country: United States of America
HW Code: C231080
Waste Type: ETHYLBENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: METHYL-TERT-BUTYL ETHER (MTBE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: DIBENZ[A,H]ANTHRACENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: XYLENE (MIXED)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: BENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: BENZO(A)PYRENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080

TIME WARNER CABLE (Continued) **U003074535**

Waste Type: METHYL ETHYL KETONE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: TOLUENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: COPPER
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C231080
Waste Type: DICHLORODIFLUOROMETHANE
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: 2016000216749
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 7/11/2016 3:58:00 PM
Record Updated: 7/11/2016 3:58:00 PM
Updated By: JEBROWN
Crossref ID: C231080 02 13
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 11/16/2016 3:43:00 PM
Record Updated: 11/16/2016 3:43:00 PM
Updated By: JXPEREZM
Crossref ID: 8907798
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 11/23/2012 11:18:00 AM
Record Updated: 11/23/2012 11:18:00 AM
Updated By: JDJARRAT
Crossref ID: 0010394
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 11/23/2012 11:19:00 AM
Record Updated: 11/23/2012 11:19:00 AM
Updated By: JDJARRAT
Crossref ID: 2-285919
Cross Ref Type Code: 18
Cross Ref Type: PBS No.
Record Added Date: 11/23/2012 11:21:00 AM
Record Updated: 11/23/2012 11:21:00 AM
Updated By: JDJARRAT
Crossref ID: 1309055
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 12/11/2013 2:05:00 PM
Record Updated: 12/11/2013 2:05:00 PM
Updated By: JXPEREZM

BROWNFIELDS:
Program: BCP
Site Code: 475372
Acres: 0.453
HW Code: C231080

TIME WARNER CABLE (Continued) **U003074535**

SWIS:	3101
Town:	New York City
Record Added Date:	11/20/2012
Record Updated Date:	12/21/2016
Update By:	BXANDERS
Site Description:	Location: The site is located at 511 West 21st Street in Manhattan, NY. The property is bounded by West 21st Street to the south and West 22nd Street to the north between 10th Avenue and 11th Avenue in Manhattan. The property has frontage on the north side of West 21st Street and the south side of West 22nd Street. Site Features: The site is approximately 0.45 acres in size, is currently an active construction site and there are no site occupants. The property is flat with average elevation approximately 10 feet above mean sea level and the elevated High Line Park runs along the eastern property boundary. Current Zoning and Land Use: The area is zoned for manufacturing and commercial use, and the City's zoning code for the site is M1-5. Past Use of the Site: The site has been used for manufacturing by a gas meter company and also as a service station. Most recently it has been used by a television cable company for vehicle parking and maintenance, storage and offices. Site Geology and Hydrogeology: The site is underlain by 13 to 17 feet of man-made/historic fill. Native soils beneath the fill layer consist of organic silty clay of estuarine origin as well as sand and silt of glacial origin. The depth-to-bedrock varies from approximately 33 feet below grade at the northern end of the site to 65 feet below grade at the southern end of the site. The depth-to-groundwater at the site is approximately 6 to 7 feet below sidewalk grade and the local groundwater flow direction is to the southwest.
Env Problem:	Remediation at the site is complete. Prior to remediation, the primary contaminants of concern included metals, semi-volatile organic compounds (SVOCs), and volatile organic compounds (VOCs)in soil and /or groundwater. Remedial actions have successfully achieved soil cleanup objectives for commercial use. A Site Management Plan (SMP) will be implemented to manage remaining contamination in the future. An environmental easement will limit the future use of property, restrict the use of groundwater and require compliance with the SMP. All engineering controls (e.g., soil cover/cap) of the remedy will be operated and maintained under the SMP.
Health Problem:	Remedial actions are complete and measures are in place to control the potential for coming in contact with residual contamination that remains on-site.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	11/20/2012 3:11:00 PM
Record Upd:	11/16/2016 3:41:00 PM
Updated By:	JXPEREZM
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	New York Public Library

TIME WARNER CABLE (Continued) **U003074535**

Owner Address:	Muhlenberg Branch
Owner Addr2:	209 West 23rd Street
Owner City,St,Zip:	New York, NY 10011-2379
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	P03
Owner Name:	Martin Dettling
Owner Company:	510 West 22nd Street Partners LLC
Owner Address:	c/o Albanese Development Corporation
Owner Addr2:	1050 Franklin Avenue
Owner City,St,Zip:	Garden City, NY 11530
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	E
Owner Name:	Christopher Albanese
Owner Company:	510 West 22nd Street Owner, LLC
Owner Address:	c/o Albanese Organization, Inc
Owner Addr2:	1050 Franklin Avenue
Owner City,St,Zip:	Garden City, NY 11530
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	P03
Owner Name:	Christopher Albanese
Owner Company:	510 West 22nd Street Owner, LLC
Owner Address:	c/o Albanese Organization, Inc.
Owner Addr2:	1050 Franklin Avenue
Owner City,St,Zip:	Garden City, NY 11530
Owner Country:	United States of America
HW Code:	C231080
Waste Type:	ETHYLBENZENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231080
Waste Type:	METHYL-TERT-BUTYL ETHER (MTBE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231080
Waste Type:	DIBENZ[A,H]ANTHRACENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231080
Waste Type:	XYLENE (MIXED)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231080
Waste Type:	BENZENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231080
Waste Type:	BENZO(A)PYRENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231080
Waste Type:	METHYL ETHYL KETONE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231080

TIME WARNER CABLE (Continued) **U003074535**

Waste Type:	TOLUENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231080
Waste Type:	COPPER
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231080
Waste Type:	DICHLORODIFLUOROMETHANE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	2016000216749
Cross Ref Type Code:	25
Cross Ref Type:	County Recording Identifier
Record Added Date:	7/11/2016 3:58:00 PM
Record Updated:	7/11/2016 3:58:00 PM
Updated By:	JEBROWN
Crossref ID:	C231080 02 13
Cross Ref Type Code:	23
Cross Ref Type:	Agreement/Consent Order Number
Record Added Date:	11/16/2016 3:43:00 PM
Record Updated:	11/16/2016 3:43:00 PM
Updated By:	JXPEREZM
Crossref ID:	8907798
Cross Ref Type Code:	01
Cross Ref Type:	Spill No.
Record Added Date:	11/23/2012 11:18:00 AM
Record Updated:	11/23/2012 11:18:00 AM
Updated By:	JDJARRAT
Crossref ID:	0010394
Cross Ref Type Code:	01
Cross Ref Type:	Spill No.
Record Added Date:	11/23/2012 11:19:00 AM
Record Updated:	11/23/2012 11:19:00 AM
Updated By:	JDJARRAT
Crossref ID:	2-285919
Cross Ref Type Code:	18
Cross Ref Type:	PBS No.
Record Added Date:	11/23/2012 11:21:00 AM
Record Updated:	11/23/2012 11:21:00 AM
Updated By:	JDJARRAT
Crossref ID:	1309055
Cross Ref Type Code:	01
Cross Ref Type:	Spill No.
Record Added Date:	12/11/2013 2:05:00 PM
Record Updated:	12/11/2013 2:05:00 PM
Updated By:	JXPEREZM

SPILLS:

Facility ID:	0010394
Facility Type:	ER
Spill Number:	0010394
DER Facility ID:	163326
Site ID:	196043
DEC Region:	2
Closed Date:	Not reported
Spill Cause:	Other

TIME WARNER CABLE (Continued) **U003074535**

Spill Class:	C4
SWIS:	3101
Spill Date:	2000-12-15
Investigator:	JXPEREZM
Referred To:	12-17-12 - NEW RAP REQUIRED WITHIN 60 DAYS
Reported to Dept:	2000-12-15
CID:	252
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	5
Date Entered In Computer:	2000-12-15
Spill Record Last Update:	2017-03-30
Spiller Name:	ROGER CHATTOO
Spiller Company:	TIME WARNER CABLE
Spiller Address:	511 WEST 21ST ST
Spiller Company:	001
Contact Name:	ROGER CHATTOO
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ROMMEL 12/9/03 TJD Reassigned Demeo greater than greater than greater than Rommel. 11/23/05- Obligado - Spill transferred from Tang to Obligado 11/29/05 - Obligado - From Caller Remarks: UNDER GROUND PRODUCT LINE WAS FOUND TO BE LEAKING. CONTACT PERSON WAS NOTIFIED OF THIS WITH THE RECOMMENDATION TO EXCAVATE AND REPAIR . No files were found to document repairs or tests. Review PBS records - PBS# 2-285919 listed for site. Site has one 2000 gallon #2 fuel oil AST, two 4000 gallon gasoline USTs, one 550 gallon and two 275 gallon other ASTs. Time Warner Facility Manager Phone # (212) 598-7357 11/30/05 - Obligado - call Time Warner at number listed above. No answer. 12/15/05 - Obligado - called again, no answer. Called Dave Greffinius (consultant for neighboring property) to see if he was able to get any facility information for Time Warner building. 12/19/05 - Obligado - voice mail from Greffinius (12/15). Gave contact names and a phone number for Time Warner Facility: Frank Soto, Barry Rosenblume, and Tom Lonst (212) 379-2852 12/20/05 - Obligado - tried calling above listed number, appears to be a wrong number. 12/28/05 - Obligado - Site visit. Contact information for manager - Terrence Charlton (212) 598-7358. Called, spoke with secretary, Terrence Charlton on vacation, will call back next Tuesday. 1/3/05 - Obligado - Called Terrence Charlton. He does not know anything about spill. He will contact the Operations Manager - Britt Wenzel. Tell him the DEC requires information regarding the tank failure, if repairs were made, if soil/gw was impacted, if tanks were retested. 1/4/05 - Obligado - Received phone call from Abbas - engineer from Time Warner. Gave him my contanct info with instructions to send/fax any files he had regarding this spill number. 1/19/05 - Obigado - Call Abbas Family (718-474-3400) to inquire about documents. Left message. Abbas called back, he will send the information the beginning of next week. 3/31/06 - Obligado - Review documents sent by Abbas, received by Department on 1/25/06. Documents installation of new fill box in 1999 and 2002, and passing tightness tests in 2004 adn 2005. Documents do not shed any light on

TIME WARNER CABLE (Continued) **U003074535**

spill incident reported by Crompco on 12/15/00. Call Mr. Abbas and he said he will research the file for more information. He requested a spill report. I will email the spill report so he can find pertanent information. 5/5/06 - Obligado - Received additional documents. 5/11/06 - Reviewed documents. Corrosion in fill port pipe, caused leak to soil, soil excavated to 2 ft bgs. No mention of endpoint soil sampling. Send letter to Time Warner requiring soil boring investigation and collection of gw sample from below line where leak occured. 5/16/06 - Obligado - Delivery confirmation on 5/13/06 6/6/06 - Obligado - Received Limited Subsurface Investigation Report, submitted by Fenley and Nicol Environmental. Three soil borings advanced. Refusat at SB1. Soil impacts above TAGM at SP-2@10 ft, SP-3@5 ft, and SP-3@10 ft. Greates contamination at SP3 with 93,000 ppb MTBE and 2,242 ppb benzene. Recommends lateral and vertical extent of impact be delineated including offsite sampling. After delineation a Remedial Action Workplan will be submitted. 6/20/06 - Obligado - Phone conversation with Kristin Dillner 631-586-4900. She will email a workplan for additional delineation. Obligado - received workplan approved with minor changes. Required one soil boring to be moved closer to former remote fill area and collection of 3 ground water samples. One from previous soil boring area above, one from remote fill area, and one inbetween the dispensers. 8/7/06 - Obligado - Received Limited Subsurface Investigation Report, submitted by Fenley and Nicol Enviornmental. Six soil borings, 3 ground water samples collected from temporary well points. Ground water impacts detected at all 3 gw samplng points. Greatest soil and ground water impacts detected west of dispensers and southwest of UST field (TW1/SB4). GW results in ppb from TW1 show 7327 benzene, 41,697 toluene, 2783 ethlybenzene, ~23500 total xylenes, 321,467 MTBE. 8/21/06 - Obligado - Phone conversation with Kristin Dilner from F&N. Told her that permanent monitoring wells needed to be installed, the plume would need to be delineated, and a RAP submitted. I told her I would send Abbas a Stipulation agreement this week. 8/28/06 - Obligado - Sent STIP to Azzaro. Due date for signature is 9/25/06. CC to Dilner and Abbas Family. 90 days for ISR and 60 days for RAP. 8/31/06 - Obligado - Received delivery confirmaiton of Stip Agreeement. 10/10/06 - Obligado - Signed STIP received by Department on 9/26/06. CAP has been modified and signed by RP. Called Abbas to schedule a meeting to discuss. 11/1/06 - Obligado - Had a meeting with Sal Azarro, Manfred Bohms, Abbas Family. Discussed scope of work. UST excavation will probably take place in May 2007. They can proceed with monitoring well installation in meanwhile. I will send them another CAP with modifications based on discussions. 11/22/06 - Obligado - Email from Abbas with another revised CAP. After review the CAP looked acceptable. I attached it to the STIP and and emailed it as a final version back to Abbas requesting signature by 12/2/06. 11/27/06 - Obligado - Signed STIP received by Department. 12/4/06 - Obligado - Stipulation Agreement executed by Oliva 1/17/07 - Obligado - Called Manfred Bohms to discuss the status of project. He said 4 wells were installed, 2 onsite and 2 in the sidewalk. He is trying to gain access to the other sidewalk wells to sample. He will need a 2 week extension and will send an email request. 2/27/07 - Obligado - Received a letter from Abbas Family of Water Gorman engineers. The letter documents ground water results from 4 monitoring wells that were installed. Requests to collect samples from sidewalks in front of adjacent buildings. Upon the sampling and testing of the groundwater from the neighboring premises they will submit

TIME WARNER CABLE (Continued) **U003074535**

investigation report. 3/16/07 - Obligado - Abbas Family asked to get access to wells in sidewalks infront of 521 and 510 w. 21st street to do ground water sampling and guaging. Since this would help to allow a more accurate picture of ground water conditions in the area I sent a letter to Guy Roberts and to the owner of Sorage USA and asked for them to grant access to Time Warner to do the work. 4/17/07 - Obligado - Email from Greffinius from Delta stating they would grant access but asked to be copied on analytical results. 4/18/07 - Obligado - Spoke with Jessica from Gannette Fleming. She said they will be doing a tidals study on using the wells in the sidewalk and they would not be collecting samples. I forwarded this information to Greffinius. Additioanlly, Jessica said I should expect a report by May 31 and UST excavation in June. 5/9/07 - Obligado - Recevied a phone call from Andy Rudko of AKRF, 646-388-9526, who is working for a party looking to purchase the site from Time Warner and had some questions. I didn't give him any details, but that Time Warner signed a Stipulation agreement and I am waiting for an investigation for well installations. 5/14/07 - Obligado - Spoke with Abbas Family. He said project has been delayed because the new facility where Time Warner Cable will be moving to in Brooklyn is not ready yet. He will send a letter stating the same. They surveyed all the wells to get a ground water flow map. 5/18/07 - Obligado - Received a progress reprot letter. Delays have been incurred at new Time Warner facility in Brooklyn. So Time Warner will vacate the 21st street faciliity by the end of August. At that time the USTS and piping will be removed. Called Abbas, asking him when I will receive a report of all the investigation activities. He said 3-4 weeks. I told him I needed the report sooner than that. He will talk to Time Warner to expedite the report. 7/19/07 - Obligado - Reviewed documents entitled Investigation Summary Report , dated February 27, 2007, Update on CAP s Milestone and Monitoring Well Survey Report , dated June 11, 2007, and Monitoring Well Survey and Tidal Study , dated June 8, 2007. The documents summarize investigation activities performed to delineate soil and ground water contamination. After review of documents sent a letter to Time Warner requiring the following by Nov 1, 2007. 1) Quarterly Ground Water Monitoring - Collection of ground water samples for laboratory analysis from monitoring wells GF-MW1 through GF-MW4 and monitoring wells R-MW-1, R-MW-3, and either R-MW2 or R-MW-9. 2) Additional Delineation - Due to the extremely high concentrations of BTEX and MTBE in ground water, the Department requires installation and sampling of 3 additional monitoring wells to delineate the areal extent of the contaminant plume. One monitoring well must be installed in the north sidewalk of 21st street approximately 45 ft west of GFMW-2 to determine the down-gradient extent of plume and the extent to which the plume from Time Warner site is impacting other properties. One monitoring well must be installed north of GFMW-1 to delineate the areal extent of plume in the cross-gradient direction. One monitoring well must be installed northeast of GF-MW-4 to establish up-gradient background ground water conditions. 3) Summary of UST Removal - Documentation of the UST system and contaminated soil removal and endpoint sampling results must be submitted to the Department. 4) Remedial Action Plan - A Remedial Action Plan (RAP) should be submitted to the Department. The RAP must contain a plan to remediate residual soil and ground water contamination subsequent to source removal. The RAP must also include an Operation, Maintenance, and Monitoring Plan. If the property is to be redeveloped for a different use, the RAP must state

TIME WARNER CABLE (Continued) **U003074535**

the future intended use of the site and include a Vapor Intrusion Mitigation Plan. 7/19/07 - Obligado - Received call from Abbas Family. He received the letter and he said they would do the work. He asked if they need to do ground water remediation. I told him yes. He said the deadline might be hard to meet but he would let me know later. 10/19/07 - Obligado - PBS Violation hearing with DEC Urda and Falvey, Scott Furman (Time Warner attorney), Tradewinds Contractors, and Abass Family. During removal of USTs Brian Falvey visited the site for a PBS Inspection and found several PBS violations. Tank removal was put on hold due to violations, however they did continue to move some contaminated soil found in area of dispenser product lines. They found 2 additional USTs, that will be properly closed. Prior to any excavation, I will visit the site to inspect. A site visit is tentatively scheduled for Thursday November 1. The 4000 gallon USTs were encased in concrete and according to the attorney the tank vault is clean, but I will inspect. They will also core through the dispenser island concrete vaults. 12/4/07 - Obligado - Met on site with Scott Furman and Paul Woodel. The gasoline USTs have been removed as well as some contaminated soil. Endpoint samples only showed one hit for MTBE on eastern sidewall. Bottom was a concrete slab, but I couldn't see it because when they previously cored through the bottom the gw infiltrated up the whole and filled the bottom of the excavation. According to Scott Furman, at no time during work did they notice any sheen or petroleum smell from the water. And the tanks were in good condition. He said they would excavate a little more on the east to try and get clean side walls, then back fill. They showed me two additional excavations in the back of the building, one for a 550 UST of unknown contents, and the other was a suspected UST location which they didn't find any USt. From the 550 USt they took sidewall samples and only found several PAHs, but it appeared to be levels similar to urban fill. After looking at the data I approved backfilling those 2 excavations. The major contamination is in the area around the dispenser and the vent lines, with elevated MTBE and BTEX, in the southwestern corner of the site and the sidewalk. Moving forward they will 1) excavate a little more on eastern sidewall of tank excavation then backfill, 2) install 2 additional wells to delineate the southwest gw plume area, 2) additional excavation to remove as much contaminated soil as site constraints allow around vents and dispensers 3) propose a plan for gw water treatment they may due treatment at time of excavation since soils and gw will be exposed. Since the new tenant plans to build a hotel in 1 years time, timely remediation is required, so we agreed that chem ox might be the best strategy for ground water. They will submit a memo summarizing our discussions. 12/17/07 - Obligado - Received Memo from Woodell via email, detailing above meeting minutes. The memo proposes excavation and chemical injection with regenox. I sent an email to Paul concurring the planned course of action. 1/8/08 - Obligado - Conference call with Paul Woodel and Mark Furman. They are planning to use regenox as chemical oxidant followed by injection of advanced ORC to enhance bioremediation subsequent to chemical oxidation. They will submit a formal RAP today. 1/11/08 - Obligado - Approved RAP. Sent email with RAP approval letter. 1/15/08 - Obligado - Email from Woodel : We have begun the tasks described in the work plan. The holes in the north room have been backfilled. Today I was on site to scrape back the east wall of the gasoline UST excavation in the south room. We took it back an additional 2-3 feet and I collected another sidewall sample. This excavation is also

TIME WARNER CABLE (Continued) **U003074535**

being backfilled. We anticipate that the first test pit between the 2 former dispenser islands will be dug on Friday. 1/28/08 - Obligado - Email update from Woodel - LBG has supervised the excavation of the 2 test pits described in the workplan. Impacted soil and pockets of free-phase product were encountered in the western pit and were removed. The eastern pit contained impacted soil at the water table but there was no free product and no apparent source zone above the water table. Both pits have been extended to their practical limit (interior walls, sewer lines, column footers, etc.). We plan to backfill the level at the water table with stone on Tuesday and apply the chemical-oxidation product Tuesday and Wednesday. 5/14/08 - Obligado - Review UST Closure Report. 2 3000 gallon gasoline USTs, 1 550 gallon 2ASTs, 2 product dispensers, associated piping and 1 oil water separator were removed. Endpoint samples were collected from UST excavations. East wall of gasline UST excavation had MTBE above TAGM. The waste oil UST excavation idicated residual SVOCs adn chromium typical of urban fill thorughout the city. Test pits TP1 adn TP2 were excavated adn 78 tons of contaminated soil was removed and disposed off-site and waste manifests were included. End point sampling from test pits show that gross contamination present at and below the water table. No evidence of the specific source of the contamination was obvious. Contamination above TAGM and limited free-phase product appears to have accumulated around the buried concrete and structural components of th ebuildings. Test pits were backfilled with gravel and chemical oxidation products were applied to the subsurface to promote remediation. Three treatment sumps were installed with 4 diameter slotted screen set 3 ft into water. 1120 lbs of RegenOx adn 150 lbs of ORC were mixed and applied to the gravel backfill on January 31, 2008. On Feb 29, 180 lbs of RegenOx and 75 lbs of ORC were applied. 3 borings and 2 wells were installed at the site. 1st round of smapling will be completed March 10, 2008. Review 1Q08 MOnitoring Report - 5 wells were guaged and sampled. Based on most recent results Max contamination at S3 (former GFMW4) with 2570 ug/L BTEX and 33,000 ug/L MTBE. According to the report, the whole building will be torn down in the summerof 2008. When this occurs LBG will supervise additional soil removal. LBG will inform the NYSDEC of future remedial activities. 9/25/08 - Obligado - review 2Q08 report. Elevated concentration still present in wells. Effectiveness of REgenOx not yet apparent. Max MTBE at 48,000 ug/L. According to report building is still scheduled to be demolished. LBG will inform the DEC of any redevelopment or additional remediation 7/7/09 - Obligado - Review 1Q09 Update Report - S3 and GFMW4 have been destroyed, so there is no monitoring wells in the source area. Downgradient well GFW-1 still has significant impacts. S3 and GFMW4 before destroyed had the max concentrations. Send a letter requiring the installation of additional monitoring wells. Require work plan submission within 30 days. 10/29/09 - Obligado - Review Investigation Work Plan, submitted 8/13/09. The workplan proposes 3 additional wells as requested, however, one of the upgradient is over 100 feet away and to far north. This well won't provide and meaningfull data. SEnt letter requiring relocation of well to the east of the tanks and also revise soil sampling plan so soil sampling begins above the water table. Also requested that they revise the implementation schedule. 6/7/10 - Obligado - I reviewed the revised Investigation Work Plan. The soil sampling plan was modified and the location of the upgradient well was moved to a more appropriate location. I sent a letter via email for approval of the three wells. 8/12/2010 -

TIME WARNER CABLE (Continued) **U003074535**

Obligado - I reviewed the July 2010 Update Report. The report documented the installation of 3 additional monitoring wells and quarterly sampling. Only one soil sample, MW8, had soil impacts with 980 ug/kg MTBE. Maximum BTEX concentrations were found at MW8 with 4100 BTEX. Maximum MTBE also detected at MW8 with 3400 ug/L. the report recommends continued monitoring. I emailed Paul Woodell at LBG and requested a BTEX plume map on future reports. 10/11/11 - Obligado - I emailed Paul Woodell to inquire about the status of the monitoring. I received a phone call from Sean Groszkowski of LBG ((914) 694-5711) who is now managing the project. He said they are planning to do another chemox event using REgenOx. I asked him to send me a work plan as well as any monitoring reports since July 2010. 11/9/11 - Obligado - I reviewed a plan to do additional chemical injections at the site. They plan to do injections via geoprobe. They proposed 10 injection points using Regenox and ORC advanced. I gave approval to proceed with the additional injections. I also had a conference call with Sean Groszkowski (LBG), Scott Furman (time Warner attorney), and repsensentatives of a potential purchaser, Arnie Fleming (consultant) and Karen of Kramer LEvin (attorney). We discussed the pending injections and the planned purchase and redevlopment. A purchaser plans to redevelop the property as an office building. They will use and reinforce the existing structure, as well as add several floors. The building will not have basement. They will install a vapor barrier and SSDS. The planned start for the work is 6 to 9 months. I recommended Time Warner to try and treat the soil and ground water as aggressively as possible prior to starting the development. They concurred. The injections are scheduled to begin tomorrow (11/10/11). 11/16/11 - Obligado - I spoke with Sean. The injections went well. All the material was accepted. They plan to sample again in December. According to Sean I will receive a report documenting baseline sampling in early December. 1/17/12 - Obligado - Meeting with Time Warner, LBG, FLS, DEC, and the site developer. They will continue with current strategy but DEC will require additionl remedial actions if not effective. 1/19/12 - Obligado - DEC, LBG, Albanese, meet on site to go over injection locations. We discussed potential remedial options for soil under footings. We also discussed installation of a well immediatley down gradient of footers in TP2 to monitor effects of residaul source on gw concentrations. According to LBG, multiple refusals were encountered in downgradient plume area. DEC recommended evaluating alternate injection approaches. 1/27/12 - Obligado - I sent a letter to Time Warner ccing all parties in meetings describing DEC requirements: 1) additional well downgradient of footer area 2)evaluate alternate remedies for residual source 3) alternate injection strategy in plume area due to refusals. 3/5/12 - Obligado - I received 4th Quarter 2011 report. The report documents baseline sampling on October 28, 2011, 1st chemical injection on November 10 and 11, 2011, fourth quarter sampling on December 27, 2011, and the 2nd chemical injection on December 28 and Jan 3 2012. The report documents a spike in BTEX concentrations following the 1st chemical injection, which may represent release of adsorbed contaminants from the soil. They will continue monitoring. 5/8/12 - Obligado - I emailed Sean Growzkowski to inquire when I would receive 1st Quarter sampling results. He indicated 1 to 2 weeks. 7/16/12 - Obligado - I received the 1st Quarter Sampling report. MW10 was installed downgradient of the excavated area. Gross contamination was present in soil. 38000 ug/L BTEX and 53,000 ug/L MTBE found in MW10

TIME WARNER CABLE (Continued) **U003074535**

groundwater. 42 ppm BTEX and 27 ppm MTBE was found in soil. I sent an email to LBG with a cc to FLS and Albanese requiring a remediation plan within 30 days to indicate whether they plan to continue with chemox or try alternate methods. 7/17/12 - Obligado - recieved an email from LBG Sean Groqzkowski including 2nd Quarter 2012 data which showed significant ground water improvement in MW10. BTEX reduced 98%. LBG requesting determination on need for new plan to be delayed until review of 3rd Quarter 2012 data. 7/24/12 - Obligado - sent an email deffering requirement for new plan until review of the 3rd quarter data. 12/17/12 - Obligado - received and and reviewed 3rd Quarter results. BTEX concentrations rebounded to over 15,000 ug/L, including 5,400 ug/L benzene. I sent a letter to Time Warner requiring a new RAP within 60 days. 12/24/12 - Obligado - DEC receives notification letter of BCP application from Sive Paget. BCP Site No. C231080. 04/29/2013 - Spill transferred from Obligado to Perez-Maldonado. Property Owner applied to the BCP (Site #C231080) to address environmental issues at the site. Spill administrative closure pending to implementation of a remedial program to address contamination in connection with this spill. 11/15/2013 - Remedial Investigation Work Plan have been approved. Remedial investigation ongoing under the BCP program(511 West 21st Street Site, Site ID C231080). (Perez) 03/31/2015 - BCP Site (511 West 21st Street Site, Site ID C231080) Remedial Action Work Plan (RAWP) have been approved. 04/03/2016 - Field work in connection the approved RAWP ongoing. (Perez) 03/30/2017 - Construction of the on-site BCP remedy completed on October 2016 and CoC issued on December 2016. Post-remedy groundwater sampling event scheduled for the first quarter of 2017. (Perez) ** Note: The Department will keep this spill case open until BCP site post-remedy groundwater monitoring program confirm that there are no off-site groundwater impacts. (Perez)"

Remarks: "UNDER GROUND PRODUCT LINE WAS FOUND TO BE LEAKING. CONTACT PERSON WAS NOTIFIED OF THIS WITH THE RECOMMENDATION TO EXCAVATE AND REPAIR."

All Materials:

Site ID:	196043
Operable Unit ID:	831512
Operable Unit:	01
Material ID:	544300
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

541
NE
1/4-1/2
0.368 mi.
1944 ft.

460 10TH AVE
460 10TH AVENUE
MANHATTAN, NY

NY LTANKS **S102672733**
N/A

Relative:
Higher

Actual:
41 ft.

LTANKS:

Facility ID:	9412295
Site ID:	73067
Closed Date:	1994-12-20

460 10TH AVE (Continued) **S102672733**

Spill Number:	9412295
Spill Date:	1994-12-14
Spill Cause:	Tank Overfill
Spill Source:	Commercial/Industrial
Spill Class:	Not reported
Cleanup Ceased:	1994-12-20
SWIS:	3101
Investigator:	TOMASELLO
Referred To:	Not reported
Reported to Dept:	1994-12-14
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Affected Persons
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-01-30
Spill Record Last Update:	2003-10-03
Spiller Name:	Not reported
Spiller Company:	SIVERSTEIN PROPERTIES
Spiller Address:	5215 5TH AVE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	68841
DEC Memo:	""
Remarks:	"CUSTOMER OVERORDERED - SPILL CONTAINED ON ROAD PAVEMENT-SUPER FUEL CONTAINING- ABC TANK AT SITE 718/272-2800"

All Materials:

Site ID:	73067
Operable Unit ID:	1005991
Operable Unit:	01
Material ID:	374617
Material Code:	0002A
Material Name:	#4 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	400.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

CC542 **193 10TH AVE** **NY LTANKS** **S102672077**
SSW **193 10TH AVE** **N/A**
1/4-1/2 **MANHATTAN, NY**
0.370 mi.
1953 ft. **Site 3 of 4 in cluster CC**

Relative: **Lower**

Actual: **11 ft.**

LTANKS:

Facility ID:	9211918
Site ID:	163796
Closed Date:	1993-01-19

193 10TH AVE (Continued) **S102672077**

Spill Number:	9211918
Spill Date:	1993-01-19
Spill Cause:	Tank Overfill
Spill Source:	Tank Truck
Spill Class:	C4
Cleanup Ceased:	1993-01-19
SWIS:	3101
Investigator:	KSTANG
Referred To:	Not reported
Reported to Dept:	1993-01-19
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1993-01-28
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	GOTHAM PETRO
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	138144
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was TANG "
Remarks:	"CONTAINED ON CONCRETE-CLEANUP IS DONE BY SPILLER CREW"

All Materials:

Site ID:	163796
Operable Unit ID:	976484
Operable Unit:	01
Material ID:	405301
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

CC543 **193-10 PECK AVE** **NY LTANKS** **S100144935**
SSW **193-10 PECK AVE** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.370 mi.
1953 ft. **Site 4 of 4 in cluster CC**

Relative: LTANKS:
Lower

Facility ID:	8708499
Site ID:	69386
Closed Date:	1992-09-30

Actual:
11 ft.

193-10 PECK AVE (Continued) **S100144935**

Spill Number:	8708499
Spill Date:	1987-12-16
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	B3
Cleanup Ceased:	1992-09-30
SWIS:	4101
Investigator:	BATTISTA
Referred To:	Not reported
Reported to Dept:	1988-01-05
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1988-01-21
Spill Record Last Update:	1994-05-12
Spiller Name:	Not reported
Spiller Company:	FRESH MEADOWS JEWISH CENT
Spiller Address:	193-10 PECK AVE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	65971
DEC Memo:	""
Remarks:	"4K TANK SYSTEM FAILED PETRO TITE WITH A LEAK RATE OF -.245GPH, TANK TECH SUB CONTRACTOR WAS RANSHAW CO."

All TTF:

Facility ID:	8708499
Spill Number:	8708499
Spill Tank Test:	1532899
Site ID:	69386
Tank Number:	Not reported
Tank Size:	0
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	69386
Operable Unit ID:	913912
Operable Unit:	01
Material ID:	565215

193-10 PECK AVE (Continued) **S100144935**

Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Not reported
Recovered:	.00
Oxygenate:	Not reported

CD544 **535 EAST 21ST STREET** **NY LTANKS** **S104275516**
SSW **535 EAST 21ST STREET** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.374 mi.
1974 ft. **Site 1 of 2 in cluster CD**

Relative:
Lower

Actual:
7 ft.

LTANKS:

Facility ID:	8803752
Site ID:	81225
Closed Date:	1993-02-25
Spill Number:	8803752
Spill Date:	1988-07-29
Spill Cause:	Tank Test Failure
Spill Source:	Private Dwelling
Spill Class:	C4
Cleanup Ceased:	1993-02-25
SWIS:	2401
Investigator:	BATTISTA
Referred To:	Not reported
Reported to Dept:	1988-07-29
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1988-08-02
Spill Record Last Update:	1998-07-20
Spiller Name:	Not reported
Spiller Company:	HARRY SILVERSTEIN
Spiller Address:	429 MAYFAIR DRIVE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	75165
DEC Memo:	""
Remarks:	"4K TANK FAILED AN INITIAL SYSTEM- PETRO TITE TEST WITH A GROSS LEAK, WILL EXCAVATE, ISOLATE AND RETEST."

All TTF:

Facility ID:	8803752
Spill Number:	8803752
Spill Tank Test:	1534375
Site ID:	81225

535 EAST 21ST STREET (Continued) **S104275516**

Tank Number:	Not reported
Tank Size:	0
Material:	0002
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	81225
Operable Unit ID:	918900
Operable Unit:	01
Material ID:	459286
Material Code:	0002A
Material Name:	#4 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

CD545 **551 WEST 21ST STREET** **NY VCP** **S118943245**
SSW **551 WEST 21ST STREET** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.375 mi.
1978 ft. **Site 2 of 2 in cluster CD**

Relative:
Lower

Actual:
6 ft.

VCP NYC:

Project ID:	13CVCP107M
Project Name:	551 WEST 21ST STREET
Project Address:	551 WEST 21ST STREET
Borough:	MANHATTAN

VCP NYC:

Project ID:	13CVCP107M
File Name:	2013-03-01.RIR
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP107M/2013-03-01.13CVCP107M.RIR.pdf

Project ID:	13CVCP107M
File Name:	2013-03-01.RAWP
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP107M/2013-03-01.13CVCP107M.RAWP.pdf

Project ID:	13CVCP107M
File Name:	2013-01-28.FactSheet-1
URL:	http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP107M/2013-01-28.13CVCP107M.FactSheet1.pdf

Project ID:	13CVCP107M

551 WEST 21ST STREET (Continued) **S118943245**

File Name: 2013-02-06.Translated_FactSheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP107M/2013-02-06.13CVCP107M.Translated_FactSheet1.pdf

Project ID: 13CVCP107M
File Name: 2015-03-18.RAR
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP107M/2015-03-18.13CVCP107M.report.547-551_W21st_Remedial_Action_Report_FINAL.Roux.pdf

Project ID: 13CVCP107M
File Name: 2015-05-07.Factsheet-3
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP107M/2015-05-07.13CVCP107M.547-551_W_21_Factsheet-3.pdf

Project ID: 13CVCP107M
File Name: 2015-05-07.Translated_Factsheet-3
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP107M/2015-05-07.13CVCP107M.547-551_W_21_Translated_Factsheet-3.pdf

---

546
ENE
1/4-1/2
0.378 mi.
1996 ft.

445 WEST 35TH STREET **NY VCP** **S118943356**
445 WEST 35TH STREET **N/A**
NEW YORK CITY, NY

Relative: Higher

Actual: 34 ft.

VCP NYC:
Project ID: 14CVCP220M
Project Name: 445 WEST 35TH STREET
Project Address: 445 WEST 35TH STREET
Borough: MANHATTAN

VCP NYC:
Project ID: 14CVCP220M
File Name: 2014-01-06.RIR
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP220M/2014-01-06.RIR.pdf

Project ID: 14CVCP220M
File Name: 2014-01-06.RAWP_Draft
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP220M/2014-01-06.RAWP.pdf

Project ID: 14CVCP220M
File Name: 2014-01-14.Factsheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP220M/2014-01-14.Factsheet-1.pdf

Project ID: 14CVCP220M
File Name: 2014-01-14.Translated_Factsheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP220M/2014-01-14.Translated_Fact_Sheet-1.pdf

Project ID: 14CVCP220M
File Name: 2014-01-14.Translated_CPS
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/

445 WEST 35TH STREET (Continued) **S118943356**

14CVCP220M/2014-01-14.Translated_CPS.pdf

547
NE
1/4-1/2
0.380 mi.
2004 ft.

511 WEST 36TH STREET **NY VCP** **S118943488**
511 WEST 36TH STREET **N/A**
NEW YORK CITY, NY

Relative:
Higher

Actual:
35 ft.

VCP NYC:
Project ID: 15CVCP099M
Project Name: 511 WEST 36TH STREET
Project Address: 511 WEST 36TH STREET
Borough: MANHATTAN

VCP NYC:
Project ID: 15CVCP099M
File Name: 2015-01-26.RIR
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP099M/2015-01-26.14EH-N315M.report.RIR.HydroTech.pdf

Project ID: 15CVCP099M
File Name: 2015-03-09.RAWP_Draft
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP099M/2015-03-09.14EH-N315M.report.RAWP.HydroTech.pdf

Project ID: 15CVCP099M
File Name: 2015-03-27.Factsheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP099M/2015-03-27.14EH-N315M.doc.511_West_36th_Factsheet-1.pdf

Project ID: 15CVCP099M
File Name: 2015-03-27.Translated_Factsheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP099M/2015-03-27.14EH-N315M.doc.511_West_36th_Street.Translated_FactSheet-1.pdf

Project ID: 15CVCP099M
File Name: 2015-03-27.Translated_CPS
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP099M/2015-03-27.14EH-N315M.doc.511_West_36th_Street.Community_Protection_Statement.yx.pdf

---

CE548
ESE
1/4-1/2
0.381 mi.
2012 ft.

TANK TEST FAIL **NY LTANKS** **S117364572**
320 W 30TH ST **N/A**
NEW YORK, NY

Site 1 of 2 in cluster CE

Relative:
Higher

Actual:
31 ft.

LTANKS:
Facility ID: 1408046
Site ID: 501596
Closed Date: 2016-08-12
Spill Number: 1408046
Spill Date: 2014-11-04
Spill Cause: Tank Test Failure

TANK TEST FAIL (Continued) **S117364572**

Spill Source:	Commercial/Industrial
Spill Class:	Not reported
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	HRPATEL
Referred To:	Not reported
Reported to Dept:	2014-11-04
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2014-11-04
Spill Record Last Update:	2016-08-12
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	CHRIS QUINTANA
Spiller Phone:	(347) 397-8298
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	456577
DEC Memo:	"11/05/14-Hiralkumar Patel. alternate address: 314-322 West 30th Street no other spills found. PBS #: 2-332607. as per PBS record, the site has one 6,000 gal #6 oil AST in vault, in-service, installed in Jan. 1965. as per NYC DOB record, a permit application was approved on 01/23/14 for replacement of oil burner with gas/oil burner and change of fuel oil grade from #6 to #2 oil. Chelsea Town LLC. **property owner** c/o Hoffman Management 300 West 55th Street, Suite 2S New York, NY 10019 Attn.: Mark Hoffman PH. (212) 247-4975 email: mhoffman@hoffmgt.com 11/06/14-Hiralkumar Patel. 9:20 AM:- spoke with Chris at All Boro. the tank was emptied out and cleaned as part of grade conversion from #6 to #2 oil. prior to filling up the tank with #2 oil, tank system was tested which failed. immediately, technician conducted an isolation test of tank only and it failed. technician found crack in epoxy coating inside the tank. All Boro will do further investigation. Chris mentioned that 15% of the tank is in contact with surface. 9:42 AM:- sent TTF letter to Mr. Hoffman requiring report submission by the end of 12/19/14. letter emailed to Mr. Hoffman and Chris. 12/18/14-Hiralkumar Patel. 2:18 PM:- spoke with Chris. he will call back. 3:22 PM:- received call from Chris. currently the tank is empty and owner has decided to remove the tank system once a new natural gas heating system is installed. the new gas system may be installed by the end of Jan. 2015. 3:50 PM:- received email from Chris including above discussion about gas system installation and tank system removal. 04/16/15-Hiralkumar Patel. 10:09 AM:- left message for Mr. Hoffman inquiring update. 12:57 PM:- received call from Chris. he mentioned that a new gas line was installed two weeks ago and he got approval to remove the tank. he will provide work schedule soon. 10/26/15-Hiralkumar Patel. 1:22 PM:- received email from Chris including pics of tank room. he mentioned that tank has been removed. he will remove residual contamination noted underneath the tank and will collect endpoint samples.

TANK TEST FAIL (Continued) **S117364572**

12/28/15-Hiralkumar Patel. 10:49 AM:- received email from Chris including result of three soil samples. based on chain-of-custody, three soil samples were collected. found VOC contamination in all three samples. Chris asked if further remediation needed. soil sample results: ----------2 ft Front Head----2 ft Rear Head-----Center
Ethylbenzene----------210
Xylene----------410----------2,110----------400
1,2,4-Trimethylbenzene----------1,000----------12,000----------2,800
1,3,5-Trimethylbenzene----------380----------3,400----------760
Naphthalene----------440----------4,000----------1,200 10:58 AM:- sent email to Chris. informed him that based on submitted lab report, the department requires further remediation, if practical. 12/30/15-Hiralkumar Patel. received email from Chris (at 6:00 PM on 12/29/15). they will begin remediation on 01/04/16. 01/08/16-Hiralkumar Patel. 2:25 PM:- spoke with Chris at All Boro. they started remediation of remaining contamination on 01/04/16 and will finish work by next week. 01/20/16-Hialkumar Patel. 10:57 AM:- received email from Chris including some site pics. 02/16/16-Hiralkumar Patel. 11:17 AM:- received email from Chris including some site pics. 03/01/16-Hiralkumar Patel. received email from Chris (at 10:31 PM on 02/29/16) including results of five soil samples. out of five samples, minor VOC contamination noted in samples #1 (Head 36 inches deep) and #3 (60 inches deep center). found higher VOC contamination in sample # 5. soil analyticals: ----------# 5 Head 85 inches deep
Toluene----------530
Ethylbenzene----------2,200
Xylene----------19,500
1,2,4-Trimethylbenzene--------38,000
1,3,5-Trimethylbenzene--------11,000
Naphthalene----------6,400 10:11 AM:- sent email to Chris and asked him to submit scaled site map with sample locations. 10:18 AM:- received call from Chris. he is going for site meeting at 11 AM today and get measurements to prepare scaled site map. he mentioned that sample # 5 was taken from bottom of the excavation, towards north end (towards W 30th St) near the building foundation wall. he stated that the most recent tank was located on 12 inches thick concrete pad, so contamination noted below the concrete pad is possibly a result of historical spill at the site which was confirmed by one of the board member. Chris confirmed there are no odor complaints from on-site occupants as tank location is in garage area. as excavation is inside the building and closer to the foundation wall, asked him not to conduct any further excavation. asked him to delineate remaining contamination prior to finalizing remediation action plan. also suggested him to have an inspection by a structural engineer prior to any further excavation. 10:29 AM:- spoke with John at Hoffman Management. informed him that based on available information, the department requires further delineation of contaminated material prior to finalizing a remediation action work plan. suggested him to have a structural engineer inspect the site prior to any further remediation via excavation. John Throumoulos Hoffman Management email: johnt@hoffmgt.com 10:56 AM:- sent email to John and informed him that the department requires further

TANK TEST FAIL (Continued) **S117364572**

delineation prior to finalizing a remedial action plan. suggested him to have a site inspection done by a structural engineer prior to any further excavation. asked him to submit schedule for further investigation and submission of results. email copied to Mr. Hoffman and Chris. 04/06/16-Hiralkumar Patel. received email from Chris (at 10:40 PM on 04/05/16) including result of two soil and one groundwater sample. no contamination noted in samples. 12:06 PM:- received call from Chris inquiring about comments on sample results. he mentioned that boring was installed in area of former endpoint sample location B5. sample B5 was taken at 7 ft below basement level. during boring, they found groundwater at 6 ft below base of excavation (approx. 13 ft below basement floor and approx. 26 ft below street level). asked him to submit a boring log and sketch with location of endpoint samples and recent boring, prior to commenting on sampling results. 04/08/16-Hiralkuamr Patel. received email from Tom (at 4:09 PM on 04/07/16) including site sketch, boring logs and some pics. as per the sketch, five borings were installed through excavation, but two soil samples were collected only from one boring (B5). the submitted sketch is missing location of endpoint samples collected previously. 2:27 PM:- sent email to Chris and Tom and asked them to submit site sketch with location of endpoint samples and recent borings. 04/27/16-Hiralkumar Patel. received email from Tom (at 5:48 PM on 04/26/16) including report for delineation work conducted through tank excavation pit. abstract: - All Boro excavated accessible gross petroleum impacted soils from beneath the tank - the basement floor elevation is 10 ft below the exterior street level grade - excavation divided in three sections: southern most section is 3 ft deep, middle section is 5 ft deep and northern most section (towards 30th St) is 7 ft deep - five soil borings (B1 through B5) were installed through the base of the completed excavation - boring B1 was installed in northern most section of the excavation, to a final depth of 23 ft below exterior grade (13 ft below basement floor and 6 ft below excavation bottom) - borings B2 through B5 were installed in middle section of the excavation - borings B2, B3 and B4 were installed to a final depth of 16.5 ft below exterior grade (6.5 ft below basement floor and 1.5 ft below excavation bottom) where refusal encountered - boring B5 was installed to a final depth of 22 ft below exterior grade (12 ft below basement floor and 7 ft below excavation bottom) - evidence of petroleum impact (elevated field screening readings and petroleum odors) was encountered in borings B2 through B5 - maximum of 57 ppm recorded on PID at 17-19 ft below exterior grade in boring B5 - two soil samples were collected from boring B5: 5 ft below excavation floor (20 ft below exterior grade) and 7 ft below excavation floor (22 ft below exterior grade) - due to refusal, no samples collected from B2, B3 and B4 - one temporary groundwater sampling well was installed in soil boring location B1 and collected one groundwater sample - groundwater was measured at 11 ft below basement floor (21 ft below the exterior grade) - found slight petroleum sheen and odors in groundwater sample - minor VOCs noted in soil samples (max. 340 ppb 1,3,5-Trimethylbenzene) - only Naphthalene (23 ppb) noted in groundwater sample above cleanup standard 10:05 AM:- sent email to Chris and asked to submit a detailed report for work performed at the site in referenced to the subject spill case. asked him to submit report no later than 05/06/16. email copied to Mr. Hoffman. 06/02/16-Hiralkumar Patel. met Chris in office. asked him about spill closure report. he mentioned that the report has not been submitted yet as they have not restored

TANK TEST FAIL (Continued) **S117364572**

the site. asked him to submit report without waiting for site restoration. he will submit cleanup report by 06/17/16. 07/15/16-Hiralkumar Patel. 1:49 PM:- sent email to Chris and asked him to submit required documents by 07/20/16. 08/04/16-Hiralkumar Patel. received report from Chris including cause of release, summary of cleanup activities, samples result and disposal manifests. 08/12/16-Hiralkumar Patel. case closed based on review of all available information. 3:16 PM:- sent spill closure letter to Mr. Hoffman. letter emailed to Mr. Hoffman and Chris."

Remarks: "tank test fail"

All Materials:

Site ID:	501596
Operable Unit ID:	1250981
Operable Unit:	01
Material ID:	2252814
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

CF549 **438 11TH AVENUE** **NY BROWNFIELDS** **S117851122**
NNE **438 11TH AVENUE** **N/A**
1/4-1/2 **NEW YORK, NY 10018**
0.382 mi.
2015 ft. **Site 1 of 2 in cluster CF**

Relative: **Higher**

Actual: **20 ft.**

BROWNFIELDS:

Program:	BCP
Site Code:	507382
Acres:	0.73
HW Code:	C231095
SWIS:	3101
Town:	New York City
Record Added Date:	05/04/2015
Record Updated Date:	06/03/2016
Update By:	JAMORAS

Site Description: Location: The Former NY Central Rail Yard site is located in an urban area in the Hell's Kitchen neighborhood of the Borough of Manhattan. The site is on the east side of 11th Avenue, north side of West 36th Street and south side of West 37th Street. The eastern boundary of the site is defined by a railroad easement. Site Features: The majority of the site is 20 feet below street level. The lower portion is used as a construction material staging area and the upper parking lot is used to park cars and horse-drawn vehicles. Current Zoning and Land Use: The site is zoned C6-4 (Commercial and Mixed Uses) and is currently being used as a construction staging area for structural steel, wood and roll off containers. Past Use of the Site: Former buildings on the site were built sometime prior to 1890 and utilized as a mix of numerous industrial facilities, warehouses, garages, stores and residential dwellings. Between 1930 and 1950, the buildings were demolished to make way for a NY Central Railroad rail line/yard. The rail line was present from 1951 through sometime prior

438 11TH AVENUE (Continued) **S117851122**

	to 1996. Site Geology and Hydrogeology: Soil at the site is described as historic fill material to a depth of approximately 5 feet below the surface followed by brown fine sand with silt which may or may not be native material. Bedrock is present directly below the fine sand/silt approximately 6 to 9 feet below the surface. The bedrock is a high-grade metamorphic rock consisting of a sequence of Cambrian and Ordovician age gneiss, schistose-gneiss, and marble. The bedrock is characterized by numerous faults and fractures, many of which contain groundwater. Groundwater at the site is present under perched conditions at a depth of approximately 7 feet below grade and is expected to flow west toward the Hudson River.
Env Problem:	Generally, the PAH and metals contamination is indicative of historic fill. Benzo(a)anthracene (5.7 ppm), benzo(a)pyrene (6.1 ppm), benzo(b)fluorathene (8.3 ppm), chrysene (6.0 ppm) and indeo(1,2,3-cd)pyrene (2.8 ppm) are present above restricted residential SCOs in up to 7 of the 12 soil samples collected. Mercury was observed at two locations above its restricted residential SCO and the protection of groundwater SCO at a maximum concentration of 1.23 ppm. PCB-1260 was detected in six of 12 locations above unrestricted SCOs. PCB-1260 was detected above its groundwater SCG at 0.16 ppb in one of the two groundwater samples obtained. Otherwise, the available data indicate that there were no exceedences in groundwater.
Health Problem:	Information submitted with the BCP application regarding the conditions at the site are currently under review and will be revised as additional information becomes available.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	5/8/2015 11:25:00 AM
Record Upd:	5/8/2015 11:25:00 AM
Updated By:	MDMACCAB
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	New York Public Library - Muhlenburg Branch
Owner Address:	209 West 23rd Street
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10011
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	P03
Owner Name:	c/o Michael B. Benner
Owner Company:	438-444 Eleventh Avenue, L.L.C.
Owner Address:	Tishman Speyer
Owner Addr2:	45 Rockefeller Plaza
Owner City,St,Zip:	New York, NY 10111
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	E
Owner Name:	Not reported

438 11TH AVENUE (Continued) **S117851122**

Owner Company:	Mid-Town Development Limited Partnership
Owner Address:	666 Fifth Avenue, 28th Floor
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10103-0084
Owner Country:	United States of America
HW Code:	C231095
Waste Type:	CHROMIUM
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231095
Waste Type:	PCB-AROCLOR 1260
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231095
Waste Type:	BENZO(A)ANTHRACENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231095
Waste Type:	NICKEL
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231095
Waste Type:	LEAD
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231095
Waste Type:	BENZO(B)FLUORANTHENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231095
Waste Type:	Chrysene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231095
Waste Type:	ZINC
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231095
Waste Type:	BENZO(A)PYRENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231095
Waste Type:	MERCURY
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231095
Waste Type:	indeno(1,2,3-cd)pyrene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231095
Waste Type:	BENZO[K]FLUORANTHENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C231095
Waste Type:	COPPER
Waste Quantity:	UNKNOWN
Waste Code:	Not reported

438 11TH AVENUE (Continued) **S117851122**

HW Code:	C231095
Waste Type:	PCB aroclor 1260
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

---

550 South 1/4-1/2 0.396 mi. 2093 ft.

MINICK HOME
440 WEST 22ND STREET
MANHATTAN, NY

NY LTANKS **S107523558**
N/A

Relative: Higher

Actual: 15 ft.

LTANKS:

Facility ID:	0512757
Site ID:	359128
Closed Date:	2006-03-10
Spill Number:	0512757
Spill Date:	2006-02-03
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	Not reported
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	Con Ed Unassigned
Referred To:	Not reported
Reported to Dept:	2006-02-03
CID:	444
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2006-02-03
Spill Record Last Update:	2006-03-10
Spiller Name:	MINICK HOME
Spiller Company:	MINICK HOME
Spiller Address:	440 WEST 22ND STREET
Spiller County:	001
Spiller Contact:	MARK SALAMACK
Spiller Phone:	(917) 559-5519
Spiller Extention:	CELL
DEC Region:	2
DER Facility ID:	309129
DEC Memo:	"02/03/06 Feroze talked with Mr. Minick (owner) 212-604-9898. He informed that there was a leak in the tank, they have closed the leak and pumped the oil out. It is above ground tank, floor is made of concrete. An environmental company is working for them. TTF is sent to : Mr. Minick 440 west 22nd Street New york, NY 10011. 02/10/06 Mr. Minick called and told me that they will close the tank by PTC. He will submit DEC the documents soon. 03/02/06 Feroze,: Mr.Minick told me that PTC has taken soil sample. He will submit soil analysis

MINICK HOME (Continued) **S107523558**

result and tank closer report to DEC soon.It was 275 gallon tank. 03/10/06 Feroze received a certificate and soil analysis result. The result shows that VOC and SVOC are within accepatble limit. They also submited a manifest for removal of contaminated soil. The spill is closed."

Remarks: "ruptured tank in basement:"

All Materials:

Site ID:	359128
Operable Unit ID:	1116352
Operable Unit:	01
Material ID:	2106499
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	8.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

CE551 **APRT BUILDING -TTF** **NY LTANKS** **S106971757**
ESE **315-325 WEST 30TH STREET** **N/A**
1/4-1/2 **NEW YORK, NY**
0.397 mi.
2097 ft. **Site 2 of 2 in cluster CE**

Relative: **Higher**

Actual: **32 ft.**

LTANKS:

Facility ID:	0501515
Site ID:	345683
Closed Date:	2005-10-25
Spill Number:	0501515
Spill Date:	2005-05-06
Spill Cause:	Tank Test Failure
Spill Source:	Private Dwelling
Spill Class:	D4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	SFRAHMAN
Referred To:	Not reported
Reported to Dept:	2005-05-06
CID:	444
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2005-05-06
Spill Record Last Update:	2005-10-25
Spiller Name:	MARLON JOESPH
Spiller Company:	APRT BUILDING
Spiller Address:	315-25 WEST 30TH STREET
Spiller County:	001
Spiller Contact:	MARLON JOESPH
Spiller Phone:	(718) 624-4842

APRT BUILDING -TTF (Continued) **S106971757**

Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	291916
DEC Memo:	"pbs # 2-270873 TTF letter sent to PBS Contact: PR 30 LLC 205 West 15th St New York, NY 10011 Attn: Michael Rahav 10.14.05-Sharif sent another violation letter since the department has n't rec'd any correspondence regarding the repair of the tank. 10.25.05 Sharif-Rece'd work invoices from Mr. Michael Rahav.The tank test failed because of the vent line problem which runs aboveground. PTC replaced the vent line and the tank then passed. There was no oil spill observed."
Remarks:	"ABOVE LIQUID LEAK DRY PORTION"

All TTF:

Facility ID:	0501515
Spill Number:	0501515
Spill Tank Test:	1548876
Site ID:	345683
Tank Number:	1
Tank Size:	4000
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	03
Test Method 2:	Horner EZ Check I or II
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified Date:	Not reported

All Materials:

Site ID:	345683
Operable Unit ID:	1103399
Operable Unit:	01
Material ID:	583610
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	.00
Oxygenate:	Not reported

CF552 **450 11TH AVENUE** **NY VCP** **S121133124**
NNE **450 11TH AVENUE** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.400 mi.
2114 ft. **Site 2 of 2 in cluster CF**

Relative:
Higher

Actual:
20 ft.

VCP NYC:

Project ID:	17CVCP037M
Project Name:	450 11TH AVENUE
Project Address:	450 11TH AVENUE
Borough:	MANHATTAN

450 11TH AVENUE (Continued) **S121133124**

VCP NYC:
Project ID: 17CVCP037M
File Name: 2017-01-18,RAWP_Draft
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/17CVCP037M/2017-01-18.17CVCP037M.450_11th_Ave.RAWP_Draft.Tenen.pdf

Project ID: 17CVCP037M
File Name: 2017-01-18.Factsheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/17CVCP037M/2017-01-18.17CVCP037M.450_11th_Ave.Factsheet1.pdf

Project ID: 17CVCP037M
File Name: 2017-01-18.Translated_Factsheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/17CVCP037M/2017-01-18.17CVCP037M.450_11th_Ave.translated_Factsheet1.pdf

Project ID: 17CVCP037M
File Name: 2017-01-18.Translated_CPS
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/17CVCP037M/2017-01-18.17CVCP037M.450_11th_Ave.translated_Community_Protection_Statement.pdf

---

CG553 **SPILL NUMBER 9003992** **NY LTANKS** **S100167935**
NE **475 10TH AVE** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.401 mi.
2118 ft. **Site 1 of 2 in cluster CG**

Relative: **Higher**
Actual: **40 ft.**

LTANKS:
Facility ID: 9003992
Site ID: 195041
Closed Date: 1996-01-26
Spill Number: 9003992
Spill Date: 1990-07-11
Spill Cause: Tank Failure
Spill Source: Gasoline Station or other PBS Facility
Spill Class: A3
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: JMROMMEL
Referred To: Not reported
Reported to Dept: 1990-07-11
CID: Not reported
Water Affected: Not reported
Spill Notifier: DEC
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 1990-07-11
Spill Record Last Update: 2004-01-12
Spiller Name: Not reported
Spiller Company: GASETERIA
Spiller Address: 466 10TH AVENUE

SPILL NUMBER 9003992 (Continued) **S100167935**

Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	162511
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ROMMEL 07/11/90: DEC (SIGONA) RESPONDING WITH NYCDEP & NYCFD. Closed and cross referenced to spill #8909614. (JMR) "
Remarks:	"SEEPAGE IN BASEMENT FROM EXISTING GASOLINE STATION LEAK CAUSING PEOPLE TO BECOME SICK.(SIGONA)"

All Materials:

Site ID:	195041
Operable Unit ID:	944181
Operable Unit:	01
Material ID:	435112
Material Code:	1850A
Material Name:	vapors (petroleum)
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

Site ID:	195041
Operable Unit ID:	944181
Operable Unit:	01
Material ID:	435111
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

554
NNE
1/4-1/2
0.401 mi.
2119 ft.

GAS STATION **NY LTANKS** **S106702998**
550 WEST 37TH ST **N/A**
NEW YORK, NY

Relative:
Higher

Actual:
17 ft.

LTANKS:

Facility ID:	0010648
Site ID:	120895
Closed Date:	2005-03-17
Spill Number:	0010648
Spill Date:	2000-12-22
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	JBVOUGHT

GAS STATION (Continued) **S106702998**

Referred To:	Not reported
Reported to Dept:	2000-12-22
CID:	281
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	2000-12-22
Spill Record Last Update:	2005-03-17
Spiller Name:	PHIL RAZZUTO
Spiller Company:	CLASSIC SANATION CO
Spiller Address:	99 RT 3
Spiller County:	001
Spiller Contact:	STAN SUCHARSKI
Spiller Phone:	(631) 586-4900
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	104927
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ROMMEL This spill case was reassigned from DEC (Sigona) to Rommel on 01/07/2004. On December 22, 2000, DEC (Sigona) observed the excavation and removal of 4 x 550 gallon USTs. The contents of 3 x 550 gallon USTs was found to contain a mixture of gasoline and water. 1 x 550 gallon UST contained water only. The excavation was being performed by Fenely & Nicol for Public Parking, Inc. The project was also supervised by DEC contractor EAR under PIN project for New York Auto Service which was impacting the Jacob Javits Center. Does not appear to be related to New York Auto Service spill or have an impact on the Javits Center. 2/24/05-Vought-Spoke with Phillip Rizzuto (973-470-25510) who is agent for property owners. Rizutto asked for status of Tank Closure Report review and Vought required that a copy be sent to DEC for review. Spill transferred from Rommel to Vought. 3/16/05-Vought-Reviewed Tank Closure Report(Fenley & Nicol - Angel Ramirez) dated 1/18/01 and received on 3/2/05. Project was prepared for: Mr. Phil Rizzuto Classic Sanitation Corporation 99 Route 3 Clifton, NJ 07014 Removal and closure of one (275-gallon) fuel oil AST and four (550-gallon) gasoline USTs. Subject site is used as a public parking garage. Three (550-gallon) gasoline USTs were removed from the north-east front of the interior of the building(Tank Area 1) and one (550-gallon) gasoline UST was removed from southwest of Tank Area 1. Depth to groundwater at site estimated to be 20 feet below grade and flow to the west. Inspector Anthony Sigona of the NYSDEC was present at the time of the excavcation to inspect the tanks and excavated area . The bottom and sidewalls of the excavation consisted of Manhattan Schist and bedrock . ...it was discovered that soil above the tanks exhibited evidence of gasoline contamination . All product lines were removed and disposed. Soil were analyzed for 8260/8270 TCLP as per Sigona. Soil analyticals only showed on minor exceedence of napthalene at 11ug/L (Guidance value is 10ug/L). No PID readings were detected. Report recommends No Further Action. Spill closed by Vought due to one minor TAGM 4046 Soil Cleanup Objective exceedence."
Remarks:	"DURING TANK REMOVAL SOIL CONTAMINATION HAS BEEN DISCOVERED. CONTAMINATION IS ON TOP OF TANKS. AREA TO BE EXCAVATED AND FURTHER

GAS STATION (Continued) **S106702998**

SAMPLING/TESTING TO BE DONE. NO CALL BACK REQUESTED. CALLER HAS BEEN IN CONTACT WITH REGION 2 OFFICE."

All Materials:

Site ID:	120895
Operable Unit ID:	832683
Operable Unit:	01
Material ID:	544542
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

CG555 **GASETERIA** **NY LTANKS** **S100167794**
NE **466 10TH AVE** **NY Spills** **N/A**
1/4-1/2 **NEW YORK, NY**
0.402 mi.
2124 ft. **Site 2 of 2 in cluster CG**

Relative: **Higher**

Actual: **41 ft.**

LTANKS:

Facility ID:	0301220
Site ID:	205589
Closed Date:	2003-12-17
Spill Number:	0301220
Spill Date:	2003-05-03
Spill Cause:	Tank Overfill
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	JBVOUGHT
Referred To:	Not reported
Reported to Dept:	2003-05-03
CID:	281
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	2003-05-03
Spill Record Last Update:	2003-12-17
Spiller Name:	SAME
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	PAUL SKRYJA
Spiller Phone:	(443) 310-2099
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	170710
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was

GASETERIA (Continued) **S100167794**

VOUGHT 5/5/2003-Vought-Called Paula Skryja and spill occurred on 5/3 am. Ten gallons came out of fill port and onto concrete surface. No sewers or drains affected due to immediate placement of spill boom. Spill cleaned using speedy dry which was recovered.
12/17/2003-Vought-See spill 8909614 at same location. This spill closed due to existing gasoline contamination remediated under 8909614."

Remarks: "Tank overfill during delivery at above location. Cleanup is in progress and further investigation into cause is pending."

All Materials:

Site ID:	205589
Operable Unit ID:	867611
Operable Unit:	01
Material ID:	509276
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	20.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

SPILLS:

Facility ID:	0206783
Facility Type:	ER
Spill Number:	0206783
DER Facility ID:	170710
Site ID:	205588
DEC Region:	2
Closed Date:	2003-10-17
Spill Cause:	Unknown
Spill Class:	C3
SWIS:	3101
Spill Date:	2002-08-27
Investigator:	JMROMMEL
Referred To:	Not reported
Reported to Dept:	2002-10-01
CID:	198
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2002-10-01
Spill Record Last Update:	2003-10-17
Spiller Name:	Not reported
Spiller Company:	GASETERIA
Spiller Address:	466 10TH AVE
Spiller Company:	001
Contact Name:	DAVID GREFFENIUS

GASETERIA (Continued) **S100167794**

DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was ROMMEL 10/17/2003-Vought-see spill #8909614 at same location. This spill closed by Vought."
Remarks: "SOIL AND GROUNDWATER TESTING RESULTED IN FINDING CONTAMINATION IN SOIL AND THE GROUNDWATER. OWNER OF STATION NOTIFIED. "

All Materials:
Site ID: 205588
Operable Unit ID: 858549
Operable Unit: 01
Material ID: 517378
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

Facility ID: 0301287
Facility Type: ER
Spill Number: 0301287
DER Facility ID: 170710
Site ID: 205590
DEC Region: 2
Closed Date: 2003-05-06
Spill Cause: Human Error
Spill Class: C3
SWIS: 3101
Spill Date: 2003-05-02
Investigator: JBVOUGHT
Referred To: Not reported
Reported to Dept: 2003-05-05
CID: 266
Water Affected: Not reported
Spill Source: Tank Truck
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2003-05-05
Spill Record Last Update: 2003-10-17
Spiller Name: Not reported
Spiller Company: BP PRODUCTS NORTH AMERICA
Spiller Address: 1 W PENNSYLVANIA AVENUE
Spiller Company: 001
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was VOUGHT 5/6/2003-Vought-See spill #0301220 at same location reported by BP Amoco. This spill closed by Vought."
Remarks: "TANK OVERFILL DUE TO DRIVER ERROR. SPILLED ONTO CONCRETE AND ASPHALT. CLEANED UP BY NEW YORK CITY FIRE DEPARTMENT."

GASETERIA (Continued) **S100167794**

All Materials:

Site ID:	205590
Operable Unit ID:	867677
Operable Unit:	01
Material ID:	505782
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	20.00
Units:	G
Recovered:	20.00
Oxygenate:	Not reported

Facility ID:	8909614
Facility Type:	ER
Spill Number:	8909614
DER Facility ID:	170710
Site ID:	205591
DEC Region:	2
Closed Date:	2010-06-14
Spill Cause:	Unknown
Spill Class:	A3
SWIS:	3101
Spill Date:	1990-01-04
Investigator:	aaobliga
Referred To:	NFA
Reported to Dept:	1990-01-05
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	DEC
Cleanup Ceased:	2003-11-24
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	True
Remediation Phase:	0
Date Entered In Computer:	1990-01-17
Spill Record Last Update:	2010-06-14
Spiller Name:	OSCAR PORCELLI
Spiller Company:	GASETERIA OIL CORP
Spiller Address:	364 MASPETH AVENUE
Spiller Company:	001
Contact Name:	Not reported
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was VOUGHT 01/05/90: (6) MONITORING WELLS INSTALLED,OIL TANKS BEING TESTED BY CONTRACTORS(TRINITY & FENLEY & NICOL), ALL TANKS PUMPED & CLEANED, REPAIRING WATER MAIN. 10/10/2003-Vought-Spoke with LaJuana Smith (works for Clinton Housing-212-967-1644) and she is looking to resolve spill). In Nov 1996 DEC required further work from DEC. Ms Smith will call back on Wed for current site status and will possibly submit FOIL request upon her discussion with bank. 10/17/2003-Vought-File review by Vought: Community Board 4 Meeting Notice-2/21/90-Meeting held with DEC, NYFD, NYPD, DCA and NYCDEP to discuss current status and plans of site. Fax to DEC from

GASETERIA (Continued) **S100167794**

Gaseteria-2/22/90-Pedneault Associates (516-467-8477)-Groundwater analyticals from six monitoring wells and two soil disposal piles (no site plan in file). Groundwater analyticals show 275ppb benzene(W1), 341ppb benzene(W2), 327ppb benzene(W3), 448ppb benzene(W4), 158ppb benzene(W5) and 128ppb benzene(w6). Disposal samples show 1433ppb benzene(east pile) and 188ppb benzene(west pile). Groundwater analyticals-5/21/90-Pedneault Associates-Groundwater analyticals from six monitoring wells (no site plan in file). Groundwater analyticals show 2308ppb benzene(W1), 1091ppb benzene(W2), 680ppb benzene(W3), 385ppb benzene(W4), 736ppb benzene(W5) and 810ppb benzene(w6). Subsurface Investigation-7/90-Environmental Management Services. In Jan 1990 a subsurface water line broke beneath 10th avenue near the northwest side of the site. Water entered the basement of the adjoining building along with some gasoline. DEC required installation of six monitoring wells on Gaseteria property. Gasoline vapors detected in sewers in building across 10th Avenue. This subsurface investigation consisted of eight soil borings and installation of two additional monitoring wells. Three pump islands serviced by 12 (550-gallon) gasoline USTs and one (2000-gallon) diesel UST. Local topography slopes to the north. Groundwater at depth of 7-9' below grade. Bedrock is 7-11' below grade and slopes downward toward the northwest and southwest corners of site. Groundwater suspected to flow northward . All wells onsite were set firmly on bedrock and there is not sufficient information available to determine specific groundwater flow . No free product detected in wells. Groundwater appears to flow from 10th Ave towards the USTs. Report recommends groundwater monitoring with possible additional delineation. No soil samples submitted for analysis nor were screened via PID. Letter from DEC to Gaseteria-7/12/90. Letter from DEC (Sigona) to Gaseteria (Oscar Porcelli) requesting subsurface investigation work plan to be apporoved by the DEC to investigate the presence of gasoline vapors. Plan must be received by the DEC by 7/17/90. Odor complaints in January 1990 and again in July 1990. Sigona performed site visit on 7/13/90. Fax to DEC-7/17/90. Letter from Environmental Management Services to DEC (Sigona) proposing: 1)investigation of subsurface utilities as potential pathways 2)determination of groundwater flow direction 3)groundwater monitoring 4)installation of six soil borings along western margin of station and installation of two additional monitoring wells. Letter from DEC to Gaseteria-1/5/95. Letter from DEC (Sigona) to Gaseteria (Angel Chang) requiring cleanup and removal of discharge . Letter also required immediate steps to abate seepage into basement of 403 W 40th Street. Response from Gaseteria required to DEC by 1/15/95. Letter from Gaseteria to DEC-1/20/95. Letter from Gaseteria (Chang) to DEC (Sigona) stating that Gaseteria will: 1) divert the flow of surface water away from the south wall of the building 2)install a SVE system in the basement alonside of the south wall between the concrete floor and the building foundation. Gaseteria does not believe there is a need to install new groundwater monitoring wells or to further develop existing wells.....since the problem appears to be surface related . Sample analyticals from basement of 480 10th Ave-8/96. Soil analyticals show 20664ppb ethylbenzene(sample 48334), 59164ppb xylene(sample 48334), 11000ppb napthalene(sample 48334). Letter from DEC to Gaseteria-9/10/96. Letter from DEC(Rommel) to Gaseteria(George Esayan). DEC in possession of analyticals from Clinton Housing(403 W. 40th Street) . Gasteria required to sample two of the onsite monitoring wells for 8021/8270/lead. Letter from

GASETERIA (Continued) **S100167794**

Clinton Housing Development Company-9/11/96. Letter from Clinton(Joseph Tuana) to DEC(Rommel) with copies of analyticals discussed above. Letter from Carl Sulfaro (attorney for Gaseteria) to DEC (Rommel)-9/20/96. Letter stating that Sulfaro authorized EMS Environmental Services to take two samples of the onsite monitoring wells . Samples will be taken 9/27/96. Groundwater analyticals-10/10/96. Analyticals from MW5 by EMS showing 42.56ppb methylene chloride, 5549ppb benzene, 107.33ppb toluene, 1024.75ppb ethylbenzene, 393.15ppb xylene and 0ppb MTBE. Letter from Clinton(Kathy Prioleau) to DEC(Rommel)-11/11/96. On 10/27/96 strong fumes entered basement of 480 10th Ave . NYFD onsite. Letter requests that DEC relay information on testing done at Gaseteria and UST inspection of Gaseteria . Letter from DEC(Rommel) to Gaseteria(Sulfaro)-11/25/96. Letter stating that requirements of fax dated 9/10/96 were not met because only one well was sampled and 8270/Lead analyses were not performed. Letter requires:1)submittal of an investigation plan to delienate soil and groundwater contamination 2)source determination 3)installation of three additional monitoring wells 4)installation of an air sampling port on the exhaust line of the venting system and monthly sampling for benzene and THC. Letter states that action must be taken within 45 days . Letter from DEC(Rommel) to Prioleau(Clinton)-11/26/96. Letter stated that DEC was never notified of odor complaints as 11/11/96 letter stated. Also attached to letter was copy of 11/25/96 letter from DEC to Gaseteria. Letter from Gaseteria(Sulfaro) to DEC(Rommel)-1/15/97. Letter stating that Gaseteria would prefer to perform site investigation, soil removal and/or remediation as needed concurrent with excavation anticipated as part of Federal EPA UST upgrade mandate and the work is expected to take place in Spring 1997 . Letter from DEC(Rommel) to Gaseteria(Roberto Porcelli)-7/29/98. Letter serving as final notification of obligations regarding petroleum contamination and vapor incidents . On 6/28/03 petroleum contaminated groundwater infiltrated basement of 480 10th Ave due to heavy rains. This is the seventh vapor complaint associated with Gaseteria since Jan 1990 . Letter states that the Department is alotting 30 days for Gaseteria to statisfy all requirements in DEC letter dated 11/25/96 . Deadline of 8/31/98 given by DEC. Letter from Gaseteria(Seth Friedland) to DEC(Rommel)-8/13/98. Letter stating that the June 1998 episode was caused by heavy rains and appears to be an isolated event and that Gaseteria does not agree with Departments conclusions . Letter stated that the station will be taken out of service on 9/15/98,permanently close the USTs and reinstall upgraded USTs on the northern boundary of the site. Letter from DEC(Rommel) to Gaseteria(Roberto Porcelli)-8/28/98. Letter serving as a reminder of 8/31/98 deadline . Letter from Gaseteria(Oscar Porcelli) to DEC(Rommel)-8/28/98. Letter stating that new USTs were ordered and that work will start the second week of September. Gaseteria intends to install four monitoring wells to replace those destroyed by station upgrade and will retain Environmental Management services to develop remedial plan. Letter from DEC(Rommel) to Gaseteria(Oscar Porcelli)-8/31/98. Letter confirming phone conversation where an agreement was reached that Gaseteria will comply with following requirements and complete the tank upgrade prior to 9/30/98. Letter also required that a workplan be submitted prior to 9/4/03 which included 1)complete delineation 2)soil and groundwater sampling plan for use during excavation activities 3)sampling of SVE emmissions 4)installation of three monitoring wells into bedrock and 5)cleaning and proper

GASETERIA (Continued) **S100167794**

disposal of oil in the building floor drains and all associated discharge points. Letter from Camin Cargo Control(Gaseteria's Enviro consultant) to Gaseteria-10/5/98. Letter from Camin(Patricia Badding) stating that a site investigation and report shall be prepared. Investigation with Geoprobe and subsquent insallation of monitoring wells scheduled for 10/16/98. Soil samples will also be collected during excavation for new USTs. Venting system emissions will also be sampled. Cleaning and proper disposal of any oil in the building floor drains and all associated discharge points is the responsibility of Gaseteria . Letter from DEC(Rommel) to Gaseteria(Oscar Porcelli)-10/8/03. Letter acknowledging receipt of Camin 10/5/98 proposal and requiring the following by 10/13/98: 1)Site plan with proposed boring locations 2)discussion of locations 3)discussion of endpoint sampling locations from UST excavation 4)discussion of delineation procedure 5)include MTBE with analyticals 6)collect groundwater samples from Geoprobe locations. Letter from Camin(Badding) to DEC(Rommel)-10/13/03. Submission of 1)site plan with ten boring locations 2)Collection of six endpoint soil samples from UST excavation 3)excavation and disposal of contaminated soil encountered during tank installation 4)Inclusion of MTBE analyticals 5)collection of groundwater samples(if encountered). Investigation Results from Camin(Badding) to DEC(Rommel)-11/6/98. Results of eight soil borings peformed. Soil analyticals show 2149ppb MTBE(SB1), 526ppb benzene(SB2), 188ppb benzene(SB4), 212ppb benzene(SB5), 4576ppb MTBE(SB6), 1458ppb benzene(SB7), 29114ppb napthalene(SB7), 187ppb benzene(SB8). Groundwater analyticals show 1239ppb benzene(SB4), 1975ppb benzene(SB5), 5360ppb benzene(SB6). Subsurface Investigation Report Camin Badding 908-523-0616 10/16/98). Investigation report including results above of eight soil borings performed. There is approximately 2-4 inches of contaminated soil at the soil/bedrock interface in soil boring locations SB2, SB4, SB5, SB7 and SB8. Bedrock at depths of 6-11.5' below grade . A sheen was detected on all samples (groundwater). Venting system was samples on 12/11/98 via a vacuum canister attachment to vent. Removed dispenser island is the proposed location of new USTs. See analyticals above. Venting analyticals show 264ppm TPH and no other volatiles. Baseline Acquisition Assessment Report-10/10/02 Delta Environmental (Brad Fisher). Purpose was to establish baseline conditions prior to proposed lease and raze and rebuild of site by BP. One soil borings peformed in 4/02 to depth of 11.5'. Two borings drilled to 24.5 via air rotary and converted to temporary monitoring wells (MW1 and MW2). Delta recommends 1)gaseteria install permanent monitoring wells to delineate contamination. It is Delta's understanding that Gaseteria will retain the environmental liability of the subject site until spill closure has been obtained . At time of assessment three USTs on site (two 6000-gallon gasoline USTs and one 6000-gallon diesel UST) and four pump islands with six dispensers. Surrounding area is multiple story apartment buildings. Groundwater is located within bedrock fractures at depths between approximately 12.5 and 13.5 ft bgs . Former USTS onsite which were CLOSED IN PLACE include two (6000-gallon) gasoline USTs in 1998 , one 6000-gallon diesel in 1999, ten 550-gallon gasoline USTs in 1998, one 550-gallon waste oil in 1998 and one 550-gallon fuel oil in 1996. Soil analyticals show 4570ppb xylenes(SB1) and 3970ppb isopropylbenzene(SB1) from depths of 10-11.5'. Groundwater analyticals show 148ppb benzene(MW1), 24800ppb MTBE(MW1) and 30.7ppb benzene(MW2). 10/21/2003-Vought-Reviewed site with DEC(Rommel). Sent Stipulation Agreeement with the following

GASETERIA (Continued) **S100167794**

requirements: 1)Groundwater delineation via installation of bedrock monitoring wells at former boring locations SB1, SB4, SB5, SB6, SB7 2)Monitoring of vapors and groundwater intrusion 480 10th Ave 3)current status of SVE system and submittal of historic and current SVE effluent samples for benzene analysis or collection of indoor air samples from 480 10th Ave. 10/24/2003-Vought-Called LuJuana Smith (212-967-1644) and left message and explained requirements of 10/21/03 letter. 10/27/2003-Vought-Received message from Steve Muller will be taking indoor air samples from 480 10th Avenue. Vought returned call to Muller (516-395-5957). 10/28/2003-Vought-returned call to Steve Muller to discuss indoor air samples. Left message to return call to DEC. Left message for LuJuana Smith to call DEC. Vought spoke with Muller and okayed PID and stated that SUMA sample as per NYSDOH guidance was not necessary until 1)closure of SVE system or 2)PID indications of petroleum vapors followed by subsequent remediation. Vought also instructed Muller to check sumps. Vought spoke to LuJuana Smith who will be sending in FOIL Request for continuous updates on site. Vought also called Muller and gave him LuJuana's phone (212-967-1644) for access arrangements. 11/6/2003-Vought-Spoke with Steve Muller who was onsite. No PID readings and no olfactory evidence of petroleum and no groundwater infiltration into basement and no product in sump. Muller will produce summary letter and send to DEC. 11/7/2003-Vought-Received Summary Letter from Applied Geosolutions(Muller). Site visit performed on 11/6/03 and inspection of basement at 480 10th Ave. AGS observed no olfactory detection of odors or vapors consistent with hydrocarbons related to gasoline . PID readings of 4.8ppm were attributed to moisture in basement. Small amount of standing water present near leaking hose. No signs of product in sump. Vapor abatement system unoperational during site visit. Photos of basement submitted with report show no free product or petroleum impact. 11/24/2003-Vought-Received signed STIP from Adam Good(Gaseteria) with revised Corrective Action Plan. 11/26/2003-Vought-Spill transferred from Rommel to Vought. Vought received call from LuJuana Smith and she requested update. Vought faxed her copy of 11/7/03 report and letter sent to Gaseteria on 10/21/03. Vought submitted STIP for implementation to DEC Kunkel. 12/2/03-Vought-STIP implemented by Kunkel. Copy sent and faxed to Good and Muller. 12/17/2003-Vought-See closed spill 0301220 at same location. 9/14/04-Vought-New file review by Vought: Letter from Applied Geosolutions (Steven Muller 516-395-5957). On November 6, 2003 Applied Geosolutions inspected the basement of 480 10th Avenue to perform vapor monitoring and to identify the presence of groundwater . During the inspection AGS observed no olfactory detection of odors or vapors consistent with hydrocarbons related to gasoline. The air space was monitored with a portable PID indicating a measurement of 4.8 ppm... This detection is likely the result of low atmosheric pressure followed from periods of rain causing the basement to be damp. The basement floor did not indicate the presence of groundwater... . Line and Dispenser Upgrade Report (Delta Environmental Brad Fisher 914-765-8180). This Line and Dispenser Report summarizes the results of pump island and product piping upgrade assessment activities conducted by Delta Environmental and Gasoline Installations on behalf of BP Products North America . Work performed included the removing and installing new spill containment boxes beneath each dispenser, removal and replacement of propduct piping and installation of electronic line leak detection systems. Soil analyticals onlly show minor TAGM 4046 SVOC exceedences

GASETERIA (Continued) **S100167794**

attributable to fill. Subusurface Investigation Workplan (Applied Geosolutions)-July 2004. Bedrock at depth of 10' below grade and groundwater at depth of 12.5-13.5' below grade. Report proposes installation of four wells via air rotary followed by groundwater sampling. Groundwater flow direction not determined as of yet. 9/14/04-Vought-Sent letter to Gaseteria approving of Subsurface Investigation Workplan. Vought received message from Lujuanna Smith (212-967-1644) and returned call. Vought spoke to Smith and no indication of vapors was noted. Ms. Smith requested info on the applicability of the BCP program for 480 10th Avenue and Vought replied that was only available if HPD was willing to take responsiblity of the spill and that she should call Albany for futher information. Vought also suggested that she return the call to DEC on 11/14/04 which is when the workplan results are due to DEC. 9/17/04-Vought-Received fax from Applied Geosolutions (Muller). 466 10th Avenue-AGS is currently getting drilling quotes and will complete the Workplan within the 60 day time frame . 1/6/05-Vought-Reviewed Subsurface Investigation Summary Report (Applied Geosolutions) dated December 2004 and received on 1/3/05. Location north of USTs not possible due to concrete with rebar. Installation of three monitoring wells. Groundwater from 7-11' bgs and flow to the west. Groundwater analyticals show 48ppb xylene(MW1), 13ppb 1,2,4-trimethylbenzene(MW1), 17ppb 1,3,5-trimethylbenzene(MW1), 26ppb napthalene(MW1), 1400ppb MTBE(MW1), 23ppb MTBE(MW2), and 20ppb MTBE(MW3). The existing groundwater monitoring wells should be monitored on a monthly schedule and sampled on a quarterly schedule to document changes in groundwater elevation and contaminate concentration trends in order to develop and appropriate remedial strategy . DEC requires: 1)installation of monitoring wells on West 37th Street north northeast of site and downgradient from abandoned tankfield along 10th Avenue. 1/19/05-Vought-Meeting at DEC with ASR Tomasello. Will examine possibility of borings across 10th Avenue (may not be possible due to utilities) and also onsite adjacent to 480 10th Avenue. If onsite boring adjacent to 480 10th Avenue is not possible then boring will be installed on 37th Street. 2/17/05-Vought-Spoke to Muller and site visit scheduled for 2/24 at 10am to discuss possible well installation locations. 2/24/05-Vought-Site meeting with ASR Tomasello and no borings possible across 10th Avenue. Well will be installed onsite under canopy downgradient of abandoned tankfield. Well will also be installe on West 37th Street north northeast of site. Obligado- SITE TRANSFERRED FROM VOUGHT TO OBLIGADO 10/12/05 - Spoke with Tomasello ASR, requests to talk about closure for sp0206783. 10/17/05- Obligado - File Review: Final Subsurface Investigation Report, dated June 2005. 4 monitoring wells installed at the site. Wells were installed into Bedrock down to 25 ft bgs. 3 wells installed in December 2004, one additional well installed in March 2005. Groundwater encountered at approximately 7 to 11 feet. No product encountered. Initial gw samples in Dec. 2004 show ND for Benzene in all wells, 1400 ppb MTBE (MW-1), 23 ppb MTBE (MW@), 20 ppb MTBE (MW-3), 48 ppb Xylene (MW-1). March 2005 gw results show 140 ppb benzene (MW1), 2100 ppb MTBE (MW-1), 26 ppb benzene (MW-3), 16 ppb MTBE (MW-3). June 2005 results show 45 ppb benzene (MW-1), 11 ppb Ethylbenene (MW-1), 750 ppb MTBE (MW-1), 52 ppb benzene (MW4), 10 ppb toluene (MW-4), 170 ppb Napthalene (MW4), 55 ppb MTBE (MW4), 193 ppb xylenes (MW-4). 4Q05 Monitoring Report, dated 10/15/05. Ground water analyticals at show 20 ppb benzene (MW-1), 580 ppb MTBE (MW1), 23 ppb MTBE (MW-2), 21 ppb

GASETERIA (Continued) **S100167794**

benzene (MW-3), 15 ppb MTBE (MW-3), 16 ppb benzene (MW-4), 52 ppb ethylbenzene (MW-4), 140 ppb MTBE (MW-4). 11/14/05 - Obligado - Site visit with ASR Tomasello. Request to see at least 2 more quarters of monitoring at a minimum. 12/8/05 - Obligado - Will do a sensitive receptor survey. Continue monitoring. Only 2 quarters of data at MW4. 3/1/06 - Obligado - PHone call with Chris/STeve, ask that site be monitored quarterly not monthly. 4/12/06 - Obligado - review 1Q06 monitoring report. BTEX ND to 33 ppb, MTBE ND to 800 ppb. 11/21/06 - Obligado - Reviewed Closure Petition/Sensitive Receptor Survey. Sent email to ASR denying NFA stating the following: Due to historical vapor issues in the adjacent apartment, and the presence of benzene above guidance levels in ground water, the Department requires laboratory analyzed vapor samples from either the slub slab system (if operational) or indoor air samples to confirm no vapor intrusion. The Department also requires an additional round of ground water monitoring to confirm benzene and MTBE levels are still decreasing. NYSDOH Vapor Intrusion Guidance should be followed when collecting air samples available at http://www.health.state.ny.us/environmental/investigations/soil_gas/svi_guidance/index.html. Please submit the results of the additional investigation by January 21, 2007. 12/1/06 - Obligado - Steve Muller will be onsite today to collect addtional data. 5/19/09 - Obligado - Meeting with DEC, ASR, GAseteria. They conducted a groundwater monitoring event and a vapor intrusion investigation in the adjacent residential building. According to report no Vapor intrusion was occuring. Ground water results found low levels of BTEX in GW, max 23 ppb and MTBE is continuing to decrease from 1400 ppb in 2004 to 250 ppb in 1Q09. They will submit a workplan for a confirmatory soil boring investigation by 7/31/09. 11/20/09 - Obligado - Reviewed a revised Investigation Work Plan. The plan proposes to install 3 montioring wells at the site. 2 wells are proposed in the area of the former abandoned 550 USTs and one is downgradient of the dispenser island. I sent a letter to Gaseteria approving the plan. 3/22/10 - Obligado - Review the 4th quarter 2009 monitoring report. Max BTEX is 8 ug/L. Max MTBE is 140 ug/L. No LNAPl present. 6/14/10 - Obligado - I reviewed the Remedial Investigation Report. 2 Additional soil boring/monitoring wells were installed. 1 soil boring/well location was not completed due utilities in that area. Soil samples were collected from one of the 2 locations, but the other location had shallow bed rock so no soil sample was collected. No soil impacts were detected at the one location where soil was collected. Ground water results showed 13 ppb total BTEX at newly installed MW5. MW6 had no exceedences of TOGs The existing monitoring wells were sampled as well. MW4 had max MTBE at 150 ppb, and BTEX at 14 ppb, and total VOCs were 174 ppb. MW2 had 15.3 ppb BTEX and 11 ppb MTBE. This site has minimal ground water impacts the 6 wells on the site, and lack of evidence of contaminated source soils. Also a VI investigation was previously performed at the adjacent apartment building and no vapor intrusion was determined to be occuring. After discussion with DEC Tibbe, this spill has been closed. "

Remarks: "GASOLINE ENTERED BUILDING 478 10TH AVE & SEWER SYSTEM, (3) OFFICE BLDGS (475, 478, 483 10TH AVE) EVACUATED, EXPLOSIVE CONDITIONS IN SEWER, DEC & LOCAL AGENCIES ON SCENE. (SIGONA)"

All Materials:
Site ID: 205591
Operable Unit ID: 934554
Operable Unit: 01

GASETERIA (Continued) **S100167794**

Material ID:	572491
Material Code:	1213A
Material Name:	MTBE (methyl-tert-butyl ether)
Case No.:	01634044
Material FA:	Hazardous Material
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	True
Site ID:	205591
Operable Unit ID:	934554
Operable Unit:	01
Material ID:	442774
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	L
Recovered:	.00
Oxygenate:	True
Facility ID:	9606785
Facility Type:	ER
Spill Number:	9606785
DER Facility ID:	170710
Site ID:	205592
DEC Region:	2
Closed Date:	2003-10-17
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	1996-08-27
Investigator:	JMROMMEL
Referred To:	Not reported
Reported to Dept:	1996-08-27
CID:	312
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1996-08-27
Spill Record Last Update:	2003-10-17
Spiller Name:	Not reported
Spiller Company:	GASETERIA
Spiller Address:	466 10TH AVE
Spiller Company:	001
Contact Name:	Not reported
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ROMMEL 10/17/2003-Vought-See spill #8909614 at same location. This

GASETERIA (Continued) **S100167794**

spill closed by Vought."
Remarks: "same occurrence everyday - gas odor any time of the day"

All Materials:
Site ID: 205592
Operable Unit ID: 1034576
Operable Unit: 01
Material ID: 346056
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

---

556 **411 WEST 35TH STREET** **NY VCP** **S118943312**
ENE **411 WEST 35TH STREET** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.410 mi.
2165 ft.

Relative:
Higher

Actual:
40 ft.

VCP NYC:
Project ID: 14CVCP173M
Project Name: 411 WEST 35TH STREET
Project Address: 411 WEST 35TH STREET
Borough: MANHATTAN

VCP NYC:
Project ID: 14CVCP173M
File Name: 2013-10-10.RIR
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP173M/2013-10-10.14CVCP173M.RIR.pdf

Project ID: 14CVCP173M
File Name: 2013-11-21.RAWP_Final
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP173M/2014-11-07.13EHAN501M.report.Stip_List_RAWP.Brinkerhoff.pdf

Project ID: 14CVCP173M
File Name: 2013-10-10.FactSheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP173M/2013-10-10.14CVCP173M.FactSheet-1.pdf

Project ID: 14CVCP173M
File Name: 2013-10-10.Translated_FactSheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP173M/2013-10-10.14CVCP173M.Translated_FactSheet-1.pdf

Project ID: 14CVCP173M
File Name: 2013-10-10.Translated_CPS
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP173M/2013-10-10.14CVCP173M.Translated_CPS.pdf

Project ID: 14CVCP173M
File Name: 2014-11-07.Factsheet-2
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/

411 WEST 35TH STREET (Continued) **S118943312**

14CVCP173M/2014-11-07.14CVCP173M.411-421_West_35th_Street.Factsheet-2.pdf

Project ID: 14CVCP173M
File Name: 2014-11-07.Translated_Factsheet-2
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/14CVCP173M/2014-11-07.14CVCP173M.Translated_Factsheet-2.pdf

---

557 NNE 1/4-1/2 0.413 mi. 2183 ft. **78-02 37TH ST/QUNS/USPS** **NY LTANKS** **S102671593**
78002 37TH STREET **N/A**
NEW YORK CITY, NY

Relative: Higher
Actual: 21 ft.

LTANKS:

Facility ID:	9008683
Site ID:	212290
Closed Date:	1995-06-20
Spill Number:	9008683
Spill Date:	1990-11-07
Spill Cause:	Tank Overfill
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C3
Cleanup Ceased:	1995-06-20
SWIS:	4101
Investigator:	FINGER
Referred To:	Not reported
Reported to Dept:	1990-11-08
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1990-11-20
Spill Record Last Update:	1995-07-03
Spiller Name:	Not reported
Spiller Company:	U S P S
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	175924
DEC Memo:	""
Remarks:	"TO EXCAVATE, STOCKPILE, TEST & DISPOSE."

All Materials:

Site ID:	212290
Operable Unit ID:	945889
Operable Unit:	01
Material ID:	432484
Material Code:	0001A
Material Name:	#2 fuel oil

78-02 37TH ST/QUNS/USPS (Continued) **S102671593**

Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Not reported
Recovered:	.00
Oxygenate:	Not reported

558
SSW
1/4-1/2
0.424 mi.
2241 ft.

178-10 69TH AVE/QUEENS **NY LTANKS** **S102671227**
178-10 69TH AVE **N/A**
NEW YORK CITY, NY

Relative:
Lower

Actual:
11 ft.

LTANKS:

Facility ID:	8708234
Site ID:	69350
Closed Date:	1988-01-12
Spill Number:	8708234
Spill Date:	1987-12-22
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	Not reported
Cleanup Ceased:	1987-12-23
SWIS:	4101
Investigator:	SULLIVAN
Referred To:	Not reported
Reported to Dept:	1987-12-23
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Affected Persons
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1988-01-13
Spill Record Last Update:	1989-03-13
Spiller Name:	Not reported
Spiller Company:	CENTRAL PETROLEUM
Spiller Address:	642 SOUTHERN BLVD
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	65936
DEC Memo:	""
Remarks:	"SPILLER CLEANED AND PICKED UP CONTAMINATED SOIL, PLACED ABSORBENTS ON SIDEWALK AND REMOVED THEM, NO ACTION REQUIRED BY DEC."

All Materials:

Site ID:	69350
Operable Unit ID:	913753
Operable Unit:	01
Material ID:	463628
Material Code:	0001A
Material Name:	#2 fuel oil

178-10 69TH AVE/QUEENS (Continued) **S102671227**

Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Not reported
Recovered:	.00
Oxygenate:	Not reported

559
ESE
1/4-1/2
0.426 mi.
2248 ft.

304 W 30TH ST
304 W 30TH ST
NYC, NY

NY LTANKS **S102671788**
N/A

Relative:
Higher

Actual:
30 ft.

LTANKS:

Facility ID:	9110058
Site ID:	84080
Closed Date:	1991-12-21
Spill Number:	9110058
Spill Date:	1991-12-21
Spill Cause:	Tank Overfill
Spill Source:	Tank Truck
Spill Class:	Not reported
Cleanup Ceased:	1991-12-21
SWIS:	3101
Investigator:	MCTIBBE
Referred To:	Not reported
Reported to Dept:	1991-12-21
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1992-01-31
Spill Record Last Update:	1992-02-12
Spiller Name:	Not reported
Spiller Company:	PETRO OIL
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	77342
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE "
Remarks:	"PETRO CLEANING"

All Materials:

Site ID:	84080
Operable Unit ID:	960073
Operable Unit:	01
Material ID:	418631
Material Code:	0001A
Material Name:	#2 fuel oil

304 W 30TH ST (Continued) **S102671788**

Case No.:	Not reported
Material FA:	Petroleum
Quantity:	20.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

CH560 **MUTUAL REDEVELOPMENT HOUSES** **NY LTANKS** **U003127184**
SE **315 WEST 25TH STREET** **NY AST** **N/A**
1/4-1/2 **MANHATTAN, NY 10001**
0.437 mi.
2307 ft. **Site 1 of 2 in cluster CH**

Relative: **Higher**
Actual: **23 ft.**

LTANKS:

Facility ID:	9602633
Site ID:	257575
Closed Date:	2005-09-16
Spill Number:	9602633
Spill Date:	1996-05-23
Spill Cause:	Tank Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	D4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	TLGIBBON
Referred To:	Not reported
Reported to Dept:	1996-05-23
CID:	323
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1996-05-23
Spill Record Last Update:	2005-10-11
Spiller Name:	BRENDAN KEANY
Spiller Company:	POWER HOUSE
Spiller Address:	315 W 25TH ST
Spiller County:	001
Spiller Contact:	BRENDAN KEANY
Spiller Phone:	(212) 675-3200
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	24612
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was M TIBBE 6/8/05 - Project transferred to TLGibbons in Central Office, Albany 8/16/05 - Spoke with Brenden Keany, Mutual Redevelopment Houses, Inc., (212) 675-3200. Spill reported 5/23/96 by CDM during removal of twelve (12) 20,000 gal. #2 and #6 fuel oil USTs. The large fuel usage was for a cogen plant which generates electricity for ~3,000 people. After removing tanks and cleaning, went to dual fuel system, reinstalling only six 20,000 gal. #2 fuel oil USTs. Spoke with David Marabello (732-225-7000), CDM project manager during spill. He said that they excavated to the lateral and vertical limits possible, using shoring, without compromising structure of building.

MUTUAL REDEVELOPMENT HOUSES (Continued) **U003127184**

Southern portion of excavation encountered bedrock. Sixteen post-excavation samples were collected and evaluated for VOCs and SVOCs. All samples greater than 10 feet bgs. Elevated levels of VOCs and SVOCs were encountered in several samples, hovever, according to 10/2/98 CDM tank closure report, levels not indicative of gross tank failure, rather indicative of chronic spills over time. While some sporadic elevated levels of petroleum remain, everything that was reasonable to be done, was done. Close spill. "

Remarks: "OLD TANK APPEARED TO HAVE FAILED. TANK IS BEING REMOVED, CONTAMINATED SOIL WAS FOUND DURING REMOVAL PROCESS. INVESTIGATION IS UNDERWAY AT THIS TIME."

All Materials:

Site ID:	257575
Operable Unit ID:	1030194
Operable Unit:	01
Material ID:	352456
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-602742
Program Type:	PBS
UTM X:	584616.89998
UTM Y:	4511145.81953
Expiration Date:	08/02/2021
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	24698
Affiliation Type:	Facility Owner
Company Name:	MUTUAL REDEVELOPMENT HOUSES, INC.
Contact Type:	GENERAL MANAGER
Contact Name:	BRENDAN KEANY
Address1:	321 EIGHTH AVENUE
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 675-3200
EMail:	Not reported
Fax Number:	Not reported
Modified By:	ACDANIEL
Date Last Modified:	2016-09-21

Site Id:	24698
Affiliation Type:	Mail Contact

MUTUAL REDEVELOPMENT HOUSES (Continued) **U003127184**

Company Name:	MUTUAL REDEVELOPMENT HOUSES, INC.
Contact Type:	Not reported
Contact Name:	BRENDAN KEANY,MANAGER
Address1:	321 EIGHTH AVENUE
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 675-3200
EMail:	BKEANY@PENNSOUTH.COOP
Fax Number:	Not reported
Modified By:	ACDANIEL
Date Last Modified:	2016-09-21

Site Id:	24698
Affiliation Type:	Facility Operator
Company Name:	MUTUAL REDEVELOPMENT HOUSES, INC.
Contact Type:	Not reported
Contact Name:	EDWARD JOHNSON
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 675-1942
EMail:	Not reported
Fax Number:	Not reported
Modified By:	ACDANIEL
Date Last Modified:	2016-09-21

Site Id:	24698
Affiliation Type:	Emergency Contact
Company Name:	MUTUAL REDEVELOPMENT HOUSES, INC.
Contact Type:	Not reported
Contact Name:	BRENDAN KEANY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 675-3200
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	AST #2
Tank Id:	54517
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

MUTUAL REDEVELOPMENT HOUSES (Continued) **U003127184**

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
G10 - Tank Secondary Containment - Impervious Underlayment
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
E07 - Piping Secondary Containment - Trench Liner
G01 - Tank Secondary Containment - Diking (Aboveground)
J02 - Dispenser - Suction Dispenser
K99 - Spill Prevention - Other
H00 - Tank Leak Detection - None
I02 - Overfill - High Level Alarm
L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/1984
Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: ACDANIEL
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: AST#1
Tank Id: 51876
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

J02 - Dispenser - Suction Dispenser
K99 - Spill Prevention - Other
E07 - Piping Secondary Containment - Trench Liner
G01 - Tank Secondary Containment - Diking (Aboveground)
L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
I02 - Overfill - High Level Alarm
F01 - Pipe External Protection - Painted/Asphalt Coating
G10 - Tank Secondary Containment - Impervious Underlayment
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground

Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/1984

MUTUAL REDEVELOPMENT HOUSES (Continued) **U003127184**

Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: ACDANIEL
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: AST#3
Tank Id: 51879
Material Code: 0013
Common Name of Substance: Lube Oil

Equipment Records:
E07 - Piping Secondary Containment - Trench Liner
G01 - Tank Secondary Containment - Diking (Aboveground)
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
G10 - Tank Secondary Containment - Impervious Underlayment
K99 - Spill Prevention - Other
C01 - Pipe Location - Aboveground
L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
J03 - Dispenser - Gravity
I02 - Overfill - High Level Alarm
I04 - Overfill - Product Level Gauge (A/G)
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/1984
Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: ACDANIEL
Last Modified: 04/14/2017
Material Name: lube oil

Tank Number: AST4
Tank Id: 61708
Material Code: 0013
Common Name of Substance: Lube Oil

Equipment Records:
K99 - Spill Prevention - Other
J03 - Dispenser - Gravity
E07 - Piping Secondary Containment - Trench Liner

MUTUAL REDEVELOPMENT HOUSES (Continued) **U003127184**

L09 - Piping Leak Detection - Exempt Suction Piping
I02 - Overfill - High Level Alarm
G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
G10 - Tank Secondary Containment - Impervious Underlayment
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 09/01/1999
Capacity Gallons: 240
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: ACDANIEL
Last Modified: 04/14/2017
Material Name: lube oil

Tank Number: AST5
Tank Id: 61709
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

J02 - Dispenser - Suction Dispenser
I00 - Overfill - None
L09 - Piping Leak Detection - Exempt Suction Piping
G01 - Tank Secondary Containment - Diking (Aboveground)
C01 - Pipe Location - Aboveground
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
G04 - Tank Secondary Containment - Double-Walled (Underground)
H99 - Tank Leak Detection - Other

Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: 07/01/1998
Capacity Gallons: 240
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True

MUTUAL REDEVELOPMENT HOUSES (Continued) **U003127184**

Modified By: KXTANG
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: AST7
Tank Id: 55901
Material Code: 0013
Common Name of Substance: Lube Oil

Equipment Records:

J02 - Dispenser - Suction Dispenser
K99 - Spill Prevention - Other
I02 - Overfill - High Level Alarm
L09 - Piping Leak Detection - Exempt Suction Piping
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
E07 - Piping Secondary Containment - Trench Liner
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
G10 - Tank Secondary Containment - Impervious Underlayment
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 05/01/1998
Capacity Gallons: 500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: ACDANIEL
Last Modified: 04/14/2017
Material Name: lube oil

Tank Number: AST8
Tank Id: 55902
Material Code: 0022
Common Name of Substance: Waste Oil/Used Oil

Equipment Records:

C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
F06 - Pipe External Protection - Wrapped
J02 - Dispenser - Suction Dispenser
K99 - Spill Prevention - Other
E07 - Piping Secondary Containment - Trench Liner
I02 - Overfill - High Level Alarm

MUTUAL REDEVELOPMENT HOUSES (Continued) **U003127184**

L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
G10 - Tank Secondary Containment - Impervious Underlayment
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location:	2
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	05/01/1998
Capacity Gallons:	500
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	ACDANIEL
Last Modified:	04/14/2017
Material Name:	waste oil/used oil

Tank Number:	FUEL #1
Tank Id:	51877
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
J02 - Dispenser - Suction Dispenser
G01 - Tank Secondary Containment - Diking (Aboveground)
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
I03 - Overfill - Automatic Shut-Off
H00 - Tank Leak Detection - None
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Tank Converted to Non-Regulated Use
Pipe Model:	Not reported
Install Date:	01/01/1984
Capacity Gallons:	300
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	KXTANG
Last Modified:	04/14/2017
Material Name:	#2 fuel oil (on-site consumption)

MUTUAL REDEVELOPMENT HOUSES (Continued) **U003127184**

Tank Number:	FUEL #2
Tank Id:	51878
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
I03 - Overfill - Automatic Shut-Off
G01 - Tank Secondary Containment - Diking (Aboveground)
C03 - Pipe Location - Aboveground/Underground Combination
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Tank Converted to Non-Regulated Use
Pipe Model:	Not reported
Install Date:	01/01/1984
Capacity Gallons:	300
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	KXTANG
Last Modified:	04/14/2017
Material Name:	#2 fuel oil (on-site consumption)

CH561 **CLOSED-LACKOF RECENT INFO** **NY LTANKS** **S102233331**
SE **315 W. 25TH ST** **N/A**
1/4-1/2 **MANHATTAN, NY**
0.437 mi.
2307 ft. **Site 2 of 2 in cluster CH**

Relative:
Higher

Actual:
23 ft.

LTANKS:

Facility ID:	8908445
Site ID:	138350
Closed Date:	2003-03-06
Spill Number:	8908445
Spill Date:	1989-11-27
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	ADMIN. CLOSED
Referred To:	Not reported
Reported to Dept:	1989-11-27
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False

CLOSED-LACKOF RECENT INFO (Continued) **S102233331**

Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1989-11-29
Spill Record Last Update:	2004-07-19
Spiller Name:	Not reported
Spiller Company:	SAME/MUTUAL DVLPMNT HSG
Spiller Address:	SAME
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	118299
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ADMIN.CLOSED 03/06/2003- Closed Due To The Nature / Extent Of The Spill Report"
Remarks:	"TANK #11&12 BOTH 20K HORNER GROSS LEAKS.CLOSED DUE TO LACK OF ANY RECENT INFO- DOES NOT MEET ANY CLEAN UP REQUIREMENTS."

All TTF:

Facility ID:	8908445
Spill Number:	8908445
Spill Tank Test:	1536463
Site ID:	138350
Tank Number:	Not reported
Tank Size:	0
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	138350
Operable Unit ID:	933493
Operable Unit:	01
Material ID:	445185
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

CI562 **462-470 11TH AVENUE** **NY VCP** **S118943453**
NNE **462-470 11TH AVENUE** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.437 mi.
2307 ft. **Site 1 of 2 in cluster CI**

Relative:
Higher

Actual:
20 ft.

VCP NYC:
Project ID: 15CVCP063M
Project Name: 462-470 11TH AVENUE
Project Address: 462-470 11TH AVENUE
Borough: MANHATTAN

VCP NYC:
Project ID: 15CVCP063M
File Name: 2014-05-06.RIR
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP063M/2014-05-06.15CVCP063M.462-470_11th_Avenue.RIR.pdf

Project ID: 15CVCP063M
File Name: 2015-01-16.RAWP_Draft
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP063M/2015-01-16.15CVCP063M.462-470_11th_Avenue.RAWP_Draft.pdf

Project ID: 15CVCP063M
File Name: 2015-01-20.Factsheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP063M/2015-01-20.15CVCP063M.462-470_11th_Avenue.Factsheet-1.pdf

Project ID: 15CVCP063M
File Name: 2015-01-20.Translated_FactSheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP063M/2015-01-20.15CVCP063M.462-470_11th_Avenue.Translated_FactSheet-1.pdf

Project ID: 15CVCP063M
File Name: 2015-01-20.Translated_CPS
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP063M/2015-01-20.15CVCP063M.462-470_11th_Avenue.Translated_CPS.pdf

---

CJ563 **415 W. 21ST STREET** **NY LTANKS** **S102672732**
South **415 W. 21ST STREET** **N/A**
1/4-1/2 **MANHATTAN, NY**
0.438 mi.
2310 ft. **Site 1 of 2 in cluster CJ**

Relative:
Higher

Actual:
15 ft.

LTANKS:
Facility ID: 9412289
Site ID: 267931
Closed Date: 1994-12-14
Spill Number: 9412289
Spill Date: 1994-12-14
Spill Cause: Tank Overfill
Spill Source: Private Dwelling
Spill Class: C4
Cleanup Ceased: 1994-12-14
SWIS: 3101
Investigator: JMKRIMGO
Referred To: Not reported

415 W. 21ST STREET (Continued) **S102672732**

Reported to Dept:	1994-12-14
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-01-30
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	WHALECO
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	218276
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was KRIMGOLD "
Remarks:	"SPILL CONTAINED ON CONCRETE WALKWAY-SERVICE TO DO CLEANUP"

All Materials:

Site ID:	267931
Operable Unit ID:	1010003
Operable Unit:	01
Material ID:	374612
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

CJ564 **DR. SERSINI** **NY LTANKS** **S104275721**
South **415 WEST 21ST STREET** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.438 mi.
2310 ft. **Site 2 of 2 in cluster CJ**

Relative: **Higher**
Actual: **15 ft.**

LTANKS:

Facility ID:	9411689
Site ID:	151614
Closed Date:	1994-12-02
Spill Number:	9411689
Spill Date:	1994-12-02
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	C4
Cleanup Ceased:	1994-12-02
SWIS:	3101
Investigator:	SMMARTIN
Referred To:	Not reported

DR. SERSINI (Continued) **S104275721**

Reported to Dept:	1994-12-02
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-01-12
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	WHALECO FUEL
Spiller Address:	1 COFFEY STREET
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	128850
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MARTINKAT "
Remarks:	"TANK WAS ALREADY FULL. WHALECO WENT TO FILL AND IT OVERFILLED. IN PROCESS OF CLEANING UP. NCB."

All Materials:

Site ID:	151614
Operable Unit ID:	1009558
Operable Unit:	01
Material ID:	374028
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	2.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

CI565 **COMMERCIAL BUILDING** **NY LTANKS** **S106737471**
NNE **541 WEST 37TH STREET** **N/A**
1/4-1/2 **NEW YORK, NY**
0.443 mi.
2338 ft. **Site 2 of 2 in cluster CI**

Relative:
Higher

Actual:
20 ft.

LTANKS:

Facility ID:	0409846
Site ID:	334665
Closed Date:	2005-05-05
Spill Number:	0409846
Spill Date:	2004-12-03
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	D4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	SMSANGES

COMMERCIAL BUILDING (Continued) **S106737471**

Referred To:	Not reported
Reported to Dept:	2004-12-03
CID:	444
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2004-12-03
Spill Record Last Update:	2005-05-05
Spiller Name:	MORTY
Spiller Company:	COMMERCIAL BUILDING
Spiller Address:	541 WEST 37TH STREET
Spiller County:	001
Spiller Contact:	MORTY
Spiller Phone:	(212) 564-2000
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	269881
DEC Memo:	"ttf ltr sent 1/14/2005 2/14/2005 Received a letter from Morton Usdan (212-564-2006) saying that he hired a company to work on the tank. If it can be fixed, it will be. If not, it will be abandoned. 5/2/2005 Sangesland spoke to Mr. Usdan. He said PTC found a dry leak in the vent line and replaced the line. Tank was retested and passed, no contamination was visible. Sangesland asked Mr. Usdan to submit all of this in writing to DEC. 5/5/2005 Sangesland received a letter from Mark Salamack at Petroleum Tank Cleaners. Tank was originally tested and failed by another company. PTC emptied the 1500 gal tank, isolated the lines and the stickline and vent line were found to leak. The gasket was replaced and then the tank was tested alone and passed. All necessary piping was replaced and no contamination was found. Spill Closed "
Remarks:	"PBS No: 2-210420 "

All TTF:

Facility ID:	0409846
Spill Number:	0409846
Spill Tank Test:	1548373
Site ID:	334665
Tank Number:	0001
Tank Size:	1400
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	03
Test Method 2:	Horner EZ Check I or II
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified Date:	Not reported

All Materials:

Site ID:	334665

COMMERCIAL BUILDING (Continued) **S106737471**

Operable Unit ID:	1096791
Operable Unit:	01
Material ID:	576729
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	.00
Oxygenate:	Not reported

566
East
1/4-1/2
0.445 mi.
2348 ft.

BASEMENT OF
333 WEST 34TH ST
MANHATTAN, NY

NY LTANKS **S104502515**
NY Spills **N/A**

Relative:
Higher

Actual:
39 ft.

LTANKS:

Facility ID:	0305833
Site ID:	285598
Closed Date:	2005-11-14
Spill Number:	0305833
Spill Date:	2003-09-02
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	LJALDEN
Referred To:	Not reported
Reported to Dept:	2003-09-02
CID:	199
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2003-09-02
Spill Record Last Update:	2005-11-14
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	UDNAUTH MATHURA
Spiller Phone:	(212) 615-9365
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	284732
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SANGESLAND Sent TTF letter to consultant: Maria Ramirez, GZA, 65 Willowbrook Blvd, Wayne, NJ 07470 11/5/2003 Sangesland spoke with Maria Ramirez at GZA. She says the building is converting to natural gas and the 10,000 gal tank will be abandoned in place. Tank is below the basement floor under an electrical utility room. They cleaned out

BASEMENT OF (Continued) **S104502515**

the tank and found holes in the top 1/3 of the tank. They will take borings through the bottom of the tank to determine if the area is contaminated. 12/4/2003 e-mail message from Maria Ramirez said the soil borings through the bottom of the tank would take place around 12/12/03. 12/11/2003 Sangesland reviewed a submittal from Maria Ramirez of GZA dated Nov 19, 2003. This outlined the the work discussed above and stated that 4 holes will be drilled through the bottom of the tank and samples will be collected for testing (if possible-it may be in cement). If the samples are clean, the tank will be abandoned in place with foam. 12/22/2003 Sangesland spoke with Fran Schultz of GZA about this site. They made 4 holes in the bottom and sides of this tank and hit cement. Water is entering the tank. To date approx 700 gal of water has entered the tank. They believe the water is from a broken water main. Sangesland asked GZA to test the water for VOC and SVOC. GZA said they would also test for Floride and Clorine to determine if this water is city tap water or groundwater. If the water samples come back clean, then GZA will prepare an arguement that the tank is in a subbasement vault. All records of the building (blueprints) are gone (they were in 7 World Trade Center). There are lots of utilities nearby. The tank is being abandoned in place. GZA will request closure of the spill number. 3/15/2004 Sangesland reviewed a report from Maria Ramirez of GZA. Based on the description of the tank location (below ConEd electrical equipment), the drilling of holes through the bottom and sides of the tank (all into cement), results of water tests on the water that came into the tank after drilling (no petroleum but did have Floride & Chlorine). Based on all of this information, the DEC will allow GZA to go ahead with abandonment of the tank. After proper abandonment is complete, GZA will submit a final report with a request for spill closure. 11/14/05 - Larry Alden - Reviewed file and concur with assessment of Sangesland (3/15/04). Reviewed PBS# 2-606121, which showed that 10,000-gallon tank was closed in-place on 7/8/04. With absence of any contamination, and tank subsequently closed, this spill can be closed."

Remarks: "failed a tighteness test but could not isolate a specific pipe - test was performed as part of a closure."

All TTF:

Facility ID:	0305833
Spill Number:	0305833
Spill Tank Test:	1528632
Site ID:	285598
Tank Number:	1
Tank Size:	10000
Material:	0003
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	03
Test Method 2:	Horner EZ Check I or II
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

BASEMENT OF (Continued) **S104502515**

Site ID:	285598
Operable Unit ID:	872431
Operable Unit:	01
Material ID:	555298
Material Code:	0003A
Material Name:	#6 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

SPILLS:

Facility ID:	9610567
Facility Type:	ER
Spill Number:	9610567
DER Facility ID:	231592
Site ID:	285599
DEC Region:	2
Closed Date:	1997-01-10
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3101
Spill Date:	1996-11-22
Investigator:	CAENGELH
Referred To:	Not reported
Reported to Dept:	1996-11-22
CID:	323
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1996-11-22
Spill Record Last Update:	1997-01-10
Spiller Name:	DICK MURPHY
Spiller Company:	SMITH BARNEY
Spiller Address:	333 WEST 34TH ST
Spiller Company:	001
Contact Name:	DICK MURPHY
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ENGELHARDT Spill onto concrete/blacktop. Entered adjacent basement through doorway affecting steel stairway and cement floor. spill cleaned with sorbal by Walco."
Remarks:	"VENT ALARM DOES NOT WORK. WAS REPLACED."

All Materials:

Site ID:	285599
Operable Unit ID:	1042019
Operable Unit:	01
Material ID:	342779

BASEMENT OF (Continued) **S104502515**

Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	25.00
Units:	G
Recovered:	25.00
Oxygenate:	Not reported

567
ENE
1/4-1/2
0.450 mi.
2376 ft.

454 9TH AVE
454 9TH AVE.
MANHATTAN, NY

NY LTANKS **S102662578**
N/A

Relative:
Higher

Actual:
39 ft.

LTANKS:

Facility ID:	9401631
Site ID:	101691
Closed Date:	1994-05-04
Spill Number:	9401631
Spill Date:	1994-05-04
Spill Cause:	Tank Overfill
Spill Source:	Commercial/Industrial
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	CAMMISA
Referred To:	Not reported
Reported to Dept:	1994-05-04
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1948-12-27
Spill Record Last Update:	1997-07-01
Spiller Name:	Not reported
Spiller Company:	MYSTIC TRANSPORTATION
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	90098
DEC Memo:	""
Remarks:	""

All Materials:

Site ID:	101691
Operable Unit ID:	995313
Operable Unit:	01
Material ID:	385380
Material Code:	0001A

454 9TH AVE (Continued) **S102662578**

Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

CK568 **CON EDISON - 19TH ST. WORKS MGP** **EDR MGP** **1008407976**
SSW **11TH AVE BETWEEN W 19TH AND W 20TH STS** **N/A**
1/4-1/2 **NEW YORK, NY 10011**
0.452 mi.
2386 ft. **Site 1 of 2 in cluster CK**

Relative: Manufactured Gas Plants:
Lower No additional information available

Actual:
5 ft.

CL569 **357 W 35TH ST/NYPD** **NY LTANKS** **S102671776**
ENE **357 W 35TH ST** **N/A**
1/4-1/2 **NYC, NY**
0.460 mi.
2430 ft. **Site 1 of 2 in cluster CL**

Relative: LTANKS:
Higher

Actual:
39 ft.

Facility ID:	9109281
Site ID:	187720
Closed Date:	1991-12-01
Spill Number:	9109281
Spill Date:	1991-12-01
Spill Cause:	Tank Overfill
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Not reported
Cleanup Ceased:	1991-12-01
SWIS:	3101
Investigator:	O'DOWD
Referred To:	Not reported
Reported to Dept:	1991-12-01
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1991-12-06
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	ISLAND TRANS
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported

357 W 35TH ST/NYPD (Continued) **S102671776**

Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	156854
DEC Memo:	""
Remarks:	"FD NOTIFIED."

All Materials:

Site ID:	187720
Operable Unit ID:	959452
Operable Unit:	01
Material ID:	417918
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

CL570 **MIDTOWN SOUTH PRECINCT NYPD -DDC** **NY LTANKS** **S105054624**
ENE **357 WEST 35TH STREET** **NY Spills** **N/A**
1/4-1/2 **MANHATTAN, NY**
0.460 mi.
2430 ft. **Site 2 of 2 in cluster CL**

Relative:
Higher

Actual:
39 ft.

LTANKS:

Facility ID:	0100463
Site ID:	79052
Closed Date:	2005-01-10
Spill Number:	0100463
Spill Date:	2001-03-22
Spill Cause:	Tank Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	JAKOLLEE
Referred To:	Not reported
Reported to Dept:	2001-04-12
CID:	403
Water Affected:	Not reported
Spill Notifier:	Affected Persons
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2001-04-12
Spill Record Last Update:	2005-01-10
Spiller Name:	SGT MICHAEL SMITH
Spiller Company:	NYPD MIDTOWN SOUTH
Spiller Address:	357 WEST 35TH ST
Spiller County:	001
Spiller Contact:	SGT MICHAEL SMITH
Spiller Phone:	(718) 476-6828
Spiller Extention:	Not reported

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

DEC Region: 2
DER Facility ID: 270762
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was KOLLEENY TYREE REMOVED A 550-GALLON STEEL SINGLE-WALLED EMERGENCY GENERATOR DIESEL TANK. SOIL HAD PETROLEUM ODOR AND SHEEN. CONTAMINATED SOIL WAS OVER-EXCAVATED AND STOCKPILED; POST-EXCAVATION SAMPLES WERE TAKEN. J. KOLLEENY OF DEC SPOKE WITH LAURIE JODICE OF TYREE ON 4/12/01; SHE WILL FORWARD COPY OF CLOSURE REPORT WHEN AVAILABLE. ACCORDING TO LJ, MOST CONTAMINATION WAS REMOVED AND THE SOIL LEFT IN THE PIT WAS RELATIVELY CLEAN. THE TANK LOCATION WAS VERY CLOSE TO WHERE O'BRIEN-KREITZBERG IS INSTALLING AN SVE SYSTEM TO REMEDIATE GASOLINE CONTAMINATION. KOLLEENY WILL FOLLOW UP TO ENSURE THAT RESIDUAL CONTAMINATION FROM THE EMERG. GEN. TANK (IF ANY) IS ADDRESSED, EITHER BY THE SVE SYSTEM OR IN SOME OTHER WAY. This spill is referred to spill # 9512583 and is closed today by II (01/10/05)."
Remarks: "WHEN TANK WAS REMOVED THERE WAS AN ODOR OF PETROLEUM. [SEE DEC NOTES.]"

All Materials:
Site ID: 79052
Operable Unit ID: 837375
Operable Unit: 01
Material ID: 568852
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

SPILLS:
Facility ID: 9512583
Facility Type: ER
Spill Number: 9512583
DER Facility ID: 270762
Site ID: 269001
DEC Region: 2
Closed Date: Not reported
Spill Cause: Unknown
Spill Class: B3
SWIS: 3101
Spill Date: 1996-01-10
Investigator: JAKOLLEE
Referred To: GWET SYST OPERATING W/ NEW EXTRACT WELL
Reported to Dept: 1996-01-10
CID: 204
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

Remediation Phase:	5
Date Entered In Computer:	1996-01-10
Spill Record Last Update:	2018-01-08
Spiller Name:	UNKNOWN
Spiller Company:	NEW YORK CITY POLICE DEPT
Spiller Address:	2900 FLATBUSH AVENUE
Spiller Company:	001
Contact Name:	BOB KREUZER
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was KOLLEENY URS did site investigations and initially proposed installing a dual-phase extraction system to address soil and GW contamination. However, site facility had inadequate electrical service to support a high-vacuum DPE system, so in early 2000 they proposed installing an SVE system for soil and ORC injection for dissolved-phase GW contamination. DEC approved plan in May 2000; work begun on SVE system in late 2000. However, when ORC injection wells were installed in Feb. 2001, free product was found in injection wells (under building, which is on pillars). URS performed IRM on wells. SVE system started up in Oct. 2001 and operated until June 2002, when it was shut down due to break in conveyance piping. URS did addt'l investigation to delineate free product, and in April 2003 they proposed installing a GW recovery system to address free product and dissolved-phase GW contamination, and expanding SVE system. DEC approved this plan in July 2003. URS submitted a Design Analysis Rpt for remedial plan in Feb. 2004; DEC approved DAR in June 2004. 7/21/05: DEC reviewed Documentation for Letter of Agreement submitted by URS with SVE/Air Stripper Data Sheets and supporting calculations, and issued a letter on 7/21/05 authorizing discharges of treated vapors from the expanded SVE system and treated air stripper off-gas from the groundwater recovery system. - J. Kolleeny 03/14/07: Reviewed System Performance Monitoring Report for October 2006 through January 2007 by URS Corp., dated Feb. 12, 2007. Soil vapor extraction (SVE) and groundwater extraction & treatment (GWET) systems were started up on Oct. 25, 2006. SVE system consists of one horizontal extraction well and two horizontal ventilation trenches; GWET consists of 3 groundwater extraction wells. Franklin Co. is contractor operating/maintaining the systems. Performance monitoring data indicate that contaminants are being extracted from soil and groundwater and the systems should continue to operate. GW monitoring event in June 2006 showed free product in two wells (injection wells IW-6 and IW-12), and dissolved-phase contamination in two wells (IW-10, with 8,843 ppb, and IW-13, with 5,872 ppb total VOCs, resp.). In Jan. 2007 GW event, only two wells were sampled, BW-4 and MW-4, both ND; other wells were dry or inaccessible. Changed spill priority status to P2. - J. Kolleeny On 3/14/07, new gasoline spill was reported (#0613411). Delivery overfill event, 4 ft. of product found in well (extraction well GEW-01, according to Jane Staten of URS), and UST manway was full of gasoline also. Franklin Co., who reported spill, have arranged for vac truck to pump out manway and well. Any residual impacts will be addressed by remedial systems and tracked under this spill number. - J. Kolleeny 07/23/07: Reviewed System Performance Monitoring Report for Feb. thru April '07 by URS, dated 6/8/07 (in eDocs). Report summarizes performance data for on-site SVE and GW treatment systems, plus GW monitoring data. PID monitoring of SVE vapor effluent gave reading of 621 ppm on 4/18/07, corresponding to benzene concentration of 12.4 ppm - above discharge limit in Stip Agreement. System was shut down and carbon was changed out, system

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

re-started on 5/4/07. Vapor effluent sampling of GW system air stripper was in compliance. GW was sampled on Jan. 4, 2007; only two wells in sampling program were sampled, others were either inaccessible or dry. Results showed were ND for two wells sampled, however, this was before result spill 0613411, which report states was caused by a break in gasoline fill line; Franklin Co. installed a direct fill on tank, by-passing damaged fill line. Sampling of GW extractions wells in Feb. and March '07 showed big increased in recovered contaminants in March: GEW-1 went from 210 ug/L total VOCs to 30,900 ug/L; GEW-2 went from 20 ug/L to 800 ug/L, and GEW-3 went from 985 ug/L to 32,070 ug/L total VOCs, suggesting impacts from fill line break, and indicating system is recovering elevated levels of contaminants from GW. Report concludes SVE and GWE systems must continue to operate. - J. Kolleeny 08/17/07: Reviewed System Performance Monitoring Report for May-July '07 by URS, dated 8/7/07 (in eDocs). Report notes that benzene concentrations in SVE system effluent have increased, due to recent spill(s) of fresh gasoline from damaged fill line to active UST; even though benzene level has not exceeded discharge limit, as precaution Franklin Co. will change out the vapor phase carbon. Report also notes that due to presence of free product in GW recovery wells, they've had to shut down GWET system so product doesn't foul carbon. I sent email to Afsar Samani of DDC, cc's to Jerry Aliberti of DDC, Jane Staten & Harvey Roberts of URS, stating: I have reviewed System Performance Monitoring Report for May-July 2007, dated August 7, 2007. Report notes that, due to presence of large quantities of free product in on-site groundwater extraction wells (from recent spills related to damaged fill line to active gasoline UST), groundwater extraction and treatment (GWET) system has been shut down. I am concerned that without GWET system operating to exert hydraulic control over local groundwater flow, dissolved-phase groundwater contaminant plume, and perhaps free product as well, may migrate off-site, potentially impacting neighboring property. Therefore, I request that DDC and URS take whatever steps are feasible to expedite recovery of free product at site, so that GWET system can be re-activated as soon as possible. Also, discussed this in email exchange with Jane Staten, who stated: URS is scheduled to visit site with vac truck this coming Tuesday. If we feel effort is successful, we will continue with weekly visits until it is determined they are no longer necessary or effective. - J. Kolleeny 11/19/07: Reviewed URS's System Performance Monitoring Report for August-October 2007, dated 11/12/07 (in eDocs). Report states that GWET system had been shut down because free product was getting into system and causing discharge to sewer to exceed NYCDEP standards, but now they've restarted system just using GEW-2 and GEW-3, since GEW-1 seems to be well that's pulling in product. Report states that benzene vapor discharge from SVE system is in compliance, but effluent had high PID reading on 10/30/07, so they changed out carbon. GW samples were collected from several monitoring, vent & injection wells on 8/2/07, and from GWET wells on 8/31/07; results show high levels of VOCs in several wells, including extraction wells and MW-6. Well gauging consistently shows 3+ feet of product in MW-7, small amts. of product in several other wells. URS is conducting vac truck visits every 2 weeks to recover product. I called Jane Staten of URS and asked why wells MW-3 & MW-5 weren't sampled, she thinks one or both are under an emergency generator; she'll look into it and get back to me. I asked if MW-6 can be used as a GW extraction well; she said it's only a 1-inch diameter well because it was installed by

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

Geoprobe, under elevated part of building. I asked if spill buster pump could be installed in MW-7, she said she would look into it. Also asked if URS field personnel could check sump on top of new UST to see if it's still collecting product during fuel deliveries, Jane said she'd ask them to check. - J. Kolleeny 12/26/07: On 12/19/07, sent email to Jane Staten of URS asking if their field personnel had checked tank top sump for presence of product; on 12/26/07 Jane replied: Our field technician checked tank sumps at Midtown South on 11/29/07. One sump was dry and other contained a little water. There was no evidence of gasoline. Based on this, I closed spill case 0705553. - J. Kolleeny 03/20/08: Reviewed System Performance Monitoring Report for Nov. '07 through Jan. '08 by URS, dated 2/8/08 (in eDocs). Report presents O&M data for SVE & GWET systems, concluding that systems are removing elevated levels of contaminants from soil and GW, and will continue operating. Also notes that product levels from spill involving new UST's sump and/or fill port in March '07 (sp. nos. 0705553, 0702185, 0702402) are decreasing, showing effectiveness of GWET and periodic vac truck visits. However, report was submitted prior to new reported spill 0712091 (2/15/08), where large product thicknesses were suddenly and inexplicably observed in well GEW-01 and several monitoring wells, which caused temp. disruption in operation of GWET system, since product was getting into air stripper. (Tracking of that spill is ongoing.) Report states that SVE system was shut down for 2 weeks during monitoring period to change out vapor phase carbon. GW sampling was performed on 11/5/07, but samples were only collected from BW-5, MW-3, MW-4, VW-2 and VW-4; VW-4 had total VOCs of 737 ug/L, up from 44 ug/L in Aug. '07; some wells with hi TVOCs in Aug. weren't sampled in Nov. (like (IW-13); plume fig. for Nov. '07 shows free product in GEW-01, MW-7 and MW-8, not clear why MW-6 wasn't sampled (gauging table indicates it had 0.05 ft. of product on 11/15/07, but wasn't gauged on 11/05/07. All product data is made irrelevant by spill 0712091. - J. Kolleeny 03/28/08: Received email from Jane Staten of URS on 3/27/08, with attached table showing well gauging data from 1/17/08 to 3/14/08 (in eDocs). Data show product in GEW-01 has decreased, from 3.18 ft. on 2/25/08 to 0.0 ft. on 3/3/08, to 0/15 ft. on 3/14/08; however, product in MW-6 seems not to be going away, with 3.75 ft. on 3/14/08; MW-7 went from 0.30 ft. on 2/25/08 to 0.07 ft. on 3/3/08 to 0.44 ft. on 3/14/08. Jane also reported that spill buster pump in GEW-01 is operating and URS has instructed contractor to restart GW extraction pumps. - J. Kolleeny 06/11/08: At direction of my supervisor Vadim Brevdo, closed spill 0712091 at this site (for free product [gasoline] detected in GW extraction well and monitoring wells) to consolidate with this spill (9512583), under which remediation of subsurface petroleum contamination at this site is being tracked. See Caller Remarks, DEC Remarks and documents in eDocs in spill no. 0712091 for further info about that spill and response actions. - J. Kolleeny 09/11/08: Reviewed System Performance Monitoring Reports for Feb.-April '08 and May-July '08 (both in eDocs). Both reports state that SVE and GWET systems at site are removing elevated levels of contaminants from soil and GW, and that free product thickness msmts continue to decrease, showing effectiveness of GWET system and periodic vac truck visits. Worst wells for free product have been GWE-1, MW-6 and MW-7; as of last gauging event on 7/22/08, GWET had no measurable product, MW-6 had 0.04 ft., and MW-7 had 0.18 ft. As of 7/29/08 GW sampling event, worst wells for dissolved phase contam are GEW-2 with 960 ug/L total

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

VOCs (mostly BTEX)and VW-04 with 936 ug/L total VOCs (mostly MTBE). - J. Kolleeny 01/20/09: Reviewed System Performance Monitoring Report for Aug. - Oct. 2008, dated 12/5/08 (in eDocs). Rpt states that SVE and GWET systems at site are removing elevated levels of contaminants from soil & GW. As of Oct. '08 sampling event, worst dissolved-phase well was GEW-1, which had 14,455 ug/L total VOCs (last reporting period, had free product); 2nd worst dissolved-phase in GEW-2, with 634 ug/L total VOCs. Rpt also states that product thickness msmts continue to decrease, showing effectiveness of GWET system and vac truck visits, but data do not support this. Six wells had free product in Oct. '08, with worst wells being MW-6 and MW-7; those wells started August with almost no product (0.04 ft. and 0.13 ft., resp.) but on 8/29/08 jumped up to 1.96 ft. and 1.06 ft., resp., and stayed around these thicknesses for rest of reporting period, ending with 1.96 ft. and 1.44 ft., resp., on 10/20/08. Rpt states that URS visited site 8 times during period to recover free product with peristaltic pump, recovering about 12.5 gallons of product. I sent email to Jane Staten of URS: I've been looking through Midtown South monitoring report for Aug.-Oct. '08 (dated 12/5/08), and noticed that Table 9 - GW Elevation/Product Thickness Measurements seems to show significant rebound of product thicknesses in MW-6 and MW-7 starting on 8/29/08. Do you have any thoughts or ideas about what could have caused this? Were thicknesses in these two wells steadily decreasing before this reporting period, or do these appear to be typical fluctuations for these wells? Also, have we already discussed why URS is using peristaltic pump to recover product rather than vac truck - is it primarily for cost considerations, or does it have to do with recharge rates for wells or something along those lines? - J. Kolleeny 01/22/09: Received email from Jane Staten of URS responding to my email of 1/20/09: Based on water/product levels we have recorded, product thickness appears to be affected by water levels, i.e., lower the water, greater the product thickness. We are using peristaltic pump for couple of reasons. First, there is access problem at site. Vac truck is too big to use driveway so it sits on street and hose runs up driveway. According to our field personnel, it is difficult for truck to find spot to 'sit' and when hose runs up driveway, it causes police grief because they have to drive around it. Second, wells are only 1-inch in diameter. Vac truck uses small hose which is lowered into well and well is almost immediately evacuated. Same process occurs with peristaltic pump, i.e., small tube is lowered into well and well is evacuated, so vac truck really provides no advantages. Cost was not a consideration. - JK 03/24/09: Reviewed System Perf Monitoring Rpt for Nov.'08 - Jan.'09 by URS, dated 3/4/09 (in eDocs). Rpt states that effluent of GWET system exceeded NYCDEP limits for discharge to sanitary sewer, system was shut down. Franklin Co. will install liquid-phase carbon unit to polish GW prior to discharge to sewer, sometime in 2nd Quarter '09. Rpt further states that GW and SVE systems removed elevated contam concentrations from soil and GW, and that approx. 6 gals of product was recovered from 5 on-site wells using peristaltic pump. GW samples were collected from wells VW-04, GEW-01, GEW-02 and GEW-03 on Jan. 5, '09; remaining wells were not sampled because they were dry or exhibited free product or had an obstruction. Of wells sampled, worst contam was in GEW-01 with 17,140 ug/L total VOCs (up from 14,455 ug/L in Oct.'08) and GEW-03 with 12,244 ug/L total VOCs (had free product in Oct.'08). Free product thickness continued to increase in MW-7, with 2.73 ft. on 1/5/09 and 2.64 ft. on 11609.- JK 08/11/09: Reviewed

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

Syst Perf Mon Rpt for Feb.-April '09 by URS, dated 5/27/09 (in eDocs). Rpt states GWET system was shut down during rpt period due to effluent exceeding NYCDEP discharge stds; rpt says Franklin Co. has installed activated carbon units to polish GW prior to discharge, and GWET system will be re-started in June '09. SVE system operated without interruption during rpt period, removing elevated contam concentrations from vadose zone. Approx. 7 gals of free product were recovered via peristaltic pump. GW samples were collected from 14 wells in April '09; hottest wells were GEW-1 with 24,980 ug/L total VOCs, MW-8 with 24,454 ug/L TVOCs, GEW-3 with 7,735 ug/L TVOCs, and IW-15 with 3,334 ug/L TVOCs. Free product thickness fluctuated ranging from 0 to 0.56 ft in MW-06, from 0.91 to 3.53 ft in MW-07, and from 0.01 to 0.68 ft in MW-09. Four other wells showed traces of product. - JK 12/16/09: Reviewed Syst Perf Mon Rpt for May-July '09 by URS, dated 9/9/09 (in eDocs). Rpt states GWET system was re-started on 6/3/09 and removed elevated levels of contaminants. SVE system operated without interruption during rpt period, but removed fewer contaminants from vadose zone during this rpt period. URS attributes this to construction activities related to removal/replacement of 4,000-gal gasoline UST. System's vapor discharge was in compliance. Approx. 5 gals of free product were recovered via peristaltic pump. GW sample was collected from GWET-1 on 7/9/09, result showed 151 ug/L total VOCs; other wells either had product or were obstructed by construction activities, so were not sampled. Wells MW-6 and MW-7 had most free product, averaging 0.28 ft and 0.69 ft, resp. during rpt period. - J. Kolleeny 12/17/09: Reviewed Syst Perf Mon Rpt for Aug.-Oct.'09 by URS, dated 11/24/09 (in eDocs). Rpt states SVE system operated throughout rpt period, removing more contaminants from vadose zone since construction activities associated with removal/replacement of 4k gasoline UST were completed. Vapor discharge was in compliance. GWET system removed elevated contam levels during this rpt period. Approx. 3 gals of free product were recovered via peristaltic pump from wells MW-7 and MW-9; overall product levels seem to be decreasing. GW samples were collected from 3 wells on 10/19/09; other wells either had product or were dry, so were not sampled. Well MW-6 had 38,573 ug/L total VOCs, and IW-15 had 25,628 ug/L TVOCs. - J. Kolleeny 04/13/10: Reviewed Syst Perf Mon Rpt for Nov.'09 - Jan.'10 by URS, dated 3/3/10 (in eDocs). Rpt states SVE and GWET systems operated throughout rpt period, removing contaminants from subsurface and GW. Vapor discharges were in compliance. GWET system removed elevated contam levels during this rpt period. Approx. 2.4 gals of free product were recovered by peristaltic pump from wells MW-7 and MW-9; MW-7 had 0.19 ft of product on 1/6/10 and 0.22 ft product on 1/19/10. Influent to GWET system from 3 extraction wells was sampled on Nov. 4 & Dec. 2, 2009 and on Jan. 16, 2010: GEW-01 had total VOCs of 8,946 ug/L, 5,537 ug/L and 54,490 ug/L, resp; GEW-02 had tVOCs of 130 ug/L, 122 ug/L and 1,530 ug/L, resp.; and GEW-03 had 7,263 ug/L, 5,710 ug/L and 2,729 ug/L, resp. GW sample taken from IW-15 on 1/6/10 had 12,885 ug/L tVOCs (down from 25,628 ug/L in Oct.'09) and sample from MW-6 had 29,410 ug/L tVOCs (down from 38,645 ug/L in Oct.'09). Other wells either had product or were dry, so weren't sampled. - JK 09/23/10: Reviewed Syst Perf Mon Rpt for Feb.-April 2010 by URS, dated 6/23/10 (in eDocs). Rpt states that SVE system operated thoughout rpt period; GWET system was off briefly on two occasions but restarted immediately during maintenance visits. Both systems removed elevated levels of VOCs from subsurface, and vapor discharges were in

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

compliance. Well gauging showed only traces of product (0.01 ft) in wells GEW-01 and GEW-03; no measurable product was collected by system. GW samples collected in April 2010 showed decreases in extraction wells vs. Jan. 2010 event (tho still elevated, in 1,000-2,000 ug/L total VOC range), but 2 mon wells that haven't been sampled in a while had high levels of VOCs: MW-6 had 9,051 ug/L tVOCs, MW-8 had 5,731 ug/L tVOCs. System operation and GW Mon will continue. - J. Kolleeny 01/10/11: Reviewed Syst Perf Mon Rpt for May-July 2010 by URS, dated 9/1/10 (in eDocs). Rpt states that on-site GWET & SVE systems are continuing to remove contaminants from subsurface; treated water and vapor discharges were in compliance with stds. Well MW-07 saw rebound in free product thickness, with 0.94 ft on 6/10/10 and 0.32 ft on 7/26/10; well MW-09 had trace of product in early May 2010, no product detected in June or July. About 2 gals of free product were removed from wells MW-07 and MW-09 using a peristaltic pump. GW sampling on 8/10/10 showed worst dissolved contam in well MW-06, which had 46,126 ug/L total VOCs (up from 9,051 ug/L in April 2010, extraction well GEW-1, which had 4,168.5 ug/L tVOCs (up from 1,634 ug/L in April 2010), and extraction well GEW-3, which had 1,399 ug/L tVOCs (down from 1,533 ug/L in April 2010); well MW-08 was obstructed and was not sampled. System operation and GW monitoring will continue. - J. Kolleeny 05/30/11: Reviewed Syst Perf Mon Rpt for August-October 2010 by URS, dated 2/16/11 (in eDocs). Rpt states that on-site GWET & SVE systems are continuing to remove contaminants from subsurface; treated water and vapor discharges were in compliance with stds. Rpt also states that URS is implementing several system modifications to improve performance, including conversion of existing horizontal ventilation well (VW-10 thru VW-13) to also function as an extraction well, and conversion of existing extraction well SVE-01A to also function as a ventilation well, to allow for increased flexibility in configuring system to extract from one or both sides of contaminated area. Well MW-07 had less free product during August & September, but rebounded to 1.63 ft on 10/21/10; well MW-09 had no measurable product during most of monitoring period but had 0.01 ft on 10/21/10. About 1.5 gals of free product were removed from wells MW-07 and MW-09 using a peristaltic pump. GW sampling on 10/21/10 showed worst contam in well MW-06 with 23,516 ug/L total VOCs (down from 46,126 ug/L in Aug. 2010) and well MW-08 with 2,677 ug/L tVOCs (was not sampled in Aug. 2010, but had 5,731 ug/L in April 2010); extraction wells GEW-1 had 870 ug/L tVOCs (down from 4,169 ug/L in Aug. 2010) and GEW-3 had 329 ug/L tVOCs (down from 1,399 ug/L in Aug. 2010). System operation and GW monitoring will continue. - J. Kolleeny 08/25/11: Reviewed Syst Perf Mon Rpt for November 2010 thru January 2011 by URS, dated 6/18/11 (in eDocs). Rpt states that on-site GWET & SVE systems are continuing to remove contaminants from subsurface, and that URS has completed several system modifications to improve contaminant recovery and system operation. Treated GW and recovered soil vapor discharges were in compliance with stds. Only well MW-07 had measurable free product, with 1.62 ft on 1/5/11 and 0.12 ft on 1/19/11; approx 1.5 gals of product were removed by peristaltic pump. GW sampling on 1/5/11 showed worst wells were MW-06 with 23,062 ug/L total VOCs (down a little from 23,516 ug/L in Oct. 2010), MW-8 with 5,083 ug/L tVOCs (up from 2,677 ug/L in Oct. 2010) and IW-10 with 3,368 ug/L tVOCs (was not sampled in Oct. 2010). System operation and GW monitoring will continue. - J. Kolleeny 12/02/11: Reviewed Syst Perf Mon Rpt for Feb.-April 2011 by URS, dated 9/7/11 (in eDocs). Rpt states that

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

on-site GWET & SVE systems are continuing to remove contaminants from subsurface; treated GW and recovered vapor discharges were in compliance with stds. Only well MW-07 had measurable LNAPL, with 0.60 ft on 4/4/11 and 0.21 ft on 4/27/11; approx 1.75 gals of product were removed by peristaltic pump. GW sampling on 4/4/11 showed decreases in contam in worst wells: MW-06 had 9,198 ug/L total VOCs (down from 23,062 ug/L in Jan. 2011), MW-8 had 2,923 ug/L tVOCs (down from 5,083 ug/L in Jan. 2011); however, GEW-1 had 1,591 ug/L tVOCs (was not sampled in Jan. 2011 but had 870 ug/L in Oct. 2010). Rpt includes tank inventory / comparison with DEC PBS records; these show that four 550-gal gasoline USTs were removed in mid-1990s or earlier, but location of these USTs is unknown. URS will continue to evaluate UST history and how it may have impacted on-site soil & GW. System operation and GW mon will continue. - JK 03/14/12: Reviewed Syst Perf Mon Rpt for 3rd Quarter 2011 by URS, dated 12/20/11 (in eDocs). Rpt states that on-site GWET & SVE systems continue to remove contam from subsurface. Only well had measurable LNAPL, but levels increased, with 0.78 ft on 6/6/11 and 0.65 ft on 7/18/11; approx 1.5 gals of product were removed by peristaltic pump. GW sampling on 7/18/12 showed worst contam in MW-6 with 12,569 ug/L total VOCs (up from 9,198 ug/L in April 2011), and MW-8 with 3,513 ug/L tVOCs (up from 2,923 ug/L in April 2012); well GEW-1 had 107 ug/L tVOCS, down significantly from 1,591 ug/L in April 2011. Rpt includes tank inventory and states that URS will continue to evaluate UST history and how it may have impacted on-site soil & GW. System operation and GW mon will continue. - J. Kolleeny 07/06/12: Received email from Kevin Shanahan of URS Corp: Jon, Next week we will be sending you/posting a rpt for Midtown South site which contains a work plan to collect soil samples at site. Purpose of soil sampling is to determine if SVE system was successful in remediating unsaturated soil. When you review rpt you may want to look at photo DSC05412 (attached) [in eDocs image folder as UST_AreaAfterBackfilling] to better understand limitations with drilling near new tank system. We are calling for 12 boring locations beneath building and one south of tank (foreground). - J. Kolleeny 07/12/12: Reviewed Syst Perf Mon Rpt for 4th Quarter 2011 by URS, dated 3/22/12 (in eDocs). Rpt states that treated GW and recovered soil vapor discharges were in compliance with stds. Free product was detected in well MW-7 at thicknesses ranging from 0.15 ft to 0.24 ft, and on one occasion in well MW-9 at 0.01 ft; approx 1.25 gals of product were removed by peristaltic pump. GW sampling on 10/10/11 showed worst contam in MW-6 with 7,294 ug/L total VOCs (down from 12,569 ug/L in July 2011), and MW-8 with 3,822 ug/L tVOCs (up a little from 3,513 ug/L in July 2011); injection well IW-15 had 932 ug/L tVOCS (had not been sampled since Jan. 2011, when it had 156 ug/L tVOCs), and GEW-1 had 114 ug/L tVOCs (up slightly from 107 ug/L in July 2011). Rpt includes UST inventory, states that URS will continue to evaluate UST history and how it may have impacted on-site soil & GW. System operation & GW mon will continue. Rpt seems to be missing several data tables (e.g., GW data table, well gauging data table). I sent email to Kevin Shanahan of URS requesting that rpt be re-issued with missing tables. - JK 07/17/12: Received email from Leng Ung of URS with attached pdf of revised 4th Quarter 2011 system performance monitoring rpt, with all data tables included (in eDocs). - J. Kolleeny 07/17/12: Reviewed Syst Perf Mon Rpt - 1st Quarter 2012 by URS, dated 7/11/12 (in eDocs). Rpt states that vapor and water discharges from SVE and GWET systems were in compliance with discharge limits. Free product was

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

detected in one well, MW-7, at thicknesses up to 0.36 ft; 1.25 gals of product were recovered by peristaltic pump. GW sampling on 1/9/12 showed worst dissolved contam in wells MW-6, with 7,160 ug/L total VOCs (down a little from 7,294 ug/L in Oct. 2011) and MW-8, with 2,060 ug/L tVOCs (down from 3,822 ug/L in Oct. 2011). Rpt states that URS will continue to operate SVE and GWET systems, but that systems are starting to show reduced benefit, with contam concentrations in recovered media reaching asymptotic conditions. Based on low vapor recovery by SVE system, URS recommends collecting confirmation soil samples from treatment area to determine if further soil remediation is needed. Rpt includes work plan for confirmation soil borings, proposing 13 borings laid out in a grid. I contacted Kevin Shanahan of URS and asked that work plan be revised to include historical soil data and that boring locations be modified to target specific areas where soil contam was detected in past; asked that confirmation soil boring work plan be revised and re-submitted as brief, separate document (rather than revising and re-submitting as part of 1st quarter 2012 monitoring rpt). He agreed to revise and re-submit work plan as requested. - JK 08/06/12: On 8/3/12, received revised Proposed Work Plan for Confirmation Soil Sampling by URS, dated 7/31/12 (in eDocs). Plan proposes 7 soil borings in area of known vadose zone soil impacts, to evaluate remedial progress by SVE system and need for continued operation of SVE system. I sent letter (in eDocs) to Afsar Samani of DDC, cc's to Mehrzad Asbagh of DDC, Kevin Shanahan & Harvey Roberts of URS, approving plan but requesting two addt'l soil borings and drilling of one proposed boring as close as possible to former boring SB-10. - J. Kolleeny 09/10/12: Reviewed System Performance Monitoring Rpt - 2nd Quarter 2012 by URS, dated 8/30/12 (in eDocs). Rpt states that SVE and GWET systems operated continuously thru quarter, and that vapor & water discharges from SVE and GWET systems were in compliance with discharge limits. Free product was detected in well MW-7, at thicknesses up to 0.34 ft; 1.5 gals of product were recovered by peristaltic pump. GW sampling on 4/23/12 showed MW-6 had 6,835 ug/L total VOCs (down from 7,160 ug/L in Jan. 2012), MW-8 had 2,497 ug/L tVOCs (up from 2,060 ug/L in Jan. 2012), GEW-1 had 133 ug/L tVOCs (up from 60 ug/L in Jan. 2012). Rpt concludes that URS will continue to operate remedial systems; however, systems are showing indications of reduced benefit, with concentrations of recovered soil vapors and GW sampling results reaching asymptotic conditions. Rpt notes that DEC approved confirmation soil sampling plan in Aug. 2012 and that sampling is scheduled for 3rd quarter 2012. - J. Kolleeny 06/06/13: Reviewed System Performance Monitoring Rpt - 3rd & 4th Quarters 2012 by URS, dated 1/16/13 (in eDocs). Rpt states that SVE system was found off on arrival on 7/6/12 because the electrical switch had been turned off; system was restarted during same visit; and GWET system was off on arrival on 8/29/12 due to an air stripper alarm; air stripper was cleaned, alarm re-set and system re-started. Vapor discharges from both systems were in compliance with discharge limits. Free product was detected in well MW-7, from 0.05 ft to 0.42 ft; product was recovered with peristaltic pump on 12 visits, URS will continue product recovery at least monthly. GW sampling on 7/16/12 and 10/10/12 showed significant dissolved impacts persist in wells MW-6 and MW-8: MW-6 had 8,675 ug/L total VOCs in July 2012 (up from 6,835 ug/L in April 2012) and increased to 9,795 ug/L in Oct. 2012; MW-8 had 4,007 ug/L tVOCs in July 2012 (up from 2,497 ug/L in April 2012) and increased to 6,944 ug/L in Oct. 2012. Soil sampling in Oct. 2012

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

showed significant residual vadose zone soil contam in boring S-09 near north end of easternmost horizontal SVE well, with 151,920 ug/kg total VOCs; two other borings had significant contam in saturated zone (S-04 with 218,380 ug/kg tVOCs and S-05 with 194,330 ug/kg tVOCs). Rpt states that URS will investigate whether SVE system can be modified to more effectively target remaining area of soil contam. URS will continue to operate both SVE and GWET systems, and will evaluate options to improve systems' effectiveness; twice monthly product recovery and quarterly GW sampling will continue. - J. Kolleeny 09/25/13: Reviewed System Performance Monitoring Rpt - 1st & 2nd Quarters 2013 by URS, dated 7/17/13 (in eDocs). SVE and GWET systems operated throughout rpt period, and vapor discharges were in compliance with discharge limits. Free product was detected in well MW-7 from 0.04 to 0.6 ft; product was recovered with peristaltic pump on 8 visits. GW sampling on 1/8/13 and 4/3/13 showed MW-6 had 58 ug/L total VOCs in Jan. 2013 (anomalous decrease from 9,795 ug/L in Oct. 2012) and rebounded to 7,156 ug/L in April 2013, while MW-8 had 6,656 ug/L tVOCs in Jan. 2013 (down from 6,944 ug/L in Oct. 2012), and decreased to 1,025 ug/L tVOCs in April 2013. Rpt concludes that soil & GW impacts at site are decreasing but remain high enough to warrant further remedial actions. URS will continue quarterly GW sampling, manual product recovery and operation of SVE & GWET systems, and will continue to evaluate options to improve and/or replace remedial systems to more effectively address remaining areas of contam. - J. Kolleeny 01/30/14: Reviewed System Performance Monitoring Rpt for 3rd & 4th Quarter 2013 by URS, dated 1/17/14, rcvd on 1/28/14. SVE & GWET systems operated throughout rpt period; vapor discharges were in compliance with discharge limits. Well gauging on 8 visits during rpt period showed up to 0.21 ft of LNAPL in well MW-7 and up to 0.04 ft in MW-9; ~1.75 gals of product were recovered from MW-7 and ~1.25 gals were recovered from MW-9, using a peristaltic pump. GW sampling in July 2013 showed well MW-6 had 10,623 ug/L total VOCs (up from 7,156 in April 2013) and well MW-8 had 6,044 ug/L tVOCs (up from 1,025 ug/L in April 2013). GW sampling in Oct. 2013 showed well MW-6 had 4,621 ug/L tVOCs and well MW-8 had 1,708 ug/L tVOCs. Based on persistence of product and high VOC levels at site, rpt makes proposals to better evaluate site conditions and improve effectiveness of on-site remedial systems. Specifically, URS recommends: (1) advance 3 new soil borings to evaluate current soil conditions, (2) over-drill existing monitoring wells MW-6, MW-7, MW-8 and MW-9 (1 diameter wells) and replace with 4 diameter wells for improved product recovery and to allow for future remedial actions (e.g., placement of absorbent or ORC socks, extraction by vac truck, and/or surfactant injections to desorb contaminants from soil), (3) install 5 new 4 diameter mon wells to better delineate areas of product and dissolved contam, (4) install addt'l 6 diameter GW extraction well in area of greatest contam, (5) redevelop 3 existing extraction wells to improve GW recovery, and (6) possibly inject surfactants to enhance soil remediation. Based on results of 3 new soil borings, URS may implement proposed modifications to on-site SVE system. Once product in wells MW-7 & MW-9 has been addressed, URS proposes to shut down existing GW extraction wells GEW-1, GEW-2 & GEW-3 and operate only new extraction well GEW-4 to determine its radius of influence; after review of resulting data, addt'l extraction wells will be brought on-line. After speaking with Kevin Shanahan of URS about proposals, I sent letter (in eDocs) approving proposals to Afsar Samani of DDC, cc's to Marcy Asbagh of DDC, Kevin

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

Shanahan and Harvey Roberts of URS, noting that before doing any surfactant injections, work plan must be submitted for DEC review/approval. - J. Kolleeny 09/29/14: Reviewed System Performance Mon Rpt for 1st & 2nd Quarter 2014 by URS, dated 6/25/14 (in DecDocs). Rpt states that SVE system vapor discharge and air stripper off-gas were in compliance during mon period, based on both PID screening and sample analysis by lab. GW recovery wells GEW-1, GEW-2 & GEW-3 continue to operate and recover GW. In addition, URS visited site 10 times during rpt period to gauge wells and recover LNAPL; well MW-7 had product every visit except 4/23/14, with thicknesses up to 0.21 ft, and they recovered ~2.25 gals during period. Rpt states that, as proposed by URS and approved by DEC, URS will overdrill existing one-inch wells MW-6, MW-7, MW-8 & MW-9 and replace with 4-inch wells, plus they will install five addt'l wells in this area to better delineate product plume. GW sampling was performed in January and April 2014. Jan. 2014 results showed well MW-6 had 5,142 ug/L total VOCs (up from 4,621 ug/L in Oct. 2013) and MW-8 had 5,908 ug/L tVOCs (up from 1,708 ug/L in Oct. 2014). April 2014 results showed well MW-6 declined to 4,453 ug/L tVOCs; MW-8 was not sampled due to vehicle parked over well. Operation of SVE and GWET systems, GW sampling and LNAPL recovery will continue at site. - J. Kolleeny 09/30/14: Reviewed Request for Soil Vapor Extraction System Shutdown by URS, dated 9/10/14 (in DecDocs). Rpt notes that monitoring of on-site SVE system s vapor influent indicates that system has reached limit of effectiveness and is no longer recovering measurable quantities of HC vapors. Rpt also notes that soil data indicate system has effectively treated vadose zone soil contamination and that remaining soil impacts at site are located mainly in saturated soil zone, which is not targeted by SVE system. Ergo, URS requests approval to suspend operation of SVE system and prepare system for long-term shutdown. System will remain on-site and URS will evaluate future site data to determine if resuming system operation is warranted. In meantime, other remedial activities at site operation & modification of GWET system, product recovery, GWET system performance monitoring, and quarterly GW sampling will continue. I sent letter (in DecDocs) approving system shutdown to Afsar Samani of DDC, cc's to Merhzad Asbagh of DDC, Kevin Shanahan and Harvey Roberts of URS. - J. Kolleeny 03/12/15: Reviewed System Performance Monitoring Rpt for 3rd & 4th Quarter 2014 by URS, dated 1/9/15 (in DecDocs). Rpt states that operation of on-site SVE system terminated on 10/1/14. As for GWET system, results of PID monitoring of air-stripper vapor effluent were ND during rpt period, and lab analysis of effluent air sample was ND for benzene, so system vapor discharge was in compliance. Sampling of GWET system GW influent showed system is recovering low levels of dissolved VOCs (up to 90 ug/L total VOCs). Well gauging and product recovery were performed 8 times during rpt period; product was detected in well MW-7 each time, with greatest thickness of 0.36 ft; about 2 gals total product recovered. GW sampling was performed in July and Oct. 2014; results showed well MW-6 had 3,234 ug/L tVOCs in July 2014 (down from 4,453 ug/L in April 2014) and increased to 4,406 ug/L tVOCs in Oct. 2014; well MW-8 had 4,264 ug/L tVOCs in July 2014 (not sampled in April 2014; had 5,908 ug/L tVOCs in Jan. 2014) and decreased to 1,046 ug/L tVOCs in Oct. 2014. Rpt states that URS will over-drill existing 1-inch wells MW-6, MW-7, MW-8 & MW-9 and replace with 4-inch wells, and will install 5 addt'l mon wells in this area to better delineate LNAPL plume. Also, an addt'l GW extraction well will be installed

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

within dissolved-phase plume, existing extraction wells will be re-developed, and URS may apply surfactants to subsurface to enhance soil remediation. Qtrly GW monitoring, GWET system operation and manual product recovery efforts will continue, and URS will evaluate need for surfactant applications or other remedial actions; they will prepare/submit work plan prior to doing any addt'l remedial actions. - JK 03/12/15: I emailed Kevin Shanahan of AECOM to note that 3rd & 4th quarter 2014 rpt does not include any SVE system monitoring data for 3rd quarter (system was permanently shut down on Oct. 1st, 2014). He sent table with SVE monitoring data for Aug.-Sept. 2014 (July 2014 data were included in System Shutdown Request Letter rpt). Table in DecDocs as brief. - JK 05/21/15: Reviewed System Performance Monitoring Rpt for First Quarter 2015 by URS, dated 4/10/15 (in DecDocs). Rpt states that URS is planning to add a 4th GW extraction well to GWET system, install addt'l monitoring wells, and re-install some wells with larger diameter casings to enhance remediation and monitoring at site. PID screening and lab sampling of GWET system's air stripper vapor effluent showed air discharge is in compliance. Recovery of free product from well MW-7 with peristaltic pump was performed 4 times during quarter, for total of ~1 gal removed; highest product thickness measured was 0.18 ft. During GW sampling in Jan. 2015, well MW-8 was not sampled because access to well was obstructed. Sampling results for 1/13/15 showed well MW-6 had 2,665 ug/L total VOCs (down from 4,406 ug/L in Oct. 2014), well MW-9 had 11,316 ug/L tVOCs (not sampled in April, July or Oct. 2014), and extraction well GEW-1 had 148 ug/L tVOCs (up from 47 ug/L in Oct. 2014). Sampling of influent to GW treatment system on 1/7/15 showed influent from GEW-1 had 165 ug/L tVOCs, GEW-2 had 6 ug/L tVOCs, and GEW-3 had 56 ug/L tVOCs. Rpt states that URS will continue quarterly GW monitoring/sampling, continue manual LNAPL recovery, continue operation of GWET system & proceed with enhancements to system (install'n of new extraction well and re-development of existing extraction wells), proceed with installing new mon wells and replacing several narrow-diameter wells, and continue to evaluate need for surfactant injections or other remedial actions to address residual free product and saturated soil zone contamination. - J. Kolleeny 07/23/15: Reviewed System Performance Monitoring Rpt for 2nd Quarter 2015 by URS dated 6/2/15 (in DecDocs). Rpt covers period 1/29/15 to 4/29/15 as 2nd qtr 2015. Rpt states that URS plans to add a 4th GW extraction well to GWET system, install addt'l monitoring wells, and re-install some wells with larger diameter casings to enhance remediation & monitoring at site. PID screening and lab sampling of GWET system's air stripper vapor effluent showed air discharge is in compliance. LNAPL was removed from well MW-7 3 times during quarter using a peristaltic pump; well had up to 0.32 ft of LNAPL; ~0.75 gals were recovered. GW influent samples from GWET system extraction wells show system is recovering low levels of VOCs. GW sampling in April 2015 showed well MW-6 had 3,445 ug/L total VOCs (up from 2,665 ug/L in Jan. 2015), well MW-8 had 248 ug/L tVOCs (up from 148 ug/L in Jan. 2015), well MW-9 had only 0.8 ug/L tVOCs (down from 11,316 ug/L in Jan. 2015; this well has periodically had LNAPL, most recently in March 2014). URS will continue quarterly GW monitoring & sampling, manual LNAPL recovery, and operation of GWET system (proceeding with system enhancements in 3rd quarter 2015); in addition, URS will proceed with installing new mon wells and replacing several narrow wells, and will continue to evaluate need for surfactant injections or other remedial actions to address

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

residual free product and saturated soil zone contamination. - J. Kolleeny 10/30/15: Received email from Kevin Shanahan of URS/AECOM: Jon, Envirotrac is performing routine O&M for existing GW pump & treat system. They are also constructing system enhancements over next few months. Today we were informed that GW extraction pump in GEW-02 is broken. GEW-02 is lowest producing well at site, is located outside of plume and is being replaced by new extraction well GEW-04 in November. We wanted to make you aware that GW extraction at GEW-02 in no longer happening and that new extraction well should be drilled and functional by end of year. I sent email reply: Kevin, Thanks for letting me know. I agree it doesn t make sense to try to repair or replace pump in GEW-02, considering its location outside plume and its historically low yield. Please continue to keep me posted and let me know when new extraction well GEW-04 has been installed. - J. Kolleeny 11/23/15: During quarterly DDC Consent Order Status Meeting on 11/19/15, Harvey Roberts of URS related that a local citizen had contacted NYPD and URS to complain about noise generated by on-site GW recovery system. URS had modifications made to system, resulting in decrease of ~15 decibels (a significant noise decrease); however, citizen continued to make complaints. Mr. Roberts conducted a test in which he turned off system and asked citizen if there was any difference in noise, citizen said no difference, suggesting system may not be source of noise perceived as bothersome. When Roberts pointed out that system had been off when he had asked for noise evaluation, citizen remained skeptical and continued to maintain that system is source of noise problem. At meeting, I asked if system GW influent contains significant levels of dissolved contaminants. Kevin Shannahan of URS/AECOM responded that VOC levels in system influent are very low. I suggested shutting down GWET system until new recovery well is installed in heart of plume, since system is currently recovering minimal hydrocarbons and shutting it temporarily might resolve noise complaints. URS/AECOM said they would look into shutting down system. On 11/23/15, I received email from Harvey Roberts: Jon, Per your suggestion at last week s Quarterly Status Meeting, URS has instructed Envirotrac, Midtown South Pct remediation system operator, to shut treatment system while they modify system. Envirotrac plans to shut system tomorrow during its regularly scheduled O&M visit. System operation will resume in late Jan. 2016 when modifications have been completed. I sent email reply: Harvey, Thanks for letting me know. I m assuming that latest GW data show contaminant plume confined to site. If there is a sampling event before system modifications have been completed in Jan. 2016 and GW data show that plume is migrating off site, it may be necessary to re-start system before mods are completed, to re-establish hydraulic control. - JK 12/10/15: Reviewed System Performance Monitoring Rpt for 3rd Quarter 2015 by URS, dated 9/1/15 (in DecDocs). Rpt seems to cover period from 4/29/15 thru 7/29/15 as 3rd qtr of 2015. Rpt states that URS will add a 4th GW extraction well to GWET system, install addt'l monitoring wells, reinstall several existing wells with larger diameter casings, and take steps to reduce noise emanating from system. PID screening & lab sampling of system's vapor discharge showed compliance with DEC stds. URS visited site 4 times during rpt period, detecting LNAPL in well MW-7 each time, at thicknesses up to 0.83 ft. ~1 gal of LNAPl was recovered. GW sampling on 7/20/15 showed well MW-6 had 3,178 ug/L total VOCs (down from 3,445 ug/L in April 2015), well MW-8 had 1,665 ug/L tVOCs (up from 248 ug/L in April 2015), well MW-9 had 2,398 ug/L tVOCs (up from 0.8 ug/L in April

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

2015). Rpt notes that well MW-9 last had LNAPL in March 2014, and that GW samples from MW-9 have shown highly fluctuating tVOCs. Rpt states that, in addition to system mods & well install'ns mentioned above, URS will continue to evaluate need for surfactant injections or other remedial actions to address saturated soil contam. URS will continue quarterly GW monitoring & LNAPL recovery efforts. - JK 03/21/16: Reviewed System Performance Monitoring Rpt for 4th Quarter 2015 by URS, dated 12/2/15 (in DecDocs). Rpt covers period from 7/30/15 to 10/28/15 as 4th qtr 2015. PID screening & lab sampling of GWET system's vapor discharge showed compliance with DEC stds. URS visited site 3 times during rpt period, detecting LNAPL in well MW-7 each time, up to 0.94 ft in thickness; ~1 gal of LNAPL was recovered. GW sampling on 10/7/15 showed well MW-6 had 3,378 ug/L total VOCs (up from 3,178 ug/L in July 2015), well MW-8 had 1,222 ug/L tVOCs (down from 1,665 ug/L in July 2015), well MW-9 had 5,541 ug/L tVOCs (up from 2,398 ug/L in July 2015). Rpt states that on 10/28/15, GW pump in extraction well GEW-02 malfunctioned; URS contacted DEC and it was agreed that since well is outside main plume and has historically had low yield, it would not be worth repairing or replacing pump; system continues to operate with two recovery wells, GEW-01 and GEW-03, until new recovery well GEW-04 is installed and brought on line. URS will install 4th recovery well, install addt'l monitoring wells and replace several existing 1-inch wells with 4-inch wells (according to approved plan). They will also continue to evaluate need for surfactant injections, and will continue quarterly GW monitoring & LNAPL recovery efforts. - J. Kolleeny 05/31/16: Reviewed System Performance Monitoring Rpt for 1st Quarter 2016 by URS, dated 4/7/16 (in DecDocs). Rpt covers period from 10/29/15 to 1/18/16 as 1st qtr 2016. Based on PID screening of GWET system's vapor influent/effluent, it appears system discharge complied with DEC stds (system was shut down on 11/24/15, prior to quarterly air sampling, in prep for reinstall'n of wells and modifications to GWET system). In Nov. 2015, well MW-7 had 0.28 ft of LNAPL; during Dec. 2015 & Jan. 2016, well was not gauged as access to well was obstructed at those times. Approx 0.25 gal of LNAPl was recovered from MW-7. GW sampling was performed on 1/18/16; wells MW-6, MW-7 & MW-8 were not sampled because they were in process of being reinstalled as larger wells. Well MW-9 had 3,988 ug/L total VOCs (down from 5,541 ug/L in Oct. 2015); well GEW-1 had 53 ug/L tVOCs (up from 40 ug/L in Oct. 2015). Rpt states that subcontractor EnviroTrac is in process of implementing remedial system modifications approved by DEC, including install'n of addt'l delin wells and an addt'l GW extraction well; this work is expected to be completed in early 2016, at which point operation of GWET system will resume. URS will continue quarterly GW sampling and manual product recovery. - J. Kolleeny 09/07/16: Reviewed System Performance Monitoring Rpt for 2nd & 3rd Quarters 2016 by URS, dated 8/11/16 (in DecDocs). Rpt covers period from Jan. 19 thru July 22, 2016 as 2nd & 3rd quarters of 2016.) Rpt summarizes recent modifications at site that were proposed by URS and approved by DEC in Jan. 2014 - they over-drilled & replaced 1-inch wells MW-6, MW-7 & MW-8 with 4-inch wells (MW-9 could not be over-drilled as planned, so new well MW-15 was installed nearby), installed four new wells MW-10, MW-11, MW-13 & MW-14 (proposed well MW-12 was not installed due to subsurface obstruction, MW-13 was moved to west to compensate), installed addt'l extraction well GEW-4; in addition, they plan to redevelop extraction wells GEW-1 and GEW-3 to ensure proper functioning (GEW-2 consistently show no contam, so it won't be

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

redeveloped.) GWET, shut down since 11/24/15, was re-started with new extraction well on 8/3/16. During rpt period, free product was detected in well MW-7/7R (0.03 ft in MW-7 in March, 0.08 ft in MW-7R in April 2016) and in well MW-15 (0.02 ft in April 2016). Absorbent socks were placed in MW-7R and MW-15 in April, and were replaced in June 2016 as both socks were 100% saturated. GW sampling in April 2016 showed well MW-6R had 18,434 ug/L total VOCs, well MW-8R had 1,981 ug/L tVOCs, well MW-10 had 1,410 ug/L tVOCs, and well MW-11 had 8,359 ug/L tVOCs. GW sampling in July 2016 showed MW-6R decreased to 7,150 ug/L tVOCs, MW-8R decreased to 1,591 ug/L tVOCs, MW-10 increased to 1,959 ug/L tVOCs, and MW-11 decreased to 2,892 ug/L tVOCs. URS will continue manual product recovery, quarterly GW sampling, and operation/monitoring of GWET system; they'll also continue to evaluate need for surfactant injections or other actions to address residual LNAPL and saturated soil contam, and will submit a work plan for DEC approval before implementing any addt'l remedial actions. - JK 03/24/17: Reviewed System Performance Monitoring Rpt for 4th Quarter 2016 by URS, dated 12/22/16 (in DecDocs). Rpt discusses 2016 modifications to GW extraction & treatment system at site (mainly install'n & operation of addt'l extraction well GEW-4). URS estimates total gals of GW collected by each well during rpt period as: GEW-1 ~9,233 gals, GEW-3 182 gals, GEW-4 3,840 gals. Extraction wells GEW-1 and GEW-3 operated from 9/27 thru 10/6, and were then shut off to determine influence of GEW-4 when pumping on its own. GW samples from extraction wells taken by EnviroTrac (subcontractor) on 10/11/16 showed GEW-1 had 240 ug/L total VOCs, GEW-3 had 5,725 ug/L tVOCs, GEW-4 had 5,917 ug/L tVOCs. Samples collected by URS on 10/5/16 showed GEW-1 had 224 ug/L tVOCs, GEW-3 had 60 ug/L tVOCs, and GEW-4 had 23,293 ug/L tVOCs. Rpt states these data indicate that new well GEW-4 was installed in area with highest dissolved impacts as intended. Samples of vapor effluent from air stripper and GW discharge to NYC sewer were in compliance. No free product was detected in 3 site visits this quarter, but absorbent socks in wells MW-7R & MW-15 were replaced on each visit. GW sampling on 10/5/16 showed well MW-6R had 4,581 ug/L tVOCs (down from 7,150 ug/L in July 2016), well MW-8R had 1,201 ug/L tVOCs (down from 1,591 ug/L in July 2016), well MW-10 had 2,819 ug/L tVOCs (up from 1,959 ug/L in July 2016), well MW-11 had 348 ug/L tVOCs (down from 2,892 ug/L in July 2016). Rpt states that GW & soil contam in saturated & smear zones remain high enough to warrant continued remediation, and small amts of free product remain in a small area of site. URS concludes that data from newly installed wells have better delineated GW impacts, showing plume is limited to 40 ft by 50 ft area. URS will continue quarterly GW monitoring, continue manual product recovery, optimize GWET system ops, and continue to evaluate need for surfactant injections or other remedial action. They also propose to remove wells that are consistently dry from GW monitoring program (IW-3, IW-10, IW-13, IW-15, VW-02 & VW-04), and to decommission a number of 1-inch injection wells (IW-1 thru IW-5A, IW-11, IW-12, IW-14, IW-16 thru IW-18), which are often dry and/or are located near existing monitoring wells. I sent email (in DecDocs) to Jerry Aliberti of DDC, cc's to March Asbagh of DDC, Kevin Shanahan and Harvey Roberts of URS/AECOM, approving these recommendation. - J. Kolleeny 06/15/17: Reviewed System Performance Monitoring Rpt for First Quarter 2017 by URS, dated 3/30/17 (in DecDocs). Rpt covers period from Oct. 2016 thru Jan. 2017. During this period, extraction wells GEW-1 & GEW-3 were not operating & did not recovery any GW;

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

GEW-4 recovered 15,320 gals (155 gpd). Sampling of influent to GWET system in Nov. & Dec. 2016 and Jan. 2017 showed total VOCs ranged from 726 ug/L to 2,3339 ug/L in GEW-1, from 1,029 ug/L to 3,285 ug/L in GEW-3, and from 1,441 ug/L to 3,282 ug/L in GEW-4. Sampling of system discharge to NYC sewer system showed effluent was in compliance with NYCDEP discharge criteria. GW samples collected from extraction wells on 1/17/17 showed no VOCs in GEW-1 or GEW-2, GEW-3 had 9.5 ug/L of MTBE, and GEW-4 had 8,147 ug/L tVOCs. URS visited site 3 times during quarter to gauge wells & recover LNAPL, but no LNAPL was detected in any wells; however, absorbent socks in MW-7R & MW-15 continue to collect LNAPL. Socks were replaced in Nov. 2016. GW sampling on 1/17/17 showed well GEW-4 had 8,147 ug/L tVOCs (down from 23,293 ug/L in Oct. 2016), well MW-6R had 104 ug/L tVOCs (down from 4,581 ug/L in Oct. 2016), well MW-10 had 289 ug/L tVOCs (down from 2,819 ug/L in Oct. 2016), well MW-11 had 257 ug/L tVOCs (down from 348 ug/L in Oct. 2016); wells MW-8R & MW-15 were not sampled due to vehicles parked over wells. URS will continue quarterly GW monitoring, product recovery by absorbent socks (or other methods as appropriate), operation of GWET system, evaluation of need for surfactant injections or other remedial actions to address residual LNAPL and saturated zone soil impacts, and will decommission 11 injection wells DEC approved for removal from GW monitoring program. - JK 07/24/17: Reviewed System Performance Monitoring Rpt for Second Quarter 2017 by URS, dated 6/13/17 (in DecDocs). Rpt covers period from 1/19/17 thru 4/27/17. Rpt states that GWET system operated in compliance with benzene air emission limit, based on weekly PID screening of sir stripper influent & effluent showing no detections and on quarterly samples of vapor influent & effluent showing no VOCs detected. During this quarter, system operated using only new extraction well GEW-4, which recovered 14,130 gals of GW (143 gpd). Monthly GW samples from extraction wells showed that on Feb. 23, 2017, GEW-1 had 924 ug/L total VOCs, GEW-3 had 1,621 ug/L tVOCs, GEW-4 had 1,862 ug/L tVOCs; on March 29, 2017, GEW-1 had 852 ug/L tVOCs, GEW-3 had 1,517 ug/L tVOCs, GEW-4 had 1,906 ug/L tVOCs; on April 27, 2017, GEW-1 had 698 ug/L tVOCs, GEW-3 had 1,458 ug/L tVOCs, GEW-4 had 1,929 ug/L tVOCs. Monthly samples of effluent from GWET showed system discharge was in compliance with NYCDEP criteria. Quarterly GW sampling on 4/13/17 showed well GEW-4 had 9,799 ug/L tVOCs (up from 8,147 ug/L in Jan. 2017), well MW-6R had 130 ug/L tVOCs (up from 104 ug/L in Jan. 2017), well MW-10 had 115 ug/L tVOCs (down from 289 ug/L in Jan. 2017), well MW-11 had 509 ug/L tVOCs (up from 257 ug/L in Jan. 2017). No measurable LNAPL was reported for this quarter, but LNAPL continued to be recovered by absorbent socks installed in wells MW-7R and MW-15; socks in MW-15 were replaced each month during this quarter. URS will: continue quarterly GW monitoring, continue product recovery by absorbent socks and/or other methods as appropriate, optimize GWET system for more continuous pumping to maintain/increase GW capture zone, evaluate need for surfactant injections or other actions to address residual LNAPL & saturated zone soil impacts, decommission eleven injection wells, repair leak in carbon vessel T-501 or replace unit, heat trace & insulate exposed section of discharge pipe from GWET to DEP sewer system. - J. Kolleeny 01/08/18: Reviewed System Performance Monitoring Rpt for Third Quarter 2017 by URS, dated 9/15/17 (in DecDocs). Rpt covers period from 4/28/17 to 7/26/17. Based on PID readings and air sampling data, on-site GWET system operated in compliancde with benzene air discharge limit. During quarter,

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

extraction well GEW-1 recovered 5 gals, GEW-3 recovered 0 gals, GEW-4 recovered 10,523 gals (117 gpd). GW influent samples from extraction wells showed that on 5/26/17, GEW-1 had 94 ug/L total VOCs, GEW-3 had 349 ug/L tVOCs, GEW-4 had 1,770 ug/L tVOCs; on 6/30/17, GEW-1 had 77 ug/L tVOCs, GEW-3 had 857 ug/L tVOCs, GEW-4 had 1,835 ug/L tVOCs; on 7/26/17, GEW-1 had 164 ug/L tVOCs, GEW-3 had 672 ug/L tVOCs, GEW-4 had 1,452 ug/L tVOCs. Treated GW discharge from GWET system complied with NYCDEP criteria. There were no system shutdowns this quarter. Three well gauging events showed no LNAPL detected in any wells this quarter (absorbent socks were removed from MW-7R & MW-15 on 5/24/17 to see if LNAPL would collect, but no measurable product was observed). GW sampling on 7/26/17 showed well GEW-4 had 11,327 ug/L tVOCs (up from 9,799 ug/L in April 2017), well MW-6R had 384 ug/L tVOCs (up from 131 ug/L in April 2017), well MW-7R had 16,886 ug/L tVOCs (not sampled in April 2017, Jan. 2017 or Oct. 2016 due to LNAPL in well), well MW-9 had 2,540 ug/L tVOCs (not sampled previous 3 quarters), well MW-10 had 151 ug/L tVOCs (up from 115 ug/L in April 2017), well MW-11 had 316 ug/L tVOCs (down from 509 ug/L in April 2017), well MW-15 had 65,257 ug/L tVOCs (not sampled due to LNAPL in Jan. & April 2017, or Oct. 2016), well GEW-1 had 92 ug/L tVOCs (up from 10 ug/L in April 2017). URS will continue quarterly GW monitoring, use absorbent socks for LNAPL recovery from affected wells, optimize GWET system, evaluate need for surfactant injections, turn on pump in well GEW-1, decommission 11 injection wells, replace liquid-phase carbon adsorbers, insulate exposed section of discharge pipe from GWET to DEP sewer system. - JK "

Remarks: "LABORITORY RESULTS SHOW SOIL CONTAMINATION"

All Materials:

Site ID:	269001
Operable Unit ID:	1023686
Operable Unit:	01
Material ID:	356331
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	9603073
Facility Type:	ER
Spill Number:	9603073
DER Facility ID:	270762
Site ID:	79053
DEC Region:	2
Closed Date:	2005-01-10
Spill Cause:	Equipment Failure
Spill Class:	B4
SWIS:	3101
Spill Date:	1996-06-04
Investigator:	JAKOLLEE
Referred To:	Not reported
Reported to Dept:	1996-06-04
CID:	351

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1996-06-04
Spill Record Last Update:	2005-01-10
Spiller Name:	GORDON HEDWIG
Spiller Company:	NYC PD
Spiller Address:	357 WEST 35TH ST
Spiller Company:	001
Contact Name:	GORDON HEDWIG
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was KOLLEENY This spill is referred to spill # 9512583 and is closed today by II (01/10/05)."
Remarks:	"caller was removing tanks on site and found contamination"

All Materials:

Site ID:	79053
Operable Unit ID:	1034365
Operable Unit:	01
Material ID:	349311
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	0613411
Facility Type:	ER
Spill Number:	0613411
DER Facility ID:	270762
Site ID:	378432
DEC Region:	2
Closed Date:	2007-03-14
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2007-03-14
Investigator:	smsanges
Referred To:	Not reported
Reported to Dept:	2007-03-14
CID:	410
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	Not reported

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

UST Trust:	Not reported
Remediation Phase:	0
Date Entered In Computer:	2007-03-14
Spill Record Last Update:	2007-03-14
Spiller Name:	BILL KLEIN
Spiller Company:	NYPD PRECINCT MIDTOWN SOU
Spiller Address:	357 WEST 35TH STREET
Spiller Company:	001
Contact Name:	BILL KLEIN
DEC Memo:	"This site is already an active longterm remediation site - Spill #9512583 As part of this remediation effort, there are exisiting monitoring wells on the site that are tested periodically. Today, the geologist found 4 ft of gasoline product floating on the water table in a well that previously had nothing. The manway was checked and found to be full of gasoline as well. This was clearly an overfill from a recent delivery. Franklin and/or URS is working the long term cleanup of the site and has arranged for a vac truck to clear out whatever is possible right now. On a long term basis, the existing remediation system will be used to skim the free product from the water table and remove it from the site. This problem will now be addressed by the contractor through the existing long term spill number on file."
Remarks:	"MATERIAL IS CONTAINED IN SUMP: POSSIBLY DUE TO OVERFILL, BUT UNCONFIRMED AT THIS TIME:"

All Materials:

Site ID:	378432
Operable Unit ID:	1135936
Operable Unit:	01
Material ID:	2125867
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	0705553
Facility Type:	ER
Spill Number:	0705553
DER Facility ID:	270762
Site ID:	385886
DEC Region:	2
Closed Date:	2008-01-04
Spill Cause:	Other
Spill Class:	C4
SWIS:	3101
Spill Date:	2007-08-15
Investigator:	JAKOLLEE
Referred To:	Not reported
Reported to Dept:	2007-08-15
CID:	444
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Other

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2007-08-15
Spill Record Last Update:	2008-01-04
Spiller Name:	BILL KILNE
Spiller Company:	MIDTOWN SOUTH POLICE
Spiller Address:	357 WEST 35TH STREET
Spiller Company:	001
Contact Name:	BILL KILNE
DEC Memo:	"Part of a long term recovery operation at the site. See also spill nos. 0702185 and 0702402. 08/16/07: Notified of this spill by Ryan Piper of spill response staff on 8/15/07; sent email to Jane Staten and Harvey Roberts of URS (DDC consultant handling long-term remediation of this site under DDC consent order), with cc to Afsar Samani of DDC, stating: I've been informed by our Spill Response staff that spills are continuing to occur related to damaged fill line to gasoline UST at Midtown South. Intitial spill (0613411) occurred in March '07 when gasoline was found in tank sump and nearby monitoring well. According to URS's system performance reports, Franklin Co. determined that tank's fill line was damaged, and they installed direct fill to tank to bypass damaged line. Do you know if Franklin plugged up old fill port when they installed direct fill? It appears that fuel deliveries continue to be made to old fill line, and product keeps showing up in tank sump and monitoring wells. On May 23rd, spill 0702185 was reported by NYPD because sump was filled with gasoline and Veeder Root alarm was going off. Today, another spill was called in (0705553) because of product in sump. Please take necessary steps to have old fill port blocked so it cannot be used anymore (or repaired so it won't leak) as soon as possible, and please also check out entire tank system to make certain it is damaged fill line that's problem, and that there are no other leaks in system. Please get back to me on this and let me know what actions have been taken to address this situation. Afterwards, spoke again with Ryan Piper, who suggested tank be taken out of service and emptied until problem is solved. Sent email to Afsar Samani of DDC, cc's to Jane Staten & Harvey Roberts of URS: In light of ongoing problems with gasoline UST at Midtown South Precinct, I strongly suggest that tank be taken out of service and emptied until problem(s) with tank and piping has/have been addressed. If this is not practical because police have no alternative location to fuel their vehicles, then please take whatever steps are necessary to immediately rectify problem(s) with tank system. NYCDDC is conducting remediation at this site using SVE and groundwater extraction & treatment systems, and these ongoing spills of fresh gasoline to subsurface will set back remedial efforts for months, or more likely, years, so it is in DDC's interest to resolve this situation promptly. In addition, these releases are a violation of Environmental Conservation Law, as you are aware, and if they continue to occur, our spill responders may be inclined to call Environmental Conservation Officers to site to issue summons. On 8/16/07, received email from Afsar Samani of DDC: Harvey informed me that vac-truck is scheduled to remove product from sump today. Also, NYPD subcontractor is going to be scheduled to repair fill line. URS is looking into

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

this and will make all necessary action to make sure tank and fill port is tight. Then, received email from Jane Staten of URS: I just spoke with Lt. Pete Polanco for an update on problems with gasoline tank at Midtown South Precinct. According to Lt. Polanco, NYPD tank contractor inspected fuel fill line this morning and found no problems with integrity of line. Therefore, Lt. Polanco believes that product in tank sump was caused by fuel delivery vendor. NYPD are expecting fuel delivery vendor at site this afternoon to discuss problem and also to remove gasoline currently in sump. I will keep you posted. I then sent email to Afsar Samani, with cc's to Jane Staten & Harvey Roberts of URS, Jerry Aliberti of DDC and Lt. Peter Polanco of NYPD: Thank you for your response. Please be advised that no fuel deliveries should be made to gasoline tank at Midtown South until tank system has been tested to insure integrity of all elements of system. Documentation of tightness test results, and of any repairs made to fill line since problem was discovered in March 2007, must be submitted to NYSDEC before fuel deliveries can resume. This situation is high priority and NYPD should arrange for tightness testing immediately. Then, received phone call from Lt. Polanco of NYPD, who said repairs to damaged fill line were done in June and fill line was tightness tested and passed, and he believes current problem is due to fuel delivery vendor not hooking up vapor recovery line (truck is parked in street long distance from fill port, so there's long length of delivery hose). He said product will be removed from sump and fill line will be tested again. I asked him to submit documentation of repair work and tightness testing, and sent him email with my address. Then, I was cc'd on email from Afsar Samani of DDC to Lt. Polanco of NYPD: We were informed by following correspondence from NYSDEC that gasoline tank over at Midtown South Police Precinct should not receive any more deliveries until a tightness test has been scheduled. Please let DDC know when you can arrange for your subcontractor to perform a tightness test on this tank. This is very crucial to remedial effort that URS is performing to clean up site on behalf of DDC. - J. Kolleeny 08/21/07: Received fax on 8/20/07 from Lt. Polanco of NYPD fuel control unit, with letter from Energy Tank & Environmental Services dated 7/16/07 describing repairs to and pressure testing of fill line to gasoline UST (in eDocs). Sent same-day email response to Lt. Polanco, cc's to Afsar Samani & Jerry Aliberti (DDC), Jane Staten & Harvey Roberts (URS): Thank you for faxed description of repair work to fill line of gasoline UST at Midtown South and diagram of site, tank and fill port, provided by Energy Tank & Environmental Services, Inc. However, these items do not completely satisfy my request for documentation of tank repairs and testing of fill line, and they raise additional questions. Page that describes repairs and subsequent pressure testing of line is dated 7/16/07. Is that date when repairs were done? I would like to see dated invoice for repair work in addition to this description. Description states that problem was with primary fill line, and that secondary line was intact, which allowed product to go into containment sump and not into ground. However, in March when this problem was first discovered, URS field personnel reported 5 feet of fresh gasoline in groundwater extraction well that had never had gasoline in it before, so somehow product did get into ground. If repairs were done on 7/16/07, why was gasoline again reported in containment sump on top of tank on August 15th (spill number 0705553)? You mentioned that this was caused by delivery person not hooking up vapor recovery line, yet our Petroleum Bulk

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

Storage staff say this would not result in product appearing in sump. I would greatly appreciate it if you could provide additional documentation of repair work, and if NYPD would schedule a tightness test of all lines going into and out of tank, as well as a hydrostatic test of tank's containment sump. I would like to be informed in advance when these tests have been scheduled, so that I can attend. - J. Kolleeny 09/14/07: Visited site 9/10/07 to observe hydrostatic test of tank sump and tightness test of fill line. Mike Suppe of Fenley & Nichol on hand, said sump held water, more or less (slight drip along electric conduit extending from this sump to next sump at end of tank), for over 2 hours. He said no way to test fill line (it's about 2-3 feet long from remote fill port) without physically removing it, but he will test entire tank system. In discussions of how product could turn up in sump, I mentioned that Lt. Polanco said it had to do with delivery person not hooking up vapor recovery line. Mike wasn't clear on how that would cause product to appear in sump. I called Lt. Polanco, who said by not hooking up vapor recovery during delivery, excessive back pressure was created, so when delivery hose was disconnected, product would back up and spill into overfill bucket, then drain to sump. Mike Suppe said this isn't possible, since any fuel spilled into spill bucket would drain back into fill line, then into tank (not sump). Mike suggested that temporary fill, which was used while remote fill line was awaiting repair, had not been properly capped once NYPD switched back to using remote fill, and poor threading on top of direct fill extension cylinder and improperly screwed-on cap for this extension, may have resulted in product spilling out capped off temporary fill, again related to back pressure from not hooking up vapor recovery (see photos in eDocs image folder). NYPD now has on-site a long hose to be used for vapor recovery, and reportedly there have not been any more problems with product appearing in sump after deliveries. Spoke with Mike Suppe on 9/11/07, who said tank system passed test. I discussed whole situation with Jane Staten of URS, who forwarded to me email from Harvey Roberts of URS (in eDocs) indicating temporary direct fill was installed by NYPD, not Franklin Co. as stated in URS's system performance reports for site. While this may explain why product was appearing in sump, none of this adequately explains how product escaped into ground and turned up in groundwater extraction wells and monitoring wells (for site cleanup under spill no. 9512583). Mike Suppe indicated if damaged fill line was unknown for a long time, sump could've filled up with gas during deliveries and overtopped inner rim of sump, and from there it could seep into ground. URS will continue to gauge nearby wells for product levels, and see if they continue to decrease. Harvey Roberts email also calls into question when exactly NYPD had repairs done to fill line. I contact Lt. Polanco again and asked for more detailed documentation of repair work, indicating date(s) and nature of work done. He said he would work on getting me that info. - J. Kolleeny 09/17/07: Received fax from Lt. Polanco, a revised version of earlier fax with statement by Energy Tank & Environmental Services regarding repair work on fuel fill line. Statement is still dated 7/16/07; it now states that they uncovered line on 7/5/07, reconnected and tested line on 7/6/07, reporting that line held pressure during backfilling, they then witnessed a fuel delivery on 7/9/07 with no leaks observed, so they re-surfaced area. - J. Kolleeny 01/04/08: On 12/19/07, sent email to Jane Staten of URS: I recently asked you to ask your field personnel to check if gasoline is still showing up in tank-top sump

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

after fuel deliveries at this site. Do you know if they've checked on this? On 12/26/07, received email reply from Jane: Our field technician checked tank sumps at Midtown South on 11/29/07. One sump was dry and other contained a little water. There was no evidence of gasoline. Based on no new reports of gasoline appearing in tank top sump, it appears problem(s) that caused this and related spills has (have) been addressed; OK to close spill. - J. Kolleeny "

Remarks: "PRODUCT IN SUMP"

All Materials:

Site ID:	385886
Operable Unit ID:	1143144
Operable Unit:	01
Material ID:	2133406
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	0702402
Facility Type:	ER
Spill Number:	0702402
DER Facility ID:	270762
Site ID:	382094
DEC Region:	2
Closed Date:	2007-05-29
Spill Cause:	Other
Spill Class:	B3
SWIS:	3101
Spill Date:	2007-05-29
Investigator:	jbvought
Referred To:	Not reported
Reported to Dept:	2007-05-29
CID:	444
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2007-05-29
Spill Record Last Update:	2007-08-15
Spiller Name:	BILL KLEINS
Spiller Company:	POLICE PRECINT
Spiller Address:	357 WEST 35TH STREET
Spiller Company:	001
Contact Name:	BILL KLEINS
DEC Memo:	"05/29/07-Vought-This spill closed and referred to open spill #0702185 at same location."
Remarks:	"WHILE GAUGING WELLS FOUND CONTAMINATED SOIL"

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

All Materials:

Site ID:	382094
Operable Unit ID:	1139507
Operable Unit:	01
Material ID:	2129547
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	0702185
Facility Type:	ER
Spill Number:	0702185
DER Facility ID:	270762
Site ID:	381862
DEC Region:	2
Closed Date:	2008-07-08
Spill Cause:	Other
Spill Class:	C4
SWIS:	3101
Spill Date:	2007-05-23
Investigator:	JAKOLLEE
Referred To:	Not reported
Reported to Dept:	2007-05-23
CID:	444
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2007-05-23
Spill Record Last Update:	2008-07-08
Spiller Name:	BOB LARGER
Spiller Company:	REMEDIATION SITE
Spiller Address:	357 WEST 35TH STREET
Spiller Company:	001
Contact Name:	BOB LARGER
DEC Memo:	"05/23/07-Vought-Duty desk officer. Vought spoke to Bob Laga(Fax 718-359-7865) and SVE and three groundwater wells onsite with SpillBusters installed and Franklin geologist performing weekly inspections of well and system. Franklin was contacted by NYPD that sump of UST was full of product and alarm for Veeder Root was going off. Franklin performed site visit and approximately 20-50 gallons of gasoline present in sump. Vacuum truck estimated time of arrival in two hours to recover gasoline. As per Franklin field geologist level of product in sump has remained constant (may indicate no loss to subsurface). No product in groundwater monitoring well immmediately adjacent to tank with product in sump. Vought discussed site with DEC

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

Krimgold and tightness test letter prepared by Vought and submitted to DEC Falvey for signature. Letter sent with one month due date to owner on PBS and cc to Franklin: NYCPD Building Maintenance Section 59-06 Brooklyn Queens Expressway Queens, NY 11377 05/29/07-Vought-See also new closed spill #0702402 for spill caused by delivery to broken fill despite instructions by Franklin to not deliver until fill was repaired. Vought called Franklin and spoke to Bill. Franklin reiterated requirement for no more deliveries. Klein still seeking bids for work. 07/08/08: This spill case transferred from J. Vought to J. Kolleeny. Problems with fill port and fuel deliveries have been rectified, any product released to environment will be addressed by remedial system on-site, as there is ongoing remediation under DDC consent order spill 9512583. This spill is closed, see also remarks for spill 0705553. - J. Kolleeny "

Remarks: "AN ACTIVE REMEDIATION SITE HAS CONTAMINATED SOIL; HAS BEEN SPILL THERE BEFORE: JACOB FROM DEC HAS BEEN THERE BEFORE"

All Materials:

Site ID:	381862
Operable Unit ID:	1139288
Operable Unit:	01
Material ID:	2129312
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Facility ID:	0712091
Facility Type:	ER
Spill Number:	0712091
DER Facility ID:	270762
Site ID:	393661
DEC Region:	2
Closed Date:	2008-06-11
Spill Cause:	Equipment Failure
Spill Class:	C3
SWIS:	3101
Spill Date:	2008-02-15
Investigator:	JAKOLLEE
Referred To:	SPILL CAUSE A MYSTERY; PRODUCT RECOV CONTINUING
Reported to Dept:	2008-02-15
CID:	404
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	Not reported
Remediation Phase:	0
Date Entered In Computer:	2008-02-15
Spill Record Last Update:	2008-06-11

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

Spiller Name:	JANE STATEN
Spiller Company:	MIDTOWN SOUTH PRECINCT
Spiller Address:	357 WEST 35TH STREET
Spiller Company:	001
Contact Name:	JANE STATEN
DEC Memo:	"02/19/08: This spill case transferred from V. Zhune of Spill Response staff to J. Kolleeny. On Feb. 13, URS (Franklin?) personnel at site noted 10 ft. of fresh free product in a groundwater extraction well (GEW-1), and several ft. of product in nearby monitoring wells. Product was bailed down to less than a foot. On Feb. 15th, URS returned to site and measured 5 ft. of product in GEW-1, and noted that spill buster in well was not operating. Nearby well MW-6 had 3 ft. of product. I instructed Jane Staten of URS to call in a new spill. Contacted Lt. Pete Polanco of NYPD who said they had arranged for Fenley & Nicol to perform a tank system tightness test on saturday, Feb. 16th. I asked that the results be faxed to me when available. On tuesday Feb. 19th, received test results by fax from Lt. Polanco, tank system tested tight (results in eDocs). Contacted Jane Staten of URS, who said their field staff visited site on monday Feb. 18th, found no product in GEW-1, 3 ft. of product in MW-6, and 0.02 ft. in MW-7. She suggested I ask NYPD to look into their inventory records, especially delivery versus tank volume records, for deliveries between Feb. 6 and Feb. 13. I sent email to Lt. Polanco asking him to look into these records and let me know. - J. Kolleeny 02/21/08: Received email reply from Lt. Polanco of NYPD: We did an analysis with the last few deliveries. We determined that during the period of Feb 6 through Feb 13, 3167 gallons was used and we were able to account for 3146 gallons. Therefore we have an unaccounted loss of less than 1%. We passed the tank tightness test. So the question still remains where is this product coming from? Obviously it is not from my fuel site. As of today MTS Precinct is empty and will not be having a delivery for 1 week. Can URS check their wells tomorrow and see if any product appears in the next 7 days? Let me know what you want us to do. I also received email from Jane Staten of URS with detailed timeline of events, in response to my request: Following is a timeline of events concerning the new spill at Midtown South: Feb 13 (Wednesday) Franklin visits site to perform weekly O&M and verbally reports that there is 10 feet of product in well GEW-01; there was a reported kink in the GEW-01 Spill Buster discharge line and when it was fixed, the pump evacuated the product in the well URS visits site to perform monthly product recovery using a vacuum truck and records free product in MW-06 (3 ft), MW-07 (2 ft), and IW-15 (couple of inches); all product evacuated from wells Feb 15 (Friday) URS visits site to gauge wells and finds product in GEW-01 (4.2 ft), MW-06 (2.6 ft), and MW-07 (0.3 ft) URS calls in spill to NYSDEC Spill Hotline; assigned #0712091 Received email from Franklin that product storage tank in GW treatment shed is full and that they scheduled a vacuum truck to remove product Feb 16 (Saturday) NYPD performs tightness test on tank system Feb 18 (Monday) URS visits site with vacuum truck and measures product in MW-06 (3 ft) and MW-07 (0.02 ft); no product detected in GEW wells; all product evacuated from wells; 35 gal product removed from product storage drum in GW treatment shed I do not understand what happened to the 4 feet of product in GEW-01 between Friday and Monday. I asked Franklin if they sent a vacuum truck to the site during that time to remove product from the product storage drum and the answer was 'no.' So that means that the Spill Buster pump in

MIDTOWN SOUTH PRECINCT NYPD -DDC (Continued) **S105054624**

GEW-01 would have remained idle over the weekend. While that is a mystery, the bigger mystery is the source of the gasoline since the tank system tested tight and NYPD records indicate less than a 1% discrepancy in fuel inventory records. - J. Kolleeny 03/20/08: On 2/26/08, sent email to Jane Staten of URS, asking if their field personnel have been back to site and gauged wells for product levels? Jane wrote back: We were at site on Monday with vacuum truck and there was 2.4 feet of product in MW-06, 0.3 feet in MW-07, 0.03 feet in MW-08, and 3.18 feet in GEW-01. Spill buster pump in GEW-01 did not appear to be working so we contacted Franklin. Franklin's regular O&M day for Midtown South is Wednesday, so I'll probably receive their report tomorrow or Thursday. URS will continue to bring vacuum truck to site to remove product until it appears that situation is under control. I'll keep you posted. On 3/20/08, I sent email to Jane Staten asking for updated info on product in wells and status of spill buster pump in GEW-01. - J. Kolleeny 03/28/08: Received email from Jane Staten of URS on 3/27/08, with attached table showing well gauging data from 1/17/08 to 3/14/08 (in eDocs). Data show product in GEW-01 has decreased, from 3.18 ft. on 2/25/08 to 0.0 ft. on 3/3/08, to 0/15 ft. on 3/14/08; however, product in MW-6 seems not to be going away, with 3.75 ft. on 3/14/08; MW-7 went from 0.30 ft. on 2/25/08 to 0.07 ft. on 3/3/08 to 0.44 ft. on 3/14/08. Jane also reported that spill buster pump in GEW-01 is operating and URS has instructed contractor to restart GW extraction pumps. - J. Kolleeny 06/11/08: At direction of my supervisor, Vadim Brevdo, I closed this spill to consolidate with open spill no. 9512583, under which remediation of subsurface petroleum contamination at this site is being tracked. - J. Kolleeny "

Remarks: "unknown amount spilled; released from an underground tank; released into the ground; it is an on going remediating site"

All Materials:

Site ID:	393661
Operable Unit ID:	1150621
Operable Unit:	01
Material ID:	2141247
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

571
NE
1/4-1/2
0.463 mi.
2447 ft.

HUDSON MEWS PROPERTY - MARTY FINE PARCEL **NY BROWNFIELDS** **S110487608**
403 WEST 37TH STREET AND 501-505 9TH AVENUE **N/A**
NEW YORK, NY 10018

Relative:
Higher

Actual:
42 ft.

BROWNFIELDS:

Program:	BCP
Site Code:	416201
Acres:	0.259
HW Code:	C231065
SWIS:	3101

HUDSON MEWS PROPERTY - MARTY FINE PARCEL (Continued) **S110487608**

Town:	New York City
Record Added Date:	07/08/2009
Record Updated Date:	08/08/2017
Update By:	SXDEWES
Site Description:	Location: The site is located at 403 West 37th Street and 501-505 9th Avenue which is between 37th and 38th Streets in the Borough of Manhattan. Site Features: Currently, the site is vacant. An entrance roadway to the Lincoln Tunnel beyond the retaining wall shared with the site, is to the west. Current Zoning: The site is zoned C1-7A, a commercial district that is predominantly residential in character. Typical retail uses include grocery stores, drug stores, restaurants and local clothing stores that cater to the daily needs of the immediate neighborhood. Past Use of the Site: Historically the site use included residential, commercial, industrial and manufacturing. As early as 1911, the site was occupied with an iron works (southwest portion of the Site), a carpenter s shop, five 5-story, two 4-story and two 3-story residential dwellings with basements and commercial space on the lower levels. By 1968, the Lincoln Tunnel approach retaining wall was installed along the western border of the site, and the site had been redeveloped with four 5-story buildings, one 4-story building and a 1- or 2-story building which were all demolished by 2005. Site Geology and Hydrogeology: Groundwater beneath the Site ranges from approximately 11 to 15 ft below the current site grade based on gauging of four site wells during the investigation. Based on the regional topography, the anticipated groundwater flow direction beneath the Site is believed to be in a westerly direction towards the Hudson River, however, the presence of a retaining wall for the Lincoln Tunnel approach along the western Site boundary appears to disrupt that flow pattern. Groundwater elevation data collected during the investigation indicated that the groundwater flow at the Site is generally in a northwesterly direction, likely following the slope of bedrock. The generalized stratigraphy underlying the site is composed of a surficial layer of historic fill overlying natural sand, gravel and silt deposits followed by bedrock. In the southern portion of the site, the fill layer was found directly overlying bedrock. Bedrock was generally highest in the southern portion of the site and slopes to the north. Bedrock was found between approximately 8 and 24 feet below ground surface.
Env Problem:	Nature and Extent of Contamination: Soil and groundwater were analyzed for volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), metals, polychlorinated biphenyls (PCBs), and pesticides. Soil: Investigations performed in 2006 and 2012 showed site soils contain elevated semi-volatile organic compounds (SVOCs) and metals indicative of historic fill. The depth of the historic fill varies across the site from three to 15 feet deep. SVOCs exceeding restricted residential soil cleanup objectives (RRSCOs) include benzo-a-anthracene, RRSCO of 1 part per million (ppm)(7 out of 16 samples)) with a maximum detection of 26 ppm, benzo-a-pyrene, RRSCO of 1 ppm (7 out of 16 samples)with a maximum detection of 22 ppm, benzo-b-fluoranthene, RRSCO of 1 ppm (7 out of 16 samples)with a maximum detection of 28 ppm, and indeno(1,2,3-cd)pyrene, RRSCO of 0.5 ppm (7 out of 16 samples)with a maximum detection of 15 ppm. Metals exceeding RRSCOs include lead, (9 out of 16 samples)with a maximum detection 9,050 parts per million (ppm) vs. RRSCO of 400 ppm and barium, (2 out of 16 samples) with a maximum detection of 5310 ppm vs. RRSCO of 400 ppm. Data does not indicate any off-site impacts in

HUDSON MEWS PROPERTY - MARTY FINE PARCEL (Continued) **S110487608**

	soil related to this site. Groundwater: Groundwater sampling in 2006 showed one volatile organic compounds (VOC) in an on-site well near the upgradient property line; chlorobenzene was detected at 29 parts per billion (ppb) vs a standard of 5 ppb. More recent sampling in 2011 in the same area showed no chlorobenzene. Several metals were noted in groundwater samples (e.g., iron, manganese, magnesium and sodium). These metals appear to be naturally occurring and typical of groundwater in this area. Soil vapor: During the Remedial Investigation, four soil gas points were installed. Several VOCs, including benzene were detected in soil vapor. The compounds were found at low levels and are not of concern
Health Problem:	People may come into contact with site-related contaminants in the soil. People are not drinking the contaminated groundwater because the area is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Because the site is vacant, the inhalation of site-related contaminants due to soil vapor intrusion does not represent a current concern. However, the potential for soil vapor intrusion to occur on-site needs to be evaluated in the event that the site becomes occupied. Sampling indicates soil vapor intrusion as a result of this site is not a concern for off-site properties.
Dump:	Not reported
Structure:	Not reported
Lagoon:	Not reported
Landfill:	Not reported
Pond:	Not reported
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	Not reported
Record Upd:	Not reported
Updated By:	Not reported
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	New York City Public Library
Owner Address:	Columbus Branch
Owner Addr2:	742 10th Avenue
Owner City,St,Zip:	New York, NY 10019-7019
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	06
Owner Name:	Robert Piazza
Owner Company:	402 WEST 38TH STREET CORP.
Owner Address:	C/O Robert Piazza AT EQUITY RESIDENTIAL
Owner Addr2:	230 West 41st Street; 12th Floor
Owner City,St,Zip:	NEW YORK, NY 10036
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	P03
Owner Name:	MARK N. JENNISON
Owner Company:	402 WEST 38TH STREET CORP.

HUDSON MEWS PROPERTY - MARTY FINE PARCEL (Continued) **S110487608**

Owner Address:	C/O Robert Piazza AT EQUITY RESIDENTIAL
Owner Addr2:	438 WEST 69TH STREET
Owner City,St,Zip:	NEW YORK, NY 10069
Owner Country:	United States of America
HW Code:	Not reported
Waste Type:	Not reported
Waste Quantity:	Not reported
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

572
ESE
1/4-1/2
0.468 mi.
2471 ft.

400 8TH AVE
400 8TH AVE
NYC, NY

NY LTANKS **S102141189**
NY Spills **N/A**

Relative:
Higher

Actual:
29 ft.

LTANKS:

Facility ID:	9411284
Site ID:	236957
Closed Date:	1994-11-23
Spill Number:	9411284
Spill Date:	1994-11-23
Spill Cause:	Tank Overfill
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C4
Cleanup Ceased:	1994-11-23
SWIS:	3101
Investigator:	SMMARTIN
Referred To:	Not reported
Reported to Dept:	1994-11-23
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-01-05
Spill Record Last Update:	2004-06-17
Spiller Name:	Not reported
Spiller Company:	MERINGOFF PROPERTY
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	195211
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MARTINKAT "
Remarks:	"DEFECTIVE GAUGE-SENT CREW TO CLEANUP."

400 8TH AVE (Continued) **S102141189**

All Materials:
Site ID: 236957
Operable Unit ID: 1009168
Operable Unit: 01
Material ID: 377146
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 5.00
Units: G
Recovered: .00
Oxygenate: Not reported

SPILLS:
Facility ID: 9104431
Facility Type: ER
Spill Number: 9104431
DER Facility ID: 178494
Site ID: 215506
DEC Region: 2
Closed Date: 1995-05-25
Spill Cause: Equipment Failure
Spill Class: C3
SWIS: 3101
Spill Date: 1991-07-25
Investigator: WILSON
Referred To: Not reported
Reported to Dept: 1991-07-25
CID: Not reported
Water Affected: Not reported
Spill Source: Tank Truck
Spill Notifier: Responsible Party
Cleanup Ceased: 1995-05-25
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1991-07-26
Spill Record Last Update: 1995-05-25
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller Company: 001
Contact Name: Not reported
DEC Memo: ""
Remarks: "DRIVER FOUND PINHOLE IN DELIVERY HOSE. APPLIED SPEEDY DRY. CREW WILL COMPLETE CLEANUP."

All Materials:
Site ID: 215506
Operable Unit ID: 958329
Operable Unit: 01
Material ID: 423498
Material Code: 0003A

400 8TH AVE (Continued) **S102141189**

Material Name:	#6 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

CM573 **152-156 TENTH AVE/MANHATT** **NY LTANKS** **S104275542**
SSW **152-156 TENTH AVENUE** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.469 mi.
2478 ft. **Site 1 of 2 in cluster CM**

Relative:
Lower

Actual:
11 ft.

LTANKS:

Facility ID:	8903509
Site ID:	318167
Closed Date:	1989-08-24
Spill Number:	8903509
Spill Date:	1989-04-06
Spill Cause:	Tank Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	Not reported
Cleanup Ceased:	1989-08-24
SWIS:	3101
Investigator:	SULLIVAN
Referred To:	Not reported
Reported to Dept:	1989-07-07
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Citizen
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1989-07-11
Spill Record Last Update:	1989-10-13
Spiller Name:	Not reported
Spiller Company:	GETTY?-CLOSED GAS STA
Spiller Address:	152-156 TENTH AVENUE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	256475
DEC Memo:	""
Remarks:	"STRONG GAS ODOR, DARK STAINS ON CONCRETE & ASPHALT. DEC INSPECTED."

All TTF:

Facility ID:	8903509
Spill Number:	8903509
Spill Tank Test:	1535688
Site ID:	318167
Tank Number:	Not reported
Tank Size:	0

152-156 TENTH AVE/MANHATT (Continued) **S104275542**

Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	318167
Operable Unit ID:	928934
Operable Unit:	01
Material ID:	447596
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Not reported
Recovered:	.00
Oxygenate:	Not reported

CM574 **GETTY 58542** **NY LTANKS** **U001839223**
SSW **152 TENTH AVE** **NY UST** **N/A**
1/4-1/2 **NY, NY 10011**
0.469 mi.
2478 ft. **Site 2 of 2 in cluster CM**

Relative:
Lower

Actual:
11 ft.

LTANKS:

Facility ID:	9210231
Site ID:	141401
Closed Date:	2004-03-10
Spill Number:	9210231
Spill Date:	1992-12-03
Spill Cause:	Tank Test Failure
Spill Source:	Unknown
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	JBVOUGHT
Referred To:	Not reported
Reported to Dept:	1992-12-03
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1992-12-03
Spill Record Last Update:	2008-06-09

GETTY 58542 (Continued) **U001839223**

Spiller Name:	Not reported
Spiller Company:	GETTY
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	120725
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was VOUGHT 3/14/03 REASSIGNED FROM ROMMEL TO VOUGHT. 3/9/04-Vought-File review by Vought: Letter from DEC(O'Dowd) to Getty(Ochoterena)-12/10/97. Letter sent requiring installation of three monitoring wells in response to tank test failure on 12/3/92. Report due to DEC by close of business 1/30/98. Site notes by DEC O'Dowd-meeting held on 11/12/97. Site planned for construction of new residential building. Tank Closure Report (Tyree Organization William Conroy)-April 1998. Reason for tank closure is property divestment. One pump island located adjacent to 10th Avenue. Removal of twelve (550-gallon) gasoline USTs and one (550-gallon) waste oil from 3/23-3/25/98. Multistory commercial and apartment buildings located across 10th Avenue to the west, church with a school and playground lcoated across West 20th Street to the north of the subject property . Six endpoint samples were collected including five from the gasoline excavation and one composite sample from the waste oil excavation. Soil analytials show 9990ppb toluene(south wall), 10600ppb napthalene(south wall), 10000ppb toulene(west wall), 15900ppb napthalene(west wall), 156ppb MTBE (Bottom). Waste oil soil endpoint shows 427ppb benzo(a)anthracene and 411ppb benzo(b)fluoranthene. Addendum to the Tank Closure Report (Tyree Org)-5/25/98. The additional work consisted of further excavation of th west wall and the south wall of the gasoline tankfield excavation. The additional excavation resulted in clean(STARS Memo) endpoint soil samples from the two walls. Excavation indicated the presence of a former basement filled with demolition debris. Depth to groundwater estimated at 9 below grade. Two additional soil endpoints were collected for analysis. Soil endpoint analyticals show not TAGM 4046 Soil Cleanup Objective exceedances after second excavation event. Project Summary Report (Tyree Org)-5/25/98. One groundwater sampling event prior to the destruction of the wells during removal of underground storage tanks. Groundwater analyticals show 173ppb MTBE(W-1), 1200ppb MTBE(W-2) and 1890ppb MTBE(W-3). Groundwater flow direction not determined. Closure Request (Tyree Org)-7/8/99. The property was sold by Tyree's client to the 20th Street Association, LLC. The owner has excavated the property for construction purposes . These three wells were destroyed in March 1998 when the gasoline tanks were removed . A total of 305.11 tons of soil were removed from teh tankfield excavation. The entire lot (approximately 114' x 100') has been excavated to the property lines and to a depth of approximately 15'. Tyree requests closure based on 1)only ethylbenzene in one well at 6.1ppb 2)the levels of MTBE were probably significantly reduced by removal of approximately 9 feet of unsaturated and 6' of saturated soil 3)approximately 8550 tons of soil were removed. Tyree requests no further action. Vought reviewed site with DEC Rommel which resulted in spill closure."
Remarks:	"ORIGINAL SPILL ASSIGNED TO O'DOWD."

GETTY 58542 (Continued) **U001839223**

All Materials:

Site ID:	141401
Operable Unit ID:	976702
Operable Unit:	01
Material ID:	407234
Material Code:	0064A
Material Name:	unknown material
Case No.:	Not reported
Material FA:	Other
Quantity:	.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

UST:

Id/Status:	2-326267 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	583979.22190
UTM Y:	4510989.79704
Site Type:	Unknown

Affiliation Records:

Site Id:	15194
Affiliation Type:	Facility Owner
Company Name:	GETTY
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	125 JERICHO TURNPIKE
Address2:	Not reported
City:	JERICHO
State:	NY
Zip Code:	11753
Country Code:	001
Phone:	(516) 576-9500
EMail:	Not reported
Fax Number:	Not reported
Modified By:	RDBENDEL
Date Last Modified:	2007-08-07

Site Id:	15194
Affiliation Type:	Mail Contact
Company Name:	GETY
Contact Type:	Not reported
Contact Name:	LUIS OCHONTORENA
Address1:	30-23 GREENPOINT AVENUE
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(516) 694-9696
EMail:	Not reported
Fax Number:	Not reported

GETTY 58542 (Continued) **U001839223**

Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	15194
Affiliation Type:	Facility Operator
Company Name:	GETTY 58542
Contact Type:	Not reported
Contact Name:	L BARKER
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 675-5854
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	15194
Affiliation Type:	Emergency Contact
Company Name:	GETTY
Contact Type:	Not reported
Contact Name:	EDWARD WALDRON
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 729-6500
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank ID:	30830
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	03/01/1998
Date Tank Closed:	03/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline

Tightness Test Method:	00
Date Test:	09/01/1993
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT

GETTY 58542 (Continued) **U001839223**

Last Modified: 04/14/2017

Equipment Records:

H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None

Tank Number: 002
Tank ID: 30831
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 03/01/1998
Date Tank Closed: 03/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 00
Date Test: 09/01/1993
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None

Tank Number: 003
Tank ID: 30832
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 03/01/1998
Date Tank Closed: 03/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

GETTY 58542 (Continued) **U001839223**

Tightness Test Method: 00
Date Test: 09/01/1993
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None

Tank Number: 004
Tank ID: 30833
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 03/01/1998
Date Tank Closed: 03/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 00
Date Test: 09/01/1993
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser

Tank Number: 005
Tank ID: 30834
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 03/01/1998
Date Tank Closed: 02/01/1998

GETTY 58542 (Continued) **U001839223**

Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 00
Date Test: 09/01/1993
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None

Tank Number: 006
Tank ID: 30835
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 03/01/1998
Date Tank Closed: 03/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 00
Date Test: 09/01/1993
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None

Tank Number: 007

GETTY 58542 (Continued) **U001839223**

Tank ID:	30836
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	03/01/1998
Date Tank Closed:	03/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	00
Date Test:	09/01/1993
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

H00 - Tank Leak Detection - None
I00 - Overfill - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None

Tank Number:	008
Tank ID:	30837
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	03/01/1998
Date Tank Closed:	03/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	00
Date Test:	09/01/1993
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

GETTY 58542 (Continued) **U001839223**

H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None

Tank Number:	009
Tank ID:	30838
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	03/01/1998
Date Tank Closed:	03/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	00
Date Test:	09/01/1993
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number:	010
Tank ID:	30839
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	03/01/1998
Date Tank Closed:	03/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	00
Date Test:	09/01/1993
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

GETTY 58542 (Continued) **U001839223**

H00 - Tank Leak Detection - None
I00 - Overfill - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None

Tank Number: 011
Tank ID: 30840
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 03/01/1998
Date Tank Closed: 03/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 00
Date Test: 09/01/1993
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None

Tank Number: 012
Tank ID: 30841
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 03/01/1998
Date Tank Closed: 03/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 00
Date Test: 09/01/1993

GETTY 58542 (Continued) **U001839223**

Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

CK575 **535 WEST 19TH STREET RE-DEVELOPMENT SITE** **NY BROWNFIELDS** **S107488445**
SSW **535 WEST 19TH STREET** **NY Spills** **N/A**
1/4-1/2 **NEW YORK, NY 10011**
0.475 mi.
2507 ft. **Site 2 of 2 in cluster CK**

Relative: **Lower**
Actual: **5 ft.**

BROWNFIELDS:
Program: BCP
Site Code: 370424
Acres: 0.29
HW Code: C231056
SWIS: 3101
Town: New York City
Record Added Date: 09/18/2006
Record Updated Date: 12/07/2009
Update By: MOBARRIE
Site Description: See V00530
Env Problem: Not reported
Health Problem: Not reported
Dump: Not reported
Structure: Not reported
Lagoon: Not reported
Landfill: Not reported
Pond: Not reported
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: Not reported
Record Upd: Not reported
Updated By: Not reported
Own Op: Owner
Sub Type: NNN
Owner Name: CRAIG WOOD
Owner Company: WEST CHELSEA DEVELOPMENT PARTNERS, LLC
Owner Address: 150 LAFAYETTE STREET, 9TH FLOOR
Owner Addr2: Not reported
Owner City,St,Zip: NEW YORK, NY 10013
Owner Country: United States of America
Own Op: Applicant/Requestor
Sub Type: NNN
Owner Name: CRAIG D. WOOD

535 WEST 19TH STREET RE-DEVELOPMENT SITE (Continued) **S107488445**

Owner Company:	WEST CHELSEA DEVELOPMENT PARTNERS, LLC
Owner Address:	150 LAFAYETTE STREET, 9TH FLOOR
Owner Addr2:	Not reported
Owner City,St,Zip:	NEW YORK, NY 10013
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	NNN
Owner Name:	RANDOLPH PRICE
Owner Company:	CONSOLIDATED EDISON COMPANY OF NEW YORK, INC.
Owner Address:	4 IRVING PLACE
Owner Addr2:	Not reported
Owner City,St,Zip:	NEW YORK, NY 10003
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	NNN
Owner Name:	RANDOLPH PRICE
Owner Company:	CONSOLIDATED EDISON COMPANY OF NEW YORK. INC.
Owner Address:	4 IRVING PLACE
Owner Addr2:	Not reported
Owner City,St,Zip:	NEW YORK, NY 10003
Owner Country:	United States of America
HW Code:	Not reported
Waste Type:	Not reported
Waste Quantity:	Not reported
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

SPILLS:

Facility ID:	0509807
Facility Type:	ER
Spill Number:	0509807
DER Facility ID:	305676
Site ID:	355643
DEC Region:	2
Closed Date:	2006-07-18
Spill Cause:	Other
Spill Class:	C4
SWIS:	3101
Spill Date:	2005-11-16
Investigator:	rvketani
Referred To:	Not reported
Reported to Dept:	2005-11-16
CID:	444
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0

535 WEST 19TH STREET RE-DEVELOPMENT SITE (Continued) **S107488445**

Date Entered In Computer:	2005-11-16
Spill Record Last Update:	2006-08-17
Spiller Name:	NATHAN EMPLIER
Spiller Company:	PARKING LOT
Spiller Address:	535 WEST 19TH STREET
Spiller Company:	001
Contact Name:	NATHAN EMPLIER
DEC Memo:	"Need to trace owner of site and then send Contaminated Soil Letter. 05/17/06-Vought-Spill transferred from DEC Vought to DEC Ketani as per DEC Austin. 6/21/06 - Raphael Ketani. I reached Nathan Epler of Roux Associates (631) 232-2600. He said that he had sent in all of the paperwork some time ago. I told him that DEC had nothing for the case. He said he will get back to me. The 3 550 gal. tanks mentioned in the spill report are not on any PBS record. Mr. Epler and an associate called me back. They said that the tanks had already been removed, along with the liquids they contained and the soil that was found to be contaminated. I asked them for the manifests, pictures, a site plan, clean end point sample results, and a PBS registration form. They said they had all of that and that they will send it to me by the beginning of next week. 7/5/06 - Raphael Ketani. Chris Batista of Roux called to say that he has the manifests, soil analytical results, and soon the signed PBS registration form. He said he will send them very soon. 7/17/06 - Raphael Ketani. I received the closure report today. 7/18/06 - Raphael Ketani. I reviewed the closure report and found it to be acceptable. Based upon the analytical results, pictures, manifests, and narrative in the 7/13/06 closure report from Roux Associates, I am closing the spill case. 8/17/06 - Raphael Ketani. I received a cover letter from ROUX Associates date 7/14/06. The letter was given to me by Nick Lombardo of the PBS Unit. He said that PBS application was alright and that he received a check with the application. I will have the document E-DOCed."
Remarks:	"DURING A PHASE TWO INVESTIGATION FOUND CONTAMINATED AND FOUND THREE 550 GALLON TANKS: DID NOT REMOVE AS OF YET:"

All Materials:

Site ID:	355643
Operable Unit ID:	1112991
Operable Unit:	01
Material ID:	2103037
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

CN576 **509 WEST 38TH STREET** **NY VCP** **S118943403**
NE **509 WEST 38TH STREET** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.475 mi.
2507 ft. **Site 1 of 2 in cluster CN**

Relative:
Higher

Actual:
27 ft.

VCP NYC:
Project ID: 15CVCP009M
Project Name: 509 WEST 38TH STREET
Project Address: 509 WEST 38TH STREET
Borough: MANHATTAN

VCP NYC:
Project ID: 15CVCP009M
File Name: 2014-08-14.RIR
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP009M/2014-08-13.14CVCP009M.report.RIR.V2.pdf

Project ID: 15CVCP009M
File Name: 2014-11-03.RAWP
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP009M/2014-11-06.15CVCP009M.report.RAWP.V2.pdf

Project ID: 15CVCP009M
File Name: 2014-11-03.Factsheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP009M/2014-11-03.15CVCP009M.doc.509_W_38_St.Factsheet-1.pdf

Project ID: 15CVCP009M
File Name: 2014-11-03.Translated_Factsheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP009M/2014-11-03.15CVCP009M.doc.509_W_38_St.Translated_FactSheet-1.rx.pdf

Project ID: 15CVCP009M
File Name: 2014-11-03.Translated_CPS
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP009M/2014-11-03.15CVCP009M.doc.509_W_38_St.Translated_CPS.rx.pdf

Project ID: 15CVCP009M
File Name: 2015-05-14.Factsheet-2
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP009M/2015-05-14.15CVCP009M.doc.509_West_38th_Street_Factsheet-2.OER.pdf

Project ID: 15CVCP009M
File Name: 2015-05-14.Translated_Factsheet-2
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/15CVCP009M/2015-05-14.15CVCP009M.doc.509_West_38th_Street_Translated_Factsheet-2.OER.pdf

CN577 **509 WEST 38TH ST** **NY LTANKS** **S102672971**
NE **509 WEST 38TH ST** **N/A**
1/4-1/2 **MANHATTAN, NY**
0.475 mi.
2507 ft. **Site 2 of 2 in cluster CN**

Relative:
Higher

Actual:
27 ft.

LTANKS:

Facility ID:	9505232
Site ID:	327504
Closed Date:	1995-07-28
Spill Number:	9505232
Spill Date:	1995-07-27
Spill Cause:	Tank Overfill
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C4
Cleanup Ceased:	1995-07-28
SWIS:	3101
Investigator:	SMMARTIN
Referred To:	Not reported
Reported to Dept:	1995-07-28
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Affected Persons
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-08-17
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	5 STAR HOSP. INC
Spiller Address:	SAME
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	263635
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MARTINKAT "
Remarks:	"CLEAN UP DONE BY AL EASTMAN/NYCDEP ALREADY ON SCENE - E-W TO 11TH AVE DEP WAS THERE LAST NIGHT - OVERFILL THRU VENT ONTO SIDEWALK THEN ST., RUNNING WEST INTO SEWER."

All Materials:

Site ID:	327504
Operable Unit ID:	1016198
Operable Unit:	01
Material ID:	363225
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	150.00
Units:	G
Recovered:	150.00
Oxygenate:	Not reported

578
ESE
1/4-1/2
0.484 mi.
2553 ft.

257 WEST 29TH STREET
257 WEST 29TH STREET
NEW YORK CITY, NY

NY VCP **S118943273**
N/A

Relative:
Higher

Actual:
29 ft.

VCP NYC:
Project ID: 13CVCP136M
Project Name: 257 WEST 29TH STREET
Project Address: 257 WEST 29TH STREET
Borough: MANHATTAN

VCP NYC:
Project ID: 13CVCP136M
File Name: 2013-05-14.RIR
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP136M/2013-05-14.13CVCP136M.RIR.pdf

Project ID: 13CVCP136M
File Name: 2013-05-29.RAWP_Final
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP136M/2013-05-29.13CVCP136M.RAWP_Final.pdf

Project ID: 13CVCP136M
File Name: 2013-05-14.FactSheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP136M/2013-05-14.13CVCP136M.FactSheet-1.pdf

Project ID: 13CVCP136M
File Name: 2013-05-14.Translated_FactSheet-1
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP136M/2013-05-14.13CVCP136M.Translated_FactSheet1.pdf

Project ID: 13CVCP136M
File Name: 2013-05-14.Translated_CPS
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP136M/2013-05-14.13CVCP136M.Translated_CPS.pdf

Project ID: 13CVCP136M
File Name: 2014-07-01.FactSheet-2
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP136M/2014-07-01.13CVCP136M.FactSheet-2.OER.pdf

Project ID: 13CVCP136M
File Name: 2014-07-01.Translated_FactSheet-2
URL: http://www.nyc.gov/html/oer/downloads/pdf/repository/NYCBCP_Manhattan/13CVCP136M/2014-06-19.13CVCP136M.FactSheet_2_Translation.OER.pdf

---

579
ENE
1/4-1/2
0.484 mi.
2554 ft.

360 W 36TH ST
360 W 36TH ST
MANHATTAN, NY

NY LTANKS **S102662880**
N/A

Relative:
Higher

Actual:
39 ft.

LTANKS:
Facility ID: 9614241
Site ID: 189809
Closed Date: 1997-03-07
Spill Number: 9614241

360 W 36TH ST (Continued) **S102662880**

Spill Date:	1997-03-07
Spill Cause:	Tank Overfill
Spill Source:	Commercial Vehicle
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	SMMARTIN
Referred To:	Not reported
Reported to Dept:	1997-03-07
CID:	322
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1997-03-07
Spill Record Last Update:	1997-03-11
Spiller Name:	MIKE HELFONT
Spiller Company:	MYSTIC TRANSPORT
Spiller Address:	1901 STEINWAY ST
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	158391
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MARTINKAT "
Remarks:	"DRIVER OVERFILLED TANK - SPILL IS CONTAINED AND SPILL CREW ON WAY TO CLEAN UP -EXPECT TO RECOVER ALL PRODUCT "

All Materials:

Site ID:	189809
Operable Unit ID:	1041746
Operable Unit:	01
Material ID:	339343
Material Code:	0002A
Material Name:	#4 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10.00
Units:	G
Recovered:	10.00
Oxygenate:	Not reported

CO580 **MENDON** **NY LTANKS** **S104275639**
SSW **542 WEST 19TH STREET** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.484 mi.
2555 ft. **Site 1 of 6 in cluster CO**

Relative: LTANKS:
Lower

Facility ID:	9011674
Site ID:	133724
Closed Date:	2004-12-23

Actual:
8 ft.

MENDON (Continued) **S104275639**

Spill Number:	9011674
Spill Date:	1991-02-06
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	Not reported
Cleanup Ceased:	1991-11-14
SWIS:	3101
Investigator:	JMROMMEL
Referred To:	Not reported
Reported to Dept:	1991-02-06
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Local Agency
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1991-02-12
Spill Record Last Update:	2004-12-23
Spiller Name:	Not reported
Spiller Company:	MENDON PARKING GARAGE
Spiller Address:	528 WEST 19TH STREET
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	114912
DEC Memo:	"Spill originally assigned to Sullivan and closed on 11/14/1991. Re-opened due to spill 0012509 (Merritt Engineering working for potential buyer, found contamiantion) and 9504874 (Con Ed excavation on south side of street, soils saturated with diesel). Site investigation and remediation to be tracked by this spill number 9011674. Rommel. 12/6/04 Spill address originally 528 W19th Street, changed to 542 (both of which are actually listed by City as 80-94 11th Street or just 80 11th Street. 542 W19th Street is address on PBS 2-032239. Stip mailed to Barry Haskell 362 Kingsland Avenue Brooklyn NY 11222 Deadline for return of signed stip 1/24/05. Rommel 12/23/04 Received call from Mark at Sive, Paget and Riesel, PC 212-421-2150 who represent the developer (Georgetown). MGP site is being handled by Joe Moloughney under BCP program.The remediation will remove all soil between 18th and 19th Streets to 15 feet. The four tanks were already pulled during remediation and ten others were found and also pulled. The developer has been informed that they must complete the tank registration and closure process for all the tanks on-site and they have assured me they will do so. Spill closed. Rommel "
Remarks:	"(4) 550 GAL TANKS WERE DISCOVERED DURING A ROUTINE CON ED STREET PATROL,NYCDEP WAS TOLD THAT TANKS FAILED 10 YEAR PBS TEST IN 1990, TANKS WERE NOT IN USE BUT NOT CLOSED PROPERLY."

All Materials:

Site ID:	133724
Operable Unit ID:	951649
Operable Unit:	01
Material ID:	428204
Material Code:	0008

MENDON (Continued) **S104275639**

Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Not reported
Recovered:	.00
Oxygenate:	Not reported

CO581 **CE - E. 19TH ST. STATION** **NY VCP** **S108667363**
SSW **524 E. 19TH ST.** **N/A**
1/4-1/2 **NEW YORK, NY 10009**
0.488 mi.
2575 ft. **Site 2 of 6 in cluster CO**

Relative: **Lower**
Actual: **8 ft.**

VCP:

Program Type:	VCP
Site Code:	58652
HW Code:	V00542
Site Class:	A
SWIS:	3101
Region:	2
Town:	New York City
Acres:	0.3
Date Record Added:	03/05/2002
Date Record Updated:	09/15/2016
Updated By:	GWCROSS
Site Description:	Location: The 0.3 acre East 19th Street Station is adjacent to the Avenue C Loop Road on the south side of East 19th Street between Avenues A and B in the borough of Manhattan in New York City, New York. The site is a portion of the present-day residential campus of Stuyvesant Town, which comprises 61-acres from First Avenue to Avenue C and from East 14th Street to East 20th Street. Site Features: The general topography of the site is flat. The portion of the Stuyvesant Town campus associated with the East 19th Station site contains portions of a residential high-rise apartment building and a private underground parking garage. The remainder of the Stuyvesant Town apartment complex surrounds the East 17th Street Station Site. Con Edison facilities are located east of Stuyvesant Town between East 18th /East 14th Streets and Avenue C/FDR Drive. These facilities include the East River Generating Station, various substations, an administration building, ball fields, and parking areas. Current Zoning: The New York City Planning Commission designates the majority of the property as R7-2: Moderate to High-Density Residential District. Past Use of the Site: The 18-block area developed at Stuyvesant Town was formerly part of the East River and associated marshland well into the 1800s. The area has undergone extensive filling activities. Historic filling along waterfront areas was generally carried out unregulated, using a wide variety of materials including construction debris, organic soil matter, excavated material from adjacent construction sites, and miscellaneous debris. Therefore, the composition and condition of these materials are highly variable. This mix of material is still present in the subsurface today. Tenements were constructed on the property subsequent to the filling and prior to the development of the former MGP station sites as gas storage and/or gas plant facilities. The majority of the larger facility was located on the eastern side of Avenue C between East 14th and East 16th Streets. The East 19th

CE - E. 19TH ST. STATION (Continued) **S108667363**

Street Station reportedly began operations between 1863 and 1868 as a holder site and operated until approximately 1921. Based on the historic maps of the area, a single gas holder (approximately 500,000 cubic feet capacity) occupied the site. The holder station was replaced by an auto/truck garage and then sold to Improvement Garage, Inc. in 1943. Stuyvesant Town Corporation acquired the land in 1944 for the development of the Stuyvesant Town apartment complex. Site Geology and Hydrogeology: The surface topography of Stuyvesant Town was altered by land filling and ranges from approximately 4 to 22 feet (ft) above mean sea level. A dense network of private and public utilities (both active and inactive) are present beneath the site. These utilities are complex and not completely documented. The site geology consists of four units of varying thickness and distribution across the site. Starting at the ground surface these units consist of fill, organic deposits, glacial deposits and bedrock. In general, the fill thickness varies between 20 and 25 ft across the site. The fill most likely reflects man-made disturbances to pre-existing natural soils from historic building construction and eastern expansion of the shoreline. The fill consists of sand, silt, and gravel intermixed with varying amounts of brick, concrete, cinders, and other debris. Beneath the fill layer are organic deposits and then glacial deposits. Bedrock occurs at depths of approximately 60 to 80 ft below ground surface (bgs). Taken together, the soils and fill materials beneath the site constitute a single, unconfined aquifer. Groundwater is found at approximately 8 ft bgs and the overall flow direction is east-southeast toward the East River. The groundwater is not used as a source of potable water.

Env Problem:

Based upon investigations conducted to date, the primary contaminant of concern for the site is coal tar. Coal tar contains both volatile and semi-volatile organic compounds. Specific volatile organic compounds (VOCs) of concern are benzene, toluene, ethylbenzene and xylenes (BTEX). Specific semi-volatile organic compounds (SVOCs) of concern are Polycyclic Aromatic Hydrocarbons (PAHs). Concentrations of PAHs found in surface and subsurface soils slightly exceed the soil cleanup objectives (SCOs) for unrestricted use, but are generally consistent with background levels for Manhattan soils. One sample with concentrations exceeding background was found at a depth interval of 5-7 feet below ground surface (bgs) directly adjacent to the E. 19th St. gas holder station. No exceedences of BTEX in surface or subsurface soils were found. Visible MGP-related impacts are found in the subsurface including staining, sheens, and blebs. These impacts are limited to a few locations in the area directly adjacent to the site and did not appear related to any source areas. Coal tar contamination at the site has not caused an impact to the groundwater resource. Concentrations of BTEX and PAHs are in compliance with NYSDEC Ambient Water Quality Standards or Guidance Values in on-site and off-site groundwater wells. The groundwater is not used as a source of potable water. Concentrations of benzene within soil gas samples ranged from 14 to 17.2 ug/m3. Indoor air concentrations of VOCs (including BTEX) potentially associated with MGP residuals are consistent with levels typically found in fuel oil heated homes. When comparing soil gas and indoor air samples, it appears that the indoor air more closely resembles the ambient air in chemical constituents and concentrations than it does the subsurface soil gas. The site is currently operating under an Interim Site Management Plan (ISMP). The ISMP details procedures for the management of invasive subsurface activities by utility and maintenance workers and their contractors,

CE - E. 19TH ST. STATION (Continued) **S108667363**

	who could encounter MGP-contaminated materials at depth.
Health Problem:	Direct contact with contaminants from manufacture gas plant activities is unlikely since they are located under pavement, the on-site buildings or soil brought in for cover from an unknown off-site location. Volatile organic compounds in the groundwater and/or soil may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Although there are elevated concentrations of potentially site related contaminants in soil vapor, indoor air samples from the on-site buildings indicate that soil vapor intrusion is not occurring.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	2/11/2011 4:22:00 PM
Record Upd:	9/20/2013 11:26:00 AM
Updated By:	ldennist
Own Op:	Owner
Sub Type:	ZZZ
Owner Name:	Not reported
Owner Company:	MET LIFE INS CO- STUYVESANT TOWN
Owner Address:	C/O MANAGEMENT OFFICE - 317 AVE. C
Owner Addr2:	Not reported
Owner City,St,Zip:	NY, NY 10009
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	ZZZ
Owner Name:	Not reported
Owner Company:	CONSOLIDATED EDISON CO OF NY.,INC.
Owner Address:	4 IRVING PLACE
Owner Addr2:	Not reported
Owner City,St,Zip:	NY, NY 10003
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Manhattan Borough President Gale A. Brewer’s Office
Owner Address:	19th Floor
Owner Addr2:	1 Centre Street
Owner City,St,Zip:	New York, NY 10007
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	New York Public Library, Epiphany Branch
Owner Address:	228 E. 23 St.
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10010
Owner Country:	United States of America

CE - E. 19TH ST. STATION (Continued) **S108667363**

HW Code:	V00542
Waste Type:	COAL TAR
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	V00542
Waste Type:	ETHYLBENZENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	V00542
Waste Type:	BENZENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	V00542
Waste Type:	XYLENE (MIXED)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	V00542
Waste Type:	Polycyclic Aromatic Hydrocarbons (PAHs), Total
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	V00542
Waste Type:	TOLUENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

CO582 **CON EDISON - EAST 19TH ST. STATION MGP** **EDR MGP** **1008407986**
SSW **524 E. 19TH ST.** **N/A**
1/4-1/2 **NEW YORK, NY 10009**
0.488 mi.
2575 ft. **Site 3 of 6 in cluster CO**

Relative: Manufactured Gas Plants:
Lower
No additional information available

Actual:
8 ft.

---

583 **SPILL NUMBER 0104060** **NY LTANKS** **S105140204**
SE **304 8TH AVE** **NY Spills** **N/A**
1/4-1/2 **MANHATTAN, NY**
0.489 mi.
2583 ft.

Relative: LTANKS:
Higher

Facility ID:	0104060
Site ID:	310569
Closed Date:	2001-07-18
Spill Number:	0104060
Spill Date:	2001-07-17
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling

Actual:
24 ft.

SPILL NUMBER 0104060 (Continued) **S105140204**

Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	TJDEMEO
Referred To:	Not reported
Reported to Dept:	2001-07-17
CID:	382
Water Affected:	Not reported
Spill Notifier:	Fire Department
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2001-07-17
Spill Record Last Update:	2001-08-01
Spiller Name:	UNKNOWN
Spiller Company:	Not reported
Spiller Address:	304 8TH AVE
Spiller County:	001
Spiller Contact:	UNKNWON
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	250692
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEMEO Hole in tank caused spill onto basement floor. No sumps or drains impacted. NYFD responded stopped leak and contained spill. Owner is Athena (718)271 8452. Remainder of oil cleaned from basement floor using absorbents. Owner reports problem not due to hole in tank but a failed suction line. Repairs completed."
Remarks:	"spill from hole in tank onto basement floor. fd on scene attempting to plug hole but still leaking"

All Materials:

Site ID:	310569
Operable Unit ID:	840682
Operable Unit:	01
Material ID:	532567
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

SPILLS:

Facility ID:	0104073
Facility Type:	ER
Spill Number:	0104073
DER Facility ID:	256968
Site ID:	318789
DEC Region:	2
Closed Date:	2001-07-17

SPILL NUMBER 0104060 (Continued) **S105140204**

Spill Cause:	Equipment Failure
Spill Class:	C3
SWIS:	3101
Spill Date:	2001-07-17
Investigator:	TJDEMEO
Referred To:	Not reported
Reported to Dept:	2001-07-17
CID:	270
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Affected Persons
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2001-07-17
Spill Record Last Update:	2001-08-01
Spiller Name:	CALLER
Spiller Company:	ATHINA STROGHILAS
Spiller Address:	304 8TH AV
Spiller Company:	001
Contact Name:	CALLER
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEMEO see spill #0104060"
Remarks:	"lien broke on tank. clean up in progress"

All Materials:

Site ID:	318789
Operable Unit ID:	842592
Operable Unit:	01
Material ID:	532579
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	60.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

CO584 **86-11 34TH AVENUE** **NY LTANKS** **S102671387**
SSW **86-11 34TH AVENUE** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.496 mi.
2619 ft. **Site 4 of 6 in cluster CO**

Relative:
Lower

Actual:
6 ft.

LTANKS:

Facility ID:	8900634
Site ID:	240000
Closed Date:	2003-03-04
Spill Number:	8900634
Spill Date:	1989-04-20
Spill Cause:	Tank Overfill
Spill Source:	Tank Truck
Spill Class:	C3

86-11 34TH AVENUE (Continued) **S102671387**

Cleanup Ceased:	Not reported
SWIS:	4101
Investigator:	FINGER
Referred To:	Not reported
Reported to Dept:	1989-04-20
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1989-04-20
Spill Record Last Update:	2003-04-15
Spiller Name:	Not reported
Spiller Company:	AMERADA HESS
Spiller Address:	420 HOOK ROAD
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	197417
DEC Memo:	""
Remarks:	"CUSTOMER SERVICE FROM AMERADA HESS ON WAY TO SCENE TO ASSESS THE EXTENT OF THE CLEAN UP."

All Materials:

Site ID:	240000
Operable Unit ID:	926916
Operable Unit:	01
Material ID:	451968
Material Code:	0003A
Material Name:	#6 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	100.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

---

585 East 1/4-1/2 0.498 mi. 2628 ft.

US POSTAL SERVICE - JAF BLDG
8'TH AVE AND 33'RD STREET
NEW YORK, NY 10199

SEMS **1022995996**
NYN000206209

Relative: Higher

Actual: 36 ft.

SEMS:

Site ID:	206209
EPA ID:	NYN000206209
Cong District:	Not reported
FIPS Code:	36061
Latitude:	Not reported
Longitude:	Not reported
FF:	Y
NPL:	Not on the NPL

US POSTAL SERVICE - JAF BLDG (Continued) **1022995996**

Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Detail:

Region:	2
Site ID:	206209
EPA ID:	NYN000206209
Site Name:	US POSTAL SERVICE - JAF BLDG
NPL:	N
FF:	Y
OU:	0
Action Code:	RX
Action Name:	FF PA
SEQ:	1
Start Date:	2016-08-03 00:00:00
Finish Date:	8/3/2016
Qual:	N
Current Action Lead:	EPA Perf In-Hse

Region:	2
Site ID:	206209
EPA ID:	NYN000206209
Site Name:	US POSTAL SERVICE - JAF BLDG
NPL:	N
FF:	Y
OU:	0
Action Code:	DS
Action Name:	DISCVRY
SEQ:	1
Start Date:	2000-12-29 00:00:00
Finish Date:	12/29/2000
Qual:	Not reported
Current Action Lead:	EPA Perf

CO586 **84-11 ELMHURST AVE/QUEENS** **NY LTANKS** **S102671441**
SSW **84-11 EILMHURST AVENUE** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.499 mi.
2633 ft. **Site 5 of 6 in cluster CO**

Relative: **Lower**
Actual: **6 ft.**

LTANKS:

Facility ID:	8907043
Site ID:	113979
Closed Date:	1992-12-08
Spill Number:	8907043
Spill Date:	1989-10-17
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	C3
Cleanup Ceased:	1992-12-08
SWIS:	4101
Investigator:	SIGONA
Referred To:	Not reported
Reported to Dept:	1989-10-17
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported

84-11 ELMHURST AVE/QUEENS (Continued) **S102671441**

Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1989-10-20
Spill Record Last Update:	1992-12-09
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	99447
DEC Memo:	""
Remarks:	"GAUGE ON TANK WAS FAULTY, HESS SENDING OUT CLEAN UP CREW."

All Materials:

Site ID:	113979
Operable Unit ID:	932131
Operable Unit:	01
Material ID:	443843
Material Code:	0003A
Material Name:	#6 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	20.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

CO587 **84-11 ELMHURST AV/QUEENS** **NY LTANKS** **S102671654**
SSW **84-11 ELMHURST AVENUE** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.499 mi.
2633 ft. **Site 6 of 6 in cluster CO**

Relative: **Lower**
Actual: **6 ft.**

LTANKS:

Facility ID:	9012626
Site ID:	279195
Closed Date:	1991-03-11
Spill Number:	9012626
Spill Date:	1991-03-08
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	Not reported
Cleanup Ceased:	1991-03-11
SWIS:	4101
Investigator:	MCTIBBE
Referred To:	Not reported
Reported to Dept:	1991-03-08
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False

84-11 ELMHURST AV/QUEENS (Continued) **S102671654**

Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1991-03-15
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	LACERETOSA PETRO
Spiller Address:	12605 36TH AVENUE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	226703
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE "
Remarks:	"TANK OVERFILL, SPEEDY DRY APPLIED,CLEANED UP BY PETROLEUM CO."

All Materials:

Site ID:	279195
Operable Unit ID:	949809
Operable Unit:	01
Material ID:	429096
Material Code:	0003A
Material Name:	#6 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	20.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

588
SSW
1/2-1
0.503 mi.
2657 ft.

CON EDISON - WEST 18TH ST. GAS WORKS MGP **EDR MGP** **1008407994**
WEST 16TH - WEST 20TH STS. **N/A**
NEW YORK, NY 10011

Relative:
Lower

Actual:
10 ft.

Manufactured Gas Plants:
No additional information available

589
SSW
1/2-1
0.504 mi.
2660 ft.

19TH STREET DEVELOPMENT SITE **EDR MGP** **1008407974**
80 11TH AVENUE **N/A**
NEW YORK, NY 10011

Relative:
Lower

Actual:
6 ft.

Manufactured Gas Plants:
No additional information available

590
NNE
1/2-1
0.640 mi.
3377 ft.

CON EDISON - WEST 42ND ST. GAS WORKS MGP — **EDR MGP** — **1008407966**
WEST 41ST - WEST 42ND STS. — **N/A**
MANHATTAN, NY 10018

Relative: Higher
Actual: 17 ft.

Manufactured Gas Plants:
No additional information available

CP591
NNE
1/2-1
0.794 mi.
4192 ft.

CON EDISON - 12TH AVE. WORKS MGP — **EDR MGP** — **1008407975**
12TH AVE BETWEEN W 46TH AND W. 45TH — **N/A**
NEW YORK, NY 10019

Site 1 of 2 in cluster CP

Relative: Higher
Actual: 13 ft.

Manufactured Gas Plants:
No additional information available

CP592
NNE
1/2-1
0.794 mi.
4192 ft.

CON EDISON - WEST 45TH ST. GAS WORKS MGP — **EDR MGP** — **1008407995**
12TH AVE BETWEEN WEST 44TH AND WEST 46TH STS. — **N/A**
NEW YORK, NY 10019

Site 2 of 2 in cluster CP

Relative: Higher
Actual: 13 ft.

Manufactured Gas Plants:
No additional information available

593
SE
1/2-1
0.900 mi.
4750 ft.

FORMER GUARDIAN CLEANERS — **NY SHWS** — **S113916768**
27-35 WEST 24TH STREET — **NY ENG CONTROLS** — **N/A**
NEW YORK, NY 10010 — **NY INST CONTROL**

Relative: Higher
Actual: 38 ft.

SHWS:

Program:	HW
Site Code:	440109
Classification:	C
Region:	2
Acres:	0.227
HW Code:	231073
Record Add:	09/22/2010
Record Upd:	10/03/2016
Updated By:	JHOCONNE

Site Description: Location: The site is located at 27-35 West 24th Street in the Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows

FORMER GUARDIAN CLEANERS (Continued) **S113916768**

	industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.
Env Problem:	Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.
Health Problem:	Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	2/24/2011 9:04:00 AM
Record Upd:	7/6/2015 4:46:00 AM
Updated By:	HRAHMED
Own Op:	Owner
Sub Type:	06
Owner Name:	Michael Orbach
Owner Company:	West 24-27 Realty LLC
Owner Address:	70 West 36th Street, Suite 10B
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10018
Owner Country:	United States of America

FORMER GUARDIAN CLEANERS (Continued) **S113916768**

HW Code: 231073
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: cis-1,2-dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: R2-0777-09-11
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2/10/2015 11:32:00 AM
Record Updated: 2/10/2015 11:32:00 AM
Updated By: HRAHMED
Crossref ID: 2015000002658
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/9/2015 3:54:00 PM
Record Updated: 2/9/2015 4:00:00 PM
Updated By: HRAHMED

ENG CONTROLS:
Site Code: 440109
HW Code: 231073
Control Code: 13
Control Type: ENG
Date Record Added: 06/26/2015
Date Rec Updated: 02/23/2017
Updated By: HRAHMED
Site Description: Location: The site is located at 27-35 West 24th Street in the Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.
Env Problem: Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as

FORMER GUARDIAN CLEANERS (Continued) **S113916768**

	tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.
Health Problem:	Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	2/24/2011 9:04:00 AM
Record Upd:	7/6/2015 4:46:00 AM
Updated By:	HRAHMED
Own Op:	Owner
Sub Type:	06
Owner Name:	Michael Orbach
Owner Company:	West 24-27 Realty LLC
Owner Address:	70 West 36th Street, Suite 10B
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10018
Owner Country:	United States of America
HW Code:	231073
Waste Type:	tetrachloroethene (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	231073
Waste Type:	cis-1,2-dichloroethene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	231073
Waste Type:	trichloroethene (TCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	R2-0777-09-11
Cross Ref Type Code:	23
Cross Ref Type:	Agreement/Consent Order Number
Record Added Date:	2/10/2015 11:32:00 AM

FORMER GUARDIAN CLEANERS (Continued) **S113916768**

Record Updated:	2/10/2015 11:32:00 AM
Updated By:	HRAHMED
Crossref ID:	2015000002658
Cross Ref Type Code:	25
Cross Ref Type:	County Recording Identifier
Record Added Date:	2/9/2015 3:54:00 PM
Record Updated:	2/9/2015 4:00:00 PM
Updated By:	HRAHMED
Site Code:	440109
HW Code:	231073
Control Code:	12
Control Type:	ENG
Date Record Added:	06/26/2015
Date Rec Updated:	02/23/2017
Updated By:	HRAHMED
Site Description:	Location: The site is located at 27-35 West 24th Street in the Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.
Env Problem:	Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.
Health Problem:	Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from

FORMER GUARDIAN CLEANERS (Continued) **S113916768**

	entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	2/24/2011 9:04:00 AM
Record Upd:	7/6/2015 4:46:00 AM
Updated By:	HRAHMED
Own Op:	Owner
Sub Type:	06
Owner Name:	Michael Orbach
Owner Company:	West 24-27 Realty LLC
Owner Address:	70 West 36th Street, Suite 10B
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10018
Owner Country:	United States of America
HW Code:	231073
Waste Type:	tetrachloroethene (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	231073
Waste Type:	cis-1,2-dichloroethene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	231073
Waste Type:	trichloroethene (TCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	R2-0777-09-11
Cross Ref Type Code:	23
Cross Ref Type:	Agreement/Consent Order Number
Record Added Date:	2/10/2015 11:32:00 AM
Record Updated:	2/10/2015 11:32:00 AM
Updated By:	HRAHMED
Crossref ID:	2015000002658
Cross Ref Type Code:	25
Cross Ref Type:	County Recording Identifier
Record Added Date:	2/9/2015 3:54:00 PM
Record Updated:	2/9/2015 4:00:00 PM
Updated By:	HRAHMED
Site Code:	440109
HW Code:	231073
Control Code:	15
Control Type:	ENG
Date Record Added:	06/26/2015
Date Rec Updated:	02/23/2017
Updated By:	HRAHMED
Site Description:	Location: The site is located at 27-35 West 24th Street in the

FORMER GUARDIAN CLEANERS (Continued) **S113916768**

Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.

Env Problem:	Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.
Health Problem:	Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	2/24/2011 9:04:00 AM
Record Upd:	7/6/2015 4:46:00 AM
Updated By:	HRAHMED
Own Op:	Owner

FORMER GUARDIAN CLEANERS (Continued) **S113916768**

Sub Type:	06
Owner Name:	Michael Orbach
Owner Company:	West 24-27 Realty LLC
Owner Address:	70 West 36th Street, Suite 10B
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10018
Owner Country:	United States of America
HW Code:	231073
Waste Type:	tetrachloroethene (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	231073
Waste Type:	cis-1,2-dichloroethene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	231073
Waste Type:	trichloroethene (TCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	R2-0777-09-11
Cross Ref Type Code:	23
Cross Ref Type:	Agreement/Consent Order Number
Record Added Date:	2/10/2015 11:32:00 AM
Record Updated:	2/10/2015 11:32:00 AM
Updated By:	HRAHMED
Crossref ID:	2015000002658
Cross Ref Type Code:	25
Cross Ref Type:	County Recording Identifier
Record Added Date:	2/9/2015 3:54:00 PM
Record Updated:	2/9/2015 4:00:00 PM
Updated By:	HRAHMED

INST CONTROL:

Site Code:	440109
Control Name:	Monitoring Plan
HW Code:	231073
Control Code:	31
Control Type:	INST
Dt record added:	06/26/2015
Dt rec updated:	02/23/2017
Updated By:	HRAHMED
Site Code:	440109
Site Description:	Location: The site is located at 27-35 West 24th Street in the Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to

FORMER GUARDIAN CLEANERS (Continued) **S113916768**

consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.

Env Problem: Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.

Health Problem: Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.

Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2/24/2011 9:04:00 AM
Record Upd: 7/6/2015 4:46:00 AM
Updated By: HRAHMED
Own Op: Owner
Sub Type: 06
Owner Name: Michael Orbach
Owner Company: West 24-27 Realty LLC
Owner Address: 70 West 36th Street, Suite 10B
Owner Addr2: Not reported
Owner City,St,Zip: New York, NY 10018
Owner Country: United States of America
HW Code: 231073
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: cis-1,2-dichloroethene
Waste Quantity: UNKNOWN

FORMER GUARDIAN CLEANERS (Continued) **S113916768**

Waste Code: Not reported
HW Code: 231073
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: R2-0777-09-11
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2/10/2015 11:32:00 AM
Record Updated: 2/10/2015 11:32:00 AM
Updated By: HRAHMED
Crossref ID: 2015000002658
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/9/2015 3:54:00 PM
Record Updated: 2/9/2015 4:00:00 PM
Updated By: HRAHMED

Site Code: 440109
Control Name: Landuse Restriction
HW Code: 231073
Control Code: 25
Control Type: INST
Dt record added: 06/26/2015
Dt rec updated: 02/23/2017
Updated By: HRAHMED
Site Code: 440109
Site Description: Location: The site is located at 27-35 West 24th Street in the Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.
Env Problem: Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.
Health Problem: Direct contact with contaminants in the soil or groundwater is

FORMER GUARDIAN CLEANERS (Continued) **S113916768**

unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.

Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2/24/2011 9:04:00 AM
Record Upd: 7/6/2015 4:46:00 AM
Updated By: HRAHMED
Own Op: Owner
Sub Type: 06
Owner Name: Michael Orbach
Owner Company: West 24-27 Realty LLC
Owner Address: 70 West 36th Street, Suite 10B
Owner Addr2: Not reported
Owner City,St,Zip: New York, NY 10018
Owner Country: United States of America
HW Code: 231073
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: cis-1,2-dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: R2-0777-09-11
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2/10/2015 11:32:00 AM
Record Updated: 2/10/2015 11:32:00 AM
Updated By: HRAHMED
Crossref ID: 2015000002658
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/9/2015 3:54:00 PM

FORMER GUARDIAN CLEANERS (Continued) **S113916768**

Record Updated: 2/9/2015 4:00:00 PM
Updated By: HRAHMED

Site Code: 440109
Control Name: Environmental Easement
HW Code: 231073
Control Code: J
Control Type: INST
Dt record added: 06/26/2015
Dt rec updated: 02/23/2017
Updated By: HRAHMED
Site Code: 440109
Site Description: Location: The site is located at 27-35 West 24th Street in the Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.
Env Problem: Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.
Health Problem: Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.

FORMER GUARDIAN CLEANERS (Continued) **S113916768**

Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2/24/2011 9:04:00 AM
Record Upd: 7/6/2015 4:46:00 AM
Updated By: HRAHMED
Own Op: Owner
Sub Type: 06
Owner Name: Michael Orbach
Owner Company: West 24-27 Realty LLC
Owner Address: 70 West 36th Street, Suite 10B
Owner Addr2: Not reported
Owner City,St,Zip: New York, NY 10018
Owner Country: United States of America
HW Code: 231073
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: cis-1,2-dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: R2-0777-09-11
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2/10/2015 11:32:00 AM
Record Updated: 2/10/2015 11:32:00 AM
Updated By: HRAHMED
Crossref ID: 2015000002658
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/9/2015 3:54:00 PM
Record Updated: 2/9/2015 4:00:00 PM
Updated By: HRAHMED

Site Code: 440109
Control Name: O&M Plan
HW Code: 231073
Control Code: 33
Control Type: INST
Dt record added: 06/26/2015
Dt rec updated: 02/23/2017
Updated By: HRAHMED
Site Code: 440109
Site Description: Location: The site is located at 27-35 West 24th Street in the Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site

FORMER GUARDIAN CLEANERS (Continued) **S113916768**

Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.

Env Problem: Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.

Health Problem: Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.

Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2/24/2011 9:04:00 AM
Record Upd: 7/6/2015 4:46:00 AM
Updated By: HRAHMED
Own Op: Owner
Sub Type: 06
Owner Name: Michael Orbach

FORMER GUARDIAN CLEANERS (Continued) **S113916768**

Owner Company: West 24-27 Realty LLC
Owner Address: 70 West 36th Street, Suite 10B
Owner Addr2: Not reported
Owner City,St,Zip: New York, NY 10018
Owner Country: United States of America
HW Code: 231073
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: cis-1,2-dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: R2-0777-09-11
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2/10/2015 11:32:00 AM
Record Updated: 2/10/2015 11:32:00 AM
Updated By: HRAHMED
Crossref ID: 2015000002658
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/9/2015 3:54:00 PM
Record Updated: 2/9/2015 4:00:00 PM
Updated By: HRAHMED

Site Code: 440109
Control Name: Site Management Plan
HW Code: 231073
Control Code: 32
Control Type: INST
Dt record added: 06/26/2015
Dt rec updated: 02/23/2017
Updated By: HRAHMED
Site Code: 440109
Site Description: Location: The site is located at 27-35 West 24th Street in the Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the

FORMER GUARDIAN CLEANERS (Continued) **S113916768**

	western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.
Env Problem:	Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.
Health Problem:	Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	2/24/2011 9:04:00 AM
Record Upd:	7/6/2015 4:46:00 AM
Updated By:	HRAHMED
Own Op:	Owner
Sub Type:	06
Owner Name:	Michael Orbach
Owner Company:	West 24-27 Realty LLC
Owner Address:	70 West 36th Street, Suite 10B
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10018
Owner Country:	United States of America
HW Code:	231073
Waste Type:	tetrachloroethene (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	231073
Waste Type:	cis-1,2-dichloroethene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	231073
Waste Type:	trichloroethene (TCE)

FORMER GUARDIAN CLEANERS (Continued) **S113916768**

Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: R2-0777-09-11
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2/10/2015 11:32:00 AM
Record Updated: 2/10/2015 11:32:00 AM
Updated By: HRAHMED
Crossref ID: 2015000002658
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/9/2015 3:54:00 PM
Record Updated: 2/9/2015 4:00:00 PM
Updated By: HRAHMED

Site Code: 440109
Control Name: IC/EC Plan
HW Code: 231073
Control Code: 34
Control Type: INST
Dt record added: 06/26/2015
Dt rec updated: 02/23/2017
Updated By: HRAHMED
Site Code: 440109
Site Description: Location: The site is located at 27-35 West 24th Street in the Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.
Env Problem: Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.
Health Problem: Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that

FORMER GUARDIAN CLEANERS (Continued) **S113916768**

obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.

Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2/24/2011 9:04:00 AM
Record Upd: 7/6/2015 4:46:00 AM
Updated By: HRAHMED
Own Op: Owner
Sub Type: 06
Owner Name: Michael Orbach
Owner Company: West 24-27 Realty LLC
Owner Address: 70 West 36th Street, Suite 10B
Owner Addr2: Not reported
Owner City,St,Zip: New York, NY 10018
Owner Country: United States of America
HW Code: 231073
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: cis-1,2-dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: R2-0777-09-11
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2/10/2015 11:32:00 AM
Record Updated: 2/10/2015 11:32:00 AM
Updated By: HRAHMED
Crossref ID: 2015000002658
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/9/2015 3:54:00 PM
Record Updated: 2/9/2015 4:00:00 PM
Updated By: HRAHMED

FORMER GUARDIAN CLEANERS (Continued) **S113916768**

Site Code:	440109
Control Name:	Ground Water Use Restriction
HW Code:	231073
Control Code:	08
Control Type:	INST
Dt record added:	06/26/2015
Dt rec updated:	02/23/2017
Updated By:	HRAHMED
Site Code:	440109
Site Description:	Location: The site is located at 27-35 West 24th Street in the Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.
Env Problem:	Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.
Health Problem:	Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.
Dump:	False
Structure:	False
Lagoon:	False

FORMER GUARDIAN CLEANERS (Continued) **S113916768**

Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2/24/2011 9:04:00 AM
Record Upd: 7/6/2015 4:46:00 AM
Updated By: HRAHMED
Own Op: Owner
Sub Type: 06
Owner Name: Michael Orbach
Owner Company: West 24-27 Realty LLC
Owner Address: 70 West 36th Street, Suite 10B
Owner Addr2: Not reported
Owner City,St,Zip: New York, NY 10018
Owner Country: United States of America
HW Code: 231073
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: cis-1,2-dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: R2-0777-09-11
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2/10/2015 11:32:00 AM
Record Updated: 2/10/2015 11:32:00 AM
Updated By: HRAHMED
Crossref ID: 2015000002658
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/9/2015 3:54:00 PM
Record Updated: 2/9/2015 4:00:00 PM
Updated By: HRAHMED

Count: 8 records. ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
HOBOKEN	S106587345	AUTOMOTIVE REPAIR (FORMER)	1125-1131 JEFFERSON ST & 457 1	10019	NJ VCP
MANHATTAN	S113916779	WEST 29TH STREET PLUME TRACKDOWN	WEST 29TH STREET AT 10TH AVENU	10001	NY SHWS
MANHATTAN	S113922053	PROPOSED FEDERAL EXPRESS DISTRIBUT	BETWEEN 17TH & 18TH STREETS &	10011	NY VCP
NEW YORK	S109580156	CE - W. 58TH ST. STATION	11TH AVE. BETWEEN W.58TH - W.	10019	NY VCP
NEW YORK	S105684667	CE - W. 18TH ST. GAS WORKS	WEST 16TH - WEST 20TH STS.	10011	NY VCP
NEW YORK	1014201302	TOTTENVILLE COPPER CO.	W. 29TH ST	10001	SEMS-ARCHIVE, LEAD SMELTERS
NEW YORK	S109209086	CE - E. 32ND ST. STATION	EAST 32ND - EAST 33RD STS.	10016	NY VCP
NEW YORK	S113916762	WEST 9TH STREET GW	WEST 9TH STREET	10011	NY SHWS

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 12/11/2017
Date Data Arrived at EDR: 12/22/2017
Date Made Active in Reports: 01/05/2018
Number of Days to Update: 14

Source: EPA
Telephone: N/A
Last EDR Contact: 02/06/2018
Next Scheduled EDR Contact: 04/16/2018
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 12/11/2017
Date Data Arrived at EDR: 12/22/2017
Date Made Active in Reports: 01/05/2018
Number of Days to Update: 14

Source: EPA
Telephone: N/A
Last EDR Contact: 02/06/2018
Next Scheduled EDR Contact: 05/21/2018
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal Delisted NPL site list

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 12/11/2017
Date Data Arrived at EDR: 12/22/2017
Date Made Active in Reports: 01/05/2018
Number of Days to Update: 14

Source: EPA
Telephone: N/A
Last EDR Contact: 02/06/2018
Next Scheduled EDR Contact: 04/16/2018
Data Release Frequency: Quarterly

Federal CERCLIS list

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 11/07/2016
Date Data Arrived at EDR: 01/05/2017
Date Made Active in Reports: 04/07/2017
Number of Days to Update: 92

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 01/05/2018
Next Scheduled EDR Contact: 04/16/2018
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 12/11/2017
Date Data Arrived at EDR: 12/22/2017
Date Made Active in Reports: 01/12/2018
Number of Days to Update: 21

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 02/06/2018
Next Scheduled EDR Contact: 04/30/2018
Data Release Frequency: Quarterly

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 12/11/2017
Date Data Arrived at EDR: 12/22/2017
Date Made Active in Reports: 01/12/2018
Number of Days to Update: 21
Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 02/06/2018
Next Scheduled EDR Contact: 04/30/2018
Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 12/11/2017
Date Data Arrived at EDR: 12/26/2017
Date Made Active in Reports: 02/09/2018
Number of Days to Update: 45
Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 01/19/2018
Next Scheduled EDR Contact: 04/09/2018
Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 12/11/2017
Date Data Arrived at EDR: 12/26/2017
Date Made Active in Reports: 02/09/2018
Number of Days to Update: 45
Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 01/19/2018
Next Scheduled EDR Contact: 04/09/2018
Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/11/2017
Date Data Arrived at EDR: 12/26/2017
Date Made Active in Reports: 02/09/2018
Number of Days to Update: 45
Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 01/19/2018
Next Scheduled EDR Contact: 04/09/2018
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 12/11/2017
Date Data Arrived at EDR: 12/26/2017
Date Made Active in Reports: 02/09/2018
Number of Days to Update: 45

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 01/19/2018
Next Scheduled EDR Contact: 04/09/2018
Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/11/2017
Date Data Arrived at EDR: 12/26/2017
Date Made Active in Reports: 02/09/2018
Number of Days to Update: 45

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 01/19/2018
Next Scheduled EDR Contact: 04/09/2018
Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 05/22/2017
Date Data Arrived at EDR: 06/13/2017
Date Made Active in Reports: 09/15/2017
Number of Days to Update: 94

Source: Department of the Navy
Telephone: 843-820-7326
Last EDR Contact: 02/09/2018
Next Scheduled EDR Contact: 05/28/2018
Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 11/13/2017
Date Data Arrived at EDR: 11/27/2017
Date Made Active in Reports: 02/09/2018
Number of Days to Update: 74

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 02/27/2018
Next Scheduled EDR Contact: 06/11/2018
Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 11/13/2017
Date Data Arrived at EDR: 11/27/2017
Date Made Active in Reports: 02/09/2018
Number of Days to Update: 74

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 02/27/2018
Next Scheduled EDR Contact: 06/11/2018
Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 01/16/2018
Date Data Arrived at EDR: 01/19/2018
Date Made Active in Reports: 03/23/2018
Number of Days to Update: 63

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 01/19/2018
Next Scheduled EDR Contact: 04/09/2018
Data Release Frequency: Quarterly

State- and tribal - equivalent CERCLIS

NY SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

Date of Government Version: 08/15/2017
Date Data Arrived at EDR: 08/17/2017
Date Made Active in Reports: 10/24/2017
Number of Days to Update: 68

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 02/14/2018
Next Scheduled EDR Contact: 05/28/2018
Data Release Frequency: Annually

NJ SHWS: Known Contaminated Sites in New Jersey

The Known Contaminated Sites in New Jersey includes sites under the purview of the Site Remediation Program which have contamination present at levels greater than the applicable cleanup criteria for soil and/or groundwater standards. The sites appearing in Known Contaminated Sites in New Jersey are classified as either active, where the site is assigned to a specific remedial program area, or pending, where the site is awaiting assignment to a specific remedial program area. Sites where no further action (NFA) designation has been given are not included in this report unless there are other areas of identified contamination which have not been remediated. This report includes sites being remediated under all of the various regulatory programs administered by the Site Remediation Program such as: Federal Superfund Program, Federal Resource Conservation and Recovery Act (RCRA), New Jersey's Industrial Site Recovery Act (ISRA), New Jersey's Underground Storage of Hazardous Substances Act, New Jersey's Spill Compensation and Control Act, New Jersey's Solid Waste Management Act, New Jersey's Water Pollution Control Act.

Date of Government Version: 02/22/2017
Date Data Arrived at EDR: 02/23/2017
Date Made Active in Reports: 07/27/2017
Number of Days to Update: 154

Source: New Jersey Department of Environmental Protection
Telephone: 609-292-8761
Last EDR Contact: 02/15/2018
Next Scheduled EDR Contact: 06/04/2018
Data Release Frequency: Varies

State and tribal landfill and/or solid waste disposal site lists

NY SWF/LF: Facility Register

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 12/08/2017
Date Data Arrived at EDR: 01/02/2018
Date Made Active in Reports: 01/31/2018
Number of Days to Update: 29

Source: Department of Environmental Conservation
Telephone: 518-457-2051
Last EDR Contact: 01/02/2018
Next Scheduled EDR Contact: 04/16/2018
Data Release Frequency: Quarterly

NJ SWF/LF: Solid Waste Facility Directory

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 08/16/2016
Date Data Arrived at EDR: 11/02/2016
Date Made Active in Reports: 12/23/2016
Number of Days to Update: 51

Source: Department of Environmental Protection
Telephone: 609-984-6741
Last EDR Contact: 02/02/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: Quarterly

State and tribal leaking storage tank lists

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land
Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 04/26/2017
Date Data Arrived at EDR: 07/27/2017
Date Made Active in Reports: 10/13/2017
Number of Days to Update: 78

Source: EPA, Region 5
Telephone: 312-886-7439
Last EDR Contact: 01/23/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 05/01/2017
Date Data Arrived at EDR: 07/27/2017
Date Made Active in Reports: 10/13/2017
Number of Days to Update: 78

Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 01/23/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 04/13/2017
Date Data Arrived at EDR: 07/27/2017
Date Made Active in Reports: 10/13/2017
Number of Days to Update: 78

Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 01/23/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 04/14/2017
Date Data Arrived at EDR: 07/27/2017
Date Made Active in Reports: 10/06/2017
Number of Days to Update: 71

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 01/23/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 04/25/2017
Date Data Arrived at EDR: 11/07/2017
Date Made Active in Reports: 12/08/2017
Number of Days to Update: 31

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 01/23/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 04/14/2017
Date Data Arrived at EDR: 07/27/2017
Date Made Active in Reports: 10/06/2017
Number of Days to Update: 71

Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 01/23/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 10/14/2016
Date Data Arrived at EDR: 01/27/2017
Date Made Active in Reports: 05/05/2017
Number of Days to Update: 98
Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 01/19/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Semi-Annually

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 04/24/2017
Date Data Arrived at EDR: 07/27/2017
Date Made Active in Reports: 10/06/2017
Number of Days to Update: 71
Source: EPA Region 6
Telephone: 214-665-6597
Last EDR Contact: 01/23/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Varies

NY LTANKS: Spills Information Database
Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 02/12/2018
Date Data Arrived at EDR: 02/14/2018
Date Made Active in Reports: 03/16/2018
Number of Days to Update: 30
Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 02/14/2018
Next Scheduled EDR Contact: 05/28/2018
Data Release Frequency: Varies

NY HIST LTANKS: Listing of Leaking Storage Tanks
A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6
Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

State and tribal registered storage tank lists

FEMA UST: Underground Storage Tank Listing
A listing of all FEMA owned underground storage tanks.

Date of Government Version: 05/15/2017
Date Data Arrived at EDR: 05/30/2017
Date Made Active in Reports: 10/13/2017
Number of Days to Update: 136
Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 01/09/2018
Next Scheduled EDR Contact: 04/23/2018
Data Release Frequency: Varies

NY UST: Petroleum Bulk Storage (PBS) Database
Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 12/22/2017
Date Data Arrived at EDR: 12/26/2017
Date Made Active in Reports: 01/29/2018
Number of Days to Update: 34
Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 12/26/2017
Next Scheduled EDR Contact: 04/09/2018
Data Release Frequency: No Update Planned

NJ UST: Underground Storage Tank Data

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 11/02/2017
Date Data Arrived at EDR: 01/26/2018
Date Made Active in Reports: 02/28/2018
Number of Days to Update: 33

Source: Department of Environmental Protection
Telephone: 609-341-3121
Last EDR Contact: 01/31/2018
Next Scheduled EDR Contact: 05/21/2018
Data Release Frequency: Varies

NY CBS UST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 10/24/2005
Next Scheduled EDR Contact: 01/23/2006
Data Release Frequency: No Update Planned

NY MOSF UST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

NY MOSF: Major Oil Storage Facility Site Listing

These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 12/22/2017
Date Data Arrived at EDR: 12/26/2017
Date Made Active in Reports: 01/29/2018
Number of Days to Update: 34

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 12/26/2017
Next Scheduled EDR Contact: 04/09/2018
Data Release Frequency: Quarterly

NY CBS: Chemical Bulk Storage Site Listing

These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

Date of Government Version: 12/22/2017
Date Data Arrived at EDR: 12/26/2017
Date Made Active in Reports: 01/29/2018
Number of Days to Update: 34

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 12/26/2017
Next Scheduled EDR Contact: 04/09/2018
Data Release Frequency: Quarterly

NY AST: Petroleum Bulk Storage

Registered Aboveground Storage Tanks.

Date of Government Version: 12/22/2017
Date Data Arrived at EDR: 12/26/2017
Date Made Active in Reports: 01/29/2018
Number of Days to Update: 34

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 12/26/2017
Next Scheduled EDR Contact: 04/09/2018
Data Release Frequency: No Update Planned

NY CBS AST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

NY MOSF AST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 10/14/2016
Date Data Arrived at EDR: 01/27/2017
Date Made Active in Reports: 05/05/2017
Number of Days to Update: 98

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 01/19/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Semi-Annually

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 05/02/2017
Date Data Arrived at EDR: 07/27/2017
Date Made Active in Reports: 10/06/2017
Number of Days to Update: 71

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 01/23/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 04/25/2017
Date Data Arrived at EDR: 07/27/2017
Date Made Active in Reports: 10/13/2017
Number of Days to Update: 78

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 01/23/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 04/13/2017
Date Data Arrived at EDR: 07/27/2017
Date Made Active in Reports: 10/13/2017
Number of Days to Update: 78

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 01/23/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 05/01/2017
Date Data Arrived at EDR: 07/27/2017
Date Made Active in Reports: 10/13/2017
Number of Days to Update: 78

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 01/23/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 04/14/2017
Date Data Arrived at EDR: 07/27/2017
Date Made Active in Reports: 10/06/2017
Number of Days to Update: 71

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 01/23/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 04/24/2017
Date Data Arrived at EDR: 07/27/2017
Date Made Active in Reports: 12/08/2017
Number of Days to Update: 134

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 01/23/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Varies

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 04/26/2017
Date Data Arrived at EDR: 07/27/2017
Date Made Active in Reports: 10/06/2017
Number of Days to Update: 71

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 01/23/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Varies

NY TANKS: Storage Tank Faciliy Listing

This database contains records of facilities that are or have been regulated under Bulk Storage Program. Tank information for these facilities may not be releasable by the state agency.

Date of Government Version: 12/22/2017
Date Data Arrived at EDR: 12/26/2017
Date Made Active in Reports: 01/29/2018
Number of Days to Update: 34

Source: Department of Environmental Conservation
Telephone: 518-402-9543
Last EDR Contact: 12/26/2017
Next Scheduled EDR Contact: 04/09/2018
Data Release Frequency: Quarterly

State and tribal institutional control / engineering control registries

NY ENV RES DECL: Environmental Restrictive Declarations

The Environmental Restrictive Declarations (ERD) listed were recorded in connection with a zoning action against the noted Tax Blocks and Tax Lots, or portion thereof, and are available in the property records on file at the Office of the City Register for Bronx, Kings, New York and Queens counties or at the Richmond County Clerk's office. They contain environmental requirements with respect to hazardous materials, air quality and/or noise in accordance with Section 11-15 of this Resolution.

Date of Government Version: 06/27/2017
Date Data Arrived at EDR: 09/21/2017
Date Made Active in Reports: 09/22/2017
Number of Days to Update: 1
Source: New York City Department of City Planning
Telephone: 212-720-3300
Last EDR Contact: 03/19/2018
Next Scheduled EDR Contact: 07/02/2018
Data Release Frequency: Varies

NY RES DECL: Restrictive Declarations Listing

A restrictive declaration is a covenant running with the land which binds the present and future owners of the property. As a condition of certain special permits, the City Planning Commission may require an applicant to sign and record a restrictive declaration that places specified conditions on the future use and development of the property. Certain restrictive declarations are indicated by a D on zoning maps.

Date of Government Version: 11/18/2010
Date Data Arrived at EDR: 06/30/2014
Date Made Active in Reports: 07/21/2014
Number of Days to Update: 21
Source: NYC Department of City Planning
Telephone: 212-720-3401
Last EDR Contact: 03/23/2018
Next Scheduled EDR Contact: 07/02/2018
Data Release Frequency: Varies

NY ENG CONTROLS: Registry of Engineering Controls

Environmental Remediation sites that have engineering controls in place.

Date of Government Version: 08/15/2017
Date Data Arrived at EDR: 08/17/2017
Date Made Active in Reports: 10/24/2017
Number of Days to Update: 68
Source: Department of Environmental Conservation
Telephone: 518-402-9553
Last EDR Contact: 02/14/2018
Next Scheduled EDR Contact: 05/28/2018
Data Release Frequency: Quarterly

NJ ENG CONTROLS: Declaration Environmental Restriction/Deed Notice Sites

Legal Document that restricts the use of contaminated property; holds owner(s) to the regulatory/statutory requirements for cleanup.

Date of Government Version: 01/11/2018
Date Data Arrived at EDR: 01/26/2018
Date Made Active in Reports: 02/27/2018
Number of Days to Update: 32
Source: Department of Environmental Protection
Telephone: 609-341-3121
Last EDR Contact: 02/15/2018
Next Scheduled EDR Contact: 06/04/2018
Data Release Frequency: Varies

NY INST CONTROL: Registry of Institutional Controls

Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 08/15/2017
Date Data Arrived at EDR: 08/17/2017
Date Made Active in Reports: 10/24/2017
Number of Days to Update: 68
Source: Department of Environmental Conservation
Telephone: 518-402-9553
Last EDR Contact: 02/14/2018
Next Scheduled EDR Contact: 05/28/2018
Data Release Frequency: Quarterly

NJ INST CONTROL: Classification Exception Area Sites

A Classification Exception Area is an institutional control providing notice that ground water contamination exists in a particular location above State standards.

Date of Government Version: 01/11/2018
Date Data Arrived at EDR: 01/26/2018
Date Made Active in Reports: 02/27/2018
Number of Days to Update: 32
Source: Department of Environmental Protection
Telephone: 609-341-3121
Last EDR Contact: 02/15/2018
Next Scheduled EDR Contact: 06/04/2018
Data Release Frequency: Varies

State and tribal voluntary cleanup sites

NY VCP: Voluntary Cleanup Agreements

New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

Date of Government Version: 08/15/2017
Date Data Arrived at EDR: 08/17/2017
Date Made Active in Reports: 10/24/2017
Number of Days to Update: 68

Source: Department of Environmental Conservation
Telephone: 518-402-9711
Last EDR Contact: 02/14/2018
Next Scheduled EDR Contact: 05/28/2018
Data Release Frequency: Semi-Annually

NY VCP NYC: Voluntary Cleanup Program Listing NYC

New York City voluntary cleanup program sites.

Date of Government Version: 10/04/2017
Date Data Arrived at EDR: 10/06/2017
Date Made Active in Reports: 11/13/2017
Number of Days to Update: 38

Source: New York City Office of Environmental Protection
Telephone: 212-788-8841
Last EDR Contact: 03/15/2018
Next Scheduled EDR Contact: 07/02/2018
Data Release Frequency: Varies

NJ VCP: Voluntary Cleanup Program Sites

Through the VCP, responsible parties, developers, local officials, or individuals may work with the department to remediate non-priority contaminated sites that pose no immediate threat to human health or the environment.

Date of Government Version: 08/29/2016
Date Data Arrived at EDR: 11/03/2016
Date Made Active in Reports: 01/03/2017
Number of Days to Update: 61

Source: Department of Environmental Protection
Telephone: 609-341-3121
Last EDR Contact: 12/28/2017
Next Scheduled EDR Contact: 04/16/2018
Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015
Date Data Arrived at EDR: 09/29/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 142

Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 03/21/2018
Next Scheduled EDR Contact: 07/09/2018
Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27

Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 04/20/2009
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

State and tribal Brownfields sites

NY BROWNFIELDS: Brownfields Site List

A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 08/15/2017
Date Data Arrived at EDR: 08/17/2017
Date Made Active in Reports: 10/24/2017
Number of Days to Update: 68

Source: Department of Environmental Conservation
Telephone: 518-402-9764
Last EDR Contact: 02/14/2018
Next Scheduled EDR Contact: 05/28/2018
Data Release Frequency: Semi-Annually

NJ BROWNFIELDS: Brownfields Database

Brownfields are identified as former or current commercial or industrial use sites that are presently vacant or underutilized, on which there is suspected to have been a discharge of a contamination to the soil or groundwater at concentrations greater than applicable cleanup criteria.

Date of Government Version: 11/30/2017
Date Data Arrived at EDR: 12/04/2017
Date Made Active in Reports: 01/02/2018
Number of Days to Update: 29

Source: Department of Environmental Protection
Telephone: 609-292-1251
Last EDR Contact: 02/05/2018
Next Scheduled EDR Contact: 02/05/2018
Data Release Frequency: Annually

NY ERP: Environmental Restoration Program Listing

In an effort to spur the cleanup and redevelopment of brownfields, New Yorkers approved a $200 million Environmental Restoration or Brownfields Fund as part of the $1.75 billion Clean Water/Clean Air Bond Act of 1996 (1996 Bond Act). Enhancements to the program were enacted on October 7, 2003. Under the Environmental Restoration Program, the State provides grants to municipalities to reimburse up to 90 percent of on-site eligible costs and 100% of off-site eligible costs for site investigation and remediation activities. Once remediated, the property may then be reused for commercial, industrial, residential or public use.

Date of Government Version: 08/15/2017
Date Data Arrived at EDR: 08/17/2017
Date Made Active in Reports: 10/24/2017
Number of Days to Update: 68

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 02/14/2018
Next Scheduled EDR Contact: 05/28/2018
Data Release Frequency: Quarterly

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 01/19/2018
Date Data Arrived at EDR: 01/19/2018
Date Made Active in Reports: 02/09/2018
Number of Days to Update: 21

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 03/21/2018
Next Scheduled EDR Contact: 07/02/2018
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

NY SWTIRE: Registered Waste Tire Storage & Facility List

A listing of facilities registered to accept waste tires.

Date of Government Version: 12/12/2017
Date Data Arrived at EDR: 12/14/2017
Date Made Active in Reports: 01/31/2018
Number of Days to Update: 48

Source: Department of Environmental Conservation
Telephone: 518-402-8694
Last EDR Contact: 03/07/2018
Next Scheduled EDR Contact: 06/25/2018
Data Release Frequency: No Update Planned

NY SWRCY: Registered Recycling Facility List

A listing of recycling facilities.

Date of Government Version: 12/08/2017
Date Data Arrived at EDR: 01/02/2018
Date Made Active in Reports: 01/31/2018
Number of Days to Update: 29

Source: Department of Environmental Conservation
Telephone: 518-402-8705
Last EDR Contact: 01/02/2018
Next Scheduled EDR Contact: 04/16/2018
Data Release Frequency: Quarterly

NJ SWRCY: Approved Class B Recycling Facilities

"Class B recyclable material" means a source separated recyclable material which is subject to Department approval prior to receipt, storage, processing or transfer at a recycling center in accordance with N.J.S.A. 13:1E-99.34b.

Date of Government Version: 12/01/2017
Date Data Arrived at EDR: 01/31/2018
Date Made Active in Reports: 02/28/2018
Number of Days to Update: 28

Source: Department of Environmental Protection
Telephone: 609-984-6650
Last EDR Contact: 01/31/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 01/30/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: Varies

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 01/22/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: No Update Planned

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014
Date Data Arrived at EDR: 08/06/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 176

Source: Department of Health & Human Serivces, Indian Health Service
Telephone: 301-443-1452
Last EDR Contact: 02/02/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 01/19/2018
Date Data Arrived at EDR: 01/24/2018
Date Made Active in Reports: 02/09/2018
Number of Days to Update: 16

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 02/27/2018
Next Scheduled EDR Contact: 06/11/2018
Data Release Frequency: No Update Planned

NY DEL SHWS: Delisted Registry Sites

A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

Date of Government Version: 08/15/2017
Date Data Arrived at EDR: 08/17/2017
Date Made Active in Reports: 09/22/2017
Number of Days to Update: 36

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 02/14/2018
Next Scheduled EDR Contact: 05/28/2018
Data Release Frequency: Annually

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 01/09/2018
Date Data Arrived at EDR: 01/24/2018
Date Made Active in Reports: 02/09/2018
Number of Days to Update: 16

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 02/27/2018
Next Scheduled EDR Contact: 06/11/2018
Data Release Frequency: Quarterly

Local Lists of Registered Storage Tanks

NY HIST UST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. It is no longer updated due to the sensitive nature of the information involved. See UST for more current data.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 10/23/2006
Next Scheduled EDR Contact: 01/22/2007
Data Release Frequency: Varies

NY HIST AST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capabilities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. No longer updated due to the sensitive nature of the information involved. See AST for more current data.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 10/23/2006
Next Scheduled EDR Contact: 01/22/2007
Data Release Frequency: No Update Planned

Local Land Records

NY LIENS: Spill Liens Information

Lien information from the Oil Spill Fund.

Date of Government Version: 11/06/2017
Date Data Arrived at EDR: 11/07/2017
Date Made Active in Reports: 11/13/2017
Number of Days to Update: 6

Source: Office of the State Comptroller
Telephone: 518-474-9034
Last EDR Contact: 02/05/2018
Next Scheduled EDR Contact: 05/21/2018
Data Release Frequency: Quarterly

NJ LIENS: Environmental LIENS

A listing of properties with environmental liens. The listing includes sites from the Site Remediation & Waste Management Program Sites where the Department has placed either a 1st Priority or Regular Spill Fund Lien against. 1st Priority Type Lien - a lien placed against the property where the discharged occurred providing that the owners of the property have some responsibility towards the discharge. First Priority Lien is superior to other types of liens. Non-Priority (Regular) Type Lien - a lien placed against the Responsible Party & their revenues and all real and personal property, other than the real property comprising the location of the discharge.

Date of Government Version: 11/14/2017
Date Data Arrived at EDR: 01/19/2018
Date Made Active in Reports: 02/28/2018
Number of Days to Update: 40

Source: Department of Environmental Protection
Telephone: 609-341-3121
Last EDR Contact: 02/09/2018
Next Scheduled EDR Contact: 05/28/2018
Data Release Frequency: Varies

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 12/11/2017
Date Data Arrived at EDR: 12/22/2017
Date Made Active in Reports: 01/12/2018
Number of Days to Update: 21

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 02/06/2018
Next Scheduled EDR Contact: 05/21/2018
Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 01/19/2018
Date Data Arrived at EDR: 01/19/2018
Date Made Active in Reports: 03/23/2018
Number of Days to Update: 63

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 01/19/2018
Next Scheduled EDR Contact: 04/09/2018
Data Release Frequency: Quarterly

NY SPILLS: Spills Information Database

Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 02/12/2018
Date Data Arrived at EDR: 02/14/2018
Date Made Active in Reports: 03/16/2018
Number of Days to Update: 30

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 02/14/2018
Next Scheduled EDR Contact: 05/28/2018
Data Release Frequency: Varies

NY HIST SPILLS: SPILLS Database

This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

NY SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 12/14/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 02/12/2013
Number of Days to Update: 40

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

NJ SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 06/15/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 02/11/2013
Number of Days to Update: 39

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

NY SPILLS 80: SPILLS80 data from FirstSearch

Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.

Date of Government Version: 11/02/2010
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 03/07/2013
Number of Days to Update: 63

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

NJ SPILLS 80: SPILLS80 data from FirstSearch

Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.

Date of Government Version: 09/02/1997
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 03/06/2013
Number of Days to Update: 62

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 12/11/2017
Date Data Arrived at EDR: 12/26/2017
Date Made Active in Reports: 02/09/2018
Number of Days to Update: 45

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 01/19/2018
Next Scheduled EDR Contact: 04/09/2018
Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 01/31/2015
Date Data Arrived at EDR: 07/08/2015
Date Made Active in Reports: 10/13/2015
Number of Days to Update: 97

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 02/21/2018
Next Scheduled EDR Contact: 06/04/2018
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 11/10/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 62

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 10/13/2017
Next Scheduled EDR Contact: 01/22/2018
Data Release Frequency: Semi-Annually

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 02/06/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 339

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 10/11/2017
Next Scheduled EDR Contact: 01/22/2018
Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 01/01/2017
Date Data Arrived at EDR: 02/03/2017
Date Made Active in Reports: 04/07/2017
Number of Days to Update: 63

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 02/16/2018
Next Scheduled EDR Contact: 05/28/2018
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 01/11/2018
Date Data Arrived at EDR: 01/19/2018
Date Made Active in Reports: 03/02/2018
Number of Days to Update: 42

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 01/19/2018
Next Scheduled EDR Contact: 04/09/2018
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 01/31/2018
Next Scheduled EDR Contact: 05/21/2018
Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 04/22/2013
Date Data Arrived at EDR: 03/03/2015
Date Made Active in Reports: 03/09/2015
Number of Days to Update: 6

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 02/08/2018
Next Scheduled EDR Contact: 05/21/2018
Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 06/21/2017
Date Made Active in Reports: 01/05/2018
Number of Days to Update: 198

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 03/23/2018
Next Scheduled EDR Contact: 07/02/2018
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 01/10/2018
Date Made Active in Reports: 01/12/2018
Number of Days to Update: 2

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 02/23/2018
Next Scheduled EDR Contact: 06/04/2018
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 12/10/2010
Date Made Active in Reports: 02/25/2011
Number of Days to Update: 77

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 01/25/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 12/11/2017
Date Data Arrived at EDR: 12/22/2017
Date Made Active in Reports: 01/12/2018
Number of Days to Update: 21

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 03/09/2018
Next Scheduled EDR Contact: 06/18/2018
Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 11/02/2017
Date Data Arrived at EDR: 11/17/2017
Date Made Active in Reports: 12/08/2017
Number of Days to Update: 21

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 01/19/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 10/25/2013
Date Data Arrived at EDR: 10/17/2014
Date Made Active in Reports: 10/20/2014
Number of Days to Update: 3

Source: EPA
Telephone: 202-564-6023
Last EDR Contact: 02/06/2018
Next Scheduled EDR Contact: 05/21/2018
Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 06/01/2017
Date Data Arrived at EDR: 06/09/2017
Date Made Active in Reports: 10/13/2017
Number of Days to Update: 126

Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 01/12/2018
Next Scheduled EDR Contact: 04/23/2018
Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016
Date Data Arrived at EDR: 11/23/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 79

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 01/09/2018
Next Scheduled EDR Contact: 04/23/2018
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25
Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25
Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: Quarterly

MLTS: Material Licensing Tracking System
MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 08/30/2016
Date Data Arrived at EDR: 09/08/2016
Date Made Active in Reports: 10/21/2016
Number of Days to Update: 43
Source: Nuclear Regulatory Commission
Telephone: 301-415-7169
Last EDR Contact: 01/19/2018
Next Scheduled EDR Contact: 05/21/2018
Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data
A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 08/07/2009
Date Made Active in Reports: 10/22/2009
Number of Days to Update: 76
Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 03/09/2018
Next Scheduled EDR Contact: 06/18/2018
Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List
A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 07/01/2014
Date Data Arrived at EDR: 09/10/2014
Date Made Active in Reports: 10/20/2014
Number of Days to Update: 40
Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 03/06/2018
Next Scheduled EDR Contact: 06/18/2018
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database
The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 05/24/2017
Date Data Arrived at EDR: 11/30/2017
Date Made Active in Reports: 12/15/2017
Number of Days to Update: 15
Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 01/26/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Varies

RADINFO: Radiation Information Database
The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 10/02/2017
Date Data Arrived at EDR: 10/05/2017
Date Made Active in Reports: 10/13/2017
Number of Days to Update: 8

Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 01/04/2018
Next Scheduled EDR Contact: 04/16/2018
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/31/2012
Date Data Arrived at EDR: 08/07/2012
Date Made Active in Reports: 09/18/2012
Number of Days to Update: 42

Source: Department of Transporation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 01/19/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 09/30/2017
Date Data Arrived at EDR: 11/10/2017
Date Made Active in Reports: 01/12/2018
Number of Days to Update: 63

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 03/19/2018
Next Scheduled EDR Contact: 07/02/2018
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2015
Date Data Arrived at EDR: 02/22/2017
Date Made Active in Reports: 09/28/2017
Number of Days to Update: 218

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 02/23/2018
Next Scheduled EDR Contact: 06/04/2018
Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/14/2015
Date Made Active in Reports: 01/10/2017
Number of Days to Update: 546

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 01/09/2018
Next Scheduled EDR Contact: 04/23/2018
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 12/23/2016
Date Data Arrived at EDR: 12/27/2016
Date Made Active in Reports: 02/17/2017
Number of Days to Update: 52

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 01/19/2018
Next Scheduled EDR Contact: 05/21/2018
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 06/23/2017
Date Data Arrived at EDR: 10/11/2017
Date Made Active in Reports: 11/03/2017
Number of Days to Update: 23

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 02/23/2018
Next Scheduled EDR Contact: 06/04/2018
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 01/09/2018
Date Data Arrived at EDR: 02/06/2018
Date Made Active in Reports: 03/02/2018
Number of Days to Update: 24

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 02/06/2018
Next Scheduled EDR Contact: 05/21/2018
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 10/29/2017
Date Data Arrived at EDR: 11/28/2017
Date Made Active in Reports: 01/12/2018
Number of Days to Update: 45

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 02/28/2018
Next Scheduled EDR Contact: 06/11/2018
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 12/05/2005
Date Data Arrived at EDR: 02/29/2008
Date Made Active in Reports: 04/18/2008
Number of Days to Update: 49

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 03/02/2018
Next Scheduled EDR Contact: 06/11/2018
Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011
Date Data Arrived at EDR: 06/08/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 97

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 03/02/2018
Next Scheduled EDR Contact: 06/11/2018
Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 12/20/2017
Date Data Arrived at EDR: 12/21/2017
Date Made Active in Reports: 03/23/2018
Number of Days to Update: 92

Source: Department of Interior
Telephone: 202-208-2609
Last EDR Contact: 03/07/2018
Next Scheduled EDR Contact: 06/25/2018
Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 02/21/2018
Date Data Arrived at EDR: 02/23/2018
Date Made Active in Reports: 03/23/2018
Number of Days to Update: 28

Source: EPA
Telephone: (212) 637-3000
Last EDR Contact: 02/23/2018
Next Scheduled EDR Contact: 06/18/2018
Data Release Frequency: Quarterly

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 06/27/2017
Date Data Arrived at EDR: 11/21/2017
Date Made Active in Reports: 01/12/2018
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 202-564-0527
Last EDR Contact: 03/02/2018
Next Scheduled EDR Contact: 06/11/2018
Data Release Frequency: Varies

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 09/30/2016
Date Data Arrived at EDR: 10/31/2017
Date Made Active in Reports: 01/12/2018
Number of Days to Update: 73

Source: Department of Defense
Telephone: 703-704-1564
Last EDR Contact: 01/02/2018
Next Scheduled EDR Contact: 04/30/2018
Data Release Frequency: Varies

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 01/13/2018
Date Data Arrived at EDR: 01/19/2018
Date Made Active in Reports: 03/02/2018
Number of Days to Update: 42

Source: Environmental Protection Agency
Telephone: 202-564-2280
Last EDR Contact: 03/07/2018
Next Scheduled EDR Contact: 06/18/2018
Data Release Frequency: Quarterly

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 02/20/2018
Date Data Arrived at EDR: 02/21/2018
Date Made Active in Reports: 03/23/2018
Number of Days to Update: 30

Source: EPA
Telephone: 800-385-6164
Last EDR Contact: 02/21/2018
Next Scheduled EDR Contact: 06/04/2018
Data Release Frequency: Quarterly

NY AIRS: Air Emissions Data

Point source emissions inventory data.

Date of Government Version: 11/06/2017
Date Data Arrived at EDR: 11/07/2017
Date Made Active in Reports: 11/13/2017
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-8452
Last EDR Contact: 01/22/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Annually

NJ AIRS: Emissions Inventory Listing

An emission inventory is an estimate of air pollutant emissions in a given area. Emission inventories are fundamental building blocks used to develop air quality control strategies on a local, regional and national level. Emission inventories are also used to estimate the progress of an air quality program.

Date of Government Version: 10/31/2017
Date Data Arrived at EDR: 11/03/2017
Date Made Active in Reports: 12/07/2017
Number of Days to Update: 34

Source: Department of Environmental Protection
Telephone: 609-984-5483
Last EDR Contact: 01/29/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: Varies

NY COAL ASH: Coal Ash Disposal Site Listing

A listing of coal ash disposal site locations.

Date of Government Version: 09/25/2017
Date Data Arrived at EDR: 09/26/2017
Date Made Active in Reports: 10/12/2017
Number of Days to Update: 16

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 01/02/2018
Next Scheduled EDR Contact: 04/16/2018
Data Release Frequency: Quarterly

NJ COAL ASH: Coal Ash Listing

Coal combustion survey ash listing.

Date of Government Version: 05/10/2010
Date Data Arrived at EDR: 05/12/2010
Date Made Active in Reports: 06/28/2010
Number of Days to Update: 47

Source: Department of Environmental Protection
Telephone: 609-984-6985
Last EDR Contact: 01/29/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: Varies

NY DRYCLEANERS: Registered Drycleaners

A listing of all registered drycleaning facilities.

Date of Government Version: 11/22/2017
Date Data Arrived at EDR: 12/14/2017
Date Made Active in Reports: 01/29/2018
Number of Days to Update: 46

Source: Department of Environmental Conservation
Telephone: 518-402-8403
Last EDR Contact: 03/07/2018
Next Scheduled EDR Contact: 06/25/2018
Data Release Frequency: Annually

NJ DRYCLEANERS: Drycleaner List

A listing of registered drycleaners.

Date of Government Version: 11/08/2017
Date Data Arrived at EDR: 11/10/2017
Date Made Active in Reports: 01/02/2018
Number of Days to Update: 53

Source: Department of Environmental Protection
Telephone: 609-292-2795
Last EDR Contact: 02/05/2018
Next Scheduled EDR Contact: 05/21/2018
Data Release Frequency: Varies

NY E DESIGNATION: E DESIGNATION SITE LISTING

The (E (Environmental)) designation would ensure that sampling and remediation take place on the subject properties, and would avoid any significant impacts related to hazardous materials at these locations. The (E) designations would require that the fee owner of the sites conduct a testing and sampling protocol, and remediation where appropriate, to the satisfaction of the NYCDEP before the issuance of a building permit by the Department of Buildings pursuant to the provisions of Section 11-15 of the Zoning Resolution (Environmental Requirements). The (E) designations also include a mandatory construction-related health and safety plan which must be approved by NYCDEP.

Date of Government Version: 10/31/2017
Date Data Arrived at EDR: 12/20/2017
Date Made Active in Reports: 01/29/2018
Number of Days to Update: 40

Source: New York City Department of City Planning
Telephone: 718-595-6658
Last EDR Contact: 03/19/2018
Next Scheduled EDR Contact: 07/02/2018
Data Release Frequency: Semi-Annually

NJ Financial Assurance: Financial Assurance Information Listing
Financial Assurance information.

Date of Government Version: 11/14/2017
Date Data Arrived at EDR: 01/19/2018
Date Made Active in Reports: 02/27/2018
Number of Days to Update: 39
Source: Department of Environmental Protection
Telephone: 609-341-3121
Last EDR Contact: 02/15/2018
Next Scheduled EDR Contact: 06/04/2018
Data Release Frequency: Semi-Annually

NY Financial Assurance 1: Financial Assurance Information Listing
Financial assurance information.

Date of Government Version: 12/01/2017
Date Data Arrived at EDR: 01/02/2018
Date Made Active in Reports: 01/31/2018
Number of Days to Update: 29
Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 01/02/2018
Next Scheduled EDR Contact: 04/16/2018
Data Release Frequency: Quarterly

NY Financial Assurance 2: Financial Assurance Information Listing
A listing of financial assurance information for hazardous waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 03/09/2017
Date Data Arrived at EDR: 04/12/2017
Date Made Active in Reports: 10/13/2017
Number of Days to Update: 184
Source: Department of Environmental Conservation
Telephone: 518-402-8712
Last EDR Contact: 03/07/2018
Next Scheduled EDR Contact: 06/25/2018
Data Release Frequency: Varies

NY HSWDS: Hazardous Substance Waste Disposal Site Inventory
The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

Date of Government Version: 01/01/2003
Date Data Arrived at EDR: 10/20/2006
Date Made Active in Reports: 11/30/2006
Number of Days to Update: 41
Source: Department of Environmental Conservation
Telephone: 518-402-9564
Last EDR Contact: 05/26/2009
Next Scheduled EDR Contact: 08/24/2009
Data Release Frequency: No Update Planned

NY MANIFEST: Facility and Manifest Data
Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 01/31/2018
Date Made Active in Reports: 03/09/2018
Number of Days to Update: 37
Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 01/31/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: Quarterly

NJ MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 04/11/2017
Date Made Active in Reports: 07/27/2017
Number of Days to Update: 107
Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 01/05/2018
Next Scheduled EDR Contact: 04/23/2018
Data Release Frequency: Annually

NJPDES: New Jersey Pollutant Discharge Elimination System Dischargers

The NJPDES contains the names, addresses and other information of all permitted New Jersey Pollutant Discharge Elimination Sytem dischargers.

Date of Government Version: 11/28/2017
Date Data Arrived at EDR: 11/28/2017
Date Made Active in Reports: 01/09/2018
Number of Days to Update: 42

Source: Department of Environmental Protection
Telephone: 609-984-4428
Last EDR Contact: 02/28/2018
Next Scheduled EDR Contact: 06/11/2018
Data Release Frequency: Varies

NY SPDES: State Pollutant Discharge Elimination System

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 10/25/2017
Date Data Arrived at EDR: 10/27/2017
Date Made Active in Reports: 11/28/2017
Number of Days to Update: 32

Source: Department of Environmental Conservation
Telephone: 518-402-8233
Last EDR Contact: 03/14/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: No Update Planned

NY VAPOR REOPENED: Vapor Intrustion Legacy Site List

New York is currently re-evaluating previous assumptions and decisions regarding the potential for soil vapor intrusion exposures at sites. As a result, all past, current, and future contaminated sites will be evaluated to determine whether these sites have the potential for exposures related to soil vapor intrusion.

Date of Government Version: 05/01/2017
Date Data Arrived at EDR: 05/18/2017
Date Made Active in Reports: 09/22/2017
Number of Days to Update: 127

Source: Department of Environmenal Conservation
Telephone: 518-402-9814
Last EDR Contact: 02/15/2018
Next Scheduled EDR Contact: 05/28/2018
Data Release Frequency: Varies

NY UIC: Underground Injection Control Wells

A listing of enhanced oil recovery underground injection wells.

Date of Government Version: 12/03/2017
Date Data Arrived at EDR: 12/06/2017
Date Made Active in Reports: 01/31/2018
Number of Days to Update: 56

Source: Department of Environmental Conservation
Telephone: 518-402-8056
Last EDR Contact: 03/08/2018
Next Scheduled EDR Contact: 06/18/2018
Data Release Frequency: Quarterly

NJ UIC: Underground Injection Wells Database

A listing of underground injection well locations. The UIC Program is responsible for regulating the construction, operation, permitting, and closure of injection wells that place fluids underground for storage or disposal.

Date of Government Version: 01/09/2009
Date Data Arrived at EDR: 02/25/2009
Date Made Active in Reports: 03/11/2009
Number of Days to Update: 14

Source: Department of Environmental Protection
Telephone: 609-292-0407
Last EDR Contact: 01/29/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: Varies

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

NY RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Conservation in New York.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/30/2013
Number of Days to Update: 182

Source: Department of Environmental Conservation
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

NJ RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the New Jersey Department of Environmental Protection in New Jersey.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/24/2013
Number of Days to Update: 176

Source: New Jersey Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

NY RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Conservation in New York.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/10/2014
Number of Days to Update: 193

Source: Department of Environmental Conservation
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

NJ RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the New Jersey Department of Environmental Protection in New Jersey.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/10/2014
Number of Days to Update: 193

Source: New Jersey Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

COUNTY RECORDS

CORTLAND COUNTY:

Cortland County Storage Tank Listing

A listing of aboveground storage tank sites located in Cortland County.

Date of Government Version: 09/26/2017
Date Data Arrived at EDR: 11/20/2017
Date Made Active in Reports: 11/29/2017
Number of Days to Update: 9

Source: Cortland County Health Department
Telephone: 607-753-5035
Last EDR Contact: 01/29/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: Quarterly

Cortland County Storage Tank Listing

A listing of underground storage tank sites located in Cortland County.

Date of Government Version: 09/26/2017
Date Data Arrived at EDR: 11/20/2017
Date Made Active in Reports: 11/29/2017
Number of Days to Update: 9

Source: Cortland County Health Department
Telephone: 607-753-5035
Last EDR Contact: 01/29/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: Quarterly

NASSAU COUNTY:

Registered Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 01/09/2017
Date Data Arrived at EDR: 01/11/2017
Date Made Active in Reports: 02/15/2017
Number of Days to Update: 35

Source: Nassau County Health Department
Telephone: 516-571-3314
Last EDR Contact: 01/29/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: No Update Planned

Storage Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011
Date Data Arrived at EDR: 02/23/2011
Date Made Active in Reports: 03/29/2011
Number of Days to Update: 34

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000
Last EDR Contact: 01/29/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: Varies

Registered Tank Database in Nassau County
A listing of facilities in Nassau County with storage tanks.

Date of Government Version: 01/09/2017
Date Data Arrived at EDR: 01/11/2017
Date Made Active in Reports: 02/15/2017
Number of Days to Update: 35

Source: Nassau County Department of Health
Telephone: 516-227-9691
Last EDR Contact: 01/29/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: Varies

Registered Tank Database
A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 01/09/2017
Date Data Arrived at EDR: 01/11/2017
Date Made Active in Reports: 02/15/2017
Number of Days to Update: 35

Source: Nassau County Health Department
Telephone: 516-571-3314
Last EDR Contact: 01/29/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: No Update Planned

Storage Tank Database
A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011
Date Data Arrived at EDR: 02/23/2011
Date Made Active in Reports: 03/29/2011
Number of Days to Update: 34

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000
Last EDR Contact: 01/29/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: Varies

ROCKLAND COUNTY:

Petroleum Bulk Storage Database
A listing of aboveground storage tank sites located in Rockland County.

Date of Government Version: 02/02/2017
Date Data Arrived at EDR: 03/17/2017
Date Made Active in Reports: 09/22/2017
Number of Days to Update: 189

Source: Rockland County Health Department
Telephone: 914-364-2605
Last EDR Contact: 03/01/2018
Next Scheduled EDR Contact: 06/18/2018
Data Release Frequency: Quarterly

Petroleum Bulk Storage Database
A listing of underground storage tank sites located in Rockland County.

Date of Government Version: 02/02/2017
Date Data Arrived at EDR: 03/17/2017
Date Made Active in Reports: 09/22/2017
Number of Days to Update: 189

Source: Rockland County Health Department
Telephone: 914-364-2605
Last EDR Contact: 03/01/2018
Next Scheduled EDR Contact: 06/18/2018
Data Release Frequency: Quarterly

SUFFOLK COUNTY:

Storage Tank Database
A listing of aboveground storage tank sites located in Suffolk County.

Date of Government Version: 03/03/2015
Date Data Arrived at EDR: 03/10/2015
Date Made Active in Reports: 03/23/2015
Number of Days to Update: 13

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 02/23/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: No Update Planned

Storage Tank Database

A listing of underground storage tank sites located in Suffolk County.

Date of Government Version: 03/03/2015
Date Data Arrived at EDR: 03/10/2015
Date Made Active in Reports: 03/23/2015
Number of Days to Update: 13

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 02/23/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: No Update Planned

WESTCHESTER COUNTY:

Listing of Storage Tanks

A listing of aboveground storage tank sites located in Westchester County.

Date of Government Version: 10/19/2017
Date Data Arrived at EDR: 11/21/2017
Date Made Active in Reports: 11/29/2017
Number of Days to Update: 8

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 01/29/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: Semi-Annually

Listing of Storage Tanks

A listing of underground storage tank sites located in Westchester County.

Date of Government Version: 10/19/2017
Date Data Arrived at EDR: 11/21/2017
Date Made Active in Reports: 11/29/2017
Number of Days to Update: 8

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 01/29/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: Semi-Annually

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 01/03/2018
Date Data Arrived at EDR: 02/14/2018
Date Made Active in Reports: 03/22/2018
Number of Days to Update: 36

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 02/14/2018
Next Scheduled EDR Contact: 05/28/2018
Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 04/11/2017
Date Made Active in Reports: 07/27/2017
Number of Days to Update: 107

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 01/05/2018
Next Scheduled EDR Contact: 04/23/2018
Data Release Frequency: Annually

PA MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 07/25/2017
Date Made Active in Reports: 09/25/2017
Number of Days to Update: 62

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 01/16/2018
Next Scheduled EDR Contact: 04/30/2018
Data Release Frequency: Annually

RI MANIFEST: Manifest information
Hazardous waste manifest information

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 06/19/2015
Date Made Active in Reports: 07/15/2015
Number of Days to Update: 26

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 02/21/2018
Next Scheduled EDR Contact: 06/04/2018
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data
Hazardous waste manifest information.

Date of Government Version: 01/12/2018
Date Data Arrived at EDR: 01/19/2018
Date Made Active in Reports: 02/13/2018
Number of Days to Update: 25

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 01/12/2018
Next Scheduled EDR Contact: 04/30/2018
Data Release Frequency: Annually

WI MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 04/13/2017
Date Made Active in Reports: 07/14/2017
Number of Days to Update: 92

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 03/08/2018
Next Scheduled EDR Contact: 06/25/2018
Data Release Frequency: Annually

Oil/Gas Pipelines
Source: PennWell Corporation
Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Electric Power Transmission Line Data
Source: PennWell Corporation
This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:
Source: American Hospital Association, Inc.
Telephone: 312-280-5991
The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing
Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000
A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes
Source: National Institutes of Health
Telephone: 301-594-6248
Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Day Care Providers
Source: Department of Health
Telephone: 212-676-2444

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands
Source: Department of Environmental Conservation
Telephone: 518-402-8961

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

538-540 WEST 29TH STREET
538-540 WEST 29TH STREET
NEW YORK, NY 10001

TARGET PROPERTY COORDINATES

Latitude (North):	40.75204 - 40° 45' 7.34''
Longitude (West):	74.003425 - 74° 0' 12.33''
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	584129.7
UTM Y (Meters):	4511498.0
Elevation:	13 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	6049416 WEEHAWKEN, NJ
Version Date:	2014
Northeast Map:	5940599 CENTRAL PARK, NY
Version Date:	2013
Southeast Map:	5940597 BROOKLYN, NY
Version Date:	2013
Southwest Map:	6048959 JERSEY CITY, NJ
Version Date:	2014

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principal investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).

TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General WSW

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Target Property Elevation: 13 ft.

Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Flood Plain Panel at Target Property	FEMA Source Type
3604970069F	FEMA FIRM Flood data

Additional Panels in search area:	FEMA Source Type
3604970088F	FEMA FIRM Flood data
3604970182F	FEMA FIRM Flood data
3604970201F	FEMA FIRM Flood data

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property	NWI Electronic Data Coverage
WEEHAWKEN	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Location Relative to TP:	1/4 - 1/2 Mile ESE
Site Name:	MANHATTAN GENERAL MAIL FACILITY
Site EPA ID Number:	NY6180000352
Groundwater Flow Direction:	NOT AVAILABLE.
Inferred Depth to Water:	not available. Saturated layers impacted by salt water intrusion are present in the overburden. It is generally inferred that the depth to the uppermost 'aquifer' is greater than 70 feet at the surface of the bedrock/sediment interface.
Hydraulic Connection:	Detailed hydraulic connection information is not available. Glacial till and outwash deposit sediments overlie the Manhattan Schist, the uppermost bedrock unit at the site. The surface elevation of bedrock decreases to the southwest of the site.
Sole Source Aquifer:	No information about a sole source aquifer is available
Data Quality:	Information is inferred in the CERCLIS investigation report(s)

* ©1996 Site--specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT **GEOLOGIC AGE IDENTIFICATION**

Era:	Paleozoic	Category:	Stratified Sequence
System:	Ordovicias		
Series:	Lower Ordovician and Cambrian carbonate rocks		
Code:	OC *(decoded above as Era, System & Series)*		

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification			
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil	Permeability Rate (in/hr)	Soil Reaction (pH)
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam
loamy sand
sandy loam
fine sandy loam

Surficial Soil Types: silt loam
loamy sand
sandy loam
fine sandy loam

Shallow Soil Types: sandy loam

Deeper Soil Types: unweathered bedrock
very gravelly - loamy sand
stratified
sandy loam

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE	SEARCH DISTANCE (miles)
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	USGS40000831497	1/8 - 1/4 Mile East
2	USGS40000831419	1/8 - 1/4 Mile South
3	USGS40000831406	1/8 - 1/4 Mile SSW
4	USGS40000831552	1/8 - 1/4 Mile NW
5	USGS40000831625	1/4 - 1/2 Mile NE
6	USGS40000831418	1/4 - 1/2 Mile ESE
7	USGS40000831703	1/4 - 1/2 Mile NE
8	USGS40000831335	1/2 - 1 Mile ESE
9	USGS40000831957	1/2 - 1 Mile NNE
A10	USGS40000830960	1/2 - 1 Mile South
A11	USGS40000830982	1/2 - 1 Mile SSW
B13	USGS40000830930	1/2 - 1 Mile South
B14	USGS40000830932	1/2 - 1 Mile South
B15	USGS40000830931	1/2 - 1 Mile South
16	USGS40000830929	1/2 - 1 Mile South
C17	USGS40000832025	1/2 - 1 Mile NNE
C18	USGS40000832026	1/2 - 1 Mile NNE
19	USGS40000832052	1/2 - 1 Mile NNE
20	USGS40000832014	1/2 - 1 Mile NE
21	USGS40000830876	1/2 - 1 Mile South

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
12	NY0022417	1/2 - 1 Mile ENE

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No Wells Found		

OTHER STATE DATABASE INFORMATION

STATE OIL/GAS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	NYOG80000035811	1/8 - 1/4 Mile South
2	NYOG80000035812	1/4 - 1/2 Mile NE
A3	NYOG80000035764	1/4 - 1/2 Mile SSW
A4	NYOG80000035765	1/4 - 1/2 Mile South
A5	NYOG80000035786	1/4 - 1/2 Mile SSW
6	NYOG80000035674	1/4 - 1/2 Mile ESE
A7	NYOG80000035785	1/4 - 1/2 Mile SSW
B8	NYOG80000035767	1/4 - 1/2 Mile South
A9	NYOG80000035784	1/4 - 1/2 Mile SSW
10	NYOG80000035813	1/4 - 1/2 Mile NE
B11	NYOG80000035768	1/4 - 1/2 Mile South

STATE OIL/GAS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A12	NYOG80000035766	1/4 - 1/2 Mile South
A13	NYOG80000035783	1/4 - 1/2 Mile SSW
A14	NYOG80000035782	1/4 - 1/2 Mile South
B15	NYOG80000035769	1/4 - 1/2 Mile South
B16	NYOG80000035770	1/4 - 1/2 Mile South
A17	NYOG80000035781	1/4 - 1/2 Mile South
B18	NYOG80000035771	1/4 - 1/2 Mile South
B19	NYOG80000035780	1/4 - 1/2 Mile South
B20	NYOG80000035772	1/4 - 1/2 Mile South
B21	NYOG80000035779	1/4 - 1/2 Mile South
B22	NYOG80000035778	1/4 - 1/2 Mile South
C23	NYOG80000035773	1/4 - 1/2 Mile South
B24	NYOG80000035775	1/4 - 1/2 Mile South
B25	NYOG80000035777	1/4 - 1/2 Mile South
C26	NYOG80000035776	1/4 - 1/2 Mile South
C27	NYOG80000035774	1/2 - 1 Mile South
28	NYOG80000035675	1/2 - 1 Mile ESE
29	NYOG80000035763	1/2 - 1 Mile South
D30	NYOG80000035834	1/2 - 1 Mile SE
D31	NYOG80000035835	1/2 - 1 Mile SE
E32	NYOG80000035761	1/2 - 1 Mile SSW
E33	NYOG80000035760	1/2 - 1 Mile SSW
E34	NYOG80000035759	1/2 - 1 Mile SSW
35	NYOG80000035814	1/2 - 1 Mile NE
F36	NYOG80000035810	1/2 - 1 Mile South
F37	NYOG80000035809	1/2 - 1 Mile South
F38	NYOG80000035700	1/2 - 1 Mile South
F39	NYOG80000035699	1/2 - 1 Mile South
40	NYOG80000035685	1/2 - 1 Mile ESE
G41	NYOG80000035815	1/2 - 1 Mile NE
G42	NYOG80000035816	1/2 - 1 Mile NE
H43	NYOG80000035796	1/2 - 1 Mile SSE
H44	NYOG80000035797	1/2 - 1 Mile SSE

PHYSICAL SETTING SOURCE MAP - 5233497.2s

- County Boundary
- Major Roads
- Contour Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons
- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells

SITE NAME:	538-540 West 29th Street	CLIENT:	ESPL Env. Consultants Corp.
ADDRESS:	538-540 West 29th Street New York NY 10001	CONTACT:	Margaret Tavares
LAT/LONG:	40.75204 / 74.003425	INQUIRY #:	5233497.2s
		DATE:	March 26, 2018 1:57 pm

Copyright © 2018 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

1
East **FED USGS** **USGS40000831497**
1/8 - 1/4 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404508074000501		
Monloc name:	NY 239. 1		
Monloc type:	Well		
Monloc desc:	26B-CS-BW		
Huc code:	02030101	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7523239
Longitude:	-74.0009728	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	18.86
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Pleistocene Series		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	41.9
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

2
South **FED USGS** **USGS40000831419**
1/8 - 1/4 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404459074001301		
Monloc name:	NY 176. 1		
Monloc type:	Well		
Monloc desc:	WEST 26TH STREET		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7498239
Longitude:	-74.0031951	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	minutes
Horiz Collection method:	Unknown		
Horiz coord refsys:	NAD83	Vert measure val:	13.25
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Unknown		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Bedrock		

Aquifer type:	Not Reported		
Construction date:	19990902	Welldepth:	596.3
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 4

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2002-10-09		3.54	2002-06-25		3.48
2002-04-03		4.09	2002-01-09		4.00

3
SSW **FED USGS** **USGS40000831406**
1/8 - 1/4 Mile
Lower

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404458074001801		
Monloc name:	NY 154		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7495461
Longitude:	-74.004584	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	63
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

4
NW **FED USGS** **USGS40000831552**
1/8 - 1/4 Mile
Lower

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404513074002501		
Monloc name:	NY 83		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7537127
Longitude:	-74.0065285	Sourcemap scale:	24000

Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand and Gravel		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	25
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

5
NE **FED USGS** **USGS40000831625**
1/4 - 1/2 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404517073595901		
Monloc name:	NY 219		
Monloc type:	Well		
Monloc desc:	WEST 34 ST-B		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.754796
Longitude:	-73.9993061	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	40.27
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Bedrock		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	625.7
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

6
ESE **FED USGS** **USGS40000831418**
1/4 - 1/2 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404459073594501		
Monloc name:	NY 227. 1		
Monloc type:	Well		
Monloc desc:	WEST 30 ST-A		
Huc code:	02030101	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7498434
Longitude:	-73.9955699	Sourcemap scale:	24000

Horiz Acc measure:	.01	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	31.45
Vert measure units:	feet	Vertacc measure val:	.01
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	New England crystalline-rock aquifers		
Formation type:	Basement Complex		
Aquifer type:	Not Reported		
Construction date:	20031114	Welldepth:	192
Welldepth units:	ft	Wellholedepth:	600.5
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 13

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-09		9.03	2004-11-29		9.18
2004-11-10		9.16	2004-07-21		9.80
2004-06-28		9.69	2004-06-16		9.54
2004-04-21		9.82	2004-04-12		9.75
2004-03-15		9.74	2004-03-03		10.04
2004-03-03		9.64	2004-02-18		10.12
2004-01-07		10.09			

7
NE
1/4 - 1/2 Mile
Higher

FED USGS **USGS40000831703**

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404523073595241		
Monloc name:	NY 220		
Monloc type:	Well		
Monloc desc:	WEST 37 ST-A		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7566016
Longitude:	-73.9975005	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	41.32
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Bedrock		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	651.4
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

8
ESE | **FED USGS** | **USGS40000831335**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404452073593001		
Monloc name:	NY 240. 1		
Monloc type:	Well		
Monloc desc:	W30ST-C		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7480462
Longitude:	-73.9912781	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	38.87
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Bedrock		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	600
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

9
NNE | **FED USGS** | **USGS40000831957**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404542073595401		
Monloc name:	NY 103		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7617681
Longitude:	-73.9979171	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	148
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

A10
South **FED USGS** **USGS40000830960**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404424074002301		
Monloc name:	NY 249. 1		
Monloc type:	Well		
Monloc desc:	W13ST-W		
Huc code:	02030101	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7402963
Longitude:	-74.0061396	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	16.21
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Pleistocene Series		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	30.3
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

A11
SSW **FED USGS** **USGS40000830982**
1/2 - 1 Mile
Lower

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404425074002801		
Monloc name:	NY 96		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7403796
Longitude:	-74.0073619	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	33
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

12
ENE **FRDS PWS** **NY0022417**
1/2 - 1 Mile
Higher

PWS ID:	NY0022417		
Date Initiated:	Not Reported	Date Deactivated:	Not Reported
PWS Name:	BREWSTER SQUARE RT 6 BREWSTER, NY 10509		
Addressee / Facility:	System Owner/Responsible Party GOSTFRAND DAVID C/O DAVID GOSTFRAND 463 7TH AVENUE, SUITE 703 NEW YORK, NY 10018		
Facility Latitude:	40 45 18	Facility Longitude:	073 59 18
City Served:	SOUTHEAST (T)		
Treatment Class	Not Reported	Population:	Not Reported

Violations information not reported.

B13
South **FED USGS** **USGS40000830930**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404421074001801		
Monloc name:	NY 245. 1		
Monloc type:	Well		
Monloc desc:	GANS-A		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7393519
Longitude:	-74.0047507	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	19.77
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Bedrock		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	590
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

B14
South **FED USGS** **USGS40000830932**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404421074001902		
Monloc name:	NY 247. 1		
Monloc type:	Well		
Monloc desc:	GANS-B		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7393519
Longitude:	-74.0048896	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	19.52
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Bedrock		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	590
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

B15
South **FED USGS** **USGS40000830931**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404421074001901		
Monloc name:	NY 236. 1		
Monloc type:	Well		
Monloc desc:	GANS-GEO-01/W		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7393519
Longitude:	-74.0049174	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	19.48
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	82.5
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

16
South **FED USGS** **USGS40000830929**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404421074000901		
Monloc name:	NY 117		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7392686
Longitude:	-74.0020839	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	25
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	39
Welldepth units:	ft	Wellholedepth:	40
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

C17
NNE **FED USGS** **USGS40000832025**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404550073594501		
Monloc name:	NY 75		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7639903
Longitude:	-73.995417	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	20
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Bedrock		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	175
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

C18
NNE **FED USGS** **USGS40000832026**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404550073594502		
Monloc name:	NY 76		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7639903
Longitude:	-73.995417	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	20
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	125
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

19
NNE **FED USGS** **USGS40000832052**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404553073595001		
Monloc name:	NY 156		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7648237
Longitude:	-73.996806	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	132
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

20
NE **FED USGS** **USGS40000832014**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404549073593501		
Monloc name:	NY 246. 1		
Monloc type:	Well		
Monloc desc:	W48ST-W		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7637681
Longitude:	-73.9926947	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	41.32
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	31.5
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

21
South **FED USGS** **USGS40000830876**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404416074002701		
Monloc name:	NY 33		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7378797
Longitude:	-74.0070841	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	15
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	40
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

Map ID
Direction
Distance

Database EDR ID Number

1
South **OIL_GAS** **NYOG80000035811**
1/8 - 1/4 Mile

Api wellno:	31061237400000	Cnty:	61
Hole:	23740	Sidetrck:	0
Completion:	0	Well name:	W26 St - A
Company na:	New York City Dept. of Environme	Operator n:	2127
Well type:	SG	Map symbol:	OP
Well statu:	PA	Date statu:	1999-10-04 00:00:00
Date permi:	Not Reported	Permit iss:	Not Reported
Date spudd:	1999-09-02 00:00:00	Date total:	1999-10-01 00:00:00
Date well :	1999-10-01 00:00:00	Date wel00:	1999-10-04 00:00:00
Date wel01:	Not Reported	Confid:	Released
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Fordham Gneiss	Financial :	False
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	0	Surface lo:	SURF
Surface 00:	-74.003177		
Surface la:	40.749834		
Bottom hol:	BH		
Bottom h00:	-74.003177		
Bottom h01:	40.749834		
True verti:	596	Measured d:	596
Kickoff:	0	Drilleddep:	596
Elevation:	0	Original w:	SG
Permit fee:	0	Objective :	Not Applicable
Depth fee:	-100	Spacing:	Exempt - not an oil or gas well
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2007-07-20 09:08:16.107000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237400000		
Site id:	NYOG80000035811		

2
NE **OIL_GAS** **NYOG80000035812**
1/4 - 1/2 Mile

Api wellno:	31061237410000	Cnty:	61
Hole:	23741	Sidetrck:	0
Completion:	0	Well name:	W34 St - B
Company na:	New York City Dept. of Environme	Operator n:	2127
Well type:	SG	Map symbol:	OP
Well statu:	PA	Date statu:	1999-06-22 00:00:00
Date permi:	Not Reported	Permit iss:	Not Reported
Date spudd:	1998-09-17 00:00:00	Date total:	1998-10-13 00:00:00
Date well :	1998-10-13 00:00:00	Date wel00:	1999-06-22 00:00:00
Date wel01:	Not Reported	Confid:	Released
Town:	Manhattan	Quad:	Central Park
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	False
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	0	Surface lo:	SURF
Surface 00:	-73.999305		
Surface la:	40.754791		
Bottom hol:	BH		
Bottom h00:	-73.999305		

Bottom h01:	40.754791		
True verti:	626	Measured d:	626
Kickoff:	0	Drilleddep:	626
Elevation:	0	Original w:	SG
Permit fee:	0	Objective :	Not Applicable
Depth fee:	-100	Spacing:	Exempt - not an oil or gas well
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2014-05-01 11:19:30.830000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237410000		
Site id:	NYOG80000035812		

A3
SSW **OIL_GAS** **NYOG80000035764**
1/4 - 1/2 Mile

Api wellno:	31061236980000	Cnty:	61
Hole:	23698	Sidetrck:	0
Completion:	0	Well name:	Geothermal 1
Company na:	General Theological Seminary	Operator n:	2327
Well type:	TH	Map symbol:	O
Well statu:	AC	Date statu:	2008-12-31 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	2007-07-27 00:00:00
Date spudd:	2007-10-12 00:00:00	Date total:	2007-12-20 00:00:00
Date well :	2008-05-30 00:00:00	Date wel00:	Not Reported
Date wel01:	2	Confid:	Released
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	NA - Geoexchange	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.005069		
Surface la:	40.746227		
Bottom hol:	BH		
Bottom h00:	-74.004942		
Bottom h01:	40.7463		
True verti:	1510	Measured d:	1510
Kickoff:	0	Drilleddep:	1510
Elevation:	14	Original w:	TH
Permit fee:	860	Objective :	NA - Geoexchange
Depth fee:	760	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2012-11-16 08:18:15.240000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061236980000		
Site id:	NYOG80000035764		

A4
South **OIL_GAS** **NYOG80000035765**
1/4 - 1/2 Mile

Api wellno:	31061236990000	Cnty:	61
Hole:	23699	Sidetrck:	0
Completion:	0	Well name:	Geothermal 2
Company na:	General Theological Seminary	Operator n:	2327
Well type:	NL	Map symbol:	O
Well statu:	CA	Date statu:	2008-09-17 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	Not Reported
Date spudd:	Not Reported	Date total:	Not Reported
Date well :	Not Reported	Date wel00:	Not Reported
Date wel01:	Not Reported	Confid:	No
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.004544		
Surface la:	40.746103		
Bottom hol:	BH		
Bottom h00:	-74.004544		
Bottom h01:	40.746103		
True verti:	0	Measured d:	0
Kickoff:	0	Drilleddep:	0
Elevation:	14	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2008-09-17 09:39:36.043000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061236990000		
Site id:	NYOG80000035765		

A5
SSW **OIL_GAS** **NYOG80000035786**
1/4 - 1/2 Mile

Api wellno:	31061237190000	Cnty:	61
Hole:	23719	Sidetrck:	0
Completion:	0	Well name:	Geothermal 22
Company na:	General Theological Seminary	Operator n:	2327
Well type:	TH	Map symbol:	O
Well statu:	AC	Date statu:	2008-12-31 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	2007-07-27 00:00:00
Date spudd:	2007-08-14 00:00:00	Date total:	2008-04-29 00:00:00
Date well :	2008-05-30 00:00:00	Date wel00:	Not Reported
Date wel01:	2	Confid:	Released
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	NA - Geoexchange	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.005169		
Surface la:	40.746089		
Bottom hol:	BH		
Bottom h00:	-74.005025		

Bottom h01:	40.746208		
True verti:	1510	Measured d:	1510
Kickoff:	0	Drilleddep:	1510
Elevation:	14	Original w:	TH
Permit fee:	860	Objective :	NA - Geoexchange
Depth fee:	760	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2009-07-08 11:57:59.363000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237190000		
Site id:	NYOG80000035786		

6
ESE **OIL_GAS** **NYOG80000035674**
1/4 - 1/2 Mile

Api wellno:	31061210540000	Cnty:	61
Hole:	21054	Sidetrck:	0
Completion:	0	Well name:	W. 30 St. - A
Company na:	U.S. Geological Survey	Operator n:	2370
Well type:	SG	Map symbol:	O
Well statu:	AC	Date statu:	2011-12-31 00:00:00
Date permi:	2003-09-09 00:00:00	Permit iss:	2003-10-08 00:00:00
Date spudd:	2003-10-16 00:00:00	Date total:	2003-11-14 00:00:00
Date well :	2003-11-14 00:00:00	Date wel00:	Not Reported
Date wel01:	2	Confid:	Released
Town:	Manhattan	Quad:	Brooklyn
Quadsec:	A	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	False
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	550	Surface lo:	SURF
Surface 00:	-73.99592		
Surface la:	40.74985		
Bottom hol:	BH		
Bottom h00:	-73.99592		
Bottom h01:	40.74985		
True verti:	600	Measured d:	600
Kickoff:	0	Drilleddep:	600
Elevation:	35	Original w:	SG
Permit fee:	0	Objective :	Not Applicable
Depth fee:	-100	Spacing:	Exempt - not an oil or gas well
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2012-07-20 13:01:16.597000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061210540000		
Site id:	NYOG80000035674		

A7
SSW **OIL_GAS** **NYOG80000035785**
1/4 - 1/2 Mile

Api wellno:	31061237180000	Cnty:	61
Hole:	23718	Sidetrck:	0
Completion:	0	Well name:	Geothermal 21
Company na:	General Theological Seminary	Operator n:	2327
Well type:	TH	Map symbol:	O
Well statu:	AC	Date statu:	2008-12-31 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	2007-07-27 00:00:00
Date spudd:	2007-08-27 00:00:00	Date total:	2008-02-05 00:00:00
Date well :	2008-05-30 00:00:00	Date wel00:	Not Reported
Date wel01:	2	Confid:	Released
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.005261		
Surface la:	40.745964		
Bottom hol:	BH		
Bottom h00:	-74.005619		
Bottom h01:	40.745875		
True verti:	1800	Measured d:	1800
Kickoff:	0	Drilleddep:	1800
Elevation:	14	Original w:	TH
Permit fee:	860	Objective :	NA - Geoexchange
Depth fee:	760	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2009-07-08 11:57:56.813000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237180000		
Site id:	NYOG80000035785		

B8
South
1/4 - 1/2 Mile

OIL_GAS **NYOG80000035767**

Api wellno:	31061237010000	Cnty:	61
Hole:	23701	Sidetrck:	0
Completion:	0	Well name:	Geothermal 4
Company na:	General Theological Seminary	Operator n:	2327
Well type:	NL	Map symbol:	O
Well statu:	CA	Date statu:	2008-09-17 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	Not Reported
Date spudd:	Not Reported	Date total:	Not Reported
Date well :	Not Reported	Date wel00:	Not Reported
Date wel01:	Not Reported	Confid:	No
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.003767		
Surface la:	40.745769		
Bottom hol:	BH		
Bottom h00:	-74.003767		

Bottom h01:	40.745769		
True verti:	0	Measured d:	0
Kickoff:	0	Drilleddep:	0
Elevation:	14	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2008-09-17 09:40:30.903000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237010000		
Site id:	NYOG80000035767		

A9
SSW **OIL_GAS** **NYOG80000035784**
1/4 - 1/2 Mile

Api wellno:	31061237170000	Cnty:	61
Hole:	23717	Sidetrck:	0
Completion:	0	Well name:	Geothermal 20
Company na:	General Theological Seminary	Operator n:	2327
Well type:	TH	Map symbol:	O
Well statu:	AC	Date statu:	2008-12-31 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	2007-07-27 00:00:00
Date spudd:	2007-09-24 00:00:00	Date total:	2008-02-29 00:00:00
Date well :	2008-04-29 00:00:00	Date wel00:	Not Reported
Date wel01:	2	Confid:	Released
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.005347		
Surface la:	40.745839		
Bottom hol:	BH		
Bottom h00:	-74.005247		
Bottom h01:	40.745881		
True verti:	1510	Measured d:	1510
Kickoff:	0	Drilleddep:	1510
Elevation:	14	Original w:	TH
Permit fee:	860	Objective :	NA - Geoexchange
Depth fee:	760	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2009-07-08 11:57:55.550000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237170000		
Site id:	NYOG80000035784		

10
NE **OIL_GAS** **NYOG80000035813**
1/4 - 1/2 Mile

Api wellno:	31061237420000	Cnty:	61
Hole:	23742	Sidetrck:	0
Completion:	0	Well name:	W37 St - A
Company na:	New York City Dept. of Environme	Operator n:	2127
Well type:	SG	Map symbol:	OP
Well statu:	PA	Date statu:	1999-06-23 00:00:00
Date permi:	Not Reported	Permit iss:	Not Reported
Date spudd:	1998-10-15 00:00:00	Date total:	1998-11-16 00:00:00
Date well :	1998-11-16 00:00:00	Date wel00:	1999-06-23 00:00:00
Date wel01:	Not Reported	Confid:	Released
Town:	Manhattan	Quad:	Central Park
Quadsec:	G	Producing :	Not Applicable
Producin00:	Manhattan Schist	Financial :	False
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	0	Surface lo:	SURF
Surface 00:	-73.997503		
Surface la:	40.756588		
Bottom hol:	BH		
Bottom h00:	-73.997503		
Bottom h01:	40.756588		
True verti:	651	Measured d:	651
Kickoff:	0	Drilleddep:	651
Elevation:	0	Original w:	SG
Permit fee:	0	Objective :	Not Applicable
Depth fee:	-100	Spacing:	Exempt - not an oil or gas well
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2007-07-20 09:22:57.437000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237420000		
Site id:	NYOG80000035813		

B11
South
1/4 - 1/2 Mile

OIL_GAS **NYOG80000035768**

Api wellno:	31061237020000	Cnty:	61
Hole:	23702	Sidetrck:	0
Completion:	0	Well name:	Geothermal 5
Company na:	General Theological Seminary	Operator n:	2327
Well type:	TH	Map symbol:	O
Well statu:	AC	Date statu:	2008-12-31 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	2007-07-27 00:00:00
Date spudd:	2007-09-14 00:00:00	Date total:	2007-11-29 00:00:00
Date well :	2008-02-12 00:00:00	Date wel00:	Not Reported
Date wel01:	2	Confid:	Released
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.003403		
Surface la:	40.745611		
Bottom hol:	BH		
Bottom h00:	-74.003342		

Bottom h01:	40.745506		
True verti:	1510	Measured d:	1510
Kickoff:	0	Drilleddep:	1510
Elevation:	14	Original w:	TH
Permit fee:	860	Objective :	NA - Geoexchange
Depth fee:	760	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2009-07-08 11:57:26.270000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237020000		
Site id:	NYOG80000035768		

A12
South
1/4 - 1/2 Mile

OIL_GAS **NYOG80000035766**

Api wellno:	31061237000000	Cnty:	61
Hole:	23700	Sidetrck:	0
Completion:	0	Well name:	Geothermal 3
Company na:	General Theological Seminary	Operator n:	2327
Well type:	NL	Map symbol:	O
Well statu:	CA	Date statu:	2008-09-17 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	Not Reported
Date spudd:	Not Reported	Date total:	Not Reported
Date well :	Not Reported	Date wel00:	Not Reported
Date wel01:	Not Reported	Confid:	No
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.004081		
Surface la:	40.745625		
Bottom hol:	BH		
Bottom h00:	-74.004081		
Bottom h01:	40.745625		
True verti:	0	Measured d:	0
Kickoff:	0	Drilleddep:	0
Elevation:	14	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2008-09-17 09:39:57.217000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237000000		
Site id:	NYOG80000035766		

A13
SSW
1/4 - 1/2 Mile

OIL_GAS **NYOG80000035783**

Api wellno:	31061237160000	Cnty:	61
Hole:	23716	Sidetrck:	0
Completion:	0	Well name:	Geothermal 19
Company na:	General Theological Seminary	Operator n:	2327
Well type:	TH	Map symbol:	O
Well statu:	AC	Date statu:	2008-12-31 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	2007-07-27 00:00:00
Date spudd:	2007-10-05 00:00:00	Date total:	2008-03-24 00:00:00
Date well :	2008-04-29 00:00:00	Date wel00:	Not Reported
Date wel01:	2	Confid:	Released
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	NA - Geoexchange	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.005183		
Surface la:	40.745736		
Bottom hol:	BH		
Bottom h00:	-74.005019		
Bottom h01:	40.745731		
True verti:	1460	Measured d:	1460
Kickoff:	0	Drilleddep:	1460
Elevation:	14	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2009-07-08 11:57:53.660000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237160000		
Site id:	NYOG80000035783		

A14
South
1/4 - 1/2 Mile

OIL_GAS **NYOG80000035782**

Api wellno:	31061237150000	Cnty:	61
Hole:	23715	Sidetrck:	0
Completion:	0	Well name:	Geothermal 18
Company na:	General Theological Seminary	Operator n:	2327
Well type:	NL	Map symbol:	O
Well statu:	CA	Date statu:	2008-09-17 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	Not Reported
Date spudd:	Not Reported	Date total:	Not Reported
Date well :	Not Reported	Date wel00:	Not Reported
Date wel01:	Not Reported	Confid:	No
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.004989		
Surface la:	40.745664		
Bottom hol:	BH		
Bottom h00:	-74.004989		

Bottom h01:	40.745664		
True verti:	0	Measured d:	0
Kickoff:	0	Drilleddep:	0
Elevation:	14	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2008-09-17 09:42:36.717000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237150000		
Site id:	NYOG80000035782		

B15
South **OIL_GAS** **NYOG80000035769**
1/4 - 1/2 Mile

Api wellno:	31061237030000	Cnty:	61
Hole:	23703	Sidetrck:	0
Completion:	0	Well name:	Geothermal 6
Company na:	General Theological Seminary	Operator n:	2327
Well type:	TH	Map symbol:	O
Well statu:	AC	Date statu:	2008-12-31 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	2007-07-27 00:00:00
Date spudd:	2007-09-10 00:00:00	Date total:	2007-10-24 00:00:00
Date well :	2008-02-12 00:00:00	Date wel00:	Not Reported
Date wel01:	2	Confid:	Released
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.00315		
Surface la:	40.745503		
Bottom hol:	BH		
Bottom h00:	-74.003064		
Bottom h01:	40.745386		
True verti:	1510	Measured d:	1510
Kickoff:	0	Drilleddep:	1510
Elevation:	14	Original w:	TH
Permit fee:	860	Objective :	NA - Geoexchange
Depth fee:	760	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2009-07-08 11:57:35.503000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237030000		
Site id:	NYOG80000035769		

B16
South **OIL_GAS** **NYOG80000035770**
1/4 - 1/2 Mile

Api wellno:	31061237040000	Cnty:	61
Hole:	23704	Sidetrck:	0
Completion:	0	Well name:	Geothermal 7
Company na:	General Theological Seminary	Operator n:	2327
Well type:	NL	Map symbol:	O
Well statu:	EX	Date statu:	2008-02-04 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	2007-07-27 00:00:00
Date spudd:	Not Reported	Date total:	Not Reported
Date well :	Not Reported	Date wel00:	Not Reported
Date wel01:	Not Reported	Confid:	No
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.003056		
Surface la:	40.745469		
Bottom hol:	BH		
Bottom h00:	-74.003056		
Bottom h01:	40.745469		
True verti:	0	Measured d:	0
Kickoff:	0	Drilleddep:	0
Elevation:	14	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2008-09-08 13:38:14.370000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237040000		
Site id:	NYOG80000035770		

A17
South
1/4 - 1/2 Mile

OIL_GAS **NYOG80000035781**

Api wellno:	31061237140000	Cnty:	61
Hole:	23714	Sidetrck:	0
Completion:	0	Well name:	Geothermal 17
Company na:	General Theological Seminary	Operator n:	2327
Well type:	NL	Map symbol:	O
Well statu:	CA	Date statu:	2008-09-17 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	Not Reported
Date spudd:	Not Reported	Date total:	Not Reported
Date well :	Not Reported	Date wel00:	Not Reported
Date wel01:	Not Reported	Confid:	No
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.004608		
Surface la:	40.745503		
Bottom hol:	BH		
Bottom h00:	-74.004608		

Bottom h01:	40.745503		
True verti:	0	Measured d:	0
Kickoff:	0	Drilleddep:	0
Elevation:	14	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2008-09-17 09:42:12.263000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237140000		
Site id:	NYOG80000035781		

B18
South **OIL_GAS** **NYOG80000035771**
1/4 - 1/2 Mile

Api wellno:	31061237050000	Cnty:	61
Hole:	23705	Sidetrck:	0
Completion:	0	Well name:	Geothermal 8
Company na:	General Theological Seminary	Operator n:	2327
Well type:	NL	Map symbol:	O
Well statu:	EX	Date statu:	2008-02-04 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	2007-07-27 00:00:00
Date spudd:	Not Reported	Date total:	Not Reported
Date well :	Not Reported	Date wel00:	Not Reported
Date wel01:	Not Reported	Confid:	No
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.002771		
Surface la:	40.745336		
Bottom hol:	BH		
Bottom h00:	-74.002771		
Bottom h01:	40.745336		
True verti:	0	Measured d:	0
Kickoff:	0	Drilleddep:	0
Elevation:	14	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2008-09-08 13:38:25.230000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237050000		
Site id:	NYOG80000035771		

B19
South **OIL_GAS** **NYOG80000035780**
1/4 - 1/2 Mile

Api wellno:	31061237130000	Cnty:	61
Hole:	23713	Sidetrck:	0
Completion:	0	Well name:	Geothermal 16
Company na:	General Theological Seminary	Operator n:	2327
Well type:	NL	Map symbol:	O
Well statu:	CA	Date statu:	2008-09-17 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	Not Reported
Date spudd:	Not Reported	Date total:	Not Reported
Date well :	Not Reported	Date wel00:	Not Reported
Date wel01:	Not Reported	Confid:	No
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.004181		
Surface la:	40.745325		
Bottom hol:	BH		
Bottom h00:	-74.004181		
Bottom h01:	40.745325		
True verti:	0	Measured d:	0
Kickoff:	0	Drilleddep:	0
Elevation:	14	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2008-09-17 09:41:50.183000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237130000		
Site id:	NYOG80000035780		

B20
South
1/4 - 1/2 Mile

OIL_GAS **NYOG80000035772**

Api wellno:	31061237060000	Cnty:	61
Hole:	23706	Sidetrck:	0
Completion:	0	Well name:	Geothermal 9
Company na:	General Theological Seminary	Operator n:	2327
Well type:	NL	Map symbol:	O
Well statu:	EX	Date statu:	2008-02-04 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	2007-07-27 00:00:00
Date spudd:	Not Reported	Date total:	Not Reported
Date well :	Not Reported	Date wel00:	Not Reported
Date wel01:	Not Reported	Confid:	No
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.002622		
Surface la:	40.745242		
Bottom hol:	BH		
Bottom h00:	-74.002622		

Bottom h01:	40.745242		
True verti:	0	Measured d:	0
Kickoff:	0	Drilleddep:	0
Elevation:	14	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2008-09-08 13:38:39.133000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237060000		
Site id:	NYOG80000035772		

B21
South
1/4 - 1/2 Mile

OIL_GAS **NYOG80000035779**

Api wellno:	31061237120000	Cnty:	61
Hole:	23712	Sidetrck:	0
Completion:	0	Well name:	Geothermal 15
Company na:	General Theological Seminary	Operator n:	2327
Well type:	NL	Map symbol:	O
Well statu:	CA	Date statu:	2008-09-17 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	Not Reported
Date spudd:	Not Reported	Date total:	Not Reported
Date well :	Not Reported	Date wel00:	Not Reported
Date wel01:	Not Reported	Confid:	No
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.003836		
Surface la:	40.745181		
Bottom hol:	BH		
Bottom h00:	-74.003836		
Bottom h01:	40.745181		
True verti:	0	Measured d:	0
Kickoff:	0	Drilleddep:	0
Elevation:	14	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2008-12-08 15:16:12.787000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237120000		
Site id:	NYOG80000035779		

B22
South
1/4 - 1/2 Mile

OIL_GAS **NYOG80000035778**

Api wellno:	31061237110000	Cnty:	61
Hole:	23711	Sidetrck:	0
Completion:	0	Well name:	Geothermal 14
Company na:	General Theological Seminary	Operator n:	2327
Well type:	NL	Map symbol:	O
Well statu:	EX	Date statu:	2008-02-04 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	2007-07-27 00:00:00
Date spudd:	Not Reported	Date total:	Not Reported
Date well :	Not Reported	Date wel00:	Not Reported
Date wel01:	Not Reported	Confid:	No
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.003514		
Surface la:	40.745036		
Bottom hol:	BH		
Bottom h00:	-74.003514		
Bottom h01:	40.745036		
True verti:	0	Measured d:	0
Kickoff:	0	Drilleddep:	0
Elevation:	14	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2008-09-08 13:39:30.320000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237110000		
Site id:	NYOG80000035778		

C23
South
1/4 - 1/2 Mile

OIL_GAS **NYOG80000035773**

Api wellno:	31061237070000	Cnty:	61
Hole:	23707	Sidetrck:	0
Completion:	0	Well name:	Geothermal 10
Company na:	General Theological Seminary	Operator n:	2327
Well type:	NL	Map symbol:	O
Well statu:	EX	Date statu:	2008-02-04 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	2007-07-27 00:00:00
Date spudd:	Not Reported	Date total:	Not Reported
Date well :	Not Reported	Date wel00:	Not Reported
Date wel01:	Not Reported	Confid:	No
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.002586		
Surface la:	40.745006		
Bottom hol:	BH		
Bottom h00:	-74.002586		

Bottom h01:	40.745006		
True verti:	0	Measured d:	0
Kickoff:	0	Drilleddep:	0
Elevation:	14	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2008-09-08 13:38:48.680000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237070000		
Site id:	NYOG80000035773		

B24
South **OIL_GAS** **NYOG80000035775**
1/4 - 1/2 Mile

Api wellno:	31061237080001	Cnty:	61
Hole:	23708	Sidetrck:	0
Completion:	1	Well name:	Geothermal 11
Company na:	General Theological Seminary	Operator n:	2327
Well type:	NL	Map symbol:	O
Well statu:	AR	Date statu:	2010-02-22 00:00:00
Date permi:	2010-02-22 00:00:00	Permit iss:	Not Reported
Date spudd:	Not Reported	Date total:	Not Reported
Date well :	Not Reported	Date wel00:	Not Reported
Date wel01:	Not Reported	Confid:	Applicati
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.003383		
Surface la:	40.744972		
Bottom hol:	BH		
Bottom h00:	-74.003383		
Bottom h01:	40.744972		
True verti:	1500	Measured d:	1500
Kickoff:	0	Drilleddep:	1500
Elevation:	19	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2010-02-23 09:58:10.687000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237080001		
Site id:	NYOG80000035775		

B25
South **OIL_GAS** **NYOG80000035777**
1/4 - 1/2 Mile

Api wellno:	31061237100000	Cnty:	61
Hole:	23710	Sidetrck:	0
Completion:	0	Well name:	Geothermal 13
Company na:	General Theological Seminary	Operator n:	2327
Well type:	NL	Map symbol:	O
Well statu:	EX	Date statu:	2008-02-04 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	2007-07-27 00:00:00
Date spudd:	Not Reported	Date total:	Not Reported
Date well :	Not Reported	Date wel00:	Not Reported
Date wel01:	Not Reported	Confid:	No
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.003289		
Surface la:	40.74495		
Bottom hol:	BH		
Bottom h00:	-74.003289		
Bottom h01:	40.74495		
True verti:	0	Measured d:	0
Kickoff:	0	Drilleddep:	0
Elevation:	14	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2008-09-08 13:39:20.447000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237100000		
Site id:	NYOG80000035777		

C26
South
1/4 - 1/2 Mile

OIL_GAS **NYOG80000035776**

Api wellno:	31061237090000	Cnty:	61
Hole:	23709	Sidetrck:	0
Completion:	0	Well name:	Geothermal 12
Company na:	General Theological Seminary	Operator n:	2327
Well type:	NL	Map symbol:	O
Well statu:	EX	Date statu:	2008-02-04 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	2007-07-27 00:00:00
Date spudd:	Not Reported	Date total:	Not Reported
Date well :	Not Reported	Date wel00:	Not Reported
Date wel01:	Not Reported	Confid:	No
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.003025		
Surface la:	40.744836		
Bottom hol:	BH		
Bottom h00:	-74.003025		

Bottom h01:	40.744836		
True verti:	0	Measured d:	0
Kickoff:	0	Drilleddep:	0
Elevation:	14	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2008-09-08 13:39:11.290000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237090000		
Site id:	NYOG80000035776		

C27
South
1/2 - 1 Mile

OIL_GAS **NYOG80000035774**

Api wellno:	31061237080000	Cnty:	61
Hole:	23708	Sidetrck:	0
Completion:	0	Well name:	Geothermal 11
Company na:	General Theological Seminary	Operator n:	2327
Well type:	NL	Map symbol:	O
Well statu:	EX	Date statu:	2008-02-04 00:00:00
Date permi:	2006-02-16 00:00:00	Permit iss:	2007-07-27 00:00:00
Date spudd:	Not Reported	Date total:	Not Reported
Date well :	Not Reported	Date wel00:	Not Reported
Date wel01:	Not Reported	Confid:	No
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.002747		
Surface la:	40.744783		
Bottom hol:	BH		
Bottom h00:	-74.002747		
Bottom h01:	40.744783		
True verti:	0	Measured d:	0
Kickoff:	0	Drilleddep:	0
Elevation:	14	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2010-02-23 09:54:00.770000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237080000		
Site id:	NYOG80000035774		

28
ESE
1/2 - 1 Mile

OIL_GAS **NYOG80000035675**

Api wellno:	31061210550000	Cnty:	61
Hole:	21055	Sidetrck:	0
Completion:	0	Well name:	W. 30 St. - C
Company na:	New York City Dept. of Environme	Operator n:	2127
Well type:	SG	Map symbol:	OP
Well statu:	PA	Date statu:	2003-10-08 00:00:00
Date permi:	2003-09-09 00:00:00	Permit iss:	2003-10-08 00:00:00
Date spudd:	2004-04-05 00:00:00	Date total:	2004-04-22 00:00:00
Date well :	2004-04-22 00:00:00	Date wel00:	2005-04-14 00:00:00
Date wel01:	2	Confid:	Released
Town:	Manhattan	Quad:	Brooklyn
Quadsec:	A	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	False
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	600	Surface lo:	SURF
Surface 00:	-73.99151		
Surface la:	40.74801		
Bottom hol:	BH		
Bottom h00:	-73.99151		
Bottom h01:	40.74801		
True verti:	600	Measured d:	600
Kickoff:	0	Drilleddep:	600
Elevation:	39	Original w:	SG
Permit fee:	0	Objective :	Not Applicable
Depth fee:	-100	Spacing:	Exempt - not an oil or gas well
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2006-04-20 10:14:21.533000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061210550000		
Site id:	NYOG80000035675		

29
South
1/2 - 1 Mile

OIL_GAS **NYOG80000035763**

Api wellno:	31061236890000	Cnty:	61
Hole:	23689	Sidetrck:	0
Completion:	0	Well name:	Geothermal 1
Company na:	Chelsea Ventura LLC	Operator n:	2304
Well type:	NL	Map symbol:	O
Well statu:	EX	Date statu:	2006-10-23 00:00:00
Date permi:	2006-02-27 00:00:00	Permit iss:	2006-04-26 00:00:00
Date spudd:	Not Reported	Date total:	Not Reported
Date well :	Not Reported	Date wel00:	Not Reported
Date wel01:	Not Reported	Confid:	No
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.003292		
Surface la:	40.7419		
Bottom hol:	BH		
Bottom h00:	-74.003292		

Bottom h01:	40.7419		
True verti:	0	Measured d:	0
Kickoff:	0	Drilleddep:	0
Elevation:	15	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Not Reported
Spacing ac:	Not Reported	Integratio:	Not Reported
Dt hearing:	Not Reported	Dt mod:	2008-09-08 13:30:52.310000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061236890000		
Site id:	NYOG80000035763		

D30
SE
1/2 - 1 Mile

OIL_GAS **NYOG80000035834**

Api wellno:	31061237640000	Cnty:	61
Hole:	23764	Sidetrck:	0
Completion:	0	Well name:	Geothermal 1
Company na:	Ancona, Jack	Operator n:	2426
Well type:	TH	Map symbol:	O
Well statu:	TA	Date statu:	2013-06-16 00:00:00
Date permi:	2008-02-04 00:00:00	Permit iss:	2008-05-07 00:00:00
Date spudd:	2008-08-19 00:00:00	Date total:	2008-10-22 00:00:00
Date well :	2009-01-23 00:00:00	Date wel00:	Not Reported
Date wel01:	2	Confid:	Released
Town:	Manhattan	Quad:	Brooklyn
Quadsec:	A	Producing :	Not Applicable
Producin00:	Manhattan Schist	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-73.992886		
Surface la:	40.745257		
Bottom hol:	BH		
Bottom h00:	-73.992886		
Bottom h01:	40.745257		
True verti:	1120	Measured d:	1120
Kickoff:	0	Drilleddep:	1120
Elevation:	15	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Exempt - not an oil or gas well
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2013-03-05 11:06:11.933000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237640000		
Site id:	NYOG80000035834		

D31
SE
1/2 - 1 Mile

OIL_GAS **NYOG80000035835**

Api wellno:	31061237650000	Cnty:	61
Hole:	23765	Sidetrck:	0
Completion:	0	Well name:	Geothermal 2
Company na:	Ancona, Jack	Operator n:	2426
Well type:	TH	Map symbol:	O
Well statu:	TA	Date statu:	2013-06-16 00:00:00
Date permi:	2008-02-04 00:00:00	Permit iss:	2008-05-07 00:00:00
Date spudd:	2008-08-20 00:00:00	Date total:	2008-10-07 00:00:00
Date well :	2009-01-23 00:00:00	Date wel00:	Not Reported
Date wel01:	2	Confid:	Released
Town:	Manhattan	Quad:	Brooklyn
Quadsec:	A	Producing :	Not Applicable
Producin00:	Manhattan Schist	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-73.992998		
Surface la:	40.745126		
Bottom hol:	BH		
Bottom h00:	-73.992998		
Bottom h01:	40.745126		
True verti:	1100	Measured d:	1100
Kickoff:	0	Drilleddep:	1100
Elevation:	15	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Exempt - not an oil or gas well
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2013-03-05 11:06:47.323000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237650000		
Site id:	NYOG80000035835		

E32
SSW **OIL_GAS** **NYOG80000035761**
1/2 - 1 Mile

Api wellno:	31061236770000	Cnty:	61
Hole:	23677	Sidetrck:	0
Completion:	0	Well name:	GW-3
Company na:	Diane Von Furstenberg Studio, L.	Operator n:	2293
Well type:	TH	Map symbol:	O
Well statu:	AC	Date statu:	2007-12-31 00:00:00
Date permi:	2006-01-20 00:00:00	Permit iss:	2006-05-03 00:00:00
Date spudd:	2006-07-10 00:00:00	Date total:	2006-07-31 00:00:00
Date well :	2007-01-26 00:00:00	Date wel00:	Not Reported
Date wel01:	2	Confid:	Released
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.007308		
Surface la:	40.741639		
Bottom hol:	BH		
Bottom h00:	-74.007308		

Bottom h01:	40.741639		
True verti:	1350	Measured d:	1350
Kickoff:	0	Drilleddep:	1350
Elevation:	12	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Not Reported
Spacing ac:	Not Reported	Integratio:	Not Reported
Dt hearing:	Not Reported	Dt mod:	2009-02-10 10:10:01.153000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061236770000		
Site id:	NYOG80000035761		

E33
SSW
1/2 - 1 Mile

OIL_GAS **NYOG80000035760**

Api wellno:	31061236760000	Cnty:	61
Hole:	23676	Sidetrck:	0
Completion:	0	Well name:	GW-2
Company na:	Diane Von Furstenberg Studio, L.	Operator n:	2293
Well type:	TH	Map symbol:	O
Well statu:	AC	Date statu:	2007-12-31 00:00:00
Date permi:	2006-01-20 00:00:00	Permit iss:	2006-05-03 00:00:00
Date spudd:	2006-06-28 00:00:00	Date total:	2006-08-11 00:00:00
Date well :	2007-01-25 00:00:00	Date wel00:	Not Reported
Date wel01:	2	Confid:	Released
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.007167		
Surface la:	40.741581		
Bottom hol:	BH		
Bottom h00:	-74.007167		
Bottom h01:	40.741581		
True verti:	1500	Measured d:	1500
Kickoff:	0	Drilleddep:	1500
Elevation:	12	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Not Reported
Spacing ac:	Not Reported	Integratio:	Not Reported
Dt hearing:	Not Reported	Dt mod:	2009-02-10 10:09:58.560000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061236760000		
Site id:	NYOG80000035760		

E34
SSW
1/2 - 1 Mile

OIL_GAS **NYOG80000035759**

Api wellno:	31061236750000	Cnty:	61
Hole:	23675	Sidetrck:	0
Completion:	0	Well name:	GW-1
Company na:	Diane Von Furstenberg Studio, L.	Operator n:	2293
Well type:	TH	Map symbol:	O
Well statu:	AC	Date statu:	2007-12-31 00:00:00
Date permi:	2006-01-20 00:00:00	Permit iss:	2006-05-03 00:00:00
Date spudd:	2006-07-05 00:00:00	Date total:	2006-08-04 00:00:00
Date well :	2007-01-26 00:00:00	Date wel00:	Not Reported
Date wel01:	2	Confid:	Released
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	1500	Surface lo:	SURF
Surface 00:	-74.007253		
Surface la:	40.741461		
Bottom hol:	BH		
Bottom h00:	-74.007253		
Bottom h01:	40.741461		
True verti:	1300	Measured d:	1300
Kickoff:	0	Drilleddep:	1300
Elevation:	12	Original w:	TH
Permit fee:	670	Objective :	NA - Geoexchange
Depth fee:	570	Spacing:	Not Reported
Spacing ac:	Not Reported	Integratio:	Not Reported
Dt hearing:	Not Reported	Dt mod:	2009-02-10 10:09:55.497000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061236750000		
Site id:	NYOG80000035759		

35
NE
1/2 - 1 Mile

OIL_GAS **NYOG80000035814**

Api wellno:	31061237430000	Cnty:	61
Hole:	23743	Sidetrck:	0
Completion:	0	Well name:	W44 St - A
Company na:	New York City Dept. of Environme	Operator n:	2127
Well type:	SG	Map symbol:	OP
Well statu:	PA	Date statu:	1997-04-10 00:00:00
Date permi:	Not Reported	Permit iss:	Not Reported
Date spudd:	1997-03-25 00:00:00	Date total:	1997-04-10 00:00:00
Date well :	1997-04-10 00:00:00	Date wel00:	1997-04-10 00:00:00
Date wel01:	Not Reported	Confid:	Released
Town:	Manhattan	Quad:	Central Park
Quadsec:	G	Producing :	Not Applicable
Producin00:	Fordham Gneiss	Financial :	False
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	0	Surface lo:	SURF
Surface 00:	-73.994693		
Surface la:	40.761092		
Bottom hol:	BH		
Bottom h00:	-73.994693		

Bottom h01:	40.761092		
True verti:	564	Measured d:	564
Kickoff:	0	Drilleddep:	564
Elevation:	0	Original w:	SG
Permit fee:	0	Objective :	Not Applicable
Depth fee:	-100	Spacing:	Exempt - not an oil or gas well
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2007-07-20 09:27:13.890000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237430000		
Site id:	NYOG80000035814		

F36
South
1/2 - 1 Mile

OIL_GAS **NYOG80000035810**

Api wellno:	31061237390000	Cnty:	61
Hole:	23739	Sidetrck:	0
Completion:	0	Well name:	W13 St - C
Company na:	New York City Dept. of Environme	Operator n:	2127
Well type:	SG	Map symbol:	OP
Well statu:	PA	Date statu:	1996-07-30 00:00:00
Date permi:	Not Reported	Permit iss:	Not Reported
Date spudd:	1996-07-10 00:00:00	Date total:	1996-07-30 00:00:00
Date well :	1996-07-30 00:00:00	Date wel00:	1996-07-30 00:00:00
Date wel01:	Not Reported	Confid:	Released
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	North Collins
Producin00:	Manhattan Schist	Financial :	False
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	0	Surface lo:	SURF
Surface 00:	-74.005859		
Surface la:	40.740071		
Bottom hol:	BH		
Bottom h00:	-74.005859		
Bottom h01:	40.740071		
True verti:	577	Measured d:	577
Kickoff:	0	Drilleddep:	577
Elevation:	17	Original w:	SG
Permit fee:	0	Objective :	Not Applicable
Depth fee:	-100	Spacing:	Exempt - not an oil or gas well
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2007-10-30 14:32:37.233000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237390000		
Site id:	NYOG80000035810		

F37
South
1/2 - 1 Mile

OIL_GAS **NYOG80000035809**

Api wellno:	31061237380000	Cnty:	61
Hole:	23738	Sidetrck:	0
Completion:	0	Well name:	W13 St - B
Company na:	New York City Dept. of Environme	Operator n:	2127
Well type:	SG	Map symbol:	OP
Well statu:	PA	Date statu:	1996-07-10 00:00:00
Date permi:	Not Reported	Permit iss:	Not Reported
Date spudd:	1996-06-19 00:00:00	Date total:	1996-07-10 00:00:00
Date well :	1996-07-10 00:00:00	Date wel00:	1996-07-10 00:00:00
Date wel01:	Not Reported	Confid:	Released
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Manhattan Schist	Financial :	False
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	0	Surface lo:	SURF
Surface 00:	-74.005891		
Surface la:	40.740016		
Bottom hol:	BH		
Bottom h00:	-74.005891		
Bottom h01:	40.740016		
True verti:	573	Measured d:	573
Kickoff:	0	Drilleddep:	573
Elevation:	17	Original w:	SG
Permit fee:	0	Objective :	Not Applicable
Depth fee:	-100	Spacing:	Exempt - not an oil or gas well
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2007-10-30 14:23:52.143000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237380000		
Site id:	NYOG80000035809		

F38
South
1/2 - 1 Mile

OIL_GAS **NYOG80000035700**

Api wellno:	31061210820000	Cnty:	61
Hole:	21082	Sidetrck:	0
Completion:	0	Well name:	Gans St - B
Company na:	New York City Dept. of Environme	Operator n:	2127
Well type:	SG	Map symbol:	OP
Well statu:	PA	Date statu:	2004-09-13 00:00:00
Date permi:	2004-05-25 00:00:00	Permit iss:	2004-08-12 00:00:00
Date spudd:	2004-08-26 00:00:00	Date total:	2004-09-13 00:00:00
Date well :	2004-09-13 00:00:00	Date wel00:	2005-04-04 00:00:00
Date wel01:	2	Confid:	Released
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	False
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	590	Surface lo:	SURF
Surface 00:	-74.00489		
Surface la:	40.73938		
Bottom hol:	BH		
Bottom h00:	-74.00489		

Bottom h01:	40.73938		
True verti:	590	Measured d:	590
Kickoff:	0	Drilleddep:	590
Elevation:	20	Original w:	SG
Permit fee:	0	Objective :	Not Applicable
Depth fee:	-100	Spacing:	Exempt - not an oil or gas well
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2006-04-26 11:52:30.890000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061210820000		
Site id:	NYOG80000035700		

F39
South
1/2 - 1 Mile

OIL_GAS **NYOG80000035699**

Api wellno:	31061210810000	Cnty:	61
Hole:	21081	Sidetrck:	0
Completion:	0	Well name:	Gans St - A
Company na:	New York City Dept. of Environme	Operator n:	2127
Well type:	SG	Map symbol:	OP
Well statu:	PA	Date statu:	2004-08-26 00:00:00
Date permi:	2004-05-25 00:00:00	Permit iss:	2004-08-12 00:00:00
Date spudd:	2004-08-06 00:00:00	Date total:	2004-08-26 00:00:00
Date well :	2004-08-26 00:00:00	Date wel00:	2005-03-31 00:00:00
Date wel01:	2	Confid:	Released
Town:	Manhattan	Quad:	Jersey City
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	False
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	590	Surface lo:	SURF
Surface 00:	-74.0051		
Surface la:	40.73937		
Bottom hol:	BH		
Bottom h00:	-74.0051		
Bottom h01:	40.73937		
True verti:	590	Measured d:	590
Kickoff:	0	Drilleddep:	590
Elevation:	-20	Original w:	SG
Permit fee:	0	Objective :	Not Applicable
Depth fee:	-100	Spacing:	Exempt - not an oil or gas well
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2005-10-26 09:53:36.763000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061210810000		
Site id:	NYOG80000035699		

40
ESE
1/2 - 1 Mile

OIL_GAS **NYOG80000035685**

Api wellno:	31061210650000	Cnty:	61
Hole:	21065	Sidetrck:	0
Completion:	0	Well name:	W. 30 St. - B
Company na:	New York City Dept. of Environme	Operator n:	2127
Well type:	SG	Map symbol:	OP
Well statu:	PA	Date statu:	2004-02-09 00:00:00
Date permi:	2003-10-06 00:00:00	Permit iss:	2001-10-31 00:00:00
Date spudd:	2003-10-20 00:00:00	Date total:	Not Reported
Date well :	Not Reported	Date wel00:	2004-02-09 00:00:00
Date wel01:	2	Confid:	Released
Town:	Manhattan	Quad:	Brooklyn
Quadsec:	Not Reported	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	False
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	600	Surface lo:	SURF
Surface 00:	-73.986847		
Surface la:	40.746141		
Bottom hol:	BH		
Bottom h00:	-73.986847		
Bottom h01:	40.746141		
True verti:	0	Measured d:	0
Kickoff:	0	Drilleddep:	0
Elevation:	40	Original w:	SG
Permit fee:	0	Objective :	Not Applicable
Depth fee:	-100	Spacing:	Exempt - not an oil or gas well
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2008-12-08 08:00:58.320000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061210650000		
Site id:	NYOG80000035685		

G41
NE
1/2 - 1 Mile

OIL_GAS **NYOG80000035815**

Api wellno:	31061237440000	Cnty:	61
Hole:	23744	Sidetrck:	0
Completion:	0	Well name:	W48 St - C
Company na:	New York City Dept. of Environme	Operator n:	2127
Well type:	SG	Map symbol:	OP
Well statu:	PA	Date statu:	1997-01-27 00:00:00
Date permi:	Not Reported	Permit iss:	Not Reported
Date spudd:	1996-12-13 00:00:00	Date total:	1997-01-27 00:00:00
Date well :	1997-01-27 00:00:00	Date wel00:	1997-01-27 00:00:00
Date wel01:	Not Reported	Confid:	Released
Town:	Manhattan	Quad:	Central Park
Quadsec:	G	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	False
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	0	Surface lo:	SURF
Surface 00:	-73.993016		
Surface la:	40.763718		
Bottom hol:	BH		
Bottom h00:	-73.993016		

Bottom h01:	40.763718		
True verti:	561	Measured d:	561
Kickoff:	0	Drilleddep:	561
Elevation:	0	Original w:	SG
Permit fee:	0	Objective :	Not Applicable
Depth fee:	-100	Spacing:	Exempt - not an oil or gas well
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2007-07-20 09:33:29.450000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237440000		
Site id:	NYOG80000035815		

G42
NE **OIL_GAS** **NYOG80000035816**
1/2 - 1 Mile

Api wellno:	31061237450000	Cnty:	61
Hole:	23745	Sidetrck:	0
Completion:	0	Well name:	W48 St - A
Company na:	New York City Dept. of Environme	Operator n:	2127
Well type:	SG	Map symbol:	OP
Well statu:	PA	Date statu:	1996-11-15 00:00:00
Date permi:	Not Reported	Permit iss:	Not Reported
Date spudd:	1996-10-15 00:00:00	Date total:	Not Reported
Date well :	1996-11-15 00:00:00	Date wel00:	1996-11-15 00:00:00
Date wel01:	Not Reported	Confid:	Released
Town:	Manhattan	Quad:	Central Park
Quadsec:	G	Producing :	Not Applicable
Producin00:	Fordham Gneiss	Financial :	False
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	0	Surface lo:	SURF
Surface 00:	-73.992966		
Surface la:	40.76373		
Bottom hol:	BH		
Bottom h00:	-73.992966		
Bottom h01:	40.76373		
True verti:	582	Measured d:	582
Kickoff:	0	Drilleddep:	582
Elevation:	0	Original w:	SG
Permit fee:	0	Objective :	Not Applicable
Depth fee:	-100	Spacing:	Exempt - not an oil or gas well
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2007-07-20 09:36:43.840000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237450000		
Site id:	NYOG80000035816		

H43
SSE **OIL_GAS** **NYOG80000035796**
1/2 - 1 Mile

Api wellno:	31061237260000	Cnty:	61
Hole:	23726	Sidetrck:	0
Completion:	0	Well name:	Valhalla 1
Company na:	Terrapin Industries, LLC	Operator n:	2356
Well type:	TH	Map symbol:	O
Well statu:	IN	Date statu:	2008-12-31 00:00:00
Date permi:	2006-10-19 00:00:00	Permit iss:	2007-01-11 00:00:00
Date spudd:	2007-02-27 00:00:00	Date total:	2007-03-12 00:00:00
Date well :	2007-03-12 00:00:00	Date wel00:	Not Reported
Date wel01:	2	Confid:	Released
Town:	Manhattan	Quad:	Brooklyn
Quadsec:	A	Producing :	Not Applicable
Producin00:	Unknown	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	800	Surface lo:	SURF
Surface 00:	-73.997507		
Surface la:	40.738516		
Bottom hol:	BH		
Bottom h00:	-73.997507		
Bottom h01:	40.738516		
True verti:	640	Measured d:	640
Kickoff:	0	Drilleddep:	640
Elevation:	18	Original w:	TH
Permit fee:	480	Objective :	Manhattan Schist
Depth fee:	380	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2009-07-06 15:04:12.313000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237260000		
Site id:	NYOG80000035796		

H44
SSE **OIL_GAS** **NYOG80000035797**
1/2 - 1 Mile

Api wellno:	31061237270000	Cnty:	61
Hole:	23727	Sidetrck:	0
Completion:	0	Well name:	Valhalla 2
Company na:	Terrapin Industries, LLC	Operator n:	2356
Well type:	TH	Map symbol:	O
Well statu:	IN	Date statu:	2008-12-31 00:00:00
Date permi:	2006-10-19 00:00:00	Permit iss:	2007-01-11 00:00:00
Date spudd:	2007-03-12 00:00:00	Date total:	2007-03-16 00:00:00
Date well :	2007-03-16 00:00:00	Date wel00:	Not Reported
Date wel01:	2	Confid:	Released
Town:	Manhattan	Quad:	Brooklyn
Quadsec:	A	Producing :	Not Applicable
Producin00:	Unknown	Financial :	True
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	800	Surface lo:	SURF
Surface 00:	-73.997446		
Surface la:	40.738488		
Bottom hol:	BH		
Bottom h00:	-73.997446		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Bottom h01:	40.738488		
True verti:	960	Measured d:	960
Kickoff:	0	Drilleddep:	960
Elevation:	18	Original w:	TH
Permit fee:	480	Objective :	Manhattan Schist
Depth fee:	380	Spacing:	Exempt from Title 5; complies with 6 NYCRR 553.1(a)
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2009-07-06 15:04:14.830000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237270000		
Site id:	NYOG80000035797		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS
RADON

AREA RADON INFORMATION

State Database: NY Radon

Radon Test Results

County	Town	Num Tests	Avg Result	Geo Mean	Max Result
NEW YORK	NYC (BRONX)	91	1.59	0.85	16
NEW YORK	NYC (KINGS)	416	1.93	1.19	28.2
NEW YORK	NYC (NEW YORK)	108	2.15	0.98	49.5
NEW YORK	NYC (QUEENS)	501	1.24	0.77	23.8
NEW YORK	NYC (RICHMOND)	225	1.44	0.76	14.1

Federal EPA Radon Zone for NEW YORK County: 3

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for NEW YORK COUNTY, NY

Number of sites tested: 31

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	0.690 pCi/L	90%	10%	0%
Basement	1.490 pCi/L	81%	19%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)
Source: United States Geologic Survey
EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands
Source: Department of Environmental Conservation
Telephone: 518-402-8961

HYDROGEOLOGIC INFORMATION

AQUIFLOW^{R} Information System
Source: EDR proprietary database of groundwater flow information
EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit
Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
Telephone: 800-672-5559
SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)
This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

New York Public Water Wells
Source: New York Department of Health
Telephone: 518-458-6731

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Database
Department of Environmental Conservation
Telephone: 518-402-8072
These files contain records, in the database, of wells that have been drilled.

RADON

State Database: NY Radon
Source: Department of Health
Telephone: 518-402-7556
Radon Test Results

Area Radon Information
Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones
Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

City Directories

538-540 West 29th Street
538-540 West 29th Street
New York, NY 10001

Inquiry Number: 5233497.5
March 26, 2018

The EDR-City Directory Abstract

Environmental Data Resources Inc

6 Armstrong Road
Shelton, CT 06484
800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2017 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1920 through 2014. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 200 feet of the target property.

A summary of the information obtained is provided in the text of this report.

RECORD SOURCES

EDR's Digital Archive combines historical directory listings from sources such as Cole Information and Dun & Bradstreet. These standard sources of property information complement and enhance each other to provide a more comprehensive report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.

Data by infoUSA®

Copyright©2008
All Rights Reserved

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

Year	Source	TP	Adjoining	Text Abstract	Source Image
2014	EDR Digital Archive	-	X	X	-
	EDR Digital Archive	X	X	X	-
2010	EDR Digital Archive	-	X	X	-
	EDR Digital Archive	X	X	X	-
2006	Hill-Donnelly Information Services	-	X	X	-
	Hill-Donnelly Information Services	X	X	X	-
2000	Cole Information Services	-	X	X	-
	Cole Information Services	X	X	X	-
1998	NYNEX Telephone	-	X	X	-
	NYNEX Telephone	X	X	X	-
1996	NYNEX	-	-	-	-
1993	NYNEX Telephone	-	X	X	-

EXECUTIVE SUMMARY

Year	Source	TP	Adjoining	Text Abstract	Source Image
1993	NYNEX Telephone	X	X	X	-
1988	NYNEX Telephone	-	X	X	-
	NYNEX Telephone	X	X	X	-
1983	New York Telephone	-	X	X	-
	New York Telephone	X	X	X	-
1978	New York Telephone	-	X	X	-
	New York Telephone	X	X	X	-
1973	New York Telephone	-	X	X	-
	New York Telephone	X	X	X	-
1968	New York Telephone	-	X	X	-
	New York Telephone	X	X	X	-
1963	New York Telephone	-	X	X	-
	New York Telephone	X	X	X	-
1958	New York Telephone	-	X	X	-
	New York Telephone	X	X	X	-
1956	New York Telephone	-	X	X	-
	New York Telephone	X	X	X	-
1950	New York Telephone	-	X	X	-
	New York Telephone	X	X	X	-
1947	New York Telephone	-	X	X	-
	New York Telephone	X	X	X	-
1942	New York Telephone	-	X	X	-
	New York Telephone	X	X	X	-
1938	New York Telephone	-	X	X	-
	New York Telephone	X	X	X	-
1934	R. L. Polk & Co.	-	X	X	-
	R. L. Polk & Co.	X	X	X	-
1931	Manhattan and Bronx Directory Publishing Company Residential Directory	-	-	-	-
1927	New York Telephone	-	X	X	-
	New York Telephone	X	X	X	-
1923	R. L. Polk & Co.	-	X	X	-
	R. L. Polk & Co.	X	X	X	-
1920	R. L. Polk & Co.	-	X	X	-
	R. L. Polk & Co.	X	X	X	-

EXECUTIVE SUMMARY

SELECTED ADDRESSES

The following addresses were selected by the client, for EDR to research. An "X" indicates where information was identified.

Address	*Type*	*Findings*
540 West 29th Street	Client Entered	X

FINDINGS

TARGET PROPERTY INFORMATION

ADDRESS

538-540 West 29th Street
New York, NY 10001

FINDINGS DETAIL

Target Property research detail.

W 29 ST

538 W 29 ST

Year	*Uses*	*Source*
1998	ALBAN SERVICE INDUSTRIES INC	NYNEX Telephone
	ELITE INVESTIGATIONS	NYNEX Telephone
	ELITE INVESTIGATIONS LTD	NYNEX Telephone
1993	704 ASSOCIATES	NYNEX Telephone
	ESSENTIAL BUSSINESS SVCES	NYNEX Telephone
	HARPER ASSOC INC	NYNEX Telephone
	JONATHAN WHITE & ASSOC	NYNEX Telephone
1988	FLORAL GALLERY	NYNEX Telephone
	SHER ALVIN	NYNEX Telephone
1983	ANDERSON IAN	New York Telephone
1973	HERCULES RACK CO INC	New York Telephone
	HERCULES STEEL PRODS	New York Telephone
1968	HERCULES STEEL PRODS	New York Telephone
	HULES RACK CO INC	New York Telephone
1963	HERCULES RACK CO INC	New York Telephone
	HERCULES STEEL PRODS	New York Telephone
	LEVINE & SOLOMON PARTITIONS & RACKS	New York Telephone
	SOLOMON & LEVINE RACKS & PARTITIONS	New York Telephone
1958	HERCULES RACK CO INC	New York Telephone
	LEVINE & SOLOMON PARTITIONS & RACKS	New York Telephone
	SOLOMON & LEVINE RACKS & PARTITIONS	New York Telephone
1956	HERCULES RACK CO INC	New York Telephone
	LEVINE & SOLOMON PARTITIONS & RACKS	New York Telephone

FINDINGS

Year	Uses	Source
1956	SOLOMON & LEVINE RACKS & PARTITIONS	New York Telephone
1950	HERCULES RACK CO INC	New York Telephone
	LEVINE & SOLOMON PARTITIONS & RACKS	New York Telephone
	SOLOMON & LEVINE RACLS & PARTITIONS	New York Telephone
1942	WEIDHAAS STUDIOS	New York Telephone
1938	WEIDHAAS G A TH PROPS	New York Telephone
1927	DALY CHAS M	New York Telephone
	SIEDLE STUDIOS	New York Telephone
	WEIDHAAS G A TH PROPS	New York Telephone

540 W 29 ST

Year	Uses	Source
1998	STARR AUTO REPAIR SHOP	NYNEX Telephone
1993	BOWES DAVID	NYNEX Telephone
	STARR AUTO REPAIR SHOP	NYNEX Telephone
1988	BOWES DAVID	NYNEX Telephone
	K & M RANCH INC	NYNEX Telephone
1983	BATTLE JOHN X	New York Telephone
	DUDTS L	New York Telephone
	SHOOTER TOM	New York Telephone
	SUNRISE & STARS CORP	New York Telephone
1978	LABOR PUBLICATIONS	New York Telephone
1973	VERDERAME CONSTR CO INC	New York Telephone
1968	CONSTANT & THNOR INC DISOLYS	New York Telephone
1963	CONSTANT & THOR INC DISPLYS	New York Telephone
1958	CONSTANT & THOR INC DISPLYS	New York Telephone
1950	GLENWOOD CONTAINER CO INC CARTONS	New York Telephone
1947	GLENWOOD CONTAINER CO CARTNS	New York Telephone
	NORTHERN PAPR & TWINE CO INC	New York Telephone
1942	ALPINE AUTO REPR & MACH SHOP	New York Telephone
	MICHIELINI FRANK REPRS	New York Telephone
1938	ALPINE AUTO REPR & MACH SHOP	New York Telephone
	EXCELSIOR ART IRON WKS	New York Telephone
	MICHIELINI FRANK REPRS	New York Telephone
1927	ALPINE AUTOMOBILE REPAIR & MACH SHOP	New York Telephone
	EXCELSIOR ART IRON WKS	New York Telephone

FINDINGS

W 29TH

538 W 29TH

Year	Uses	Source
1934	Weidhass Gustav A Bertha theatrical supplies	R. L. Polk & Co.
1927	Daly Chas M	New York Telephone
	Siedle Studios	New York Telephone
	Weidhaas G A th props	New York Telephone
1923	Siedle Studios NY Edw Siedls pres Chas M Daly sec Gustave A Weidhass treas theatrical properties	R. L. Polk & Co.
	Weidhaas Gustav A treas Siedle Studios	R. L. Polk & Co.
1920	Siedle Studios N Y Edw Siedle pres Gustav A Weldhaas treas Chas M Daly sec theatrical properties	R. L. Polk & Co.

540 W 29TH

Year	Uses	Source
1934	Alpine Automobile Repair & Machine Shop Victor Angatl Frank Michelino	R. L. Polk & Co.
	Excelsior Art Iron Works RTN Faust Farinaccio Guiseppe Santensanis and Pasqale Lo Basso	R. L. Polk & Co.
1927	Alpine Automobile Repair & Mach Shop	New York Telephone
	Excelsior Art Iron Wks	New York Telephone
1923	Fowler Brunjes Co Inc NY Jos D Fowler pres Douglas E Fowler sec woodwkrs	R. L. Polk & Co.
	Jester & Brennan Inc NY Martin J Brennan pres Jno E Jester treas leather	R. L. Polk & Co.
1920	Fowler Brunjes Co Inc NY Jos D Fowler pres LeBar n E Fowler sec treas cabtmkrs	R. L. Polk & Co.
	Jester & Brennan Edw Jester Martin J Brennan slippers	R. L. Polk & Co.
	Jester Edw Jester & Brennan	R. L. Polk & Co.
	Stern S G signs	R. L. Polk & Co.
	Sterne S G & Co Inc NY Saml G Sterne pres Simeon Jacobs treas Danl J Kelly sec signs	R. L. Polk & Co.
	Watts Wm carp	R. L. Polk & Co.

W 29TH R MONTCLAIR NJ

538 W 29TH R MONTCLAIR NJ

Year	Uses	Source
1934	Oden Walter W coml artist	R. L. Polk & Co.

FINDINGS

W 29th St

538 W 29th St

Year	Uses	Source
2014	ELITE 29 FL REALTY LLC	EDR Digital Archive
	ELITE 29 REALTY LLC	EDR Digital Archive
	ELITE INVESTIGATIONS LTD	EDR Digital Archive
	GATEWAY PROTECTIVE SVCS INC	EDR Digital Archive
	INTERNATIONAL COUNTER TERRORIS	EDR Digital Archive
	JMS INVESTIGATIONS LTD	EDR Digital Archive
2010	ELITE 29 REALTY LLC	EDR Digital Archive
	ELITE INVESTIGATIONS LTD	EDR Digital Archive
	JMS INVESTIGATIONS LTD	EDR Digital Archive
	SKYLIGHT GALLERY LLC	EDR Digital Archive

W 29TH ST

538 W 29TH ST

Year	Uses	Source
2006	Elite Investigations LTD	Hill-Donnelly Information Services
	International Counter Trrsm	Hill-Donnelly Information Services
2000	ELITE INVSTGTNS	Cole Information Services
	SCRTY-CNTRMSRS	Cole Information Services
1983	Anderson Ian	New York Telephone

W 29th St

540 W 29th St

Year	Uses	Source
2014	CASUAL THOUGHT CORP	EDR Digital Archive
	CUETO PROJECT	EDR Digital Archive
	G & M FAST FREIGHT INC	EDR Digital Archive
	MARTOS GALLERY LLC	EDR Digital Archive
	PIPIRI NEW YORK ST BARTH INC	EDR Digital Archive
2010	CASUAL THOUGHT CORP	EDR Digital Archive
	G & M FAST FREIGHT INC	EDR Digital Archive
	MARTOS GALLERY LLC	EDR Digital Archive
	PIPIRI NEW YORK ST BARTH INC	EDR Digital Archive
	SAPIR INC	EDR Digital Archive

FINDINGS

W 29TH ST

540 W 29TH ST

Year	*Uses*	*Source*
2006	Alona Kagan Gallery	Hill-Donnelly Information Services
	Braunfield Auto Towing 24 Hour	Hill-Donnelly Information Services
	G & M Fast Freight	Hill-Donnelly Information Services
	h Kursh S A	Hill-Donnelly Information Services
	Kursh S	Hill-Donnelly Information Services
	Multi Unit Address	Hill-Donnelly Information Services
	Number 2 Flowers 298 LTD 1 R	Hill-Donnelly Information Services
	Raquel Corvino Flowers	Hill-Donnelly Information Services
	Sapir Ira	Hill-Donnelly Information Services
2000	IRA SAPIR	Cole Information Services
	S KURSH	Cole Information Services
	STARR AUTO RPR SHP	Cole Information Services
1983	Battle John X	New York Telephone
	Dudts L	New York Telephone
	Shooter Tom	New York Telephone
	Sunrise & Stars Corp	New York Telephone

West 29th Street

540 West 29th Street

Year	*Uses*	*Source*
2006	Alona Kagan Gallery	Hill-Donnelly Information Services
	Braunfield Auto Towing 24 Hour	Hill-Donnelly Information Services
	G & M Fast Freight	Hill-Donnelly Information Services
	h Kursh S A	Hill-Donnelly Information Services
	Kursh S	Hill-Donnelly Information Services
	Multi Unit Address	Hill-Donnelly Information Services
	Number 2 Flowers 298 LTD 1 R	Hill-Donnelly Information Services
	Raquel Corvino Flowers	Hill-Donnelly Information Services
	Sapir Ira	Hill-Donnelly Information Services
2000	IRA SAPIR	Cole Information Services
	S KURSH	Cole Information Services
	STARR AUTO RPR SHP	Cole Information Services
1983	Battle John X	New York Telephone
	Dudts L	New York Telephone
	Shooter Tom	New York Telephone

FINDINGS

Year	Uses	Source
1983	Sunrise & Stars Corp	New York Telephone
1934	Alpine Automobile Repair & Machine Shop Victor Angatl Frank Michelino	R. L. Polk & Co.
	Excelsior Art Iron Works RTN Faust Farinaccio Guiseppe Santensanis and Pasqale Lo Basso	R. L. Polk & Co.
1927	Alpine Automobile Repair & Mach Shop	New York Telephone
	Excelsior Art Iron Wks	New York Telephone
1923	Fowler Brunjes Co Inc NY Jos D Fowler pres Douglas E Fowler sec woodwkrs	R. L. Polk & Co.
	Jester & Brennan Inc NY Martin J Brennan pres Jno E Jester treas leather	R. L. Polk & Co.
1920	Fowler Brunjes Co Inc NY Jos D Fowler pres LeBar n E Fowler sec treas cabtmkrs	R. L. Polk & Co.
	Jester & Brennan Edw Jester Martin J Brennan slippers	R. L. Polk & Co.
	Jester Edw Jester & Brennan	R. L. Polk & Co.
	Stern S G signs	R. L. Polk & Co.
	Sterne S G & Co Inc NY Saml G Sterne pres Simeon Jacobs treas Danl J Kelly sec signs	R. L. Polk & Co.
	Watts Wm carp	R. L. Polk & Co.

FINDINGS

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

29TH

518 29TH

Year	Uses	Source
1927	Nonpareil Skylight Co	New York Telephone

W 28th St

535 W 28th St

Year	Uses	Source
2010	FORTUNE INTERIOR	EDR Digital Archive
	FORTUNE INTERIOR	EDR Digital Archive

540 W 28th St

Year	Uses	Source
2014	MU-AAT LLC	EDR Digital Archive
	EMERGING GROWTH LANDSCAPES	EDR Digital Archive
	LANNIE & YOU CORP	EDR Digital Archive
	INDIE EATS LLC	EDR Digital Archive
	EKSTR M	EDR Digital Archive
	JOSHUA LINER GALLERY LLC	EDR Digital Archive
	ISIEGFRIED LLC	EDR Digital Archive
	BROWN STUDIOS LLC	EDR Digital Archive
	MU-AAT LLC	EDR Digital Archive
	EMERGING GROWTH LANDSCAPES	EDR Digital Archive
	LANNIE & YOU CORP	EDR Digital Archive
	INDIE EATS LLC	EDR Digital Archive
	EKSTR M	EDR Digital Archive
	JOSHUA LINER GALLERY LLC	EDR Digital Archive
	ISIEGFRIED LLC	EDR Digital Archive
	BROWN STUDIOS LLC	EDR Digital Archive
2010	CHATSWORTHS BUILDERS LLC	EDR Digital Archive
	CHATSWORTHS BUILDERS LLC	EDR Digital Archive

FINDINGS

W 29 LONGC 5

527 W 29 LONGC 5

Year	Uses	Source
1950	FILIBERTO F & SONS	New York Telephone

W 29 MANH

550 W 29 MANH

Year	Uses	Source
1993	CREATIVE ELECTRONICS INC	NYNEX Telephone

W 29 MANHATTAN TOLL FREE-DIAL 1 & THEN ST

546 W 29 MANHATTAN TOLL FREE-DIAL 1 & THEN ST

Year	Uses	Source
1998	WIHAV TAX REPAIR	NYNEX Telephone
	WIHAV TAXI REPAIR	NYNEX Telephone

W 29 ST

515 W 29 ST

Year	Uses	Source
1998	ANASTASIO MICHAEL	NYNEX Telephone
	BICINI STEFANO	NYNEX Telephone
	COURIER NETWORK INC	NYNEX Telephone
	COURIER NETWORK INC	NYNEX Telephone
	COURIER NETWORK INC MANHATTAN MANHATTAN	NYNEX Telephone
	COURIER NETWORK INC	NYNEX Telephone
	DOMINICI SHELTON	NYNEX Telephone
	E C R ANTIQUE CONSRVTN	NYNEX Telephone
	HOSEA JOHNSON PHOTOGRAPHY 643-2816	NYNEX Telephone
	INTERNATIONAL COURIER SYSTEMS	NYNEX Telephone
	ISRAPAK COURIER	NYNEX Telephone
	MITCHELL ASSOCIATES	NYNEX Telephone
	NO STANDING ANYTIME II	NYNEX Telephone
	RIOS E C	NYNEX Telephone
	SEROR CHRISTINE	NYNEX Telephone
	TAR PRODUCTION	NYNEX Telephone

FINDINGS

Year	Uses	Source
1998	COURIER NETWORK INC MANHATTAN MANHATTAN	NYNEX Telephone
1993	CROW CONSTRUCTION CORP	NYNEX Telephone
	E C R ANTIQUE CONSRVTN	NYNEX Telephone
	PANTHER MACHINE CORP	NYNEX Telephone
	REX SPREADING MACHINE CORP	NYNEX Telephone
	RIOS EC	NYNEX Telephone
	SEIFERT VERLAAN INC	NYNEX Telephone
	TAR PRODUCTION	NYNEX Telephone
	TISHMAN CONSTRUCTION CORP	NYNEX Telephone
1988	PANTHER MACHINE CORP	NYNEX Telephone
	REX SPREADING MACHINE CORP	NYNEX Telephone
	SPREADING MACHINE EXCH INC	NYNEX Telephone
1983	PANTHER MACHINE CORP	New York Telephone
	REX SPREADING MACHINE CORP	New York Telephone
	SPREAING MACHINE EXCH INC	New York Telephone
1978	PANTHER MACHINE CORP	New York Telephone
	REX SPREADING MACHINE CORP	New York Telephone
	SPREADING MACHINE EXCH INC	New York Telephone
1973	CHEMDRUG CO THE	New York Telephone
1968	CHEMDYE FACTORY	New York Telephone
	W K C TRADG CORP	New York Telephone
1963	BASKER IMPORTERS INC	New York Telephone
	CHEMRUG CO THE	New York Telephone
	MESSNER JULIAN INC PUBRS	New York Telephone
1958	ASCH SYLVAN L BSKTS	New York Telephone
	BASKET IMPORTERS INC	New York Telephone
	MAIL ASMBLY SVCE INC	New York Telephone
	MESSNER JULIAN INC PUBRS	New York Telephone
	WINCHESTER TEXTILES INC	New York Telephone
1956	H & H CORDUROY CUTTING CO	New York Telephone
	LIGHT MFG CO INC	New York Telephone
	MESSNER JULIAN INC PUBRS	New York Telephone
1950	ENRIGHT LECARBOULEC INC GLASWN	New York Telephone
	K G WELDING & CUTTING CO INC	New York Telephone
	KEARNY PHILIP B	New York Telephone
	PARAGON PLASTIC CORP	New York Telephone
1947	ENRIGHT-LE CARBOULEC INC GLASWR	New York Telephone

FINDINGS

Year	Uses	Source
1947	K-G WELDING & CUTTING CO LNC	New York Telephone
	KEARNY PHILIP B	New York Telephone
	PARAGON PLASTIC CORP	New York Telephone
1942	DARMANIN JOHN M B	New York Telephone
	ELECTRONIC TRANSFORMER CO	New York Telephone
	K-G WELDING & CUTTING CO INC	New York Telephone
	KEARNY PHILIP B	New York Telephone
1938	HERSHKOWITZ LOUIS LMBR	New York Telephone
	K-G WELDING & CUTTING CO INC	New York Telephone
	KEARNY PHILIP B	New York Telephone
	ROSEWOOD LUMBR & PLYWOOD CO	New York Telephone
	HERSH ALBERT LUMBR	New York Telephone
1927	HUGHES C G	New York Telephone
	HUGHES LINEN SUPPLY INC	New York Telephone
	KERNEY PHILIP	New York Telephone
	PERAZIO VALENTINCE S	New York Telephone
	U S BRAZING CORP	New York Telephone
	U S E M CO ELEC SPECLTS	New York Telephone
	USEM CO ELEC SPECLTS	New York Telephone

516 W 29 ST

Year	Uses	Source
1978	P VIGNLERI BEVRGS	New York Telephone
1973	COMPASS CARRIERS CORP	New York Telephone
	SARDO MOTOR TRANSPORTATION CORP	New York Telephone
1968	COMPASS CARRIERS CORP	New York Telephone
	COMPASS CARRIERS CORP	New York Telephone
1963	COMPASS CARRIERS CORP	New York Telephone
1958	COMPASS CARRIERS CORP	New York Telephone
1956	COMPASS CARRIERS CORP	New York Telephone
1950	GENBRO FORWARDING CO INC	New York Telephone
1947	DE LUXE BAR & RESTRNT EQUIP CO	New York Telephone
1942	PLATI JOHN WASTE PAPR	New York Telephone
1938	ACADEMY TOWING SVCE	New York Telephone
	ACADEMY WELDING WKS	New York Telephone
	RAFFERTY FRANK AUTO REPRS	New York Telephone
	RAFFERTY MOTOR REPR SHOP	New York Telephone
1927	HAIN JOHN M WAGON BLDR	New York Telephone

FINDINGS

517 W 29 ST

Year	Uses	Source
1998	TUCK IT AWAY	NYNEX Telephone
1988	MOEL JEWELRY DISPLAYS INC	NYNEX Telephone
	MOR-PAK	NYNEX Telephone
	GOLDBERG FREDERICK ARCHTS	NYNEX Telephone
	CHELSEA SANITATION SVCE INC	NYNEX Telephone
1983	MORSLY INC	New York Telephone
	MORSLY INC	New York Telephone
1978	MORSLY INC	New York Telephone
1973	EXPANDO CORP	New York Telephone
	MORSLY HANDKERCHIER B	New York Telephone
	NATKO PAUL TEXTLS	New York Telephone
	TERRYTEX CORP TEXTLS	New York Telephone
1963	KORVETTE E J INC	New York Telephone
1938	ROGERS CHAS P & CO BEDNG-	New York Telephone
1927	ROGERS CHAS P & CO BEDS	New York Telephone

518 W 29 ST

Year	Uses	Source
1998	DOMS MARKET	NYNEX Telephone
1983	SARDO MOTOR TRANSPORTATION CORP	New York Telephone
	J J J LEASING CORP	New York Telephone
	FIFTY STATES RECEIVING TERMNL	New York Telephone
	A N R TRUCKG CO INC	New York Telephone
1978	SARDO MOTOR TRANSPORTATION CORP	New York Telephone
	JJJ LEASING CORP	New York Telephone
	FIFTY STATES RECEIVING TERMNL	New York Telephone
	A N R TRUCKG COLNC	New York Telephone
1973	ANR TIUCKG COINC	New York Telephone
	JJJ LEASING CORP	New York Telephone
1968	A N R TRUCKG CO INE	New York Telephone
	FIFTY STATES RECEIVING TERMNL	New York Telephone
	FIFTY STATES RECEIVING TERMNL	New York Telephone
1963	ANR TRUCKG CO	New York Telephone
	FIFTY STATES RECEIVING TERMNSN	New York Telephone
	VACCARO FRANK RECEIVING TERMNL INC	New York Telephone
1958	ROBERTS EXPRESS INC	New York Telephone

Year	Uses	Source
1958	ROBERTS EXPRESS INC	New York Telephone
1956	ROBERTS EXPRESS INC	New York Telephone
	ROBERTS EXPRESS INC	New York Telephone
1950	ROBERTS EXPRESS INC	New York Telephone
	ROBERTS EXPRESS INC	New York Telephone
1947	ROBERTS EXPRESS INC	New York Telephone
	ROBERTS EXPRESS INC	New York Telephone
1942	ROBERTS EXPRESS INC	New York Telephone
1927	HARRINGTON WENTWORTH L	New York Telephone
	NEW CONSTRUCTION CO	New York Telephone
	NEW T CONSTRUCTION CO	New York Telephone

519 W 29 ST

Year	Uses	Source
1958	MARK SAM FURN RMS	New York Telephone

520 W 29 ST

Year	Uses	Source
1927	HARRINGTON LEWIS W	New York Telephone

521 W 29 ST

Year	Uses	Source
1958	GREEK DAILY ATLANTLS	New York Telephone

522 W 29 ST

Year	Uses	Source
1998	CORSENTINO DESIGNS	NYNEX Telephone
	LA IDEAL MARKET INC	NYNEX Telephone
1993	CORSENTINO DESIGNS	NYNEX Telephone
	LA IDEAL MARKET INC	NYNEX Telephone
1983	MICHAELS BLACKSMITH & IRONWORKS	New York Telephone
	80 S RECORDING & VIDEO INC	New York Telephone
1978	MICHAELS BLACKSMITH & IRONWORKS	New York Telephone
1973	MICHAELS BLACKSMITH & IRONWORKS	New York Telephone
1968	MICHAELS BLACKSMITH & IRONWORKS	New York Telephone
	MILLER ARCHIBALD M	New York Telephone
1958	AGENCY TILE SUPL COFP OF NEW YORK	New York Telephone

FINDINGS

Year	Uses	Source
1956	BARKER H L & CO INC	New York Telephone
1950	BARKER H L & CO INC	New York Telephone
1947	BARKER H L & CO	New York Telephone
1942	BOWMAN DAIRY CO	New York Telephone
	BARKER H L INC	New York Telephone
1938	SEELIG CREAMERY CORP	New York Telephone
	SEELIG G A F INC MILK & CREAM	New York Telephone

524 W 29 ST

Year	Uses	Source
1988	HOHNES PROTCTN	NYNEX Telephone
	HOLMES PROTECTION INC	NYNEX Telephone
1983	HOMLES PROECTION INC	New York Telephone
1978	ALS AUTO EXPRSS CORP	New York Telephone
	BERNIES EXPRESS INC	New York Telephone
	LI TRUCK & PCKGE SECE	New York Telephone
	SUMMIT TRANSPORTATION INC	New York Telephone
1973	LI TRUCK & PCKGE SVCE	New York Telephone
	AL S AUTO EXPRSS CORP	New York Telephone
1968	ALS AUTO EXPRSS C0P	New York Telephone
	LI TRUCKG & PCKGE SVCE	New York Telephone
1963	AL S AUTO EXPRSS CORP	New York Telephone
	LI TRUCKG & PCKGE SVCE	New York Telephone
1958	SEELIG CREAMERY CORP	New York Telephone
	SEELIG G A F INC MLKCRM	New York Telephone
1956	SEELIG CREAMERY CORP	New York Telephone
	SEELIG G A F INC MLK CRM	New York Telephone
1950	SEELIG CREAMERY CORP	New York Telephone
	SEELIG G A F INC MLK CRM	New York Telephone
1947	SEELIG CREAMERY CORP	New York Telephone
	SEELIG G A F INC MILK CRM	New York Telephone
1942	SEELIG CREAMERY CORP	New York Telephone
	SEELIG G A F INC MILK &CRM	New York Telephone
1938	CLEARY D	New York Telephone
1927	KELLY M & SONS TRUCKG	New York Telephone

525 W 29 ST

Year	Uses	Source
1998	TRAVESTIES ENTERTAINMENT INC	NYNEX Telephone

FINDINGS

Year	Uses	Source
1998	TRAVESTIES ENTERTAINMENT INC	NYNEX Telephone
1993	STUDIO WORKSHOP	NYNEX Telephone
1988	RAIMUNDO LEMUS DESIGN LTD CABNT MAKER	NYNEX Telephone
1983	BORDIGA J CABINET MKR	New York Telephone
1978	BORDIGA J CABINET MKR	New York Telephone
1973	BORDIGA J CABINET MKR	New York Telephone
1968	BORDIQA J CABINET MKR	New York Telephone
1963	BORDIGA J CABINET MKR	New York Telephone
1958	BORDIGA J CABINET MKR	New York Telephone
1956	BORDIGA J CABINET MKR	New York Telephone
1950	BORDIGA J CABINET MKR	New York Telephone
1947	BORDIGA J CABINET MKR	New York Telephone
1942	BORDIGA J CABINET MKR	New York Telephone
1938	BORDIGA J CABINET MKR	New York Telephone

526 W 29 ST

Year	Uses	Source
1927	MEYER E GARAGE	New York Telephone

527 W 29 ST

Year	Uses	Source
1998	GALLAGHER ART INC	NYNEX Telephone
	PIONEER CARTING RECYCLING CORP	NYNEX Telephone
1993	FLO-EB REALTY CORP	NYNEX Telephone
	PIONEER CARTING RECYCLING CORP	NYNEX Telephone
1988	PIONEER CARTING CORP	NYNEX Telephone
	FORDHAM K	NYNEX Telephone
	FLO-EB REALTY CORP	NYNEX Telephone
	DALESSANDRO R	NYNEX Telephone
	BIEDERMAN JAMES	NYNEX Telephone
	BERGER D	NYNEX Telephone
1983	FLOEB REALTY CORP	New York Telephone
1973	KEYSTONE WASTE PAPR CO	New York Telephone
1968	KEYSTONE WASTE PAOR CO	New York Telephone
1963	COLAIANNO MICHL B	New York Telephone
	KEYSTONE WASTE PAPR CO	New York Telephone
1958	FILIBERTO BROS WASTE PAPR	New York Telephone
	GROVE WASTE PARR PACKERS CORP	New York Telephone

FINDINGS

Year	Uses	Source
1956	FILIBERTO BROS WASTE PAPR	New York Telephone
	GROVE WASTE PAPR PACKERS CORP	New York Telephone
1950	AMBERS CARTING CO	New York Telephone
	FILIBERTO BROS TRUCKING CO	New York Telephone
	KEYSTONE BROKERAGE CORP	New York Telephone
	RIBELLINO BROS WASTEPAPR	New York Telephone
1947	KEYSTONE BROKERAGE CORP	New York Telephone
	FILLBERTO F & CO	New York Telephone
	FILLBERTO BROS TRUCKING CO	New York Telephone
	EAGLE WASTE MATERIALS CO	New York Telephone
1942	FILIBERTO F &CO	New York Telephone
1938	FILIBERTO F & CO	New York Telephone

529 W 29 ST

Year	Uses	Source
1927	PEARSON LILLIAN MRS R	New York Telephone

531 W 29 ST

Year	Uses	Source
1927	CLEARY BROS TRUCKING	New York Telephone

534 W 29 ST

Year	Uses	Source
1983	CABRERA JUAN	New York Telephone
1973	P & K TRANSPTN CO INC	New York Telephone
1968	P & K TRANSTTE CO INC	New York Telephone
1963	P & K TRANSPTN CO INC	New York Telephone
1958	P & K TRANSPTN CO INC	New York Telephone
1956	P & K TRANSPTN CO INC	New York Telephone
1950	P & K TRANSPTN CO INC	New York Telephone
	P & K TRANSPTN CO INC	New York Telephone
1947	P & K TRANSPTML CO INC	New York Telephone
1942	P & K TRANSPTN CO INC	New York Telephone
1938	O BRIEN P L	New York Telephone
1927	SCHAFER S J TRUCKING	New York Telephone
	O BRIEN P L R	New York Telephone

FINDINGS

535 W 29 ST

Year	Uses	Source
1942	MC CULLOUGH WM TRANSPTN CO INC	New York Telephone
1927	BAKER WM R	New York Telephone

536 W 29 ST

Year	Uses	Source
1998	SPECTRUM ASSOCS INC	NYNEX Telephone
	WORLD VIDEO TRAVEL GUIDE	NYNEX Telephone
1993	SPECTRUM ASSOCS INC	NYNEX Telephone
	WORLD VIDEO TRAVEL GUIDE	NYNEX Telephone
1988	SPECTRUM ASSOCS INC	NYNEX Telephone
	WORLD VIDEO TRAVEL GUIDE	NYNEX Telephone
1983	SPECTRUM ASSOCS INC	New York Telephone
1978	CORMAN BERT PHTOGHR	New York Telephone
	SPECTRUM ASSOCS INC	New York Telephone
1973	CORMAN BERT PHTOGHR	New York Telephone
	SPECTRUM ASSOCS INC	New York Telephone
	STUDIO INC	New York Telephone
1968	CORMAN BERT PHTOGPHR	New York Telephone
	CORMAN BERT PHTOGPHR	New York Telephone
	CORMAN BERT PHTOGPHR	New York Telephone
	SPECTRUM ASSOCS INC	New York Telephone
	STUDIO INC	New York Telephone
1963	BOOKBINDER LESTER PHTOGPHR	New York Telephone
1958	DUNKEL E B STUDIOS	New York Telephone
	DUNKEL GEO B	New York Telephone
1956	DUNKEL E B STUDIOS	New York Telephone
	DUNKEL GEO B	New York Telephone
	STAGECRAFT SUPL CO	New York Telephone
	SUPREME SCENERY STUDIOS	New York Telephone
1950	DUNKEL EUGENE B STUDIOS	New York Telephone
	STAGECRAFT SUPL CO	New York Telephone
	SUPREME SCENERY STUDIOS	New York Telephone
1947	DUNKEL EUGENE B STUDIOS	New York Telephone
	SUPREME SCENERY STUDIOS	New York Telephone
1942	DUNKEL EUGENE B STUDIOS	New York Telephone
	SUPREME SCENERY STUDIOS	New York Telephone
1938	CIRKER & ROBBINS SCENIC STUDIO	New York Telephone

FINDINGS

Year	Uses	Source
1927	CIRKER & ROBBINS SCENIC STUDIO	New York Telephone

537 W 29 ST

Year	Uses	Source
1927	BONANZINGA JOHN R	New York Telephone

541 W 29 ST

Year	Uses	Source
1998	MANHATTAN MINI STORAGE	NYNEX Telephone
	MANHATTAN MINI STORAGE	NYNEX Telephone
	MANHATTAN MINI STORAGE	NYNEX Telephone
1988	ROBINSON STANLEY	NYNEX Telephone
	MANHATTAN MINI STORAGE	NYNEX Telephone
1983	STANDARD HAULING CO INC	New York Telephone
1978	STANDARD HAULING CO INC	New York Telephone
1973	STANDARD HAULING COINC	New York Telephone
1968	STANDARD HAULING CO INC	New York Telephone

542 W 29 ST

Year	Uses	Source
1998	GOTHAM SEAFOOD CORP	NYNEX Telephone
1993	SANDER WM CO INC AUTO PTS	NYNEX Telephone
1988	SANDER WMCO INC AUTOPTS	NYNEX Telephone
1978	ALPINE AUTO REPRA MACH SHOP	New York Telephone
1973	ALPINE AUTO REPR & MARH SHOP	New York Telephone
	MICHIELINI FRANK REPRS	New York Telephone
1968	ALPINE AUTO REPR & MACH SHOP	New York Telephone
1963	ALPINE AUTO REPR & MACH SHOP	New York Telephone
	MICHIELINI FRANK REPRS	New York Telephone
1958	ALPINE AUTO REPR & MACH SHOP	New York Telephone
	MICHIELINI FRANK REPRS	New York Telephone
1956	ALPINE AUTO REPR & MACH SHOP	New York Telephone
	MICHIELINI FRANK REPRS	New York Telephone
1950	ALPINE AUTO REPR & MACH SHOP	New York Telephone
	MICHIELINI FRANK REPRS	New York Telephone
1947	ALPINE AUTO REPR & MACH SHOP	New York Telephone
	MICHIELINI FRANK REPRS	New York Telephone

FINDINGS

544 W 29 ST

Year	Uses	Source
1988	AUDIO CAR	NYNEX Telephone

546 W 29 ST

Year	Uses	Source
1998	EL HAV TAXI REPAIR INC	NYNEX Telephone
1993	MIDTOWN TAXIMETER SALES & SVCE	NYNEX Telephone
	MIDTOWN TAXIMETER SALES & SVCE	NYNEX Telephone
1988	MIDTOWN TAXIMETER SALES & SVCE	NYNEX Telephone
	MIDTOWN TAXIMETER SALES & SVCE	NYNEX Telephone
1983	VIKING TAXI SATES & SVCE INC	New York Telephone
1973	RUBIN A & SONS CORP	New York Telephone
1968	RUBIN A & SONS CORP	New York Telephone
1963	FORTUNATO SAML TRUKMN	New York Telephone
1958	STEVENS & NORMAND INC COPRSMTLES	New York Telephone
1956	STEVENS & NORMAND INC COPRSMTHS	New York Telephone
1950	STEVENS & NORMAND INC COPRSMTHS	New York Telephone
1947	STEVENS & NORMAND INC COPRSMTHS	New York Telephone
1942	YOUNG WM TRASSPTN INC	New York Telephone
1938	SLAVKOVSKY MARTIN WAGONS	New York Telephone

548 W 29 ST

Year	Uses	Source
1998	AVI AUTO REPAIR	NYNEX Telephone
1993	AVI AUTO REPAIR	NYNEX Telephone
1988	I & M AUTO REPAIR SHOP INC	NYNEX Telephone
1983	I & M AUTO REPAIR SHOP INC	New York Telephone
1958	ARBOUR TRANSPTN SVCE	New York Telephone
1956	ARBOUR TRANSPTN SVCE	New York Telephone
1950	ARBOUR TRANSPTN SVCE	New York Telephone
1942	SCHLUENSEN JULIA RESTRNT	New York Telephone
1938	SCHLUENSEN JULIA RESTRNT	New York Telephone
1927	NEHR MATHILDA MISS R	New York Telephone
	SCHOENFELDER E MRS R	New York Telephone

FINDINGS

549 W 29 ST

Year	Uses	Source
1988	MULHOLLAND JOHN	NYNEX Telephone
	EDISON PARKING CORP	NYNEX Telephone
	HAMILTON C C & CO INC	NYNEX Telephone
	HAMILTON C C & CO INC	NYNEX Telephone
	HAMILTON C C & CO INC	NYNEX Telephone
	HAMILTON C C & CO INC	NYNEX Telephone
1983	HAMILTON C C & CO INC	New York Telephone
	HAMILTON C C & CO INC	New York Telephone
1978	HAMILTON C C & CO INC	New York Telephone
	HAMILTON C C & CO INC	New York Telephone
1973	HAMILT0N C C & CO INC	New York Telephone
	HAMILT0N C C & CO INC	New York Telephone
1968	HAMILT0N C C & CO INC	New York Telephone
	HAMILT0N C C & CO INC	New York Telephone
	ROSS ALEX CONTR	New York Telephone
1950	SLOANE W & J	New York Telephone
1947	SLOANE W & J	New York Telephone
1942	SLOANE W & J	New York Telephone
1938	SLOANE W & J	New York Telephone

550 W 29 ST

Year	Uses	Source
1998	J &C ELECTRIC INC	NYNEX Telephone
	PERFECT PARTIES B ROBIN	NYNEX Telephone
	BUDINGER COMPANY THE	NYNEX Telephone
1993	SPECTRA H V A C SVCE CORP	NYNEX Telephone
1988	WUNDERLICH AL	NYNEX Telephone
	TRIPPEL P	NYNEX Telephone
1983	ELMINA F00D C0P	New York Telephone
1973	OWEN PAPER CORP	New York Telephone
1968	RAGONE GERARD & SONS INC PAPR STK	New York Telephone
1963	RAGONE GERARD & SONS INC PAPR STK	New York Telephone
1958	RAGONE GERARD & SONS INC PAPR STK	New York Telephone
1956	RAGONE GERARD & SONS INC PAPR STK	New York Telephone

Year	Uses	Source
1950	RAGONE GERARD & SONS INC PAPR STK	New York Telephone
1947	MONTESANO P PAPR STOCK CO INC	New York Telephone
1942	FILIBERTO D PAPER	New York Telephone
	MANHATN WASTE PRODS CO	New York Telephone
1938	FILIBERTO D PAPET	New York Telephone
	FILIBERTO JOHN B B	New York Telephone
	FILIBERTO JOHN B PAPR	New York Telephone
	MANHATN WASTE PRODS INC	New York Telephone
1927	DICKERSON PROD CO INC	New York Telephone
	FLANAGAN J J & SON MTL SPINNERS	New York Telephone

569 W 29 ST

Year	Uses	Source
1988	GUZMAN ANTONIA	NYNEX Telephone

W 29TH

516 W 29TH

Year	Uses	Source
1934	Slavkosky Martin blksmith John M Hain	R. L. Polk & Co.
1927	Hain John M wagon bldr	New York Telephone
1923	Hain Jno M Co RTN Hy A and Margt Hain wagon bldrs	R. L. Polk & Co.
1920	Crepeau Jos lab	R. L. Polk & Co.

517 W 29TH

Year	Uses	Source
1927	Rogers Chas P & Co beds	New York Telephone
	Factory	New York Telephone

518 W 29TH

Year	Uses	Source
1934	Harrington Lewis W pres T New Constr Co	R. L. Polk & Co.
	New Contruction Co contrs	R. L. Polk & Co.
1927	New T Construction Co	New York Telephone
	New Construction Co	New York Telephone
	Harrington Wentworth L	New York Telephone
1923	New T Construction Co NY Lewis W Harrington pres Wentworth L Harrangton sec waterproofing	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1920	Nonpareil Skylight Co Del T New Construction Co agts	R. L. Polk & Co.

519 W 29TH

Year	Uses	Source
1923	Bogue Chas J pres Chas J Bogue Electric Co	R. L. Polk & Co.

520 W 29TH

Year	Uses	Source
1934	New T Construction Co NY cap $30 000 Louis W Harrington pres treas Went worth L Harrington v pres Mary F Moore sec roofing	R. L. Polk & Co.
1927	Harrington Lewis W	New York Telephone

521 W 29TH

Year	Uses	Source
1920	McKenna Jas trucks	R. L. Polk & Co.

522 W 29TH

Year	Uses	Source
1934	Seelig G A F Inc NY G A F Seelig pres Gus R Selig walter J Seelig treas diary	R. L. Polk & Co.
	Seelig Creamery Corp NY cap 500 shs npv Gustav A F Seelig pres	R. L. Polk & Co.
1920	Bolster Felix watchmn	R. L. Polk & Co.
	Bailey Julia	R. L. Polk & Co.
	Stanik Anthony iron wkr	R. L. Polk & Co.
	Lynch Eliz Mrs	R. L. Polk & Co.
	Golden Jno J	R. L. Polk & Co.
	Collende Chas mach	R. L. Polk & Co.
	Brady Theresa wid Jas	R. L. Polk & Co.

524 W 29TH

Year	Uses	Source
1927	Kelly M & Sons truckg	New York Telephone
1923	McKenna Jas trucking	R. L. Polk & Co.
1920	Reilly Thos F police	R. L. Polk & Co.

525 W 29TH

Year	Uses	Source
1934	Bilt Rite Seat Co TN Michael J Grammas	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1934	Bordiga Arth A Jos Bordiga	R. L. Polk & Co.
	Bordiga Frank Josephine foremn Joseph Bardiga r Mamaroneck NJ	R. L. Polk & Co.
	Bordiga Jos Rosetta firm of Joseph Bordiga	R. L. Polk & Co.
	Grammaria Michl J Bilt Rite Seat Co	R. L. Polk & Co.
	Grammatica Edw ambulance Flower Hosp	R. L. Polk & Co.
	Tholman Jack woodturner Jos Bordiga	R. L. Polk & Co.
	Tholman Peter mach Jos Bordiga	R. L. Polk & Co.

526 W 29TH

Year	Uses	Source
1927	Meyer E garage	New York Telephone
1923	Rosen Morris garage	R. L. Polk & Co.
1920	Brown Jas jr	R. L. Polk & Co.

527 W 29TH

Year	Uses	Source
1934	Bros Cosimo sad Frank Filiberto stock	R. L. Polk & Co.

529 W 29TH

Year	Uses	Source
1927	Pearson Lillian Mrs r	New York Telephone
1920	Salzer Ernest	R. L. Polk & Co.
	Seltzer Chas lab	R. L. Polk & Co.
	Whitehead Wm driver	R. L. Polk & Co.
	Daly Patk watchmn	R. L. Polk & Co.
	Salzer Chas	R. L. Polk & Co.
	Jelalian Karnig clk	R. L. Polk & Co.
	Norton Thos brakemn	R. L. Polk & Co.
	Norton Thos J	R. L. Polk & Co.

531 W 29TH

Year	Uses	Source
1927	Cleary Bros trucking	New York Telephone
1920	Sheahan Jno ironwkr	R. L. Polk & Co.
	Robb Saml	R. L. Polk & Co.
	OBrien Patk lab	R. L. Polk & Co.
	Nash Patk driver	R. L. Polk & Co.
	Holten Thos pdlr	R. L. Polk & Co.
	Hayes Michl janitor	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1920	Hantod Jno cooper	R. L. Polk & Co.
	DeMaio Jno porter	R. L. Polk & Co.
	Champi Robt lab	R. L. Polk & Co.
	Capolano Vinzenzo deckhand Dept P & S	R. L. Polk & Co.
	Capobianco Vincenzo dock wkr	R. L. Polk & Co.
	Zemkich Steph ironwkr	R. L. Polk & Co.
	Bedekovich August porter	R. L. Polk & Co.

533 W 29TH

Year	Uses	Source
1920	Leitgeb Jno carp	R. L. Polk & Co.
	Leitgeb Jos pianomkr	R. L. Polk & Co.
	Martin Jos variety	R. L. Polk & Co.
	Massua Jos porter	R. L. Polk & Co.
	Staber Adolph woodwkr	R. L. Polk & Co.
	Staber Edw A treas Ultro Chemical Corp h Bkn	R. L. Polk & Co.
	Georgiewich Jno pianomkr	R. L. Polk & Co.
	Tominkovich Jos carp	R. L. Polk & Co.
	Staber Hermann T pres Ultro Chemical Corp Oradell NJ	R. L. Polk & Co.
	Deminkovich Frank carp	R. L. Polk & Co.
	Jandrishovich Jno carp	R. L. Polk & Co.
	Gurgievich Aug turner	R. L. Polk & Co.

534 W 29TH

Year	Uses	Source
1927	O Brien P L r	New York Telephone
	Schafer S J trucking	New York Telephone
1923	Schafer Saml J trucking	R. L. Polk & Co.
1920	Culkin Thos	R. L. Polk & Co.

535 W 29TH

Year	Uses	Source
1927	Baker Wm r	New York Telephone
1920	Vance Robt checker	R. L. Polk & Co.
	Tamtshetch Cyril ironwkr	R. L. Polk & Co.
	Leitgeb Frank Woodwkr	R. L. Polk & Co.
	Strecker Jacob stevedore	R. L. Polk & Co.
	Strobel Steph woodwkr	R. L. Polk & Co.

Year	Uses	Source
1920	Gavegan Jno driver	R. L. Polk & Co.
	Curran Jas watchmn	R. L. Polk & Co.
	Colgan Jno A	R. L. Polk & Co.

536 W 29TH

Year	Uses	Source
1934	Cirker Mitchell Cirker & Robbins	R. L. Polk & Co.
	Cirker & Robbins Mitchell Cirker Robt N Robbins theatrical supplies	R. L. Polk & Co.
1927	Cirker & Robbins scenic studio	New York Telephone
1923	Cirker & Robbins Studio RTN	R. L. Polk & Co.

537 W 29TH

Year	Uses	Source
1927	Bonanzinga John r	New York Telephone
1920	Daconta Giuseppe lab	R. L. Polk & Co.
	Hase Frank baker	R. L. Polk & Co.
	Humbert Albert M brass fnr	R. L. Polk & Co.
	Leitgeb Frank pkr	R. L. Polk & Co.
	Rochi Angelo wood wkr	R. L. Polk & Co.
	Simicich Jno soap wkr	R. L. Polk & Co.
	Lavachi Frolmdo soapwkr	R. L. Polk & Co.

539 W 29TH

Year	Uses	Source
1920	Hahn Sebastian	R. L. Polk & Co.
	Vogel Christianl lab	R. L. Polk & Co.

546 W 29TH

Year	Uses	Source
1923	Sterne S G & Co Inc N Y Saml G Sterne pres Simeon Jacobs sec	R. L. Polk & Co.

548 W 29TH

Year	Uses	Source
1927	Schoenfelder E Mrs r	New York Telephone
	Nehr Mathilda Miss r	New York Telephone

549 W 29TH

Year	Uses	Source
1923	Scheofalder Chas restr	R. L. Polk & Co.

FINDINGS

550 W 29TH

Year	Uses	Source
1927	Dickerson Prod Co Inc	New York Telephone
	Flanagan J J & Son mtl spinners	New York Telephone
1923	Universal Liquid Register Co Inc NY Arth D Dirkerson pres Chas F Brown v p Jos D McManus sec Hquids	R. L. Polk & Co.
	Old Mill Distributing Co RTN Jacob M Gearaghty pres Edna V Garbarine treas ciders & vinegars	R. L. Polk & Co.
	Garbarine Edna V treas Old Mill Cider Co Inc	R. L. Polk & Co.
	Gearaghty Jos M pres Old Mill Cider Co Inc	R. L. Polk & Co.
	Volk Albert A pres treas Albert A Volk Co Inc	R. L. Polk & Co.
1920	Schmitt G whse	R. L. Polk & Co.
	Penny Thos J packing boxes	R. L. Polk & Co.
	Penny Thos S storage	R. L. Polk & Co.

552 W 29TH

Year	Uses	Source
1920	New York Forest Prodcuts Sales Co Inc NY Hy M Partridge pres treas Chas R Partridge v p Walliace H Partridge Mass sec lumbar	R. L. Polk & Co.

560 W 29TH

Year	Uses	Source
1934	Boston Excelsior Co Inc NY John N dEste pres Robt P Esgrade sec Julian dEste treas excelsior	R. L. Polk & Co.

W 29TH H BKN

537 W 29TH H BKN

Year	Uses	Source
1920	Stanley Jas soap mfr	R. L. Polk & Co.

W 29TH H DO

529 W 29TH H DO

Year	Uses	Source
1934	Arzooman Mitchl gro	R. L. Polk & Co.
1920	Hajian Jacob M gro	R. L. Polk & Co.

FINDINGS

533 W 29TH H DO

Year	Uses	Source
1934	Martin Jos Anna cigars	R. L. Polk & Co.

537 W 29TH H DO

Year	Uses	Source
1934	Bonanzianga John gro	R. L. Polk & Co.

539 W 29TH H DO

Year	Uses	Source
1920	Muller Geo W baker	R. L. Polk & Co.

548 W 29TH H DO

Year	Uses	Source
1934	Nehr Jos Anna rester	R. L. Polk & Co.
1920	Schoenfeld Rudolph restr	R. L. Polk & Co.

W 29TH H DUMONT NJ

534 W 29TH H DUMONT NJ

Year	Uses	Source
1920	Schafer Stonewall J trucks	R. L. Polk & Co.

W 29TH H FREEHOLD NJ

550 W 29TH H FREEHOLD NJ

Year	Uses	Source
1920	Dickerson Arth D cider	R. L. Polk & Co.

W 29TH H PELHAM NY

536 W 29TH H PELHAM NY

Year	Uses	Source
1920	Young Jno H scenic pntr	R. L. Polk & Co.

W 29TH H WOODCLIFF NJ

550 W 29TH H WOODCLIFF NJ

Year	Uses	Source
1920	Flanagan Jno J metal spinner	R. L. Polk & Co.

FINDINGS

W 29TH R DUMONT NJ

534 W 29TH R DUMONT NJ

Year	Uses	Source
1934	Schafer Stonewall J trucking	R. L. Polk & Co.

W 29TH ST

515 W 29TH ST

Year	Uses	Source
2006	Multi Unit Address	Hill-Donnelly Information Services
	Amenoff Gregory v	Hill-Donnelly Information Services
	Bermingham C	Hill-Donnelly Information Services
	Number 5 Ecr Antique Conservation	Hill-Donnelly Information Services
	Eli Rios Co is	Hill-Donnelly Information Services
	Number 2 Elias Conservation Restoration	Hill-Donnelly Information Services
	Number 1 International Courier Systems	Hill-Donnelly Information Services
	Israpak Courier	Hill-Donnelly Information Services
	Number 4 h Khalil Mohammad 0 AV	Hill-Donnelly Information Services
	Rios E C v	Hill-Donnelly Information Services
	Sam Fay Realty Corp i F	Hill-Donnelly Information Services
	Space	Hill-Donnelly Information Services
	Thales Management Corp	Hill-Donnelly Information Services
2000	Y ALEXOPOULOS	Cole Information Services
	GREGORY AMENOFF	Cole Information Services
	C BERMINGHAM	Cole Information Services
	MOHAMMED O KHALIL	Cole Information Services
	CHRISTINE SEROR	Cole Information Services
	COURIER NTWRK INC	Cole Information Services
	COURIER NTWRK INC	Cole Information Services
	COURIER NTWRK INC	Cole Information Services
	E C ANTQ CONSRVTN	Cole Information Services
	ELI RIOS CO	Cole Information Services
	INTRNTNL COUR SYST	Cole Information Services
	ISRAPAK COURIER	Cole Information Services
	LOST ART	Cole Information Services
	NO STANDING ANYTM	Cole Information Services
	RIOS E C	Cole Information Services
	SPACE	Cole Information Services
	VITAMALT INC	Cole Information Services

FINDINGS

Year	Uses	Source
1983	Panther Machine Corp	New York Telephone
	Rex Spreading Machine Corp	New York Telephone
	SPREAING MACHINE EXCH INC	New York Telephone

516 W 29TH ST

Year	Uses	Source
2006	Accuaudio	Hill-Donnelly Information Services
	Technik	Hill-Donnelly Information Services

517 W 29TH ST

Year	Uses	Source
2006	Tuck It Away io	Hill-Donnelly Information Services
2000	TUCK IT AWAY	Cole Information Services
1983	Morsly Inc	New York Telephone
	Morsly Inc	New York Telephone

518 W 29TH ST

Year	Uses	Source
2006	Aide Service Corp	Hill-Donnelly Information Services
	Body Beautiful Inc is	Hill-Donnelly Information Services
2000	DOMS MARKET	Cole Information Services
1983	Fifty States Receiving Termnl	New York Telephone
	J J J Leasing Corp	New York Telephone
	Sardo Motor Transportation Corp	New York Telephone

522 W 29TH ST

Year	Uses	Source
2006	Go Catering Inc i	Hill-Donnelly Information Services
2000	LA IDEAL MKT INC	Cole Information Services
1983	Michaels Blacksmith & Ironworks	New York Telephone

524 W 29TH ST

Year	Uses	Source
2006	Blumarts	Hill-Donnelly Information Services
1983	HOMLES PROECTION INC	New York Telephone
	Distribution Center	New York Telephone

525 W 29TH ST

Year	Uses	Source
2006	Sharpe Paul	Hill-Donnelly Information Services

FINDINGS

Year	Uses	Source
2006	Secret Lounge	Hill-Donnelly Information Services
	h Cotten Michael A	Hill-Donnelly Information Services
2000	CHRISTINE ZASUCHA	Cole Information Services
	MICHAEL COTTEN	Cole Information Services
	TRVSTS ENTRTN INC	Cole Information Services
1983	Bordiga J cabinet mkr	New York Telephone

527 W 29TH ST

Year	Uses	Source
2006	Neo Images	Hill-Donnelly Information Services
	RD Wright Inc	Hill-Donnelly Information Services
	Neo Images	Hill-Donnelly Information Services
	Mark Lund Photography	Hill-Donnelly Information Services
	Contact Agency Inc is	Hill-Donnelly Information Services
2000	R D WRIGHT INC	Cole Information Services
	GALLAGHER ART INC	Cole Information Services
	DANA GORDON	Cole Information Services
1983	FLOEB REALTY CORP	New York Telephone

528 W 29TH ST

Year	Uses	Source
2006	Sean Kelly Inc	Hill-Donnelly Information Services

530 W 29TH ST

Year	Uses	Source
2006	A A Anytime Towing is	Hill-Donnelly Information Services
	Emergency Towing is	Hill-Donnelly Information Services
	G 13 Car Repair is	Hill-Donnelly Information Services
	Tow 24 Hour Emergency	Hill-Donnelly Information Services
	Tow Emergency Co i s	Hill-Donnelly Information Services
2000	EAST SIDE TOWING	Cole Information Services

W 29th St

534 W 29th St

Year	Uses	Source
2014	CABRERA JUAN R REV	EDR Digital Archive
	CABRERA JUAN R REV	EDR Digital Archive
2010	CABRERA JUAN R REV	EDR Digital Archive
	CABRERA JUAN R REV	EDR Digital Archive

FINDINGS

W 29TH ST

534 W 29TH ST

Year	Uses	Source
2006	h Cabrera Juan A	Hill-Donnelly Information Services
	Cabrera Juan R	Hill-Donnelly Information Services
	Cabrera Juan R Rev	Hill-Donnelly Information Services
2000	JUAN CABRERA	Cole Information Services
	REV JUAN R CABRERA	Cole Information Services
1983	Cabrera Juan	New York Telephone

W 29th St

536 W 29th St

Year	Uses	Source
2014	LOPEZ KNUDSEN INCORPORATED	EDR Digital Archive
	LOPEZ KNUDSEN INCORPORATED	EDR Digital Archive
2010	LOPEZ KNUDSEN INCORPORATED	EDR Digital Archive
	WORLD VIDEO TRAVEL GUIDE INC	EDR Digital Archive
	WORLD VIDEO TRAVEL GUIDE INC	EDR Digital Archive
	LOPEZ KNUDSEN INCORPORATED	EDR Digital Archive

W 29TH ST

536 W 29TH ST

Year	Uses	Source
2006	h Knudsen Nadine	Hill-Donnelly Information Services
	Lopez Knudsen Inc	Hill-Donnelly Information Services
2000	LOPEZ KNUDSEN INC	Cole Information Services
1983	Spectrum Assocs Inc	New York Telephone

W 29th St

541 W 29th St

Year	Uses	Source
2014	MANHATTAN KEY LIME JUICE CO	EDR Digital Archive
	MANHATTAN KEY LIME JUICE CO	EDR Digital Archive
2010	MANHATTAN KEY LIME JUICE CO	EDR Digital Archive
	MANHATTAN KEY LIME JUICE CO	EDR Digital Archive

FINDINGS

W 29TH ST

541 W 29TH ST

Year	Uses	Source
2006	Manhattan Key Lime Juice Co	Hill-Donnelly Information Services
	Freelance Video Svc is n	Hill-Donnelly Information Services
	Byas Angela v	Hill-Donnelly Information Services
	Manhattan Mini Storage	Hill-Donnelly Information Services
2000	MANHATTAN MN STGE	Cole Information Services
	GABRIEL WILLIAMS	Cole Information Services
1983	Standard Hauling Co Inc	New York Telephone

W 29th St

542 W 29th St

Year	Uses	Source
2014	GOTHAM SEAFOOD CORP	EDR Digital Archive
	GOTHAM SEAFOOD CORP	EDR Digital Archive
2010	GOTHAM SEAFOOD CORP	EDR Digital Archive
	GOTHAM SEAFOOD CORP	EDR Digital Archive

W 29TH ST

542 W 29TH ST

Year	Uses	Source
2006	Gotham Seafood Corp 1 R	Hill-Donnelly Information Services
2000	GOTHAM SEAFD CORP	Cole Information Services

W 29th St

546 W 29th St

Year	Uses	Source
2010	WLHAV TAXI REPAIR	EDR Digital Archive
	WLHAV TAXI REPAIR	EDR Digital Archive

W 29TH ST

546 W 29TH ST

Year	Uses	Source
2006	Cynthia Broan Gallery	Hill-Donnelly Information Services
2000	EL HAV TX RPR INC	Cole Information Services

Year	Uses	Source
1983	Viking Taxi Sates & Svce Inc	New York Telephone

W 29th St

548 W 29th St

Year	Uses	Source
2010	DOV & P HOLDING CORP	EDR Digital Archive
	DOV & P HOLDING CORP	EDR Digital Archive

W 29TH ST

548 W 29TH ST

Year	Uses	Source
2006	Avi Taxi Repair Inc is o	Hill-Donnelly Information Services
2000	AVI AUTO REPAIR	Cole Information Services
1983	I & M Auto Repair Shop Inc	New York Telephone

549 W 29TH ST

Year	Uses	Source
1983	Genl Order	New York Telephone
	HAMILTON C C & CO INC	New York Telephone
	HAMILTON C C & CO INC	New York Telephone

W 29th St

550 W 29th St

Year	Uses	Source
2010	BRISAM WEST 29 LLC	EDR Digital Archive
	29 WEST LLC	EDR Digital Archive
	NY WP TAXI MANAGEMENT INC	EDR Digital Archive
	BRISAM WEST 29 LLC	EDR Digital Archive
	29 WEST LLC	EDR Digital Archive
	NY WP TAXI MANAGEMENT INC	EDR Digital Archive

W 29TH ST

550 W 29TH ST

Year	Uses	Source
2006	h Sodi M	Hill-Donnelly Information Services
	h Lozano Cassandra	Hill-Donnelly Information Services
	Gucci	Hill-Donnelly Information Services

FINDINGS

Year	Uses	Source
2006	Christopher Henry Gallerie	Hill-Donnelly Information Services
2000	THE BUDINGER CO	Cole Information Services
	CASSANDRA LOZANO	Cole Information Services
	CASSANDRA LOZANO	Cole Information Services

560 W 29TH ST

Year	Uses	Source
2006	Big Room l s	Hill-Donnelly Information Services
	h La Verdiere Julian J B	Hill-Donnelly Information Services
2000	BIG ROOM	Cole Information Services
	J J LA VERDIERE	Cole Information Services
	CHARLES LONG	Cole Information Services

FINDINGS

TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

Address Researched	Address Not Identified in Research Source
538-540 West 29th Street	1996, 1931

ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

Address Researched	Address Not Identified in Research Source
515 W 29 ST	2014, 2010, 2006, 2000, 1996, 1934, 1931, 1923, 1920
515 W 29TH ST	2014, 2010, 1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
516 W 29 ST	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1934, 1931, 1923, 1920
516 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931
516 W 29TH ST	2014, 2010, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
517 W 29 ST	2014, 2010, 2006, 2000, 1996, 1993, 1968, 1958, 1956, 1950, 1947, 1942, 1934, 1931, 1923, 1920
517 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920
517 W 29TH ST	2014, 2010, 1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
518 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920
518 W 29 ST	2014, 2010, 2006, 2000, 1996, 1993, 1988, 1938, 1934, 1931, 1923, 1920
518 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931
518 W 29TH ST	2014, 2010, 1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
519 W 29 ST	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
519 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1920
520 W 29 ST	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920
520 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931, 1923, 1920
521 W 29 ST	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
521 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923
522 W 29 ST	2014, 2010, 2006, 2000, 1996, 1988, 1963, 1934, 1931, 1927, 1923, 1920
522 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931, 1927, 1923
522 W 29TH ST	2014, 2010, 1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
524 W 29 ST	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1934, 1931, 1923, 1920
524 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931
524 W 29TH ST	2014, 2010, 2000, 1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
525 W 29 ST	2014, 2010, 2006, 2000, 1996, 1934, 1931, 1927, 1923, 1920
525 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931, 1927, 1923, 1920
525 W 29TH ST	2014, 2010, 1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
526 W 29 ST	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920
526 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931
527 W 29 LONGC 5	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
527 W 29 ST	2014, 2010, 2006, 2000, 1996, 1978, 1934, 1931, 1927, 1923, 1920
527 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931, 1927, 1923, 1920
527 W 29TH ST	2014, 2010, 1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
528 W 29TH ST	2014, 2010, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
529 W 29 ST	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920
529 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923
529 W 29TH H DO	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931, 1927, 1923
530 W 29TH ST	2014, 2010, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
531 W 29 ST	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920
531 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923
533 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923
533 W 29TH H DO	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931, 1927, 1923, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
534 W 29 ST	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1978, 1934, 1931, 1923, 1920
534 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931
534 W 29TH H DUMONT NJ	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923
534 W 29TH R DUMONT NJ	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931, 1927, 1923, 1920
534 W 29TH ST	2014, 2010, 1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
534 W 29th St	2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
534 W 29th St	2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
535 W 28th St	2014, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
535 W 28th St	2014, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
535 W 29 ST	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1938, 1934, 1931, 1923, 1920
535 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923
536 W 29 ST	2014, 2010, 2006, 2000, 1996, 1934, 1931, 1923, 1920
536 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931, 1920
536 W 29TH H PELHAM NY	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923
536 W 29TH ST	2014, 2010, 1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
536 W 29th St	2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
536 W 29th St	2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
537 W 29 ST	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920
537 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923
537 W 29TH H BKN	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923
537 W 29TH H DO	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931, 1927, 1923, 1920
539 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923
539 W 29TH H DO	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923
540 W 28th St	2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
540 W 28th St	2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
541 W 29 ST	2014, 2010, 2006, 2000, 1996, 1993, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
541 W 29TH ST	2014, 2010, 1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
541 W 29th St	2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
541 W 29th St	2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
542 W 29 ST	2014, 2010, 2006, 2000, 1996, 1983, 1942, 1938, 1934, 1931, 1927, 1923, 1920
542 W 29TH ST	2014, 2010, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
542 W 29th St	2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
542 W 29th St	2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
544 W 29 ST	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
546 W 29 MANHATTAN TOLL FREE-DIAL 1 & THEN ST	2014, 2010, 2006, 2000, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
546 W 29 ST	2014, 2010, 2006, 2000, 1996, 1978, 1934, 1931, 1927, 1923, 1920
546 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1920
546 W 29th St	2014, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
546 W 29th St	2014, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
546 W 29TH ST	2014, 2010, 1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
548 W 29 ST	2014, 2010, 2006, 2000, 1996, 1978, 1973, 1968, 1963, 1947, 1934, 1931, 1923, 1920
548 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920
548 W 29TH H DO	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931, 1927, 1923
548 W 29TH ST	2014, 2010, 1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
548 W 29th St	2014, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
548 W 29th St	2014, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
549 W 29 ST	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1963, 1958, 1956, 1934, 1931, 1927, 1923, 1920
549 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1920
549 W 29TH ST	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
550 W 29 MANH	2014, 2010, 2006, 2000, 1998, 1996, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
550 W 29 ST	2014, 2010, 2006, 2000, 1996, 1978, 1934, 1931, 1923, 1920
550 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931
550 W 29TH H FREEHOLD NJ	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923
550 W 29TH H WOODCLIFF NJ	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923
550 W 29TH ST	2014, 2010, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
550 W 29th St	2014, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
550 W 29th St	2014, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
552 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923
560 W 29TH	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931, 1927, 1923, 1920
560 W 29TH ST	2014, 2010, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920
569 W 29 ST	2014, 2010, 2006, 2000, 1998, 1996, 1993, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

Environmental Lien Search Report

538-540 West 29th Street
538-540 West 29th Street
New York, NY 10001

Inquiry Number: 5233497.7
March 29, 2018

EDR Environmental Lien and AUL Search

Environmental Data Resources Inc

6 Armstrong Road
Shelton, CT 06484
800.352.0050
www.edrnet.com

EDR Environmental Lien and AUL Search

The EDR Environmental Lien and AUL Search Report provides results from a search of available current land title records for environmental cleanup liens and other activity and use limitations, such as engineering controls and institutional controls.

A network of professional, trained researchers, following established procedures, uses client supplied address information to:

- search for parcel information and/or legal description;
- search for ownership information;
- research official land title documents recorded at jurisdictional agencies such as recorders' offices, registries of deeds, county clerks' offices, etc.;
- access a copy of the deed;
- search for environmental encumbering instrument(s) associated with the deed;
- provide a copy of any environmental encumbrance(s) based upon a review of key words in the instrument(s) (title, parties involved, and description); and
- provide a copy of the deed or cite documents reviewed.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2017 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EDR Environmental Lien and AUL Search

TARGET PROPERTY INFORMATION

ADDRESS

538-540 West 29th Street
538-540 West 29th Street
New York, NY 10001

RESEARCH SOURCE

Source 1:

New York City Recorder of Deeds
New York, NY

PROPERTY INFORMATION

Deed 1:

Type of Deed:	Indenture
Title is vested in:	Elite 29 Realty LLC
Title received from:	Alvin Sher et al
Deed Dated	8/29/1996
Deed Recorded:	9/11/1996
Book:	2367
Page:	990
Volume:	NA
Instrument:	NA
Docket:	NA
Land Record Comments:	see exhibit
Miscellaneous Comments:	NA
Legal Description:	see exhibit
Legal Current Owner:	Elite 29 Realty LLC
Parcel # / Property Identifier:	block 700 lot 55
Comments:	see exhibit

Deed 2:

Type of Deed:	Warranty Deed
Title is vested in:	Kursh 29th Street Holdings LLC
Title received from:	Stephen Kursh
Deed Dated	3/30/2006
Deed Recorded:	5/11/2006
Book:	NA
Page:	NA
Volume:	NA
Instrument:	2006040501297001
Docket:	NA
Land Record Comments:	

EDR Environmental Lien and AUL Search

see exhibit

Miscellaneous Comments: NA

Legal Description: see exhibit

Legal Current Owner: Kursh 29th Street Holdings LLC

Parcel # / Property Identifier: block 700 lot 56

Comments: see exhibit

ENVIRONMENTAL LIEN

Environmental Lien: Found ☐ Not Found ☒

OTHER ACTIVITY AND USE LIMITATIONS (AULs)

AULs: Found ☐ Not Found ☒

Deed Exhibit 1

Bargain and Sale Deed, without Covenant against Grantor's Acts—Individual or Corporation (Single Sheet)

CONSULT YOUR LAWYER BEFORE SIGNING THIS INSTRUMENT—THIS INSTRUMENT SHOULD BE USED BY LAWYERS ONLY.

(2)135 NYNY 1733

THIS INDENTURE, made the 29th day of August, nineteen hundred and ninety-six

BETWEEN

ALVIN SHER, c/o GLCA, 305 West 29th Street, New York, New York 10001
-and-
LYNNE STONE a/k/a LYNNE SHER, residing at 62 Hicks Street, Apt. 1, Brooklyn, New York 11201

party of the first part, and

ELITE 29 REALTY LLC, c/o Joseph Saparano, 141 Fifth Avenue, New York, New York 10016

party of the second part,

WITNESSETH, that the party of the first part, in consideration of ten dollars and other valuable consideration paid by the party of the second part, does hereby grant and release unto the party of the second part, the heirs or successors and assigns of the party of the second part forever,

ALL that certain plot, piece or parcel of land, with the buildings and improvements thereon erected, situate, lying and being in the Borough of Manhattan, City, County and State of New York, bound and described as follows:

BEGINNING at a point on the southerly side of 29th Street distant 249 feet 6 inches easterly from the corner formed by the intersection of the easterly side of 11th Avenue and the southerly side of 29th Street running

thence southerly parallel with 11th Avenue and part of the way through a party wall, 60 feet;

thence easterly parallel with 29th Street, 6 inches;

thence southerly parallel with 11th Avenue, 38 feet 9 inches to the center line of the block;

thence easterly along same parallel with 29th Street, 25 feet;

thence northerly parallel with 11th Avenue and part of the way through another party wall, 98 feet 9 inches to the said southerly side of 29th Street; and

thence westerly along same, 25 feet 6 inches to the point or place of BEGINNING.

Said premises being known as 538 West 29th Street, N.Y., N.Y. 10001.

SUBJECT to covenants, easements, restrictions and agreements of record.

TOGETHER with all right, title and interest, if any, of the party of the first part in and to any streets and roads abutting the above described premises to the center lines thereof; TOGETHER with the appurtenances and all the estate and rights of the party of the first part in and to said premises; TO HAVE AND TO HOLD the premises herein granted unto the party of the second part, the heirs or successors and assigns of the party of the second part forever.

AND the party of the first part, in compliance with Section 13 of the Lien Law, covenants that the party of the first part will receive the consideration for this conveyance and will hold the right to receive such consideration as a trust fund to be applied first for the purpose of paying the cost of the improvement and will apply the same first to the payment of the cost of the improvement before using any part of the total of the same for any other purpose.

The word "party" shall be construed as if it read "parties" whenever the sense of this indenture so requires.

IN WITNESS WHEREOF, the party of the first part has duly executed this deed the day and year first above written.

IN PRESENCE OF:

Lynne Stone a/k/a Lynne Sher

by William McCarter atty-in-fact (POA)

1900

REEL 2367 PG 0990

POOR REPRODUCTION COPY

STATE OF NEW YORK, COUNTY OF NEW YORK ss:

On the 25 day of August 1996, before me personally came ALVIN SHER

to me known to be the individual described in and who executed the foregoing instrument, and acknowledged that he executed the same.

GUY GENTILE
NOTARY PUBLIC, State of New York
No. 41 4892S6
Qualified in Nassau County
Commission Expires June 6, 1997

Notary Public

STATE OF NEW YORK, COUNTY OF ss:

On the day of 19, before me personally came

to me known, who, being by me duly sworn, did depose and say that he resides at No.

that he is the of , the corporation described in and which executed the foregoing instrument; that he knows the seal of said corporation; that the seal affixed to said instrument is such corporate seal; that it was so affixed by order of the board of directors of said corporation, and that he signed h name thereto by like order.

STATE OF NEW YORK, COUNTY OF NEW YORK ss:

On the 29 day of August 1996, before me personally came William F. Mccartin to me personally known to be the person described individually and appointed attorney-in-fact and by certain power ~~to me known to be the individual described in and who executed the foregoing instrument, and acknowledged that executed the same.~~ of attorney executed by Lynne Stone dated August 14, 1996 and did acknowledge to me that he executed the foregoing instrument as such Attorney-In-Fact. to be recorded simultaneously herewith.

GUY GENTILE
NOTARY PUBLIC, State of New York
No. 41 4892S6
Qualified in Nassau County
Commission Expires June 6, 1997

Notary Public

STATE OF NEW YORK, COUNTY OF ss:

On the day of 19, before me personally came

the subscribing witness to the foregoing instrument, with whom I am personally acquainted, who, being by me duly sworn, did depose and say that he resides at No.

that he knows to be the individual described in and who executed the foregoing instrument; that he, said subscribing witness, was present and saw execute the same; and that he, said witness, at the same time subscribed h name as witness thereto.

RECORDED 1996091300231

Bargain and Sale Deed

WITHOUT COVENANT AGAINST GRANTOR'S ACTS

TITLE NO. 135NYNY 17333

Alvin Sher and Lynne Stone

TO

Elite 29 Realty, LLC

SECTION 3
BLOCK 700
LOT 55
COUNTY OR TOWN New York

Recorded At Request of
First American Title Insurance Company of New York

RETURN BY MAIL TO:

Jay Bielat, Esq.
Nicoletti Kissel & Pesce
805 Third Avenue
New York, NY 10022

Zip No.

STANDARD FORM OF NEW YORK BOARD OF TITLE UNDERWRITERS
Distributed by
First American Title Insurance Company of New York

RESERVE THIS SPACE FOR USE OF RECORDING OFFICE

CITY REGISTER RECORDING AND ENDORSEMENT PAGE
- NEW YORK COUNTY -

(This page forms part of the instrument)

REEL 2367 PG 0992

Block(s) 700

Lot(s) 55

538 W. 29th St.

Record & Return to: JAY BIBLAT, ESQ. [illegible] GREEN & PEACE
805 THIRD AVE. N.Y. 10022

Title/Agent Company name: FIRST AMERICAN TITLE INSCO

Title Company number: 135-NYNY 17392

DO NOT WRITE BELOW THIS LINE

THE FOREGOING INSTRUMENT WAS ENDORSED FOR THE RECORD AS FOLLOWS:

Examined by (✓):

Mtge Tax Serial No.:

Mtge Amount $

Taxable Amount $

Exemption (✓) YES ☐ NO ☐

Type: [3396E] [255] [OTHER]

Dwelling Type: [1 to 2] [3] [4 to 6] [OVER 6]

TAX RECEIVED ON ABOVE MORTGAGE

County (basic)	$
City (Addtl)	$
Spec Addtl	$
TASF	$
MTA	$
NYCTA	$
TOTAL TAX	$

Apportionment Mortgage (✓) YES ☐ NO ☐

Jay A. Bobrow, City Register

City Register Serial Number ➡ 023071

Indexed By (✓): BH

Verified By (✓): BH

Block(s) and Lot(s) verified by (✓): Y

Address ☑ Tax Map ☐

Extra Block(s) Lot(s)

Recording Fee A	$ 30
Affidavit Fee (C)	$
TP-584/582 Fee (Y)	$ 1
RPTT Fee (R)	$ 25

HPD-A ☐ HPD-C ☐

New York State Real Estate Transfer Tax

$ 1900

Serial Number ➡ 97 S 1099

New York City Real Property Transfer Tax Serial Number ➡ R 5475

New York State Gains Tax Serial Number ➡

42

S-2

$1.00 GNRF 878764

$32.00 DEED 878763

RECORDED IN NEW YORK COUNTY OFFICE OF THE CITY REGISTER

1996 SEP 11 A 9:21

Witness My Hand and Official Seal

Jay A. Bobrow

City Register

CRS 1-95 NEW FORM

Deed Exhibit 2

NYC DEPARTMENT OF FINANCE
OFFICE OF THE CITY REGISTER

This page is part of the instrument. The City Register will rely on the information provided by you on this page for purposes of indexing this instrument. The information on this page will control for indexing purposes in the event of any conflict with the rest of the document.

2006040501297001003E6422

RECORDING AND ENDORSEMENT COVER PAGE **PAGE 1 OF 4**

Document ID: 2006040501297001 Document Date: 03-30-2006 Preparation Date: 05-09-2006
Document Type: DEED
Document Page Count: 3

PRESENTER:
TITLEVEST AGENCY, INC./S-NY-62651
44 WALL STREET
10TH FLOOR
NEW YORK, NY 10005
212-757-5800
INFO@TITLEVEST.COM

RETURN TO:
KURSH 29TH STREET HOLDINGS LLC
540 W. 29TH STREET
NEW YORK, NY 10001

PROPERTY DATA

Borough	Block	Lot	Unit	Address
MANHATTAN	700	56	Entire Lot	540 WEST 29TH STREET

Property Type: APARTMENT BUILDING

CROSS REFERENCE DATA

CRFN_____ *or* Document ID_____ *or* _____ Year____ Reel ___ Page____ *or* File Number_____

PARTIES

GRANTOR/SELLER:
STEPHEN KURSH
P.O. BOX 48, ROUTE 23A
HAINES FALLS, NY 12346

GRANTEE/BUYER:
KURSH 29TH STREET HOLDINGS LLC
540 WEST 29TH STREET
NEW YORK, NY 10001

FEES AND TAXES

Mortgage		
Mortgage Amount:	$	0.00
Taxable Mortgage Amount:	$	0.00
Exemption:		
TAXES: County (Basic):	$	0.00
City (Additional):	$	0.00
Spec (Additional):	$	0.00
TASF:	$	0.00
MTA:	$	0.00
NYCTA:	$	0.00
Additional MRT:	$	0.00
TOTAL:	$	0.00

NYC HPD Affidavit in Lieu of Registration Statement

Recording Fee:	$	52.00
Affidavit Fee:	$	0.00
NYC Real Property Transfer Tax Filing Fee:	$	165.00
NYS Real Estate Transfer Tax:	$	2,600.00

RECORDED OR FILED IN THE OFFICE OF THE CITY REGISTER OF THE CITY OF NEW YORK
Recorded/Filed 05-11-2006 15:28
City Register File No.(CRFN):
2006000264844

City Register Official Signature

give to title co.

SOK
Sign

Warranty Deed

THIS INDENTURE, made the 30 day of March, 2006.

BETWEEN STEPHEN KURSH, an individual, with an address at P.O. Box 48, Route 23A Haines Falls, New York 12436, grantor

and **Kursh 29th Street Holdings LLC** having an address at 540 W. 29th Street, New York, New York 10001, grantee.

WITNESSETH, that the grantor, in consideration of One and 00/100 Dollar ($1.00) and other good and valuable consideration paid by the grantee, receipt of which is hereby acknowledged, hereby grants and releases unto the grantee, the heirs or successors and assigns of the grantee forever,

ALL THAT TRACT OR PARCEL OF LAND, situate in the City of New York, County of New York and State of New York, as more particularly bounded and described in Schedule A attached hereto and made a part hereof (the "Premises").

This conveyance is made in the regular course of business of the grantor and does not constitute all or substantially all of the assets of the grantor.

SUBJECT to any and all covenants, easements and restrictions of record affecting the premises.
BEING and hereby intending to convey the same premises conveyed to Stephen Kursh by Deed dated January 7, 1983 and recorded in the New York County Clerk's Office in Liber 662 of Deeds, at page 172.

Tax Map No.: 100.700-0056-000.0000000
Tax Mailing Address: 540 West 29th Street, New York, New York 10001

TOGETHER with the appurtenances and all the estate and rights of the grantor in and to said premises.
TO HAVE AND TO HOLD the premises herein granted unto the grantee, the heirs or successors and assigns of the grantee forever.
AND the grantor covenants as follows:
FIRST. The grantee shall quietly enjoy the said premises;
SECOND. The grantor will forever warrant the title to said premises;
This deed is subject to the trust provisions of Section 13 of the Lien Law. The words "grantor" and "grantee" shall be construed to read in the plural whenever the sense of this deed so requires.

IN WITNESS WHEREOF, the grantor has executed this deed the day and year first above written.

In presence of:

Stephen Kursh

STATE OF NEW YORK)
) SS.:
COUNTY OF NEW YORK)

On the 29 day of March, in the year 2006 before me, the undersigned, personally appeared Stephen Kursh, personally known to me or proved to me on the basis of satisfactory evidence to be the individual whose name is subscribed to the within instrument and acknowledged to me that he executed the same in his capacity, and that by his signature on the instrument, the individual, or the person upon behalf of which the individual acted, executed the instrument.

Notary Public

WALTER GONSALVES II
Notary Public - State of New York
NO. 01GO6136774
Qualified in New York County
My Commission Expires 9/30/2009

Record and return to:

Kursh 29th Street Holdings LLC
540 W. 29th Street
New York, New York 10001

SCHEDULE A TO WARRANTY DEED FROM
STEPHEN KURSH
TO 29th STREET HOLDINGS LLC

ALL that certain plot, piece or parcel of land, with the buildings and improvements thereon erected, situate, lying and being in the Borough of Manhattan, County, City and State of New York, bounded and described as follows:

Beginning at a point on the southerly side of West 29th Street, distant 225 feet easterly from the southeasterly corner of 11th Avenue and West 29th Street; running thence southerly and parallel with 11th Avenue 98 feet 9 inches; thence easterly and parallel with 29th Street 25 feet; thence northerly and again parallel with 11th Avenue 38 feet 9 inches; thence westerly and parallel with 29th Street 6 inches; thence northerly parallel with 11th Avenue and through a party wall 60 feet to the southerly side of 29th Street; thence westerly along the southerly side of 29th Street 24 feet 6 inches to the point or place of BEGINNING.

SAID premises being known as and by the street number 540 West 29th Street, New York, New York

NYC DEPARTMENT OF FINANCE
OFFICE OF THE CITY REGISTER



2006040501297001003SAAA3

SUPPORTING DOCUMENT COVER PAGE **PAGE 1 OF 1**

Document ID: 2006040501297001 Document Date: 03-30-2006 Preparation Date: 05-09-2006
Document Type: DEED

ASSOCIATED TAX FORM ID: 2006032000505

SUPPORTING DOCUMENTS SUBMITTED:

	Page Count
RP - 5217 REAL PROPERTY TRANSFER REPORT	2
SMOKE DETECTOR AFFIDAVIT	2

FOR CITY USE ONLY

C1. County Code | | C2. Date Deed Recorded | | / | / | (Month / Day / Year)

C3. Book OR C5. CRFN | | C4. Page | |

REAL PROPERTY TRANSFER REPORT

STATE OF NEW YORK
STATE BOARD OF REAL PROPERTY SERVICES

RP - 5217NYC

(Rev 11/2002)

PROPERTY INFORMATION

1. Property Location: 540 (STREET NUMBER) | WEST 29TH STREET (STREET NAME) | MANHATTAN (BOROUGH) | 10001 (ZIP CODE)

2. Buyer Name: KURSH 29TH STREET HOLDINGS LLC (LAST NAME / COMPANY) | (FIRST NAME)

(LAST NAME / COMPANY) | (FIRST NAME)

3. Tax Billing Address: Indicate where future Tax Bills are to be sent if other than buyer address (at bottom of form) (LAST NAME / COMPANY) | (FIRST NAME)

(STREET NUMBER AND STREET NAME) | (CITY OR TOWN) | (STATE) | (ZIP CODE)

4. Indicate the number of Assessment Roll parcels transferred on the deed: 1 # of Parcels OR ☐ Part of a Parcel

4A. Planning Board Approval - N/A for NYC
4B. Agricultural District Notice - N/A for NYC

5. Deed Property Size: (FRONT FEET) X (DEPTH) OR (ACRES)

Check the boxes below as they apply:
6. Ownership Type is Condominium ☐
7. New Construction on Vacant Land ☐

8. Seller Name: KURSH (LAST NAME / COMPANY) | STEPHEN (FIRST NAME)

(LAST NAME / COMPANY) | (FIRST NAME)

9. Check the box below which most accurately describes the use of the property at the time of sale:

A ☐ One Family Residential
B ☐ 2 or 3 Family Residential
C ☐ Residential Vacant Land
D ☐ Non-Residential Vacant Land
E ☐ Commercial
F ☑ Apartment
G ☐ Entertainment / Amusement
H ☐ Community Service
I ☐ Industrial
J ☐ Public Service

SALE INFORMATION

10. Sale Contract Date: 8 / 15 / 2005 (Month / Day / Year)

11. Date of Sale / Transfer: 3 / 31 / 2006 (Month / Day / Year)

12. Full Sale Price $: 6,500,000

(Full Sale Price is the total amount paid for the property including personal property. This payment may be in the form of cash, other property or goods, or the assumption of mortgages or other obligations.) *Please round to the nearest whole dollar amount.*

13. Indicate the value of personal property included in the sale:

14. Check one or more of these conditions as applicable to transfer:

A ☐ Sale Between Relatives or Former Relatives
B ☐ Sale Between Related Companies or Partners in Business
C ☐ One of the Buyers is also a Seller
D ☐ Buyer or Seller is Government Agency or Lending Institution
E ☐ Deed Type not Warranty or Bargain and Sale (Specify Below)
F ☐ Sale of Fractional or Less than Fee Interest (Specify Below)
G ☐ Significant Change in Property Between Taxable Status and Sale Dates
H ☐ Sale of Business is Included in Sale Price
I ☑ Other Unusual Factors Affecting Sale Price (Specify Below)
J ☐ None

ASSESSMENT INFORMATION - Data should reflect the latest Final Assessment Roll and Tax Bill

15. Building Class: K 9

16. Total Assessed Value (of all parcels in transfer): 246,600

17. Borough, Block and Lot / Roll Identifier(s) (If more than three, attach sheet with additional identifier(s))

MANHATTAN 700 56

CERTIFICATION

I certify that all of the items of information entered on this form are true and correct (to the best of my knowledge and belief) and I understand that the making of any willful false statement of material fact herein will subject me to the provisions of the penal law relative to the making and filing of false instruments.

BUYER

BUYER SIGNATURE | DATE

STREET NUMBER | STREET NAME (AFTER SALE)

CITY OR TOWN | STATE | ZIP CODE

BUYER'S ATTORNEY

LAST NAME | FIRST NAME

585 | 263-1429
AREA CODE | TELEPHONE NUMBER

SELLER

SELLER SIGNATURE | DATE

2006032000505201

give to ~~Tito~~

50K
Sign

FOR CITY USE ONLY
C1. County Code | C2. Date Deed Recorded (Month / Day / Year)
C3. Book | C4. Page
OR
C5. CRFN

REAL PROPERTY TRANSFER REPORT

STATE OF NEW YORK
STATE BOARD OF REAL PROPERTY SERVICES

RP - 5217NYC

(Rev 11/2002)

PROPERTY INFORMATION

1. Property Location: 540 (STREET NUMBER) | WEST 29TH STREET (STREET NAME) | MANHATTAN (BOROUGH) | 10001 (ZIP CODE)

2. Buyer Name: Kursh 29th Street Holdings LLC (LAST NAME / COMPANY) | (FIRST NAME)
(LAST NAME / COMPANY) | (FIRST NAME)

3. Tax Billing Address: Indicate where future Tax Bills are to be sent if other than buyer address (at bottom of form) (LAST NAME / COMPANY) | (FIRST NAME)
(STREET NUMBER AND STREET NAME) | (CITY OR TOWN) | (STATE) | (ZIP CODE)

4. Indicate the number of Assessment Roll parcels transferred on the deed: 1 # of Parcels OR ☐ Part of a Parcel

4A. Planning Board Approval - N/A for NYC
4B. Agricultural District Notice - N/A for NYC

5. Deed Property Size: (FRONT FEET) X (DEPTH) OR (ACRES)

Check the boxes below as they apply:
6. Ownership Type is Condominium ☐
7. New Construction on Vacant Land ☐

8. Seller Name: KURSH (LAST NAME / COMPANY) | STEPHEN (FIRST NAME)
(LAST NAME / COMPANY) | (FIRST NAME)

9. Check the box below which most accurately describes the use of the property at the time of sale:

A ☐ One Family Residential	C ☐ Residential Vacant Land	E ☐ Commercial	G ☐ Entertainment / Amusement	I ☐ Industrial
B ☐ 2 or 3 Family Residential	D ☐ Non-Residential Vacant Land	F ☑ Apartment	H ☐ Community Service	J ☐ Public Service

SALE INFORMATION

10. Sale Contract Date: 8 / 15 / 2005 (Month / Day / Year)

11. Date of Sale / Transfer: 03 / / 2006 (Month / Day / Year)

12. Full Sale Price $: 6,500,000

(Full Sale Price is the total amount paid for the property including personal property. This payment may be in the form of cash, other property or goods, or the assumption of mortgages or other obligations.) *Please round to the nearest whole dollar amount.*

13. Indicate the value of personal property included in the sale: $

14. Check one or more of these conditions as applicable to transfer:

- A ☑ Sale Between Relatives or Former Relatives
- B ☐ Sale Between Related Companies or Partners in Business
- C ☐ One of the Buyers is also a Seller
- D ☐ Buyer or Seller is Government Agency or Lending Institution
- E ☐ Deed Type not Warranty or Bargain and Sale (Specify Below)
- F ☐ Sale of Fractional or Less than Fee Interest (Specify Below)
- G ☐ Significant Change in Property Between Taxable Status and Sale Dates
- H ☐ Sale of Business is Included in Sale Price
- I ☐ Other Unusual Factors Affecting Sale Price (Specify Below)
- J ☐ None

ASSESSMENT INFORMATION - Data should reflect the latest Final Assessment Roll and Tax Bill

15. Building Class: K 9

16. Total Assessed Value (of all parcels in transfer): $ 246,600

17. Borough, Block and Lot / Roll Identifier(s) (If more than three, attach sheet with additional identifier(s))

MANHATTAN 700 56

CERTIFICATION

I certify that all of the items of information entered on this form are true and correct (to the best of my knowledge and belief) and I understand that the making of any willful false statement of material fact herein will subject me to the provisions of the penal law relative to the making and filing of false instruments.

BUYER

Kursh 29th Street Holdings LLC (NAME) | (DATE)

540 (STREET NUMBER) W. 29th Street, New York, NY 10001 (STREET NAME (AFTER SALE))

(CITY OR TOWN) | (STATE) | (ZIP CODE)

BUYER'S ATTORNEY

Fitzgerald (LAST NAME) | John (FIRST NAME)

585 (AREA CODE) | 263-1429 (TELEPHONE NUMBER)

SELLER

Stephen Kursh (SELLER'S NAME) | 3/30/06 (DATE)

2005082300753201

Kursh 29th Street Holdings LLC
Stephen A. Kursh 3/30/06

give to title

SOK
LLC
Sign

Affidavit of Compliance with Smoke Detector Requirement for One and-Two Family Dwellings

AFFIDAVIT OF COMPLIANCE WITH SMOKE DETECTOR REQUIREMENT FOR ONE- AND TWO-FAMILY DWELLINGS

State of New York)
) SS.:
County of)

The undersigned, being duly sworn, depose and say under penalty of perjury that they are the grantor and grantee of the real property or of the cooperative shares in a cooperative corporation owning real property located at

540 WEST 29TH STREET , ,
Street Address Unit/Apt.

MANHATTAN New York, 700 56 (the "Premises");
Borough Block Lot

That the Premises is a one or two family dwelling, or a cooperative apartment or condominium unit in a one- or two-family dwelling, and that installed in the Premises is an approved and operational smoke detecting device in compliance with the provisions of Article 6 of Subchapter 17 of Chapter 1 of Title 27 of the Administrative Code of the City of New York concerning smoke detecting devices;

That they make affidavit in compliance with New York City Administrative Code Section 11-2105 (g). (The signatures of at least one grantor and one grantee are required, and must be notarized).

Stephen Kursh
Name of Grantor (Type or Print)

(SOK)
Signature of Grantor

Sworn to before me
this 31 date of March, 2006

Kursh 29th Street Holdings LLC
Name of Grantee (Type or Print)

Manager (LLC)
Signature of Grantee
, Manager

Sworn to before me
this 31 date of March, 2006

These statements are made with the knowledge that a willfully false representation is unlawful and is punishable as a crime of perjury under Article 210 of the Penal Law.

NEW YORK CITY REAL PROPERTY TRANSFER TAX RETURNS FILED ON OR AFTER FEBRUARY 6th, 1990, WITH RESPECT TO THE CONVEYANCE OF A ONE- OR TWO-FAMILY DWELLING, OR A COOPERATIVE APARTMENT OR A CONDOMINIUM UNIT IN A ONE- OR TWO-FAMILY DWELLING, WILL NOT BE ACCEPTED FOR FILING UNLESS ACCOMPANIED BY THIS AFFIDAVIT.

2005082300753101

AFFIDAVIT OF COMPLIANCE WITH SMOKE DETECTOR REQUIREMENT FOR ONE- AND TWO-FAMILY DWELLINGS

State of New York)
) **SS.:**
County of)

The undersigned, being duly sworn, depose and say under penalty of perjury that they are the grantor and grantee of the real property or of the cooperative shares in a cooperative corporation owning real property located at

540 WEST 29TH STREET , ,
Street Address **Unit/Apt.**

MANHATTAN New York, 700 56 (the "Premises");
Borough **Block** **Lot**

That the Premises is a one or two family dwelling, or a cooperative apartment or condominium unit in a one- or two-family dwelling, and that installed in the Premises is an approved and operational smoke detecting device in compliance with the provisions of Article 6 of Subchapter 17 of Chapter 1 of Title 27 of the Administrative Code of the City of New York concerning smoke detecting devices;

That they make affidavit in compliance with New York City Administrative Code Section 11-2105 (g). (The signatures of at least one grantor and one grantee are required, and must be notarized).

Name of Grantor (Type or Print)	**Name of Grantee** (Type or Print)
Signature of Grantor	**Signature of Grantee**
Sworn to before me this _____ date of _____ 19 ____	**Sworn to before me this _____ date of _____ 19 ____**

These statements are made with the knowledge that a willfully false representation is unlawful and is punishable as a crime of perjury under Article 210 of the Penal Law.

NEW YORK CITY REAL PROPERTY TRANSFER TAX RETURNS FILED ON OR AFTER FEBRUARY 6th, 1990, WITH RESPECT TO THE CONVEYANCE OF A ONE- OR TWO-FAMILY DWELLING, OR A COOPERATIVE APARTMENT OR A CONDOMINIUM UNIT IN A ONE- OR TWO-FAMILY DWELLING, WILL NOT BE ACCEPTED FOR FILING UNLESS ACCOMPANIED BY THIS AFFIDAVIT.

Historical Topographic Maps

538-540 West 29th Street

538-540 West 29th Street

New York, NY 10001

Inquiry Number: 5233497.4

March 26, 2018

EDR Historical Topo Map Report

with QuadMatch™

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Historical Topo Map Report

03/26/18

Site Name:

538-540 West 29th Street
538-540 West 29th Street
New York, NY 10001
EDR Inquiry # 5233497.4

Client Name:

ESPL Env. Consultants Corp.
57 West 57th Street, Suite 400
New York, NY 10019
Contact: Margaret Tavares

EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by ESPL Env. Consultants Corp. were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

Search Results:

P.O.# NA

Project: 538-540 West 29th Street

Coordinates:

Latitude:	40.75204 40° 45' 7" North
Longitude:	-74.003425 -74° 0' 12" West
UTM Zone:	Zone 18 North
UTM X Meters:	584127.43
UTM Y Meters:	4511709.37
Elevation:	12.97' above sea level

Maps Provided:

2013, 2014	1935
1995, 1997	1925
1979, 1981	1905
1966, 1967	1903
1955, 1956	1900
1947	1898
1943	1897
1940	1888, 1891

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2018 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

2013, 2014 Source Sheets

Central Park
2013
7.5-minute, 24000



Brooklyn
2013
7.5-minute, 24000



Weehawken
2014
7.5-minute, 24000



Jersey City
2014
7.5-minute, 24000

1995, 1997 Source Sheets

Brooklyn
1995
7.5-minute, 24000
Aerial Photo Revised 1977



Weehawken
1995
7.5-minute, 24000
Aerial Photo Revised 1995



Central Park
1997
7.5-minute, 24000
Aerial Photo Revised 1997

1979, 1981 Source Sheets



Central Park
1979
7.5-minute, 24000
Aerial Photo Revised 1977

Brooklyn
1979
7.5-minute, 24000
Aerial Photo Revised 1977

Jersey City
1981
7.5-minute, 24000
Aerial Photo Revised 1976

Weehawken
1981
7.5-minute, 24000
Aerial Photo Revised 1976

1966, 1967 Source Sheets



Central Park
1966
7.5-minute, 24000
Aerial Photo Revised 1966

Brooklyn
1967
7.5-minute, 24000
Aerial Photo Revised 1966



Weehawken
1967
7.5-minute, 24000
Aerial Photo Revised 1966

Jersey City
1967
7.5-minute, 24000
Aerial Photo Revised 1966

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1955, 1956 Source Sheets

Jersey City
1955
7.5-minute, 24000
Aerial Photo Revised 1954



Brooklyn
1956
7.5-minute, 24000



Central Park
1956
7.5-minute, 24000

1947 Source Sheets

Brooklyn
1947
7.5-minute, 24000
Aerial Photo Revised 1940

Jersey City
1947
7.5-minute, 24000
Aerial Photo Revised 1940

Central Park
1947
7.5-minute, 24000
Aerial Photo Revised 1941

1943 Source Sheets

Weehawken
1943
7.5-minute, 25000

1940 Source Sheets

Weehawken
1940
7.5-minute, 31680

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1935 Source Sheets

Weehawken
1935
7.5-minute, 24000

1925 Source Sheets

Staten Island
1925
15-minute, 62500

1905 Source Sheets



Passaic
1905
30-minute, 125000

1903 Source Sheets



Paterson
1903
15-minute, 62500

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1900 Source Sheets

Harlem
1900
15-minute, 62500

Brooklyn
1900
15-minute, 62500



Paterson
1900
15-minute, 62500

Staten Island
1900
15-minute, 62500

1898 Source Sheets

Brooklyn
1898
15-minute, 62500

Harlem
1898
15-minute, 62500

Staten Island
1898
15-minute, 62500

Paterson
1898
15-minute, 62500

1897 Source Sheets

Brooklyn
1897
15-minute, 62500

Harlem
1897
15-minute, 62500

1888, 1891 Source Sheets

Paterson
1888
15-minute, 62500

STATEN ISLAND
1891
15-minute, 62500

Historical Topo Map

2013, 2014

This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Weehawken, 2014, 7.5-minute
NE, Central Park, 2013, 7.5-minute
SE, Brooklyn, 2013, 7.5-minute
SW, Jersey City, 2014, 7.5-minute

SITE NAME: 538-540 West 29th Street
ADDRESS: 538-540 West 29th Street
New York, NY 10001
CLIENT: ESPL Env. Consultants Corp.

N


WEEHAWKEN
MANHATTAN
HUDSON RIVER
NEW JERSEY
NEW YORK
Days Pt
Kings Bluff
Weehawken Cove
Tollgate
Fire Sta
Sewage Disposal
Wallace Sch
Chelsea Park
Lincoln Tunnel
Holland Tunnel
Hudson River Park
Lincoln Center
Fordham Univ
Columbus Circle
Carnegie Hall
Museum of Modern Art
Times Square
Bus Terminal
Madison Sq Garden
Herald Sq
Main Library
Empire State Bldg
Greenwich Village
Washington Sq Park
Union Sq Park
Stuyvesant Square
Gramercy Park
Madison Sq Park
Eternal Light
Cooper Union Inst
NEW YORK UNIVERSITY
St Francis Xavier College
Mt Sinai Hospital
Beth Israel Hospital
Roosevelt Hospital
Polyclinic Hosp
Police Sta
Playground
Pharmacy College
Coliseum
Park
Tunnel
Hospital
Armory
Library
Post Office
Fire Sta
Police Sta
Dept of Education
Westside Airlines Terminal
N Y Sch of Printing
Union Store
Lincoln Center
Fordham Univ Campion
Columbus Circle
Carnegie Hall
Museum of Modern Art
Times Square
Bus Terminal
Madison Sq Garden
Herald Sq
Main Library
Empire State Bldg
Greenwich Village
Washington Sq Park
Union Sq Park
Stuyvesant Square
Gramercy Park
Madison Sq Park
Eternal Light
Cooper Union Inst
NEW YORK UNIVERSITY
St Francis Xavier College
Mt Sinai Hospital
Beth Israel Hospital
Roosevelt Hospital
Polyclinic Hosp
Police Sta
Playground
Pharmacy College
Coliseum
Park
Tunnel
Hospital
Armory
Library
Post Office
Fire

Historical Topo Map

1979, 1981



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Weehawken, 1981, 7.5-minute
NE, Central Park, 1979, 7.5-minute
SE, Brooklyn, 1979, 7.5-minute
SW, Jersey City, 1981, 7.5-minute

SITE NAME: 538-540 West 29th Street
ADDRESS: 538-540 West 29th Street
New York, NY 10001
CLIENT: ESPL Env. Consultants Corp.

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Weehawken, 1967, 7.5-minute
NE, Central Park, 1966, 7.5-minute
SE, Brooklyn, 1967, 7.5-minute
SW, Jersey City, 1967, 7.5-minute

SITE NAME: 538-540 West 29th Street
ADDRESS: 538-540 West 29th Street
New York, NY 10001
CLIENT: ESPL Env. Consultants Corp.

N

This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

NE, Central Park, 1956, 7.5-minute
SE, Brooklyn, 1956, 7.5-minute
SW, Jersey City, 1955, 7.5-minute

SITE NAME: 538-540 West 29th Street
ADDRESS: 538-540 West 29th Street
New York, NY 10001
CLIENT: ESPL Env. Consultants Corp.

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

NE, Central Park, 1947, 7.5-minute
SE, Brooklyn, 1947, 7.5-minute
SW, Jersey City, 1947, 7.5-minute

SITE NAME: 538-540 West 29th Street
ADDRESS: 538-540 West 29th Street
New York, NY 10001
CLIENT: ESPL Env. Consultants Corp.

N

UNMAPPED

This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Weehawken, 1943, 7.5-minute

SITE NAME: 538-540 West 29th Street
ADDRESS: 538-540 West 29th Street
New York, NY 10001
CLIENT: ESPL Env. Consultants Corp.

N



UNMAPPED

This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Weehawken, 1940, 7.5-minute

SITE NAME: 538-540 West 29th Street
ADDRESS: 538-540 West 29th Street
New York, NY 10001
CLIENT: ESPL Env. Consultants Corp.

N

UNMAPPED

This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Weehawken, 1935, 7.5-minute

SITE NAME: 538-540 West 29th Street
ADDRESS: 538-540 West 29th Street
New York, NY 10001
CLIENT: ESPL Env. Consultants Corp.

N

UNMAPPED



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5



SW, Staten Island, 1925, 15-minute

SITE NAME: 538-540 West 29th Street
ADDRESS: 538-540 West 29th Street
New York, NY 10001
CLIENT: ESPL Env. Consultants Corp.

N

UNMAPPED

This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Passaic, 1905, 30-minute

SITE NAME: 538-540 West 29th Street
ADDRESS: 538-540 West 29th Street
New York, NY 10001
CLIENT: ESPL Env. Consultants Corp.

N

UNMAPPED

This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Paterson, 1903, 15-minute

SITE NAME: 538-540 West 29th Street
ADDRESS: 538-540 West 29th Street
New York, NY 10001
CLIENT: ESPL Env. Consultants Corp.

N

This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Paterson, 1900, 15-minute
NE, Harlem, 1900, 15-minute
SE, Brooklyn, 1900, 15-minute
SW, Staten Island, 1900, 15-minute

SITE NAME: 538-540 West 29th Street
ADDRESS: 538-540 West 29th Street
New York, NY 10001
CLIENT: ESPL Env. Consultants Corp.

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Paterson, 1898, 15-minute
NE, Harlem, 1898, 15-minute
SE, Brooklyn, 1898, 15-minute
SW, Staten Island, 1898, 15-minute

SITE NAME: 538-540 West 29th Street
ADDRESS: 538-540 West 29th Street
New York, NY 10001
CLIENT: ESPL Env. Consultants Corp.

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

NE, Harlem, 1897, 15-minute
SE, Brooklyn, 1897, 15-minute

SITE NAME: 538-540 West 29th Street
ADDRESS: 538-540 West 29th Street
New York, NY 10001
CLIENT: ESPL Env. Consultants Corp.

N



MAPPED UNMAPPED UNMAPPED

This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Paterson, 1888, 15-minute
SW, STATEN ISLAND, 1891, 15-minute

SITE NAME: 538-540 West 29th Street
ADDRESS: 538-540 West 29th Street
New York, NY 10001
CLIENT: ESPL Env. Consultants Corp.

N

Aerial Photographs

538-540 West 29th Street

538-540 West 29th Street

New York, NY 10001

Inquiry Number: 5233497.12

March 26, 2018

The EDR Aerial Photo Decade Package

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

03/26/18

Site Name:

538-540 West 29th Street
538-540 West 29th Street
New York, NY 10001
EDR Inquiry # 5233497.12

Client Name:

ESPL Env. Consultants Corp.
57 West 57th Street, Suite 400
New York, NY 10019
Contact: Margaret Tavares

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

Year	*Scale*	*Details*	*Source*
2015	1"=500'	Flight Year: 2015	USDA/NAIP
2011	1"=500'	Flight Year: 2011	USDA/NAIP
2008	1"=500'	Flight Year: 2008	USDA/NAIP
1994	1"=500'	Acquisition Date: April 04, 1994	USGS/DOQQ
1991	1"=500'	Flight Date: March 09, 1991	USGS
1984	1"=500'	Flight Date: March 26, 1984	USGS
1980	1"=500'	Flight Date: July 25, 1980	NOAA
1975	1"=500'	Flight Date: October 03, 1975	NOAA
1966	1"=500'	Flight Date: February 23, 1966	USGS
1961	1"=500'	Flight Date: April 12, 1961	EDR Proprietary Aerial Viewpoint
1954	1"=500'	Flight Date: February 27, 1954	USGS
1951	1"=500'	Flight Date: April 07, 1951	EDR Proprietary Aerial Viewpoint
1943	1"=500'	Flight Date: December 21, 1943	USC&GS
1940	1"=500'	Flight Date: April 06, 1940	EDR Proprietary Aerial Viewpoint
1924	1"=500'	Flight Date: July 01, 1924	USGS

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2018 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

INQUIRY #: 5233497.12

YEAR: 2015

= 500'

N

EDR

INQUIRY #: 5233497.12

YEAR: 2011

= 500'

N

EDR

INQUIRY #: 5233497.12

YEAR: 2008

= 500'

N

EDR



INQUIRY #: 5233497.12

YEAR: 1994

= 500'

N

EDR

INQUIRY #: 5233497.12

YEAR: 1991

= 500'

N

EDR

INQUIRY #: 5233497.12

YEAR: 1984

= 500'

N

EDR



INQUIRY #: 5233497.12

YEAR: 1980

= 500'

N

EDR



INQUIRY #: 5233497.12

YEAR: 1975

= 500'

N

EDR

INQUIRY #: 5233497.12

YEAR: 1966

= 500'

N

EDR

INQUIRY #: 5233497.12

YEAR: 1961

= 500'

N

EDR

INQUIRY #: 5233497.12

YEAR: 1954

= 500'

N

EDR

INQUIRY #: 5233497.12

YEAR: 1951

= 500'

N

EDR

INQUIRY #: 5233497.12

YEAR: 1943

= 500'

N

EDR

INQUIRY #: 5233497.12

YEAR: 1940

= 500'

N

EDR

INQUIRY #: 5233497.12

YEAR: 1924

= 500'

N

EDR

Appendix D

Phase I Questionnaire

PHASE I ENVIRONMENTAL QUESTIONNAIRE

ENVIRONMENTAL QUESTIONNAIRE

Persons to be Questioned – The following questions should be asked of

- the current owner of the property
- any commercial occupant of the property (residential occupants do not need to be asked the questions)
- any other occupant likely to be using, treating, generating, storing or disposing of hazardous substances or petroleum products on or from the property.

The preparer should ask each person to answer all questions to the best of the respondent's actual knowledge and in good faith. When completing the site visit portion of the questionnaire the preparer should be sure to observe the property and the buildings and other structures on the property. All questions should be answered as indicated in the form. The 5-50[SM] Manual provides further details on the appropriate use of this questionnaire.

	QUESTION	LENDER/SERVICER OR OBSERVED DURING SITE VISIT	OWNER	OCCUPANTS
1.	Is the *property* or any *adjoining property* used for an industrial use?	Yes _____ No _____ Unknown ✓	Yes _____ No _____ Unknown ____	Yes _____ No _____ Unknown ____
2.	To the best of your knowledge, has the *property* or any *adjoining property* been used for an industrial use in the past?	Yes _____ No _____ Unknown ✓	Yes _____ No _____ Unknown ____	Yes _____ No _____ Unknown ____
3.	Is the *property* or any *adjoining property* used as a gasoline station, motor repair facility, commercial printing facility, dry cleaners, photo developing laboratory, junkyard or landfill, or as a waste treatment, storage, disposal, processing, or recycling facility?	Yes _____ No _____ Unknown ✓	Yes _____ No _____ Unknown ____	Yes _____ No _____ Unknown ____
4.	To the best of your knowledge has the *property* or any *adjoining property*	Yes _____ No _____	Yes _____ No _____	Yes _____ No _____

	Question	Lender/Servicer or Observed During Site Visit	Owner	Occupants
	been used as a gasoline station, motor repair facility, commercial printing facility, dry cleaners, photo developing laboratory, junkyard or landfill, or as a waste treatment, storage, disposal, processing, or recycling facility?	Unknown ✓	Unknown ____	Unknown ____
5.	Are there currently, or to the best of your knowledge have there been previously, any damaged or discarded automobile or industrial batteries, or pesticides, paints, or other chemicals in individual containers of greater than 5 gal (19 L) in volume or 50 gal (190 L) in the aggregate, stored on or used at the *property* or at the facility?	Yes ____ No ____ Unknown ✓	Yes ____ No ____ Unknown ____	Yes ____ No ____ Unknown ____
6.	Are there currently, or to the best of your knowledge have there been previously, any industrial *drums* (typically 55 gal [208 L]) or sacks of chemicals located on the property or at the facility?	Yes ____ No ____ Unknown ✓	Yes ____ No ____ Unknown ____	Yes ____ No ____ Unknown ____
7.	Has *fill dirt* been brought onto the property that originated from a contaminated site or that is of an unknown origin?	Yes ____ No ____ Unknown ✓	Yes ____ No ____ Unknown ____	Yes ____ No ____ Unknown ____
8.	Are there currently, or to the best of your knowledge have there been previously, any *pits, ponds, or lagoons* located on the *property* in connection with waste treatment or waste disposal?	Yes ____ No ____ Unknown ✓	Yes ____ No ____ Unknown ____	Yes ____ No ____ Unknown ____
9.	Is there currently, or to the best of your knowledge have there been previously, any stained soil on the *property*?	Yes ____ No ____ Unknown ✓	Yes ____ No ____ Unknown ____	Yes ____ No ____ Unknown ____
10.	Are there currently, or to the best of your knowledge have there been previously, any registered or unregistered storage tanks (above or underground) located on the	Yes ____ No ____ Unknown ✓	Yes ____ No ____ Unknown ____	Yes ____ No ____ Unknown ____

	Question	Lender/Servicer or Observed During Site Visit	Owner	Occupants
	property?			
11.	Are there currently, or to the best of your knowledge have there been previously, any vent pipes, fill pipes, or access ways indicating a fill pipe protruding from the ground on the *property* adjacent to any structure located on the *property*?	Yes _____ No _____ Unknown ✓	Yes _____ No _____ Unknown ____	Yes _____ No _____ Unknown ____
12.	Are there currently, or to the best of your knowledge have there been previously, any flooring, drains, or walls located within the facility that are stained by substances other than water or are emitting foul odors?	Yes _____ No _____ Unknown ✓	Yes _____ No _____ Unknown ____	Yes _____ No _____ Unknown ____
13.	If the *property* is served by a private well or non-public water system, have contaminants been identified in the well or system that exceed guidelines applicable to the water system or has the well been designated contaminated by any government environmental/health agency?	Yes _____ No _____ Unknown ✓	Yes _____ No _____ Unknown ____	Yes _____ No _____ Unknown ____
14.	Does the *owner* or *occupant* of the *property* have any knowledge of *environmental liens* or governmental notification relating to the past or recurrent violations of environmental laws with respect to the *property* or any facility located on the *property*?	Yes _____ No _____ Unknown ✓	Yes _____ No _____ Unknown ____	Yes _____ No _____ Unknown ____
15.	Has the *owner* or *occupant* of the *property* been informed of the past or current existence of *hazardous substances* or petroleum *products* or environmental violations with respect to the *property* or any facility located on the *property*?	Yes _____ No _____ Unknown ✓	Yes _____ No _____ Unknown ____	Yes _____ No _____ Unknown ____
16.	Does the *owner* or *occupant* of the property have any knowledge of any environmental site assessment of the *property* or facility that indicated the presence of *hazardous substances* or *petroleum products* on, or	Yes _____ No _____ Unknown ✓	Yes _____ No _____ Unknown ____	Yes _____ No _____ Unknown ____

	Question	Lender/Servicer or Observed During Site Visit	Owner	Occupants
	contamination of, the *property* or recommended further assessment of the *property*?			
17.	Does the *owner* or *occupant* of the *property* know of any past, threatened, or pending lawsuits or administrative proceedings concerning a release or threatened release of any *hazardous substance* or *petroleum products* involving the *property* by any owner or occupant of the *property*?	Yes _____ No _____ Unknown ✓	Yes _____ No _____ Unknown ____	Yes _____ No _____ Unknown ____
18.	Does the *property* discharge wastewater on or adjacent to the *property* other than stormwater into a sanitary sewer system?	Yes _____ No _____ Unknown ✓	Yes _____ No _____ Unknown ____	Yes _____ No _____ Unknown ____
19.	To the best of you knowledge, have any *hazardous substances* or *petroleum products*, unidentified waste materials, tires, automotive or industrial batteries or any other waste materials been dumped above grade, buried and/or burned on the *property*?	Yes _____ No _____ Unknown ✓	Yes _____ No _____ Unknown ____	Yes _____ No _____ Unknown ____
20.	Is there a transformer, capacitor, or any hydraulic equipment for which there are any records indicating the presence of PCB's on the *property*?	Yes _____ No _____ Unknown ✓	Yes _____ No _____ Unknown ____	Yes _____ No _____ Unknown ____
	Government Records/Historical Sources Inquiry			
21.	Do any of the following Federal government record systems list the property or any property within the circumference of areas noted below:			
	☐ National Priorities List – within 1.0 mile (1.6km)?	Yes _____ No _____ Unknown ✓	Yes _____ No _____ Unknown ____	
	☐ RCRA TSD Facilities – within 1.0 mile (1.6km)?	Yes _____ No _____ Unknown ✓	Yes _____ No _____ Unknown ____	
22.	Do any of the following state record systems list the property or			

	Question	Lender/Servicer or Observed During Site Visit	Owner	Occupants
	any property within the circumference of areas noted below:			
	▫ List maintained by the state environmental agency of hazardous waste sites identified for investigation or remediation that is the state agency equivalent to the NPL – within approximately 1.0 mile (1.6km)?	Yes _____ No _____✓ Unknown ____	Yes _____ No _____ Unknown ____	
	▫ List maintained by the state environmental agency of hazardous waste sites identified for investigation or remediation that is the state agency equivalent to CERCLIS – within 0.5 mile (0.8km)?	Yes _____ No _____ Unknown ✓____	Yes _____ No _____ Unknown ____	
	▫ Leaking Underground Storage Tank (LUST) List – within 0.5 mile (0.8km)?	Yes _____ No _____ Unknown ✓____	Yes _____ No _____ Unknown ____	
	▫ Solid Waste`/Landfill Facility – within 0.5 mile (0.8km)?	Yes _____ No _____ Unknown ✓____	Yes _____ No _____ Unknown ____	
23.	Based upon a review of *fire insurance maps* or consultation with the local fire department serving the *property*, all as specified in the guide, are there any buildings or other improvements on the *property* or on an *adjoining property* identified as having been used for an industrial use or uses likely to lead to contamination of the *property*?	Yes _____ No _____ Unknown ✓____	Yes _____ No _____ Unknown ____	

The **preparer** of this form must complete the following required information.

This questionnaire was completed by:

Name:	Michael Zampetti
Title:	Principal
Firm:	LARGO
Address:	148 Madison Avenue, 16th Floor, New York, N.Y. 10016
Phone Number:	646-330-5005
Date:	4/3/2018

If the preparer is different than the user, complete the following:

Name of User:	
Address of User:	
Phone Number of User:	
Relationship of Preparer to Site:	
Relationship of Preparer to User	_____ Principal _____ Employee _____ Agent _____ Consultant _____ Other: _____

Preparer represents that to the best of his/her knowledge the above statements and facts are true and correct and to the best of his/her actual knowledge no material facts have been suppressed or misstated.

Date: 4/3/2018

Name: Michael Zampetti
Title: Principal

Results Summary & Recommendation

1. Phase II Assessment Results: (Check results for each applicable hazard. Put "N/A" for those hazards not requiring a Phase II Assessment)

Hazard	Acceptable	Acceptable Requires O&M	Fail	Fail, Possibly Remedy
Asbestos	_____	_____	___	_____
PCB	_____	_____	___	_____
Radon	_____	_____	___	_____
UST	_____	_____	___	_____
Waste Sites	_____	_____	___	_____
Lead-Based Paint	_____	_____	___	_____
Other	_____	_____	___	_____

2. Attach a brief explanation for each hazard that is acceptable but requires O&M actions. What actions are required and how should they be performed?

3. Attach a brief explanation for each hazard that failed but could be corrected with remedial actions. What actions are required and how should they be performed?

4. Comments:

Signature: _____ Date: _____

FOIL Requests

From: New York DEC Support
To: Margaret Tavares
Subject: FOIL Request :: W034380-040218
Date: Monday, April 02, 2018 12:26:08 PM

Dear margaret:

Thank you for your Freedom of Information Law (FOIL) request. Your request has been received and is being processed. Your request was received in this office on 4/2/2018 and given the reference number FOIL #W034380-040218 for tracking purposes. You may expect the Department's response to your request no later than **4/30/2018**.

Record Requested: **538 West 29th Street, Manhattan Any information regarding Spills, UST, AST**

You can monitor the progress of your request at the link below and you'll receive an email when your request has been completed. Again, thank you for using the FOIL Center.

https://mycusthelp.com/NEWYORKDEC/_rs/RequestLogin.aspx

New York State Department of Environmental Conservation, Record Access Office

---

Track the issue status and respond at:
https://mycusthelp.com/NEWYORKDEC//_rs/RequestEdit.aspx?rid=34380

From: New York DEC Support
To: Margaret Tavares
Subject: FOIL Request :: W034382-040218
Date: Monday, April 02, 2018 12:26:09 PM

Dear margaret:

Thank you for your Freedom of Information Law (FOIL) request. Your request has been received and is being processed. Your request was received in this office on 4/2/2018 and given the reference number FOIL #W034382-040218 for tracking purposes. You may expect the Department's response to your request no later than **4/30/2018**.

Record Requested: **540 West 29th Street, Manhattan Any information regarding Spills, UST, AST**

You can monitor the progress of your request at the link below and you'll receive an email when your request has been completed. Again, thank you for using the FOIL Center.

https://mycusthelp.com/NEWYORKDEC/_rs/RequestLogin.aspx

New York State Department of Environmental Conservation, Record Access Office

---

Track the issue status and respond at:
https://mycusthelp.com/NEWYORKDEC//_rs/RequestEdit.aspx?rid=34382

FIRE DEPARTMENT – CITY OF NEW YORK

Public Records Unit / Tanks Section

9 MetroTech Center
Brooklyn, New York 11201-3857
(718) 999-2441 or 2442

Fuel Tank Special Report Request Form

SECTION A **CUSTOMER INFORMATION**

Please print the required information below.

ESPL Environmental Consultants
Name

57 W57th St
Address

NY NY 10019
State Zip Code

2123307501
Telephone Number

OFFICE USE ONLY

Cashier / Search No.

PRU Staff
Accepted By/Initials:

Searched By:

Total Amount:

Note: Please make sure you complete this form and attach all required documents. Enclose a check or money order made payable to the NYC Fire Department and a stamped self-addressed envelope (with postage). Mail checks or money orders directly to the address and unit listed above. DO NOT MAIL CASH.

SECTION B **FUEL TANK REPORT - FEE $10.00 / PER REPORT**

540 West 29th St Manhattan
House Number Street Name Borough

- [ ] THE TOTAL AMOUNT AND SIZE OF EXISTING FUEL OIL / HEATING TANKS
- [x] THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED FUEL OIL / HEATING TANKS
- [ ] THE TOTAL AMOUNT AND SIZE OF EXISTING BURIED MOTOR VEHICLE TANKS
- [ ] THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED BURIED MOTOR VEHICLE TANKS
- [ ] MOST RECENT TANK / PIPING TEST RESULTS
- [ ] HISTORY OF BURIED TANKS LEAKS

Note: Requests will be responded to within 10 business days.

PR3 (July-08)

FIRE DEPARTMENT – CITY OF NEW YORK

Public Records Unit / Tanks Section

9 MetroTech Center
Brooklyn, New York 11201-3857
(718) 999-2441 or 2442

Fuel Tank Special Report Request Form

SECTION A **CUSTOMER INFORMATION**

Please print the required information below.

ESPL Environmental Cons.
Name

57 W 57th St
Address

NY 10019
State Zip Code

212 3307501
Telephone Number

OFFICE USE ONLY

Cashier / Search No.

PRU Staff
Accepted By/Initials:

Searched By:

Total Amount:

Note: Please make sure you complete this form and attach all required documents. Enclose a check or money order made payable to the NYC Fire Department and a stamped self-addressed envelope (with postage). Mail checks or money orders directly to the address and unit listed above. DO NOT MAIL CASH.

SECTION B **FUEL TANK REPORT - FEE $10.00 / PER REPORT**

538 West 29th Street Manhattan
House Number Street Name Borough

- [ ] THE TOTAL AMOUNT AND SIZE OF EXISTING FUEL OIL / HEATING TANKS
- [x] THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED FUEL OIL / HEATING TANKS
- [ ] THE TOTAL AMOUNT AND SIZE OF EXISTING BURIED MOTOR VEHICLE TANKS
- [ ] THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED BURIED MOTOR VEHICLE TANKS
- [ ] MOST RECENT TANK / PIPING TEST RESULTS
- [ ] HISTORY OF BURIED TANKS LEAKS

Note: Requests will be responded to within 10 business days.

PR3 (July-08)

Title Search

Certificate of Occupancy

538 West 29th Street

Form 84 C (Rev. 4/62) 42M 701190(61) [illegible] 114

DEPARTMENT OF BUILDINGS

BOROUGH OF MANHATTAN, THE CITY OF NEW YORK

Date October 20, 1970 No. 69530

CERTIFICATE OF OCCUPANCY

NO CHANGES OF USE OR OCCUPANCY NOT CONSISTENT WITH THIS CERTIFICATE SHALL BE MADE UNLESS FIRST APPROVED BY THE BOROUGH SUPERINTENDENT

This certificate supersedes C. O. No.

THIS CERTIFIES that the [illegible]—altered—[illegible]—building—premises located at 538 West 29th Street Block 700 Lot 55

That the zoning lot and premises above referred to are situated, bounded and described as follows:

BEGINNING at a point on the south side of West 29th Street distant 249'6" feet east from the corner formed by the intersection of 11th Avenue and West 29th Street

running thence east 25'6" feet; thence south 98'9" feet;

thence west 25'6" feet; thence north 98'9" feet;

running thence ..... feet; thence ..... feet;

to the point or place of beginning, conforms substantially to the approved plans and specifications, and to the requirements of the Building Code, the Zoning Resolution and all other laws and ordinances, and of the rules of the Board of Standards and Appeals, applicable to a building of its class and kind at the time the permit was issued; and

CERTIFIES FURTHER that, any provisions of Section 646c of the New York Charter have been complied with as certified by a report of the Fire Commissioner to the Borough Superintendent.

[illegible] or Alt. No.— 1429-1964 Construction classification— Class 3 Nonfireproof

Occupancy classification— Commercial . Height 3 stories, 39 feet.

Date of completion— October 14, 1970 . Located in M 1-5 Zoning District.

at time of issuance of permit. 2662-1970

This certificate is issued subject to the limitations hereinafter specified and to the following resolutions of the Board of Standards and Appeals:

and The City Planning Commission: 1511-61-A (Calendar numbers to be inserted here)

PERMISSIBLE USE AND OCCUPANCY

Off-Street Parking Spaces .....

Off-Street Loading Berths .....

STORY	LIVE LOADS Lbs. per Sq. Ft.	PERSONS ACCOMMODATED	USE
Clr.	On Ground		Heating plant and storage.
1st	120	9	Assembly and storage of metal pipe coat racks, Use group 17.
2nd	75		
3rd	75		
		NOTE:	Steel products-miscellaneous fabrication and assembly, Use group 17.
		NOTE:	Not more than five (5) persons in the building employed at light manufacturing.

Borough Superintendent

OFFICE COPY—DEPARTMENT OF BUILDINGS

[illegible] MAY BE REVOKED WITHIN THE PERIOD IN ACCORDANCE WITH THE RULES OF THE DEPARTMENT PROMULGATED MARCH 31ST, 1957.

PERMISSIBLE USE AND OCCUPANCY (continued)

STORY	LIVE LOADS Lbs. per Sq. Ft.	PERSONS ACCOMMODATED	USE

Borough Superintendent

THE CITY OF NEW YORK

DEPARTMENT OF BUILDINGS

CERTIFICATE OF OCCUPANCY

BOROUGH [illegible] DATE JUL 22 1987 NO. 90642

This certificate supersedes C O No [illegible] ZONING DISTRICT M1-5

THIS CERTIFIES that the new altered existing building - premises located at [illegible] Block [illegible] Lot [illegible]

CONFORMS SUBSTANTIALLY TO THE APPROVED PLANS AND SPECIFICATIONS AND TO THE REQUIREMENTS OF ALL APPLICABLE LAWS, RULES AND REGULATIONS FOR THE USES AND OCCUPANCIES SPECIFIED HEREIN

PERMISSIBLE USE AND OCCUPANCY

STORY	FLOOR AREA SQ. FT.	MAX. NO. OF PERSONS PERMITTED	ZONING REGULATION NONCONFORMING USES	BUILDING CODE OCCUPANCY GROUP	ZONING USE GROUP	BUILDING CODE OCCUPANCY GROUP	DESCRIPTION OF USE
Cellar							Printing Plant and Storage
1st	800	25 10			17 6	F-2 E	Art Space Manufacturing Retail Store Office
2nd	72	10			17 6	E	Caretaker Apartment Office
3rd	79	8			6	E	Office
			Commercial Old Code				

OPEN SPACE USES [illegible]
(SPECIFY PARK NO SPACES LOADING BERTHS, OTHER USES NONE)

NO CHANGES OF USE OR OCCUPANCY SHALL BE MADE UNLESS A NEW AMENDED CERTIFICATE OF OCCUPANCY IS OBTAINED

THIS CERTIFICATE OF OCCUPANCY IS ISSUED SUBJECT TO FURTHER LIMITATIONS, CONDITIONS AND SPECIFICATIONS NOTED ON THE REVERSE SIDE

BOROUGH SUPERINTENDENT [illegible] COMMISSIONER

☐ ORIGINAL ☐ OFFICE COPY - DEPARTMENT OF BUILDINGS ☐ COPY

THAT THE ZONING LOT ON WHICH THE PREMISES IS LOCATED IS BOUNDED AS FOLLOWS:

BEGINNING at a point on the ... side of ... distant ... from the corner formed by the intersection of ...

running thence ... feet; thence ... feet;

thence ... feet; thence ... feet;

thence ... feet; thence ... feet;

thence ... feet; thence ... feet;

to the point or place of beginning.

NB/M ALT. NO. ... DATE OF COMPLETION 1/22/67 ... FEET

BUILDING OCCUPANCY GROUP CLASSIFICATION ... FEET

COMMERCIAL

THE FOLLOWING FIRE DETECTION AND EXTINGUISHING SYSTEMS ARE INSTALLED AND ARE INSTALLED IN COMPLIANCE WITH APPLICABLE LAWS.

STANDPIPE SYSTEM	
YARD HYDRANT SYSTEM	
STANDPIPE FIRE TELEPHONE AND SIGNALLING SYSTEM	
SMOKE DETECTOR	
FIRE ALARM AND SIGNAL SYSTEM	

STORM DRAINAGE DISCHARGES INTO:

A) STORM SEWER ☐ B. COMBINED SEWER ☐ C. PRIVATE DRAINAGE DISPOSAL SYSTEM ☐

SANITARY DRAINAGE DISCHARGES INTO:

A) SANITARY SEWER ☐ B. COMBINED SEWER ☐ C. PRIVATE DRAINAGE DISPOSAL SYSTEM ☐

LIMITATIONS OR RESTRICTIONS

BOARD OF STANDARDS AND APPEALS CAL. NO. ...

CITY PLANNING COMMISSION CAL. NO. ...

OTHERS.

540 West 29th Street

Form—244-1923 Certificate of Occupancy. 8A-2087-23-L

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

HVC **CERTIFICATE OF OCCUPANCY No.** 192 4

Supersedes Certificate of Occupancy No.

To the owner or owners of the building: New York Feb. 13 1924

THIS CERTIFIES that the building located on Block 700, Lot 56

known as 540 West 29th Street 24'6" front,

under a permit, Application No. 3089 Alt of 1921, conforms to the approved plans and specifications accompanying said permit and any approved amendments thereto, and to the requirements of the building code and all other laws and ordinances and to the rules and regulations of the board of standards and appeals, applicable to a building of its class and kind, except that in the case of a building heretofore existing and for which no previous certificate of occupancy has been issued and which has not been altered or converted since March 14, 1916, to a use that changed its classification as defined in the building code, this certificate confirms and continues the existing uses to which the building has been put; and

CERTIFIES FURTHER that the building is of non-fireproof construction within the meaning of the building code and may be used and occupied as a business building as hereinafter qualified, in an unrestricted district under the building zone resolution, subject to all the privileges, requirements, limitations, and conditions prescribed by law or as hereinafter specified.

STORY	LIVE LOADS Lbs. per Sq. Ft.	PERSONS ACCOMMODATED MALE	FEMALE	TOTAL	USE
1st Floor	120	5		5	Auto repair shop
2nd "	120	10		10	Factory
3rd "	120	10		10	Factory

This certificate is issued to S.C.Sterne & Company, Lessees
540 West 29th Street, City, for the owner or owners.

The superimposed, uniformly distributed loads, or their equivalent concentrated loads in any story shall not exceed the live loads specified above; the number of persons of either sex in any story shall not exceed that specified when sex is indicated, nor shall the aggregate number of persons in any story exceed the specified total; and the use to which any story may be put shall be restricted to that fixed by this certificate except as specifically stated.

The building or any part thereof shall not be used for any purpose other than that for which it is certified.

Unless specifically stated above, the building or any part thereof, if certified as a public building, shall not be used as a building in which persons are harbored to receive medical, charitable or other care or treatment, such as a hospital, asylum, etc., or in which persons are held or detained under legal restraint, such as a police station, jail, etc.; nor shall it be used as a motion picture theatre as defined in section 30, chapter 3, Code of Ordinances; nor as a theatre or opera house or other building intended to be used for theatrical or operatic purposes, or for public entertainment of any kind, for the accommodation of more than 300 persons.

Unless specifically stated above, the building or any part thereof, if certified as a residence building, shall not be used as a tenement house as defined in the tenement house law; nor shall it be used as any form of residence building having more than 15 sleeping rooms; nor shall it be used as a lodging house within the meaning of Sec. 1305 of the Greater New York Charter.

Unless specifically stated above, the building or any part thereof, if certified as a business building, shall not be used as a garage, motor vehicle repair shop or oil selling station as defined in section 1, chapter 10, Code of Ordinances; nor shall it be used for the generation or compression of acetylene; nor as a factory building as defined in the labor law; nor as a grain elevator; nor as a coal pocket; but if approved as a factory building for less than twenty-five persons, it shall not be used for any other purpose.

Except as otherwise noted above, the building, or any part thereof, if located elsewhere than in an unrestricted district, shall not be used for any of the purposes enumerated in paragraph (a) of section 4 of the building zone resolution; nor for any trade, industry or use that is noxious or offensive by reason of the emission of odor, dust, smoke, gas or noise; nor for any kind of manufacturing not already prohibited, except that, if located in a business district, not more than twenty-five per cent. of the total floor space may be so used, or space equal to the area of the lot in any case.

Except as otherwise noted above, the building, if certified as a garage, may not be used for more than five cars on any portion of a street between two intersecting streets, in which portion there exists an exit from or an entrance to a public school, or in which portion there exists any hospital maintained as a charitable institution; and in no case within a distance of 200 feet from the nearest exit from or entrance to a public school; nor within two hundred feet of any hospital maintained as a charitable institution.

If the building has, at any time previous to the issuance of this certificate, been the subject of an appeal to the board of appeals or of a petition to the board of standards and appeals resulting in modification or variation of law or any lawful requirement, the construction and arrangement of the building as specified in the resolution granting such modification or variation, must be maintained, and all conditions imposed by either board must be observed.

No change or re-arrangement in the structural parts of the building, or affecting the lighting or ventilation of any part thereof, or in the exit facilities, shall be made; no enlargement, whether by extending on any side or by increasing in height shall be made; nor shall the building be moved from one location or position to another; nor shall there be any reduction or diminution of the area of the lot or plot on which the building is located, until an approval of the same has been obtained from the superintendent of buildings.

This certificate supersedes each and every previously issued certificate of occupancy for this building or any part thereof, and each and every such previously issued certificate shall be null and void; and this certificate in turn becomes null and void upon the issuance of any new lawful certificate.

This certificate does not in any way relieve the owner or owners, or any other person or persons in possession or control of the building, or any part thereof, from obtaining such other permits or licenses as may be prescribed by law for the uses or purposes for which the building is designed or intended; nor from complying with any lawful order issued with the object of maintaining the building in a safe or lawful condition; nor from complying with any authorized direction to remove encroachments into a public highway or other public place, whether attached to or part of the building or not.

This certificate does not authorize the use or operation of any elevator in the building without the special certificate required by section 563 of the building code.

If the building is or is required to be equipped with standpipes or other fire extinguishing appliances, this certificate is not complete until such standpipes or other appliances have been inspected by the fire department and approved in writing, either in a separate certificate or by endorsement upon this certificate. (Space for such endorsement is provided on page 4 of this certificate.)

If this certificate is marked "Temporary," it is applicable only to those parts of the building indicated on its face, and certifies to the legal use and occupancy of only such parts of the building; it is subject to all the provisions and conditions applying to a final or permanent certificate; it is not applicable to a tenement house unless also approved by the tenement house commissioner; and it must be replaced by a full certificate as soon as the entire building is completed according to law and ready for occupancy.

The word "class" as used in this certificate refers to the classification of buildings in the building code (section 70).

This certificate is issued in accordance with the provisions of section 411-a of the Greater New York Charter and of section 5 of chapter 5 (Building Code) of the Code of Ordinances of the City of New York.

Examined.

C.B.

Superintendent of Buildings, Borough of Manhattan.

Additional copies of this certificate will be issued, upon written request, to persons having a proprietary interest in the building.

NYC Buildings

Certificate of Occupancy

CO Number: 103580714T001

This certifies that the premises described herein conforms substantially to the approved plans and specifications and to the requirements of all applicable laws, rules and regulations for the uses and occupancies specified. No change of use or occupancy shall be made unless a new Certificate of Occupancy is issued. *This document or a copy shall be available for inspection at the building at all reasonable times.*

A.

Borough:	Manhattan	**Block Number:**	00700	**Certificate Type:**	Temporary
Address:	540 WEST 29 STREET	**Lot Number(s):**	56	**Effective Date:**	05/04/2012
Building Identification Number (BIN):	1012436	**Building Type:**	Altered	**Expiration Date:**	08/02/2012

For zoning lot metes & bounds, please see BISWeb.

B.

Construction classification:	3	(Prior to 1968 Code)
Building Occupancy Group classification:	COM	(Prior to 1968 Code)
Multiple Dwelling Law Classification:	None	

No. of stories: 3	**Height in feet:** 30	**No. of dwelling units:** 0

C. **Fire Protection Equipment:**
None associated with this filing.

D. **Type and number of open spaces:**
None associated with this filing.

E. **This Certificate is issued with the following legal limitations:**
None

Outstanding requirements for obtaining Final Certificate of Occupancy:

There are 9 outstanding requirements. Please refer to BISWeb for further detail.

Borough Comments: None

Borough Commissioner

Commissioner

DOCUMENT CONTINUES ON NEXT PAGE

NYC Buildings

Certificate of Occupancy

CO Number: 103580714T001

Permissible Use and Occupancy

All Building Code occupancy group designations are 1968 designations, except RES, COM, or PUB which are 1938 Building Code occupancy group designations.

Floor From To	Maximum persons permitted	Live load lbs per sq. ft.	Building Code occupancy group	Dwelling or Rooming Units	Zoning use group	Description of use
001	5	120	COM			AUTO REPAIR SHOP
002		120	RES	1	2	ONE (1) APARTMENT
003		120	RES	1	2	ONE (1) APARTMENT

END OF SECTION

Borough Commissioner

Commissioner

END OF DOCUMENT

NYC Buildings

Certificate of Occupancy

CO Number: 103580714T002

This certifies that the premises described herein conforms substantially to the approved plans and specifications and to the requirements of all applicable laws, rules and regulations for the uses and occupancies specified. No change of use or occupancy shall be made unless a new Certificate of Occupancy is issued. *This document or a copy shall be available for inspection at the building at all reasonable times.*

A.

Borough: Manhattan	**Block Number:** 00700	**Certificate Type:** Temporary
Address: 540 WEST 29 STREET	**Lot Number(s):** 56	**Effective Date:** 05/10/2013
Building Identification Number (BIN): 1012436	**Building Type:** Altered	**Expiration Date:** 08/08/2013

For zoning lot metes & bounds, please see BISWeb.

B.

Construction classification:	3	(Prior to 1968 Code)
Building Occupancy Group classification:	COM	(Prior to 1968 Code)
Multiple Dwelling Law Classification:	None	

No. of stories: 3	**Height in feet:** 30	**No. of dwelling units:** 2

C. Fire Protection Equipment:
None associated with this filing.

D. **Type and number of open spaces:**
None associated with this filing.

E. **This Certificate is issued with the following legal limitations:**
None

Outstanding requirements for obtaining Final Certificate of Occupancy:

There are 9 outstanding requirements. Please refer to BISWeb for further detail.

Borough Comments: None

Borough Commissioner

Commissioner

DOCUMENT CONTINUES ON NEXT PAGE

NYC Buildings

Certificate of Occupancy

CO Number: 103580714T002

Permissible Use and Occupancy

All Building Code occupancy group designations are 1968 designations, except RES, COM, or PUB which are 1938 Building Code occupancy group designations.

Floor From To	Maximum persons permitted	Live load lbs per sq. ft.	Building Code occupancy group	Dwelling or Rooming Units	Zoning use group	Description of use
001	5	120	COM			AUTO REPAIR SHOP
002		120	RES	1	2	ONE (1) APARTMENT
003		120	RES	1	2	ONE (1) APARTMENT

END OF SECTION

Borough Commissioner

Commissioner

END OF DOCUMENT

NYC Buildings

Certificate of Occupancy

CO Number: 103580714T003

This certifies that the premises described herein conforms substantially to the approved plans and specifications and to the requirements of all applicable laws, rules and regulations for the uses and occupancies specified. No change of use or occupancy shall be made unless a new Certificate of Occupancy is issued. *This document or a copy shall be available for inspection at the building at all reasonable times.*

A.

Borough:	Manhattan	**Block Number:**	00700	**Certificate Type:**	Temporary
Address:	540 WEST 29 STREET	**Lot Number(s):**	56	**Effective Date:**	08/05/2013
Building Identification Number (BIN):	1012436	**Building Type:**	Altered	**Expiration Date:**	11/03/2013

For zoning lot metes & bounds, please see BISWeb.

B.

Construction classification:	3	(Prior to 1968 Code)
Building Occupancy Group classification:	COM	(Prior to 1968 Code)
Multiple Dwelling Law Classification:	None	

No. of stories: 3	**Height in feet:** 30	**No. of dwelling units:** 2

C. **Fire Protection Equipment:**
None associated with this filing.

D. **Type and number of open spaces:**
None associated with this filing.

E. **This Certificate is issued with the following legal limitations:**
None

Outstanding requirements for obtaining Final Certificate of Occupancy:

There are 9 outstanding requirements. Please refer to BISWeb for further detail.

Borough Comments: None

Borough Commissioner

Commissioner

DOCUMENT CONTINUES ON NEXT PAGE

NYC Buildings

Certificate of Occupancy

CO Number: 103580714T003

Permissible Use and Occupancy

All Building Code occupancy group designations are 1968 designations, except RES, COM, or PUB which are 1938 Building Code occupancy group designations.

Floor From To	Maximum persons permitted	Live load lbs per sq. ft.	Building Code occupancy group	Dwelling or Rooming Units	Zoning use group	Description of use
001	5	120	COM			AUTO REPAIR SHOP
002		120	RES	1	2	ONE (1) APARTMENT
003		120	RES	1	2	ONE (1) APARTMENT

END OF SECTION

Borough Commissioner

Commissioner

END OF DOCUMENT

NYC Buildings

Certificate of Occupancy

CO Number: 103474321T001

This certifies that the premises described herein conforms substantially to the approved plans and specifications and to the requirements of all applicable laws, rules and regulations for the uses and occupancies specified. No change of use or occupancy shall be made unless a new Certificate of Occupancy is issued. *This document or a copy shall be available for inspection at the building at all reasonable times.*

A.

Borough: Manhattan	**Block Number:** 00700	**Certificate Type:** Temporary
Address: 540 WEST 29 STREET	**Lot Number(s):** 56	**Effective Date:** 01/30/2014
Building Identification Number (BIN): 1012436	**Building Type:** Altered	**Expiration Date:** 04/30/2014

For zoning lot metes & bounds, please see BISWeb.

B.

Construction classification: 3 (Prior to 1968 Code)

Building Occupancy Group classification: RES (Prior to 1968 Code)

Multiple Dwelling Law Classification: None

No. of stories: 3 **Height in feet:** 30 **No. of dwelling units:** 0

C.

Fire Protection Equipment:
None associated with this filing.

D.

Type and number of open spaces:
None associated with this filing.

E.

This Certificate is issued with the following legal limitations:
None

Outstanding requirements for obtaining Final Certificate of Occupancy:

There are 11 outstanding requirements. Please refer to BISWeb for further detail.

Borough Comments: None

Borough Commissioner

Acting Commissioner

DOCUMENT CONTINUES ON NEXT PAGE

NYC Buildings

Certificate of Occupancy

CO Number: 103474321T001

Permissible Use and Occupancy

All Building Code occupancy group designations are 1968 designations, except RES, COM, or PUB which are 1938 Building Code occupancy group designations.

Floor From To	Maximum persons permitted	Live load lbs per sq. ft.	Building Code occupancy group	Dwelling or Rooming Units	Zoning use group	Description of use
001	73	120	COM		6	ART GALLERY

END OF SECTION

Borough Commissioner

Acting Commissioner

END OF DOCUMENT

NYC Buildings

Certificate of Occupancy

CO Number: 103580714F

This certifies that the premises described herein conforms substantially to the approved plans and specifications and to the requirements of all applicable laws, rules and regulations for the uses and occupancies specified. No change of use or occupancy shall be made unless a new Certificate of Occupancy is issued. *This document or a copy shall be available for inspection at the building at all reasonable times.*

A.

Borough: Manhattan	**Block Number:** 00700	**Certificate Type:** Final
Address: 540 WEST 29 STREET	**Lot Number(s):** 56	**Effective Date:** 04/18/2014
Building Identification Number (BIN): 1012436	**Building Type:** Altered	

For zoning lot metes & bounds, please see BISWeb.

B.

Construction classification: 3	(Prior to 1968 Code)	
Building Occupancy Group classification: RES	(Prior to 1968 Code)	
Multiple Dwelling Law Classification: None		
No. of stories: 3	**Height in feet:** 30	**No. of dwelling units:** 2

C. **Fire Protection Equipment:**
None associated with this filing.

D. **Type and number of open spaces:**
None associated with this filing.

E. **This Certificate is issued with the following legal limitations:**
None

Borough Comments: None

Borough Commissioner

Acting
Commissioner

DOCUMENT CONTINUES ON NEXT PAGE

NYC Buildings

Certificate of Occupancy

CO Number: 103580714F

Permissible Use and Occupancy

All Building Code occupancy group designations are 1968 designations, except RES, COM, or PUB which are 1938 Building Code occupancy group designations.

Floor From To	Maximum persons permitted	Live load lbs per sq. ft.	Building Code occupancy group	Dwelling or Rooming Units	Zoning use group	Description of use
001	73	120	COM		6	ART GALLERY
002	10	120	RES	1	2	(1) APARTMENT
003	10	120	RES	1	2	(1) APARTMENT

END OF SECTION

Borough Commissioner

Acting Commissioner

END OF DOCUMENT

Tax Map Report

538-540 West 29th Street
538-540 West 29th Street
New York, NY 10001

Inquiry Number: 5233497.6
March 26, 2018

The EDR Property Tax Map Report

Environmental Data Resources Inc

6 Armstrong Road
Shelton, CT 06484
800.352.0050
www.edrnet.com

EDR Property Tax Map Report

Environmental Data Resources, Inc.'s EDR Property Tax Map Report is designed to assist environmental professionals in evaluating potential environmental conditions on a target property by understanding property boundaries and other characteristics. The report includes a search of available property tax maps, which include information on boundaries for the target property and neighboring properties, addresses, parcel identification numbers, as well as other data typically used in property location and identification.

NO COVERAGE

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2017 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Vapor Encroachment Screen

538-540 West 29th Street
538-540 West 29th Street
New York, NY 10001

Inquiry Number: 5233497.2s
April 23, 2018

EDR Vapor Encroachment Screen

Prepared using EDR's Vapor Encroachment Worksheet

EDR® Environmental Data Resources Inc

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	**ES1**
Primary Map	**2**
Secondary Map	**3**
Map Findings	**4**
Record Sources and Currency	**GR-1**

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

The EDR Vapor Encroachment Worksheet enables EDR's customers to make certain online modifications that effects maps, text and calculations contained in this Report. As a result, maps, text and calculations contained in this Report may have been so modified. EDR has not taken any action to verify any such modifications, and this report and the findings set forth herein must be read in light of this fact. Environmental Data Resources shall not be responsible for any customer's decision to include or not include in any final report any records determined to be within the relevant minimum search distances.

This report contains information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANYSUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES.ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this report "AS IS". Any analyses, estimates, ratings, or risk codes provided in this report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can produce information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2018 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by EDR. The report was designed to assist parties seeking to meet the search requirements of the ASTM Standard Practice for Assessment of Vapor Encroachment into Structures on Property Involved in Real Estate Transactions (E 2600).

STANDARD ENVIRONMENTAL RECORDS	Default Area of Concern (Miles)*	property	1/10	> 1/10
Federal NPL site list	1.0	0	0	1
Federal Delisted NPL site list	1.0	0	0	0
Federal CERCLIS list	0.5	0	0	1
Federal CERCLIS NFRAP site list	0.5	0	0	1
Federal RCRA CORRACTS facilities list	1.0	0	0	0
Federal RCRA non-CORRACTS TSD facilities list	0.5	0	0	0
Federal RCRA generators list	0.25	0	0	1
Federal institutional controls / engineering controls registries	0.5	0	0	1
Federal ERNS list	property	0	-	-
State- and tribal - equivalent NPL	not searched	-	-	-
State- and tribal - equivalent CERCLIS	1.0	0	0	0
State and tribal landfill and/or solid waste disposal site lists	0.5	0	0	0
State and tribal leaking storage tank lists	0.5	0	3	11
State and tribal registered storage tank lists	0.5	0	0	0
State and tribal institutional control / engineering control registries	0.5	0	0	0
State and tribal voluntary cleanup sites	0.5	0	5	2
State and tribal Brownfields sites	0.5	0	0	1

ADDITIONAL ENVIRONMENTAL RECORDS				
Local Brownfield lists	0.5	0	0	0
Local Lists of Landfill / Solid Waste Disposal Sites	0.5	0	0	0
Local Lists of Hazardous waste / Contaminated Sites	1.0	0	0	0
Local Lists of Registered Storage Tanks	0.25	0	0	0
Local Land Records	property	0	-	-
Records of Emergency Release Reports	0.125	0	1	1
Other Ascertainable Records	1.0	3	0	1

EDR HIGH RISK HISTORICAL RECORDS				
EDR Exclusive Records	1.0	0	2	1
Exclusive Recovered Govt. Archives	property	0	-	-

EXECUTIVE SUMMARY

EDR RECOVERED GOVERNMENT ARCHIVES

EDR Exclusive Records	1.0	0	2	1
Exclusive Recovered Govt. Archives	property	0	-	-

*The Default Area of Concern may be adjusted by the environmental professional using experience and professional judgement. Each category may include several databases, and each database may have a different distance. A list of individual databases is provided at the back of this report.

EXECUTIVE SUMMARY

TARGET PROPERTY INFORMATION

ADDRESS

538-540 WEST 29TH STREET
538-540 WEST 29TH STREET
NEW YORK, NY 10001

COORDINATES

Latitude (North):	40.75204 - 40° 45′ 7.347107″
Longitude (West):	74.003425 - 74° 0′ 12.332153″
Elevation:	13 ft. above sea level

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records.

Site	Database(s)
LOT 55,TAXBLOCK 700 538 WEST 29 STREET MANHATTAN, NY	E DESIGNATION
CON EDISON 538 W 29TH ST & 11TH AVE FRONT NEW YORK, NY 10001	MANIFEST EPA ID : NYP004278743
CON EDISON SERVICE BOX: 5426 538 W 29TH ST & 11TH AVE FRONT OF NEW YORK, NY 10001	ECHO Registry ID: 110055466641 FINDS Registry ID:: 110055466641 RCRA NonGen / NLR EPA ID:: NYP004278743 EPA ID:: NYP004278743

EXECUTIVE SUMMARY

SEARCH RESULTS

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Name	Address	Dist/Dir	Map ID	Page
HUDSON RIVER PCBS SEMS: SEMS CONSENT: CONSENT US ENG CONTROLS: US ENG CONTROLS US INST CONTROL: US INST CONTROL RCRA-SQG: RCRA-SQG PRP: PRP NPL: NPL ROD: ROD NY Spills: SPILLS	NO STREET APPLICABLE	1/10 - 1/3 WNW	Region	10
534 WEST 29TH STREET VCP: VCP	534 WEST 29TH STREET	<1/10 ESE	▲ A4	34
HIGH RIDGE ENTERPRISES NY Spills: SPILLS LTANKS: LTANKS	524 WEST 29TH STREET	<1/10 ESE	▲ A5	34
522-532 WEST 29TH STREET VCP: VCP	522-532 WEST 29TH STREET	<1/10 ESE	▲ 6	44
529 WEST 29TH STREET VCP: VCP	529 WEST 29TH STREET	<1/10 NE	▲ 7	44
PARKING LOT OF LTANKS: LTANKS	515 WEST 28TH ST	<1/10 SSE	▲ CO8	44
526-530 WEST 28TH STREET VCP: VCP	526-530 WEST 28TH STREET	<1/10 S	▲ CO9	45
550 WEST 30TH STREET LTANKS: LTANKS	550 WEST 30TH STREET	<1/10 NNE	▲ 10	45
518-526 WEST 30TH STREET VCP: VCP	518-526 WEST 30TH STREET	<1/10 ENE	▲ 11	49
STUART DEAN COMPANY LTANKS: LTANKS	366 10TH AV	1/10 - 1/3 E	▲ 15	50
NY CLEARINGHOUSE - TTF LTANKS: LTANKS	450 W33RD ST	1/10 - 1/3 ENE	▲ 16	52
HELIPORT W 30TH ST/MANH - TTF LTANKS: LTANKS	HELIPORT/W.30TH ST & 12TH	1/10 - 1/3 ESE	▲ 17	54
371 9TH AVENUE	371 9TH AVENUE	1/10 - 1/3 E	▲ 18	56

EXECUTIVE SUMMARY

Name	Address	Dist/Dir	Map ID	Page
VCP: VCP				
509 WEST 34TH STREET BROWNFIELDS: BROWNFIELDS	509 WEST 34TH STREET	1/10 - 1/3 NE	▲ 19	57
MANHATTAN GENERAL MAIL FACILITY SEMS-ARCHIVE: SEMS-ARCHIVE	WEST 29TH & 9TH AVE	1/10 - 1/3 ESE	▲ 20	59
34TH ST. AND 10TH AVE./AM LTANKS: LTANKS	34TH ST.& 10TH AVE.	1/10 - 1/3 NE	▲ BT21	60
34TH ST. & 10TH AVE./AMOC LTANKS: LTANKS	34TH ST. & 10TH AVE.	1/10 - 1/3 NE	▲ BT22	61
527 WEST 34TH ST LTANKS: LTANKS	527 WEST 34TH ST	1/10 - 1/3 NE	▲ 23	63
AMOCO LTANKS: LTANKS	436 TENTH AVE	1/10 - 1/3 ENE	▲ BX24	64
AMOCO LTANKS: LTANKS	436 TENTH AVE	1/10 - 1/3 ENE	▲ BX25	66
ST MICHEAL'S SCHOOL LTANKS: LTANKS	425 WEST 33RD STREET	1/10 - 1/3 ENE	▲ 26	67
CONSTRUCTION SITE LTANKS: LTANKS	529 WEST 35TH ST	1/10 - 1/3 NNE	▲ 27	70
444 10TH AVENUE VCP: VCP	444 10TH AVENUE	1/10 - 1/3 NE	▲ 28	71
APARTMENT BUILDING LTANKS: LTANKS	347 WEST 29TH ST	1/10 - 1/3 ESE	▲ 29	71

ADDITIONAL ENVIRONMENTAL RECORDS

Name	Address	Dist/Dir	Map ID	Page
HUDSON RIVER PCBS SEMS: SEMS CONSENT: CONSENT US ENG CONTROLS: US ENG CONTROLS US INST CONTROL: US INST CONTROL RCRA-SQG: RCRA-SQG PRP: PRP NPL: NPL ROD: ROD NY Spills: SPILLS	NO STREET APPLICABLE	1/10 - 1/3 WNW	Region	
LOT 55,TAXBLOCK 700 E DESIGNATION: E DESIGNATION	538 WEST 29 STREET	Property	▲ A1	31

EXECUTIVE SUMMARY

Name	Address	Dist/Dir	Map ID	Page
CON EDISON	538 W 29TH ST & 11TH AVE FRONT	Property	▲ A2	31
MANIFEST: NY MANIFEST				
CON EDISON SERVICE BOX: 5426	538 W 29TH ST & 11TH AVE FRONT OF	Property	▲ A3	33
ECHO: ECHO FINDS: FINDS RCRA NonGen / NLR: RCRA NonGen / NLR				
HIGH RIDGE ENTERPRISES	524 WEST 29TH STREET	<1/10 ESE	▲ A5	34
NY Spills: SPILLS LTANKS: LTANKS				

EDR HIGH RISK HISTORICAL RECORDS

Name	Address	Dist/Dir	Map ID	Page
HODES THEODORE	327 10TH AVE	<1/10 ESE	▲ 12	49
EDR Hist Auto: EDR Hist Auto				
KELLYS TAXI GROUP INC	333-335 10TH AVE	<1/10 E	▲ 13	49
EDR Hist Auto: EDR Hist Auto				
KELLYS TAXI GROUP INC	330 10TH AVE	1/10 - 1/3 ESE	▲ 14	49
EDR Hist Auto: EDR Hist Auto				

EDR RECOVERED GOVERNMENT ARCHIVES

Name	Address	Dist/Dir	Map ID	Page
Not Reported				

PRIMARY MAP - 5233497.2S



0 300 1/3 Miles

- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 538-540 West 29th Street	CLIENT: ESPL Env. Consultants Corp.
ADDRESS: 538-540 West 29th Street New York NY 10001	CONTACT: Margaret Tavares
LAT/LONG: 40.75204 / 74.003425	INQUIRY #: 5233497.2s DATE: March 26, 2018 1:54 pm

Copyright © 2018 EDR, Inc. © 2015 TomTom Rel. 2015.

SECONDARY MAP - 5233497.2S



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- County Boundary
- Power transmission lines
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- State Wetlands
- Upgradient Area

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 538-540 West 29th Street	CLIENT: ESPL Env. Consultants Corp.
ADDRESS: 538-540 West 29th Street New York NY 10001	CONTACT: Margaret Tavares
LAT/LONG: 40.75204 / 74.003425	INQUIRY #: 5233497.2s DATE: March 26, 2018 1:52 pm

Copyright © 2018 EDR, Inc. © 2015 TomTom Rel. 2015.

MAP FINDINGS

LEGEND

FACILITY NAME **FACILITY ADDRESS, CITY, ST, ZIP**		EDR SITE ID NUMBER
◆ **MAP ID#**	Direction Distance Range (Distance feet / miles) Relative Elevation Feet Above Sea Level	ASTM 2600 Record Sources found in this report. Each database searched has been assigned to one or more categories. For detailed information about categorization, see the section of the report Records Searched and Currency.

Worksheet:

Comments:
Comments may be added on the online Vapor Encroachment Worksheet.

DATABASE ACRONYM: Applicable categories (A hoverbox with database description).

HUDSON RIVER PCBS NO STREET APPLICABLE, HUDSON RIVER, NY, 12801		1000384273
Region	WNW 1/10 - 1/3 (1527 ft. / 0.289 mi.)	Federal NPL site list Federal CERCLIS list Federal RCRA generators list Federal institutional controls / engineering controls registries Records of Emergency Release Reports Other Ascertainable Records

Worksheet:

NPL: Federal NPL site list

EPA ID:	NYD980763841
Cerclis ID:	202229
EPA Region:	2
Federal:	N
Final Date:	1984-09-21 00:00:00
Site Score:	54.659999999999997
Latitude:	43.110199999999999
Longitude:	-73.576499999999996

Category Details:

NPL Status:	Currently on the Final NPL
Category Description:	Depth To Aquifer-<= 10 Feet
Category Value:	0
NPL Status:	Currently on the Final NPL
Category Description:	Distance To Nearest Population-> 0 And <= 1/4 Mile
Category Value:	10

Site Details:

Site Name:	HUDSON RIVER PCBS

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

Site Status:	Final
Site Zip:	12801
Site City:	HUDSON RIVER
Site State:	NY
Federal Site:	No
Site County:	WASHINGTON
EPA Region:	02
Date Proposed:	09/08/83
Date Deleted:	Not Reported
Date Finalized:	09/21/84

Substance Details:

NPL Status:	Currently on the Final NPL
Substance ID:	Not Reported
Substance:	Not Reported
CAS #:	Not Reported
Pathway:	Not Reported
Scoring:	Not Reported

NPL Status:	Currently on the Final NPL
Substance ID:	A046
Substance:	POLYCHLORINATED BIPHENYLS
CAS #:	1336-36-3
Pathway:	AIR PATHWAY
Scoring:	4

NPL Status:	Currently on the Final NPL
Substance ID:	A046
Substance:	POLYCHLORINATED BIPHENYLS
CAS #:	1336-36-3
Pathway:	SURFACE WATER PATHWAY
Scoring:	4

Summary Details:

Conditions at listing September 1983): The Hudson River PCBs Site is a 40-mile stretch of the Hudson River between Mechanicville and Fort Edward, New York. General Electric Co. discharged an estimated l.l million pounds of PCBs into this stretch of river. The State has identified 40 hot spots, defined as sediments contaminated with greater than 50 parts per million ppm) of PCBs. Also included in the site are five remnant areas, which are river sediments exposed when thelevel of the river was lowered due to removal of the Fort Edward Dam. The State has taken initial measures to stabili e the remnant areas from erosion. In September 1980, Congress passed an amendment to the Clean Water Act CWA) that included the Hudson River PCB Reclamation Demonstration Project. Under this legislation, the EPA Administrator could authori e a 75 percent grant, not to exceed 20 million.

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

EPA issued a final Environmental Impact Statement in October 1982 evaluating various dredging alternatives for a demonstration project. EPA has prepared a feasibility study to evaluate alternative remedial actions under CERCLA. The Administrator has determined that CERCLA funds may be used for remedial action atthe remnant areas and for evaluating the effectiveness of the water supply system at Waterford, New York. Status June 1984): EPA has completed a draft feasibility study identifying alternatives for remedial action. A search for partiespotentially responsible for wastes associated with the site has been completed, and EPA has sent letters to two potentially responsible parties notifying them of possible legal action under CERCLA.

Site Status Details:

NPL Status:	Final
Proposed Date:	09/08/1983
Final Date:	09/21/1984
Deleted Date:	Not Reported

Narratives Details:

NPL Name:	HUDSON RIVER PCBS
City:	HUDSON RIVER
State:	NY

SEMS: Federal CERCLIS list

Site ID:	202229
EPA ID:	NYD980763841
Cong District:	21
FIPS Code:	36115
Latitude:	43.110199999999999
Longitude:	-73.576499999999996
FF:	N
NPL:	Currently on the Final NPL
Non NPL Status:	Not Reported

SEMS Detail:

Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	DS
Action Name:	DISCVRY
SEQ:	1
Start Date:	1983-07-01 00:00:00

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

Finish Date:	7/1/1983
Qual:	Not Reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	3
Action Code:	RS
Action Name:	RV ASSESS
SEQ:	3
Start Date:	1998-06-03 00:00:00
Finish Date:	6/24/1999
Qual:	Not Reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	CR
Action Name:	CI
SEQ:	1
Start Date:	1991-09-30 00:00:00
Finish Date:	Not Reported
Qual:	Not Reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	2
Action Code:	RO
Action Name:	ROD
SEQ:	2
Start Date:	2002-02-01 00:00:00
Finish Date:	2/1/2002
Qual:	R
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	1
Action Code:	RO
Action Name:	ROD
SEQ:	1
Start Date:	1984-09-25 00:00:00
Finish Date:	9/25/1984
Qual:	Not Reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	RS
Action Name:	RV ASSESS
SEQ:	1
Start Date:	1990-04-17 00:00:00
Finish Date:	8/21/1990
Qual:	S
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	NF
Action Name:	NPL FINL
SEQ:	1
Start Date:	1984-09-21 00:00:00
Finish Date:	9/21/1984
Qual:	Not Reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	2
Action Code:	CO
Action Name:	RI/FS

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

SEQ:	2
Start Date:	1990-07-25 00:00:00
Finish Date:	2/1/2002
Qual:	Not Reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	2
Action Code:	AR
Action Name:	ADMIN REC
SEQ:	1
Start Date:	1992-04-24 00:00:00
Finish Date:	Not Reported
Qual:	E
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	MA
Action Name:	ST COOP
SEQ:	2
Start Date:	1991-02-22 00:00:00
Finish Date:	4/3/2007
Qual:	Not Reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	SI
Action Name:	SI
SEQ:	1
Start Date:	1983-08-01 00:00:00
Finish Date:	9/1/1983
Qual:	H
Current Action Lead:	EPA Perf
Region:	2

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	2
Action Code:	RA
Action Name:	RA
SEQ:	3
Start Date:	2008-12-04 00:00:00
Finish Date:	12/23/2009
Qual:	FR
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	2
Action Code:	RA
Action Name:	RA
SEQ:	2
Start Date:	2008-05-09 00:00:00
Finish Date:	11/24/2009
Qual:	FR
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	CR
Action Name:	CI
SEQ:	3
Start Date:	2005-11-07 00:00:00
Finish Date:	Not Reported
Qual:	Not Reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	1

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

Action Code:	RD
Action Name:	RD
SEQ:	2
Start Date:	1989-02-02 00:00:00
Finish Date:	6/5/1989
Qual:	Not Reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	1
Action Code:	CO
Action Name:	RI/FS
SEQ:	1
Start Date:	1984-03-30 00:00:00
Finish Date:	9/25/1984
Qual:	Not Reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	3
Action Code:	RS
Action Name:	RV ASSESS
SEQ:	4
Start Date:	1998-10-14 00:00:00
Finish Date:	1/7/1999
Qual:	Not Reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	AR
Action Name:	ADMIN REC
SEQ:	2
Start Date:	2000-03-28 00:00:00
Finish Date:	Not Reported
Qual:	V

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	SS
Action Name:	ESI RI
SEQ:	1
Start Date:	2002-06-30 00:00:00
Finish Date:	8/31/2005
Qual:	W
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	TG
Action Name:	TA GRANT
SEQ:	1
Start Date:	1995-09-29 00:00:00
Finish Date:	9/20/2005
Qual:	Not Reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	FE
Action Name:	5 YEAR
SEQ:	1
Start Date:	2012-06-01 00:00:00
Finish Date:	6/1/2012
Qual:	Not Reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

FF:	N
OU:	3
Action Code:	RV
Action Name:	RMVL
SEQ:	1
Start Date:	1999-10-06 00:00:00
Finish Date:	9/14/2001
Qual:	S
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	CR
Action Name:	CI
SEQ:	2
Start Date:	2002-03-25 00:00:00
Finish Date:	11/2/2006
Qual:	Not Reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	PA
Action Name:	PA
SEQ:	1
Start Date:	1983-09-01 00:00:00
Finish Date:	9/1/1983
Qual:	L
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	3
Action Code:	RS
Action Name:	RV ASSESS
SEQ:	2
Start Date:	1992-11-19 00:00:00

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

Finish Date:	12/1/1992
Qual:	S
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	NP
Action Name:	PROPOSED
SEQ:	1
Start Date:	1983-09-08 00:00:00
Finish Date:	9/8/1983
Qual:	Not Reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	1
Action Code:	BF
Action Name:	PRP RA
SEQ:	2
Start Date:	1990-09-28 00:00:00
Finish Date:	9/29/1992
Qual:	Not Reported
Current Action Lead:	EPA Ovrsght
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	2
Action Code:	BF
Action Name:	PRP RA
SEQ:	4
Start Date:	2010-12-31 00:00:00
Finish Date:	Not Reported
Qual:	Not Reported
Current Action Lead:	EPA Ovrsght
Region:	2
Site ID:	202229
EPA ID:	NYD980763841

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	1
Action Code:	BE
Action Name:	PRP RD
SEQ:	1
Start Date:	1989-05-18 00:00:00
Finish Date:	1/7/1991
Qual:	Not Reported
Current Action Lead:	EPA Ovrsght
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	1
Action Code:	BF
Action Name:	PRP RA
SEQ:	1
Start Date:	1989-10-13 00:00:00
Finish Date:	9/29/1992
Qual:	Not Reported
Current Action Lead:	EPA Ovrsght
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	4
Action Code:	BB
Action Name:	PRP RV
SEQ:	1
Start Date:	2007-09-11 00:00:00
Finish Date:	4/10/2012
Qual:	S
Current Action Lead:	EPA Ovrsght
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0
Action Code:	PJ
Action Name:	RP EM REM

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

SEQ:	1
Start Date:	2007-08-24 00:00:00
Finish Date:	8/27/2007
Qual:	C
Current Action Lead:	EPA Ovrsght
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	2
Action Code:	BE
Action Name:	PRP RD
SEQ:	6
Start Date:	2003-08-14 00:00:00
Finish Date:	4/26/2011
Qual:	Not Reported
Current Action Lead:	EPA Ovrsght
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	2
Action Code:	BF
Action Name:	PRP RA
SEQ:	3
Start Date:	2005-09-06 00:00:00
Finish Date:	9/4/2012
Qual:	Not Reported
Current Action Lead:	EPA Ovrsght
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	2
Action Code:	BE
Action Name:	PRP RD
SEQ:	3
Start Date:	2002-07-23 00:00:00
Finish Date:	Not Reported
Qual:	Not Reported
Current Action Lead:	EPA Ovrsght
Region:	2

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	2
Action Code:	BE
Action Name:	PRP RD
SEQ:	4
Start Date:	2003-08-14 00:00:00
Finish Date:	1/25/2008
Qual:	Not Reported
Current Action Lead:	EPA Ovrsght
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	1
Action Code:	BE
Action Name:	PRP RD
SEQ:	2
Start Date:	1989-09-27 00:00:00
Finish Date:	9/28/1990
Qual:	Not Reported
Current Action Lead:	EPA Ovrsght
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	4
Action Code:	BD
Action Name:	PRP RI/FS
SEQ:	1
Start Date:	2008-09-08 00:00:00
Finish Date:	Not Reported
Qual:	Not Reported
Current Action Lead:	EPA Ovrsght
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	0

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

Action Code:	EL
Action Name:	PRP CR
SEQ:	1
Start Date:	1989-07-07 00:00:00
Finish Date:	Not Reported
Qual:	Not Reported
Current Action Lead:	EPA Ovrsght
Region:	2
Site ID:	202229
EPA ID:	NYD980763841
Site Name:	HUDSON RIVER PCBS
NPL:	F
FF:	N
OU:	1
Action Code:	RD
Action Name:	RD
SEQ:	1
Start Date:	1984-09-28 00:00:00
Finish Date:	5/18/1990
Qual:	Not Reported
Current Action Lead:	St Perf

RCRA-SQG: Federal RCRA generators list

Date form received by agency:	03/03/2014
Facility name:	GE HUDSON RIVER SEDIMENT REMEDIATION PROCESSING AND TRANSPORTATION FACILITY
Facility address:	446 LOCK 8 WAY HUDSON FALLS, NY 12839
EPA ID:	NYD980763841
Mailing address:	BROADWAY BLDG 40 FORT EDWARD, NY 12828
Contact:	JAY SNOW
Contact address:	BROADWAY BLDG 40 FORT EDWARD, NY 12828
Contact country:	US
Contact telephone:	518-746-5678
Contact email:	JAY.SNOW@GE.COM
EPA Region:	02
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	GE HUDSON RIVER SEDIMENT REMEDIATION
Owner/operator address:	BROADWAY

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

FORT EDWARD, NY 12828

Owner/operator country:	US
Owner/operator telephone:	Not Reported
Owner/operator email:	Not Reported
Owner/operator fax:	Not Reported
Owner/operator extension:	Not Reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	04/23/2007
Owner/Op end date:	Not Reported
Owner/operator name:	GE HUDSON RIVER SEDIMENT REMEDIATION
Owner/operator address:	BROADWAY
	FORT EDWARD, NY 12828
Owner/operator country:	US
Owner/operator telephone:	Not Reported
Owner/operator email:	Not Reported
Owner/operator fax:	Not Reported
Owner/operator extension:	Not Reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	04/23/2007
Owner/Op end date:	Not Reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No
. Waste code:	D006
. Waste name:	CADMIUM
. Waste code:	D007
. Waste name:	CHROMIUM
. Waste code:	D008
. Waste name:	LEAD
. Waste code:	B007

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

. Waste name: B007

Historical Generators:

Date form received by agency: 03/01/2012
Site name: GE HUDSON RIVER SEDIMENT REMEDIATION PROCESSING AND TRANSPORTATION FACILITY
Classification: Large Quantity Generator

. Waste code: B002
. Waste name: B002

. Waste code: B007
. Waste name: B007

Date form received by agency: 03/03/2010
Site name: GE HUDSON RIVER SEDIMENT REMEDIATION PROCESSING AND TRANSPORTATION FACILITY
Classification: Large Quantity Generator

. Waste code: B007
. Waste name: B007

Date form received by agency: 08/29/2008
Site name: HUDSON RIVER PCBS (ROGERS ISLAND) SUPERFUND USEPA
Classification: Large Quantity Generator

Date form received by agency: 01/01/2007
Site name: HUDSON RIVER PCBS (ROGERS ISLAND) USEPA
Classification: Not a generator, verified

Date form received by agency: 01/01/2006
Site name: HUDSON RIVER PCBS (ROGERS ISLAND) USEPA
Classification: Not a generator, verified

Date form received by agency: 01/01/2001
Site name: HUDSON RIVER PCBS (ROGERS ISLAND) USEPA
Classification: Large Quantity Generator

Violation Status: No violations found

US ENG CONTROLS: Federal institutional controls / engineering controls registries

EPA ID: NYD980763841
Site ID: 0202229
Name: HUDSON RIVER PCBS
Address: NO STREET APPLICABLE
HUDSON RIVER, NY 12801

EPA Region: 02
County: WASHINGTON
Event Code: Not Reported
Actual Date: 12/30/2001
Contact Name: Not Reported
Contact Phone and Ext: Not Reported
Event Code Description: Not Reported

Action ID: 001
Action Name: RECORD OF DECISION

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

Action Completion date:	09/25/1984
Operable Unit:	01
Contaminated Media :	Sediment
Engineering Control:	Containment, (N.O.S.)
Contact Name:	Not Reported
Contact Phone and Ext:	Not Reported
Event Code Description:	Not Reported

Action ID:	001
Action Name:	RECORD OF DECISION
Action Completion date:	09/25/1984
Operable Unit:	01
Contaminated Media :	Sediment
Engineering Control:	No Action
Contact Name:	Not Reported
Contact Phone and Ext:	Not Reported
Event Code Description:	Not Reported

Action ID:	001
Action Name:	RECORD OF DECISION
Action Completion date:	09/25/1984
Operable Unit:	01
Contaminated Media :	Sediment
Engineering Control:	Revegetation
Contact Name:	Not Reported
Contact Phone and Ext:	Not Reported
Event Code Description:	Not Reported

Action ID:	001
Action Name:	RECORD OF DECISION
Action Completion date:	09/25/1984
Operable Unit:	01
Contaminated Media :	Sediment
Engineering Control:	Slope Stabilization
Contact Name:	Not Reported
Contact Phone and Ext:	Not Reported
Event Code Description:	Not Reported

Action ID:	002
Action Name:	RECORD OF DECISION
Action Completion date:	02/01/2002
Operable Unit:	02
Contaminated Media :	Sediment
Engineering Control:	Dewatering
Contact Name:	Not Reported
Contact Phone and Ext:	Not Reported
Event Code Description:	Not Reported

Action ID:	002
Action Name:	RECORD OF DECISION
Action Completion date:	02/01/2002
Operable Unit:	02

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

Contaminated Media :	Sediment
Engineering Control:	Disposal
Contact Name:	Not Reported
Contact Phone and Ext:	Not Reported
Event Code Description:	Not Reported
Action ID:	002
Action Name:	RECORD OF DECISION
Action Completion date:	02/01/2002
Operable Unit:	02
Contaminated Media :	Sediment
Engineering Control:	Excavation
Contact Name:	Not Reported
Contact Phone and Ext:	Not Reported
Event Code Description:	Not Reported
Action ID:	002
Action Name:	RECORD OF DECISION
Action Completion date:	02/01/2002
Operable Unit:	02
Contaminated Media :	Sediment
Engineering Control:	Solidification/Stabilization (Ex-Situ)
Contact Name:	Not Reported
Contact Phone and Ext:	Not Reported
Event Code Description:	Not Reported
Action ID:	002
Action Name:	RECORD OF DECISION
Action Completion date:	02/01/2002
Operable Unit:	02
Contaminated Media :	Surface Water
Engineering Control:	Monitoring
Contact Name:	Not Reported
Contact Phone and Ext:	Not Reported
Event Code Description:	Not Reported
Action ID:	002
Action Name:	RECORD OF DECISION
Action Completion date:	02/01/2002
Operable Unit:	02
Contaminated Media :	Surface Water
Engineering Control:	Natural Attenuation
Contact Name:	Not Reported
Contact Phone and Ext:	Not Reported
Event Code Description:	Not Reported

US INST CONTROL: Federal institutional controls / engineering controls registries

EPA ID:	NYD980763841
Site ID:	0202229
Name:	HUDSON RIVER PCBS
Action Name:	RECORD OF DECISION

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

Address:	NO STREET APPLICABLE HUDSON RIVER, NY 12801
EPA Region:	02
County:	WASHINGTON
Event Code:	Not Reported
Inst. Control:	Fishing Advisory
Actual Date:	12/30/2001
Complet. Date:	02/01/2002
Operable Unit:	02
Contaminated Media :	Surface Water
Contact Name :	Not Reported
Contact Phone and Ext :	Not Reported
Event Code Description:	Not Reported

SPILLS: Records of Emergency Release Reports

Facility ID:	0308107
Facility Type:	ER
Spill Number:	0308107
DER Facility ID:	278391
Site ID:	237813
DEC Region:	3
Closed Date:	2003-10-31
Spill Cause:	Abandoned Drums
Spill Class:	D4
SWIS:	6000
Spill Date:	2003-10-31
Investigator:	rxamato
Referred To:	Not Reported
Reported to Dept:	2003-10-31
CID:	297
Water Affected:	HUDSON RIVER
Spill Source:	Unknown
Spill Notifier:	Federal Government
Cleanup Ceased:	Not Reported
Cleanup Meets Std:	True
Last Inspection:	Not Reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2003-10-31
Spill Record Last Update:	2003-11-06
Spiller Name:	Not Reported
Spiller Company:	UNKNOWN
Spiller Address:	Not Reported
Spiller Company:	001
Contact Name:	PETTY OFFFICER HAWKINS
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SMITH 10/31/03: MEG hired by USCG to remove test and dispose.

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

Container did not leak."

Remarks: "CALL TO NRC REPORTING A 55 GALLON DRUM OF UNKNOWN PETROLEUM FLOATING - USCG IS REPOSNDING TO THE SITE"

All Materials:

Site ID:	237813
Operable Unit ID:	874400
Operable Unit:	01
Material ID:	501630
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not Reported
Material FA:	Petroleum
Quantity:	55.00
Units:	G
Recovered:	.00
Oxygenate:	Not Reported

ROD: Other Ascertainable Records

Full-text of USEPA Record of Decision(s) is available from EDR.

PRP: Other Ascertainable Records

PRP name: DELAWARE AND HUDSON RAILWAY CO INC
GENERAL ELECTRIC COMPANY
GENERAL ELECTRIC COMPANY
GENERAL ELECTRIC COMPANY
GENERAL ELECTRIC COMPANY
GENERAL ELECTRIC COMPANY
GENERAL ELECTRIC COMPANY
GENERAL ELECTRIC COMPANY
GENERAL ELECTRIC COMPANY
GOLUB PROPERTIES OF WATERVLIET INC
NEW YORK STATE CANAL CORPORATION
NIAGARA MOHAWK POWER COMPANY
TOWN OF HALFMOON NEW YORK
VILLAGE OF STILLWATER
WATER COMMISSIONERS OF THE TOWN OF WATERFORD

CONSENT: Other Ascertainable Records

EPA ID:	NYD980763841
Site ID:	0284
Case Title:	U.S.V. GENERAL ELECTRIC COMPANY (HUDSON RIVER) (EPA-SUPERFUND)

HUDSON RIVER PCBS, NO STREET APPLICABLE, HUDSON RIVER, NY 12801 (Continued)

Court Num: 05-1270
District: New York, North
Entered Date: 11/02/06

Full-text of the consent decree for this site issued by the United States District Court is available from EDR. Contact your EDR Account Executive.

LOT 55,TAXBLOCK 700 538 WEST 29 STREET, MANHATTAN, NY,		S108076970
▲ A1	Target Property 13 ft. Above Sea Level	Other Ascertainable Records

Worksheet:

E DESIGNATION: Other Ascertainable Records

Tax Lot(s): 55
Tax Block: 700
Borough Code: Not Reported
E-No: E-142
Effective Date: 6/23/2005
Satisfaction Date: Not Reported
Ceqr Number: 03DCP069M
Ulurp Number: 050161 ZRM
Zoning Map No: 8b

Description: Air Quality - HVAC fuel limited to natural gas
Lot Remediation Date: Not Reported

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date: Not Reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not Reported

CON EDISON 538 W 29TH ST & 11TH AVE FRONT, NEW YORK, NY, 10001		S119073460
▲ A2	Target Property 13 ft. Above Sea Level	Other Ascertainable Records

Worksheet:

NY MANIFEST: Other Ascertainable Records

Country: USA
EPA ID: NYP004278743
Facility Status: Not Reported
Location Address 1: F/O 538 W 29TH ST & 11TH AVE
Code: BP
Location Address 2: SERV BOX 5426
Total Tanks: Not Reported

CON EDISON, 538 W 29TH ST & 11TH AVE FRONT, NEW YORK, NY 10001 (Continued)

Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not Reported

NY MANIFEST:

EPAID:	NYP004278743
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not Reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not Reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not Reported
Manifest Status:	Not Reported
seq:	Not Reported
Year:	2013
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not Reported
Generator Ship Date:	02/26/2013
Trans1 Recv Date:	02/26/2013
Trans2 Recv Date:	Not Reported
TSD Site Recv Date:	02/26/2013
Part A Recv Date:	Not Reported
Part B Recv Date:	Not Reported
Generator EPA ID:	NYP004278743
Trans1 EPA ID:	Not Reported
Trans2 EPA ID:	Not Reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not Reported
Manifest Tracking Number:	010708038JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not Reported
Alt Facility RCRA ID:	Not Reported
Alt Facility Sign Date:	Not Reported
MGMT Method Type Code:	H110
Waste Code:	Not Reported

CON EDISON, 538 W 29TH ST & 11TH AVE FRONT, NEW YORK, NY 10001 (Continued)

Waste Code:	Not Reported
Waste Code:	Not Reported
Waste Code:	Not Reported
Waste Code:	Not Reported
Waste Code:	Not Reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not Reported
Waste Code 1_3:	Not Reported
Waste Code 1_4:	Not Reported
Waste Code 1_5:	Not Reported
Waste Code 1_6:	Not Reported

The NY_MANIFEST: database contains 0 additional records for this site. Please contact your EDR Account Executive for more information.

CON EDISON SERVICE BOX: 5426 538 W 29TH ST & 11TH AVE FRONT OF, NEW YORK, NY, 10001		1016149212
▲ A3	Target Property 13 ft. Above Sea Level	Other Ascertainable Records

Worksheet:

RCRA NonGen / NLR: Other Ascertainable Records

Date form received by agency:	03/26/2013
Facility name:	CON EDISON SERVICE BOX: 5426
Facility address:	538 W 29TH ST & 11TH AVE FRONT OF SB 5426 NEW YORK, NY 10001
EPA ID:	NYP004278743
Contact:	JOSE MONTALVO
Contact address:	Not Reported
Contact country:	US
Contact telephone:	212-427-1331
Contact email:	Not Reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No

CON EDISON SERVICE BOX: 5426, 538 W 29TH ST & 11TH AVE FRONT OF, NEW YORK, NY 10001 (Continued)

Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	02/26/2013
Site name:	CON EDISON SERVICE BOX: 5426
Classification:	Conditionally Exempt Small Quantity Generator
Violation Status:	No violations found

FINDS: Other Ascertainable Records

Registry ID:	110055466641

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

The FINDS: database contains 0 additional records for this site. Please contact your EDR Account Executive for more information.

ECHO: Other Ascertainable Records

Envid:	1016149212
Registry ID:	110055466641
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055466641

534 WEST 29TH STREET 534 WEST 29TH STREET, NEW YORK CITY, NY,			S118943338
▲ A4	ESE <1/10	(51 ft. / 0.01 mi.)	State and tribal voluntary cleanup sites
	Equal Elevation	13 ft. Above Sea Level	

Worksheet:

HIGH RIDGE ENTERPRISES 524 WEST 29TH STREET, MANHATTAN, NY,			S104275619
▲ A5	ESE <1/10	(126 ft. / 0.024 mi.)	State and tribal leaking storage tank lists Records of Emergency Release Reports
	1 ft. Higher Elevation	14 ft. Above Sea Level	

MAP FINDINGS

Worksheet:

LTANKS: State and tribal leaking storage tank lists

Facility ID:	9008960
Site ID:	235183
Closed Date:	2003-03-04
Spill Number:	9008960
Spill Date:	1990-11-14
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	A3
Cleanup Ceased:	Not Reported
SWIS:	3101
Investigator:	ADMIN. CLOSED
Referred To:	Not Reported
Reported to Dept:	1990-11-15
CID:	Not Reported
Water Affected:	Not Reported
Spill Notifier:	Tank Tester
Last Inspection:	Not Reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1990-11-19
Spill Record Last Update:	2005-07-21
Spiller Name:	Not Reported
Spiller Company:	Not Reported
Spiller Address:	Not Reported
Spiller County:	001
Spiller Contact:	Not Reported
Spiller Phone:	Not Reported
Spiller Extention:	Not Reported
DEC Region:	2
DER Facility ID:	148161
DEC Memo:	""
Remarks:	"4K TANK FAILED HORNER EZY CHECK WITH A LEAK RATE RATE OF -.16GPH,WILL EXCAVATE & ISOLATE, POSSIBLE LINE FAILURE. CLOSED DUE TO LACK OF ANY RECENT INFO - DOES NOT MEET ANY CLEANUP REQUIREMENTS. "

All TTF:

Facility ID:	9008960
Spill Number:	9008960
Spill Tank Test:	1537886
Site ID:	235183
Tank Number:	Not Reported
Tank Size:	0
Material:	0009
EPA UST:	Not Reported

HIGH RIDGE ENTERPRISES, 524 WEST 29TH STREET, MANHATTAN, NY (Continued)

UST:	Not Reported
Cause:	Not Reported
Source:	Not Reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not Reported
Modified By:	Spills
Last Modified Date:	Not Reported

All Materials:

Site ID:	235183
Operable Unit ID:	946159
Operable Unit:	01
Material ID:	554502
Material Code:	0009
Material Name:	gasoline
Case No.:	Not Reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not Reported

SPILLS: Records of Emergency Release Reports

Facility ID:	0307633
Facility Type:	ER
Spill Number:	0307633
DER Facility ID:	148161
Site ID:	176283
DEC Region:	2
Closed Date:	2012-03-12
Spill Cause:	Unknown
Spill Class:	B3
SWIS:	3101
Spill Date:	2003-10-20
Investigator:	aaobliga
Referred To:	NFA
Reported to Dept:	2003-10-20
CID:	365
Water Affected:	Not Reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	2004-02-10
Cleanup Meets Std:	False
Last Inspection:	Not Reported
Recommended Penalty:	False
UST Trust:	False

HIGH RIDGE ENTERPRISES, 524 WEST 29TH STREET, MANHATTAN, NY (Continued)

Remediation Phase:	0
Date Entered In Computer:	2003-10-20
Spill Record Last Update:	2012-03-12
Spiller Name:	WALTER SEELIG
Spiller Company:	HIGH RIDGE ENTERPRISES
Spiller Address:	P.O. BOX 2542
Spiller Company:	001
Contact Name:	WALTER SEELIG
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was VOUGHT 10/20/03. Contaminated soil letter sent to Walter Seelig (High Ridge Enterpr.). Also see spill # 9008960. YK. 11/21/03 Rommel Met Brian McCabe, senior geologist, on site. Soil samples collected from 8 to 16 feet below grade were contaminated. Groundwater (15 to 18 feet) was also sampled during the investigation and were impacted by BTEX and MTBE. They will excavate what soil they can and install a minimum of three monitoring wells (one outside by remote fills). Spill 9008960 reported TTF of 4000 gallon gas UST 11/14/1990 STIPULATION SIGNED RD 2/18/04. 3/18/04-Vought-Spoke with Rob Ferguson (631-586-4900). Subsurface Investigation report sent to DEC on 2/3/2004. Ferguson will send small CAP upon receiving subsurface investigation report review. Ferguson requires review of subsurface investigation as per STIP. Vought requested that another copy of the Subsurface investigation be sent to DEC. 4/1/04-Vought-Spoke with Tom Melia (F&N) and he requested that he be point of contact. Spill transferred from Rommel to Vought. 4/6/04-Vought-File review by Vought: Contaminated soil letter sent form DEC Krimgold to High Ridge Enterprises. Site meeting minutes (Fenley & Nicol Brian McCabe)-11/25/03. Site meetin on 11/24/03. In attendance were DEC Rommel, F&N McCabe, F&N Melia and F&N Hole. The results of the sampling indicated that the contamination is located in the northern portion of the building. The effected area extended from the north end od the 4000 gallon tank excavation to the front of the building, approximately thirty five feet and from the center for the 550-gallon tank excavation west to the side of the building, approximately twenty feet. DEC recommended additional soil excavation without comprimising structural intergrity and required 1)installation of one well inside the building after backfilling completed 2)installation of two wells on sidewalk at the location of the former remote fills and twenty feet west of the bay door. Letter from Fenley & Nicol(Thomas Melia) to DEC(Rommel)-12/18/03. The new owner of the

HIGH RIDGE ENTERPRISES, 524 WEST 29TH STREET, MANHATTAN, NY (Continued)

building indicated that his intended use for the building is as an art gallery . During building remodeling excavation was performed and tanks were discovered under floor. Two gasoline USTs (one 4000-gallon and one 550-gallon) were removed and were in separate lcoations fifteen to twenty feet apart. Upon removal of the bottom slab the soil encountered was saturated with liquid phase hydrocarbon . Depth to water expected to be 18' below grade. F&N proposes delineation of soil and groundwater contamination, installation of wells and additional soil excavation. See also Spill #9008960 reported in 1990 for tank test failure and administratively closed on 3/4/03. Letter from DEC Rommel-12/4/03. Letter approving installation of wells on the sidewalk on the south side of West 29th Street between 10th and 11th Avenues and requesting expediting of sidewalk permits. Letter from F&N(Melia) to DEC Rommel-12/18/03. At this time we are continuing our efforts to delineate the extent of the contamination... . Three monitoring wells installed (one inside and two outside building). At this time the owener of ther property feels that it would be too far costly to excavate the contaminated soil without jeopardizing the structural integrity of the building, and would prefer that we install an air sparge/soil vapor extraction (As/SVE) system to remediate the hydrocarbon impact . Please indicate your approval below. No approval indicated by DEC Rommel. Stipulation Agreement-1/15/04. Stip with deadline of 2/13/04 sent to: Walter Seeling High Ridge Enterprises, Inc. P.O. Box 2542 York, Pa. 17405. Subsurface Investigation Report (F&N-Melia 631-586-4900x190) -3/19/04. Investigation consisted of six soil borings, six temporary groundwater monitoring points and three monitoring wells. The central and eastern units are currently vacant and undergoing renovations for use as an art gallery . Depth to groundwater is 8-9' and flows northwest. Soil analyticals show 35ppb benzene(SP-1 at 12'), 882ppb benzene(SP-2 at 12'), 14ppb (SP-3 at 12'), 4900ppb benzene(SP-4 at 12'), 817ppb benzene(SP-5 at 12'). Groundwater analyticals show 2.5 ppb benzene(TW-1), 1459ppb benzene(TW-2), 45ppb benzene(YW-3), 2109ppb benzene(TW-4), 254ppb benzene(TW-5), 11ppb benzene(TW-6), 1200ppb benzene(FN-1), 206ppb benzene(FN-2), 4.2ppb benzene(FN-3). Report recommends Air Spage/Soil Vapor extraction system. NYSDEC requires: 1)signing of Stipulation before any further correspondence

HIGH RIDGE ENTERPRISES, 524 WEST 29TH STREET, MANHATTAN, NY (Continued)

l 2)presence or absence of free product and interim remedial recovery if present 3)surrounding area site plan including property usage 4)additional wells east of FN-2 and well north of FN-2 to calculate required radius of influence for system design. 4/6/04-Vought called F&N(Milea) to repeat Stipulation requirement and left message to return call to DEC. 4/7/04-Vought-Received faxed copy of STIP already implemented by DEC Kunkel on 2/18/04 (Copy of original not in file). 4/8/04-Vought-Sent letter to High Ridge requiring well installation north of FN2 and east of FN2, submission of monitoring well data and surrounding property sketch. 4/16/04-Vought-Wells will be installed next week (tentatively). Wells for pilot test will also installed. Mailing address is: High Ridge Enterprises P.O. Box 2542 York, Pa. 17405 4/18/04-Vought-Received message from David Oloke (F&N-631-586-4900x144) that he is new project manager for site. Vought called David and two additional well installed (one north of FN2 and one east of FN2). All onsite wells were sampled. No free product in new wells. Four vapor wells installed and air sparge well will be installed. DEC will receive pilot test report by 7/15/04. 6/23/04-Vought-Spoke with David and initial results faxed on 6/9/04. .5 of free product in well in 1 vapor well sent for fingerprinting. EFR not effective. DEC requires recovery of free product and submission of pilot test. 9/2/04-Vought-File review by Vought: Groundwater results (F&N)-6/23/04. Groundwater analyticals show 1.2ppb benzene(FN5), 1.8ppb benzene(FN4), 14ppb benzene(FN3), 26ppb xylene(FN3), 474ppb benzene(FN2), 621ppb MTBE(FN2), 8ppb toluene(FN2), 2065ppb benzene(FN1), 47170ppb MTBE(FN1), 4106ppb toluene(FN1) and 2761ppb xylene(FN1). Addendum to the direction beneath the site was found to be toward the north. Property uSubsurface Investigation Report (F&N)-7/14/04. On 5/7/04 two additional monitoring wells were installed. On June 4, 2004 the AS/SVE pilot tests were conducted . One inch of floating product was detected in P2. The results of the AS pilot test indicated that the introduction of air pressure into the formation below the contaminant zone is a viable remediation technique . Report recommends commencement of an interim remedial measure to recover product from P-2 via weekly EFR. Report also recommends installation of another well to replace P2. Vought called David from F&N to approve of

HIGH RIDGE ENTERPRISES, 524 WEST 29TH STREET, MANHATTAN, NY (Continued)

workplan. Well installation will be included with final remedial action plan. Vought sent letter approving of proposed workplan (installation of well at P2 and IRM) and included requirement of determination of groundwater flow direction and surrounding property sketch. 9/3/04-Vought-Received fax from Oloke (F&N). The groundwater flow sage of downgradient sites to the north are a parking garage and an art studio. Vought called Oloke and approved workplan as per 9/2/04 letter. Vought called Oloke and he will begin drafting RAP for submission to DEC. 9/29/04-Vought-Spoke to David F&N and he will be sending RAP in overnight. 10/1/04-Vought-Reviewed RAP received by DEC on 10/30/04. Site is currently occupied by a masonary block structure which is subdivided into three sections. An art gallery occupies the western unit. The central and eastern units are currently vacant and are undergoing renovations for use as an art gallery. RAP proposes weekly recovery of free product from FN2 via a peristaltic pump until well is converted to a 2 product recovery well designated at FN6. Two additional wells will be installed in the interior of the building. Monthly groundwater monitoring and quarterly sampling. Five air sparge and four SVE wells will be installed in the interior of the building. Remedial system will be installed on the roof of the building. Daily monitoring for the first week, weekly monitoring for the first month, monthly maintenance visits and effluent sampling, quarterly effluent sampling and groundwater sampling. Vought sent letter approving of RAP. 10/28/04-Vought-Spoke to David(F&N) and FN1 must be reinstalled due to it was a bent well. Wells will be installed during the next few days. 9/27/05 - SPILL TRANSFERRED FROM VOUGHT TO OBLIGADO 11/9/05 - Obligado - Review System STartup Report. AS/SVE system consists of 5 HP compressor and 3.5 hp blower and 5 air sparge wells and four soil vapor extraction wells. Effluent air stack results show 31.4 ug/m3 for benzene. Operation and maintenance schedule proposes monthly SVE effluentmonitoring and Quarterly Status Reports. System started in May 2005. Due to noise generation, the system only runs from 9pm to 6am. Quarterly Status Report - Groundwater analyticals show 4.7 ppb benzene (FN3), 50.1 ppb MTBE (FN2), 78.3 ppb MTBE SVE5, 1.7 ppb MTBE SVE3. Benzene effluent show 46.74 ug/m3. 5/15/06 - Obligado - Called David Oloke. Asked that he send recent Quarterly Status Reports. 5/22/06 - Obligado - 2Q06

HIGH RIDGE ENTERPRISES, 524 WEST 29TH STREET, MANHATTAN, NY (Continued)

Quarterly Status Report, submitted by Fenley Nicol, Inc. Ground water analyticals show 9 ppb benzene 35 ppb MTBE in FN3 and and 3.7 ppb benzene in FN4. Benzene effluent below STIP limits. There is duplicated data on Table 2 Air Sampling Results, probably a cut and paste error, call Dave Oloke, he said he will look into it at send a new table with the electronic copy. Report recommends continuing system operation. 6/23/06 - Obligado - Called David Oloke. Asked for the corrected Table. He said he will email it to me. 10/23/06 - Obligado - Called David Oloke. Left message requesting most recent quarterly status report. David Oloke call me back and said he would send the report shortly and he would correct the typo on Table 2. 1/30/07 - Obligado - Review 3Q06 monitoring report. Typo in 2Q06 table has been fixed in cumulative table. AS/SVE system online and working at 100% maximum capacity. Air samples collected monthly. Benzene in gw exceeds standard at 4 ppb. in 2 wells. All effluent below STIP guidance. Benzene detected in VES/AS effluent at 4.86 ug/m3 in 6/06. Recommends continued operation of the system. Review 4Q06 monitoring report - AS/SVE system operating at 100% capacity 9 hours per day. All effluent samples below STIP guidance. BTEX effluent at 361.71 ug/m3 during 10/27/06 Report recommends continued operation of system. GW results show minor exceedences of Benzene - max concentration at 8 ppb in FN3. However gw monitoring does not include FN1 where highest contamination was found. 9/13/07 - Obligado - Review 1Q07 monitoring report. According to the report, the AS/SVE syste is running at 100% capacity. System is still pulling vapors, at a flow rate of 50 cfm and a concentration in March 07 of 111.30 ug/m3 BTEX. Benzene (12.8 ug/m3) was below the STIP limit. Recommends continued operation of AS/SVE system. 10/26/07 - Obligado - Review 2Q07/3Q07 monitoring report. Benzene detected during quarterly monitoring at MW3 adn MW4 slightly above standards. Analytical results of air stream were below the max benzene STIP Limit. Recommneds continued operation of the AS/SVE System. 9/3/08 - Obligado - Review 1Q08 monitoring report. AS/SVE running for 9 hours a day at 100% capacity. Effluent collected monthly. Benzene detected slightly above standards in MW2,3,4,and5. System effluent ND for BTEX. 6/3/09 - Obligado - REview 1Q09 monitoring report. Requests to shut down system for a 1 year post remedial monitoring period to

HIGH RIDGE ENTERPRISES, 524 WEST 29TH STREET, MANHATTAN, NY (Continued)

determine if system was effective and monitor for rebound. Sent a letter to Seeling cc to David Oloke approving system shut down temporarily but requiring sampling of monitoring wells MW1, MW6, adn MW7 beneath the building as required by approved RAWP. Required 90 days to submit an update report on system shutdown and additional sampling. 12/3/09 - Obligad - Met with David Oloke on site. The AS/SVE system was down as proposed. According to David they were unable to collect ground water samples from the three sampling points. According to David the water he collected was too silty. He recommended doing an exposure assessment to close the spill number or to install the well in an alternate location in the building entrance. I told him I would review the spill file to determine if that location was acceptable. 12/22/09 - Sent email to Mr. Oloke - The Department has determined that the proposed location is cross-gradient and outside the of the source area, and would not provide the necessary data to confirm the site remedation was successful. As such, the Department reiterates its requirement in the June 2, 2009 letter, to sample the 3 monitoring wells FN1, FN6, and FN7 (as originally proposed in the approved RAWP) and submit a Monitoring Report within 90 days of this notice. If sufficient ground water can not be obtained from these sampling points (after exhausting all available well sampling and well development techniques), than a Remedial Investigation Work Plan (RIWP) to install a new monitoring well in the gallery in between FN1, FN6, and FN7 must be submitted within 90 days of this notice. The RIWP should contain an implementation schedule. 10/9/10 - Obligado - Email from David Oloke I would like to inform you that we're scheduled to be onsite to install one groundwater monitoring well on the sidewalk directionally towards the source area beneath the building in order to determine the current groundwater quality beneath the site. We scheduled for Monday 25 through Wednesday 27. 1/14/11 - Obligado - Email from David Oloke We are set to go back to High Ridge, 524 West 29th Street in Manhattan on Monday 1/17/11 to install the groundwater monitoring well for spill inactivation. The client is making plans to be onsite as well . 1/19/11 - Obligado Email from David Oloke We core drilled through the foundation wall and could not get the well rods to the desired depth due to refusal. So we back to square one. Our

HIGH RIDGE ENTERPRISES, 524 WEST 29TH STREET, MANHATTAN, NY (Continued)

client spoke with the tenant again yesterday to see if he will allow us access into the building. 4/1/11 - Obligado - I sent email to David Oloke related to potential alternative methods for obtaining ground water samples at the site since the diagonal well method was not successful, such as snaking new tubing into the existing system wells, and high vaccuum extraction to obtain ground water samples from the sparge wells. I asked Mr. Oloke to look into these options, as well as any other methods and report back the findings to the DEC. 3/12/12 - Obligado - I reviewed a Site Status Report. They collected samples from MW1, MW6, and MW7 under the gallery slab using the vacuum extraction technicque. Samples were collected in June and November of 2011. During the most recent sampling event in NOvember, the maximum VOCs was 117.3 ug/L in MW-7. MW1 had 63.42 ug/L total VOCs, and MW6 had 59.75 ug/L VOCs. Several compounds were slightly above standards. The greatest exceedence was 36 ug/L napthalene in MW7, which is above the standard of 10 ug/L. In NOvember they turned on the AS/SVE system and allowed it to run for four weeks. At the end of the four weeks , air samples were collected and all the targeted VOCs were ND. Based on the above, they requested closure. Ground water contamination has been greatly reduced. The AS/SVE system reached asymptotic recovery rates. Additional remediation is not warranted nor feasible. After discussion with DEC Hussein and Ketani, this spill is closed. A spill closure letter ahs been sent to Walter Seeling, cc to David Oloke."

Remarks: "caller was hired to remove a few tanks from the site - x-ref spill # 9008960 - they encountered contaminated soil - they are stockpiling soil now"

All Materials:

Site ID:	176283
Operable Unit ID:	874031
Operable Unit:	01
Material ID:	501158
Material Code:	0009
Material Name:	gasoline
Case No.:	Not Reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not Reported

HIGH RIDGE ENTERPRISES, 524 WEST 29TH STREET, MANHATTAN, NY (Continued)

522-532 WEST 29TH STREET 522-532 WEST 29TH STREET, NEW YORK CITY, NY,			S118943288
▲ 6	ESE <1/10	(138 ft. / 0.026 mi.)	State and tribal voluntary cleanup sites
	1 ft. Higher Elevation	14 ft. Above Sea Level	

Worksheet:

529 WEST 29TH STREET 529 WEST 29TH STREET, NEW YORK CITY, NY,			S118943182
▲ 7	NE <1/10	(161 ft. / 0.03 mi.)	State and tribal voluntary cleanup sites
	1 ft. Higher Elevation	14 ft. Above Sea Level	

Worksheet:

PARKING LOT OF 515 WEST 28TH ST, MANHATTAN, NY,			S103558674
▲ CO8	SSE <1/10	(275 ft. / 0.052 mi.)	State and tribal leaking storage tank lists
	1 ft. Higher Elevation	14 ft. Above Sea Level	

Worksheet:

LTANKS: State and tribal leaking storage tank lists

Facility ID:	9811167
Site ID:	86623
Closed Date:	1998-12-07
Spill Number:	9811167
Spill Date:	1998-12-05
Spill Cause:	Tank Overfill
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C3
Cleanup Ceased:	Not Reported
SWIS:	3101
Investigator:	MCTIBBE
Referred To:	Not Reported
Reported to Dept:	1998-12-05
CID:	384
Water Affected:	Not Reported
Spill Notifier:	Responsible Party
Last Inspection:	Not Reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1998-12-05

PARKING LOT OF, 515 WEST 28TH ST, MANHATTAN, NY (Continued)

Spill Record Last Update:	2002-05-14
Spiller Name:	ANTHONY MILANESE
Spiller Company:	EAST COAST PETRO INC
Spiller Address:	340 JACKSON AVE
Spiller County:	001
Spiller Contact:	Not Reported
Spiller Phone:	Not Reported
Spiller Extention:	Not Reported
DEC Region:	2
DER Facility ID:	79443
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE CLEANED BY RP."
Remarks:	"OVERFILL DUE TO ORDERING BY CUSTOMER. PETRO WILL BE DOING CLEAN UP."

All Materials:

Site ID:	86623
Operable Unit ID:	1068562
Operable Unit:	01
Material ID:	315017
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not Reported
Material FA:	Petroleum
Quantity:	10.00
Units:	G
Recovered:	10.00
Oxygenate:	Not Reported

526-530 WEST 28TH STREET 526-530 WEST 28TH STREET, NEW YORK CITY, NY,			S118943375
▲ CO9	S <1/10	(292 ft. / 0.055 mi.)	State and tribal voluntary cleanup sites
	Equal Elevation	13 ft. Above Sea Level	

Worksheet:

550 WEST 30TH STREET 550 WEST 30TH STREET, MANHATTAN, NY,			S104619635
▲ 10	NNE <1/10	(321 ft. / 0.061 mi.)	State and tribal leaking storage tank lists
	2 ft. Higher Elevation	15 ft. Above Sea Level	

Worksheet:

LTANKS: State and tribal leaking storage tank lists

Facility ID:	0303799
Site ID:	178934
Closed Date:	2003-09-02

550 WEST 30TH STREET, 550 WEST 30TH STREET, MANHATTAN, NY (Continued)

Spill Number:	0303799
Spill Date:	2003-07-10
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	C4
Cleanup Ceased:	Not Reported
SWIS:	3101
Investigator:	SMSANGES
Referred To:	Not Reported
Reported to Dept:	2003-07-10
CID:	405
Water Affected:	Not Reported
Spill Notifier:	Tank Tester
Last Inspection:	Not Reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2003-07-10
Spill Record Last Update:	2003-09-02
Spiller Name:	FRAN GOLDNED
Spiller Company:	MIDTOWN NEON SIGN
Spiller Address:	550 WEST 30TH ST
Spiller County:	001
Spiller Contact:	FRAN GOLDNED
Spiller Phone:	(212) 699-8908
Spiller Extention:	Not Reported
DEC Region:	2
DER Facility ID:	150199
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SANGESLAND Sangesland DDO TTF letter sent to: Ms Fran Goldned Matthew Adam Properties 127 East 59th St New York, NY 10022 8/28/2003 PTC submitted soil boring results and a short writeup. DEC sent back a letter requesting test results compared to TAGM and justification for exceeding limits. 9/2/2003 PTC resubmitted their letter with the TAGM comparison information added. Results are just slightly above the standard and are consistent with old coal ash fill material. Spill Closed"
Remarks:	"uncover repair and retest"

All Materials:

Site ID:	178934
Operable Unit ID:	872058
Operable Unit:	01
Material ID:	504656
Material Code:	0001A
Material Name:	#2 fuel oil

550 WEST 30TH STREET, 550 WEST 30TH STREET, MANHATTAN, NY (Continued)

Case No.:	Not Reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not Reported
Facility ID:	9805607
Site ID:	81855
Closed Date:	2005-10-26
Spill Number:	9805607
Spill Date:	1998-08-05
Spill Cause:	Tank Test Failure
Spill Source:	Private Dwelling
Spill Class:	B3
Cleanup Ceased:	Not Reported
SWIS:	3101
Investigator:	JBMCCULL
Referred To:	Not Reported
Reported to Dept:	1998-08-05
CID:	266
Water Affected:	Not Reported
Spill Notifier:	Other
Last Inspection:	Not Reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1998-08-05
Spill Record Last Update:	2005-10-27
Spiller Name:	BARBARA
Spiller Company:	TARANTO & ASSOCIATES
Spiller Address:	267 5TH AVENUE
Spiller County:	001
Spiller Contact:	Not Reported
Spiller Phone:	Not Reported
Spiller Extention:	Not Reported
DEC Region:	2
DER Facility ID:	75604
DEC Memo:	"According to the NYSDEC records, on August 5, 1998, the on-site 2,000 gallon UST failed a tank tightness test and was issued Spill #98-05607. After review of information received from the client, it has been determined that after the UST failed tank tightness testing, the UST was cleaned, sandblasted, and relined with an epoxy lining, and the associated piping was replaced in September 1998. On July 10, 2003, the 2,000 gallon UST failed a tank tightness test wasissued Spill #03-03799. It appears that soil borings were performed to

550 WEST 30TH STREET, 550 WEST 30TH STREET, MANHATTAN, NY (Continued)

determine the extent of the UST leak/spill. Upon reviewing data received from the NYSDEC Spills Database, the NYSDEC notes section determined the soils were slightly above TAGM guidelines due to levels consistent with old coal ash fill materials and was granted closure status on September 2, 2003. The UST was emptied and taken out of service, and an 1,080 gallon steel registered AST was installed in a small cellar area near the north bay door area. On September 28, 2005, EnviroTrac contacted the NYSDEC regarding Spill #98-05607 to determine what isneeded to close the Spill. It was determined that since Spill #98-05607 was prior to Spill #03-03799 which is closed , and was the same tank and area, it should be closed as well. "

Remarks: "TANK TO BE EVACUATED, CLEANED, AND LINES TO BE TESTED."

All TTF:

Facility ID:	9805607
Spill Number:	9805607
Spill Tank Test:	1546129
Site ID:	81855
Tank Number:	1
Tank Size:	2000
Material:	0001
EPA UST:	Not Reported
UST:	Not Reported
Cause:	Not Reported
Source:	Not Reported
Test Method:	03
Test Method 2:	Horner EZ Check I or II
Leak Rate:	.00
Gross Fail:	F
Modified By:	Spills
Last Modified Date:	Not Reported

All Materials:

Site ID:	81855
Operable Unit ID:	1063374
Operable Unit:	01
Material ID:	320350
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not Reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00

550 WEST 30TH STREET, 550 WEST 30TH STREET, MANHATTAN, NY (Continued)

Oxygenate: Not Reported

518-526 WEST 30TH STREET 518-526 WEST 30TH STREET, NEW YORK CITY, NY,			S118943302
▲ 11	ENE <1/10	(372 ft. / 0.07 mi.)	State and tribal voluntary cleanup sites
	3 ft. Higher Elevation	16 ft. Above Sea Level	

Worksheet:

HODES THEODORE 327 10TH AVE, NEW YORK, NY, 10001			1020373313
▲ 12	ESE <1/10	(490 ft. / 0.093 mi.)	EDR Exclusive Records
	4 ft. Higher Elevation	17 ft. Above Sea Level	

Worksheet:

EDR Hist Auto: EDR Exclusive Records

Year:	Name: / Type:
1969:	HODES THEODORE / Gasoline Service Stations
1969:	HODES THEODORE / Gasoline Service Stations
1970:	HODES THEODORE / Gasoline Service Stations
1971:	HODES THEODORE / Gasoline Service Stations
1972:	HODES THEODORE / Gasoline Service Stations
1973:	HODES THEODORE / Gasoline Service Stations
1974:	HODES THEODORE / Gasoline Service Stations
1975:	HODES THEODORE / Gasoline Service Stations

KELLYS TAXI GROUP INC 333-335 10TH AVE, NEW YORK, NY, 10007			1021067517
▲ 13	E <1/10	(523 ft. / 0.099 mi.)	EDR Exclusive Records
	4 ft. Higher Elevation	17 ft. Above Sea Level	

Worksheet:

EDR Hist Auto: EDR Exclusive Records

Year:	Name: / Type:
1971:	KELLYS TAXI GROUP INC / Gasoline Service Stations
1972:	KELLYS TAXI GROUP INC / Gasoline Service Stations
1973:	KELLYS TAXI GROUP INC / Gasoline Service Stations
1974:	KELLYS TAXI GROUP INC / Gasoline Service Stations

KELLYS TAXI GROUP INC 330 10TH AVE, NEW YORK, NY, 10001	1020905813

▲ 14	ESE 1/10 - 1/3	(620 ft. / 0.118 mi.)	EDR Exclusive Records
	5 ft. Higher Elevation	18 ft. Above Sea Level	

Worksheet:

EDR Hist Auto: EDR Exclusive Records

Year:	Name: / Type:
1977:	KELLYS TAXI GROUP INC / Automotive Repair Shops, NEC
1978:	KELLYS TAXI GROUP INC / Automotive Repair Shops, NEC
1979:	KELLYS TAXI GROUP INC / Gasoline Service Stations
1980:	KELLYS TAXI GROUP INC / Gasoline Service Stations
1982:	KELLYS TAXI GROUP INC / Gasoline Service Stations
1983:	KELLYS TAXI GROUP INC / Gasoline Service Stations

STUART DEAN COMPANY
366 10TH AV, MANHATTAN, NY, S105997685

▲ 15	E 1/10 - 1/3	(1011 ft. / 0.192 mi.)	State and tribal leaking storage tank lists
	10 ft. Higher Elevation	23 ft. Above Sea Level	

Worksheet:

LTANKS: State and tribal leaking storage tank lists

Facility ID:	0209637
Site ID:	287180
Closed Date:	2006-05-31
Spill Number:	0209637
Spill Date:	2002-12-19
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	Not Reported
SWIS:	3101
Investigator:	KSTANG
Referred To:	Not Reported
Reported to Dept:	2002-12-19
CID:	365
Water Affected:	Not Reported
Spill Notifier:	Tank Tester
Last Inspection:	Not Reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2002-12-19
Spill Record Last Update:	2006-05-31
Spiller Name:	PEDRO LUGO
Spiller Company:	STUART DEAN, INC

STUART DEAN COMPANY, 366 10TH AV, MANHATTAN, NY (Continued)

Spiller Address:	366 10TH AV
Spiller County:	001
Spiller Contact:	PEDRO LUGO
Spiller Phone:	(212) 695-3180
Spiller Extention:	Not Reported
DEC Region:	2
DER Facility ID:	232628
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ZHAO/DO 12/19/02 - AUSTIN, DDO - TTF LETTER SENT 1/11/06- DEC Piper spoke w/ Eugene Degan, (PRev. Owner Rep 845.294.7509) regarding tank test. He could not be sure though he thinks the tanks are still empty. He will look into this. Piper then contacted new owner Dov Hertz, Extell Group. 212.712.0633. He knows nothing and will have previous owner get info. Galden Frankel performed Phase I and II on property. Left message at GF requesting call back. 1/18/06- DEC Piper spoke w/ property manager, Rob Scharf 212.712.6111. Stewart Dean Co. -212.695.3180. He will fax info. DEC Piper to review and inform Rob of additional work if warranted. 2/6/06- DEC Piper spoke w/ Rob S. I explained to him that he was still in violation of PBS code. I have received analytical suggesting that there was no release at the site. The tank test results indicated a dry ullage leak. The tank is empty and still needs to be removed or closed iin place. As per Rob, he will be sending in the new appplication this week. I instructed him to include a line item that that due to the razing of the building, that they will remove the tank when the activities have been completed. Afterwards, he will need to update the PBS records to insicate that the tank has been removed. Upon review of a limited phase II investigation of the site performed by Galden Frankel, of the six soil samples taken from various locations throughout the site, no elevated constituents were detected. However, three GW samples were collected. The results indicate 1,040 ppb of MtBE and slightly elevated levels of PERC and its byproducts. 5/15/06- DEC Piper. Referred to Remediation. 5/31/06 - reviewed file: MTBE was detected without other VOCs usually present in a petroleum release. The MTBE is likely the leading edge of an off-site impact. Low level of CVOCs are also detected. These CVOCs are only detected in GW with no soil contamination or other sources on site. Spill is closed, no NFA issued since no remediation was ever conducted at site. - KST"
Remarks:	"they are going to abandoned the tank"

STUART DEAN COMPANY, 366 10TH AV, MANHATTAN, NY (Continued)

All TTF:

Facility ID:	0209637
Spill Number:	0209637
Spill Tank Test:	1527857
Site ID:	287180
Tank Number:	1
Tank Size:	3000
Material:	0001
EPA UST:	Not Reported
UST:	Not Reported
Cause:	Not Reported
Source:	Not Reported
Test Method:	03
Test Method 2:	Horner EZ Check I or II
Leak Rate:	.00
Gross Fail:	F
Modified By:	Spills
Last Modified Date:	Not Reported

All Materials:

Site ID:	287180
Operable Unit ID:	862851
Operable Unit:	01
Material ID:	513064
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not Reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not Reported

NY CLEARINGHOUSE - TTF 450 W33RD ST, NEW YORK, NY,		S112231212
▲ 16	ENE 1/10 - 1/3 (1168 ft. / 0.221 mi.)	State and tribal leaking storage tank lists
	12 ft. Higher Elevation 25 ft. Above Sea Level	

Worksheet:

LTANKS: State and tribal leaking storage tank lists

Facility ID:	1205721
Site ID:	468686
Closed Date:	2013-02-28
Spill Number:	1205721
Spill Date:	2012-09-08

NY CLEARINGHOUSE - TTF, 450 W33RD ST, NEW YORK, NY (Continued)

Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	C4
Cleanup Ceased:	Not Reported
SWIS:	3101
Investigator:	TJDEMEO
Referred To:	Not Reported
Reported to Dept:	2012-09-08
CID:	Not Reported
Water Affected:	Not Reported
Spill Notifier:	Other
Last Inspection:	Not Reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2012-09-08
Spill Record Last Update:	2013-02-28
Spiller Name:	ERIK DEITZ
Spiller Company:	NY CLEARINGHOUSE
Spiller Address:	450 W33RD ST
Spiller County:	999
Spiller Contact:	JIM YANCY
Spiller Phone:	3364048264
Spiller Extention:	Not Reported
DEC Region:	2
DER Facility ID:	422967
DEC Memo:	"TTF was sent out to BROADWAY REAL ESTATE SERVICES 450-460 WEST 33RD STREET NEW YORK, NY 10043 ATTN: JAVIER CORRIPIO ** PBS 2-456721 ** 2/26/13 TJD File review. Tank failed tightness test on 9/8/12 - intially reported as a wet leak. Tank was uncovered and corrosion was identified at tank top fittings and associated piping. Repairs were performed and a tank only (isolation test) was performed on 10/2/12 which passed. A complete system tightness test was then permformed on 10/11/12, also with passing results. Contractor has provided the following statement in their closure report, Throughout excavation operations, close inspections indicated neither visual nor olfactory evidence of petroleum contamination, confirming that there was no loss of product into the subsurface. all required closure documentation has been submitted and uploaded to EDOCS. No further action is required at this time."
Remarks:	""

All Materials:

Site ID:	468686
Operable Unit ID:	1218603

NY CLEARINGHOUSE - TTF, 450 W33RD ST, NEW YORK, NY (Continued)

Operable Unit:	01
Material ID:	2217006
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not Reported
Material FA:	Petroleum
Quantity:	.00
Units:	Not Reported
Recovered:	Not Reported
Oxygenate:	Not Reported

HELIPORT W 30TH ST/MANH - TTF HELIPORT/W.30TH ST & 12TH, NEW YORK CITY, NY,			S100145501
▲ 17	ESE 1/10 - 1/3	(1175 ft. / 0.223 mi.)	State and tribal leaking storage tank lists
	11 ft. Higher Elevation	24 ft. Above Sea Level	

Worksheet:

LTANKS: State and tribal leaking storage tank lists

Facility ID:	8903684
Site ID:	116887
Closed Date:	2014-10-27
Spill Number:	8903684
Spill Date:	1989-07-13
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	C4
Cleanup Ceased:	Not Reported
SWIS:	3101
Investigator:	TJDEMEO
Referred To:	Not Reported
Reported to Dept:	1989-07-13
CID:	Not Reported
Water Affected:	Not Reported
Spill Notifier:	Tank Tester
Last Inspection:	Not Reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1989-07-14
Spill Record Last Update:	2014-10-27
Spiller Name:	Not Reported
Spiller Company:	PORT AUTHORITY
Spiller Address:	Not Reported
Spiller County:	999
Spiller Contact:	Not Reported

HELIPORT W 30TH ST/MANH - TTF, HELIPORT/W.30TH ST & 12TH, NEW YORK CITY, NY (Continued)

Spiller Phone:	Not Reported
Spiller Extention:	Not Reported
DEC Region:	2
DER Facility ID:	101690
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MILLER DEC SIGONA REASSIGNED TO MILLER ON 1/23/98 3/5/10 - Austin - Reassigned as TTF to Jake Krimgold for further investigation. - end 08/13/12 - LZ As Randy Austin requested, the spill has been reassigned to Tim DeMeo 8/24/12 TJD Spill cross-referenced to PBS#. 10/09/14-Hiralkumar Patel. reviewed available documents for DEC DeMeo. site name: West 30th Street Heliport PBS #: 2-342211. as per PBS record, the site has/had following tanks: - one (1) 8,000 gal other product AST on saddles, in-service, installed in Apr. 1997 - one (1) 8,000 gal other product AST on soil, converted to non-regulated use, installed in Apr. 1997 (this could be same tank as above) 10/27/14 TJD File review - based upon above information obtained from Patel. - eleven (11) 550 gal other product USTs, closed-in-place, in Apr. 1997 - five (5) 550 gal other product USTs, closed prior to Mar. 1991 other spills #: 8804707, 8901091, 9504121 spill # 8804707 was reported on 08/29/1988 by USCG due to petroleum patch. case closed. spill # 8901091 was reported on 05/04/1989 due to tank test failure for eight (8) 550 gal jet fuel tanks. case closed. spill # 9504121 was reported on 07/06/1995 by USCG due to 40 gal jet fuel spill result of collision between two helicopters. case closed. reviewed documents on e-docs for PBS: - 12/18/1988: tanks 9 to 16 (550 gal jet A fuel) were passed - 12/07/1991: tanks 1 to 8 (550 gal jet A fuel) were passed - 06/11/2007: N. D. Eryou sent letter to DEC Falvey. he mentioned that the eleven (11) 550 gal USTs owned by Port Authority and they were conveyed with the land lease to NYS DOT (Aviation Division). he was not present during tanks abandonment in 1997, but believed that NYSDOT was going to remove the USTs as part of the stormwater upgrades that were underway as part of the immeidate adjacent Route 9 upgrades. 10/27/14 TJD File review. Based upon summarized review discussed above - (8) 550 gallon UST's passed tightness tests (Tanks 9 to 16) prior to reported spill (1988). Remaining (8) 550 gallon UST's (Tanks 1 to 8) passed a tighness test subsequent to reported spill (1991). As per PBS inspection 1/9/07 (Falvey) all UST's have been permanently closed on site. New 8K AST's are currently in operation at this facility. A total of (3) spill

HELIPORT W 30TH ST/MANH - TTF, HELIPORT/W.30TH ST & 12TH, NEW YORK CITY, NY (Continued)

reports have been reported and closed at this facility since initial TTF report. Unknown what tank # failed the tighness test, however, all UST's are reported out of service. Due to proximity of the failure to the Hudson River if a significant petroleum discharge had occurred impacts to the adjacent surface waters would have been observed. No further action is required at this time. Spill is administratively closed."

Remarks: "550 GALLON TANK FAILED HORNER EZY CHECK WITH A LEAK RATE OF .179GPH, TANK #8, PARTIALLY PUMPED OUT TANK, WILL FINISH PUMPING TANK LATER TODAY."

All TTF:

Facility ID:	8903684
Spill Number:	8903684
Spill Tank Test:	1535707
Site ID:	116887
Tank Number:	Not Reported
Tank Size:	0
Material:	0011
EPA UST:	Not Reported
UST:	Not Reported
Cause:	Not Reported
Source:	Not Reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not Reported
Modified By:	Spills
Last Modified Date:	Not Reported

All Materials:

Site ID:	116887
Operable Unit ID:	931312
Operable Unit:	01
Material ID:	447763
Material Code:	0011
Material Name:	jet fuel
Case No.:	Not Reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Oxygenate:	Not Reported

371 9TH AVENUE
371 9TH AVENUE, NEW YORK CITY, NY, S118943494

▲ 18	E 1/10 - 1/3	(1309 ft. / 0.248 mi.)	State and tribal voluntary cleanup sites
	15 ft. Higher Elevation	28 ft. Above Sea Level	

Worksheet:

509 WEST 34TH STREET
509 WEST 34TH STREET, NEW YORK, NY, 10001 S117851121

▲ 19	NE 1/10 - 1/3	(1485 ft. / 0.281 mi.)	State and tribal Brownfields sites
	22 ft. Higher Elevation	35 ft. Above Sea Level	

Worksheet:

BROWNFIELDS: State and tribal Brownfields sites

Program:	BCP
Site Code:	507330
Acres:	1.43
HW Code:	C231094
SWIS:	3101
Town:	New York City
Record Added Date:	05/01/2015
Record Updated Date:	06/10/2016
Update By:	JEBROWN
Site Description:	Location: The site is located at 509-527 West 34th Street, 435 Tenth Avenue and 510 West 35th Street in the Borough of Manhattan, City of New York in New York County. The site is comprised of three separate lots (i.e., lots 17, 20 and 29 of Block 706) and is approximately 1.43 acres in size. Site Features: Lot 17 is approximately .07 acres and is vacant land. Lot 20 is approximately .49 acres and is entirely covered by a four-story structure, with a partial basement. The building is utilized as a parking garage, photography studio, artist studio, elevator services and mixed office and warehouse space. Lot 29 is approximately 0.87 acres in which the entire lot is a paved parking lot utilized for commercial truck rental and parking. Current Zoning and Land Use: The site is currently used for commercial purposes, and is zoned C6-4. C6 districts permit a wide range of high-bulk commercial uses requiring a central location. The C6-4 district, typically mapped within a major business district, has a maximum floor area ratio (FAR) of 10.0 or 15.0, exclusive of any bonus. Past Use of the Site: Historical uses include an iron and brass foundry, and then a parking garage (Lot 20), a hatter s fur cutting company (Lot 29), and an electrical conduit company (Lot 17). Site Geology and Hydrogeology: Bedrock is present beneath the site at

509 WEST 34TH STREET, 509 WEST 34TH STREET, NEW YORK, NY 10001 (Continued)

	depths ranging from three to 18 feet below grade. A fill layer comprised of sand, gravel, boulder, concrete, and brick fragments is present from grade to bedrock and is underlain by a 3 to 6 foot thick native glacial silty sand in the western portion of the Site. Groundwater was encountered at a depth of approximately 12 feet.
Env Problem:	Information submitted with the BCP application regarding the environmental condition at the site are currently under review and will be revised as additional information becomes available.
Health Problem:	Information submitted with the BCP application regarding the conditions at the site are currently under review and will be revised as additional information becomes available.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not Reported
Disp Term:	Not Reported
Lat/Long:	Not Reported
Dell:	Not Reported
Record Add:	5/1/2015 2:45:00 PM
Record Upd:	5/1/2015 2:45:00 PM
Updated By:	SRHEIGEL
Own Op:	Owner
Sub Type:	06
Owner Name:	-
Owner Company:	509 W 34, LLC
Owner Address:	45 Rockefeller Plaza
Owner Addr2:	Not Reported
Owner City,St,Zip:	New York, NY 10111
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	John Balow
Owner Company:	New York Public Library
Owner Address:	Science, Industry and Business Library
Owner Addr2:	188 Madison Avenue at 34th Street
Owner City,St,Zip:	New York, NY 10016
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	P03
Owner Name:	Michael B. Benner
Owner Company:	509 W 34, L.L.C.
Owner Address:	45 Rockefeller Plaza
Owner Addr2:	Not Reported
Owner City,St,Zip:	New York, NY 10111
Owner Country:	United States of America

509 WEST 34TH STREET, 509 WEST 34TH STREET, NEW YORK, NY 10001 (Continued)

Own Op:	Document Repository
Sub Type:	C01
Owner Name:	Jesse Bodine
Owner Company:	Manhattan Community Board 4
Owner Address:	330 West 42nd Street, Suite 2618
Owner Addr2:	Not Reported
Owner City,St,Zip:	New York, NY 10036
Owner Country:	United States of America
HW Code:	Not Reported
Waste Type:	Not Reported
Waste Quantity:	Not Reported
Waste Code:	Not Reported
Crossref ID:	Not Reported
Cross Ref Type Code:	Not Reported
Cross Ref Type:	Not Reported
Record Added Date:	Not Reported
Record Updated:	Not Reported
Updated By:	Not Reported

MANHATTAN GENERAL MAIL FACILITY WEST 29TH & 9TH AVE, NEW YORK, NY, 10001		1003864514
▲ 20	ESE 1/10 - 1/3 (1493 ft. / 0.283 mi.)	Federal CERCLIS NFRAP site list
	16 ft. Higher Elevation 29 ft. Above Sea Level	

Worksheet:

SEMS Archive: Federal CERCLIS NFRAP site list

Site ID:	203777
EPA ID:	NY6180000352
Cong District:	15
FIPS Code:	36061
FF:	Y
NPL:	Not on the NPL
Non NPL Status:	NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region:	2
Site ID:	203777
EPA ID:	NY6180000352
Site Name:	MANHATTAN GENERAL MAIL FACILITY
NPL:	N
FF:	Y
OU:	0
Action Code:	VS
Action Name:	ARCH SITE
SEQ:	1
Start Date:	Not Reported
Finish Date:	1993-09-15 00:00:00

MANHATTAN GENERAL MAIL FACILITY, WEST 29TH & 9TH AVE, NEW YORK, NY 10001 (Continued)

Qual:	Not Reported
Current Action Lead:	EPA Perf In-Hse
Region:	2
Site ID:	203777
EPA ID:	NY6180000352
Site Name:	MANHATTAN GENERAL MAIL FACILITY
NPL:	N
FF:	Y
OU:	0
Action Code:	DS
Action Name:	DISCVRY
SEQ:	1
Start Date:	1992-07-17 00:00:00
Finish Date:	1992-07-17 00:00:00
Qual:	Not Reported
Current Action Lead:	EPA Perf
Region:	2
Site ID:	203777
EPA ID:	NY6180000352
Site Name:	MANHATTAN GENERAL MAIL FACILITY
NPL:	N
FF:	Y
OU:	0
Action Code:	PA
Action Name:	PA
SEQ:	1
Start Date:	Not Reported
Finish Date:	1993-09-15 00:00:00
Qual:	N
Current Action Lead:	Fed Fac

34TH ST. AND 10TH AVE./AM 34TH ST.& 10TH AVE., NEW YORK CITY, NY,			S102671194
▲ BT21	NE 1/10 - 1/3	(1505 ft. / 0.285 mi.)	State and tribal leaking storage tank lists
	22 ft. Higher Elevation	35 ft. Above Sea Level	

Worksheet:

LTANKS: State and tribal leaking storage tank lists

Facility ID:	8704567
Site ID:	86947
Closed Date:	1987-09-01
Spill Number:	8704567
Spill Date:	1987-09-01
Spill Cause:	Tank Overfill
Spill Source:	Gasoline Station or other PBS Facility

34TH ST. AND 10TH AVE./AM, 34TH ST.& 10TH AVE., NEW YORK CITY, NY (Continued)

Spill Class:	Not Reported
Cleanup Ceased:	1987-09-01
SWIS:	3101
Investigator:	UNASSIGNED
Referred To:	Not Reported
Reported to Dept:	1987-09-01
CID:	Not Reported
Water Affected:	Not Reported
Spill Notifier:	Citizen
Last Inspection:	Not Reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1987-09-10
Spill Record Last Update:	1988-10-07
Spiller Name:	Not Reported
Spiller Company:	AMOCO GAS STATION
Spiller Address:	34TH ST.& 10TH AVE.
Spiller County:	001
Spiller Contact:	Not Reported
Spiller Phone:	Not Reported
Spiller Extention:	Not Reported
DEC Region:	2
DER Facility ID:	79704
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was "
Remarks:	"TANK TRUCK (LICENSE PLATE # AP7359) INVOLVED IN TANK OVERFILL."

All Materials:

Site ID:	86947
Operable Unit ID:	911052
Operable Unit:	01
Material ID:	467199
Material Code:	0009
Material Name:	gasoline
Case No.:	Not Reported
Material FA:	Petroleum
Quantity:	1.00
Units:	Not Reported
Recovered:	.00
Oxygenate:	Not Reported

34TH ST. & 10TH AVE./AMOC 34TH ST. & 10TH AVE., NEW YORK CITY, NY,		S100143829	
▲ BT22	NE 1/10 - 1/3	(1505 ft. / 0.285 mi.)	State and tribal leaking storage tank lists
	22 ft. Higher Elevation	35 ft. Above Sea Level	

MAP FINDINGS

Worksheet:

LTANKS: State and tribal leaking storage tank lists

Facility ID:	8705645
Site ID:	122904
Closed Date:	1987-10-05
Spill Number:	8705645
Spill Date:	1987-10-05
Spill Cause:	Tank Failure
Spill Source:	Tank Truck
Spill Class:	Not Reported
Cleanup Ceased:	1987-10-05
SWIS:	3101
Investigator:	UNASSIGNED
Referred To:	Not Reported
Reported to Dept:	1987-10-05
CID:	Not Reported
Water Affected:	Not Reported
Spill Notifier:	Citizen
Last Inspection:	Not Reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1987-10-07
Spill Record Last Update:	1989-05-02
Spiller Name:	Not Reported
Spiller Company:	AMOCO
Spiller Address:	Not Reported
Spiller County:	999
Spiller Contact:	Not Reported
Spiller Phone:	Not Reported
Spiller Extention:	Not Reported
DEC Region:	2
DER Facility ID:	106534
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was "
Remarks:	"TANK OVERFILL ONE OR TWO TIMES A WEEK DURING SERVICE, APPROXIMATELY 50 GALLONS."

All TTF:

Facility ID:	8705645
Spill Number:	8705645
Spill Tank Test:	1531827
Site ID:	122904
Tank Number:	Not Reported
Tank Size:	0
Material:	0009
EPA UST:	Not Reported
UST:	Not Reported
Cause:	Not Reported

34TH ST. & 10TH AVE./AMOC, 34TH ST. & 10TH AVE., NEW YORK CITY, NY (Continued)

Source:	Not Reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not Reported
Modified By:	Spills
Last Modified Date:	Not Reported

All Materials:

Site ID:	122904
Operable Unit ID:	909469
Operable Unit:	01
Material ID:	468231
Material Code:	0009
Material Name:	gasoline
Case No.:	Not Reported
Material FA:	Petroleum
Quantity:	50.00
Units:	G
Recovered:	.00
Oxygenate:	Not Reported

527 WEST 34TH ST 527 WEST 34TH ST, , NY,			S112231173
▲ 23	NE 1/10 - 1/3	(1535 ft. / 0.291 mi.)	State and tribal leaking storage tank lists
	23 ft. Higher Elevation	36 ft. Above Sea Level	

Worksheet:

LTANKS: State and tribal leaking storage tank lists

Facility ID:	0750112
Site ID:	380286
Closed Date:	2007-04-23
Spill Number:	0750112
Spill Date:	2007-04-10
Spill Cause:	Tank Overfill
Spill Source:	Commercial/Industrial
Spill Class:	D4
Cleanup Ceased:	Not Reported
SWIS:	3101
Investigator:	hrpatel
Referred To:	Not Reported
Reported to Dept:	2007-04-23
CID:	Not Reported
Water Affected:	Not Reported
Spill Notifier:	Other
Last Inspection:	Not Reported

527 WEST 34TH ST, 527 WEST 34TH ST, , NY (Continued)

Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2007-04-23
Spill Record Last Update:	2007-04-23
Spiller Name:	Not Reported
Spiller Company:	527 WEST 34TH ST
Spiller Address:	527 WEST 34TH ST
Spiller County:	999
Spiller Contact:	Not Reported
Spiller Phone:	Not Reported
Spiller Extention:	Not Reported
DEC Region:	2
DER Facility ID:	329760
DEC Memo:	"referred from COn Ed See also Spill #0700391 duplicate spill. case closed. refer to old case."
Remarks:	"Leaked from a building into Vault #3863"

All Materials:

Site ID:	380286
Operable Unit ID:	1137770
Operable Unit:	01
Material ID:	2127726
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not Reported
Material FA:	Petroleum
Quantity:	Not Reported
Units:	G
Recovered:	4.00
Oxygenate:	False

AMOCO
436 TENTH AVE, NEW YORK, NY, 10018 S107410213

▲ BX24	ENE 1/10 - 1/3	(1589 ft. / 0.301 mi.)	State and tribal leaking storage tank lists
	27 ft. Higher Elevation	40 ft. Above Sea Level	

Worksheet:

LTANKS: State and tribal leaking storage tank lists

Facility ID:	9506257
Site ID:	158202
Closed Date:	2002-05-03
Spill Number:	9506257
Spill Date:	1995-08-21
Spill Cause:	Tank Test Failure

AMOCO, 436 TENTH AVE, NEW YORK, NY 10018 (Continued)

Spill Source:	Commercial/Industrial
Spill Class:	C3
Cleanup Ceased:	Not Reported
SWIS:	3101
Investigator:	O'DOWD
Referred To:	Not Reported
Reported to Dept:	1995-08-21
CID:	Not Reported
Water Affected:	Not Reported
Spill Notifier:	Tank Tester
Last Inspection:	Not Reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-09-27
Spill Record Last Update:	2005-08-23
Spiller Name:	Not Reported
Spiller Company:	SAME
Spiller Address:	Not Reported
Spiller County:	999
Spiller Contact:	Not Reported
Spiller Phone:	Not Reported
Spiller Extention:	Not Reported
DEC Region:	2
DER Facility ID:	11535
DEC Memo:	"O'Dowd Notes(KMF): Amoco will submit affadavit of work done, any contamination noted and passing tank test results. Will have to look up PBS# to see if any old USTs were here and if a site assessment was done. 8/21/95 2X4K failed UST-2000 Ullage Test. 8/22/95 Spoke to Jerry Kasper, Crompco. 1X4K has the extractor valve and 1X4K doesn't. Leak was above the liquid line. Problem believed to be with extractor valve. 5/3/2002-VOUGHT-See spill #0201270 at same location. This spill closed by Vought."
Remarks:	"TANKS WERE OINSPECTED AND BOTH FAILED"

All TTF:

Facility ID:	9506257
Spill Number:	9506257
Spill Tank Test:	1544101
Site ID:	158202
Tank Number:	Not Reported
Tank Size:	0
Material:	0066A
EPA UST:	Not Reported
UST:	Not Reported
Cause:	Not Reported
Source:	Not Reported

AMOCO, 436 TENTH AVE, NEW YORK, NY 10018 (Continued)

Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not Reported
Modified By:	Spills
Last Modified Date:	Not Reported

All Materials:

Site ID:	158202
Operable Unit ID:	1017138
Operable Unit:	01
Material ID:	558531
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not Reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not Reported

AMOCO 436 TENTH AVE, NEW YORK, NY, 10018		S107410233	
▲ BX25	ENE 1/10 - 1/3	(1589 ft. / 0.301 mi.)	State and tribal leaking storage tank lists
	27 ft. Higher Elevation	40 ft. Above Sea Level	

Worksheet:

LTANKS: State and tribal leaking storage tank lists

Facility ID:	9905246
Site ID:	250195
Closed Date:	1999-08-27
Spill Number:	9905246
Spill Date:	1999-08-01
Spill Cause:	Tank Overfill
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	C4
Cleanup Ceased:	Not Reported
SWIS:	3101
Investigator:	SACCACIO
Referred To:	Not Reported
Reported to Dept:	1999-08-01
CID:	246
Water Affected:	Not Reported
Spill Notifier:	Responsible Party
Last Inspection:	Not Reported
Recommended Penalty:	False

AMOCO, 436 TENTH AVE, NEW YORK, NY 10018 (Continued)

Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1999-08-01
Spill Record Last Update:	2005-08-23
Spiller Name:	Not Reported
Spiller Company:	CONSOLIDATED TRANSPORTATI
Spiller Address:	ON
Spiller County:	001
Spiller Contact:	JULIO CALDER
Spiller Phone:	(718) 389-4910
Spiller Extention:	Not Reported
DEC Region:	2
DER Facility ID:	11535
DEC Memo:	""
Remarks:	"tank was overfilled at location - speedy dry applied - cleanup crew enroute - some material may have flowed into storm drain and street update 0400 hrs - spill only 5-7 gal all cleaned up - none entered waterway "

All Materials:

Site ID:	250195
Operable Unit ID:	1079677
Operable Unit:	01
Material ID:	301550
Material Code:	0009
Material Name:	gasoline
Case No.:	Not Reported
Material FA:	Petroleum
Quantity:	20.00
Units:	G
Recovered:	.00
Oxygenate:	Not Reported

ST MICHEAL'S SCHOOL
425 WEST 33RD STREET, MANHATTAN, NY, S106703793

▲ 26	ENE 1/10 - 1/3	(1601 ft. / 0.303 mi.)	State and tribal leaking storage tank lists
	31 ft. Higher Elevation	44 ft. Above Sea Level	

Worksheet:

LTANKS: State and tribal leaking storage tank lists

Facility ID:	0606006
Site ID:	369290
Closed Date:	2006-09-11
Spill Number:	0606006

ST MICHEAL'S SCHOOL, 425 WEST 33RD STREET, MANHATTAN, NY (Continued)

Spill Date:	2006-08-24
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	D4
Cleanup Ceased:	Not Reported
SWIS:	3101
Investigator:	rmpiper
Referred To:	Not Reported
Reported to Dept:	2006-08-24
CID:	444
Water Affected:	Not Reported
Spill Notifier:	Other
Last Inspection:	Not Reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2006-08-24
Spill Record Last Update:	2006-09-11
Spiller Name:	SISTER KATHLEEN
Spiller Company:	ST MICHEAL'S SCHOOL
Spiller Address:	425 WEST 33RD STREET
Spiller County:	001
Spiller Contact:	SISTER KATHLEEN
Spiller Phone:	(212) 594-9056
Spiller Extention:	Not Reported
DEC Region:	2
DER Facility ID:	319177
DEC Memo:	"DEC Piper spoke w/ Charles Rose. Assistant to the principal. As per conversation, they were getting ready for winter and noticed a leak. When the janitor inspected found approx 200 gal in vaulted area. Spill is contained and in vault. PTC to respond today and pump out remaining oil and oil on floor. No drains, sewers effected. PTC to contact DEC upon completion of emergency cleanup. School is not in session and no children are present. Odors present in basement only and not in school. 9/11/06- DEC Piper spoke w/ Sister Katheleen, PTC had cleaned up emergency spill. Piper spoke w/ PTC, tank was above ground on concrete. Concrete was in good shape. School is going to replace tank. 6 drums of oil soaked speedy dry removed. CLosed."
Remarks:	"TANK IS LEAKING IN THE TANK ROOM OF SCHOOL: CREW ENROUTE TO PUMP OUT TANK AND CLEAN UP SPILL: NO DRAINS EFFECTED:"

All Materials:

Site ID:	369290
Operable Unit ID:	1127130
Operable Unit:	01

ST MICHEAL'S SCHOOL, 425 WEST 33RD STREET, MANHATTAN, NY (Continued)

Material ID:	2116713
Material Code:	0002A
Material Name:	#4 fuel oil
Case No.:	Not Reported
Material FA:	Petroleum
Quantity:	200.00
Units:	G
Recovered:	.00
Oxygenate:	Not Reported
Facility ID:	9608649
Site ID:	240388
Closed Date:	1996-10-11
Spill Number:	9608649
Spill Date:	1996-10-11
Spill Cause:	Tank Overfill
Spill Source:	Commercial/Industrial
Spill Class:	C4
Cleanup Ceased:	Not Reported
SWIS:	3101
Investigator:	SMMARTIN
Referred To:	Not Reported
Reported to Dept:	1996-10-11
CID:	257
Water Affected:	Not Reported
Spill Notifier:	Responsible Party
Last Inspection:	Not Reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1996-10-11
Spill Record Last Update:	2004-06-03
Spiller Name:	JIM CAREY
Spiller Company:	CASTLE OIL
Spiller Address:	290 LOCUST AVE
Spiller County:	001
Spiller Contact:	Not Reported
Spiller Phone:	(212) 563-2575
Spiller Extention:	Not Reported
DEC Region:	2
DER Facility ID:	197687
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MARTINKAT "
Remarks:	"overfill of storage tank cleanup crew on the way "

All Materials:

Site ID:	240388
Operable Unit ID:	1039859
Operable Unit:	01

ST MICHEAL'S SCHOOL, 425 WEST 33RD STREET, MANHATTAN, NY (Continued)

Material ID:	344379
Material Code:	0002A
Material Name:	#4 fuel oil
Case No.:	Not Reported
Material FA:	Petroleum
Quantity:	25.00
Units:	G
Recovered:	.00
Oxygenate:	Not Reported

CONSTRUCTION SITE 529 WEST 35TH ST, MANHATTAN, NY,		S105055174
▲ 27	NNE 1/10 - 1/3 (1735 ft. / 0.329 mi.) 22 ft. Higher Elevation 35 ft. Above Sea Level	State and tribal leaking storage tank lists

Worksheet:

LTANKS: State and tribal leaking storage tank lists

Facility ID:	0103274
Site ID:	246701
Closed Date:	2001-12-13
Spill Number:	0103274
Spill Date:	2001-06-25
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	C4
Cleanup Ceased:	Not Reported
SWIS:	3101
Investigator:	JBVOUGHT
Referred To:	Not Reported
Reported to Dept:	2001-06-25
CID:	382
Water Affected:	Not Reported
Spill Notifier:	Other
Last Inspection:	Not Reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2001-06-25
Spill Record Last Update:	2001-12-13
Spiller Name:	Not Reported
Spiller Company:	UNKNOWN
Spiller Address:	Not Reported
Spiller County:	001
Spiller Contact:	GARY ZAID
Spiller Phone:	(212) 736-1626

CONSTRUCTION SITE, 529 WEST 35TH ST, MANHATTAN, NY (Continued)

Spiller Extention:	Not Reported
DEC Region:	2
DER Facility ID:	202580
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was VOUGHT 8/2001-Tank closure report prepared by Franklin Company Contractors. 6/29/2001-Franklin implemented bioremediation by mixing 240lbs of ORC with surrounding soils and filling in excavation. 500 gallons of Waste stream technologies W-4 bio-blend mixture also injected.. Site was bakcfilled with 3 to 6 feet of clean fill, 6 inches of crushed stone and an 8-mil polyethylene vapor barrier. Area was then covered with 6 inch reinforced concrete slab. Soil VOC pass TAGM, soil SVOC exceed TAGM but are due to fill composition. Site visit by Jacob Krimgold showed no visual evidence of contamination. Groundwater VOC and SVOC also pass TAGM. 12/13/2001 Spill closed as per Mark Tibbe, Jacob Krimgold and myself (all NYSDEC personnel). "
Remarks:	"SOIL SAMPLE RESULTS FROM REMOVAL OF 3 TANKS AT LOCATION. NO VISABLE SIGNS OF CONTAMINATION."

All Materials:

Site ID:	246701
Operable Unit ID:	841954
Operable Unit:	01
Material ID:	535365
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not Reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not Reported

444 10TH AVENUE
444 10TH AVENUE, NEW YORK CITY, NY, S118943369

▲ 28	NE 1/10 - 1/3	(1737 ft. / 0.329 mi.)	State and tribal voluntary cleanup sites
	27 ft. Higher Elevation	40 ft. Above Sea Level	

Worksheet:

APARTMENT BUILDING
347 WEST 29TH ST, MANHATTAN, NY, S102662670

MAP FINDINGS

▲ 29	ESE 1/10 - 1/3	(1755 ft. / 0.332 mi.)	State and tribal leaking storage tank lists
	17 ft. Higher Elevation	30 ft. Above Sea Level	

Worksheet:

LTANKS: State and tribal leaking storage tank lists

Facility ID:	9608521
Site ID:	111829
Closed Date:	1996-11-22
Spill Number:	9608521
Spill Date:	1996-10-08
Spill Cause:	Tank Overfill
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C3
Cleanup Ceased:	Not Reported
SWIS:	3101
Investigator:	MCTIBBE
Referred To:	Not Reported
Reported to Dept:	1996-10-09
CID:	297
Water Affected:	Not Reported
Spill Notifier:	Affected Persons
Last Inspection:	Not Reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1996-10-09
Spill Record Last Update:	2004-07-20
Spiller Name:	Not Reported
Spiller Company:	BAYSIDE FUEL OIL CORP
Spiller Address:	1810 SHORE PRKWY
Spiller County:	001
Spiller Contact:	SONDRA STEIN
Spiller Phone:	(212) 988-0688
Spiller Extention:	Not Reported
DEC Region:	2
DER Facility ID:	97777
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was M TIBBE Bayside cleaned."
Remarks:	"CALLER IS THE APARTMENT COMPLEX OWNER AND RECIEVED A CALL FROM HER SUPERINTENDANT THATH THE OIL DELIVERY DRIVER SPILLED AN UNKNOWN AMOUNT OF OIL INTO A FLOWER GARDEN IN THE FRONT OF THE BLDG - WHEN THE CALLER CONTACTED THE OIL COMPANY THEY DID NOT GET BACK TO HER - CALLER WOULD LIKE A CALL BACK FOR MORE INFORMATION"

All Materials:

Site ID:	111829

APARTMENT BUILDING, 347 WEST 29TH ST, MANHATTAN, NY (Continued)

Operable Unit ID:	1039727
Operable Unit:	01
Material ID:	344258
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not Reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not Reported

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
ENVIRONMENTAL RECORDS						
Federal NPL site list						
US	NPL	National Priority List	EPA	12/11/2017	12/22/2017	01/05/2018
US	Proposed NPL	Proposed National Priority List Sites	EPA	12/11/2017	12/22/2017	01/05/2018
US	NPL LIENS	Federal Superfund Liens	EPA	10/15/1991	02/02/1994	03/30/1994
Federal CERCLIS list						
US	SEMS	Superfund Enterprise Management System	EPA	12/11/2017	12/22/2017	01/12/2018
Federal RCRA CORRACTS facilities list						
US	CORRACTS	Corrective Action Report	EPA	12/11/2017	12/26/2017	02/09/2018
Federal RCRA TSD facilities list						
US	RCRA-TSDF	RCRA - Treatment, Storage and Disposal	Environmental Protection Agency	12/11/2017	12/26/2017	02/09/2018
Federal RCRA generators list						
US	RCRA-LQG	RCRA - Large Quantity Generators	Environmental Protection Agency	12/11/2017	12/26/2017	02/09/2018
US	RCRA-SQG	RCRA - Small Quantity Generators	Environmental Protection Agency	12/11/2017	12/26/2017	02/09/2018
US	RCRA-CESQG	RCRA - Conditionally Exempt Small Quantity Generators	Environmental Protection Agency	12/11/2017	12/26/2017	02/09/2018
Federal institutional controls / engineering controls registries						
US	LUCIS	Land Use Control Information System	Department of the Navy	05/22/2017	06/13/2017	09/15/2017
US	US ENG CONTROLS	Engineering Controls Sites List	Environmental Protection Agency	11/13/2017	11/27/2017	02/09/2018
US	US INST CONTROL	Sites with Institutional Controls	Environmental Protection Agency	11/13/2017	11/27/2017	02/09/2018
Federal ERNS list						
US	ERNS	Emergency Response Notification System	National Response Center, United States Coast	01/16/2018	01/19/2018	03/23/2018
State and tribal - equivalent CERCLIS						
NY	SHWS	Inactive Hazardous Waste Disposal Sites in New York State	Department of Environmental Conservation	08/15/2017	08/17/2017	10/24/2017
NJ	SHWS	Known Contaminated Sites in New Jersey	New Jersey Department of Environmental Protec	02/22/2017	02/23/2017	07/27/2017
State and tribal landfill / solid waste disposal						
NY	SWF/LF	Facility Register	Department of Environmental Conservation	12/08/2017	01/02/2018	01/31/2018
NJ	SWF/LF	Solid Waste Facility Directory	Department of Environmental Protection	08/16/2016	11/02/2016	12/23/2016
State and tribal leaking storage tank lists						
US	INDIAN LUST R5	Leaking Underground Storage Tanks on Indian Land	EPA, Region 5	04/26/2017	07/27/2017	10/13/2017
US	INDIAN LUST R10	Leaking Underground Storage Tanks on Indian Land	EPA Region 10	04/25/2017	11/07/2017	12/08/2017
US	INDIAN LUST R9	Leaking Underground Storage Tanks on Indian Land	Environmental Protection Agency	04/13/2017	07/27/2017	10/13/2017
US	INDIAN LUST R8	Leaking Underground Storage Tanks on Indian Land	EPA Region 8	05/01/2017	07/27/2017	10/13/2017
US	INDIAN LUST R7	Leaking Underground Storage Tanks on Indian Land	EPA Region 7	04/14/2017	07/27/2017	10/06/2017
US	INDIAN LUST R6	Leaking Underground Storage Tanks on Indian Land	EPA Region 6	04/24/2017	07/27/2017	10/06/2017
US	INDIAN LUST R4	Leaking Underground Storage Tanks on Indian Land	EPA Region 4	10/14/2016	01/27/2017	05/05/2017
US	INDIAN LUST R1	Leaking Underground Storage Tanks on Indian Land	EPA Region 1	04/14/2017	07/27/2017	10/06/2017

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
NY	LTANKS	Spills Information Database	Department of Environmental Conservation	02/12/2018	02/14/2018	03/16/2018
NY	HIST LTANKS	Listing of Leaking Storage Tanks	Department of Environmental Conservation	01/01/2002	07/08/2005	07/14/2005
State and tribal registered storage tank lists						
NY	TANKS	Storage Tank Faciliy Listing	Department of Environmental Conservation	12/22/2017	12/26/2017	01/29/2018
NY	UST	Petroleum Bulk Storage (PBS) Database	Department of Environmental Conservation	12/22/2017	12/26/2017	01/29/2018
NJ	UST	Underground Storage Tank Data	Department of Environmental Protection	11/02/2017	01/26/2018	02/28/2018
NY	CBS UST	Chemical Bulk Storage Database	NYSDEC	01/01/2002	02/20/2002	03/22/2002
NY	MOSF UST	Major Oil Storage Facilities Database	NYSDEC	01/01/2002	02/20/2002	03/22/2002
NY	AST	Petroleum Bulk Storage	Department of Environmental Conservation	12/22/2017	12/26/2017	01/29/2018
NY	CBS AST	Chemical Bulk Storage Database	NYSDEC	01/01/2002	02/20/2002	03/22/2002
NY	MOSF AST	Major Oil Storage Facilities Database	NYSDEC	01/01/2002	02/20/2002	03/22/2002
NY	CBS	Chemical Bulk Storage Site Listing	Department of Environmental Conservation	12/22/2017	12/26/2017	01/29/2018
NY	MOSF	Major Oil Storage Facility Site Listing	Department of Environmental Conservation	12/22/2017	12/26/2017	01/29/2018
US	INDIAN UST R9	Underground Storage Tanks on Indian Land	EPA Region 9	04/13/2017	07/27/2017	10/13/2017
US	INDIAN UST R7	Underground Storage Tanks on Indian Land	EPA Region 7	05/02/2017	07/27/2017	10/06/2017
US	INDIAN UST R10	Underground Storage Tanks on Indian Land	EPA Region 10	04/25/2017	07/27/2017	10/13/2017
US	INDIAN UST R6	Underground Storage Tanks on Indian Land	EPA Region 6	04/24/2017	07/27/2017	12/08/2017
US	INDIAN UST R8	Underground Storage Tanks on Indian Land	EPA Region 8	05/01/2017	07/27/2017	10/13/2017
US	INDIAN UST R5	Underground Storage Tanks on Indian Land	EPA Region 5	04/26/2017	07/27/2017	10/06/2017
US	INDIAN UST R1	Underground Storage Tanks on Indian Land	EPA, Region 1	04/14/2017	07/27/2017	10/06/2017
US	INDIAN UST R4	Underground Storage Tanks on Indian Land	EPA Region 4	10/14/2016	01/27/2017	05/05/2017
US	FEMA UST	Underground Storage Tank Listing	FEMA	05/15/2017	05/30/2017	10/13/2017
State and tribal institutional control / engineering control registries						
NY	ENV RES DECL	Environmental Restrictive Declarations	New York City Department of City Planning	06/27/2017	09/21/2017	09/22/2017
NY	RES DECL	Restrictive Declarations Listing	NYC Department of City Planning	11/18/2010	06/30/2014	07/21/2014
NY	ENG CONTROLS	Registry of Engineering Controls	Department of Environmental Conservation	08/15/2017	08/17/2017	10/24/2017
NJ	ENG CONTROLS	Declaration Environmental Restriction/Deed Notice Sites	Department of Environmental Protection	01/11/2018	01/26/2018	02/27/2018
NY	INST CONTROL	Registry of Institutional Controls	Department of Environmental Conservation	08/15/2017	08/17/2017	10/24/2017
NJ	INST CONTROL	Classification Exception Area Sites	Department of Environmental Protection	01/11/2018	01/26/2018	02/27/2018
State and tribal voluntary cleanup sites						
NY	VCP	Voluntary Cleanup Agreements	Department of Environmental Conservation	08/15/2017	08/17/2017	10/24/2017
NY	VCP NYC	Voluntary Cleanup Program Listing NYC	New York City Office of Environmental Protect	10/04/2017	10/06/2017	11/13/2017
US	INDIAN VCP R7	Voluntary Cleanup Priority Lisitng	EPA, Region 7	03/20/2008	04/22/2008	05/19/2008
NJ	VCP	Voluntary Cleanup Program Sites	Department of Environmental Protection	08/29/2016	11/03/2016	01/03/2017
US	INDIAN VCP R1	Voluntary Cleanup Priority Listing	EPA, Region 1	07/27/2015	09/29/2015	02/18/2016
State and tribal Brownfields sites						
NY	BROWNFIELDS	Brownfields Site List	Department of Environmental Conservation	08/15/2017	08/17/2017	10/24/2017
NJ	BROWNFIELDS	Brownfields Database	Department of Environmental Protection	11/30/2017	12/04/2017	01/02/2018
NY	ERP	Environmental Restoration Program Listing	Department of Environmental Conservation	08/15/2017	08/17/2017	10/24/2017

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
Other Records						
US	CONSENT	Superfund (CERCLA) Consent Decrees	Department of Justice, Consent Decree Library	09/30/2017	11/10/2017	01/12/2018
US	ROD	Records Of Decision	EPA	12/11/2017	12/22/2017	01/12/2018
US	LIENS 2	CERCLA Lien Information	Environmental Protection Agency	12/11/2017	12/22/2017	01/12/2018
NY	DEL SHWS	Delisted Registry Sites	Department of Environmental Conservation	08/15/2017	08/17/2017	09/22/2017
US	DEBRIS REGION 9	Torres Martinez Reservation Illegal Dump Site Locations	EPA, Region 9	01/12/2009	05/07/2009	09/21/2009
NY	SWRCY	Registered Recycling Facility List	Department of Environmental Conservation	12/08/2017	01/02/2018	01/31/2018
NY	SWTIRE	Registered Waste Tire Storage & Facility List	Department of Environmental Conservation	12/12/2017	12/14/2017	01/31/2018
NJ	SWRCY	Approved Class B Recycling Facilities	Department of Environmental Protection	12/01/2017	01/31/2018	02/28/2018
NY	HIST UST	Historical Petroleum Bulk Storage Database	Department of Environmental Conservation	01/01/2002	06/02/2006	07/20/2006
NY	HIST AST	Historical Petroleum Bulk Storage Database	Department of Environmental Conservation	01/01/2002	06/02/2006	07/20/2006
US	LEAD SMELTER 2	Lead Smelter Sites	American Journal of Public Health	04/05/2001	10/27/2010	12/02/2010
US	LEAD SMELTER 1	Lead Smelter Sites	Environmental Protection Agency	01/09/2018	02/06/2018	03/02/2018
US	2020 COR ACTION	2020 Corrective Action Program List	Environmental Protection Agency	04/22/2013	03/03/2015	03/09/2015
US	FUSRAP	Formerly Utilized Sites Remedial Action Program	Department of Energy	12/23/2016	12/27/2016	02/17/2017
US	PCB TRANSFORMER	PCB Transformer Registration Database	Environmental Protection Agency	05/24/2017	11/30/2017	12/15/2017
US	EPA WATCH LIST	EPA WATCH LIST	Environmental Protection Agency	08/30/2013	03/21/2014	06/17/2014
US	US FIN ASSUR	Financial Assurance Information	Environmental Protection Agency	01/11/2018	01/19/2018	03/02/2018
US	US AIRS MINOR	Air Facility System Data	EPA	10/12/2016	10/26/2016	02/03/2017
US	US AIRS (AFS)	Aerometric Information Retrieval System Facility Subsystem (	EPA	10/12/2016	10/26/2016	02/03/2017
US	US HIST CDL	National Clandestine Laboratory Register	Drug Enforcement Administration	01/19/2018	01/24/2018	02/09/2018
US	SCRD DRYCLEANERS	State Coalition for Remediation of Drycleaners Listing	Environmental Protection Agency	01/01/2017	02/03/2017	04/07/2017
US	COAL ASH EPA	Coal Combustion Residues Surface Impoundments List	Environmental Protection Agency	07/01/2014	09/10/2014	10/20/2014
US	COAL ASH DOE	Steam-Electric Plant Operation Data	Department of Energy	12/31/2005	08/07/2009	10/22/2009
US	Delisted NPL	National Priority List Deletions	EPA	12/11/2017	12/22/2017	01/05/2018
US	SEMS-ARCHIVE	Superfund Enterprise Management System Archive	EPA	12/11/2017	12/22/2017	01/12/2018
US	RCRA NonGen / NLR	RCRA - Non Generators / No Longer Regulated	Environmental Protection Agency	12/11/2017	12/26/2017	02/09/2018
US	HMIRS	Hazardous Materials Information Reporting System	U.S. Department of Transportation	01/19/2018	01/19/2018	03/23/2018
US	DOT OPS	Incident and Accident Data	Department of Transporation, Office of Pipeli	07/31/2012	08/07/2012	09/18/2012
US	US CDL	Clandestine Drug Labs	Drug Enforcement Administration	01/09/2018	01/24/2018	02/09/2018
US	US BROWNFIELDS	A Listing of Brownfields Sites	Environmental Protection Agency	01/19/2018	01/19/2018	02/09/2018
US	DOD	Department of Defense Sites	USGS	12/31/2005	11/10/2006	01/11/2007
US	FEDLAND	Federal and Indian Lands	U.S. Geological Survey	12/31/2005	02/06/2006	01/11/2007
US	FUDS	Formerly Used Defense Sites	U.S. Army Corps of Engineers	01/31/2015	07/08/2015	10/13/2015
US	UMTRA	Uranium Mill Tailings Sites	Department of Energy	06/23/2017	10/11/2017	11/03/2017
US	ODI	Open Dump Inventory	Environmental Protection Agency	06/30/1985	08/09/2004	09/17/2004
US	US MINES	Mines Master Index File	Department of Labor, Mine Safety and Health A	10/29/2017	11/28/2017	01/12/2018
US	US MINES 2	Ferrous and Nonferrous Metal Mines Database Listing	USGS	12/05/2005	02/29/2008	04/18/2008
US	US MINES 3	Active Mines & Mineral Plants Database Listing	USGS	04/14/2011	06/08/2011	09/13/2011
US	PRP	Potentially Responsible Parties	EPA	10/25/2013	10/17/2014	10/20/2014
US	TRIS	Toxic Chemical Release Inventory System	EPA	12/31/2016	01/10/2018	01/12/2018
US	TSCA	Toxic Substances Control Act	EPA	12/31/2016	06/21/2017	01/05/2018
US	FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA/Office of Prevention, Pesticides and Toxi	04/09/2009	04/16/2009	05/11/2009
US	FTTS INSP	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA	04/09/2009	04/16/2009	05/11/2009
US	HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HIST FTTS INSP	FIFRA/TSCA Tracking System Inspection & Enforcement Case Lis	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	SSTS	Section 7 Tracking Systems	EPA	12/31/2009	12/10/2010	02/25/2011
US	ICIS	Integrated Compliance Information System	Environmental Protection Agency	11/18/2016	11/23/2016	02/10/2017
US	PADS	PCB Activity Database System	EPA	06/01/2017	06/09/2017	10/13/2017
US	MLTS	Material Licensing Tracking System	Nuclear Regulatory Commission	08/30/2016	09/08/2016	10/21/2016
US	RADINFO	Radiation Information Database	Environmental Protection Agency	10/02/2017	10/05/2017	10/13/2017
US	FINDS	Facility Index System/Facility Registry System	EPA	02/21/2018	02/23/2018	03/23/2018
US	RAATS	RCRA Administrative Action Tracking System	EPA	04/17/1995	07/03/1995	08/07/1995
US	RMP	Risk Management Plans	Environmental Protection Agency	11/02/2017	11/17/2017	12/08/2017
US	BRS	Biennial Reporting System	EPA/NTIS	12/31/2015	02/22/2017	09/28/2017
US	PWS	Public Water System Data	EPA	12/17/2013	01/09/2014	10/15/2014
US	INDIAN RESERV	Indian Reservations	USGS	12/31/2014	07/14/2015	01/10/2017
US	INDIAN ODI	Report on the Status of Open Dumps on Indian Lands	Environmental Protection Agency	12/31/1998	12/03/2007	01/24/2008
NY	AIRS	Air Emissions Data	Department of Environmental Conservation	11/06/2017	11/07/2017	11/13/2017
NJ	AIRS	Emissions Inventory Listing	Department of Environmental Protection	10/31/2017	11/03/2017	12/07/2017
NY	COAL ASH	Coal Ash Disposal Site Listing	Department of Environmental Conservation	09/25/2017	09/26/2017	10/12/2017
NJ	COAL ASH	Coal Ash Listing	Department of Environmental Protection	05/10/2010	05/12/2010	06/28/2010
NY	DRYCLEANERS	Registered Drycleaners	Department of Environmental Conservation	11/22/2017	12/14/2017	01/29/2018
NJ	DRYCLEANERS	Drycleaner List	Department of Environmental Protection	11/08/2017	11/10/2017	01/02/2018
NY	E DESIGNATION	E DESIGNATION SITE LISTING	New York City Department of City Planning	10/31/2017	12/20/2017	01/29/2018
NJ	Financial Assurance	Financial Assurance Information Listing	Department of Environmental Protection	11/14/2017	01/19/2018	02/27/2018
NY	Financial Assurance 1	Financial Assurance Information Listing	Department of Environmental Conservation	12/01/2017	01/02/2018	01/31/2018
NY	Financial Assurance 2	Financial Assurance Information Listing	Department of Environmental Conservation	03/09/2017	04/12/2017	10/13/2017
NY	HIST SPILLS	SPILLS Database	Department of Environmental Conservation	01/01/2002	07/08/2005	07/14/2005
NY	HSWDS	Hazardous Substance Waste Disposal Site Inventory	Department of Environmental Conservation	01/01/2003	10/20/2006	11/30/2006
NY	LIENS	Spill Liens Information	Office of the State Comptroller	11/06/2017	11/07/2017	11/13/2017
NJ	LIENS	Environmental LIENS	Department of Environmental Protection	11/14/2017	01/19/2018	02/28/2018
NY	NY MANIFEST	Facility and Manifest Data	Department of Environmental Conservation	12/31/2017	01/31/2018	03/09/2018
NJ	NJ MANIFEST	Manifest Information	Department of Environmental Protection	12/31/2016	04/11/2017	07/27/2017
NJ	NJPDES	New Jersey Pollutant Discharge Elimination System Discharger	Department of Environmental Protection	11/28/2017	11/28/2017	01/09/2018
NY	SPDES	State Pollutant Discharge Elimination System	Department of Environmental Conservation	10/25/2017	10/27/2017	11/28/2017
NY	SPILLS	Spills Information Database	Department of Environmental Conservation	02/12/2018	02/14/2018	03/16/2018
NY	SPILLS 80	SPILLS80 data from FirstSearch	FirstSearch	11/02/2010	01/03/2013	03/07/2013
NJ	SPILLS 80	SPILLS80 data from FirstSearch	FirstSearch	09/02/1997	01/03/2013	03/06/2013
NY	SPILLS 90	SPILLS90 data from FirstSearch	FirstSearch	12/14/2012	01/03/2013	02/12/2013
NJ	SPILLS 90	SPILLS90 data from FirstSearch	FirstSearch	06/15/2012	01/03/2013	02/11/2013
NY	UIC	Underground Injection Control Wells	Department of Environmental Conservation	12/03/2017	12/06/2017	01/31/2018
NJ	UIC	Underground Injection Wells Database	Department of Environmental Protection	01/09/2009	02/25/2009	03/11/2009
NY	VAPOR REOPENED	Vapor Intrustion Legacy Site List	Department of Environmenal Conservation	05/01/2017	05/18/2017	09/22/2017
US	FUELS PROGRAM	EPA Fuels Program Registered Listing	EPA	02/20/2018	02/21/2018	03/23/2018
US	IHS OPEN DUMPS	Open Dumps on Indian Land	Department of Health & Human Serivces, Indian	04/01/2014	08/06/2014	01/29/2015
US	UXO	Unexploded Ordnance Sites	Department of Defense	09/30/2016	10/31/2017	01/12/2018
US	DOCKET HWC	Hazardous Waste Compliance Docket Listing	Environmental Protection Agency	06/27/2017	11/21/2017	01/12/2018
US	ECHO	Enforcement & Compliance History Information	Environmental Protection Agency	01/13/2018	01/19/2018	03/02/2018
US	ABANDONED MINES	Abandoned Mines	Department of Interior	12/20/2017	12/21/2017	03/23/2018

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
HISTORICAL USE RECORDS						
US	EDR MGP	EDR Proprietary Manufactured Gas Plants	EDR, Inc.			
US	EDR Hist Auto	EDR Exclusive Historical Auto Stations	EDR, Inc.			
US	EDR Hist Cleaner	EDR Exclusive Historical Cleaners	EDR, Inc.			
NY	RGA HWS	Recovered Government Archive State Hazardous Waste Facilitie	Department of Environmental Conservation		07/01/2013	12/30/2013
NJ	RGA HWS	Recovered Government Archive State Hazardous Waste Facilitie	New Jersey Department of Environmental Protec		07/01/2013	12/24/2013
NY	RGA LF	Recovered Government Archive Solid Waste Facilities List	Department of Environmental Conservation		07/01/2013	01/10/2014
NJ	RGA LF	Recovered Government Archive Solid Waste Facilities List	New Jersey Department of Environmental Protec		07/01/2013	01/10/2014
COUNTY RECORDS						
NY	AST - CORTLAND	Cortland County Storage Tank Listing	Cortland County Health Department	09/26/2017	11/20/2017	11/29/2017
NY	UST - CORTLAND	Cortland County Storage Tank Listing	Cortland County Health Department	09/26/2017	11/20/2017	11/29/2017
NY	AST - NASSAU	Registered Tank Database	Nassau County Health Department	01/09/2017	01/11/2017	02/15/2017
NY	AST NCFM	Storage Tank Database	Nassau County Office of the Fire Marshal	02/15/2011	02/23/2011	03/29/2011
NY	TANKS NASSAU	Registered Tank Database in Nassau County	Nassau County Department of Health	01/09/2017	01/11/2017	02/15/2017
NY	UST - NASSAU	Registered Tank Database	Nassau County Health Department	01/09/2017	01/11/2017	02/15/2017
NY	UST NCFM	Storage Tank Database	Nassau County Office of the Fire Marshal	02/15/2011	02/23/2011	03/29/2011
NY	AST - ROCKLAND	Petroleum Bulk Storage Database	Rockland County Health Department	02/02/2017	03/17/2017	09/22/2017
NY	UST - ROCKLAND	Petroleum Bulk Storage Database	Rockland County Health Department	02/02/2017	03/17/2017	09/22/2017
NY	AST - SUFFOLK	Storage Tank Database	Suffolk County Department of Health Services	03/03/2015	03/10/2015	03/23/2015
NY	UST - SUFFOLK	Storage Tank Database	Suffolk County Department of Health Services	03/03/2015	03/10/2015	03/23/2015
NY	AST - WESTCHESTER	Listing of Storage Tanks	Westchester County Department of Health	10/19/2017	11/21/2017	11/29/2017
NY	UST - WESTCHESTER	Listing of Storage Tanks	Westchester County Department of Health	10/19/2017	11/21/2017	11/29/2017

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

Lien/Deed Report

NYC DEPARTMENT OF FINANCE
OFFICE OF THE CITY REGISTER

This page is part of the instrument. The City Register will rely on the information provided by you on this page for purposes of indexing this instrument.The information on this page will control for indexing purposes in the event of any conflict with the rest of the document.

2016071100734001001EE515

RECORDING AND ENDORSEMENT COVER PAGE **PAGE 1 OF 4**

Document ID: 2016071100734001 Document Date: 07-11-2016 Preparation Date: 07-11-2016
Document Type: UCC3 CONTINUATION FIXTURE FILING
Document Page Count: 2

PRESENTER:
CT LIEN SOLUTIONS
330 N. BRAND BLVD STE 700
54764304 KMJ
GLENDALE, CA 91203
818-662-4100
UCCFILINGRETURN@WOLTERSKLUWER.COM

RETURN TO:
CT LIEN SOLUTIONS
330 N. BRAND BLVD STE 700
54764304 KMJ
GLENDALE, CA 91203
818-662-4100
UCCFILINGRETURN@WOLTERSKLUWER.COM

PROPERTY DATA

Borough	Block	Lot	Unit	Address
MANHATTAN	700	55	Partial Lot	538 WEST 29TH STREET

Property Type: INDUSTRIAL BUILDING

CROSS REFERENCE DATA

CRFN: 2006000624708

PARTIES

DEBTOR:
J.M.S. INVESTIGATIONS, LTD.
1060 BROAD STREET
NEWARK, NJ 07102

☒ Additional Parties Listed on Continuation Page

SECURED PARTY:
SIGNATURE BANK
565 FIFTH AVENUE
NEW YORK, NY 10017

FEES AND TAXES

Mortgage :		
Mortgage Amount:	$	0.00
Taxable Mortgage Amount:	$	0.00
Exemption:		
TAXES: County (Basic):	$	0.00
City (Additional):	$	0.00
Spec (Additional):	$	0.00
TASF:	$	0.00
MTA:	$	0.00
NYCTA:	$	0.00
Additional MRT:	$	0.00
TOTAL:	$	0.00
Recording Fee:	$	40.00
Affidavit Fee:	$	0.00

Filing Fee:	$	0.00
NYC Real Property Transfer Tax:	$	0.00
NYS Real Estate Transfer Tax:	$	0.00

RECORDED OR FILED IN THE OFFICE OF THE CITY REGISTER OF THE CITY OF NEW YORK
Recorded/Filed 07-13-2016 11:37
City Register File No.(CRFN): **2016000237669**

City Register Official Signature

NYC DEPARTMENT OF FINANCE
OFFICE OF THE CITY REGISTER

2016071100734001001CE795

RECORDING AND ENDORSEMENT COVER PAGE (CONTINUATION) **PAGE 2 OF 4**

Document ID: 2016071100734001 Document Date: 07-11-2016 Preparation Date: 07-11-2016
Document Type: UCC3 CONTINUATION

PARTIES

DEBTOR:
EITE INVESTIGATIONS LTD
538 WEST 29TH STREET
NEW YORK, NY 10001

DEBTOR:
ELITE 29 REALTY, LLC
538 WEST 29TH STREET
NEW YORK, NY 10001

[redacted]

UCC FINANCING STATEMENT AMENDMENT

FOLLOW INSTRUCTIONS (front and back) CAREFULLY

A. NAME & PHONE OF CONTACT AT FILER [optional]
Phone: (800) 331-3282 Fax: (818) 662-4141

B. SEND ACKNOWLEDGMENT TO: (Name and Address) 19145 - SIGNATURE BANK

CT Lien Solutions
P.O. Box 29071
Glendale, CA 91209-9071

54764304

File with: Bronx, NY

THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY

1a. INITIAL FINANCING STATEMENT FILE #
2006000624708 11/9/2006 CC NY Bronx

1b. This FINANCING STATEMENT AMENDMENT is to be filed [for record] (or recorded) in the ☒ REAL ESTATE RECORDS.

2. ☐ TERMINATION: Effectiveness of the Financing Statement identified above is terminated with respect to security interest(s) of the Secured Party authorizing this Termination Statement.

3. ☒ CONTINUATION: Effectiveness of the Financing Statement identified above with respect to security interest(s) of the Secured Party authorizing this Continuation Statement is continued for the additional period provided by applicable law.

4. ☐ ASSIGNMENT (full or partial): Give name of assignee in item 7a or 7b and address of assignee in item 7c; and also give name of assignor in item 9.

5. AMENDMENT (PARTY INFORMATION): This Amendment affects ☐ Debtor or ☐ Secured Party of record. Check only one of these two boxes.

Also check one of the following three boxes and provide appropriate information in items 6 and/or 7.

☐ CHANGE name and/or address: Please refer to the detailed instructions in regards to changing the name/address of a party. ☐ DELETE name: Give record name to be deleted in item 6a or 6b. ☐ ADD name: Complete item 7a or 7b and also item 7c; also complete items 7e-7g (if applicable).

6. CURRENT RECORD INFORMATION:

6a. ORGANIZATION'S NAME
J.M.S. INVESTIGATIONS, LTD.

OR

6b. INDIVIDUAL'S LAST NAME	FIRST NAME	MIDDLE NAME	SUFFIX

7. CHANGED (NEW) OR ADDED INFORMATION:

7a. ORGANIZATION'S NAME

OR

7b. INDIVIDUAL'S LAST NAME	FIRST NAME	MIDDLE NAME	SUFFIX

7c. MAILING ADDRESS	CITY	STATE	POSTAL CODE	COUNTRY

7d. SEE INSTRUCTIONS	ADD'L INFO RE ORGANIZATION DEBTOR	7e. TYPE OF ORGANIZATION	7f. JURISDICTION OF ORGANIZATION	7g. ORGANIZATIONAL ID #, if any
				☐ NONE

8. AMENDMENT (COLLATERAL CHANGE): check only one box.

Describe collateral ☐ deleted or ☐ added, or give entire ☐ restated collateral description, or describe collateral ☐ assigned.

All assets of the Debtor, including, without limitation, all of the Debtor's Equipment (including, but not limited to, machinery, vehicles and furniture), Fixtures, Inventory, Accounts, Investment Property, Chattel Paper, Instruments, Documents and General Intangibles, wherever located, whether now owned or hereafter acquired or arising.

Section: 03
Block: 700
Lot(s): 55
On the Land and Tax Map of the
County of New York, State of New York

Street Address: 538 West 29th Street
New York, New York 10001

9. NAME OF SECURED PARTY OF RECORD AUTHORIZING THIS AMENDMENT (name of assignor, if this is an Assignment). If this is an Amendment authorized by a Debtor which adds collateral or adds the authorizing Debtor, or if this is a Termination authorized by a Debtor, check here ☐ and enter name of DEBTOR authorizing this Amendment.

9a. ORGANIZATION'S NAME
SIGNATURE BANK

OR

9b. INDIVIDUAL'S LAST NAME	FIRST NAME	MIDDLE NAME	SUFFIX

10. OPTIONAL FILER REFERENCE DATA
54764304 Debtor Name: J.M.S. INVESTIGATIONS, LTD.
181 Sirlin

FILING OFFICE COPY - NATIONAL UCC FINANCING STATEMENT AMENDMENT (FORM UCC3) (REV. 05/22/02)

Prepared by CT Lien Solutions, P.O. Box 29071, Glendale, CA 91209-9071 Tel (800) 331-3282

UCC FINANCING STATEMENT AMENDMENT ADDENDUM

FOLLOW INSTRUCTIONS (front and back) CAREFULLY

11. INITIAL FINANCING STATEMENT FILE # (same as item 1a on Amendment form)
2006000624708 11/9/2006 CC NY Bronx

12. NAME OF PARTY AUTHORIZING THIS AMENDMENT (same as item 9 on Amendment form)

12a. ORGANIZATION'S NAME
SIGNATURE BANK

OR

12b. INDIVIDUAL'S LAST NAME	FIRST NAME	MIDDLE NAME,SUFFIX

13.Use this space for additional information

THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY

Debtor Name and Address:
J.M.S. INVESTIGATIONS, LTD. - 1060 BROAD STREET , NEWARK, NJ 07102
EITE INVESTIGATIONS LTD - 538 WEST 29TH STREET , NEW YORK, NY 10001
ELITE 29 REALTY, LLC - 538 WEST 29TH STREET , NEW YORK, NY 10001
Secured Party Name and Address:
SIGNATURE BANK - 565 FIFTH AVENUE , NEW YORK, NY 10017

Type of Property: INDUSTRIAL BUILDING

Real Estate Description follows:
Recorded Owner:
Owner Address : ,

Prepared by CT Lien Solutions, P.O. Box 29071,
Glendale, CA 91209-9071 Tel (800) 331-3282

NYC DEPARTMENT OF FINANCE
OFFICE OF THE CITY REGISTER

This page is part of the instrument. The City Register will rely on the information provided by you on this page for purposes of indexing this instrument.The information on this page will control for indexing purposes in the event of any conflict with the rest of the document.

2017061601131001001EEEAA

RECORDING AND ENDORSEMENT COVER PAGE **PAGE 1 OF 3**

Document ID: 2017061601131001 Document Date: 06-16-2017 Preparation Date: 06-16-2017
Document Type: UCC3 CONTINUATION FIXTURE FILING
Document Page Count: 2

PRESENTER:
LIEN SOLUTIONS
330 N. BRAND BLVD STE 700
59325155AJ
GLENDALE, CA 91203
818-662-4100
UCCFILINGRETURN@WOLTERSKLUWER.COM

RETURN TO:
LIEN SOLUTIONS
330 N. BRAND BLVD STE 700
59325155AJ
GLENDALE, CA 91203
818-662-4100
UCCFILINGRETURN@WOLTERSKLUWER.COM

PROPERTY DATA

Borough	Block	Lot	Unit	Address
MANHATTAN	700	55	Partial Lot	538 WEST 29TH STREET

Property Type: COMMERCIAL REAL ESTATE

CROSS REFERENCE DATA

CRFN: 2012000450310

PARTIES

DEBTOR:
ELITE 29 REALTY, LLC
538 WEST 29TH STREET
NEW YORK, NY 10001

SECURED PARTY:
SIGNATURE BANK
565 FIFTH AVENUE
NEW YORK, NY 10017

FEES AND TAXES

Mortgage :		
Mortgage Amount:	$	0.00
Taxable Mortgage Amount:	$	0.00
Exemption:		
TAXES: County (Basic):	$	0.00
City (Additional):	$	0.00
Spec (Additional):	$	0.00
TASF:	$	0.00
MTA:	$	0.00
NYCTA:	$	0.00
Additional MRT:	$	0.00
TOTAL:	$	0.00
Recording Fee:	$	40.00
Affidavit Fee:	$	0.00

Filing Fee:	$	0.00
NYC Real Property Transfer Tax:	$	0.00
NYS Real Estate Transfer Tax:	$	0.00

RECORDED OR FILED IN THE OFFICE OF THE CITY REGISTER OF THE CITY OF NEW YORK
Recorded/Filed 06-21-2017 11:29
City Register File No.(CRFN): **2017000228757**

City Register Official Signature

[redacted]

UCC FINANCING STATEMENT AMENDMENT

FOLLOW INSTRUCTIONS (front and back) CAREFULLY

A. NAME & PHONE OF CONTACT AT FILER [optional]
Phone: (800) 331-3282 Fax: (818) 662-4141

B. SEND ACKNOWLEDGMENT TO: (Name and Address) 19145 - SIGNATURE BANK

CT Lien Solutions
P.O. Box 29071
Glendale, CA 91209-9071

59325155

File with: New York, NY

THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY

1a. INITIAL FINANCING STATEMENT FILE #
2012000450310 11/16/2012 CC NY New York

1b. This FINANCING STATEMENT AMENDMENT is to be filed [for record] (or recorded) in the ☒ REAL ESTATE RECORDS.

2. ☐ TERMINATION: Effectiveness of the Financing Statement identified above is terminated with respect to security interest(s) of the Secured Party authorizing this Termination Statement.

3. ☒ CONTINUATION: Effectiveness of the Financing Statement identified above with respect to security interest(s) of the Secured Party authorizing this Continuation Statement is continued for the additional period provided by applicable law.

4. ☐ ASSIGNMENT (full or partial): Give name of assignee in item 7a or 7b and address of assignee in item 7c; and also give name of assignor in item 9.

5. AMENDMENT (PARTY INFORMATION): This Amendment affects ☐ Debtor or ☐ Secured Party of record. Check only one of these two boxes.

Also check one of the following three boxes and provide appropriate information in items 6 and/or 7.

☐ CHANGE name and/or address: Please refer to the detailed instructions in regards to changing the name/address of a party. ☐ DELETE name: Give record name to be deleted in item 6a or 6b. ☐ ADD name: Complete item 7a or 7b and also item 7c; also complete items 7e-7g (if applicable).

6. CURRENT RECORD INFORMATION:

6a. ORGANIZATION'S NAME
ELITE 29 REALTY, LLC

OR

6b. INDIVIDUAL'S LAST NAME	FIRST NAME	MIDDLE NAME	SUFFIX

7. CHANGED (NEW) OR ADDED INFORMATION:

7a. ORGANIZATION'S NAME

OR

7b. INDIVIDUAL'S LAST NAME	FIRST NAME	MIDDLE NAME	SUFFIX

7c. MAILING ADDRESS	CITY	STATE	POSTAL CODE	COUNTRY

7d. SEE INSTRUCTIONS	ADD'L INFO RE ORGANIZATION DEBTOR	7e. TYPE OF ORGANIZATION	7f. JURISDICTION OF ORGANIZATION	7g. ORGANIZATIONAL ID #, if any
				☐ NONE

8. AMENDMENT (COLLATERAL CHANGE): check only one box.

Describe collateral ☐ deleted or ☐ added, or give entire ☐ restated collateral description, or describe collateral ☐ assigned.

County: Manhattan
538 West 29th Street New York, New York 10001
Section: 03
Block: 700
Lot: 55
Property Type: Commercial Real Estate

9. NAME OF SECURED PARTY OF RECORD AUTHORIZING THIS AMENDMENT (name of assignor, if this is an Assignment). If this is an Amendment authorized by a Debtor which adds collateral or adds the authorizing Debtor, or if this is a Termination authorized by a Debtor, check here ☐ and enter name of DEBTOR authorizing this Amendment.

9a. ORGANIZATION'S NAME
SIGNATURE BANK

OR

9b. INDIVIDUAL'S LAST NAME	FIRST NAME	MIDDLE NAME	SUFFIX

10. OPTIONAL FILER REFERENCE DATA
59325155

Debtor Name: ELITE 29 REALTY, LLC
181

Prepared by Lien Solutions, P.O. Box 29071, Glendale, CA 91209-9071 Tel (800) 331-3282

UCC FINANCING STATEMENT AMENDMENT ADDENDUM

FOLLOW INSTRUCTIONS (front and back) CAREFULLY

11. INITIAL FINANCING STATEMENT FILE # (same as item 1a on Amendment form)
2012000450310 11/16/2012 CC NY New York

12. NAME OF PARTY AUTHORIZING THIS AMENDMENT (same as item 9 on Amendment form)

12a. ORGANIZATION'S NAME
SIGNATURE BANK

OR

12b. INDIVIDUAL'S LAST NAME	FIRST NAME	MIDDLE NAME,SUFFIX

13.Use this space for additional information

THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY

Debtor Name and Address:
ELITE 29 REALTY, LLC - 538 WEST 29TH STREET , NEW YORK, NY 10001
Secured Party Name and Address:
SIGNATURE BANK - 565 FIFTH AVENUE , NEW YORK, NY 10017

Real Estate Description follows:
Recorded Owner:
Owner Address : ,

Prepared by Lien Solutions, P.O. Box 29071,
Glendale, CA 91209-9071 Tel (800) 331-3282

NYC DEPARTMENT OF FINANCE
OFFICE OF THE CITY REGISTER

This page is part of the instrument. The City Register will rely on the information provided by you on this page for purposes of indexing this instrument.The information on this page will control for indexing purposes in the event of any conflict with the rest of the document.



2016060301530001001EA377

RECORDING AND ENDORSEMENT COVER PAGE **PAGE 1 OF 9**

Document ID: 2016060301530001 Document Date: 05-31-2016 Preparation Date: 06-06-2016
Document Type: MORTGAGE
Document Page Count: 8

PRESENTER:
FIRST AMERICAN TITLE INS -PICK-UP-FIRSTAMER
666 THIRD AVENUE
3020-772776 LW
NEW YORK, NY 10017
515-832-3206
LWING@FIRSTAM.COM

RETURN TO:
GOETZ FITZPATRICK LLP
ONE PENN PLAZA, SUITE 3100
NEW YORK, NY 10119

PROPERTY DATA

Borough	Block	Lot	Unit	Address
MANHATTAN	700	55	Entire Lot	538 WEST 29TH STREET

Property Type: COMMERCIAL REAL ESTATE

CROSS REFERENCE DATA

CRFN_____ *or* DocumentID_____ *or* _____ Year____ Reel____ Page_____ *or* File Number_____

PARTIES

MORTGAGOR/BORROWER:
ELITE 29 REALTY LLC
538 WEST 29TH STREET
NEW YORK, NY 10001

MORTGAGEE/LENDER:
SIGNATURE BANK
565 FIFTH AVENUE
NEW YORK, NY 10017

FEES AND TAXES

Mortgage :		
Mortgage Amount:	$	30,000.00
Taxable Mortgage Amount:	$	30,000.00
Exemption:		
TAXES: County (Basic):	$	150.00
City (Additional):	$	300.00
Spec (Additional):	$	75.00
TASF:	$	0.00
MTA:	$	90.00
NYCTA:	$	0.00
Additional MRT:	$	0.00
TOTAL:	$	615.00
Recording Fee:	$	77.00
Affidavit Fee:	$	0.00

Filing Fee: $ 0.00
NYC Real Property Transfer Tax: $ 0.00
NYS Real Estate Transfer Tax: $ 0.00

RECORDED OR FILED IN THE OFFICE OF THE CITY REGISTER OF THE CITY OF NEW YORK
Recorded/Filed 06-14-2016 09:30
City Register File No.(CRFN): **2016000199539**

City Register Official Signature

3020-772776

First American Title Insurance Company
333 Earle Ovington Boulevard
Uniondale, N.Y. 11553

MORTGAGE (Gap)

Dated: May 31, 2016

Securing the principal amount of $30,000.00

BETWEEN

ELITE 29 REALTY LLC,

the Mortgagor

AND

SIGNATURE BANK,

the Mortgagee

LOCATION OF PREMISES:
538 West 29th Street, New York, New York 10001
State of New York
County of New York
Block: 700; Lot(s): 55

Record and Return to:
GOETZ FITZPATRICK LLP
One Penn Plaza, Suite 3100
New York, New York 10119
Attention: Aaron Boyajian, Esq.

THIS MORTGAGE, made the 31st day of May, 2016, between **ELITE 29 REALTY LLC**, a New York limited liability company, having an address at 538 West 29th Street, New York, New York 10001 (the "Mortgagor") and **SIGNATURE BANK**, having an address at 565 Fifth Avenue, New York, New York 10017 (the "Mortgagee").

WITNESSETH, that to secure the payment of an indebtedness in the sum of **THIRTY THOUSAND AND 00/100 DOLLARS ($30,000.00)**, lawful money of the United States, to be paid according to a certain bond, note or obligation bearing even date herewith (such instrument, as the same may be hereafter amended, modified or extended, being hereinafter called the "Note"), and to secure the payment of interest and any other sums payable pursuant to the Note or this Mortgage and the performance and observance of all the provisions of the Note and this Mortgage, the Mortgagor hereby mortgages to the Mortgagee:

ALL that certain plot, piece or parcel of land, with the buildings and improvements thereon erected or to be erected (hereinafter called the "Premises"), more particularly bounded and described in Schedule A annexed hereto and made a part hereof;

TOGETHER with all right, title and interest, if any, of the Mortgagor of, in and to the land lying in the streets, roads or avenues, open or proposed, in front of and adjoining the Premises and of, in and to any strips or gores of land adjoining the Premises;

TOGETHER, ALSO, with all fixtures, chattels and articles of personal property now or hereafter attached to or located in or upon the Premises, including but not limited to furnaces, boilers, oil burners, radiators and piping, coal stokers, plumbing and bathroom fixtures, refrigeration, air conditioning and sprinkler systems, wash-tubs, sinks, gas and electric fixtures, stoves, ranges, awnings, screens, window shades, elevators, motors, dynamos, refrigerators, kitchen, cabinets, incinerators, plants and shrubbery and all other machinery, appliances, fittings, and fixtures of every kind in or used in the operation of the buildings standing on the Premises, together with any and all replacements thereof and additions thereto;

TOGETHER, ALSO, with any and all awards, including interest thereon, heretofore and hereafter made to the Mortgagor for the taking by eminent domain of the whole or any part of the Premises or any easement therein, including any awards for changes of grade of streets, which said awards are hereby assigned to the Mortgagee, who is hereby authorized to collect and receive the proceeds of such awards and to give proper receipts and acquittances therefor, and to apply the same toward the payment of the mortgage debt, notwithstanding the fact that the amount owing thereon may not then be due and payable; and the Mortgagor hereby agrees, upon request, to make, execute and deliver any and all instruments sufficient for the purpose of assigning said awards to the Mortgagee, free, clear and discharged of any encumbrances of any kind or nature whatsoever;

AND the Mortgagor covenants with the Mortgagee as follows:

1. That the Mortgagor will pay the indebtedness as hereinbefore provided.

Title No. 3020-772776

SCHEDULE "A"

ALL THAT CERTAIN PLOT, PIECE OR PARCEL OF LAND, SITUATE, LYING AND BEING IN THE CITY, COUNTY AND STATE OF NEW YORK, BOUNDED AND DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT ON THE SOUTHERLY SIDE OF 29TH STREET, DISTANT 249 FEET 6 INCHES EASTERLY FROM THE CORNER FORMED BY THE INTERSECTION OF THE EASTERLY SIDE OF 11TH AVENUE AND THE SOUTHERLY SIDE OF 29TH STREET;

RUNNING THENCE SOUTHERLY PARALLEL WITH 11TH AVENUE AND PART OF THE WAY THROUGH A PARTY WALL, 60 FEET;

THENCE EASTERLY PARALLEL WITH 29TH STREET, 6 INCHES;

THENCE SOUTHERLY PARALLEL WITH 11TH AVENUE, 38 FEET 9 INCHES TO THE CENTER LINE OF THE BLOCK;

THENCE EASTERLY ALONG SAME PARALLEL WITH 29TH STREET, 25 FEET;

THENCE NORTHERLY PARALLEL WITH 11TH AVENUE AND PART OF THE WAY THROUGH ANOTHER PARTY WALL, 98 FEET 9 INCHES TO THE SAID SOUTHERLY SIDE OF 29TH STREET; AND

THENCE WESTERLY ALONG SAME, 25 FEET 6 INCHES TO THE POINT OR PLACE OF BEGINNING.

THE policy to be issued under this report will insure the title to such buildings and improvements erected on the premises, which by law constitute real property.

FOR CONVEYANCING ONLY: TOGETHER with all the right, title and interest of the party of the first part, of in and to the land lying in the street in front of and adjoining said premises.

2. That the Mortgagor will keep the buildings on the Premises insured against loss by fire for the benefit of the Mortgagee; that he will assign and deliver the policies to the Mortgagee; and that he will reimburse the Mortgagee for any premiums paid for insurance made by the mortgagee on the Mortgagor's default in so insuring the buildings or in so assigning and delivering the policies.

3. That no building on the Premises shall be altered, removed, or demolished without the consent of the Mortgagee.

4. That the whole of said principal sum and interest shall become due at the option of the Mortgagee after default in the payment of any installment of principal or of interest for Fifteen (15) days; or after default in the payment of any tax, water rate, sewer rent or assessment for thirty (30) days after notice and demand; or after default after notice and demand either in assigning and delivering the policies insuring the buildings against loss by fire or in reimbursing the Mortgagee for premiums paid on such insurance, as hereinbefore provided; or after default upon request in furnishing a statement of the amount due on the Mortgage and whether any offsets or defenses exist against the mortgage debt, as hereinafter provided. An assessment which has been made payable in installments at the application of the Mortgagor or lessee of the Premises shall nevertheless, for the purpose of this paragraph, be deemed due and payable in its entirety on the day the first installment becomes due or payable or a lien.

5. That the holder of this Mortgage, in any action to foreclose it, shall be entitled to the appointment of a receiver.

6. That the Mortgagor will pay all taxes, assessments, sewer rents or water rates, and in default thereof, the Mortgagee may pay the same.

7. That the Mortgagor within five (5) days upon request in person or within ten (10) days upon request by mail will furnish a written statement duly acknowledged of the amount due on this Mortgage and whether any offsets or defenses exist against the mortgage debt.

8. That notice and demand or request may be in writing and may be served in person or by mail.

9. That the Mortgagor warrants the title to the Premises.

10. That the fire insurance policies required by Paragraph 2 above shall contain the usual extended coverage endorsement; that in addition thereto the Mortgagor, within thirty (30) days after notice and demand, will keep the Premises insured against war risk and any other hazard that may reasonably be required by the Mortgagee. All of the provisions of Paragraphs 2 and 4 above relating to fire insurance and the provisions of Section 254 of the Real Property Law construing the same shall apply to the additional insurance required by this paragraph.

11. That in case of a foreclosure sale, the Premises, or so much thereof as may be affected by this Mortgage, may be sold in one parcel.

12. That if any action or proceeding be commenced (including an action to foreclose this Mortgage or to collect the debt secured hereby), to which action or proceeding the Mortgagee becomes a party, or in which it becomes necessary to defend or uphold the lien of this mortgage, all sums paid by the Mortgagee for the expense of any litigation to prosecute or defend the rights and lien created by this mortgage (including reasonable counsel fees), shall be paid by the Mortgagor, together with interest thereon at the rate of six percent per annum, and any such sum and the interest thereon shall be a lien on said Premises, prior to any right or title to, interest in or claim upon said Premises attaching or accruing subsequent to the lien of this Mortgage, and shall be deemed to be secured by this Mortgage. In any action or proceeding to foreclose this Mortgage, or to recover or collect the debt secured hereby, the provisions of law respecting the recovering of costs, disbursements and allowances shall prevail unaffected by this covenant.

13. That the Mortgagor hereby assigns to the Mortgagee the rents, issues and profits of the Premises as further security for the payment of said indebtedness, and the Mortgagor grants to the Mortgagee the right to enter upon and take possession of the Premises for the purpose of collecting the same and to let the Premises or any part thereof, and to apply the rents, issues and profits, after payment of all necessary charges and expenses, on account of said indebtedness. This assignment and grant shall continue in effect until this Mortgage is paid. The Mortgagee hereby waives the right to enter upon and to take possession of said Premises for the purpose of collecting said rents, issues and profits, and the Mortgagor shall be entitled to collect and receive said rents, issues, and profits, until default under any of the covenants, conditions or agreements contained in this Mortgage, and agrees to use such rents, issues and profits in payment of principal and interest becoming due on this Mortgage and in payment of taxes, assessments, sewer rents, water rates and carrying charges becoming due against said Premises, but such right of the Mortgagor may be. revoked by the Mortgagee upon any default, upon five days' written notice. The Mortgagor will not, without the written consent of the Mortgagee, receive or collect rent from any tenant of said Premises or any part thereof for a period of more than one month in advance, and in the event of any default under this Mortgage will pay monthly in advance to the Mortgagee, or to any receiver appointed to collect said rents, issues and profits, the fair and reasonable rental value for the use and occupation of said Premises or of such part thereof as may be in the possession of the Mortgagor, and upon default in any such payment will vacate and surrender the possession of said Premise to the Mortgagee or to such receiver, and in default thereof may be evicted by summary proceedings.

14. That the whole of said principal sum and the interest shall become due at the option of the Mortgagee: (a) after failure to exhibit to the Mortgagee, within ten days after demand, receipts showing payment of all taxes, water rates, sewer rents and assessments; or (b) after the actual or threatened alteration, demolition or removal of any building on the Premises or any part thereof without the written consent of the Mortgagee; or (c) after the assignment of the rents of the Premises or any part thereof without the written consent of the Mortgagee; or (d) if the buildings on said Premises are not maintained in reasonably good repair; or (e) after failure to comply with any requirement or order or notice of violation of law or ordinance issued by any governmental department claiming jurisdiction over the Premises within three months from the issuance thereof; or (f) if on application of the mortgagee two or more fire insurance companies lawfully doing business in the State of New York refuse to issue policies insuring the buildings

on the Premises; or (g) in the event of the removal, demolition or destruction in whole or in part of any of the fixtures, chattels or articles of personal property covered hereby, unless the same are promptly replaced by similar fixtures, chattels and articles of personal property at least equal in quality and condition to those replaced, free from chattel mortgages or other encumbrances thereon and free from any reservation of title thereto; or (h) after thirty days' notice to the Mortgagor, in the event of the passage of any law deducting from the value of land for the purposes of taxation any lien thereon, or changing in any way the taxation of mortgages or debts secured thereby for state or local purposes; or (i) if the Mortgagor fails to keep, observe and perform any of the other covenants, conditions or agreements contained in this Mortgage.

15. The Mortgagor will receive the advances hereunder subject to the trust fund provisions of Section 13 of the Lien Law of the State of New York.

16. That the execution of this Mortgage has been duly authorized by the board of directors of the Mortgagor, if a corporation.

17. That this Mortgage may not be changed or terminated orally. The covenants contained in this Mortgage shall run with the land and bind the Mortgagor, the heirs, personal representatives, successors and assigns of the Mortgagor and all subsequent owners, encumbrancers, tenants and subtenants of the Premises; and shall inure to the benefit of the\ Mortgagee, the personal representatives, successors and assigns of the Mortgagee, and all subsequent holders of this Mortgage. The word "Mortgagor" shall be construed as if it read "Mortgagors," and the word "Mortgagee" shall be construed as if it read "Mortgagees" whenever the sense of this Mortgage so requires.

18. THAT THE MORTGAGOR HEREBY IRREVOCABLY AND UNCONDITIONALLY WAIVES, AND THE MORTGAGEE BY ITS ACCEPTANCE OF THE NOTE AND THIS MORTGAGE IRREVOCABLY AND UNCONDITIONALLY WAIVES, ANY AND ALL RIGHTS TO TRIAL BY JURY IN ANY ACTION, SUIT OR COUNTERCLAIM ARISING IN CONNECTION WITH, OUT OF OR OTHER WISE RELATING TO THE NOTE, THIS MORTGAGE OR ANY OTHER DOCUMENT OR AGREEMENT RELATED TO THE LOAN SECURED BY THIS MORTGAGE.

19. THE ATTACHED MORTGAGE DOES NOT COVER REAL PROPERTY PRINCIPALLY IMPROVED OR TO BE IMPROVED BY ONE OR MORE STRUCTURES CONTAINING IN THE AGGREGATE NOT MORE THAN SIX RESIDENTIAL DWELLING UNITS, EACH HAVING THEIR OWN SEPARATE COOKING FACILITIES.

20. This Mortgage may be executed in any number of counterparts, each of which shall be an original and all of which taken together shall constitute one agreement.

[SIGNATURE PAGE FOLLOWS IMMEDIATELY]

IN WITNESS WHEREOF, the Mortgagor and the Mortgagee have executed this Mortgage as of the date first written above.

ELITE 29 REALTY LLC

By:_____
Joseph Saponaro, President and Member

SIGNATURE BANK

By:_____
Name: Matthew Cohen
Title: Vice President

STATE OF NEW YORK }
} ss.:
COUNTY OF NEW YORK }

On the 31st day of May 2016, before me, the undersigned, personally appeared **Joseph Saponaro**, personally known to me or proved to me on the basis of satisfactory evidence to be the individual whose name is subscribed to the within instrument and acknowledged to me that he/she executed the same in his/her capacity, and that by his/her signature on the instrument, the individual, or the person upon behalf of which the individual acted, executed the instrument.

Notary Public

WENDY P INTERLANDI
Notary Public, State of New York
No. 01IN6095146
Qualified in Richmond County
Commission Expires July 07, 2019

NYC DEPARTMENT OF FINANCE
OFFICE OF THE CITY REGISTER

This page is part of the instrument. The City Register will rely on the information provided by you on this page for purposes of indexing this instrument.The information on this page will control for indexing purposes in the event of any conflict with the rest of the document.

2016060301530002001EA333

RECORDING AND ENDORSEMENT COVER PAGE **PAGE 1 OF 37**

Document ID: 2016060301530002 Document Date: 05-31-2016 Preparation Date: 06-06-2016
Document Type: AGREEMENT
Document Page Count: 35

PRESENTER:

FIRST AMERICAN TITLE INS -PICK-UP-FIRSTAMER
666 THIRD AVENUE
3020-772776 LW
NEW YORK, NY 10017
515-832-3206
LWING@FIRSTAM.COM

RETURN TO:

GOETZ FITZPATRICK LLP
ONE PENN PLAZA, SUITE 3100
NEW YORK, NY 10119

PROPERTY DATA

Borough	Block	Lot	Unit	Address
MANHATTAN	700	55	Entire Lot	538 WEST 29TH STREET

Property Type: COMMERCIAL REAL ESTATE

CROSS REFERENCE DATA

CRFN: 2006000633681
☒ Additional Cross References on Continuation Page

PARTIES

PARTY 1:
ELITE 29 REALTY LLC
538 WEST 29TH STREET
NEW YORK, NY 10001

PARTY 2:
SIGNATURE BANK
565 FIFTH AVENUE
NEW YORK, NY 10017

FEES AND TAXES

Mortgage :		
Mortgage Amount:	$	4,192,864.97
Taxable Mortgage Amount:	$	0.00
Exemption:		255
TAXES: County (Basic):	$	0.00
City (Additional):	$	0.00
Spec (Additional):	$	0.00
TASF:	$	0.00
MTA:	$	0.00
NYCTA:	$	0.00
Additional MRT:	$	0.00
TOTAL:	$	0.00
Recording Fee:	$	212.00
Affidavit Fee:	$	8.00

Filing Fee: $ 0.00
NYC Real Property Transfer Tax: $ 0.00
NYS Real Estate Transfer Tax: $ 0.00

RECORDED OR FILED IN THE OFFICE OF THE CITY REGISTER OF THE CITY OF NEW YORK
Recorded/Filed 06-14-2016 09:30
City Register File No.(CRFN): **2016000199540**

City Register Official Signature

NYC DEPARTMENT OF FINANCE
OFFICE OF THE CITY REGISTER



2016060301530002001CA1B3

RECORDING AND ENDORSEMENT COVER PAGE (CONTINUATION) **PAGE 2 OF 37**

Document ID: 2016060301530002 Document Date: 05-31-2016 Preparation Date: 06-06-2016
Document Type: AGREEMENT

CROSS REFERENCE DATA
Document ID: 2016060301530001

3020-772776

First American Title Insurance Company
333 Earle Ovington Boulevard
Uniondale, N.Y. 11553

MORTGAGE CONSOLIDATION, EXTENSION, MODIFICATION AND SECURITY AGREEMENT

SIGNATURE BANK

-With-

ELITE 29 REALTY LLC

The land affected by the within Instrument lies in

Section: 03
Block: 700
Lot(s): 55
On the Land and Tax Map of the County of New York, State of New York

Street Address: 538 West 29th Street
New York, New York 10001

After Recording Return To:
Goetz Fitzpatrick LLP
One Penn Plaza, Ste. 3100
New York, New York 10119
Attn.: Aaron Boyajian, Esq.

MORTGAGE CONSOLIDATION, EXTENSION, MODIFICATION AND SECURITY AGREEMENT

THIS MORTGAGE CONSOLIDATION, EXTENSION, MODIFICATION AND SECURITY AGREEMENT is made as of this 31st day of May 2016, by ELITE 29 REALTY LLC, a New York Limited Liability Company, having an address at 538 West 29th Street, New York, New York 10001 ("**Mortgagor**"), and SIGNATURE BANK, a Bank organized under the Laws of New York State having an office at 565 Fifth Avenue, New York, New York 10017, as mortgagee ("**Mortgagee**").

WITNESSETH

WHEREAS, Mortgagee is the holder of those certain mortgages described on **Exhibit "A"** attached hereto and made a part hereof (the "**Existing Mortgages**"), and the promissory notes secured thereby (the "**Existing Notes**") which evidence an outstanding principal indebtedness of FOUR MILLION ONE HUNDRED SIXTY TWO THOUSAND EIGHT HUNDRED SIXTY FOUR AND 97/100 DOLLARS ($4,162,864.97), on the date hereof (the "**Existing Indebtedness**").

WHEREAS, Mortgagor delivered to Mortgagee that certain Restated Promissory Note, dated as of the date hereof, made by Mortgagor in favor of Mortgagee (as the same may be amended, restated, replaced, supplemented or otherwise modified from time to time, the "**Note**"), which Note (a) evidences the Existing Indebtedness and the new and additional indebtedness of THIRTY THOUSAND AND 00/100 DOLLARS ($30,000.00) (the "**New Indebtedness**") and (b) consolidates the Existing Indebtedness and the New Indebtedness into a single indebtedness in the consolidated principal sum of **FOUR MILLION ONE HUNDRED NINETY TWO THOUSAND EIGHT HUNDRED SIXTY FOUR AND 97/100 DOLLARS ($4,192,864.97);**

WHEREAS, this Mortgage consolidates, amends and restates in their entirety the Existing Mortgages to form a single lien in the consolidated principal sum of the Loan made to Mortgagor pursuant to the Note (as the same may be amended, restated, replaced, supplemented or otherwise modified from time to time); and

WHEREAS, Mortgagor desires to secure the payment of the Indebtedness and the performance of all of its obligations under the Note and the other Loan Documents (as defined below); and

WHEREAS, this Mortgage is given pursuant to the Note, and payment, fulfillment, and performance by Mortgagor of its obligations thereunder and under the other Loan Documents are secured hereby, and each and every term and provision of the Note, including the rights, remedies, obligations, covenants, conditions, agreements, indemnities, representations and warranties of the parties therein, are hereby incorporated by reference herein as though set forth in full and shall be considered a part of this Mortgage.

RESTATEMENT OF MORTGAGE

NOW THEREFORE, in consideration of the making of the Loan by Mortgagee and the covenants, agreements, representations and warranties set forth in this Mortgage:

The Existing Mortgages and the lien thereof are hereby modified, amended and restated in their entirety so that henceforth the terms, covenants, conditions and provisions of the Existing Mortgages shall read and be as set forth in this Mortgage and Mortgagor agrees to comply with and be subject to all of the terms, covenants and conditions of this Mortgage (it being understood and agreed that the execution of this Mortgage shall not impair the lien of the Existing Mortgages).

Mortgagor hereby certifies that this Mortgage secures the Existing Indebtedness evidenced by the Existing Notes, as modified pursuant to the immediately preceding paragraph, and secures no further or other indebtedness or obligation. Neither this Mortgage nor anything contained herein shall be construed as a substitution or novation of the Existing Indebtedness or of the Existing Mortgages, which shall remain in full force and effect as hereby confirmed, modified, restated and superseded.

This Mortgage is an extension and continuation of the same indebtedness evidenced by the Existing Notes and secured by the Existing Mortgages, as amended, restated and extended by this Mortgage.

NOTWITHSTANDING ANYTHING TO THE CONTRARY CONTAINED IN THIS MORTGAGE, THE MAXIMUM PRINCIPAL AMOUNT OF INDEBTEDNESS SECURED BY THIS MORTGAGE AT EXECUTION OR WHICH UNDER ANY CONTINGENCY MAY BE SECURED HEREBY AT ANY TIME HEREAFTER IS FOUR MILLION ONE HUNDRED NINETY TWO THOUSAND EIGHT HUNDRED SIXTY FOUR AND 97/100 DOLLARS ($4,192,864.97).

The Existing Mortgages, as amended and restated in their entirety pursuant to this Mortgage, and the obligations of Mortgagor hereunder, are hereby ratified and confirmed, and shall remain in full force and effect until the full performance and satisfaction of all obligations of Mortgagor hereunder and under the Note and the other Loan Documents.

AND the parties further agree as follows:

PROPERTY MORTGAGED

Mortgagor does hereby irrevocably mortgage, grant, bargain, sell, pledge, assign, warrant, transfer and convey and grant a security interest to Mortgagee and its successors and assigns the following property, rights, interests and estates now owned, or hereafter acquired by Mortgagor (collectively, the "**Property**"):

ALL that certain land, with the buildings and improvements thereon erected, more particularly described in **Schedule "A"** annexed hereto and by this reference made a part hereof (hereinafter referred to as the **"said premises"**)

TOGETHER with the appurtenances and all the estate and rights of the Mortgagor in and to said premises, and all the right, title and interest of the Mortgagor in and to all land lying in the bed of all streets, roads, and public places, opened or proposed, in front of and adjoining the said premises and all easements and rights of way, public or private, now or hereafter used in connection with the said premises; all buildings, improvements, fixtures, equipment, inventory, computer software and hardware and other articles of personal property now or hereafter affixed to, placed upon or used in connection with the operation of the said premises, and the proceeds thereof, including the proceeds of hazard and title insurance relating thereto; all awards heretofore and hereafter made by reason of the taking of eminent domain of the whole or any part of the said premises or of any right appurtenant thereto, including any awards or payment for use and occupation and for change of grade of streets; all rents, issues and profits, general intangibles, chattel paper, accounts (including all accounts receivables, credit card receivables and reserve accounts), inventory, revenues, income and other benefits due or to become due to the Mortgagor for the use, operation or occupancy of the said premises and all franchises, trade names, trademarks, symbols, service marks, books, records, plans, specifications, designs, drawings, permits, consents, licenses, management agreements, franchise agreements, contract rights (including, without limitation, any contract with any architect or engineer or with any other provider of goods or services for or in connection with any construction, repair, or other work upon the said premises), approvals, actions and causes of action that now or hereafter relate to, are derived from or are used in connection with the said premises, or the use, operation, maintenance, occupancy or enjoyment thereof or the conduct of any business or activities thereon or any of the items covered hereby; all amounts refunded, or to be refunded, by taxing authorities from amounts paid for real estate taxes, water and sewer rental charges affecting the said premises and any amounts refunded, or to be refunded, by any insurer from amounts paid for insurance premiums for insurance affecting the said premises; all leases of the said premises or any part thereof now or hereafter entered into, including, without limitation, cash or securities deposited thereunder to secure performance by the lessees of their obligations thereunder (whether such cash or securities are to be held until the expiration of the terms of such leases or applied to one or more of the installments of rent coming due immediately prior to the expiration of such terms) and guarantees thereof; all certificates of deposit of Mortgagor in the possession of Mortgagee and the proceeds therefrom; all other rights and easements of Mortgagor or hereafter existing pertaining to the use and enjoyment of the said premises, including, without limitation, all declarations of covenants, conditions and restrictions as may affect or otherwise relate to the said premises; and all proceeds and products of the foregoing; all of which are covered by this Mortgage, which mortgage, shall also constitute a security agreement. This

provision shall be self operative, but the Mortgagor will execute and deliver to the Mortgagee on demand, and hereby irrevocably appoints the Mortgagee the attorney-in-fact of the Mortgagor to execute, deliver and file, such financing statements and other instruments as the Mortgagee may require in order to impose the lien of this Mortgage upon said fixtures and personal property. If the lien of this Mortgage on any fixtures or personal property is subject to a security interest covering such fixtures or personal property, then in the event of any default under this Mortgage, beyond the expiration of any applicable notice, grace or cure period, all the right, title and interest of the Mortgagor in and to any and all deposits being held by the holder of such security interest are hereby assigned to the Mortgagee, together with the benefit of any payments now or hereafter made thereon.

TOGETHER with all awards heretofore and hereafter made by reason of the taking by eminent domain of the whole or any part of said premises or of any right appurtenant thereto, including any awards or payments for use and occupation and for change of grade of streets, which awards are hereby assigned to the Mortgagee, which is hereby irrevocably authorized and appointed attorney-in-fact of the Mortgagor to collect and receive any such awards from the authorities making the same, to appear in any proceeding therefore, to give receipts and acquaintances therefore, and to apply the same to payment on account of the indebtedness secured hereby, whether then matured or not, and the Mortgagor will execute and deliver to the Mortgagee on demand such assignments and other instruments as the Mortgagee may require for said purposes and will reimburse the Mortgagee for its costs (including counsel fees) in the collection of such awards. In the event of any such taking, the Mortgagor agrees to pay, and agrees that any award shall be apportioned so that there shall first be paid therefrom in the order below named, to the Mortgagee, accrued interest at the rate herein specified on all principal amounts from time to time outstanding thereunder to the date of receipt of such payment by the Mortgagee, plus the entire principal balance secured hereby, notwithstanding any lesser interest rate required to be paid by the authorities making the awards, plus any other amounts due from Mortgagor to Mortgagee under this Mortgage.

TOGETHER with any and all air rights, development rights, zoning rights or other similar rights or interest that benefit or are appurtenant to the mortgaged premises and any proceeds arising therefrom, including, among other things, the Mortgagor's right to initiate, join in or consent to any change in any zoning ordinance, restrictive covenant, zoning lot merger agreement or other public or private restriction limiting or defining the uses which may be made of the premises or any part thereof.

This Mortgage and the grants, assignments and transfers made herein are given for the purpose of securing the indebtedness.

This Mortgage shall sometimes hereinafter be referred to as **"this Mortgage"** and the obligations evidenced by the bond or note secured hereby shall hereinafter be referred to as **"said obligation"** or the **"Loan"** and the term **"Indebtedness"** when used herein shall mean said obligation together with all other amounts due and owing under this Mortgage and all other documents and instruments delivered in connection herewith and with the Loan. This Mortgage and all of the other documents executed in connection therewith shall hereinafter be referred to as the **"Loan Documents"**).

AND the Mortgagor covenants with the Mortgagee as follows:

1. **Payment of the Indebtedness.** This Mortgage and the grants, assignments and transfers made herein are given for the purpose of securing the Indebtedness. Mortgagor will pay the Indebtedness at the time and in the manner provided in this Mortgage and the Loan Documents.

2. **Insurance.** The Mortgagor will keep the buildings and improvements now or hereafter erected on said premises and all fixtures and articles of personal property covered by this Mortgage insured against loss and damage (including law and ordinance coverage) by fire, by flood if said premises are located in an area identified by the Secretary of Housing and Urban Development as an area having special flood hazards and in which flood insurance has been made available under the National Flood Insurance Act of Nineteen Hundred Sixty-Eight, as amended from time to time or is available from private insurers, and by such other hazards as the Mortgagee may require, in amounts, with insurers and under forms of policies (including a standard mortgagee clause unless otherwise required) satisfactory to the Mortgagee; will deliver all such policies and, at least 15 days prior to their expiration dates, all renewals thereof to the Mortgagee; and will pay all premiums thereon. The amount of insurance coverage for loss and damage by fire shall be equal to the greater of (A) the replacement cost of the structure erected on said premises and (B) the amount required to avoid coinsurance. The Mortgagor shall also maintain a public liability policy or policies in such coverage amounts, including deductible provisions, covering such risks, issued by such companies and in such form, all as the Mortgagee may require from time to time. Upon any default under this Mortgage beyond the expiration of any applicable notice, grace or cure period, all of the Mortgagor's right, title and interest in and to all such policies are hereby assigned to the Mortgagee, including unearned premiums on such policies. The Mortgagor will not permit any condition to exist on said premises which would wholly or partially invalidate the insurance thereon. The Mortgagee may on behalf of the Mortgagor adjust and compromise any claims under such insurance and collect and receive the proceeds thereof and is hereby irrevocably appointed attorney-in-fact of the Mortgagor for such purposes, and may deduct from such proceeds any expense so incurred by it. Mortgagee may at its option either apply such proceeds in reduction of the Indebtedness secured by this Mortgage, whether then matured or not, or release such proceeds to the Mortgagor in whole or in part upon conditions satisfactory to the Mortgagee.

Mortgagor covenants and agrees that in case of damage to or destruction of any building or the building service equipment on said premises by fire or otherwise, or in the case of the taking by a condemning authority (other than by a temporary taking) it will promptly, at its sole cost and expense, restore, repair, replace, rebuild or alter the same as nearly as possible to the condition they were in immediately prior to such damage or destruction. Such restoration, repairs, replacements, rebuilding or alterations shall be commenced promptly and prosecuted with reasonable diligence.

Notwithstanding anything to the contrary contained herein, upon the foreclosure of this Mortgage, and whether or not the Mortgagee seeks or obtains a deficiency judgment in such foreclosure proceedings, all of the Mortgagor's right title and interest in and to the insurance

policies covering said premises then in force are hereby assigned to and shall pass to the purchaser of said premises at the foreclosure sale.

3. **Maintenance of Mortgaged Premises.** The Mortgagor will not cause or permit any building or improvement upon said premises to be erected, removed, demolished or structurally altered, in whole or in part, or any fixture or article of personal property covered by this Mortgage to be removed or destroyed, without the prior written consent of the Mortgagee. The Mortgagor will not abandon said premises or cause or permit any waste to the buildings, improvements, fixtures or articles of personal property covered by this Mortgage and will at all times maintain them in a reasonably good condition, and will comply, and cause all occupants of said premises to comply, with all laws and ordinances relating to the maintenance or use of said premises and with all requirements, orders and notices of violation thereof issued by any governmental department. The Mortgagor will pay all license fees and similar municipal charges for the use of vaults or other areas now or hereafter used in connection with said premises and will not, unless so required by any governmental agency having jurisdiction, discontinue such use without the prior written consent of the Mortgagee. Mortgagor covenants and agrees that in case of damage to or destruction of any building or the building service equipment on said premises by fire or otherwise, or in the case of the taking by a condemning authority (other than by a temporary taking) it will promptly, at its sole cost and expense, restore, repair, replace, rebuild or alter the same as nearly possible to the condition they were in immediately prior to such damage or destruction. Such restoration, repairs, replacements, rebuilding or alterations shall be commenced promptly and prosecuted with reasonable diligence. Within 60 days after notice and demand by the Mortgagee as to Mortgagor's failure to perform the foregoing, the Mortgagor will restore or repair said buildings, improvements, fixtures and articles of personal property as specified in such notice and demand. The Mortgagor will permit the Mortgagee and its representatives to enter said premises at reasonable times to inspect the same, and in case of any default under this paragraph, to enter said premises to protect, restore or repair any part thereof. The Mortgagee may, at any time, cause a survey to be made of said premises to determine the nature and estimated cost of the maintenance required hereunder and not performed, and a written report thereof shall be furnished to the Mortgagor. The Mortgagor hereby admits that the security of this Mortgage is impaired if such estimated cost shall exceed 10% of the principal Indebtedness secured by this Mortgage as hereinabove set forth, and in such event, without limiting Mortgagee's other remedies hereunder, and without relieving Mortgagor from its obligation to perform such maintenance, (i) an amount of the Indebtedness secured by this Mortgage equal to the amount of such estimated cost shall at the option of the Mortgagee become due and payable upon 30 days' written notice to the Mortgagor, and (ii) the cost of the aforementioned survey shall be paid by the Mortgagor to the Mortgagee on demand and be secured by this Mortgage. The Mortgagor covenants and agrees to discharge (by bond or otherwise) any mechanic's lien or claim therefore filed against the said premises within sixty (60) days after notice that a mechanic's lien or such claim has been filed.

4. **Receiver**. The Mortgagee, in any action to foreclose this Mortgage, shall be entitled (without notice, without regard to the adequacy of any security for the Indebtedness and without regard to the solvency of any person, firm or corporation liable for the payment thereof) to the appointment of a receiver of the rents and profits of said premises.

5. **Real Estate Taxes**. The Mortgagor will, except to the extent the same are covered by amounts actually paid to the Mortgagee pursuant to Section 23 hereof, pay all taxes, assessments and water charges and sewer rents upon said premises and articles of personal property covered by this Mortgage prior to the date penalties accrue for failure to pay said charges. The Mortgagor will pay any installments of any assessment made against said premises for local improvements within 60 days after notice and demand by the Mortgagee notwithstanding the same may not be due and payable at the time of such notice and demand. The Mortgagor will exhibit to the Mortgagee within 10 days after demand, receipted bills or satisfactory proofs of all such payments. After any default hereunder beyond the expiration of any applicable notice, grace or cure period, the Mortgagee shall be entitled to any refunds made or to be made by any taxing authority to be applied in reduction of the Indebtedness.

6. **Estoppel**. The Mortgagor within 3 days upon request in person or within 10 days upon request by mail will furnish a duly acknowledged written statement setting forth the amount of the Indebtedness secured by this Mortgage, and stating either that no offsets or defenses exist against the mortgage Indebtedness, or, if such offsets or defenses are alleged to exist, the nature thereof. Notice and demand or request may be made in writing and may be served in person or by mail.

7. **Ownership of Premises**. Mortgagor shall not, without Mortgagee's prior written consent, sell, convey or transfer the Premises or any portion thereof or any interest therein or contract to do so. If any Mortgagor, or any endorser or guarantor of the Indebtedness (collectively, the "Guarantor") is a corporation, or if any other person liable with respect to the Indebtedness or any portion thereof other than Mortgagor or any general partner of Mortgagor, Debtor or any Guarantor, is a corporation, any direct or indirect change in the beneficial ownership or number of issued and outstanding shares of any class of stock of such Mortgagor, Debtor, Guarantor or general partner, whether by operation of law or otherwise, after which the percentage of such shares beneficially owned by any person or group of persons having beneficial ownership of any such shares has changed by at least ten percent (10%) more or less than it was on the date of this Mortgage shall be deemed a sale, conveyance or transfer of the Premises within the meaning of this Section 7. If any Mortgagor, Debtor or Guarantor is a partnership, including a limited liability partnership, any change in the partnership interests of the general partners of such Mortgagor, Debtor or Guarantor or in the composition of the general partners of such Mortgagor, Debtor or Guarantor, whether by operation of law or otherwise, shall be deemed a sale, conveyance or transfer of the Premises within the meaning of this Section 7. If any Mortgagor, Debtor or Guarantor is a limited liability company, any change in the direct or indirect membership interest of any member or class of members of such Mortgagor, Debtor or Guarantor, whether by operation of law or otherwise, after which the percentage of such membership interest owned by any such member or class has changed by at least ten percent (10%) more or less than it was on the date of this Mortgage shall be deemed a sale, conveyance or transfer of the Premises within the meaning of this Section. The Mortgagor covenants and agrees for itself and any subsequent owner of said premises that the Mortgagee shall have the right to declare the entire mortgage Indebtedness due and payable in the event of sale, conveyance, transfer or disposition of the premises or any interest therein in violation of this Section.

8. **Warranty of Title**. The Mortgagor warrants the title of said premises and to the fixtures and personal property covered by this Mortgage, subject to the exceptions to title contained in the policy of title insurance insuring the Loan dated the date hereof.

9. **Sale in one Parcel**. In case of sale under foreclosure, said premises, including the improvements, fixtures and articles of personal property covered by this Mortgage, may be sold in one parcel.

10. **Corporate Authority.** If the Mortgagor is a corporation, the Mortgagor represents that it is duly organized and presently existing and this Mortgage has been executed by authority of its board of directors and with such consent of its stockholders as is required by its certificate of incorporation.

11. **Use and Occupancy.** If at any time the then existing use or occupancy of said premises shall, pursuant to any zoning or other law, ordinance or regulation, be permitted only so long as such use or occupancy shall continue, the Mortgagor will not cause or permit such use or occupancy to be discontinued without the prior written consent of the Mortgagee.

12. **Litigation.** If any action or proceeding be commenced by or against the Mortgagee, or the Mortgagor, including an action to foreclose this Mortgage, affecting said premises or the lien of this Mortgage, or if any action or proceeding be commenced which would affect any of the Mortgagee's rights in said premises, the Mortgagee may appear, defend, prosecute, retain counsel, and take such action as the Mortgagee shall deem advisable, and the costs thereof (including all counsel fees and all applicable statutory costs, allowances and disbursements) together with interest thereon at the rate equal to 400 basis points (4%) per annum in excess of the interest rate from time to time in effect hereunder but in no event in excess of the maximum rate permitted by law, shall be paid by the Mortgagor to the Mortgagee on demand and shall be secured by this Mortgage. The costs incurred by Mortgagee in connection with a foreclosure of this Mortgage shall also include the costs of obtaining any engineering, appraisal or environmental audit reports which Mortgagee deems necessary, in its sole discretion; which costs shall also be secured by this Mortgage.

13. **Lien Law.** The Mortgagor will receive the advances hereunder subject to the trust fund provisions of any applicable lien law, including Section 13 of the Lien Law of the State of New York.

14. **Assignment of Leases and Rents.** The Mortgagor hereby assigns to the Mortgagee, effective irrespective of any default hereunder, the rents and profits, including use and occupancy payments, from said premises and all leases now or hereafter affecting said premises as further security for the payment of the Indebtedness to the Mortgagee, provided, however, that until the Mortgagor defaults hereunder which continues beyond the expiration of any applicable notice, grace or cure period the Mortgagee may collect and apply all rents and other such payments, and the Mortgagor hereby appoints the Mortgagee its attorney-in-fact for such purpose. The Mortgagee shall have the right forthwith after any default hereunder which continues beyond the expiration of any applicable notice, grace or cure period, with or without notice or demand, with or without the commencement of any action to foreclose this Mortgage

and without the appointment of a receiver, to enter upon said premises, let the same, collect all rents therefrom and apply the rents, after payment of all charges and expenses, on account of the Indebtedness secured hereby, whether then matured or not, and the Mortgagor hereby irrevocably appoints the Mortgagee its attorney-in-fact to institute summary proceedings against any tenant of said premises who fails to comply with any lease provisions. In the event that the Mortgagor is an occupant of said premises, the Mortgagor agrees to surrender the possession of said premises to the Mortgagee immediately upon any default hereunder which continues beyond the expiration of any applicable notice, grace or cure period upon demand by the Mortgagee and if the Mortgagor remains in possession after such demand, such possession shall be as tenant of the Mortgagee, and the Mortgagor agrees to pay monthly in advance to the Mortgagee such rent for said premises so occupied as the Mortgagee may demand, and in default of so doing, the Mortgagor may also be dispossessed by summary proceedings or otherwise. In case of the appointment of a receiver of rents and profits of said premises, the covenants of this paragraph may be enforced by such receiver. The Mortgagee may, but shall not be obligated to make any tenant, licensee or other person in possession or occupancy under a written lease or otherwise, a party defendant to any foreclosure proceeding, and the Mortgagor, for itself and any subsequent owner of said premises, hereby waives any right it may have to require that any such tenant, licensee or person be made a party defendant in such proceeding. If any provision hereof is inconsistent with any separate assignment of leases and/or rents delivered to Mortgagee by Mortgagor, the provisions of such separate assignment shall control.

15. **Foreign Governments; Leases.** The Mortgagor covenants and agrees not to lease the whole or any part of the mortgaged premises to the United States of America, any state, any political subdivision thereof or any of their respective agencies, or to any person or entity having diplomatic or sovereign immunity, without the prior written consent of the Mortgagee. With regard to future tenants (or purchasers of apartments, if the premises have been converted to cooperative ownership), mortgagor covenants and agrees that no accredited representative or employee of a foreign government or international organization shall become a tenant under a lease (or proprietary lease, as the case may be) unless the appropriate representative of such foreign government or international organization shall, in writing to the lessor (or proprietary landlord as the case may be), either expressly waives diplomatic immunity or certifies that such employee or representative would not enjoy diplomatic immunity with regard to any action brought under the lease (or proprietary lease, as the case may be) and the person so certifying states that he is authorized to do so, except to the extent that the lessor or proprietary landlord as the case may be), is required by law to lease to such a person.

The Mortgagor will not, without the prior written consent of the Mortgagee, assign the rents or any part thereof, from said premises; nor consent to the cancellation or surrender of, or accept prepayment of rents under, any lease now or hereafter covering said premises or any part thereof nor modify any such lease so as to shorten the term, decrease the rent, accelerate the payment of rent or change the terms of any renewal option, and any such purported assignment, cancellation, surrender, prepayment or modification made without the written consent of the Mortgagee shall be void as against the Mortgagee. The Mortgagee shall be entitled to enforce the foregoing in any manner permitted by law or equity. The Mortgagor will upon demand of the Mortgagee enter into an agreement with the Mortgagee with respect to any lease hereafter executed covering said premises or any part thereof, and the Mortgagor hereby appoints the

Mortgagee attorney-in-fact of the Mortgagor to execute and deliver any such agreement on behalf of the Mortgagor and to deliver to the tenant to whose lease such agreement relates the written notice. The Mortgagor will perform and comply with the terms of all leases covering said premises or any part thereof on its part to be performed or complied with. If any provision hereof is inconsistent with any separate assignment of leases and/or rents delivered to Mortgagee by Mortgagor, the provisions of such separate assignment shall control. If said premises have been converted with the consent of Mortgagee to cooperative ownership and in connection with the sale of individual apartment units, the Mortgagor may join in the cancellation of the proprietary lease affecting such apartment unit in order to replace same with a proprietary lease to an approved transferee.

After the date of this Mortgage, Mortgagor will not rent any space in the said premises without the prior written consent of the Mortgagee. Any such new leases shall, among other things, be fully subordinate to the lien of all mortgages now or hereafter a lien on the said premises and to all extensions, modifications, renewals, replacements or increases thereof. If such subordination is to be conditioned upon receipt of a non-disturbance agreement (**"SNDA"**) from Mortgagee, such SNDA, if approved by Mortgagee, shall be prepared on Mortgagee's standard forms.

All leases entered into after the date of this Mortgage for the whole or any part of the Premises shall contain the following provision:

"Tenant hereby agrees not to look to the Mortgagee of the Premises as mortgagee, mortgagee in possession, or successor in title to the Premises, for accountability for any security deposit required by landlord hereunder, unless said sums have actually been received by said Mortgagee as security for tenant's performance of this Lease".

16. **Mortgage or Other Taxes.** If it shall be determined by the governmental authority having jurisdiction that mortgage or other taxes are due on this Mortgage or on the note or obligation secured by this Mortgage, the Mortgagor will pay the same.

17. **Performance of Other Agreements**. Mortgagor shall observe and perform each and every term, covenant and provision to be observed or performed by Mortgagor pursuant to the Note, any other Loan Document and any other agreement or recorded instrument affecting or pertaining to the Property and any amendments, modifications or changes thereto.

18. **Change of Name, Identity or Structure**. Mortgagor shall not change Mortgagor's name, identity (including its trade name or names) or, if not a individual, Mortgagor's corporate, partnership or other structure without first (a) notifying Mortgagee of such change in writing at least thirty (30) days prior to the effective date of such change, (b) taking all action required by Mortgagee for the purpose of perfecting or protecting the lien and security interest of Mortgagee and (c) in the case of a change in Mortgagor's structure, without first obtaining the prior written consent of Mortgagee. Mortgagor shall promptly notify Mortgagee in writing of any change in its organizational identification number. If Mortgagor does not now have an organizational identification number and later obtains one, Mortgagor shall promptly notify Mortgagee in writing of such organizational identification number. Mortgagor

shall execute and deliver to Mortgagee, prior to or contemporaneously with the effective date of any such change, any financing statement or financing statement change required by Mortgagee to establish or maintain the validity, perfection and priority of the security interest granted herein. At the request of Mortgagee, Mortgagor shall execute a certificate in form satisfactory to Mortgagee listing the trade names under which Mortgagor intends to operate the Property, and representing and warranting that Mortgagor does business under no other trade name with respect to the Property.

19. **Security Agreement; Cross Collateralization; Cross Default.**

(a) Security Agreement. This Mortgage is both a real property mortgage and a "security agreement" within the meaning of the Uniform Commercial Code. The Property includes both real and personal property and all other rights and interests, whether tangible or intangible in nature, of Mortgagor in the Property. By executing and delivering this Mortgage, Mortgagor hereby grants to Mortgagee, as security for the Obligations (hereinafter defined), a security interest in the Fixtures, the Equipment, the Personal Property and other property constituting the Property to the full extent that the Fixtures, the Equipment, the Personal Property and such other property may be subject to the Uniform Commercial Code (said portion of the Property so subject to the Uniform Commercial Code being called the "**Collateral**"). If an Event of Default shall occur and be continuing, Mortgagee, in addition to any other rights and remedies which it may have, shall have and may exercise immediately and without demand, any and all rights and remedies granted to a secured party upon default under the Uniform Commercial Code, including, without limiting the generality of the foregoing, the right to take possession of the Collateral or any part thereof, and to take such other measures as Mortgagee may deem necessary for the care, protection and preservation of the Collateral. Upon request or demand of Mortgagee after the occurrence and during the continuance of an Event of Default, Mortgagor shall, at its expense, assemble the Collateral and make it available to Mortgagee at a convenient place (at the Land if tangible property) reasonably acceptable to Mortgagee. Mortgagor shall pay to Mortgagee on demand any and all expenses, including reasonable legal expenses and attorneys' fees, incurred or paid by Mortgagee in protecting its interest in the Collateral and in enforcing its rights hereunder with respect to the Collateral after the occurrence and during the continuance of an Event of Default. Any notice of sale, disposition or other intended action by Mortgagee with respect to the Collateral sent to Mortgagor in accordance with the provisions hereof at least ten (10) business days prior to such action, shall, except as otherwise provided by applicable law, constitute reasonable notice to Mortgagor. The proceeds of any disposition of the Collateral, or any part thereof, may, except as otherwise required by applicable law, be applied by Mortgagee to the payment of the Indebtedness in such priority and proportions as Mortgagee in its discretion shall deem proper. The principal place of business of Mortgagor (Debtor) is as set forth on page one hereof and the address of Mortgagee (Secured Party) is as set forth on page one hereof.

Certain of the Property is or will become "fixtures" (as that term is defined in the Uniform Commercial Code) on the Land, described or referred to in this Mortgage, and this Mortgage, upon being filed for record in the real estate records of the city or county wherein such fixtures are situated, shall operate also as a financing statement filed as a fixture filing in accordance with the applicable provisions of said Uniform Commercial Code upon such of the Property that is or may become fixtures.

Mortgagor hereby pledges to Mortgagee any and all monies now or hereafter held by Mortgagee or on behalf of Mortgagee in connection with the Loan, including, without limitation, any reserve funds, any sums deposited in any account with the Mortgagee, as additional security for the Obligations until expended or applied as provided in this Mortgage.

(b) Cross-Collateralization and Cross-Default. Simultaneously with the execution and delivery of this Mortgage, Elite Investigations Ltd., a New York corporation, is entering into a certain line of credit (the "Line of Credit") pursuant to which the Mortgagee is making a loan to Elite Investigations Ltd. in the principal amount of $750,000.00 for short-term loans for working capital purposes. Such loan is evidenced by a certain Revolving Line of Credit Promissory Note (the "Line Note"), of even date herewith, which Line Note is secured by a certain Security Agreement (the "Line Security Agreement"), of even date herewith and the performance of such Line Security Agreement is guaranteed by the Mortgagor. It is the intention of the Mortgagor and the Mortgagee that this Mortgage and such Line Security Agreement each constitute a coordinated security interest in said premises. In the Event of a Default by Elite Investigations Ltd. under the Line Note or Line Security Agreement, such default shall constitute an Event of Default under this Agreement.

The Mortgagor agrees that the lien and interest of this Mortgage shall be absolute and unconditional and shall not in any manner be affected or impaired by any acts or omissions whatsoever of the Mortgagee and, without limiting the generality of the foregoing, the lien and interest hereof shall not be impaired by any acceptance by the Mortgagee of any other security for any of the Indebtedness, or by any failure, neglect or omission on the part of the Mortgagee to realize upon or protect any of the Indebtedness or any collateral security therefor including, without limitation, the Line Security Agreement. The lien and interest of this Mortgage shall not in any manner be impaired or affected by any release (except as to the property released), sale, pledge, surrender, compromise, settlement, renewal, extension, indulgence, alteration, changing, modification or disposition of any of the Indebtedness or of any of the collateral security therefor, including, without limitation, the Line Security Agreement, and the Mortgagee may exercise any other remedy available to the Mortgagee under the Line Security Agreement without first exercising or enforcing any of its remedies under this Mortgage and any exercise of the rights or remedies of the Mortgagee hereunder shall not in any manner impair the Indebtedness or the lien and interest of this Mortgage or the liens and interests of the Line Security Agreement or any of the Mortgagee's rights and remedies thereunder.

The Mortgagor specifically consents and agrees that the Mortgagee may exercise its rights and remedies hereunder and under the Line Note or Line Security Agreement separately or concurrently and in any order that it may deem appropriate and the Mortgagor waives any rights of subrogation. Without limiting the generality of the foregoing, the Mortgagor agrees that if an Event of Default is continuing (i) the Mortgagee shall have the right to pursue all of its rights and remedies in one proceeding, or separately and independently in separate proceedings from time to time, as the Mortgagee, in its sole and absolute discretion, shall determine from time to time, (ii) the Mortgagee is not required to either marshall assets, sell said premises or collateral encumbered by the Line Security Agreement in any inverse order of alienation, or be subject to any "one action" or "election of remedies" law or rule, (iii) the exercise by the

Mortgagee of any remedies against said premises or collateral encumbered by the Line Security Agreement will not impede the Mortgagee from subsequently or simultaneously exercising remedies against any other properties encumbered by the Security Agreement, and (iv) all liens and other rights, remedies or privileges provided to the Mortgagee shall remain in full force and effect until the Mortgagee has exhausted all of its remedies against said premises and all of the properties encumbered by the Line Security Agreement have been foreclosed, sold and/or otherwise realized upon in satisfaction of the Indebtedness or the Indebtedness has been paid in full.

20. **Financial Statements.** The Mortgagor will maintain full and correct books and records showing in detail the earnings and expenses of said premises; will permit the Mortgagee and its representatives to examine said books and records and all supporting vouchers and data at any time and from time to time upon request by the Mortgagee at said premises or at such other place in the city and county in which said premises are located as such books and records are customarily kept; and the Mortgagor at any time and from time to time will furnish to the Mortgagee at its request a statement showing in detail all such earnings and expenses since the last such statement, verified by the affidavit of the Mortgagor or then owner, or if the owner is a corporation by an affidavit of its principal executive officer. The Mortgagor shall furnish the following statements and/or reports (collectively, the "**Financial Statements**") to the Mortgagee:

(a) annually, as soon as available, but not more than one hundred fifty (150) days after the end of each applicable fiscal period, reviewed financial statements of the Mortgagor and each corporate or limited liability company Guarantor prepared by a certified public accountant, and signed annual Federal Tax Returns (and all schedules annexed thereto) of the Mortgagor and each corporate or limited liability company Guarantor when filed. The aforementioned financial statements shall be prepared on a consolidated and consolidating basis and in accordance with generally accepted accounting principles;

(b) copies of all Leases for said premises;

(c) such other information with respect to the financial condition, business, property, assets, revenues, and operations of the Mortgagor and the Premises, as the Mortgagee may from time to time reasonably request;

(d) annually, and no later than thirty (30) days after filing their personal tax returns, all personal Guarantors shall submit copies of such personal tax returns (including K-1 statements, if applicable);

(e) annually, and no later than thirty (30) days after filing their personal tax returns, (including K-1 statements, if applicable) all personal Guarantors shall submit copies of personal financial statements on forms acceptable to Mortgagee; and

(f) semi-annually, as soon as available, but not more than sixty (60) days after the end of the six (6) month semi-annual period, compiled financial statements of the Mortgagor and each corporate or limited liability company Guarantor prepared by a certified public

accountant, and signed annual Federal Tax Returns (and all schedules annexed thereto) of the Mortgagor and each corporate or limited liability company Guarantor when filed. The aforementioned financial statements shall be prepared on a consolidated and consolidating basis and in accordance with generally accepted accounting principles.

Each such statement shall be in scope and detail reasonably satisfactory to the Mortgagee and shall be certified by a principal officer of Mortgagor, if a corporation, or a general partner of the Mortgagor, if a partnership, or by a managing member, if a limited liability company, or by each individual Mortgagor, if individuals; provided, however, the annual Financial Statements shall be prepared by and certified by an independent certified public accountant of recognized standing and satisfactory to the Mortgagee and provided, further, however, that the Mortgagee may request such Financial Statements more often upon the occurrence of a default hereunder which continues beyond the expiration of any applicable notice, grace or cure period, or if the said premises shall not, in the sole determination of the Mortgagee, be performing satisfactorily and, upon such request, the Mortgagor shall provide same within thirty (30) days thereafter.

If requested by the Mortgagee, the Mortgagor further agrees that within ten (10) days after such request, it shall furnish a written statement containing the names of all tenants of the said premises, the terms of their respective tenancies, the spaces occupied, the rentals paid therefore and any defaults with respect thereto, which statement shall be certified by the Mortgagor in the same manner as is required in the preceding sentence.

The Mortgagor shall cause any Guarantor of the said obligation and any indemnitor under any indemnity given in connection herewith or with the said obligation to furnish (each, an "Indemnitor"), to the Mortgagee, within 30 days after the end of each fiscal year of such Guarantor and such Indemnitor, as the case may be, the annual Financial Statements referred to above of such Guarantor and such Indemnitor. All such Financial Statements shall be certified in the same manner as the annual Financial Statements required from Mortgagor as set forth above, provided, however, that the Mortgagee may request such statements more often upon the occurrence of a default hereunder or if the said premises shall not, in the sole determination of the Mortgagee, be performing satisfactorily and, upon such request, the Mortgagor shall provide same within thirty (30) days thereafter.

21. **Default Rate.** Upon any default of the Mortgagor in complying with or performing any warranty or covenant of this Mortgage beyond the expiration of any applicable notice, grace or cure period, the Mortgagee may, at the Mortgagee's option, comply with or perform the same, and the cost thereof, together with interest thereon at a rate equal to twenty four percent (24%) per annum ("Default Rate"), but in no event in excess of the maximum rate permitted by law, shall be paid by the Mortgagor to the Mortgagee on demand and shall be secured by this Mortgage. Notwithstanding that the Indebtedness secured by this Mortgage shall not have been declared due and payable upon any such default, said Indebtedness shall bear interest at the rate specified in the preceding sentence from the date of notice and demand therefore by Mortgagee until said default shall have been completely cured and removed to the satisfaction of the Mortgagee. On and after the maturity of the Indebtedness secured by this Mortgage, or upon the exercise by the Mortgagee of any option to declare the Indebtedness due and payable as provided in this Mortgage, said Indebtedness shall, without any notice or demand

by Mortgagee, bear interest at the rate specified in the first sentence of this paragraph, but nothing herein contained shall be deemed to extend the maturity of the Indebtedness.

22. **Partial Foreclosure.** The Mortgagee may, at the Mortgagee's option, foreclose this Mortgage for any portion of the Indebtedness or any other sums secured thereby which are then due and payable, subject to the continuing lien of this Mortgage for the balance of the mortgage Indebtedness not then due.

23. **Late Charge.** In the event that any payment herein provided for shall become overdue for a period in excess of ten (10) days, a "late charge" of five percent (5%) of the amount overdue shall become immediately due to the holder of this Mortgage as liquidated damages for failure to make prompt payment, and the same shall be secured by this Mortgage. Said charge shall be payable in any event not later than the due date of the next subsequent installment due hereunder.

24. **Defaults.**

(a) The whole of the Indebtedness secured by this Mortgage shall immediately become due and payable at the option of the Mortgagee, and thereupon the Mortgagee shall have the right, among others, to foreclose this Mortgage or may sell said premises in accordance with applicable law, upon the happening or any one or more of the following (each, an "Event of Default"):

(i) Failure of the Mortgagor to pay any installment of principal or interest or any other obligation owed to the Mortgagee, within ten (10) days after the due date thereof;

(ii) Failure of the Mortgagor to pay within ten (10) days of demand the amount of any costs of the Mortgagee, with interest thereon, secured by this Mortgage;

(iii) Failure of the Mortgagor to comply with or perform any other warranty or covenant of this Mortgage as hereby amended or in the obligation secured thereby, within any applicable grace period, if any, herein specified;

(iv) Refusal by two or more fire insurance companies lawfully doing business in the State of New York and issuing policies of fire insurance on buildings in the locality of said premises, upon application by the Mortgagee, to issue such policies on the buildings and improvements on said premises;

(v) Passage of any law deducting from the value of land for the purposes of taxation any lien thereon or changing in any way the taxation of mortgages or debts secured thereby for federal, state or local purposes;

(vi) Commencement of any action to foreclose any lien upon said premises or any part thereof including the improvements, fixtures and articles of personal property covered by this Mortgage;

(vii) The execution of any instrument or the taking of any action which results or may result in the use or transfer of air, development or zoning rights appurtenant to any part of the premises to or for the benefit of any other premises or in the imposition of any restriction on the future development of any part of the premises, the Mortgagor hereby agreeing that such sale or lease or other instrument or action shall be deemed conclusively to impair the security interest of the Mortgagee;

(viii) Conveyance or other transfer of said premises or any portion thereof or interest therein;

(ix) Failure to discharge (by bond or otherwise) any mechanic's or other lien filed against the said premises within sixty (60) days after Mortgagor obtains knowledge that a mechanic's lien has been filed;

(x) The (a) execution and delivery of any mortgages encumbering said premises without the prior written consent of the Mortgagee, except to the extent, if any, that same is expressly permitted by the terms of this Mortgage, or (b) the financing or sale and/or use of air rights or development rights without the prior written consent of the Mortgagee, the Mortgagor agreeing that any or all of said events shall significantly impair the security of the Mortgagee, or (c) incurring of any Indebtedness whether from another financial institution, donor, or any other party, without the prior written consent of the Mortgagee;

(xi) The occurrence of an event which would, pursuant to the terms hereof, entitle the Mortgagee to advance sums which would, when advanced, be secured by this Mortgage pursuant to the terms hereof;

(xii) Any default beyond the expiration of any applicable notice, grace or cure period contained therein under any assignment of leases and/or rents or under any other document executed by the Mortgagor and delivered to the Mortgagee in connection with this Mortgage;

(xiii) The discovery by the Mortgagee of any material misrepresentation made by the Mortgagor, or any principal of the Mortgagor, to the Mortgagee prior to or at the closing of the Loan secured by this Mortgage;

(xiv) The occurrence of any default, beyond the expiration of any applicable notice, grace or cure period, under any other mortgage covering the said premises, or under any loans made by Mortgagee to Mortgagor, giving rise to a right to accelerate payment thereof including, without limitation, any secured or unsecured loans;

(xv) Any improvement on said premises is substantially damaged or destroyed by a casualty which is partly or totally uninsured and Mortgagor fails to provide satisfactory evidence to Mortgagee within twenty days of such casualty that the necessary funds for satisfactory restoration of the improvement will be available at the time of restoration;

(xvi) The institution against Mortgagor or any person or entity with an interest in Mortgagor of criminal proceedings for which the forfeiture of assets is a potential penalty, if the assets potentially subject to such forfeiture could include any of the said premises;

(xvii) If a receiver, liquidator or trustee of Mortgagor or any Indemnitor or Guarantor shall be appointed or if Mortgagor or any Indemnitor or Guarantor shall be adjudicated a bankrupt or insolvent, or if any petition for bankruptcy, reorganization or arrangement pursuant to federal bankruptcy law, or any similar federal or state law, shall be filed by or against, consented to, or acquiesced in by, Mortgagor or any Indemnitor or Guarantor or if any proceeding for the dissolution or liquidation of Mortgagor or any Indemnitor or Guarantor shall be instituted; however, if such appointment, adjudication, petition or proceeding was involuntary and not consented to by Mortgagor or any Indemnitor or Guarantor, upon the same not being discharged, stayed or dismissed within sixty (60) days;

(xviii) Mortgagee in good faith reasonably believes that the prospect of payment of all or any part of the Indebtedness or performance of Mortgagor's or Debtor's obligations under this Mortgage or any other agreement now or hereafter in effect between Mortgagor, Debtor or Guarantor and Mortgagee or its Affiliates is impaired;

(xix) Failure of the Mortgagor and each corporate or limited liability company Guarantor to annually, as soon as available, but not more than one hundred fifty (150) days after the end of each applicable fiscal period, submit reviewed financial statements of the Mortgagor and each corporate or limited liability company Guarantor prepared by a certified public accountant, and signed annual Federal Tax Returns (and all schedules annexed thereto) of the Mortgagor and each corporate or limited liability company Guarantor when filed. The aforementioned financial statements shall be prepared on a consolidated and consolidating basis and in accordance with generally accepted accounting principles;

(xx) Failure of the Mortgagor and each corporate or limited liability company Guarantor to semi-annually, as soon as available, but not more than sixty (60) days after the end of the six (6) month semi-annual period, submit compiled financial statements prepared by a certified public accountant, and signed annual Federal Tax Returns (and all schedules annexed thereto) of the Mortgagor and each corporate or limited liability company Guarantor when filed. The aforementioned financial statements shall be prepared on a consolidated and consolidating basis and in accordance with generally accepted accounting principles;

(xxi) Failure of the individual Guarantors to submit to the Mortgagee signed annual personal financial statements (on the Mortgagee-approved form for same) and signed Federal Tax Returns (and all schedules annexed thereto) not more than thirty (30) days after the filing of such Federal Tax Returns;

(xxii) Failure by Mortgagor or Elite Investigations Ltd. or any corporate or limited liability company Guarantor to maintain a Debt Service Coverage (defined as EBITDA divided by Interest Expense plus CPLTD) of not less than 1.25x at any fiscal year end;

(xxiii) Failure of Elite Investigations Ltd. to have, at fiscal year end ending December 31, an Adjusted Tangible Net Worth defined as Shareholder's Equity (Deficit) plus Subordinated Debt plus 75% of the Appraised Value of said premises minus Due From Affiliates or any related party (i.e. Owners or Employees) minus Intangible Assets minus Book Value of said premises of not less than $750,000.00; or

(xxiv) Failure by Mortgagor or any of its affiliates to maintain a primary account relationship with Mortgagee.

(b) Remedies Upon Default. Upon the occurrence and during the continuance of any Event of Default, Mortgagor agrees that Mortgagee may take such action, without notice or demand, as it deems advisable to protect and enforce its rights against Mortgagor and in and to the Property, including, but not limited to, the following actions, each of which may be pursued concurrently or otherwise, at such time and in such order as Mortgagee may determine, in its sole discretion, without impairing or otherwise affecting the other rights and remedies of Mortgagee:

(i) declare the entire unpaid Indebtedness to be immediately due and payable;

(ii) institute proceedings, judicial or otherwise, for the complete foreclosure of this Mortgage under any applicable provision of law, in which case the Property or any interest therein may be sold for cash or upon credit in one or more parcels or in several interests or portions and in any order or manner;

(iii) with or without entry, to the extent permitted and pursuant to the procedures provided by applicable law, institute proceedings for the partial foreclosure of this Mortgage for the portion of the Indebtedness then due and payable, subject to the continuing lien and security interest of this Mortgage for the balance of the Indebtedness not then due, unimpaired and without loss of priority;

(iv) sell for cash or upon credit the Property or any part thereof and all estate, claim, demand, right, title and interest of Mortgagor therein and rights of redemption thereof, pursuant to power of sale or otherwise, at one or more sales, as an entirety or in parcels, at such time and place, upon such terms and after such notice thereof as may be required or permitted by law;

(v) institute an action, suit or proceeding in equity for the specific performance of any covenant, condition or agreement contained herein, in the Note, or in the other Loan Documents;

(vi) recover judgment on the Note either before, during or after any proceedings for the enforcement of this Mortgage or the other Loan Documents;

(vii) apply for the appointment of a receiver, trustee, liquidator or conservator of the Property, without notice and without regard for the adequacy of the security for the Indebtedness and without regard for the solvency of Mortgagor, any Guarantor, Indemnitor with respect to the Loan or of any Person liable for the payment of the Indebtedness;

(viii) the license granted to Mortgagor under Section 14 hereof shall automatically be revoked and Mortgagee may enter into or upon the Property, either personally or by its agents, nominees or attorneys and dispossess Mortgagor and its agents and servants therefrom, without liability for trespass, damages or otherwise and exclude Mortgagor and its agents or servants wholly therefrom, and take possession of all books, records and accounts

relating thereto and Mortgagor agrees to surrender possession of the Property and of such books, records and accounts to Mortgagee upon demand, and thereupon Mortgagee may (i) use, operate, manage, control, insure, maintain, repair, restore and otherwise deal with all and every part of the Property and conduct the business thereat; (ii) complete any construction on the Property in such manner and form as Mortgagee deems advisable; (iii) make alterations, additions, renewals, replacements and improvements to or on the Property; (iv) exercise all rights and powers of Mortgagor with respect to the Property, whether in the name of Mortgagor or otherwise, including, without limitation, the right to make, cancel, enforce or modify leases, obtain and evict tenants, and demand, sue for, collect and receive all rents of the Property and every part thereof; (v) require Mortgagor to pay monthly in advance to Mortgagee, or any receiver appointed to collect the rents, the fair and reasonable rental value for the use and occupation of such part of the Property as may be occupied by Mortgagor; (vi) require Mortgagor to vacate and surrender possession of the Property to Mortgagee or to such receiver and, in default thereof, Mortgagor may be evicted by summary proceedings or otherwise; and (vii) apply the receipts from the Property to the payment of the Indebtedness, in such order, priority and proportions as Mortgagee shall deem appropriate in its sole discretion after deducting therefrom all expenses (including reasonable attorneys' fees) incurred in connection with the aforesaid operations and all amounts necessary to pay the taxes, other charges, insurance and other expenses in connection with the Property, as well as just and reasonable compensation for the services of Mortgagee, its counsel, agents and employees;

(ix) exercise any and all rights and remedies granted to a secured party upon default under the Uniform Commercial Code, including, without limiting the generality of the foregoing:

(a) the right to take possession of the fixtures, the equipment and the personal property, or any part thereof, and to take such other measures as Mortgagee may deem necessary for the care, protection and preservation of the fixtures, the equipment and the personal property; and

(b) request Mortgagor at its expense to assemble the fixtures, the equipment and the personal property and make it available to Mortgagee at a convenient place acceptable to Mortgagee. Any notice of sale, disposition or other intended action by Mortgagee with respect to the fixtures, the equipment and/or the personal property sent to Mortgagor in accordance with the provisions hereof at least five (5) days prior to such action, shall constitute commercially reasonable notice to Mortgagor;

(xii) any sums then deposited or held in escrow or otherwise by or on behalf of Mortgagee in accordance with the terms of this Mortgage or any other Loan Document to the payment of the following items in any order in its uncontrolled discretion:

(a) Taxes and other charges;

(b) Insurance premiums;

(c) Interest on the unpaid principal balance of the Note;

(d) Amortization of the unpaid principal balance of the Note;

(e) All other sums payable pursuant to the Note, this Mortgage and the other Loan Documents, including without limitation advances made by Mortgagee pursuant to the terms of this Mortgage;

(f) pursue such other remedies as Mortgagee may have under applicable law.

In the event of a sale, by foreclosure, power of sale or otherwise, of less than all of Property, this Mortgage shall continue as a lien and security interest on the remaining portion of the Property unimpaired and without loss of priority.

(c) Mortgagee May Act. Upon the occurrence and during the continuance of any Event of Default or if Mortgagor fails to make any payment or to do any act as herein provided, Mortgagee may, but without any obligation to do so and without notice to or demand on Mortgagor and without releasing Mortgagor from any obligation hereunder, make or do the same in such manner and to such extent as Mortgagee may deem necessary to protect the security hereof. Mortgagee is authorized to enter upon the Property for such purposes, or appear in, defend, or bring any action or proceeding to protect its interest in the Property or to foreclose this Mortgage or collect the Indebtedness, and the cost and expense thereof (including reasonable attorneys' fees to the extent permitted by law), with interest as provided in this Section 24, shall constitute a portion of the Indebtedness and shall be due and payable to Mortgagee upon demand. All such costs and expenses incurred by Mortgagee in remedying such Event of Default or such failed payment or act or in appearing in, defending, or bringing any such action or proceeding shall bear interest at the Default Rate, for the period after notice from Mortgagee that such cost or expense was incurred to the date of payment to Mortgagee. All such costs and expenses incurred by Mortgagee together with interest thereon calculated at the Default Rate shall be deemed to constitute a portion of the Indebtedness and be secured by this Mortgage and the other Loan Documents and shall be immediately due and payable upon demand by Mortgagee therefor.

(d) Mortgagee Right to Defend and Take Action. Mortgagee has the right to appear in and defend any action or proceeding brought with respect to the Property and to bring any action or proceeding, in the name and on behalf of Mortgagor, which Mortgagee, in its discretion, decides should be brought to protect its interest in the Property. Mortgagee shall have the right from time to time to take action to recover any sum or sums which constitute a part of the Indebtedness as the same become due, without regard to whether or not the balance of the Indebtedness shall be due, and without prejudice to the right of Mortgagee thereafter to bring an action of foreclosure, or any other action, for a default or defaults by Mortgagor existing at the time such earlier action was commenced.

(e) Right to Cure. Anything to the contrary herein notwithstanding, before exercising its rights under Section 24(b) hereof, the Mortgagee shall give to Mortgagor notice in writing with respect to any non-monetary defaults (other than those defaults covered by the other provisions of Section 24) and Mortgagor shall have fifteen (15) days from the date of such notice to cure the default, except that, with respect to such defaults which are curable but which are incapable of being cured in said fifteen (15) day period, the Mortgagor shall commence to cure such default within fifteen (15) days, shall proceed promptly and diligently to cure the same and shall complete such cure within thirty (30) days after such notice date. Notwithstanding the foregoing, the provisions of this paragraph will not be applicable to any default which pursuant to the terms hereof or any other Loan Document has a specifically stated notice requirement and/or grace period. Failure to obtain and maintain the casualty and liability insurance required under this Mortgage shall be deemed a monetary default for the purposes of this paragraph.

25. **Deposits for Real Estate Taxes, etc.** If during the term of this Mortgage, the Mortgagee in its sole discretion deems it necessary in order to more fully protect the security of this Mortgage, together with, and in addition to, the monthly payments of principal and interest payable under the terms hereof, the Mortgagor will pay to the Mortgagee on the first day of the calendar month next succeeding the date hereof and on the first day of each month thereafter until the Indebtedness secured by this Mortgage shall have been paid in full, a sum equal to the real estate taxes next due on the mortgaged premises (as estimated by the Mortgagee) less all sums already paid therefore divided by the number of the monthly installments of principal and interest due hereunder before one month prior to the date on which such real estate taxes shall be due and payable, which sums to the extent received are to be held not as a trust fund and without interest or other payment of any kind but to be applied by the Mortgagee to the payment of such real estate taxes, as the same become due and payable. If such monthly payments become due at a time when the tax rate shall not have been fixed the monthly payment shall be estimated on the basis of the tax for the preceding year applied to the most recent assessed valuation. If the tax when paid varies from the tax as estimated in accordance with the preceding sentence, (i) any excess arising from said monthly payments shall be retained by the Mortgagee to be applied in reduction of subsequent monthly payments and (ii) any deficiency in the amount of such monthly payments below the tax as fixed shall be paid to the Mortgagee on demand. Upon any default hereunder beyond the expiration of any applicable notice, grace or cure period, the Mortgagee is authorized, at its option, to apply any sums held under this paragraph towards the elimination of any default of principal, interest or any covenant hereunder. "Real estate taxes", as used in this paragraph, shall be deemed to include assessments, water charges and sewer rentals.

26. **Impairment of Security.** The Mortgagor acknowledges that the security of the Mortgagee for the Indebtedness will be materially impaired, and the rights of the Mortgagee will not be adequately protected, if, at anytime the remaining principle Indebtedness hereunder exceeds the percent of the appraised value of said premises on which the Mortgagee relied in making this Mortgage. This acknowledgment in itself does not give the Mortgagee any right to accelerate the payment of the Indebtedness.

27. **No Waiver.** The acceptance by the Mortgagee of any sum after the same is due shall not constitute a waiver of the right either to require prompt payment, when due, of all other sums hereby secured or to declare a default as herein provided. The acceptance by the Mortgagee of any sum in an amount less than the sum then due shall be deemed an acceptance on account only and upon the condition that it shall not constitute a waiver of the obligations of the Mortgagor to pay the entire sun then due, and the Mortgagor's failure to pay said entire sum then due shall be and continue to be a default notwithstanding such acceptance or such amount on account, as aforesaid, and the Mortgagee shall be, at all times thereafter and until the entire sum then due shall have been paid, and notwithstanding the acceptance by the Mortgagee thereafter of further sums on account, or otherwise, entitled to exercise all rights hereunder conferred upon the Mortgagee, upon the occurrence of a default.

28. **Severability.** Should any term, provision, covenant or condition hereof be held to be void or invalid the same shall not affect any other term, provision, covenant or condition of this Mortgage, but the remainder hereof shall be effective as though such void or invalid term, provision, covenant or condition had not been contained herein.

29. **Due on Sale.** The Mortgagor hereby covenants and agrees that the commitment issued to Mortgagor by the Mortgagee for the Loan on the said premises was predicated on the continuation of the present ownership and management of the said premises, the same being a material inducement to the Mortgagee in the granting of the Loan and the Mortgagor agrees that the Mortgagee shall have the right and is hereby granted the right to call for the immediate payment of the entire mortgage Indebtedness, together with interest thereon and together with all other sums secured hereby, in the event that the said premises shall cease, without Mortgagee's prior written consent, to be owned and managed by the present owners, or in the event title to or any interest in the said premises and/or the air rights relating thereto and/or any other development rights relating thereto and/or the Mortgagor is directly or indirectly transferred, conveyed, assigned, mortgaged, encumbered or leased whether by deed, assignment, lease, transfer of stocks, security agreement, transfer of any partnership interest or by operation of law, without the Mortgagee's prior written consent. It is also agreed that the Mortgagor, or any successors in interest, will not, without the prior written consent of the Mortgagee execute, deliver and record any subordinate mortgage or other instrument encumbering the said premises including a purchase money wraparound mortgage, assignment of rents or of the Mortgagor's interest in leases. In the event of a default under the provisions of this paragraph, the Mortgagor agrees that the Mortgagee shall have the right and is hereby granted the right to declare the entire Indebtedness due and payable and to avail itself of all provisions set forth in this Mortgage, including Section 24 herein, for the collection of same including, without limitation, the right of foreclosure and the appointment of a receiver.

30. **Notices.** All notices to be given hereunder shall be delivered by hand, or sent to the party to be notified, via certified mail, return receipt requested or sent by recognized overnight courier which provides evidence of receipt and shall be deemed given when delivered by hand or one (1) business day after delivery to such recognized overnight courier or three (3) days after being posted with the United States Postal Service addressed to the parties as follows:

If to the Mortgagee:
SIGNATURE BANK
565 Fifth Avenue
New York, New York 10017
Attn.: Edwin Sirlin, Senior Vice-President

If to the Mortgagor:
Elite 29 Realty LLC
538 West 29th Street
New York, New York 10001
Attn.: Joseph Saponaro, President

31. **Undertaking to Cure Violations.** The Mortgagor covenants and undertakes (i) to cure all currently outstanding notices of violations with any municipal department having jurisdiction over said premises, and file all applications for the removal of violations and to furnish Mortgagee with evidence of such cure and the filing of such applications within six (6) months from the date hereof and (ii) to continue to make diligent efforts to have such violations removed of record thereafter. Failure to comply with the above shall constitute a default under this Mortgage as if such default were specifically contained in Section 24 and the Mortgagor

agrees to indemnify and hold Mortgagee harmless from and against any loss, liability, damage or expense suffered or incurred by Mortgagee arising out of or by reason of Mortgagor's failure to comply with the above.

32. **Hazardous Substance.** (a) The Mortgagor represents, covenants and warrants that: (i) to the best of Mortgagor's knowledge, the said premises encumbered hereby, have been at all times during Mortgagor's ownership thereof, and presently are, except as shown in any environment audit report prepared by Mortgagee's consultant in connection herewith, free of contamination arising out of or resulting from: (x) any petroleum or petroleum derivatives; (y) any substance or material presently identified or deemed to be toxic or hazardous under or pursuant to 42 U.S.C. §§9601-9675 or any other applicable federal, state or local statute, rule or regulation (any and all federal, state or local statutes, rules, orders or regulations, now or hereafter in effect, dealing with matters involving toxic or hazardous substances, the use, discharge or release of same, the environment or health or safety, are hereinafter collectively, referred to as the "**Law**"), including, without limitation, whether or not defined as such by the Law, any asbestos, polychlorinated biphenyls ("**PCBs**"), radioactive substance, methane, volatile hydrocarbons, industrial solvents, lead or lead based paint; or (z) any other material or substance which has in the past or could presently cause or constitute a health, safety or other environmental hazard to any person or property (all of the foregoing described in (x), (y) or (z) above and any other material which in the future could cause or constitute a health, safety or other environmental hazard to any person or property shall hereinafter be referred to as "**Hazardous Substances**" and any one of same as a "**Hazardous Substance**"); (ii) the Mortgagor has not caused or, to the best of the Mortgagor's knowledge, suffered to occur, and the Mortgagor will not hereafter cause or suffer to occur, a disposal or release of any Hazardous Substance in violation of the Law at, upon, under or within the said premises or any contiguous or adjacent real estate; (iii) neither the Mortgagor nor, to the best of the Mortgagor's knowledge, any other party has been, is or will be involved in operations or activities at or near the said premises that could result in, give rise to, or lead to the imposition of liability upon Mortgagor or any other owner of the said premises or the creation of a lien on the said premises, under the Law; (iv) the Mortgagor has not, to the best of Mortgagor's knowledge, permitted, and will not knowingly permit, any tenant or occupant of the said premises to engage in any operation or activity that could result in, give rise to, or lead to the imposition of liability on such tenant or occupant, Mortgagor or any other owner of any of the said premises, or the creation of a lien on the said premises, under the Law; (v) neither the Mortgagor nor, to the best of the Mortgagor's knowledge, any other party, has received any notice or inquiry pursuant to the Law pertaining to Hazardous Substances either at said premises or, with respect to the disposal of same, off said premises, or any notice from any party of any violation of the Law, and (vi) except as previously disclosed to the Mortgagee, to the best of the Mortgagor's knowledge, no authority, including, without limitation, the Federal Environmental Protection Agency ("**EPA**") has ever cited the premises for violation of the Law. The "**Mortgagor's knowledge**", as such term is used herein, shall include, if the Mortgagor is not actively involved in the day to day operations of said premises, the actual knowledge of the individuals who, in a management or supervisory capacity, are actively involved in such day to day operations.

(b) The Mortgagor further represents that the Mortgagor shall: (1) comply strictly and in all respects with the requirements of the Law; (2) notify Mortgagee promptly

following receipt of knowledge by the Mortgagor in the event of any disposal, release or threatened release of any Hazardous Substance at, upon, under or within the said premises; and (3) promptly forward to Mortgagee copies of all orders, notices, permits, applications, and other communications and reports in connection with any such disposal, release or threatened release of any Hazardous Substance or any other matters relating to the Law, as they may affect the said premises.

(c) The Mortgagor, promptly upon the written request of the Mortgagee, from time to time, shall, at the Mortgagor's expense, provide the Mortgagee with an environmental site assessment or environmental audit report, or an update of such an assessment or report, all in scope, form and content satisfactory to the Mortgagee; such notice from the Mortgagee shall be based upon reasonable cause and shall set forth the Mortgagee's reason for requesting such assessment.

(d) The Mortgagor hereby indemnifies the Mortgagee and agrees to hold the Mortgagee harmless from and against all loss, liability, damage and expense, including attorney's fee and expenses suffered or incurred by the Mortgagee, including but not limited to any and all costs and expenses incurred by Mortgagee (including but not limited, the cost of any investigation to determine whether a cleanup of said premises is necessary, the cost of cleanup, payment of fines or penalties and payment of damages to third parties) whether as holder of this Mortgage, as mortgagee in possession or as successor in interest to the Mortgagor or as owner of the said premises by virtue of foreclosure or acceptance of a deed in lieu of foreclosure or in any other capacity, (i) under or on account of the Law or related regulations or any similar applicable laws or regulations, including the assertion of any lien against the said premises thereunder (ii) with respect to the existence of, or any disposal, release or threatened release of, any Hazardous Substance affecting the said premises whether or not the same originates or emanates from the said premises or any other source, including any loss of value of the said premises as a result of such existence, disposal, release or threatened release of any Hazardous Substance, (iii) with respect to any other matter affecting the said premises within the jurisdiction of the Environmental Protection Agency of the United States of America or the agencies having authority for environmental protection or conservation in the State in which said premises are situated; and (iv) with respect to Mortgagee's reliance on any representation or warranty of the Mortgagor herein. This indemnification shall not cover any loss occasioned solely by acts committed (i) after the Mortgagor or any subsequent owner is no longer the owner of the said premises by reason of a sale pursuant to a foreclosure of this Mortgage or a deed in lieu of foreclosure of this Mortgage or (ii) during the period Mortgagee has actual physical possession of the said premises, but it will cover a loss occasioned by acts committed or matters arising prior to or during any period in which a court appointed receiver is in possession of the said premises. The term "**loss**" shall include any amounts paid by Mortgagee in connection with any settlement or compromise made by Mortgagee in good faith, upon giving the undersigned ten (10) days prior notice, of any claim, demand, loss, liability, cost, charge, suit, order, judgment or adjudication, in connection with the foregoing, under the belief that it is liable therefor, whether liable or not, without the consent or approval of the Mortgagor unless the Mortgagor within such ten (10) day period shall protest in writing and simultaneously with such protest deposit with Mortgagee collateral satisfactory to Mortgagee sufficient to pay and satisfy in Mortgagee's opinion any damages, penalty and interest which may accrue as a result of such claim, demand,

loss, liability, cost, charge, attorney's fee, expense, suit, order, judgment or adjudication and any judgment or judgments as may result. The term "**Mortgagee**" shall include any successor, assignee or designee of Mortgagee, which becomes the owner of this Mortgage or the owner of the said premises through foreclosure or acceptance of a deed in lieu thereof and shall include any directors, officers, employees, partners or agents or Mortgagee and any of the foregoing. All representations, covenants and indemnifications herein shall survive the repayment of the Indebtedness hereby secured and the satisfaction of this Mortgage.

(e) In the event of any existence, disposal, release or threatened release of any Hazardous Substance affecting the said premises, whether or not the same originates or emanates from the said premises or any other source, and/or if the Mortgagor shall fail to comply with any of the requirements of the Law or related regulations or any other environmental law or regulation, the Mortgagee may at its election, but without the obligation so to do, give such notices and/or cause such work to be performed at the said premises and/or take any and all other actions as the Mortgagee shall deem necessary or advisable in order to remedy said existence, disposal, release or threatened release of any Hazardous Substance or cure said failure of compliance and any amounts paid as a result thereof, together with interest thereon at the default interest rate provided in Section 21 hereof from the date of payment by the Mortgagee, shall be immediately due and payable by the Mortgagor to the Mortgagee and until paid shall be secured by this Mortgage and shall have the benefit of the lien hereby created as a part thereof.

(f) Nothing herein contained shall be construed to limit the effectiveness of the representations, covenants warranties and indemnification provisions contained in (a) through (e) above to the period during which any amounts due and payable under the Loan Documents remain outstanding and they shall survive the repayment of such amounts or the extinguishment of the Mortgage and shall continue in full force and effect so long as any matters shall exist against which Mortgagor has indemnified Mortgagee pursuant thereto and such representations, covenants, warranties and indemnity shall be in addition to, and not in lieu of, any rights granted to Mortgagee in this Mortgage or any of the other Loan Documents.

33. **Recording of Mortgage; Replacement Documents.** At any time, and from time to time, upon request of Mortgagee, Mortgagor will make, execute and deliver, or will cause to be made, executed or delivered, to Mortgagee or to Mortgagee's designee, and when requested by Mortgagee, cause to be filed, recorded, refiled, or rerecorded, as the case may be, at such times and in such offices and places as Mortgagee may deem appropriate, any and all such mortgages, deeds of trust, security deeds, security agreements, financing statements, continuation statements, instruments of further assurance, certificates, and other documents as may, in the sole opinion of Mortgagee, be necessary or desirable in order to effectuate, complete, perfect, continue, or preserve (a) the obligations of Mortgagor under the Note, this Mortgage, and the related documents, and (b) the liens and security interests created by this Mortgage as first and prior liens on the Property, whether now owned or hereafter acquired by Mortgagor. Unless prohibited by law or agreed to the contrary by Mortgagee in writing, Mortgagor shall reimburse Mortgagee for all costs and expenses incurred in connection with the matters referred to in this paragraph.

Upon receipt of an affidavit of an officer of Mortgagee as to the loss, theft, destruction or mutilation of the Note or any other Loan Document which is not of public record, and, in the case of any such mutilation, upon surrender and cancellation of such Note or other Loan Document, Mortgagor will issue, in lieu thereof, a replacement Note or other Loan Document, dated the date of such lost, stolen, destroyed or mutilated Note or other Loan Document in the same principal amount thereof and otherwise of like tenor.

34. **Indemnification**. Mortgagor shall, at its sole cost and expense, protect, defend, indemnify, release and hold harmless the Indemnified Parties from and against any and all claims, suits, liabilities (including, without limitation, strict liabilities), actions, proceedings, obligations, debts, damages, losses, costs, expenses, diminutions in value, fines, penalties, charges, fees, expenses, judgments, awards, amounts ·paid in settlement, of whatever kind or nature, but excluding consequential, special or punitive damages (including but not limited to reasonable attorneys' fees and other costs of defense) (collectively, the "Losses") imposed upon or incurred by or asserted against any Indemnified Parties· and directly or indirectly arising out of or in any way relating to anyone or more of the following: (a) ownership of this Mortgage, the Property or any interest therein or receipt of any Rents; (b) any amendment to, or restructuring of, the Indebtedness, and the Note, this Mortgage, or any other Loan Documents; (c) any and all lawful action that may be taken by Mortgagee in connection with the enforcement of the provisions of this Mortgage or the Note or any of the other Loan Documents, whether or not suit is filed in connection with same, or in connection with Mortgagor, any Guarantor or Indemnitor and/or any partner, joint venturer or shareholder thereof becoming a party to a voluntary or involuntary federal or state bankruptcy, insolvency or similar proceeding; (d) any accident, injury to or death of persons or loss of or damage to property occurring in, on or about the Property or any part thereof or on the adjoining sidewalks, curbs, adjacent property or adjacent parking areas, streets or ways; (e) any use, nonuse or condition in, on or about the Property or any part thereof or on the adjoining sidewalks, curbs, adjacent property or adjacent parking areas, streets or ways; (f) any failure on the part of Mortgagor to perform or be in compliance with any of the terms of this Mortgage; (g) performance of any labor or services or the furnishing of any materials or other property in respect of the Property or any part thereof; (h) the failure of any person to file timely with the Internal Revenue Service an accurate Form 1099-B, Statement for Recipients of Proceeds from Real Estate, Broker and Barter Exchange Transactions, which may be required in connection with this Mortgage, or to supply a copy thereof in a timely fashion to the recipient of the proceeds of the transaction in connection with which this Mortgage is made; (i) any failure of the Property to be in compliance with any Legal Requirements; CD the enforcement by any Indemnified Party of the provisions of this Article 9; (k) any and all claims and demands whatsoever which may be asserted against Mortgagee by reason of any alleged obligations or undertakings on its part to perform or discharge any of the terms, covenants, or agreements contained in any Lease; (1) the payment of any commission, charge or brokerage fee to anyone claiming through Mortgagor which may be payable in connection with the funding of the Loan; or (m)any misrepresentation made by Mortgagor in this Mortgage or any other Loan Document. Any amounts payable to Mortgagee by reason of the application of this Section 34 shall become immediately due and payable and shall bear interest at the Default Rate from the date loss or damage is sustained by Mortgagee until paid. For purposes of this Article 9, the term **"Indemnified Parties"** means Mortgagee and any Person who is or will have been involve in the origination of the Loan, any Person who is or will have been involved in the servicing of the

Loan secured hereby, any Person in whose name the encumbrance created by this Mortgage is or will have been recorded, persons and entities who may hold or acquire or will have held a full or partial interest in the Loan secured hereby (including, but not limited to, investors in the Securities, as well as custodians, trustees and other fiduciaries who hold or have held a full or partial interest in the Loan secured hereby for the benefit of third parties) as well as the respective directors, officers, shareholders, partners, employees, agents, servants, representatives, contractors, subcontractors, affiliates, subsidiaries, participants, successors and assigns of any and all of the foregoing (including but not limited to any other Person who holds or acquires or will have held a participation or other full or partial interest in the Loan, whether during the term of the Loan or as a part of or following a foreclosure of the Loan and including, but not limited to, any successors by merger, consolidation or acquisition of all or a substantial portion of Mortgagee's assets and business).

35. **Satisfaction.** Upon the payment in full of the amounts due under, evidenced or secured by this Mortgage, the Mortgagee will surrender this Mortgage or any other evidence of the obligation for which this Mortgage is given as security, to Mortgagor, or any other person entitled to it, and will execute and deliver to Mortgagor or other person entitled to it, a full and sufficient satisfaction piece or assignment, as Mortgagor or other person entitled to it may request.

36. **Satisfaction of Other Loans.** Upon the maturity of this Mortgage or if the Mortgagor elects to prepay the mortgage loan, the Mortgagor shall also be required to prepay all outstanding loans owed by Mortgagor to Mortgagee.

37. **No Secondary Financing or Other Liens**. Mortgagor shall not, without Mortgagee's prior written consent, mortgage, pledge, assign, grant a security interest in or cause any other lien or encumbrance to be made or permit any other lien or encumbrance to exist upon the premises or any portion thereof except for (a) taxes and assessments not yet delinquent and (b) any mortgage, pledge, security interest, assignment or other lien or encumbrance to Mortgagee or any affiliate of Mortgagee (an "Affiliate").

38. **Reserve Account.** The Mortgagor covenants and agrees that it shall deposit with Mortgagee all its monies, whether tenant security deposits, if any, or reserve funds or operating accounts, which funds shall be maintained in accounts with the Mortgagee or invested at the direction of the Mortgagor through the Mortgagee or its affiliates in U.S. Treasury obligations, municipal bonds or other financial investments typically held by cooperative corporations; provided, however, notwithstanding the foregoing, if any such money cannot now be withdrawn from their current accounts or investments without incurring an early withdrawal penalty, Mortgagor shall certify as to the amount of same and the date or dates they can be withdrawn without penalty and shall agree to so deposit such money 14 days after such date or dates. Failure to deposit all reserve monies and maintain accounts and/or invest as aforesaid shall be deemed a default under the terms of this Mortgage.

39. **Governing Law**.

(a) THIS MORTGAGE WAS NEGOTIATED IN THE STATE OF NEW YORK, AND MADE BY MORTGAGOR AND ACCEPTED BY MORTGAGEE IN THE

STATE OF NEW YORK, AND THE PROCEEDS OF THE NOTE SECURED HEREBY WERE DISBURSED FROM THE STATE OF NEW YORK, WHICH STATE THE PARTIES AGREE HAS A SUBSTANTIAL RELATIONSHIP TO THE PARTIES AND TO THE UNDERLYING TRANSACTION EMBODIED HEREBY, AND IN ALL RESPECTS, INCLUDING, WITHOUT LIMITING THE GENERALITY OF THE FOREGOING, MATTERS OF CONSTRUCTION, VALIDITY AND PERFORMANCE, THIS MORTGAGE AND THE OBLIGATIONS ARISING HEREUNDER SHALL BE GOVERNED BY, AND CONSTRUED IN ACCORDANCE WITH, THE LAWS OF THE STATE OF NEW YORK APPLICABLE TO CONTRACTS MADE AND PERFORMED IN SUCH STATE (WITHOUT REGARD TO PRINCIPLES OF CONFLICT LAWS) AND ANY APPLICABLE LAW OF THE UNITED STATES OF: AMERICA, EXCEPT THAT AT ALL TIMES THE PROVISIONS FOR THE CREATION, PERFECTION, AND ENFORCEMENT OF THE LIENS AND SECURITY INTERESTS CREATED PURSUANT HERETO AND PURSUANT TO THE OTHER LOAN DOCUMENTS WITH RESPECT TO THE PROPERTY SHALL BE GOVERNED BY AND CONSTRUED ACCORDING TO THE LAW OF THE STATE IN WHICH THE PROPERTY IS LOCATED, IT BEING UNDERSTOOD THAT, TO THE FULLEST EXTENT PERMITTED BY THE LAW OF SUCH STATE, THE LAW OF THE STATE OF NEW YORK SHALL GOVERN THE CONSTRUCTION, VALIDITY AND ENFORCEABILITY OF ALL LOAN DOCUMENTS AND ALL OF THE OBLIGATIONS ARISING HEREUNDER OR THEREUNDER. TO THE FULLEST EXTENT PERMITTED BY LAW, MORTGAGOR HEREBY UNCONDITIONALLY AND IRREVOCABLY WAIVES ANY CLAIM TO ASSERT THAT THE LAW OF ANY OTHER JURISDICTION GOVERNS THIS MORTGAGE OR THE OTHER LOAN DOCUMENTS, AND THIS MORTGAGE AND THE OTHER LOAN DOCUMENTS SHALL BE GOVERNED BY AND CONSTRUED IN ACCORDANCE WITH THE LAWS OF THE STATE OF NEW YORK PURSUANT TO SECTION 5-1401 OF THE NEW YORK GENERAL OBLIGATIONS LAW.

(b) ANY LEGAL SUIT, ACTION OR PROCEEDING AGAINST MORTGAGEE OR MORTGAGOR ARISING OUT OF OR RELATING TO THIS MORTGAGE MAY AT MORTGAGEE'S OPTION BE INSTITUTED IN ANY FEDERAL OR STATE COURT IN THE CITY OF NEW YORK, COUNTY OF NEW YORK, PURSUANT TO SECTION 5-1402 OF THE NEW YORK GENERAL OBLIGATIONS LAW, AND MORTGAGOR WAIVES ANY OBJECTIONS WHICH IT MAY NOW OR HEREAFTER HAVE BASED ON VENUE AND/OR FORUM NON CONVENIENS OF ANY SUCH SUIT, ACTION OR PROCEEDING, AND MORTGAGOR HEREBY IRREVOCABLY SUBMITS TO THE JURISDICTION OF ANY SUCH COURT IN ANY SUIT, ACTION OR PROCEEDING.

40. **Usury Laws**. Notwithstanding anything to the contrary, (a) all agreements and communications between Mortgagor and Mortgagee are hereby and shall automatically be limited so that, after taking into account all amounts deemed interest, the interest contracted for, charged or received by Mortgagee shall never exceed the maximum lawful rate or amount, (b) in calculating whether any interest exceeds the lawful maximum, all such interest shall be amortized, prorated, allocated and spread over the full amount and term of all principal Indebtedness of Mortgagor to Mortgagee, and (c) if through any contingency or event, Mortgagee receives or is deemed to receive interest in excess of the lawful maximum, any such excess shall be deemed to have been applied toward payment of the principal of any and all then

outstanding Indebtedness of Mortgagor to Mortgagee, or if there is no such Indebtedness, shall immediately be returned to Mortgagor.

41. **Provisions Subject to Applicable Law**. All rights, powers and remedies provided in this Mortgage may be exercised only to the extent that the exercise thereof does not violate any applicable provisions of law and are intended to be limited to the extent necessary so that they will not render this Mortgage invalid, unenforceable or not entitled to be recorded, registered or filed under the provisions of any applicable law. If any term of this Mortgage or any application thereof shall be invalid or unenforceable, the remainder of this Mortgage and any other application of the term shall not be affected thereby.

42. **Miscellaneous Provisions**.

(a) No Oral Change. This Mortgage, and any provisions hereof, may not be modified, amended, waived, extended, changed, discharged or terminated orally or by any act or failure to act on the part of Mortgagor or Mortgagee, but only by an agreement in writing signed by the party against whom enforcement of any modification, amendment, waiver, extension, change, discharge or termination is sought.

(b) Successors and Assigns. This Mortgage shall be binding upon and inure to the benefit of Mortgagor and Mortgagee and their respective successors and assigns forever.

(c) Inapplicable Provisions. If any term, covenant or condition of the Note or this Mortgage is held to be invalid, illegal or unenforceable in any respect, the Note and this Mortgage shall be construed without such provision.

(d) Headings. The headings and captions of various Sections of this Mortgage are for convenience of reference only and are not to be construed as defining or limiting, in any way, the scope or intent of the provisions hereof.

(e) Number and Gender. Whenever the context may require, any pronouns used herein shall include the corresponding masculine, feminine or neuter forms, and the singular form of nouns and pronouns shall include the plural and vice versa.

(f) Subrogation. If any or all of the proceeds of the Note have been used to extinguish, extend or renew any Indebtedness heretofore existing against the Property, then, to the extent of the funds so used, Mortgagee shall be subrogated to all of the rights, claims, liens, titles, and interests existing against the Property heretofore held by, or in favor of, the holder of such Indebtedness and such former rights, claims, liens, titles, and interests, if any, are not waived but rather are continued in full force and effect in favor of Mortgagee and are merged with the lien and security interest created herein as cumulative security for the repayment of the Indebtedness, the performance and discharge of Mortgagor's obligations hereunder, under the Note and the other Loan Documents and the performance and discharge of the Other Obligations.

(g) Entire Agreement. The Note, this Mortgage and the other Loan Documents constitute the entire understanding and agreement between Mortgagor and Mortgagee with respect to the transactions arising in connection with the Indebtedness and supersede all prior written or oral understandings and agreements between Mortgagor and Mortgagee with respect thereto. Mortgagor hereby acknowledges that, except as incorporated in writing in the Note, this Mortgage and the other Loan Documents, there are not, and were not, and no persons are or were authorized by Mortgagee to make, any representations,

understandings, stipulations, agreements or promises, oral or written, with respect to the transaction which is the subject of the Note, this Mortgage and the other Loan Documents.

(h) Limitations on Mortgagee's Responsibility. No provision of this Mortgage shall operate to place any obligation or liability for the control, care, management or repair of the Property upon Mortgagee, nor shall it operate to make Mortgagee responsible or liable for any waste committed on the Property by the tenants or any other Person, or for any dangerous or defective condition of the Property, or for any negligence in the management, upkeep, repair or control of the Property resulting in loss or injury or death to any tenant, licensee, employee or stranger. Nothing herein contained shall be construed as constituting Mortgagee a "mortgagee in possession."

43. State Specific Provisions.

(a) Principles of Construction. In the event of any inconsistencies between the terms and conditions of this Section 43 and the other terms and conditions of this Mortgage, the terms and conditions of this Section 43 shall control and be binding.

(b) Maximum Principal Sum. THE PARTIES HERETO INTEND THAT THIS MORTGAGE SHALL SECURE UNPAID BALANCES OF THE INDEBTEDNESS SECURED HEREBY WHETHER INCURRED BY MORTGAGOR AT THE DATE HEREOF OR AFTER THIS MORTGAGE IS DELIVERED FOR RECORDATION IN THE OFFICIAL RECORDS OF THE COUNTY IN WHICH THE PROPERTY IS LOCATED. THE MAXIMUM PRINCIPAL AMOUNT OF INDEBTEDNESS WHICH IS OR UNDER ANY CONTINGENCY MAY BE SECURED AT THE DATE OF EXECUTION HEREOF OR A T ANY TIME THEREAFTER BY THIS MORTGAGE IS **FOUR MILLION ONE HUNDRED NINETY TWO THOUSAND EIGHT HUNDRED SIXTY FOUR AND 97/100 DOLLARS ($4,192,864.97).**

(c) Trust Fund for Advances. In compliance with Section 13 of the Lien Law of the State of New York, Mortgagor will receive the advances secured by this Mortgage and will hold the right to receive such advances as a trust fund to be applied first for the purpose of paying the cost of the building(s) and other improvements located on the Property before using any part of the total of the same for any other purpose. Mortgagor will indemnify and hold Mortgagee harmless against any loss, liability, cost or expense, including any judgments, attorneys' fees, costs of appeal bonds or printing costs, arising out of or relating to any proceedings instituted by any claimant alleging a violation by Mortgagor of Article 3-A of the New York Lien Law.

(d) New York Real Property law Article 4-A. If this Mortgage shall be deemed to constitute a "mortgage investment" as defined by New York Real Property Law § 125, then this Mortgage shall and hereby does (i) confer upon Mortgagee the powers, and (ii) impose upon Mortgagee the duties of trustees set forth in New York Real Property Law § 126.

(e) Statement in Accordance with Section 253 of the New York Tax Law. This Mortgage does not cover real property principally improved or to be improved by one or more structures containing in the aggregate not more than six (6) residential dwelling units, each having separate cooking facilities.

(f) Statement in Accordance with Section 274-a of the New York State Real Property Law. Mortgagee shall, within fifteen (15) days after written request, provide Mortgagor with the statement required by Section 274-a of the New York Real Property Law.

(g) Section 291-f of the New York State Real Property Law. Mortgagee shall have all of the rights set forth in Section 291-f of the Real Property Law of New York. For purposes of Section 291-f of the New York Real Property Law, all existing tenants and every tenant or subtenant who after the recording of this Mortgage, enters into a Lease upon the premises of any of the Property or who acquires by instrument of assignment or by operation of law a leasehold estate upon the Property is hereby notified that Mortgagor shall not, without obtaining Mortgagee's prior consent in each instance, cancel, abridge or otherwise modify any Leases or accept prepayments for more than thirty (30) days of installments of rent to become due with respect to any Lease thereof having an unexpired term on the date of this Mortgage of five (5) years or more, and that any such cancellation, abridgement, modification or prepayment made by any such tenant or subtenant without either being expressly permitted under this Mortgage or receiving Mortgagee's prior consent shall be voidable by Mortgagee at its option.

(h) Sections 254, 271, 272 and 291-f. All covenants of Mortgagor herein contained shall be construed as affording to Mortgagee rights additional to and not exclusive of the rights conferred under the provisions of Sections 254, 271, 272 and 291-f of the Real Property Law of New York.

(i) RPAPL. If an Event of Default shall occur and be continuing, Mortgagee may elect to sell (and, in the case of any default of any purchaser, resell) the Property or any part thereof by exercise of the power of foreclosure or of sale granted to Mortgagee by Articles 13 or 14 of the New York Real Property Actions and Proceedings Law (the "RPAPL"). In such case, Mortgagee may commence a civil action to foreclose this Mortgage pursuant to Article 13 of the RPAPL, or it may proceed and sell the Property pursuant to Article 14 of the RPAPL to satisfy the Note and all other amounts secured hereby.

IN WITNESS WHEREOF this Mortgage has been duly executed by the parties hereto as of the date first written above.

MORTGAGOR:
ELITE 29 REALTY LLC

By: _____
Joseph Saponaro, President and Member

STATE OF NEW YORK)
): SS.:
COUNTY OF NEW YORK)

On the 31st day of May in the year 2016, before me, the undersigned, a Notary Public in and for said State, personally appeared Joseph Saponaro personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s), or the person upon behalf of which the individual(s) acted, executed the instrument.

_____
Notary Public

WENDY P INTERLANDI
Notary Public, State of New York
No. 01IN6095146
Qualified in Richmond County
Commission Expires July 07, 2019

EXHIBIT "A"
EXISTING MORTGAGES

MORTGAGE 'A'
MORTGAGE made by ELITE 29 REALTY, LLC to SIGNATURE BANK in the amount of $2,500,000.00 dated 11/01/2006, recorded 11/15/2006 in (as) CRFN 2006000633681. (Mortgage Tax Paid: $70,000.00)

MORTGAGE 'B'
MORTGAGE made by ELITE 29 REALTY, LLC to SIGNATURE BANK in the amount of $2,000,000.00 dated 08/13/2008, recorded 08/22/2008 in (as) CRFN 2008000336114. (Mortgage Tax Paid: $56,000.00)

MORTGAGE 'C'
MORTGAGE CONSOLIDATION, EXTENSION, MODIFICATION AND SECURITY AGREEMENT made by and between ELITE 29 REALTY, LLC and SIGNATURE BANK dated as of 10/02/2012, recorded 11/16/2012 in (as) CRFN 2012000450308. Consolidates Mortgages 'A' and 'B' to form a single lien in the amount of $4,481,477.67 (Mortgage Tax Paid: $8,353.75).

Schedule "A"
Description of Land

Title No. 3020-772776

SCHEDULE "A"

ALL THAT CERTAIN PLOT, PIECE OR PARCEL OF LAND, SITUATE, LYING AND BEING IN THE CITY, COUNTY AND STATE OF NEW YORK, BOUNDED AND DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT ON THE SOUTHERLY SIDE OF 29TH STREET, DISTANT 249 FEET 6 INCHES EASTERLY FROM THE CORNER FORMED BY THE INTERSECTION OF THE EASTERLY SIDE OF 11TH AVENUE AND THE SOUTHERLY SIDE OF 29TH STREET;

RUNNING THENCE SOUTHERLY PARALLEL WITH 11TH AVENUE AND PART OF THE WAY THROUGH A PARTY WALL, 60 FEET;

THENCE EASTERLY PARALLEL WITH 29TH STREET, 6 INCHES;

THENCE SOUTHERLY PARALLEL WITH 11TH AVENUE, 38 FEET 9 INCHES TO THE CENTER LINE OF THE BLOCK;

THENCE EASTERLY ALONG SAME PARALLEL WITH 29TH STREET, 25 FEET;

THENCE NORTHERLY PARALLEL WITH 11TH AVENUE AND PART OF THE WAY THROUGH ANOTHER PARTY WALL, 98 FEET 9 INCHES TO THE SAID SOUTHERLY SIDE OF 29TH STREET; AND

THENCE WESTERLY ALONG SAME, 25 FEET 6 INCHES TO THE POINT OR PLACE OF BEGINNING.

THE policy to be issued under this report will insure the title to such buildings and improvements erected on the premises, which by law constitute real property.

FOR CONVEYANCING ONLY: TOGETHER with all the right, title and interest of the party of the first part, of in and to the land lying in the street in front of and adjoining said premises.

NYC DEPARTMENT OF FINANCE
OFFICE OF THE CITY REGISTER



2016060301530002001S6DB2

SUPPORTING DOCUMENT COVER PAGE **PAGE 1 OF 1**

Document ID: 2016060301530002 Document Date: 05-31-2016 Preparation Date: 06-06-2016
Document Type: AGREEMENT

SUPPORTING DOCUMENTS SUBMITTED:

	Page Count
255 MORTGAGE TAX EXEMPT AFFIDAVIT	3

AFFIDAVIT UNDER SECTION 255 TAX LAW
(CEMA)

STATE OF NEW YORK)
) ss.:
COUNTY OF NEW YORK)

The undersigned ("Deponent"), being duly sworn, solely in his capacity as President and Member of ELITE 29 REALTY LLC, a New York limited liability company ("Mortgagor"), deposes and says, as of May 31, 2016, that:

1. Deponent is an authorized signatory of Mortgagor and has knowledge of the facts concerning this transaction.

2. Mortgagor is the owner of certain premises encumbered by the mortgages described on Exhibit "A" attached hereto (the "**Existing Mortgages**"), which evidence an outstanding principal indebtedness of **FOUR MILLION ONE HUNDRED SIXTY TWO THOUSAND EIGHT HUNDRED SIXTY FOUR AND 97/100 DOLLARS ($4,162,864.97)**, as of the date hereof (the "**Existing Indebtedness**"). The maximum amount of principal indebtedness secured by the Existing Mortgage was the face amount thereof and the mortgage recording tax was duly paid at the time of recording of said Existing Mortgage, as set forth on Exhibit A attached hereto.

3. That certain Consolidation Extension and Modification Agreement (the "Consolidated Mortgage"), dated as of the date hereof, by and between Mortgagor and Signature Bank, as mortgagee ("Mortgagee"), which is being presented for recording simultaneously herewith (i) was given as further security for the payment of the Existing Indebtedness (ii) secures additional indebtedness in the amount of **THIRTY THOUSAND AND 00/100 DOLLARS ($30,000.00)**, upon which mortgage recording tax is being paid simultaneously with the recording of such Consolidated Mortgage in the amount of **$615.00** and amends, restates and consolidates the Existing Mortgage in the consolidated amount of **FOUR MILLION ONE HUNDRED NINETY TWO THOUSAND EIGHT HUNDRED SIXTY FOUR AND 97/100 DOLLARS ($4,192,864.97)**;

4. That there have been no reloans or readvances on the Existing Mortgage or the Consolidated Mortgage.

5. That the Consolidated Mortgage does not create or secure any new or further principal indebtedness or obligation other than the principal indebtedness which is, or under any contingency may be, secured by the Existing Mortgage.

[NO FURTHER TEXT ON THIS PAGE]

WHEREFORE, Deponent respectfully requests that the Consolidated Mortgage tendered herewith for recording be declared exempt from further taxation pursuant to the provisions of Section 255 of Article 11 of the Tax Law of the State of New York.

Joseph Saponaro, President and Member

ACKNOWLEDGMENT

STATE OF NEW YORK)
) ss.:
COUNTY OF NEW YORK)

On the 31st day of May in the year 2016, before me, the undersigned, a Notary Public in and for said State, personally appeared Joseph Saponaro personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s), or the person upon behalf of which the individual(s) acted, executed the instrument.

Signature and Office of individual
taking acknowledgement

WENDY P INTERLANDI
Notary Public, State of New York
No. 01IN6095146
Qualified in Richmond County
Commission Expires July 07, 2019

EXHIBIT "A"
EXISTING MORTGAGES

MORTGAGE 'A'
MORTGAGE made by ELITE 29 REALTY, LLC to SIGNATURE BANK in the amount of $2,500,000.00 dated 11/01/2006, recorded 11/15/2006 in (as) CRFN 2006000633681. (Mortgage Tax Paid: $70,000.00)

MORTGAGE 'B'
MORTGAGE made by ELITE 29 REALTY, LLC to SIGNATURE BANK in the amount of $2,000,000.00 dated 08/13/2008, recorded 08/22/2008 in (as) CRFN 2008000336114. (Mortgage Tax Paid: $56,000.00)

MORTGAGE 'C'
MORTGAGE CONSOLIDATION, EXTENSION, MODIFICATION AND SECURITY AGREEMENT made by and between ELITE 29 REALTY, LLC and SIGNATURE BANK dated as of 10/02/2012, recorded 11/16/2012 in (as) CRFN 2012000450308. Consolidates Mortgages 'A' and 'B' to form a single lien in the amount of $4,481,477.67 (Mortgage Tax Paid: $8,353.75).

NYCDOB

538-540 West 29th Street
538-540 West 29th Street
New York, NY 10001

Inquiry Number: 5233497.8
March 26, 2018

EDR Building Permit Report

Target Property and Adjoining Properties

Environmental Data Resources Inc

6 Armstrong Road
Shelton, CT 06484
800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION

About This Report

Executive Summary

Findings

Glossary

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2017 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EDR BUILDING PERMIT REPORT

About This Report

The EDR Building Permit Report provides a practical and efficient method to search building department records for indications of environmental conditions. Generated via a search of municipal building permit records gathered from more than 1,600 cities nationwide, this report will assist you in meeting the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13), or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

Building permit data can be used to identify current and/or former operations and structures/features of environmental concern. The data can provide information on a target property and adjoining properties such as the presence of underground storage tanks, pump islands, sumps, drywells, etc., as well as information regarding water, sewer, natural gas, electrical connection dates, and current/former septic tanks.

ASTM and EPA Requirements

ASTM E 1527-13 lists building department records as a "standard historical source," as detailed in § 8.3.4.7: "Building Department Records - The term building department records means those records of the local government in which the property is located indicating permission of the local government to construct, alter, or demolish improvements on the property." ASTM also states that "Uses in the area surrounding the property shall be identified in the report, but this task is required only to the extent that this information is revealed in the course of researching the property itself."

EPA's Standards and Practices for All Appropriate Inquires (AAI) states: "§312.24: Reviews of historical sources of information. (a) Historical documents and records must be reviewed for the purposes of achieving the objectives and performance factors of §312.20(e) and (f). Historical documents and records may include, but are not limited to, aerial photographs, fire insurance maps, building department records, chain of title documents, and land use records."

Methodology

EDR has developed the EDR Building Permit Report through our partnership with BuildFax, the nation's largest repository of building department records. BuildFax collects, updates, and manages building department records from local municipal governments. The database now includes 30 million permits, on more than 10 million properties across 1,600 cities in the United States.

The EDR Building Permit Report comprises local municipal building permit records, gathered directly from local jurisdictions, including both target property and adjoining properties. Years of coverage vary by municipality. Data reported includes (where available): date of permit, permit type, permit number, status, valuation, contractor company, contractor name, and description.

Incoming permit data is checked at seven stages in a regimented quality control process, from initial data source interview, to data preparation, through final auditing. To ensure the building department is accurate, each of the seven quality control stages contains, on average, 15 additional quality checks, resulting in a process of approximately 105 quality control "touch points."

For more information about the EDR Building Permit Report, please contact your EDR Account Executive at (800) 352-0050.

EDR® Environmental Data Resources Inc

BUILDFAX® PROPERTY HISTORY

EXECUTIVE SUMMARY: SEARCH DOCUMENTATION

A search of building department records was conducted by Environmental Data Resources, Inc (EDR) on behalf of ESPL Env. Consultants Corp. on Mar 26, 2018.

TARGET PROPERTY

538-540 West 29th Street
New York, NY 10001

SEARCH METHODS

EDR searches available lists for both the Target Property and Surrounding Properties.

RESEARCH SUMMARY

Building permits identified: **YES**

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

P//New York City, NY

Year	*Source*	*TP*	*Adjoining*
2018	New York City, Department of Buildings		X
2017	New York City, Department of Buildings		X
	New York City, Department of Buildings	X	
2016	New York City, Department of Buildings		X
	New York City, Department of Buildings	X	
2015	New York City, Department of Buildings		X
	New York City, Department of Buildings	X	
2014	New York City, Department of Buildings		X
	New York City, Department of Buildings	X	
2013	New York City, Department of Buildings		X
	New York City, Department of Buildings	X	
2012	New York City, Department of Buildings		X
	New York City, Department of Buildings	X	
2011	New York City, Department of Buildings		X
	New York City, Department of Buildings	X	
2010	New York City, Department of Buildings		X
	New York City, Department of Buildings	X	
2009	New York City, Department of Buildings		X
	New York City, Department of Buildings	X	
2008	New York City, Department of Buildings		X
	New York City, Department of Buildings	X	
2007	New York City, Department of Buildings		X
2006	New York City, Department of Buildings		X
2005	New York City, Department of Buildings		X
2004	New York City, Department of Buildings		X
2003	New York City, Department of Buildings		X
2002	New York City, Department of Buildings		X
2001	New York City, Department of Buildings		X

EXECUTIVE SUMMARY: SEARCH DOCUMENTATION

Year	Source	TP	Adjoining
2001	New York City, Department of Buildings	X	
2000	New York City, Department of Buildings		X
1999	New York City, Department of Buildings		X
1998	New York City, Department of Buildings		X
1997	New York City, Department of Buildings		X
1996	New York City, Department of Buildings		X
	New York City, Department of Buildings	X	
1995	New York City, Department of Buildings		X
1994	New York City, Department of Buildings		X
1993	New York City, Department of Buildings		X
1992	New York City, Department of Buildings		X
1991	New York City, Department of Buildings		X
1990	New York City, Department of Buildings		X
1989	New York City, Department of Buildings		X
1988	New York City, Department of Buildings		X
1987	New York City, Department of Buildings		X
	New York City, Department of Buildings	X	
1986	New York City, Department of Buildings		X
1985	New York City, Department of Buildings		X
	New York City, Department of Buildings	X	
1984	New York City, Department of Buildings		X
	New York City, Department of Buildings	X	
1983	New York City, Department of Buildings		X
1982	New York City, Department of Buildings		X
1981	New York City, Department of Buildings		X
1980	New York City, Department of Buildings		
1979	New York City, Department of Buildings		
1978	New York City, Department of Buildings		X
1977	New York City, Department of Buildings		
1976	New York City, Department of Buildings		
1975	New York City, Department of Buildings		
1974	New York City, Department of Buildings		
1973	New York City, Department of Buildings		
1972	New York City, Department of Buildings		
1971	New York City, Department of Buildings		

BUILDING DEPARTMENT RECORDS SEARCHED

Name: P//New York City, NY
Years: 1971-2018
Source: New York City, Department of Buildings, BROOKLYN, NY
Phone: (212) 566-5000

TARGET PROPERTY FINDINGS

TARGET PROPERTY DETAIL

538-540 West 29th Street
New York, NY 10001

538 W 29TH ST

Date:	**10/21/2009**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF APPROX. 30 LF OF HEAVY-DUTY SIDEWALK SHED AS INDICATED ON PLANS. THERE WILL BE NO CHANGE IN THE USE, EGRESS, OR OCCUPANCY UNDER THIS APPLICATION. SHED WILL COMPLY WITH CHAPTER 33 OF THE 2008 BUILDING CODE.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	120188769-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JASON PHILLIPS

Date:	**10/1/2009**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED REPLACE 4 STEEL LINTELS (10 FT LONG EACH) AT EXISTING BUILDING AND CONSTRUCT SIDEWALK SHED. NO CHANGE IN USE , EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SIDEWALK SHED
Permit Number:	120048705-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	IMRAN ALAM

TARGET PROPERTY FINDINGS

Date:	**10/1/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR REPLACE 4 STEEL LINTELS (10 FT LONG EACH) AT EXISTING BUILDING AND CONSTRUCT SIDEWALK SHED. NO CHANGE IN USE , EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120048705-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	IMRAN ALAM

Date:	**9/22/2009**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M296280
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ISLAND RESEARCH & DEVELOP LINVAL RUSSELL

TARGET PROPERTY FINDINGS

Date:	**2/15/2001**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - CONVERT PART OF CELLAR STORAGE TO OFFICES, CONVERT FIRST FLOOR STORE, ART MANUFACTURING AND STORAGE TO OFFICES, CONVERT PART OF SECOND FLOOR CARETAKERS APARTMENT TO OFFICES. ALL WORK DONE UNDER JOB # 101401092 AND/OR SUBSEQUENT AMENDMENTS.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	102680813-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH SAPONARO OWNER 141 5AVE NY NY 10011

Date:	**12/5/1996**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 INSTALL STAIR TO CELLAR,REARRANGE PARTITIONS CELLAR,FIRST,SECOND, AND THIRD FLOOR,ERECT TOILETS AT CELLAR, FIRST AND THIRD. NO CHANGE IN USE,EGRES OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	101401092-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL VITELLO

TARGET PROPERTY FINDINGS

Date:	**11/15/1996**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION INSTALL STAIR TO CELLAR,REARRANGE PARTITIONS CELLAR,FIRST,SECOND, AND THIRD FLOOR,ERECT TOILETS AT CELLAR, FIRST AND THIRD. NO CHANGE IN USE,EGRES OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101401092-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH CRUZ

Date:	**10/21/1996**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M147918
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MEDCO ELECL CONTRNG INC

TARGET PROPERTY FINDINGS

Date:	**9/24/1996**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALL STAIR TO CELLAR,REARRANGE PARTITIONS CELLAR,FIRST,SECOND, AND THIRD FLOOR,ERECT TOILETS AT CELLAR, FIRST AND THIRD. NO CHANGE IN USE,EGRES OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	101401092-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH CRUZ

Date:	**9/19/1996**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - INTERIOR DEMO. REMOVE NON-LOAD BEARING PARTITIONS AS INDICATED ON PLANS FILED HEREWIT H. NO CHANGE IN USE, EGRESS, OR OCCUPANC Y.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101386885-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH CRUZ

TARGET PROPERTY FINDINGS

Date: **1/13/1987**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M014593
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: A.J.E. ELECTRIC CO. A EDWARDS

Date: **12/17/1985**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 043612
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: A.J.E. ELECTRIC CO. A EDWARDS

Date: **5/23/1985**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 031566
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: A.J.E. ELECTRIC CO. A EDWARDS

Date:	**8/14/1984**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	014886
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	A.J.E. ELECTRIC CO. A EDWARDS

538-540 WEST 29TH STREET

Date:	**10/21/2009**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF APPROX. 30 LF OF HEAVY-DUTY SIDEWALK SHED AS INDICATED ON PLANS. THERE WILL BE NO CHANGE IN THE USE, EGRESS, OR OCCUPANCY UNDER THIS APPLICATION. SHED WILL COMPLY WITH CHAPTER 33 OF THE 2008 BUILDING CODE.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	120188769-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JASON PHILLIPS

TARGET PROPERTY FINDINGS

Date:	**10/1/2009**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED REPLACE 4 STEEL LINTELS (10 FT LONG EACH) AT EXISTING BUILDING AND CONSTRUCT SIDEWALK SHED. NO CHANGE IN USE , EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SIDEWALK SHED
Permit Number:	120048705-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	IMRAN ALAM

Date:	**10/1/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR REPLACE 4 STEEL LINTELS (10 FT LONG EACH) AT EXISTING BUILDING AND CONSTRUCT SIDEWALK SHED. NO CHANGE IN USE , EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120048705-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	IMRAN ALAM

TARGET PROPERTY FINDINGS

Date:	**9/22/2009**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M296280
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ISLAND RESEARCH & DEVELOP LINVAL RUSSELL

Date:	**2/15/2001**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - CONVERT PART OF CELLAR STORAGE TO OFFICES, CONVERT FIRST FLOOR STORE, ART MANUFACTURING AND STORAGE TO OFFICES, CONVERT PART OF SECOND FLOOR CARETAKERS APARTMENT TO OFFICES. ALL WORK DONE UNDER JOB # 101401092 AND/OR SUBSEQUENT AMENDMENTS.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	102680813-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH SAPONARO OWNER 141 5AVE NY NY 10011

TARGET PROPERTY FINDINGS

Date:	**12/5/1996**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL STAIR TO CELLAR,REARRANGE PARTITIONS CELLAR,FIRST,SECOND, AND THIRD FLOOR,ERECT TOILETS AT CELLAR, FIRST AND THIRD. NO CHANGE IN USE,EGRES** **OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	101401092-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL VITELLO

Date:	**11/15/1996**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION** **INSTALL STAIR TO CELLAR,REARRANGE PARTITIONS CELLAR,FIRST,SECOND, AND THIRD FLOOR,ERECT TOILETS AT CELLAR, FIRST AND THIRD. NO CHANGE IN USE,EGRES** **OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101401092-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH CRUZ

TARGET PROPERTY FINDINGS

Date:	**10/21/1996**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M147918
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MEDCO ELECL CONTRNG INC

Date:	**9/24/1996**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALL STAIR TO CELLAR,REARRANGE PARTITIONS CELLAR,FIRST,SECOND, AND THIRD FLOOR,ERECT TOILETS AT CELLAR, FIRST AND THIRD. NO CHANGE IN USE,EGRES OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	101401092-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH CRUZ

TARGET PROPERTY FINDINGS

Date:	**9/19/1996**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - INTERIOR DEMO. REMOVE NON-LOAD BEARING PARTITIONS AS INDICATED ON PLANS FILED HEREWIT H. NO CHANGE IN USE, EGRESS, OR OCCUPANC Y.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101386885-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH CRUZ

Date:	**1/13/1987**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M014593
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	A.J.E. ELECTRIC CO. A EDWARDS

Date:	**12/17/1985**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	043612
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	A.J.E. ELECTRIC CO. A EDWARDS

TARGET PROPERTY FINDINGS

Date: **5/23/1985**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 031566
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: A.J.E. ELECTRIC CO. A EDWARDS

Date: **8/14/1984**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 014886
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: A.J.E. ELECTRIC CO. A EDWARDS

TARGET PROPERTY FINDINGS

540 W 28TH ST

Date:	**12/7/2017**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - TEMP INSTALL INSTALL OF TEMP TRUSSES AND PLATFORM,NO ALTERATIONS TO EXIST STRUCTURES, FOR AMERICAN EXPRESS SUCCESS MAKERS SCHEDULED FOR DEC 11 TO 12, 2017. TPA PERMIT IS REQUIRED. PRODUCER IS RESPONSIBLE TO MONITOR EVENT WEATHER CONDITIONS AND IMPLEMENT APPROPRIATE ACTIONS, IF NECESSARY. ALL PROD EQUIP REMOVED UPON EVENT COMPLETION**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	123264519-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELLIOT WINICK

Date:	**10/19/2017**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - TEMP INSTALL INSTALL OF TEMP PLATFORM, NO ALTERATIONS TO EXIST STRUCTURES, FOR INTEL SHIFT LOCATED AT 540 WEST 28TH ST SCHEDULED FOR OCT 20, 2017, A TPA PERMIT IS REQUIRED. PRODUCER IS RESPONSIBLE TO MONITOR EVENT WEATHER CONDITIONS AND IMPLEMENT APPROPRIATE ACTIONS, IF NECESSARY. ALL PROD EQUIP REMOVED UPON EVENT COMPLETION.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	123172191-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELLIOT WINICK

TARGET PROPERTY FINDINGS

Date:	**8/28/2017**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - TEMP INSTALL INSTALL OF TEMP PARTITIONS AND EXHIBITS FOR ART & COMMERCE: THE EXHIBITION SCHEDULED ON SEPTEMBER 8 - 12, NO ALTERATION OF EXISTING STRUCTURES, A TPA PERMIT IS REQUIRED. ALL EQUIPMENT REMOVED UPON EVENT COMPLETION. PRODUCER IS RESPONSIBLE TO MONITOR CONDITIONS AND IMPLEMENT AND APPROPRIATE ACTIONS AS NECESSARY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	123135311-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELLIOT WINICK

Date:	**8/2/2017**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 FILING HEREWITH COMBINATION OF APARTMENTS 12C AND 13D IN COMPLIANCE WITH TPPN 3-97.INCLUDES INSTALLATION OF SPIRAL STAIRS. NO CHANGE TO USE EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	121349399-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARK TALALOVSKY

TARGET PROPERTY FINDINGS

Date:	**4/19/2017**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - TEMP INSTALL INSTALL OF TEMPORARY INTERIOR PLATFORM FOR HEARST DIGITAL NEWFRONT SCHEDULED ON MAY 3RD, 2017, NO ALTERATION OF EXISTING STRUCTURES, A TPA PERMIT IS REQUIRED. ALL EQUIPMENT REMOVED UPON EVENT COMPLETION. PRODUCER IS RESPONSIBLE TO MONITOR CONDITIONS AND IMPLEMENT AND APPROPRIATE ACTIONS AS NECESSARY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	123081253-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELLIOT WINICK

Date:	**4/14/2017**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - TEMP INSTALL INSTALL OF TEMPORARY INTERIOR PLATFORMS AND UPRIGHT TRUSSES FOR XEROX CONNECT KEY GLOBAL TOUR SCHEDULED ON APRIL 25 & 26, 2017, NO ALTERATION OF EXISTING STRUCTURES, A TPA PERMIT IS REQUIRED. ALL EQUIPMENT REMOVED UPON EVENT COMPLETION. PRODUCER IS RESPONSIBLE TO MONITOR CONDITIONS AND IMPLEMENT AND APPROPRIATE ACTIONS AS NECESSARY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	123076287-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELLIOT WINICK

TARGET PROPERTY FINDINGS

Date:	**2/4/2016**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - TEMP INSTALL INSTALLATION OF TEMPORARY INTERIOR BLEACHERS FOR THE EVENT KNOWN AS DKNY FASHION SHOW, SCHEDULED FOR FEB 17, 2016. A TEMPORARY PLACE OF ASSEMBLY PERMIT IS REQUIRED. EVENT PRODUCER IS RESPONSIBLE TO MONITOR EVENT CONDITIONS AND TO IMPLEMENT APPROPRIATE ACTIONS, IF NECESSARY. ALL PRODUCTION EQUIPMENT SHALL BE REMOVED UPON EVENT COMPLETION**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	122676292-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELLIOT WINICK

Date:	**2/10/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	MINOR WORK JOB
Proposed Use:	
Permit Number:	M363559
Status:	ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation:	$0.00
Contractor Company:	
Contractor Name:	U.S. ELECTRIC CORP.

TARGET PROPERTY FINDINGS

Date:	**10/7/2014**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **CONSTRUCT NEW PARTITIONS, NEW FINISHES, REPLACE AND INSTALL PLUMBING FIXTURES,** **INSTALL NEW AIR CONDITIONING SYSTEM ALL AS PER PLANS FILED HEREWITH.** **NO CHANGE** **TO USE EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122104873-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JONA SZAPIRO

Date:	**9/16/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M358581
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TRIBORO ELEC'L CONTR'G CO

TARGET PROPERTY FINDINGS

Date:	**9/16/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M358554
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DEFALCO ASSOCIATES, LLC./

Date:	**9/2/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **CONSTRUCT NEW PARTITIONS, NEW FINISHES, REPLACE AND INSTALL PLUMBING FIXTURES,** **INSTALL NEW AIR CONDITIONING SYSTEM ALL AS PER PLANS FILED HEREWITH.** **NO CHANGE** **TO USE EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122104873-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL KARALIS

TARGET PROPERTY FINDINGS

Date:	**8/29/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **CONSTRUCT NEW PARTITIONS, NEW FINISHES, REPLACE AND INSTALL PLUMBING FIXTURES,** **INSTALL NEW AIR CONDITIONING SYSTEM ALL AS PER PLANS FILED HEREWITH.** **NO CHANGE** **TO USE EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122104873-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HUAT B KHOO

Date:	**8/14/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **MODIFICATIONS TO EXISTING SPRINKLER SYSTEM**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	121513683-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SIMON HUNG

TARGET PROPERTY FINDINGS

Date:	**6/11/2014**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - TEMP INSTALL INSTALLATION OF TEMPORARY INTERIOR PLATFORMS FOR THE EVENT KNOWN AS MADE W/CODE BY GOOGLE, SCHEDULED FOR JUNE 19TH 2014. A TEMPORARY PLACE OF ASSEMBLY PERMIT IS REQUIRED. ALL PRODUCTION EQUIPMENT SHALL BE REMOVED UPON EVENT COMPLETION.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	122029946-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TONY MELCHIOR

Date:	**4/24/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	MINOR WORK
Proposed Use:	
Permit Number:	M352934
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT S. COVELLO

TARGET PROPERTY FINDINGS

Date:	**7/15/2013**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **FILING TO INSTALL NEW 3 TON WATER COOLED HVAC PACKAGE UNIT AND RELATED DUCT** **WORK, NEW SLOP SINK. NO CHANGE IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	121694602-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PERRY L CAMPIONE

Date:	**7/9/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **FILING TO INSTALL NEW 3 TON WATER COOLED HVAC PACKAGE UNIT AND RELATED DUCT** **WORK, NEW SLOP SINK. NO CHANGE IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	121694602-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ERIK ECKSTEIN

TARGET PROPERTY FINDINGS

Date:	**7/9/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. FILING TO INSTALL NEW 3 TON WATER COOLED HVAC PACKAGE UNIT AND RELATED DUCT WORK, NEW SLOP SINK. NO CHANGE IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121694602-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ERIK ECKSTEIN

Date:	**4/17/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - INT. ALTERATION OT WORK TYPE IS FILED INTERIOR ALTERATION WORK AT 1ST FLOOR LEVEL ONLY TO INSTALL NEW PARTITIONS. NO CHANGE IN USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121563307-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ERIK ECKSTEIN

TARGET PROPERTY FINDINGS

Date:	**3/28/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - TEMP INSTALL INSTALLATION OF A TEMPORARY INTERIOR EXHIBIT SYSTEM FOR THE APRIL 4TH 2013 CHANEL ULTRA NOVA SPECIAL EVENT AS PER PLANS FILED HEREWITH. ALL PRODUCTION EQUIPMENT SHALL BE REMOVED UPON EVENT COMPLETION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121570978-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DEBORAH BUSCARELLO

Date:	**2/25/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALLATION OF NEW A/C UNITS WITH MECHANICAL DUCT WORK ONLY ON THE PARTIAL CELLAR AREA. NO CHANGE IN USE, OCCUPANCY AND EGRESS IS INVOLVED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	121417868-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WOO KIM

TARGET PROPERTY FINDINGS

Date:	**2/25/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. INSTALLATION OF NEW A/C UNITS WITH MECHANICAL DUCT WORK ONLY ON THE PARTIAL CELLAR AREA. NO CHANGE IN USE, OCCUPANCY AND EGRESS IS INVOLVED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121417868-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WOO KIM

Date:	**2/20/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M337070
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	POWERONE ELECT'L CONTRG

TARGET PROPERTY FINDINGS

Date:	**2/19/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC FILING TO INSTALL NEW 10 TON WATER COOLED HVAC PACKAGE UNIT AND RELATED DUCT WORK, NEW NON-RESIDENTIAL SINK. FILED IN CONJUNCTION WITH APPLICATION # 121495168. NO CHANGE IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	121460524-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ERIK ECKSTEIN

Date:	**2/19/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. FILING TO INSTALL NEW 10 TON WATER COOLED HVAC PACKAGE UNIT AND RELATED DUCT WORK, NEW NON-RESIDENTIAL SINK. FILED IN CONJUNCTION WITH APPLICATION # 121495168. NO CHANGE IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121460524-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ERIK ECKSTEIN

TARGET PROPERTY FINDINGS

Date:	**2/19/2013**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **FILING TO INSTALL NEW 10 TON WATER COOLED HVAC PACKAGE UNIT AND RELATED DUCT** **WORK, NEW NON-RESIDENTIAL SINK. FILED IN CONJUNCTION WITH APPLICATION #** **121495168. NO CHANGE IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	121460524-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PERRY L CAMPIONE

Date:	**2/7/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - TEMP EXHIBIT** **INSTALLATION OF TEMPORARY DECKING AND TRUSSING FOR THE EVENT KNOWN AS THE CHANEL** **WATCH LAUNCH, CELLAR LEVEL, SCHEDULE FOR FEBRUARY 10TH THROUGH FEBRUARY 16TH** **ONLY. ALL PRODUCTION EQUIPMENT SHALL BE REMOVED UPON COMPLETION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121528150-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELLIOT WINICK

TARGET PROPERTY FINDINGS

Date:	**2/6/2013**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE INSTALLATION OF NON-LOAD BEARING PARTITIONS AND A NEW STOREFRONT DOOR. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	121495168-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ERIK ECKSTEIN

Date:	**2/6/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. INSTALLATION OF NON-LOAD BEARING PARTITIONS AND A NEW STOREFRONT DOOR. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121495168-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ERIK ECKSTEIN

TARGET PROPERTY FINDINGS

Date:	**1/28/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - TEMP EQUIPMENT INSTALLATION OF A TEMPORARY SEATING PLATFORM FOR THE KENNETH COLE FASHION SHOW, IN THE CELLAR SPACE, SCHEDULED FOR FEB 7TH 2013 ONLY. A TEMPORARY PLACE OF ASSEMBLY PERMIT WILL BE REQUIRED. ALL EQUIPMENT SHALL BE REMOVED UPON EVENT COMPLETION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121506487-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELLIOT WINICK

Date:	**1/11/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. APPLICATION FILED FOR DEMOLITION AND CONSTRUCTION WORK AT CELLAR. WORK IN CONJUNCTION WITH RENOVATION WORK FILED AT 537 WEST 27TH STREET**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121481985-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	YAN L MAI

TARGET PROPERTY FINDINGS

Date:	**1/2/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M335369
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOPHER ELECTRIC, INC

Date:	**12/31/2012**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 RENOVATION OF AN EXISTING APARTMENT. WORK INCLUDE GENERAL CONSTRUCTION AND PLUMBING MODIFICATION AS PER PLANS FILE HEREWITH. NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	121405648-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ZBIGNIEW WANIELISTA

TARGET PROPERTY FINDINGS

Date:	**12/20/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. FILING HEREWITH COMBINATION OF APARTMENTS 12C AND 13D IN COMPLIANCE WITH TPPN 3-97.INCLUDES INSTALLATION OF SPIRAL STAIRS. NO CHANGE TO USE EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121349399-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM COHEN

Date:	**12/3/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. RENOVATION OF AN EXISTING APARTMENT. WORK INCLUDE GENERAL CONSTRUCTION AND PLUMBING MODIFICATION AS PER PLANS FILE HEREWITH. NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121405648-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MACIEJ CITAK

TARGET PROPERTY FINDINGS

Date:	**10/7/2011**
Permit Type:	**NB**
Description:	**NEW BUILDING -**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	104914782-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SANFORD LOWENTHEIL

Date:	**9/13/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **PLUMBING, MECHANICAL AND SPRINKLER WORK TO COMBINE 2 APARTMENTS ON 13TH FLOOR.** **REMOVE AND ADD PLUMBING FIXTURES. REMOVE GAS RANGE AND INSTALL GAS** **FIREPLACE.INSTALL 8 SPRINKLER HEADS. RELOCATE LOUVRE AND REMOVE DUCT BRANCH.** **FILED IN CONJUNCTION WITH NEW BUILDING 104914782.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120675821-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RICHARD WILSON

TARGET PROPERTY FINDINGS

Date:	**9/9/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **PLUMBING, MECHANICAL AND SPRINKLER WORK TO COMBINE 2 APARTMENTS ON 13TH FLOOR.** **REMOVE AND ADD PLUMBING FIXTURES. REMOVE GAS RANGE AND INSTALL GAS** **FIREPLACE.INSTALL 8 SPRINKLER HEADS. RELOCATE LOUVRE AND REMOVE DUCT BRANCH.** **FILED IN CONJUNCTION WITH NEW BUILDING 104914782.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	120675821-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PERRY L CAMPIONE

Date:	**9/9/2011**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **PLUMBING, MECHANICAL AND SPRINKLER WORK TO COMBINE 2 APARTMENTS ON 13TH FLOOR.** **REMOVE AND ADD PLUMBING FIXTURES. REMOVE GAS RANGE AND INSTALL GAS** **FIREPLACE.INSTALL 8 SPRINKLER HEADS. RELOCATE LOUVRE AND REMOVE DUCT BRANCH.** **FILED IN CONJUNCTION WITH NEW BUILDING 104914782.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	120675821-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PERRY L CAMPIONE

TARGET PROPERTY FINDINGS

Date:	**12/23/2010**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - FPP FIRE PROTECTION PLAN FOR NEW MIXED USE BUILDING FILED UNDER APPLCIATION 104914782 NO CHANGE TO USE EGRESS OR OCCUPANCY UNDER THIS APPLICATION**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	120488203-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LEONARD FUSCO NO WORK (ADMIN) 19 WEST 21ST 11 FL NYC NY 11010

Date:	**5/4/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE INSTALL COMBINED STANDPIPE/SPRINKLER SYSTEM IN NEW RESIDENTIAL BUILDING. NO CH ANGE TO USE EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	110456934-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOS TSAMASIROS

TARGET PROPERTY FINDINGS

Date:	**5/4/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER INSTALL COMBINED STANDPIPE/SPRINKLER SYSTEM IN NEW RESIDENTIAL BUILDING. NO CH ANGE TO USE EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	110456934-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOS TSAMASIROS

Date:	**5/4/2010**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 INSTALL COMBINED STANDPIPE SYSTEM IN NEW RESIDENTIAL BUILDING. NO CHANGE TO USE EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110456934-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOS TSAMASIROS

TARGET PROPERTY FINDINGS

Date:	**4/12/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR THIS APPLICATION IS FILED FOR A TEMPORARY USE PERMIT FOR A SALES OFFICE INCLUDING MODEL APARTMENTS PURSUANT TO SCTION 28-111 AND BUILDING BULLETIN 2010-002**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120295947-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SANFORD LOWENTHEIL

Date:	**4/9/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF A HEAVY DUTY SIDEWALK SHED 190' LONG X 8'-10' HIGH DURING NB CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. SHED TO COMPLY WITH CHAPTER 33, NYC BUILDING CODE OF 2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	120022876-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM HALLICK

TARGET PROPERTY FINDINGS

Date:	**3/26/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE INSTALLATION OF A FENCE 250'LONG DURING NEW BUILDING CONSTRUCTION (#104914782). NO CHANGES IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	110148359-01-EQ-FN
Status:	ISSUED, REISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SANDFORD LOWENTHIEL

Date:	**3/24/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD APPLICATION FILED TO PROPOSE SCAFFOLDING ALONG FRONT AND REAR OF EXISTING THIRTEEN STORY BUILDING. (NO CHANGE IN USE, EGRESS OR OCCUPANCY).**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	120117006-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LOUIS LAZZINNARO

TARGET PROPERTY FINDINGS

Date:	**3/23/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF ROOF PROTECTION 84'L X 20'W AS PER PLANS.NO CHANGE IN USE,EGRESS OR OCCUPANCY.ROOF PROTECTION TO COMPLY WITH NYC BUILDING CODE CHAPTER 33.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120186057-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM HALLICK

Date:	**3/23/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF OVERHEAD PROTECTION IN ADJACENT COURTYARD AS PER PLANS DURING NB CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120033506-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM HALLICK

TARGET PROPERTY FINDINGS

Date:	**3/23/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A ROOF PROTECTION 100' LONG AS PER PLANS DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. ROOF PROTECTION TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120049866-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM HALLICK

Date:	**3/10/2010**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	104914782-03-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOS TSAMASIROS

TARGET PROPERTY FINDINGS

Date:	**3/10/2010**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	104914782-04-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOS TSAMASIROS

Date:	**1/28/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF SCAFFOLD AS PER DRAWINGS DURING NEW BUILDING CONSTRUCTION. SCAFFOLD SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	120255794-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EDWARD KELLY JR

TARGET PROPERTY FINDINGS

Date: **8/26/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M295608
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: AMBER LITE ELECTRIC CORP.

Date: **7/11/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M291994
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: SLADE ELECTRIC INC MICHAEL TODD

Date: **5/15/2009**
Permit Type: **EQ**
Description: **ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF A SCAFFOLD TYPE VERTICAL PROTECTION 100'HIGH ON 2ND FLOOR DURING NEW BUILDING (NB# 104914782).NO CHANGES IN USE,EGRESS OR OCCUPANCY.**

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: A3 - ALTERATION TYPE 3
Proposed Use: SCAFFOLD
Permit Number: 120039822-01-EQ-SF
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: TOM HALLICK

TARGET PROPERTY FINDINGS

Date: **5/7/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M292128
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: AMBER LITE ELECTRIC CORP.

Date: **4/29/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M291815
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: V. VASS ELECTRIC CORP

TARGET PROPERTY FINDINGS

Date:	**4/23/2009**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A CHAMPION DUAL US-6002-2R PERSONNEL/MATERIAL HOIST 134'HIGH DURING NEW BUILDING CONSTRUCTION (NB# 104914782).NO CHANGES IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120013412-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM HALLICK

Date:	**4/21/2009**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M291551
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SHUIR ELEC'L CONTR'S CORP

Date: **3/18/2009**
Permit Type: **FO**
Description: **NEW BUILDING - FOUNDATION/EARTHWORK**

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 104914782-01-FO
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: SANDY LOWENTHEIL

Date: **3/18/2009**
Permit Type: **FO**
Description: **NEW BUILDING - EARTHWORK**

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 104914782-01-FO-EA
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: SANDY LOWENTHEIL

Date: **3/3/2009**
Permit Type: **EW**
Description: **ALTERATION TYPE 2 - SHOR & SHEETING**
SHEETING & SHORING IN CONJUNCTION WITH NB 104914782

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 110212564-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: SANDFORD LOWENTHEIL

TARGET PROPERTY FINDINGS

Date:	**5/30/2008**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M281177
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMBER LITE ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

10 AVENUE

299-301 10 AVENUE

Date:	**6/28/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION FILING TO INSTALL NEW FIRE SUPPRESSION SYSTEM. ALL COOKING EQUIPMENT IS ELECTRIC,NO GAS VALUE NEEDED.NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	121616028-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MUNTAZ KHAN

Date:	**6/10/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALLATION OF S/S HOOD AND EXHAUST DUCT. NO CHANGE IN USE, OCCUPANCY AND MEANS OF EGRESS IS INVOLVED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	121616037-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MUNTAZZ KHAN

ADJOINING PROPERTY FINDINGS

Date: **4/10/2012**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: M226517
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: OM ELECTRIC, INC

Date: **9/1/2011**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: M318308
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: BERGER QUALITY ELEC'L CON

ADJOINING PROPERTY FINDINGS

Date:	**4/19/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **MISC. RENOVATION IN APARTMENT 1D, 1ST FLOOR. WORK TO INCLUDE NEW FINISHES IN** **KITCHEN AND BATHROOM, REPLACE ALL PLUMBING FIXTURES ON EXISTING ROUGHING. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110168112-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARK SCHARFMAN

Date:	**2/1/2011**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **MISC. RENOVATION IN APARTMENT 1D, 1ST FLOOR. WORK TO INCLUDE NEW FINISHES IN** **KITCHEN AND BATHROOM, REPLACE ALL PLUMBING FIXTURES ON EXISTING ROUGHING. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110168112-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL J ESCOBAR

ADJOINING PROPERTY FINDINGS

Date:	**9/17/2010**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **MISC RENOVATIONS IN APT 3A, 3RD FLOOR. WORK TO INCLUDE NEW BATH & KITCHEN** **FINISHES. REPLACE PLUMBING FIXTURES ON EXISTING ROUGHING. LITTLE 'E' DESIGNATION** **IS NOT APPLICABLE AS WORK IS NOT AN SUBSTATION ALTERATION. NO CHANGE TO USE,** **EGRESS NOR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	120466174-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL J ESCOBAR

Date:	**9/10/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **MISC RENOVATIONS IN APT 3A, 3RD FLOOR. WORK TO INCLUDE NEW BATH & KITCHEN** **FINISHES. REPLACE PLUMBING FIXTURES ON EXISTING ROUGHING. LITTLE 'E' DESIGNATION** **IS NOT APPLICABLE AS WORK IS NOT AN SUBSTATION ALTERATION. NO CHANGE TO USE,** **EGRESS NOR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120466174-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARK SCHARFMAN

ADJOINING PROPERTY FINDINGS

Date:	**1/6/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR MISC RENOVATIONS IN APT 4B, 4TH FLOOR. WORK TO INCLUDE NEW BATH & KITCHEN FINISHES. REPLACE PLUMBING FIXTURES ON EXISTING ROUGHING. NO CHANGE TO USE, EGRESS NOR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110385440-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARK SCHARFMAN

Date:	**12/2/2008**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED PROPOSED FRONT REPOINTING & REPAINTING THE EXTERIOR FACADE WALL AND INSTALL HEAVY DUTY SIDEWALK SHED FOR PUBLIC PROTECTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SIDEWALK SHED
Permit Number:	110387741-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SUKHJINDER SINGH

ADJOINING PROPERTY FINDINGS

Date:	**12/2/2008**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **PROPOSED FRONT REPOINTING & REPAINTING THE EXTERIOR FACADE WALL AND INSTALL** **HEAVY DUTY SIDEWALK SHED FOR PUBLIC PROTECTION. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110387741-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SUKHJINDER SINGH

Date:	**11/28/2008**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **MISC RENOVATIONS IN APT 4B, 4TH FLOOR. WORK TO INCLUDE NEW BATH & KITCHEN** **FINISHES. REPLACE PLUMBING FIXTURES ON EXISTING ROUGHING. NO CHANGE TO USE,** **EGRESS NOR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110385440-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL WEINTRAUB

ADJOINING PROPERTY FINDINGS

Date:	**10/22/2008**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M286142
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LINTECH ELECTRIC, INC.

Date:	**10/7/2008**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **MISC RENOVATIONS IN APTS 4D, 4TH FL & 5B, 5TH FL TO INCLUDE NEW BATHROOM &** **KITCHEN FINISHES. REPLACING ALL PLUMBING FIXTURES ON EXISTING ROUGHING. NO** **CHANGE TO USE, EGRSS NOR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110342674-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL WEINTRAUB

ADJOINING PROPERTY FINDINGS

Date:	**9/25/2008**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR MISC RENOVATIONS IN APTS 4D, 4TH FL & 5B, 5TH FL TO INCLUDE NEW BATHROOM & KITCHEN FINISHES. REPLACING ALL PLUMBING FIXTURES ON EXISTING ROUGHING. NO CHANGE TO USE, EGRSS NOR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110342674-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARK SCHARFMAN

Date:	**4/3/2007**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED PROPOSED INSTALLATION OF 25 LINEAR FEET OF HEAVY DUTY SIDEWALK SHED FOR REMEDIAL REPAIRS . SIDEWALK SHED SHALL COMPLY WITH LL33/1991. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION. LIVE LOAD 300 PSF. NO STORAGE ON SIDEWALK SHED.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	104722105-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAGDISH SINGH

ADJOINING PROPERTY FINDINGS

Date:	**1/3/2007**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED REPAIR/REBUILD PARAPET WALL, REPOINT FACADE AND INSTALL SIDEWALK SHED IN FRONT OF THE BUILDING. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SIDEWALK SHED
Permit Number:	104556972-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SUKJINDER SINGH

Date:	**11/28/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONST. REPAIR/REBUILD PARAPET WALL, REPOINT FACADE AND INSTALL SIDEWALK SHED IN FRONT OF THE BUILDING. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104556972-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SUKJINDER SINGH

ADJOINING PROPERTY FINDINGS

Date:	**2/23/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M231242
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	O.M. ELECTRIC INC. RAFAEL SEPULVEDA, O.M. ELECTRIC INC. MARK OSTROVSKY

Date:	**6/25/1999**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE INSTALLATION OF ALUMINUM AND GLASS STORE FRONT, INCLUDING PLYWOOD SIDEWALK FENCE , NO CHANGE TO USE EGRESS OR OCCUPANCY**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	102215103-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY KANTRIDA

ADJOINING PROPERTY FINDINGS

Date:	**6/25/1999**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - G.C.** **INSTALLATION OF ALUMINUM AND GLASS STORE FRONT, INCLUDING PLYWOOD SIDEWALK FENCE** **,** **NO CHANGE TO USE EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102215103-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY KANTRIDA

Date:	**4/1/1989**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M054514
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	IRWIN ELECTR'L CONTR'S, I

ADJOINING PROPERTY FINDINGS

10TH AVE

299 10TH AVE

Date:	**6/28/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION FILING TO INSTALL NEW FIRE SUPPRESSION SYSTEM. ALL COOKING EQUIPMENT IS ELECTRIC,NO GAS VALUE NEEDED.NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	121616028-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MUNTAZ KHAN

Date:	**6/10/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALLATION OF S/S HOOD AND EXHAUST DUCT. NO CHANGE IN USE, OCCUPANCY AND MEANS OF EGRESS IS INVOLVED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	121616037-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MUNTAZZ KHAN

ADJOINING PROPERTY FINDINGS

Date: **4/10/2012**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: M226517
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: OM ELECTRIC, INC

Date: **9/1/2011**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: M318308
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: BERGER QUALITY ELEC'L CON

ADJOINING PROPERTY FINDINGS

Date:	**4/19/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **MISC. RENOVATION IN APARTMENT 1D, 1ST FLOOR. WORK TO INCLUDE NEW FINISHES IN** **KITCHEN AND BATHROOM, REPLACE ALL PLUMBING FIXTURES ON EXISTING ROUGHING. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110168112-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARK SCHARFMAN

Date:	**2/1/2011**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **MISC. RENOVATION IN APARTMENT 1D, 1ST FLOOR. WORK TO INCLUDE NEW FINISHES IN** **KITCHEN AND BATHROOM, REPLACE ALL PLUMBING FIXTURES ON EXISTING ROUGHING. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110168112-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL J ESCOBAR

ADJOINING PROPERTY FINDINGS

Date:	**9/17/2010**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **MISC RENOVATIONS IN APT 3A, 3RD FLOOR. WORK TO INCLUDE NEW BATH & KITCHEN** **FINISHES. REPLACE PLUMBING FIXTURES ON EXISTING ROUGHING. LITTLE 'E' DESIGNATION** **IS NOT APPLICABLE AS WORK IS NOT AN SUBSTATION ALTERATION. NO CHANGE TO USE,** **EGRESS NOR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	120466174-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL J ESCOBAR

Date:	**9/10/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **MISC RENOVATIONS IN APT 3A, 3RD FLOOR. WORK TO INCLUDE NEW BATH & KITCHEN** **FINISHES. REPLACE PLUMBING FIXTURES ON EXISTING ROUGHING. LITTLE 'E' DESIGNATION** **IS NOT APPLICABLE AS WORK IS NOT AN SUBSTATION ALTERATION. NO CHANGE TO USE,** **EGRESS NOR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120466174-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARK SCHARFMAN

ADJOINING PROPERTY FINDINGS

Date:	**1/6/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR MISC RENOVATIONS IN APT 4B, 4TH FLOOR. WORK TO INCLUDE NEW BATH & KITCHEN FINISHES. REPLACE PLUMBING FIXTURES ON EXISTING ROUGHING. NO CHANGE TO USE, EGRESS NOR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110385440-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARK SCHARFMAN

Date:	**12/2/2008**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED PROPOSED FRONT REPOINTING & REPAINTING THE EXTERIOR FACADE WALL AND INSTALL HEAVY DUTY SIDEWALK SHED FOR PUBLIC PROTECTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SIDEWALK SHED
Permit Number:	110387741-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SUKHJINDER SINGH

ADJOINING PROPERTY FINDINGS

Date:	**12/2/2008**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **PROPOSED FRONT REPOINTING & REPAINTING THE EXTERIOR FACADE WALL AND INSTALL** **HEAVY DUTY SIDEWALK SHED FOR PUBLIC PROTECTION. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110387741-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SUKHJINDER SINGH

Date:	**11/28/2008**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **MISC RENOVATIONS IN APT 4B, 4TH FLOOR. WORK TO INCLUDE NEW BATH & KITCHEN** **FINISHES. REPLACE PLUMBING FIXTURES ON EXISTING ROUGHING. NO CHANGE TO USE,** **EGRESS NOR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110385440-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL WEINTRAUB

ADJOINING PROPERTY FINDINGS

Date:	**10/22/2008**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M286142
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LINTECH ELECTRIC, INC.

Date:	**10/7/2008**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **MISC RENOVATIONS IN APTS 4D, 4TH FL & 5B, 5TH FL TO INCLUDE NEW BATHROOM &** **KITCHEN FINISHES. REPLACING ALL PLUMBING FIXTURES ON EXISTING ROUGHING. NO** **CHANGE TO USE, EGRSS NOR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110342674-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL WEINTRAUB

ADJOINING PROPERTY FINDINGS

Date:	**9/25/2008**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR MISC RENOVATIONS IN APTS 4D, 4TH FL & 5B, 5TH FL TO INCLUDE NEW BATHROOM & KITCHEN FINISHES. REPLACING ALL PLUMBING FIXTURES ON EXISTING ROUGHING. NO CHANGE TO USE, EGRSS NOR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110342674-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARK SCHARFMAN

Date:	**4/3/2007**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED PROPOSED INSTALLATION OF 25 LINEAR FEET OF HEAVY DUTY SIDEWALK SHED FOR REMEDIAL REPAIRS . SIDEWALK SHED SHALL COMPLY WITH LL33/1991. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION. LIVE LOAD 300 PSF. NO STORAGE ON SIDEWALK SHED.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	104722105-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAGDISH SINGH

ADJOINING PROPERTY FINDINGS

Date:	**1/3/2007**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED REPAIR/REBUILD PARAPET WALL, REPOINT FACADE AND INSTALL SIDEWALK SHED IN FRONT OF THE BUILDING. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SIDEWALK SHED
Permit Number:	104556972-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SUKJINDER SINGH

Date:	**11/28/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONST. REPAIR/REBUILD PARAPET WALL, REPOINT FACADE AND INSTALL SIDEWALK SHED IN FRONT OF THE BUILDING. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104556972-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SUKJINDER SINGH

ADJOINING PROPERTY FINDINGS

Date:	**2/23/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M231242
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	O.M. ELECTRIC INC. RAFAEL SEPULVEDA, O.M. ELECTRIC INC. MARK OSTROVSKY

Date:	**6/25/1999**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE INSTALLATION OF ALUMINUM AND GLASS STORE FRONT, INCLUDING PLYWOOD SIDEWALK FENCE , NO CHANGE TO USE EGRESS OR OCCUPANCY**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	102215103-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY KANTRIDA

ADJOINING PROPERTY FINDINGS

Date:	**6/25/1999**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - G.C.** **INSTALLATION OF ALUMINUM AND GLASS STORE FRONT, INCLUDING PLYWOOD SIDEWALK FENCE** **,** **NO CHANGE TO USE EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102215103-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY KANTRIDA

Date:	**4/1/1989**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M054514
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	IRWIN ELECTR'L CONTR'S, I

ADJOINING PROPERTY FINDINGS

301 10TH AVE

Date:	**4/27/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	CLOSED
Proposed Use:	
Permit Number:	M366580
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	OM ELECTRIC, INC

Date:	**4/20/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **RENOVATION TO APARTMENT #1D ON THE FIRST FLOOR OF EXISTING WALK UP BUILDING,** **PARTITION AND PLUMBING WORK, ALL AS PER PLAN. NO CHANGE IN EGRESS, USE OR** **OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122262808-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HECTOR J ASENCIO, JR

ADJOINING PROPERTY FINDINGS

Date:	**3/19/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **RENOVATION TO APARTMENT #1D ON THE FIRST FLOOR OF EXISTING WALK UP BUILDING,** **PARTITION AND PLUMBING WORK, ALL AS PER PLAN. NO CHANGE IN EGRESS, USE OR** **OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122262808-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARK SCHARFMAN

Date:	**10/15/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - PATCHING** **REPLACE EXISTING HOT AND COLD WATER PIPING THROUGHOUT BUILDING. REPLACE RISERS** **OVERHEAD MAIN BRANCHES IN ENTIRE BUILDING. REPLACE EXISTING GAS PIPING** **THROUGHOUT ENTIRE BUILDING WITH NEW GAS PIPING TO EXISTING STOVES IN EACH APT** **WITH 18 NEW METER BARS**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121976228-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL FEIGENBAUM

ADJOINING PROPERTY FINDINGS

Date:	**10/15/2014**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **REPLACE EXISTING HOT AND COLD WATER PIPING THROUGHOUT BUILDING. REPLACE RISERS** **OVERHEAD MAIN BRANCHES IN ENTIRE BUILDING. REPLACE EXISTING GAS PIPING** **THROUGHOUT ENTIRE BUILDING WITH NEW GAS PIPING TO EXISTING STOVES IN EACH APT** **WITH 18 NEW METER BARS**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	121976228-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL FEIGENBAUM

Date:	**9/15/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M358501
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VERE ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date: **5/20/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M353820
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: OM ELECTRIC, INC

Date: **5/15/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M353755
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: OM ELECTRIC, INC

ADJOINING PROPERTY FINDINGS

Date:	**6/20/2011**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **RENOVATIN OF EXIST. STORE. WORK INCLUDES REMOVAL OF EXIST. PARTITION WALL. AND** **INSTALLATION OF PARTITION WALL; DOOR; PLUMBING FIXTURE; S/S HOOD; A/C UNIT AND** **REPLACEMENT OF STORE FRONT, VINYL TILE FLOORING. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	120453400-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL J ESCOBAR

Date:	**5/6/2011**
Permit Type:	**SG**
Description:	**SIGN -** **NEW BUSINESS AWNING. NO CHANGE IN USE, EGRESS NOR OCCUPANCY**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	120646435-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH J CALVANO

ADJOINING PROPERTY FINDINGS

Date:	**5/2/2011**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	
Proposed Use:	
Permit Number:	M314032
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RONNART ELECTRIC CO. RONALD STEWART

Date:	**4/25/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION INSTALL AUTOMATIC FIRE SUPPRESSION SYSTEM IN CONJUNCTION WITH JOB#120453400. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	120654960-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHARLES B ZHOU

ADJOINING PROPERTY FINDINGS

Date:	**11/12/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE RENOVATIN OF EXIST. STORE. WORK INCLUDES REMOVAL OF EXIST. PARTITION WALL. AND INSTALLATION OF PARTITION WALL; DOOR; PLUMBING FIXTURE; S/S HOOD; A/C UNIT AND REPLACEMENT OF STORE FRONT, VINYL TILE FLOORING. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	120453400-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HONGNING YIN

Date:	**11/12/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC RENOVATIN OF EXIST. STORE. WORK INCLUDES REMOVAL OF EXIST. PARTITION WALL. AND INSTALLATION OF PARTITION WALL; DOOR; PLUMBING FIXTURE; S/S HOOD; A/C UNIT AND REPLACEMENT OF STORE FRONT, VINYL TILE FLOORING. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120453400-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HONGNING YIN

ADJOINING PROPERTY FINDINGS

Date:	**11/12/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR RENOVATIN OF EXIST. STORE. WORK INCLUDES REMOVAL OF EXIST. PARTITION WALL. AND INSTALLATION OF PARTITION WALL; DOOR; PLUMBING FIXTURE; S/S HOOD; A/C UNIT AND REPLACEMENT OF STORE FRONT, VINYL TILE FLOORING. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120453400-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HONGNING YIN

Date:	**11/12/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH PROPOSE TO REPAIR FACADE AS SHOWN ON DRAWINGS FILED HEREWITH.NO CHANGE TO USE EGRESS OR OCCPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120182747-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BARBARA PERKEL

ADJOINING PROPERTY FINDINGS

Date:	**5/4/2009**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M291908
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CROSS HUDSON ELEC'L INC. JAMES FILARDI

Date:	**1/13/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR MISC. RENOVATIONS IN APARTMENTS 1C, 2A,3D & 4D, 1ST THROUGH 4TH FLOORS. WORK TO INCLUDE NEW BATHROOM & KITCHEN FINISHES, REPLACING ALL PLUMBING FIXTURES ON EXISTING ROUGHING. NO CHANGE TO USE, EGRESS NOR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110250781-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARK SCHARFMAN

ADJOINING PROPERTY FINDINGS

Date:	**12/2/2008**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED PROPOSED FRONT REPOINTING & REPAINTING THE EXTERIOR FACADE WALL AND INSTALL HEAVY DUTY SIDEWALK SHED FOR PUBLIC PROTECTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SIDEWALK SHED
Permit Number:	110387732-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SUKHJINDER SINGH

Date:	**12/2/2008**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR PROPOSED FRONT REPOINTING & REPAINTING THE EXTERIOR FACADE WALL AND INSTALL HEAVY DUTY SIDEWALK SHED FOR PUBLIC PROTECTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110387732-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SUKHJINDER SINGH

ADJOINING PROPERTY FINDINGS

Date:	**11/28/2008**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **MISC. RENOVATIONS IN APARTMENTS 1C, 2A,3D & 4D, 1ST THROUGH 4TH FLOORS. WORK TO** **INCLUDE NEW BATHROOM & KITCHEN FINISHES, REPLACING ALL PLUMBING FIXTURES ON** **EXISTING ROUGHING. NO CHANGE TO USE, EGRESS NOR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110250781-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL J ESCOBAR

Date:	**10/22/2008**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M286149
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LINTECH ELECTRIC, INC.

ADJOINING PROPERTY FINDINGS

Date:	**6/23/2008**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **MISC. RENOVATION IN APT. 5D, FIFTH FLOOR. WORK TO INCLUDE NEW FINISHES IN** **KITCHEN & BATHROOM, REPLACE ALL PLUMBING FIXTURES ON EXISTING ROUGHING. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110123152-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL WEINTRAUB

Date:	**6/3/2008**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **MISC. RENOVATION IN APT. 5D, FIFTH FLOOR. WORK TO INCLUDE NEW FINISHES IN** **KITCHEN & BATHROOM, REPLACE ALL PLUMBING FIXTURES ON EXISTING ROUGHING. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110123152-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARK SCHARFMAN

ADJOINING PROPERTY FINDINGS

Date:	**4/3/2007**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED PROPOSED INSTALLATION OF 25 LINEAR FEET OF HEAVY DUTY SIDEWALK SHED FOR REMEDIAL REPAIRS . SIDEWALK SHED SHALL COMPLY WITH LL33/1991. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION. LIVE LOAD 300 PSF. NO STORAGE ON SIDEWALK SHED.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	104722098-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAGDISH SINGH

Date:	**11/28/2006**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE REPAIR/REBUILD PARAPET WALL, REPOINT FACADE IN FRONT OF THE BUILDING. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	104557668-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SUKHJINDER SINGH

ADJOINING PROPERTY FINDINGS

Date:	**11/28/2006**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED HEAVY DUTY (300 PSF) TEMP. SIDEWALK SHED FOR FACADE REPAIR. NO CHANGE IN USE, EGRESS OR OCCUPANCY..**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	104612581-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SUKJINDER SINGH

Date:	**11/28/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC REPAIR/REBUILD PARAPET WALL, REPOINT FACADE IN FRONT OF THE BUILDING. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104557668-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SUKHJINDER SINGH

ADJOINING PROPERTY FINDINGS

Date: **4/19/2006**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M256216
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DOUBLE D ELECTRIC CORP. VINCENT DURYEE

Date: **12/12/2005**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class:
Proposed Use: FUEL BURNING
Permit Number: 104300472-01-EW-FB
Status:
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **4/23/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M067260
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: WILLIAM HINKE WILLIAM HINKE

ADJOINING PROPERTY FINDINGS

303 10TH AVE

Date:	**2/7/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M391946
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ASSOCIATED ELEC CONT OF N

Date:	**2/2/2017**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA INSTALL NEW TELECOMMUNICATIONS CABINETS, RELATED DUNNAGE AND RELATED ANTENNAS ON ROOF IN CONFORMANCE WITH TPPN # 5/98. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	122925193-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE DOUKAS

ADJOINING PROPERTY FINDINGS

Date:	**6/12/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION** **INSTALLING FIRE SUPPRESSION SYSTEM ONLY. THERE WILL BE NO CHANGE IN USE EGRESS** **OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	122372084-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER MARTINEZ

Date:	**3/6/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **INTERIOR RENOVATION OF EXISTING COMMERCIAL SPACE. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122071033-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HONGNING YIN

ADJOINING PROPERTY FINDINGS

Date:	**3/6/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC SUBSEQUENT FILING FOR MH, PL AND SP.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122071033-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HONGNING YIN

Date:	**1/20/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER SUBSEQUENT FILING FOR MH, PL AND SP.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122071033-02-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RALPH W LANDOLFI JR

ADJOINING PROPERTY FINDINGS

Date:	**1/14/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **SUBSEQUENT FILING FOR MH, PL AND SP.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122071033-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NICHOLAS SUIDA

Date:	**1/13/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M362579
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	V&B ELECTRICAL CONTNG INC

ADJOINING PROPERTY FINDINGS

Date:	**6/25/2014**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INTERIOR RENOVATION & MINOR PLUMBING WORK OF EXISTING COMMERCIAL SPACE. THERE'S** **NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	121739388-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SCOTT KREITZER

Date:	**12/5/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - PARTITIONS** **INTERIOR RENOVATION & MINOR PLUMBING WORK OF EXISTING COMMERCIAL SPACE. THERE'S** **NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121739388-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	IFTIKHAR AHAMAD

ADJOINING PROPERTY FINDINGS

Date:	**6/10/2013**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **MECHANICAL & PLUMBING WORK IN EXISTING RETAIL SPACE - INSTALLATION OF SPLIT A/C** **SYSTEM, FRESH AIR INTAKES, AND INDIRECT WASTE PIPING. THERE'S NO CHANGE IN USE,** **EGRESS, OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	121631083-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GREGORY REINHOLTZ

Date:	**6/6/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **MECHANICAL & PLUMBING WORK IN EXISTING RETAIL SPACE - INSTALLATION OF SPLIT A/C** **SYSTEM, FRESH AIR INTAKES, AND INDIRECT WASTE PIPING. THERE'S NO CHANGE IN USE,** **EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	121631083-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DORON RESHEFF

ADJOINING PROPERTY FINDINGS

Date: **7/28/2011**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: M307797
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: EVERGREEN ELECTRICAL CORP YEVGENY KOLTUNOV

Date: **7/28/2011**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: M307798
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: EVERGREEN ELECTRICAL CORP YEVGENY KOLTUNOV

Date: **9/22/2010**
Permit Type: **PL**
Description: **PLUMBING - NEW BUILDING**

Permit Description: **PLUMBING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 104935171-03-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: JOSEPH CORNELLA

ADJOINING PROPERTY FINDINGS

Date:	**6/21/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **INSTALL COMBINATION SPRINKLER/STANDPIPE SYSTEM AS SHOWN ON DRAWINGS. NO CHANGE** **TO USE EGRESS OR OCCUPANCY. FILED INCONJUNCTION WITH NB #104935171.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	110226327-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH CORNETTA

Date:	**6/21/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALL COMBINATION SPRINKLER/STANDPIPE SYSTEM AS SHOWN ON DRAWINGS. NO CHANGE** **TO USE EGRESS OR OCCUPANCY. FILED INCONJUNCTION WITH NB #104935171.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	110226327-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH CORNETTA

ADJOINING PROPERTY FINDINGS

Date:	**6/21/2010**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL COMBINATION SPRINKLER/STANDPIPE SYSTEM AS SHOWN ON DRAWINGS. NO CHANGE** **TO USE EGRESS OR OCCUPANCY. FILED INCONJUNCTION WITH NB #104935171.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110226327-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH CORNETTA

Date:	**5/20/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD** **INSTALLATION OF SCAFFOLD AS PER DRAWINGS DURING NEW BUILDING CONSTRUCTION, FILED** **SEPARATELY. SCAFFOLD SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE** **IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	120355999-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANCESCO PUGLIESE

ADJOINING PROPERTY FINDINGS

Date:	**4/29/2010**
Permit Type:	**EQ**
Description:	**NEW BUILDING - CONSTRUCTION EQUIPMENT - FENCE**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	NB - NEW BUILDING
Proposed Use:	FENCE
Permit Number:	104935171-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BARBARA PERKEL

Date:	**4/29/2010**
Permit Type:	**NB**
Description:	**NEW BUILDING -**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	104935171-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BARBARA PERKEL

ADJOINING PROPERTY FINDINGS

Date:	**4/29/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **CONSTRUCT INTERIOR PARTITIONS, CEILINGS AND DOORS FOR TEMPORARY SALES OFFICE. NO** **CHANGE TO USE, EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120217826-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BARBARA PERKEL

Date:	**4/29/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL MECHANICAL DUCTWORK AND EQUIPMENT. INSTALL NEW PLUMBING FIXTURES WITH** **RELATED PIPING AS SHOWN.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120217826-02-EW-MH
Status:	REISSUED, ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BARBARA PERKEL

ADJOINING PROPERTY FINDINGS

Date:	**4/12/2010**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL MECHANICAL DUCTWORK AND EQUIPMENT. INSTALL NEW PLUMBING FIXTURES WITH** **RELATED PIPING AS SHOWN.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	120217826-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH CORNETTA

Date:	**4/8/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE** **INSTALLATION ON PLYWOOD FENCE ATTACHED TO SIDEWALK SHED COLUMNS. SIDEWALK SHED** **FILED UNDER SERPARATE APPLICATION. PLYWOOD FENCE SHALL COMPLY WITH CHAPTER #33** **OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	120055359-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM MIRANDA

ADJOINING PROPERTY FINDINGS

Date:	**4/8/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A DUAL 5000 HOIST DURING NEW BUILDING CONSTRUCTION, FILED SEPARATELY. DUAL HOIST SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION. ELEVATOR APPLICATION SUBMITTED SEPARATELY TO ELEVATOR DIVISION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120074560-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM MIRANDA

Date:	**4/8/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF PIPE SCAFFOLD AS PER DRAWINGS FOR NEW BUILDING CONSTRUCTION, FILED SEPARATELY. SCAFFOLD SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	120265925-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM MIRANDA

ADJOINING PROPERTY FINDINGS

Date:	**3/31/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALALTION OF 139 LINEAR FT OF HEAVY DUTY SIDEWALK SHED FOR NEW BUILDING CON STRUCTION FILED SEPARATELY. LIVE LOAD 300 PSF. SIDEWALK SHED SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	120055377-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM MIRANDA

Date:	**2/25/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER PROPOSE TO INSTALL NEW BOILER IN CONJUNCTION WITH NEW BUILDING**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	120090560-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH CORNETTA

ADJOINING PROPERTY FINDINGS

Date:	**1/4/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF SCAFFOLD AS PER DRAWINGS. SCAFFOLD SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	120238215-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANCESCO PUGLIESE

Date:	**6/4/2009**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M292965
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SHUIR ELEC'L CONTR'S CORP

ADJOINING PROPERTY FINDINGS

Date: **6/3/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M292907
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: SHUIR ELEC'L CONTR'S CORP

Date: **10/20/2008**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M285913
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: COMPSEC ELECTRIC CORP. JOE ZAGO

ADJOINING PROPERTY FINDINGS

Date:	**5/22/2008**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL SHEETING AND SHORING IN CONJUNCTION WITH NB 104935171 AS SHOWN ON DRAWINGS FIL ED HEREWITH. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110168951-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BARBARA PERKEL

Date:	**5/2/2008**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE Propose to install foundations and construction fence for new building. filing inconjuction with NB #104935171. no change to use egress or occupancy.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	110087432-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BARBARA PERKEL

ADJOINING PROPERTY FINDINGS

Date:	**5/2/2008**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN. Propose to install foundations and construction fence for new building. filing inconjuction with NB #104935171. no change to use egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110087432-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BARBARA PERKEL

Date:	**1/12/2007**
Permit Type:	**DM**
Description:	**FULL DEMOLITION -**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	104652332-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL KALOGIANNI

Date:	**1/12/2007**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	104652332-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL KALOGIANNI

ADJOINING PROPERTY FINDINGS

Date:	**6/10/1992**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M095285
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NARROWS ELEC'L CONTR'S IN P POLLARI

Date:	**7/6/1990**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - INSTALLATION OF STAGE TWO GASOLINE VAPOR RECOVERY SYSTEM AND STAGE ONE VAPOR RECOVERY SYSTEM FOR THREE EXISTING 4000 GALLON GASOLINE STORAGE TANKS PUMPS.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	100048529-01-AL
Status:	WITHDRAWN
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT A ARCARO

ADJOINING PROPERTY FINDINGS

311 10TH AVE

Date:	**11/15/2017**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - TEST PITS EXPLORATORY TEST PITS RELATED TO SOE TO GATHER INFORMATION FOR FUTURE BUILDING DESIGN. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	140713636-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID B SILVERSTEIN

Date:	**9/30/2016**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF TEMPORARY PIPE SCAFFOLD AS PER PLAN SUBMITTED. WORK SHALL COMPLY WITH 2014 BUILDING CODES CHAPTER 33. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	140556681-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PHILIP SUSI

ADJOINING PROPERTY FINDINGS

Date:	**9/20/2016**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - ALTERATION AND PARTIAL DEMOLITION OF AN EXISTING BUILDING TO CHANGE THE USE, EGRESS AND OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	121187562-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMANDA REKEMEYER

Date:	**12/1/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE INSTALLATION OF A FENCE AS PER PLANS DURING GENERAL CONSTRUCTION WORK. NO CHANGE IN USE, EGRESS OR OCCUPANCY. FENCE TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	121847822-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEITH LYNCH

ADJOINING PROPERTY FINDINGS

Date:	**10/13/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF SIDEWALK SHED AS PER PLANS. WORK SHALL COMPLY WITH 2014 BUILDING CODE CHAPTER 33. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	140412499-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PHILIP SUSI

Date:	**10/13/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF PIPE SCAFFOLD AS PER PLANS. WORK SHALL COMPLY WITH 2014 BUILDING CODE CHAPTER 33. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	140412514-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PHILIP SUSI

ADJOINING PROPERTY FINDINGS

Date:	**10/6/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M373289
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

Date:	**8/4/2015**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - SHORING** **INSTALLATION OF SHORING TO ENSURE THE SAFETY OF A 4-STORY BUILDING DURING** **PRE-CONSTRUCTION WORK ON SITE AS PER THE PLANS FILED HEREWITH. NO CHANGE IN USE,** **EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	140358253-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LUIGI FALCIANO

ADJOINING PROPERTY FINDINGS

Date:	**11/22/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M347795
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	L.E.A. ELECTRIC CORP.

Date:	**4/23/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF ROOF PROTECTION AS PER DRAWINGS. ROOF PROTECTION SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120169511-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM MIRANDA

ADJOINING PROPERTY FINDINGS

Date:	**4/15/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF 123 LINEAR FEET OF HEAVY DUTY SIDEWALK SHED FOR BUILDING ALTERATION, FILED SEPARATELY. LIVE LOAD 300 PSF. SIDEWALK SHED SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	120172687-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM MIRANDA

Date:	**12/14/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH PROPOSE TO REPAIR FACADE AS SHOWN ON DRAWINGS FILED HEREWITH.NO CHANGE TO USE EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120210235-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BARBARA PERKEL

ADJOINING PROPERTY FINDINGS

Date:	**10/6/2009**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M296683
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SHUIR ELEC'L CONTR'S CORP

Date:	**7/19/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION REPLACE AUTOMATIC FIRE SUPPRESSION SYSTEM IN EXISTING KITCHEN RANGEHOOD. NO CHANGE IN USE,EGRESS AND OCCUPANCY. GAS SHUT-OFF VALVE WAS FILED UNDER CASE#102715938.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	103833096-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHARLES ZHOU

ADJOINING PROPERTY FINDINGS

Date:	**7/5/2000**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION** **INSTALL RANGEHOOD FIRE SUPPRESSION SYSTEM AS SHOWN ON PLAN.** **NO CHANGE IN USE OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	102715938-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY GURBALL

Date:	**6/20/1978**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	006823G
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TRANSP. DISPLAYS INC. DARIO KNESICH, TRANSP. DISPLAYS INC. R MCDONALD, TRANSP. DISPLAYS INC.

ADJOINING PROPERTY FINDINGS

313 10TH AVE

Date:	**6/13/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **REPLACE EXISTING BAR AT PARTIAL FIRST FLOOR AND PROVIDE A HC RAMP AT ENTRANCE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140637568-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MESBAH UDDIN

Date:	**5/29/2009**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL NEW KITCHEN EQUIPMENT, NEW PLUMBING FIXTURES AND GAS RISER. NO CHANGE** **TO USE, EGRESS OR OCCUPATION UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110451868-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARK TALALOVSKY

ADJOINING PROPERTY FINDINGS

Date:	**5/29/2009**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M292717
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TESTA ELECTRIC CO., INC

Date:	**5/13/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL NEW KITCHEN EQUIPMENT, NEW PLUMBING FIXTURES AND GAS RISER. NO CHANGE** **TO USE, EGRESS OR OCCUPATION UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	110451868-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADAM IAZBEK

ADJOINING PROPERTY FINDINGS

Date:	**6/2/1997**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M156260
Status:	NO ACCESS
Valuation:	$0.00
Contractor Company:	
Contractor Name:	INNER CITY ELEC'L CONTR'S

Date:	**4/10/1995**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION** **INSTALL KITCHEN EQUIPMENTS & WALK -IN COOLER. MINOR PARTITION & PLUMBING WORK. INSTALL ANSUL SYSTEM IN KITCHEN EXHAUST HOOD. NO CHANGE IN USE,** **EGRESS & OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	101011691-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JEFFERY HANDLER

ADJOINING PROPERTY FINDINGS

Date:	**3/30/1995**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL KITCHEN EQUIPMENTS & WALK -IN COOLER. MINOR PARTITION & PLUMBING WORK. INSTALL ANSUL SYSTEM IN KITCHEN EXHAUST HOOD. NO CHANGE IN USE,** **EGRESS & OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	101011691-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAM WU

Date:	**3/30/1995**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - G.C.** **INSTALL KITCHEN EQUIPMENTS & WALK -IN COOLER. MINOR PARTITION & PLUMBING WORK. INSTALL ANSUL SYSTEM IN KITCHEN EXHAUST HOOD. NO CHANGE IN USE,** **EGRESS & OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101011691-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAM WU

ADJOINING PROPERTY FINDINGS

Date:
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: M329547
Status: OBJECTION PENDING AT OWNER
Valuation: $0.00
Contractor Company:
Contractor Name:

315 10TH AVE

Date: **6/27/2013**
Permit Type: **EW**
Description: **ALTERATION TYPE 2 - GEN. CONSTR.**
PROVIDE NEW BREEZEWAY IN CONJUNCTION WITH 317 10TH AVE. (SAME OWNER)

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 121464334-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: PETROS PSARRIS

ADJOINING PROPERTY FINDINGS

Date:	**2/10/2009**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **Renovate existing first floor restaurant. Replace plumbing fixtures in toilet. Replace storefront and install construction fence. No change to use egress or occupancy under this application**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110040107-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STUART WACHTEL

Date:	**12/21/2007**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE** **Renovate existing first floor restaurant. Replace plumbing fixtures in toilet. Replace storefront and install construction fence. No change to use egress or occupancy under this application**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	110040107-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RUDY FRAZIER

ADJOINING PROPERTY FINDINGS

Date:	**12/21/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN.** **Renovate existing first floor restaurant. Replace plumbing fixtures in toilet. Replace storefront and install construction fence. No change to use egress or occupancy under this application**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110040107-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RUDY FRAZIER

Date:	**9/14/2006**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - AWNING** **INSTALLATION OF A BUSINESS AWNING. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	104527424-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SATROGHAUN SINGH

ADJOINING PROPERTY FINDINGS

Date:	**8/23/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **MINOR INTERIOR CHANGES WITH GENERAL CONSTRUCTION AND PLUMBING WORK AS PER PLAN.** **THERE IS NO CHANGE TO USE, EGRESS, OR OCCUPNCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104519175-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM TREANOR

Date:	**8/23/2006**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **MINOR INTERIOR CHANGES WITH GENERAL CONSTRUCTION AND PLUMBING WORK AS PER PLAN.** **THERE IS NO CHANGE TO USE, EGRESS, OR OCCUPNCY FILED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104519175-01-PL
Status:	REISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RICHARD LYNE

ADJOINING PROPERTY FINDINGS

Date:	**7/25/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN. MINOR INTERIOR CHANGES WITH GENERAL CONSTRUCTION WORK AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS, OR OCCUPNCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104479431-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM I TREANOR

Date:	**12/12/2005**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M251559
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WARREN OSTROFF ELEC., INC

ADJOINING PROPERTY FINDINGS

Date:	**6/23/2004**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - GC** **ERECT WOOD DECK, TRELLIS AND CONOPY IN THE REAR YARD (WITHIN 100' OF THE** **CORNER). NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	103809933-01-AL
Status:	REVOKED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT MOEZINIA

Date:	**5/27/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **INTERIOR RENOVATION OF EXISTING RESTAURANT, NEW STORE FRONT AS PER PLANS** **HEREWITH FILED, NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103776549-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KIT MOCZINIAS

ADJOINING PROPERTY FINDINGS

Date:	**5/25/2004**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE INTERIOR RENOVATION OF EXISTING RESTAURANT, NEW STORE FRONT AS PER PLANS HEREWITH FILED, NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	103776549-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KIT MOCZINIAS

Date:	
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	
Proposed Use:	
Permit Number:	M329546
Status:	OBJECTION PENDING AT OWNER
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

317 10TH AVE

Date:	**3/25/2014**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **PROVIDE NEW BREEZEWAY IN CONJUNCTION WITH 315 10TH AVE. (SAME OWNER) ALSO,** **PROVIDE NEW HC ACCESSIBLE BATHROOM AND SECOND BATHROOM.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	121464352-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CONSTANTINE KOUMPAROULIS

Date:	**3/21/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **PROVIDE NEW BREEZEWAY IN CONJUNCTION WITH 315 10TH AVE. (SAME OWNER) ALSO,** **PROVIDE NEW HC ACCESSIBLE BATHROOM AND SECOND BATHROOM.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121464352-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NIKOLAOS GIANNOUTSOS

ADJOINING PROPERTY FINDINGS

Date:	**7/19/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M342944
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	USA ELECT'L SERVICES CORP

Date:	**6/3/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. HEREWITH FILING TO INSTALL NEW SHEET ROCK AT CEILING ON FIRST FLOOR AND REMOVE ECB VIOLATION # 35004569K .NO CHANGE IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121608046-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETROS PSARRIS

ADJOINING PROPERTY FINDINGS

Date:	**5/21/2008**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **PROPOSED: GENERAL RENOVATION OF EXISTING BUILDING, REPLACE OLD STEEL BEAM 10"** **WITH NEW ONE 16". NO CHANGE OF OCCUPANCY USE OR MEANS OF EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110115811-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GIULIO LATONA

Date:	**4/27/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GENERAL CONSTRU** **Installation of new non-structural finishes and partition in existing ground floor vacant commercial space. No change to use, occupancy or egress with this application.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104085614-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LUIC LELAY

ADJOINING PROPERTY FINDINGS

Date:	**6/23/2004**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - GC** **ERECT WOOD DECK, TRELLIS AND CONOPY IN THE REAR YRAD (WITHIN 100' OF THE** **CORNER). NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	103809942-01-AL
Status:	REVOKED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT MOESZINIA

Date:	**5/14/1982**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	006122C
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	T & T ELECTRICAL CO., INC WILLIAM TONELLI SR TONELLI, T & T ELECTRICAL CO., INC WILLIAM TONELLI,JR

ADJOINING PROPERTY FINDINGS

Date:
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: M329544
Status: OBJECTION PENDING AT OWNER
Valuation: $0.00
Contractor Company:
Contractor Name:

319 10TH AVE

Date: **3/27/2015**
Permit Type: **EQ**
Description: **ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER**
INSTALLATION OF A STROS 10,000 LB PERSONNEL/MATERIAL DUAL CAR HOIST AS PER PLANS
DURING NB CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. HOIST TO COMPLY
WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: A3 - ALTERATION TYPE 3
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 122333420-01-EQ-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MARTIN DONOVAN

ADJOINING PROPERTY FINDINGS

Date:	**7/11/2012**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF HEAVY DUTY SIDEWALK SHED AS PER PLANS. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	121144029-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VJOLCA PILKU

Date:	**6/25/2012**
Permit Type:	**DM**
Description:	**FULL DEMOLITION - FULL DEMOLITION OF ONE STORY GARAGE USING MEANS AND METHOD PLANS.**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	120919541-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARDY DALTON

ADJOINING PROPERTY FINDINGS

Date:	**6/25/2012**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE** **FULL DEMOLITION OF ONE STORY GARAGE USING MEANS AND METHOD PLANS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	120919541-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARDY DALTON

329 10TH AVE

Date:	**6/25/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION** **FILING TO INSTALL NEW FIRE SUPPRESSION SYSTEM. NO CHANGE IN USE, EGRESS, OR** **OCCUPANCY. GAS VALVE FILED UNDER APPLICATION #120808554**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	121106926-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MUNTAZ KHAN

ADJOINING PROPERTY FINDINGS

Date:	**5/18/2012**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - AWNING** **NON ILLUMINATED NON ADVERTISING ACCESSORY STOREFRONT AWNING - NO LETTERING**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	121017201-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ERIC BERGER

Date:	**4/24/2012**
Permit Type:	**SG**
Description:	**SIGN -** **NON ILLUMINATED NON ADVERTISING ACCESSORY SIGN**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	120953691-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ERIC BERGER

ADJOINING PROPERTY FINDINGS

Date:	**4/24/2012**
Permit Type:	**SG**
Description:	**SIGN - NON ILLUMINATED NON ADVERTISING ACCESSORY SIGN**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	120993817-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ERIC BERGER

Date:	**1/30/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. REPAIR/REPLACE EXISTING FIRST FLOOR FLOORING AS PER PLANS SUBMITTED. WORK TO INCLUDE GYP. BD. WORK. INTERIOR RENOVATION PLANS FILED UNDER SEPARATE APPLICATION. NO CHANGE IN USE, EGRESS, AND OCCUPANCY INVOLVED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120884070-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PASQUALE SURIANO

ADJOINING PROPERTY FINDINGS

Date:	**1/30/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL STRUCTURAL PLANS HEREBY SUBMITTED IN CONNECTION WITH FIRST FLOOR FLOORING REPAIR/REPLACEMENT/REINFORCEMENT WORK. NO CHANGE IN USE, EGRESS, AND OCCUPANCY INVOLVED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120884070-02-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PASQUALE SURIANO

Date:	**11/9/2011**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 PROPOSED REFURBISHING OF AN EXISTING STORE GROUP 6 WITH PLUMBING JOB, NEW METAL HOOD AND EXHAUST SYSTEM AS PER PLANS AND DOCUMENTS. FIRE SUPPRESSION SYSTEM TO BE FILED UNDER A SEPARATE APPLICATION. NO CHANGE IN BULK, USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	120808554-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM F HARVEY

ADJOINING PROPERTY FINDINGS

Date:	**9/28/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **PROPOSED REFURBISHING OF AN EXISTING STORE GROUP 6 WITH PLUMBING JOB, NEW METAL** **HOOD AND EXHAUST SYSTEM AS PER PLANS AND DOCUMENTS. FIRE SUPPRESSION SYSTEM TO** **BE FILED UNDER A SEPARATE APPLICATION. NO CHANGE IN BULK, USE, EGRESS OR** **OCCUPANCY UNDER THIS APPLICATION**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120808554-01-EW-MH
Status:	REISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KHATIB MAHAMMED

Date:	**9/28/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **PROPOSED REFURBISHING OF AN EXISTING STORE GROUP 6 WITH PLUMBING JOB, NEW METAL** **HOOD AND EXHAUST SYSTEM AS PER PLANS AND DOCUMENTS. FIRE SUPPRESSION SYSTEM TO** **BE FILED UNDER A SEPARATE APPLICATION. NO CHANGE IN BULK, USE, EGRESS OR** **OCCUPANCY UNDER THIS APPLICATION**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120808554-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KHATIB MAHAMMED

ADJOINING PROPERTY FINDINGS

Date:	**7/14/2011**
Permit Type:	**SG**
Description:	**SIGN - APPLICATION FILED TO INSTALL 25' X 14' SIGN ON WALL OF BUILDING TO PROJECT 6" OVER THE PROPERTY LINE. SIGN PREVIOUSLY FILED UNDER APPLICATION BN5326/88. DECISION AND ORDER FOR VIOLATION 034816150Z ISSUED BY THE CITY OF NEW YORK ENVIRONMENTAL CONTROL BOARD ON DECEMBER 3,2010 STATES THE EXISTING SIGN IS A LEGAL NON-CONFORMING USE.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	120745514-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID BROWN

Date:	**3/6/2001**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M198594
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WALLICCAN ELEC'L CONTR IN

ADJOINING PROPERTY FINDINGS

Date:	**10/24/2000**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION INSTALL FIRE SUPPRESSION SYSTEM NO CHANG E IN USE EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	102810914-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HENRY SALA

333 10TH AVE

Date:	**1/16/1998**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M163013
Status:	VIOLATN PENDING AT CONTRACTOR
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BISANTZ ELEC. CO., INC. LOUIS BISANTZ

ADJOINING PROPERTY FINDINGS

Date:	**10/10/1996**
Permit Type:	**SG**
Description:	**SIGN - INSTALLATION OF ILLUMINATED ADVERSTING SIGN. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	101106385-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN MONTANA

Date:	**12/13/1995**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M138782
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WELSBACH ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date: **8/1/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M134273
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: BISANTZ ELEC. CO., INC. LOUIS BISANTZ

337 10TH AVE

Date: **8/21/2008**
Permit Type: **EW**
Description: **ALTERATION TYPE 2 - TEMP TENTS**
ERECTION AND DISMANTLING OF TEMPORARY TENTS AND OTHER PRODUCTION EQUIPMENT. NO
CHANGE TO EGRESS, USE OR OCCUPANCY.

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 110311403-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ELLIOT WINICK

ADJOINING PROPERTY FINDINGS

Date:	**3/31/2001**
Permit Type:	**SG**
Description:	**SIGN -** **INSTALLATION OF ADVERTISING SIGN 32X4**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	102678504-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EMIL MONTANA

Date:	**3/31/2001**
Permit Type:	**SG**
Description:	**SIGN -** **INSTALLATION OF ADVERTISING SIGN 32X4.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	102679558-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EMIL MONTANA

ADJOINING PROPERTY FINDINGS

11 AVE

319 11 AVE

Date:	**12/17/2015**
Permit Type:	**DM**
Description:	**FULL DEMOLITION - FULLY DEMOLISH A ONE STORY STEEL FRAME BUILDING**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	122028974-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TARIQ KHAN

Date:	**12/17/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALL 30' LONG SIDEWALK SHED. NO CHANGE IN USE, EGRESS OR OCCUPANCY**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	122640632-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BALWINDER SINGH

ADJOINING PROPERTY FINDINGS

Date:	**11/27/2015**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE** **FULLY DEMOLISH A ONE STORY STEEL FRAME BUILDING**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	122028974-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TARIQ M KHAN

Date:	**5/27/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD** **INSTALLATION OF SCAFFOLD STAIR TOWER WITH PLYWOOD ENCLOSURE AS PER PLANS DURING** **REMEDIAL REPAIRS. WORK TO COMPLY WITH NEW YORK CITY BUILDING CODE 2008, CHAPTER** **33. NO CHANGES IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	121736568-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN KINGSTON

ADJOINING PROPERTY FINDINGS

Date:	**12/15/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. REMOVE EXISTING OIL/WATER SEPARATOR AND 4000 GALLON OIL/WATER SEPARATOR TANK FROM EXISTING YARD DRAINAGE SYSTEM. NO CHANGE IN USE OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122200144-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES GIUSTINIANI

Date:	**12/15/2014**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 REMOVE EXISTING OIL/WATER SEPARATOR AND 4000 GALLON OIL/WATER SEPARATOR TANK FROM EXISTING YARD DRAINAGE SYSTEM. NO CHANGE IN USE OR EGRESS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122200144-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ERIC E LUNDENBERG

ADJOINING PROPERTY FINDINGS

Date:	**5/16/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - TANK REMOVALS REMOVE 4 UNDERGROUND STORAGE TANKS INCLUDING 1-1000 GAL. MOTOR OIL AND 1-1000 GAL. HYDRAULIC OIL TANK, 2-2500 GAL DIESEL MOTOR FUEL TANKS AND DISCONTINUE 1-4000 GAL OIL/WATER SEPARATOR TANK IN PLACE. REMOVE PUMP ISLAND AND ATTENDANT'S BOOTH AS INDICATED ON PLANS FILED. NO CHANGE IN USE OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121994903-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES GIUSTINIANI

Date:	**7/20/1994**
Permit Type:	**NB**
Description:	**NEW BUILDING -**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	100808636-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MELVIN FEBESH

ADJOINING PROPERTY FINDINGS

Date: **6/22/1994**
Permit Type: **PL**
Description: **PLUMBING - NEW BUILDING**

Permit Description: **PLUMBING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 100808636-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: GARY BLAU

Date: **4/21/1994**
Permit Type: **FO**
Description: **NEW BUILDING - FOUNDATION/EARTHWORK**

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 100808636-01-FO
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MELVIN FEBESH

Date: **4/21/1994**
Permit Type: **FO**
Description: **NEW BUILDING - EARTHWORK**

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 100808636-01-FO-EA
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MELVIN FEBESH

ADJOINING PROPERTY FINDINGS

Date:	**4/20/1994**
Permit Type:	**EQ**
Description:	**NEW BUILDING - CONSTRUCTION EQUIPMENT - FENCE**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	NB - NEW BUILDING
Proposed Use:	FENCE
Permit Number:	100808636-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MELVIN FEBESH

11TH AVE

260 11TH AVE

Date:	**1/7/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. FILING HEREWITH DRAWINGS TO INSTALL ART WORK ON PROPOSED WATER TOWER. NO CHANGE IN USE, EGRESS, OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122144447-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BETH HOCHHAUSER

ADJOINING PROPERTY FINDINGS

Date:	**3/1/2013**
Permit Type:	**EW**
Description:	
Permit Description:	**EQUIPMENT WORK**
Work Class:	
Proposed Use:	FUEL BURNING
Permit Number:	121503872-01-EW-FB
Status:	
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

Date:	**3/1/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FUEL STORAGE REPLACE TWO (2) OIL BURNERS ON NYC BOILER NO'S 1382-01 & 02 AND REPLACE 14,000 GALLON FUEL OIL TANK WITH 7500 GALLON FUEL OIL TANK.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL STORAGE
Permit Number:	121503872-01-EW-FS
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN R KNIEF

ADJOINING PROPERTY FINDINGS

Date:	**3/19/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF HEAVY DUTY SIDEWALK SHED A TOTAL OF 558 L.F AS PER PLAN AT 260 11 AVENUE. WORK SHALL COMPLY WITH 2008 BUILDING CODE CHAPTER 33. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	110482362-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL GROSMAN

Date:	**12/8/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FACADE EXTERIOR REPAIRWORK AS PER PLANS FILED HEREWITH. NO CHANGE TO EGRESS, USE OR OCCUPANCY. PLANS FOR A SIDEWALK SHED ARE BEING FILED SEPARATELY FOR THIS ADDRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120084130-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAT MCDONOUGH

ADJOINING PROPERTY FINDINGS

Date:	**12/7/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SLAB REPAIR SLAB ON GRADE REPAIR AS PER PLAN AT 260 11TH AVENUE, NEW YORK. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110414132-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAT MCDONOUGH

Date:	**3/17/2009**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M290569
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EVERGREEN ELECTRICAL CORP YEVGENY KOLTUNOV

ADJOINING PROPERTY FINDINGS

Date:	**6/10/2008**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M281730
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NYCHRA

Date:	**3/13/2008**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **Interior renovation of existing offices, including partition changes. No change of use, egress or occupancy under this application.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110049019-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER PAVLAKIS

ADJOINING PROPERTY FINDINGS

Date:	**3/13/2008**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **Mechanical and Plumbing as per plans. No change of use, egress or occupancy under this application.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	110049019-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER PAVLAKIS

Date:	**8/24/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **Herewith filing mechanical work as per plans. No change of use,egress or occupancy under this application.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	104831817-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH SANTINO

ADJOINING PROPERTY FINDINGS

Date:	**3/29/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONST.** **Interior renovation of existing offices on 6 and 7th floors, including partition changes. No change of use ,egress or occupancy under this application.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104669878-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH SANTINO

Date:	**1/18/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - INTER DEMO** **Interior demolition to existing office spaces on the 6th and 7th floors. All plumbing and mechanical work will be filed under a separate application. No change of use, egress or occupancy under this application.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104649392-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH SANTINO

ADJOINING PROPERTY FINDINGS

Date: **12/18/2006**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M261318
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **11/30/2006**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M261465
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **10/30/2006**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M260669
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **5/10/2006**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M255780
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **1/9/2006**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M252668
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **6/17/2005**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M246701
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date:	**1/27/2005**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M242145
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date:	**12/30/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **FILE TO REPLACE EXISTING A.C. UNIT ON SE VENTH FLOOR. ALSO TO OBTAIN EQU** **PMENT USE PERMIT.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103966246-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SHAM MALHOTRA

ADJOINING PROPERTY FINDINGS

Date: **7/12/2004**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M236424
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **5/21/2004**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M234767
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **3/1/2004**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M232375
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **11/12/2002**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M217206
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: WALTON ELEC'L CONST. CORP

ADJOINING PROPERTY FINDINGS

Date:	**6/26/2002**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN CONST. REPLACE 20,000 GALLON FUEL OIL TANK WITH 14,000 GALLON FUEL OIL TANK IN EXISTING TANK ROOM. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103079687-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK CASSANO

Date:	**5/28/2002**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FUEL STORAGE REPLACE 20,000 GALLON FUEL OIL TANK WITH 14,000 GALLON FUEL OIL TANK IN EXISTING TANK ROOM. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL STORAGE
Permit Number:	103079687-01-EW-FS
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK CASSANO

ADJOINING PROPERTY FINDINGS

Date:	**5/10/2002**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN CONST. REMOVE EXIST WIRE MESH PARTITION IN ELECTRICAL AREA & CONSTRUCT NEW FIRE RATED PARTITION ENCLOSURE. NO CHANGE IN USE (U.G.), OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103128072-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NICK GIAKOUMIS

Date:	**5/10/2002**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN CONSTRUCT ENCLOSE EXISTING MECHANICAL ROOMS AT ROOF. NO CHANGE IN USE (U.G.), OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103133752-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NICK GIAKOUMIS

ADJOINING PROPERTY FINDINGS

Date:	**5/3/2002**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN CONSTRUC REMOVE ESCALATOR, NEW PARTITIONS AND INFILL FLOOR OPENING. NO CHANGE IN USE (U.G.), OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103140995-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOEL RIVERA

Date:	**4/26/2002**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN. Replace Existing Deteriorated Brick Parapets with New Steel Railings; Replace Existing Deteriorated Skylights With New; And Selective Brick Masonry Repair as per Plans filed Herewith. NO CHANGE IN USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103138622-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT CASTALDI

ADJOINING PROPERTY FINDINGS

Date:	**4/22/2002**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN CONST. EXIST. MAIN ENTRANCE DOOR TO BE MADE ADA COMPLIANT. NO CHANGE IN USE (U.G.), OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103128081-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOEL RIVERA

Date:	**4/22/2002**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M211499
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date:	**4/8/2002**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF 454' SIDEWALK SHED FOR T HE PURPOSE OF FACADE INSPECTION THE SIDEWALK SHED WILL COMPLY WITH LL33/ 91, AND PPN 9/99. THE SIDEWALK SHED WI BE FOR LIGHT WEIGHT USE WITH NO STORAGE OF MATERIAL ON IT. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	103115754-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL SIVIEC

Date:	**1/1/2000**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M185149
Status:	ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **11/1/1999**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M183463
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **8/1/1999**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M180923
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **7/1/1999**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M179675
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **5/1/1999**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M177334
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **2/1/1999**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M175018
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **1/1/1999**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M175427
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **12/1/1998**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M174278
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **11/1/1998**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M172271
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **10/1/1998**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M171561
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **8/17/1998**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M169831
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **7/1/1998**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M168441
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **6/1/1998**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M167527
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **4/1/1998**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M166059
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **2/1/1998**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M164372
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **1/2/1998**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M162129
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **9/1/1997**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M158424
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **8/1/1997**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M157328
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **6/1/1997**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M155131
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **5/1/1997**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M154727
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **3/26/1997**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M152941
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: E. FITZGERALD ELEC CO INC

Date: **3/24/1997**
Permit Type: **EQ**
Description:

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class:
Proposed Use: SIDEWALK SHED
Permit Number: 101489328-01-EQ-SH
Status:
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/1/1997**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M152250
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **1/21/1997**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M151017
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **11/1/1996**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M148504
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **10/1/1996**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M147652
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **9/1/1996**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M146594
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **7/1/1996**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M144622
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **6/1/1996**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M144087
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **5/1/1996**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M143078
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **4/1/1996**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M141739
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **3/11/1996**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M141097
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **2/1/1996**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M140299
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **1/4/1996**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M139256
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date:	**1/1/1996**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M139257
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date:	**12/4/1995**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - PARTITIONS** **INTERIOR DEMOLITION OF CONCRETE ELEVATIO NS, REMOVE AND REPLACE INTERIOR** **PARTITIONS REMOVE PLUMBING FIXTURE, CAP LINES.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101132971-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL DEZER

ADJOINING PROPERTY FINDINGS

Date: **12/4/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M139417
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: NYC DEPT. OF HOMELESS SVC

Date: **12/1/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M138584
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **11/1/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M137564
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **10/1/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M136851
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **9/26/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M137317
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **9/25/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M137255
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **9/1/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M135905
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **8/10/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M134867
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **7/3/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M133761
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: NYC DEPT. OF HOMELESS SVC

Date: **7/1/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M133469
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **6/1/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M132591
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **6/1/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M133183
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **5/22/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M133185
Status: NO ACCESS
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **5/1/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M131822
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **4/1/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M130650
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **4/1/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M130884
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **3/1/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M129613
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **2/1/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M129092
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **12/1/1994**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M126491
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **11/1/1994**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M125735
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **10/1/1994**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M124541
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **9/26/1994**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M124111
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **9/1/1994**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M123548
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **8/1/1994**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M122385
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **7/1/1994**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M121390
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **6/1/1994**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M120511
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **5/5/1994**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M119206
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **4/1/1994**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M117861
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **3/1/1994**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M116730
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **2/1/1994**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M115792
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **1/1/1994**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M114977
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **12/1/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M113779
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **11/1/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M113062
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **10/18/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M112213
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **10/1/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M112035
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **10/1/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M112076
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **9/15/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M111851
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **9/3/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M110856
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **8/1/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M109835
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **7/1/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M109322
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **6/1/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M107784
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **5/1/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M106254
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **4/1/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M105456
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **3/1/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M104417
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **2/1/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M103317
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **1/4/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M102518
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **11/1/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M100866
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **10/1/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M099916
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **9/7/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M098860
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **7/1/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M096385
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **6/1/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M095466
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **5/1/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M094690
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **4/27/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M095185
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **4/11/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M093308
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **3/1/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M092542
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **2/3/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M091031
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **1/1/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M090233
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **12/1/1991**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M089437
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date:	**11/6/1991**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - REPLACEMENT (1) NEW 28" DIA METAL EXTENSION IN SAME LOCATION & AT SAME HEIGHT AS WAS PREVIOUSLY EXISTING. NO CHANGE IN MEANS OF EGRESS,USE GROUP OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	100336824-01-AL
Status:	WITHDRAWN
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHARLIE FREE

Date:	**11/1/1991**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M088098
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **10/1/1991**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M087282
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **9/1/1991**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M085863
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **8/1/1991**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M084919
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **7/1/1991**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M083662
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **6/1/1991**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M083070
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **5/3/1991**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M081511
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: C. B. ELECTRIC, INC.

Date: **5/1/1991**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M081544
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **4/1/1991**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M079976
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **3/1/1991**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M079273
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **2/19/1991**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M079018
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **1/1/1991**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M077409
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **12/17/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M077531
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **12/8/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M077530
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **12/1/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M076118
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **11/1/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M074868
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **10/1/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M073577
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **8/1/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M071227
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **8/1/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M071235
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **7/3/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M071156
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **6/18/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M069088
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **6/1/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M068643
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **5/1/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M068235
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **4/1/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M066082
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **3/1/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M064449
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **2/1/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M063950
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **1/31/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M062981
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **1/29/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M062982
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **1/1/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M062272
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **11/1/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M059609
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **10/10/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M058468
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **10/2/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M058561
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **9/1/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M056894
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **8/10/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M056376
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **8/1/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M055789
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **7/1/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M054479
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **6/1/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M053944
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **5/1/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M052098
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **4/1/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M050980
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **3/9/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M052129
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **2/3/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M047155
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **2/1/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M048243
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **12/1/1988**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M045725
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **11/1/1988**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M044656
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **11/1/1988**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M045381
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: MASS ELECT. OF N.Y. INC. D HARING, MASS ELECT. OF N.Y. INC. R FEDERICO

ADJOINING PROPERTY FINDINGS

Date: **10/1/1988**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M044006
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **9/1/1988**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M044709
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **8/1/1988**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M040555
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **7/1/1988**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M039251
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **6/1/1988**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M037787
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **5/1/1988**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M036803
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **4/1/1988**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M035606
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **3/1/1988**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M033783
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **2/1/1988**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M032285
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **12/1/1987**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M029518
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **10/1/1987**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M028704
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **9/1/1987**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M025598
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **8/1/1987**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M023977
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **7/1/1987**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M021786
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **6/1/1987**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M021777
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **5/1/1987**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M019907
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **4/1/1987**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M018030
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **10/15/1985**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 039767
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **10/5/1985**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 039785
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **10/4/1985**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 039763
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **9/19/1985**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 038191
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **9/19/1985**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 038195
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **7/24/1985**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 034974
Status: LOCATION PROBLEM
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **7/23/1985**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 034972
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **7/23/1985**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 034986
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **7/11/1985**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 034304
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

ADJOINING PROPERTY FINDINGS

Date: **7/11/1985**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 034305
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **7/11/1985**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 034311
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

Date: **2/6/1985**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 025041
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: GOLD STAR ELEC. CONTR'S, M GOLD

ADJOINING PROPERTY FINDINGS

Date:	**3/14/1984**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	004317
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DEPT. OF SOCIAL SERVICES E MURRAY, DEPT. OF SOCIAL SERVICES NORRIS ABSALOM

270 11TH AVE

Date:	**6/16/2009**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **REQUEST FILING FOR INTERIOR DEMOLITION AND RENOVATION OF PARTITIONS, CABINETRY** **PLUMBING, SKY LIGHTS AT ROOF. NO CHANGE IN OCCUPANCY USE OR EGRESS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	320009986-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY NASTASI

ADJOINING PROPERTY FINDINGS

Date:	**6/2/2009**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	B316976
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WCK ELECTRIC CORP.

Date:	**5/12/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **REQUEST FILING FOR INTERIOR DEMOLITION AND RENOVATION OF PARTITIONS, CABINETRY** **PLUMBING, SKY LIGHTS AT ROOF. NO CHANGE IN OCCUPANCY USE OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	320009986-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSE MALDONADO

ADJOINING PROPERTY FINDINGS

Date:	**5/12/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **REQUEST FILING FOR INTERIOR DEMOLITION AND RENOVATION OF PARTITIONS, CABINETRY** **PLUMBING, SKY LIGHTS AT ROOF. NO CHANGE IN OCCUPANCY USE OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	320009986-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSE MALDONADO

Date:	**10/31/2006**
Permit Type:	**SG**
Description:	**SIGN -** **ERECT ILLUM. ACCESSORY BUSINESS SIGN ON WALL. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	104539732-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID BROWN

ADJOINING PROPERTY FINDINGS

Date:	**9/18/2006**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M259096
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CITY ELEC'L SIGN ERECTORS

Date:	**11/1/2005**
Permit Type:	**SG**
Description:	**SIGN -** **ERECT ILLUMINATED ACCESSORY BUSINESS SIGN ON WALL. NO CHANGE IN USE, EGRESS,** **OR OCCUPANCY.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	104270726-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEVIN GOING

ADJOINING PROPERTY FINDINGS

Date: **10/7/2005**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M250174
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: THE GOING SERVICING CO IN

Date: **4/18/2005**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M244602
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: HESTER ELECTRICAL INC

ADJOINING PROPERTY FINDINGS

Date:	**3/10/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN. MINOR FACADE RENOVATION AS PER PLANS FILED HEREWITH. NO CHANGE IN OCCUPANCY, USE OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103991067-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MOHAMMED KAMAL

Date:	**10/14/2004**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD Erect temporary scaffold 400 x 60' high surrounding perimeter of bldg. to replace stucco. Sidewalk shed filed under separate application. No change in use, egress or occupancy under thjis appl.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	103938385-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM HALLICK

ADJOINING PROPERTY FINDINGS

Date:	**10/14/2004**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED Erect 420' of Temporary Heavy Duty Sidewalk Shed 300 psf for replacing stucco on building. 100' on W. 28th St. 220' on 11th Ave. & 100' on W. 27th St. Shed to comply with LL31/91. Shed 300psf. There is no change in use, occupancy or egress under this application.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	103938688-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM HALLICK

Date:	**7/9/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER INSTALLATION OF (2) GAS BOILERS, (4) GAS FURNACES, (1) GAS METER AND GAS PIPING AS PER PLANS FILED HEREWITH. NO CHANGE IN OCCUPANCY, USE OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	103788153-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT MIDROY

ADJOINING PROPERTY FINDINGS

Date:	**6/14/2004**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INTERIOR DEMOLITION AS SHOWN ON PLANS FI LED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103359358-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT MIDROY

Date:	**6/14/2004**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLATION OF PLUMBING FIXTURES AS PER PLANS FILED HEREWITH. NO CHANGE IN** **OCCUPANCY, USE OR EGRESS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103773515-03-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT MIDROY

ADJOINING PROPERTY FINDINGS

Date:	**6/14/2004**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLATION OF (2) GAS BOILERS, (4) GAS FURNACES, (1) GAS METER AND GAS PIPING** **AS PER PLANS FILED HEREWITH. NO CHANGE IN OCCUPANCY, USE OR EGRESS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103788153-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT MIDROY

Date:	**6/9/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALLATION OF MECH/HVAC DUCTWORK AND EQUIPMENT AS PER PLANS FILED HEREWITH.** **NO CHANGE IN OCCUPANCY, USE OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103773515-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SIMON CHAN

ADJOINING PROPERTY FINDINGS

Date:	**6/9/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL INSTALLATION OF STRUCTURAL REINFORCEMENTS AS PER PLANS FILED HEREWITH. NO CHANGE IN OCCUPANCY, USE OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103773515-02-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SIMON CHAN

Date:	**2/26/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M230990
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HESTER ELECTRICAL INC

ADJOINING PROPERTY FINDINGS

Date:	**8/25/2003**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M226241
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HESTER ELECTRICAL INC

Date:	**8/6/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - PARTITIONS** **Interior partitions as shown on plans filed herewith. No change in use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103519881-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SIMON CHAN

ADJOINING PROPERTY FINDINGS

Date: **3/5/2003**
Permit Type: **EW**
Description: **ALTERATION TYPE 2 - PARTITIONS**
INTERIOR DEMOLITION AS SHOWN ON PLANS FI LED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 103359358-01-EW-OT
Status: REISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: HANSANB BUGDAYCAY

Date: **12/4/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M138298
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ARGON ELECTRICAL CORP

Date: **1/12/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M137071
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ELEVATOR CORP. N LOIACONO

ADJOINING PROPERTY FINDINGS

Date:	**6/28/1994**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION INSTALL FIRE SUPPRESSION SYSTEM (ANSUL) NO CHANGE IN USE, EGRESS OR OCCU PANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	100851160-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JEFFREY S HANDLER

Date:	**12/24/1991**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - CHANGE OF USE GROUP FROM 9 TO MIXED 9, 12 AND 13A NO CONSTRUCTION WO RK TO BE DONE- AMENDED C OF O TO BE OBTAINED.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	100294101-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL DEZER

ADJOINING PROPERTY FINDINGS

Date: **5/31/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M053543
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ARGON ELECTRICAL CORP

Date: **3/26/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M050174
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ARGON ELECTRICAL CORP

Date: **12/1/1988**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M046685
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: C.Q. ELECTR'L CONTRG CORP

ADJOINING PROPERTY FINDINGS

Date: **6/1/1988**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M038278
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ROBCO ELECTRIC CORP. ROBERT BERTIE

Date: **3/8/1988**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M034465
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DYSON ELECT. & ELEV. CORP RUSSELL DYSON

Date: **9/1/1987**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M027446
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DYSON ELECT. & ELEV. CORP RUSSELL DYSON

ADJOINING PROPERTY FINDINGS

271 11TH AVE

Date:	**3/15/2013**
Permit Type:	**EW**
Description:	
Permit Description:	**EQUIPMENT WORK**
Work Class:	
Proposed Use:	FUEL BURNING
Permit Number:	140062241-01-EW-FB
Status:	
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

Date:	**3/15/2013**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **REPLACE (2) GAS/OIL BURNER ON (2) EXISTING LOW PRESSURE BOILERS. NO CHANGE IN** **USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	140062241-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STUART ISER

ADJOINING PROPERTY FINDINGS

Date: **8/4/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M109289
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: O.M. ELECTRIC INC. RAFAEL SEPULVEDA, O.M. ELECTRIC INC. MARK OSTROVSKY

281 11TH AVE

Date: **7/27/2017**
Permit Type: **EW**
Description: **ALTERATION TYPE 2 - STRUCTURAL
REMOVAL OF EXISTING NON-FUNCTIONAL ENVIRONMENTAL CONTROL EQUIPMENT. CONSTRUCT
ELEVATED STEEL PLATFORM FOR THE PARTIAL RELOCATION OF THE NEW ENVIRONMENTAL
CONTROL EQUIPMENT.INSTALL NEW ENVIRONMENTAL CONTROL EQUIPMENT. REMOVE & INSTALL
NEW SHOWER. INSTALLATION OF HEAT-TRACED AND INSULATED PIPES & PIPE SUPPORTS. NO
CHANGE TO USE, EGRESS OR OCCUPANCY.**

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 122655260-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: JAMES PIERCE

ADJOINING PROPERTY FINDINGS

Date: **5/16/2017**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M396143
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

Date: **3/31/2017**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M394167
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

Date: **12/6/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M389740
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: DEBOCCIA ELECT CONST CORP

ADJOINING PROPERTY FINDINGS

Date: **12/6/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M389741
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: DEBOCCIA ELECT CONST CORP

Date: **12/2/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M389617
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

ADJOINING PROPERTY FINDINGS

Date:	**11/10/2016**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **REPLACE WITH NEW ONE SHOWER AND OTHER ASSOCIATED PLUMBING WORK AS PER PLANS** **FILED HEREWITH**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122655260-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PHILIP ROSEN

Date:	**10/26/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M388238
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CONSOLIDATED EDISON CO

ADJOINING PROPERTY FINDINGS

Date: **8/19/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M385565
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

Date: **7/14/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M384040
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: PROVEN ELEC'L CONTRNG INC

Date: **5/25/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M382069
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

ADJOINING PROPERTY FINDINGS

Date:	**12/14/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **FILING FOR GENERAL CONSTRUCTION, STRUCTURAL, AND PLUMBING WORK ASSOCIATED WITH** **STORM HARDENING OF CONED MANHATTAN WESTSIDE OPERATIONS CENTER TO INCLUDE** **REBUILDING OF CMU WALLS AND REPLACEMENT OF FLOODPROOF DOORS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122535541-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL S WIESENBERG

Date:	**12/3/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M375491
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date:	**10/13/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC/ST** **FILING FOR GENERAL CONSTRUCTION, STRUCTURAL, AND PLUMBING WORK ASSOCIATED WITH** **STORM HARDENING OF CONED MANHATTAN WESTSIDE OPERATIONS CENTER TO INCLUDE** **REBUILDING OF CMU WALLS AND REPLACEMENT OF FLOODPROOF DOORS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122535541-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VINCENT LEONE

Date:	**2/19/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	CLOSED
Proposed Use:	
Permit Number:	M363852
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CONSOLIDATED EDISON CO

ADJOINING PROPERTY FINDINGS

Date:	**2/13/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION RELOCATION OF NITROGEN TANK FOR DRY SYSTEM AS PER PLANS HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	121764787-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEVIN H KAMM

Date:	**8/25/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M357785
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CONSOLIDATED EDISON CO

ADJOINING PROPERTY FINDINGS

Date: **7/1/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M355602
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

Date: **3/19/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M351567
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

Date: **1/28/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M349760
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

ADJOINING PROPERTY FINDINGS

Date:	**12/3/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. FILING FOR INSTALLATION OF GUARDRAIL FOR ROOF PROTECTION AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121800854-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WINSTON CURRIE

Date:	**10/16/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M346397
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ZENA ELECTRIC INC

ADJOINING PROPERTY FINDINGS

Date:	**10/15/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **STRUCTURAL APPLICATION IN CONJUNCTION WITH OT APPLICATION TO ERECT PREFABRICATED** **KIOSK. NO CHANGE IN USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121764778-02-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WINSTON CURRIE

Date:	**10/8/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **ERECTION OF NEW PREFABRICATED KIOSK FOR EQUIPMENT AND CONTROL PANELS AS PER** **PLANS HEREWITH. NO CHANGE USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121764778-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WINSTON CURRIE

ADJOINING PROPERTY FINDINGS

Date: **5/17/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M340539
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

Date: **3/4/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: MINOR WORK
Proposed Use:
Permit Number: M337513
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

Date: **3/4/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M337512
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

ADJOINING PROPERTY FINDINGS

Date:	**2/22/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M337601
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CONSOLIDATED EDISON CO

Date:	**9/16/2009**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 INSTALLATION OF NEW EXHAUST VENTS TO THE ROOF AND INSTALLATION OF NEW PLUMBING FIXURES FOR BATHROOMS, KITCHENAND LAUNDRY ROOMS ALL AS SHOWN ON DRAWIN GS FILED HEREWITH. NO CHANGE IN USEEGRESS OR OCCUPANCY UNDER THIS APPLICATI ON.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	302304744-03-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARRY GLEIXNER

ADJOINING PROPERTY FINDINGS

Date:	**6/11/2008**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION INSTALLATION OF CANOPY FOR DEBRIS STORAGE AREA AT CON EDISON'S 28TH ST. SERVIC E CENTER.THERE IS NO CHANGE IN EGRESS, OCCUPANCY OR FLOOR AREA UNDER THIS APPL ICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110120716-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHEAL DINARDO

Date:	**2/20/2008**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 DEMOLITION OF INTERIOR PARTITIONS NON-BEARING PARTITIONS AND PLUMBING FI XTURES WITH THE CAPPING AND SEALING OF ALL LINES ALL AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, ERESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	302290731-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARRY GLEXINER

ADJOINING PROPERTY FINDINGS

Date: **8/21/2007**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: B294681
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: RAINBOW ELECTRIC CO., INC

Date: **6/25/2007**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: B292438
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: RAINBOW ELECTRIC CO., INC

Date: **4/27/2007**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: B290547
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: RAINBOW ELECTRIC CO., INC

ADJOINING PROPERTY FINDINGS

Date:	**4/26/2007**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - THIS IS A NO WORK APPLICATION FORZONING EGRESS & FIRE PROTECTION FOR CONVERSION FROM A EXISTINGTWO FAMILY BUILDING TO A NEW ONE FAMILY BUILDING AND TO OBTAIN A NEWCERTICATE OF OCCUPANCY ALL AS SHOWN ON DRAWINGS FILED HEREWITH & CONJUNCTIONWITH ALT TYPE II 302304744 FO ASSOC WRK**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	302304717-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RYAN HARPER

Date:	**4/26/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC CONSTRUCTION OF NEW INTERIOR PARTITIONS,DOORS AND WINDOWS IN NEW OPENINGS IN THE REAR FACADE AND HUNGCEILING ALL SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESSOR OCCUPANCY UNDER THIS APPLICATION FILED HEREWITH & IN CONJUNCTION WITHALT.I #302304717**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	302304744-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RYAN HARPER

ADJOINING PROPERTY FINDINGS

Date:	**4/26/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - NEW STRUCTURAL WORK FOR OPENINGS IN THEREAR FACADE FOR NEW WINDOWS AND DOORS ALL AS SHOWN ON DRAWINGS FILEDHEREWIT.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	302304744-02-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RYAN HARPER

Date:	**4/26/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALLATION OF NEW EXHAUST VENTS TO THE ROOF AND INSTALLATION OF NEW PLUMBING FIXURES FOR BATHROOMS, KITCHENAND LAUNDRY ROOMS ALL AS SHOWN ON DRAWIN GS FILED HEREWITH. NO CHANGE IN USEEGRESS OR OCCUPANCY UNDER THIS APPLICATI ON.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	302304744-03-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RYAN HARPER

ADJOINING PROPERTY FINDINGS

Date:	**2/20/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **DEMOLITION OF INTERIOR PARTITIONS NON-BEARING PARTITIONS AND PLUMBING FI** **XTURES WITH THE CAPPING AND SEALING OF ALL LINES ALL AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, ERESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	302290731-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RYAN HARPER

Date:	**3/7/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL NEW ROOF MOUNTED EXHAUST FAN AS PER PLAN. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	104367374-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL KOSOFSKY

ADJOINING PROPERTY FINDINGS

Date:	**11/5/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALLATION OF VEHICLE EXHAUST VENTILAT ION SYSTEM. THERE IS NO CHANGE** **N USE, EGRESS OR OCCUPANCY OR FLOOR AREA UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103942227-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER MENTORE

Date:	**11/5/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN.** **INSTALLATION OF VEHICLE EXHAUST VENTILAT ION SYSTEM. THERE IS NO CHANGE** **N USE, EGRESS OR OCCUPANCY OR FLOOR AREA UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103942227-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER MENTORE

ADJOINING PROPERTY FINDINGS

Date:	**4/6/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN. INSTALLATION OF A TEMPORARY (LESS THAN 1 YEAR)FABRIC ENCLOSURE FOR CON E ISON'S28TH STREET SERVICE CENTER-FLUSH TRUCK PIT.THERE IS NO CHANGE IN USE EGRESS OR OCCUPANCY OR FLOOR AREA UNDER THIS APPLICATION**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103630475-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARNOLD KLINE

Date:	**12/20/2002**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION INSTALLATION OF NEW WIRE MESH LPG (IQUIF IED PETROLEUM GAS) STORAGE CABI ETS, NEW CONCRETE CURB AND REMOVEABLE PI PE BUMPERS. THERE IS NO CHANGE IN USE, GRESS, OCCUPANCY OR FLOOR AREA UNDER THI S APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103307887-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VINCENT GULLOTA

ADJOINING PROPERTY FINDINGS

Date:	**11/12/2002**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M217205
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WALTON ELEC'L CONST. CORP

Date:	**5/10/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **REPLACEMENT OF 3 ROOF MOUNTED A/C UJNITS THERE IS NO CHANGE IN USE EGRES** **OR OCCUPANCY UNDER THIS APPLICATION**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	102531315-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT FRIESS

ADJOINING PROPERTY FINDINGS

Date:	**5/10/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION** **REPLACEMENT OF 3 ROOF MOUNTED A/C UJNITS THERE IS NO CHANGE IN USE EGRES** **OR OCCUPANCY UNDER THIS APPLICATION**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102531315-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT FRIESS

Date:	**1/16/2001**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLATION OF AN OIL/WATER SEPARATOR. THERE IS NO CHANGE IN USE, EGRES** **S OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	102713468-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PHILIP ROSEN

ADJOINING PROPERTY FINDINGS

Date:	**1/15/2001**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M197219
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CNE ELECTRICAL CORP. NICHOLAS SHOSHILOS

Date:	**1/2/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN. INSTALLATION OF AN OIL/WATER SEPARATOR. THERE IS NO CHANGE IN USE, EGRES S OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102713468-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY SERENITA

ADJOINING PROPERTY FINDINGS

Date:	**1/13/2000**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - GC** **PROPOSED: GENERAL RENOVATION AND REPAIR OF FIRE DAMAGED BUILDING. THERE IS NO CHANGE OF ROOMS COUNT OR MEANS OF EGRESS.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	300980375-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BLAISE MUSCIANESI

Date:	**10/5/1999**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	B194734
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SIGMA ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date:	**1/12/1999**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **Improvement of site storm drainage. No change to use, egress or occupancy is inv olved. Entire work to be performed outside of building in yard.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	101991855-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LESTER ROSEN

Date:	**12/29/1998**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - G.C.** **Improvement of site storm drainage. No change to use, egress or occupancy is inv olved. Entire work to be performed outside of building in yard.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101991855-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY SERENITA

ADJOINING PROPERTY FINDINGS

Date:	**1/30/1996**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALLATION OF GAS COMPRESSOR AND DISPENSER WITH ASSOCIATED GAS PIPING AND CONTROL SYSTEM TO BE USED AS MOTOR VEHICLE FUELING. NO CHANGE TO USE EGRESS OR OCCUPANCY IS INVOLVED. WORK BEING PERFORMED OUTSIDE OF BUILDING IN YARD.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	101021582-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE QUINN

Date:	**1/24/1996**
Permit Type:	**SG**
Description:	**SIGN - ERECT ILLUMINATED SIGN AND STRUCTURE 8' NATURAL GAS VEHICLE FUELING STAT ION GAS YOUR CLEAN FUEL OF CHOICE.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	101224934-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID BROWN

ADJOINING PROPERTY FINDINGS

Date: **1/23/1996**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M139355
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CITY ELEC'L SIGN ERECTORS

Date: **5/26/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M132526
Status: VIOLATN PENDING AT CONTRACTOR
Valuation: $0.00
Contractor Company:
Contractor Name: SPECO ELECTRICAL INC. JUDE SAINT-PHARD

Date: **5/8/1995**
Permit Type: **EW**
Description: **ALTERATION TYPE 2 - MECH/HVAC**
INSTALLATION OF AIR PURIFICATION AND EXHAUST SYSTEM

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: MECHANICAL/HVAC
Permit Number: 101019103-01-EW-MH
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: JACK BALAN

ADJOINING PROPERTY FINDINGS

Date:	**12/21/1994**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 INSTALLATION OF NEW GAS SERVICE TO MECHANICAL EQUIPMENT. NO CHANGE TO USE, EGRESS OR OCCUPANCY IS INVOLVED. WORK BEING PERFORMED OUTSIDE OF BUILDI G IN YARD.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	100935437-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LESTER ROSEN

Date:	**11/9/1994**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - CONCRETE INSTALLATION OF NEW CONCRETE PADS, EXCAV ATION AND TRENCHING AT CON EDIS N SERVICE CENTER.(PUBLIC UTILITY FACILIT Y). NO CHANGE TO USE, EGRESS OR OCCUPAN Y.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	100910739-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY SERENITA

ADJOINING PROPERTY FINDINGS

Date: **9/19/1983**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 014800B
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: THE FRANKLIN CO. CONT.INC

282 11TH AVE

Date: **8/23/2017**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M400587
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: Y.S ELECTRIC

ADJOINING PROPERTY FINDINGS

Date:	**9/21/2012**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - APPLICATION IS FILED FOR INTERIOR RENOVATION AND CONVERSION FROM 3 FAMILY TO 2 FAMILY WITHIN EXISTING 3 STORY FULLY ATTACHED BROWNSTONE. NEW CERTIFICATE OF OCCUPANCY TO BE ISSUED.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	320373412-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AKI H BAKER

Date:	**6/22/2012**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1 APPLICATION IS FILED FOR INTERIOR RENOVATION AND CONVERSION FROM 3 FAMILY TO 2 FAMILY WITHIN EXISTING 3 STORY FULLY ATTACHED BROWNSTONE. NEW CERTIFICATE OF OCCUPANCY TO BE ISSUED.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	320373412-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ERROL C SMALL

ADJOINING PROPERTY FINDINGS

Date:	**8/22/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - TANK REMOVAL** **REMOVE UNDERGROUND STORAGE TANKS AS PER ATTACHED PLANS. NO CHANGE OF USE,** **EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120767287-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAN HIRSHBERGER

Date:	**8/22/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SHORING** **SHORING FOR THE REMOVAL OF UNDERGROUND STORAGE TANKS FILED UNDER SEPARATE JOB,** **AS PER ATTACHED PLANS. NO CHANGE OF USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120768268-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAN HIRSHBERGER

ADJOINING PROPERTY FINDINGS

Date:	**3/31/2011**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF HEAVY DUTY SIDEWALK SHED ON 11TH AVENUE:35 LF X 8' H X 8'W PLUS ONE (1) 5' EXTENSION, ON WEST 29TH STREET: 115 LF X 8' H X 8'W PLUS ONE (1) 5' EXTENSION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	120639318-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ILBER PILKU

Date:	**3/23/2011**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M312677
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LINTECH ELECTRIC, INC.

ADJOINING PROPERTY FINDINGS

Date:	**3/23/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - CONST. INSTALLATION OF NEW STEEL RAMP. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102617973-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SINGH TAJ

Date:	**3/23/2001**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - CURB CUT iNSTALL CURB CUT LOCATED AT 96'-0" NE OF W. 28TH STREET. NO CHANGE IN USE,**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	102617982-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SINGH TAJ

ADJOINING PROPERTY FINDINGS

Date:	**12/5/2000**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL PAINT SPRAY BOOTH ON 1ST FLOOR. NO CHANGE TO ZONING, EGRESS OR O** **CCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	102898919-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THEODORE WAGNER

Date:	**9/12/2000**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL PAINT SPRAY BOOTH ON 1ST FLOOR. NO CHANGE TO ZONING, EGRESS OR O** **CCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	102898919-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DON ORLAND

ADJOINING PROPERTY FINDINGS

Date:	**9/12/2000**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MISC. CONST. INSTALL PAINT SPRAY BOOTH ON 1ST FLOOR. NO CHANGE TO ZONING, EGRESS OR O CCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102898919-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DON ORLAND

Date:	**10/12/1999**
Permit Type:	**SG**
Description:	**SIGN - INSTALL NON-ILLUMINATED ADVERTISING GROUND SIGN**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	102211900-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID BROWN

ADJOINING PROPERTY FINDINGS

Date:	**10/12/1999**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - SIGN POLE** **INSTALL POLE FOR SIGN**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	102244778-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID BROWN

Date:	**6/12/1999**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M178813
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	Y.S. ELECTRIC YOUNG CHOE

ADJOINING PROPERTY FINDINGS

Date:	**11/27/1998**
Permit Type:	**SG**
Description:	**SIGN - INSTALLATION OF WALL MOUNTED ILLUMINATED SIGN AS INDICATED ON PLANS. NO IN USE, EGRESS, OR OCCUPANCY. READING, PARK 24 HOURS**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	101940688-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ERIC BERGER

Date:	**9/10/1998**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M171134
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STAT ELECTRIC INC. HOWARD ZAMKOFF

ADJOINING PROPERTY FINDINGS

Date:	**9/10/1998**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M171135
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STAT ELECTRIC INC. HOWARD ZAMKOFF

Date:	**6/1/1998**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - PATCH EXISTING DRIVEWAY/OUT DOOR SPACE W ITH CONCRETE AS REQUIRED. ALSO INSTALL HEAVY DUTY SERIES (3-CARS) HYDRAULIC CAR LIFT-IN PROPOSED PUBLIC PARKING LOT.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	101010264-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HIMENDI CHOUDHURY

ADJOINING PROPERTY FINDINGS

Date: **1/26/1996**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M139565
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: Y.S. ELECTRIC YOUNG CHOE

Date: **7/8/1983**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 011160B
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ALBURDAN ELEC. CO., INC. D MYERS, ALBURDAN ELEC. CO., INC. RICHARD BOLL

ADJOINING PROPERTY FINDINGS

298 11TH AVE

Date:	**6/30/2011**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE** **FULL DEMOLITION OF ONE STORY STRUCTURE USING MECHANICAL MEANS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	120592126-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JUSTIN L GAETA

Date:	**4/4/2011**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M313059
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WALSH ELEC'L CONTR'G, INC

ADJOINING PROPERTY FINDINGS

Date:	**4/1/2011**
Permit Type:	**DM**
Description:	**FULL DEMOLITION -** **FULL DEMOLITION OF ONE STORY STRUCTURE USING MECHANICAL MEANS.**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	120592126-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JUSTIN L GAETA

Date:	**3/18/2009**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M290604
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	S. J. ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date:	**3/9/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - TEST PITS** **TEST PITS AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN OCCUPANCY, USE OR** **EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110393510-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL COLASUNNO

309 11TH AVE

Date:	**12/18/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **EXCAVATE AND REMOVE FIVE (5) 4,000 GALLON UNDERGROUND STORAGE TANKS, ONE (1)** **1,000 GALLON UNDERGROUND STORAGE TANK, AND ALL ASSOCIATED PIPING. BACKFILL** **EXCAVATION WITH CLEAN BACKFILL. NO CHANGE IN USE, OCCUPANCY, OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	123227016-01-EW-OT
Status:	REISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK DIANDREA

ADJOINING PROPERTY FINDINGS

Date:	**1/21/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION PROPOSED INSTALLATION OF NEW DRY CHEMICAL FIRE SUPPRESSION SYSTEM OVER EXISTING FUEL DISPENSING ISLANDS (FILED UNDER SEPARATE APPLICATION). NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	122621449-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES H MEYER

Date:	**5/14/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	CLOSED
Proposed Use:	
Permit Number:	M367476
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date:	**10/26/2006**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **This is a No Work application filed to document existing conditions in conjunction with Alt. Type I No. 100496946 in order to respond to the construction inspectors objection showing As Built conditions. No change in use, egress or occupancy.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104324615-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL G MISA

Date:	**1/11/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **This is a No Work application filed to document existing conditions in conjunction with Alt. Type I No. 100496946 in order to respond to the construction inspectors objection showing As Built conditions. No change in use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	104324615-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WALTER GORMAN

ADJOINING PROPERTY FINDINGS

Date:	**1/11/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - NO WORK** **This is a No Work application filed to document existing conditions in conjunction with Alt. Type I No. 100496946 in order to respond to the construction inspectors objection showing As Built conditions. No change in use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104324615-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WALTER GORMAN NO WORK (ADMIN) 115-14 BEACH CHANNEL DRIVE ROCKAWAY PARK NY 11694

Date:	**9/15/2002**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M216716
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELEMCO TESTING CO INC DBA PHILIP GOEHRING

ADJOINING PROPERTY FINDINGS

Date:	**10/15/2001**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M207038
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	L & L ELEC. & POWER CORP., L & L ELEC. & POWER CORP. LEO GOODMAN, L & L ELEC. & POWER CORP. RONALD M

Date:	**5/25/2001**
Permit Type:	**SG**
Description:	**SIGN -** **Proposed to install an illumated 11.3 SF with the word " MOBIL " canopy sign. No Change in use egress or occupancy. Proposed sign or zoning lot is not within 20 0' of an arterial hihway. Mobil is the owner of the business and mentioned sign .**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	102549262-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT RONIGER

ADJOINING PROPERTY FINDINGS

Date:	**11/15/1993**
Permit Type:	**SG**
Description:	**SIGN - INSTALL DOUBLE SIDED ILLUMINATED BUSI- NESS I.D. SIGN AND SIGN STRUCTUR E. NO CHANGE IN USE GROUP, OCCUPANCY, OR EGRESS.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	100675413-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LARRY TYREE

Date:	**10/26/1993**
Permit Type:	**SG**
Description:	**SIGN - INSTALL DOUBLE SIDED ILLUMINATED SIGN. READING: "DIESEL" TOTAL AREA:7.2 6 SQ.FT. NO CHANGE IN USE GROUP, OCCUP- ANCY OR EGRESS.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	100667583-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LARRY TYREE

ADJOINING PROPERTY FINDINGS

Date:	**10/26/1993**
Permit Type:	**SG**
Description:	**SIGN - INSTALL ILLUMINATED CANOPY LEGEND. READ- ING: "MOBIL" NO CHANGE IN OCCU- PANCY, USE GROUP OR EGRESS.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	100667592-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LARRY TYREE

Date:	**10/26/1993**
Permit Type:	**SG**
Description:	**SIGN - INSTALL ILLUMINATED CANOPY LEGEND. READING: "MOBIL" NO CHANGE IN USE GROUP, OCCUPANCY, OR EGRESS.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	100675280-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LARRY TYREE

ADJOINING PROPERTY FINDINGS

Date:	**10/26/1993**
Permit Type:	**SG**
Description:	**SIGN - INSTALL DOUBLE SIDED ILLUMINATED PRICE S IGN.NO CHANGE IN USE GROUP,OCCU ANCY OR EGRESS.READING:SELF CASH,REG.UNL EADED,SPECIAL & PRICE INFO TOTAL AREA:1 SQ.FT.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	100675306-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LARRY TYREE

Date:	**10/26/1993**
Permit Type:	**SG**
Description:	**SIGN - INSTALL NON-ILLUMINATED LETTERS ON BLDG. FACE. READING: "MOBIL SERVICE" TOTAL AREA: 14.6 SQ FT. NO CHANGE IN USE GROUP, OCCUPANCY, OR EGRESS.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	100675299-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LARRY TYREE

ADJOINING PROPERTY FINDINGS

Date:	**10/26/1993**
Permit Type:	**SG**
Description:	**SIGN - INSTALL NON-ILLUMINATED LETTERS ON BUILD ING FACE. READING: "MOBIL MAR " TOTAL AREA:11 SQ. FT. NO CHANGE IN US E GROUP, OCCUPANCY, OR EGRESS.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	100675315-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LARRY TYREE

Date:	**10/12/1993**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - CORROSIO PROT. PROPOSE TO PROVIDE CORROSION PROTECTION SYSTEM FOR UNDERGROUND STORAGE TANKS AND PIPING AT THIS AT THIS LOCATION. NO CHANGE IN OCCUPANCY, USE OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	100553492-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MIKHAEL GIMELFARB PROFESSIONAL ENGINEER

ADJOINING PROPERTY FINDINGS

Date: **9/1/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M110721
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: L.A.W. ENVIRON ELEC. CORP B LAUER

Date: **7/20/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M108756
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: L.A.W. ENVIRON ELEC. CORP B LAUER

Date: **7/7/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M108528
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: L.A.W. ENVIRON ELEC. CORP B LAUER

ADJOINING PROPERTY FINDINGS

Date: **6/24/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M108171
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: L.A.W. ENVIRON ELEC. CORP B LAUER

Date: **6/24/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M108168
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: L.A.W. ENVIRON ELEC. CORP B LAUER

Date: **6/24/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M108169
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: L.A.W. ENVIRON ELEC. CORP B LAUER

ADJOINING PROPERTY FINDINGS

Date: **6/24/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M108170
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: L.A.W. ENVIRON ELEC. CORP B LAUER

Date: **6/24/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M108172
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: L.A.W. ENVIRON ELEC. CORP B LAUER

Date: **6/22/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M108364
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: L.A.W. ENVIRON ELEC. CORP B LAUER

ADJOINING PROPERTY FINDINGS

Date:	**6/10/1993**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION** **PROPOSE TO INSTALL A B.S.A. APPROVED DRY CHEMICAL FIRE SUPPRESSION SYSTEM OVER NEW GASOLINE PUMPS. NO CHANGE IN USE OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	100507881-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GLENN KAMM

Date:	**6/10/1993**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - TANK** **PROPOSE TO REPLACE EXISTING WASTE OIL TANK WITH NEW 550 GAL WASTE OIL** **BURIED TANK. NO CHANGE IN USE OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	100586046-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LARRY TRYEE

ADJOINING PROPERTY FINDINGS

Date:	**5/17/1993**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - CONCRETE SLAB PROPOSE TO INSTALL 4-4000 GAL.GASOLINE TANKS,1-4000 GAL.DIESEL OIL TANK NEW MPD'S 1-DIESEL PUMP,NEW FILL BOXES WITH VAPOR RECOVERY VALVES.NEW SUBMERGED PUMPS & RELATED PIPING.ALL EXISTING TANK S TO BE REMOVED OR DISCONTINUED.NO CHAN E IN USE OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	100507872-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LARRY E TYREE

312 11TH AVE

Date:	**8/22/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. RENOVATE EXISTING ONE FAMILY RESIDENCE. ERECT ONE STORY ADDITION AT REAR. NO CHANGE TO USE,EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	321397261-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANDREJ ANDRICK

ADJOINING PROPERTY FINDINGS

Date:	**7/3/2017**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **RENOVATE EXISTING ONE FAMILY RESIDENCE. ERECT ONE STORY ADDITION AT REAR. NO** **CHANGE TO USE,EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	321397261-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTONIO A DUMITRIU

Date:	**6/6/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SOLAR** **INSTALLATION OF ROOFTOP SOLAR PANELS. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	340113932-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID SCHIEREN

ADJOINING PROPERTY FINDINGS

Date:	**5/30/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	B380750
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GPN ELECTRIC CORP

Date:	**3/12/2013**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLATION OF COGENERATION SYSTEM WITH NEW GENERATOR, GAS METER AND GAS** **PIPING. THERE WILL BE NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	121448406-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL W REILLY

ADJOINING PROPERTY FINDINGS

Date:	**2/15/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALLATION OF COGENERATION SYSTEM WITH NEW GENERATOR, GAS METER AND GAS** **PIPING. THERE WILL BE NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	121448406-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GARY PROULX

Date:	**2/15/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **INSTALLATION OF COGENERATION SYSTEM WITH NEW GENERATOR, GAS METER AND GAS** **PIPING. THERE WILL BE NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121448406-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GARY PROULX

ADJOINING PROPERTY FINDINGS

Date:	**1/11/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M335689
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EINSTEIN ELEC'L CORP

Date:	**7/17/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER INTERIOR RENOVATION OF EXISTING RETAIL STORE, INCLUDING PARTITION, SUSPENDED CEILING, PLUMBING FIXTURES, SPRINKLER HEADS, 5-TON HVAC UNIT WITH DUCT. NO CHANGE IN USE, OCCUPANCY AND MEANS OF EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	121133442-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADAM GOODRICH

ADJOINING PROPERTY FINDINGS

Date:	**7/9/2012**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INTERIOR RENOVATION OF EXISTING RETAIL STORE, INCLUDING PARTITION, SUSPENDED** **CEILING, PLUMBING FIXTURES, SPRINKLER HEADS, 5-TON HVAC UNIT WITH DUCT. NO** **CHANGE IN USE, OCCUPANCY AND MEANS OF EGRESS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	121133442-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT N WEXLER

Date:	**7/6/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INTERIOR RENOVATION OF EXISTING RETAIL STORE, INCLUDING PARTITION, SUSPENDED** **CEILING, PLUMBING FIXTURES, SPRINKLER HEADS, 5-TON HVAC UNIT WITH DUCT. NO** **CHANGE IN USE, OCCUPANCY AND MEANS OF EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	121133442-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOS STASINOS

ADJOINING PROPERTY FINDINGS

Date:	**7/6/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. INTERIOR RENOVATION OF EXISTING RETAIL STORE, INCLUDING PARTITION, SUSPENDED CEILING, PLUMBING FIXTURES, SPRINKLER HEADS, 5-TON HVAC UNIT WITH DUCT. NO CHANGE IN USE, OCCUPANCY AND MEANS OF EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121133442-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOS STASINOS

Date:	**12/20/2010**
Permit Type:	**SG**
Description:	**SIGN - INSTALLATION OF NON-ILLUMINATED SIGN WITH BUSINESS LETTER. NO CHANGE IN USE, OCCUPANCY AND MEANS OF EGRESS IS INVOLVED UNDER THIS APPLICATION.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	120514782-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FENGHAIXU ZHANG

ADJOINING PROPERTY FINDINGS

Date:	**12/10/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION INSTALL AUTOMATIC FIRE SUPPRESSION SYSTEM IN CONJUNCTION WITH JOB#120427387 . NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	120536642-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHARLES B ZHOU

Date:	**8/25/2010**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M306064
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH MARCHESE ELECTRIC JOSEPH MARCHESE

ADJOINING PROPERTY FINDINGS

Date:	**8/20/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER RENOVATION OF STORE, INCLUDING INSTALLATION OF PARTITION, PLUMBING FIXTURE, SPRINKLER HEAD, HVAC UNIT WITH DUCT AND S/S HOOD WITH EXHAUST DUCT. NO CHANGE IN USE, OCCUPANCY AND MEANS OF EGRESS IS INVOLVED UNDER THIS APPLICATION. THIS APPLICATION IS CONJUNCTION WITH JOB# 104767682**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	120427387-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MATHEW WEISS

Date:	**8/20/2010**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 RENOVATION OF STORE, INCLUDING INSTALLATION OF PARTITION, PLUMBING FIXTURE, SPRINKLER HEAD, HVAC UNIT WITH DUCT AND S/S HOOD WITH EXHAUST DUCT. NO CHANGE IN USE, OCCUPANCY AND MEANS OF EGRESS IS INVOLVED UNDER THIS APPLICATION. THIS APPLICATION IS CONJUNCTION WITH JOB# 104767682**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	120427387-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MATHEW WEISS

ADJOINING PROPERTY FINDINGS

Date:	**8/10/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **RENOVATION OF STORE, INCLUDING INSTALLATION OF PARTITION, PLUMBING FIXTURE,** **SPRINKLER HEAD, HVAC UNIT WITH DUCT AND S/S HOOD WITH EXHAUST DUCT. NO CHANGE IN** **USE, OCCUPANCY AND MEANS OF EGRESS IS INVOLVED UNDER THIS APPLICATION. THIS** **APPLICATION IS CONJUNCTION WITH JOB# 104767682**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120427387-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HONGNING YIN

Date:	**8/10/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **RENOVATION OF STORE, INCLUDING INSTALLATION OF PARTITION, PLUMBING FIXTURE,** **SPRINKLER HEAD, HVAC UNIT WITH DUCT AND S/S HOOD WITH EXHAUST DUCT. NO CHANGE IN** **USE, OCCUPANCY AND MEANS OF EGRESS IS INVOLVED UNDER THIS APPLICATION. THIS** **APPLICATION IS CONJUNCTION WITH JOB# 104767682**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120427387-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HONGNING YIN

ADJOINING PROPERTY FINDINGS

Date: **8/9/2010**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M305543
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: RONNART ELECTRIC CO. RONALD STEWART

Date: **6/14/2007**
Permit Type: **EQ**
Description: **FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE**

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: DM - FULL DEMOLITION
Proposed Use: FENCE
Permit Number: 104641906-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: TOBY ROMANO

Date: **3/16/2007**
Permit Type: **DM**
Description: **FULL DEMOLITION -**

Permit Description: **DEMOLITION & REMOVAL**
Work Class: DM - FULL DEMOLITION
Proposed Use:
Permit Number: 104641906-01-DM
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: TOBY ROMANO

ADJOINING PROPERTY FINDINGS

314 11TH AVE

Date:	**5/6/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC FILING FOR INTERIOR RENOVATION INCLUDING REMOVAL AND INSTALLATION OF PARTITIONS; REPLACING WINDOWS, DOORS, FLOORING AND RENOVATE KITCHEN AND BATHROOM; INSTALLING NEW DECK ON 1ST FL; NEW LADDER AND 3' PLATFORM WALKWAY ON ROOF FOR FIRE DEPT. ACCEESS. MECHANICAL WORK AND PLUMBING WOR. NO CHANGE TO USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	320810253-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RICHARD MILLETTE

Date:	**5/6/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. FILING FOR INTERIOR RENOVATION INCLUDING REMOVAL AND INSTALLATION OF PARTITIONS; REPLACING WINDOWS, DOORS, FLOORING AND RENOVATE KITCHEN AND BATHROOM; INSTALLING NEW DECK ON 1ST FL; NEW LADDER AND 3' PLATFORM WALKWAY ON ROOF FOR FIRE DEPT. ACCEESS. MECHANICAL WORK AND PLUMBING WOR. NO CHANGE TO USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	320810253-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RICHARD MILLETTE

ADJOINING PROPERTY FINDINGS

Date:	**4/9/2014**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **FILING FOR INTERIOR RENOVATION INCLUDING REMOVAL AND INSTALLATION OF PARTITIONS;** **REPLACING WINDOWS, DOORS, FLOORING AND RENOVATE KITCHEN AND BATHROOM; INSTALLING** **NEW DECK ON 1ST FL; NEW LADDER AND 3' PLATFORM WALKWAY** **ON ROOF FOR FIRE DEPT. ACCEESS. MECHANICAL WORK AND PLUMBING WOR. NO** **CHANGE TO USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	320810253-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID GLENN

Date:	**3/24/2010**
Permit Type:	**EQ**
Description:	**NEW BUILDING - CONSTRUCTION EQUIPMENT - FENCE**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	NB - NEW BUILDING
Proposed Use:	FENCE
Permit Number:	104767682-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JEFFREY E LEVINE

ADJOINING PROPERTY FINDINGS

Date:	**3/24/2010**
Permit Type:	**NB**
Description:	**NEW BUILDING -**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	104767682-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JEFFREY E LEVINE

Date:	**1/6/2010**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	104767682-03-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE LEVINE

ADJOINING PROPERTY FINDINGS

Date:	**9/17/2008**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER** **ERECT A TEMP. DUEL 7000 PERSONAL HOIST TOWER IN CONJ WITH WORK UNDER NB 104767** **682 NO CHANGE IN USE, EGRESS OR OCCUPANCY**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110128308-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEVIN O'CALLAGHAN

Date:	**9/17/2008**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER** **TO ERECT TEMP. RUNWAYS FOR DUAL 7000 PERSONNEL HOIST. HOIST FILED UNDER APPLIC** **ATION #110128308 ALL WORK IN CONJUNCTION WITH NB 104767682.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110132339-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEVIN O'CALLAGHAN

ADJOINING PROPERTY FINDINGS

Date:	**6/12/2007**
Permit Type:	**DM**
Description:	**FULL DEMOLITION -**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	104732247-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOBY ROMANO

Date:	**6/6/2007**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	104732247-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOBY ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**3/30/2007**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALL HEAVY DUTY SIDEWALK SHED A TOTAL OF 265 FT LONG AT 314 11 AVENUE. 35 FT LONG ON 11 AVENUE AND 230 FT LONG AT 30 STREET. DURING REMEDIAL REPAIRS. WORK TO COMPLY WITH LL33/91. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	104709102-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JERIMIAH HARRINGTON

Date:	**3/23/2007**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M264744
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	D.J. ELEC'L CONTR'S INC DENNIS KENNELLY

ADJOINING PROPERTY FINDINGS

Date:	**11/12/2002**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M217204
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WALTON ELEC'L CONST. CORP

Date:	**12/7/1994**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - FACADE REPAIRS EXTERIOR RESTAURATION, FACADE AND PARAPE T. NO CHANGE IN OCCUPANCY USE O EGRESS.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	100948227-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BERNIE HYMAN

ADJOINING PROPERTY FINDINGS

Date:	**11/17/1994**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF SHED: 95 FT. ON 11TH AVE DURING FACADE REPAIR. WORK TO COMPLY WITH 33/91. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SIDEWALK SHED
Permit Number:	100935570-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JUDY JACOBSON

Date:	**5/23/1990**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M068308
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CAMBRIA ELECTRIC CO., INC J CAMBRIA

ADJOINING PROPERTY FINDINGS

316 11TH AVE

Date:	**8/28/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER PROPOSED SPRINKLER WORK IN AN EXISTING COMMERCIAL SPACE.NO CHANGE IN BULK,USE OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	121955535-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VITALY KONTOROVICH

Date:	**7/1/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M355577
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALEF ELEC'L CONTR'G INC

ADJOINING PROPERTY FINDINGS

Date:	**6/30/2014**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **ALL INTERIOR WORK IN A NEWLY CONSTRUCTED BUILDING, NEW NON LOAD BEARING** **PARTITIONS, PLUMBING WORK FOR NEW TOILETS, SINKS, ELECTRICAL WORK FOR POWER** **OUTLETS , NEW FLOOR, WALL AND CEILING FINISHES AND NEW BAR COUNTER, SEATING AND** **EQUIPMENT.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	121532092-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GREGORY KHASIS

Date:	**11/22/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **ALL INTERIOR WORK IN A NEWLY CONSTRUCTED BUILDING, NEW NON LOAD BEARING** **PARTITIONS, PLUMBING WORK FOR NEW TOILETS, SINKS, ELECTRICAL WORK FOR POWER** **OUTLETS , NEW FLOOR, WALL AND CEILING FINISHES AND NEW BAR COUNTER, SEATING AND** **EQUIPMENT.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121532092-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VITTORIO ARBONARA

ADJOINING PROPERTY FINDINGS

Date:	**4/2/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M338673
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALEF ELEC'L CONTR'G INC

Date:	**2/22/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALLATION OF SPRINKLER/STANDPIPE SYSTEM THROUGHOUT ENTIRE NEW BUILDING. NO** **CHANGE TO USE, EGRESS, OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	110294413-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DIANA BLANDA

ADJOINING PROPERTY FINDINGS

Date:	**7/8/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE INSTALLATION OF SPRINKLER/STANDPIPE SYSTEM THROUGHOUT ENTIRE NEW BUILDING. NO CHANGE TO USE, EGRESS, OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	110294413-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MORTON HIRSCH

Date:	**7/2/2009**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF HEAVY DUTY SIDEWALK SHED 110' LONG X 12' WIDE X 10' HIGH DURING NEW BUILDING CONSTRUCTION IN CONJUNCTION WITH NB #104767682. SIDEWALK SHED TO COMPLY WITH LL 33/91 AND TPPN 9/99. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	110201969-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KENNETH BUETTNER

ADJOINING PROPERTY FINDINGS

Date:	**6/8/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **HEREWITH FILING FOR UNDERPINNING & SUPPORT OF EXCAVATION AS PER PLANS FILED IN** **CONJUNCTION WITH NEW BUILDING #104767682**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110472989-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY L LAZZARP

Date:	**4/15/2009**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD** **INSTALLATION OF BAKERS SCAFFOLD AS PER DRAWINGS DURING NEW BUILDING CONSTRUCTION** **FILED SEPARATELY. BAKERS SCAFFOLD SHALL COMPLY WITH CHAPTER #33 OF THE 2008** **CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	120013190-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL MONOSSON

ADJOINING PROPERTY FINDINGS

Date: **6/10/2008**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M281610
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: STAR-DELTA ELECTRIC, LLC

Date: **3/28/2008**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M278107
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: FUJITEC SERGE OF N.Y.C. JOSEPH BRAMAN, FUJITEC SERGE OF N.Y.C. THOMAS STONE

Date: **3/1/2008**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M277499
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: S. J. ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date: **2/25/2008**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M277494
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: S. J. ELECTRIC INC.

Date: **12/17/2004**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: B261863
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: DELTA STAR ELECTRIC, INC CHARLES SCHNABOLK

Date: **11/15/2004**
Permit Type: **PL**
Description: **PLUMBING - ALTERATION TYPE 2**
RENOVATE EXISTING DUPLEX APT ERECT ONE S TORY EXTENSION AT REAR
NO CHANGE TO EGRESS OCCUPANCY OR USE OR USE

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 301825121-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: LOUIS ABRAMO

ADJOINING PROPERTY FINDINGS

Date:	**11/3/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ENL** **RENOVATE EXISTING DUPLEX APT ERECT ONE S TORY EXTENSION AT REAR** **NO CHANGE TO EGRESS OCCUPANCY OR USE OR USE**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	301825121-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARTHUR SADURA

Date:	**10/10/1999**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	B194622
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRITZMARTIN ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

11TH AVENUE

319 11TH AVENUE

Date:	**12/17/2015**
Permit Type:	**DM**
Description:	**FULL DEMOLITION - FULLY DEMOLISH A ONE STORY STEEL FRAME BUILDING**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	122028974-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TARIQ KHAN

Date:	**12/17/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALL 30' LONG SIDEWALK SHED. NO CHANGE IN USE, EGRESS OR OCCUPANCY**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	122640632-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BALWINDER SINGH

ADJOINING PROPERTY FINDINGS

Date:	**12/14/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M375928
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

Date:	**11/27/2015**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE FULLY DEMOLISH A ONE STORY STEEL FRAME BUILDING**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	122028974-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TARIQ M KHAN

ADJOINING PROPERTY FINDINGS

Date:	**5/27/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF SCAFFOLD STAIR TOWER WITH PLYWOOD ENCLOSURE AS PER PLANS DURING REMEDIAL REPAIRS. WORK TO COMPLY WITH NEW YORK CITY BUILDING CODE 2008, CHAPTER 33. NO CHANGES IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	121736568-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN KINGSTON

Date:	**12/15/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. REMOVE EXISTING OIL/WATER SEPARATOR AND 4000 GALLON OIL/WATER SEPARATOR TANK FROM EXISTING YARD DRAINAGE SYSTEM. NO CHANGE IN USE OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122200144-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES GIUSTINIANI

ADJOINING PROPERTY FINDINGS

Date:	**12/15/2014**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **REMOVE EXISTING OIL/WATER SEPARATOR AND 4000 GALLON OIL/WATER SEPARATOR TANK** **FROM EXISTING YARD DRAINAGE SYSTEM. NO CHANGE IN USE OR EGRESS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122200144-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ERIC E LUNDENBERG

Date:	**5/16/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - TANK REMOVALS** **REMOVE 4 UNDERGROUND STORAGE TANKS INCLUDING 1-1000 GAL. MOTOR OIL AND 1-1000** **GAL. HYDRAULIC OIL TANK, 2-2500 GAL DIESEL MOTOR FUEL TANKS AND DISCONTINUE** **1-4000 GAL OIL/WATER SEPARATOR TANK IN PLACE. REMOVE PUMP ISLAND AND ATTENDANT'S** **BOOTH AS INDICATED ON PLANS FILED. NO CHANGE IN USE OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121994903-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES GIUSTINIANI

ADJOINING PROPERTY FINDINGS

Date: **7/20/1994**
Permit Type: **NB**
Description: **NEW BUILDING -**

Permit Description: **NEW BUILDING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 100808636-01-NB
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MELVIN FEBESH

Date: **6/22/1994**
Permit Type: **PL**
Description: **PLUMBING - NEW BUILDING**

Permit Description: **PLUMBING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 100808636-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: GARY BLAU

Date: **4/21/1994**
Permit Type: **FO**
Description: **NEW BUILDING - FOUNDATION/EARTHWORK**

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 100808636-01-FO
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MELVIN FEBESH

ADJOINING PROPERTY FINDINGS

Date:	**4/21/1994**
Permit Type:	**FO**
Description:	**NEW BUILDING - EARTHWORK**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	100808636-01-FO-EA
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MELVIN FEBESH

Date:	**4/20/1994**
Permit Type:	**EQ**
Description:	**NEW BUILDING - CONSTRUCTION EQUIPMENT - FENCE**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	NB - NEW BUILDING
Proposed Use:	FENCE
Permit Number:	100808636-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MELVIN FEBESH

ADJOINING PROPERTY FINDINGS

315 11 AVENUE

309 315 11 AVENUE

Date:	**7/20/1993**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1** **PROPOSE TO REMOVE INTERIOR NON-BEARING PARTITIONS AND ERECT NEW PARTITIONS TO ACCOMMODATE AND ATTENDANT' S BOOTH AND A RETAIL CONVENIENCE STORE** **TO BE ACCESSORY TO EXISTING AUTOMOTIVE SERVICE STATION AND ERECT A METAL CANOPY** **OVER NEW CONCRETE PUMP ISLANDS.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	100496946-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL MISA

Date:	**5/17/1993**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 -** **PROPOSE TO REMOVE INTERIOR NON-BEARING PARTITIONS AND ERECT NEW PARTITIONS TO ACCOMMODATE AND ATTENDANT' S BOOTH AND A RETAIL CONVENIENCE STORE** **TO BE ACCESSORY TO EXISTING AUTOMOTIVE SERVICE STATION AND ERECT A METAL CANOPY** **OVER NEW CONCRETE PUMP ISLANDS.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	100496946-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LARRY TRYEE

ADJOINING PROPERTY FINDINGS

GRAND CENTRAL PARKWAY

271-11 GRAND CENTRAL PARKWAY

Date: **7/31/2001**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: A183075
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ALL WAYS ELECTRIC CORP.W

Date: **10/24/1991**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: A072049
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: JRD ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date: **12/7/1988**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: A035913
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: MOLLER & MOLLER ELEC CORP GEORGE MOLLER

Date: **4/1/1987**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: A013113
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: SPIELER & RICCA ELEC'L CO

ADJOINING PROPERTY FINDINGS

W 26TH ST

531 W 26TH ST

Date:	**3/16/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **Demolish and construct interior non-load bearing partitions, install new plumbing and finishes in existing commercial space as shown on plans filed herewith. No change in use, egress, or occupancy.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104042625-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN TRANI

Date:	**3/10/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **Demolish and construct interior non-load bearing partitions, install new plumbing and finishes in existing commercial space as shown on plans filed herewith. No change in use, egress, or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104042625-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STEVEN LAMAZOR

ADJOINING PROPERTY FINDINGS

Date:	**3/1/2005**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M243217
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NORI ELECTRIC, INC LAZAR MOSES

Date:	**2/28/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALLATION OF AIR CONDITIONING AS PER PLAN. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	104045374-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN BIONOCORE

ADJOINING PROPERTY FINDINGS

Date: **8/11/2003**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M225156
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ERIN ELEC'L CONTR'G INCOR

533 W 26TH ST

Date: **11/15/2003**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M228745
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: ALEF ELEC'L CONTR'G INC

ADJOINING PROPERTY FINDINGS

Date:	**8/19/2002**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - Change of Use from manufacturing use to Gallery Use with accessory office space. Partition changes with construction of new Mezzanine. New Certificate of Occupancy to be obtained.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103159234-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TONY LEE

Date:	**6/26/2002**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M213554
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NEW GRAND ELECTRIC, INC. RAFAEL SEPULVEDA, NEW GRAND ELECTRIC, INC. CHRISTOPHER BISHUNDAT

ADJOINING PROPERTY FINDINGS

Date:	**6/12/2002**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **Minor mechanical and plumbing in conjunction with interior demolition and minor renovation . No change of use, occupancy, or egress.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103156308-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LARRY LINZER

Date:	**6/4/2002**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE** **Interior demolition and minor renovation of an existing commercial space. No change of use, occupancy, or egress this application.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	103156308-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TONY LEE

ADJOINING PROPERTY FINDINGS

Date:	**6/4/2002**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCHITECTURAL** **Interior demolition and minor renovation of an existing commercial space. No change of use, occupancy, or egress this application.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103156308-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TONY LEE

Date:	**6/4/2002**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **Minor mechanical and plumbing in conjunction with interior demolition and minor renovation . No change of use, occupancy, or egress.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103156308-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TONY LEE

ADJOINING PROPERTY FINDINGS

Date:	**9/19/1994**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M123603
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEW ELECTRIC INC.

547 W 26TH ST

Date:	**10/2/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - TEMP STRUCTURE INSTALLATION AND REMOVAL OF TEMPORARY STRUCTURES AS PER PLAN. FILED IN CONJUNCTION WITH TPA. PRODUCERS RESPONSIBILTY TO MONITOR WEATHER CONDITIONS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	123334418-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELLIOT WINICK

ADJOINING PROPERTY FINDINGS

Date:	**4/24/2017**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - TEMP INSTALL** **INSTALL OF TEMPORARY INTERIOR PLATFORMS FOR TWITTER NEWFRONT SCHEDULED ON MAY** **1ST, 2017, NO ALTERATION OF EXISTING STRUCTURES, A TPA PERMIT IS REQUIRED. ALL** **EQUIPMENT REMOVED UPON EVENT COMPLETION.PRODUCER IS RESPONSIBLE TO MONITOR** **CONDITIONS AND IMPLEMENT AND APPROPRIATE ACTIONS AS NECESSARY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	123084768-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELLIOT WINICK

Date:	**9/23/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STAGE & TENTS** **INSTALLATION OF 2-TEMPORARY TENT ON THE 1ST FLOOR SIDEWALK FOR A "WEDDING** **CELEBRATION", ON 10-03-15. TPA TO BE FILED. NO CHANGE OF USE, EGRESS, OR** **OCCUPANCY IS INVOLVED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122379345-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOPHER H STARR

ADJOINING PROPERTY FINDINGS

Date:	**12/17/2008**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALATION OF 3 NEW AC UNITS ON ROOF AND 5 AIR CIRCULATION UNITS ON ROOF.** **INSTALATION OF ASSOCIATED DUCTWORK. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	110237360-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BARBARA MYERS

Date:	**10/27/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **install new plumbing and mechanical systems, no change to use, egress or occupancy**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	104106502-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM COTE

ADJOINING PROPERTY FINDINGS

Date: **8/1/2005**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M248492
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CARUSO & SONS ELECTL CONT

Date: **6/16/2005**
Permit Type: **EW**
Description: **ALTERATION TYPE 2 - SPRINKLER**
sprinkler building, no change to use, egress or occupancy

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: SPRINKLER
Permit Number: 104091938-01-EW-SP
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: SEMYON PIVOVAROV

Date: **6/16/2005**
Permit Type: **PL**
Description: **PLUMBING - ALTERATION TYPE 2**
sprinkler building, no change to use, egress or occupancy

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 104091938-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: SEMYON PIVOVAROV

ADJOINING PROPERTY FINDINGS

Date:	**6/16/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **install new plumbing and mechanical systems, no change to use, egress or occupancy**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104106502-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SEMYON PIVOVAROV

Date:	**5/23/2005**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE** **Selective masonry demo and repointing, create new masonry openings above dryvit** **storefront, remove and replace existing doors, windows and copings with new. No change to use, egress or occupancy.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	103979349-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM COTE

ADJOINING PROPERTY FINDINGS

Date:	**5/23/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **Selective masonry demo and repointing, create new masonry openings above dryvit** **storefront, remove and replace existing doors, windows and copings with new. No change to use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103979349-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM COTE

Date:	**5/23/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONST.** **Install new doors in existing masonry openings at east end of building, New 11/2 hr. rated doors and new drywall partitions at 1st floor. No Change to use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104016217-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM COTE

ADJOINING PROPERTY FINDINGS

Date:	**5/23/2005**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 -** **change use to eating or drinking establishment with entertainment, dance studio and offices**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	104091947-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM COTE

Date:	**3/7/2005**
Permit Type:	**SG**
Description:	**SIGN -** **Installation of Banner on West 26th Street as per plans filed herewith.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	104028124-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL BOEGEMANN

ADJOINING PROPERTY FINDINGS

Date:	**3/7/2005**
Permit Type:	**SG**
Description:	**SIGN -** **Installation of banner on West 26th Street as per plans filed herewith.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	104028133-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL NOEGEMANN

Date:	**2/10/1999**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **Installation of three (3) roof top package air conditioning units with heat and two (2) split system air conditioning units. Install hot water heater. Install p lumbing fixtures as per plan filed. No change in egress, use, or occupancy.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	102040925-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LESLIE HELD

ADJOINING PROPERTY FINDINGS

Date:	**1/25/1999**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **Installation of three (3) roof top package air conditioning units with heat and two (2) split system air conditioning units. Install hot water heater. Install p lumbing fixtures as per plan filed. No change in egress, use, or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	102040925-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KAI CHAN

Date:	**1/19/1999**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 -** **Change to Certificate of Occupancy only. No physical work performed under this application. All work filed separately under application # 102183593.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	102100815-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ED GITLIN

ADJOINING PROPERTY FINDINGS

Date:	**12/10/1998**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M173794
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	P&H ELECT D/B/A MAGE ELEC

Date:	**12/3/1998**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH.& STRUCT.** **Minor demolition. Minor buildout as per plans submitted herewith. Associated structural modifications as per plans. No change to use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102183593-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ED GITLIN

ADJOINING PROPERTY FINDINGS

549 W 26TH ST

Date: **4/24/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M339580
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: CAPUTEK ELEC'L SERVICES,

Date: **3/18/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M092690
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: STAT ELECTRIC INC. HOWARD ZAMKOFF

Date: **3/18/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M092691
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: STAT ELECTRIC INC. HOWARD ZAMKOFF

ADJOINING PROPERTY FINDINGS

Date:	**1/22/1990**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M061574
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LEKTRIC INSTALLATIONS COR

W 27TH ST

503 W 27TH ST

Date:	**10/8/1993**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED FILING TO OBTAIN PERMIT FOR SHED WALK SHED.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SIDEWALK SHED
Permit Number:	100705685-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMIR KHAN

ADJOINING PROPERTY FINDINGS

Date: **6/21/1984**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 011576
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: R & L SYSTEMS, INC.

504 W 27TH ST

Date: **7/24/2013**
Permit Type: **SG**
Description: **SIGN -
ERECT INDIRECTLY ILLUMINATED VINYL ADHESIVES SIGN ATTACHED ON EXISTING
STRUCTURE. NO CHANGE OF USE, EGRESS OR OCCUPANCY. COMPLIES WITH Z.R 98-16 SIGN
IS DIRECTLY UNDER THE HIGH LINE AND IS NOT VISIBLE.**

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 121622967-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: PETER FOTIADIS, SR

ADJOINING PROPERTY FINDINGS

Date:	**7/24/2013**
Permit Type:	**SG**
Description:	**SIGN -** **ERECT INDIRECTLY ILLUMINATED VINYL ADHESIVE SIGN ATTACHED ON EXISTING STRUCTURE.** **SIGN ON W 26TH ST. NO CHANGE OF USE, EGRESS OR OCCUPANCY. COMPLIES WITH Z.R** **98-16 SIGN IS DIRECTLY UNDER THE HIGH LINE AND IS NOT VISIBLE.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	121623001-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER FOTIADIS, SR

Date:	**11/29/2011**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - CURB CUT** **CONSTRUCTION OF NEW CURB CUT. SCOPE OF WORK DOES NOT REQUIRE CHANGE OF** **OCCUPANCY, USE, OR EGRESS.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	120862147-01-AL
Status:	REISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY GIAQUINTO

ADJOINING PROPERTY FINDINGS

Date:	**7/22/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A SCAFFOLD STAIR TOWER 8'LONG X 25'HIGH DURING ELEVATED ROADWAY REMOVAL BIS# 102137411. NO CHANGE IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110174999-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BORIS SIRUNYAN

Date:	**5/8/2008**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - CHUTE INSTALLATION OF A STEEL CHUTE 10' HIGH DURING ELEVATED ROADWAY REMOVAL BIS # 102137411. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	CHUTE
Permit Number:	104698711-01-EQ-CH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALPER TUNA

ADJOINING PROPERTY FINDINGS

Date:	**1/10/2008**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF A SCAFFOLD STAIR TOWER 8' LONG X 25' HIGH DURING ELEVATED ROADWAY REMOVAL BIS # 102137411. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	104698720-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALPER TUNA

Date:	**9/6/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONST. PROPOSE REMOVAL OF EXISTING MASONRY WALL AS INDICATED ON PLANS. THERE IS NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104173109-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARBHAJAN SINGH

ADJOINING PROPERTY FINDINGS

Date:	**12/28/2001**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED REMOVE ELEVATED ROADWAY (HIGHLINE). ERECT 200' OF HEAVY DUTY SIDEWALK SHED. NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SIDEWALK SHED
Permit Number:	102137411-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT SINGLEY

Date:	**3/2/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - REMOVAL REMOVE ELEVATED ROADWAY (HIGHLINE). ERECT 200' OF HEAVY DUTY SIDEWALK SHED. NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102137411-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT SINGLEY

ADJOINING PROPERTY FINDINGS

505 W 27TH ST

Date:	**10/13/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **SPRINKLER APPLICATION FILED IN CONJUNCTION WITH NB #121191281. NO CHANGE IN USE,** **EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140690410-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PHILIP M TANELLA

Date:	**9/20/2017**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING** **MECHANICAL AND PLUMBING FILED IN CONJUNCTION WITH A NEW BUILDING AS PER THE** **PLANS FILED HEREWITH.**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121191281-04-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STEVEN M ROTHENBERG

ADJOINING PROPERTY FINDINGS

Date:	**9/8/2017**
Permit Type:	**NB**
Description:	**NEW BUILDING -** **CONSTRUCTION OF A NEW BUILDING AS PER PLANS FILED HEREWITH.**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121191281-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID B SILVERSTEIN

Date:	**7/19/2017**
Permit Type:	**FO**
Description:	**NEW BUILDING - FOUNDATION/EARTHWORK** **CONSTRUCTION OF A NEW BUILDING AS PER PLANS FILED HEREWITH.**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121191281-01-FO
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	YELISSA MICHEALS

ADJOINING PROPERTY FINDINGS

Date:	**7/3/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE INSTALLATION OF PLYWOOD FENCE/ENCLOSURE AS PER PLAN SUBMITTED. WORK SHALL COMPLY WITH 2014 BUILDING CODES CHAPTER 33. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	140663379-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHARLES TALISSE

Date:	**4/1/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. INSTALL CANOPY ON EXISTING PROPERTY. NO CHANGE IN EGRESS, USE OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122336542-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL CATALANO

ADJOINING PROPERTY FINDINGS

Date:	**10/6/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M359378
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	D&D ELECTL CONST CO INC

Date:	**10/2/2014**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - GEN. CONSTR. REMOVAL AND REPLACEMENT OF A CONCRETE PAD DRIVEWAY. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	140257335-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARELIS BATISTA

ADJOINING PROPERTY FINDINGS

Date:	**6/30/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE CONSTRUCTION OF NEW 50' LONG BY 8' HIGH PERMANENT CORRUGATED METAL FENCE. NO CHANGE IN USE, EGRESS AND OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	121929663-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN WUKICH

Date:	**12/19/2013**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE FULL DEMOLITION OF ONE STORY STRUCTURE, USING MECHANICAL MEANS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	121768177-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL OBRIEN

ADJOINING PROPERTY FINDINGS

Date:	**12/4/2013**
Permit Type:	**DM**
Description:	**FULL DEMOLITION - FULL DEMOLITION OF ONE STORY STRUCTURE, USING MECHANICAL MEANS.**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	121768177-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL O'BRIEN

Date:	**11/7/2013**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF 92 LINEAR FEET OF HEAVY DUTY SIDEWALK SHED DURING BUILDING DEMOLITION, FILED SEPARATELY. LIVE LOAD 300 PSF. SIDEWALK SHED SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	121730653-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PHILIP SUSI

ADJOINING PROPERTY FINDINGS

Date:	**11/7/2013**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE INSTALLATION OF PLYWOOD FENCE AS PER DRAWINGS. PLYWOOD FENCE SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	121730662-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PHILIP SUSI

Date:	**10/30/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M347019
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NASH ELECTRIC SERVICES IN

ADJOINING PROPERTY FINDINGS

507 W 27TH ST

Date:	**9/5/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A TEMPORARY TRUCK LOADING DOCK AS PER PLANS DURING GENERAL CONSTRUCTION WORK. NO CHANGE IN USE, EGRESS OR OCCUPANCY. LOADING DOCK TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122471547-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEITH LYNCH

509 W 27TH ST

Date:	**3/21/2017**
Permit Type:	**DM**
Description:	**FULL DEMOLITION - DEMOLITION OF THE BUILDING**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	122732267-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JACK CALIENDO

ADJOINING PROPERTY FINDINGS

Date:	**3/21/2017**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE DEMOLITION OF THE BUILDING**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	122732267-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JACK CALIENDO

Date:	**3/21/2017**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - OTHER MECHANICAL MEANS SUBMITTED FOR USE OF MECHANICAL EQUIPMENT AT THE TIME OF DEMOLITION**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122732267-02-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JACK CALIENDO

ADJOINING PROPERTY FINDINGS

Date:	**2/13/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF HEAVY DUTY SIDEWALK SHED AS PER PLANS. LIVE LOAD 300 PSF. SIDEWALK SHED SHALL COMPLY WITH CHAPTER #33 OF THE 2014 CODE NO CHANGE TO USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	140596479-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SIMRANPAL SINGH

Date:	**1/26/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M391447
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LINTECH ELECTRIC, INC.

ADJOINING PROPERTY FINDINGS

510 W 27TH ST

Date:	**5/24/2016**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA** **REMOVAL OF EXISTING ANTENNA SECTORS ON THE ROOF. REMOVAL OF EXISTING** **TELECOMMUNICATION EQUIPMENT PLATFORM ON THE ROOF. ALL WORK IN COMPLIANCE WITH** **TPPN 5/98. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	122498305-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN CELENTANO JR

Date:	**8/23/2011**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA** **INSTALL CABINET ON EXISTING ROOFTOP DUNNAGE IN CONFORMANCE WITH TPPN# 5/98. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	120509645-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADAM JAFFE

ADJOINING PROPERTY FINDINGS

Date:	**11/4/2010**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA INSTALLING TELECOMMUNICATION CABINET IN EQUIPMENT ROOM IN BASEMENT. RELATED AN TENNAS ON ROOF. ALL WORK IS IN CONFORMANCE WITH TPPN# 5/98. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	120436037-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN ETTERE

Date:	**9/23/2010**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M307042
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELMAC ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date:	**12/18/2007**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA INSTALLING TELECOMMUNICATION CABINETS WITH RELATED DUNNAGE AND RELATED A NTENNAS ON ROOF. ALL IN CONFORMANCE WITH TPPN#5/98. NO CHNAGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	104912150-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HAROLD HAYCOOK

Date:	**12/18/2007**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M275282
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ASSOCIATED ELEC CONT OF N

ADJOINING PROPERTY FINDINGS

Date:	**12/12/2007**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M275083
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	J.A. LEE ELECTRIC, INC.

Date:	**10/20/2005**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - WALL STRUCTURE ERECT SIGN STRUCTURE. SIGN FILED SEPARATELY #. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	104187657-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM COCCHIERE

ADJOINING PROPERTY FINDINGS

Date:	**9/22/2005**
Permit Type:	**SG**
Description:	**SIGN -** **ERECT NON-ILLUM. ADVERTISING SIGN ON STRUCTURE. STRUCTURE FILED SEPARATELY #.** **NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	104187666-01-SG
Status:	REVOKED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM COCCHIERE

Date:	**6/14/2005**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M246492
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT S. COVELLO

ADJOINING PROPERTY FINDINGS

Date:	**10/19/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER** **INSTALL REPLACEMENT GAS FIRED HOT WATER BOILER WITH NEW GAS SERVICE, NEW** **GAS MAIN AND METERAND CONNECT TO EXISTING BRICK CHIMNEY WITH TERRA COTTA** **LINING.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	103009067-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN GALLAGHER

Date:	**10/19/2001**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL REPLACEMENT GAS FIRED HOT WATER BOILER WITH NEW GAS SERVICE, NEW** **GAS MAIN AND METERAND CONNECT TO EXISTING BRICK CHIMNEY WITH TERRA COTTA** **LINING.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103009067-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN GALLAGHER

ADJOINING PROPERTY FINDINGS

Date:	**7/23/1998**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF SHED 80' DURING FACADE REPAIR. NO CHANGE IN USE,EGRESS OR OCCUPANCY. SHED SHALL COMPLY WITH LL 33/91.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	101888842-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER O'FARRELL

Date:	**8/18/1989**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M056418
Status:	VIOLATN PENDING AT CONTRACTOR
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SPECO ELECTRICAL INC. JUDE SAINT-PHARD

ADJOINING PROPERTY FINDINGS

511 W 27TH ST

Date:	**1/16/2018**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING MECHANICAL AND PLUMBING FILED IN CONJUNCTION WITH A NEW BUILDING AS PER THE PLANS FILED HEREWITH.**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121191290-04-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STEVEN M ROTHENBERG

Date:	**11/9/2017**
Permit Type:	**NB**
Description:	**NEW BUILDING - APPLICATION FILED FOR THE CONSTRUCTION OF A NEW 1-STORY COMMERCIAL BUILDING AS PER PLANS FILED HEREWITH.**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121191290-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID B SILVERSTEIN

ADJOINING PROPERTY FINDINGS

Date:	**2/13/2017**
Permit Type:	**DM**
Description:	**FULL DEMOLITION - DEMOLITION OF THE BUILDING**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	122732258-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JACK CALIENDO

Date:	**2/13/2017**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE DEMOLITION OF THE BUILDING**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	122732258-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JACK CALIENDO

ADJOINING PROPERTY FINDINGS

Date:	**2/13/2017**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - OTHER MECHANICAL MEANS SUBMITTED FOR USE OF MECHANICAL EQUIPMENT AT THE TIME OF DEMOLITION**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122732258-02-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JACK CALIENDO

Date:	**2/13/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF HEAVY DUTY SIDEWALK SHED AS PER PLANS. LIVE LOAD 300 PSF. SIDEWALK SHED SHALL COMPLY WITH CHAPTER #33 OF THE 2014 CODE NO CHANGE TO USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	140597539-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SIMRANPAL SINGH

ADJOINING PROPERTY FINDINGS

Date: **1/26/2017**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M391448
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: LINTECH ELECTRIC, INC.

Date: **3/1/2012**
Permit Type: **SG**
Description: **SIGN -**
ILLUMINATED NON ADVERTISING ACCESSORY SIGN

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 120988823-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: BERNARD J GIARRAPUTO

ADJOINING PROPERTY FINDINGS

513 W 27TH ST

Date:	**9/6/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. APPLICATION FILED TO INDICATE PIZZA OVEN ORIGINALLY FILED UNDER APPLICATION #104004355 AS PER PLANS. THERE IS NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122793209-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS PALMIOTTO

Date:	**4/1/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC TEMPORARY REMOVAL AND SUBSEQUENT REPLACEMENT OF DUCTWORK AND EXHAUST FANS ON EXTERIOR OF BUILDING TO MAKE ROOM FOR ADJACENT ONGOING NEIGHBORING CONSTRUCTION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	140177298-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARELIS BATISTA

ADJOINING PROPERTY FINDINGS

Date:	**12/31/2009**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 -** **Repair and maintenance to change non-storage garge to eating and drinking establishment. Both new fixtures on new plumbing roughing and new fixtures on existing plumbing roughing. Amendment of C of O 53284.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	104004355-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VITTORIO CARBONARA

Date:	**2/15/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION** **Install kitchen fire suppression system, as shown on plan. Gas Shut-off Valve filed under Job#104004355. No change in use, occupancy, or egress.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	104032565-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES MEYER

ADJOINING PROPERTY FINDINGS

Date:	**2/1/2005**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M242040
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DETORE ELEC'L CONSTR CO I MATTHEW DETORE

Date:	**1/11/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1** **Repair and maintenance to change non-storage garge to eating and drinking establishment. Both new fixtures on new plumbing roughing and new fixtures on existing plumbing roughing. Amendment of C of O 53284.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	104004355-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT MCDONOUGH

ADJOINING PROPERTY FINDINGS

Date:	**11/20/1992**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **LEGALIZATION OF EXISTING CEILING HUNG AIR CONDITIONING UNIT IN GARAGE AND ROOF TOP UNIT. NO CHANGE IN EGRESS, USE OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	100512152-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM J SPELLMAN

515 W 27TH ST

Date:	**6/1/2012**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 -** **CHANGE OCCUPANCY USE AT 1ST FLOOR TO GALLERY. CONSTRUCT NEW PARTITIONS. PLUMBING** **& MECHANICAL WORK. INSTALL NEW GLASS FACADE. ALL AS PER PLANS. OBTAIN AMENDED** **CO.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	120806084-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MELISSA MICHEALS

ADJOINING PROPERTY FINDINGS

Date:	**6/1/2012**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 1 - CONSTRUCTION EQUIPMENT - FENCE CHANGE OCCUPANCY USE AT 1ST FLOOR TO GALLERY. CONSTRUCT NEW PARTITIONS. PLUMBING & MECHANICAL WORK. INSTALL NEW GLASS FACADE. ALL AS PER PLANS. OBTAIN AMENDED CO.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	FENCE
Permit Number:	120806084-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MELISSA MICHEALS

Date:	**11/17/2011**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	
Proposed Use:	
Permit Number:	M320838
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	M.O.S. ELEC'L CONTR'G COR

ADJOINING PROPERTY FINDINGS

Date:	**11/3/2011**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1** **CHANGE OCCUPANCY USE AT 1ST FLOOR TO GALLERY. CONSTRUCT NEW PARTITIONS. PLUMBING** **& MECHANICAL WORK. INSTALL NEW GLASS FACADE. ALL AS PER PLANS. OBTAIN AMENDED** **CO.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	120806084-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN J MCCARTHY

Date:	**8/8/2011**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE** **NON-STRUCTURAL INTERIOR DEMOLITION OF 1ST FLOOR, MEZZANINE AND MEZZANINE ROOF.** **REMOVE STORE FRONT, PARTITIONS AND PLUMBING FIXTURES. ALL AS PER PLAN. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	120779167-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL BORRICO

ADJOINING PROPERTY FINDINGS

Date:	**8/8/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR NON-STRUCTURAL INTERIOR DEMOLITION OF 1ST FLOOR, MEZZANINE AND MEZZANINE ROOF. REMOVE STORE FRONT, PARTITIONS AND PLUMBING FIXTURES. ALL AS PER PLAN. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120779167-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL BORRICO

Date:	**4/5/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER Installation of gas boiler at rear extension. This application is filed in conju nction with ALT II #102774053. No change to use, egress or occupancy under this application.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	102480487-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BRUCE LOEWY

ADJOINING PROPERTY FINDINGS

Date:	**4/5/2001**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **Installation of gas boiler at rear extension. This application is filed in conju nction with ALT II #102774053. No change to use, egress or occupancy under this application.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	102480487-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BRUCE LOEWY

Date:	**4/2/2001**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 -** **Change use from garage to eating and drinking establishment (Use Group 6). No work to be done under this application. All construction work are filed under separate ALT II application**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	102774044-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMY SACCO OWNER 550 W 21 ST NY NY 10011

ADJOINING PROPERTY FINDINGS

Date: **1/12/2001**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M197186
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ALEF ELEC'L CONTR'G INC

Date: **11/16/2000**
Permit Type: **PL**
Description: **PLUMBING - ALTERATION TYPE 2**
MECHANICAL AND PLUMBING WORK AS PER PLAN

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 102774053-03-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: STUART LIBEN

Date: **11/14/2000**
Permit Type: **EW**
Description: **ALTERATION TYPE 2 - MECH/HVAC**
MECHANICAL AND PLUMBING WORK AS PER PLAN

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: MECHANICAL/HVAC
Permit Number: 102774053-03-EW-MH
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: STEPHEN MOON

ADJOINING PROPERTY FINDINGS

Date:	**11/3/2000**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE** **Renovation of existing garage, including new store front, rear extension and con struction of two new mazz.. No change to use, egress or occupancy under this application.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	102774053-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STEPHEN MOON

Date:	**11/3/2000**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ENL GEN CONST** **Renovation of existing garage, including new store front, rear extension and con struction of two new mazz.. No change to use, egress or occupancy under this application.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102774053-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STEPHEN MOON

ADJOINING PROPERTY FINDINGS

Date: **11/3/2000**
Permit Type: **EW**
Description: **ALTERATION TYPE 2 -
STRUCTURAL WORK AS PER PLANS.**

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 102774053-02-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: STEPHEN MOON

Date: **6/24/1998**
Permit Type: **AL**
Description:

Permit Description: **ALTERATION**
Work Class:
Proposed Use:
Permit Number: 101627161-01-AL
Status:
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **6/24/1998**
Permit Type: **EQ**
Description:

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class:
Proposed Use: FENCE
Permit Number: 101627161-01-EQ-FN
Status:
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date:	**9/26/1997**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL ROOF MOUNTED HVAC UNIT, AS SHOWN ON PLAN. NO CHANGE IN USE, OCCUPANCY OR EGRESS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	101607959-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MILTON BRESLAW

Date:	**9/19/1997**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL ROOF MOUNTED HVAC UNIT, AS SHOWN ON PLAN. NO CHANGE IN USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	101607959-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HUGO MARTINEZ OWNER 525 W 45 ST. N.Y. NY 10036

ADJOINING PROPERTY FINDINGS

Date:	**9/19/1997**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN. INSTALL ROOF MOUNTED HVAC UNIT, AS SHOWN ON PLAN. NO CHANGE IN USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101607959-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HUGO MARTINEZ OWNER 525 W 45 ST. N.Y. NY 10036

Date:	**2/19/1997**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M152544
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HI-AMP ELECTRIC CORP. IVAN TORRES

ADJOINING PROPERTY FINDINGS

Date:	**12/19/1996**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL FILED HEREWITH PLANS TO INDICATE NEW ROF ING AND REINFORCEMENT OF EXISTI G WOOD ROOF JOISTS, PARAPET AND BRICK WA LLS. NO CHANGE IN OCCUPANCY, USE OR EGR SS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101456327-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DIMITRIUS LAKANIVIS

Date:	**6/25/1994**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M120995
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PRO ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

516 W 27TH ST

Date:	**9/2/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FUEL STORAGE** **APPLICATION FILED FOR FUEL STORAGE FOR EMERGENCY GENERATOR THAT WAS FILED AND** **SIGNED-OFF UNDER APPLICATION 120564978.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL STORAGE
Permit Number:	122715516-01-EW-FS
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ULRIC P GLOUDON

Date:	**10/27/2011**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	
Proposed Use:	
Permit Number:	M319284
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STAT ELECTRIC INC. HOWARD ZAMKOFF

ADJOINING PROPERTY FINDINGS

Date:	**9/8/2011**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - STRUCTURE** **WALL STRUCTURE FOR ACCESSORY SIGN**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	120815225-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BERNARD GIARRAPUTO

Date:	**9/7/2011**
Permit Type:	**SG**
Description:	**SIGN -** **ILLUMINATED NON ADVERTISING DOUBLE FACE PROJECTING ACCESSORY SIGN**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	120815234-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BERNARD J GIARRAPUTO

ADJOINING PROPERTY FINDINGS

Date:	**5/19/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **APPLICATION FILED FOR EMERGENCY GENERATOR & FUEL STORAGE IN CONJUNCTION WITH** **NB#110129922**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120564978-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAIF SUMAIDA

Date:	**3/24/2011**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD** **PROPOSE TO INSTALL PIPE SCAFFOLD AT FACADE OF BUILDING. NO CHANGE IN USE, EGRESS** **& OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	120274096-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HASSAN BAJWA

ADJOINING PROPERTY FINDINGS

Date:	**3/10/2011**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF A HEAVY DUTY SIDEWALK SHED APPROXIMATELY 90'LINEAR FEET OF 18'TALL AS PER PLANS DURING NEW BUILDING CONSTRUCTION (NB# 110129922).SIDEWALK SHED TO COMPLY WITH NEW YORK CITY BUILDING CODE 2008,CHAPTER 33.NO CHANGES IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	120174836-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM HALLICK

Date:	**3/3/2011**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE INSTALL FENCE IN CONJUNCTION WITH THE CONSTRUCTION OF A NEW BUILDING. FILE UNDER APPLICATION #110129922. ALL AS PER PLAN. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	110304634-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS HANAFEY

ADJOINING PROPERTY FINDINGS

Date:	**3/3/2011**
Permit Type:	**NB**
Description:	**NEW BUILDING - ERECTION OF A NEW 9-STORY BUILDING.**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	110129922-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAIF SUMAIEA

Date:	**2/22/2011**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M311654
Status:	ASSIGNED TO INSPECTOR
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOP SHELF ELECTRIC CORP

ADJOINING PROPERTY FINDINGS

Date:	**2/17/2011**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING** **FILED HEREWITH ARE PLUMBING AND MECHANICAL FILINGS FOR A NEW 9-STORY BUILDING.** **FILED IN CONJUNCTION WITH NB APPLICATION # 110129922.**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	110129922-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DIMITRIOS TSAMOS

Date:	**2/17/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **FILED HEREWITH ARE SPRINKLER/STANDPIPE PLANS FOR ERECTION OF A NEW 9-STORY** **BUILDING. FILED IN CONJUNCTION WITH NEW BUILDING APPLICATION # 110129922.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	110210227-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOS TSAMASIROS

ADJOINING PROPERTY FINDINGS

Date:	**2/17/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **FILED HEREWITH ARE SPRINKLER/STANDPIPE PLANS FOR ERECTION OF A NEW 9-STORY** **BUILDING. FILED IN CONJUNCTION WITH NEW BUILDING APPLICATION # 110129922.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	110210227-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOS TSAMASIROS

Date:	**2/15/2011**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL NEW FIRE SUPPRESSION SYSTEM ONLY AS SHOWN ON PLANS. NO CHANGE IN** **OCCUPANCY, USE, OR EGRESS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	120530354-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOS TSAMASIROS

ADJOINING PROPERTY FINDINGS

Date:	**2/15/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER APPLICATION FILED FOR BOILER INSTALLATION AS SHOWN ON PLANS FILED HEREWITH. IN CONJUNCTION WITH NB#110129922**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	120584536-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOS TSAMASIROS

Date:	**12/15/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION INSTALL NEW FIRE SUPPRESSION SYSTEM ONLY AS SHOWN ON PLANS. NO CHANGE IN OCCUPANCY, USE, OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	120530354-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK MITAROTONDA

ADJOINING PROPERTY FINDINGS

Date:	**12/12/2010**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M309574
Status:	ASSIGNED TO INSPECTOR
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOP SHELF ELECTRIC CORP

Date:	**3/11/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A CHAMPION US-6002-1R PERSONNEL/MATERIAL SINGLE CAGE HOIST APPROXIMATELY 107'HIGH AS PER PLANS DURING NEW BUILDING CONSTRUCTION (NB# 110129922).HOIST TO COMPLY WITH NEW YORK CITY BUILDING CODE 2008,CHAPTER 33.NO CHANGES IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120183764-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM HALLICK

ADJOINING PROPERTY FINDINGS

Date: **11/25/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M298035
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: JAM ELECTRICAL CORP

Date: **11/18/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M297908
Status: ASSIGNED TO INSPECTOR
Valuation: $0.00
Contractor Company:
Contractor Name: MARI ELEC. CONTR'S INC. JOHN MARI, JR.

Date: **11/16/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M297772
Status: ASSIGNED TO INSPECTOR
Valuation: $0.00
Contractor Company:
Contractor Name: JAM ELECTRICAL CORP

ADJOINING PROPERTY FINDINGS

Date: **10/20/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M297040
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: V. VASS ELECTRIC CORP

Date: **10/16/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M296976
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: SHUIR ELEC'L CONTR'S CORP

Date: **6/9/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M293148
Status: VIOLATN PENDING AT CONTRACTOR
Valuation: $0.00
Contractor Company:
Contractor Name: MARI ELEC. CONTR'S INC. JOHN MARI, JR.

ADJOINING PROPERTY FINDINGS

Date:	**3/10/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FOUNDATION INSTALLING FOUNDATION IN CONJUNCTION WITH THE CONSTRUCTION OF A NEW BUILDING. FILE UNDER APPLICATION #110129922. ALL AS PER PLAN. NO CHANGE IN USE, EGRESS, OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110255125-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT FEASTER

Date:	**3/10/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - EXCAVATION EXCAVATION IN CONJUNCTION WITH THE CONSTRUCTION OF A NEW BUILDING. FILE UNDER APPLICATION #110129922. ALL AS PER PLAN. NO CHANGE IN USE, EGRESS, OR OCCUPANC Y.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110197554-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS HANAFEY

ADJOINING PROPERTY FINDINGS

Date:	**3/28/2008**
Permit Type:	**DM**
Description:	**FULL DEMOLITION -**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	104936884-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KENNETH GORO

Date:	**3/21/2008**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	104936884-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KENNETH GORI

ADJOINING PROPERTY FINDINGS

Date:	**3/11/2008**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED PROPOSED INSTALLATION OF HEAVYDDUTY SIDEWALK SHED FOR REMEDIAL REPAIRS AS PER PLANS. NO CHANGE IN USE OCCUPANCY OR EGRESS UNDER THIS APPLICATION. LIVE LOAD 300 PSF. SIDEWALK SHED SHALL COMPLY WITH LL33/1991. NO STORAGE ON SIDEWALK SHED.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	110112128-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMRIK SINGH

Date:	**3/8/2008**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M277979
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	H & D ELECTRICAL CORP. HAZRAT ALLY

ADJOINING PROPERTY FINDINGS

519 W 27TH ST

Date:	**8/10/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **SPRINKLER APPLICATION FILED IN CONJUNCTION WITH ALT 1 #121185467. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140294330-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER LYMBEROPOULOS

Date:	**7/25/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M384448
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	M.C. ELECTRICAL NY INC

ADJOINING PROPERTY FINDINGS

Date:	**1/13/2016**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1** **MECHANICAL AND PLUMBING WORK FILED IN CONJUNCTION WITH ALT 1 APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	121185467-04-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NIALL T SMITH

Date:	**1/8/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M376607
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	M.C. ELECTRICAL NY INC

ADJOINING PROPERTY FINDINGS

Date:	**1/8/2016**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - ALTERATION OF AN EXISTING BUILDING TO CHANGE THE USE, EGRESS AND OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	121185467-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMANDA REKEMEYER

Date:	**11/16/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF HEAVY DUTY SIDEWALK BRIDGE APPROXIMATELY 25 FEET LONG IN CONJUNCTION WITH ALT 1 APPLICATION #121185467 AS PER PLANS. NO CHANGE IN USE, EGRESS, OR OCCUPANCY. SIDEWALK BRIDGE TO COMPLY WITH CHAPTER 33 OF THE NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	140428794-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL CHIRILA

ADJOINING PROPERTY FINDINGS

Date: **11/10/2015**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: ACTIVE
Proposed Use:
Permit Number: M374652
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **12/13/2001**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class:
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 103042574-01-EW-OT
Status:
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **12/12/2001**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class:
Proposed Use: BOILER
Permit Number: 103042574-01-EW-BL
Status:
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date:	**12/12/2001**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL SLANT FIN #SX10 BOILER ON 2ND FLOOR 210,000 BTU MEA# 335-92E AND REZNOR #TRA100 UNIT HEATER ON 1ST FLOOR 100,000 BTU MEA# 303-92E. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103042574-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KIRK SEUBERT

Date:	**9/20/1996**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1** **AMEND USE ON 1ST FLOOR FROM GARAGE & LOADING STATION TO "AUTOMOBILE** **REPAIRS."**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	100974340-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HOWARD SCHRIERER

ADJOINING PROPERTY FINDINGS

Date:	**3/29/1996**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - AMEND USE ON 1ST FLOOR FROM GARAGE & LOADING STATION TO "AUTOMOBILE REPAIRS."**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	100974340-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AHMET SPANIJA

Date:	**6/16/1995**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 1 - CONSTRUCTION EQUIPMENT - FENCE AMEND USE ON 1ST FLOOR FROM GARAGE & LOADING STATION TO "AUTOMOBILE REPAIRS."**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	FENCE
Permit Number:	100974340-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AHMET SPANIJA

ADJOINING PROPERTY FINDINGS

Date: **5/15/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M131974
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: TANO ELEC. CO. JOHN GIATTINO

Date: **8/11/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M097752
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: S & A ELECTRICAL COMPANY SALVATORE CIRRINCIONE

ADJOINING PROPERTY FINDINGS

520 W 27TH ST

Date:	**2/16/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. MODIFICATION TO INTERIOR PARTITIONS ALONG WITH RELATED GENERAL CONSTRUCTION RELATED TO THE BUILD OUT OF OFFICE SUITE 607 ON THE 6TH FLOOR. NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122991548-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID B GUIMOND

Date:	**4/4/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M352227
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BREAKER ELECL CONTRS CORP

ADJOINING PROPERTY FINDINGS

Date:	**3/17/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. RENOVATE EXISTING COMMERCIAL SPACE AT 1 FLOOR.NO CHANGE TO USE,EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121851460-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN MCCLELLAN

Date:	**10/9/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M346175
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GALLANT ELEC'L CONST, INC

ADJOINING PROPERTY FINDINGS

Date:	**1/2/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **DEMO OF INTERION NON-BEARING PARTITIONS. INSTALLATION OF INTERIOR NON-BEARING** **PARTITIONG. PLUMBING TO REMOVE AND RELOCATE. NEW HEAT PUMP UNITS.NO CHANGE TO** **USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120634956-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRIS HARMATY

Date:	**3/7/2012**
Permit Type:	**SG**
Description:	**SIGN -** **NON ILLUMINATED NON ADVERTISING DOUBLE FACE PROJECTING ACCESSORY SIGN**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	120991454-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FENGHAIXU ZHANG

ADJOINING PROPERTY FINDINGS

Date:	**8/16/2011**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	
Proposed Use:	
Permit Number:	M317799
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AERO ELECTRIC CORP

Date:	**5/16/2011**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **DEMO OF INTERION NON-BEARING PARTITIONS. INSTALLATION OF INTERIOR NON-BEARING** **PARTITIONG. PLUMBING TO REMOVE AND RELOCATE. NEW HEAT PUMP UNITS.NO CHANGE TO** **USE, OCCUPANCY OR EGRESS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	120634956-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HATAM CHESHMEHSHAHI

ADJOINING PROPERTY FINDINGS

Date:	**4/14/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR DEMO OF INTERION NON-BEARING PARTITIONS. INSTALLATION OF INTERIOR NON-BEARING PARTITIONG. PLUMBING TO REMOVE AND RELOCATE. NEW HEAT PUMP UNITS.NO CHANGE TO USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120634956-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRIS HARMATY

Date:	**7/27/2010**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M305084
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AERO ELECTRIC CORP

ADJOINING PROPERTY FINDINGS

Date:	**6/24/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **DEMO OF INTERION NON-BEARING PARTITIONS. INSTALLATION OF INTERIOR NON-BEARING** **PARTITIONG. PLUMBING TO REMOVE AND RELOCATE. NEW HEAT PUMP UNITS.NO CHANGE TO** **USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120343191-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN ZAPAS

Date:	**6/24/2010**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **DEMO OF INTERION NON-BEARING PARTITIONS. INSTALLATION OF INTERIOR NON-BEARING** **PARTITIONG. PLUMBING TO REMOVE AND RELOCATE. NEW HEAT PUMP UNITS.NO CHANGE TO** **USE, OCCUPANCY OR EGRESS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	120343191-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HATAM CHESHMEHSHAHI

ADJOINING PROPERTY FINDINGS

Date:	**6/1/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **DEMO OF INTERION NON-BEARING PARTITIONS. INSTALLATION OF INTERIOR NON-BEARING** **PARTITIONG. PLUMBING TO REMOVE AND RELOCATE. NEW HEAT PUMP UNITS.NO CHANGE TO** **USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120343191-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRIS HARMATY

Date:	**10/7/2009**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **ON 4TH FLOOR INTERIOR OFFICE RENOVATION, MINOR PARTITION WORK, INSTALLATION OF** **PANTRY AND MINOR PLUMBING WORK AS SHOWN ON PLANS FILED HEREWITH. NO CHANGE IN** **USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	120158738-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STEVEN EINHORN

ADJOINING PROPERTY FINDINGS

Date:	**9/22/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC ON 4TH FLOOR INTERIOR OFFICE RENOVATION, MINOR PARTITION WORK, INSTALLATION OF PANTRY AND MINOR PLUMBING WORK AS SHOWN ON PLANS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120158738-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANDREW LIEBHABER

Date:	**9/22/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR ON 4TH FLOOR INTERIOR OFFICE RENOVATION, MINOR PARTITION WORK, INSTALLATION OF PANTRY AND MINOR PLUMBING WORK AS SHOWN ON PLANS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120158738-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANDREW LIEBHABER

ADJOINING PROPERTY FINDINGS

Date:	**8/21/2009**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M295457
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RITE-UP ELECTRIC INC.

Date:	**8/20/2009**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 RENOVATION OF THE EXISTING OFFICE SPACE ON THE 9TH FLOOR. ARCHITECTURAL, MECHANICAL, AND PLUMBING WORK. NO CHANGE OF USE, OCCUPANCY, OR EGRESS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	120127950-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH GEE

ADJOINING PROPERTY FINDINGS

Date:	**8/20/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **SPRINKLER WORK IN CONJUNCTION WITH RENOVATION OF THE EXISTING OFFICE SPACE ON** **THE 9TH FLOOR. NO CHANGE OF USE, OCCUPANCY, OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	120127950-02-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH GEE

Date:	**8/19/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **RENOVATION OF THE EXISTING OFFICE SPACE ON THE 9TH FLOOR. ARCHITECTURAL,** **MECHANICAL, AND PLUMBING WORK. NO CHANGE OF USE, OCCUPANCY, OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120127950-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MING G WANG

ADJOINING PROPERTY FINDINGS

Date:	**8/19/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCHITECTURAL RENOVATION OF THE EXISTING OFFICE SPACE ON THE 9TH FLOOR. ARCHITECTURAL, MECHANICAL, AND PLUMBING WORK. NO CHANGE OF USE, OCCUPANCY, OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120127950-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MING G WANG

Date:	**2/27/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC ON 4TH FL.INTERIOR OFFICE RENOVATION. MINOR PARTITION WORK. INSTALLATION OF PANTRY AND MINOR PLUMBING WORK AS SHOWN ON PLANS FILED HEREWITH. NO CHANGE TO USE, EGRESS, OR OCCUPANCY..**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	110469902-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANDREW LIEBHABER

ADJOINING PROPERTY FINDINGS

Date:	**2/27/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR ON 4TH FL.INTERIOR OFFICE RENOVATION. MINOR PARTITION WORK. INSTALLATION OF PANTRY AND MINOR PLUMBING WORK AS SHOWN ON PLANS FILED HEREWITH. NO CHANGE TO USE, EGRESS, OR OCCUPANCY..**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110469902-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANDREW LIEBHABER

Date:	**1/15/2009**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 Installation of new sprinkler and standpipe combination system along with fire service at street as shown on drawings filed herewith. In conjunction with NB# 104164850.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104263208-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GUS ALATIS

ADJOINING PROPERTY FINDINGS

Date:	**3/6/2008**
Permit Type:	**NB**
Description:	**NEW BUILDING -**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	104164850-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAIF SUMAIDA

Date:	**1/7/2008**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A US 6002-1R PERSONAL/MATERIAL SINGLE CAGE HOIST 102' DURING NB CONSTRUCTION 104164850.NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104524301-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM HALLICK

ADJOINING PROPERTY FINDINGS

Date:	**1/7/2008**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF A HEAVY DUTY SCAFFOLD IN REAR YARD 40' X 145' HIGH DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	104575559-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM HALLICK

Date:	**1/4/2008**
Permit Type:	**EQ**
Description:	**NEW BUILDING - CONSTRUCTION EQUIPMENT - FENCE**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	NB - NEW BUILDING
Proposed Use:	FENCE
Permit Number:	104164850-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAIF SUMAIDA

ADJOINING PROPERTY FINDINGS

Date:	**12/4/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER** **FILING BOILER AS SHOWN ON DRAWINGS FILEDHEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. FILED INCONJUNCTION WITH NB 104164850.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	104718478-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GUS ALASIS

Date:	**11/1/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **Filing fuel storage and emergency generator as shown on drawings filed herewith. In conjunction with NB # 104164850.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	104263191-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAIF SUMAIDA

ADJOINING PROPERTY FINDINGS

Date:	**7/19/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FUEL STORAGE** **Filing fuel storage and emergency generator as shown on drawings filed herewith. In conjunction with NB # 104164850.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL STORAGE
Permit Number:	104263191-01-EW-FS
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMBROSE WAYNE

Date:	**6/7/2007**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M267998
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT S. COVELLO

ADJOINING PROPERTY FINDINGS

Date:	**5/31/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **Installation of new sprinkler and standpipe combination system along with fire service at street as shown on drawings filed herewith. In conjunction with NB# 104164850.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	104263208-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FOTIOS TSALTAS

Date:	**5/31/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **Installation of new sprinkler and standpipe combination system along with fire service at street as shown on drawings filed herewith. In conjunction with NB# 104164850.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	104263208-01-EW-SP
Status:	REISSUED, ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FOTIOS TSALTAS

ADJOINING PROPERTY FINDINGS

Date:	**4/13/2007**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF A HEAVY DUTY SIDEWALK SHED 140' DURING NB CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. SHED TO COMPLY WITH LL33/91 AND TPPN 9/99.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	104512207-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM HALLICK

Date:	**4/2/2007**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M265245
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	V. VASS ELECTRIC CORP

ADJOINING PROPERTY FINDINGS

Date: **3/30/2007**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M264921
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ROBERT S. COVELLO

Date: **3/28/2007**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M264843
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: V. VASS ELECTRIC CORP

Date: **1/28/2007**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M262859
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CORPORATE ELEC. GROUP INC

ADJOINING PROPERTY FINDINGS

Date: **12/30/2006**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M261936
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: RELIABLE ELEC'L CONTR'S

Date: **12/11/2006**
Permit Type: **PL**
Description: **PLUMBING - NEW BUILDING**

Permit Description: **PLUMBING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 104164850-02-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: GUS ALATIS

ADJOINING PROPERTY FINDINGS

Date:	**8/7/2006**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF A SCAFFOLD 100' L X 50' H DURING NB CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	104512216-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM HALLICK

Date:	**10/6/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONST. Filing plans and applications herewith for Excavation and Foundation only. This filing is in conjunction with New Building application**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104107217-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAIF SUMAIDA

ADJOINING PROPERTY FINDINGS

Date:	**10/6/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - Structural** **Filing structural drawings for foundation. There will be no change to use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104107217-02-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAIF SUMAIDA

Date:	**9/30/2005**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE** **Filing plans and applications herewith for Excavation and Foundation only. This filing is in conjunction with New Building application**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	104107217-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAIF SUMAIDA

ADJOINING PROPERTY FINDINGS

Date:	**8/30/2005**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M248586
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RELIABLE ELEC'L CONTR'S

Date:	**8/24/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN.** **Filing herewith plans & applications to underpin lot line foundation wall in conjunction with Foundation filing 104107217. There will be no change in use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104149100-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAIF SUMAIDA

ADJOINING PROPERTY FINDINGS

Date:	**7/6/2005**
Permit Type:	**DM**
Description:	**FULL DEMOLITION -**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	104136347-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VINCENZO OPPEDISANO

Date:	**7/6/2005**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	104136347-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VINCENZO OPPEDISANO

ADJOINING PROPERTY FINDINGS

Date:	**4/19/2005**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF A HEAVY DUTY SIDEWALK SHED, 104' LONG, DURING FACADE REPAIR. NO CHANGE IN USE, EGRESS, OR OCCUPANCY. SHED TO COMPLY WITH LL33/91.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	104085231-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CONSTANTINE ZAHARIA

Date:	**4/18/2005**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF A SCAFFOLD 96' LONG X 40' HIGH DURING FACADE REPAIR. NO CHANGE IN USE, EGRESS OR OCCUPANCY.SHED TO BE FILED SEPERATELY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	104085222-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CONSTANTIN ZAHARIA

ADJOINING PROPERTY FINDINGS

521 W 27TH ST

Date:	**5/4/2009**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M291865
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMKO ELEC CONST & MAINT I

527 W 27TH ST

Date:	**11/6/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF 7,100 LBS SINGLE CAR SCANDO 650 FC32/39I HOIST AS PER PLAN SUBMITTED. WORK SHALL COMPLY WITH 2014 BUILDING CODES CHAPTER 33. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140575321-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PHILIP SUSI

ADJOINING PROPERTY FINDINGS

Date:	**9/25/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD PROPOSED INSTALLATION OF PIPE SCAFFOLD AS PER PLANS. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	140698056-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	IBRAIM REDZA

Date:	**9/18/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER PROPOSED INSTALLATION OF EASY SCALE SCAFFOLD AS PER PLANS. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140695406-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARK DIMEDICI

ADJOINING PROPERTY FINDINGS

Date:	**7/21/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF TEMPORARY SCAFFOLD AS PER PLAN SUBMITTED. WORK SHALL COMPLY WITH 2014 BUILDING CODES CHAPTER 33. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	140670575-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PHILIP SUSI

Date:	**12/30/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	M390542
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOWER ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date:	**11/2/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M388489
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NASH ELECTRIC SERVICES IN

530 W 27TH ST

Date:	**1/23/2018**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **FILED HEREWITH IS A NEW STANDPIPE SYSTEM BEING RETROFITTED INTO AN EXISTING** **SPRINKLER SYSTEM.NO CHANGE EGRESS, OCCUPANCY OR USE**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	122665437-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER QUINN

ADJOINING PROPERTY FINDINGS

Date:	**12/1/2017**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **FILED HEREWITH ARE ARCHITECTURAL MODIFICATIONS TO THE EXISTING ROOFTOP KITCHEN** **AREA. TO RELOCATE WALK-IN COOLER, INSTALL NEW PIZZA OVEN, VENT HOOD, PLUMBING** **AND KITCHEN EQUIPMENT. NO CHANGE TO EGRESS OCCUPANCY OR USE.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122717159-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BASIL C THOMPSON

Date:	**7/20/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	MINOR WORK
Proposed Use:	
Permit Number:	M384306
Status:	ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TRIZA ELECTRICAL CORP

ADJOINING PROPERTY FINDINGS

Date:	**6/28/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **FILED HEREWITH ARE ARCHITECTURAL MODIFICATIONS TO THE EXISTING ROOFTOP KITCHEN** **AREA. TO RELOCATE WALK-IN COOLER, INSTALL NEW PIZZA OVEN, VENT HOOD, PLUMBING** **AND KITCHEN EQUIPMENT. NO CHANGE TO EGRESS OCCUPANCY OR USE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122717159-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER MARTINEZ

Date:	**5/31/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **FILED HEREWITH ARE ARCHITECTURAL MODIFICATIONS TO THE EXISTING ROOFTOP KITCHEN** **AREA. TO RELOCATE WALK-IN COOLER, INSTALL NEW PIZZA OVEN, VENT HOOD, PLUMBING** **AND KITCHEN EQUIPMENT. NO CHANGE TO EGRESS OCCUPANCY OR USE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122717159-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HUGH P MURRAY

ADJOINING PROPERTY FINDINGS

Date:	**1/21/2016**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - MMA**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103800932-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

Date:	**11/4/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 FILED HEREWITH IS THE INSTALLATION OF A FIRE SUPPRESSION SYSTEM. NO CHANGE TO EGRESS, OCCUPANCY OR USE.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122418507-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER M COMBATES

ADJOINING PROPERTY FINDINGS

Date:	**8/21/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION FILED HEREWITH IS THE INSTALLATION OF A FIRE SUPPRESSION SYSTEM. NO CHANGE TO EGRESS, OCCUPANCY OR USE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	122418507-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHARLES B ZHOU

Date:	**6/17/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 FILED HEREWITH ARE ARCHITECTURAL MODIFICATIONS TO INCLUDE EXISTING INTERIOR BAR AREA/ KITCHENETTE, INSTALLATION OF VENT HOOD, AND KITCHEN EQUIPMENT. NO CHANGE TO EGRESS, OCCUPANCY OR USE.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122418543-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER M COMBATES

ADJOINING PROPERTY FINDINGS

Date:	**6/4/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **FILED HEREWITH ARE ARCHITECTURAL MODIFICATIONS TO INCLUDE EXISTING INTERIOR BAR** **AREA/ KITCHENETTE, INSTALLATION OF VENT HOOD, AND KITCHEN EQUIPMENT. NO** **CHANGE TO EGRESS, OCCUPANCY OR USE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122418543-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LEONARD HU

Date:	**6/4/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **FILED HEREWITH ARE ARCHITECTURAL MODIFICATIONS TO INCLUDE EXISTING INTERIOR BAR** **AREA/ KITCHENETTE, INSTALLATION OF VENT HOOD, AND KITCHEN EQUIPMENT. NO** **CHANGE TO EGRESS, OCCUPANCY OR USE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122418543-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LEONARD HU

ADJOINING PROPERTY FINDINGS

Date:	**11/25/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION** **MODIFY FIRE SUPPRESSION UNDER 121113785,NO CHANGE IN USE EGRESS OR OCCUPANCY.** **GAS VALVE UNDER 103950075.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	121816384-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOUGLAS L COGER

Date:	**7/25/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION** **INSTALL FIRE SUPPRESSION SYSTEM ONLY. GAS VALVE WAS FILED UNDER APPL #** **103950075. NO CHANGE IN USE, EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	121113785-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOUGLAS L COGER

ADJOINING PROPERTY FINDINGS

Date:	**4/21/2011**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M313804
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TEAM ELECTRIC, INC

Date:	**3/11/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **APPLICATION FILED HEREWITH FOR THE DEMOLITION & INSTALLATION OF NON BEARING** **PARTITIONS,REMOVAL OF BAR ON FIRST FLOOR, WALL & FLOOR FINISHES & NEW** **CONVENIENCE STAIR.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120580610-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HUGH P MURRAY

ADJOINING PROPERTY FINDINGS

Date:	**3/11/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **APPLICATION FILED HEREWITH FOR THE NEW INTERIOR MASONRY OPENING.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120580610-03-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HUGH P MURRAY

Date:	**1/28/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **APPLICATION FILED HEREWITH FOR THE INSTALLATION OF MECHANICAL UNITS AND** **DUCTWORK.CAPPING & REMOVAL OF A TOILET & SINKS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120580610-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GIL LAZAR

ADJOINING PROPERTY FINDINGS

Date:	**1/3/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **REPAIR BUILDING FACAD AS PER DRAWINGS FILED HEREWITH. NO CHANGE IN EGRESS, USE** **OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120486063-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TASSAWAR AHSAN

Date:	**1/3/2011**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD** **PROPOSED INSTALLATION OF 40 LF OF 68 FEET HIGH SUPPORTED SCAFFOLDING AT FRONT** **ELEVATION. NO CHANGE IN USE, OCCUPANCY OR EGRESS OF THE BUILDING.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	120461240-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TASSAWAR AHSAN

ADJOINING PROPERTY FINDINGS

Date:	**12/23/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED PROPOSED INSTALLATION OF HEAVY DUTY SIDEWALK SHED FILED FOR REMEDIAL REPAIRS AS PER PLANS. NO CHANGE IN USE OCCUPANCY OR EGRESS UNDER THIS APPLICATION. LIVE LOAD 300 PER SQUARE FOOT. SIDEWALK SHED SHALL COMPLY WITH CHAPTER # 33 OF THE 2008 CODE.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	120302528-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SURJIT SINGH

Date:	**12/13/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - DEMO APPLICATION FILED HEREWITH FOR THE REMOVAL FIRE ESCAPES.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120551232-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TASSAWAR AHSAN

ADJOINING PROPERTY FINDINGS

Date: **3/26/2010**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M301156
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: RPJ ELECTRIC CORP

Date: **9/30/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M296514
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: ROBERT S. COVELLO

ADJOINING PROPERTY FINDINGS

Date:	**1/17/2008**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **GENERAL CONSTRUCTION AND PLUMBING AS PER PLAN. THERE IS NO CHANGE TO USE,** **EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110052059-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EDWARD DOYLE

Date:	**12/10/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN.** **GENERAL CONSTRUCTION AND PLUMBING AS PER PLAN. THERE IS NO CHANGE TO USE,** **EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110052059-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT LYSHOIR

ADJOINING PROPERTY FINDINGS

Date:	**11/30/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER MODIFICATION TO EXISTING SPRINKLER SYSTEM AS PER PLAN. THERE IS NO CHANGE TO USE EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	104296245-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EDWARD DOYLE

Date:	**10/9/2006**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M259855
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT S. COVELLO

ADJOINING PROPERTY FINDINGS

Date:	**12/2/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN. STRUCTURAL WORK AT ROOF AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS, OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104256396-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER SALVESEN

Date:	**9/9/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER MODIFICATION TO THE EXISTING SPRINKLER SYSTEM AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS, OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	104181172-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY DISABATO

ADJOINING PROPERTY FINDINGS

Date:	**8/24/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **PLUMBING WORK AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS, OR OCCUPANCY** **FILED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104166572-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES PEPE

Date:	**8/20/2005**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M248508
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JECO ELEC'L SERVICE CORP.

ADJOINING PROPERTY FINDINGS

Date: **8/11/2005**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M248314
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ROBERT S. COVELLO

Date: **8/10/2005**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M248507
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: JECO ELEC'L SERVICE CORP.

ADJOINING PROPERTY FINDINGS

Date:	**7/26/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **STRUCTURAL WORK AT THE FIRST FLOOR AS PER PLAN. THERE IS NO CHANGE TO USE,** **EGRESS, OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104154567-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

Date:	**6/15/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **PLUMBING AND MECHANICAL WORK AS PER PLAN, FILED IN CONJUNCTION WITH ALT I #** **103800932. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS** **APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104063273-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES M PEPE

ADJOINING PROPERTY FINDINGS

Date:	**6/7/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **GENERAL CONSTRUCTION AND PLUMBING AS PER PLAN. THERE IS NO CHANGE TO USE,** **EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104074519-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY DISABATO

Date:	**6/6/2005**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - FIRE PROT.PLAN** **THIS IS A NO WORK APPLICATION FILED FOR FIRE PROTECTION PLAN AT FLOORS 4, 5, 6,** **AND ROOF. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS** **APPLICATION.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	103849891-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROB WOOTON NO WORK (ADMIN) 530 W 27TH ST NYC NY 10001

ADJOINING PROPERTY FINDINGS

Date:	**4/19/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONST.** **GENERAL CONSTRUCTION AND PLUMBING AS PER PLAN. THERE IS NO CHANGE TO USE,** **EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104074519-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL CASTALDI

Date:	**3/24/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **PLUMBING AND MECHANICAL WORK AS PER PLAN, FILED IN CONJUNCTION WITH ALT I #** **103800932. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS** **APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	104063273-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

ADJOINING PROPERTY FINDINGS

Date:	**1/6/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER** **INSTALLATION OF TWO (2) BOILERS WITH GAS CONNECTION AS PER PLAN.** **THERE IS NO** **CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	103994475-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EDWARD B DOYLE

Date:	**1/6/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLATION OF TWO (2) BOILERS WITH GAS CONNECTION AS PER PLAN.** **THERE IS NO** **CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103994475-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EDWARD B DOYLE

ADJOINING PROPERTY FINDINGS

Date:	**12/13/2004**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL FIRE SUPPRESSION SYSTEM ONLY. NO CHANGE IN USE, EGRESS OR OCCUPA** **CY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103950075-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOMINGO VALERA

Date:	**11/20/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M239670
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JECO ELEC'L SERVICE CORP.

ADJOINING PROPERTY FINDINGS

Date:	**11/18/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **structural work as per plan, filed inconjunction with alt I #103800932. There is no change to use, egress or occupancy filed under this application.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103970464-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

Date:	**10/28/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION** **INSTALL FIRE SUPPRESSION SYSTEM ONLY. NO CHANGE IN USE, EGRESS OR OCCUPA** **CY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	103950075-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER MARTINEZ

ADJOINING PROPERTY FINDINGS

Date:	**10/26/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M239277
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STAR ELEC'L CO., INC MIKHAIL BEKKERMAN

Date:	**10/4/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER** **INSTALLATION OF BOILER AS PER PLAN. THERE IS NO CHANGE TO USE, EGRES S OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	103639136-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM CITRON

ADJOINING PROPERTY FINDINGS

Date:	**10/4/2004**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **APPLICATION FILED TO SHOW GAS CONNECTION TO BOILER NO CHANGES**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103639136-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM CITRON

Date:	**9/28/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FUEL STORAGE** **INSTALLATION OF AN EMERGENCY GENERATOR ON THE 2ND FLOOR ROOF WITH A 275 GALLON** **DIESEL FUEL STORAGE TANK WITH STRUCTURAL WORK AS PER PLANS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL STORAGE
Permit Number:	103599795-01-EW-FS
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSPEH VESSIO

ADJOINING PROPERTY FINDINGS

Date:	**9/24/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M238334
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT S. COVELLO

Date:	**9/23/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **STRUCTURAL WORK AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY** **FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103791773-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

ADJOINING PROPERTY FINDINGS

Date:	**9/23/2004**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - FPP** **FIRE PROTECTION PLAN AS PLAN. THIS IS NO WORK APPLICATION.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	103544014-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROB WOOTON NO WORK (ADMIN) 530-542 W 27TH ST NYC NY 10001

Date:	**9/7/2004**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLATION OF PLUMBING FIXTURES AND MECHANICAL EQUIPMENT AS PER PLAN. THERE** **IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103843717-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOMINGO VALERA

ADJOINING PROPERTY FINDINGS

Date:	**9/7/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **MODIFICATION OF EXISTING SPRINKLER SYSTEM AS PER PLAN. THERE IS NO CHANGE TO** **USE, EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	103843726-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOMINGO VALERA

Date:	**9/1/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **STRUCTURAL WORK AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY** **FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103842497-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

ADJOINING PROPERTY FINDINGS

Date:	**9/1/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALLATION OF PLUMBING FIXTURES AND MECHANICAL EQUIPMENT AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103843717-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

Date:	**8/20/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M237211
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JECO ELEC'L SERVICE CORP.

ADJOINING PROPERTY FINDINGS

Date:	**11/13/2003**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **Install fire suppression system, as shown on plan.** **No change in use, occupancy, oe egress.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103596020-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM CITRON

Date:	**10/31/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALLATION OF AN EMERGENCY GENERATOR ON THE 2ND FLOOR ROOF WITH A 275 GALLON** **DIESEL FUEL STORAGE TANK WITH STRUCTURAL WORK AS PER PLANS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103599795-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUOHY

ADJOINING PROPERTY FINDINGS

Date:	**10/31/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN. INSTALLATION OF AN EMERGENCY GENERATOR ON THE 2ND FLOOR ROOF WITH A 275 GALLON DIESEL FUEL STORAGE TANK WITH STRUCTURAL WORK AS PER PLANS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103599795-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUOHY

Date:	**10/23/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION Install fire suppression system, as shown on plan. No change in use, occupancy, oe egress.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	103596020-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK MITAROTONDA

ADJOINING PROPERTY FINDINGS

Date:	**8/22/2003**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **MECHANICAL AND PLUMBING WORK AS PER PLANS. THERE IS NO CHANGE TO USE, EGRESS OR** **OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103537460-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM CITRON

Date:	**8/21/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **MECHANICAL AND PLUMBING WORK AS PER PLANS. THERE IS NO CHANGE TO USE, EGRESS OR** **OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103537460-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUOHY

ADJOINING PROPERTY FINDINGS

Date:	**8/21/2003**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M226213
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BIG SHOT ELECTRIC CORP.

Date:	**8/7/2003**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF A SCAFFOLD, 40X65' DURING FACADE REPAIR. SHED FILED SEPARATLY. NO CHANGE IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	103511120-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CONSTANTIN ZAHARIA

ADJOINING PROPERTY FINDINGS

Date:	**8/7/2003**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF HEAVY DUTY SIDEWALK SHED 40' DURING FACADE REPAIR. NO CHANGE IN USE,EGRESS OR OCCUPANCY. SHED TO COMPLY WITH LL33/91. NO MATERIAL OR EQUIPMENT STORAGE ON SHED.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	103516866-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CONSTANTINE ZAHARIA

Date:	**7/2/2003**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 1 - CONSTRUCTION EQUIPMENT - FENCE CHANGE OF USE AT THE CELLAR, FIRST AND SECOND FLOORS WITH PARTITION CHANGES AND STOREFRONT WORK.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	FENCE
Permit Number:	103483204-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUOHY

ADJOINING PROPERTY FINDINGS

Date:	**7/2/2003**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - CHANGE OF USE AT THE CELLAR, FIRST AND SECOND FLOORS WITH PARTITION CHANGES AND STOREFRONT WORK.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103483204-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUOHY

Date:	**6/16/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - NO WORK THIS APPLICATION FILED TO INCREASE FLOOR AREA OF BUILDING. THIS IS A NO WORK APPLICATION, ALL EGRESS AND CONSTRUCTION WORK FILED UNDER THE ALT I APPLICATION. ALL STRUCTURAL WORK FILED UNDER SEPARATE ALT II APPLICATION. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103478835-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUCHY

ADJOINING PROPERTY FINDINGS

Date:	**6/16/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **STRUCTURAL WORK AS PER PLAN.THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY** **FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103479031-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUCHY

Date:	**6/4/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **MINOR INTERIOR PARTITION CHANGES WITH PLUMBING WORK AT THE FIRST AND SECOND** **FLOORS. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS** **APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103406164-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TOUCHY

ADJOINING PROPERTY FINDINGS

Date:	**6/1/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN CONST.** **Propose to construct new 2 hour rated wall. No change to use, egress, or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102581500-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RICHARD BRESLAW

Date:	**11/6/1996**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE** **PROPOSE TO INSTALL NEW FENCE AT BASEMENT DOORS AS SHOWN IN PLOT DIAGRAM** **BELOW.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	101447711-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN WHITE

ADJOINING PROPERTY FINDINGS

Date:	**10/29/1996**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - PROPOSE TO DEMOLISH A PORTION OF EXTERIO R FACADE & INSTALL NEW DOOR.DE LISH EXISTING PLATFORM.INSTALL NEW STAIR RATED PARTITIONS,DEMOLISH EXISTING PAR ITIONS ON 1ST FLR.,& INSTALL NEW PARTITI ONS,CEILING & DOORS.CHANGE THE 1ST FLR SE FROM FACTORY TO INCLUDE F-4 BAR,B-1 C OAT RM.,TOILET RMS.,OFFICES,B-2,B-1 ST**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	101276209-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MILTON YRESLAW

Date:	**10/29/1996**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1 PROPOSE TO INSTALL NEW MECHANICAL DUCTWORK AND NEW FANS TO EXHAUST NEW TOILET ON THE 1ST FLOOR. INSTALL NEW PLUMBING FOR TOILETS, WATER CLOSETS, LAVATORIES, ETC. MINOR RENOVATIONS TO MECHANICAL AND PLUMBING IN BASEMENT.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	101276209-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MILTON BRESLAW

ADJOINING PROPERTY FINDINGS

Date: **3/28/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M130770
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: WALTER CHRISTIE WALTER CHRISTIE

Date: **3/28/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M051491
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: J.R.C. ELECTRIC, INC. R CLASS, J.R.C. ELECTRIC, INC. J RISHIK

Date: **1/10/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M047420
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: MAGGI'S ELECTRIC CO. ERNEST MAGGI

ADJOINING PROPERTY FINDINGS

Date: **10/8/1987**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M027383
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: WEGEE ELECTRIC CO. M SIEGEL

Date: **8/7/1987**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M024571
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CAN-DO ELEC., CONTR'G INC STANLEY FRIEDMAN

ADJOINING PROPERTY FINDINGS

533 W 27TH ST

Date:	**9/29/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - AWNING** **New awning. No change in egress, use or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104247646-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RAYMOND MONTANA

Date:	**8/1/2003**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M225357
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BLAKE ELEC. CONTR. CO., I

ADJOINING PROPERTY FINDINGS

Date: **6/25/2003**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M224629
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: BLAKE ELEC. CONTR. CO., I

Date: **1/26/1998**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M162768
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: J&H ELECT. SERV. CORP. HERIBERTO SIERRA

ADJOINING PROPERTY FINDINGS

Date:	**6/6/1997**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLATION OF HANDICAP ACCESSIBLE BATHROOM ON THE FIRST FLOOR, AND REMOVAL OF BATHROOM FIXTURES ON THE 2ND AND 3RD FLOORS, AS INDICATED ON** **PLANS. WORK TO BE DONE IN CONJUNCTION WITH ALT 101241176 FOR CHANGE OF USE,** **AND GENERAL CONSTRUCTION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	101531870-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LARRY LINZER

Date:	**5/15/1997**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALLATION OF SPRINKLER SYSTEM AS INDICATED ON PLANS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	101508744-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHEE WO LEE

ADJOINING PROPERTY FINDINGS

Date: **5/2/1997**
Permit Type: **AL**
Description: **ALTERATION TYPE 1 -**
NO WORK TO BE DONE. CHANGE OF USE TO PUBLIC PARKING GARAGE.

Permit Description: **ALTERATION**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use:
Permit Number: 101241176-01-AL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ABBY YAGHOYBI

Date: **4/19/1997**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M153826
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: J&H ELECT. SERV. CORP. HERIBERTO SIERRA

Date: **8/17/1987**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M024644
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: HIRSCH ELECTRIC CO., INC. F HIRSCH, HIRSCH ELECTRIC CO., INC. F FALZARANO, JR., HIRSCH ELECTRIC CO.,

ADJOINING PROPERTY FINDINGS

535 W 27TH ST

Date:	**9/4/2003**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF HEAVY DUTY SIDEWALK SHED, 55', DURING FACADE REPAIR. NO CHANGE IN USE, EGRESS OR OCCUPANCY. SHED TO COMPLY WITH LL33/91. NO MATERIAL OR EQUIPMENT STORAGE ON SHED.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	103547814-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CONSTANTIN ZAHARIA

Date:	**6/1/1998**
Permit Type:	**SG**
Description:	**SIGN - INSTALL ILLUMINATED SIGN AS INDICATED ON PLANS. WORDING "INDOOR PARK OPEN 24 HRS".**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	101775198-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ERIC BERGER

ADJOINING PROPERTY FINDINGS

537 W 27TH ST

Date:	**2/2/2018**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - TEMP INSTALL INSTALL OF TEMP PLATFORM FOR PROENZA ARIZONA LAUNCH EVENT SCHEDULED ON FEBRUARY 10 TO FEBRUARY 12, NO ALTERATION OF EXISTING STRUCTURES, A TPA PERMIT IS REQUIRED. ALL EQUIPMENT REMOVED UPON EVENT COMPLETION. PRODUCER IS RESPONSIBLE TO MONITOR CONDITIONS AND IMPLEMENT AND APPROPRIATE ACTIONS AS NECESSARY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	123205940-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELLIOT WINICK

Date:	**1/22/2018**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - TEMP INSTALL INSTALL OF TEMP PLATFORMS AND EXHIBITS FOR REVLON LAUNCH PARTY, NO ALTERATIONS TO EXIST STRUCTURES, SCHEDULED FOR JAN 24 AND 25, A TPA PERMIT IS NOT REQUIRED,.PRODUCER IS RESPONSIBLE TO MONITOR EVENT CONDITIONS AND IMPLEMENT APPROPRIATE ACTIONS. ALL PROD EQUIP REMOVED UPON EVENT COMPLETION.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	123209660-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRIS BURMESTER

ADJOINING PROPERTY FINDINGS

Date:	**3/2/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. APPLICATION FILED FOR THE COMBINATION OF UNITS 3B AND 3C AS SHOWN ON PLANS FILED HEREWITH.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122184554-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER BACHAS

Date:	**2/24/2015**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - APPLICATION FILED TO RELOCATE 2ND FLOOR GYM SPACE TO GROUND FLOOR, RENOVATE LOBBY, CREATE NEW COMMERCIAL SPACE AND A NEW DWELLING UNIT AT THE 2ND FLOOR.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	122100975-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DIAN XU

ADJOINING PROPERTY FINDINGS

Date:	**1/16/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER APPLICATION FILED FOR SPRINKLER WORK IN CONJUNCTION WITH ALT 1 APPLICATION #122100975.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140261838-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHUN HSIUNG J HUANG

Date:	**12/30/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M362205
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TRIBORO ELEC'L CONTR'G CO

ADJOINING PROPERTY FINDINGS

Date:	**12/19/2014**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **APPLICATION FILED FOR THE COMBINATION OF UNITS 3B AND 3C AS SHOWN ON PLANS FILED HEREWITH.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122184554-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CLEANTHIS S MEIMAROGLOU

Date:	**12/18/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M361917
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALL AROUND ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date:	**12/17/2014**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1** **APPLICATION FILED TO RELOCATE 2ND FLOOR GYM SPACE TO GROUND FLOOR, RENOVATE** **LOBBY, CREATE NEW COMMERCIAL SPACE AND A NEW DWELLING UNIT AT THE 2ND FLOOR.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	122100975-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHUN-HSIUNG J HUANG

Date:	**12/12/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 1 - CONSTRUCTION EQUIPMENT - FENCE** **APPLICATION FILED TO RELOCATE 2ND FLOOR GYM SPACE TO GROUND FLOOR, RENOVATE** **LOBBY, CREATE NEW COMMERCIAL SPACE AND A NEW DWELLING UNIT AT THE 2ND FLOOR.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	FENCE
Permit Number:	122100975-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DIAN XU

ADJOINING PROPERTY FINDINGS

Date:	**10/14/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. FILING TO INSTALL TEMPORARY TRUSS PIPES AND DRAPE ASSEMBLIES FOR A SPECIAL EVENT AS PER PLANS FILED HEREWITH. NO CHANGE IN USE, EGRESS, OR OCCUPANCY UNDER THIS APPLICATION. THANK YOU.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122160552-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SEAN COYNE

Date:	**9/10/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. APPLICATION FILED FOR DEMOLITION AND CONSTRUCTION WORK AT CELLAR AND 1ST FLOOR ARE SHOWN ON PLANS FILED HERE WITH. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121481690-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	YAN L MAI

ADJOINING PROPERTY FINDINGS

Date:	**8/14/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **MODIFICATIONS TO EXISTING SPRINKLER SYSTEM**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	121513424-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SIMON HUNG

Date:	**5/2/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **FILING TEMPORARY PIPE AND DRAPE SET UP FOR SPECIAL EVENT AS PER PLANS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS, OR OCCUPANCY UNDER THIS APPLICATION. THANK** **YOU.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121996199-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SEAN COYNE

ADJOINING PROPERTY FINDINGS

Date:	**5/1/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. FILING TO INSTALL TEMPORARY STAGES, TEMPORARY WALLS, MONITORS, ALUMINUM DISPLAY FRAME, AND TRUSSES FOR SPECIAL EVENT AS PER PLANS FILED HEREWITH. NO CHANGE IN USE, EGRESS, OR OCCUPANCY UNDER THIS APPLICATION. THANK YOU.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121974621-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELLIOT WINICK

Date:	**1/31/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. FILING TO INSTALL TEMPORARY PRE-FABRICATED STAGE, TRUSS, PIPES, AND DRAPES IN CONJUNCTION WITH TPA EVENT AS PER PLANS FILED HEREWITH. NO CHANGE IN USE, EGRESS, OR OCCUPANCY UNDER THIS APPLICATION. THANK YOU.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121909676-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SEAN COYNE

ADJOINING PROPERTY FINDINGS

Date:	**12/31/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. FILING TEMPORARY METAL CAGE MOUNTED ON STAGE ASSOCIATED WITH TPA # 1711/2013 AS PER PLANS FILED HEREWITH. NO CAHNGE IN USE, EGRESS, OR OCCUPANCY UNDER THIS APPLICATION. THANK YOU.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121666198-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SEAN COYNE

Date:	**5/2/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - TEMPORARY STAGE INSTALLATION OF TEMPORARY STAGE. WILL NOT DISTURB EXISTING SLAB. NO CHANGE OF USE, EGRESS OR OCCUPANCY. OPTING FOR PROFESSIONAL CERTIFICATION**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121605227-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELLIOT WINICK

ADJOINING PROPERTY FINDINGS

Date: **4/5/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M338785
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: CHRISTOPHER ELECTRIC, INC

Date: **3/11/2013**
Permit Type: **PL**
Description: **PLUMBING - ALTERATION TYPE 2**
PLUMBING WORK AS SHOWN ON PLANS

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 121515618-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: SIMON HUNG

Date: **3/7/2013**
Permit Type: **PL**
Description: **PLUMBING - ALTERATION TYPE 2**
PLUMBING WORK AS SHOWN ON PLANS

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 121481690-02-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: SIMON HUNG

ADJOINING PROPERTY FINDINGS

Date:	**3/6/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALLATION OF NEW A/C UNIT WITH MECHANICAL DUCT WORK ON THE PARTIAL FIRST** **FLOOR. NO CHANGE IN USE, OCCUPANCY AND EGRESS IS INVOLVED UNDER THIS** **APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	121530780-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WOO KIM

Date:	**3/6/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **INSTALLATION OF NEW A/C UNIT WITH MECHANICAL DUCT WORK ON THE PARTIAL FIRST** **FLOOR. NO CHANGE IN USE, OCCUPANCY AND EGRESS IS INVOLVED UNDER THIS** **APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121530780-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WOO KIM

ADJOINING PROPERTY FINDINGS

Date: **2/13/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M336855
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: CHRISTOPHER ELECTRIC, INC

Date: **1/18/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M336034
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: CHRISTOPHER ELECTRIC, INC

ADJOINING PROPERTY FINDINGS

Date:	**12/19/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION** **FILING TO INSTALL NEW FIRE SUPPRESSION SYSTEM. GAS SHUT OFF VALVE FILED UNDER** **SEPARATE APPLICATION #120683796. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	120881171-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MUNTAZ KHAN

Date:	**12/12/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **MODIFICATIONS TO EXISTING SPRINKLER SYSTEM AS SHOWN. FILED IN CONJUNCTION WITH** **NB#: 110349999**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	120717402-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ESLEY W PORTEOUS

ADJOINING PROPERTY FINDINGS

Date:	**6/17/2011**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	
Proposed Use:	
Permit Number:	M315723
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	R.C.M. ELECTRIC CORP.

Date:	**5/16/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **APPLICATION FILED FOR MECHANICAL AND PLUMBING WORK AS SHOWN ON PLANS FILED** **HEREWITH. IN CONJUNCTION WITH NB# 110349999**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120683796-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GERI CASH

ADJOINING PROPERTY FINDINGS

Date:	**5/13/2011**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **APPLICATION FILED FOR MECHANICAL AND PLUMBING WORK AS SHOWN ON PLANS FILED** **HEREWITH. IN CONJUNCTION WITH NB# 110349999**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	120683796-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GERI K CASH

Date:	**3/17/2011**
Permit Type:	**EQ**
Description:	**NEW BUILDING - CONSTRUCTION EQUIPMENT - FENCE** **CONSTRUCT NEW 5 STORY BUILDING., INSTALL CONSTUCTION FENCE**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	NB - NEW BUILDING
Proposed Use:	FENCE
Permit Number:	110349999-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SANFORD LOWENTHEIL

ADJOINING PROPERTY FINDINGS

Date:	**3/17/2011**
Permit Type:	**NB**
Description:	**NEW BUILDING -** **CONSTRUCT NEW 5 STORY BUILDING., INSTALL CONSTUCTION FENCE**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	110349999-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SANFORD LOWENTHEIL

Date:	**2/15/2011**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - FPP** **FIRE PROTECTION PLAN FOR NEW MIXED USE BUILDING FILED UNDER APPLICATION** **110349999 NO CHANGE TO USE EGRESS OR OCCUPANCY UNDER THIS APPLICATION**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	120566477-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SANFORD LOWENTHEIL

ADJOINING PROPERTY FINDINGS

Date:	**11/1/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALL SPRINKLER SYSTEM IN MIXED USE BUILDING. NO CHANGE TO USE EGRESS OR** **OCCUPANCY UNDER THIS APPLICATION. NO FINAL CO ISSUED ON BUILDING**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	120113705-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOS TSAMASIROS

Date:	**11/1/2010**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL SPRINKLER SYSTEM IN MIXED USE BUILDING. NO CHANGE TO USE, EGRESS OR O** **CCUPANCY UNDER THIS APPLICATION. NO FINAL CO ISSUED ON BUILDING.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	120113705-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOS TSAMASIROS

ADJOINING PROPERTY FINDINGS

Date:	**10/22/2010**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING** **PLUMBING SYSTEMS FOR NEW RESIDENTIAL BUILDING**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	110349999-03-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOS TSAMASIROS

Date:	**7/20/2010**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M304833
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMBER LITE ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date:	**6/4/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD APPLICATION FILED TO PROPOSE SCAFFOLDING ALONG FRONT AND REAR OF EXISTING FIVE STORY BUILDING. (NO CHANGE IN USE, EGRESS OR OCCUPANCY).**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	120333031-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LOUIS LAZZINNARO

Date:	**4/9/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF A HEAVY DUTY SIDEWALK SHED APPROXIMATELY 193 FEET LONG AS PER PLANS DURING NEW BUILDING CONSTRUCTION (NB# 110349999). SIDEWALK SHED TO COMPLY WITH NEW YORK CITY BUILDING CODE 2008,CHAPTER 33.NO CHANGES IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	120310813-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM HALLICK

ADJOINING PROPERTY FINDINGS

Date:	**4/9/2010**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M301577
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	V. VASS ELECTRIC CORP

Date:	**3/26/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF ROOF PROTECTION APPROXIMATELY 90 FEET LONG AS PER PLANS DURING NEW BUILDING CONSTRUCTION (NB# 110349999). ROOF PROTECTION TO COMPLY WITH NEW YORK CITY BUILDING CODE 2008,CHAPTER 33.NO CHANGES IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120299630-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM HALLICK

ADJOINING PROPERTY FINDINGS

Date:	**3/26/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF A PIPE SCAFFOLD APPROXIMATELY 46 FEET HIGH AS PER PLANS DURING NEW BUILDING CONSTRUCTION (NB# 110349999). PIPE SCAFFOLD TO COMPLY WITH NEW YORK CITY BUILDING CODE 2008,CHAPTER 33.NO CHANGES IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	120301538-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM HALLICK

Date:	**5/13/2009**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M292283
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMBER LITE ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date:	**4/18/2008**
Permit Type:	**DM**
Description:	**FULL DEMOLITION -**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	104905694-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRAN KALAFATIS

Date:	**4/18/2008**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	104905694-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRAN KALAFATIS

ADJOINING PROPERTY FINDINGS

542 W 27TH ST

Date:	**12/30/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED PROPOSED INSTALLATION OF HEAVY DUTY SIDEWALK SHED FILED FOR REMEDIAL REPAIRS AS PER PLANS. NO CHANGE IN USE OCCUPANCY OR EGRESS UNDER THIS APPLICATION. LIVE LOAD 300 PER SQUARE FOOT. SIDEWALK SHED SHALL COMPLY WITH CHAPTER # 33 OF THE 2008 CODE.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	120302537-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SURJIT SINGH

Date:	**9/3/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD PROPOSED INSTALLATION OF APPROXIMATELY 120 LF OF 68 FEET HIGH SUPPORTED SCAFFOLDING AT FRONT ELEVATION OF THE BUILDING. NO CHANGE IN USE, OCCUPANCY OR EGRESS OF THE BUILDING.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	120461259-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TASSAWAR AHSAN

ADJOINING PROPERTY FINDINGS

Date: **3/26/2010**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M301157
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: RPJ ELECTRIC CORP

Date: **4/14/1998**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M167448
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ACCENT ELECTRICAL CORP. WILLIAM KLEIS

Date: **5/18/1987**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M020708
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: AMTEX ELEC'L CORP. ODESSEFS PARASCO

ADJOINING PROPERTY FINDINGS

544 W 27TH ST

Date:	**12/13/2017**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **REMOVAL AND INSTALLATION OF MINOR NON BEARING PARTITIONS AND REFURBISH AN** **EXISTING KITCHEN EQUIPMENT IN THE 2ND FL.AS PER PLANS SUBMITTED. NO CHANGE IN** **EGRESS, OCCUPANCY OR USE WITH THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	123264715-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH A ALAFOGIANNIS

Date:	**12/8/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **REMOVAL AND INSTALLATION OF MINOR NON BEARING PARTITIONS AND REFURBISH AN** **EXISTING KITCHEN EQUIPMENT IN THE 2ND FL.AS PER PLANS SUBMITTED. NO CHANGE IN** **EGRESS, OCCUPANCY OR USE WITH THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	123264715-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JORGE AGUDELO

ADJOINING PROPERTY FINDINGS

Date:	**11/8/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED PROPOSED INSTALLATION OF HEAVY DUTY SIDEWALK SHED FOR REMEDIAL REPAIRS AS PER PLANS. NO CHANGE IN USE OCCUPANCY OR EGRESS UNDER THIS APPLICATION. LIVE LOAD 300 PER SQUARE FEET. SIDEWALK SHED SHALL COMPLY WITH CHAPTER # 33 OF THE 2014 CODE.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	140704012-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARJIT SINGH

Date:	**8/9/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER ALTERATION TO EXISTING SPRINKLER AT RESTAURANT ON FLOOR 001 & 002 AS PER PLANS SUBMITTED HEREWITH. NO CHANGE TO USE, EGRESS OR OCCUPANY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	120750115-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	IRA AUSLANDER

ADJOINING PROPERTY FINDINGS

Date:	**3/21/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION MODIFY FIRE SUPPRESSION SYSTEM ONLY, GAS VALVE FILED UNDER APPL#120674966. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	120998368-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL J KERR

Date:	**6/13/2011**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	
Proposed Use:	
Permit Number:	M315439
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CENTRIM ELECTRIC NY INC

ADJOINING PROPERTY FINDINGS

Date:	**5/18/2011**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **PLUMBING AND MECHANICAL WORK FOR ALTERATION TO EXISTING RESTAURANT ON FLOOR 001** **& 002 AS PER PLANS SUBMITTED HEREWITH. NO CHANGE TO USE, EGRESS OR OCCUPANY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	120674966-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	IRA AUSLANDER

Date:	**5/12/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **GENERAL CONSTRUCTION AS PER PLANS SUBMITTED HEREWITH FOR INTERIOR NON LOAD** **BEARING PARTITIONS, FIXTURES AND FINISHES AT RESTAURANT. NO CHANGE TO USE,** **EGRESS OR OCCUPANY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120620104-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MILAN SIVULKA

ADJOINING PROPERTY FINDINGS

Date:	**5/11/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC PLUMBING AND MECHANICAL WORK FOR ALTERATION TO EXISTING RESTAURANT ON FLOOR 001 & 002 AS PER PLANS SUBMITTED HEREWITH. NO CHANGE TO USE, EGRESS OR OCCUPANY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120674966-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MILAN SIVULKA

Date:	**3/16/2011**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M312421
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RPM ELECTRIC INC ALLAN VICTOR

ADJOINING PROPERTY FINDINGS

Date:	**2/17/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN CONVT INTERIOR DEMOLITION OF NON-LOAD BEARING PARTITIONS AND FINISHES AND REMOVALS AS PER PLANS SUBMITTED HEREWITH. NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120605390-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MILAN SIVULKA

Date:	**11/10/2010**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M308634
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NEW PHASE ELEC'L CONTR'S

ADJOINING PROPERTY FINDINGS

Date: **6/11/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M293152
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: A.DAVINO ELEC'L CONT'G CO

Date: **12/10/2007**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M274931
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: FRANDAL ELECTRIC CO.

Date: **4/10/2006**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M254873
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: FRANDAL ELECTRIC CO.

ADJOINING PROPERTY FINDINGS

Date:	**3/23/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **General Construction to include new partitions and HVAC. No change to use egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	104365429-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID TURNER

Date:	**3/9/2006**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M253826
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NEW PHASE ELEC'L CONTR'S

ADJOINING PROPERTY FINDINGS

Date:	**6/9/2005**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - FIRE PROT.PLAN** **THI SI A NO WORK APPLICATION FILED FOR FIRE PROTECTION PLAN AS PER LAYOUT.** **THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNER THIS APPLICATION.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	103862795-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMIE MULLHOLLAND NO WORK (ADMIN) 333 EAST 34TH STREET NEW YORK NY 10016

Date:	**10/15/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M238467
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AL-LECTRIC ELECT'L CONTRG

ADJOINING PROPERTY FINDINGS

Date:	**10/7/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M238476
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STAR ELEC'L CO., INC MIKHAIL BEKKERMAN

Date:	**10/5/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER MODIFICATION OF EXISTING SPRINKLER SYSTEM. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	103861983-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY CAIAZZO

ADJOINING PROPERTY FINDINGS

Date:	**10/1/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M237694
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AL-LECTRIC ELECT'L CONTRG

Date:	**9/14/2004**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1** **APPLICATION FILED FOR PARTIAL CERTIFICATE OF OCCUPANCY WITH CHANGE OF USE AT** **THE FIRST FLOOR AS PER PLAN. GENERAL CONSTRUCTION, PLUMBING, MECHANICAL AND** **STOREFRONT WORK AS PER PLAN.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103862802-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY CAIZZO

ADJOINING PROPERTY FINDINGS

Date:	**8/23/2004**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 1 - CONSTRUCTION EQUIPMENT - FENCE APPLICATION FILED FOR PARTIAL CERTIFICATE OF OCCUPANCY WITH CHANGE OF USE AT THE FIRST FLOOR AS PER PLAN. GENERAL CONSTRUCTION, PLUMBING, MECHANICAL AND STOREFRONT WORK AS PER PLAN.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	FENCE
Permit Number:	103862802-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE GARCIA

Date:	**8/23/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - INTERIOR DEMO. INTERIOR DEMO NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103803136-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE GARCIA

ADJOINING PROPERTY FINDINGS

Date:	**8/23/2004**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - APPLICATION FILED FOR PARTIAL CERTIFICATE OF OCCUPANCY WITH CHANGE OF USE AT THE FIRST FLOOR AS PER PLAN. GENERAL CONSTRUCTION, PLUMBING, MECHANICAL AND STOREFRONT WORK AS PER PLAN.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103862802-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE GARCIA

Date:	**8/20/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M237690
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANDAL ELECTRIC CO.

ADJOINING PROPERTY FINDINGS

Date:	**8/12/2004**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED Install heavy duty sidewalk shed a total of 70 ft long at 544 West 27 Street - during remedial repairs. Work shall comply with LL33/91. No change in use egress or occupancy.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	103859718-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LEWART BRADLEY

Date:	**7/30/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M236038
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	R & L SYSTEMS, INC.

ADJOINING PROPERTY FINDINGS

Date:	**7/28/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION** **INSTALL FIRE SUPRESSION SYSTEM ONLY NO CHANGE IN USE EGREES OR OCCUP** **ANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	103839599-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LESLIE MUNICH

Date:	**7/22/2004**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **General constructionto include new partitions, cooking equipment, exhaust for commissary. No change in use egress or occupancy.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103748713-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAURO CENTA

ADJOINING PROPERTY FINDINGS

Date:	**6/28/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M234601
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	R & L SYSTEMS, INC.

Date:	**4/21/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **General constructionto include new partitions, cooking equipment, exhaust for commissary. No change in use egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103748713-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSH LEBOWITZ

ADJOINING PROPERTY FINDINGS

Date: **4/21/2004**
Permit Type: **EW**
Description: **ALTERATION TYPE 2 - GC**
General constructionto include new partitions, cooking equipment, exhaust for commissary. No change in use egress or occupancy.

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 103748713-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: JOSH LEBOWITZ

Date: **6/28/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M054419
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: J.R.C. ELECTRIC, INC. R CLASS, J.R.C. ELECTRIC, INC. J RISHIK

Date: **6/10/1988**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M038476
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: SCHNEIDER ELECTRIC CO., I ALLAN SCHNEIDER

ADJOINING PROPERTY FINDINGS

Date: **5/30/1984**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 009747
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ASTORIA ELEC. CORP JOHN FORTINI, EMPIRE ASTORIA ELEC. CORP J VICARI

Date: **3/15/1983**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 004429B
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: LAUTO ELEC'L CONT. CORP. M LAUTO

ADJOINING PROPERTY FINDINGS

547 W 27TH ST

Date:	**5/13/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **MODIFICATION OF AN EXISTING SPRINKLER SYSTEM ON THE THIRD FLOOR AS PER PLANS** **SUBMITTED HEREWITH, NO CHANGE IN USE, EGRESS OR OCCUPANCY GROUP.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122685086-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS MITCHELL

Date:	**10/10/2012**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD** **INSTALLATION OF SCAFFOLD AS PER PLANS DURING FACADE REPAIRS. NO CHANGE IN USE,** **EGRESS OR OCCUPANCY. SCAFFOLD TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF** **2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	121404337-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EDWARD KELLY JR

ADJOINING PROPERTY FINDINGS

Date:	**6/25/2012**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF A HEAVY DUTY SIDEWALK SHED 220' LONG AS PER PLANS DURING FACADE RESTORATION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. SHED TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	120937521-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EDWARD KELLY JR

Date:	**4/5/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FACADE PROPOSE RESTORATION WORK CONSISTING OF EXTERIOR FACADE REPAIR OF LINTELS,SILLS, MASONRY AND REPAIR AND/OR REPLACE BRICKS AS REQUIRED THIS WILL INCLUDE MINOR INTERIOR REPAIR AND/OR REPLACEMENT OF BINDING DOORS. NO CHANGE IN USE, OCCUPANCY AND EGRESS**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120903139-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL YATES

ADJOINING PROPERTY FINDINGS

Date:	**3/3/2009**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **FILING HEREWITH MINOR DEMOLITION ALONG WITH GENERAL CONSTRION OF PARTITONS,** **FLOOR AND FINSHES AS WELL AS MINOR PLUMBING WORK AS SHOWN ON PLANS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110450048-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY CAIAZZO

Date:	**2/24/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **FILING HEREWITH MINOR DEMOLITION ALONG WITH GENERAL CONSTRION OF PARTITONS,** **FLOOR AND FINSHES AS WELL AS MINOR PLUMBING WORK AS SHOWN ON PLANS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110450048-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL GALAND

ADJOINING PROPERTY FINDINGS

Date:	**5/9/2008**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **MINOR INTERIOR PARTITION CHANGES WITH MODIFICATION OF PLUMBING FIXTURES AT THE** **FIRST FLOOR AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110054388-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY JR. PEROSI

Date:	**12/12/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **MINOR INTERIOR PARTITION CHANGES WITH MODIFICATION OF PLUMBING FIXTURES AT THE** **FIRST FLOOR AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110054388-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY SENECA

ADJOINING PROPERTY FINDINGS

Date:	**4/3/2007**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M265337
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AXCEL ELECTRIC CO., INC.

Date:	**10/27/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **Modify and install new sprinkler heads with associated piping as shown on plans filed herewith. No change in use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	104000983-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EMMANUEL PIPERKIS

ADJOINING PROPERTY FINDINGS

Date:	**2/17/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **Modify/relocate/install new sprinkler heads with associate piping as shown on plans filed herewith as it pertains to the existing sprinkler system in the building. This is not a new system installation. No change in use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	104228667-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SOKOL SELMANI

Date:	**2/8/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FLAGPOLE** **INSTALLATION OF FLAG POLE AT THE GROUNDFLOOR AS PER PLAN. THERE IS NO C** **HANGE TO USE, EGRESS OR OCCUPANCY FILEDUNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104344675-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CARLO SENECA

ADJOINING PROPERTY FINDINGS

Date:	**12/14/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION INSTALL FIRE SUPPRESSION SYSTEM AS SHOWN ON PLANS. NO CHANGE IN USE, EGR ESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	104292604-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK MITAROTONDA

Date:	**11/29/2005**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M251409
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AXCEL ELECTRIC CO., INC.

ADJOINING PROPERTY FINDINGS

Date:	**10/20/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **Modify/install HVAC along with plumbing fixture (s) and associated piping as shown on plans filed herewith.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104228658-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SOKOL SELMANI

Date:	**10/19/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **Modification of existing sprinkler system as shown on plans filed herewith. No change in use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	104252390-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AWNTHONY PEROSI

ADJOINING PROPERTY FINDINGS

Date:	**10/19/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **Application filed for new partitions, hung ceiling, plumbing work and HVAC as shown on plans filed herewith in conjunction with new restaurant. Use approved under ALT Type I # 103986108. No change in use, egress or occupancy.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104252657-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AWNTHONY PEROSI

Date:	**10/14/2005**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE** **Application filed for new partitions, hung ceiling, plumbing work and HVAC as shown on plans filed herewith in conjunction with new restaurant. Use approved under ALT Type I # 103986108. No change in use, egress or occupancy.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	104252657-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CARLO SENECA

ADJOINING PROPERTY FINDINGS

Date:	**10/14/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **Application filed for new partitions, hung ceiling, plumbing work and HVAC as shown on plans filed herewith in conjunction with new restaurant. Use approved under ALT Type I # 103986108. No change in use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	104252657-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CARLO SENECA

Date:	**10/14/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **Application filed for new partitions, hung ceiling, plumbing work and HVAC as shown on plans filed herewith in conjunction with new restaurant. Use approved under ALT Type I # 103986108. No change in use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104252657-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CARLO SENECA

ADJOINING PROPERTY FINDINGS

Date:	**9/28/2005**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M249785
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	A.G. ELECL ASSOCIATES INC ARMANDO GOMEZ

Date:	**9/27/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONST.** **Interior renovation to include demolition of interior partitions & ceilings as needed, construction of new partitions and hung ceiling as required as shown on plans filed herewith. No change in use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104228658-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE SHKRELI

ADJOINING PROPERTY FINDINGS

Date:	**9/27/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **Modify/install HVAC along with plumbing fixture (s) and associated piping as shown on plans filed herewith.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	104228658-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE SHKRELI

Date:	**8/8/2005**
Permit Type:	**SG**
Description:	**SIGN -** **Install illuminated Advertising Sign as shown on plans filed herewith. Copy text changes from time to time.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	104051035-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM COCCHIERE

ADJOINING PROPERTY FINDINGS

Date:	**1/20/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **Modify/install HVAC along with plumbing fixtures and associated piping as shown on plans filed herewith.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104001919-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHEAL BINKLEY

Date:	**1/5/2005**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M241916
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AXCEL ELECTRIC CO., INC.

ADJOINING PROPERTY FINDINGS

Date:	**12/21/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONST.** **Interior renovation to include minor demo & construction of interior partitions and finishes as shown on plans filed herewith. No change in use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104001919-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JONATHAN O LEARY

Date:	**12/21/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **Modify/install HVAC along with plumbing fixtures and associated piping as shown on plans filed herewith.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	104001919-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JONATHAN O LEARY

ADJOINING PROPERTY FINDINGS

Date:	**12/6/2004**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 -** **Application filed amend the CO to change the 4th floor from existing Factory to Offices and Gallery. General construction to be filed under a separate ALT II application. Obtain amended C of O.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103986108-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES PASTREICH OWNER 548 WEST 28TH STREET NY NY 10001

Date:	**12/18/2002**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **General construction in conjunction with elevator upgrades as shown on plans submitted herewith. No change in use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103296069-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIM PASTREICH

ADJOINING PROPERTY FINDINGS

Date:	**12/18/2002**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **Modifiation of existing HVAC as shown on plans filed herewith. No change in use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103296069-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIM PASTREICH

Date:	**12/18/2002**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - Structural Stab** **Structural work in conjunction with initial application as shown on plans filed herewith. No change in use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103296069-03-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIM PASTREICH

ADJOINING PROPERTY FINDINGS

Date: **12/5/2002**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M218675
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: HANSA ELECTRIC INC. J JOHNSON, HANSA ELECTRIC INC. RICHARD HUNDERTMARK

Date: **4/16/2002**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M212020
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: E. FITZGERALD ELEC CO INC

ADJOINING PROPERTY FINDINGS

Date:	**3/25/2002**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF A HEAVY DUTY SHED 175' D URING FACADE REPAIR. NO CHANGE IN USE, EGRESS OR OCCUPANCY. SHED TO COM PLY WITH LL33/91.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	103105186-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER O'FARRELL

Date:	**7/24/2001**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 MINOR MODIFICATION TO EXISTING HVAC AND PLUMBING AS SHOWN ON SUBMITTED PLANS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	102810371-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SOKOL SELMANI

ADJOINING PROPERTY FINDINGS

Date:	**10/19/2000**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN.** **Structural work filed in conjunction with the interior renovation as shown on pl ans filed herewith.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102810371-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE SHKRELI

Date:	**10/18/2000**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **MINOR MODIFICATION TO EXISTING HVAC AND PLUMBING AS SHOWN ON SUBMITTED** **PLANS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	102810371-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE SHKRELI

ADJOINING PROPERTY FINDINGS

Date:	**6/15/1999**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLING SPRAY BOOTH AND THREE SPRINKL ER HEADS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	101474227-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH LAMARCA

Date:	**5/27/1999**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 -** **PROPOSE FILING TO OBTAIN CORRECTED C OF O, MINOR PARTITION WORK ON 3RD** **TO 6TH FLOOR,ALL AS PER PLAN.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	101574066-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT M SCARANO REGISTERED ARCHITECT

ADJOINING PROPERTY FINDINGS

Date:	**9/7/1998**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M167817
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BARTH-GROSS ELEC. CO., IN

Date:	**3/25/1997**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - G.C.** **INSTALLING SPRAY BOOTH AND THREE SPRINKL ER HEADS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101474227-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LUIGI LOCICERO

ADJOINING PROPERTY FINDINGS

Date:	**5/29/1996**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1** **CHANGE OF OCCUPANCY AND OIL SEPERATOR IN STALLATION.THIS IS IN CONJUNCTI** **N WITH DOB VIOLATION.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	100873422-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LARRY LINZER

Date:	**9/14/1994**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 -** **CHANGE OF OCCUPANCY AND OIL SEPERATOR IN STALLATION.THIS IS IN CONJUNCTI** **N WITH DOB VIOLATION.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	100873422-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK A RAMSAY

ADJOINING PROPERTY FINDINGS

Date: **6/5/1994**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M120495
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: URBAN ELECTRIC

Date: **2/14/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M091498
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: LOUIS DASHMAN L DASHMAN

Date: **1/18/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M090463
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: BURNER ELECTRIC CORP. JOSEPH DIGANGI

ADJOINING PROPERTY FINDINGS

Date: **1/17/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M047460
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: P & D ELECTRIC CO., INC. P DISTEFANO

Date: **12/21/1988**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M046527
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: P & D ELECTRIC CO., INC. P DISTEFANO

Date: **4/25/1986**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M001068
Status: VIOLATN PENDING AT CONTRACTOR
Valuation: $0.00
Contractor Company:
Contractor Name: COSMOS ELECTRIC, INC. M VLAKANCIC

ADJOINING PROPERTY FINDINGS

Date: **9/17/1984**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 016771
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: JURGEN H. WRIEDT JURGEN WRIEDT

Date: **9/15/1984**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 017377
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: GOLD STAR ELEC. CONTR'S, M GOLD

Date: **10/20/1983**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 017144B
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: JURGEN H. WRIEDT JURGEN WRIEDT

ADJOINING PROPERTY FINDINGS

Date: **3/28/1983**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 006419B
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: COSMOS ELECTRIC, INC. M VLAKANCIC

W 28TH ST

500 W 28TH ST

Date: **2/22/2008**
Permit Type: **EW**
Description: **ALTERATION TYPE 2 - GC**
Temporary Shoring and Bracing of sagging floors to correct ECB violation Number 34477118P. No change in use, occupancy or egress.

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 110057795-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MARC VERINI

ADJOINING PROPERTY FINDINGS

Date:	**11/14/1996**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M148758
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GILSON ELEC'L CO., INC. I WALLENSTEIN

501 W 28TH ST

Date:	**6/3/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. HEREWITH FILING TO INSTALL NEW SHEET ROCK AT CEILING ON FIRST FLOOR AND REMOVE ECB VIOLATION # 35013636X .NO CHANGE IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121608055-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETROS PSARRIS

ADJOINING PROPERTY FINDINGS

Date:	**12/11/2007**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED Install heavy duty sidewalk shed a total of 137 L.F. at 501 West 28 Street. During remedial repairs. Work shall comply with LL 33/91. No change in use, egress or occupancy.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	110044666-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS HALLICK

Date:	**12/4/2007**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M274794
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	V. VASS ELECTRIC CORP

ADJOINING PROPERTY FINDINGS

Date:	**11/19/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC REMOVE CORNICE OF THE EXISTING BLDGTO REMOVE VIOLATION & LIMESTONE AND BRIC AROUND WINDOWS. NOCHANGE OF OCCUPANCY USE OR MEANS OF EGRESS**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104814890-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GIULIO YATONA

Date:	**6/29/2005**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE LEGALIZATION OF STORE FRONT FOR WORK WITHOUT PERMIT VIOLATION, NO CHANGE IN USE, EGRESS AND OCCUPANCY IN THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	104149707-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KYONGIL CHO

ADJOINING PROPERTY FINDINGS

Date:	**6/29/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **LEGALIZATION OF STORE FRONT FOR WORK WITHOUT PERMIT VIOLATION, NO CHANGE IN** **USE, EGRESS AND OCCUPANCY IN THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104149707-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KYONGIL CHO

Date:	**5/22/2002**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M212379
Status:	NO ACCESS
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BOCA ELECTRIC CORP. ONOFRIO BERARDI

ADJOINING PROPERTY FINDINGS

503 W 28TH ST

Date:	**6/3/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. HEREWITH FILING TO INSTALL NEW SHEET ROCK AT CEILING ON FIRST FLOOR AND REMOVE ECB VIOLATION 35013636X.NO CHANGE IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121608064-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETROS PSARRIS

Date:	**12/12/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALL NEW KITCHEN EQUIPMENT, EXHAUST, FIRE EXTINGUISHING SYSTEM AND GAS RISE R. NO FIRE ALARM. NO CHANGE IN USE OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120694418-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PIOTR KACZYNSKI

ADJOINING PROPERTY FINDINGS

Date:	**12/12/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION** **INSTALL NEW KITCHEN EQUIPMENT, EXHAUST, FIRE EXTINGUISHING SYSTEM AND GAS RISE** **R. NO FIRE ALARM. NO CHANGE IN USE OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	120694418-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PIOTR KACZYNSKI

Date:	**12/12/2011**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL NEW KITCHEN EQUIPMENT, EXHAUST, FIRE EXTINGUISHING SYSTEM AND GAS RISE** **R. NO FIRE ALARM. NO CHANGE IN USE OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	120694418-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE TJORTJOGLOU

ADJOINING PROPERTY FINDINGS

Date:	**10/23/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **THESE DRAWINGS ARE FILED TO RENOVATE AN EXISTING COMMERCIAL STORE ON THE FIRST** **FLOOR. NEW PARTITIONS,GENERAL CONSTRUCTION AND CARPENTRY,NEW STOREFRONT, AND** **NEW PLUMBING FIXTURES ON EXISTING ROUGHING WILL BE PART OF THIS APPLICATION.** **THERE SHALL BE NO CHANGE TO EGRESS, OCCUPANCY, OR USE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120150807-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CARMINE MOLISSE

Date:	**8/12/2005**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - AWNING** **NON ILLUMINATED NON ADVERTISING ACCESSORY STOREFRONT AWNING LETTERING-** **THE (STAR) OF MIDTOWN 503 W. NO CHANGE TO USE, EGRESS OR OCCUPANCY**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	104184339-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JEFF KIM

ADJOINING PROPERTY FINDINGS

505 W 28TH ST

Date:	**1/2/2002**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M208161
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VIRGINIA LIGHTING FIXTURE

507 W 28TH ST

Date:	**8/23/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF A HEAVY DUTY SIDEWALK SHED APPROXIMATELY 220' LONG AS PER PLANS DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. SIDEWALK SHED TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	122228320-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEITH LYNCH

ADJOINING PROPERTY FINDINGS

Date: **8/22/2017**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M400507
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: A & M ELEC'L SERVICE INC.

Date: **5/22/2017**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M396393
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: A & M ELEC'L SERVICE INC.

ADJOINING PROPERTY FINDINGS

Date:	**3/2/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE INSTALLATION OF PLYWOOD FENCE AS PER PLANS. WORK SHALL COMPLY WITH 2014 BUILDING CODE CHAPTER 33. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	140319581-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LORRAINE HOSTY

Date:	**12/20/2016**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - CURB CUT PROPOSED EASTERN CURB CUT AT WEST 29TH STREET IN CONJUNCTION WITH NB # 121181915. NO CHANGE IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	140427189-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS NICKEL

ADJOINING PROPERTY FINDINGS

Date:	**12/20/2016**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - CURB CUT** **PROPOSED WESTERN CURB CUT IN CONJUNCTION WITH NB # 121181915. NO CHANGE IN USE,** **EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	140427223-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS NICKEL

Date:	**12/19/2016**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - TENANT PROTECT** **TENANT PROTECTION PLAN IN CONJUNCTION WITH NB # 121181915. NO CHANGE IN USE,** **EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	122945251-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS NICKEL

ADJOINING PROPERTY FINDINGS

Date:	**8/23/2016**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD PROPOSED INSTALLATION OF PIPE SCAFFOLD AS PER PLANS. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	140523388-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MIKE SOFRANIN

Date:	**7/22/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER INSTALL LOW PRESSURE BOILERS AS PER PLAN AT 29TH STREET BOILER ROOM. GAS WORK FILED AND APPROVED UNDER NB # 121181915. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	122834406-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH V MILOHNIC

ADJOINING PROPERTY FINDINGS

Date:	**7/22/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER** **INSTALL LOW PRESSURE BOILERS AS PER PLAN AT 10TH AVENUE BOILER ROOM. GAS WORK** **FILED AND APPROVED UNDER NB # 121181915. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	122834415-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH V MILOHNIC

Date:	**2/18/2016**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER** **INSTALLATION OF A TEMPORARY ADJACENT PROPERTY OVERHEAD PROTECTION AS PER PLANS** **DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY.** **OVERHEAD PROTECTION TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122279667-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

ADJOINING PROPERTY FINDINGS

Date:	**1/27/2016**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING** **MECHANICAL AND PLUMBING WORK FOR NEW BUILDING**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121181915-03-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH V MILOHNIC

Date:	**1/15/2016**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER** **USE OF LIFTING DEVICE EQUIPMENT AS PER PLANS FILED HEREWITH. THIS APPLICATION IS** **FILED IN CONJUNCTION WITH NB-121181915.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122657632-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALEXANDER TUCKMANIAN

ADJOINING PROPERTY FINDINGS

Date:	**1/13/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE TEMPORARY STANDPIPE SYSTEM IN CONJUNCTION WITH NB # 121181915. NO CHANGE IN USE, EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	140193421-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GREGORY E SULGER

Date:	**1/4/2016**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF A SCAFFOLD AS PER PLANS IN CONJUNCTION WITH NB CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. SCAFFOLD TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	122630509-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CON COAKLEY

ADJOINING PROPERTY FINDINGS

Date:	**12/30/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - CURTAIN WALL** **FILED HEREWITH TO PROVIDE HOIST PLACEMENT DESIGN DRAWING FOR WALL CURTAIN** **INSTALLATION**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122467231-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS NICKEL

Date:	**12/21/2015**
Permit Type:	**EQ**
Description:	**NEW BUILDING - CONSTRUCTION EQUIPMENT - FENCE** **CONSTRUCT NEW BUILDING**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	NB - NEW BUILDING
Proposed Use:	FENCE
Permit Number:	121181915-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS NICKEL

ADJOINING PROPERTY FINDINGS

Date:	**12/12/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF SCAFFOLD AS PER DRAWINGS. SCAFFOLD SHALL COMPLY WITH CHAPTER #33 OF THE NYC BUILDING CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	140439238-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SELU VLADISLAV-MIHUT

Date:	**11/25/2015**
Permit Type:	**NB**
Description:	**NEW BUILDING - CONSTRUCT NEW BUILDING**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121181915-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS NICKEL

ADJOINING PROPERTY FINDINGS

Date:	**10/14/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE SPRINKLER AND STANDPIPE SYSTEM IN CONJUNCTION WITH NB # 121181915. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	140279972-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GREGORY E SULGER

Date:	**10/14/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER SPRINKLER AND STANDPIPE SYSTEM IN CONJUNCTION WITH NB # 121181915. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140279972-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GREGORY E SULGER

ADJOINING PROPERTY FINDINGS

Date:	**5/15/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M367529
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

Date:	**3/11/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF SIDEWALK SHED AS PER PLANS. WORK SHALL COMPLY WITH 2014 BUILDING CODE CHAPTER 33. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	140319527-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LORRAINE HOSTY

ADJOINING PROPERTY FINDINGS

Date:	**2/17/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A STROS 7000 (MODEL 3242 UP3F-I) PERSONNEL/MATERIAL SINGLE CAR HOIST AS PER PLANS DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. HOIST TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122270808-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

Date:	**2/8/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M363502
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAM ELECTRICAL CORP

ADJOINING PROPERTY FINDINGS

Date: **1/14/2015**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: ACTIVE
Proposed Use:
Permit Number: M362671
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: JAM ELECTRICAL CORP

Date: **12/31/2014**
Permit Type: **FO**
Description: **NEW BUILDING - FOUNDATION/EARTHWORK**
CONSTRUCT NEW BUILDING

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 121181915-01-FO
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: THOMAS NICKEL

Date: **12/26/2014**
Permit Type: **FO**
Description: **NEW BUILDING - EARTHWORK**
CONSTRUCT NEW BUILDING

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 121181915-01-FO-EA
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: THOMAS NICKEL

ADJOINING PROPERTY FINDINGS

Date:	**12/12/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	M361782
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	A & M ELEC'L SERVICE INC.

Date:	**8/26/2014**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL UNDERGROUND PLUMBING IN CONJUNCTION WITH NB # 121181915. NO CHANGE IN** **USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122112980-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROMICK K ADAMS

ADJOINING PROPERTY FINDINGS

Date:	**7/16/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL FILED HEREWITH TO INSTALL BRACING ON WEST AND NORTH EXPOSURE OF 508 WEST 29 STREET. BRACING FREESTANDING WALL AT NORTH EXPOSURE OF 317 10TH AVENUE**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122055747-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS NICKEL

Date:	**7/11/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF SIDEWALK SHED AS PER PLANS. WORK SHALL COMPLY WITH 2008 BUILDING CODE CHAPTER 33. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	140223915-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VJOLCA PILKU

ADJOINING PROPERTY FINDINGS

Date:	**7/9/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M355847
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NASH ELECTRIC SERVICES IN

Date:	**3/31/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - REMEDIATION** **SITE REMEDIATION ALONG WITH REQUIRED SHEETING/SHORING AS PER PLANS FILED. NO** **CHANGE IN USE EGRESS OR OCCUPANCY. IN CONJUNCTION WITH NB#**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121479596-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANGELO SISCA

ADJOINING PROPERTY FINDINGS

Date:	**1/8/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE INSTALLATION OF TEMPORARY WOOD FENCE AS PER PLAN IN CONJUNCTION WITH ALT # 121479596 . WOOD FENCE SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	121813993-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS NICKEL

Date:	**10/28/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	M346922
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HORSEPOWER ELECTRIC.&

ADJOINING PROPERTY FINDINGS

Date:	**11/30/2012**
Permit Type:	**DM**
Description:	**FULL DEMOLITION - FULL DEMOLITION OF ONE STORY COMMERCIAL STRUCTURE, USING MECHANICAL MEANS**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	120919532-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARDY DALTON

Date:	**11/29/2012**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE FULL DEMOLITION OF ONE STORY COMMERCIAL STRUCTURE, USING MECHANICAL MEANS**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	120919532-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARDY DALTON

ADJOINING PROPERTY FINDINGS

Date:	**2/28/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **MODIFICATION OF EXISTING EXHAUST DUCT WORK. NO CHANGE IN USE, OCCUPANCY, OR** **EGRESS**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120374745-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID TURNER

Date:	**2/28/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **MODIFICATION OF EXISTING EXHAUST DUCT WORK. NO CHANGE IN USE, OCCUPANCY, OR** **EGRESS**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120374745-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID TURNER

ADJOINING PROPERTY FINDINGS

Date:	**12/26/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **RELOCATE PAINT STORAGE ROOM AND SPRAY BOOTH AT FIRST FLOOR WITHIN SAME** **PREMISES. CONNECT TO UTILITIES AS REQUIRED. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	104445806-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MOSHE MISHAL

Date:	**12/26/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **RELOCATE PAINT STORAGE ROOM AND SPRAY BOOTH AT FIRST FLOOR WITHIN SAME** **PREMISES. CONNECT TO UTILITIES AS REQUIRED. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104445806-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MOSHE MISHAL

ADJOINING PROPERTY FINDINGS

Date:	**12/28/2001**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED REMOVE ELEVATED ROADWAY (HIGHLINE) ERECT 90' OF HEAVY DUTY SIDEWALK SHED.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SIDEWALK SHED
Permit Number:	102486542-01-EQ-SH
Status:	REVOKED, ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBER SINGLEY

Date:	**6/25/2001**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **CONSTRUCT PAINT STORAGE ROOM AND INSTALL PAINT SPRAY BOOTH ON FIRST FLOO** **NO CHANGE TO ZONING, EGRESS OR OCCUPANCY**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	102486329-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY GUGLIELMO

ADJOINING PROPERTY FINDINGS

Date:	**4/4/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - REMOVAL** **REMOVE ELEVATED ROADWAY (HIGHLINE) ERECT 90' OF HEAVY DUTY SIDEWALK SHED.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102486542-01-EW-OT
Status:	REVOKED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBER SINGLEY

Date:	**3/23/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **CONSTRUCT PAINT STORAGE ROOM AND INSTALL PAINT SPRAY BOOTH ON FIRST FLOO** **NO CHANGE TO ZONING, EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	102486329-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MOISHE MISHAL

ADJOINING PROPERTY FINDINGS

Date:	**3/23/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - CONST** **CONSTRUCT PAINT STORAGE ROOM AND INSTALL PAINT SPRAY BOOTH ON FIRST FLOO** **NO CHANGE TO ZONING, EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102486329-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MOISHE MISHAL

520 W 28TH ST

Date:	**2/15/2018**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING** **MECHANICAL AND PLUMBING WORK FILED IN CONJUNCTION WITH NEW BUILDING** **AS PER PLANS FILED HEREWITH.**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121332815-04-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GORDON J RUGG, JR

ADJOINING PROPERTY FINDINGS

Date:	**12/28/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. INTERIOR RENOVATION NO CHANGE IN USE**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	123105512-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSHUA H WIENER

Date:	**10/25/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIREPLACES INSTALL (4) NEW GAS FIRED FIREPLACES WITH (4) NEW FLUES UP TO ROOF AND (4) NEW INDUCED DRAFT FANS ON THE ROOF IN CONJUNCTION WITH NB 121332815. NO CHANGE IN MEANS OF EGRESS, USE GROUP OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	123073235-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STEVEN A HERBERT

ADJOINING PROPERTY FINDINGS

Date:	**10/12/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. THIS APPLICATION IS FILED FOR A TEMPORARY USE PERMIT FOR MARKETING ON THE 1ST FLOOR PURSUANT TO SECTION AC 28-111 AND BUILDINGS BULLETIN 2010-002 AS PER THE PLANS FILED HEREWITH.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140704414-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DONAL MCINTYRE

Date:	**9/27/2017**
Permit Type:	**NB**
Description:	**NEW BUILDING - CONSTRUCTION OF A NEW BUILDING AS PER PLANS FILED HEREWITH.**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121332815-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARELIS BATISTA

ADJOINING PROPERTY FINDINGS

Date:	**9/27/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - TENANT PROTECT HEREWITH FILING TENANT PROTECTION PLAN IN CONJUNCTION WITH NEW BUILDING APPLICATION 121332815.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140616812-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMANDA REKEMEYER

Date:	**9/20/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M401807
Status:	ASSIGNED TO INSPECTOR
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROZ-A-LITE ELEC'L CONTG I

ADJOINING PROPERTY FINDINGS

Date:	**9/19/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INITIAL FIT OUT OF RETAIL SPACE AS PER PLANS FILED HEREWITH. FILED IN CONJUNCTION WITH NB #121332815. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140692980-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALAN J BRUTOSKY

Date:	**9/19/2017**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INITIAL FIT OUT OF RETAIL SPACE AS PER PLANS FILED HEREWITH. FILED IN CONJUNCTION WITH NB #121332815. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	140692980-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALAN J BRUTOSKY

ADJOINING PROPERTY FINDINGS

Date:	**9/14/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INITIAL FIT OUT OF RETAIL SPACE AS PER PLANS FILED HEREWITH. FILED IN CONJUNCTION WITH NB #121332815. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	140692980-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DONAL MCINTYRE

Date:	**9/14/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **INITIAL FIT OUT OF RETAIL SPACE AS PER PLANS FILED HEREWITH. FILED IN CONJUNCTION WITH NB #121332815. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140692980-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DONAL MCINTYRE

ADJOINING PROPERTY FINDINGS

Date:	**9/8/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF HORIZONTAL NETTING @ 2ND FLOOR AS PER PLANS DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. NETTING TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122480252-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEITH LYNCH

Date:	**9/8/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF SHORING AS PER PLANS DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY.SHORING TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122532161-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEITH LYNCH

ADJOINING PROPERTY FINDINGS

Date:	**8/23/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF A HEAVY DUTY SIDEWALK SHED APPROXIMATELY 112' LONG AS PER PLANS DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. SIDEWALK SHED TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	122341171-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEITH LYNCH

Date:	**8/15/2017**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 INTERIOR RENOVATION NO CHANGE IN USE**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	123105512-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARBER GREZDA

ADJOINING PROPERTY FINDINGS

Date: **8/15/2017**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M400108
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: APOLLO ELECTRIC INC.

Date: **8/14/2017**
Permit Type: **EW**
Description: **ALTERATION TYPE 2 - SPRINKLER**
INTERIOR RENOVATION NO CHANGE IN USE

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: SPRINKLER
Permit Number: 123105512-01-EW-SP
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ADAM M LEVINE

Date: **8/8/2017**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M399826
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: NEW YORK CITY ELECTRIC IN

ADJOINING PROPERTY FINDINGS

Date:	**6/22/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	M397658
Status:	OBJECTN PENDING AT CONTRACTOR
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROZ-A-LITE ELEC'L CONTG I

Date:	**5/10/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF AN ADT ACCESS SYSTEM ON THE ROOF AS PER PLANS. NO CHANGE IN USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION. SCAFFOLD TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140344394-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GREG BEECHE

ADJOINING PROPERTY FINDINGS

Date:	**3/29/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **THIS APPLICATION IS FILED FOR A TEMPORARY USE PERMIT FOR SALES/MARKETING ON THE** **10TH FLOOR PURSUANT TO SECTION AC 28-111 AND BUILDINGS BULLETIN 2010-002 AS PER** **THE PLANS FILED HEREWITH.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140620488-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMANDA REKEMEYER

Date:	**3/7/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **SPRINKLER AND STANDPIPE INSTALLATION FILED IN CONJUNCTION WITH NEW BUILDING** **APPLICATION #121332815 AS PER PLANS FILED HEREWITH. NO CHANGE IN USE, EGRESS, OR** **OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140132791-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RICHARD E LEVINE

ADJOINING PROPERTY FINDINGS

Date:	**9/12/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER BOILER INSTALLATION FILED IN CONJUNCTION WITH NEW BUILDING APPLICATION #121332815 AS PER PLANS FILED HEREWITH. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	140132755-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ERIC D LAWRENCE

Date:	**6/14/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	M382838
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROZ-A-LITE ELEC'L CONTG I

ADJOINING PROPERTY FINDINGS

Date:	**4/14/2016**
Permit Type:	**SG**
Description:	**SIGN - INSTALL NON-ILLUMINATED ACCESSORY BUSINESS SIGN ON WALL. NO CHANGE IN OCCUPANCY, USE OR EGRESS.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	122756669-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE W COLE

Date:	**4/6/2016**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF OVERHEAD PROTECTION @ 2ND FLOOR WEST AS PER PLANS DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY.OVERHEAD PROTECTION TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122347166-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

ADJOINING PROPERTY FINDINGS

Date:	**1/11/2016**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF A HEAVY DUTY SIDEWALK SHED APPROXIMATELY 290' LONG AS PER PLAN S IN CONJUNCTION WITH NB CONSTRUCTION. SIEWALK SHED LEGS TO BE PLACED ON ROADW AY. NO CHANGE IN USE, EGRESS OR OCCUPANCY. SIDEWALK SHED TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	122258387-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEITH LYNCH

Date:	**11/24/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE INSTALLATION OF A FENCE AS PER PLANS DURING NB CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. FENCE TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	121856287-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEITH LYNCH

ADJOINING PROPERTY FINDINGS

Date:	**9/28/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **FILING FOR HORIZONTAL NETTING PROTECTION AS PER PLANS**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122454735-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMANDA REKEMEYER

Date:	**9/22/2015**
Permit Type:	**FO**
Description:	**NEW BUILDING - FOUNDATION/EARTHWORK** **CONSTRUCTION OF A NEW BUILDING AS PER PLANS FILED HEREWITH.**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121332815-01-FO
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARELIS BATISTA

ADJOINING PROPERTY FINDINGS

Date:	**9/22/2015**
Permit Type:	**FO**
Description:	**NEW BUILDING - EARTHWORK** **CONSTRUCTION OF A NEW BUILDING AS PER PLANS FILED HEREWITH.**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121332815-01-FO-EA
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARELIS BATISTA

Date:	**9/22/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **EMERGENCY GENERATOR INSTALLATION FILED IN CONJUNCTION WITH NEW BUILDING** **APPLICATION #121332815 AS PER PLANS FILED HEREWITH. NO CHANGE IN USE, EGRESS, OR** **OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	140132773-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMANDA REKEMEYER

ADJOINING PROPERTY FINDINGS

Date:	**8/11/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **UNDERGROUND PLUMBING FILED IN CONJUNCTION WITH NB APPLICATION #121332815 AS PER** **THE PLANS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	140224031-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MANFRED E DEMENUS

Date:	**6/16/2015**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - CURB CUT** **CURB CUT FILED IN CONJUNCTION WITH NEW BUILDING #121332815 AS PER THE PLANS** **FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	140203722-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMANDA REKEMEYER

ADJOINING PROPERTY FINDINGS

Date:	**5/18/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A STROS 7000D NOV 3242 UFC-1)PERSONNEL/MATERIAL SINGLE CAR HOIST AS PER PLANS DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. HOIST TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122379318-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

Date:	**5/18/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M367571
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date:	**3/23/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A STROS 7000D NOV 3242 UFC-11)PERSONNEL/MATERIAL DUAL CAR HOIST AS PER PLANS DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. HOIST TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122344926-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

Date:	**3/10/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE SPRINKLER AND STANDPIPE INSTALLATION FILED IN CONJUNCTION WITH NEW BUILDING APPLICATION #121332815 AS PER PLANS FILED HEREWITH. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	140132791-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RICHARD E LEVINE

ADJOINING PROPERTY FINDINGS

Date: **3/3/2015**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: ACTIVE
Proposed Use:
Permit Number: M364359
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: R.C.M. ELECTRIC CORP.

Date: **2/23/2015**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: ACTIVE
Proposed Use:
Permit Number: M364034
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: ROZ-A-LITE ELEC'L CONTG I

ADJOINING PROPERTY FINDINGS

Date:	**2/3/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE TEMPORARY STANDPIPE INSTALLATION FILED IN CONJUNCTION WITH NEW BUILDING APPLICATION #121332815 AS PER PLANS FILED HEREWITH. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	140132808-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RICHARD E LEVINE

Date:	**1/30/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M363201
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STAR-DELTA ELECTRIC, LLC

ADJOINING PROPERTY FINDINGS

Date: **3/10/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M351209
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: D&D ELECTL CONST CO INC

Date: **4/23/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M291676
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: V. VASS ELECTRIC CORP

ADJOINING PROPERTY FINDINGS

525 W 28TH ST

Date:	**4/25/2017**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - CURB CUT** **CONSTRUCTION OF 28'-4"- 25'-4" CURB CUT + (2) 2'-6" SLAYS N/S W 29TH STREET** **DISTANCE 64'8" WEST OF 11TH AVENUE**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	123073431-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTONIO CASALE

Date:	**11/29/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M389451
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LIMONGELLI ELECTRIC CORP

ADJOINING PROPERTY FINDINGS

Date:	**7/7/2015**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING** **PLUMBING WORK ASSOCIATED WITH NEW BUILDING. THE DESIGN, DETAILS AND NOTES** **CONTAINED HEREIN ARE IN COMPLIANCE WITH LL 17/95.**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	120053707-04-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOPHER K STRNAD

Date:	**11/20/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALLATION OF CO-GENERATION SYSTEM. DEDICATED GAS PIPING AS SHOWN ON DRAWINGS** **FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. FILED IN CONJUNCTION** **WITH NB #120053707.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	121158282-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER BELL

ADJOINING PROPERTY FINDINGS

Date:	**8/12/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF A BAKERS SCAFFOLD AS PER DRAWINGS DURING NEW BUILDING CONSTRUCTION, FILED SEPERATELY. BAKERS SCAFFOLD SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	121589030-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL MONOSSON

Date:	**7/25/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. FILING HEREWITH DRAWINGS TO INSTALL ART WORK ON 2 PROPOSED WATER TOWER TANKS. NO CHANGE IN USE, EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122063499-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BETH HOCHHAUSER

ADJOINING PROPERTY FINDINGS

Date: **7/17/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: UN-TAGGED SIGN
Proposed Use:
Permit Number: M357116
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: STAT ELECTRIC INC. HOWARD ZAMKOFF

Date: **7/17/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: UN-TAGGED SIGN
Proposed Use:
Permit Number: M357117
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: STAT ELECTRIC INC. HOWARD ZAMKOFF

ADJOINING PROPERTY FINDINGS

Date:	**7/1/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF PIPE SCAFFOLDING AS INDICATED ON PLANS. THERE WILL BE NO CHANGE IN THE USE, EGRESS, OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	140058461-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DONALD O'SULLIVAN

Date:	**6/18/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF SCAFFOLD AS PER DRAWINGS. SCAFFOLD SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	122006042-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SEAN PENDER

ADJOINING PROPERTY FINDINGS

Date:	**5/9/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF A BAKERS SCAFFOLD AS PER DRAWINGS DURING NEW BUILDING CONSTRUCTION, FILED SEPERATELY. BAKERS SCAFFOLD SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	121626437-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL MONOSSON

Date:	**1/29/2014**
Permit Type:	**SG**
Description:	**SIGN - ILLUMINATED NON ADVERTISING DOUBLE FACE PROJECTING ACCESSORY SIGN**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	121810996-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEVIN J GOING

ADJOINING PROPERTY FINDINGS

Date:	**1/29/2014**
Permit Type:	**SG**
Description:	**SIGN - ILLUMINATED NON ADVERTISING ACCESSORY SIGN ON MARQUEE PERMIT #121800015**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	121811003-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEVIN J GOING

Date:	**1/29/2014**
Permit Type:	**SG**
Description:	**SIGN - ILLUMINATED NON ADVERTISING DOUBLE FACE PROJECTING ACCESSORY SIGN**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	121861752-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEVIN J GOING

ADJOINING PROPERTY FINDINGS

Date:	**10/16/2013**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - MARQUEE** **INSTALLATION OF MARQUEE ON 11TH AVENUE AS SHOWN ON DRAWINGS FILED HEREWITH. NO** **CHANGE IN USE EGRESS OR OCCUPANCY. IN CONJUNCTION WITH NB# 120053707.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	121800006-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID W BELLMAN

Date:	**10/16/2013**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - MARQUEE** **INSTALLATION OF MARQUEE ON WEST 28TH STREET AS SHOWN ON DRAWINGS FILED HEREWITH.** **NO CHANGE IN USE, EGRESS OR OCCUPANCY. IN CONJUNCTION WITH NB# 120053707.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	121800015-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID W BELLMAN

ADJOINING PROPERTY FINDINGS

Date:	**9/30/2013**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED TO ERECT TEMPORARY HEAVY DUTY SIDEWALK SHED. THIS APPLICATION INVOLVES NO CHANGE IN OCCUPANCY, USE OR EGRESS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	121394106-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEVIN O'CALLAGHAN

Date:	**9/20/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	M345475
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	S. J. ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date:	**9/16/2013**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER TO INSTALL A TEMPORARY RACK & PINION HOIST. THIS APPLICATION INVOLVES NO CHANGE IN OCCUPANCY, USE OR EGRESS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121472548-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEVIN O'CALLAGHAN

Date:	**9/16/2013**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER TO INSTALL A TEMPORARY RACK & PINION HOIST. THIS APPLICATION INVOLVES NO CHANGE IN OCCUPANCY, USE OR EGRESS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121544123-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEVIN O'CALLAGHAN

ADJOINING PROPERTY FINDINGS

Date:	**9/11/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER** **INSTALLAION OF BOILER. NO CHANGE IN OCCUPANCY, USE OR EGRESS. FILED IN** **CONJUNCTION WITH NB #120053707.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	120066070-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY M DISABATO

Date:	**2/6/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	M336625
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	S. J. ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date:	**11/9/2012**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE TO ERECT TEMPORARY SITE FENCE. THIS APPLICATION INVOLVES NO CHANGE IN OCCUPANCY, USE OR EGRESS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	121407343-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEVIN O'CALLAGHAN

Date:	**8/3/2012**
Permit Type:	**EQ**
Description:	**NEW BUILDING - CONSTRUCTION EQUIPMENT - FENCE SEE SECTION 24**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	NB - NEW BUILDING
Proposed Use:	FENCE
Permit Number:	120053707-01-EQ-FN
Status:	REISSUED, ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STEVEN SPIRO

ADJOINING PROPERTY FINDINGS

Date:	**8/3/2012**
Permit Type:	**FO**
Description:	**NEW BUILDING - FOUNDATION/EARTHWORK** **SEE SECTION 24**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	120053707-01-FO
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID W BELLMAN

Date:	**8/3/2012**
Permit Type:	**FO**
Description:	**NEW BUILDING - EARTHWORK** **SEE SECTION 24**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	120053707-01-FO-EA
Status:	REISSUED, ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID W BELLMAN

ADJOINING PROPERTY FINDINGS

Date:	**8/3/2012**
Permit Type:	**NB**
Description:	**NEW BUILDING - SEE SECTION 24**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	120053707-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STEVEN SPIRO

Date:	**7/11/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE INSTALLATION OF STANDPIPE SYSTEM. NO CHANGE IN USE, EGRESS OR OCCUPANCY. FILED IN CONJUNCTION WITH NB #120053707.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	120064278-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DIANA BLANDA

ADJOINING PROPERTY FINDINGS

Date:	**7/11/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALLATION OF SPRINKLER SYSTEM. NO CHANGE IN USE, EGRESS OR OCCUPANCY. FILED** **IN CONJUNCTION WITH NB #120053727**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	120064287-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DIANA BLANDA

Date:	**3/21/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **INSTALLATION OF STANDPIPE ALARM SYSTEM. NO CHANE IN USE, OCCUPANCY OR EGRESS.** **FILED IN CONJUNCTION WITH NB 120053707. AS SHOWN ON DRAWINGS FILED HEREWITH.** **NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	120998750-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DIANA BLANDA

ADJOINING PROPERTY FINDINGS

Date:	**3/12/2012**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING** **UNDERGROUND PLUMBING WORK ASSOCIATED WITH NEW BUILDING. THE DESIGN, DETAILS AND** **NOTES CONTAINED HEREIN ARE IN COMPLIANCE WITH LL 17/95.**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	120053707-05-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOPHER K STRNAD

528 W 28TH ST

Date:	**2/12/2018**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **INSTALLATION OF TEMPORARY STANDPIPE FILED IN-CONJUNCTION WITH THE NEW BUILDING** **APPLICATION**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	140378758-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK F SBEGLIA

ADJOINING PROPERTY FINDINGS

Date:	**1/12/2018**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER** **INSTALLATION OF BOILERS FILED IN CONJUNCTION WITH NEW BUILDING APPLICATION. NO** **CHANGE TO EGRESS OCCUPANCY OR USE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	122838723-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK SBEGLIA

Date:	**1/4/2018**
Permit Type:	**FO**
Description:	**NEW BUILDING - FOUNDATION/EARTHWORK** **PROPOSE TO ERECT NEW BUILDING AS INDICATED ON DRAWINGS FILED HEREWITH**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121185261-01-FO
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK DEGRANDE

ADJOINING PROPERTY FINDINGS

Date:	**1/4/2018**
Permit Type:	**FO**
Description:	**NEW BUILDING - EARTHWORK** **PROPOSE TO ERECT NEW BUILDING AS INDICATED ON DRAWINGS FILED HEREWITH**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121185261-01-FO-EA
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK S DEGRANDE

Date:	**1/4/2018**
Permit Type:	**NB**
Description:	**NEW BUILDING -** **PROPOSE TO ERECT NEW BUILDING AS INDICATED ON DRAWINGS FILED HEREWITH**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121185261-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK S DEGRANDE

ADJOINING PROPERTY FINDINGS

Date:	**11/6/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF 7,100 LBS SINGLE CAR SCANDO 650 FC32/39I HOIST AS PER PLAN SUBMITTED. WORK SHALL COMPLY WITH 2014 BUILDING CODES CHAPTER 33. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140575349-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PHILIP SUSI

Date:	**10/16/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF TEMPORARY ROOF/OVERHEAD PROTECTION AS PER PLAN SUBMITTED. WORK SHALL COMPLY WITH 2014 BUILDING CODES CHAPTER 33. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122919690-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PHILIP SUSI

ADJOINING PROPERTY FINDINGS

Date:	**9/7/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE INSTALLATION OF SPRINKLER AND STANDPIPE SYSTEM FILED IN-CONJUNCTION WITH THE NEW BUILDING APPLICATION**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	140382164-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK F SBEGLIA

Date:	**9/7/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER INSTALLATION OF SPRINKLER AND STANDPIPE SYSTEM FILED IN-CONJUNCTION WITH THE NEW BUILDING APPLICATION**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140382164-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK F SBEGLIA

ADJOINING PROPERTY FINDINGS

Date:	**9/5/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF TEMPORARY SIDEWALK SHED AS PER PLAN SUBMITTED. WORK SHALL COMPLY WITH 2014 BUILDING CODES CHAPTER 33. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	140542376-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PHILIP SUSI

Date:	**8/11/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE FILED HEREWITH IS A PLYWOOD FENCE.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	122044885-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK S DEGRANDE

ADJOINING PROPERTY FINDINGS

Date: **12/30/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M390541
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: TOWER ELECTRIC INC.

Date: **11/2/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M388490
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: NASH ELECTRIC SERVICES IN

Date: **8/31/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M385962
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: NASH ELECTRIC SERVICES IN

ADJOINING PROPERTY FINDINGS

Date: **8/18/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M385524
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: TOWER ELECTRIC INC.

Date: **3/23/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M379507
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: TOWER ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date:	**2/11/2016**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING** **INSTALLATION OF NEW MECHANICAL AND PLUMBING SYSTEMS AS INDICATED ON DRAWINGS** **FILED HEREWITH.**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121185261-05-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK SBEGLIA

Date:	**7/14/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **FILED HEREWITH IS PLUMBING DRAWINGS FOR UNDER GROUND PIPING IN CONJUNCTION WITH** **FOUNDATION AND EXCAVATION WORK FILED UNDER NEW BUILDING APPLICATION. NO EGRESS** **OCCUPANCY OR USE.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122350516-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY PISCITELLI

ADJOINING PROPERTY FINDINGS

Date: **3/20/2015**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: ACTIVE
Proposed Use:
Permit Number: M365080
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: ROZ-A-LITE ELEC'L CONTG I

547 W 28TH ST

Date: **4/1/2011**
Permit Type: **DM**
Description: **FULL DEMOLITION -**
FULL DEMOLITION OF TWO STORY STRUCTURE, FENCE FILED IN CONJUNCTION WITH MAIN
DEMO APPLICATION FOR 298 11TH AVE. STRUCTURE WILL BE DEMOLISHED USING
MECHANICAL MEANS.

Permit Description: **DEMOLITION & REMOVAL**
Work Class: DM - FULL DEMOLITION
Proposed Use:
Permit Number: 120592144-01-DM
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: JUSTIN L GAETA

ADJOINING PROPERTY FINDINGS

548 W 28TH ST

Date:	**11/7/2016**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - TEMP INSTALL** **INSTALL OF TEMP THEATRICAL EXHIBIT PLATFORM, TENT, TRUSSES, NO ALTERATIONS TO** **EXIST STRUCTURES, FOR THE PIPS ISLAND IMMERSIVE PLAY, LOCATED IN CELLAR, SCHED** **FOR 11/12/16 TO 1/7/17, A TPA PERMIT IS REQUIRED. PRODUCER IS RESPONSIBLE TO** **MONITOR EVENT CONDITIONS AND IMPLEMENT APPROPRIATE ACTIONS, IF NECESSARY. ALL** **PROD EQUIP REMOVED UPON EVENT COMPLETE**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	122935262-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELLIOT WINICK

Date:	**6/4/2012**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **DEMOLITION/ARCHITECTURAL WORK AND PLUMBING CHANGES ON PART OF THE 1ST FLOOR** **(MUNRO STUDIO) AS INDICATED ON DRAWINGS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	120994095-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KAROL LATON

ADJOINING PROPERTY FINDINGS

Date:	**6/1/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. DEMOLITION/ARCHITECTURAL WORK AND PLUMBING CHANGES ON PART OF THE 1ST FLOOR (MUNRO STUDIO) AS INDICATED ON DRAWINGS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120994095-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CARVER FARRELL

Date:	**3/30/2010**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M301261
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AXCEL ELECTRIC CO., INC.

ADJOINING PROPERTY FINDINGS

Date:	**8/1/2007**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **Modification to existing HVAC and new plumbing fixtures with associated piping as shown on submitted plans. No change in use, egress or occupancy.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103062800-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN J SIDERIS

Date:	**8/8/2005**
Permit Type:	**SG**
Description:	**SIGN -** **Install illuminated Advertising Sign as shown on plans filed herewith. Copy text varies from time to time.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	104051026-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM COCHIERE

ADJOINING PROPERTY FINDINGS

Date:	**5/27/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **Install/relocate/ replace plumbing fixtures as shown on plans filed herewith. Construction in conjunction with this alteration is filed under seperate application 104077446. No change in use, egress, or occupancy.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104115431-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STANLEY BAXTER

Date:	**4/8/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN CON** **Interior renovation to include demolition of interior partitions & ceilings as needed, construction of new partitions and hung ceiling as required as shown on plans filed herewith. No change in use, egress, or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104077446-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE SHKRELI

ADJOINING PROPERTY FINDINGS

Date:	**1/25/2005**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M241907
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BLAKE ELEC. CONTR. CO., I

Date:	**8/19/2003**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **Interior alteration to convert space to flower arrangement and distribution center. Interior partitions, walk-in storage coolers, toilets, mechanical and all finishes. no change in use egress or occupancy.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103528675-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RONALD SCHIPPELL

ADJOINING PROPERTY FINDINGS

Date:	**8/11/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **Interior alteration to convert space to flower arrangement and distribution center. Interior partitions, walk-in storage coolers, toilets, mechanical and all finishes. no change in use egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103528675-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIM SHERIEAN

Date:	**8/11/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - PARTITIONS** **Interior alteration to convert space to flower arrangement and distribution center. Interior partitions, walk-in storage coolers, toilets, mechanical and all finishes. no change in use egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103528675-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIM SHERIEAN

ADJOINING PROPERTY FINDINGS

Date:	**4/11/2002**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN CONSTRUC** **General Construction to include construction of new partitions and finishes as shown on drawings submitted herewith. No change in use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103062800-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES PASTREICH

Date:	**4/11/2002**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **Modification to existing HVAC and new plumbing fixtures with associated piping as shown on submitted plans. No change in use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103062800-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES OASTREICH

ADJOINING PROPERTY FINDINGS

Date:	**4/12/2001**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **MINOR MODIFICATION AND INSTALLATION OF NON LOAD BEARING INTERIOR PARTNS** **TO CREATE ACCESSORY OFFICES AND PANTRY IN OFFICE SHOWROOM,FACTORY SPACE.INSTALL** **NEW PANTRY SINK AND DISHWASHER. NO CHANGE IN USE EGRESS OR OCCUPANCY**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	102900835-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE LEVINE

Date:	**2/5/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN.** **Interior renovation to include general construction and installation of plumbing fixtures with associated piping.** **No change in use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102937976-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE SHKRELI

ADJOINING PROPERTY FINDINGS

Date:	**2/5/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL NEW 5 TON AIR CONDITION UNIT.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	102937976-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE SHKRELI

Date:	**12/7/2000**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN.** **MINOR MODIFICATION AND INSTALLATION OF NON LOAD BEARING INTERIOR PARTNS** **TO CREATE ACCESSORY OFFICES AND PANTRY IN OFFICE SHOWROOM,FACTORY SPACE.INSTALL** **NEW PANTRY SINK AND DISHWASHER. NO CHANGE IN USE EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102900835-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL WARREN

ADJOINING PROPERTY FINDINGS

Date:	**6/30/1997**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M157611
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BIGMAN BROS., INC.

Date:	**1/5/1995**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - CHANGE OF USE AT FIRST FLOOR FROM FACTOR Y TO AUTO REPAIR SHOP. INSTALL NEW HANDICAPPED USABLE TOILET. REPLACE EXISTING HUNG CEILING WITH NEW IN EXISTI NG STORAGE ROOM. INSTALL NEW EXIT DOOR. INSTALL NEW EXHAUST FANS.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	100869008-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ERWIN GREENBERG

ADJOINING PROPERTY FINDINGS

Date: **3/12/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M092869
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: POLYPHASE ELEC'L CONTR'S.

554 W 28TH ST

Date: **8/5/2014**
Permit Type: **EW**
Description: **ALTERATION TYPE 2 - GEN. CONSTR.**
FILING FOR THE CONSTRUCTION OF NEW INTERIOR NON-LOAD BEARING PARTITIONS FOR NEW
PANTRY ON GROUND FLOOR. REDUCE LENGTH OF EXISTING BAR ON GROUND FLOOR.
INSTALLATION OF NEW ADA BAR COUNTER ON GROUND FLOOR AS SHOWN ON DRAWINGS FILED
HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 122045624-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ROBERT FLUET

ADJOINING PROPERTY FINDINGS

Date:	**6/25/2012**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF A HEAVY DUTY SIDEWALK SHED APPROXIMATELY 30' LONG AS PER PLANS DURING FACADE RESTORATION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. SHED TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	120988173-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EDWARD KELLY JR

Date:	**4/3/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FACADE PROPOSE RESTORATION WORK CONSISTING OF EXTERIOR FACADE REPAIR OF SILLS, MASONRY AND REPAIR AND/OR REPLACE BRICKS AS REQUIRED. NO CHANGE IN USE, OCCUPANCY AND EGRESS**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120903120-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL YATES

ADJOINING PROPERTY FINDINGS

Date:	**11/30/2007**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - INSTALLATION OF NEW 2 HR. FIRE RATED PARTITION AND EGRESS DOORS. AMEND CERTIFICATE OF OCCUPANCY -0\103456065 TO INCLUDE CABARET WITH PATRON DANCING USE ON THE FIRST FLOOR OF EXISTING EATING AND DRINKING ESTABLISHMENT.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	110013912-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BOB FLUET

Date:	**10/15/2003**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1 Establish open air eating and/or drinking establishment at roof, in conjunction with existing single tenant eating and drinking establishment at first and second floors. Related construction and plumbing work.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103456065-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HOWARD SCHRIER

ADJOINING PROPERTY FINDINGS

Date:	**10/5/2003**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M227329
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAREDO ELECTRIC, INC.

Date:	**6/5/2003**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 -** **Establish open air eating and/or drinking establishment at roof, in conjunction with existing single tenant eating and drinking establishment at first and second floors. Related construction and plumbing work.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103456065-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CARL WARDALLY

ADJOINING PROPERTY FINDINGS

Date:	**10/10/2001**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - CHANGE USE TO THE FIRST AND 2ND FLOOR TO NEW EATING AND DRINKING ESTAB LISHMENT.ALL NEW WORK PROVIDED UNDER SEP ARATE APPLICATION #1025445649 EXCEPT NEW HVAC WWORK IS FILED AS SUBSEQUENT AP PLICATION FILED SIMULTANEOUSLY**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	102502864-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CARL WARDALLY

Date:	**6/4/2001**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 INSTALL NEW PARTITIONS, INTERIOR STAIRS, CEILINGS AND PLUMBING FIXTURES AS PER PLANS. PROVIDE NEW STRUCTURAL SUPPORTS AT STAIR OPENINGS. REMOVE PARTIAL INTERIOR PARTITIONS AS PER PLANS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	102545649-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH E FERDINANDO

ADJOINING PROPERTY FINDINGS

Date:	**5/25/2001**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M201734
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAUSE ELECTRIC CO.

Date:	**5/1/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN CONST INSTALL NEW PARTITIONS, INTERIOR STAIRS, CEILINGS AND PLUMBING FIXTURES AS PER PLANS. PROVIDE NEW STRUCTURAL SUPPORTS AT STAIR OPENINGS. REMOVE PARTIAL INTERIOR PARTITIONS AS PER PLANS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102545649-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CARL WADELLY

ADJOINING PROPERTY FINDINGS

600 W 28TH ST

Date:	**1/6/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION** **INSTALL FIRE SUPPRESSION SYSTEM ONLYNO CHANGE IN USE, EGRESS OR OCCU** **PANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	104318098-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	REYNOLD ALEXANDER

Date:	**9/16/2005**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - SIGN STRUCTURE** **ERECT SIGN STRUCTURE. SIGN FILED SEPARATELY #. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	104181494-01-AL
Status:	REISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID BROWN

ADJOINING PROPERTY FINDINGS

Date:	**9/16/2005**
Permit Type:	**SG**
Description:	**SIGN -** **ERECT NON-ILLUM. ADVERTISING SIGN ON WALL STRUCTURE. STRUCTURE FILED** **SEPARATELY #. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	104181500-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT BROWN

Date:	**12/18/1985**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	044023
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN TURCHIN, INC. M TURCHIN

ADJOINING PROPERTY FINDINGS

606 W 28TH ST

Date: **5/15/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M340469
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: MIDLAND ELEC'L CO., INC.

Date: **4/26/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M339660
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: MIDLAND ELEC'L CO., INC.

ADJOINING PROPERTY FINDINGS

W 29TH ST

501 W 29TH ST

Date:	**10/5/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER** **REPLACE BOILER AND OIL BURNER (NYC BOILER No. MD28033-01) NO CHANGE IN** **EGRESS, OCCUPANCY OR USE UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	103936323-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JACK PICCININNI

Date:	**10/5/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FUEL BURNING** **REPLACE BOILER AND OIL BURNER (NYC BOILER No. MD28033-01) NO CHANGE IN** **EGRESS, OCCUPANCY OR USE UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL BURNING
Permit Number:	103936323-01-EW-FB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JACK PICCININNI

ADJOINING PROPERTY FINDINGS

Date:	**5/5/1997**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M155190
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BARTH-GROSS ELEC. CO., IN

Date:	**7/25/1995**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALL SHED 24' DURING FACADE REPAIR. NO CHANGE TO USE EGRESS OR OCCUP ANCY. SHED TO COMPLY WITH LL33/91.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	101100238-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN BRESLIN

ADJOINING PROPERTY FINDINGS

Date: **8/30/1993**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M110632
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: LOUIS DEM ELECTRICAL INC. LOUIS DEMICHELE

Date: **8/16/1991**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class:
Proposed Use: FUEL BURNING
Permit Number: 100268737-01-EW-FB
Status:
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date:	**8/16/1991**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FUEL STORAGE** **CHANGE OF OIL FROM #4 TO #2 AND BURNER R EPL. NO CHANGE IN EGRESS OR OC** **UPANCY IS INVOLVED UNDER THIS APPLICATIO N.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL STORAGE
Permit Number:	100268737-01-EW-FS
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK HAYDEN

Date:	**5/29/1991**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M082504
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STANCO ELECTRIC CORP. RALPH PRINCIPE, STANCO ELECTRIC CORP. T STANCO

ADJOINING PROPERTY FINDINGS

506 W 29TH ST

Date:	**10/17/2013**
Permit Type:	**DM**
Description:	**FULL DEMOLITION -** **FULL DEMOLITION OF ONE STORY COMMERCIAL BUILDING**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	121480931-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARDY DALTON

Date:	**10/17/2013**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE** **FULL DEMOLITION OF ONE STORY COMMERCIAL BUILDING**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	121480931-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARDY DALTON

ADJOINING PROPERTY FINDINGS

Date:	**5/25/2012**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **NEW GAS SERVICE TO EXISTING GAS FIRED EQUIPMENT IN COMMERCIAL SPACE. NO CHANGE** **IN USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	121059656-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NICHOLAS KIOUZELLIS

Date:	**1/2/2002**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M208162
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VIRGINIA LIGHTING FIXTURE

ADJOINING PROPERTY FINDINGS

Date:	**12/28/2001**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED REMOVE ELEVATED ROADWAY(HIGHLINE) ERECT 91' OF HEAVEY DUTY SIDEWALK SHED**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SIDEWALK SHED
Permit Number:	102486533-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT SINGLEY

Date:	**2/26/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - REMOVAL REMOVE ELEVATED ROADWAY(HIGHLINE) ERECT 91' OF HEAVEY DUTY SIDEWALK SHED**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102486533-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT SINGLEY

ADJOINING PROPERTY FINDINGS

508 W 29TH ST

Date:	**7/19/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED PROPOSED INSTALLATION OF HEAVY DUTY SIDEWALK SHED FILED FOR REMEDIAL REPAIRS AS PER PLANS. NO CHANGE IN USE OCCUPANCY OR EGRESS UNDER THIS APPLICATION. LIVE LOAD 300 PER SQUARE FEET. SIDEWALK SHED SHALL COMPLY WITH CHAPTER#33 OF THE 2008 CODE.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	123313967-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARJIT SINGH

Date:	**7/6/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M398210
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALSON ELEC'L CONTR. INC

ADJOINING PROPERTY FINDINGS

Date:	**12/15/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **PROPOSED INTERIOR RENOVATION AT PARTIAL 2ND FLOOR APT.#3. CEILING, FLOORING &** **PARTITION WORK AS PER PLAN. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140439363-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMIN XIE

Date:	**9/15/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER** **REPLACE BOILER AND OIL BURNER (NYC BOILER NO. MD 28034-01).**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	122131157-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL S KAPLAN

ADJOINING PROPERTY FINDINGS

Date:	**9/15/2014**
Permit Type:	**EW**
Description:	
Permit Description:	**EQUIPMENT WORK**
Work Class:	
Proposed Use:	FUEL BURNING
Permit Number:	122131157-01-EW-FB
Status:	
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

Date:	**9/26/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. PROPOSED INTERIOR RENOVATION AT PARTIAL 4TH FLOOR APT. #11. CEILING, FLOORING & PARTITION WORK AS PER PLAN. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121390958-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMIN XIE

ADJOINING PROPERTY FINDINGS

Date:	**8/5/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **PROPOSED INTERIOR RENOVATION AT PARTIAL 1ST FLOOR APT. #18. CEILING, FLOORING &** **PARTITION WORK AS PER PLAN. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120786408-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMIN XIE

Date:	**4/18/2001**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED** **INSTALL HEAVY DUTY SIDEWALK SHED: 50' LONG** **WORK SHALL COMPLY WITH LL33/91** **NO CHANGE IN USE EGRESS OR OCCUPANCY**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	102531235-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TERRY COYNE

ADJOINING PROPERTY FINDINGS

Date:	**12/13/1991**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF 60 LINEAR FEET OF SIDEWA LK BRIDGE ON WEST 29T ST. DURIN FACADE REPAIR TO COMPLY WITH LL33/91 NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	100325809-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LEWART BRADLY

Date:	**2/9/1991**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M078392
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WM. R VANDERLINDEN, CO. I WILLIAM VANDERLINDEN

ADJOINING PROPERTY FINDINGS

512 W 29TH ST

Date:	**12/12/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF SCAFFOLD AS PER DRAWINGS. SCAFFOLD SHALL COMPLY WITH CHAPTER #33 OF THE NYC BUILDING CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	140439247-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SELU VLADISLAV-MIHUT

Date:	**2/13/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A GJJ(MODEL SC270/270GZ)PERSONNEL/MATERIAL DUAL CAR HOIST AS PER PLANS DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. HOIST TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122270791-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

ADJOINING PROPERTY FINDINGS

Date:	**6/25/2012**
Permit Type:	**DM**
Description:	**FULL DEMOLITION -** **FULL DEMOLITION OF ONE STORY GARAGE, USING MECHANICAL MEANS.**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	120919550-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARDY DALTON

Date:	**6/25/2012**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE** **FULL DEMOLITION OF ONE STORY GARAGE, USING MECHANICAL MEANS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	120919550-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARDY DALTON

ADJOINING PROPERTY FINDINGS

Date:	**4/15/2010**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - CHANGE CERTIFICATE OF OCCUPANCY FROM RESTAURANT USE GROUP 12 TO AUTO RENTAL ES TABLISHMENT USE GROUP 8 LIMITED TO 18 CARS.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	120055901-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID TURNER

Date:	**8/21/2008**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR REMOVE INTERIOR NON BEARING PARTITIONS AND FINISHES. INCLUDE HUNG ACOUSTICAL FILE CLG.AND SUPPORT. NO CHANGE IN USE, EGRESS OR OCCUPANCY. NO INCREASE IN EXISTING FLOOR AREA.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110295733-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	YEHUDA LEVY

ADJOINING PROPERTY FINDINGS

Date:	**4/8/2003**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M222031
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	COMPUTER AUTOMTD MACH LTD RICHARD ALTMAN

Date:	**3/18/2003**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - Filed for change of use only. No work associated with this application. Change occupancy from Garage/Freight Depot to Cabaret, Eating and Drinking establishment without restrictions. All construction work will be filed under separate ALT II application, # .**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103297200-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES MANSFIELD

ADJOINING PROPERTY FINDINGS

Date:	**1/14/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **Modification to existing sprinkler system on the first floor.No change in use,egress,or occuppancy under this application.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	103337854-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HOWARD SCHREIER

Date:	**11/12/2002**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **Installation of non load bearing interior partitions in conjunction with change of use to cabaret filed and approved under ALT I . Create bathrooms, bar and seating areas. Install new plumbing fixtures in new bathrooms, install new HVAC equipment as per plans. No change to existing use, occupancy or egress undee this application.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103297219-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM GRAND

ADJOINING PROPERTY FINDINGS

Date:	**11/7/2002**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **Installation of non load bearing interior partitions in conjunction with change of use to cabaret filed and approved under ALT I . Create bathrooms, bar and seating areas. Install new plumbing fixtures in new bathrooms, install new HVAC equipment as per plans. No change to existing use, occupancy or egress undee this application.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103297219-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES MANSFIELD

Date:	**11/7/2002**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **Installation of non load bearing interior partitions in conjunction with change of use to cabaret filed and approved under ALT I . Create bathrooms, bar and seating areas. Install new plumbing fixtures in new bathrooms, install new HVAC equipment as per plans. No change to existing use, occupancy or egress undee this application.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103297219-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES MANSFIELD

ADJOINING PROPERTY FINDINGS

515 W 29TH ST

Date:	**1/30/2018**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - TUP** **THIS APPLICATION IS FILED FOR A TEMPORARY USE PERMIT FOR A SALES OFFICE** **INCLUDING MODEL APARTMENTS PURSUANT TO SECTION AC-28-111 AND BUILDINGS BULLETIN** **2010-002.APPLICATION FILED IN CONJUNCTION WITH ALT 1 # 110188788**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	123190803-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PATRICK MCGOWAN

Date:	**1/4/2018**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **REMOVE ALL SPRINKLER HEADS AND PIPING ON FLOORS CELL THRU 006 AS PER FDNY** **APPROVAL. CONVERT CURRENT STANDPIPE TO ALARMED DRY STANDPIPE IN EXISTING** **LOCATION. SUBSEQUENTLY, ALARMED DRY STANDPIPE TO BE INSTALLED IN NEW LOCATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	122626952-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH V MILOHNIC

ADJOINING PROPERTY FINDINGS

Date:	**1/4/2018**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER REMOVE ALL SPRINKLER HEADS AND PIPING ON FLOORS CELL THRU 006 AS PER FDNY APPROVAL. CONVERT CURRENT STANDPIPE TO ALARMED DRY STANDPIPE IN EXISTING LOCATION. SUBSEQUENTLY, ALARMED DRY STANDPIPE TO BE INSTALLED IN NEW LOCATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122626952-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH V MILOHNIC

Date:	**12/22/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER HEREWITH FILING FOR SPYDER CRANE INSTALLATION AS PER PLANS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. JOB IN CONJUNCTION WITH DOB # 122743754**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140566206-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STEPHEN ROSNER

ADJOINING PROPERTY FINDINGS

Date:	**12/19/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **FILING HEREWITH INSTALLATION OF SPRINKLER/STANDPIPE SYSTEMS IN CONJUNCTION WITH** **ALT 1 NO. 110188788**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	122047631-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH V MILOHNIC

Date:	**12/19/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **FILING HEREWITH INSTALLATION OF SPRINKLER/STANDPIPE SYSTEMS IN CONJUNCTION WITH** **ALT 1 NO. 110188788**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122047631-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH V MILOHNIC

ADJOINING PROPERTY FINDINGS

Date:	**12/14/2017**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - FILING HEREWITH FOR ALT 1 CHANGE IN USE & ENLARGEMENT TO CONVERT EXISTING 6-STORY FACTORY TO 11-STORY RESIDENTIAL APARTMENT BUILDING WITH COMMERCIAL USE ON THE LOWER LEVEL.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	110188788-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PATRICK MCGOWAN

Date:	**12/14/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FOUNDATION FILING HEREWITH FOUNDATION WORK IN CONJUNCTION WITH ALT 1 NO. 110188788**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121914189-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS DESOUSA

ADJOINING PROPERTY FINDINGS

Date:	**12/14/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SOE FILING HEREWITH SUBSEQUENT SUPPORT OF EXCAVATION WORK ASSOCIATED WITH THE FOUNDATION WORK PREVIOUSLY SUBMITTED.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121914189-03-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS DESOUSA

Date:	**12/14/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SUPERSTRUCTURE FILING HEREWITH SUPERSTRUCTURE WORK IN CONJUNCTION WITH ALT 1 NO. 110188788**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121914205-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PATRICK MCGOWAN

ADJOINING PROPERTY FINDINGS

Date:	**12/14/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. FILING HEREWITH PARTIAL DEMO OF FLOORS ON CEL, 1ST, AND 2ND FLOORS AS INDICATED ON PLANS. WORK IS FILED TO REMOVE EXISTING WOOD FLOOR JOIST AND REPLACE WITH CONCRETE SLABS, WORK INCLUDES CONSTRUCTION OF TEMPORARY STAIRS DURING CONSTRUCTION AND PERMANENT EGRESS STAIRS. FILED IN CONJUNCTION WITH ALT 1 NO. 110188788**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122034869-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PATRICK MCGOWAN

Date:	**12/14/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL FILING HEREWITH SUBSEQUENT STRUCTURAL DEMO AND CONSTRUCTION WORK FOR REMOVAL OF EXISTING WOOD FLOOR JOISTS TO BE REPLACED WITH CONCRETE SLABS ON METAL DECKING. FILED IN CONJUNCTION WITH ALT 1 NO. 110188788**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122034869-02-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PATRICK MCGOWAN

ADJOINING PROPERTY FINDINGS

Date:	**12/12/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF SIDEWALK SHED AS PER PLANS. WORK SHALL COMPLY WITH 2008 BUILDING CODE CHAPTER 33. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	140283805-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LORRAINE HOSTY

Date:	**8/11/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - CHUTE INSTALLATION OF TEMPORARY DEBRIS CHUTE AS PER PLAN SUBMITTED. WORK SHALL COMPLY WITH 2014 BUILDING CODES CHAPTER 33. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	CHUTE
Permit Number:	140680582-01-EQ-CH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER O'FARRELL

ADJOINING PROPERTY FINDINGS

Date:	**7/25/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **FILING HEREWITH INSTALLATION OF EMERGENCY GENERATOR ON ROOF, IN CONJUNCTION WITH** **ALT 1 NO. 110188788 AND MECHANICAL / PLUMBING NO. 121914198,STRUCTURAL SUPPORTS** **FOR GENERATOR FILED SEPARATE#121914205**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	121934390-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PATRICK MCGOWAN

Date:	**7/6/2017**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **FILING HEREWITH MECHANICAL AND PLUMBING WORK IN ASSOCIATION WITH ALT 1 NO.** **110188788**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	121914198-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH V MILOHNIC

ADJOINING PROPERTY FINDINGS

Date: **3/29/2017**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M394059
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: JAM ELECTRICAL CORP

Date: **3/24/2017**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M393872
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: M.C. ELECTRICAL NY INC

ADJOINING PROPERTY FINDINGS

Date:	**3/22/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF GLASS MANIPULATOR AS PER PLAN FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140619542-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STEPHEN ROSNER

Date:	**8/17/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	MINOR WORK
Proposed Use:	
Permit Number:	M385492
Status:	ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation:	$0.00
Contractor Company:	
Contractor Name:	M.C. ELECTRICAL NY INC

ADJOINING PROPERTY FINDINGS

Date:	**6/16/2016**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER FILED FOR MECHANICAL MEANS EQUIPMENT A URW306 MINI CRAWLER CRANE FOR WORK IN THE ENTIRE BUILDING. URW306 MINI CRAWLER CRANE SPECIFICATIONS ATTACHED AS SHOW N ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122743754-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PATRICK MCGOWAN

Date:	**1/6/2016**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF 6,200 LBS ALIMAK SCANDO 28/37 TD SINGLE CAGE TEMPORARY MATERIAL/ PERSONNEL HOIST AS PER PLAN. WORK TO COMPLY WITH A10.4-81, DOB RS 18 -7 AND 2008 BUILDING CODE.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140290637-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HOSTY LORRAINE

ADJOINING PROPERTY FINDINGS

Date:	**12/16/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - CHUTE INSTALLATION OF DEBRIS CHUTE AS PER PLANS. WORK SHALL COMPLY WITH 2014 BUILDING CODE CHAPTER 33. NO CHANGE IN USE EGRESS OR OCCUPANCY**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	CHUTE
Permit Number:	140439755-01-EQ-CH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LORRAINE HOSTY

Date:	**11/24/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE INSTALLATION OF FENCE AS PER PLANS. WORK SHALL COMPLY WITH 2008 BUILDING CODE CHAPTER 33. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	140283734-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LORRAINE HOSTY

ADJOINING PROPERTY FINDINGS

Date:	**11/24/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF ROOF PROTECTION AS PER PLANS. WORK SHALL COMPLY WITH 2008 BUILDING CODE CHAPTER 33. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140283761-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LORRAINE HOSTY

Date:	**11/24/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF SAFETY NETTING AS PER PLANS. WORK SHALL COMPLY WITH 2008 BUILDING CODE CHAPTER 33. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140283770-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LORRAINE HOSTY

ADJOINING PROPERTY FINDINGS

Date:	**11/24/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF PIPE SCAFFOLD AS PER PLANS. WORK SHALL COMPLY WITH 2008 BUILDING CODE CHAPTER 33. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	140283789-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LORRAINE HOSTY

Date:	**9/15/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL FILING HEREWITH STRUCTURAL MODIFICATIONS INCLUDING PARTIAL DEMO AND SHORING ASSOCIATED WITH ALT 1 ENLARGEMENT NO 110188788**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122259180-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PATRICK MCGOWAN

ADJOINING PROPERTY FINDINGS

Date:	**8/7/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC FILING HEREWITH MECHANICAL AND PLUMBING WORK IN ASSOCIATION WITH ALT 1 NO. 110188788**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	121914198-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PATRICK MCGOWAN

Date:	**7/30/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE FILING HEREWITH INSTALLATION OF TEMPORARY CONSTRUCTION FENCE (50 LINEAR FEET OF STREET FRONTAGE) IN CONJUNCTION WITH ALT 1 APPLICATION NO. 110188788**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	122069732-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PATRICK MCGOWAN

ADJOINING PROPERTY FINDINGS

Date:	**7/29/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - DEMO & SHORING FILING HEREWITH PARTIAL DEMOLITION OF 1ST FLOOR (WOOD DECK) AND ASSOCIATED TEMPORARY SHORING & BRACING IN CONJUNCTION WITH ALT 1 ENLARGEMENT #110188788.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121956062-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PATRICK MCGOWAN

Date:	**2/2/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER FILING HEREWITH FOR TEMPORARY SPRINKLER LOOP AS INDICATED ON PLANS. TEMPORARY SYSTEM TO BE IN OPERATION THROUGHOUT DEMOLITION AND CONSTRUCTION OPERATIONS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122034841-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH V MILOHNIC

ADJOINING PROPERTY FINDINGS

Date: **1/6/2015**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: ACTIVE
Proposed Use:
Permit Number: M362375
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: M.C. ELECTRICAL NY INC

Date: **12/10/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M361684
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: NASH ELECTRIC SERVICES IN

Date: **11/21/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M361103
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: NASH ELECTRIC SERVICES IN

ADJOINING PROPERTY FINDINGS

Date: **6/17/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M354980
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: ACCURATE ELEC'L CORP.

Date: **3/17/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M351490
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: M.C. ELECTRICAL NY INC

ADJOINING PROPERTY FINDINGS

Date:	**11/6/2013**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A 1200 LB CAPACITY MATERIAL HOIST DURING BLDG ALTERATION, FILED SEPARATELY. HOIST SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121822803-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VINCENT VENNERA

Date:	**10/25/2013**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1 FILING HEREWITH FOR ALT 1 CHANGE IN USE & ENLARGEMENT TO CONVERT EXISTING 6-STORY FACTORY TO 11-STORY RESIDENTIAL APARTMENT BUILDING WITH COMMERCIAL USE ON THE LOWER LEVEL.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	110188788-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH V MILOHNIC

ADJOINING PROPERTY FINDINGS

Date:	**12/6/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **FILE FOR PLUMBING WORK AND INTERIOR NON BEARING PARTITION WORK AS PER PLAN. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110396009-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HESKY HAIM

Date:	**3/7/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **FILE FOR PLUMBING WORK AND INTERIOR NON BEARING PARTITION WORK AS PER PLAN. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	110396009-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HESKY HAIM

ADJOINING PROPERTY FINDINGS

Date:	**1/6/2009**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M288382
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KWONG MING ELECTRIC INC

Date:	**12/3/2008**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **FILE FOR PLUMBING WORK AND INTERIOR NON BEARING PARTITION WORK AS PER PLAN. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110396009-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DARIO S DIAZ

ADJOINING PROPERTY FINDINGS

Date: **9/12/2006**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M259472
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: PAUL VERARDI

Date: **2/21/2006**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M254375
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ARTIC ELECTRIC CORP. JACK ASCHENDORF, ARTIC ELECTRIC CORP. MARIAN BRODNANSKY

ADJOINING PROPERTY FINDINGS

Date:	**12/13/2005**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 -** **Change of use on the 1st floor from factory to photographic studio/meeting room. Demolition of interior non-loadbearing partitions; construction of new partitions; amendment of existing air conditioning system; installation of plumbing fixtures.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	104187201-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS REYES

Date:	**1/16/2001**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M197090
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RALEIGH POWELL LIC ELEC

ADJOINING PROPERTY FINDINGS

Date:	**1/3/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER** **REPLACE OIL FIRED BOILER AND BURNER WITH A NEW OIL FIRED BOILER AND BURN** **IN EXISTING BOILER ROOM IN CELLAR NO CHANGE IN USE EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	102920252-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARRY DECOLA

Date:	**1/3/2001**
Permit Type:	**EW**
Description:	
Permit Description:	**EQUIPMENT WORK**
Work Class:	
Proposed Use:	FUEL BURNING
Permit Number:	102920252-01-EW-FB
Status:	
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date:	**5/14/1998**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALL SIDEWALK SHED 50' LONG . DURING FACADE REPAIR. WORK TO COMPLY WITH LL 33/91. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	101796451-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LORRAINE WOHLERS

Date:	**9/30/1991**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M086836
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	A.S.M. ELEC. & MACH. CORP A ROTHBORT, A.S.M. ELEC. & MACH. CORP NEIL KORMAN, A.S.M. ELEC. & MACH. CO

ADJOINING PROPERTY FINDINGS

Date:	**7/14/1991**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M084358
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	A.S.M. ELEC. & MACH. CORP A ROTHBORT, A.S.M. ELEC. & MACH. CORP NEIL KORMAN, A.S.M. ELEC. & MACH. CO

Date:	**7/26/1990**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **NEW PARTITIONS AND H.V.C.A. ON THE 2NDFL NO CHANGE IN USE, OCCUPANCY OR** **EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	100055495-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AL WOLF

ADJOINING PROPERTY FINDINGS

Date:	**7/26/1990**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - PARTI NEW PARTITIONS AND H.V.C.A. ON THE 2NDFL NO CHANGE IN USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	100055495-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AL WOLF

Date:	**2/20/1990**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M063673
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	A.S.M. ELEC. & MACH. CORP A ROTHBORT, A.S.M. ELEC. & MACH. CORP NEIL KORMAN, A.S.M. ELEC. & MACH. CO

ADJOINING PROPERTY FINDINGS

Date: **10/2/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M058576
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: A.S.M. ELEC. & MACH. CORP A ROTHBORT, A.S.M. ELEC. & MACH. CORP NEIL KORMAN, A.S.M. ELEC. & MACH. CO

Date: **1/10/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M047392
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: A.S.M. ELEC. & MACH. CORP A ROTHBORT, A.S.M. ELEC. & MACH. CORP NEIL KORMAN, A.S.M. ELEC. & MACH. CO

ADJOINING PROPERTY FINDINGS

Date:	**8/23/1988**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M041732
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	A.S.M. ELEC. & MACH. CORP A ROTHBORT, A.S.M. ELEC. & MACH. CORP NEIL KORMAN, A.S.M. ELEC. & MACH. CO

516 W 29TH ST

Date:	**5/2/2012**
Permit Type:	**DM**
Description:	**FULL DEMOLITION -** **FULL DEMOLITION OF ONE STORY WAREHOUSE USING MECHANICAL MEANS.**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	120919578-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARDY DALTON

ADJOINING PROPERTY FINDINGS

Date:	**5/2/2012**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE** **FULL DEMOLITION OF ONE STORY WAREHOUSE USING MECHANICAL MEANS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	120919578-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARDY DALTON

517 W 29TH ST

Date:	**1/26/2018**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **REMOVAL OF INTERIOR PARTITIONS, SHOW PROTECTION FOR EXISTING ELEVATOR SHAFTS TO** **RESPOND TO VIOLATION NO 35197577Y, NO CHANGE IN OCCUPANCY USE OR EGRESS**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	123305565-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JASON LEE

ADJOINING PROPERTY FINDINGS

Date:	**4/6/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE INSTALLATION OF TEMPORARY CONSTRUCTION FENCE AS PER PLANS. NO CHANGE IN USE, OCCUPANCY, OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	140615289-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JASON LEE

Date:	**11/30/2009**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M298087
Status:	ASSIGNED TO INSPECTOR
Valuation:	$0.00
Contractor Company:	
Contractor Name:	E.S.B. ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date: **11/6/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M059799
Status: VIOLATN PENDING AT CONTRACTOR
Valuation: $0.00
Contractor Company:
Contractor Name: MICHAEL STAHL & SON ELECT MARVIN STAHL

Date: **1/18/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M047896
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: MICHAEL STAHL & SON ELECT MARVIN STAHL

Date: **2/13/1987**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M020656
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: ACCU-GLO ELEC'L CORP. ROBERT MARCHISOTTO, ACCU-GLO ELEC'L CORP. JAY CITRIN

ADJOINING PROPERTY FINDINGS

Date: **2/24/1986**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 047381
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ACCU-GLO ELEC'L CORP. ROBERT MARCHISOTTO, ACCU-GLO ELEC'L CORP. JAY CITRIN

518 W 29TH ST

Date: **6/25/2012**
Permit Type: **DM**
Description: **FULL DEMOLITION -**
FULL DEMOLITION OF ONE STORY GARAGE USING MECHANICAL MEANS.

Permit Description: **DEMOLITION & REMOVAL**
Work Class: DM - FULL DEMOLITION
Proposed Use:
Permit Number: 120919569-01-DM
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: HARDY DALTON

ADJOINING PROPERTY FINDINGS

Date:	**6/25/2012**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE** **FULL DEMOLITION OF ONE STORY GARAGE USING MECHANICAL MEANS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	120919569-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARDY DALTON

Date:	**4/4/2008**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M279170
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AXCEL ELECTRIC CO., INC.

ADJOINING PROPERTY FINDINGS

Date:	**3/28/2008**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **PAA FILED TO INSTALL NEW 3" X 10" ROOFRAFTERS AT 12" ON CENTER AT MIDDLE BAY OF BUILDING AND REMOVE SPRAYBOOTH TO REMEDY VIOLATION 34505594 L** **16212.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104683166-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALLAN BROWNFELD

522 W 29TH ST

Date:	**1/24/2018**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - NO WORK TUP** **THIS APPLICATION IS FILED FOR A TEMPORARY USE PERMIT FOR A SALES OFFICE** **INCLUDING MODEL APARTMENTS PURSUANT TO SECTION AC 28-111 AND BUILDING BULLETIN** **2010-002.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	123196781-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SOO CHAN OWNER 621 WEST 27 STREET NEW YORK NY 10001

ADJOINING PROPERTY FINDINGS

Date:	**1/12/2018**
Permit Type:	**NB**
Description:	**NEW BUILDING - A NEW 11 STORY BUILDING**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121329561-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAIF SUMAIDA

Date:	**12/19/2017**
Permit Type:	**EQ**
Description:	**NEW BUILDING - CONSTRUCTION EQUIPMENT - FENCE ERECTION OF TEMPOROARY CONSTRUCTION FENCE AS SHOWN ON PLANS IN ASSOCIATION WITH NEW BUILDING.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	NB - NEW BUILDING
Proposed Use:	FENCE
Permit Number:	121329561-05-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAIF SUMAIEA

ADJOINING PROPERTY FINDINGS

Date:	**11/1/2017**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - FPP** **APPLICATION FILED FOR FIRE PROTECTION PLAN FOR NB #121329561**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	140630262-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAIF SUMAIDA

Date:	**10/27/2017**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - TPP** **APPLICATION FILED FOR TENANT PROTECTION PLAN IN CONJUNCTION WITH NB# 121329561.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	123169105-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAIF SUMAIDA

ADJOINING PROPERTY FINDINGS

Date:	**10/27/2017**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - MARQUEE** **INSTALLATION OF MARQUEE.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	140669863-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAIF SUMAIDA

Date:	**10/11/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **INSTALLATION OF SPRINKLER/STANDPIPE SYSTEM FOR NEW BUILDING 121329561**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	121328786-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT J HARRIS

ADJOINING PROPERTY FINDINGS

Date:	**10/11/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALLATION OF SPRINKLER/STANDPIPE SYSTEM FOR NEW BUILDING 121329561**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	121328786-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT J HARRIS

Date:	**6/26/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - OTHER** **INSTALLATION OF GLASS MANIPULATOR AS PER PLAN FILED HEREWITH. NO CHANGE IN USE,** **EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140658633-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STEPHEN ROSNER

ADJOINING PROPERTY FINDINGS

Date:	**5/1/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALLATION OF GAS FIRED EMERGENCY GENERATOR FILED IN CONJUNCTION WITH NB # 121329561. ALL RELATED PLUMBING WORK COVERED UNDER NB 121329561. NO CHANGE IN USE, EXITS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	140584794-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAIF SUMAIDA

Date:	**4/14/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	M394759
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FSM ELECTRICAL CORPORATIO

ADJOINING PROPERTY FINDINGS

Date:	**4/12/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER INSTALL BOILER(S) AS SHOWN.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	140584767-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GORDON J RUGG, JR

Date:	**2/10/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	M392060
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FSM ELECTRICAL CORPORATIO

Date:	**11/1/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	M388434
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FSM ELECTRICAL CORPORATIO

ADJOINING PROPERTY FINDINGS

Date: **6/7/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M382544
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: R.C.M. ELECTRIC CORP.

Date: **5/12/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M381538
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: FSM ELECTRICAL CORPORATIO

Date: **1/6/2016**
Permit Type: **PL**
Description: **PLUMBING - NEW BUILDING**
MECHANICAL AND PLUMBING WORK AS SHOW ON PLANS IN ASSOCIATION WITH NB

Permit Description: **PLUMBING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 121329561-04-PL
Status: REISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: GORDON J RUGG, JR

ADJOINING PROPERTY FINDINGS

Date: **1/6/2016**
Permit Type: **PL**
Description: **PLUMBING - ALTERATION TYPE 2**
UNDERGROUND PLUMBING FILED IN CONJUNCTION WITH NEW BUILDING# 121329561

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 121330461-01-PL
Status: REISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: GORDON J RUGG, JR

Date: **12/4/2015**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: ACTIVE
Proposed Use:
Permit Number: M375544
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **12/4/2015**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: ACTIVE
Proposed Use:
Permit Number: M375545
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date:	**10/20/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE INSTALLATION OF TEMPORARY AIR PRESSURIZED ALARM SYSTEM FOR DRY STANDPIPE SYSTEM DURING CONSTRUCTION. FILED IN CONJUNCTION WITH NEW BUILDING# 121329561**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	121331889-01-EW-SD
Status:	REISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GORDON J RUGG, JR

Date:	**10/2/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF PIPE SCAFFOLD AS PER PLANS. ALL WORK SHALL BE ACCORDING TO CHAPTER #33 OF THE 2008 NYC BUILDING CODE. NO CHANGE IN USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	140409038-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SIMRANPAL SINGH

ADJOINING PROPERTY FINDINGS

Date:	**8/20/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF 6000LB PERSONNEL/MATERIAL HOIST AS PER PLANS DURING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. HOIST TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140369241-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SIMRANPAL SINGH

Date:	**8/3/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M370730
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date: **8/3/2015**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: ACTIVE
Proposed Use:
Permit Number: M370738
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **3/2/2015**
Permit Type: **FO**
Description: **NEW BUILDING - EARTHWORK**
A NEW 11 STORY BUILDING

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 121329561-01-FO-EA
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: SAIF SUMAIEA

Date: **3/31/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M352038
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: CONTACT PLUS ELEC'L CORP

ADJOINING PROPERTY FINDINGS

Date:	**8/21/2013**
Permit Type:	**DM**
Description:	**FULL DEMOLITION -** **FULL DEMOLITION OF TWO STORY STRUCTURE USING MECHANICAL MEANS.**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	121594649-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANNA OPPEDISANO

Date:	**8/21/2013**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE** **FULL DEMOLITION OF TWO STORY STRUCTURE USING MECHANICAL MEANS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	121594649-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANNA OPPEDISANO

ADJOINING PROPERTY FINDINGS

Date:	**6/13/2013**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF SIDEWALK SHED AS PER PLAN. WORK SHALL COMPLY WITH 2008 BUILDING CODE CHAPTER 33. NO CHANGE IN USE, EGRESS OR OCCUPANCY**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	140087705-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOPHER DOWNES

Date:	**6/11/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M341472
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BOROWIDE ELECT'L CONTR'S

ADJOINING PROPERTY FINDINGS

Date:	**10/13/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL FIRE SUPPRESSION SYSTEM ONLY. NO CHANGE IN USE, EGRESS OR OCCUPA** **CY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104037542-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES LOSITO

Date:	**3/22/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1** **CHANGE OF USE FROM FACTORY TO (UG9) OFFS ITE CATERING FACILITY. ALL AS P** **& APPLICATIONS FILED HEREWITH.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	104038809-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES LOSITO

ADJOINING PROPERTY FINDINGS

Date:	**3/17/2005**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - CHANGE OF USE FROM FACTORY TO (UG9) OFFS ITE CATERING FACILITY. ALL AS P & APPLICATIONS FILED HEREWITH.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	104038809-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY CAIAZZO

Date:	**3/8/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION INSTALL FIRE SUPPRESSION SYSTEM ONLY. NO CHANGE IN USE, EGRESS OR OCCUPA CY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	104037542-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LESLIE MUNICH

ADJOINING PROPERTY FINDINGS

Date:	**4/26/2000**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **REPLACEMENT OF EXISTING OIL BOILER WITH NEW GAS BOILER, REMOVAL OF OIL** **TANKS.** **NO CHANGE IN USE, OCCUPANCY AND/OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	102885282-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSE NONDE

Date:	**4/26/2000**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - TANK REMOVAL** **SEE SECTION #16**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102885282-02-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSE NONDE

ADJOINING PROPERTY FINDINGS

Date:	**4/26/2000**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **REPLACEMENT OF EXISTING OIL BOILER WITH NEW GAS BOILER, REMOVAL OF OIL** **TANKS.** **NO CHANGE IN USE, OCCUPANCY AND/OR EGRESS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	102885282-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER BENTIVEGNA

Date:	**1/3/2000**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALLATION OF PACKAGE HEATING/COOLING UNITS AND ROOF DUNNAGE FOR SECOND** **FLOOR OFFICES, NEW GAS SERVICE, METERS AND RISERS.** **FILED IN CONJUNTION WITH JOB # 102001183 (APPROVED) FOR SECOND FLOOR ENLARGEMENT** **NO CHANGE IN USE, OCCUPANCY AND/OR MEANS OF EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	102861137-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSE CONDE

ADJOINING PROPERTY FINDINGS

Date:	**1/3/2000**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - DUNNAGE INSTALLATION OF PACKAGE HEATING/COOLING UNITS AND ROOF DUNNAGE FOR SECOND FLOOR OFFICES, NEW GAS SERVICE, METERS AND RISERS. FILED IN CONJUNTION WITH JOB # 102001183 (APPROVED) FOR SECOND FLOOR ENLARGEMENT NO CHANGE IN USE, OCCUPANCY AND/OR MEANS OF EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102861137-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSE CONDE

Date:	**1/3/2000**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 INSTALLATION OF PACKAGE HEATING/COOLING UNITS AND ROOF DUNNAGE FOR SECOND FLOOR OFFICES, NEW GAS SERVICE, METERS AND RISERS. FILED IN CONJUNTION WITH JOB # 102001183 (APPROVED) FOR SECOND FLOOR ENLARGEMENT NO CHANGE IN USE, OCCUPANCY AND/OR MEANS OF EGRESS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	102861137-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER BENTIVEGNA

ADJOINING PROPERTY FINDINGS

Date:	**11/22/1999**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - CONST.** **ERECT SECOND FLOOR ENLARGEMENT, RELOCATE TOILET, INSTALL NEW TOILET** **NO CHANGE IN USE, OCCUPANCY AND OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102001183-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSE CONDE

Date:	**11/8/1999**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **ERECT SECOND FLOOR ENLARGEMENT, RELOCATE TOILET, INSTALL NEW TOILET** **NO CHANGE IN USE, OCCUPANCY AND OR EGRESS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	102001183-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER BENTIVEGNA

ADJOINING PROPERTY FINDINGS

Date:	**11/3/1999**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M183492
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MANUEL SERTZEN, INC. MANUEL SERTZEN, MANUEL SERTZEN, INC. CESAR TIPIAN, MANUEL SERTZEN, INC.

Date:	**7/26/1999**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **ERECT SECOND FLOOR ENLARGEMENT, RELOCATE TOILET, INSTALL NEW TOILET** **NO CHANGE IN USE, OCCUPANCY AND OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	102001183-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSE CONDE

ADJOINING PROPERTY FINDINGS

Date: **2/2/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M063161
Status: VIOLATN PENDING AT CONTRACTOR
Valuation: $0.00
Contractor Company:
Contractor Name: RAYMOR ELECTRIC CORP. SEYMOUR FRANK

525 W 29TH ST

Date: **11/13/2017**
Permit Type: **PL**
Description: **PLUMBING - ALTERATION TYPE 2**
INTERIOR RENOVATION IN AN EXISTING EATING AND DRINKING ESTABLISHMENT. NO CHANGE
TO USE, EGRESS, OR OCCUPANCY.

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 123006273-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: DUANE D POLADIAN

ADJOINING PROPERTY FINDINGS

Date:	**10/25/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INTERIOR RENOVATION IN AN EXISTING EATING AND DRINKING ESTABLISHMENT. NO CHANGE TO USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	123006273-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALEX ROBERT

Date:	**10/25/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **INTERIOR RENOVATION IN AN EXISTING EATING AND DRINKING ESTABLISHMENT. NO CHANGE TO USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	123006273-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALEX ROBERT

ADJOINING PROPERTY FINDINGS

Date:	**10/25/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE INTERIOR RENOVATION IN AN EXISTING EATING AND DRINKING ESTABLISHMENT. NO CHANGE TO USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	123006273-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALEX ROBERT

Date:	**1/16/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M362796
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT S. COVELLO

ADJOINING PROPERTY FINDINGS

Date:	**7/27/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M109266
Status:	OBJECTION PENDING
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROMCON ELECTRIC, INC

Date:	**5/13/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. RENOVATION OF EXISTING BAR, DEMO, AND INTERIOR PARTITIONS AS PER PLANS. NO CHANGE IN EGRESS USE OR OCCUPANCY. PA FILED SEPARATELY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122005141-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MALCOLM STEVENSON

ADJOINING PROPERTY FINDINGS

Date:	**3/21/2013**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INTERIOR RENOVATION TO EXISTING ACCESSORY OFFICES TO UG 17 AS PER PLANS. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	121549681-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE TJORTJOGLOU

Date:	**3/20/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **INTERIOR RENOVATION TO EXISTING ACCESSORY OFFICES TO UG 17 AS PER PLANS. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121549681-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSE M COSTA

ADJOINING PROPERTY FINDINGS

Date:	**6/2/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1** **CONVERT FIRST FLOOR OF EXISTING FACTORY TO EATING AND DRINKING ESTABLISH** **MENT, INCLUDING MINOR INTERIOR PARTITION , PLUMBING AND HVAC WORK AS INDICATED** **ON PLANS. PLACE OF ASSEMBLY APPLICATION TO BE FILED SEPARATELY.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	104015094-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SCOTT BERN

Date:	**3/11/2005**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M243444
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FOSTER ELEC'L SVC., INC.

ADJOINING PROPERTY FINDINGS

Date:	**2/18/2005**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - CONVERT FIRST FLOOR OF EXISTING FACTORY TO EATING AND DRINKING ESTABLISH MENT, INCLUDING MINOR INTERIOR PARTITION , PLUMBING AND HVAC WORK AS INDICATED ON PLANS. PLACE OF ASSEMBLY APPLICATION TO BE FILED SEPARATELY.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	104015094-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALFONSO BONILLA

Date:	**11/23/1994**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER CONVERT EXISTING OIL BURNER TO GAS; INSTALL TWO HOT WATER BOILERS, AND NEW GAS SERVICE. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	100919133-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARIANO HERNANDEZ

ADJOINING PROPERTY FINDINGS

Date:	**11/23/1994**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **CONVERT EXISTING OIL BURNER TO GAS; INSTALL TWO HOT WATER BOILERS, AND NEW GAS SERVICE. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	100919133-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARIANO HERNANDEZ

Date:	**11/18/1991**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M088605
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MANUEL SERTZEN, INC. MANUEL SERTZEN, MANUEL SERTZEN, INC. CESAR TIPIAN, MANUEL SERTZEN, INC.

ADJOINING PROPERTY FINDINGS

526 W 29TH ST

Date:	**9/16/2013**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER TO INSTALL TEMPORARY ROOF PROTECTION. THIS APPLICATION INVOLVES NO CHANGE IN OCCUPANCY, USE OR EGRESS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121439684-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEVIN O'CALLAGHAN

Date:	**8/21/2013**
Permit Type:	**DM**
Description:	**FULL DEMOLITION - FULL DEMOLITION OF ONE STORY STRUCTURE, USING MECHANICAL MEANS.**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	121600428-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANNA OPPEDISANO

ADJOINING PROPERTY FINDINGS

Date:	**8/21/2013**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE** **FULL DEMOLITION OF ONE STORY STRUCTURE, USING MECHANICAL MEANS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	121600428-01-EQ-FN
Status:	REISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANNA OPPEDISANO

Date:	**6/14/2013**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED** **INSTALLATION OF SIDEWALK SHED AS PER PLAN. WORK SHALL COMPLY WITH 2008 BUILDING** **CODE CHAPTER 33. NO CHANGE IN USE, EGRESS OR OCCUPANCY**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	140087974-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOPHER DOWNES

ADJOINING PROPERTY FINDINGS

Date:	**6/14/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M341675
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BOROWIDE ELECT'L CONTR'S

Date:	**8/12/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **This application is being filed for plumbing and mechanical work as indicated on the plans submitted herewith.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103411283-03-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JANET CROSS

ADJOINING PROPERTY FINDINGS

Date:	**1/3/2005**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE** **This application is being filed for general construction in order to create a commercial art gallery as indicated on the plans submitted herewith. Alteration Type-I and PA to be filed under separate applications. No change to use, egress, or occupancy.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	103411283-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JANET CROSS

Date:	**1/3/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **This application is being filed for general construction in order to create a commercial art gallery as indicated on the plans submitted herewith. Alteration Type-I and PA to be filed under separate applications. No change to use, egress, or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103411283-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JANET CROSS

ADJOINING PROPERTY FINDINGS

Date:	**1/3/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - Structural** **This application is being filed for general structural work to create new masonry openings and install a new concrete slab on grade as indicated on plans submitted herewith. No change in use, egress, or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103411283-02-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JANET CROSS

Date:	**8/20/2003**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **This application is being filed for plumbing and mechanical work as indicated on the plans submitted herewith.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103411283-03-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ERROL SMALL

ADJOINING PROPERTY FINDINGS

527 W 29TH ST

Date:	**11/20/2008**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALL NEW SPRINKLER HEADS AT FIRST FLOOR AND MEZZANINE, ALL AS PER PLAN NO** **CHANGE IN USE EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	110276905-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PHILIP M TANELLA

Date:	**8/11/2008**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M283625
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MASSARO ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date:	**7/29/2008**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INTERIOR RENOVATION TO EXISTING RETAIL SPACE AT 1ST AND 1ST FLOOR MEZZANINE.** **REMOVE AND CONSTRUCT NEW PARTITION RELOCATE CONVENIENT STAIRS ,NEW STOREFRONT** **NEW HUNG CEILING, MODIFICATION TO MECHANICAL VENTILATION. REPLACE AND INSTALL** **NEW PLUMBING FIXTURES. ALL AS PER PLAN. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110187155-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN J MCCARTHY

Date:	**7/15/2008**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE** **INTERIOR RENOVATION TO EXISTING RETAIL SPACE AT 1ST AND 1ST FLOOR MEZZANINE.** **REMOVE AND CONSTRUCT NEW PARTITION RELOCATE CONVENIENT STAIRS ,NEW STOREFRONT** **NEW HUNG CEILING, MODIFICATION TO MECHANICAL VENTILATION. REPLACE AND INSTALL** **NEW PLUMBING FIXTURES. ALL AS PER PLAN. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	110187155-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANGELO MICHILLI

ADJOINING PROPERTY FINDINGS

Date:	**7/15/2008**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INTERIOR RENOVATION TO EXISTING RETAIL SPACE AT 1ST AND 1ST FLOOR MEZZANINE.** **REMOVE AND CONSTRUCT NEW PARTITION RELOCATE CONVENIENT STAIRS ,NEW STOREFRONT** **NEW HUNG CEILING, MODIFICATION TO MECHANICAL VENTILATION. REPLACE AND INSTALL** **NEW PLUMBING FIXTURES. ALL AS PER PLAN. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	110187155-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANGELO MICHILLI

Date:	**7/15/2008**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **INTERIOR RENOVATION TO EXISTING RETAIL SPACE AT 1ST AND 1ST FLOOR MEZZANINE.** **REMOVE AND CONSTRUCT NEW PARTITION RELOCATE CONVENIENT STAIRS ,NEW STOREFRONT** **NEW HUNG CEILING, MODIFICATION TO MECHANICAL VENTILATION. REPLACE AND INSTALL** **NEW PLUMBING FIXTURES. ALL AS PER PLAN. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110187155-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANGELO MICHILLI

ADJOINING PROPERTY FINDINGS

Date:	**5/14/2002**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **Sprinkler work in conjunction with alteration type Application I #102201092 that involved adding a story.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	103034976-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARRY GLEXINER

Date:	**9/6/2001**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1** **MECHANICAL AND PLUMBING WORK IN CONJUNCT ION WITH THE ADDITION OF A 4TH FLOOR.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	102201092-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARRY GLEIXNER

ADJOINING PROPERTY FINDINGS

Date:	**8/9/2001**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - ADDITION OF A STORY AT THE ROOF LEVEL. AMENDED CERTIFICATE OF OCCUPANCY TO BE OBTAINED.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	102201092-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOUGLAS REETZ

Date:	**6/5/2000**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF A HEAVY DUTY SIDEWALK SHED 30' DURING FACADE REPAIR NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	102638647-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARK ROTH

ADJOINING PROPERTY FINDINGS

Date: **5/10/2000**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M189900
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: APOLLO ELECTRIC INC.

Date: **12/2/1981**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 016754D
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: B MESSINA ELECT CONTR COR B MESSINA

ADJOINING PROPERTY FINDINGS

529 W 29TH ST

Date:	**9/22/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **ALTERATION OF A SECTION OF WALL TO CREATE AN OPENING AS PER THE PLANS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122871598-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMANDA REKEMEYER

Date:	**9/22/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **STRUCTURAL WORK RELATED TO THE ALTERATION OF A SECTION OF WALL TO CREATE AN** **OPENING AS PER THE PLANS FILED HEREWITH. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122871598-02-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMANDA REKEMEYER

ADJOINING PROPERTY FINDINGS

Date:	**10/3/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **FILING APPLICATION FOR THE MODIFICATION TO EXISTING SPRINKLER SYSTEM AT CELLAR** **AND 1ST FLOOR. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122902804-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALFRED J DELORENZO

Date:	**8/21/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M371460
Status:	NO ACCESS
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date: **8/21/2015**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: ACTIVE
Proposed Use:
Permit Number: M371464
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **7/21/2015**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: ACTIVE
Proposed Use:
Permit Number: M370214
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date:	**6/24/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. MODIFICATION OF PARTITIONS AND FINISHES TO ACCOMMODATE ALTERATIONS FOR THE NEW DAY CARE CENTER AT PARTIAL CELLAR & 1ST FLOOR AS PER PLANS FILED HEREWITH ONLY. NO CHANGE TO ZONING, USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122154505-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL S BERNSTEIN

Date:	**6/24/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC MODIFICATION OF HVAC EQUIPMENT AND DUCTWORK WITH ASSOCIATED PLUMBING WORK TO ACCOMMODATE ALTERATIONS FOR THE NEW DAY CARE CENTER ON PARTIAL CELLAR AND 1ST FLOOR AS PER PLANS FILED HEREWITH ONLY. NO CHANGE TO ZONING, USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122154505-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL S BERNSTEIN

ADJOINING PROPERTY FINDINGS

Date:	**6/23/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALLATION OF A 1 TON SPLIT UNIT IN THE CELLAR. NO CHANGE IN USE EGRESS OR** **OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122440233-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER BLAKE

Date:	**6/23/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **INSTALL NEW STRUCTURAL STEEL AND CONCRETE TO ACCOMMODATE NEW STAIR AND ELEVATOR** **AT EXISTING OPENINGS AT PARTIAL CELLAR AND 1ST FLOOR AS PER PLANS FILED HEREWITH** **ONLY. NO CHANGE TO ZONING, USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122154505-03-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL S BERNSTEIN

ADJOINING PROPERTY FINDINGS

Date:	**4/28/2015**
Permit Type:	**SG**
Description:	**SIGN - ERECT NON-ILLUMINATED ACCESSORY ACRYLIC LETTERS WALL SIGN ON ALUMINUM PANEL, NON ADVERTISING, NON FLASHING SIGN, NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	122390661-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE W COLE

Date:	**4/22/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER FILING APPLICATION FOR THE MODIFICATION TO EXISTING SPRINKLER SYSTEM AT CELLAR AND 1ST FLOOR. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122364342-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALFRED J DELORENZO

ADJOINING PROPERTY FINDINGS

Date:	**2/26/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **TEMPORARY STANDPIPE WORK AS PER PLANS SUBMITTED HEREWITH FILED IN CONJUNCTION** **WITH NB #121184994. NB ADDRESS IS 520 WEST 30 STREET.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	122001840-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL CONTOS

Date:	**1/15/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M362740
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NEW KC ELECTRIC INC

ADJOINING PROPERTY FINDINGS

Date: **12/23/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M362095
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: COGEN ELEC'L SERVICES,INC

Date: **12/20/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M360867
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: TUXEDO ELEC'L CONTR'G INC

ADJOINING PROPERTY FINDINGS

Date:	**12/11/2014**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 MODIFICATION OF HVAC EQUIPMENT AND DUCTWORK WITH ASSOCIATED PLUMBING WORK TO ACCOMMODATE ALTERATIONS FOR THE NEW DAY CARE CENTER ON PARTIAL CELLAR AND 1ST FLOOR AS PER PLANS FILED HEREWITH ONLY. NO CHANGE TO ZONING, USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122154505-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARC BRESLAW

Date:	**9/17/2014**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA MODIFICATION OF EXISTING ANTENNA SITE. REPLACING (8) ANTENNAS AND INSTALLING (1) ANTENNA ON THE ROOF. ALL WORK IS IN CONFORMANCE WITH TPPN $5/98. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	122118788-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH ROSEITT

ADJOINING PROPERTY FINDINGS

Date:	**7/17/2014**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - GEN. CONSTR.** **BUILDERS PAVEMENT PLAN FILED IN CONJUNCTION WITH NEW BUILDING 121182031. 1846** **SF TOTAL. 142 LF NEW CURB. 347 SY NEW ROADWAY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	121183067-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARELIS BATISTA

Date:	**7/8/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL NON-EMERGENCY GAS GENERATOR ON THE ROOF. RELATED PLUMBING IN BASEMENT,** **OSP, AND ROOF. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	121896724-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH ROSEITT

ADJOINING PROPERTY FINDINGS

Date:	**7/2/2014**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA NEW ANTENNA INSTALLATION. INSTALLING NEW TELECOMMUNICATION CABINETS, RELATED DUNNAGE, RAIN CANOPY, AND ANTENNAS ON THE ROOF. ALL WORK IS IN CONFORMANCE WITH TPPN #5/98. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	121896715-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH ROSEITT

Date:	**5/29/2014**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 INSTALL NON-EMERGENCY GAS GENERATOR ON THE ROOF. RELATED PLUMBING IN BASEMENT, OSP, AND ROOF. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	121896724-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FOTIOS TSALTAS

ADJOINING PROPERTY FINDINGS

Date:	**2/25/2014**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - MARQUEE** **INSTALLATION OF A MARQUEE FILED IN CONJUNCTION WITH NB #121182031 AS PER PLANS** **FILED HEREWITH. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	121859060-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GREG BAUSO

Date:	**2/24/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M350579
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RC3 ELECTRIC, LLC

ADJOINING PROPERTY FINDINGS

Date:	**1/29/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	M350244
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HORSEPOWER ELECTRIC.&

Date:	**1/23/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - TENANT PROTECT FILING TENANT PROTECTION PLAN IN CONJUNCTION WITH NB APPLICATION #121182031**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121901219-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK DEVITO

ADJOINING PROPERTY FINDINGS

Date: **12/10/2013**
Permit Type: **EW**
Description: **ALTERATION TYPE 2 - MECH/HVAC**
EMERGENCY GENERATOR FILED IN CONJUNCTION WITH NEW BUILDING 121182031.

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: MECHANICAL/HVAC
Permit Number: 121183833-01-EW-MH
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: GREG BAUSO

Date: **12/3/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M348120
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: HORSEPOWER ELECTRIC.&

Date: **11/13/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M347454
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: MODERN TREND ELECL CONTRG

ADJOINING PROPERTY FINDINGS

Date:	**10/23/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	M346742
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HORSEPOWER ELECTRIC.&

Date:	**9/23/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER** **BOILER INSTALLATION IN CONJUNCTION WITH NB 121182031. NO CHANGE TO USE, EGRESS** **OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	140114301-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL CONTOS

ADJOINING PROPERTY FINDINGS

Date:	**8/14/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	M344022
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HORSEPOWER ELECTRIC.&

Date:	**6/10/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **STANDPIPE & SPRINKLER SYSTEM FILED IN CONJUNCTION WITH NEW BUILDING 121182031.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	121183824-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL CONTOS

ADJOINING PROPERTY FINDINGS

Date: **6/10/2013**
Permit Type: **EW**
Description: **ALTERATION TYPE 2 - SPRINKLER**
STANDPIPE & SPRINKLER SYSTEM FILED IN CONJUNCTION WITH NEW BUILDING 121182031.

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: SPRINKLER
Permit Number: 121183824-01-EW-SP
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MICHAEL CONTOS

Date: **4/26/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M339687
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: HORSEPOWER ELECTRIC.&

Date: **4/11/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M339059
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: STAR-DELTA ELECTRIC, LLC

ADJOINING PROPERTY FINDINGS

Date: **4/9/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M338966
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: STAR-DELTA ELECTRIC, LLC

Date: **4/1/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M336849
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: JAM ELECTRICAL CORP

Date: **3/5/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M337597
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: HORSEPOWER ELECTRIC.&

ADJOINING PROPERTY FINDINGS

Date:	**2/27/2013**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF ADJACENT PROPERTY OVERHEAD PROTECTION AS PER PLANS DURING NEW BUILDING CONSTRUCTION.NO CHANGE IN USE, EGRESS OR OCCUPANCY.OVERHEAD PROTECTION TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121530361-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

Date:	**2/5/2013**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF A HEAVY DUTY SIDEWALK SHED APPROXIMATELY 40'LONG AS PER PLANS DURING NEW BUILDING CONSTRUCTION.NO CHANGE IN USE, EGRESS OR OCCUPANCY.SIDEWALK SHED TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	121524261-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

ADJOINING PROPERTY FINDINGS

Date: **2/5/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M336563
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: HORSEPOWER ELECTRIC.&

Date: **2/5/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M336567
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: HORSEPOWER ELECTRIC.&

ADJOINING PROPERTY FINDINGS

Date:	**1/23/2013**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A STROS 7000D NOV 3242 UFC-II PERSONNEL/MATERIAL DUAL CAR HOIST AS PER PLANS DURING NB CONSTRUCTION.NO CHANGE IN USE, EGRESS OR OCCUPANCY.HOIST TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121499173-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

Date:	**1/7/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M335523
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HORSEPOWER ELECTRIC.&

ADJOINING PROPERTY FINDINGS

Date:	**12/12/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **TEMPORARY PRESSURIZED STANDPIPE FILED IN CONJUNCTION WITH NEW BUILDING** **121182031.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	121183815-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL CONTOS

Date:	**11/27/2012**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING** **PLUMBING AND MECHANICAL WORK AS PER PLANS SUBMITTED HEREWITH IN CONJUNCTION WITH** **15 STY NB.**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121182031-06-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VINCENT ASPROMONTE JR

ADJOINING PROPERTY FINDINGS

Date:	**10/24/2012**
Permit Type:	**NB**
Description:	**NEW BUILDING - N/A**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121182031-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JENS HANSEN

Date:	**10/16/2012**
Permit Type:	**FO**
Description:	**NEW BUILDING - FOUNDATION/EARTHWORK N/A**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121182031-01-FO
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GREG BAUSO

ADJOINING PROPERTY FINDINGS

Date:	**8/20/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. SUPPORT OF EXCAVATION DRAWINGS BEIGN FILED IN CONJUNCTION WITH NEW BUILDING APPLICATION # 121182031. NO CHANGE TO USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121347220-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JENS HANSEN

Date:	**6/21/2012**
Permit Type:	**EQ**
Description:	**NEW BUILDING - CONSTRUCTION EQUIPMENT - FENCE N/A**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	NB - NEW BUILDING
Proposed Use:	FENCE
Permit Number:	121182031-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BAUSO GREG

ADJOINING PROPERTY FINDINGS

Date:	**6/21/2012**
Permit Type:	**FO**
Description:	**NEW BUILDING - EARTHWORK** **N/A**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121182031-01-FO-EA
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BAUSO GREG

Date:	**6/30/2011**
Permit Type:	**DM**
Description:	**FULL DEMOLITION -** **FULL DEMOLITION OF ONE STORY STRUCTURE, USING MECHANICAL MEANS**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	120696791-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL O'BRIEN

ADJOINING PROPERTY FINDINGS

Date:	**6/30/2011**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE** **FULL DEMOLITION OF ONE STORY STRUCTURE, USING MECHANICAL MEANS**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	120696791-01-EQ-FN
Status:	REISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH MARRONE

Date:	**4/13/2011**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD** **PROPOSED INSTALLATION OF 26 F HIGH PIPE SCAFFOLD FOR PROTECTION PURPOSES. THERE** **SHALL BE NO CHANGE IN USE, OCCUPANCY, OR EGRESS TO THE BUILDING FOR THIS FILNG.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	120649110-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PHILIP SUSI

ADJOINING PROPERTY FINDINGS

Date:	**4/11/2011**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE PROPOSED INSTALLATION OF SHED PERIMETER FENCE FOR PROTECTION PURPOSES. THERE SHALL BE NO CHANGE IN USE, OCCUPANCY, OR EGRESS TO THE BUILDING FOR THIS FILNG.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	120649094-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PHILIP SUSI

Date:	**4/7/2011**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED PROPOSED INSTALLATION OF SIDEWALK SHED FOR PROTECTION PURPOSES. THERE SHALL BE NO CHANGE IN USE, OCCUPANCY, OR EGRESS TO THE BUILDING FOR THIS FILNG.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	120648521-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PHILIP SUSI

ADJOINING PROPERTY FINDINGS

Date: **4/4/2011**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M313170
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: RPM ELECTRIC INC ALLAN VICTOR

Date: **2/10/1998**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M217810
Status: NO ACCESS
Valuation: $0.00
Contractor Company:
Contractor Name: INTERPHASE ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

534 W 29TH ST

Date:	**11/9/2017**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING** **MECHANICAL AND PLUMBING WORK AS SHOW ON PLANS IN ASSOCIATION WITH NB**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121332673-04-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY YU

Date:	**11/9/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **INSTALLATION OF TEMPORARY AIR PRESSURIZED ALARM SYSTEM FOR DRY STANDPIPE SYSTEM** **DURING CONSTRUCTION. FILED IN CONJUNCTION WITH NEW BUILDING# 121332673**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	122659694-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL AMANTEA

ADJOINING PROPERTY FINDINGS

Date:	**11/9/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **INSTALLATION OF SPRINKLER/STANDPIPE SYSTEM FOR NEW BUILDING** **121332673**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	140458314-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY YU

Date:	**11/9/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALLATION OF SPRINKLER/STANDPIPE SYSTEM FOR NEW BUILDING** **121332673**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140458314-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY YU

ADJOINING PROPERTY FINDINGS

Date:	**7/18/2017**
Permit Type:	**FO**
Description:	**NEW BUILDING - FOUNDATION/EARTHWORK** **A NEW 9 STORY RESIDENTIAL BUILDING**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121332673-01-FO
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TIM DEVLIN

Date:	**7/18/2017**
Permit Type:	**FO**
Description:	**NEW BUILDING - EARTHWORK** **A NEW 9 STORY RESIDENTIAL BUILDING**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121332673-01-FO-EA
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TIM DEVLIN

ADJOINING PROPERTY FINDINGS

Date:	**7/18/2017**
Permit Type:	**NB**
Description:	**NEW BUILDING -** **A NEW 9 STORY RESIDENTIAL BUILDING**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121332673-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TIM DEVLIN

Date:	**2/6/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M391863
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MIKOMA ELECTRIC LLC

Date:	**1/30/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	M391583
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MIKOMA ELECTRIC LLC

ADJOINING PROPERTY FINDINGS

Date:	**1/20/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF HEAVY DUTY 300PSF SIDEWALK SHED AS PER PLANS. NO CHANGE IN USE, EGRESS OR OCCUPANCY. SIDEWALK SHED SHALL COMPLY WITH CHAPTER #33 OF THE NYC BUILDING CODE.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	140593016-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JEROD GALLIMORE

Date:	**1/13/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M390977
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WCK ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date: **2/24/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M378287
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: BLZ ELECTRIC INC.

Date: **1/29/2016**
Permit Type: **EQ**
Description: **NEW BUILDING - CONSTRUCTION EQUIPMENT - FENCE**
A NEW 9 STORY RESIDENTIAL BUILDING

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: NB - NEW BUILDING
Proposed Use: FENCE
Permit Number: 121332673-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: RAYMOND M GALLAGHER

Date: **12/15/2015**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: ACTIVE
Proposed Use:
Permit Number: M375995
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date:	**10/30/2015**
Permit Type:	**DM**
Description:	**FULL DEMOLITION - PROPOSED FULL DEMOLITION OF A FOUR STY BRICK BUILDING WITH CELLAR:- LOCATED AT 534 WEST 29 STREET MANHATTAN NY 10001 BY HAND HELD TOOLS AND MECHINICAL MEANS OF DEMOLITION**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	122143652-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANDREW HORAN

Date:	**8/3/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF SCAFFOLD AS PER DRAWINGS. SCAFFOLD SHALL COMPLY WITH CHAPTER #33 OF THE NYC BUILDING CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	122462487-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM MIRANDA

ADJOINING PROPERTY FINDINGS

Date:	**7/24/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF 35 LINEAR FEET OF HEAVY DUTY SIDEWALK SHED DURING BUILDING ALTERATION, FILED SEPARATELY. SIDEWALK SHED SHALL COMPLY WITH CHAPTER #33 OF THE NYC BUILDING CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	122449760-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM MIRANDA

Date:	**7/24/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M370358
Status:	OBJECTN PENDING AT CONTRACTOR
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date:	**7/13/2015**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE PROPOSED FULL DEMOLITION OF A FOUR STY BRICK BUILDING WITH CELLAR:- LOCATED AT 534 WEST 29 STREET MANHATTAN NY 10001 BY HAND HELD TOOLS AND MECHINICAL MEANS OF DEMOLITION**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	122143652-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANDREW HORAN

Date:	**10/30/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF SIDEWALK SHED AS PER PLANS. WORK SHALL COMPLY WITH 2008 BUILDING CODE CHAPTER 33. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	140273763-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LORRAINE HOSTY

ADJOINING PROPERTY FINDINGS

Date:	**10/30/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF PIPE SCAFFOLD AS PER PLANS. WORK SHALL COMPLY WITH 2008 BUILDING CODE CHAPTER 33. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	140273807-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LORRAINE HOSTY

Date:	**10/28/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M360229
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NASH ELECTRIC SERVICES IN

ADJOINING PROPERTY FINDINGS

Date:	**5/23/2005**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALL PIPE SCAFFOLD 24 FT LONG AND 35 FT HIGH AT 534 WEST 29 STREET. LL33/91. NO CHANGE IN OCCUPANCY USE OR EGRESS FILED ON THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	104116305-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JERIMIAH HARRINGTON

Date:	**5/23/2005**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALL HEAVY DUTY SIDEWALK SHED 24 FT LONG AT 534 WEST 29 STREET. - DURING REMEDIAL REPAIRS. WORK TO COMPLY WITH LL33/91. LL33/91. NO CHANGE IN OCCUPANCY USE OR EGRESS FILED ON THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	104116270-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JERIMIAH HARRINGTON

ADJOINING PROPERTY FINDINGS

Date:	**5/10/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN.** **Facade repair work including removal of sheet metal cornice at roof, paint from existing brick and ground floor stones to be replaced with brick. Install new steel lintel and window sills as per plans filed herewith. No change to use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104071148-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH RECCHIA

Date:	**3/30/2005**
Permit Type:	**SG**
Description:	**SIGN -** **LEGALIZATION OF EXISTING NON-ILLUMINATED SIGN AS PER PICTURES FILED HER** **WITH. SIGN IS APPROX. 50 SQ. FT. WALL M OUNTED, NO CHANGE TO USE, EGRESS OR OCC** **PANCY. NOT WITHING 200' OF MAJOR HIGHWA Y. WORDING OF SIGN "PENTECOSTAL CHRISTI** **N CHURCH JOHN 3:16."**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	104050866-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JUAN CABRERA NO WORK (ADMIN) 534 WEST 29TH ST NY NY 10001

ADJOINING PROPERTY FINDINGS

Date:	**3/30/2005**
Permit Type:	**SG**
Description:	**SIGN - LEGALIZATION OF EXISTING WALL MOUNTED IL LUMINATED SIGN AS PER PICTURES ILED HEREWITH. SIGN IS APPROX. 48 SQ. F T., NO CHANGE TO USE, EGRESS OR OCCUPAN Y. NOT WITHIN 200' OF MAJOR HIGHWAY. SI GN READING "JESUS ES LA LUZ DE EL MUNDO "**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	104050875-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JUAN CABRERA NO WORK (ADMIN) 534 WEST 29TH ST NY NY 10001

Date:	**9/14/2004**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - FILED APPLICATION TO ESTABLISH FOR FLOORS 1-4 AS PREVIOUSLY APPROVED UNDER ALTERATION#178/78 WORK WAS 100% COMPLETED BUT APPLICATION WAS NEVER SIGED OFF FILED HEREWITH ARE REVISED PLANS INDICATING AS BUILT CONDITIONS NO WORK TO BE DONE UNDER THIS APPLICATION**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103816621-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JUAN CABRERAS NO WORK (ADMIN) 534 WEST 29TH ST MANHATTAN NY 10001

ADJOINING PROPERTY FINDINGS

Date:	**5/19/2000**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL ONE 7.5 TON & ONE 10 TON ROOF TOP UNIT FOR 1ST & 2ND FLOOR WITH DUNAGE &** **DUCT WORK. NO CHANGE OF USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	102614663-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KAI CHAN

Date:	**5/19/2000**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - DUNNAGE** **INSTALL ONE 7.5 TON & ONE 10 TON ROOF TOP UNIT FOR 1ST & 2ND FLOOR WITH DUNAGE &** **DUCT WORK. NO CHANGE OF USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102614663-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KAI CHAN

ADJOINING PROPERTY FINDINGS

Date: **10/28/1985**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 040980
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: SHAHON ELECTRIC CO., INC. LEO SHAHON

536 W 29TH ST

Date: **10/12/2011**
Permit Type: **EQ**
Description: **ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF PIPE SCAFFOLD AS PER PLANS. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: A3 - ALTERATION TYPE 3
Proposed Use: SCAFFOLD
Permit Number: 120837979-01-EQ-SF
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ILBER PILKU

ADJOINING PROPERTY FINDINGS

Date:	**10/7/2011**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF HEAVY DUTY SHED AS PER PLANS. NO CHANGE I USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	120837988-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ILBER PILKU

Date:	**3/24/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR FILING FOR THE INSTALLATION OF A BALCONY ON THE REAR OF AN EXISTING BUILDING AT THE 3RD FLOOR AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120270973-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ASTRIT TENA

ADJOINING PROPERTY FINDINGS

Date:	**1/20/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **FILING TO CREATE 5 OPENINGS IN AN EXISTING EXTERIOR STEEL WALL AND TO INSTALL** **FLASHING BETWEEN THE TOP OF THE WALL AND THE LOT LINE WALL OF THE ADJACENT** **BUILDING (538 WEST 29TH ST.). THE ATTACHMENT OF THE FLASHING TO 538 W. 29TH ST.** **TO BE FILED UNDER A SEPARATE APPLICATION, AS SHOWN ON DRAWINGS FILED HEREWITH.** **NO CHANGE IN USE, EGRESS OR OCCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110209275-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ASTRIT TENA

Date:	**10/1/2003**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED** **INSTALLATION OF A HEAVY DUTY SHED, 25', DURING FACADE REPAIR. NO CHANGE** **IN USE, EGRESS OR OCCUPANCY. NO STORAGE ON SHED.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	103569700-01-EQ-SH
Status:	REISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAEED ANJUN

ADJOINING PROPERTY FINDINGS

Date:	**4/4/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **Filing for the installation of a 10'-0" fence in the rear courtyard as per plans. No change in use, egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103422949-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS SANANTIONIO

Date:	**11/18/1998**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1** **Convert existing scenery painting studio to Custom Clothing Manufacturing Establishment, U.G. 11. Add new second floor. Add Accessory Caretaker's Apartment. Obtain new C.O.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	101762772-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH KOS

ADJOINING PROPERTY FINDINGS

Date:	**11/12/1998**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - Convert existing scenery painting studio to Custom Clothing Manufacturing Establishment, U.G. 11. Add new second floor. Add Accessory Caretaker's Apartment. Obtain new C.O.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	101762772-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS SANANTIONIO

Date:	**9/1/1998**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M170505
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALEF ELEC'L CONTR'G INC

ADJOINING PROPERTY FINDINGS

540 W 29TH ST

Date:	**12/18/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M348544
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	R.J.ELECTRICAL CONTRACTOR

Date:	**3/2/2012**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - GEN. CONSTR. REPALCE PARAPET WALL & WINDOWS LINTEL AS SHOWN ON PLANS. SIDEWALK SHED UNDER APPLICATION # 120950603. NO CHANGES TO USES, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	120973660-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SHAHZAD AHMAD

ADJOINING PROPERTY FINDINGS

Date:	**1/19/2012**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF TEMPORARY HEAVY DUTY SIDEWALK SHED FOR REMEDIAL REPAIRS AS PER PLANS. NO CHANGE IN USE, EGRESS OR OCCUPANCY.SIDEWALK SHED SHALL COMPLY WITH CHAPTER #33 OF THE NYC BUILDING CODE. NO STORAGE PERMITTED ON SIDEWALK SHED. LIVE LOAD 300PSF.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	120950603-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SARBJIT KAUR

Date:	**1/19/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M230728
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NOBLE ELECL CONTRG CO INC

ADJOINING PROPERTY FINDINGS

Date:	**10/6/2003**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - CHANGE IN USE ON 2ND AND 3RD FLOORS FROM FACTORY TO APARTMENTS. NEW PARTITION S, PLUMBING FIXTURES AND BOILERS (<350K>)**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103580714-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STEVEN KURSH

Date:	**10/6/2003**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1 CHANGE IN USE ON 2ND AND 3RD FLOORS FROM FACTORY TO APARTMENTS. NEW PARTITION S, PLUMBING FIXTURES AND BOILERS (<350K>)**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103580714-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HOWARD SCHREIER

ADJOINING PROPERTY FINDINGS

Date:	**8/20/2003**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M227287
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	YORK INDUSTRIAL CONTRS IN GREGORY PAPANTONIOU

Date:	**7/14/2003**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1** **CHANGE IN USE ON THE FIRST FLOOR FROM AUTO REPAIR SHOP TO ART GALLERY. NEW** **PARTITIONS, PLUMBING FIXTURES, CONCRETE SLAB AND A/C UNITS. ALL WORK TO COMPLY** **WITH LL 58/87**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103474321-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EMMANUEL PIPERAKIS

ADJOINING PROPERTY FINDINGS

Date:	**7/3/2003**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - CHANGE IN USE ON THE FIRST FLOOR FROM AUTO REPAIR SHOP TO ART GALLERY. NEW PARTITIONS, PLUMBING FIXTURES, CONCRETE SLAB AND A/C UNITS. ALL WORK TO COMPLY WITH LL 58/87**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103474321-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL MISETZIS

Date:	**7/1/2003**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 1 - CONSTRUCTION EQUIPMENT - FENCE CHANGE IN USE ON THE FIRST FLOOR FROM AUTO REPAIR SHOP TO ART GALLERY. NEW PARTITIONS, PLUMBING FIXTURES, CONCRETE SLAB AND A/C UNITS. ALL WORK TO COMPLY WITH LL 58/87**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	FENCE
Permit Number:	103474321-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL MISETIZIS

ADJOINING PROPERTY FINDINGS

Date: **4/30/2003**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M222979
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: STANISLAW H. WISZKOWSKI L STANISLAW WISZKOWSKI

Date: **12/1/2002**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M220003
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: NOBLE ELECL CONTRG CO INC

Date: **4/4/2000**
Permit Type: **EW**
Description: **ALTERATION TYPE 2 - BOILER**
REPLACE BOILER AND BURNER

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: BOILER
Permit Number: 102852441-01-EW-BL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: VITO VALENTINI

ADJOINING PROPERTY FINDINGS

Date:	**4/4/2000**
Permit Type:	**EW**
Description:	
Permit Description:	**EQUIPMENT WORK**
Work Class:	
Proposed Use:	FUEL BURNING
Permit Number:	102852441-01-EW-FB
Status:	
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

Date:	**5/14/1993**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN. TO RELOCATE WASHRM & CONSTRUCT STORAGE LOFT.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	100567557-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MUHAMMAD ILYAS

ADJOINING PROPERTY FINDINGS

541 W 29TH ST

Date:	**7/6/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED PROPOSED INSTALLATION OF HEAVY DUTY SIDEWALK SHED AS PER PLANS. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	140664118-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY ALMYROUDIS

Date:	**6/22/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M397648
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MEGA ELEC'L CONTR'G, INC

ADJOINING PROPERTY FINDINGS

Date:	**6/1/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER INSTALLATION OF SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON PLANS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	123056833-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT PERPER

Date:	**5/26/2017**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 INSTALLATION OF MECHANICAL EQUIPMENT AND RELATED DUCTWORK. INSTALLATION OF PLUMBING FIXTURES AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	123058779-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SOKOL BECI

ADJOINING PROPERTY FINDINGS

Date:	**5/5/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. GENERAL CONSTRUCTION WORK FOR RENOVATION TO EXISTING STORAGE SPACES AND ACCESSORY OFFICES AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	123058779-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GUCIM GJONBALAJ

Date:	**5/5/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALLATION OF MECHANICAL EQUIPMENT AND RELATED DUCTWORK. INSTALLATION OF PLUMBING FIXTURES AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	123058779-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GUCIM GJONBALAJ

ADJOINING PROPERTY FINDINGS

Date:	**5/5/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **STRUCTURAL FRAMING WORK AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE,** **EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	123058779-03-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GUCIM GJONBALAJ

Date:	**5/1/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M395391
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LIVE WIRE ELECTRIC 1 LLC

ADJOINING PROPERTY FINDINGS

Date:	**7/18/2016**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA INSTALLATION OF RRH UNITS ON ROOF. RETROFIT OF EXISTING CABINET IN THE EXISTING EQUIPMENT SHELTER ON ROOF. ALL WORK IN COMPLIANCE WITH TPPN 5/98. NO CHANGE TO OCCUPANCY, USE ,OR EGRESS.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	122781285-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOS L KONTOS

Date:	**3/7/2016**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA REPLACEMENT OF EXISTING TELECOMMUNICATIONS ANTENNAS WITH INSTALLATION OF RELATED RRH UNITS ON ROOF. RETROFIT OF CABINET IN EXISTING TELECOMMUNICATIONS SHELTER ON ROOF. ALL WORK IN COMPLIANCE WITH TPPN 5/98. NO CHANGE TO OCCUPANCY, USE, OR EGRESS.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	122605163-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MATT JACKOWITZ

ADJOINING PROPERTY FINDINGS

Date:	**10/21/2015**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA REMOVAL OF EXISTING TELECOMMUNICATION ANTENNA SECTORS ON THE ROOF. REMOVAL OF EXISTING TELECOMMUNICATIONS EQUIPMENT SHELTER ON THE ROOF. REMOVAL OF PATCH AN TENNAS ON THE FACADE. ALL WORK IN COMPLIANCE WITH TPPN 5/98. NO CHANGE IN U SE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	122124995-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN CELENTANO JR

Date:	**3/2/2015**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA INSTALLATION OF ADDITIONAL ANTENNA SECTOR ON THE ROOF. INSTALLATION OF ADDITIONAL CABINETS IN THE EQUIPMENT SHELTER ON THE ROOF. RETROFIT CABINET IN THE EQUIPMENT SHELTER ON THE ROOF. ALL WORK IN COMPLIANCE WITH TPPN 5/98. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	121964678-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE DOUKAS

ADJOINING PROPERTY FINDINGS

Date:	**10/17/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M346468
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT S. COVELLO

Date:	**7/27/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR REMOVE EXISTING CONCRETE SIDEWALK AND RAISED DUCT AREA AND STRUCTURAL BEAMS AND DECKING AS SHOWN ON DRAWINGS. INSTALL NEW STRUCTURAL STEEL BEAMS AND DECKING, NEW WATERPROOFING AND NEW CONCRETE SIDEWALK AND CURBING IN ACCORDANCE WITH NYC DOT DETAILS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120282871-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RAY CESTARO

ADJOINING PROPERTY FINDINGS

Date:	**11/16/2010**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M308807
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELMAC ELECTRIC INC.

Date:	**8/10/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **INSTALLATION OF ALIMINUMDADDING ON EXTERIOR WALLS AS PER PLANS NO CHANG**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104600996-01-EW-OT
Status:	REISSUED, ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MATT DAVIS

ADJOINING PROPERTY FINDINGS

Date:	**4/20/2010**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA** **RELOCATION OF ANTENNAS ON ROOF IN CONFORMANCE WITH TPPN5/98**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	110379778-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BRENDA FEDERLEIN

Date:	**2/2/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **INSPECT FACADES, REPAIR BRICKWORK IN DESIGNATED AREAS, REPLACE STEEL WINDOW** **LINTELS IN DESIGNATED AREAS, REPOINTING BRICK AND STONE MORTAR JOINTS AND REPAIR** **STEEL FIRE ESCAPE SUPPORTS, PER ATTACHED DRAWINGS. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120090640-01-EW-OT
Status:	REISSUED, ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE KALERGIOS

ADJOINING PROPERTY FINDINGS

Date:	**12/18/2009**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF HEAVY DUTY SIDEWALK SHED A TOTAL OF 564 L.F. AS PER PLAN AT 541 WEST 29 STREET. DURING REMEDIAL REPAIRS, WORK SHALL COMPLY WITH 2008 BUILDING CODE CHAPTER 33. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	120126746-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CONSTANTIN T LEVENTIS

Date:	**8/14/2009**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M295254
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	C.Q. ELECTR'L CONTRG CORP

ADJOINING PROPERTY FINDINGS

Date:	**6/10/2009**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA INSTALLING TELECOMMUNICATIONS CABINETS WITH RELATED DUNNAGE AND ANTENNAS ON RO OF. ALL IN COMFORMANCE WITH TPPN#5/98. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	110429144-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRIS ELLIOT

Date:	**2/3/2009**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M289175
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LERCO ELECTRIC LLC

ADJOINING PROPERTY FINDINGS

Date: **1/21/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M288859
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: J.A. LEE ELECTRIC, INC.

Date: **1/13/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M288631
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ASSOCIATED ELEC CONT OF N

Date: **2/14/2008**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M276766
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: AFA PROTECTIVE SYS INC.

ADJOINING PROPERTY FINDINGS

Date:	**6/20/2007**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA INSTALLING TELECOMMUNICATION CABINETSWITH RELATED DUNNAGE ON ROOF RELATED CACINETS AND RELATED ANTENNAS ON ROOF ALL IN CONFORMANCE WITH TPPN 5/98 NO CHANGESCABINETS AND ANTENNAS ARE ACCESSORY TO NYC DOITT EMERGENCY SYSTEM (NYCWIN).**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	104768217-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN LEE

Date:	**4/7/2007**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M265560
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	J.A. LEE ELECTRIC, INC.

ADJOINING PROPERTY FINDINGS

Date:	**12/13/2005**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALL HEAVY DUTY SIDEWALK SHED 129 FT LONG AT 541 WEST 29 STREET- 90 FT LONG AT 11TH STREET, 69 FT ON PARKING LOT AND 70 FT ON WEST 29 STREET. DURING REMEDIAL REPAIRS. WORK TO COMPLY WITH LL33/91. LL33/91. NO CHANGE IN OCCUPANCY USE OR EGRESS FILED ON THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	104254227-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TONY MAMOUNAS

Date:	**10/28/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN. REPAIRS TO EXTEND MASONRY, NON LOAD BEARING FACADES, WINDOWS AND SILLS A S SHOWN ON ATTACHED DRAWINGS. SIDEWALK SHED TO BE FILED UNDER SEPARATE APPLICATI ON. NO CHANGE IN USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104265910-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTONIOS MAMOUNAS

ADJOINING PROPERTY FINDINGS

Date: **7/7/2003**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M225053
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DECORA ELECTRIC CO., INC IRVING GELLMAN, DECORA ELECTRIC CO., INC J VENTURA

Date: **10/31/2002**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M217578
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: APPROVED ELECTRIC CORP.

Date: **1/18/2002**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M209283
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: FLYNN-HILL ELEVATOR CORP. WILLIAM CASEY

ADJOINING PROPERTY FINDINGS

Date:	**7/20/2001**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M203077
Status:	VIOLATN PENDING AT CONTRACTOR
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ID ELECTRIC CORP. DEYI LING

Date:	**5/24/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALLATING TELECOMMUNICATIONS SHELTERS WITH HVAC RELATED DENNAGE AND ELATED ANTENNAS ON ROOF NO CHANGE IN USE EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	102297113-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE DOUKAS

ADJOINING PROPERTY FINDINGS

Date:	**5/24/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SHELTER/ANTENA INSTALLATING TELECOMMUNICATIONS SHELTERS WITH HVAC RELATED DENNAGE AND ELATED ANTENNAS ON ROOF NO CHANGE IN USE EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102297113-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE DOUKAS

Date:	**3/27/2001**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M199488
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANGEL POWER & LIGHT ELEC'

ADJOINING PROPERTY FINDINGS

Date:	**2/15/2001**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - SIGN STRUCTURE** **ERECT SIGN STRUCTURE** **SIGN FILED SEPERATELY #102455772** **NOT ADJACENT TO ARTERIAL HGWY** **NOT INSIDE BLDG LINE**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	102942327-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LARRY DERESPINIS

Date:	**6/2/2000**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALLING TELECOMMUNICATIONS SHELTER WI TH HVAC ON ROOF IN CONFORMANCE** **WITH TPPN #5/98.REALTED ANTENNAS ON ROOF AND FACADE.NO CHANGE IN USE,EGRESS OR** **CCUPANCY .**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	102611728-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH MOROZ

ADJOINING PROPERTY FINDINGS

Date:	**6/2/2000**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN. INSTALLING TELECOMMUNICATIONS SHELTER WI TH HVAC ON ROOF IN CONFORMANCE WITH TPPN #5/98.REALTED ANTENNAS ON ROOF AND FACADE.NO CHANGE IN USE,EGRESS OR CCUPANCY .**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102611728-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH MOROZ

Date:	**4/5/2000**
Permit Type:	**SG**
Description:	**SIGN - ERECT ILLUMINATED ADVERTISING SIGN ON WALL NOT INSIDE BLDG LINE NOT ADJACENT TO ARTERIAL HGWY WORDING: ADVERTISING SIGN COPY CHANGES FROM TIME TO TIME**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	102455772-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LARRY DERESPINIS

ADJOINING PROPERTY FINDINGS

Date:	**12/27/1999**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M185175
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SHALLY ELECTRICAL CO. INC RONALD TWITTY

Date:	**6/3/1999**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION RAISE EXISTING FLOOR USING STRUCTURAL ST EEL FRAMING,COMPOSITE METAL DEC AND POURED CONCRETE,NO CHANGE IN EGRESS USE OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102104928-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOUG SARINI

ADJOINING PROPERTY FINDINGS

Date:	**5/5/1998**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALLATION OF AIR HANDLERS 4 UNITS AT 4TH FLOOR AND INSTALLATION OF 4 A/C UNITS WITH STRUCTURAL SUPPORT ON THE 4TH FLOOR ROOF AREA, TO BE CONNECTED TO EXISTING DUCTWORK. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	101758741-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BARRY STRANSKY

Date:	**5/5/1998**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - G.C. INSTALLATION OF AIR HANDLERS 4 UNITS AT 4TH FLOOR AND INSTALLATION OF 4 A/C UNITS WITH STRUCTURAL SUPPORT ON THE 4TH FLOOR ROOF AREA, TO BE CONNECTED TO EXISTING DUCTWORK. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101758741-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BARRY STRANSKY

ADJOINING PROPERTY FINDINGS

Date:	**4/16/1998**
Permit Type:	**SG**
Description:	**SIGN -** **CONSTRUCT SIGN STRUCTURE ON ROOF FILED UNDER APPLICATION 101778845**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	101778854-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID BROWN

Date:	**4/2/1998**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION** **CONSTRUCT SIGN ON ROOF (SIGN FILED UNDER APPLICATION #1 01778854**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	101778845-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOUG SARNINI

ADJOINING PROPERTY FINDINGS

Date:	**10/21/1997**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FACADE REPAIR/RESTORATION OF BUILDING FACADE. L INTEL REPLACEMENT PER PLANS. NO CHANGE IN EGRESS, USE OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101508405-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TONY MAMOUNAS

Date:	**6/4/1997**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M155982
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	E. FITZGERALD ELEC CO INC

ADJOINING PROPERTY FINDINGS

Date:	**4/24/1997**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M154036
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	E. FITZGERALD ELEC CO INC

Date:	**4/16/1997**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF BRIDGE 116' 3 SECTION DURING FACADE REPAIR. 16' SECTION 30' SECTION 70' SECTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY.** **SHED TO COMPLY WITH LL33/91.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	101859543-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER O'FARRELL

ADJOINING PROPERTY FINDINGS

Date: **3/13/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M092514
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: MONTANA ELEC'L DECORATING E HESSEMER, MONTANA ELEC'L DECORATING R MCDONALD, MONTANA ELEC'L DECORATIN

Date: **3/13/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M092515
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: MONTANA ELEC'L DECORATING E HESSEMER, MONTANA ELEC'L DECORATING R MCDONALD, MONTANA ELEC'L DECORATIN

ADJOINING PROPERTY FINDINGS

Date: **4/6/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M065876
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ERG ELECTRIC CO., INC. RUDY GARFINKEL, ERG ELECTRIC CO., INC. JACK ALONGI

Date: **4/5/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M065874
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ERG ELECTRIC CO., INC. RUDY GARFINKEL, ERG ELECTRIC CO., INC. JACK ALONGI

ADJOINING PROPERTY FINDINGS

Date:	**7/15/1986**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M005802
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ERG ELECTRIC CO., INC. RUDY GARFINKEL, ERG ELECTRIC CO., INC. JACK ALONGI

542 W 29TH ST

Date:	**7/17/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **REPLACE EXISTING ROOF MOUNTED AIR CONDITIONING UNIT. PREVIOUS UNIT FILED UNDER** **APPLICATION # 101852979, ALL AS SHOWN ON PLANS HEREWITH SUBMITTED. NO CHANGE IN** **USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120993693-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIE DEMPSEY

ADJOINING PROPERTY FINDINGS

Date:	**2/3/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **ONE STORY EXTENSION TOEXISTING FOOD PRODUCTS PLANT. NO CHANGE IN USE** **EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	101852979-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	COLM SHAUGHNESSY

Date:	**2/3/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - G.C.** **ONE STORY EXTENSION TOEXISTING FOOD PRODUCTS PLANT. NO CHANGE IN USE** **EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101852979-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	COLM SHAUGHNESSY

ADJOINING PROPERTY FINDINGS

Date:	**12/24/2003**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **this application file in conjunction with job # 101852979 for gas service only. no other work to be considered. no change in use, egress or occupancy.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103673017-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MITCHELL UIBERALL

Date:	**12/10/2003**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **ONE STORY EXTENSION TOEXISTING FOOD PRODUCTS PLANT. NO CHANGE IN USE** **EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	101852979-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HERBERT KAY

ADJOINING PROPERTY FINDINGS

Date:	**7/17/1995**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1** **REMOVE INTERIOR PARTITIONS, AND INSTALL PREFABRICATED REFRIGERATED BOXES** **ALL AS SHOWN ON PLANS. CHANGE FROM AUTO REPAIR SHOP U.G. 16B TO FOOD PRODUCTS USE U.G. 17-B.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	101014947-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER MOLINARO

Date:	**6/2/1995**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 -** **REMOVE INTERIOR PARTITIONS, AND INSTALL PREFABRICATED REFRIGERATED BOXES** **ALL AS SHOWN ON PLANS. CHANGE FROM AUTO REPAIR SHOP U.G. 16B TO FOOD PRODUCTS USE U.G. 17-B.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	101014947-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SALVATORE GAMBELUNGHI

ADJOINING PROPERTY FINDINGS

Date: **5/30/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M132368
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: R & L SYSTEMS, INC.

Date: **11/9/1994**
Permit Type: **PL**
Description: **PLUMBING - ALTERATION TYPE 1**
LEGALIZE MEZZANINE CONSTRUCTED 1982 - 1983.

Permit Description: **PLUMBING**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use:
Permit Number: 100898165-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: LAURENCE WEISS

Date: **10/18/1994**
Permit Type: **AL**
Description: **ALTERATION TYPE 1 -**
LEGALIZE MEZZANINE CONSTRUCTED 1982 - 1983.

Permit Description: **ALTERATION**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use:
Permit Number: 100898165-01-AL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: RUDOLF HAMAR

ADJOINING PROPERTY FINDINGS

546 W 29TH ST

Date:	**11/25/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF PIPE SCAFFOLDING AS PER PLANS. WORK SHALL COMPLY WITH 2008 BUILDING CODE CHAPTER 33. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	140284207-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VJOLCA PILKU

Date:	**11/25/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF SIDEWALK SHED AS PER PLANS. WORK SHALL COMPLY WITH 2008 BUILDING CODE CHAPTER 33. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	140284216-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VJOLCA PILKU

ADJOINING PROPERTY FINDINGS

Date:	**11/12/2014**
Permit Type:	**DM**
Description:	**FULL DEMOLITION -** **FULL DEMOLITION OF TWO STORY STRUCTURE, USING MECHANICAL MEANS.**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	121615074-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARDY DALTON

Date:	**11/12/2014**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE** **FULL DEMOLITION OF TWO STORY STRUCTURE, USING MECHANICAL MEANS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	121615074-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARDY DALTON

ADJOINING PROPERTY FINDINGS

Date:	**6/25/2013**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF HEAVY DUTY SIDEWALK SHED AS PER PLANS. NO CHANGE IN USE, EGRESS, OR OCCUPANCY**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	121694791-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VJOLCA PILKU

Date:	**6/24/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M342042
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NASH ELECTRIC SERVICES IN

ADJOINING PROPERTY FINDINGS

Date:	**12/31/2012**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER TO INSTALL TEMPORARY ROOF PROTECTION. THIS APPLICATION INVOLVES NO CHANGE IN OCCUPANCY, USE OR EGRESS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121448692-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEVIN O'CALLAGHAN

Date:	**9/18/2012**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - PARTITIONS AND RELATED FINISHES FOR CHANGE OF USE TO ART GALLERY AND OFFICE AS PER PLANS FILED HEREWITH.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	120933053-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTINIO JARAMILLO

ADJOINING PROPERTY FINDINGS

Date:	**4/19/2010**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M301513
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMRA ELECTRICAL CORP

Date:	**5/23/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - structural** **Structural work as per plan. No change in use egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104031076-03-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIM FAICI

ADJOINING PROPERTY FINDINGS

Date:	**6/24/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **Renovations to existing commercial space. Minor partitions and finishes. No change in use egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104031076-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIM FAUCI

Date:	**6/20/2005**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M246847
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KC MILS ELECTRICAL CORP MERVIN TONEY

ADJOINING PROPERTY FINDINGS

Date:	**6/17/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **Plumbing and mechanical work as per plan. No change in use egress or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	104031076-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIM FAUCI

Date:	**3/11/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **Plumbing and mechanical work as per plan. No change in use egress or occupancy.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104031076-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STUART P WACHTEL

ADJOINING PROPERTY FINDINGS

Date:	**9/24/1998**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL NEW PLUMBING FIXTURE IN CONJUNCTION WITH APPLICATION #101811951**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	101943569-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THEODORE WAGNER

Date:	**9/23/1998**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 -** **CONSTRUCTION OF NEW MASONARY WALL, STEEL DOOR AND VENT, OBTAIN NEW C OF O FOR** **FIRST FLOOR ,ALL AS PER PLAN.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	101811951-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MIN BYUNG-IM

ADJOINING PROPERTY FINDINGS

Date:	**9/11/1998**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF 30'SIDEWALK BRIDGE FOR THE PURPOSE OF FACADE INSPECTION THE SIDEWALK BRIDGE WILL COMPLY WITH LL# 33/91.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	102064542-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BRADLEY LEWART

548 W 29TH ST

Date:	**11/25/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF SIDEWALK SHED AS PER PLANS. WORK SHALL COMPLY WITH 2008 BUILDING CODE CHAPTER 33. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	140284261-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VJOLCA PILKU

ADJOINING PROPERTY FINDINGS

Date: **11/24/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M361171
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: NASH ELECTRIC SERVICES IN

Date: **11/12/2014**
Permit Type: **DM**
Description: **FULL DEMOLITION -**
FULL DEMOLITION OF ONE STORY STRUCTURE USING MECHANICAL MEANS.

Permit Description: **DEMOLITION & REMOVAL**
Work Class: DM - FULL DEMOLITION
Proposed Use:
Permit Number: 121615083-01-DM
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: HARDY DALTON

Date: **11/12/2014**
Permit Type: **EQ**
Description: **FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE**
FULL DEMOLITION OF ONE STORY STRUCTURE USING MECHANICAL MEANS.

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: DM - FULL DEMOLITION
Proposed Use: FENCE
Permit Number: 121615083-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: HARDY DALTON

ADJOINING PROPERTY FINDINGS

Date:	**9/16/2013**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER TO INSTALL TEMPORARY ROOF PROTECTION. THIS APPLICATION INVOLVES NO CHANGE IN OCCUPANCY, USE OR EGRESS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121448656-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEVIN O'CALLAGHAN

Date:	**5/23/2012**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	
Proposed Use:	
Permit Number:	M327935
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	APS ELECTRIC INC

ADJOINING PROPERTY FINDINGS

550 W 29TH ST

Date:	**12/26/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - TENANT PROTECT** **TENANT PROTECTION PLAN BEING FILED IN CONJUNCTION WITH NEW BUILDING APPLICATION** **121192789**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140727033-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CARL JACCARINO

Date:	**12/18/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **THIS APPLICATION IS FILED FOR A TEMPORARY USE PERMIT FOR A SALES OFFICE WITH A** **MODEL APARTMENT PURSUANT 28-111 AND BUILDING BULLETIN 2010-002 FILED IN** **CONJUNCTION WITH NEW BUILDING APPLICATION 121192789**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140635533-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CARL JACCARINO

ADJOINING PROPERTY FINDINGS

Date:	**11/21/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF SCAFFOLD AS PER DRAWINGS. SCAFFOLD SHALL COMPLY WITH CHAPTER #33 OF THE NYC BUILDING CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	122951145-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JERIMIAH HARRINGTON

Date:	**11/2/2017**
Permit Type:	**NB**
Description:	**NEW BUILDING - NEW BUILDING APPLICATION AS PER PLANS**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121192789-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CARL JACCARINO

ADJOINING PROPERTY FINDINGS

Date:	**10/12/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **INSTALLATION OF A TEMPORARY AIR-PRESSURIZED STANDPIPE AS INDICATED ON ATTACHED** **PLANS. THERE IS NO CHANGE IN EGRESS, USE OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	140409243-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RICHARD E LEVINE

Date:	**8/7/2017**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING** **SUBSEQUENT FILING FOR PLUMBING AND MECHANICAL WORK TYPES IN CONJUNCTION WITH NB** **APP# 121192789 AS PER PLANS FILED.**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121192789-03-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROGER A MACALUSO

ADJOINING PROPERTY FINDINGS

Date:	**7/26/2017**
Permit Type:	**EW**
Description:	**NEW BUILDING - SUBSEQUENT FILING FOR SPRINKLER AND STANDPIPE WORK TYPE IN CONJUNCTION WITH NB APPLICATION NUMBER 121192789 AS PER PLANS FILED**
Permit Description:	**EQUIPMENT WORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	STAND PIPE
Permit Number:	1PL003288-06-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADAM M LEVINE

Date:	**7/26/2017**
Permit Type:	**EW**
Description:	**NEW BUILDING - SUBSEQUENT FILING FOR SPRINKLER AND STANDPIPE WORK TYPE IN CONJUNCTION WITH NB APPLICATION NUMBER 121192789 AS PER PLANS FILED**
Permit Description:	**EQUIPMENT WORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	SPRINKLER
Permit Number:	1PL003291-06-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADAM M LEVINE

ADJOINING PROPERTY FINDINGS

Date:	**7/24/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF 157 LINEAR FEET OF HEAVY DUTY SIDEWALK SHED DURING NEW BUILDING CONSTRUCTION, FILED SEPARATELY. SIDEWALK SHED SHALL COMPLY WITH CHAPTER #33 OF THE NYC BUILDING CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	122861386-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JERIMIAH HARRINGTON

Date:	**7/20/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A DUAL 6000 CAPACITY PERSONNEL/MATERIAL HOIST DURING NEW BUILDING CONSTRUCTION, FILED SEPARATELY. DUAL HOIST SHALL COMPLY WITH CHAPTER #33 OF THE NYC BUILDING CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION. ELEVATOR APPLICATION SUBMITTED SEPARATELY TO ELEVATOR DIVISION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122838395-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JERIMIAH HARRINGTON

ADJOINING PROPERTY FINDINGS

Date:	**7/20/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF ROOF PROTECTION AS PER DRAWINGS. ROOF PROTECTION SHALL COMPLY WITH CHAPTER #33 OF THE NYC BUILDING CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122861395-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JERIMIAH HARRINGTON

Date:	**3/24/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	M393846
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	APS ELECTRIC INC

ADJOINING PROPERTY FINDINGS

Date: **3/6/2017**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M393054
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: APS ELECTRIC INC

Date: **1/9/2017**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M390758
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: R.C.M. ELECTRIC CORP.

Date: **8/16/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M385391
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: ANTHONY G FERRY INC

ADJOINING PROPERTY FINDINGS

Date:	**7/25/2016**
Permit Type:	**EW**
Description:	**NEW BUILDING - SUBSEQUENT FILING FOR SPRINKLER AND STANDPIPE WORK TYPE IN CONJUNCTION WITH NB APPLICATION NUMBER 121192789 AS PER PLANS FILED**
Permit Description:	**EQUIPMENT WORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	STAND PIPE
Permit Number:	1PL003289-06-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADAM M LEVINE

Date:	**4/25/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	M380837
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	APS ELECTRIC INC

ADJOINING PROPERTY FINDINGS

Date:	**11/4/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE INSTALLATION OF PLYWOOD FENCE AS PER DRAWINGS. PLYWOOD FENCE SHALL COMPLY WITH CHAPTER #33 OF THE NYC BUILDING CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	122518347-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JERIMIAH HARRINGTON

Date:	**10/22/2015**
Permit Type:	**EQ**
Description:	**NEW BUILDING - CONSTRUCTION EQUIPMENT - FENCE NEW BUILDING APPLICATION AS PER PLANS**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	NB - NEW BUILDING
Proposed Use:	FENCE
Permit Number:	121192789-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CARL JACCARINO

ADJOINING PROPERTY FINDINGS

Date:	**10/22/2015**
Permit Type:	**FO**
Description:	**NEW BUILDING - FOUNDATION/EARTHWORK** **NEW BUILDING APPLICATION AS PER PLANS**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121192789-01-FO
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CARL JACCARINO

Date:	**3/24/2015**
Permit Type:	**DM**
Description:	**FULL DEMOLITION -** **FULL DEMOLITION OF THREE STORY STRUCTURE USING MECHANICAL MEANS.**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	121676490-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARDY DALTON

ADJOINING PROPERTY FINDINGS

Date:	**1/12/2015**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE** **FULL DEMOLITION OF THREE STORY STRUCTURE USING MECHANICAL MEANS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	121676490-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HARDY DALTON

Date:	**11/25/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED** **INSTALLATION OF SIDEWALK SHED AS PER PLANS. WORK SHALL COMPLY WITH 2008 BUILDING** **CODE CHAPTER 33. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	140284243-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VJOLCA PILKU

ADJOINING PROPERTY FINDINGS

Date:	**11/25/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF PIPE SCAFFOLD AS PER PLANS. WORK SHALL COMPLY WITH 2008 BUILDING CODE CHAPTER 33. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	140284252-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VJOLCA PILKU

Date:	**11/24/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M361172
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NASH ELECTRIC SERVICES IN

ADJOINING PROPERTY FINDINGS

Date:	**11/20/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **PERMANENT REMOVAL OF ENTIRE EXISTING FIRE SPRINKLER SYSTEM AND ALL ASSOCIATED** **LINES. FILED IN CONJUNCTION WITH DEMO #121676490.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140281326-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES M O'DONNELL

Date:	**9/16/2013**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER** **TO INSTALL TEMPORARY ROOF PROTECTION. THIS APPLICATION INVOLVES NO CHANGE IN** **OCCUPANCY, USE OR EGRESS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121439675-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEVIN O'CALLAGHAN

ADJOINING PROPERTY FINDINGS

Date:	**12/6/2011**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - CONVERT COMMERCIAL USE TO BE RESIDENTIAL USE AT 2ND & 3RD FLOOR. MINOR PARTITIONS. PAINT THROUGHOUT. NO CHANGE IN EGRESS. NO INCREASE IN FLOOR AREA AND BULK.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	120082365-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BENJAMIN AZOUR

Date:	**3/23/2011**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1 CONVERT COMMERCIAL USE TO BE RESIDENTIAL USE AT 2ND & 3RD FLOOR. MINOR PARTITIONS. PAINT THROUGHOUT. NO CHANGE IN EGRESS. NO INCREASE IN FLOOR AREA AND BULK.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	120082365-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID GLENN

ADJOINING PROPERTY FINDINGS

Date: **3/16/2011**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M312474
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: KNC ELECTRIC CLEMENT CHAMBERS

Date: **7/30/1988**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M040281
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CREATIVE ELECTRON. CO INC S SCHULMAN, CREATIVE ELECTRON. CO INC K KATEN, CREATIVE ELECTRON. CO INC M

Date: **6/27/1985**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: 034486
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ROTHSTEIN & HOFFMAN ELEC. S HOFFMAN, ROTHSTEIN & HOFFMAN ELEC. MARK NG

ADJOINING PROPERTY FINDINGS

560 W 29TH ST

Date:	**10/11/2002**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN CONSTRUC** **ERECTION OF TEMPORARY LIGHTWEIGHT STEEL STRUCTURE OVER EXISTING WAREHOUSE** **ROOF.PROPOSED TEMPORARY LIGHTWEIGHT STRUCTURE TO BE USED FOR STORAGE** **(NON-OCCUPANCY) FOR A PERIOD OF EIGHTEEN (18) MONTHS .NO CHANGE TO USE EGRESS** **OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103057193-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JULIAN LAVERDIERE

601 W 29TH ST

Date:	**7/27/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **INTERIOR RENOVATION OF EXISTING ART STUDIO AS PER DWG. NO CHANGE IN USE,** **OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120822002-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VINCENT ASHBAHIAN

ADJOINING PROPERTY FINDINGS

Date:	**9/12/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **propose to provide convenience opening between two existing buildings, as per dwgs. no change in use, occupancy or egress.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104523954-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VINCENT ASHBAHIAN

Date:	**6/5/2006**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL PAINT SPRAY BOOTH ON FIRST FLOOR. NO CHANGE TO ZONING, EGRESS OR** **OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104363127-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RUSSELL ALEXANDER

ADJOINING PROPERTY FINDINGS

Date:	**4/11/2006**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M254902
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER J. CATANZARO, INC.

Date:	**4/6/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL PAINT SPRAY BOOTH ON FIRST FLOOR. NO CHANGE TO ZONING, EGRESS OR** **OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	104363127-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK DROSS

ADJOINING PROPERTY FINDINGS

Date:	**4/6/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRAY BOOTH** **INSTALL PAINT SPRAY BOOTH ON FIRST FLOOR. NO CHANGE TO ZONING, EGRESS OR** **OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104363127-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK DROSS

Date:	**8/17/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **CONSTRUCT PAINT STORAGE RM. & PAINT MIX- ING ROOM,& REMOVE MISC. PARTI-** **TIONS AND ADD NEW MISC.PARTITIONS.REMOVE 1 WATER CLOSET ,LAVATORY AND ADD 1SINK,** **INSTALL PAINT SPRAY BOOTH ON 1ST.FLOOR REAR.NO CHANGE IN ZONING,EGRESS OR** **OCCUPANCY.NO CHANGE MH$/NEW COST OT-$ 12 000/ NEW COST PL- $10,000**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103733907-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK DROSS

ADJOINING PROPERTY FINDINGS

Date:	**5/24/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M234666
Status:	VIOLATN PENDING AT CONTRACTOR
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NEW GRAND ELECTRIC, INC. RAFAEL SEPULVEDA, NEW GRAND ELECTRIC, INC. CHRISTOPHER BISHUNDAT

Date:	**5/12/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **CONSTRUCT PAINT STORAGE RM. & PAINT MIX- ING ROOM,& REMOVE MISC. PARTI-** **TIONS AND ADD NEW MISC.PARTITIONS.REMOVE 1 WATER CLOSET ,LAVATORY AND ADD 1SINK,** **INSTALL PAINT SPRAY BOOTH ON 1ST.FLOOR REAR.NO CHANGE IN ZONING,EGRESS OR** **OCCUPANCY.NO CHANGE MH$/NEW COST OT-$ 12 000/ NEW COST PL- $10,000**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103733907-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT MOCZINIAS

ADJOINING PROPERTY FINDINGS

Date:	**5/12/2004**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **CONSTRUCT PAINT STORAGE RM. & PAINT MIX- ING ROOM,& REMOVE MISC. PARTI-** **TIONS AND ADD NEW MISC.PARTITIONS.REMOVE 1 WATER CLOSET ,LAVATORY AND ADD 1SINK,** **INSTALL PAINT SPRAY BOOTH ON 1ST.FLOOR REAR.NO CHANGE IN ZONING,EGRESS OR** **OCCUPANCY.NO CHANGE MH$/NEW COST OT-$ 12 000/ NEW COST PL- $10,000**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103733907-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CARL TERMINE SR

Date:	**4/24/2002**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **Mechanical work in conjunction with interior renovation of existing commercial space. No change of use, occupancy, or egress.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	102945583-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE LUSHE

ADJOINING PROPERTY FINDINGS

Date:	**4/4/2002**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 -** **Change of use from garage and transfer station to commercial art gallery and artist studio. New Certificate of Occupancy to be obtained. No work to be performed under this application. All work filed under application # 102945583.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103129758-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EVAN AKSELRAD OWNER 19 MURRAY ST NY NY 10007

Date:	**5/27/2001**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M212969
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	G.M. ELEC'L CONTR'G INC. ROBERT PRISCO

ADJOINING PROPERTY FINDINGS

Date: **5/10/2001**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M201017
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: G.M. ELEC'L CONTR'G INC. ROBERT PRISCO

Date: **5/10/2001**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M201019
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: G.M. ELEC'L CONTR'G INC. ROBERT PRISCO

Date: **4/10/2001**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M199775
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: P2 ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date:	**2/22/2001**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **Interior renovation of existing commercial space. Partition work and plumbing work. No cahnge of use, occupancy or egress.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	102945583-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHARLES BARONE

Date:	**1/16/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCHITECTURAL** **Interior renovation of existing commercial space. Partition work and plumbing work. No cahnge of use, occupancy or egress.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102945583-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RICHARD RUSSELL

ADJOINING PROPERTY FINDINGS

Date: **3/9/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M092376
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: JAMES F. VOLPE ELEC'L

603 W 29TH ST

Date: **7/25/2012**
Permit Type: **EW**
Description: **ALTERATION TYPE 2 - GEN. CONSTR.**
MINOR PARTITION AND FINISH WORK IN EXISTING ART STUDIO AS PER DWG. NO CHANGE IN
USE, OCCUPANCY OR EGRESS.

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 120842963-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: VINCENT ASHBAHIAN

ADJOINING PROPERTY FINDINGS

Date:	**3/15/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC FILLING FOR INSTALLATION OF 3 A/C SPLIT SYSTEM HEAT PUMP UNITS (#1-MODEL #MXZ-8B48NA, #2-MODEL #MXZ-3B24NA & #3- MODEL #MUZ-D36NA BY MITSUBISHI) IN EXISTING MANUFACTURING BUILDING, AS PER DRAWING. NO CHANGE IN USE, OCCUPANCY AND EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	121009023-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VINCENT ASHBAHIAN

Date:	**3/15/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. FILLING FOR INSTALLATION OF 3 A/C SPLIT SYSTEM HEAT PUMP UNITS (#1-MODEL #MXZ-8B48NA, #2-MODEL #MXZ-3B24NA & #3- MODEL #MUZ-D36NA BY MITSUBISHI) IN EXISTING MANUFACTURING BUILDING, AS PER DRAWING. NO CHANGE IN USE, OCCUPANCY AND EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121009023-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VINCENT ASHBAHIAN

ADJOINING PROPERTY FINDINGS

Date:	**1/22/2011**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M310711
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	INTER CONNECTION ELEC INC

Date:	**12/12/2006**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **replace existing AC rooftop unit w/new 10 ton packaged heat and cool rooftop unit and install associated ductwork as per dwg. no change in use, occupancy or egress.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104622026-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHARLES BARONE

ADJOINING PROPERTY FINDINGS

Date:	**12/8/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **replace existing AC rooftop unit w/new 10 ton packaged heat and cool rooftop unit and install associated ductwork as per dwg. no change in use, occupancy or egress.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	104622026-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VINCENT ASHBAHIAN

Date:	**9/18/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **propose to provide convenience opening between two existing buildings, as per dwg. no change in use, occupancy or egress.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104523945-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VINCENT ASHBAHIAN

ADJOINING PROPERTY FINDINGS

Date:	**10/3/1996**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER INSTALL ADDITIONAL BOILER AND OIL BURNER. LOCAL LAW 17/95 DOES NOT APPLY TO THIS APPLICATION. NO CHANGE IN EGRESS, OCCUPANCY OR USE UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	101417539-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NEAL RUDIKOFF

Date:	**10/3/1996**
Permit Type:	**EW**
Description:	
Permit Description:	**EQUIPMENT WORK**
Work Class:	
Proposed Use:	FUEL BURNING
Permit Number:	101417539-01-EW-FB
Status:	
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date:	**5/6/1996**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - PARTITIONS** **CREATE OFFICE ON 1ST FL. AND STORAGE CUB ICLES AT 3RD AND 4TH FLS. SCOPE** **OF WORK WILL BE PARTITIONS AS PER PLANS. NO CHANGE TO USE EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	101280016-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALFONSO MANZO

Date:	**5/17/1995**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN.** **CONSTRUCT FIRE RESISTIVE PARTITION STAIR ENCLOSURES AND INSTALL SELF-CLO** **ING B-LABEL FIRE RATED DOORS. INSTALL IN TERIOR STEEL STEPS TO INTERIOR SIDE OF** **INDOW FOR EASY ACCESS TO THE EXISTING FI RE ESCAPE. INSTALL NEW FIRE-RATED WINDO** **S AT AND BELOW FIRE ESCAPE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101006910-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER CORCORAN

ADJOINING PROPERTY FINDINGS

Date:	**5/18/1994**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **NEW STORAGE ROOM - ERECT PARTITIONS, FLOOR AND CEILING. NO CHANGE TO** **OCCUPANCY, USE OR EGRESS INVOLVED IN APPL.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	100715031-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM GRAND

Date:	**12/17/1993**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN.** **NEW STORAGE ROOM - ERECT PARTITIONS, FLOOR AND CEILING. NO CHANGE TO** **OCCUPANCY, USE OR EGRESS INVOLVED IN APPL.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	100715031-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	REED THOMAS

ADJOINING PROPERTY FINDINGS

609 W 29TH ST

Date: **6/28/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: MINOR WORK
Proposed Use:
Permit Number: M383377
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: INTER CONNECTION ELEC INC

Date: **1/12/2015**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: ACTIVE
Proposed Use:
Permit Number: M362537
Status: OBJECTION PENDING AT OWNER
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date:	**4/23/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE TEMPORARY FENCE FILED IN CONJUNCTION WITH ALT 1 #120182462. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	121947439-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BRIAN PISANELLI

Date:	**10/8/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M346094
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PATRIOT ELECTRIC CORP

ADJOINING PROPERTY FINDINGS

Date:	**6/24/2010**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - APPLICATION FILED TO SHOW CHANGE OF OCCUPANCY/USE WITH PROPOSED INTERIOR/ EXTERIOR GENERAL CONSTRCUTION WORK WITH REFLECTIVE CEILING LIGHTING LAYOUT.ALL SPRINKLER,PLUMBING,MECHANICAL WORK AND TEMPORARY FENCE FILED UNDER SEPARATE APPLICATIONS**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	120182462-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BRIAN PISANELLI

Date:	**6/16/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL STRUCTURAL WORK AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS, OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120293574-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RICARDO ALMONTE

ADJOINING PROPERTY FINDINGS

Date:	**1/5/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FUEL STORAGE** **INSTALLATION OF MECHANICAL EQUIPMENT AS PER PLAN. THERE IS NO CHANGE TO USE,** **EGRESS, OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL STORAGE
Permit Number:	120186039-01-EW-FS
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH M VESSIO

Date:	**12/24/2009**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **MINOR INTERIOR PARTITION CHANGES WITH PLUMBING AND MECHANICAL DUCT WORK AS PER** **PLAN. THERE IS NO CHANGE TO USE, EGRESS, OR OCCUPANCY FILED UNDER THIS** **APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	120182471-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MANUEL ARANDA

ADJOINING PROPERTY FINDINGS

Date: **12/1/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M298123
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: NORWAY ELECTRIC CORP. JOE MIDDLETON

Date: **11/26/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M297496
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: NORWAY ELECTRIC CORP. JOE MIDDLETON

ADJOINING PROPERTY FINDINGS

Date:	**11/2/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALLATION OF MECHANICAL EQUIPMENT AS PER PLAN. THERE IS NO CHANGE TO USE,** **EGRESS, OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120186039-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RICARDO ALMONTE

Date:	**11/2/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **MODIFICATION OF EXISTING SPRINKLER SYSTEM AS PER PLAN. THERE IS NO CHANGE TO** **USE, EGRESS, OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	120191899-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALFRED J DELORENZO

ADJOINING PROPERTY FINDINGS

Date:	**10/21/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC MINOR INTERIOR PARTITION CHANGES WITH PLUMBING AND MECHANICAL DUCT WORK AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS, OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120182471-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BRIAN PISANELLI

Date:	**10/21/2009**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR MINOR INTERIOR PARTITION CHANGES WITH PLUMBING AND MECHANICAL DUCT WORK AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS, OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120182471-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BRIAN PISANELLI

ADJOINING PROPERTY FINDINGS

Date:	**2/7/2006**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - FIRE PROT.PLAN** **THIS IS A NO WORK APPLICATION FILED FOR REQUIRED FIRE PROTECTION PLAN** **APPLICATION. THERE IS NO CHANGE TO USE, EGRESS, OR OCCUPANCY FILED UNDER THIS** **APPLICATION.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	104224625-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL SERES OWNER 609 WEST 29TH STREET NEW YORK NY 10001

Date:	**9/28/2005**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 1 - CONSTRUCTION EQUIPMENT - FENCE** **CONSTRUCT EATING AND DRINKING ESTABLISHM ENT U.G. 12 AS PER PLAN AND** **IN NEW C OF O**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	FENCE
Permit Number:	103638556-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN KOLE

ADJOINING PROPERTY FINDINGS

Date:	**9/28/2005**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - CONSTRUCT EATING AND DRINKING ESTABLISHM ENT U.G. 12 AS PER PLAN AND IN NEW C OF O**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103638556-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN KOLE

Date:	**3/18/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER INSTALL SPRINKLER SYSTEM AS PER PLANS. NO CHANGE IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	103710968-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CARL TERMINE SR

ADJOINING PROPERTY FINDINGS

Date:	**1/5/2004**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1** **CONSTRUCT EATING AND DRINKING ESTABLISHM ENT U.G. 12 AS PER PLAN AND** **IN NEW C OF O**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103638556-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CARL TERMINE

Date:	**12/15/2003**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M229682
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NEW GRAND ELECTRIC, INC. RAFAEL SEPULVEDA, NEW GRAND ELECTRIC, INC. CHRISTOPHER BISHUNDAT

ADJOINING PROPERTY FINDINGS

Date:	**1/15/1998**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - NO WORK TO BE DONE. CHANGE OCCUPANCY FROM U.G. 17 TO U.G. 6 WITH ACCESSORY PARKING.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	101793604-01-AL
Status:	REVOKED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROY BERNSTEIN OWNER 267 FIFTH AVENUE NEW YORK NY 10016

W 30TH ST

500 W 30TH ST

Date:	**1/24/2018**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER MECHANICAL AND SPRINKLER WORK AS PER PLANS FILED HEREWITH FOR CONVENIENCE TUNNEL BETWEEN 500 WEST 30TH STREET NB #120785622 AND 520 WEST 30TH STREET NB #121184994. FILED IN CONJUNCTION WITH NB #120785622.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140252009-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JESSE A SKINNER

ADJOINING PROPERTY FINDINGS

Date:	**11/28/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **MECHANICAL AND SPRINKLER WORK AS PER PLANS FILED HEREWITH FOR CONVENIENCE TUNNEL** **BETWEEN 500 WEST 30TH STREET NB #120785622 AND 520 WEST 30TH STREET NB** **#121184994. FILED IN CONJUNCTION WITH NB #120785622.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	140252009-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMANDA REKEMEYER

Date:	**10/27/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **SPRINKLER WORK FILED IN CONJUNCTION WITH RENOVATION OF A COMMERCIAL SPACE. NO CHANGE OF USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122812723-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE PIERETTI

ADJOINING PROPERTY FINDINGS

Date: **9/19/2017**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: UN-TAGGED SIGN
Proposed Use:
Permit Number: M401705
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: ULTIMATE SIGNS & ELEC COR

Date: **9/19/2017**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: UN-TAGGED SIGN
Proposed Use:
Permit Number: M401707
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: ULTIMATE SIGNS & ELEC COR

ADJOINING PROPERTY FINDINGS

Date:	**8/17/2017**
Permit Type:	**SG**
Description:	**SIGN - INSTALL NON-ILLUMINATED ACCESSORY BUSINESS SIGN ON WALL. NO CHANGE IN OCCUPANCY, USE OR EGRESS.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	123079612-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL J PERAS

Date:	**8/16/2017**
Permit Type:	**SG**
Description:	**SIGN - INSTALL NON-ILLUMINATED ACCESSORY BUSINESS SIGN ON WALL. NO CHANGE IN OCCUPANCY, USE OR EGRESS.**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	123079630-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL J PERAS

ADJOINING PROPERTY FINDINGS

Date:	**8/16/2017**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - AWNING** **INSTALL STOREFRONT AWNING WITH NON-ILLUMINATED COPY READING "WELLS FARGO". COPY** **TO BE 12 SQ FT OR LESS. NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	123079649-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL PERAS

Date:	**8/16/2017**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - AWNING** **INSTALL STOREFRONT AWNING WITH NON-ILLUMINATED COPY READING "WELLS FARGO". COPY** **TO BE 12 SQ FT OR LESS. NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	123079658-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL PERAS

ADJOINING PROPERTY FINDINGS

Date:	**8/8/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **BUILD OUT OF RETAIL SPACE 1. ENTRANCE AT 498 WEST 30 STREET & 349 10TH AVENUE.** **FILED IN CONJUNCTION WITH NB #120785622. NO CHANGE TO USE, OCCUPANCY, OR EGRESS.** **AS SHOWN ON DRAWINGS FILED HEREWITH.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122981684-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WADE RAY

Date:	**8/8/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **MECHANICAL DUCTWORK PLUMBING FIXTURES AND RELATED PIPING AS SHOWN ON DRAWINGS** **FILED HEREWITH. FILED IN CONJUNCTION WITH NB #120785622. NO CHANGE IN USE,** **EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122981684-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LISA WILIAMS

ADJOINING PROPERTY FINDINGS

Date:	**8/2/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M399568
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NEW KC ELECTRIC INC

Date:	**5/16/2017**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 MECHANICAL DUCTWORK PLUMBING FIXTURES AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. FILED IN CONJUNCTION WITH NB #120785622. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122981684-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GARY FUNFGELD

ADJOINING PROPERTY FINDINGS

Date:	**5/12/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER MODIFICATION TO THE EXISTING SPRINKLER SYSTEM. ENTRANCE AT 498 WEST 30 STREET & 349 10TH AVENUE. FILED IN CONJUNCTION WITH NB #120785622. NO CHANGE TO USE, OCCUPANCY, OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122981657-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER MIRZ

Date:	**11/3/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M388542
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FSM ELECTRICAL CORPORATIO

ADJOINING PROPERTY FINDINGS

Date:	**10/4/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **SPRINKLER AND STANDPIPE WORK FILED IN CONJUNCTION WITH RENOVATION OF A** **COMMERCIAL SPACE. NO CHANGE OF USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	122812723-01-EW-SD
Status:	REISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE PIERETTI

Date:	**9/28/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **STRUCTURAL WORK AS PER PLANS FILED HEREWITH FOR CONVENIENCE TUNNEL BETWEEN 500** **WEST 30TH STREET NB #120785622 AND 520 WEST 30TH STREET NB #121184994. FILED IN** **CONJUNCTION WITH NB #120785622.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140251929-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMANDA REKEMEYER

ADJOINING PROPERTY FINDINGS

Date:	**9/6/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M386121
Status:	NO ACCESS
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FSM ELECTRICAL CORPORATIO

Date:	**8/12/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION FILING TO INSTALL NEW FIRE SUPPRESSION SYSTEM ONLY. COOKING EQUIPMENT,AND GAS SHUT OFF VALVE FILED UNDER APPLICATION #122782550**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	122845136-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MUNTAZ KHAN

ADJOINING PROPERTY FINDINGS

Date:	**8/9/2016**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **MECHANICAL AND PLUMBING WORK FILED IN CONJUNCTION WITH THE RENOVATION OF A** **COMMERCIAL SPACE. NO CHANGE OF USE, OCCUPANCY OR EGRESS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122782550-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE PIERETTI

Date:	**8/5/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **RENOVATION OF AN EXISTING COMMERCIAL SPACE. ARCHITECTURAL WORK AS PER PLANS.NO** **CHANGE OF USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122782550-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL KATZ

ADJOINING PROPERTY FINDINGS

Date:	**8/5/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **MECHANICAL AND PLUMBING WORK FILED IN CONJUNCTION WITH THE RENOVATION OF A** **COMMERCIAL SPACE. NO CHANGE OF USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122782550-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL KATZ

Date:	**4/25/2016**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA** **INSTALL NEW EQUIPMENT IN THE CELLAR. RELATED GPS ON ROOF. ALL IN CONFORMANCE** **WITH TPPN # 5/98. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	122237999-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EILEEN NAPPI

ADJOINING PROPERTY FINDINGS

Date: **10/27/2015**
Permit Type: **PL**
Description: **PLUMBING - ALTERATION TYPE 2**
REPLACEMENT OF EXISTING GAS METER. NO CHANGE TO USE OCCUPANCY OR EGRESS.

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 122571957-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: GEORGE PIERETTI

Date: **7/13/2015**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: ACTIVE
Proposed Use:
Permit Number: M369860
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **7/9/2015**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: CLOSED
Proposed Use:
Permit Number: M369762
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date:	**6/22/2015**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING** **PLUMBING AND MECHANICAL WORK FOR NEW BUILDING**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	120785622-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE P MARTINO

Date:	**6/17/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	CLOSED
Proposed Use:	
Permit Number:	M368865
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date:	**4/13/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **BUILD OUT OF MH, PL, AND SP OF RETAIL SPACE 3. FILED INCONJUNCTION OF NB#120785622. NO CHANGE TO USE, OCCUPANCY, OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122271488-02-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SEMYON PIVOVAROV

Date:	**4/13/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **BUILD OUT OF MH, PL, AND SP OF RETAIL SPACE 3. FILED INCONJUNCTION OF NB#120785622. NO CHANGE TO USE, OCCUPANCY, OR EGRESS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122271488-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SEMYON PIVOVAROV

ADJOINING PROPERTY FINDINGS

Date:	**3/31/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M365483
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BLAKE ELEC. CONTR. CO., I

Date:	**3/18/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. BUILD OUT OF RETAIL SPACE 3. FILED INCONJUNCTION OF NB#120785622. ENTRANCE TO EXIST AT 504 WEST 30 STREET. NO CHANGE TO USE, OCCUPANCY, OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122271488-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALEXANDER L LOTOVSKY

ADJOINING PROPERTY FINDINGS

Date:	**3/18/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **BUILD OUT OF MH, PL, AND SP OF RETAIL SPACE 3. FILED INCONJUNCTION OF NB#120785622. NO CHANGE TO USE, OCCUPANCY, OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122271488-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALEXANDER L LOTOVSKY

Date:	**2/24/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	CLOSED
Proposed Use:	
Permit Number:	M364080
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELECTRICAL DESIGN MNGT LL

ADJOINING PROPERTY FINDINGS

Date:	**11/18/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INTERIOR RENOVATION OF A FIRST FLOOR SPACE INCLUDING ARCHITECTURAL, MECHANICAL,** **PLUMBING AND SPRINKLER WORK FOR A TENANT FIT OUT. FILED IN CONJUNCTION WITH NB** **APPLICATION #120785622. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	140280648-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SEAN BRADY

Date:	**11/18/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **INTERIOR RENOVATION OF A FIRST FLOOR SPACE INCLUDING ARCHITECTURAL, MECHANICAL,** **PLUMBING AND SPRINKLER WORK FOR A TENANT FIT OUT. FILED IN CONJUNCTION WITH NB** **APPLICATION #120785622. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140280648-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SEAN BRADY

ADJOINING PROPERTY FINDINGS

Date:	**11/18/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INTERIOR RENOVATION OF A FIRST FLOOR SPACE INCLUDING ARCHITECTURAL, MECHANICAL,** **PLUMBING AND SPRINKLER WORK FOR A TENANT FIT OUT. FILED IN CONJUNCTION WITH NB** **APPLICATION #120785622. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140280648-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE PIERETTI

Date:	**11/18/2014**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INTERIOR RENOVATION OF A FIRST FLOOR SPACE INCLUDING ARCHITECTURAL, MECHANICAL,** **PLUMBING AND SPRINKLER WORK FOR A TENANT FIT OUT. FILED IN CONJUNCTION WITH NB** **APPLICATION #120785622. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	140280648-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE PIERETTI

ADJOINING PROPERTY FINDINGS

Date:	**9/12/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M358436
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADCO ELEC'L CORP. RICHARD ADDEO, ADCO ELEC'L CORP. RALPH OCCHIPINTI

Date:	**4/9/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **SPRINKLER SYSTEM FILED IN CONJUNCTION WITH NEW BUILDING**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	120785640-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

Date:	**4/9/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **STANDPIPE SYSTEM FILED IN CONJUNCTION WITH NEW BUILDING**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	120785659-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

ADJOINING PROPERTY FINDINGS

Date:	**3/19/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. THIS APPLICATION IS FILED FOR A TEMPORARY USE PERMIT FOR A SALES OFFICE INCLUDING MODEL APARTMENTS PURSUANT TO SECTION AC28-11 & BUILDINGS BULLETING 2010-002. SALES OFFICE AT FL 006 (007 MARKETING) & MODEL APARTMENTS ON FL 007 (008 MARKETING). NO CHANGE TO USE OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140169421-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARELIS BATISTA

Date:	**3/17/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M351503
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RNH ELECTRIC COMPANY INC

ADJOINING PROPERTY FINDINGS

Date:	**2/4/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - TENANT PROTECTI** **FILING TENANT PROTECTION PLAN IN CONJUNCTION WITH NB APPLICATION #120785622**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121911636-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RICK LORIMER

Date:	**12/13/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **FILING HEREWITH FOR INSTALLATION OF EMERGENCY GENERATOR. FILED IN CONJUNCTION** **WITH NB 120785622. NO CHANGE IN USE, EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	121778362-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL BENDJOUYA

ADJOINING PROPERTY FINDINGS

Date:	**12/13/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FUEL STORAGE FILING HEREWITH FOR INSTALLATION OF EMERGENCY GENERATOR. FILED IN CONJUNCTION WITH NB 120785622. NO CHANGE IN USE, EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL STORAGE
Permit Number:	121778362-01-EW-FS
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL BENDJOUYA

Date:	**7/17/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER FILING HEREWITH FOR INSTALLATION OF NEW BOILER. FILED IN CONJUNCTION WITH NB 120785622. NO CHANGE IN USE, EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	121718338-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STEVEN T KOFSKY

ADJOINING PROPERTY FINDINGS

Date:	**12/24/2012**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - OTHER TO INSTALL TEMPORARY PERIMETER NETTING. THIS APPLICATION INVOLVES NO CHANGE IN OCCUPANCY, USE OR EGRESS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121463175-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEVIN O'CALLAGHAN

Date:	**12/14/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE FILED TO INSTALL TEMPORARY PRESSURIZED STANDPIPE SYSTEM FILED IN CONJUNCTION WITH NEW BUILDING #120785622**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	120919426-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE PIERETTI

ADJOINING PROPERTY FINDINGS

Date:	**11/30/2012**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A STROS 7000D (MODEL NOV 3242 UFC-II) PERSONNEL/MATERIAL DUAL CAR HOIST AS PER PLANS DURING NB CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. HOIST TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121448512-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

Date:	**11/2/2012**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF A HEAVY DUTY SIDEDWALK SHED APPROXIMATELY 786' AS PER PLANS DURING NB CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. SHED TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	121423806-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

ADJOINING PROPERTY FINDINGS

Date:	**6/8/2012**
Permit Type:	**FO**
Description:	**NEW BUILDING - EARTHWORK** **CONSTRUCT 35 STORY MIXED USE NEW BUILDING.**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	120785622-01-FO-EA
Status:	REISSUED, ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WAYNE P HUBBS

Date:	**6/8/2012**
Permit Type:	**NB**
Description:	**NEW BUILDING -** **CONSTRUCT 35 STORY MIXED USE NEW BUILDING.**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	120785622-01-NB
Status:	REISSUED, ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM S GRANTHAM

ADJOINING PROPERTY FINDINGS

Date:	**6/5/2012**
Permit Type:	**EQ**
Description:	**NEW BUILDING - CONSTRUCTION EQUIPMENT - FENCE** **CONSTRUCT 35 STORY MIXED USE NEW BUILDING.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	NB - NEW BUILDING
Proposed Use:	FENCE
Permit Number:	120785622-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WAYNE HUBBS

Date:	**6/5/2012**
Permit Type:	**FO**
Description:	**NEW BUILDING - FOUNDATION/EARTHWORK** **CONSTRUCT 35 STORY MIXED USE NEW BUILDING.**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	120785622-01-FO
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WAYNE P HUBBS

ADJOINING PROPERTY FINDINGS

501 W 30TH ST

Date:	**2/1/2018**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **MODIFY SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH.** **NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122952171-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

Date:	**2/1/2018**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALLATION OF SPRINKLER HEADS AND ASSOCIATED PIPING. NO CHANGE OF USE,** **OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	123073119-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

ADJOINING PROPERTY FINDINGS

Date:	**1/24/2018**
Permit Type:	**NB**
Description:	**NEW BUILDING - CONSTRUCTION OF A NEW BUILDING AS PER PLANS FILED HEREWITH. ADDRESS OF CONSTRUCTION IS 553 WEST 30TH STREET.**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121184208-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMANDA REKEMEYER

Date:	**1/10/2018**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH FILING HEREWITH FOR STAIR GLASS RAILING RECONFIGURATION AS PER PLANS. IN CONJUNCTION WITH NEW BUILDING 121324290. 16TH & 18TH CONST. 20TH & 22ND MARKETING FLOOR. NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	123113825-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**11/3/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH INSTALLATION OF PARTITIONS DOORS AND FLOORS AS PER PLANS SUBMITTED HEREWITH. NO CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION CONSTRUCTION FLOOR 35 MARKETING 40.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122973666-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE G PETRETTI

Date:	**11/3/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALLATION OF UNITS AND ASSOCIATED DUCT WORK. NO CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION. CONSTRUCTION FLOOR 35TH MARKETING FLOOR 40TH.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122973666-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE G PETRETTI

ADJOINING PROPERTY FINDINGS

Date:	**11/3/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **INSTALLATION OF PARTITIONS, DOORS AND FLOORS AS PER PLANS SUBMITTED HEREWITH. NO** **CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	123073128-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE PETRETTI

Date:	**11/3/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALLATION OF UNITS OF ASSOCIATED DUCTWORK. NO CHANGE OF USE, OCCUPANCY OR** **EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	123073128-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE PETRETTI

ADJOINING PROPERTY FINDINGS

Date:	**11/2/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **RENOVATION OF 3 OFFICE SPACES AS PER PLANS SUBMITTED HEREWITH. CONSTRUCTION** **FLOOR 36 MARKETING FLOOR 41. NO CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS** **APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122916915-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE PETRETTI

Date:	**11/2/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **MECHANICAL WORK IN CONJUNCTION RENOVATION OF 3 OFFICE SPACES. NO CHANGE OF USE,** **OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122916915-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE PETRETTI

ADJOINING PROPERTY FINDINGS

Date:	**10/31/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **MODIFICATION OF STOREFRONT AS PER PLANS SUBMITTED HEREWITH. NO CHANGE OF USE,** **OCCUPANCY OR EGRESS UNDER THIS APPLICATION. FENCE FILED UNDER APPLICATION** **#121324290.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	123073137-01-EW-OT
Status:	REISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEVIN PIRAINO

Date:	**10/31/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **STRUCTURAL WORK IN CONJUNCTION WITH STOREFRONT. NO CHANGE OF USE, OCCUPANCY OR** **EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	123073137-02-EW-OT
Status:	REISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEVIN PIRAINO

ADJOINING PROPERTY FINDINGS

Date:	**9/28/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL FILING HEREWITH FOR REMOVAL OF DOOR AND WALL TO MAKE AN OPEN PASSAGEWAY IN THE LOBBY. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	123305155-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH ROMANO

Date:	**9/21/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH APPLICATION FILED FOR FLATWORK, PAVERS AS SHOWN ON DRAWINGS. NO CHANGE IN USE, EGRESS OR OCCUPANCY. IN CONJUNCTION WITH NEW BUILDING 121331763 & 121324290.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140362140-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOUGLAS TROAST

ADJOINING PROPERTY FINDINGS

Date:	**9/15/2017**
Permit Type:	**EQ**
Description:	**NEW BUILDING - CONSTRUCTION EQUIPMENT - FENCE CONSTRUCTION OF NEW 48 STORY COMMERCIAL BUILDING**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	NB - NEW BUILDING
Proposed Use:	FENCE
Permit Number:	121324290-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JARRETT E THIES

Date:	**9/15/2017**
Permit Type:	**NB**
Description:	**NEW BUILDING - CONSTRUCTION OF NEW 48 STORY COMMERCIAL BUILDING**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121324290-01-NB
Status:	ISSUED, REISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JARRETT E THIES

Date:	**9/12/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M401393
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ZWICKER ELEC. CO., INC.

ADJOINING PROPERTY FINDINGS

Date:	**9/7/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF A TEMPORARY SCAFFOLD @ 17TH FLOOR AS PER PLANS DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY.SCAFFOLD SHALL COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	122654225-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEITH LYNCH

Date:	**9/7/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A TEMPORARY PEDESTRIAN STAIR WITH OVERHEAD PROTECTION AS PER PLANS DURING NEW BUILDING CONSTRUCTION.PROTECTION SHALL COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122772222-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEITH LYNCH

ADJOINING PROPERTY FINDINGS

Date:	**9/6/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE INSTALLATION OF A FENCE AS PER PLANS DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. FENCE SHALL COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	122379309-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEITH LYNCH

Date:	**9/5/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE INSTALLATION OF A TEMPORARY CONSTRUCTION FENCE AS PER PLANS DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY.FENCE SHALL COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	122775498-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEITH LYNCH

ADJOINING PROPERTY FINDINGS

Date:	**8/23/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF A HEAVY DUTY SIDEWALK SHED APPROXIMATELY 43'LONG AS PER PLANS DURING NB CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY.SIDEWALK SHED TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	122048792-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEITH LYNCH

Date:	**8/23/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF A HEAVY DUTY SIDEWALK SHED APPROXIMATELY 40'LONG AS PER PLANS DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY.SIDEWALK SHED SHALL COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	122775489-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEITH LYNCH

ADJOINING PROPERTY FINDINGS

Date:	**8/7/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH INSTALLATION OF PARTITIONS, DOORS AND FLOORS AS PER PLANS SUBMITTED HEREWITH. NO CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION. CONSTRUCTION FLOOR 20, MARKETING FLOOR 24.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	123327266-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH ROMANO

Date:	**8/7/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALLATION OF UNITS OF ASSOCIATED DUCTWORK. NO CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION. CONSTRUCTION FLOOR 20, MARKETING FLOOR 24.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	123327266-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**7/6/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	M398188
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FIVE STAR ELECTRIC CORP.

Date:	**6/30/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER INSTALLATION OF HEADS AND ASSOCIATED PIPING. NO CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION. CONSTRUCTION FLOOR 35 MARKETING FLOOR 40**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122973675-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADAM GOODRICH

ADJOINING PROPERTY FINDINGS

Date:	**6/13/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FUEL STORAGE** **FILING HEREWITH FOR INSTALLATION OF FUEL STORAGE TANK AND PIPING. IN CONJUNCTION** **WITH NB APPLICATION 121324290. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL STORAGE
Permit Number:	121240503-01-EW-FS
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL BENDJOUYA

Date:	**6/5/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED** **INSTALLATION OF A HEAVY DUTY SIDEWALK SHED APPROXIMATELY 54' LONG AS PER PLANS** **DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY.** **SIDEWALK SHED SHALL COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	122420601-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

ADJOINING PROPERTY FINDINGS

Date:	**5/26/2017**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLATION OF FIXTURES OF FIXTURES AND ASSOCIATED PIPING. NO CHANGE OF USE,** **OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	123073128-03-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE J LEVINE

Date:	**5/23/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALLATION OF HEADS AND ASSOCIATED PIPING. NO CHANGE OF USE, OCCUPANCY OR** **EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122973693-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADAM GOODRICH

ADJOINING PROPERTY FINDINGS

Date:	**5/8/2017**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLATION OF FIXTURES AND ASSOCIATED PIPING. NO CHANGE OF USE, OCCUPANCY OR** **EGRESS UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122973684-04-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STEVEN M ROTHENBERG

Date:	**5/1/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M395400
Status:	ASSIGNED TO INSPECTOR
Valuation:	$0.00
Contractor Company:	
Contractor Name:	M.C. ELECTRICAL NY INC

ADJOINING PROPERTY FINDINGS

Date:	**4/28/2017**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLATION OF PLUMBING FIXTURES AND ASSOCIATED PIPING. NO CHANGE OF USE,** **OCCUPANCY OR EGRESS UNDER THIS APPLICATION.** **Limited scope of work: PLUMBING**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122981014-03-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARC BRESLAW

Date:	**4/26/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M395213
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADCO ELEC'L CORP

ADJOINING PROPERTY FINDINGS

Date:	**4/14/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH FILING HEREWITH TO CONSTRUCT INTERIOR PARTITIONS, CEILINGS AND DOORS AS PER PLANS. NO CHANGE TO USE, EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122952162-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH ROMANO

Date:	**4/14/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC FILING HEREWITH FOR MECHANICAL MODIFICATIONS AS PER PLANS. NO CHANGE TO USE, EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122952162-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**4/13/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **CONSTRUCT INTERIOR PARTITIONS, CEILINGS AND DOORS AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. (43TH CONSTRUCTION/48TH** **MARKETING)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140415254-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH P ROMANO

Date:	**4/13/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **FILING HEREWITH FOR CONSTRUCTION OF COMMUNICATING STAIRCASES AND THE** **INSTALLATIONS OF STEEL FRAME SUPPORTS FOR MULTIPLE OPERABLE PARTITIONS AS SHOWN** **ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140420453-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**4/13/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL PLUMBING FIXTURES AND** **RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY. (47, 48 & 49 FLOOR CONSTRUCTION/52, 53, 54 MARKETING)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	140433403-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH ROMANO

Date:	**4/11/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **INSTALLATION OF STRUCTURAL STEEL AS PER PLANS SUBMITTED HEREWITH. NO CHANGE OF** **USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122973684-02-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL MONTEIRO

ADJOINING PROPERTY FINDINGS

Date:	**4/10/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH INSTALLATION OF PARTITIONS, DOORS AND FLOORS AS PER PLANS SUBMITTED HEREWITH. NO CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION. CONSTRUCTION FLOORS 35 AND 36, MARKETING FLOORS 40 AND 41.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122973684-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL MONTEIRO

Date:	**4/10/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALLATION OF UNITS AND ASSOCIATED DUCT WORK. NO CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122973684-03-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL MONTEIRO

ADJOINING PROPERTY FINDINGS

Date:	**4/6/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALLATION OF HEADS AND ASSOCIATED PIPING**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122977831-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADAM GOODRICH

Date:	**4/6/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALL ADDITIONAL SPRINKLER HEADS AS SHOWN ON DRAWINGS FILED HEREWITH. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY. IN CONJUNCTION WITH NB 121324290**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140246605-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

ADJOINING PROPERTY FINDINGS

Date:	**3/24/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **INSTALLATION OF INTERIOR PARTITIONS, DOORS AND FLOORS AS PER PLAN SUBMITTED** **HEREWITH. NO CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122930365-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL MONTEIRO

Date:	**3/24/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALLATION OF UNITS AND ASSOCIATED DUCTWORK AS PER DRAWINGS SUBMITTED** **HEREWITH. NO CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122930365-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL MONTEIRO

ADJOINING PROPERTY FINDINGS

Date:	**3/9/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **INSTALLATION OF PARTITIONS DOORS AND FLOORS AS PER PLANS SUBMITTED HEREWITH. NO** **CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122658187-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE PETRETTI

Date:	**3/9/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **MECHANICAL WORK IN CONJUNCTION WITH TENANT FIT OUT AS PER PLANS SUBMITTED** **HEREWITH. NO CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122658187-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE PETRETTI

ADJOINING PROPERTY FINDINGS

Date:	**3/8/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **RENOVATION OF COMMON CORRIDOR BETWEEN TWO SEPARATE TENANT SPACES. NO CHANGE OF** **USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122938571-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE PETRETTI

Date:	**3/8/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **MECHANICAL WORK IN CONJUNCTION WITH NEW BUILDING APPLICATION. NO CHANGE OF USE,** **OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122938571-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE PETRETTI

ADJOINING PROPERTY FINDINGS

Date:	**2/13/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M392163
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADCO ELEC'L CORP

Date:	**2/13/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **MODIFICATION OF EXISTING STANDPIPE SYSTEM AS SHOWN ON DRAWINGS FILED HEREWITH.** **NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	122891353-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADAM GOODRICH

ADJOINING PROPERTY FINDINGS

Date:	**2/10/2017**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLATION OF FIXTURES AND ASSOCIATED PIPING AS PER PLANS SUBMITTED HEREWITH.** **NO CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122930365-03-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STEVEN M ROTHENBERG

Date:	**1/19/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **MODIFICATION OF EXISTING SPRINKLER SYSTEM AS SHOWN ON DRAWINGS FILED HEREWITH.** **NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122938553-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADAM GOODRICH

ADJOINING PROPERTY FINDINGS

Date:	**1/11/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M390863
Status:	ASSIGNED TO INSPECTOR
Valuation:	$0.00
Contractor Company:	
Contractor Name:	M.C. ELECTRICAL NY INC

Date:	**1/9/2017**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 INSTALLATION OF FIXTURES AS PER PLANS SUBMITTED. FILED IN CONJUNCTION WITH RENOVATION OF 3 OFFICE SPACES. NO CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122916915-03-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOPHER K STRNAD

ADJOINING PROPERTY FINDINGS

Date:	**1/5/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER INSTALLATION AND REMOVAL OF SPRINKLER HEADS AS ASSOCIATED PIPING IN CONJUNCTION WITH CONSTRUCTION OF 3 OFFICE SPACES. 36TH MARKETING FLOOR 41ST CONSTRUCTION FLOOR. NO CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122916906-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADAM GOODRICH

Date:	**1/5/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER INSTALLATION AND REMOVAL OF SPRINKLER HEADS AS PER PLANS SUBMITTED HEREWITH. NO CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122938447-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADAM GOODRICH

ADJOINING PROPERTY FINDINGS

Date:	**12/30/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M390559
Status:	ASSIGNED TO INSPECTOR
Valuation:	$0.00
Contractor Company:	
Contractor Name:	M.C. ELECTRICAL NY INC

Date:	**12/7/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **CONSTRUCT INTERIOR PARTITIONS, CEILINGS AND DOORS AS PER PLANS. NO CHANGE TO** **USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122938535-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**12/7/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **MODIFY MECHANICAL DUCTWORK AS PER PLANS. NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122938535-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE ROMANO

Date:	**12/1/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **MODIFY SPRINKLER HEADS AND RELATED PIPING AS PER PLANS. NO CHANGE TO USE,** **EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122938544-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

ADJOINING PROPERTY FINDINGS

Date:	**10/19/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M387954
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FOREST ELECTRIC CORP.

Date:	**9/29/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **MODIFY EXISTING STANDPIPE SYSTEM AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE** **IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	122869994-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

ADJOINING PROPERTY FINDINGS

Date:	**9/12/2016**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - STRUCTURAL** **FILING HEREWITH FOR TEMPORARY STAGE & RIGGING. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY. AS SHOWN ON DRAWINGS FILED HEREWITH.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	122869663-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL LAINO

Date:	**7/28/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **MODIFY SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH.** **NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122817470-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS MITCHELL

ADJOINING PROPERTY FINDINGS

Date:	**7/28/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **MODIFY SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH.** **NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122817489-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS MITCHELL

Date:	**7/27/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **SPRINKLER MODIFICATIONS AS PER PLANS. AS SHOWN ON DRAWINGS FILED HEREWITH. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY. (43RD FLOOR CONSTRUCTION/48 MARKETING.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140415316-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

ADJOINING PROPERTY FINDINGS

Date:	**7/27/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **FILING HEREWITH FOR SPRINKLER MODIFICATIONS TO EXISTING SYSTEM AS PER PLANS. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY. (44TH CONSTRUCTION/49TH MARKETING)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140415566-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

Date:	**7/20/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **MODIFY SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH.** **NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122817452-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS MITCHELL

ADJOINING PROPERTY FINDINGS

Date:	**7/15/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **FILING HEREWITH FOR SPRINKLER MODIFICATION AS PER PLANS. AS SHOWN ON DRAWINGS** **FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122807436-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

Date:	**7/14/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **FILING HEREWITH FOR MECHANICAL MODIFICATIONS AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122710502-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS F GALLAGHER

ADJOINING PROPERTY FINDINGS

Date:	**7/13/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **CONSTRUCT INTERIOR PARTITIONS, CEILINGS AND DOORS FOR MPR ROOM AS PER PLANS.** **(DISPLAY 45, 46 & 47TH FLOOR) AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN** **USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122710496-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS F GALLAGHER

Date:	**7/13/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **FILING HEREWITH FOR MECHANICAL WORK AND INSTALLATION OF PLUMBING FIXTURES AS** **SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122710496-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS F GALLAGHER

ADJOINING PROPERTY FINDINGS

Date:	**7/13/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL FILING HEREWITH FOR STRUCTURAL WORK FOR CONVENIENCE STAIRS PER PLANS. NO CHANGE TO USE, EGRESS OR OCCUPANCY. (DISPLAY 45, 46 & 47TH FLOOR)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122710496-03-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS F GALLAGHER

Date:	**7/13/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH CONSTRUCT INTERIOR PARTITIONS, CEILINGS AND DOORS FOR MPR ROOM AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. (DISPLAY 44TH FLOOR)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122710502-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS F GALLAGHER

ADJOINING PROPERTY FINDINGS

Date:	**7/12/2016**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL PLUMBING FIXTURES AND RELATED PIPING AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122807445-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL S WIESENBERG

Date:	**7/8/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **INSTALLATION OF PARTITIONS DOORS AND FLOORS AS PER PLANS SUBMITTED. NO CHANGE OF** **USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122807454-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE PETRETTI

ADJOINING PROPERTY FINDINGS

Date:	**7/6/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER INSTALLATION OF SPRINKLER HEADS AS PER PLANS SUBMITTED HEREWITH. NO CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION. CONSTRUCTION FLOOR 20 MARKETING FLOOR 24**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122798295-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

Date:	**6/28/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M383376
Status:	OBJECTN PENDING AT CONTRACTOR
Valuation:	$0.00
Contractor Company:	
Contractor Name:	POLO ELECTRIC CORP. D/B/A

ADJOINING PROPERTY FINDINGS

Date:	**6/22/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALLATION OF SPRINKLER HEADS AND ASSOCIATED PIPING AS PER PLANS FILED** **HEREWITH.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122680688-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

Date:	**6/8/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALLATION OF SPRINKLER HEADS AS PER PLANS SUBMITTED HEREWITH.** **NO CHANGE OF** **USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122694557-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS MITCHELL

ADJOINING PROPERTY FINDINGS

Date:	**6/8/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALL SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH.** **NO CHANGE IN USE, EGRESS OR OCCUPANCY.(47TH CONSTRUCTION/52ND MARKETING)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140433421-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

Date:	**5/27/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M382187
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADCO ELEC'L CORP

ADJOINING PROPERTY FINDINGS

Date:	**5/25/2016**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLATION OF PLUMBING FIXTURES AND ASSOCIATED PIPING AS PER PLANS SUBMITTED.** **NO CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122710824-04-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE J LEVINE

Date:	**5/12/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **INSTALLATION OF PARTITIONS, DOORS AND FLOORS AS PER PLANS SUBMITTED HEREWITH. NO** **CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122710824-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN MCCARTHY

ADJOINING PROPERTY FINDINGS

Date:	**5/12/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **STRUCTURAL WORK IN CONJUNCTION WITH TENANT FIT OUT AS PER PLANS SUBMITTED** **HEREWITH. NO CHANGE OF USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122710824-02-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN MCCARTHY

Date:	**5/12/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **MECHANICAL WORK IN CONJUNCTION TENANT FIT OUT. NO CHANGE OF USE, OCCUPANCY OR** **EGRESS UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122710824-03-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN MCCARTHY

ADJOINING PROPERTY FINDINGS

Date:	**5/6/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M381326
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HEMANCHAL DEONARINE

Date:	**5/5/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **FILING HEREWITH FOR TEMPORARY STAIR ENCLOSURE FOR STAIR Z AS PER PLANS. NO** **CHANGE TO USE, EGRESS OR OCCUPANCY. IN CONJUNCTION WITH NB - 121324290**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122765481-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**5/4/2016**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **MODIFY MECHANICAL DUCTWORK. MODIFY PLUMBING FIXTURES AND RELATED PIPING AS SHOWN** **ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	140445365-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL S WIESENBERG

Date:	**5/3/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **CONSTRUCT INTERIOR PARTITIONS, CEILINGS AND DOORS AS SHOWN ON DRAWINGS FILED AS** **PER PLANS. NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140445249-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**5/3/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **MODIFY MECHANICAL DUCTWORK. MODIFY PLUMBING FIXTURES AND RELATED PIPING AS SHOWN** **ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	140445365-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH P ROMANO

Date:	**5/3/2016**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL PLUMBING FIXTURES AND** **RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY. (47, 48 & 49 FLOOR CONSTRUCTION/52, 53, 54 MARKETING)**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	140433403-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL S WIESENBERG

ADJOINING PROPERTY FINDINGS

Date:	**4/29/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION FILING FOR KITCHEN RANGEHOOD FIRE SUPPRESSION SYSTEM IN CONJUNCTION WITH JOB#122141397, AS SHOWN ON PLAN. COOKING EQUIPMENT, COOKING EXHAUST SYSTEM AND FIRE SUPP SHUTOFF VALVE FILED UNDER JOB#122141397-02. NO CHANGE IN USE, OCCUPANCY, OR EGRESS**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	140489102-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES H MEYER

Date:	**4/25/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER INSTALL SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.(45TH CONSTRUCTION/50TH MARKETING)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140415717-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

ADJOINING PROPERTY FINDINGS

Date:	**4/25/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALL SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH.** **NO CHANGE IN USE, EGRESS OR OCCUPANCY. (46TH FLOOR CONSTRUCTION/51 MARKETING)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140415799-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

Date:	**4/19/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALL SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH.** **NO CHANGE IN USE, EGRESS OR OCCUPANCY. (DISPLAY 44, 45 & 46TH FLOOR)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122706250-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TIMOTHY W BOWE

ADJOINING PROPERTY FINDINGS

Date:	**4/19/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **CONSTRUCT INTERIOR PARTITIONS, CEILINGS AND DOORS AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. (45TH CONSTRUCTION/50TH** **MARKETING)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140415655-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH P ROMANO

Date:	**4/19/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **INTERIOR RENOVATION FOR RAISED FLOORING AS PER PLANS. NO CHANGE IN USE, EGRESS** **OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140426297-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH P ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**4/19/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **INTERIOR RENOVATION FOR RAISED FLOORING AS PER PLANS. NO CHANGE TO USE, EGRESS** **OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140426331-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH P ROMANO

Date:	**4/4/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M380000
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HEMANCHAL DEONARINE

ADJOINING PROPERTY FINDINGS

Date:	**4/4/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M379970
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADCO ELEC'L CORP

Date:	**4/1/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE FILING HEREWITH FOR INSTALLATION OF ADDITIONAL FIRE HOSE CABINETS AND ASSOCIATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. (DISPLAY 42, 43, 44TH & 47TH FLOOR)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	122687510-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TIMOTHY W BOWE

ADJOINING PROPERTY FINDINGS

Date:	**3/31/2016**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL NEW MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL NEW PLUMBING** **FIXTURES AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN** **USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122706269-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN KELLY

Date:	**3/23/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL NEW MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL NEW PLUMBING** **FIXTURES AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN** **USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122706269-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS F GALLAGHER

ADJOINING PROPERTY FINDINGS

Date:	**3/22/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL FILING HEREWITH FOR STEEL WORK PRIOR TO INTERIOR DEMOLITION OF EXISTING SLABS AS PER PLANS. NO CHANGE TO USE EGRESS OR OCCUPANCY (DISPLAY - 42, 43, 44, 45, 46, 47 FLOOR) NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122706241-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS F GALLAGHER

Date:	**3/22/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH CONSTRUCT INTERIOR PARTITIONS, CEILINGS AND DOORS AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. (DISPLAY 45, 46 & 47TH FLOOR)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122706269-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS F GALLAGHER

ADJOINING PROPERTY FINDINGS

Date:	**3/22/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL FILING HEREWITH FOR STRUCTURAL WORK AS PER PLANS. NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122706269-03-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS F GALLAGHER

Date:	**3/18/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M379329
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADCO ELEC'L CORP

ADJOINING PROPERTY FINDINGS

Date:	**3/16/2016**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL NEW MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL NEW PLUMBING** **FIXTURES AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN** **USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122688038-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN KELLY

Date:	**3/14/2016**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLATION OF PLUMBING FIXTURES AS PER PLANS SUBMITTED HEREWITH. NO CHANGE OF** **OCCUPANCY USE OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122658187-03-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE J LEVINE

ADJOINING PROPERTY FINDINGS

Date:	**3/11/2016**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL NEW MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL PLUMBING FIXTURES** **AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS** **OR OCCUPANCY. (43RD CONSTRUCTION/48TH MARKETING)**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	140415290-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL S WIESENBERG

Date:	**3/11/2016**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL NEW MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL NEW PLUMBING** **FIXTURES AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN** **USE, EGRESS OR OCCUPANCY. (44TH CONSTRUCTION/49 MARKETING)**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	140415487-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL S WIESENBERG

ADJOINING PROPERTY FINDINGS

Date:	**3/11/2016**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL PLUMBING FIXTURES AND** **RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY.(45TH CONSTRUCTION/50TH MARKETING)**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	140415691-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL S WIESENBERG

Date:	**3/11/2016**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL PLUMBING FIXTURES AND RELATED PIPING AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. (46TH FLOOR CONSTRUCTION/51ST** **MARKETING)**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	140415762-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL S WIESENBERG

ADJOINING PROPERTY FINDINGS

Date:	**3/10/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER** **INSTALL (3) NEW GAS FIRED BURNERS ON (3) NEW HOT WATER BOILERS. ALL STRUCTURAL** **DETAILS, SUPPORTS, ENCLOSURE, CHIMNEY AND GAS LINES FILED UNDER NB# 121324290.** **NO CHANGE IN MEANS OF EGRESS, USE GROUP OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	121900648-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STEVEN T KOFSKY

Date:	**3/10/2016**
Permit Type:	**EW**
Description:	
Permit Description:	**EQUIPMENT WORK**
Work Class:	
Proposed Use:	FUEL BURNING
Permit Number:	121900648-01-EW-FB
Status:	
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date:	**3/9/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **CONSTRUCT INTERIOR PARTITIONS, CEILINGS AND DOORS AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. (DISPLAY 42, 43 & 44TH FLOOR)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122688038-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS F GALLAGHER

Date:	**3/9/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL NEW MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL NEW PLUMBING** **FIXTURES AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN** **USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122688038-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS F GALLAGHER

ADJOINING PROPERTY FINDINGS

Date:	**3/9/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **FILING HEREWITH FOR STRUCTURAL WORK AS PER PLANS. NO CHANGE TO USE, EGRESS OR** **OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122688038-03-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS F GALLAGHER

Date:	**3/9/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALL SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH.** **NO CHANGE IN USE, EGRESS OR OCCUPANCY. (DISPLAY 42, 43 & 44TH FLOOR)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122688047-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TIMOTHY W BOWE

ADJOINING PROPERTY FINDINGS

Date:	**3/3/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **MODIFY SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH.** **NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140445374-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

Date:	**2/24/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL PLUMBING FIXTURES AND** **RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY.(45TH CONSTRUCTION/50TH MARKETING)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	140415691-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**2/18/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **CONSTRUCT INTERIOR PARTITIONS, CEILINGS AND DOORS AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. (46TH CONSTRUCTION/51TH** **MARKETING)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140415744-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH P ROMANO

Date:	**2/18/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL PLUMBING FIXTURES AND RELATED PIPING AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. (46TH FLOOR CONSTRUCTION/51ST** **MARKETING)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	140415762-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH P ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**2/17/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **CONSTRUCT INTERIOR PARTITIONS, CEILINGS AND DOORS AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. (44TH CONSTRUCTION/49TH** **MARKETING)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140415414-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH P ROMANO

Date:	**2/12/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL NEW MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL PLUMBING FIXTURES** **AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS** **OR OCCUPANCY. (43RD CONSTRUCTION/48TH MARKETING)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	140415290-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH P ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**2/12/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALL NEW MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL NEW PLUMBING FIXTURES AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. (44TH CONSTRUCTION/49 MARKETING)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	140415487-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH P ROMANO

Date:	**2/11/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH CONSTRUCT INTERIOR PARTITIONS, CEILINGS AND DOORS AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. (47TH CONSTRUCTION/52ND MARKETING)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140420783-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH P ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**2/11/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **CONSTRUCT INTERIOR PARTITIONS, CEILINGS AND DOORS AS PER PLANS IN CONJUNCTION** **WITH CONSTRUCTION OF COMMUNICATION STAIRCASES. STRUCTURAL WORK FILED UNDER** **SEPARATE APPLICATIONS 140420453. AS SHOWN ON DRAWINGS FILED HEREWITH. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140428829-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH P ROMANO

Date:	**2/11/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **FILING HEREWITH FOR STRUCTURAL WORK FOR CONVENIENCE STAIR FOR 46TH & 47TH FLOOR** **AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.** **(51R/52R)**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140435508-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH P ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**2/5/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION** **FILING FOR A FIRE SUPPRESSION SYSTEM. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	122526908-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOUGLAS L COGER

Date:	**2/2/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **INSTALLATION OF TEMPORARY HOIST SEPARATION IN CONJUNCTION WITH NB APPLICATION#121324290**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122658169-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JED S THIES

ADJOINING PROPERTY FINDINGS

Date:	**2/1/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **MODIFY SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH.** **NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140422086-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

Date:	**1/29/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **MODIFY SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH.** **NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140422004-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

ADJOINING PROPERTY FINDINGS

Date:	**1/28/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER INSTALL NEW SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. (20TH & 21ST FLOOR CONSTRUCTION/24TH & 25TH FLOOR MARKETING FLOOR). IN CONJUNCTION WITH D-14 140411132**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140411169-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BRIAN MCMAHON

Date:	**1/27/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE INSTALL ADDITIONAL STANDPIPE SYSTEM AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	122383713-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS MITCHELL

ADJOINING PROPERTY FINDINGS

Date:	**1/26/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M377263
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	QUANTUM ELECTRIC CORP.

Date:	**1/25/2016**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL NEW MECHANICAL DUCTWORK ALONG WITH A/C UNIT AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. (20 & 21ST FLOOR CONSTRUCTION,** **24TH & 25TH FLOOR MARKETING). IN CONJUNCTION WITH D-14 140411132**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	140411150-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL S WIESENBERG

ADJOINING PROPERTY FINDINGS

Date:	**1/21/2016**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING** **MECHANICAL AND PLUMBING WORK FILED IN CONJUNCTION WITH NEW BUILDING AS PER PLANS** **FILED HEREWITH.**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121184208-05-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE P MARTINO

Date:	**1/14/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALLATION OF TEMP LOOP AS PER PLANS. NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122649991-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS MITCHELL

ADJOINING PROPERTY FINDINGS

Date:	**1/13/2016**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF A SCAFFOLD AS PER PLANS DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. SCAFFOLD SHALL COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	122650666-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEITH LYNCH

Date:	**1/6/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE INSTALL ADDITIONAL STANDPIPE SYSTEM AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	122383679-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BRIAN MCMAHON

ADJOINING PROPERTY FINDINGS

Date:	**1/6/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **INSTALL ADDITIONAL STANDPIPE SYSTEM AS SHOWN ON DRAWINGS FILED HEREWITH. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	122383697-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BRIAN MCMAHON

Date:	**1/4/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M376476
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADCO ELEC'L CORP

ADJOINING PROPERTY FINDINGS

Date: **1/4/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M376477
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: ADCO ELEC'L CORP

Date: **1/4/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M376479
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: ADCO ELEC'L CORP

ADJOINING PROPERTY FINDINGS

Date:	**12/30/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE INSTALL ADDITIONAL STANDPIPE SYSTEM AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	122383704-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

Date:	**12/21/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF A SCAFFOLD PLATFORM @20TH FLOOR AS PER PLANS DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY.PLATFORM SHALL COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	122630518-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

ADJOINING PROPERTY FINDINGS

Date:	**12/21/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M376205
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

Date:	**12/16/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL NEW MECHANICAL DUCTWORK ALONG WITH A/C UNIT AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. (20 & 21ST FLOOR CONSTRUCTION,** **24TH & 25TH FLOOR MARKETING). IN CONJUNCTION WITH D-14 140411132**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	140411150-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**12/11/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH CONSTRUCT INTERIOR PARTITIONS, CEILINGS AND DOORS AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. (20&21ST CONSTRUCTION FLOOR/24&25TH MARKETING FLOOR). ENERGY ANALYSIS DONE UNDER #**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140411132-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH P ROMANO

Date:	**12/9/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF A SCAFFOLD @ 18TH FLOOR AS PER PLANS DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. SCAFFOLD SHALL COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	122628068-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

ADJOINING PROPERTY FINDINGS

Date:	**12/4/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M375572
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

Date:	**10/28/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **CONSTRUCT INTERIOR PARTITIONS, CEILINGS AND DOORS AS SHOWN ON DRAWINGS FILED** **HEREWITH. IN CONJUNCTION WITH NB - 121324290NO CHANGE IN USE, EGRESS OR** **OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122131344-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MILDRED C CLAIRE

ADJOINING PROPERTY FINDINGS

Date:	**10/28/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL FILING HEREWITH FOR FLOOR REINFORCEMENT FOR STAIR LOADS AND STRUCTURAL SUPPORT FOR MOVEABLE PARTITION AS PER PLANS. IN CONJUNCTION WITH NB 121324290.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122131344-02-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MILDRED C CLAIRE

Date:	**10/28/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALL MECHANICAL AND PLUMBING FIXTURES AS PER PLANS FILED HEREWITH. NO CHANGE TO USE, EGRESS OR OCCUPANCY. IN CONJUNCTION WITH NB 121324290.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122131344-03-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MILDRED C CLAIRE

ADJOINING PROPERTY FINDINGS

Date:	**10/28/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE INSTALLATION OF NEW STANDPIPE AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. FILED IN CONJUNCTION WITH NB# 121324290**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	121332502-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

Date:	**10/26/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH CONSTRUCT INTERIOR PARTITIONS, CEILING AND DOORS AS SHOWN ON DRAWINGS FILED HEREWITH. IN CONJUNCTION WITH NB - 121324290. NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122141397-01-EW-OT
Status:	REISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM C PARSONS

ADJOINING PROPERTY FINDINGS

Date:	**10/26/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL PLUMBING FIXTURES AND** **RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY. IN CONJUNCTION WITH NB 121324290.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122141397-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM C PARSONS

Date:	**10/26/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **FILING HEREWITH FOR STRUCTURAL SUPPORT AS PER PLANS. NO CHANGE TO USE, EGRESS OR** **OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122141397-03-EW-OT
Status:	REISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM C PARSONS

ADJOINING PROPERTY FINDINGS

Date:	**10/20/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **CONSTRUCT INTERIOR PARTITIONS, CEILINGS AND DOORS AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. IN CONJUNCTION WITH NB**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122141379-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM PARSONS

Date:	**10/20/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **FILING HEREWITH FOR FLOOR REINFORCEMENT FOR STAIR LOADS AND STRUCTURAL SUPPORT** **FOR MOVEABLE PARTITION AS PER PLANS. IN CONJUNCTION WITH NB 121324290.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122141379-02-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM PARSONS

ADJOINING PROPERTY FINDINGS

Date:	**10/20/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL PLUMBING FIXTURES AND** **RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY. IN CONJUNCTION WITH NB 121324290.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122141379-03-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM PARSONS

Date:	**10/20/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **CONSTRUCT INTERIOR PARTITIONS, CEILING AND DOORS AS SHOWN ON DRAWINGS FILED** **HEREWITH. IN CONJUNCTION WITH NB - 121324290. NO CHANGE TO USE, EGRESS OR** **OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122141388-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM C PARSONS

ADJOINING PROPERTY FINDINGS

Date:	**10/20/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL PLUMBING FIXTURES AND** **RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY. IN CONJUNCTION WITH NB 121324290.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122141388-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM C PARSONS

Date:	**10/20/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **FILING HEREWITH FOR FLOOR REINFORCEMENT FOR STAIR LOADS AND STRUCTURAL SUPPORT** **FOR MOVEABLE PARTITION AS PER PLANS**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122141388-03-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM C PARSONS

ADJOINING PROPERTY FINDINGS

Date:	**10/19/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER INSTALLATION OF NEW SPRINKLER SYSTEM AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. IN CONJUNCTION WITH NB# 121324290**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	121332496-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

Date:	**10/19/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE INSTALLATION OF TEMPORARY DRY STANDPIPE AND TEMPORARY AIR PRESSURIZED ALARM SYSTEM AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. FILED IN CONJUNCTION WITH NB #121324290.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	121447871-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

ADJOINING PROPERTY FINDINGS

Date:	**10/15/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF AN OVERHEAD PROTECTION @ 49TH & 50TH FLOORS AS PER PLANS DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. OVERHEAD PROTECTION SHALL COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122554798-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEITH LYNCH

Date:	**10/6/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A STROS 7000D, MODEL NOV 3242 UF-II NORTH TEMPORARY PERSONNEL/MATERIAL DUAL CAR HOIST @ WEST SIDE OF THE BUILDING (HUDSON YARDS, TOWER C) AS PER PLANS DURING NB CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. HOIST TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121799893-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

ADJOINING PROPERTY FINDINGS

Date:	**10/6/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A STROS 7000D, MODEL NOV 3242 UF-II SOUTH TEMPORARY PERSONNEL/MATERIAL HOIST @ EAST SIDE OF THE BUILDING (HUDSON YARDS, TOWER C) AS PER PLANS DURING NB CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. HOIST TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121818765-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

Date:	**10/6/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A STROS 7000D, MODEL NOV 3242 UF-II NORTH TEMPORARY PERSONNEL/MATERIAL HOIST @ EAST SIDE OF THE BUILDING (HUDSON YARDS, TOWER C) AS PER PLANS DURING NB CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. HOIST TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121818774-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

ADJOINING PROPERTY FINDINGS

Date:	**9/22/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	MINOR WORK JOB
Proposed Use:	
Permit Number:	M372694
Status:	ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

Date:	**9/18/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF A TEMPORARY SCAFFOLD AS PER PLANS DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY.SCAFFOLD SHALL COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	122128170-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

ADJOINING PROPERTY FINDINGS

Date: **9/16/2015**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: ACTIVE
Proposed Use:
Permit Number: M372451
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **9/16/2015**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: ACTIVE
Proposed Use:
Permit Number: M372454
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **9/16/2015**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: ACTIVE
Proposed Use:
Permit Number: M372456
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date:	**9/15/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M372411
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

Date:	**9/9/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **INSTALL ADDITIONAL STANDPIPE SYSTEM AS SHOWN ON DRAWINGS FILED HEREWITH. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	122383688-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS MITCHELL

ADJOINING PROPERTY FINDINGS

Date:	**9/9/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **INSTALL ADDITIONAL STANDPIPE SYSTEM AS SHOWN ON DRAWINGS FILED HEREWITH. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	122385221-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS MITCHELL

Date:	**9/4/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M372049
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date:	**9/2/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALL SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH.** **IN CONJUNCTION WITH NB 121324290. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122099246-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BRIAN MCMAHON

Date:	**9/2/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALL NEW SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED** **HEREWITH. IN CONJUNCTION WITH NB 121324290. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122099460-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BRIAN MCMAHON

ADJOINING PROPERTY FINDINGS

Date:	**8/30/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M371777
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

Date:	**8/28/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL NEW PLUMBING FIXTURES AND RELATED PIPING AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122383722-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL S WIESENBERG

ADJOINING PROPERTY FINDINGS

Date:	**8/24/2015**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - TEMP INSTALL INSTALL TEMPORARY TENTS, STAIRS, PLATFORMS, SCAFFOLD, PRODUCTION EQUIPMENT FOR THE THE COACH FASHION SHOW EVENT, SCHEDULED FOR SEPTEMBER 15TH 2015. TPA IS REQUIRED. EVENT PRODUCER IS RESPONSIBLE TO MONITOR EVENT WEATHER CONDITIONS AND TO IMPLEMENT APPROPRIATE ACTIONS, IF NECESSARY. PRODUCTION EQUIPMENT TO BE REMOVED UPON EVENT COMPLETION**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	122507224-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE STRICKLAND

Date:	**8/20/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER INSTALL NEW SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. IN CONJUNCTION WITH NB 121324290. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122099344-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

ADJOINING PROPERTY FINDINGS

Date:	**8/20/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER INSTALL NEW SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. IN CONJUNCTION WITH NB 121324290. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122099479-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS MITCHELL

Date:	**8/20/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER INSTALL NEW SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122385230-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS MITCHELL

ADJOINING PROPERTY FINDINGS

Date:	**8/20/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALL NEW SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	122385249-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS MITCHELL

Date:	**8/18/2015**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING** **PLUMBING WORK ASSOCIATED WITH NEW BUILDING AS SHOWN ON DRAWINGS FILED HEREWITH.**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121324290-06-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE P MARTINO

ADJOINING PROPERTY FINDINGS

Date:	**8/10/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL MECHANICAL AND PLUMBING FIXTURES AS PER PLANS FILED HEREWITH. NO CHANGE** **TO USE, EGRESS OR OCCUPANCY. IN CONJUNCTION WITH NB 121324290.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122131344-03-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE P MARTINO

Date:	**8/10/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL PLUMBING FIXTURES AND** **RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY. IN CONJUNCTION WITH NB 121324290.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122141379-03-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE P MARTINO

ADJOINING PROPERTY FINDINGS

Date:	**8/10/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL PLUMBING FIXTURES AND** **RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY. IN CONJUNCTION WITH NB 121324290.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122141388-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE P MARTINO

Date:	**8/10/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL PLUMBING FIXTURES AND** **RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY. IN CONJUNCTION WITH NB 121324290.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122141397-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAWRENCE P MARTINO

ADJOINING PROPERTY FINDINGS

Date:	**8/6/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **CONSTRUCT INTERIOR PARTITIONS, CEILINGS AND DOORS AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122383722-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE ROMANO

Date:	**8/6/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **STRUCTURAL WORK FOR UPGRADING SLABS FOR HD FILING AS PER PLANS. NO CHANGE TO** **USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122383722-03-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**8/6/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL NEW MECHANICAL DUCTWORK ALONG WITH A/C UNIT AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122383722-04-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE ROMANO

Date:	**8/5/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **INSTALL ADDITIONAL STANDPIPE SYSTEM AS SHOWN ON DRAWINGS FILED HEREWITH. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY. IN CONJUNCTION WITH NB 121324290**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	140246516-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

ADJOINING PROPERTY FINDINGS

Date:	**8/5/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE INSTALL ADDITIONAL STANDPIPE SYSTEM AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. IN CONJUNCTION WITH NB 121324290**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	140246598-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

Date:	**8/5/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE INSTALL ADDITIONAL STANDPIPE SYSTEM AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. IN CONJUNCTION WITH NB 121324290**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	140246641-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

ADJOINING PROPERTY FINDINGS

Date:	**8/5/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD PROPOSED INSTALLATION OF PIPE SCAFFOLD AS PER PLANS. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	122488281-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL PALADINO

Date:	**8/4/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 INSTALL MECHANICAL DUCTWORK ALONG WITH A/C UNIT. PLUMBING FIXTURES AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. IN CONJUNCTION WITH NB 121324290. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122082502-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL S WIESENBERG

ADJOINING PROPERTY FINDINGS

Date:	**8/4/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL NEW PLUMBING FIXTURES** **AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. IN CONJUNCTION WITH NB** **121324290 NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122093974-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL S WIESENBERG

Date:	**8/4/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL NEW PLUMBING FIXTURES** **AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. IN CONJUNCTION WITH NB** **121324290 NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122094401-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL S WIESENBERG

ADJOINING PROPERTY FINDINGS

Date:	**8/4/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL PLUMBING FIXTURES AND** **RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. IN CONJUNCTION WITH NB -** **121324290. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122184019-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL S WIESENBERG

Date:	**8/4/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL NEW PLUMBING FIXTURES AND RELATED PIPING AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122383731-04-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL S WIESENBERG

ADJOINING PROPERTY FINDINGS

Date:	**8/4/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALL SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH.** **NO CHANGE IN USE, EGRESS OR OCCUPANCY. IN CONJUNCTION WITH NB 121324290**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140246464-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

Date:	**8/4/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **INSTALL SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH.** **NO CHANGE IN USE, EGRESS OR OCCUPANCY. IN CONJUNCTION WITH NB 121324290**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140246687-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

ADJOINING PROPERTY FINDINGS

Date:	**8/4/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER INSTALL ADDITIONAL SPRINKLER HEADS AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. IN CONJUNCTION WITH NB 121324290**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140246712-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID M ISRAEL

Date:	**7/30/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M370587
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date:	**7/28/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A SHED TYPE OVERHEAD PROTECTION AS PER PLANS DURING NB CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY.OVERHEAD PROTECTION SHALL COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122007130-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

Date:	**7/28/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M370475
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date:	**7/23/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FUEL STORAGE** **INSTALL (1) NEW EMERGENCY GENERATOR ON 5TH FLOOR. INSTALL (1) NEW 13,875 GALLON** **OIL TANK IN CELLAR. ALL STRUCTURAL DETAILS, SUPPORTSAND ENCLOSURES FILED UNDER** **NB 121324290. NO CHANGE IN MEANS OF EGRESS, USE GROUP OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL STORAGE
Permit Number:	122128777-01-EW-FS
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL BENDJOUYA

Date:	**7/23/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL (1) NEW EMERGENCY GENERATOR ON 5TH FLOOR. INSTALL (1) NEW 13,875 GALLON** **OIL TANK IN CELLAR. ALL STRUCTURAL DETAILS, SUPPORTSAND ENCLOSURES FILED UNDER** **NB 121324290. NO CHANGE IN MEANS OF EGRESS, USE GROUP OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122128777-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL BENDJOUYA

ADJOINING PROPERTY FINDINGS

Date:	**7/23/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER** **INSTALL (4) NEW GAS FIRED BURNERS ON (4) NEW HOT WATER BOILERS. ALL STRUCTURAL** **DETAILS, SUPPORTS, GAS LINE AND CHIMNEY FILED UNDER UNDER NB#121324290. NO** **CHANGE IN MEANS OF EGRESS, USE GROUP OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	122128713-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STEVEN T KOFSKY

Date:	**7/23/2015**
Permit Type:	**EW**
Description:	
Permit Description:	**EQUIPMENT WORK**
Work Class:	
Proposed Use:	FUEL BURNING
Permit Number:	122128713-01-EW-FB
Status:	
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date:	**7/17/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF "COCOON" CLIMBING SAFETY SYSTEM AS SHOWN ON DRAWINGS FILED HEREWITH. FILED IN CONJUNCTION WITH NB APPLICATION NUMBER 121324290. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140219298-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JED S THIES

Date:	**7/15/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER USE OF VALLA CRANE 501 WEST 30 STREET IN CONJUNCTION TO NB BIS 121324290**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122092902-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LOUIS CANTELMO

ADJOINING PROPERTY FINDINGS

Date:	**7/9/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **CONSTRUCT INTERIOR PARTITIONS, CEILINGS AND DOORS AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122383731-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE ROMANO

Date:	**7/9/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **STRUCTURAL WORK FOR UPGRADING SLABS FOR HD FILING AS PER PLANS. NO CHANGE TO** **USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122383731-02-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**7/9/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL NEW MECHANICAL DUCTWORK ALONG WITH A/C UNIT AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122383731-03-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE ROMANO

Date:	**6/23/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **INSTALLATION OF INTERIOR NON BEARING PARTITIONS AND RELATED FINISHES AS PER** **PLANS. IN CONJUNCTION WITH NB - 121324290. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122184019-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**6/23/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALL MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL PLUMBING FIXTURES AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. IN CONJUNCTION WITH NB - 121324290. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122184019-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH ROMANO

Date:	**6/23/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL UPGRADING SLABS FOR HD FILING. BUILT UP SLABS AS SHOWN ON DRAWINGS FILED HEREWITH. IN CONJUNCTION WITH NB 121324290. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122184019-03-EW-OT
Status:	REISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**6/23/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD** **INSTALLATION OF TEMPORARY STAIR TOWER AS PER PLANS FILED HEREWITH.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	140134361-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM S GRANTHAM

Date:	**6/10/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M368611
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date:	**6/5/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF A TEMPORARY SCAFFOLD AS PER PLANS DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. SCAFFOLD SHALL COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	122411461-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

Date:	**5/16/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M367537
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date:	**5/16/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M367538
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

Date:	**5/1/2015**
Permit Type:	**FO**
Description:	**NEW BUILDING - FOUNDATION/EARTHWORK** **CONSTRUCTION OF A NEW BUILDING AS PER PLANS FILED HEREWITH.** **ADDRESS OF** **CONSTRUCTION IS 553 WEST 30TH STREET.**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121184208-01-FO
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARELIS BATISTA

ADJOINING PROPERTY FINDINGS

Date:	**5/1/2015**
Permit Type:	**FO**
Description:	**NEW BUILDING - EARTHWORK** **CONSTRUCTION OF A NEW BUILDING AS PER PLANS FILED HEREWITH.** **ADDRESS OF** **CONSTRUCTION IS 553 WEST 30TH STREET.**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121184208-01-FO-EA
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARELIS BATISTA

Date:	**4/28/2015**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	ACTIVE
Proposed Use:	
Permit Number:	M366684
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAM ELECTRICAL CORP

ADJOINING PROPERTY FINDINGS

Date:	**4/22/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH INSTALLATION OF INTERIOR NON BEARING PARTITIONS AND RELATED FINISHES AS PER DRAWINGS FILED HEREWITH. IN CONJUNCTION WITH NB - 121324290. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122082502-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH ROMANO

Date:	**4/22/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALL MECHANICAL DUCTWORK ALONG WITH A/C UNIT. PLUMBING FIXTURES AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. IN CONJUNCTION WITH NB 121324290. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122082502-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**4/22/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL UPGRADING SLABS FOR HD FILING. BUILT UP SLABS AS SHOWN ON DRAWINGS FILED HEREWITH. IN CONJUNCTION WITH NB 121324290. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122082502-03-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH ROMANO

Date:	**4/22/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH INSTALLATION OF INTERIOR NON BEARING PARTITIONS AND RELATED FINISHES AS PER PLANS. IN CONJUNCTION WITH NB - 121324290. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122094401-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**4/22/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL NEW PLUMBING FIXTURES** **AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. IN CONJUNCTION WITH NB** **121324290 NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122094401-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE ROMANO

Date:	**4/22/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **UPGRADING SLABS FOR HD FILING. BUILT UP SLABS AS SHOWN ON DRAWINGS FILED** **HEREWITH. IN CONJUNCTION WITH NB 121324290. NO CHANGE IN USE, EGRESS OR** **OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122094401-03-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**4/21/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **INSTALLATION OF INTERIOR NON BEARING PARTITIONS AND RELATED FINISHES AS PER** **PLANS FILED HEREWITH. IN CONJUNCTION WITH NB - 121324290. NO CHANGE IN USE,** **EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122093974-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE ROMANO

Date:	**4/21/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALL MECHANICAL DUCTWORK ALONG WITH A/C UNIT. INSTALL NEW PLUMBING FIXTURES** **AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. IN CONJUNCTION WITH NB** **121324290 NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122093974-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**4/21/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL UPGRADING SLABS FOR HD FILING. BUILT UP SLABS AS SHOWN ON DRAWINGS FILED HEREWITH. IN CONJUNCTION WITH NB 121324290 . NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122093974-03-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOE ROMANO

Date:	**4/16/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF SAFETY NETTING FOR OVERHEAD PROTECTION OVER ADJACENT PROPERTY AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE TO USE, EGRESS OR OCCUPANCY**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121977076-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JED S THIES

ADJOINING PROPERTY FINDINGS

Date:	**3/31/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF AN ADT ACCESS SYSTEM ON THE ROOF AS PER PLANS. NO CHANGE IN USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION. SCAFFOLD TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140326172-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GREG BEECHE

Date:	**3/26/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF SCAFFOLD AS PER DRAWINGS. SCAFFOLD SHALL COMPLY WITH CHAPTER #33 OF THE NYC BUILDING CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	122260212-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRIS DELSAVIO

ADJOINING PROPERTY FINDINGS

Date:	**3/23/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **UNDERGROUND PLUMBING ASSOCIATED WITH NEW BUILDING AS SHOWN ON DRAWINGS FILED** **HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY. FILED IN CONJUNCTION WITH NB** **#121324290.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	121325994-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK TODINO

Date:	**3/16/2015**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER** **INSTALLATION OF A TEMPORARY SCAFFOLD TYPE OVERHEAD PROTECTION AS PER PLANS** **DURING NEW BUILDING CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY.** **OVERHEAD PROTECTION SHALL COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122285507-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

ADJOINING PROPERTY FINDINGS

Date: **2/28/2015**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: ACTIVE
Proposed Use:
Permit Number: M364242
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: JAM ELECTRICAL CORP

Date: **1/25/2015**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: ACTIVE
Proposed Use:
Permit Number: M363056
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: JAM ELECTRICAL CORP

ADJOINING PROPERTY FINDINGS

Date:	**10/15/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A STROS 7000D, MODEL NOV 3242 UF-II WEST TEMPORARY PERSONNEL/MATERIAL DUAL CAR HOIST @ WEST SIDE OF THE BUILDING (HUDSON YARDS, TOWER C) AS PER PLANS DURING NB CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. HOIST TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121818756-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

Date:	**10/14/2014**
Permit Type:	**EQ**
Description:	**NEW BUILDING - CONSTRUCTION EQUIPMENT - FENCE TEMPORARY CONSTRUCTION FENCE ASSOCIATED WITH THE CONSTRUCTION OF A NEW BUILDING.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	NB - NEW BUILDING
Proposed Use:	FENCE
Permit Number:	121184208-06-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARELIS BATISTA

ADJOINING PROPERTY FINDINGS

Date:	**10/10/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER USE OF JEKKO CRANE IN CONJUNCTION TO NB-121324290 AS PER PLANS FILED HEREWITH.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122164353-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FABIAN ZAMBRANO

Date:	**6/25/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M355401
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STAR-DELTA ELECTRIC, LLC

ADJOINING PROPERTY FINDINGS

Date:	**6/10/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER USE OF MONORAIL LIFTING SYSTEM AT 501 WEST 30 STREET IN CONJUNCTION TO NB BIS 121324290**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122035706-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LOUIS CANTELMO

Date:	**5/30/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	M353040
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAM ELECTRICAL CORP

ADJOINING PROPERTY FINDINGS

Date: **5/14/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M350894
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: JAM ELECTRICAL CORP

Date: **5/14/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M350895
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: JAM ELECTRICAL CORP

Date: **5/14/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M350891
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: JAM ELECTRICAL CORP

ADJOINING PROPERTY FINDINGS

Date: **5/14/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M350892
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: JAM ELECTRICAL CORP

Date: **5/14/2014**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M350893
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: JAM ELECTRICAL CORP

ADJOINING PROPERTY FINDINGS

Date:	**5/12/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF TEMPORARY STAIR TOWER AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SCAFFOLD
Permit Number:	121996938-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JED THIES

Date:	**4/4/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A SHED TYPE OVERHEAD PROTECTION AS PER PLANS DURING NB CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY.OVERHEAD PROTECTION SHALL COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2008.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	121968200-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARTIN DONOVAN

ADJOINING PROPERTY FINDINGS

Date:	**4/2/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF SCAFFOLD AS PER DRAWINGS DURING NEW BUILDING CONSTRUCTION FILED SEPARATELY. SCAFFOLD SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	121932169-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARTHUR DELSAVIO

Date:	**2/5/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	M350554
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FIVE STAR ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date: **11/11/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M348247
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: FIVE STAR ELECTRIC CORP.

Date: **10/31/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M347078
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: FIVE STAR ELECTRIC CORP.

Date: **7/1/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M342329
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: ADCO ELEC'L CORP. RICHARD ADDEO, ADCO ELEC'L CORP. RALPH OCCHIPINTI

ADJOINING PROPERTY FINDINGS

Date: **5/23/2013**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: REHABILITATION
Proposed Use:
Permit Number: M340767
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: FIVE STAR ELECTRIC CORP.

Date: **11/27/2012**
Permit Type: **FO**
Description: **NEW BUILDING - FOUNDATION/EARTHWORK**
CONSTRUCTION OF NEW 48 STORY COMMERCIAL BUILDING

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 121324290-01-FO
Status: REISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: JEDD THEIS

Date: **11/27/2012**
Permit Type: **FO**
Description: **NEW BUILDING - EARTHWORK**
CONSTRUCTION OF NEW 48 STORY COMMERCIAL BUILDING

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 121324290-01-FO-EA
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: JED THIES

ADJOINING PROPERTY FINDINGS

Date:	**3/17/2011**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF HEAVY DUTY SIDEWALK SHED A TOTAL OF APPROXIMATELY 845 L.F. AS PER PLAN AT 501 WEST 30 STREET. DURING DEMOLITION, WORK SHALL COMPLY WITH NEW YORK CITY BUILDING CODE 2008,CHAPTER 33. NO CHANGES IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	120631744-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PHILIP SUSI

Date:	**3/16/2011**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE INSTALLATION OF AN 8 FOOT CONSTRUCTION PLYWOOD FENCE. NO CHANGE IN USE, EGRESS AND OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	120631619-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL OBRIEN

ADJOINING PROPERTY FINDINGS

Date: **3/15/2011**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M312399
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: JACOBS ELECTRIC CORP.

518 W 30TH ST

Date: **1/16/2008**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M276156
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DETORE ELEC'L CONSTR CO I MATTHEW DETORE

ADJOINING PROPERTY FINDINGS

Date:	**1/2/2008**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **Herewith filing Mechanical and Plumbing work to relocate gas piping, remove floor drains, and install gas-fired air heater for new temporary tent structure. No change to use, egress, or occupancy.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110005182-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM HARVEY

Date:	**12/17/2007**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	104898728-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK WEIDNER

ADJOINING PROPERTY FINDINGS

Date:	**12/13/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN.** **Installation of temporary tent structure for Trapeze School. No change to use, egress, or occupancy. Non-directive-14 application.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110005182-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DARIUSZ LIPSKI

Date:	**12/13/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **Herewith filing Mechanical and Plumbing work to relocate gas piping, remove floor drains, and install gas-fired air heater for new temporary tent structure. No change to use, egress, or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	110005182-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DARIUSZ LIPSKI

ADJOINING PROPERTY FINDINGS

Date:	**12/13/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - Structural** **Structural work for concrete topping and tent curbs in conjunction with installation of temporary tent structure. No change to use, egress, or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110005182-03-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DARIUSZ LIPSKI

Date:	**12/13/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - TentStructure** **Herewith filing tent structure. No change to use, egress, or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110005182-04-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DARIUSZ LIPSKI

ADJOINING PROPERTY FINDINGS

Date:	**9/27/2007**
Permit Type:	**DM**
Description:	**FULL DEMOLITION -**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	104898728-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK WEIDNER

Date:	**9/13/2007**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE INSTALLATION OF A FENCE 75' LONG BY 15' WIDE, TO CURB, DURING BUILDING DEMO (104868804). NO CHANGES IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	104883404-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK WEIDNER

ADJOINING PROPERTY FINDINGS

Date:	**5/12/1999**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF HEAVY DUTY SHED 20FT ON 10TH AVE FOR OVERHEAD PROTECTION AS PER COURT ORDER. SHED TO COMPLY WITH LL33/91 NO CHANGE IN USE,EGRESS OR OCCUPANCY**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	102096296-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN BRESLIN

Date:	**5/1/1991**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M084259
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EASTERN STAR ELECTRIC LTD P MORACI, EASTERN STAR ELECTRIC LTD ANTHONY CIRRINCIONE

ADJOINING PROPERTY FINDINGS

520 W 30TH ST

Date:	**2/15/2018**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING** **MECHANICAL AND PLUMBING WORK FILED IN CONJUNCTION WITH NEW BUILDING AS PER PLANS** **FILED HEREWITH.**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121184994-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GORDON J RUGG, JR

Date:	**10/20/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIREPLACES** **INSTALL (1) NEW GAS FIRED FIREPLACE ON CELLAR FLOOR WITH (1) NEW DOUBLEWALL FLUE** **AND (1) NEW INLINE INDUCED DRAFT FAN. INSTALL (2) NEW GAS FIRED FIREPLACES ON** **30TH FLOOR WITH (2) NEW DOUBLEWALL FLUES AND (2) NEW ROOFTOP INDUCED DRAFT FANS.** **NO CHANGE IN MEANS OF EGRESS USE GROUP OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	123073226-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STEVEN A HERBERT

ADJOINING PROPERTY FINDINGS

Date:	**9/21/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. THIS APPLICATION IS FILED FOR A TEMPORARY USE PERMIT FOR A SALES OFFICE_ON THE 21ST FLOOR AND MODEL UNITS ON THE 9TH FLOOR PURSUANT TO SECTION AC 28-111 AND BUILDING BULLETIN 2010-002 AS PER THE PLANS FILED HEREWITH**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140611853-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMANDA REKEMEYER

Date:	**9/12/2017**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - MARQUEE INSTALLATION OF A MARQUEE FILED IN CONJUNCTION WITH NB #121184994 AS PER PLANS FILED HEREWITH. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	140669514-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMANDA REKEMEYER

ADJOINING PROPERTY FINDINGS

Date:	**4/11/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - TENANT PROTECT** **FILING TENANT PROTECTION PLAN IN CONJUNCTION WITH NEW BUILDING APPLICATION** **121184994**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140627784-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMANDA REKEMEYER

Date:	**9/29/2016**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - OTHER** **INSTALLATION OF AN ADT ACCESS SYSTEM ON THE ROOF AS PER PLANS. NO CHANGE IN USE,** **EGRESS OR OCCUPANCY UNDER THIS APPLICATION. SCAFFOLD TO COMPLY WITH CHAPTER 33** **OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140555236-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GREG BEECHE

ADJOINING PROPERTY FINDINGS

Date: **8/18/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M385516
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: TOP SHELF ELECTRIC CORP

Date: **6/10/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M382737
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: R.C.M. ELECTRIC CORP.

Date: **5/9/2016**
Permit Type: **EW**
Description: **ALTERATION TYPE 2 - DOKA COCOON**
FILING FOR DOKA COCOON PROTECTION SYSTEM ON OUTSIDE FLOORS AS PER PLANS

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 122698205-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: AMANDA REKEMEYER

ADJOINING PROPERTY FINDINGS

Date:	**2/23/2016**
Permit Type:	**NB**
Description:	**NEW BUILDING - CONSTRUCTION OF A NEW RESIDENTIAL BUILDING. ADDRESS IS 520 WEST 30 STREET. LOCATED ON THE SAME ZONING LOT AS SEPARATE NB APPLICATION #121182031.**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121184994-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARELIS BATISTA

Date:	**10/1/2015**
Permit Type:	**FO**
Description:	**NEW BUILDING - FOUNDATION/EARTHWORK CONSTRUCTION OF A NEW RESIDENTIAL BUILDING. ADDRESS IS 520 WEST 30 STREET. LOCATED ON THE SAME ZONING LOT AS SEPARATE NB APPLICATION #121182031.**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121184994-01-FO
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARELIS BATISTA

ADJOINING PROPERTY FINDINGS

Date:	**10/1/2015**
Permit Type:	**FO**
Description:	**NEW BUILDING - EARTHWORK** **CONSTRUCTION OF A NEW RESIDENTIAL BUILDING. ADDRESS IS 520 WEST 30 STREET.** **LOCATED ON THE SAME ZONING LOT AS SEPARATE NB APPLICATION #121182031.**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121184994-01-FO-EA
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARELIS BATISTA

Date:	**6/8/2015**
Permit Type:	**EQ**
Description:	**NEW BUILDING - CONSTRUCTION EQUIPMENT - FENCE** **CONSTRUCTION OF A NEW RESIDENTIAL BUILDING. ADDRESS IS 520 WEST 30 STREET.** **LOCATED ON THE SAME ZONING LOT AS SEPARATE NB APPLICATION #121182031.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	NB - NEW BUILDING
Proposed Use:	FENCE
Permit Number:	121184994-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARELIS BATISTA

ADJOINING PROPERTY FINDINGS

Date:	**4/30/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **TEMPORARY STANDPIPE WORK AS PER PLANS SUBMITTED HEREWITH IN CONJUCTION WITH NB** **# 121184994. NB ADDRESS IS 520 WEST 30 STREET. FILED TO SUPERSEDE APPLICATI ON** **#122001840.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	121332316-01-EW-SD
Status:	REISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GORDON J RUGG, JR

532 W 30TH ST

Date:	**10/9/2014**
Permit Type:	**DM**
Description:	**FULL DEMOLITION -** **FULL DEMOLITION OF SEVEN STORY STRUCTURE USING MECHANICAL MEANS.**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	121955973-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL O'BRIEN

ADJOINING PROPERTY FINDINGS

Date:	**10/9/2014**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE** **FULL DEMOLITION OF SEVEN STORY STRUCTURE USING MECHANICAL MEANS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	121955973-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DANIEL O'BRIEN

Date:	**8/1/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED** **SIDEWALK SHED PROPOSED INSTALLATION OF SIDEWALK SHED AS PER PLAN. NO CHANGE IN** **USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	140234066-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM LAFFEY

ADJOINING PROPERTY FINDINGS

Date:	**8/1/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD PIPE SCAFFOLD PROPOSED INSTALLATION OF PIPE SCAFFOLD AS PER PLAN. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	140234075-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM LAFFEY

Date:	**8/1/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE PLYWOOD FENCE PROPOSED INSTALLATION OF PLYWOOD FENCE AS PER PLAN. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	140234084-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM LAFFEY

ADJOINING PROPERTY FINDINGS

Date:	**7/19/2014**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M356264
Status:	Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOP SHELF ELECTRIC CORP

Date:	**2/10/2014**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER TEMPORARY FACADE NETTING FOR PROTECTION OF ADJACENT PROPERTY. NO CHANGE TO USE, OCCUPANCY OR EGRESS.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140137386-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SEAN BRADY

ADJOINING PROPERTY FINDINGS

Date:	**7/15/2009**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M294345
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MID CITY ELECTRICAL CORP.

Date:	**7/31/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL TEMPORARY SHORING TO SUPPORT ADJOININGDAMAGED BUILDING DURING REPAIR.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104777467-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JEFF LEVINE

ADJOINING PROPERTY FINDINGS

Date:	**1/22/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **REPLACEMENT AIR CONDITIONING INSTALLATION. THERE WILL BE NO CHANGE IN USE** **EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103687752-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VINCENT LIOTTA

Date:	**8/21/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ANTENNAS** **INSTALL ADDITIONAL TELECOMMNICATION ANTE NNAS ON ROOF. INITIAL WORK APPR** **VED UNDER APPLICATION #101285672. ALL WO RK IN COMPLIANCE WITH TPPN# 5/98. NO CH** **NGE IN USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103486265-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STEVEN ROGALINSKI

ADJOINING PROPERTY FINDINGS

Date:	**1/17/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - CABINETS INSTALLING TELECOMMUNICATIONS CABINETS & ANTENNAS ON ROOF IN CONFORMANCE WITH TPPN #5/98 NO CHANGE IN USE EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102896886-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETE MANDEL

Date:	**6/14/2000**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M190697
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	A.T. ELECT'L CONSTR. CORP

ADJOINING PROPERTY FINDINGS

Date: **6/14/2000**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M193422
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: A.T. ELECT'L CONSTR. CORP

Date: **9/23/1998**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M170997
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CAMPBELL & DAWES LTD ELEC

ADJOINING PROPERTY FINDINGS

Date:	**9/4/1997**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLATION OF NON BEARING PARTITIONS AS PER PLANS FILED HEREWITH. NEW A/C UNITS ON MAIN ROOF AND 3RD FLOOR ROOF AS PREVIOUSLY APPROVED UNDER** **ALT. 1452/88. PLUMBING WORK LIMITED TO EXECUTIVE SHOWER AT 6TH FLOOR AND NEW** **SINK AT 5TH FLOOR PANTRY. NO CHANGE IN USE, OCCUPANCY OR EGRESS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	101283175-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN KELLLY

Date:	**5/20/1997**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M154794
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CAMPBELL & DAWES LTD ELEC

ADJOINING PROPERTY FINDINGS

Date:	**5/16/1996**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M143347
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARNOLD FINKELSTEIN ARNOLD FINKELSTEIN

Date:	**4/25/1996**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC CREATING NYNEX MOBILE COMMUNCATIONS ROOM ON THE 4TH FL. IN CONFORMAN CE WITH COMMISSIONER RINALDI'S MEMO DATED AUG. 20, 1992. RELATED ANTENNAS ON ROOF.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	101285672-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TERRY RATNECHT

ADJOINING PROPERTY FINDINGS

Date:	**4/25/1996**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - PARTITIONS CREATING NYNEX MOBILE COMMUNCATIONS ROOM ON THE 4TH FL. IN CONFORMAN CE WITH COMMISSIONER RINALDI'S MEMO DATED AUG. 20, 1992. RELATED ANTENNAS ON ROOF.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101285672-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TERRY RATNECHT

Date:	**4/24/1996**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALLATION OF NON BEARING PARTITIONS AS PER PLANS FILED HEREWITH. NEW A/C UNITS ON MAIN ROOF AND 3RD FLOOR ROOF AS PREVIOUSLY APPROVED UNDER ALT. 1452/88. PLUMBING WORK LIMITED TO EXECUTIVE SHOWER AT 6TH FLOOR AND NEW SINK AT 5TH FLOOR PANTRY. NO CHANGE IN USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	101283175-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FAY DELVIN

ADJOINING PROPERTY FINDINGS

Date:	**4/24/1996**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - PARTITIONS INSTALLATION OF NON BEARING PARTITIONS AS PER PLANS FILED HEREWITH. NEW A/C UNITS ON MAIN ROOF AND 3RD FLOOR ROOF AS PREVIOUSLY APPROVED UNDER ALT. 1452/88. PLUMBING WORK LIMITED TO EXECUTIVE SHOWER AT 6TH FLOOR AND NEW SINK AT 5TH FLOOR PANTRY. NO CHANGE IN USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101283175-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FAY DELVIN

Date:	**1/30/1989**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M047955
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HABE ELECTRIC CO.INC. E HABE

ADJOINING PROPERTY FINDINGS

534 W 30TH ST

Date:	**7/1/2009**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF A HEAVY DUTY SIDEWALK SHED 20' LONG X 14' HIGH DURING NEW BUILDING CONSTRUCTION ON ADJACENT PROPERTY IN CONJUNCTION WITH NB #104767682. SIDEWALK SHED TO COMPLY WITH LL 33/91 AND TPPN 9/99. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	110290088-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KENNETH BUETTNER

Date:	**7/18/2008**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M283016
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STAR-DELTA ELECTRIC, LLC

ADJOINING PROPERTY FINDINGS

Date:	**6/6/2007**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	104655311-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOBY ROMANO

Date:	**3/8/2007**
Permit Type:	**DM**
Description:	**FULL DEMOLITION -**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	104655311-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOBY ROMANO

ADJOINING PROPERTY FINDINGS

Date:	**8/29/1997**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN. INSTALLATION OF NEW GAS SERVICE,GAS METE UNIT HEATERS AND ASSOCIATED BREECHING AS SHOWN ON PLANS. NO CHANGE IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101554015-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH SANTULLO

Date:	**8/29/1997**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALLATION OF TWO (2) VENTING SYSTEMS FOR TWO(2) UNIT HEATERS FILED UNDER THE ORIGINAL APPLICATION (JOB # 101554015). THE MECHANICAL INSTALLATION COST WAS ALREADY INCORPORATED WITHIN_THE ESTIMATED COST OF THE ORIGINAL APPLICA- TION (JOB# 101554015). NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	101554015-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH SANTULLO

ADJOINING PROPERTY FINDINGS

Date:	**8/15/1997**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLATION OF NEW GAS SERVICE,GAS METE UNIT HEATERS AND ASSOCIATED** **BREECHING AS SHOWN ON PLANS. NO CHANGE IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	101554015-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EDWARD MATULA

553 W 30TH ST

Date:	**2/22/2018**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - OTHER** **INSTALLATION OF AN ADT ACCESS SYSTEM ON THE ROOF AS PER PLANS. NO CHANGE IN USE,** **EGRESS OR OCCUPANCY UNDER THIS APPLICATION. SCAFFOLD TO COMPLY WITH CHAPTER 33** **OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140609134-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GREG BEECHE

ADJOINING PROPERTY FINDINGS

Date:	**10/12/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF ALTERNATIVE NETTING AS PER PLANS FILED HEREWITH. THIS APPLICATION IS IN CONJUNCTION WITH NB-121184208.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122906542-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMAS A COSTIGAN

Date:	**9/25/2017**
Permit Type:	**EQ**
Description:	**NEW BUILDING - CONSTRUCTION EQUIPMENT - FENCE CONSTRUCT NEW BUILDING IN CONJUNCTION WITH TOWER C HUDSON YARDS NEW BUILDING #121324290. CONSTRUCT FENCE.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	NB - NEW BUILDING
Proposed Use:	FENCE
Permit Number:	121331193-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEVIN WOODS

ADJOINING PROPERTY FINDINGS

Date:	**9/25/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - ARCH** **APPLICATION FILED FOR FLATWORK, PAVERS AS SHOWN ON DRAWINGS. NO CHANGE IN USE,** **EGRESS OR OCCUPANCY. IN CONJUNCTION WITH NEW BUILDING 121331763 & 121184208.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140362177-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOUGLAS TROAST

Date:	**9/11/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE** **INSTALLATION OF A FENCE @ HUDSON YARDS TOWER D AS PER PLANS IN CONJUNCTION WITH** **NB CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. FENCE TO COMPLY WITH** **CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	122347344-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEITH LYNCH

ADJOINING PROPERTY FINDINGS

Date:	**9/11/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A DUAL CAR PERSONNEL/MATERIAL HOIST STROS 7000D (MODEL NOV UFC-11 3242) @ HUDSON YARDS TOWER D AS PER PLANS IN CONJUNCTION WITH NB CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. HOIST TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122699437-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEITH LYNCH

Date:	**9/11/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - OTHER INSTALLATION OF A DUAL CAR PERSONNEL/MATERIAL HOIST STROS 7000D (MODEL NOV UFC-11 3242)NORTH CARS @ HUDSON YARDS TOWER D AS PER PLANS IN CONJUNCTION WITH NB CONSTRUCTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. HOIST TO COMPLY WITH CHAPTER 33 OF NYC BUILDING CODE OF 2014.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122849258-01-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KEITH LYNCH

ADJOINING PROPERTY FINDINGS

Date:	**8/23/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **SPRINKLER AND STANDPIPE WORK FILED IN CONJUNCTION WITH NB 121184208 AS PER PLANS** **FILED HEREWITH. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	140195893-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES G DECICCO

Date:	**8/23/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **SPRINKLER AND STANDPIPE WORK FILED IN CONJUNCTION WITH NB 121184208 AS PER PLANS** **FILED HEREWITH. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	140195893-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES G DECICCO

ADJOINING PROPERTY FINDINGS

Date:	**4/27/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **TEMPORARY STANDPIPE INSTALLATION FILED IN CONJUNCTION WITH NEW BUILDING** **APPLICATION #121184208 AS PER PLANS FILED HEREWITH. NO CHANGE IN USE, EGRESS, OR** **OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	122333803-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES G DECICCO

Date:	**2/14/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	M392178
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TUXEDO ELEC'L CONTR'G INC

ADJOINING PROPERTY FINDINGS

Date:	**1/23/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF SCAFFOLD AS PER DRAWINGS. SCAFFOLD SHALL COMPLY WITH CHAPTER #33 OF THE NYC BUILDING CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	122891219-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANDREW FELDMAN

Date:	**12/29/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER BOILER WORK FILED IN CONJUNCTION WITH NB 121184208 AS PER PLANS FILED HEREWITH. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	140195839-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ERIC D LAWRENCE

ADJOINING PROPERTY FINDINGS

Date: **8/15/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M385317
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: A.S.R. ELEC'L CONTR'G INC

Date: **8/15/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M385318
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: A.S.R. ELEC'L CONTR'G INC

Date: **3/21/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: NEW BUILDING
Proposed Use:
Permit Number: M379384
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: A.S.R. ELEC'L CONTR'G INC

ADJOINING PROPERTY FINDINGS

Date:	**9/28/2015**
Permit Type:	**FO**
Description:	**NEW BUILDING - FOUNDATION/EARTHWORK** **CONSTRUCT NEW BUILDING IN CONJUNCTION WITH TOWER C HUDSON YARDS NEW BUILDING** **#121324290. CONSTRUCT FENCE.**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121331193-01-FO
Status:	REISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JED THIES

Date:	**9/28/2015**
Permit Type:	**FO**
Description:	**NEW BUILDING - EARTHWORK** **CONSTRUCT NEW BUILDING IN CONJUNCTION WITH TOWER C HUDSON YARDS NEW BUILDING** **#121324290. CONSTRUCT FENCE.**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	121331193-01-FO-EA
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JED THIES

ADJOINING PROPERTY FINDINGS

554 W 30TH ST

Date: **7/9/2012**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: M329333
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: WILLIAMS ELECTRIC CORP. WILLIAM SWANE

604 W 30TH ST

Date: **9/23/1996**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M147074
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: FOLKS ELECTRICAL INC

ADJOINING PROPERTY FINDINGS

Date:	**9/23/1992**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M099329
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	A TO Z ELEC'L MAIN & SER

606 W 30TH ST

Date:	**12/20/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. REPAIR WOOD TRUSSES TO CORRECT VIOLATION #1369782. NO CHANGE IN USE, EGRESS AND OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140711031-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NICK PLAKAUDAS

ADJOINING PROPERTY FINDINGS

Date: **4/20/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: MINOR WORK
Proposed Use:
Permit Number: M380627
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SANIT-BLDG. MGMT

Date: **1/12/2016**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class: MINOR WORK
Proposed Use:
Permit Number: M376720
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: DEPT. OF SANIT-BLDG. MGMT

ADJOINING PROPERTY FINDINGS

Date:	**12/10/2014**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. THIS APPLICATION IS BEING FILED TO OPEN 16"X16" PROBES AT EXTERIOR FACE BRICK AND BACK-UP MASONRY ON EXTERIOR SIDES OF THE EXISTING TRUSS TO EXPOSE THE SIDE AND THE END OF THE TRUSS FOR INSPECTION. PROVIDE TEMP. SHORING. NO CHANGE TO USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	140290129-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BOB DELIDAKIS

Date:	**11/16/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC THIS APPLICATION IS BEING FILED FOR FACADE RESTORATION, RE-ROOFING, AND MINOR INTERIOR TRUSS REINFORCINGS. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104934289-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANDREW ANAGNOSTIDIS

ADJOINING PROPERTY FINDINGS

Date:	**6/4/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION REPLACEMENT OF 2 EXIST. DOUBLE-WALLEDFIBERGLASS DIESEL FUEL STORAGE TANKS WITH NEW USING EXIST. PILED FOUNDATION. INSTALL ALL NEW PIPING AND 2 REPLA CEMENT DISPENSERS ON EXIST. CONCRETE PUMP ISLANDS. REUSE EXIST. TANK CONTROL SYSTEM. NO CHANGE IN USE OCCUPANCY OREGRESS HEREUNDER**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104745000-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES GIUSTINIANI

Date:	**5/24/1996**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION TRUSS REPAIR.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101308461-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EUGENE ZYCH

ADJOINING PROPERTY FINDINGS

Date:	**4/15/1996**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - INTERIOR MODIFICATIONS. (MEZZANUNE, 1TG., HVAC, PLUMBING TO ACCOMODATE NEW USER.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	100962558-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GUS PANAGIOTAKIS

Date:	**12/18/1995**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER SPRINKLER MODIFICATIONS**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	101046921-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LESLIE SMALL

ADJOINING PROPERTY FINDINGS

Date:	**6/22/1995**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1** **INTERIOR MODIFICATIONS. (MEZZANUNE, 1TG., HVAC, PLUMBING TO ACCOMODATE NEW USER.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	100962558-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHEAL LUGER

Date:	**5/15/1995**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M131940
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	COMMUNITY ELEC., INC.

ADJOINING PROPERTY FINDINGS

Date:	**12/20/1994**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION REPAIR OF TRUSSES**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	100939415-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EUGENE ZYCH

Date:	**5/6/1985**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	030259
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DEPT. OF SANIT-BLDG. MGMT

ADJOINING PROPERTY FINDINGS

WEST 27 STREET

509-511 WEST 27 STREET

Date:	**3/21/2017**
Permit Type:	**DM**
Description:	**FULL DEMOLITION - DEMOLITION OF THE BUILDING**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	122732267-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JACK CALIENDO

Date:	**3/21/2017**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE DEMOLITION OF THE BUILDING**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	122732267-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JACK CALIENDO

ADJOINING PROPERTY FINDINGS

Date:	**3/21/2017**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - OTHER MECHANICAL MEANS SUBMITTED FOR USE OF MECHANICAL EQUIPMENT AT THE TIME OF DEMOLITION**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122732267-02-EQ-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JACK CALIENDO

Date:	**2/13/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF HEAVY DUTY SIDEWALK SHED AS PER PLANS. LIVE LOAD 300 PSF. SIDEWALK SHED SHALL COMPLY WITH CHAPTER #33 OF THE 2014 CODE NO CHANGE TO USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	140596479-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SIMRANPAL SINGH

ADJOINING PROPERTY FINDINGS

Date:	**1/26/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M391447
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LINTECH ELECTRIC, INC.

530-532 WEST 27 STREET

Date:	**1/23/2018**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **FILED HEREWITH IS A NEW STANDPIPE SYSTEM BEING RETROFITTED INTO AN EXISTING** **SPRINKLER SYSTEM.NO CHANGE EGRESS, OCCUPANCY OR USE**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	122665437-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER QUINN

ADJOINING PROPERTY FINDINGS

Date:	**12/1/2017**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **FILED HEREWITH ARE ARCHITECTURAL MODIFICATIONS TO THE EXISTING ROOFTOP KITCHEN** **AREA. TO RELOCATE WALK-IN COOLER, INSTALL NEW PIZZA OVEN, VENT HOOD, PLUMBING** **AND KITCHEN EQUIPMENT. NO CHANGE TO EGRESS OCCUPANCY OR USE.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122717159-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BASIL C THOMPSON

Date:	**7/20/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	MINOR WORK
Proposed Use:	
Permit Number:	M384306
Status:	ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TRIZA ELECTRICAL CORP

ADJOINING PROPERTY FINDINGS

Date:	**6/28/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **FILED HEREWITH ARE ARCHITECTURAL MODIFICATIONS TO THE EXISTING ROOFTOP KITCHEN** **AREA. TO RELOCATE WALK-IN COOLER, INSTALL NEW PIZZA OVEN, VENT HOOD, PLUMBING** **AND KITCHEN EQUIPMENT. NO CHANGE TO EGRESS OCCUPANCY OR USE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122717159-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER MARTINEZ

Date:	**5/31/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **FILED HEREWITH ARE ARCHITECTURAL MODIFICATIONS TO THE EXISTING ROOFTOP KITCHEN** **AREA. TO RELOCATE WALK-IN COOLER, INSTALL NEW PIZZA OVEN, VENT HOOD, PLUMBING** **AND KITCHEN EQUIPMENT. NO CHANGE TO EGRESS OCCUPANCY OR USE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122717159-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HUGH P MURRAY

ADJOINING PROPERTY FINDINGS

Date:	**1/21/2016**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - MMA**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103800932-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

Date:	**11/4/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 FILED HEREWITH IS THE INSTALLATION OF A FIRE SUPPRESSION SYSTEM. NO CHANGE TO EGRESS, OCCUPANCY OR USE.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122418507-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER M COMBATES

ADJOINING PROPERTY FINDINGS

Date:	**8/21/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION FILED HEREWITH IS THE INSTALLATION OF A FIRE SUPPRESSION SYSTEM. NO CHANGE TO EGRESS, OCCUPANCY OR USE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	122418507-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHARLES B ZHOU

Date:	**6/17/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2 FILED HEREWITH ARE ARCHITECTURAL MODIFICATIONS TO INCLUDE EXISTING INTERIOR BAR AREA/ KITCHENETTE, INSTALLATION OF VENT HOOD, AND KITCHEN EQUIPMENT. NO CHANGE TO EGRESS, OCCUPANCY OR USE.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122418543-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER M COMBATES

ADJOINING PROPERTY FINDINGS

Date:	**6/4/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **FILED HEREWITH ARE ARCHITECTURAL MODIFICATIONS TO INCLUDE EXISTING INTERIOR BAR** **AREA/ KITCHENETTE, INSTALLATION OF VENT HOOD, AND KITCHEN EQUIPMENT. NO** **CHANGE TO EGRESS, OCCUPANCY OR USE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122418543-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LEONARD HU

Date:	**6/4/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **FILED HEREWITH ARE ARCHITECTURAL MODIFICATIONS TO INCLUDE EXISTING INTERIOR BAR** **AREA/ KITCHENETTE, INSTALLATION OF VENT HOOD, AND KITCHEN EQUIPMENT. NO** **CHANGE TO EGRESS, OCCUPANCY OR USE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122418543-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LEONARD HU

ADJOINING PROPERTY FINDINGS

Date:	**11/25/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION** **MODIFY FIRE SUPPRESSION UNDER 121113785,NO CHANGE IN USE EGRESS OR OCCUPANCY.** **GAS VALVE UNDER 103950075.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	121816384-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOUGLAS L COGER

Date:	**7/25/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION** **INSTALL FIRE SUPPRESSION SYSTEM ONLY. GAS VALVE WAS FILED UNDER APPL #** **103950075. NO CHANGE IN USE, EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	121113785-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOUGLAS L COGER

ADJOINING PROPERTY FINDINGS

Date:	**4/21/2011**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M313804
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TEAM ELECTRIC, INC

Date:	**3/11/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **APPLICATION FILED HEREWITH FOR THE DEMOLITION & INSTALLATION OF NON BEARING** **PARTITIONS,REMOVAL OF BAR ON FIRST FLOOR, WALL & FLOOR FINISHES & NEW** **CONVENIENCE STAIR.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120580610-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HUGH P MURRAY

ADJOINING PROPERTY FINDINGS

Date:	**3/11/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **APPLICATION FILED HEREWITH FOR THE NEW INTERIOR MASONRY OPENING.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120580610-03-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HUGH P MURRAY

Date:	**1/28/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **APPLICATION FILED HEREWITH FOR THE INSTALLATION OF MECHANICAL UNITS AND** **DUCTWORK.CAPPING & REMOVAL OF A TOILET & SINKS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120580610-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GIL LAZAR

ADJOINING PROPERTY FINDINGS

Date:	**1/3/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **REPAIR BUILDING FACAD AS PER DRAWINGS FILED HEREWITH. NO CHANGE IN EGRESS, USE** **OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120486063-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TASSAWAR AHSAN

Date:	**1/3/2011**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD** **PROPOSED INSTALLATION OF 40 LF OF 68 FEET HIGH SUPPORTED SCAFFOLDING AT FRONT** **ELEVATION. NO CHANGE IN USE, OCCUPANCY OR EGRESS OF THE BUILDING.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	120461240-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TASSAWAR AHSAN

ADJOINING PROPERTY FINDINGS

Date:	**12/23/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED PROPOSED INSTALLATION OF HEAVY DUTY SIDEWALK SHED FILED FOR REMEDIAL REPAIRS AS PER PLANS. NO CHANGE IN USE OCCUPANCY OR EGRESS UNDER THIS APPLICATION. LIVE LOAD 300 PER SQUARE FOOT. SIDEWALK SHED SHALL COMPLY WITH CHAPTER # 33 OF THE 2008 CODE.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	120302528-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SURJIT SINGH

Date:	**12/13/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - DEMO APPLICATION FILED HEREWITH FOR THE REMOVAL FIRE ESCAPES.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120551232-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TASSAWAR AHSAN

ADJOINING PROPERTY FINDINGS

Date: **3/26/2010**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M301156
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: RPJ ELECTRIC CORP

Date: **9/30/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M296514
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: ROBERT S. COVELLO

ADJOINING PROPERTY FINDINGS

Date:	**1/17/2008**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **GENERAL CONSTRUCTION AND PLUMBING AS PER PLAN. THERE IS NO CHANGE TO USE,** **EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110052059-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EDWARD DOYLE

Date:	**12/10/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN.** **GENERAL CONSTRUCTION AND PLUMBING AS PER PLAN. THERE IS NO CHANGE TO USE,** **EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110052059-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT LYSHOIR

ADJOINING PROPERTY FINDINGS

Date:	**11/30/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER MODIFICATION TO EXISTING SPRINKLER SYSTEM AS PER PLAN. THERE IS NO CHANGE TO USE EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	104296245-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EDWARD DOYLE

Date:	**10/9/2006**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M259855
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT S. COVELLO

ADJOINING PROPERTY FINDINGS

Date:	**12/2/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN. STRUCTURAL WORK AT ROOF AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS, OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104256396-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER SALVESEN

Date:	**9/9/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER MODIFICATION TO THE EXISTING SPRINKLER SYSTEM AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS, OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	104181172-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY DISABATO

ADJOINING PROPERTY FINDINGS

Date:	**8/24/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **PLUMBING WORK AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS, OR OCCUPANCY** **FILED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104166572-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES PEPE

Date:	**8/20/2005**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M248508
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JECO ELEC'L SERVICE CORP.

ADJOINING PROPERTY FINDINGS

Date: **8/11/2005**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M248314
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ROBERT S. COVELLO

Date: **8/10/2005**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M248507
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: JECO ELEC'L SERVICE CORP.

ADJOINING PROPERTY FINDINGS

Date:	**7/26/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **STRUCTURAL WORK AT THE FIRST FLOOR AS PER PLAN. THERE IS NO CHANGE TO USE,** **EGRESS, OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104154567-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

Date:	**6/15/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **PLUMBING AND MECHANICAL WORK AS PER PLAN, FILED IN CONJUNCTION WITH ALT I #** **103800932. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS** **APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104063273-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES M PEPE

ADJOINING PROPERTY FINDINGS

Date:	**6/7/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **GENERAL CONSTRUCTION AND PLUMBING AS PER PLAN. THERE IS NO CHANGE TO USE,** **EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104074519-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY DISABATO

Date:	**6/6/2005**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - FIRE PROT.PLAN** **THIS IS A NO WORK APPLICATION FILED FOR FIRE PROTECTION PLAN AT FLOORS 4, 5, 6,** **AND ROOF. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS** **APPLICATION.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	103849891-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROB WOOTON NO WORK (ADMIN) 530 W 27TH ST NYC NY 10001

ADJOINING PROPERTY FINDINGS

Date:	**4/19/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONST.** **GENERAL CONSTRUCTION AND PLUMBING AS PER PLAN. THERE IS NO CHANGE TO USE,** **EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104074519-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL CASTALDI

Date:	**3/24/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **PLUMBING AND MECHANICAL WORK AS PER PLAN, FILED IN CONJUNCTION WITH ALT I #** **103800932. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS** **APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	104063273-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

ADJOINING PROPERTY FINDINGS

Date:	**1/6/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER** **INSTALLATION OF TWO (2) BOILERS WITH GAS CONNECTION AS PER PLAN.** **THERE IS NO** **CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	103994475-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EDWARD B DOYLE

Date:	**1/6/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLATION OF TWO (2) BOILERS WITH GAS CONNECTION AS PER PLAN.** **THERE IS NO** **CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103994475-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EDWARD B DOYLE

ADJOINING PROPERTY FINDINGS

Date:	**12/13/2004**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL FIRE SUPPRESSION SYSTEM ONLY. NO CHANGE IN USE, EGRESS OR OCCUPA** **CY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103950075-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOMINGO VALERA

Date:	**11/20/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M239670
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JECO ELEC'L SERVICE CORP.

ADJOINING PROPERTY FINDINGS

Date:	**11/18/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **structural work as per plan, filed inconjunction with alt I #103800932. There is no change to use, egress or occupancy filed under this application.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103970464-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

Date:	**10/28/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION** **INSTALL FIRE SUPPRESSION SYSTEM ONLY. NO CHANGE IN USE, EGRESS OR OCCUPA** **CY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	103950075-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER MARTINEZ

ADJOINING PROPERTY FINDINGS

Date:	**10/26/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M239277
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STAR ELEC'L CO., INC MIKHAIL BEKKERMAN

Date:	**10/4/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER** **INSTALLATION OF BOILER AS PER PLAN. THERE IS NO CHANGE TO USE, EGRES S OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	103639136-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM CITRON

ADJOINING PROPERTY FINDINGS

Date:	**10/4/2004**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **APPLICATION FILED TO SHOW GAS CONNECTION TO BOILER NO CHANGES**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103639136-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM CITRON

Date:	**9/28/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FUEL STORAGE** **INSTALLATION OF AN EMERGENCY GENERATOR ON THE 2ND FLOOR ROOF WITH A 275 GALLON** **DIESEL FUEL STORAGE TANK WITH STRUCTURAL WORK AS PER PLANS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL STORAGE
Permit Number:	103599795-01-EW-FS
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSPEH VESSIO

ADJOINING PROPERTY FINDINGS

Date:	**9/24/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M238334
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT S. COVELLO

Date:	**9/23/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **STRUCTURAL WORK AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY** **FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103791773-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

ADJOINING PROPERTY FINDINGS

Date:	**9/23/2004**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - FPP** **FIRE PROTECTION PLAN AS PLAN. THIS IS NO WORK APPLICATION.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	103544014-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROB WOOTON NO WORK (ADMIN) 530-542 W 27TH ST NYC NY 10001

Date:	**9/7/2004**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLATION OF PLUMBING FIXTURES AND MECHANICAL EQUIPMENT AS PER PLAN. THERE** **IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103843717-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOMINGO VALERA

ADJOINING PROPERTY FINDINGS

Date:	**9/7/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **MODIFICATION OF EXISTING SPRINKLER SYSTEM AS PER PLAN. THERE IS NO CHANGE TO** **USE, EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	103843726-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOMINGO VALERA

Date:	**9/1/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **STRUCTURAL WORK AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY** **FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103842497-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

ADJOINING PROPERTY FINDINGS

Date:	**9/1/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALLATION OF PLUMBING FIXTURES AND MECHANICAL EQUIPMENT AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103843717-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

Date:	**8/20/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M237211
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JECO ELEC'L SERVICE CORP.

ADJOINING PROPERTY FINDINGS

Date:	**11/13/2003**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **Install fire suppression system, as shown on plan.** **No change in use, occupancy, oe egress.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103596020-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM CITRON

Date:	**10/31/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALLATION OF AN EMERGENCY GENERATOR ON THE 2ND FLOOR ROOF WITH A 275 GALLON** **DIESEL FUEL STORAGE TANK WITH STRUCTURAL WORK AS PER PLANS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103599795-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUOHY

ADJOINING PROPERTY FINDINGS

Date:	**10/31/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN. INSTALLATION OF AN EMERGENCY GENERATOR ON THE 2ND FLOOR ROOF WITH A 275 GALLON DIESEL FUEL STORAGE TANK WITH STRUCTURAL WORK AS PER PLANS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103599795-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUOHY

Date:	**10/23/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION Install fire suppression system, as shown on plan. No change in use, occupancy, oe egress.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	103596020-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK MITAROTONDA

ADJOINING PROPERTY FINDINGS

Date:	**8/22/2003**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **MECHANICAL AND PLUMBING WORK AS PER PLANS. THERE IS NO CHANGE TO USE, EGRESS OR** **OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103537460-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM CITRON

Date:	**8/21/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **MECHANICAL AND PLUMBING WORK AS PER PLANS. THERE IS NO CHANGE TO USE, EGRESS OR** **OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103537460-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUOHY

ADJOINING PROPERTY FINDINGS

Date:	**8/21/2003**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M226213
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BIG SHOT ELECTRIC CORP.

Date:	**8/7/2003**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF A SCAFFOLD, 40X65' DURING FACADE REPAIR. SHED FILED SEPARATLY. NO CHANGE IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	103511120-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CONSTANTIN ZAHARIA

ADJOINING PROPERTY FINDINGS

Date:	**8/7/2003**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF HEAVY DUTY SIDEWALK SHED 40' DURING FACADE REPAIR. NO CHANGE IN USE,EGRESS OR OCCUPANCY. SHED TO COMPLY WITH LL33/91. NO MATERIAL OR EQUIPMENT STORAGE ON SHED.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	103516866-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CONSTANTINE ZAHARIA

Date:	**7/2/2003**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 1 - CONSTRUCTION EQUIPMENT - FENCE CHANGE OF USE AT THE CELLAR, FIRST AND SECOND FLOORS WITH PARTITION CHANGES AND STOREFRONT WORK.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	FENCE
Permit Number:	103483204-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUOHY

ADJOINING PROPERTY FINDINGS

Date:	**7/2/2003**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - CHANGE OF USE AT THE CELLAR, FIRST AND SECOND FLOORS WITH PARTITION CHANGES AND STOREFRONT WORK.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103483204-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUOHY

Date:	**6/16/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - NO WORK THIS APPLICATION FILED TO INCREASE FLOOR AREA OF BUILDING. THIS IS A NO WORK APPLICATION, ALL EGRESS AND CONSTRUCTION WORK FILED UNDER THE ALT I APPLICATION. ALL STRUCTURAL WORK FILED UNDER SEPARATE ALT II APPLICATION. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103478835-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUCHY

ADJOINING PROPERTY FINDINGS

Date:	**6/16/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **STRUCTURAL WORK AS PER PLAN.THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY** **FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103479031-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUCHY

Date:	**6/4/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **MINOR INTERIOR PARTITION CHANGES WITH PLUMBING WORK AT THE FIRST AND SECOND** **FLOORS. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS** **APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103406164-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TOUCHY

ADJOINING PROPERTY FINDINGS

Date:	**6/1/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN CONST.** **Propose to construct new 2 hour rated wall. No change to use, egress, or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102581500-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RICHARD BRESLAW

Date:	**11/6/1996**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE** **PROPOSE TO INSTALL NEW FENCE AT BASEMENT DOORS AS SHOWN IN PLOT DIAGRAM** **BELOW.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	101447711-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN WHITE

ADJOINING PROPERTY FINDINGS

Date:	**10/29/1996**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - PROPOSE TO DEMOLISH A PORTION OF EXTERIO R FACADE & INSTALL NEW DOOR.DE LISH EXISTING PLATFORM.INSTALL NEW STAIR RATED PARTITIONS,DEMOLISH EXISTING PAR ITIONS ON 1ST FLR.,& INSTALL NEW PARTITI ONS,CEILING & DOORS.CHANGE THE 1ST FLR SE FROM FACTORY TO INCLUDE F-4 BAR,B-1 C OAT RM.,TOILET RMS.,OFFICES,B-2,B-1 ST**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	101276209-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MILTON YRESLAW

Date:	**10/29/1996**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1 PROPOSE TO INSTALL NEW MECHANICAL DUCTWORK AND NEW FANS TO EXHAUST NEW TOILET ON THE 1ST FLOOR. INSTALL NEW PLUMBING FOR TOILETS, WATER CLOSETS, LAVATORIES, ETC. MINOR RENOVATIONS TO MECHANICAL AND PLUMBING IN BASEMENT.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	101276209-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MILTON BRESLAW

ADJOINING PROPERTY FINDINGS

Date: **3/28/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M130770
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: WALTER CHRISTIE WALTER CHRISTIE

Date: **3/28/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M051491
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: J.R.C. ELECTRIC, INC. R CLASS, J.R.C. ELECTRIC, INC. J RISHIK

Date: **1/10/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M047420
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: MAGGI'S ELECTRIC CO. ERNEST MAGGI

ADJOINING PROPERTY FINDINGS

Date: **10/8/1987**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M027383
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: WEGEE ELECTRIC CO. M SIEGEL

Date: **8/7/1987**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M024571
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CAN-DO ELEC., CONTR'G INC STANLEY FRIEDMAN

ADJOINING PROPERTY FINDINGS

530-542 WEST 27 STREET

Date:	**1/23/2018**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STANDPIPE** **FILED HEREWITH IS A NEW STANDPIPE SYSTEM BEING RETROFITTED INTO AN EXISTING** **SPRINKLER SYSTEM.NO CHANGE EGRESS, OCCUPANCY OR USE**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	122665437-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER QUINN

Date:	**12/1/2017**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **FILED HEREWITH ARE ARCHITECTURAL MODIFICATIONS TO THE EXISTING ROOFTOP KITCHEN** **AREA. TO RELOCATE WALK-IN COOLER, INSTALL NEW PIZZA OVEN, VENT HOOD, PLUMBING** **AND KITCHEN EQUIPMENT. NO CHANGE TO EGRESS OCCUPANCY OR USE.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122717159-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BASIL C THOMPSON

ADJOINING PROPERTY FINDINGS

Date:	**7/20/2016**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	MINOR WORK
Proposed Use:	
Permit Number:	M384306
Status:	ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TRIZA ELECTRICAL CORP

Date:	**6/28/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **FILED HEREWITH ARE ARCHITECTURAL MODIFICATIONS TO THE EXISTING ROOFTOP KITCHEN** **AREA. TO RELOCATE WALK-IN COOLER, INSTALL NEW PIZZA OVEN, VENT HOOD, PLUMBING** **AND KITCHEN EQUIPMENT. NO CHANGE TO EGRESS OCCUPANCY OR USE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122717159-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER MARTINEZ

ADJOINING PROPERTY FINDINGS

Date:	**5/31/2016**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. FILED HEREWITH ARE ARCHITECTURAL MODIFICATIONS TO THE EXISTING ROOFTOP KITCHEN AREA. TO RELOCATE WALK-IN COOLER, INSTALL NEW PIZZA OVEN, VENT HOOD, PLUMBING AND KITCHEN EQUIPMENT. NO CHANGE TO EGRESS OCCUPANCY OR USE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122717159-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HUGH P MURRAY

Date:	**1/21/2016**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - MMA**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103800932-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

ADJOINING PROPERTY FINDINGS

Date:	**11/4/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **FILED HEREWITH IS THE INSTALLATION OF A FIRE SUPPRESSION SYSTEM. NO CHANGE TO** **EGRESS, OCCUPANCY OR USE.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122418507-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER M COMBATES

Date:	**8/21/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION** **FILED HEREWITH IS THE INSTALLATION OF A FIRE SUPPRESSION SYSTEM. NO CHANGE TO** **EGRESS, OCCUPANCY OR USE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	122418507-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHARLES B ZHOU

ADJOINING PROPERTY FINDINGS

Date:	**6/17/2015**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **FILED HEREWITH ARE ARCHITECTURAL MODIFICATIONS TO INCLUDE EXISTING INTERIOR BAR** **AREA/ KITCHENETTE, INSTALLATION OF VENT HOOD, AND KITCHEN EQUIPMENT. NO** **CHANGE TO EGRESS, OCCUPANCY OR USE.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	122418543-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER M COMBATES

Date:	**6/4/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **FILED HEREWITH ARE ARCHITECTURAL MODIFICATIONS TO INCLUDE EXISTING INTERIOR BAR** **AREA/ KITCHENETTE, INSTALLATION OF VENT HOOD, AND KITCHEN EQUIPMENT. NO** **CHANGE TO EGRESS, OCCUPANCY OR USE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	122418543-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LEONARD HU

ADJOINING PROPERTY FINDINGS

Date:	**6/4/2015**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR. FILED HEREWITH ARE ARCHITECTURAL MODIFICATIONS TO INCLUDE EXISTING INTERIOR BAR AREA/ KITCHENETTE, INSTALLATION OF VENT HOOD, AND KITCHEN EQUIPMENT. NO CHANGE TO EGRESS, OCCUPANCY OR USE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	122418543-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LEONARD HU

Date:	**11/25/2013**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION MODIFY FIRE SUPPRESSION UNDER 121113785,NO CHANGE IN USE EGRESS OR OCCUPANCY. GAS VALVE UNDER 103950075.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	121816384-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOUGLAS L COGER

ADJOINING PROPERTY FINDINGS

Date:	**7/25/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION INSTALL FIRE SUPPRESSION SYSTEM ONLY. GAS VALVE WAS FILED UNDER APPL # 103950075. NO CHANGE IN USE, EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	121113785-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOUGLAS L COGER

Date:	**4/21/2011**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M313804
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TEAM ELECTRIC, INC

ADJOINING PROPERTY FINDINGS

Date:	**3/11/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **APPLICATION FILED HEREWITH FOR THE DEMOLITION & INSTALLATION OF NON BEARING** **PARTITIONS,REMOVAL OF BAR ON FIRST FLOOR, WALL & FLOOR FINISHES & NEW** **CONVENIENCE STAIR.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120580610-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HUGH P MURRAY

Date:	**3/11/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **APPLICATION FILED HEREWITH FOR THE NEW INTERIOR MASONRY OPENING.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120580610-03-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HUGH P MURRAY

ADJOINING PROPERTY FINDINGS

Date:	**1/28/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **APPLICATION FILED HEREWITH FOR THE INSTALLATION OF MECHANICAL UNITS AND** **DUCTWORK.CAPPING & REMOVAL OF A TOILET & SINKS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120580610-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GIL LAZAR

Date:	**1/3/2011**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR** **REPAIR BUILDING FACAD AS PER DRAWINGS FILED HEREWITH. NO CHANGE IN EGRESS, USE** **OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120486063-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TASSAWAR AHSAN

ADJOINING PROPERTY FINDINGS

Date:	**1/3/2011**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD PROPOSED INSTALLATION OF 40 LF OF 68 FEET HIGH SUPPORTED SCAFFOLDING AT FRONT ELEVATION. NO CHANGE IN USE, OCCUPANCY OR EGRESS OF THE BUILDING.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	120461240-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TASSAWAR AHSAN

Date:	**12/23/2010**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED PROPOSED INSTALLATION OF HEAVY DUTY SIDEWALK SHED FILED FOR REMEDIAL REPAIRS AS PER PLANS. NO CHANGE IN USE OCCUPANCY OR EGRESS UNDER THIS APPLICATION. LIVE LOAD 300 PER SQUARE FOOT. SIDEWALK SHED SHALL COMPLY WITH CHAPTER # 33 OF THE 2008 CODE.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	120302528-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SURJIT SINGH

ADJOINING PROPERTY FINDINGS

Date: **12/13/2010**
Permit Type: **EW**
Description: **ALTERATION TYPE 2 - DEMO**
APPLICATION FILED HEREWITH FOR THE REMOVAL FIRE ESCAPES.

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 120551232-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: TASSAWAR AHSAN

Date: **3/26/2010**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M301156
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: RPJ ELECTRIC CORP

Date: **9/30/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M296514
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: ROBERT S. COVELLO

ADJOINING PROPERTY FINDINGS

Date:	**1/17/2008**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **GENERAL CONSTRUCTION AND PLUMBING AS PER PLAN. THERE IS NO CHANGE TO USE,** **EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110052059-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EDWARD DOYLE

Date:	**12/10/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN.** **GENERAL CONSTRUCTION AND PLUMBING AS PER PLAN. THERE IS NO CHANGE TO USE,** **EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110052059-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT LYSHOIR

ADJOINING PROPERTY FINDINGS

Date:	**11/30/2006**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER MODIFICATION TO EXISTING SPRINKLER SYSTEM AS PER PLAN. THERE IS NO CHANGE TO USE EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	104296245-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EDWARD DOYLE

Date:	**10/9/2006**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M259855
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT S. COVELLO

ADJOINING PROPERTY FINDINGS

Date:	**12/2/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN. STRUCTURAL WORK AT ROOF AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS, OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104256396-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER SALVESEN

Date:	**9/9/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER MODIFICATION TO THE EXISTING SPRINKLER SYSTEM AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS, OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	104181172-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY DISABATO

ADJOINING PROPERTY FINDINGS

Date:	**8/24/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **PLUMBING WORK AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS, OR OCCUPANCY** **FILED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104166572-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES PEPE

Date:	**8/20/2005**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M248508
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JECO ELEC'L SERVICE CORP.

ADJOINING PROPERTY FINDINGS

Date: **8/11/2005**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M248314
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ROBERT S. COVELLO

Date: **8/10/2005**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M248507
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: JECO ELEC'L SERVICE CORP.

ADJOINING PROPERTY FINDINGS

Date:	**7/26/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **STRUCTURAL WORK AT THE FIRST FLOOR AS PER PLAN. THERE IS NO CHANGE TO USE,** **EGRESS, OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104154567-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

Date:	**6/15/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **PLUMBING AND MECHANICAL WORK AS PER PLAN, FILED IN CONJUNCTION WITH ALT I #** **103800932. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS** **APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104063273-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAMES M PEPE

ADJOINING PROPERTY FINDINGS

Date:	**6/7/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **GENERAL CONSTRUCTION AND PLUMBING AS PER PLAN. THERE IS NO CHANGE TO USE,** **EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	104074519-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY DISABATO

Date:	**6/6/2005**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - FIRE PROT.PLAN** **THIS IS A NO WORK APPLICATION FILED FOR FIRE PROTECTION PLAN AT FLOORS 4, 5, 6,** **AND ROOF. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS** **APPLICATION.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	103849891-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROB WOOTON NO WORK (ADMIN) 530 W 27TH ST NYC NY 10001

ADJOINING PROPERTY FINDINGS

Date:	**4/19/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONST.** **GENERAL CONSTRUCTION AND PLUMBING AS PER PLAN. THERE IS NO CHANGE TO USE,** **EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104074519-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MICHAEL CASTALDI

Date:	**3/24/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **PLUMBING AND MECHANICAL WORK AS PER PLAN, FILED IN CONJUNCTION WITH ALT I #** **103800932. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS** **APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	104063273-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

ADJOINING PROPERTY FINDINGS

Date:	**1/6/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER** **INSTALLATION OF TWO (2) BOILERS WITH GAS CONNECTION AS PER PLAN.** **THERE IS NO** **CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	103994475-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EDWARD B DOYLE

Date:	**1/6/2005**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLATION OF TWO (2) BOILERS WITH GAS CONNECTION AS PER PLAN.** **THERE IS NO** **CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103994475-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EDWARD B DOYLE

ADJOINING PROPERTY FINDINGS

Date:	**12/13/2004**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALL FIRE SUPPRESSION SYSTEM ONLY. NO CHANGE IN USE, EGRESS OR OCCUPA** **CY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103950075-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOMINGO VALERA

Date:	**11/20/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M239670
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JECO ELEC'L SERVICE CORP.

ADJOINING PROPERTY FINDINGS

Date:	**11/18/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **structural work as per plan, filed inconjunction with alt I #103800932. There is no change to use, egress or occupancy filed under this application.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103970464-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

Date:	**10/28/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION** **INSTALL FIRE SUPPRESSION SYSTEM ONLY. NO CHANGE IN USE, EGRESS OR OCCUPA** **CY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	103950075-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER MARTINEZ

ADJOINING PROPERTY FINDINGS

Date:	**10/26/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M239277
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STAR ELEC'L CO., INC MIKHAIL BEKKERMAN

Date:	**10/4/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - BOILER** **INSTALLATION OF BOILER AS PER PLAN. THERE IS NO CHANGE TO USE, EGRES S OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	103639136-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM CITRON

ADJOINING PROPERTY FINDINGS

Date:	**10/4/2004**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **APPLICATION FILED TO SHOW GAS CONNECTION TO BOILER NO CHANGES**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103639136-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM CITRON

Date:	**9/28/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FUEL STORAGE** **INSTALLATION OF AN EMERGENCY GENERATOR ON THE 2ND FLOOR ROOF WITH A 275 GALLON** **DIESEL FUEL STORAGE TANK WITH STRUCTURAL WORK AS PER PLANS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL STORAGE
Permit Number:	103599795-01-EW-FS
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSPEH VESSIO

ADJOINING PROPERTY FINDINGS

Date:	**9/24/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M238334
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT S. COVELLO

Date:	**9/23/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **STRUCTURAL WORK AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY** **FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103791773-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

ADJOINING PROPERTY FINDINGS

Date:	**9/23/2004**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - FPP** **FIRE PROTECTION PLAN AS PLAN. THIS IS NO WORK APPLICATION.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	103544014-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROB WOOTON NO WORK (ADMIN) 530-542 W 27TH ST NYC NY 10001

Date:	**9/7/2004**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLATION OF PLUMBING FIXTURES AND MECHANICAL EQUIPMENT AS PER PLAN. THERE** **IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103843717-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOMINGO VALERA

ADJOINING PROPERTY FINDINGS

Date:	**9/7/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER** **MODIFICATION OF EXISTING SPRINKLER SYSTEM AS PER PLAN. THERE IS NO CHANGE TO** **USE, EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	103843726-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOMINGO VALERA

Date:	**9/1/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **STRUCTURAL WORK AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY** **FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103842497-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

ADJOINING PROPERTY FINDINGS

Date:	**9/1/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALLATION OF PLUMBING FIXTURES AND MECHANICAL EQUIPMENT AS PER PLAN. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103843717-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGNO ROCHA

Date:	**8/20/2004**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M237211
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JECO ELEC'L SERVICE CORP.

ADJOINING PROPERTY FINDINGS

Date:	**11/13/2003**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **Install fire suppression system, as shown on plan.** **No change in use, occupancy, oe egress.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103596020-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM CITRON

Date:	**10/31/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALLATION OF AN EMERGENCY GENERATOR ON THE 2ND FLOOR ROOF WITH A 275 GALLON** **DIESEL FUEL STORAGE TANK WITH STRUCTURAL WORK AS PER PLANS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103599795-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUOHY

ADJOINING PROPERTY FINDINGS

Date:	**10/31/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN. INSTALLATION OF AN EMERGENCY GENERATOR ON THE 2ND FLOOR ROOF WITH A 275 GALLON DIESEL FUEL STORAGE TANK WITH STRUCTURAL WORK AS PER PLANS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103599795-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUOHY

Date:	**10/23/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FIRE SUPPRESSION Install fire suppression system, as shown on plan. No change in use, occupancy, oe egress.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	103596020-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK MITAROTONDA

ADJOINING PROPERTY FINDINGS

Date:	**8/22/2003**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **MECHANICAL AND PLUMBING WORK AS PER PLANS. THERE IS NO CHANGE TO USE, EGRESS OR** **OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103537460-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM CITRON

Date:	**8/21/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **MECHANICAL AND PLUMBING WORK AS PER PLANS. THERE IS NO CHANGE TO USE, EGRESS OR** **OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	103537460-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUOHY

ADJOINING PROPERTY FINDINGS

Date:	**8/21/2003**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M226213
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BIG SHOT ELECTRIC CORP.

Date:	**8/7/2003**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SCAFFOLD INSTALLATION OF A SCAFFOLD, 40X65' DURING FACADE REPAIR. SHED FILED SEPARATLY. NO CHANGE IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	103511120-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CONSTANTIN ZAHARIA

ADJOINING PROPERTY FINDINGS

Date:	**8/7/2003**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF HEAVY DUTY SIDEWALK SHED 40' DURING FACADE REPAIR. NO CHANGE IN USE,EGRESS OR OCCUPANCY. SHED TO COMPLY WITH LL33/91. NO MATERIAL OR EQUIPMENT STORAGE ON SHED.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	103516866-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CONSTANTINE ZAHARIA

Date:	**7/2/2003**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 1 - CONSTRUCTION EQUIPMENT - FENCE CHANGE OF USE AT THE CELLAR, FIRST AND SECOND FLOORS WITH PARTITION CHANGES AND STOREFRONT WORK.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	FENCE
Permit Number:	103483204-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUOHY

ADJOINING PROPERTY FINDINGS

Date:	**7/2/2003**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - CHANGE OF USE AT THE CELLAR, FIRST AND SECOND FLOORS WITH PARTITION CHANGES AND STOREFRONT WORK.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	103483204-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUOHY

Date:	**6/16/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - NO WORK THIS APPLICATION FILED TO INCREASE FLOOR AREA OF BUILDING. THIS IS A NO WORK APPLICATION, ALL EGRESS AND CONSTRUCTION WORK FILED UNDER THE ALT I APPLICATION. ALL STRUCTURAL WORK FILED UNDER SEPARATE ALT II APPLICATION. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103478835-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUCHY

ADJOINING PROPERTY FINDINGS

Date:	**6/16/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL** **STRUCTURAL WORK AS PER PLAN.THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY** **FILED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103479031-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TUCHY

Date:	**6/4/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **MINOR INTERIOR PARTITION CHANGES WITH PLUMBING WORK AT THE FIRST AND SECOND** **FLOORS. THERE IS NO CHANGE TO USE, EGRESS OR OCCUPANCY FILED UNDER THIS** **APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	103406164-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JIMMY TOUCHY

ADJOINING PROPERTY FINDINGS

Date:	**6/1/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN CONST.** **Propose to construct new 2 hour rated wall. No change to use, egress, or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102581500-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RICHARD BRESLAW

Date:	**11/6/1996**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION EQUIPMENT - FENCE** **PROPOSE TO INSTALL NEW FENCE AT BASEMENT DOORS AS SHOWN IN PLOT DIAGRAM** **BELOW.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	101447711-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN WHITE

ADJOINING PROPERTY FINDINGS

Date:	**10/29/1996**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - PROPOSE TO DEMOLISH A PORTION OF EXTERIO R FACADE & INSTALL NEW DOOR.DE LISH EXISTING PLATFORM.INSTALL NEW STAIR RATED PARTITIONS,DEMOLISH EXISTING PAR ITIONS ON 1ST FLR.,& INSTALL NEW PARTITI ONS,CEILING & DOORS.CHANGE THE 1ST FLR SE FROM FACTORY TO INCLUDE F-4 BAR,B-1 C OAT RM.,TOILET RMS.,OFFICES,B-2,B-1 ST**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	101276209-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MILTON YRESLAW

Date:	**10/29/1996**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1 PROPOSE TO INSTALL NEW MECHANICAL DUCTWORK AND NEW FANS TO EXHAUST NEW TOILET ON THE 1ST FLOOR. INSTALL NEW PLUMBING FOR TOILETS, WATER CLOSETS, LAVATORIES, ETC. MINOR RENOVATIONS TO MECHANICAL AND PLUMBING IN BASEMENT.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	101276209-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MILTON BRESLAW

ADJOINING PROPERTY FINDINGS

Date: **3/28/1995**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M130770
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: WALTER CHRISTIE WALTER CHRISTIE

Date: **3/28/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M051491
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: J.R.C. ELECTRIC, INC. R CLASS, J.R.C. ELECTRIC, INC. J RISHIK

Date: **1/10/1989**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M047420
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: MAGGI'S ELECTRIC CO. ERNEST MAGGI

ADJOINING PROPERTY FINDINGS

Date: **10/8/1987**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M027383
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: WEGEE ELECTRIC CO. M SIEGEL

Date: **8/7/1987**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M024571
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CAN-DO ELEC., CONTR'G INC STANLEY FRIEDMAN

ADJOINING PROPERTY FINDINGS

WEST 29 STREET

505 WEST 29 STREET

Date:	**7/1/2008**
Permit Type:	**DM**
Description:	**FULL DEMOLITION -**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	104901340-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK WEIDNER

Date:	**7/1/2008**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	104901340-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK WEIDNER

ADJOINING PROPERTY FINDINGS

Date:	**9/27/2007**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE INSTALLATION OF A 55' LONG FENCE, 12' FROM PROPERTY LINE DURING DEMOLITION. NO CHANGES IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	104883397-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK WEIDNER

541-549 WEST 29 STREET

Date:	**7/6/2017**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED PROPOSED INSTALLATION OF HEAVY DUTY SIDEWALK SHED AS PER PLANS. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	140664118-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTHONY ALMYROUDIS

ADJOINING PROPERTY FINDINGS

Date:	**6/22/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M397648
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MEGA ELEC'L CONTR'G, INC

Date:	**6/1/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SPRINKLER INSTALLATION OF SPRINKLER HEADS AND RELATED PIPING AS SHOWN ON PLANS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	123056833-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT PERPER

ADJOINING PROPERTY FINDINGS

Date:	**5/26/2017**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **INSTALLATION OF MECHANICAL EQUIPMENT AND RELATED DUCTWORK. INSTALLATION OF** **PLUMBING FIXTURES AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO** **CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	123058779-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SOKOL BECI

Date:	**5/5/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR.** **GENERAL CONSTRUCTION WORK FOR RENOVATION TO EXISTING STORAGE SPACES AND** **ACCESSORY OFFICES AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS** **OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	123058779-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GUCIM GJONBALAJ

ADJOINING PROPERTY FINDINGS

Date:	**5/5/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALLATION OF MECHANICAL EQUIPMENT AND RELATED DUCTWORK. INSTALLATION OF PLUMBING FIXTURES AND RELATED PIPING AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	123058779-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GUCIM GJONBALAJ

Date:	**5/5/2017**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - STRUCTURAL STRUCTURAL FRAMING WORK AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	123058779-03-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GUCIM GJONBALAJ

ADJOINING PROPERTY FINDINGS

Date:	**5/1/2017**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M395391
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LIVE WIRE ELECTRIC 1 LLC

Date:	**7/18/2016**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA INSTALLATION OF RRH UNITS ON ROOF. RETROFIT OF EXISTING CABINET IN THE EXISTING EQUIPMENT SHELTER ON ROOF. ALL WORK IN COMPLIANCE WITH TPPN 5/98. NO CHANGE TO OCCUPANCY, USE ,OR EGRESS.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	122781285-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRISTOS L KONTOS

ADJOINING PROPERTY FINDINGS

Date:	**3/7/2016**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA REPLACEMENT OF EXISTING TELECOMMUNICATIONS ANTENNAS WITH INSTALLATION OF RELATED RRH UNITS ON ROOF. RETROFIT OF CABINET IN EXISTING TELECOMMUNICATIONS SHELTER ON ROOF. ALL WORK IN COMPLIANCE WITH TPPN 5/98. NO CHANGE TO OCCUPANCY, USE, OR EGRESS.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	122605163-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MATT JACKOWITZ

Date:	**10/21/2015**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA REMOVAL OF EXISTING TELECOMMUNICATION ANTENNA SECTORS ON THE ROOF. REMOVAL OF EXISTING TELECOMMUNICATIONS EQUIPMENT SHELTER ON THE ROOF. REMOVAL OF PATCH AN TENNAS ON THE FACADE. ALL WORK IN COMPLIANCE WITH TPPN 5/98. NO CHANGE IN U SE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	122124995-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN CELENTANO JR

ADJOINING PROPERTY FINDINGS

Date:	**3/2/2015**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA INSTALLATION OF ADDITIONAL ANTENNA SECTOR ON THE ROOF. INSTALLATION OF ADDITIONAL CABINETS IN THE EQUIPMENT SHELTER ON THE ROOF. RETROFIT CABINET IN THE EQUIPMENT SHELTER ON THE ROOF. ALL WORK IN COMPLIANCE WITH TPPN 5/98. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	121964678-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE DOUKAS

Date:	**10/17/2013**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	M346468
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROBERT S. COVELLO

ADJOINING PROPERTY FINDINGS

Date:	**7/27/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR REMOVE EXISTING CONCRETE SIDEWALK AND RAISED DUCT AREA AND STRUCTURAL BEAMS AND DECKING AS SHOWN ON DRAWINGS. INSTALL NEW STRUCTURAL STEEL BEAMS AND DECKING, NEW WATERPROOFING AND NEW CONCRETE SIDEWALK AND CURBING IN ACCORDANCE WITH NYC DOT DETAILS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120282871-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RAY CESTARO

Date:	**11/16/2010**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M308807
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELMAC ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date:	**8/10/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GC** **INSTALLATION OF ALIMINUMDADDING ON EXTERIOR WALLS AS PER PLANS NO CHANG**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104600996-01-EW-OT
Status:	REISSUED, ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MATT DAVIS

Date:	**4/20/2010**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA** **RELOCATION OF ANTENNAS ON ROOF IN CONFORMANCE WITH TPPN5/98**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	110379778-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BRENDA FEDERLEIN

ADJOINING PROPERTY FINDINGS

Date:	**2/2/2010**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN. CONSTR INSPECT FACADES, REPAIR BRICKWORK IN DESIGNATED AREAS, REPLACE STEEL WINDOW LINTELS IN DESIGNATED AREAS, REPOINTING BRICK AND STONE MORTAR JOINTS AND REPAIR STEEL FIRE ESCAPE SUPPORTS, PER ATTACHED DRAWINGS. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	120090640-01-EW-OT
Status:	REISSUED, ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE KALERGIOS

Date:	**12/18/2009**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF HEAVY DUTY SIDEWALK SHED A TOTAL OF 564 L.F. AS PER PLAN AT 541 WEST 29 STREET. DURING REMEDIAL REPAIRS, WORK SHALL COMPLY WITH 2008 BUILDING CODE CHAPTER 33. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	120126746-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CONSTANTIN T LEVENTIS

ADJOINING PROPERTY FINDINGS

Date:	**8/14/2009**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M295254
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	C.Q. ELECTR'L CONTRG CORP

Date:	**6/10/2009**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA INSTALLING TELECOMMUNICATIONS CABINETS WITH RELATED DUNNAGE AND ANTENNAS ON RO OF. ALL IN COMFORMANCE WITH TPPN#5/98. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	110429144-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHRIS ELLIOT

ADJOINING PROPERTY FINDINGS

Date: **2/3/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M289175
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: LERCO ELECTRIC LLC

Date: **1/21/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M288859
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: J.A. LEE ELECTRIC, INC.

Date: **1/13/2009**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M288631
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ASSOCIATED ELEC CONT OF N

ADJOINING PROPERTY FINDINGS

Date:	**2/14/2008**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M276766
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AFA PROTECTIVE SYS INC.

Date:	**6/20/2007**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - ANTENNA INSTALLING TELECOMMUNICATION CABINETSWITH RELATED DUNNAGE ON ROOF RELATED CACINETS AND RELATED ANTENNAS ON ROOF ALL IN CONFORMANCE WITH TPPN 5/98 NO CHANGESCABINETS AND ANTENNAS ARE ACCESSORY TO NYC DOITT EMERGENCY SYSTEM (NYCWIN).**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	104768217-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN LEE

ADJOINING PROPERTY FINDINGS

Date:	**4/7/2007**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M265560
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	J.A. LEE ELECTRIC, INC.

Date:	**12/13/2005**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALL HEAVY DUTY SIDEWALK SHED 129 FT LONG AT 541 WEST 29 STREET-90 FT LONG AT 11TH STREET, 69 FT ON PARKING LOT AND 70 FT ON WEST 29 STREET. DURING REMEDIAL REPAIRS. WORK TO COMPLY WITH LL33/91. LL33/91. NO CHANGE IN OCCUPANCY USE OR EGRESS FILED ON THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	104254227-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TONY MAMOUNAS

ADJOINING PROPERTY FINDINGS

Date:	**10/28/2005**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN. REPAIRS TO EXTEND MASONRY, NON LOAD BEARING FACADES, WINDOWS AND SILLS A S SHOWN ON ATTACHED DRAWINGS. SIDEWALK SHED TO BE FILED UNDER SEPARATE APPLICATI ON. NO CHANGE IN USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	104265910-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANTONIOS MAMOUNAS

Date:	**7/7/2003**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M225053
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DECORA ELECTRIC CO., INC IRVING GELLMAN, DECORA ELECTRIC CO., INC J VENTURA

ADJOINING PROPERTY FINDINGS

Date: **10/31/2002**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M217578
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: APPROVED ELECTRIC CORP.

Date: **1/18/2002**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M209283
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: FLYNN-HILL ELEVATOR CORP. WILLIAM CASEY

Date: **7/20/2001**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M203077
Status: VIOLATN PENDING AT CONTRACTOR
Valuation: $0.00
Contractor Company:
Contractor Name: ID ELECTRIC CORP. DEYI LING

ADJOINING PROPERTY FINDINGS

Date:	**5/24/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALLATING TELECOMMUNICATIONS SHELTERS WITH HVAC RELATED DENNAGE AND ELATED ANTENNAS ON ROOF NO CHANGE IN USE EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	102297113-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE DOUKAS

Date:	**5/24/2001**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - SHELTER/ANTENA INSTALLATING TELECOMMUNICATIONS SHELTERS WITH HVAC RELATED DENNAGE AND ELATED ANTENNAS ON ROOF NO CHANGE IN USE EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102297113-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE DOUKAS

ADJOINING PROPERTY FINDINGS

Date:	**3/27/2001**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M199488
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ANGEL POWER & LIGHT ELEC'

Date:	**2/15/2001**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - SIGN STRUCTURE** **ERECT SIGN STRUCTURE** **SIGN FILED SEPERATELY #102455772** **NOT ADJACENT TO ARTERIAL HGWY** **NOT INSIDE BLDG LINE**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	102942327-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LARRY DERESPINIS

ADJOINING PROPERTY FINDINGS

Date:	**6/2/2000**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC INSTALLING TELECOMMUNICATIONS SHELTER WI TH HVAC ON ROOF IN CONFORMANCE WITH TPPN #5/98.REALTED ANTENNAS ON ROOF AND FACADE.NO CHANGE IN USE,EGRESS OR CCUPANCY .**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	102611728-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH MOROZ

Date:	**6/2/2000**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN. INSTALLING TELECOMMUNICATIONS SHELTER WI TH HVAC ON ROOF IN CONFORMANCE WITH TPPN #5/98.REALTED ANTENNAS ON ROOF AND FACADE.NO CHANGE IN USE,EGRESS OR CCUPANCY .**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102611728-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH MOROZ

ADJOINING PROPERTY FINDINGS

Date:	**4/5/2000**
Permit Type:	**SG**
Description:	**SIGN -** **ERECT ILLUMINATED ADVERTISING SIGN ON WALL** **NOT INSIDE BLDG LINE** **NOT ADJACENT TO ARTERIAL HGWY** **WORDING: ADVERTISING SIGN COPY CHANGES FROM TIME TO TIME**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	102455772-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LARRY DERESPINIS

Date:	**12/27/1999**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M185175
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SHALLY ELECTRICAL CO. INC RONALD TWITTY

ADJOINING PROPERTY FINDINGS

Date:	**6/3/1999**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - CONSTRUCTION** **RAISE EXISTING FLOOR USING STRUCTURAL ST EEL FRAMING,COMPOSITE METAL DEC** **AND POURED CONCRETE,NO CHANGE IN EGRESS USE OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	102104928-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOUG SARINI

Date:	**5/5/1998**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **INSTALLATION OF AIR HANDLERS 4 UNITS AT 4TH FLOOR AND INSTALLATION OF 4 A/C UNITS WITH STRUCTURAL SUPPORT ON THE 4TH FLOOR ROOF AREA, TO BE** **CONNECTED TO EXISTING DUCTWORK. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	101758741-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BARRY STRANSKY

ADJOINING PROPERTY FINDINGS

Date:	**5/5/1998**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - G.C. INSTALLATION OF AIR HANDLERS 4 UNITS AT 4TH FLOOR AND INSTALLATION OF 4 A/C UNITS WITH STRUCTURAL SUPPORT ON THE 4TH FLOOR ROOF AREA, TO BE CONNECTED TO EXISTING DUCTWORK. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101758741-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BARRY STRANSKY

Date:	**4/16/1998**
Permit Type:	**SG**
Description:	**SIGN - CONSTRUCT SIGN STRUCTURE ON ROOF FILED UNDER APPLICATION 101778845**
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	101778854-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID BROWN

ADJOINING PROPERTY FINDINGS

Date:	**4/2/1998**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION** **CONSTRUCT SIGN ON ROOF (SIGN FILED UNDER APPLICATION #1 01778854**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	101778845-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOUG SARNINI

Date:	**10/21/1997**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - FACADE** **REPAIR/RESTORATION OF BUILDING FACADE. L INTEL REPLACEMENT PER PLANS. NO** **CHANGE IN EGRESS, USE OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101508405-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TONY MAMOUNAS

ADJOINING PROPERTY FINDINGS

Date: **6/4/1997**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M155982
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: E. FITZGERALD ELEC CO INC

Date: **4/24/1997**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M154036
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: E. FITZGERALD ELEC CO INC

ADJOINING PROPERTY FINDINGS

Date:	**4/16/1997**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF BRIDGE 116' 3 SECTION DURING FACADE REPAIR. 16' SECTION 30' SECTION 70' SECTION. NO CHANGE IN USE, EGRESS OR OCCUPANCY. SHED TO COMPLY WITH LL33/91.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	101859543-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER O'FARRELL

Date:	**3/13/1992**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M092514
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MONTANA ELEC'L DECORATING E HESSEMER, MONTANA ELEC'L DECORATING R MCDONALD, MONTANA ELEC'L DECORATIN

ADJOINING PROPERTY FINDINGS

Date: **3/13/1992**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M092515
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: MONTANA ELEC'L DECORATING E HESSEMER, MONTANA ELEC'L DECORATING R MCDONALD, MONTANA ELEC'L DECORATIN

Date: **4/6/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M065876
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ERG ELECTRIC CO., INC. RUDY GARFINKEL, ERG ELECTRIC CO., INC. JACK ALONGI

ADJOINING PROPERTY FINDINGS

Date: **4/5/1990**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M065874
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ERG ELECTRIC CO., INC. RUDY GARFINKEL, ERG ELECTRIC CO., INC. JACK ALONGI

Date: **7/15/1986**
Permit Type: **ELECTRICAL**
Description:

Permit Description:
Work Class:
Proposed Use:
Permit Number: M005802
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ERG ELECTRIC CO., INC. RUDY GARFINKEL, ERG ELECTRIC CO., INC. JACK ALONGI

ADJOINING PROPERTY FINDINGS

542-544 WEST 29 STREET

Date:	**7/17/2012**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **REPLACE EXISTING ROOF MOUNTED AIR CONDITIONING UNIT. PREVIOUS UNIT FILED UNDER** **APPLICATION # 101852979, ALL AS SHOWN ON PLANS HEREWITH SUBMITTED. NO CHANGE IN** **USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	120993693-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIE DEMPSEY

Date:	**2/3/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **ONE STORY EXTENSION TOEXISTING FOOD PRODUCTS PLANT. NO CHANGE IN USE** **EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	101852979-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	COLM SHAUGHNESSY

ADJOINING PROPERTY FINDINGS

Date:	**2/3/2004**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - G.C.** **ONE STORY EXTENSION TOEXISTING FOOD PRODUCTS PLANT. NO CHANGE IN USE** **EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	101852979-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	COLM SHAUGHNESSY

Date:	**12/24/2003**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **this application file in conjunction with job # 101852979 for gas service only.** **no other work to be considered. no change in use, egress or occupancy.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	103673017-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MITCHELL UIBERALL

ADJOINING PROPERTY FINDINGS

Date:	**12/10/2003**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **ONE STORY EXTENSION TOEXISTING FOOD PRODUCTS PLANT. NO CHANGE IN USE** **EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	101852979-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HERBERT KAY

Date:	**7/17/1995**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1** **REMOVE INTERIOR PARTITIONS, AND INSTALL PREFABRICATED REFRIGERATED BOXES** **ALL AS SHOWN ON PLANS. CHANGE FROM AUTO REPAIR SHOP U.G. 16B TO FOOD PRODUCTS USE U.G. 17-B.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	101014947-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PETER MOLINARO

ADJOINING PROPERTY FINDINGS

Date:	**6/2/1995**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 - REMOVE INTERIOR PARTITIONS, AND INSTALL PREFABRICATED REFRIGERATED BOXES ALL AS SHOWN ON PLANS. CHANGE FROM AUTO REPAIR SHOP U.G. 16B TO FOOD PRODUCTS USE U.G. 17-B.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	101014947-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SALVATORE GAMBELUNGHI

Date:	**5/30/1995**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M132368
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	R & L SYSTEMS, INC.

ADJOINING PROPERTY FINDINGS

Date:	**11/9/1994**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 1** **LEGALIZE MEZZANINE CONSTRUCTED 1982 - 1983.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	100898165-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LAURENCE WEISS

Date:	**10/18/1994**
Permit Type:	**AL**
Description:	**ALTERATION TYPE 1 -** **LEGALIZE MEZZANINE CONSTRUCTED 1982 - 1983.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	100898165-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RUDOLF HAMAR

ADJOINING PROPERTY FINDINGS

WEST 30 STREET

518-522 WEST 30 STREET

Date:	**1/16/2008**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M276156
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DETORE ELEC'L CONSTR CO I MATTHEW DETORE

Date:	**1/2/2008**
Permit Type:	**PL**
Description:	**PLUMBING - ALTERATION TYPE 2** **Herewith filing Mechanical and Plumbing work to relocate gas piping, remove floor drains, and install gas-fired air heater for new temporary tent structure. No change to use, egress, or occupancy.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	110005182-02-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM HARVEY

ADJOINING PROPERTY FINDINGS

Date:	**12/17/2007**
Permit Type:	**EQ**
Description:	**FULL DEMOLITION - CONSTRUCTION EQUIPMENT - FENCE**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	104898728-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK WEIDNER

Date:	**12/13/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - GEN.CONSTRUCTN.** **Installation of temporary tent structure for Trapeze School. No change to use, egress, or occupancy. Non-directive-14 application.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110005182-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DARIUSZ LIPSKI

ADJOINING PROPERTY FINDINGS

Date:	**12/13/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - MECH/HVAC** **Herewith filing Mechanical and Plumbing work to relocate gas piping, remove floor drains, and install gas-fired air heater for new temporary tent structure. No change to use, egress, or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	110005182-02-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DARIUSZ LIPSKI

Date:	**12/13/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - Structural** **Structural work for concrete topping and tent curbs in conjunction with installation of temporary tent structure. No change to use, egress, or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110005182-03-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DARIUSZ LIPSKI

ADJOINING PROPERTY FINDINGS

Date:	**12/13/2007**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 2 - TentStructure** **Herewith filing tent structure. No change to use, egress, or occupancy.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	110005182-04-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DARIUSZ LIPSKI

Date:	**9/27/2007**
Permit Type:	**DM**
Description:	**FULL DEMOLITION -**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	104898728-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK WEIDNER

ADJOINING PROPERTY FINDINGS

Date:	**9/13/2007**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - FENCE INSTALLATION OF A FENCE 75' LONG BY 15' WIDE, TO CURB, DURING BUILDING DEMO (104868804). NO CHANGES IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	104883404-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRANK WEIDNER

Date:	**5/12/1999**
Permit Type:	**EQ**
Description:	**ALTERATION TYPE 3 - CONSTRUCTION EQUIPMENT - SIDEWALK-SHED INSTALLATION OF HEAVY DUTY SHED 20FT ON 10TH AVE FOR OVERHEAD PROTECTION AS PER COURT ORDER. SHED TO COMPLY WITH LL33/91 NO CHANGE IN USE,EGRESS OR OCCUPANCY**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	102096296-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOHN BRESLIN

ADJOINING PROPERTY FINDINGS

Date:	**5/1/1991**
Permit Type:	**ELECTRICAL**
Description:	
Permit Description:	
Work Class:	
Proposed Use:	
Permit Number:	M084259
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EASTERN STAR ELECTRIC LTD P MORACI, EASTERN STAR ELECTRIC LTD ANTHONY CIRRINCIONE

GLOSSARY

General Building Department concepts

- **ICC:** The International Code Council. The governing body for the building/development codes used by all jurisdictions who've adopted the ICC guidelines. MOST of the US has done this. Canada, Mexico, and other countries use ICC codes books and guides as well. There are a few states who have added guidelines to the ICC codes to better fit their needs. For example, California has added seismic retrofit requirements for most commercial structures.
- **Building Department (Permitting Authority, Building Codes, Inspections Department, Building and Inspections):** This is the department in a jurisdiction where an owner or contractor goes to obtain permits and inspections for building, tearing down, remodeling, adding to, re-roofing, moving or otherwise making changes to any structure, Residential or Commercial.
- **Jurisdiction:** This is the geographic area representing the properties over which a Permitting Authority has responsibility.
- **GC:** General Contractor. Usually the primary contractor hired for any Residential or Commercial construction work.
- **Sub:** Subordinate contracting companies or subcontractors. Usually a "trades" contractor working for the GC. These contractors generally have an area of expertise in which they are licensed like Plumbing, Electrical, Heating and Air systems, Gas Systems, Pools etc. (called "trades").
- **Journeymen:** Sub contractors who have their own personal licenses in one or more trades and work for different contracting companies, wherever they are needed or there is work.
- **HVAC (Mechanical, Heating & Air companies):** HVAC = Heating, Ventilation, and Air Conditioning.
- **ELEC (Electrical, TempPole, TPole, TPower, Temporary Power, Panel, AMP Change, Power Release):** Electrical permits can be pulled for many reasons. The most common reason is to increase the AMPs of power in an electrical power panel. This requires a permit in almost every jurisdiction. Other commons reason for Electrical permits is to insert a temporary power pole at a new construction site. Construction requires electricity, and in a new development, power has yet to be run to the lot. The temporary power pole is usually the very first permit pulled for new development. The power is released to the home owner when construction is complete and this sometimes takes the form of a Power Release permit or inspection.
- **"Pull" a permit:** To obtain and pay for a building permit.
- **CBO:** Chief Building Official
- **Planning Department:** The department in the development process where the building /structural plans are reviewed for their completeness and compliance with building codes
- **Zoning Department:** The department in the development process where the site plans are reviewed for their compliance with the regulations associated with the zoning district in which they are situated.
- **Zoning District:** A pre-determined geographic boundary within a jurisdiction where certain types of structures are permitted / prohibited. Examples are Residential structure, Commercial/Retail structures, Industrial/Manufacturing structures etc. Each zoning district has regulations associated with it like the sizes of the lots, the density of the structures on the lots, the number of parking spaces required for certain types of structures on the lots etc.
- **PIN (TMS, GIS ID, Parcel#):** Property Identification Number and Tax Map System number.
- **State Card (Business license):** A license card issued to a contractor to conduct business.
- **Building Inspector (Inspector):** The inspector is a building department employee that inspects building construction for compliance to codes.
- **C.O.:** Certificate of Occupancy. This is the end of the construction process and designates that the owners now have permission to occupy a structure after its building is complete. Sometimes also referred to as a Certificate of Compliance.

GLOSSARY

Permit Content Definitions

- Permit Number: The alphanumerical designation assigned to a permit for tracking within the building department system. Sometimes the permit number gives clues to its role, e.g. a "PL" prefix may designate a plumbing permit.
- Description: A field on the permit form that allows the building department to give a brief description of the work being done. More often than not, this is the most important field for EP's to find clues to the prior use(s) of the property.
- Permit Type: Generally a brief designation of the type of job being done. For example BLDG-RES, BLDG-COM, ELEC, MECH etc.

Sample Building Permit Data

Date: Nov 09, 2000
Permit Type: Bldg -
New Permit Number: 101000000405
Status: Valuation: $1,000,000.00
Contractor Company: OWNER-BUILDER
Contractor Name:

Description: New one store retail (SAV-ON) with drive-thru pharmacy. Certificate of Occupancy.

NYC DEP CATS INFORMATION

Environmental Protection

Register with CATS
Login into CATS

NYC .gov always open

NYC DEP CATS Information

PREMISES: 540 WEST 29 STREET MANHATTAN BIN: 012436 BLOCK: 00700 LOT: 0056				
Owner: KURSH 29TH ST.HLDGS.LLC-ATT: S. KURSH	**Application #:** CB076700	**Type:** REGISTRATION - BOILER	**Expiration Date:** 5/11/2006	
Business Type: NA	**Request Type:** Cancellation - Boiler Registration	**Status:** CANCELLED	**Submitted Date:** NA	**Decision Date:** 3/24/2000
Boiler Make / Model: PEERLESS SCT7 / PEERLESS SCT7	**Fuel Type 1:** NO2FUEL	**Fuel Type 2:** NONE	**Heat Input (BTU/Hr.):** 560000	
Burner Make / Model: CARLIN 201 / CARLIN 201	**Number of Identical Units:** 1			

Environmental Protection

Register with CATS
Login into CATS

.gov always open

NYC DEP CATS Information

PREMISES: 540 WEST 29 STREET MANHATTAN BIN: 012436 BLOCK: 00700 LOT: 0056				
Owner: KURSH, STEPHEN	**Application #:** CA072488	**Type:** REGISTRATION - BOILER	**Expiration Date:** 2/23/2000	
Business Type: NA	**Request Type:** Cancellation - Boiler Registration	**Status:** CANCELLED	**Submitted Date:** NA	**Decision Date:** 2/19/1988
Boiler Make / Model: IDEAL #3 REDFLASH / IDEAL #3 REDFLASH	**Fuel Type 1:** NO2FUEL	**Fuel Type 2:** NONE	**Heat Input (BTU/Hr.):** 0	
Burner Make / Model: WAYNE 3-5-8- / WAYNE 3-5-8-	**Number of Identical Units:** 1			