

PROJECT No.: 170745301 PROJECT: The Beacon LOCATION: New York, New York BCP Site Number: C231155	CLIENT: TCB Beacon East Harlem Limited Partnership	DATE: Monday, May 4, 2026 WEATHER: Clear, 49 – 70 °F Wind: SW @ 5 – 12 mph TIME: 8:00 am – 2:00 pm MONITORS: Alexandra DiBernardi
EQUIPMENT: Hammer drill Hand auger	PRESENT AT SITE: Langan (Environmental Consultant): Alexandra DiBernardi Lakewood Environmental Services Corp (Driller): Mike Kolasinski	

OBSERVATIONS, DISCUSSION, TEST RESULTS, ETC.:

Langan Engineering, Environmental Surveying, Landscape Architecture and Geology, D.P.C. (Langan) was present to perform in-situ waste characterization soil sampling.

Site Activities

- Lakewood Environmental Services Corp. (Lakewood) used a hammer drill and hand auger to hand clear four soil borings within the building cellar (WC07A, WC07B, WC07C, and WC07D) to about 3 feet below the top of the cellar slab. Langan screened soil/fill for staining, odors, and organic vapors using a photoionization detector (PID). The following impacts were observed:
 - WC07C: A naphthalene-like odor and maximum PID reading of 36.0 parts per million (ppm) was observed from 2 to 3 feet below the top of the cellar slab.
 - WC07D: A naphthalene-like odor and maximum PID reading of 140.7 ppm was observed from 1 to 3 feet below the top of the cellar slab.

Air-monitoring Activities

- Langan implemented the Community Air Monitoring Plan (CAMP) with continuous air monitoring for volatile organic compounds (VOCs) and particulate matter smaller than 10 microns in diameter (PM10) at upwind and downwind locations during ground-intrusive activities. The upwind CAMP station did not collect PM10 data from 9:00 AM to 10:18 AM due to an equipment malfunction. The VOC and PM10 action levels were not exceeded during the monitoring period.

Sampling

- Soil samples were collected and submitted to York Analytical Laboratories, Inc, an Environmental Laboratory Accredited Program (ELAP)-Certified laboratory located in Stratford, Connecticut under standard chain-of-custody protocols.
- The following soil samples were submitted for analysis of Target Compound List (TCL) and New York State Department of Environmental Conservation (NYSDEC) Part 375-list/New Jersey Department of Environmental Protection (NJDEP)/Pennsylvania Department of Environmental Protection (PADEP) semivolatile organic compounds (SVOCs), polychlorinated biphenyls (PCBs), pesticides, herbicides, target analyte list (TAL) metals (including hexavalent and trivalent chromium), total

cyanide, NJDEP Extractable Petroleum Hydrocarbons (EPH), Resource Conservation and Recovery Act (RCRA) Characteristics, and paint filter:

- WC07AB_COMP_0-3
- WC07CD_COMP_0-3

- The following soil sample was submitted for analysis of NYSDEC Part 375/TCL/NJDEP/PADEP volatile organic compounds (VOCs):

- WC07A_GRAB_1-2
- WC07D_GRAB_1-2

Anticipated Activities:

- Lakewood will continue to advance soil borings in the exterior portion of the site.
- Langan will continue implementation of the waste characterization investigation and sampling.

Site Photos:



Photo 1: Lakewood hand clearing boring WC07C in building cellar (facing down).





Photo 2: View of CAMP station located in the southeastern part of the site (facing south).

Site Map:



LEGEND

Note: Drawing background from The Beacon Community Facility Survey for 50% CD, prepared by Paul A. Castrucci Architects, dated June 14, 2024. Drawing Shown Not to Scale.

- Approximate Site Boundary
- Completed Soil Boring
- Upwind CAMP Station
- Downwind CAMP Station

Date: 5/4/2026
Observer: Alexandra DiBernardi

Particulate Monitoring		
	Upwind Station	Downwind Station
Minimum 15min Average	0.000	0.002
Maximum 15min Average	0.019	0.012
High Intervals "exceedances" (15min > 0.150 + Upwind level)	N/A	No
Minimum 1min Reading	0.000	0.002
Maximum 1min Reading	0.028	0.135

Organic Vapor Monitoring		
	Upwind Station	Downwind Station
Minimum 15min Average	0.0	0.0
Maximum 15min Average	0.1	0.0
High Intervals "exceedances" (15min > 5 + Upwind level)	N/A	No
Minimum 1min Reading	0.0	0.0
Maximum 1min Reading	0.1	0.2

All reported particulate concentrations are in mg/m³ or milligrams per cubic meter and all reported organic vapor concentrations are in ppm or parts per million, unless specified otherwise.

May 4, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						194
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
9:00	-	-	9:00	0.010	-	
9:01	-	-	9:01	0.006	-	
9:02	-	-	9:02	0.007	-	
9:03	-	-	9:03	0.008	-	
9:04	-	-	9:04	0.008	-	
9:05	-	-	9:05	0.009	-	
9:06	-	-	9:06	0.008	-	
9:07	-	-	9:07	0.007	-	
9:08	-	-	9:08	0.008	-	
9:09	-	-	9:09	0.006	-	
9:10	-	-	9:10	0.005	-	
9:11	-	-	9:11	0.003	-	
9:12	-	-	9:12	0.004	-	
9:13	-	-	9:13	0.004	-	
9:14	-	-	9:14	0.006	0.007	-
9:15	-	-	9:15	0.008	0.007	-
9:16	-	-	9:16	0.008	0.006	-
9:17	-	-	9:17	0.008	0.007	-
9:18	-	-	9:18	0.010	0.007	-
9:19	-	-	9:19	0.009	0.007	-
9:20	-	-	9:20	0.008	0.007	-
9:21	-	-	9:21	0.007	0.007	-
9:22	-	-	9:22	0.010	0.007	-
9:23	-	-	9:23	0.009	0.007	-
9:24	-	-	9:24	0.007	0.007	-
9:25	-	-	9:25	0.007	0.007	-
9:26	-	-	9:26	0.007	0.007	-
9:27	-	-	9:27	0.006	0.007	-
9:28	-	-	9:28	0.006	0.008	-
9:29	-	-	9:29	0.008	0.008	-
9:30	-	-	9:30	0.008	0.008	-
9:31	-	-	9:31	0.008	0.008	-
9:32	-	-	9:32	0.008	0.008	-
9:33	-	-	9:33	0.007	0.008	-
9:34	-	-	9:34	0.005	0.008	-
9:35	-	-	9:35	0.005	0.007	-
9:36	-	-	9:36	0.004	0.007	-
9:37	-	-	9:37	0.004	0.007	-
9:38	-	-	9:38	0.007	0.007	-
9:39	-	-	9:39	0.008	0.006	-
9:40	-	-	9:40	0.008	0.007	-
9:41	-	-	9:41	0.006	0.007	-
9:42	-	-	9:42	0.009	0.007	-
9:43	-	-	9:43	0.009	0.007	-
9:44	-	-	9:44	0.007	0.007	-
9:45	-	-	9:45	0.031	0.007	-
9:46	-	-	9:46	0.035	0.008	-
9:47	-	-	9:47	0.007	0.010	-
9:48	-	-	9:48	0.004	0.010	-
9:49	-	-	9:49	0.004	0.010	-
9:50	-	-	9:50	0.004	0.010	-
9:51	-	-	9:51	0.006	0.010	-
9:52	-	-	9:52	0.005	0.010	-
9:53	-	-	9:53	0.004	0.010	-
9:54	-	-	9:54	0.004	0.010	-
9:55	-	-	9:55	0.007	0.010	-
9:56	-	-	9:56	0.007	0.009	-
9:57	-	-	9:57	0.007	0.010	-
9:58	-	-	9:58	0.006	0.009	-
9:59	-	-	9:59	0.005	0.009	-
10:00	-	-	10:00	0.005	0.009	-
10:01	-	-	10:01	0.006	0.007	-
10:02	-	-	10:02	0.006	0.005	-
10:03	-	-	10:03	0.006	0.005	-
10:04	-	-	10:04	0.007	0.005	-
10:05	-	-	10:05	0.007	0.006	-
10:06	-	-	10:06	0.008	0.006	-
10:07	-	-	10:07	0.008	0.006	-
10:08	-	-	10:08	0.008	0.006	-
10:09	-	-	10:09	0.009	0.006	-

May 4, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						194
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
10:10	-	-	10:10	0.008	0.007	-
10:11	-	-	10:11	0.007	0.007	-
10:12	-	-	10:12	0.006	0.007	-
10:13	-	-	10:13	0.005	0.007	-
10:14	-	-	10:14	0.005	0.007	-
10:15	-	-	10:15	0.006	0.007	-
10:16	-	-	10:16	0.007	0.007	-
10:17	-	-	10:17	0.006	0.007	-
10:18	-	-	10:18	0.005	0.007	-
10:19	0.000	-	10:19	0.005	0.007	-
10:20	0.013	-	10:20	0.004	0.007	-
10:21	0.013	-	10:21	0.003	0.006	-
10:22	0.011	-	10:22	0.003	0.006	-
10:23	0.013	-	10:23	0.003	0.006	-
10:24	0.013	-	10:24	0.002	0.005	-
10:25	0.012	-	10:25	0.002	0.005	-
10:26	0.011	-	10:26	0.002	0.005	-
10:27	0.010	-	10:27	0.003	0.004	-
10:28	0.010	-	10:28	0.003	0.004	-
10:29	0.009	-	10:29	0.004	0.004	-
10:30	0.010	-	10:30	0.004	0.004	-
10:31	0.010	-	10:31	0.004	0.004	-
10:32	0.010	-	10:32	0.004	0.004	-
10:33	0.010	0.010	10:33	0.004	0.003	-
10:34	0.010	0.010	10:34	0.005	0.003	-
10:35	0.009	0.011	10:35	0.004	0.003	-
10:36	0.011	0.011	10:36	0.004	0.003	-
10:37	0.011	0.011	10:37	0.004	0.003	-
10:38	0.010	0.011	10:38	0.004	0.003	-
10:39	0.010	0.010	10:39	0.002	0.004	-
10:40	0.010	0.010	10:40	0.002	0.004	-
10:41	0.010	0.010	10:41	0.002	0.004	-
10:42	0.010	0.010	10:42	0.003	0.004	-
10:43	0.009	0.010	10:43	0.003	0.004	-
10:44	0.008	0.010	10:44	0.003	0.004	-
10:45	0.011	0.010	10:45	0.002	0.003	-
10:46	0.011	0.010	10:46	0.003	0.003	-
10:47	0.007	0.010	10:47	0.003	0.003	-
10:48	0.000	0.010	10:48	0.003	0.003	-
10:49	0.009	0.009	10:49	0.003	0.003	-
10:50	0.000	0.009	10:50	0.003	0.003	-
10:51	0.010	0.008	10:51	0.003	0.003	-
10:52	0.009	0.008	10:52	0.003	0.003	-
10:53	0.010	0.008	10:53	0.003	0.003	-
10:54	0.010	0.008	10:54	0.003	0.003	-
10:55	0.010	0.008	10:55	0.004	0.003	-
10:56	0.010	0.008	10:56	0.003	0.003	-
10:57	0.010	0.008	10:57	0.003	0.003	-
10:58	0.010	0.008	10:58	0.004	0.003	-
10:59	0.011	0.008	10:59	0.005	0.003	-
11:00	0.012	0.009	11:00	0.005	0.003	-
11:01	0.011	0.009	11:01	0.005	0.003	-
11:02	0.011	0.009	11:02	0.005	0.004	-
11:03	0.011	0.009	11:03	0.004	0.004	-
11:04	0.011	0.010	11:04	0.003	0.004	-
11:05	0.011	0.010	11:05	0.003	0.004	-
11:06	0.011	0.010	11:06	0.003	0.004	-
11:07	0.000	0.011	11:07	0.003	0.004	-
11:08	0.000	0.010	11:08	0.003	0.004	-
11:09	0.000	0.009	11:09	0.003	0.004	-
11:10	0.011	0.009	11:10	0.002	0.004	-
11:11	0.000	0.009	11:11	0.002	0.004	-
11:12	0.011	0.008	11:12	0.002	0.004	-
11:13	0.011	0.008	11:13	0.003	0.003	-
11:14	0.011	0.008	11:14	0.002	0.003	-
11:15	0.011	0.008	11:15	0.002	0.003	-
11:16	0.011	0.008	11:16	0.003	0.003	-
11:17	0.011	0.008	11:17	0.003	0.003	-
11:18	0.011	0.008	11:18	0.003	0.003	-
11:19	0.012	0.008	11:19	0.002	0.003	-

May 4, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						194
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
11:20	0.012	0.008	11:20	0.002	0.003	-
11:21	0.012	0.008	11:21	0.002	0.003	-
11:22	0.012	0.008	11:22	0.002	0.002	-
11:23	0.012	0.009	11:23	0.003	0.002	-
11:24	0.013	0.010	11:24	0.003	0.002	-
11:25	0.017	0.011	11:25	0.004	0.002	-
11:26	0.015	0.011	11:26	0.004	0.003	-
11:27	0.028	0.012	11:27	0.004	0.003	-
11:28	0.018	0.013	11:28	0.002	0.003	-
11:29	0.016	0.014	11:29	0.003	0.003	-
11:30	0.016	0.014	11:30	0.003	0.003	-
11:31	0.014	0.014	11:31	0.003	0.003	-
11:32	0.012	0.015	11:32	0.002	0.003	-
11:33	0.013	0.015	11:33	0.002	0.003	-
11:34	0.013	0.015	11:34	0.002	0.003	-
11:35	0.013	0.015	11:35	0.003	0.003	-
11:36	0.013	0.015	11:36	0.002	0.003	-
11:37	0.011	0.015	11:37	0.003	0.003	-
11:38	0.013	0.015	11:38	0.003	0.003	-
11:39	0.012	0.015	11:39	0.003	0.003	-
11:40	0.014	0.015	11:40	0.004	0.003	-
11:41	0.012	0.015	11:41	0.004	0.003	-
11:42	0.011	0.015	11:42	0.004	0.003	-
11:43	0.015	0.013	11:43	0.005	0.003	-
11:44	0.014	0.013	11:44	0.004	0.003	-
11:45	0.019	0.013	11:45	0.005	0.003	-
11:46	0.015	0.013	11:46	0.004	0.003	-
11:47	0.014	0.013	11:47	0.004	0.003	-
11:48	0.016	0.013	11:48	0.004	0.003	-
11:49	0.017	0.014	11:49	0.004	0.004	-
11:50	0.016	0.014	11:50	0.006	0.004	-
11:51	0.014	0.014	11:51	0.004	0.004	-
11:52	0.014	0.014	11:52	0.004	0.004	-
11:53	0.013	0.014	11:53	0.004	0.004	-
11:54	0.012	0.014	11:54	0.004	0.004	-
11:55	0.012	0.014	11:55	0.005	0.004	-
11:56	0.012	0.014	11:56	0.006	0.004	-
11:57	0.000	0.014	11:57	0.005	0.004	-
11:58	0.012	0.014	11:58	0.005	0.005	-
11:59	0.012	0.013	11:59	0.006	0.005	-
12:00	0.000	0.013	12:00	0.005	0.005	-
12:01	0.000	0.012	12:01	0.005	0.005	-
12:02	0.000	0.011	12:02	0.005	0.005	-
12:03	0.000	0.010	12:03	0.005	0.005	-
12:04	0.000	0.009	12:04	0.005	0.005	-
12:05	0.000	0.008	12:05	0.004	0.005	-
12:06	0.000	0.007	12:06	0.004	0.005	-
12:07	0.000	0.006	12:07	0.004	0.005	-
12:08	0.000	0.005	12:08	0.004	0.005	-
12:09	0.000	0.004	12:09	0.004	0.005	-
12:10	0.000	0.003	12:10	0.004	0.005	-
12:11	0.000	0.002	12:11	0.005	0.005	-
12:12	0.000	0.002	12:12	0.005	0.005	-
12:13	0.000	0.002	12:13	0.006	0.005	-
12:14	0.000	0.001	12:14	0.006	0.005	-
12:15	0.010	0.000	12:15	0.004	0.005	-
12:16	0.019	0.001	12:16	0.005	0.005	-
12:17	0.019	0.002	12:17	0.005	0.005	-
12:18	0.020	0.003	12:18	0.006	0.005	-
12:19	0.021	0.005	12:19	0.006	0.005	-
12:20	0.021	0.006	12:20	0.005	0.005	-
12:21	0.019	0.007	12:21	0.006	0.005	-
12:22	0.021	0.009	12:22	0.006	0.005	-
12:23	0.021	0.010	12:23	0.005	0.005	-
12:24	0.017	0.011	12:24	0.005	0.005	-
12:25	0.018	0.013	12:25	0.006	0.005	-
12:26	0.021	0.014	12:26	0.007	0.005	-
12:27	0.020	0.015	12:27	0.008	0.006	-

May 4, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						194
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
12:28	0.020	0.016	12:28	0.007	0.006	
12:29	0.018	0.018	12:29	0.006	0.006	
12:30	0.017	0.019	12:30	0.005	0.006	
12:31	0.017	0.019	12:31	0.004	0.006	
12:32	0.019	0.019	12:32	0.004	0.006	
12:33	0.019	0.019	12:33	0.003	0.006	
12:34	0.017	0.019	12:34	0.004	0.006	
12:35	0.018	0.019	12:35	0.003	0.005	
12:36	0.017	0.019	12:36	0.003	0.005	
12:37	0.018	0.019	12:37	0.003	0.005	
12:38	0.022	0.018	12:38	0.003	0.005	
12:39	0.020	0.019	12:39	0.004	0.005	
12:40	0.016	0.019	12:40	0.005	0.005	
12:41	0.015	0.019	12:41	0.005	0.005	
12:42	0.013	0.018	12:42	0.004	0.004	
12:43	0.014	0.018	12:43	0.003	0.004	
12:44	0.014	0.017	12:44	0.005	0.004	
12:45	0.013	0.017	12:45	0.006	0.004	
12:46	0.014	0.017	12:46	0.004	0.004	
12:47	0.013	0.017	12:47	0.004	0.004	
12:48	0.013	0.016	12:48	0.004	0.004	
12:49	0.014	0.016	12:49	0.004	0.004	
12:50	0.014	0.016	12:50	0.006	0.004	
12:51	0.016	0.015	12:51	0.004	0.004	
12:52	0.015	0.015	12:52	0.005	0.004	
12:53	0.014	0.015	12:53	0.005	0.004	
12:54	0.015	0.015	12:54	0.004	0.005	
12:55	0.015	0.014	12:55	0.004	0.005	
12:56	0.014	0.014	12:56	0.003	0.004	
12:57	0.015	0.014	12:57	0.003	0.004	
12:58	0.018	0.014	12:58	0.003	0.004	
12:59	0.026	0.014	12:59	0.004	0.004	
13:00	0.019	0.015	13:00	0.004	0.004	
13:01	0.019	0.016	13:01	0.004	0.004	
13:02	0.017	0.016	13:02	0.006	0.004	
13:03	0.019	0.016	13:03	0.006	0.004	
13:04	0.021	0.017	13:04	0.007	0.004	
13:05	0.026	0.017	13:05	0.007	0.005	
13:06	0.018	0.018	13:06	0.007	0.005	
13:07	0.015	0.018	13:07	0.007	0.005	

May 4, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						243
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
9:00	0.1	-	9:00	0.00	-	
9:01	0.1	-	9:01	0.00	-	
9:02	0.1	-	9:02	0.00	-	
9:03	0.1	-	9:03	0.00	-	
9:04	0.1	-	9:04	0.00	-	
9:05	0.1	-	9:05	0.00	-	
9:06	0.1	-	9:06	0.00	-	
9:07	0.1	-	9:07	0.00	-	
9:08	0.1	-	9:08	0.00	-	
9:09	0.1	-	9:09	0.00	-	
9:10	0.1	-	9:10	0.00	-	
9:11	0.1	-	9:11	0.00	-	
9:12	0.1	-	9:12	0.00	-	
9:13	0.1	-	9:13	0.00	-	
9:14	0.1	0.10	9:14	0.00	0.00	-
9:15	0.1	0.10	9:15	0.00	0.00	-
9:16	0.1	0.10	9:16	0.00	0.00	-
9:17	0.1	0.10	9:17	0.00	0.00	-
9:18	0.1	0.10	9:18	0.00	0.00	-
9:19	0.1	0.10	9:19	0.00	0.00	-
9:20	0.1	0.10	9:20	0.00	0.00	-
9:21	0.1	0.10	9:21	0.00	0.00	-
9:22	0.1	0.10	9:22	0.00	0.00	-
9:23	0.0	0.10	9:23	0.00	0.00	-
9:24	0.0	0.09	9:24	0.00	0.00	-
9:25	0.0	0.09	9:25	0.00	0.00	-
9:26	0.0	0.08	9:26	0.00	0.00	-
9:27	0.0	0.07	9:27	0.00	0.00	-
9:28	0.0	0.07	9:28	0.00	0.00	-
9:29	0.0	0.06	9:29	0.00	0.00	-
9:30	0.0	0.05	9:30	0.00	0.00	-
9:31	0.0	0.05	9:31	0.00	0.00	-
9:32	0.0	0.04	9:32	0.00	0.00	-
9:33	0.0	0.03	9:33	0.00	0.00	-
9:34	0.0	0.03	9:34	0.00	0.00	-
9:35	0.0	0.02	9:35	0.00	0.00	-
9:36	0.0	0.01	9:36	0.00	0.00	-
9:37	0.0	0.01	9:37	0.00	0.00	-
9:38	0.0	0.00	9:38	0.00	0.00	-
9:39	0.0	0.00	9:39	0.00	0.00	-
9:40	0.0	0.00	9:40	0.00	0.00	-
9:41	0.0	0.00	9:41	0.00	0.00	-
9:42	0.0	0.00	9:42	0.00	0.00	-
9:43	0.0	0.00	9:43	0.00	0.00	-
9:44	0.0	0.00	9:44	0.00	0.00	-
9:45	0.0	0.00	9:45	0.00	0.00	-
9:46	0.0	0.00	9:46	0.00	0.00	-
9:47	0.0	0.00	9:47	0.00	0.00	-
9:48	0.0	0.00	9:48	0.00	0.00	-
9:49	0.0	0.00	9:49	0.00	0.00	-
9:50	0.0	0.00	9:50	0.00	0.00	-
9:51	0.0	0.00	9:51	0.00	0.00	-
9:52	0.0	0.00	9:52	0.00	0.00	-
9:53	0.0	0.00	9:53	0.00	0.00	-
9:54	0.0	0.00	9:54	0.00	0.00	-
9:55	0.0	0.00	9:55	0.00	0.00	-
9:56	0.0	0.00	9:56	0.00	0.00	-
9:57	0.0	0.00	9:57	0.00	0.00	-
9:58	0.0	0.00	9:58	0.00	0.00	-
9:59	0.0	0.00	9:59	0.00	0.00	-
10:00	0.0	0.00	10:00	0.00	0.00	-
10:01	0.0	0.00	10:01	0.00	0.00	-
10:02	0.0	0.00	10:02	0.00	0.00	-
10:03	0.0	0.00	10:03	0.00	0.00	-
10:04	0.0	0.00	10:04	0.00	0.00	-
10:05	0.0	0.00	10:05	0.00	0.00	-
10:06	0.0	0.00	10:06	0.00	0.00	-
10:07	0.0	0.00	10:07	0.00	0.00	-
10:08	0.0	0.00	10:08	0.00	0.00	-
10:09	0.0	0.00	10:09	0.00	0.00	-

May 4, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						243
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
10:10	0.0	0.00	10:10	0.00	0.00	-
10:11	0.0	0.00	10:11	0.00	0.00	-
10:12	0.0	0.00	10:12	0.00	0.00	-
10:13	0.0	0.00	10:13	0.00	0.00	-
10:14	0.0	0.00	10:14	0.00	0.00	-
10:15	0.0	0.00	10:15	0.00	0.00	-
10:16	0.0	0.00	10:16	0.00	0.00	-
10:17	0.0	0.00	10:17	0.00	0.00	-
10:18	0.0	0.00	10:18	0.00	0.00	-
10:19	0.0	0.00	10:19	0.00	0.00	-
10:20	0.0	0.00	10:20	0.00	0.00	-
10:21	0.0	0.00	10:21	0.00	0.00	-
10:22	0.0	0.00	10:22	0.00	0.00	-
10:23	0.0	0.00	10:23	0.00	0.00	-
10:24	0.0	0.00	10:24	0.00	0.00	-
10:25	0.0	0.00	10:25	0.00	0.00	-
10:26	0.0	0.00	10:26	0.00	0.00	-
10:27	0.0	0.00	10:27	0.00	0.00	-
10:28	0.0	0.00	10:28	0.00	0.00	-
10:29	0.0	0.00	10:29	0.00	0.00	-
10:30	0.0	0.00	10:30	0.00	0.00	-
10:31	0.0	0.00	10:31	0.00	0.00	-
10:32	0.0	0.00	10:32	0.00	0.00	-
10:33	0.0	0.00	10:33	0.00	0.00	-
10:34	0.0	0.00	10:34	0.00	0.00	-
10:35	0.0	0.00	10:35	0.00	0.00	-
10:36	0.0	0.00	10:36	0.00	0.00	-
10:37	0.0	0.00	10:37	0.00	0.00	-
10:38	0.0	0.00	10:38	0.00	0.00	-
10:39	0.0	0.00	10:39	0.00	0.00	-
10:40	0.0	0.00	10:40	0.00	0.00	-
10:41	0.0	0.00	10:41	0.00	0.00	-
10:42	0.0	0.00	10:42	0.00	0.00	-
10:43	0.0	0.00	10:43	0.00	0.00	-
10:44	0.0	0.00	10:44	0.00	0.00	-
10:45	0.0	0.00	10:45	0.00	0.00	-
10:46	0.0	0.00	10:46	0.00	0.00	-
10:47	0.0	0.00	10:47	0.00	0.00	-
10:48	0.0	0.00	10:48	0.00	0.00	-
10:49	0.0	0.00	10:49	0.00	0.00	-
10:50	0.0	0.00	10:50	0.00	0.00	-
10:51	0.0	0.00	10:51	0.00	0.00	-
10:52	0.0	0.00	10:52	0.00	0.00	-
10:53	0.0	0.00	10:53	0.00	0.00	-
10:54	0.0	0.00	10:54	0.00	0.00	-
10:55	0.0	0.00	10:55	0.0	0.00	-
10:56	0.0	0.00	10:56	0.0	0.00	-
10:57	0.0	0.00	10:57	0.0	0.00	-
10:58	0.0	0.00	10:58	0.0	0.00	-
10:59	0.0	0.00	10:59	0.0	0.00	-
11:00	0.0	0.00	11:00	0.0	0.00	-
11:01	0.0	0.00	11:01	0.0	0.00	-
11:02	0.0	0.00	11:02	0.0	0.00	-
11:03	0.0	0.00	11:03	0.0	0.00	-
11:04	0.0	0.00	11:04	0.0	0.00	-
11:05	0.0	0.00	11:05	0.0	0.00	-
11:06	0.0	0.00	11:06	0.0	0.00	-
11:07	0.0	0.00	11:07	0.0	0.00	-
11:08	0.0	0.00	11:08	0.0	0.00	-
11:09	0.0	0.00	11:09	0.0	0.00	-
11:10	0.0	0.00	11:10	0.0	0.00	-
11:11	0.0	0.00	11:11	0.0	0.00	-
11:12	0.0	0.0	11:12	0.0	0.00	-
11:13	0.0	0.0	11:13	0.0	0.00	-
11:14	0.0	0.0	11:14	0.0	0.00	-
11:15	0.0	0.0	11:15	0.0	0.00	-
11:16	0.0	0.0	11:16	0.0	0.00	-
11:17	0.0	0.0	11:17	0.0	0.00	-
11:18	0.0	0.0	11:18	0.0	0.00	-
11:19	0.0	0.0	11:19	0.0	0.00	-

May 4, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						243
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
11:20	0.0	0.0	11:20	0.0	0.00	-
11:21	0.0	0.0	11:21	0.0	0.0	-
11:22	0.0	0.0	11:22	0.0	0.0	-
11:23	0.0	0.0	11:23	0.0	0.0	-
11:24	0.0	0.0	11:24	0.0	0.0	-
11:25	0.0	0.0	11:25	0.0	0.0	-
11:26	0.0	0.0	11:26	0.0	0.0	-
11:27	0.0	0.0	11:27	0.0	0.0	-
11:28	0.0	0.0	11:28	0.0	0.0	-
11:29	0.0	0.0	11:29	0.0	0.0	-
11:30	0.0	0.0	11:30	0.0	0.0	-
11:31	0.0	0.0	11:31	0.0	0.0	-
11:32	0.0	0.0	11:32	0.0	0.0	-
11:33	0.0	0.0	11:33	0.0	0.0	-
11:34	0.0	0.0	11:34	0.0	0.0	-
11:35	0.0	0.0	11:35	0.0	0.0	-
11:36	0.0	0.0	11:36	0.0	0.0	-
11:37	0.0	0.0	11:37	0.0	0.0	-
11:38	0.0	0.0	11:38	0.0	0.0	-
11:39	0.0	0.0	11:39	0.0	0.0	-
11:40	0.0	0.0	11:40	0.0	0.0	-
11:41	0.0	0.0	11:41	0.0	0.0	-
11:42	0.0	0.0	11:42	0.0	0.0	-
11:43	0.0	0.0	11:43	0.0	0.0	-
11:44	0.0	0.0	11:44	0.0	0.0	-
11:45	0.0	0.0	11:45	0.0	0.0	-
11:46	0.0	0.0	11:46	0.0	0.0	-
11:47	0.0	0.0	11:47	0.0	0.0	-
11:48	0.0	0.0	11:48	0.0	0.0	-
11:49	0.0	0.0	11:49	0.0	0.0	-
11:50	0.0	0.0	11:50	0.0	0.0	-
11:51	0.0	0.0	11:51	0.0	0.0	-
11:52	0.0	0.0	11:52	0.0	0.0	-
11:53	0.0	0.0	11:53	0.0	0.0	-
11:54	0.0	0.0	11:54	0.0	0.0	-
11:55	0.0	0.0	11:55	0.0	0.0	-
11:56	0.0	0.0	11:56	0.0	0.0	-
11:57	0.0	0.0	11:57	0.0	0.0	-
11:58	0.0	0.0	11:58	0.0	0.0	-
11:59	0.0	0.0	11:59	0.0	0.0	-
12:00	0.0	0.0	12:00	0.0	0.0	-
12:01	0.0	0.0	12:01	0.0	0.0	-
12:02	0.0	0.0	12:02	0.0	0.0	-
12:03	0.0	0.0	12:03	0.0	0.0	-
12:04	0.0	0.0	12:04	0.0	0.0	-
12:05	0.0	0.0	12:05	0.0	0.0	-
12:06	0.0	0.0	12:06	0.0	0.0	-
12:07	0.0	0.0	12:07	0.0	0.0	-
12:08	0.0	0.0	12:08	0.0	0.0	-
12:09	0.0	0.0	12:09	0.0	0.0	-
12:10	0.0	0.0	12:10	0.0	0.0	-
12:11	0.0	0.0	12:11	0.0	0.0	-
12:12	0.0	0.0	12:12	0.0	0.0	-
12:13	0.0	0.0	12:13	0.0	0.0	-
12:14	0.0	0.0	12:14	0.0	0.0	-
12:15	0.0	0.0	12:15	0.0	0.0	-
12:16	0.0	0.0	12:16	0.0	0.0	-
12:17	0.0	0.0	12:17	0.0	0.0	-
12:18	0.0	0.0	12:18	0.0	0.0	-
12:19	0.0	0.0	12:19	0.0	0.0	-
12:20	0.0	0.0	12:20	0.0	0.0	-
12:21	0.0	0.0	12:21	0.0	0.0	-
12:22	0.0	0.0	12:22	0.0	0.0	-
12:23	0.0	0.0	12:23	0.0	0.0	-
12:24	0.0	0.0	12:24	0.0	0.0	-
12:25	0.0	0.0	12:25	0.0	0.0	-
12:26	0.0	0.0	12:26	0.0	0.0	-
12:27	0.0	0.0	12:27	0.0	0.0	-

May 4, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						243
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
12:28	0.0	0.0	12:28	0.0	0.0	-
12:29	0.0	0.0	12:29	0.0	0.0	-
12:30	0.0	0.0	12:30	0.0	0.0	-
12:31	0.0	0.0	12:31	0.0	0.0	-
12:32	0.0	0.0	12:32	0.0	0.0	-
12:33	0.0	0.0	12:33	0.0	0.0	-
12:34	0.0	0.0	12:34	0.0	0.0	-
12:35	0.0	0.0	12:35	0.0	0.0	-
12:36	0.0	0.0	12:36	0.0	0.0	-
12:37	0.0	0.0	12:37	0.0	0.0	-
12:38	0.0	0.0	12:38	0.0	0.0	-
12:39	0.0	0.0	12:39	0.0	0.0	-
12:40	0.0	0.0	12:40	0.0	0.0	-
12:41	0.0	0.0	12:41	0.0	0.0	-
12:42	0.0	0.0	12:42	0.0	0.0	-
12:43	0.0	0.0	12:43	0.0	0.0	-
12:44	0.0	0.0	12:44	0.0	0.0	-
12:45	0.0	0.0	12:45	0.0	0.0	-
12:46	0.0	0.0	12:46	0.0	0.0	-
12:47	0.0	0.0	12:47	0.0	0.0	-
12:48	0.0	0.0	12:48	0.0	0.0	-
12:49	0.0	0.0	12:49	0.0	0.0	-
12:50	0.0	0.0	12:50	0.0	0.0	-
12:51	0.0	0.0	12:51	0.0	0.0	-
12:52	0.0	0.0	12:52	0.0	0.0	-
12:53	0.0	0.0	12:53	0.0	0.0	-
12:54	0.0	0.0	12:54	0.0	0.0	-
12:55	0.0	0.0	12:55	0.0	0.0	-
12:56	0.0	0.0	12:56	0.0	0.0	-
12:57	0.0	0.0	12:57	0.0	0.0	-
12:58	0.0	0.0	12:58	0.0	0.0	-
12:59	0.0	0.0	12:59	0.0	0.0	-
13:00	0.0	0.0	13:00	0.0	0.0	-
13:01	0.0	0.0	13:01	0.0	0.0	-
13:02	0.0	0.0	13:02	0.0	0.0	-
13:03	0.0	0.0	13:03	0.0	0.0	-
13:04	0.0	0.0	13:04	0.0	0.0	-
13:05	0.0	0.0	13:05	0.0	0.0	-
13:06	0.0	0.0	13:06	0.0	0.0	-
13:07	0.0	0.0	13:07	0.2	0.0	-

PROJECT No.: 170745301	CLIENT: TCB Beacon East Harlem Limited Partnership	DATE: Tuesday, May 5, 2026
PROJECT: The Beacon		WEATHER: Clear, 56 – 80 °F Wind: S @ 13 – 52 mph
LOCATION: New York, New York		TIME: 7:00 am – 12:00 pm
BCP Site Number: C231155		MONITORS: Alexandra DiBernardi
EQUIPMENT: Hammer drill Hand auger	PRESENT AT SITE: Langan (Environmental Consultant): Alexandra DiBernardi Lakewood Environmental Services Corp (Driller): Mike Kolasinski	

OBSERVATIONS, DISCUSSION, TEST RESULTS, ETC.:

Langan Engineering, Environmental Surveying, Landscape Architecture and Geology, D.P.C. (Langan) was present to perform in-situ waste characterization soil sampling.

Site Activities

- Lakewood Environmental Services Corp. (Lakewood) used a hammer drill and hand auger to hand clear four soil borings within the exterior portion of the site (WC01A, WC01B, WC01C, and WC01D) to about 5 feet below grade surface (bgs). Following hand clearance, Lakewood used a Geoprobe® direct push drill rig to advance the four soil borings to a depth of about 7 feet bgs. Langan screened soil/fill for staining, odors, and organic vapors using a photoionization detector (PID). The following impacts were observed:
 - WC01D: A chemical-like odor and maximum PID reading of 19.0 parts per million (ppm) was observed from 6 to 7 feet bgs.

Air-monitoring Activities

- Langan implemented the Community Air Monitoring Plan (CAMP) with continuous air monitoring for volatile organic compounds (VOCs) and particulate matter smaller than 10 microns in diameter (PM10) at upwind and downwind locations during ground-intrusive activities. The CAMP upwind station did not collect PM10 data from 9:12 AM to 10:37 AM and from 11:21 AM to 12:00 PM due to an equipment malfunction. The battery for the DustTrak in the upwind CAMP station is planned to be replaced to avoid additional equipment issues. The VOC and PM10 action levels were not exceeded during the monitoring period.

Sampling

- Soil samples were collected and submitted to York Analytical Laboratories, Inc, an Environmental Laboratory Accredited Program (ELAP)-Certified laboratory located in Stratford, Connecticut under standard chain-of-custody protocols.
- The following soil samples were submitted for analysis of Target Compound List (TCL) and New York State Department of Environmental Conservation (NYSDEC) Part 375-list/New Jersey Department of Environmental Protection (NJDEP)/Pennsylvania Department of Environmental Protection (PADEP) semivolatile organic compounds (SVOCs), polychlorinated biphenyls (PCBs), pesticides, herbicides, target analyte list (TAL) metals (including hexavalent and trivalent chromium), total

cyanide, NJDEP Extractable Petroleum Hydrocarbons (EPH), Resource Conservation and Recovery Act (RCRA) Characteristics, and paint filler:

- WC01_COMP_0-7

- The following soil sample was submitted for analysis of NYSDEC Part 375/TCL/NJDEP/PADEP volatile organic compounds (VOCs):

- WC01D_GRAB_6-7

- The following soil samples were submitted for an on-hold analysis of Total and Toxicity Characteristic Leaching Procedures (TCLP) metals, pending the analytical results of sampling:

- WC01A_2-3

- WC01B_1-2

- WC01B_5-6

- WC01C_3-4

- WC01D_4-5

Anticipated Activities:

- Lakewood will continue to advance soil borings in the exterior portion of the site.
- Langan will continue implementation of the waste characterization investigation and sampling.

Site Photos:




Photo 1: Lakewood hand clearing boring WC01C in the northern part of the site (facing down).



Photo 2: View of Geoprobe drill rig setup to advance soil boring WC01C in the northern part of the site (facing west).

Site Map:



LEGEND

Note: Drawing background from The Beacon Community Facility Survey for 50% CD, prepared by Paul A. Castrucci Architects, dated June 14, 2024. Drawing Shown Not to Scale.

- ▭ Approximate Site Boundary
- Completed Soil Boring
- Upwind CAMP Station
- Downwind CAMP Station

Date: 5/5/2026
Observer: Alexandra DiBernardi

Particulate Monitoring		
	Upwind Station	Downwind Station
Minimum 15min Average	0.000	0.005
Maximum 15min Average	0.033	0.025
High Intervals "exceedances" (15min > 0.150 + Upwind level)	N/A	No
Minimum 1min Reading	0.000	0.003
Maximum 1min Reading	0.039	0.135

Organic Vapor Monitoring		
	Upwind Station	Downwind Station
Minimum 15min Average	0.0	0.0
Maximum 15min Average	0.1	0.2
High Intervals "exceedances" (15min > 5 + Upwind level)	N/A	No
Minimum 1min Reading	0.0	0.0
Maximum 1min Reading	0.2	0.3

All reported particulate concentrations are in mg/m³ or milligrams per cubic meter and all reported organic vapor concentrations are in ppm or parts per million, unless specified otherwise.

May 5, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						140
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
7:50	0.026	-	7:50	0.025	-	
7:51	0.026	-	7:51	0.017	-	
7:52	0.026	-	7:52	0.010	-	
7:53	0.027	-	7:53	0.007	-	
7:54	0.027	-	7:54	0.006	-	
7:55	0.000	-	7:55	0.005	-	
7:56	0.000	-	7:56	0.005	-	
7:57	0.000	-	7:57	0.004	-	
7:58	0.000	-	7:58	0.005	-	
7:59	0.000	-	7:59	0.006	-	
8:00	0.026	-	8:00	0.006	-	
8:01	0.029	-	8:01	0.005	-	
8:02	0.029	-	8:02	0.005	-	
8:03	0.028	-	8:03	0.005	-	
8:04	0.028	0.017	8:04	0.005	0.008	-
8:05	0.028	0.018	8:05	0.005	0.008	-
8:06	0.028	0.018	8:06	0.004	0.006	-
8:07	0.028	0.018	8:07	0.004	0.006	-
8:08	0.028	0.019	8:08	0.007	0.005	-
8:09	0.028	0.019	8:09	0.012	0.005	-
8:10	0.029	0.019	8:10	0.011	0.006	-
8:11	0.028	0.021	8:11	0.011	0.006	-
8:12	0.028	0.022	8:12	0.009	0.006	-
8:13	0.029	0.024	8:13	0.008	0.007	-
8:14	0.029	0.026	8:14	0.009	0.007	-
8:15	0.029	0.028	8:15	0.010	0.007	-
8:16	0.029	0.028	8:16	0.010	0.007	-
8:17	0.029	0.028	8:17	0.009	0.008	-
8:18	0.029	0.028	8:18	0.007	0.008	-
8:19	0.028	0.028	8:19	0.004	0.008	-
8:20	0.028	0.028	8:20	0.006	0.008	-
8:21	0.028	0.028	8:21	0.009	0.008	-
8:22	0.029	0.028	8:22	0.010	0.008	-
8:23	0.028	0.029	8:23	0.010	0.009	-
8:24	0.028	0.029	8:24	0.011	0.009	-
8:25	0.028	0.029	8:25	0.009	0.009	-
8:26	0.028	0.028	8:26	0.009	0.009	-
8:27	0.028	0.028	8:27	0.007	0.009	-
8:28	0.028	0.028	8:28	0.006	0.009	-
8:29	0.029	0.028	8:29	0.009	0.008	-
8:30	0.029	0.028	8:30	0.010	0.008	-
8:31	0.028	0.028	8:31	0.008	0.008	-
8:32	0.029	0.028	8:32	0.007	0.008	-
8:33	0.029	0.028	8:33	0.009	0.008	-
8:34	0.030	0.028	8:34	0.010	0.008	-
8:35	0.029	0.028	8:35	0.009	0.009	-
8:36	0.029	0.029	8:36	0.006	0.009	-
8:37	0.029	0.029	8:37	0.003	0.009	-
8:38	0.030	0.029	8:38	0.007	0.008	-
8:39	0.029	0.029	8:39	0.009	0.008	-
8:40	0.029	0.029	8:40	0.009	0.008	-
8:41	0.028	0.029	8:41	0.009	0.008	-
8:42	0.029	0.029	8:42	0.009	0.008	-
8:43	0.029	0.029	8:43	0.010	0.008	-
8:44	0.039	0.029	8:44	0.010	0.008	-
8:45	0.037	0.030	8:45	0.010	0.008	-
8:46	0.030	0.030	8:46	0.009	0.008	-
8:47	0.030	0.030	8:47	0.007	0.008	-
8:48	0.031	0.030	8:48	0.007	0.008	-
8:49	0.030	0.031	8:49	0.008	0.008	-
8:50	0.031	0.031	8:50	0.009	0.008	-
8:51	0.030	0.031	8:51	0.008	0.008	-
8:52	0.030	0.031	8:52	0.008	0.008	-
8:53	0.030	0.031	8:53	0.008	0.009	-
8:54	0.030	0.031	8:54	0.008	0.009	-
8:55	0.030	0.031	8:55	0.008	0.009	-
8:56	0.030	0.031	8:56	0.008	0.009	-
8:57	0.030	0.031	8:57	0.008	0.008	-
8:58	0.030	0.031	8:58	0.007	0.008	-
8:59	0.030	0.031	8:59	0.007	0.008	-

May 5, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						140
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
9:00	0.030	0.031	9:00	0.006	0.008	-
9:01	0.030	0.030	9:01	0.008	0.008	-
9:02	0.031	0.030	9:02	0.008	0.008	-
9:03	0.030	0.030	9:03	0.009	0.008	-
9:04	0.030	0.030	9:04	0.009	0.008	-
9:05	0.030	0.030	9:05	0.008	0.008	-
9:06	0.030	0.030	9:06	0.008	0.008	-
9:07	0.030	0.030	9:07	0.009	0.008	-
9:08	0.030	0.030	9:08	0.009	0.008	-
9:09	0.030	0.030	9:09	0.008	0.008	-
9:10	0.030	0.030	9:10	0.007	0.008	-
9:11	0.031	0.030	9:11	0.008	0.008	-
9:12	-	-	9:12	0.007	0.008	-
9:13	-	-	9:13	0.006	0.008	-
9:14	-	-	9:14	0.007	0.008	-
9:15	-	-	9:15	0.007	0.008	-
9:16	-	-	9:16	0.007	0.008	-
9:17	-	-	9:17	0.007	0.008	-
9:18	-	-	9:18	0.009	0.008	-
9:19	-	-	9:19	0.008	0.008	-
9:20	-	-	9:20	0.008	0.008	-
9:21	-	-	9:21	0.008	0.008	-
9:22	-	-	9:22	0.010	0.008	-
9:23	-	-	9:23	0.009	0.008	-
9:24	-	-	9:24	0.007	0.008	-
9:25	-	-	9:25	0.009	0.008	-
9:26	-	-	9:26	0.008	0.008	-
9:27	-	-	9:27	0.008	0.008	-
9:28	-	-	9:28	0.006	0.008	-
9:29	-	-	9:29	0.009	0.008	-
9:30	-	-	9:30	0.008	0.008	-
9:31	-	-	9:31	0.006	0.008	-
9:32	-	-	9:32	0.010	0.008	-
9:33	-	-	9:33	0.011	0.008	-
9:34	-	-	9:34	0.010	0.008	-
9:35	-	-	9:35	0.008	0.008	-
9:36	-	-	9:36	0.007	0.008	-
9:37	-	-	9:37	0.012	0.008	-
9:38	-	-	9:38	0.010	0.009	-
9:39	-	-	9:39	0.008	0.009	-
9:40	-	-	9:40	0.009	0.009	-
9:41	-	-	9:41	0.009	0.009	-
9:42	-	-	9:42	0.009	0.009	-
9:43	-	-	9:43	0.010	0.009	-
9:44	-	-	9:44	0.008	0.009	-
9:45	-	-	9:45	0.008	0.009	-
9:46	-	-	9:46	0.009	0.009	-
9:47	-	-	9:47	0.009	0.009	-
9:48	-	-	9:48	0.007	0.009	-
9:49	-	-	9:49	0.007	0.009	-
9:50	-	-	9:50	0.008	0.009	-
9:51	-	-	9:51	0.009	0.009	-
9:52	-	-	9:52	0.009	0.009	-
9:53	-	-	9:53	0.009	0.009	-
9:54	-	-	9:54	0.009	0.009	-
9:55	-	-	9:55	0.010	0.009	-
9:56	-	-	9:56	0.012	0.009	-
9:57	-	-	9:57	0.010	0.009	-
9:58	-	-	9:58	0.011	0.009	-
9:59	-	-	9:59	0.009	0.009	-
10:00	-	-	10:00	0.010	0.009	-
10:01	-	-	10:01	0.010	0.009	-
10:02	-	-	10:02	0.009	0.009	-
10:03	-	-	10:03	0.009	0.009	-
10:04	-	-	10:04	0.010	0.009	-
10:05	-	-	10:05	0.010	0.010	-
10:06	-	-	10:06	0.008	0.010	-
10:07	-	-	10:07	0.009	0.010	-
10:08	-	-	10:08	0.010	0.010	-
10:09	-	-	10:09	0.010	0.010	-

May 5, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						140
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
10:10	-	-	10:10	0.009	0.010	
10:11	-	-	10:11	0.010	0.010	
10:12	-	-	10:12	0.010	0.010	
10:13	-	-	10:13	0.011	0.010	
10:14	-	-	10:14	0.012	0.010	
10:15	-	-	10:15	0.016	0.010	
10:16	-	-	10:16	0.012	0.010	
10:17	-	-	10:17	0.012	0.010	
10:18	-	-	10:18	0.013	0.011	
10:19	-	-	10:19	0.015	0.011	
10:20	-	-	10:20	0.011	0.011	
10:21	-	-	10:21	0.010	0.011	
10:22	-	-	10:22	0.011	0.011	
10:23	-	-	10:23	0.011	0.011	-
10:24	-	-	10:24	0.011	0.012	-
10:25	-	-	10:25	0.011	0.012	-
10:26	-	-	10:26	0.012	0.012	-
10:27	-	-	10:27	0.012	0.012	-
10:28	-	-	10:28	0.011	0.012	-
10:29	-	-	10:29	0.012	0.012	-
10:30	-	-	10:30	0.011	0.012	-
10:31	-	-	10:31	0.011	0.012	-
10:32	-	-	10:32	0.012	0.012	-
10:33	-	-	10:33	0.013	0.012	-
10:34	-	-	10:34	0.013	0.012	-
10:35	-	-	10:35	0.015	0.011	-
10:36	-	-	10:36	0.013	0.012	-
10:37	-	-	10:37	0.013	0.012	-
10:38	0.000	-	10:38	0.011	0.012	-
10:39	0.030	0.000	10:39	0.011	0.012	-
10:40	0.029	0.015	10:40	0.010	0.012	-
10:41	0.027	0.020	10:41	0.010	0.012	-
10:42	0.026	0.022	10:42	0.012	0.012	-
10:43	0.026	0.022	10:43	0.012	0.012	-
10:44	0.026	0.023	10:44	0.014	0.012	-
10:45	0.027	0.023	10:45	0.015	0.012	-
10:46	0.027	0.024	10:46	0.016	0.012	-
10:47	0.026	0.024	10:47	0.024	0.013	-
10:48	0.025	0.024	10:48	0.019	0.013	-
10:49	0.025	0.024	10:49	0.013	0.014	-
10:50	0.024	0.025	10:50	0.013	0.014	-
10:51	0.025	0.024	10:51	0.013	0.014	-
10:52	0.025	0.025	10:52	0.014	0.014	-
10:53	0.026	0.025	10:53	0.013	0.014	-
10:54	0.026	0.026	10:54	0.014	0.014	-
10:55	0.025	0.026	10:55	0.015	0.014	-
10:56	0.025	0.026	10:56	0.015	0.014	-
10:57	0.026	0.026	10:57	0.013	0.015	-
10:58	0.025	0.026	10:58	0.014	0.015	-
10:59	0.025	0.026	10:59	0.015	0.015	-
11:00	0.026	0.025	11:00	0.130	0.015	-
11:01	0.026	0.025	11:01	0.031	0.023	-
11:02	0.026	0.025	11:02	0.016	0.024	-
11:03	0.026	0.025	11:03	0.016	0.023	-
11:04	0.026	0.025	11:04	0.015	0.023	-
11:05	0.025	0.025	11:05	0.015	0.023	-
11:06	0.026	0.026	11:06	0.014	0.023	-
11:07	0.025	0.026	11:07	0.014	0.023	-
11:08	0.025	0.026	11:08	0.014	0.023	-
11:09	0.025	0.026	11:09	0.014	0.023	-
11:10	0.025	0.025	11:10	0.014	0.023	-
11:11	0.025	0.025	11:11	0.014	0.023	-
11:12	0.025	0.025	11:12	0.013	0.023	-
11:13	0.025	0.025	11:13	0.013	0.023	-
11:14	0.024	0.025	11:14	0.014	0.023	-
11:15	0.025	0.025	11:15	0.014	0.023	-
11:16	0.024	0.025	11:16	0.014	0.015	-
11:17	0.024	0.025	11:17	0.014	0.014	-

May 5, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						140
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
11:18	0.023	0.025	11:18	0.014	0.014	-
11:19	0.024	0.025	11:19	0.015	0.014	-
11:20	0.025	0.025	11:20	0.016	0.014	-
11:21	-	-	11:21	0.016	0.014	
11:22	-	-	11:22	0.017	0.014	
11:23	-	-	11:23	0.016	0.014	
11:24	-	-	11:24	0.016	0.015	
11:25	-	-	11:25	0.015	0.015	
11:26	-	-	11:26	0.016	0.015	
11:27	-	-	11:27	0.016	0.015	
11:28	-	-	11:28	0.015	0.015	
11:29	-	-	11:29	0.014	0.015	
11:30	-	-	11:30	0.012	0.015	
11:31	-	-	11:31	0.012	0.015	
11:32	-	-	11:32	0.013	0.015	
11:33	-	-	11:33	0.013	0.015	
11:34	-	-	11:34	0.013	0.015	
11:35	-	-	11:35	0.013	0.015	
11:36	-	-	11:36	0.014	0.014	
11:37	-	-	11:37	0.015	0.014	
11:38	-	-	11:38	0.014	0.014	
11:39	-	-	11:39	0.014	0.014	
11:40	-	-	11:40	0.019	0.014	
11:41	-	-	11:41	0.021	0.014	
11:42	-	-	11:42	0.015	0.015	
11:43	-	-	11:43	0.014	0.014	
11:44	-	-	11:44	0.014	0.014	
11:45	-	-	11:45	0.013	0.014	
11:46	-	-	11:46	0.013	0.014	
11:47	-	-	11:47	0.015	0.015	
11:48	-	-	11:48	0.015	0.015	
11:49	-	-	11:49	0.016	0.015	
11:50	-	-	11:50	0.015	0.015	
11:51	-	-	11:51	0.015	0.015	
11:52	-	-	11:52	0.015	0.015	
11:53	-	-	11:53	0.016	0.015	
11:54	-	-	11:54	0.015	0.015	
11:55	-	-	11:55	0.021	0.015	
11:56	-	-	11:56	0.019	0.016	
11:57	-	-	11:57	0.016	0.015	
11:58	-	-	11:58	0.017	0.015	
11:59	-	-	11:59	0.037	0.016	
12:00	-	-	12:00	0.018	0.017	

May 5, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						246
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
7:50	0.0	-	7:50	0.00	-	
7:51	0.0	-	7:51	0.00	-	
7:52	0.0	-	7:52	0.00	-	
7:53	0.0	-	7:53	0.00	-	
7:54	0.0	-	7:54	0.00	-	
7:55	0.0	-	7:55	0.00	-	
7:56	0.0	-	7:56	0.00	-	
7:57	0.0	-	7:57	0.00	-	
7:58	0.0	-	7:58	0.00	-	
7:59	0.0	-	7:59	0.00	-	
8:00	0.0	-	8:00	0.00	-	
8:01	0.0	-	8:01	0.00	-	
8:02	0.0	-	8:02	0.00	-	
8:03	0.0	-	8:03	0.00	-	
8:04	0.0	0.01	8:04	0.00	0.00	-
8:05	0.0	0.00	8:05	0.00	0.00	-
8:06	0.0	0.00	8:06	0.00	0.00	-
8:07	0.0	0.00	8:07	0.00	0.00	-
8:08	0.0	0.00	8:08	0.00	0.00	-
8:09	0.0	0.00	8:09	0.00	0.00	-
8:10	0.0	0.00	8:10	0.00	0.00	-
8:11	0.0	0.00	8:11	0.00	0.00	-
8:12	0.0	0.00	8:12	0.00	0.00	-
8:13	0.0	0.00	8:13	0.00	0.00	-
8:14	0.0	0.00	8:14	0.00	0.00	-
8:15	0.0	0.00	8:15	0.00	0.00	-
8:16	0.0	0.00	8:16	0.00	0.00	-
8:17	0.0	0.00	8:17	0.00	0.00	-
8:18	0.0	0.00	8:18	0.00	0.00	-
8:19	0.0	0.00	8:19	0.00	0.00	-
8:20	0.0	0.00	8:20	0.00	0.00	-
8:21	0.0	0.00	8:21	0.00	0.00	-
8:22	0.0	0.00	8:22	0.00	0.00	-
8:23	0.0	0.00	8:23	0.00	0.00	-
8:24	0.0	0.00	8:24	0.00	0.00	-
8:25	0.0	0.00	8:25	0.00	0.00	-
8:26	0.0	0.00	8:26	0.00	0.00	-
8:27	0.0	0.00	8:27	0.00	0.00	-
8:28	0.0	0.00	8:28	0.00	0.00	-
8:29	0.0	0.00	8:29	0.00	0.00	-
8:30	0.0	0.00	8:30	0.00	0.00	-
8:31	0.0	0.00	8:31	0.00	0.00	-
8:32	0.0	0.00	8:32	0.00	0.00	-
8:33	0.0	0.00	8:33	0.00	0.00	-
8:34	0.0	0.00	8:34	0.00	0.00	-
8:35	0.0	0.00	8:35	0.00	0.00	-
8:36	0.0	0.00	8:36	0.00	0.00	-
8:37	0.0	0.00	8:37	0.00	0.00	-
8:38	0.0	0.00	8:38	0.00	0.00	-
8:39	0.0	0.00	8:39	0.00	0.00	-
8:40	0.0	0.00	8:40	0.00	0.00	-
8:41	0.0	0.00	8:41	0.00	0.00	-
8:42	0.0	0.00	8:42	0.00	0.00	-
8:43	0.0	0.00	8:43	0.00	0.00	-
8:44	0.0	0.00	8:44	0.00	0.00	-
8:45	0.0	0.00	8:45	0.00	0.00	-
8:46	0.0	0.00	8:46	0.00	0.00	-
8:47	0.0	0.00	8:47	0.00	0.00	-
8:48	0.0	0.00	8:48	0.00	0.00	-
8:49	0.0	0.00	8:49	0.00	0.00	-
8:50	0.0	0.00	8:50	0.00	0.00	-
8:51	0.0	0.00	8:51	0.00	0.00	-
8:52	0.0	0.00	8:52	0.00	0.00	-
8:53	0.0	0.00	8:53	0.00	0.00	-
8:54	0.0	0.00	8:54	0.00	0.00	-
8:55	0.0	0.00	8:55	0.00	0.00	-
8:56	0.0	0.00	8:56	0.00	0.00	-
8:57	0.0	0.00	8:57	0.00	0.00	-
8:58	0.0	0.00	8:58	0.00	0.00	-
8:59	0.0	0.00	8:59	0.00	0.00	-

May 5, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						246
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
9:00	0.0	0.00	9:00	0.00	0.00	-
9:01	0.0	0.00	9:01	0.00	0.00	-
9:02	0.0	0.00	9:02	0.00	0.00	-
9:03	0.0	0.00	9:03	0.00	0.00	-
9:04	0.0	0.00	9:04	0.00	0.00	-
9:05	0.0	0.00	9:05	0.10	0.00	-
9:06	0.0	0.00	9:06	0.10	0.01	-
9:07	0.0	0.00	9:07	0.10	0.01	-
9:08	0.0	0.00	9:08	0.10	0.02	-
9:09	0.0	0.00	9:09	0.10	0.03	-
9:10	0.0	0.00	9:10	0.10	0.03	-
9:11	0.0	0.00	9:11	0.10	0.04	-
9:12	0.0	0.00	9:12	0.10	0.05	-
9:13	0.0	0.00	9:13	0.10	0.05	-
9:14	0.0	0.00	9:14	0.10	0.06	-
9:15	0.0	0.00	9:15	0.10	0.07	-
9:16	0.0	0.00	9:16	0.10	0.07	-
9:17	0.0	0.00	9:17	0.10	0.08	-
9:18	0.0	0.00	9:18	0.10	0.09	-
9:19	0.0	0.00	9:19	0.10	0.09	-
9:20	0.0	0.00	9:20	0.10	0.10	-
9:21	0.0	0.00	9:21	0.10	0.10	-
9:22	0.0	0.00	9:22	0.10	0.10	-
9:23	0.0	0.00	9:23	0.10	0.10	-
9:24	0.0	0.00	9:24	0.10	0.10	-
9:25	0.0	0.00	9:25	0.10	0.10	-
9:26	0.0	0.00	9:26	0.10	0.10	-
9:27	0.0	0.00	9:27	0.10	0.10	-
9:28	0.0	0.00	9:28	0.10	0.10	-
9:29	0.0	0.00	9:29	0.10	0.10	-
9:30	0.0	0.00	9:30	0.10	0.10	-
9:31	0.0	0.00	9:31	0.10	0.10	-
9:32	0.0	0.00	9:32	0.10	0.10	-
9:33	0.0	0.00	9:33	0.10	0.10	-
9:34	0.0	0.00	9:34	0.10	0.10	-
9:35	0.0	0.00	9:35	0.10	0.10	-
9:36	0.0	0.00	9:36	0.10	0.10	-
9:37	0.0	0.00	9:37	0.10	0.10	-
9:38	0.0	0.00	9:38	0.10	0.10	-
9:39	0.0	0.00	9:39	0.10	0.10	-
9:40	0.0	0.00	9:40	0.10	0.10	-
9:41	0.0	0.00	9:41	0.10	0.10	-
9:42	0.0	0.00	9:42	0.10	0.10	-
9:43	0.0	0.00	9:43	0.10	0.10	-
9:44	0.0	0.00	9:44	0.10	0.10	-
9:45	0.0	0.00	9:45	0.1	0.10	-
9:46	0.0	0.00	9:46	0.1	0.10	-
9:47	0.0	0.00	9:47	0.1	0.10	-
9:48	0.0	0.00	9:48	0.1	0.10	-
9:49	0.0	0.00	9:49	0.1	0.10	-
9:50	0.0	0.00	9:50	0.1	0.10	-
9:51	0.0	0.00	9:51	0.1	0.10	-
9:52	0.0	0.00	9:52	0.1	0.10	-
9:53	0.0	0.00	9:53	0.1	0.10	-
9:54	0.0	0.00	9:54	0.1	0.10	-
9:55	0.0	0.00	9:55	0.1	0.10	-
9:56	0.0	0.00	9:56	0.1	0.10	-
9:57	0.0	0.00	9:57	0.1	0.10	-
9:58	0.0	0.00	9:58	0.1	0.10	-
9:59	0.0	0.00	9:59	0.1	0.10	-
10:00	0.0	0.00	10:00	0.1	0.10	-
10:01	0.0	0.00	10:01	0.1	0.10	-
10:02	0.0	0.0	10:02	0.1	0.10	-
10:03	0.0	0.0	10:03	0.1	0.10	-
10:04	0.0	0.0	10:04	0.1	0.10	-
10:05	0.0	0.0	10:05	0.1	0.10	-
10:06	0.0	0.0	10:06	0.1	0.10	-
10:07	0.0	0.0	10:07	0.1	0.10	-
10:08	0.0	0.0	10:08	0.2	0.10	-
10:09	0.0	0.0	10:09	0.1	0.11	-

May 5, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						246
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
10:10	0.0	0.0	10:10	0.1	0.11	-
10:11	0.0	0.0	10:11	0.1	0.1	-
10:12	0.0	0.0	10:12	0.1	0.1	-
10:13	0.0	0.0	10:13	0.2	0.1	-
10:14	0.0	0.0	10:14	0.2	0.1	-
10:15	0.0	0.0	10:15	0.1	0.2	-
10:16	0.0	0.0	10:16	0.2	0.2	-
10:17	0.0	0.0	10:17	0.3	0.2	-
10:18	0.0	0.0	10:18	0.3	0.2	-
10:19	0.0	0.0	10:19	0.3	0.2	-
10:20	0.0	0.0	10:20	0.2	0.2	-
10:21	0.0	0.0	10:21	0.2	0.2	-
10:22	0.0	0.0	10:22	0.2	0.2	-
10:23	0.0	0.0	10:23	0.2	0.2	-
10:24	0.0	0.0	10:24	0.2	0.2	-
10:25	0.0	0.0	10:25	0.2	0.2	-
10:26	0.0	0.0	10:26	0.2	0.2	-
10:27	0.0	0.0	10:27	0.2	0.2	-
10:28	0.0	0.0	10:28	0.2	0.2	-
10:29	0.0	0.0	10:29	0.2	0.2	-
10:30	0.0	0.0	10:30	0.2	0.2	-
10:31	0.0	0.0	10:31	0.2	0.2	-
10:32	0.0	0.0	10:32	0.2	0.2	-
10:33	0.0	0.0	10:33	0.2	0.2	-
10:34	0.0	0.0	10:34	0.2	0.2	-
10:35	0.0	0.0	10:35	0.2	0.2	-
10:36	0.0	0.0	10:36	0.2	0.2	-
10:37	0.0	0.0	10:37	0.2	0.2	-
10:38	0.0	0.0	10:38	0.2	0.2	-
10:39	0.0	0.0	10:39	0.2	0.2	-
10:40	0.0	0.0	10:40	0.2	0.2	-
10:41	0.0	0.0	10:41	0.2	0.2	-
10:42	0.0	0.0	10:42	0.2	0.2	-
10:43	0.0	0.0	10:43	0.2	0.2	-
10:44	0.0	0.0	10:44	0.2	0.2	-
10:45	0.0	0.0	10:45	0.2	0.2	-
10:46	0.0	0.0	10:46	0.2	0.2	-
10:47	0.0	0.0	10:47	0.2	0.2	-
10:48	0.0	0.0	10:48	0.2	0.2	-
10:49	0.0	0.0	10:49	0.3	0.2	-
10:50	0.0	0.0	10:50	0.3	0.2	-
10:51	0.0	0.0	10:51	0.3	0.2	-
10:52	0.0	0.0	10:52	0.2	0.2	-
10:53	0.0	0.0	10:53	0.2	0.2	-
10:54	0.0	0.0	10:54	0.2	0.2	-
10:55	0.0	0.0	10:55	0.2	0.2	-
10:56	0.0	0.0	10:56	0.2	0.2	-
10:57	0.0	0.0	10:57	0.2	0.2	-
10:58	0.0	0.0	10:58	0.1	0.2	-
10:59	0.0	0.0	10:59	0.2	0.2	-
11:00	0.0	0.0	11:00	0.1	0.2	-
11:01	0.0	0.0	11:01	0.1	0.2	-
11:02	0.0	0.0	11:02	0.2	0.2	-
11:03	0.0	0.0	11:03	0.2	0.2	-
11:04	0.0	0.0	11:04	0.1	0.2	-
11:05	0.0	0.0	11:05	0.1	0.1	-
11:06	0.0	0.0	11:06	0.1	0.1	-
11:07	0.0	0.0	11:07	0.1	0.1	-
11:08	0.0	0.0	11:08	0.1	0.1	-
11:09	0.0	0.0	11:09	0.2	0.1	-
11:10	0.0	0.0	11:10	0.2	0.2	-
11:11	0.0	0.0	11:11	0.2	0.2	-
11:12	0.0	0.0	11:12	0.2	0.2	-
11:13	0.0	0.0	11:13	0.2	0.2	-
11:14	0.0	0.0	11:14	0.2	0.2	-
11:15	0.0	0.0	11:15	0.1	0.2	-
11:16	0.0	0.0	11:16	0.2	0.2	-
11:17	0.0	0.0	11:17	0.1	0.2	-

May 5, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						246
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
11:18	0.0	0.0	11:18	0.2	0.2	-
11:19	0.0	0.0	11:19	0.2	0.2	-
11:20	0.0	0.0	11:20	0.2	0.2	-
11:21	0.0	0.0	11:21	0.2	0.2	-
11:22	0.0	0.0	11:22	0.2	0.2	-
11:23	0.0	0.0	11:23	0.2	0.2	-
11:24	0.0	0.0	11:24	0.1	0.2	-
11:25	0.0	0.0	11:25	0.2	0.2	-
11:26	0.0	0.0	11:26	0.2	0.2	-
11:27	0.0	0.0	11:27	0.2	0.2	-
11:28	0.0	0.0	11:28	0.1	0.2	-
11:29	0.0	0.0	11:29	0.1	0.2	-
11:30	0.0	0.0	11:30	0.1	0.2	-
11:31	0.0	0.0	11:31	0.1	0.1	-
11:32	0.0	0.0	11:32	0.1	0.1	-
11:33	0.0	0.0	11:33	0.1	0.1	-
11:34	0.0	0.0	11:34	0.1	0.1	-
11:35	0.0	0.0	11:35	0.1	0.1	-
11:36	0.0	0.0	11:36	0.1	0.1	-
11:37	0.0	0.0	11:37	0.1	0.1	-
11:38	0.0	0.0	11:38	0.1	0.1	-
11:39	0.0	0.0	11:39	0.1	0.1	-
11:40	0.0	0.0	11:40	0.0	0.1	-
11:41	0.0	0.0	11:41	0.1	0.1	-
11:42	0.0	0.0	11:42	0.0	0.1	-
11:43	0.0	0.0	11:43	0.0	0.1	-
11:44	0.0	0.0	11:44	0.0	0.1	-
11:45	0.0	0.0	11:45	0.0	0.0	-
11:46	0.0	0.0	11:46	0.0	0.0	-
11:47	0.0	0.0	11:47	0.0	0.0	-
11:48	0.0	0.0	11:48	0.0	0.0	-
11:49	0.0	0.0	11:49	0.0	0.0	-
11:50	0.0	0.0	11:50	0.0	0.0	-
11:51	0.0	0.0	11:51	0.0	0.0	-
11:52	0.0	0.0	11:52	0.0	0.0	-
11:53	0.0	0.0	11:53	0.0	0.0	-
11:54	0.0	0.0	11:54	0.0	0.0	-
11:55	0.0	0.0	11:55	0.0	0.0	-
11:56	0.0	0.0	11:56	0.0	0.0	-
11:57	0.0	0.0	11:57	0.0	0.0	-
11:58	0.0	0.0	11:58	0.0	0.0	-
11:59	0.0	0.0	11:59	0.0	0.0	-
12:00	0.0	0.0	12:00	0.0	0.0	-

PROJECT No.: 170745301 PROJECT: The Beacon LOCATION: New York, New York BCP Site Number: C231155	CLIENT: TCB Beacon East Harlem Limited Partnership	DATE: Wednesday, May 6, 2026 WEATHER: Clear, 56 – 65 °F Wind: SSW @ 13 – 20 mph TIME: 7:00 am – 12:00 pm MONITORS: Alexandra DiBernardi
EQUIPMENT: Hammer drill Hand auger	PRESENT AT SITE: Langan (Environmental Consultant): Alexandra DiBernardi Lakewood Environmental Services Corp (Driller)	

OBSERVATIONS, DISCUSSION, TEST RESULTS, ETC.:

Langan Engineering, Environmental Surveying, Landscape Architecture and Geology, D.P.C. (Langan) was present to perform in-situ waste characterization soil sampling.

Site Activities

- Lakewood Environmental Services Corp. (Lakewood) used a hammer drill and hand auger to hand clear four soil borings within the parking lot (WC02A, WC02B, WC02C, and WC02D) and four borings in the landscaped areas at the front of the on-site building (WC06A, WC06B, WC06C, and WC06D) to about 2 feet below grade surface (bgs). Langan screened soil/fill for staining, odors, and organic vapors using a photoionization detector (PID). No impacts were observed.

Air-monitoring Activities

- Langan implemented the Community Air Monitoring Plan (CAMP) with continuous air monitoring for volatile organic compounds (VOCs) and particulate matter smaller than 10 microns in diameter (PM10) at upwind and downwind locations during ground-intrusive activities. The VOC and PM10 action levels were not exceeded during the monitoring period.

Sampling

- Soil samples were collected and submitted to York Analytical Laboratories, Inc, an Environmental Laboratory Accredited Program (ELAP)-Certified laboratory located in Stratford, Connecticut under standard chain-of-custody protocols.
- The following soil samples were submitted for analysis of Target Compound List (TCL) and New York State Department of Environmental Conservation (NYSDEC) Part 375-list/New Jersey Department of Environmental Protection (NJDEP)/Pennsylvania Department of Environmental Protection (PADEP) semivolatile organic compounds (SVOCs), polychlorinated biphenyls (PCBs), pesticides, herbicides, target analyte list (TAL) metals (including hexavalent and trivalent chromium), total cyanide, NJDEP Extractable Petroleum Hydrocarbons (EPH), Resource Conservation and Recovery Act (RCRA) Characteristics, and paint filler:
 - WC02_COMP_0-2
 - WC06_COMP_0-2

- The following soil sample was submitted for analysis of NYSDEC Part 375/TCL/NJDEP/PADEP VOCs:
 - WC02D_GRAB_1-2
 - WC06D_GRAB_1-2

- The following soil samples were submitted for an on-hold analysis of Total and Toxicity Characteristic Leaching Procedures (TCLP) metals, pending the analytical results of sampling:
 - WC02A_0-1
 - WC02A_1-2
 - WC02B_0-1
 - WC02C_1-2
 - WC02D_1-2
 - WC06A_0-1
 - WC06A_1-2
 - WC06B_0-1
 - WC06C_1-2
 - WC06D_1-2

Anticipated Activities:

- Lakewood will continue to advance soil borings in the exterior portion of the site.
- Langan will continue implementation of the waste characterization investigation and sampling.

Site Photos:




Photo 1: Lakewood hand auguring soil boring WC06B in the southwestern part of the site (facing south).







Photo 2: View of soil boring WC02B in the northern part of the site (facing east).

Site Map:



LEGEND

Note: Drawing background from The Beacon Community Facility Survey for 50% CD, prepared by Paul A. Castrucci Architects, dated June 14, 2024. Drawing Shown Not to Scale.

-  Approximate Site Boundary
-  Completed Soil Boring
-  Upwind CAMP Station
-  Downwind CAMP Station

Date: 5/6/2026
Observer: Alexandra DiBernardi

Particulate Monitoring		
	Upwind Station	Downwind Station
Minimum 15min Average	0.007	0.010
Maximum 15min Average	0.026	0.023
High Intervals "exceedances" (15min > 0.150 + Upwind level)	N/A	No
Minimum 1min Reading	0.000	0.000
Maximum 1min Reading	0.031	0.135

Organic Vapor Monitoring		
	Upwind Station	Downwind Station
Minimum 15min Average	0.0	0.0
Maximum 15min Average	0.0	0.0
High Intervals "exceedances" (15min > 5 + Upwind level)	N/A	No
Minimum 1min Reading	0.0	0.0
Maximum 1min Reading	0.1	0.2

All reported particulate concentrations are in mg/m³ or milligrams per cubic meter and all reported organic vapor concentrations are in ppm or parts per million, unless specified otherwise.

May 6, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						228
PARTICULATE DATA						
Upwind			Downwind Station			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
8:30	0.000	-	8:30	0.016	-	
8:31	0.016	-	8:31	0.016	-	
8:32	0.016	-	8:32	0.017	-	
8:33	0.016	-	8:33	0.016	-	
8:34	0.016	-	8:34	0.015	-	
8:35	0.016	-	8:35	0.015	-	
8:36	0.016	-	8:36	0.015	-	
8:37	0.016	-	8:37	0.015	-	
8:38	0.016	-	8:38	0.016	-	
8:39	0.016	-	8:39	0.016	-	
8:40	0.016	-	8:40	0.016	-	
8:41	0.016	-	8:41	0.015	-	
8:42	0.016	-	8:42	0.016	-	
8:43	0.015	-	8:43	0.015	-	
8:44	0.016	0.015	8:44	0.016	0.016	-
8:45	0.015	0.016	8:45	0.017	0.016	-
8:46	0.015	0.016	8:46	0.016	0.016	-
8:47	0.016	0.016	8:47	0.016	0.016	-
8:48	0.016	0.016	8:48	0.015	0.016	-
8:49	0.016	0.016	8:49	0.016	0.016	-
8:50	0.015	0.016	8:50	0.016	0.016	-
8:51	0.015	0.016	8:51	0.016	0.016	-
8:52	0.015	0.016	8:52	0.016	0.016	-
8:53	0.015	0.016	8:53	0.016	0.016	-
8:54	0.015	0.015	8:54	0.015	0.016	-
8:55	0.015	0.015	8:55	0.015	0.016	-
8:56	0.015	0.015	8:56	0.015	0.016	-
8:57	0.015	0.015	8:57	0.015	0.016	-
8:58	0.015	0.015	8:58	0.015	0.016	-
8:59	0.015	0.015	8:59	0.015	0.016	-
9:00	0.015	0.015	9:00	0.015	0.015	-
9:01	0.015	0.015	9:01	0.015	0.015	-
9:02	0.015	0.015	9:02	0.015	0.015	-
9:03	0.015	0.015	9:03	0.015	0.015	-
9:04	0.016	0.015	9:04	0.015	0.015	-
9:05	0.015	0.015	9:05	0.015	0.015	-
9:06	0.016	0.015	9:06	0.015	0.015	-
9:07	0.016	0.015	9:07	0.014	0.015	-
9:08	0.016	0.015	9:08	0.014	0.015	-
9:09	0.016	0.015	9:09	0.014	0.015	-
9:10	0.016	0.015	9:10	0.014	0.015	-
9:11	0.016	0.015	9:11	0.014	0.015	-
9:12	0.016	0.016	9:12	0.014	0.015	-
9:13	0.016	0.016	9:13	0.015	0.015	-
9:14	0.016	0.016	9:14	0.015	0.015	-
9:15	0.016	0.016	9:15	0.015	0.015	-
9:16	0.016	0.016	9:16	0.015	0.015	-
9:17	0.016	0.016	9:17	0.014	0.015	-
9:18	0.016	0.016	9:18	0.014	0.014	-
9:19	0.015	0.016	9:19	0.014	0.014	-
9:20	0.016	0.016	9:20	0.014	0.014	-
9:21	0.016	0.016	9:21	0.015	0.014	-
9:22	0.016	0.016	9:22	0.015	0.014	-
9:23	0.016	0.016	9:23	0.015	0.014	-
9:24	0.016	0.016	9:24	0.014	0.014	-
9:25	0.015	0.016	9:25	0.015	0.015	-
9:26	0.016	0.016	9:26	0.015	0.015	-
9:27	0.016	0.016	9:27	0.015	0.015	-
9:28	0.015	0.016	9:28	0.015	0.015	-
9:29	0.015	0.016	9:29	0.015	0.015	-
9:30	0.016	0.016	9:30	0.015	0.015	-
9:31	0.016	0.016	9:31	0.015	0.015	-
9:32	0.016	0.016	9:32	0.015	0.015	-
9:33	0.015	0.016	9:33	0.015	0.015	-
9:34	0.015	0.016	9:34	0.015	0.015	-
9:35	0.015	0.016	9:35	0.015	0.015	-
9:36	0.015	0.016	9:36	0.015	0.015	-
9:37	0.015	0.015	9:37	0.014	0.015	-
9:38	0.015	0.015	9:38	0.015	0.015	-
9:39	0.015	0.015	9:39	0.014	0.015	-

May 6, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						228
PARTICULATE DATA						
Upwind			Downwind Station			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
9:40	0.015	0.015	9:40	0.014	0.015	-
9:41	0.015	0.015	9:41	0.015	0.015	-
9:42	0.015	0.015	9:42	0.015	0.015	-
9:43	0.015	0.015	9:43	0.015	0.015	-
9:44	0.015	0.015	9:44	0.015	0.015	-
9:45	0.015	0.015	9:45	0.015	0.015	-
9:46	0.015	0.015	9:46	0.016	0.015	-
9:47	0.015	0.015	9:47	0.015	0.015	-
9:48	0.016	0.015	9:48	0.015	0.015	-
9:49	0.015	0.015	9:49	0.014	0.015	-
9:50	0.016	0.015	9:50	0.014	0.015	-
9:51	0.015	0.015	9:51	0.015	0.015	-
9:52	0.016	0.015	9:52	0.014	0.015	-
9:53	0.015	0.015	9:53	0.014	0.015	-
9:54	0.015	0.015	9:54	0.015	0.015	-
9:55	0.016	0.015	9:55	0.015	0.015	-
9:56	0.015	0.015	9:56	0.015	0.015	-
9:57	0.015	0.015	9:57	0.015	0.015	-
9:58	0.015	0.015	9:58	0.014	0.015	-
9:59	0.015	0.015	9:59	0.014	0.015	-
10:00	0.015	0.015	10:00	0.014	0.015	-
10:01	0.015	0.015	10:01	0.014	0.014	-
10:02	0.015	0.015	10:02	0.014	0.014	-
10:03	0.015	0.015	10:03	0.015	0.014	-
10:04	0.015	0.015	10:04	0.015	0.014	-
10:05	0.015	0.015	10:05	0.015	0.015	-
10:06	0.015	0.015	10:06	0.015	0.015	-
10:07	0.015	0.015	10:07	0.015	0.015	-
10:08	0.015	0.015	10:08	0.015	0.015	-
10:09	0.015	0.015	10:09	0.015	0.015	-
10:10	0.015	0.015	10:10	0.014	0.015	-
10:11	0.016	0.015	10:11	0.015	0.015	-
10:12	0.016	0.015	10:12	0.014	0.015	-
10:13	0.016	0.015	10:13	0.014	0.015	-
10:14	0.016	0.015	10:14	0.014	0.015	-
10:15	0.016	0.015	10:15	0.014	0.015	-
10:16	0.016	0.015	10:16	0.014	0.015	-
10:17	0.016	0.015	10:17	0.014	0.015	-
10:18	0.016	0.016	10:18	0.013	0.014	-
10:19	0.016	0.016	10:19	0.013	0.014	-
10:20	0.018	0.016	10:20	0.012	0.014	-
10:21	0.021	0.016	10:21	0.013	0.014	-
10:22	0.026	0.017	10:22	0.016	0.014	-
10:23	0.026	0.018	10:23	0.018	0.014	-
10:24	0.021	0.018	10:24	0.018	0.014	-
10:25	0.024	0.019	10:25	0.017	0.015	-
10:26	0.026	0.019	10:26	0.020	0.015	-
10:27	0.028	0.020	10:27	0.020	0.015	-
10:28	0.027	0.021	10:28	0.021	0.016	-
10:29	0.027	0.022	10:29	0.021	0.016	-
10:30	0.026	0.022	10:30	0.021	0.017	-
10:31	0.026	0.023	10:31	0.021	0.017	-
10:32	0.026	0.024	10:32	0.020	0.018	-
10:33	0.027	0.024	10:33	0.021	0.018	-
10:34	0.029	0.025	10:34	0.020	0.019	-
10:35	0.028	0.026	10:35	0.021	0.019	-
10:36	0.027	0.026	10:36	0.021	0.020	-
10:37	0.000	0.025	10:37	0.021	0.020	-
10:38	0.025	0.024	10:38	0.021	0.020	-
10:39	0.026	0.025	10:39	0.022	0.021	-
10:40	0.000	0.023	10:40	0.021	0.021	-
10:41	0.024	0.023	10:41	0.020	0.021	-
10:42	0.025	0.023	10:42	0.021	0.021	-
10:43	0.000	0.021	10:43	0.021	0.021	-
10:44	0.024	0.021	10:44	0.021	0.021	-
10:45	0.026	0.021	10:45	0.021	0.021	-
10:46	0.026	0.021	10:46	0.020	0.021	-
10:47	0.026	0.021	10:47	0.022	0.021	-
10:48	0.000	0.019	10:48	0.022	0.021	-
10:49	0.025	0.019	10:49	0.022	0.021	-

May 6, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						228
PARTICULATE DATA						
Upwind			Downwind Station			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
10:50	0.027	0.019	10:50	0.022	0.021	-
10:51	0.027	0.019	10:51	0.022	0.021	-
10:52	0.026	0.020	10:52	0.022	0.021	-
10:53	0.027	0.021	10:53	0.021	0.021	-
10:54	0.027	0.021	10:54	0.022	0.021	-
10:55	0.027	0.022	10:55	0.021	0.021	-
10:56	0.027	0.023	10:56	0.022	0.021	-
10:57	0.027	0.023	10:57	0.023	0.022	-
10:58	0.025	0.024	10:58	0.023	0.022	-
10:59	0.022	0.024	10:59	0.023	0.022	-
11:00	0.021	0.024	11:00	0.024	0.022	-
11:01	0.022	0.024	11:01	0.023	0.022	-
11:02	0.020	0.023	11:02	0.029	0.023	-
11:03	0.022	0.025	11:03	0.026	0.023	-
11:04	0.024	0.025	11:04	0.027	0.023	-
11:05	0.023	0.024	11:05	0.022	0.023	-
11:06	0.025	0.024	11:06	0.019	0.023	-
11:07	0.025	0.024	11:07	0.019	0.023	-
11:08	0.026	0.024	11:08	0.020	0.023	-
11:09	0.024	0.024	11:09	0.019	0.023	-
11:10	0.023	0.024	11:10	0.019	0.023	-
11:11	0.024	0.024	11:11	0.018	0.022	-
11:12	0.023	0.023	11:12	0.020	0.022	-
11:13	0.022	0.023	11:13	0.019	0.022	-
11:14	0.020	0.023	11:14	0.020	0.022	-
11:15	0.020	0.023	11:15	0.023	0.022	-
11:16	0.019	0.023	11:16	0.020	0.021	-
11:17	0.020	0.023	11:17	0.021	0.021	-
11:18	0.021	0.023	11:18	0.020	0.020	-
11:19	0.020	0.022	11:19	0.020	0.020	-
11:20	0.021	0.022	11:20	0.018	0.020	-
11:21	0.021	0.022	11:21	0.019	0.020	-
11:22	0.023	0.022	11:22	0.019	0.020	-
11:23	0.023	0.022	11:23	0.018	0.020	-
11:24	0.023	0.022	11:24	0.018	0.019	-
11:25	0.022	0.021	11:25	0.019	0.019	-
11:26	0.021	0.021	11:26	0.022	0.020	-
11:27	0.020	0.021	11:27	0.019	0.020	-
11:28	0.021	0.021	11:28	0.019	0.020	-
11:29	0.020	0.021	11:29	0.020	0.020	-
11:30	0.020	0.021	11:30	0.020	0.019	-
11:31	0.021	0.021	11:31	0.020	0.019	-
11:32	0.020	0.021	11:32	0.019	0.019	-
11:33	0.020	0.021	11:33	0.020	0.019	-
11:34	0.020	0.021	11:34	0.019	0.019	-
11:35	0.000	0.020	11:35	0.019	0.019	-
11:36	0.018	0.019	11:36	0.019	0.019	-
11:37	0.019	0.019	11:37	0.019	0.019	-
11:38	0.020	0.019	11:38	0.021	0.020	-
11:39	0.019	0.019	11:39	0.019	0.020	-
11:40	0.018	0.018	11:40	0.019	0.020	-
11:41	0.018	0.018	11:41	0.019	0.019	-
11:42	0.017	0.018	11:42	0.020	0.019	-
11:43	0.017	0.018	11:43	0.020	0.020	-
11:44	0.017	0.018	11:44	0.019	0.019	-
11:45	0.017	0.017	11:45	0.020	0.019	-
11:46	0.022	0.017	11:46	0.022	0.020	-
11:47	0.024	0.018	11:47	0.019	0.020	-
11:48	0.000	0.016	11:48	0.019	0.020	-
11:49	0.025	0.017	11:49	0.019	0.020	-
11:50	0.024	0.018	11:50	0.020	0.020	-
11:51	0.022	0.019	11:51	0.019	0.020	-
11:52	0.031	0.019	11:52	0.019	0.020	-
11:53	0	0.018	11:53	0.018	0.019	-
11:54	0	0.017	11:54	0.019	0.019	-
11:55	0.02	0.017	11:55	0.019	0.019	-
11:56	0.017	0.017	11:56	0.020	0.019	-
11:57	0.015	0.017	11:57	0.024	0.020	-

May 6, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						228
PARTICULATE DATA						
Upwind			Downwind Station			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
11:58	0	0.016	11:58	0.026	0.020	-
11:59	0.012	0.015	11:59	0.026	0.021	-
12:00	0.009	0.015	12:00	0.025	0.021	-
12:01	0.006	0.014	12:01	0.022	0.021	-
12:02	0.006	0.012	12:02	0.021	0.021	-
12:03	0.005	0.013	12:03	0.022	0.021	-
12:04	0.004	0.011	12:04	0.024	0.022	-
12:05	0.004	0.010	12:05	0.025	0.022	-
12:06	0.004	0.009	12:06	0.021	0.022	-
12:07	0.003	0.007	12:07	0.021	0.022	-
12:08	0.003	0.007	12:08	0.022	0.022	-

May 6, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						246
PID DATA						
Upwind Station			Downwind Station			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
8:30	0.0	-	8:30	0.00	-	
8:31	0.0	-	8:31	0.00	-	
8:32	0.0	-	8:32	0.00	-	
8:33	0.0	-	8:33	0.00	-	
8:34	0.0	-	8:34	0.00	-	
8:35	0.0	-	8:35	0.00	-	
8:36	0.0	-	8:36	0.00	-	
8:37	0.0	-	8:37	0.00	-	
8:38	0.0	-	8:38	0.00	-	
8:39	0.0	-	8:39	0.00	-	
8:40	0.0	-	8:40	0.00	-	
8:41	0.0	-	8:41	0.00	-	
8:42	0.0	-	8:42	0.00	-	
8:43	0.0	-	8:43	0.00	-	
8:44	0.0	0.01	8:44	0.00	0.00	-
8:45	0.0	0.00	8:45	0.00	0.00	-
8:46	0.0	0.00	8:46	0.00	0.00	-
8:47	0.0	0.00	8:47	0.00	0.00	-
8:48	0.0	0.00	8:48	0.00	0.00	-
8:49	0.0	0.00	8:49	0.00	0.00	-
8:50	0.0	0.00	8:50	0.00	0.00	-
8:51	0.0	0.00	8:51	0.00	0.00	-
8:52	0.0	0.00	8:52	0.00	0.00	-
8:53	0.0	0.00	8:53	0.00	0.00	-
8:54	0.0	0.00	8:54	0.00	0.00	-
8:55	0.0	0.00	8:55	0.00	0.00	-
8:56	0.0	0.00	8:56	0.00	0.00	-
8:57	0.0	0.00	8:57	0.00	0.00	-
8:58	0.0	0.00	8:58	0.00	0.00	-
8:59	0.0	0.00	8:59	0.00	0.00	-
9:00	0.0	0.00	9:00	0.00	0.00	-
9:01	0.0	0.00	9:01	0.00	0.00	-
9:02	0.0	0.00	9:02	0.00	0.00	-
9:03	0.0	0.00	9:03	0.00	0.00	-
9:04	0.0	0.00	9:04	0.00	0.00	-
9:05	0.0	0.00	9:05	0.00	0.00	-
9:06	0.0	0.00	9:06	0.00	0.00	-
9:07	0.0	0.00	9:07	0.00	0.00	-
9:08	0.0	0.00	9:08	0.00	0.00	-
9:09	0.0	0.00	9:09	0.00	0.00	-
9:10	0.0	0.00	9:10	0.00	0.00	-
9:11	0.0	0.00	9:11	0.00	0.00	-
9:12	0.0	0.00	9:12	0.00	0.00	-
9:13	0.0	0.00	9:13	0.00	0.00	-
9:14	0.0	0.00	9:14	0.00	0.00	-
9:15	0.0	0.00	9:15	0.00	0.00	-
9:16	0.0	0.00	9:16	0.00	0.00	-
9:17	0.0	0.00	9:17	0.00	0.00	-
9:18	0.0	0.00	9:18	0.00	0.00	-
9:19	0.0	0.00	9:19	0.00	0.00	-
9:20	0.0	0.00	9:20	0.00	0.00	-
9:21	0.0	0.00	9:21	0.00	0.00	-
9:22	0.0	0.00	9:22	0.00	0.00	-
9:23	0.0	0.00	9:23	0.00	0.00	-
9:24	0.0	0.00	9:24	0.00	0.00	-
9:25	0.0	0.00	9:25	0.00	0.00	-
9:26	0.0	0.00	9:26	0.00	0.00	-
9:27	0.0	0.00	9:27	0.00	0.00	-
9:28	0.0	0.00	9:28	0.00	0.00	-
9:29	0.0	0.00	9:29	0.00	0.00	-
9:30	0.0	0.00	9:30	0.00	0.00	-
9:31	0.0	0.00	9:31	0.00	0.00	-
9:32	0.0	0.00	9:32	0.00	0.00	-
9:33	0.0	0.00	9:33	0.00	0.00	-
9:34	0.0	0.00	9:34	0.00	0.00	-
9:35	0.0	0.00	9:35	0.00	0.00	-
9:36	0.0	0.00	9:36	0.00	0.00	-
9:37	0.0	0.00	9:37	0.00	0.00	-
9:38	0.0	0.00	9:38	0.00	0.00	-
9:39	0.0	0.00	9:39	0.00	0.00	-

May 6, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						246
PID DATA						
Upwind Station			Downwind Station			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
9:40	0.0	0.00	9:40	0.00	0.00	-
9:41	0.0	0.00	9:41	0.00	0.00	-
9:42	0.0	0.00	9:42	0.00	0.00	-
9:43	0.0	0.00	9:43	0.00	0.00	-
9:44	0.0	0.00	9:44	0.00	0.00	-
9:45	0.0	0.00	9:45	0.00	0.00	-
9:46	0.0	0.00	9:46	0.00	0.00	-
9:47	0.0	0.00	9:47	0.00	0.00	-
9:48	0.0	0.00	9:48	0.00	0.00	-
9:49	0.0	0.00	9:49	0.00	0.00	-
9:50	0.0	0.00	9:50	0.00	0.00	-
9:51	0.0	0.00	9:51	0.00	0.00	-
9:52	0.0	0.00	9:52	0.00	0.00	-
9:53	0.0	0.00	9:53	0.00	0.00	-
9:54	0.0	0.00	9:54	0.00	0.00	-
9:55	0.0	0.00	9:55	0.00	0.00	-
9:56	0.0	0.00	9:56	0.00	0.00	-
9:57	0.0	0.00	9:57	0.00	0.00	-
9:58	0.0	0.00	9:58	0.00	0.00	-
9:59	0.0	0.00	9:59	0.00	0.00	-
10:00	0.0	0.00	10:00	0.00	0.00	-
10:01	0.0	0.00	10:01	0.00	0.00	-
10:02	0.0	0.00	10:02	0.00	0.00	-
10:03	0.0	0.00	10:03	0.00	0.00	-
10:04	0.0	0.00	10:04	0.00	0.00	-
10:05	0.0	0.00	10:05	0.00	0.00	-
10:06	0.0	0.00	10:06	0.00	0.00	-
10:07	0.0	0.00	10:07	0.00	0.00	-
10:08	0.0	0.00	10:08	0.00	0.00	-
10:09	0.0	0.00	10:09	0.00	0.00	-
10:10	0.0	0.00	10:10	0.00	0.00	-
10:11	0.0	0.00	10:11	0.00	0.00	-
10:12	0.0	0.00	10:12	0.00	0.00	-
10:13	0.0	0.00	10:13	0.00	0.00	-
10:14	0.0	0.00	10:14	0.00	0.00	-
10:15	0.0	0.00	10:15	0.00	0.00	-
10:16	0.0	0.00	10:16	0.00	0.00	-
10:17	0.0	0.00	10:17	0.00	0.00	-
10:18	0.0	0.00	10:18	0.00	0.00	-
10:19	0.0	0.00	10:19	0.00	0.00	-
10:20	0.0	0.00	10:20	0.00	0.00	-
10:21	0.0	0.00	10:21	0.00	0.00	-
10:22	0.0	0.00	10:22	0.00	0.00	-
10:23	0.0	0.00	10:23	0.00	0.00	-
10:24	0.0	0.00	10:24	0.00	0.00	-
10:25	0.0	0.00	10:25	0.00	0.00	-
10:26	0.0	0.00	10:26	0.00	0.00	-
10:27	0.0	0.00	10:27	0.00	0.00	-
10:28	0.0	0.00	10:28	0.00	0.00	-
10:29	0.0	0.00	10:29	0.00	0.00	-
10:30	0.0	0.00	10:30	0.00	0.00	-
10:31	0.0	0.00	10:31	0.00	0.00	-
10:32	0.0	0.00	10:32	0.00	0.00	-
10:33	0.0	0.00	10:33	0.00	0.00	-
10:34	0.0	0.00	10:34	0.00	0.00	-
10:35	0.0	0.00	10:35	0.00	0.00	-
10:36	0.0	0.00	10:36	0.00	0.00	-
10:37	0.0	0.00	10:37	0.00	0.00	-
10:38	0.0	0.00	10:38	0.00	0.00	-
10:39	0.0	0.00	10:39	0.00	0.00	-
10:40	0.0	0.00	10:40	0.00	0.00	-
10:41	0.0	0.00	10:41	0.00	0.00	-
10:42	0.0	0.0	10:42	0.00	0.00	-
10:43	0.0	0.0	10:43	0.00	0.00	-
10:44	0.0	0.0	10:44	0.00	0.00	-
10:45	0.0	0.0	10:45	0.00	0.00	-
10:46	0.0	0.0	10:46	0.00	0.00	-
10:47	0.0	0.0	10:47	0.00	0.00	-
10:48	0.0	0.0	10:48	0.00	0.00	-
10:49	0.0	0.0	10:49	0.00	0.00	-

May 6, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						246
PID DATA						
Upwind Station			Downwind Station			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
10:50	0.0	0.0	10:50	0.00	0.00	-
10:51	0.0	0.0	10:51	0.00	0.0	-
10:52	0.0	0.0	10:52	0.00	0.0	-
10:53	0.0	0.0	10:53	0.00	0.0	-
10:54	0.0	0.0	10:54	0.00	0.0	-
10:55	0.0	0.0	10:55	0.00	0.0	-
10:56	0.0	0.0	10:56	0.00	0.0	-
10:57	0.0	0.0	10:57	0.00	0.0	-
10:58	0.0	0.0	10:58	0.00	0.0	-
10:59	0.0	0.0	10:59	0.00	0.0	-
11:00	0.0	0.0	11:00	0.00	0.0	-
11:01	0.0	0.0	11:01	0.00	0.0	-
11:02	0.0	0.0	11:02	0.00	0.0	-
11:03	0.0	0.0	11:03	0.00	0.0	-
11:04	0.0	0.0	11:04	0.00	0.0	-
11:05	0.0	0.0	11:05	0.00	0.0	-
11:06	0.0	0.0	11:06	0.00	0.0	-
11:07	0.0	0.0	11:07	0.00	0.0	-
11:08	0.0	0.0	11:08	0.00	0.0	-
11:09	0.0	0.0	11:09	0.00	0.0	-
11:10	0.0	0.0	11:10	0.00	0.0	-
11:11	0.0	0.0	11:11	0.00	0.0	-
11:12	0.0	0.0	11:12	0.00	0.0	-
11:13	0.0	0.0	11:13	0.00	0.0	-
11:14	0.0	0.0	11:14	0.00	0.0	-
11:15	0.0	0.0	11:15	0.00	0.0	-
11:16	0.0	0.0	11:16	0.00	0.0	-
11:17	0.0	0.0	11:17	0.00	0.0	-
11:18	0.0	0.0	11:18	0.00	0.0	-
11:19	0.0	0.0	11:19	0.00	0.0	-
11:20	0.0	0.0	11:20	0.00	0.0	-
11:21	0.0	0.0	11:21	0.00	0.0	-
11:22	0.0	0.0	11:22	0.00	0.0	-
11:23	0.0	0.0	11:23	0.00	0.0	-
11:24	0.0	0.0	11:24	0.00	0.0	-
11:25	0.0	0.0	11:25	0.00	0.0	-
11:26	0.0	0.0	11:26	0.00	0.0	-
11:27	0.0	0.0	11:27	0.00	0.0	-
11:28	0.0	0.0	11:28	0.00	0.0	-
11:29	0.0	0.0	11:29	0.00	0.0	-
11:30	0.0	0.0	11:30	0.00	0.0	-
11:31	0.0	0.0	11:31	0.00	0.0	-
11:32	0.0	0.0	11:32	0.00	0.0	-
11:33	0.0	0.0	11:33	0.00	0.0	-
11:34	0.0	0.0	11:34	0.00	0.0	-
11:35	0.0	0.0	11:35	0.00	0.0	-
11:36	0.0	0.0	11:36	0.00	0.0	-
11:37	0.0	0.0	11:37	0.00	0.0	-
11:38	0.0	0.0	11:38	0.00	0.0	-
11:39	0.0	0.0	11:39	0.00	0.0	-
11:40	0.0	0.0	11:40	0.00	0.0	-
11:41	0.0	0.0	11:41	0.00	0.0	-
11:42	0.0	0.0	11:42	0.00	0.0	-
11:43	0.0	0.0	11:43	0.00	0.0	-
11:44	0.0	0.0	11:44	0.00	0.0	-
11:45	0.0	0.0	11:45	0.00	0.0	-
11:46	0.0	0.0	11:46	0.00	0.0	-
11:47	0.0	0.0	11:47	0.00	0.0	-
11:48	0.0	0.0	11:48	0.00	0.0	-
11:49	0.0	0.0	11:49	0.00	0.0	-
11:50	0.0	0.0	11:50	0.00	0.0	-
11:51	0.0	0.0	11:51	0.00	0.0	-
11:52	0.0	0.0	11:52	0.00	0.0	-
11:53	0.0	0.0	11:53	0.00	0.0	-
11:54	0.0	0.0	11:54	0.00	0.0	-
11:55	0.0	0.0	11:55	0.00	0.0	-
11:56	0.0	0.0	11:56	0.00	0.0	-
11:57	0.0	0.0	11:57	0.00	0.0	-

May 6, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						246
PID DATA						
Upwind Station			Downwind Station			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
11:58	0.0	0.0	11:58	0.00	0.0	-
11:59	0.0	0.0	11:59	0.00	0.0	-
12:00	0.0	0.0	12:00	0.00	0.0	-
12:01	0.0	0.0	12:01	0.00	0.0	-
12:02	0.0	0.0	12:02	0.00	0.0	-
12:03	0.0	0.0	12:03	0.00	0.0	-
12:04	0.0	0.0	12:04	0.00	0.0	-
12:05	0.0	0.0	12:05	0.00	0.0	-
12:06	0.0	0.0	12:06	0.00	0.0	-
12:07	0.0	0.0	12:07	0.00	0.0	-
12:08	0.0	0.0	12:08	0.00	0.0	-

PROJECT No.: 170745301 PROJECT: The Beacon LOCATION: New York, New York BCP Site Number: C231155	CLIENT: TCB Beacon East Harlem Limited Partnership	DATE: Thursday, May 7, 2026 WEATHER: Clear, 55 – 67 °F Wind: NW @ 8 – 17 mph TIME: 7:00 am – 11:00 am MONITORS: Alexandra DiBernardi
EQUIPMENT: Hammer drill Hand auger Geoprobe Drill Rig	PRESENT AT SITE: Langan (Environmental Consultant): Alexandra DiBernardi Lakewood Environmental Services Corp (Driller)	

OBSERVATIONS, DISCUSSION, TEST RESULTS, ETC.:

Langan Engineering, Environmental Surveying, Landscape Architecture and Geology, D.P.C. (Langan) was present to perform in-situ waste characterization soil sampling.

Site Activities

- Lakewood Environmental Services Corp. (Lakewood) used a hammer drill and hand auger to hand clear four soil borings within the parking lot (WC03A, WC03B, WC03C, and WC03D) to about 5 feet below grade surface (bgs). Langan screened soil/fill for staining, odors, and organic vapors using a photoionization detector (PID). No impacts were observed.

Air-monitoring Activities

- Langan implemented the Community Air Monitoring Plan (CAMP) with continuous air monitoring for volatile organic compounds (VOCs) and particulate matter smaller than 10 microns in diameter (PM10) at upwind and downwind locations during ground-intrusive activities. The CAMP upwind station did not collect PM10 data from 7:45 AM to 9:20 AM due to an equipment malfunction. The VOC and PM10 action levels were not exceeded during the monitoring period.

Sampling

- Soil samples were collected and submitted to York Analytical Laboratories, Inc, an Environmental Laboratory Accredited Program (ELAP)-Certified laboratory located in Stratford, Connecticut under standard chain-of-custody protocols.
- The following soil samples were submitted for analysis of Target Compound List (TCL) and New York State Department of Environmental Conservation (NYSDEC) Part 375-list/New Jersey Department of Environmental Protection (NJDEP)/Pennsylvania Department of Environmental Protection (PADEP) semivolatile organic compounds (SVOCs), polychlorinated biphenyls (PCBs), pesticides, herbicides, target analyte list (TAL) metals (including hexavalent and trivalent chromium), total cyanide, NJDEP Extractable Petroleum Hydrocarbons (EPH), Resource Conservation and Recovery Act (RCRA) Characteristics, and paint filter:
 - WC03_COMP_0-5
- The following soil sample was submitted for analysis of NYSDEC Part 375/TCL/NJDEP/PADEP volatile organic compounds (VOCs):
 - WC03D_GRAB_3-4

- The following soil samples were submitted for an on-hold analysis of Total and Toxicity Characteristic Leaching Procedures (TCLP) metals, pending the analytical results of sampling:
 - WC03A_0-1
 - WC03A_1-2
 - WC03B_2-3
 - WC03C_4-5
 - WC03D_3-4

Anticipated Activities:

- Lakewood will continue to advance soil borings in the exterior portion of the site.
- Langan will continue implementation of the waste characterization investigation and sampling.

Site Photos:




Photo 1: View of soil from soil boring WC03A in the northeastern part of the site (facing down).



Photo 2: View of concrete apron in WC03C in the northeastern part of the site (facing down).

Site Map:



LEGEND

Note: Drawing background from The Beacon Community Facility Survey for 50% CD, prepared by Paul A. Castrucci Architects, dated June 14, 2024. Drawing Shown Not to Scale.

- **Approximate Site Boundary**
- **Completed Soil Boring**
- **Upwind CAMP Station**
- **Downwind CAMP Station**

Date: 5/7/2026
Observer: Alexandra DiBernardi

Particulate Monitoring		
	Upwind Station	Downwind Station
Minimum 15min Average	0.002	0.006
Maximum 15min Average	0.011	0.020
High Intervals "exceedances" (15min > 0.150 + Upwind level)	N/A	No
Minimum 1min Reading	0.000	0.006
Maximum 1min Reading	0.013	0.135

Organic Vapor Monitoring		
	Upwind Station	Downwind Station
Minimum 15min Average	0.0	0.0
Maximum 15min Average	0.1	0.0
High Intervals "exceedances" (15min > 5 + Upwind level)	N/A	No
Minimum 1min Reading	0.0	0.0
Maximum 1min Reading	0.2	0.2

All reported particulate concentrations are in mg/m³ or milligrams per cubic meter and all reported organic vapor concentrations are in ppm or parts per million, unless specified otherwise.

May 7, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						80
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
7:45	-	-	7:45	0.012	-	
7:46	-	-	7:46	0.011	-	
7:47	-	-	7:47	0.012	-	
7:48	-	-	7:48	0.012	-	
7:49	-	-	7:49	0.012	-	
7:50	-	-	7:50	0.012	-	
7:51	-	-	7:51	0.018	-	
7:52	-	-	7:52	0.024	-	
7:53	-	-	7:53	0.013	-	
7:54	-	-	7:54	0.106	-	
7:55	-	-	7:55	0.015	-	
7:56	-	-	7:56	0.012	-	
7:57	-	-	7:57	0.012	-	
7:58	-	-	7:58	0.012	-	
7:59	-	-	7:59	0.012	0.019	
8:00	-	-	8:00	0.011	0.020	
8:01	-	-	8:01	0.016	0.020	
8:02	-	-	8:02	0.012	0.020	
8:03	-	-	8:03	0.014	0.020	
8:04	-	-	8:04	0.015	0.020	
8:05	-	-	8:05	0.013	0.020	
8:06	-	-	8:06	0.014	0.020	
8:07	-	-	8:07	0.013	0.020	
8:08	-	-	8:08	0.013	0.019	
8:09	-	-	8:09	0.012	0.019	
8:10	-	-	8:10	0.016	0.013	
8:11	-	-	8:11	0.013	0.013	
8:12	-	-	8:12	0.012	0.013	
8:13	-	-	8:13	0.011	0.013	
8:14	-	-	8:14	0.011	0.013	
8:15	-	-	8:15	0.011	0.013	
8:16	-	-	8:16	0.011	0.013	
8:17	-	-	8:17	0.011	0.013	
8:18	-	-	8:18	0.010	0.013	
8:19	-	-	8:19	0.011	0.012	
8:20	-	-	8:20	0.011	0.012	
8:21	-	-	8:21	0.011	0.012	
8:22	-	-	8:22	0.011	0.012	
8:23	-	-	8:23	0.010	0.012	
8:24	-	-	8:24	0.010	0.011	
8:25	-	-	8:25	0.011	0.011	
8:26	-	-	8:26	0.011	0.011	
8:27	-	-	8:27	0.011	0.011	
8:28	-	-	8:28	0.010	0.011	
8:29	-	-	8:29	0.010	0.011	
8:30	-	-	8:30	0.011	0.011	
8:31	-	-	8:31	0.011	0.011	
8:32	-	-	8:32	0.011	0.011	
8:33	-	-	8:33	0.011	0.011	
8:34	-	-	8:34	0.012	0.011	
8:35	-	-	8:35	0.015	0.011	
8:36	-	-	8:36	0.019	0.011	
8:37	-	-	8:37	0.013	0.012	
8:38	-	-	8:38	0.012	0.012	
8:39	-	-	8:39	0.038	0.012	
8:40	-	-	8:40	0.013	0.014	
8:41	-	-	8:41	0.011	0.014	
8:42	-	-	8:42	0.011	0.014	
8:43	-	-	8:43	0.011	0.014	
8:44	-	-	8:44	0.013	0.014	
8:45	-	-	8:45	0.011	0.014	
8:46	-	-	8:46	0.014	0.014	
8:47	-	-	8:47	0.014	0.014	
8:48	-	-	8:48	0.067	0.015	
8:49	-	-	8:49	0.013	0.018	
8:50	-	-	8:50	0.012	0.018	
8:51	-	-	8:51	0.011	0.018	
8:52	-	-	8:52	0.011	0.018	
8:53	-	-	8:53	0.011	0.017	
8:54	-	-	8:54	0.011	0.017	

May 7, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						80
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
8:55	-	-	8:55	0.011	0.016	
8:56	-	-	8:56	0.011	0.015	
8:57	-	-	8:57	0.010	0.015	
8:58	-	-	8:58	0.011	0.015	
8:59	-	-	8:59	0.010	0.015	
9:00	-	-	9:00	0.011	0.015	
9:01	-	-	9:01	0.011	0.015	
9:02	-	-	9:02	0.011	0.015	
9:03	-	-	9:03	0.014	0.015	
9:04	-	-	9:04	0.012	0.011	
9:05	-	-	9:05	0.011	0.011	
9:06	-	-	9:06	0.011	0.011	
9:07	-	-	9:07	0.011	0.011	
9:08	-	-	9:08	0.011	0.011	
9:09	-	-	9:09	0.011	0.011	
9:10	-	-	9:10	0.011	0.011	
9:11	-	-	9:11	0.011	0.011	
9:12	-	-	9:12	0.011	0.011	
9:13	-	-	9:13	0.011	0.011	
9:14	-	-	9:14	0.011	0.011	
9:15	-	-	9:15	0.011	0.011	
9:16	-	-	9:16	0.011	0.011	
9:17	-	-	9:17	0.011	0.011	
9:18	-	-	9:18	0.011	0.011	
9:19	-	-	9:19	0.011	0.011	
9:20	0.000	-	9:20	0.011	0.011	
9:21	0.012	-	9:21	0.012	0.011	
9:22	0.009	-	9:22	0.012	0.011	
9:23	0.008	-	9:23	0.011	0.011	
9:24	0.010	-	9:24	0.011	0.011	
9:25	0.011	-	9:25	0.011	0.011	
9:26	0.011	-	9:26	0.011	0.011	
9:27	0.009	-	9:27	0.011	0.011	
9:28	0.008	-	9:28	0.011	0.011	
9:29	0.009	-	9:29	0.011	0.011	
9:30	0.008	-	9:30	0.011	0.011	
9:31	0.011	-	9:31	0.011	0.011	
9:32	0.012	-	9:32	0.011	0.011	
9:33	0.011	-	9:33	0.011	0.011	
9:34	0.009	0.009	9:34	0.011	0.011	-
9:35	0.009	0.009	9:35	0.011	0.011	-
9:36	0.011	0.010	9:36	0.011	0.011	-
9:37	0.012	0.010	9:37	0.011	0.011	-
9:38	0.012	0.010	9:38	0.012	0.011	-
9:39	0.012	0.010	9:39	0.012	0.011	-
9:40	0.012	0.010	9:40	0.012	0.011	-
9:41	0.011	0.010	9:41	0.012	0.011	-
9:42	0.011	0.010	9:42	0.012	0.011	-
9:43	0.012	0.011	9:43	0.012	0.011	-
9:44	0.012	0.011	9:44	0.012	0.011	-
9:45	0.000	0.011	9:45	0.012	0.011	-
9:46	0.005	0.010	9:46	0.012	0.012	-
9:47	0.011	0.010	9:47	0.012	0.012	-
9:48	0.012	0.010	9:48	0.013	0.012	-
9:49	0.011	0.010	9:49	0.013	0.012	-
9:50	0.012	0.010	9:50	0.012	0.012	-
9:51	0.012	0.010	9:51	0.012	0.012	-
9:52	0.012	0.010	9:52	0.012	0.012	-
9:53	0.011	0.010	9:53	0.012	0.012	-
9:54	0.012	0.010	9:54	0.012	0.012	-
9:55	0.013	0.010	9:55	0.012	0.012	-
9:56	0.011	0.010	9:56	0.012	0.012	-
9:57	0.010	0.010	9:57	0.012	0.012	-
9:58	0.012	0.010	9:58	0.011	0.012	-
9:59	0.011	0.010	9:59	0.011	0.012	-
10:00	0.010	0.010	10:00	0.011	0.012	-
10:01	0.010	0.011	10:01	0.011	0.012	-
10:02	0.010	0.011	10:02	0.011	0.012	-
10:03	0.009	0.011	10:03	0.011	0.012	-
10:04	0.009	0.011	10:04	0.011	0.012	-

May 7, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						80
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
10:05	0.009	0.011	10:05	0.011	0.012	-
10:06	0.009	0.011	10:06	0.011	0.011	-
10:07	0.008	0.011	10:07	0.010	0.011	-
10:08	0.009	0.010	10:08	0.010	0.011	-
10:09	0.008	0.010	10:09	0.010	0.011	-
10:10	0.009	0.010	10:10	0.010	0.011	-
10:11	0.008	0.010	10:11	0.009	0.011	-
10:12	0.008	0.009	10:12	0.010	0.011	-
10:13	0.008	0.009	10:13	0.009	0.011	-
10:14	0.009	0.009	10:14	0.009	0.010	-
10:15	0.008	0.009	10:15	0.010	0.010	-
10:16	0.003	0.009	10:16	0.010	0.010	-
10:17	0.006	0.008	10:17	0.012	0.010	-
10:18	0.007	0.008	10:18	0.012	0.010	-
10:19	0.006	0.008	10:19	0.010	0.010	-
10:20	0.004	0.008	10:20	0.009	0.010	-
10:21	0.003	0.007	10:21	0.009	0.010	-
10:22	0.007	0.007	10:22	0.009	0.010	-
10:23	0.007	0.007	10:23	0.009	0.010	-
10:24	0.006	0.007	10:24	0.009	0.010	-
10:25	0.005	0.007	10:25	0.009	0.010	-
10:26	0.005	0.006	10:26	0.009	0.010	-
10:27	0.006	0.006	10:27	0.008	0.010	-
10:28	0.006	0.006	10:28	0.009	0.010	-
10:29	0.005	0.006	10:29	0.009	0.010	-
10:30	0.005	0.006	10:30	0.008	0.010	-
10:31	0.003	0.005	10:31	0.008	0.009	-
10:32	0.003	0.005	10:32	0.008	0.009	-
10:33	0.004	0.005	10:33	0.008	0.009	-
10:34	0.005	0.005	10:34	0.008	0.009	-
10:35	0.004	0.005	10:35	0.008	0.009	-
10:36	0.003	0.005	10:36	0.009	0.009	-
10:37	0.004	0.005	10:37	0.008	0.009	-
10:38	0.003	0.005	10:38	0.008	0.008	-
10:39	0.002	0.004	10:39	0.008	0.008	-
10:40	0.002	0.004	10:40	0.008	0.008	-
10:41	0.001	0.004	10:41	0.008	0.008	-
10:42	0.002	0.004	10:42	0.008	0.008	-
10:43	0.002	0.003	10:43	0.007	0.008	-
10:44	0.003	0.003	10:44	0.007	0.008	-
10:45	0.002	0.003	10:45	0.008	0.008	-
10:46	0.002	0.003	10:46	0.007	0.008	-
10:47	0.002	0.003	10:47	0.007	0.008	-
10:48	0.003	0.003	10:48	0.007	0.008	-
10:49	0.004	0.003	10:49	0.007	0.008	-
10:50	0.003	0.003	10:50	0.007	0.008	-
10:51	0.002	0.003	10:51	0.006	0.008	-
10:52	0.003	0.002	10:52	0.006	0.007	-
10:53	0.004	0.002	10:53	0.006	0.007	-

May 7, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						252
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
7:45	0.0	-	7:45	0.00	-	
7:46	0.0	-	7:46	0.00	-	
7:47	0.0	-	7:47	0.00	-	
7:48	0.0	-	7:48	0.00	-	
7:49	0.0	-	7:49	0.00	-	
7:50	0.0	-	7:50	0.00	-	
7:51	0.0	-	7:51	0.00	-	
7:52	0.0	-	7:52	0.00	-	
7:53	0.0	-	7:53	0.00	-	
7:54	0.0	-	7:54	0.00	-	
7:55	0.0	-	7:55	0.00	-	
7:56	0.0	-	7:56	0.00	-	
7:57	0.0	-	7:57	0.00	-	
7:58	0.0	-	7:58	0.00	-	
7:59	0.0	0.01	7:59	0.00	0.00	-
8:00	0.0	0.00	8:00	0.00	0.00	-
8:01	0.0	0.00	8:01	0.00	0.00	-
8:02	0.0	0.00	8:02	0.00	0.00	-
8:03	0.0	0.00	8:03	0.00	0.00	-
8:04	0.0	0.00	8:04	0.00	0.00	-
8:05	0.0	0.00	8:05	0.00	0.00	-
8:06	0.0	0.00	8:06	0.00	0.00	-
8:07	0.0	0.00	8:07	0.00	0.00	-
8:08	0.0	0.00	8:08	0.00	0.00	-
8:09	0.0	0.00	8:09	0.00	0.00	-
8:10	0.0	0.00	8:10	0.00	0.00	-
8:11	0.0	0.00	8:11	0.00	0.00	-
8:12	0.0	0.00	8:12	0.00	0.00	-
8:13	0.0	0.00	8:13	0.00	0.00	-
8:14	0.0	0.00	8:14	0.00	0.00	-
8:15	0.0	0.00	8:15	0.00	0.00	-
8:16	0.0	0.00	8:16	0.00	0.00	-
8:17	0.0	0.00	8:17	0.00	0.00	-
8:18	0.0	0.00	8:18	0.00	0.00	-
8:19	0.0	0.00	8:19	0.00	0.00	-
8:20	0.0	0.00	8:20	0.00	0.00	-
8:21	0.0	0.00	8:21	0.00	0.00	-
8:22	0.0	0.00	8:22	0.00	0.00	-
8:23	0.0	0.00	8:23	0.00	0.00	-
8:24	0.0	0.00	8:24	0.00	0.00	-
8:25	0.0	0.00	8:25	0.00	0.00	-
8:26	0.0	0.00	8:26	0.00	0.00	-
8:27	0.0	0.00	8:27	0.00	0.00	-
8:28	0.0	0.00	8:28	0.00	0.00	-
8:29	0.0	0.00	8:29	0.00	0.00	-
8:30	0.0	0.00	8:30	0.00	0.00	-
8:31	0.0	0.00	8:31	0.00	0.00	-
8:32	0.0	0.00	8:32	0.00	0.00	-
8:33	0.0	0.00	8:33	0.00	0.00	-
8:34	0.0	0.00	8:34	0.00	0.00	-
8:35	0.0	0.00	8:35	0.00	0.00	-
8:36	0.0	0.00	8:36	0.00	0.00	-
8:37	0.0	0.00	8:37	0.00	0.00	-
8:38	0.0	0.00	8:38	0.00	0.00	-
8:39	0.0	0.00	8:39	0.00	0.00	-
8:40	0.0	0.00	8:40	0.00	0.00	-
8:41	0.0	0.00	8:41	0.00	0.00	-
8:42	0.0	0.00	8:42	0.00	0.00	-
8:43	0.0	0.00	8:43	0.00	0.00	-
8:44	0.0	0.00	8:44	0.00	0.00	-
8:45	0.0	0.00	8:45	0.00	0.00	-
8:46	0.0	0.00	8:46	0.00	0.00	-
8:47	0.0	0.00	8:47	0.00	0.00	-
8:48	0.0	0.00	8:48	0.00	0.00	-
8:49	0.0	0.00	8:49	0.00	0.00	-
8:50	0.0	0.00	8:50	0.00	0.00	-
8:51	0.0	0.00	8:51	0.00	0.00	-
8:52	0.0	0.00	8:52	0.00	0.00	-
8:53	0.0	0.00	8:53	0.00	0.00	-
8:54	0.0	0.00	8:54	0.00	0.00	-

May 7, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						252
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
8:55	0.0	0.00	8:55	0.00	0.00	-
8:56	0.0	0.00	8:56	0.00	0.00	-
8:57	0.0	0.00	8:57	0.00	0.00	-
8:58	0.0	0.00	8:58	0.00	0.00	-
8:59	0.0	0.00	8:59	0.00	0.00	-
9:00	0.0	0.00	9:00	0.00	0.00	-
9:01	0.0	0.00	9:01	0.00	0.00	-
9:02	0.0	0.00	9:02	0.00	0.00	-
9:03	0.0	0.00	9:03	0.00	0.00	-
9:04	0.0	0.00	9:04	0.00	0.00	-
9:05	0.0	0.00	9:05	0.00	0.00	-
9:06	0.0	0.00	9:06	0.00	0.00	-
9:07	0.0	0.00	9:07	0.00	0.00	-
9:08	0.0	0.00	9:08	0.00	0.00	-
9:09	0.0	0.00	9:09	0.00	0.00	-
9:10	0.0	0.00	9:10	0.00	0.00	-
9:11	0.0	0.00	9:11	0.00	0.00	-
9:12	0.0	0.00	9:12	0.00	0.00	-
9:13	0.0	0.00	9:13	0.00	0.00	-
9:14	0.0	0.00	9:14	0.00	0.00	-
9:15	0.0	0.00	9:15	0.00	0.00	-
9:16	0.0	0.00	9:16	0.00	0.00	-
9:17	0.0	0.00	9:17	0.00	0.00	-
9:18	0.0	0.00	9:18	0.00	0.00	-
9:19	0.0	0.00	9:19	0.00	0.00	-
9:20	0.0	0.00	9:20	0.00	0.00	-
9:21	0.0	0.00	9:21	0.00	0.00	-
9:22	0.0	0.00	9:22	0.00	0.00	-
9:23	0.0	0.00	9:23	0.00	0.00	-
9:24	0.0	0.00	9:24	0.00	0.00	-
9:25	0.0	0.00	9:25	0.00	0.00	-
9:26	0.0	0.00	9:26	0.00	0.00	-
9:27	0.0	0.00	9:27	0.00	0.00	-
9:28	0.0	0.00	9:28	0.00	0.00	-
9:29	0.0	0.00	9:29	0.00	0.00	-
9:30	0.0	0.00	9:30	0.00	0.00	-
9:31	0.0	0.00	9:31	0.00	0.00	-
9:32	0.0	0.00	9:32	0.00	0.00	-
9:33	0.0	0.00	9:33	0.00	0.00	-
9:34	0.0	0.00	9:34	0.00	0.00	-
9:35	0.0	0.00	9:35	0.00	0.00	-
9:36	0.0	0.00	9:36	0.00	0.00	-
9:37	0.0	0.00	9:37	0.00	0.00	-
9:38	0.0	0.00	9:38	0.00	0.00	-
9:39	0.0	0.00	9:39	0.00	0.00	-
9:40	0.0	0.00	9:40	0.00	0.00	-
9:41	0.0	0.00	9:41	0.00	0.00	-
9:42	0.0	0.00	9:42	0.00	0.00	-
9:43	0.0	0.00	9:43	0.00	0.00	-
9:44	0.0	0.00	9:44	0.00	0.00	-
9:45	0.0	0.00	9:45	0.00	0.00	-
9:46	0.0	0.00	9:46	0.00	0.00	-
9:47	0.0	0.00	9:47	0.00	0.00	-
9:48	0.0	0.00	9:48	0.00	0.00	-
9:49	0.0	0.00	9:49	0.00	0.00	-
9:50	0.0	0.00	9:50	0.00	0.00	-
9:51	0.0	0.00	9:51	0.00	0.00	-
9:52	0.0	0.00	9:52	0.00	0.00	-
9:53	0.0	0.00	9:53	0.00	0.00	-
9:54	0.0	0.00	9:54	0.00	0.00	-
9:55	0.0	0.00	9:55	0.00	0.00	-
9:56	0.0	0.00	9:56	0.00	0.00	-
9:57	0.0	0.0	9:57	0.00	0.00	-
9:58	0.0	0.0	9:58	0.00	0.00	-
9:59	0.0	0.0	9:59	0.00	0.00	-
10:00	0.0	0.0	10:00	0.00	0.00	-
10:01	0.0	0.0	10:01	0.00	0.00	-
10:02	0.0	0.0	10:02	0.00	0.00	-
10:03	0.0	0.0	10:03	0.00	0.00	-
10:04	0.0	0.0	10:04	0.00	0.00	-

May 7, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						252
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
10:05	0.0	0.0	10:05	0.00	0.00	-
10:06	0.0	0.0	10:06	0.00	0.0	-
10:07	0.0	0.0	10:07	0.00	0.0	-
10:08	0.0	0.0	10:08	0.00	0.0	-
10:09	0.0	0.0	10:09	0.00	0.0	-
10:10	0.0	0.0	10:10	0.00	0.0	-
10:11	0.0	0.0	10:11	0.00	0.0	-
10:12	0.0	0.0	10:12	0.00	0.0	-
10:13	0.0	0.0	10:13	0.00	0.0	-
10:14	0.0	0.0	10:14	0.00	0.0	-
10:15	0.0	0.0	10:15	0.00	0.0	-
10:16	0.0	0.0	10:16	0.00	0.0	-
10:17	0.0	0.0	10:17	0.00	0.0	-
10:18	0.0	0.0	10:18	0.00	0.0	-
10:19	0.0	0.0	10:19	0.00	0.0	-
10:20	0.0	0.0	10:20	0.00	0.0	-
10:21	0.0	0.0	10:21	0.00	0.0	-
10:22	0.0	0.0	10:22	0.00	0.0	-
10:23	0.0	0.0	10:23	0.00	0.0	-
10:24	0.0	0.0	10:24	0.00	0.0	-
10:25	0.0	0.0	10:25	0.00	0.0	-
10:26	0.0	0.0	10:26	0.00	0.0	-
10:27	0.0	0.0	10:27	0.00	0.0	-
10:28	0.0	0.0	10:28	0.00	0.0	-
10:29	0.0	0.0	10:29	0.00	0.0	-
10:30	0.0	0.0	10:30	0.00	0.0	-
10:31	0.0	0.0	10:31	0.00	0.0	-
10:32	0.0	0.0	10:32	0.00	0.0	-
10:33	0.0	0.0	10:33	0.00	0.0	-
10:34	0.0	0.0	10:34	0.00	0.0	-
10:35	0.0	0.0	10:35	0.00	0.0	-
10:36	0.0	0.0	10:36	0.00	0.0	-
10:37	0.0	0.0	10:37	0.00	0.0	-
10:38	0.0	0.0	10:38	0.00	0.0	-
10:39	0.0	0.0	10:39	0.00	0.0	-
10:40	0.0	0.0	10:40	0.00	0.0	-
10:41	0.0	0.0	10:41	0.00	0.0	-
10:42	0.0	0.0	10:42	0.00	0.0	-
10:43	0.0	0.0	10:43	0.00	0.0	-
10:44	0.0	0.0	10:44	0.00	0.0	-
10:45	0.0	0.0	10:45	0.00	0.0	-
10:46	0.0	0.0	10:46	0.00	0.0	-
10:47	0.0	0.0	10:47	0.00	0.0	-
10:48	0.0	0.0	10:48	0.00	0.0	-
10:49	0.0	0.0	10:49	0.00	0.0	-
10:50	0.0	0.0	10:50	0.00	0.0	-
10:51	0.0	0.0	10:51	0.00	0.0	-
10:52	0.0	0.0	10:52	0.00	0.0	-
10:53	0.0	0.0	10:53	0.00	0.0	-

PROJECT No.: 170745301 PROJECT: The Beacon LOCATION: New York, New York BCP Site Number: C231155	CLIENT: TCB Beacon East Harlem Limited Partnership	DATE: Friday, May 8, 2026 WEATHER: Clear, 45 – 61 °F Wind: W @ 8 – 17 mph TIME: 7:00 am – 1:00 pm MONITORS: Alexandra DiBernardi
EQUIPMENT: Hammer drill Hand auger Geoprobe Drill Rig	PRESENT AT SITE: Langan (Environmental Consultant): Alexandra DiBernardi Lakewood Environmental Services Corp (Driller)	

OBSERVATIONS, DISCUSSION, TEST RESULTS, ETC.:

Langan Engineering, Environmental Surveying, Landscape Architecture and Geology, D.P.C. (Langan) was present to perform in-situ waste characterization soil sampling.

Site Activities

- Lakewood Environmental Services Corp. (Lakewood) used a hammer drill and hand auger to hand clear four soil borings within the northeastern part of the parking lot (WC04A, WC04B, WC04C, and WC04D) to about 5 feet below grade surface (bgs). Following hand clearance, Lakewood used a Geoprobe® direct push drill rig to advance the four borings to a depth of about 8 feet bgs. Langan screened soil/fill for staining, odors, and organic vapors using a photoionization detector (PID). No impacts were observed.

Air-monitoring Activities

- Langan implemented the Community Air Monitoring Plan (CAMP) with continuous air monitoring for volatile organic compounds (VOCs) and particulate matter smaller than 10 microns in diameter (PM10) at upwind and downwind locations during ground-intrusive activities. The VOC and PM10 action levels were not exceeded during the monitoring period.

Sampling

- Soil samples were collected and submitted to York Analytical Laboratories, Inc, an Environmental Laboratory Accredited Program (ELAP)-Certified laboratory located in Stratford, Connecticut under standard chain-of-custody protocols.
- The following soil samples were submitted for analysis of Target Compound List (TCL) and New York State Department of Environmental Conservation (NYSDEC) Part 375-list/New Jersey Department of Environmental Protection (NJDEP)/Pennsylvania Department of Environmental Protection (PADEP) semivolatile organic compounds (SVOCs), polychlorinated biphenyls (PCBs), pesticides, herbicides, target analyte list (TAL) metals (including hexavalent and trivalent chromium), total cyanide, NJDEP Extractable Petroleum Hydrocarbons (EPH), Resource Conservation and Recovery Act (RCRA) Characteristics, and paint filter:
 - WC04_COMP_0-4
 - WC04_COMP_4-8

- The following soil sample was submitted for analysis of NYSDEC Part 375/TCL/NJDEP/PADEP volatile organic compounds (VOCs):
 - WC04B_GRAB_3-4
 - WC04B_GRAB_7-8

- The following soil samples were submitted for an on-hold analysis of Total and Toxicity Characteristic Leaching Procedures (TCLP) metals, pending the analytical results of sampling:
 - WC04A_0-1
 - WC04A_1-2
 - WC04B_3-4
 - WC04C_2-3
 - WC04D_3-4
 - WC04A_4-5
 - WC04B_6-7
 - WC04B_7-8
 - WC04C_5-6
 - WC04D_6-7

Anticipated Activities:

- Lakewood will continue to advance soil borings in the exterior portion of the site.
- Langan will continue implementation of the waste characterization investigation and sampling.

Site Photos:




Photo 1: View of Lakewood advancing soil boring WC04C in the northeastern part of the site (facing west).



Photo 2: View of soil from soil boring WC04B in the northeastern part of the site (facing down).

Site Map:



LEGEND

Note: Drawing background from The Beacon Community Facility Survey for 50% CD, prepared by Paul A. Castrucci Architects, dated June 14, 2024. Drawing Shown Not to Scale.

- **Approximate Site Boundary**
- **Completed Soil Boring**
- **Upwind CAMP Station**
- **Downwind CAMP Station**

Date: 5/8/2026
Observer: Alexandra DiBernardi

Particulate Monitoring		
	Upwind Station	Downwind Station
Minimum 15min Average	-0.003	0.010
Maximum 15min Average	0.014	0.041
High Intervals "exceedances" (15min > 0.150 + Upwind level)	N/A	No
Minimum 1min Reading	-0.004	0.000
Maximum 1min Reading	0.028	0.135

Organic Vapor Monitoring		
	Upwind Station	Downwind Station
Minimum 15min Average	0.0	0.0
Maximum 15min Average	0.0	0.0
High Intervals "exceedances" (15min > 5 + Upwind level)	N/A	No
Minimum 1min Reading	0.0	0.0
Maximum 1min Reading	0.1	0.2

All reported particulate concentrations are in mg/m³ or milligrams per cubic meter and all reported organic vapor concentrations are in ppm or parts per million, unless specified otherwise.

May 8, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						359
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
7:25	0.014	-	7:23	0.000	-	
7:26	0.008	-	7:24	0.014	-	
7:27	0.007	-	7:25	0.014	-	
7:28	0.006	-	7:26	0.014	-	
7:29	0.004	-	7:27	0.014	-	
7:30	0.000	-	7:28	0.013	-	
7:31	0.002	-	7:29	0.013	-	
7:32	0.002	-	7:30	0.013	-	
7:33	0.003	-	7:31	0.013	-	
7:34	0.002	-	7:32	0.013	-	
7:35	0.001	-	7:33	0.013	-	
7:36	0.001	-	7:34	0.013	-	
7:37	0.002	-	7:35	0.013	-	
7:38	0.001	-	7:36	0.012	-	
7:39	0.001	0.004	7:37	0.012	0.012	-
7:40	0.001	0.004	7:38	0.014	0.012	-
7:41	0.001	0.003	7:39	0.013	0.013	-
7:42	0.004	0.002	7:40	0.014	0.013	-
7:43	0.004	0.002	7:41	0.022	0.013	-
7:44	0.002	0.002	7:42	0.016	0.014	-
7:45	0.002	0.002	7:43	0.018	0.014	-
7:46	0.002	0.002	7:44	0.039	0.014	-
7:47	0.002	0.002	7:45	0.020	0.016	-
7:48	0.001	0.002	7:46	0.016	0.016	-
7:49	0.002	0.002	7:47	0.000	0.017	-
7:50	0.002	0.002	7:48	0.014	0.016	-
7:51	0.001	0.002	7:49	0.000	0.016	-
7:52	0.001	0.002	7:50	0.027	0.015	-
7:53	0.001	0.002	7:51	0.016	0.016	-
7:54	0.001	0.002	7:52	0.013	0.016	-
7:55	0.002	0.002	7:53	0.028	0.016	-
7:56	0.003	0.002	7:54	0.018	0.017	-
7:57	0.002	0.002	7:55	0.014	0.017	-
7:58	0.000	0.002	7:56	0.000	0.017	-
7:59	0.002	0.002	7:57	0.015	0.016	-
8:00	0.002	0.002	7:58	0.013	0.016	-
8:01	0.002	0.002	7:59	0.013	0.016	-
8:02	0.003	0.002	8:00	0.013	0.014	-
8:03	0.003	0.002	8:01	0.012	0.013	-
8:04	0.001	0.002	8:02	0.013	0.013	-
8:05	0.003	0.002	8:03	0.012	0.014	-
8:06	0.006	0.002	8:04	0.013	0.014	-
8:07	0.005	0.002	8:05	0.012	0.015	-
8:08	0.005	0.002	8:06	0.015	0.014	-
8:09	0.006	0.003	8:07	0.013	0.014	-
8:10	0.006	0.003	8:08	0.013	0.014	-
8:11	0.008	0.003	8:09	0.013	0.013	-
8:12	0.006	0.004	8:10	0.013	0.012	-
8:13	0.005	0.004	8:11	0.013	0.012	-
8:14	0.005	0.004	8:12	0.012	0.013	-
8:15	0.003	0.004	8:13	0.012	0.013	-
8:16	0.004	0.004	8:14	0.012	0.013	-
8:17	0.005	0.005	8:15	0.012	0.013	-
8:18	0.008	0.005	8:16	0.012	0.013	-
8:19	0.007	0.005	8:17	0.012	0.013	-
8:20	0.007	0.005	8:18	0.012	0.013	-
8:21	0.008	0.006	8:19	0.012	0.013	-
8:22	0.009	0.006	8:20	0.012	0.013	-
8:23	0.006	0.006	8:21	0.012	0.013	-
8:24	0.004	0.006	8:22	0.012	0.012	-
8:25	0.006	0.006	8:23	0.012	0.012	-
8:26	0.006	0.006	8:24	0.013	0.012	-
8:27	0.006	0.006	8:25	0.013	0.012	-
8:28	0.005	0.006	8:26	0.012	0.012	-
8:29	0.005	0.006	8:27	0.013	0.012	-
8:30	0.004	0.006	8:28	0.013	0.012	-
8:31	0.004	0.006	8:29	0.012	0.012	-
8:32	0.006	0.006	8:30	0.012	0.012	-
8:33	0.005	0.006	8:31	0.012	0.012	-
8:34	0.003	0.006	8:32	0.013	0.012	-

May 8, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						359
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
8:35	0.005	0.006	8:33	0.014	0.012	-
8:36	0.005	0.005	8:34	0.013	0.012	-
8:37	0.005	0.005	8:35	0.013	0.013	-
8:38	0.004	0.005	8:36	0.013	0.013	-
8:39	0.004	0.005	8:37	0.013	0.013	-
8:40	0.006	0.005	8:38	0.013	0.013	-
8:41	0.005	0.005	8:39	0.012	0.013	-
8:42	0.005	0.005	8:40	0.012	0.013	-
8:43	0.005	0.005	8:41	0.012	0.013	-
8:44	0.005	0.005	8:42	0.012	0.013	-
8:45	0.004	0.005	8:43	0.012	0.013	-
8:46	0.004	0.005	8:44	0.012	0.013	-
8:47	0.004	0.005	8:45	0.012	0.013	-
8:48	0.005	0.005	8:46	0.012	0.013	-
8:49	0.005	0.005	8:47	0.029	0.013	-
8:50	0.004	0.005	8:48	0.018	0.014	-
8:51	0.003	0.005	8:49	0.019	0.014	-
8:52	0.002	0.005	8:50	0.014	0.014	-
8:53	0.002	0.004	8:51	0.012	0.014	-
8:54	0.004	0.004	8:52	0.013	0.014	-
8:55	0.006	0.004	8:53	0.013	0.014	-
8:56	0.006	0.004	8:54	0.012	0.014	-
8:57	0.005	0.004	8:55	0.012	0.014	-
8:58	0.007	0.004	8:56	0.012	0.014	-
8:59	0.007	0.004	8:57	0.018	0.014	-
9:00	0.008	0.005	8:58	0.013	0.015	-
9:01	0.007	0.005	8:59	0.013	0.015	-
9:02	0.006	0.005	9:00	0.013	0.015	-
9:03	0.006	0.005	9:01	0.012	0.015	-
9:04	0.006	0.005	9:02	0.013	0.015	-
9:05	0.005	0.005	9:03	0.013	0.014	-
9:06	0.004	0.005	9:04	0.012	0.013	-
9:07	0.005	0.005	9:05	0.012	0.013	-
9:08	0.006	0.006	9:06	0.012	0.013	-
9:09	0.006	0.006	9:07	0.012	0.013	-
9:10	0.006	0.006	9:08	0.012	0.013	-
9:11	0.006	0.006	9:09	0.012	0.013	-
9:12	0.006	0.006	9:10	0.012	0.013	-
9:13	0.005	0.006	9:11	0.015	0.013	-
9:14	0.003	0.006	9:12	0.023	0.013	-
9:15	0.005	0.006	9:13	0.013	0.013	-
9:16	0.004	0.005	9:14	0.019	0.013	-
9:17	0.004	0.005	9:15	0.017	0.014	-
9:18	0.005	0.005	9:16	0.023	0.014	-
9:19	0.005	0.005	9:17	0.012	0.015	-
9:20	0.005	0.005	9:18	0.012	0.015	-
9:21	0.005	0.005	9:19	0.012	0.015	-
9:22	0.004	0.005	9:20	0.012	0.015	-
9:23	0.003	0.005	9:21	0.012	0.015	-
9:24	0.002	0.005	9:22	0.012	0.015	-
9:25	0.004	0.005	9:23	0.012	0.015	-
9:26	0.005	0.004	9:24	0.012	0.015	-
9:27	0.006	0.004	9:25	0.013	0.015	-
9:28	0.006	0.004	9:26	0.013	0.015	-
9:29	0.028	0.004	9:27	0.013	0.014	-
9:30	0.011	0.006	9:28	0.012	0.014	-
9:31	0.028	0.006	9:29	0.012	0.014	-
9:32	0.021	0.008	9:30	0.013	0.013	-
9:33	0.014	0.009	9:31	0.013	0.013	-
9:34	0.007	0.010	9:32	0.014	0.012	-
9:35	0.006	0.010	9:33	0.015	0.012	-
9:36	0.005	0.010	9:34	0.014	0.013	-
9:37	0.005	0.010	9:35	0.013	0.013	-
9:38	0.005	0.010	9:36	0.013	0.013	-
9:39	0.005	0.010	9:37	0.012	0.013	-
9:40	0.006	0.010	9:38	0.012	0.013	-
9:41	0.007	0.011	9:39	0.012	0.013	-
9:42	0.006	0.011	9:40	0.011	0.013	-
9:43	0.005	0.011	9:41	0.012	0.013	-
9:44	0.004	0.011	9:42	0.018	0.013	-

May 8, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						359
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
9:45	0.004	0.009	9:43	0.013	0.013	-
9:46	0.004	0.009	9:44	0.012	0.013	-
9:47	0.003	0.007	9:45	0.013	0.013	-
9:48	0.003	0.006	9:46	0.014	0.013	-
9:49	0.003	0.005	9:47	0.015	0.013	-
9:50	0.001	0.005	9:48	0.011	0.013	-
9:51	0.001	0.004	9:49	0.011	0.013	-
9:52	0.000	0.004	9:50	0.055	0.013	-
9:53	0.000	0.004	9:51	0.058	0.016	-
9:54	0.000	0.003	9:52	0.020	0.019	-
9:55	0.000	0.003	9:53	0.018	0.019	-
9:56	0.000	0.003	9:54	0.028	0.020	-
9:57	0.000	0.002	9:55	0.027	0.021	-
9:58	0.000	0.002	9:56	0.034	0.022	-
9:59	0.001	0.002	9:57	0.015	0.023	-
10:00	0.002	0.001	9:58	0.013	0.023	-
10:01	0.003	0.001	9:59	0.013	0.023	-
10:02	0.002	0.001	10:00	0.025	0.023	-
10:03	0.003	0.001	10:01	0.047	0.024	-
10:04	0.005	0.001	10:02	0.011	0.026	-
10:05	0.003	0.001	10:03	0.020	0.026	-
10:06	0.003	0.001	10:04	0.039	0.026	-
10:07	0.003	0.001	10:05	0.013	0.028	-
10:08	0.002	0.002	10:06	0.020	0.025	-
10:09	0.002	0.002	10:07	0.112	0.023	-
10:10	0.003	0.002	10:08	0.030	0.029	-
10:11	0.004	0.002	10:09	0.011	0.030	-
10:12	0.004	0.002	10:10	0.011	0.029	-
10:13	0.003	0.003	10:11	0.012	0.028	-
10:14	0.003	0.003	10:12	0.013	0.026	-
10:15	0.004	0.003	10:13	0.015	0.026	-
10:16	0.004	0.003	10:14	0.026	0.026	-
10:17	0.004	0.003	10:15	0.028	0.027	-
10:18	0.004	0.003	10:16	0.018	0.027	-
10:19	0.004	0.003	10:17	0.016	0.025	-
10:20	0.004	0.003	10:18	0.016	0.026	-
10:21	0.010	0.003	10:19	0.018	0.025	-
10:22	0.010	0.004	10:20	0.022	0.024	-
10:23	0.005	0.004	10:21	0.029	0.025	-
10:24	0.002	0.005	10:22	0.041	0.025	-
10:25	0.001	0.005	10:23	0.050	0.020	-
10:26	0.008	0.004	10:24	0.050	0.022	-
10:27	0.017	0.005	10:25	0.045	0.024	-
10:28	0.022	0.006	10:26	0.039	0.027	-
10:29	0.024	0.007	10:27	0.032	0.028	-
10:30	0.021	0.008	10:28	0.031	0.030	-
10:31	0.017	0.009	10:29	0.031	0.031	-
10:32	0.014	0.010	10:30	0.037	0.031	-
10:33	0.012	0.011	10:31	0.043	0.032	-
10:34	0.011	0.011	10:32	0.045	0.033	-
10:35	0.009	0.012	10:33	0.042	0.035	-
10:36	0.010	0.012	10:34	0.044	0.037	-
10:37	0.008	0.012	10:35	0.045	0.039	-
10:38	0.011	0.012	10:36	0.044	0.040	-
10:39	0.010	0.012	10:37	0.042	0.041	-
10:40	0.011	0.013	10:38	0.047	0.041	-
10:41	0.011	0.014	10:39	0.047	0.041	-
10:42	0.010	0.014	10:40	0.040	0.041	-
10:43	0.009	0.013	10:41	0.034	0.041	-
10:44	0.007	0.013	10:42	0.028	0.040	-
10:45	0.009	0.011	10:43	0.030	0.040	-
10:46	0.009	0.011	10:44	0.032	0.040	-
10:47	0.011	0.010	10:45	0.033	0.040	-
10:48	0.012	0.010	10:46	0.035	0.040	-
10:49	0.010	0.010	10:47	0.031	0.039	-
10:50	0.006	0.010	10:48	0.030	0.038	-
10:51	0.004	0.010	10:49	0.027	0.037	-
10:52	0.006	0.009	10:50	0.028	0.036	-

May 8, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						359
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
10:53	0.007	0.009	10:51	0.032	0.035	-
10:54	0.007	0.009	10:52	0.028	0.034	-
10:55	0.007	0.009	10:53	0.025	0.033	-
10:56	0.003	0.008	10:54	0.023	0.032	-
10:57	0.003	0.008	10:55	0.020	0.030	-
10:58	0.005	0.007	10:56	0.015	0.029	-
10:59	0.002	0.007	10:57	0.014	0.028	-
11:00	0.003	0.007	10:58	0.000	0.027	-
11:01	0.002	0.006	10:59	0.016	0.025	-
11:02	0.001	0.006	11:00	0.013	0.024	-
11:03	0.000	0.005	11:01	0.012	0.022	-
11:04	0.000	0.004	11:02	0.012	0.021	-
11:05	0.000	0.004	11:03	0.013	0.020	-
11:06	0.000	0.003	11:04	0.012	0.019	-
11:07	0.000	0.003	11:05	0.012	0.018	-
11:08	-0.001	0.003	11:06	0.013	0.016	-
11:09	-0.001	0.002	11:07	0.014	0.015	-
11:10	0.000	0.002	11:08	0.014	0.014	-
11:11	0.000	0.001	11:09	0.015	0.014	-
11:12	0.000	0.001	11:10	0.019	0.013	-
11:13	0.001	0.001	11:11	0.014	0.013	-
11:14	0.000	0.000	11:12	0.012	0.013	-
11:15	0.000	0.000	11:13	0.012	0.013	-
11:16	0.000	0.000	11:14	0.012	0.014	-
11:17	0.000	0.000	11:15	0.012	0.013	-
11:18	-0.001	0.000	11:16	0.013	0.013	-
11:19	-0.001	0.000	11:17	0.013	0.013	-
11:20	0.000	0.000	11:18	0.015	0.013	-
11:21	0.000	0.000	11:19	0.013	0.013	-
11:22	-0.001	0.000	11:20	0.013	0.014	-
11:23	-0.002	0.000	11:21	0.014	0.014	-
11:24	0.000	0.000	11:22	0.013	0.014	-
11:25	-0.001	0.000	11:23	0.013	0.014	-
11:26	0.000	0.000	11:24	0.013	0.014	-
11:27	-0.001	0.000	11:25	0.013	0.013	-
11:28	-0.004	0.000	11:26	0.013	0.013	-
11:29	-0.004	-0.001	11:27	0.013	0.013	-
11:30	-0.004	-0.001	11:28	0.014	0.013	-
11:31	-0.004	-0.001	11:29	0.014	0.013	-
11:32	-0.003	-0.002	11:30	0.013	0.013	-
11:33	-0.003	-0.002	11:31	0.013	0.013	-
11:34	-0.003	-0.002	11:32	0.013	0.013	-
11:35	-0.003	-0.002	11:33	0.013	0.013	-
11:36	-0.003	-0.002	11:34	0.013	0.013	-
11:37	-0.003	-0.002	11:35	0.013	0.013	-

May 8, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						359
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
11:38	-0.001	-0.003	11:36	0.013	0.013	-
11:39	0.000	-0.002	11:37	0.012	0.013	-
11:40	-0.001	-0.002	11:38	0.012	0.013	-
11:41	-0.001	-0.002	11:39	0.012	0.013	-
11:42	-0.001	-0.003	11:40	0.012	0.013	-
11:43	-0.001	-0.003	11:41	0.012	0.013	-
11:44	-0.001	-0.002	11:42	0.011	0.013	-
11:45	-0.001	-0.002	11:43	0.012	0.013	-
11:46	-0.001	-0.002	11:44	0.012	0.013	-
11:47	-0.001	-0.002	11:45	0.012	0.012	-
11:48	-0.002	-0.002	11:46	0.013	0.012	-
11:49	-0.002	-0.002	11:47	0.013	0.012	-
11:50	-0.001	-0.001	11:48	0.013	0.012	-
11:51	0.000	-0.001	11:49	0.013	0.012	-
11:52	-0.001	-0.001	11:50	0.012	0.012	-
11:53	-0.002	-0.001	11:51	0.013	0.012	-
11:54	-0.002	-0.001	11:52	0.013	0.012	-
11:55	-0.002	-0.001	11:53	0.012	0.012	-
11:56	-0.001	-0.001	11:54	0.012	0.012	-
11:57	0.000	-0.001	11:55	0.011	0.012	-
11:58	0.000	-0.001	11:56	0.011	0.012	-
11:59	0.000	-0.001	11:57	0.011	0.012	-
12:00	0.000	-0.001	11:58	0.012	0.012	-
12:01	0.000	-0.001	11:59	0.012	0.012	-
12:02	0.000	-0.001	12:00	0.011	0.012	-
12:03	0.000	-0.001	12:01	0.012	0.012	-
12:04	0.000	-0.001	12:02	0.016	0.012	-
12:05	0.000	-0.001	12:03	0.015	0.012	-
12:06	-0.001	-0.001	12:04	0.014	0.012	-
12:07	-0.002	-0.001	12:05	0.013	0.012	-
12:08	-0.002	-0.001	12:06	0.013	0.013	-
12:09	-0.002	-0.001	12:07	0.014	0.013	-
12:10	-0.002	-0.001	12:08	0.013	0.013	-
12:11	-0.002	-0.001	12:09	0.013	0.013	-
12:12	-0.002	-0.001	12:10	0.013	0.013	-
12:13	-0.001	-0.001	12:11	0.013	0.013	-
12:14	-0.002	-0.001	12:12	0.012	0.013	-
12:15	-0.001	-0.001	12:13	0.012	0.013	-
12:16	0.000	-0.001	12:14	0.014	0.013	-
12:17	0.000	-0.001	12:15	0.013	0.013	-
12:18	-0.001	-0.001	12:16	0.013	0.013	-
12:19	-0.001	-0.001	12:17	0.013	0.013	-
12:20	-0.001	-0.001	12:18	0.013	0.013	-
12:21	-0.001	-0.001	12:19	0.014	0.013	-
12:22	-0.001	-0.001	12:20	0.014	0.013	-
12:23	-0.002	-0.001	12:21	0.014	0.013	-
12:24	-0.002	-0.001	12:22	0.014	0.013	-
12:25	-0.002	-0.001	12:23	0.014	0.013	-
12:26	-0.002	-0.001	12:24	0.014	0.013	-
12:27	-0.002	-0.001	12:25	0.013	0.013	-
12:28	-0.002	-0.001	12:26	0.014	0.013	-
12:29	-0.001	-0.001	12:27	0.015	0.013	-
12:30	-0.001	-0.001	12:28	0.014	0.014	-
12:31	-0.001	-0.001	12:29	0.014	0.014	-
12:32	-0.001	-0.001	12:30	0.015	0.014	-
12:33	-0.001	-0.001	12:31	0.014	0.014	-
12:34	0.000	-0.001	12:32	0.016	0.014	-
12:35	0.000	-0.001	12:33	0.015	0.014	-
12:36	0.000	-0.001	12:34	0.015	0.014	-
12:37	0.000	-0.001	12:35	0.014	0.014	-
12:38	0.000	-0.001	12:36	0.014	0.014	-
12:39	0.000	-0.001	12:37	0.015	0.014	-
12:40	0.000	-0.001	12:38	0.014	0.014	-
12:41	0.000	-0.001	12:39	0.015	0.014	-
12:42	0.000	-0.001	12:40	0.014	0.014	-
12:43	0.000	0.000	12:41	0.015	0.015	-
12:44	0.000	0.000	12:42	0.014	0.015	-

May 8, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						359
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
12:45	0.000	0.000	12:43	0.014	0.015	-
12:46	0.000	0.000	12:44	0.014	0.015	-
12:47	0.000	0.000	12:45	0.024	0.015	-
12:48	0.001	0.000	12:46	0.017	0.015	-
12:49	0.002	0.000	12:47	0.014	0.015	-
12:50	0.002	0.000	12:48	0.170	0.015	-
12:51	0.000	0.000	12:49	0.013	0.026	-
12:52	0.000	0.000	12:50	0.013	0.025	-
12:53	0.000	0.000	12:51	0.014	0.025	-
12:54	0.000	0.000	12:52	0.014	0.025	-
12:55	0.000	0.000	12:53	0.014	0.025	-
12:56	0.000	0.000	12:54	0.014	0.025	-
12:57	0.000	0.000	12:55	0.014	0.025	-
12:58	0.000	0.000	12:56	0.014	0.025	-
12:59	0.000	0.000	12:57	0.014	0.025	-
13:00	-0.001	0.000	12:58	0.014	0.025	-
13:01	-0.001	0.000	12:59	-	0.025	-
13:02	0.000	0.000	13:00	-	0.026	-
13:03	-0.002	0.000	13:01	-	0.026	-
13:04	-0.002	0.000	13:02	-	0.027	-
13:05	-0.002	0.000	13:03	-	0.028	-
13:06	-0.002	-0.001	13:04	-	0.014	-
13:07	-0.001	-0.001	13:05	-	0.014	-
13:08	0.000	-0.001	13:06	-	0.014	-
13:09	0.000	-0.001	13:07	-	0.014	-
13:10	0.000	-0.001	13:08	-	0.014	-
13:11	0.000	-0.001	13:09	-	0.014	-
13:12	0.000	-0.001	13:10	-	0.014	-
13:13	0.000	-0.001	13:11	-	0.014	-
13:14	0.000	-0.001	13:12	-	0.014	-

May 8, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						365
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
7:25	0.0	-	7:25	0.00	-	
7:26	0.0	-	7:26	0.00	-	
7:27	0.0	-	7:27	0.00	-	
7:28	0.0	-	7:28	0.00	-	
7:29	0.0	-	7:29	0.00	-	
7:30	0.0	-	7:30	0.00	-	
7:31	0.0	-	7:31	0.00	-	
7:32	0.0	-	7:32	0.00	-	
7:33	0.0	-	7:33	0.00	-	
7:34	0.0	-	7:34	0.00	-	
7:35	0.0	-	7:35	0.00	-	
7:36	0.0	-	7:36	0.00	-	
7:37	0.0	-	7:37	0.00	-	
7:38	0.0	-	7:38	0.00	-	
7:39	0.0	0.01	7:39	0.00	0.00	-
7:40	0.0	0.00	7:40	0.00	0.00	-
7:41	0.0	0.00	7:41	0.00	0.00	-
7:42	0.0	0.00	7:42	0.00	0.00	-
7:43	0.0	0.00	7:43	0.00	0.00	-
7:44	0.0	0.00	7:44	0.00	0.00	-
7:45	0.0	0.00	7:45	0.00	0.00	-
7:46	0.0	0.00	7:46	0.00	0.00	-
7:47	0.0	0.00	7:47	0.00	0.00	-
7:48	0.0	0.00	7:48	0.00	0.00	-
7:49	0.0	0.00	7:49	0.00	0.00	-
7:50	0.0	0.00	7:50	0.00	0.00	-
7:51	0.0	0.00	7:51	0.00	0.00	-
7:52	0.0	0.00	7:52	0.00	0.00	-
7:53	0.0	0.00	7:53	0.00	0.00	-
7:54	0.0	0.00	7:54	0.00	0.00	-
7:55	0.0	0.00	7:55	0.00	0.00	-
7:56	0.0	0.00	7:56	0.00	0.00	-
7:57	0.0	0.00	7:57	0.00	0.00	-
7:58	0.0	0.00	7:58	0.00	0.00	-
7:59	0.0	0.00	7:59	0.00	0.00	-
8:00	0.0	0.00	8:00	0.00	0.00	-
8:01	0.0	0.00	8:01	0.00	0.00	-
8:02	0.0	0.00	8:02	0.00	0.00	-
8:03	0.0	0.00	8:03	0.00	0.00	-
8:04	0.0	0.00	8:04	0.00	0.00	-
8:05	0.0	0.00	8:05	0.00	0.00	-
8:06	0.0	0.00	8:06	0.00	0.00	-
8:07	0.0	0.00	8:07	0.00	0.00	-
8:08	0.0	0.00	8:08	0.00	0.00	-
8:09	0.0	0.00	8:09	0.00	0.00	-
8:10	0.0	0.00	8:10	0.00	0.00	-
8:11	0.0	0.00	8:11	0.00	0.00	-
8:12	0.0	0.00	8:12	0.00	0.00	-
8:13	0.0	0.00	8:13	0.00	0.00	-
8:14	0.0	0.00	8:14	0.00	0.00	-
8:15	0.0	0.00	8:15	0.00	0.00	-
8:16	0.0	0.00	8:16	0.00	0.00	-
8:17	0.0	0.00	8:17	0.00	0.00	-
8:18	0.0	0.00	8:18	0.00	0.00	-
8:19	0.0	0.00	8:19	0.00	0.00	-
8:20	0.0	0.00	8:20	0.00	0.00	-
8:21	0.0	0.00	8:21	0.00	0.00	-
8:22	0.0	0.00	8:22	0.00	0.00	-
8:23	0.0	0.00	8:23	0.00	0.00	-
8:24	0.0	0.00	8:24	0.00	0.00	-
8:25	0.0	0.00	8:25	0.00	0.00	-
8:26	0.0	0.00	8:26	0.00	0.00	-
8:27	0.0	0.00	8:27	0.00	0.00	-
8:28	0.0	0.00	8:28	0.00	0.00	-
8:29	0.0	0.00	8:29	0.00	0.00	-
8:30	0.0	0.00	8:30	0.00	0.00	-
8:31	0.0	0.00	8:31	0.00	0.00	-
8:32	0.0	0.00	8:32	0.00	0.00	-
8:33	0.0	0.00	8:33	0.00	0.00	-
8:34	0.0	0.00	8:34	0.00	0.00	-

May 8, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						365
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
8:35	0.0	0.00	8:35	0.00	0.00	-
8:36	0.0	0.00	8:36	0.00	0.00	-
8:37	0.0	0.00	8:37	0.00	0.00	-
8:38	0.0	0.00	8:38	0.00	0.00	-
8:39	0.0	0.00	8:39	0.00	0.00	-
8:40	0.0	0.00	8:40	0.00	0.00	-
8:41	0.0	0.00	8:41	0.00	0.00	-
8:42	0.0	0.00	8:42	0.00	0.00	-
8:43	0.0	0.00	8:43	0.00	0.00	-
8:44	0.0	0.00	8:44	0.00	0.00	-
8:45	0.0	0.00	8:45	0.00	0.00	-
8:46	0.0	0.00	8:46	0.00	0.00	-
8:47	0.0	0.00	8:47	0.00	0.00	-
8:48	0.0	0.00	8:48	0.00	0.00	-
8:49	0.0	0.00	8:49	0.00	0.00	-
8:50	0.0	0.00	8:50	0.00	0.00	-
8:51	0.0	0.00	8:51	0.00	0.00	-
8:52	0.0	0.00	8:52	0.00	0.00	-
8:53	0.0	0.00	8:53	0.00	0.00	-
8:54	0.0	0.00	8:54	0.00	0.00	-
8:55	0.0	0.00	8:55	0.00	0.00	-
8:56	0.0	0.00	8:56	0.00	0.00	-
8:57	0.0	0.00	8:57	0.00	0.00	-
8:58	0.0	0.00	8:58	0.00	0.00	-
8:59	0.0	0.00	8:59	0.00	0.00	-
9:00	0.0	0.00	9:00	0.00	0.00	-
9:01	0.0	0.00	9:01	0.00	0.00	-
9:02	0.0	0.00	9:02	0.00	0.00	-
9:03	0.0	0.00	9:03	0.00	0.00	-
9:04	0.0	0.00	9:04	0.00	0.00	-
9:05	0.0	0.00	9:05	0.00	0.00	-
9:06	0.0	0.00	9:06	0.00	0.00	-
9:07	0.0	0.00	9:07	0.00	0.00	-
9:08	0.0	0.00	9:08	0.00	0.00	-
9:09	0.0	0.00	9:09	0.00	0.00	-
9:10	0.0	0.00	9:10	0.00	0.00	-
9:11	0.0	0.00	9:11	0.00	0.00	-
9:12	0.0	0.00	9:12	0.00	0.00	-
9:13	0.0	0.00	9:13	0.00	0.00	-
9:14	0.0	0.00	9:14	0.00	0.00	-
9:15	0.0	0.00	9:15	0.00	0.00	-
9:16	0.0	0.00	9:16	0.00	0.00	-
9:17	0.0	0.00	9:17	0.00	0.00	-
9:18	0.0	0.00	9:18	0.00	0.00	-
9:19	0.0	0.00	9:19	0.00	0.00	-
9:20	0.0	0.00	9:20	0.00	0.00	-
9:21	0.0	0.00	9:21	0.00	0.00	-
9:22	0.0	0.00	9:22	0.00	0.00	-
9:23	0.0	0.00	9:23	0.00	0.00	-
9:24	0.0	0.00	9:24	0.00	0.00	-
9:25	0.0	0.00	9:25	0.00	0.00	-
9:26	0.0	0.00	9:26	0.00	0.00	-
9:27	0.0	0.00	9:27	0.00	0.00	-
9:28	0.0	0.00	9:28	0.00	0.00	-
9:29	0.0	0.00	9:29	0.00	0.00	-
9:30	0.0	0.00	9:30	0.00	0.00	-
9:31	0.0	0.00	9:31	0.00	0.00	-
9:32	0.0	0.00	9:32	0.00	0.00	-
9:33	0.0	0.00	9:33	0.00	0.00	-
9:34	0.0	0.00	9:34	0.00	0.00	-
9:35	0.0	0.00	9:35	0.00	0.00	-
9:36	0.0	0.00	9:36	0.00	0.00	-
9:37	0.0	0.0	9:37	0.00	0.00	-
9:38	0.0	0.0	9:38	0.00	0.00	-
9:39	0.0	0.0	9:39	0.00	0.00	-
9:40	0.0	0.0	9:40	0.00	0.00	-
9:41	0.0	0.0	9:41	0.00	0.00	-
9:42	0.0	0.0	9:42	0.00	0.00	-
9:43	0.0	0.0	9:43	0.00	0.00	-
9:44	0.0	0.0	9:44	0.00	0.00	-

May 8, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						365
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
9:45	0.0	0.0	9:45	0.00	0.00	-
9:46	0.0	0.0	9:46	0.00	0.0	-
9:47	0.0	0.0	9:47	0.00	0.00	-
9:48	0.0	0.0	9:48	0.00	0.0	-
9:49	0.0	0.0	9:49	0.00	0.0	-
9:50	0.0	0.0	9:50	0.00	0.0	-
9:51	0.0	0.0	9:51	0.00	0.0	-
9:52	0.0	0.0	9:52	0.00	0.0	-
9:53	0.0	0.0	9:53	0.00	0.0	-
9:54	0.0	0.0	9:54	0.00	0.0	-
9:55	0.0	0.0	9:55	0.00	0.0	-
9:56	0.0	0.0	9:56	0.00	0.0	-
9:57	0.0	0.0	9:57	0.00	0.0	-
9:58	0.0	0.0	9:58	0.00	0.0	-
9:59	0.0	0.0	9:59	0.00	0.0	-
10:00	0.0	0.0	10:00	0.00	0.0	-
10:01	0.0	0.0	10:01	0.00	0.0	-
10:02	0.0	0.0	10:02	0.00	0.0	-
10:03	0.0	0.0	10:03	0.00	0.0	-
10:04	0.0	0.0	10:04	0.00	0.0	-
10:05	0.0	0.0	10:05	0.00	0.0	-
10:06	0.0	0.0	10:06	0.10	0.0	-
10:07	0.0	0.0	10:07	0.00	0.0	-
10:08	0.0	0.0	10:08	0.00	0.0	-
10:09	0.0	0.0	10:09	0.00	0.0	-
10:10	0.0	0.0	10:10	0.00	0.0	-
10:11	0.0	0.0	10:11	0.00	0.0	-
10:12	0.0	0.0	10:12	0.00	0.0	-
10:13	0.0	0.0	10:13	0.00	0.0	-
10:14	0.0	0.0	10:14	0.00	0.0	-
10:15	0.0	0.0	10:15	0.00	0.0	-
10:16	0.0	0.0	10:16	0.00	0.0	-
10:17	0.0	0.0	10:17	0.00	0.0	-
10:18	0.0	0.0	10:18	0.00	0.0	-
10:19	0.0	0.0	10:19	0.00	0.0	-
10:20	0.0	0.0	10:20	0.00	0.0	-
10:21	0.0	0.0	10:21	0.00	0.0	-
10:22	0.0	0.0	10:22	0.00	0.0	-
10:23	0.0	0.0	10:23	0.00	0.0	-
10:24	0.0	0.0	10:24	0.00	0.0	-
10:25	0.0	0.0	10:25	0.00	0.0	-
10:26	0.0	0.0	10:26	0.00	0.0	-
10:27	0.0	0.0	10:27	0.00	0.0	-
10:28	0.0	0.0	10:28	0.00	0.0	-
10:29	0.0	0.0	10:29	0.00	0.0	-
10:30	0.0	0.0	10:30	0.00	0.0	-
10:31	0.0	0.0	10:31	0.00	0.0	-
10:32	0.0	0.0	10:32	0.00	0.0	-
10:33	0.0	0.0	10:33	0.00	0.0	-
10:34	0.0	0.0	10:34	0.00	0.0	-
10:35	0.0	0.0	10:35	0.00	0.0	-
10:36	0.0	0.0	10:36	0.00	0.0	-
10:37	0.0	0.0	10:37	0.00	0.0	-
10:38	0.0	0.0	10:38	0.00	0.0	-
10:39	0.0	0.0	10:39	0.00	0.0	-
10:40	0.0	0.0	10:40	0.00	0.0	-
10:41	0.0	0.0	10:41	0.00	0.0	-
10:42	0.0	0.0	10:42	0.00	0.0	-
10:43	0.0	0.0	10:43	0.00	0.0	-
10:44	0.0	0.0	10:44	0.00	0.0	-
10:45	0.0	0.0	10:45	0.00	0.0	-
10:46	0.0	0.0	10:46	0.00	0.0	-
10:47	0.0	0.0	10:47	0.00	0.0	-
10:48	0.0	0.0	10:48	0.00	0.0	-
10:49	0.0	0.0	10:49	0.00	0.0	-
10:50	0.0	0.0	10:50	0.00	0.0	-
10:51	0.0	0.0	10:51	0.00	0.0	-
10:52	0.0	0.0	10:52	0.00	0.0	-

May 8, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						365
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
10:53	0.0	0.0	10:53	0.00	0.0	-
10:54	0.0	0.0	10:54	0.00	0.0	-
10:55	0.0	0.0	10:55	0.00	0.0	-
10:56	0.0	0.0	10:56	0.00	0.0	-
10:57	0.0	0.0	10:57	0.00	0.0	-
10:58	0.0	0.0	10:58	0.00	0.0	-
10:59	0.0	0.0	10:59	0.00	0.0	-
11:00	0.0	0.0	11:00	0.00	0.0	-
11:01	0.0	0.0	11:01	0.00	0.0	-
11:02	0.0	0.0	11:02	0.00	0.0	-
11:03	0.0	0.0	11:03	0.00	0.0	-
11:04	0.0	0.0	11:04	0.00	0.0	-
11:05	0.0	0.0	11:05	0.00	0.0	-
11:06	0.0	0.0	11:06	0.00	0.0	-
11:07	0.0	0.0	11:07	0.00	0.0	-
11:08	0.0	0.0	11:08	0.00	0.0	-
11:09	0.0	0.0	11:09	0.00	0.0	-
11:10	0.0	0.0	11:10	0.00	0.0	-
11:11	0.0	0.0	11:11	0.00	0.0	-
11:12	0.0	0.0	11:12	0.00	0.0	-
11:13	0.0	0.0	11:13	0.00	0.0	-
11:14	0.0	0.0	11:14	0.00	0.0	-
11:15	0.0	0.0	11:15	0.00	0.0	-
11:16	0.0	0.0	11:16	0.00	0.0	-
11:17	0.0	0.0	11:17	0.00	0.0	-
11:18	0.0	0.0	11:18	0.00	0.0	-
11:19	0.0	0.0	11:19	0.00	0.0	-
11:20	0.0	0.0	11:20	0.00	0.0	-
11:21	0.0	0.0	11:21	0.00	0.0	-
11:22	0.0	0.0	11:22	0.00	0.0	-
11:23	0.0	0.0	11:23	0.00	0.0	-
11:24	0.0	0.0	11:24	0.00	0.0	-
11:25	0.0	0.0	11:25	0.00	0.0	-
11:26	0.0	0.0	11:26	0.00	0.0	-
11:27	0.0	0.0	11:27	0.00	0.0	-
11:28	0.0	0.0	11:28	0.00	0.0	-
11:29	0.0	0.0	11:29	0.00	0.0	-
11:30	0.0	0.0	11:30	0.00	0.0	-
11:31	0.0	0.0	11:31	0.00	0.0	-
11:32	0.0	0.0	11:32	0.0	0.0	-
11:33	0.0	0.0	11:33	0.0	0.0	-
11:34	0.0	0.0	11:34	0.0	0.0	-
11:35	0.0	0.0	11:35	0.0	0.0	-

May 8, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						365
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
11:36	0.0	0.0	11:36	0.0	0.0	-
11:37	0.0	0.0	11:37	0.0	0.0	-
11:38	0.0	0.0	11:38	0.0	0.0	-
11:39	0.0	0.0	11:39	0.0	0.0	-
11:40	0.0	0.0	11:40	0.0	0.0	-
11:41	0.0	0.0	11:41	0.0	0.0	-
11:42	0.0	0.0	11:42	0.0	0.0	-
11:43	0.0	0.0	11:43	0.0	0.0	-
11:44	0.0	0.0	11:44	0.0	0.0	-
11:45	0.0	0.0	11:45	0.0	0.0	-
11:46	0.0	0.0	11:46	0.0	0.0	-
11:47	0.0	0.0	11:47	0.0	0.0	-
11:48	0.0	0.0	11:48	0.0	0.0	-
11:49	0.0	0.0	11:49	0.0	0.0	-
11:50	0.0	0.0	11:50	0.0	0.0	-
11:51	0.0	0.0	11:51	0.0	0.0	-
11:52	0.0	0.0	11:52	0.0	0.0	-
11:53	0.0	0.0	11:53	0.0	0.0	-
11:54	0.0	0.0	11:54	0.0	0.0	-
11:55	0.0	0.0	11:55	0.0	0.0	-
11:56	0.0	0.0	11:56	0.0	0.0	-
11:57	0.0	0.0	11:57	0.0	0.0	-
11:58	0.0	0.0	11:58	0.0	0.0	-
11:59	0.0	0.0	11:59	0.0	0.0	-
12:00	0.0	0.0	12:00	0.0	0.0	-
12:01	0.0	0.0	12:01	0.0	0.0	-
12:02	0.0	0.0	12:02	0.0	0.0	-
12:03	0.0	0.0	12:03	0.0	0.0	-
12:04	0.0	0.0	12:04	0.0	0.0	-
12:05	0.0	0.0	12:05	0.0	0.0	-
12:06	0.0	0.0	12:06	0.0	0.0	-
12:07	0.0	0.0	12:07	0.0	0.0	-
12:08	0.0	0.0	12:08	0.0	0.0	-
12:09	0.0	0.0	12:09	0.0	0.0	-
12:10	0.0	0.0	12:10	0.0	0.0	-
12:11	0.0	0.0	12:11	0.0	0.0	-
12:12	0.0	0.0	12:12	0.0	0.0	-
12:13	0.0	0.0	12:13	0.0	0.0	-
12:14	0.0	0.0	12:14	0.0	0.0	-
12:15	0.0	0.0	12:15	0.0	0.0	-
12:16	0.0	0.0	12:16	0.0	0.0	-
12:17	0.0	0.0	12:17	0.0	0.0	-
12:18	0.0	0.0	12:18	0.0	0.0	-
12:19	0.0	0.0	12:19	0.0	0.0	-
12:20	0.0	0.0	12:20	0.0	0.0	-
12:21	0.0	0.0	12:21	0.0	0.0	-
12:22	0.0	0.0	12:22	0.0	0.0	-
12:23	0.0	0.0	12:23	0.0	0.0	-
12:24	0.0	0.0	12:24	0.0	0.0	-
12:25	0.0	0.0	12:25	0.0	0.0	-
12:26	0.0	0.0	12:26	0.0	0.0	-
12:27	0.0	0.0	12:27	0.0	0.0	-
12:28	0.0	0.0	12:28	0.0	0.0	-
12:29	0.0	0.0	12:29	0.0	0.0	-
12:30	0.0	0.0	12:30	0.0	0.0	-
12:31	0.0	0.0	12:31	0.0	0.0	-
12:32	0.0	0.0	12:32	0.0	0.0	-
12:33	0.0	0.0	12:33	0.0	0.0	-
12:34	0.0	0.0	12:34	0.0	0.0	-
12:35	0.0	0.0	12:35	0.0	0.0	-
12:36	0.0	0.0	12:36	0.0	0.0	-
12:37	0.0	0.0	12:37	0.0	0.0	-
12:38	0.0	0.0	12:38	0.0	0.0	-
12:39	0.0	0.0	12:39	0.0	0.0	-
12:40	0.0	0.0	12:40	0.0	0.0	-
12:41	0.0	0.0	12:41	0.0	0.0	-
12:42	0.0	0.0	12:42	0.0	0.0	-
12:43	0.0	0.0	12:43	0.0	0.0	-
12:44	0.0	0.0	12:44	0.0	0.0	-
12:45	0.0	0.0	12:45	0.0	0.0	-
12:46	0.0	0.0	12:46	0.0	0.0	-
12:47	0.0	0.0	12:47	0.0	0.0	-
12:48	0.0	0.0	12:48	0.0	0.0	-
12:49	0.0	0.0	12:49	0.0	0.0	-
12:50	0.0	0.0	12:50	0.0	0.0	-
12:51	0.0	0.0	12:51	0.0	0.0	-

May 8, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						365
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
12:52	0.0	0.0	12:52	0.0	0.0	-
12:53	0.0	0.0	12:53	0.0	0.0	-
12:54	0.0	0.0	12:54	0.0	0.0	-
12:55	0.0	0.0	12:55	0.0	0.0	-
12:56	0.0	0.0	12:56	0.0	0.0	-
12:57	0.0	0.0	12:57	0.0	0.0	-
12:58	0.0	0.0	12:58	0.0	0.0	-
12:59	0.0	0.0	12:59	0.0	0.0	-
13:00	0.0	0.0	13:00	0.0	0.0	-
13:01	0.0	0.0	13:01	0.0	0.0	-
13:02	0.0	0.0	13:02	0.0	0.0	-
13:03	0.0	0.0	13:03	0.0	0.0	-
13:04	0.0	0.0	13:04	0.0	0.0	-
13:05	0.0	0.0	13:05	0.0	0.0	-
13:06	0.0	0.0	13:06	0.0	0.0	-
13:07	0.0	0.0	13:07	0.0	0.0	-
13:08	0.0	0.0	13:08	0.0	0.0	-
13:09	0.0	0.0	13:09	0.0	0.0	-
13:10	0.0	0.0	13:10	0.0	0.0	-
13:11	0.0	0.0	13:11	0.0	0.0	-
13:12	0.0	0.0	13:12	0.0	0.0	-
13:13	0.0	0.0	13:13	0.0	0.0	-
13:14	0.0	0.0	13:14	0.0	0.0	-
13:15	0.0	0.0	13:15	0.0	0.0	-
13:16	0.0	0.0	13:16	0.0	0.0	-
13:17	0.0	0.0	13:17	0.0	0.0	-
13:18	0.0	0.0	13:18	0.0	0.0	-
13:19	0.0	0.0	13:19	0.0	0.0	-
13:20	0.0	0.0	13:20	0.0	0.0	-
13:21	0.0	0.0	13:21	0.0	0.0	-
13:22	0.0	0.0	13:22	0.0	0.0	-
13:23	0.0	0.0	13:23	0.0	0.0	-
13:24	0.0	0.0	13:24	0.0	0.0	-
13:25	0.0	0.0	13:25	0.0	0.0	-
13:26	0.0	0.0	13:26	0.0	0.0	-
13:27	0.0	0.0	13:27	0.0	0.0	-
13:28	0.0	0.0	13:28	0.0	0.0	-
13:29	0.0	0.0	13:29	0.0	0.0	-
13:30	0.0	0.0	13:30	0.0	0.0	-
13:31	0.0	0.0	13:31	0.0	0.0	-
13:32	0.0	0.0	13:32	0.0	0.0	-
13:33	0.0	0.0	13:33	0.0	0.0	-
13:34	-	0.0	13:34	0.0	0.0	-
13:35	-	0.0	13:35	0.0	0.0	-
13:36	-	0.0	13:36	0.0	0.0	-
13:37	-	0.0	13:37	0.0	0.0	-
13:38	-	0.0	13:38	0.1	0.0	-
13:39	-	0.0	13:39	0.0	0.0	-
13:40	-	0.0	13:40	0.0	0.0	-

PROJECT No.: 170745301 PROJECT: The Beacon LOCATION: New York, New York BCP Site Number: C231155	CLIENT: TCB Beacon East Harlem Limited Partnership	DATE: Monday, May 11, 2026 WEATHER: Clear, 53 – 64 °F Wind: NW @ 6 – 8 mph TIME: 7:00 am – 12:00 pm MONITORS: Alexandra DiBernardi
EQUIPMENT: Hammer drill Hand auger Geoprobe Drill Rig	PRESENT AT SITE: Langan (Environmental Consultant): Alexandra DiBernardi Lakewood Environmental Services Corp (Driller)	

OBSERVATIONS, DISCUSSION, TEST RESULTS, ETC.:

Langan Engineering, Environmental Surveying, Landscape Architecture and Geology, D.P.C. (Langan) was present to perform in-situ waste characterization soil sampling.

Site Activities

- Lakewood Environmental Services Corp. (Lakewood) used a hammer drill and hand auger to hand clear four soil borings within the southeastern part of the parking lot (WC05A, WC05B, WC05C, and WC05D) to about 5 feet below grade surface (bgs). Following hand clearance, Lakewood used a Geoprobe® direct push drill rig to advance the four borings to a depth of about 12 feet bgs. Langan screened soil/fill for staining, odors, and organic vapors using a photoionization detector (PID). No impacts were observed.

Air-monitoring Activities

- Langan implemented the Community Air Monitoring Plan (CAMP) with continuous air monitoring for volatile organic compounds (VOCs) and particulate matter smaller than 10 microns in diameter (PM10) at upwind and downwind locations during ground-intrusive activities. The VOC and PM10 action levels were not exceeded during the monitoring period.

Sampling

- Soil samples were collected and submitted to York Analytical Laboratories, Inc, an Environmental Laboratory Accredited Program (ELAP)-Certified laboratory located in Stratford, Connecticut under standard chain-of-custody protocols.
- The following soil samples were submitted for analysis of Target Compound List (TCL) and New York State Department of Environmental Conservation (NYSDEC) Part 375-list/New Jersey Department of Environmental Protection (NJDEP)/Pennsylvania Department of Environmental Protection (PADEP) semivolatile organic compounds (SVOCs), polychlorinated biphenyls (PCBs), pesticides, herbicides, target analyte list (TAL) metals (including hexavalent and trivalent chromium), total cyanide, NJDEP Extractable Petroleum Hydrocarbons (EPH), Resource Conservation and Recovery Act (RCRA) Characteristics, and paint filter:
 - WC05_COMP_0-6
 - WC05_COMP_6-12

- The following soil sample was submitted for analysis of NYSDEC Part 375/TCL/NJDEP/PADEP volatile organic compounds (VOCs):
 - WC05C_GRAB_5-6
 - WC05C_GRAB_11-12

- The following soil samples were submitted for an on-hold analysis of Total and Toxicity Characteristic Leaching Procedures (TCLP) metals, pending the analytical results of sampling:
 - WC05A_4-5
 - WC05B_3-4
 - WC05C_2-3
 - WC05D_1-2
 - WC05D_0-1
 - WC05A_10-11
 - WC05B_9-10
 - WC05C_8-9
 - WC05D_7-8
 - WC05D_6-7

Anticipated Activities:

- None.

Site Photos:




Photo 1: View of Lakewood advancing soil boring WC05D in the southern part of the site (facing northwest).



Photo 2: View of soil from soil boring WC05C in the southern part of the site (facing down).

Site Map:



LEGEND

Note: Drawing background from The Beacon Community Facility Survey for 50% CD, prepared by Paul A. Castrucci Architects, dated June 14, 2024. Drawing Shown Not to Scale.

- Approximate Site Boundary**
- Completed Soil Boring**
- Upwind CAMP Station**
- Downwind CAMP Station**

Date: 5/11/2026
Observer: Alexandra DiBernardi

Particulate Monitoring		
	Upwind Station	Downwind Station
Minimum 15min Average	-0.002	0.003
Maximum 15min Average	0.001	0.028
High Intervals "exceedances" (15min > 0.150 + Upwind level)	N/A	No
Minimum 1min Reading	-0.003	0.002
Maximum 1min Reading	0.003	0.135

Organic Vapor Monitoring		
	Upwind Station	Downwind Station
Minimum 15min Average	0.0	0.0
Maximum 15min Average	0.0	0.0
High Intervals "exceedances" (15min > 5 + Upwind level)	N/A	No
Minimum 1min Reading	0.0	0.0
Maximum 1min Reading	0.1	0.2

All reported particulate concentrations are in mg/m³ or milligrams per cubic meter and all reported organic vapor concentrations are in ppm or parts per million, unless specified otherwise.

May 11, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						336
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
7:21	0.002	-	7:20	0.003	-	
7:22	0.001	-	7:21	0.003	-	
7:23	0.001	-	7:22	0.003	-	
7:24	0.003	-	7:23	0.004	-	
7:25	0.002	-	7:24	0.004	-	
7:26	0.003	-	7:25	0.004	-	
7:27	0.000	-	7:26	0.004	-	
7:28	0.000	-	7:27	0.004	-	
7:29	0.000	-	7:28	0.003	-	
7:30	0.001	-	7:29	0.003	-	
7:31	0.001	-	7:30	0.003	-	
7:32	0.001	-	7:31	0.004	-	
7:33	0.001	-	7:32	0.004	-	
7:34	0.001	-	7:33	0.004	-	
7:35	0.001	0.001	7:34	0.003	0.004	-
7:36	0.001	0.001	7:35	0.003	0.004	-
7:37	0.000	0.001	7:36	0.003	0.004	-
7:38	0.000	0.001	7:37	0.003	0.004	-
7:39	0.002	0.001	7:38	0.004	0.004	-
7:40	0.001	0.001	7:39	0.004	0.004	-
7:41	0.001	0.001	7:40	0.004	0.004	-
7:42	0.001	0.001	7:41	0.005	0.004	-
7:43	0.001	0.001	7:42	0.004	0.004	-
7:44	0.002	0.001	7:43	0.004	0.004	-
7:45	0.003	0.001	7:44	0.004	0.004	-
7:46	0.000	0.001	7:45	0.004	0.004	-
7:47	0.000	0.001	7:46	0.004	0.004	-
7:48	0.001	0.001	7:47	0.004	0.004	-
7:49	0.001	0.001	7:48	0.004	0.004	-
7:50	0.000	0.001	7:49	0.004	0.004	-
7:51	0.000	0.001	7:50	0.004	0.004	-
7:52	0.000	0.001	7:51	0.005	0.004	-
7:53	0.000	0.001	7:52	0.004	0.004	-
7:54	0.000	0.001	7:53	0.004	0.004	-
7:55	0.000	0.001	7:54	0.004	0.004	-
7:56	0.001	0.001	7:55	0.004	0.004	-
7:57	0.000	0.001	7:56	0.004	0.004	-
7:58	0.001	0.001	7:57	0.004	0.004	-
7:59	0.001	0.001	7:58	0.004	0.004	-
8:00	0.000	0.001	7:59	0.004	0.004	-
8:01	0.000	0.000	8:00	0.003	0.004	-
8:02	0.000	0.000	8:01	0.004	0.004	-
8:03	0.000	0.000	8:02	0.003	0.004	-
8:04	0.000	0.000	8:03	0.004	0.004	-
8:05	0.000	0.000	8:04	0.004	0.004	-
8:06	0.000	0.000	8:05	0.004	0.004	-
8:07	0.000	0.000	8:06	0.003	0.004	-
8:08	0.000	0.000	8:07	0.004	0.004	-
8:09	0.000	0.000	8:08	0.004	0.004	-
8:10	0.000	0.000	8:09	0.007	0.004	-
8:11	0.000	0.000	8:10	0.004	0.004	-
8:12	0.000	0.000	8:11	0.003	0.004	-
8:13	0.000	0.000	8:12	0.004	0.004	-
8:14	0.000	0.000	8:13	0.004	0.004	-
8:15	0.000	0.000	8:14	0.004	0.004	-
8:16	0.000	0.000	8:15	0.004	0.004	-
8:17	0.000	0.000	8:16	0.003	0.004	-
8:18	0.000	0.000	8:17	0.004	0.004	-
8:19	0.000	0.000	8:18	0.004	0.004	-
8:20	0.000	0.000	8:19	0.005	0.004	-
8:21	0.000	0.000	8:20	0.003	0.004	-
8:22	0.000	0.000	8:21	0.004	0.004	-
8:23	0.000	0.000	8:22	0.006	0.004	-
8:24	0.000	0.000	8:23	0.004	0.004	-
8:25	-0.001	0.000	8:24	0.003	0.004	-
8:26	-0.001	0.000	8:25	0.004	0.004	-
8:27	-0.001	0.000	8:26	0.005	0.004	-
8:28	0.000	0.000	8:27	0.003	0.004	-
8:29	0.000	0.000	8:28	0.003	0.004	-
8:30	0.000	0.000	8:29	0.003	0.004	-

May 11, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						336
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
8:31	0.000	0.000	8:30	0.003	0.004	-
8:32	0.000	0.000	8:31	0.004	0.004	-
8:33	0.000	0.000	8:32	0.004	0.004	-
8:34	0.000	0.000	8:33	0.005	0.004	-
8:35	0.000	0.000	8:34	0.005	0.004	-
8:36	0.000	0.000	8:35	0.005	0.004	-
8:37	0.001	0.000	8:36	0.005	0.004	-
8:38	0.001	0.000	8:37	0.005	0.004	-
8:39	0.002	0.000	8:38	0.005	0.004	-
8:40	0.001	0.000	8:39	0.005	0.004	-
8:41	0.001	0.000	8:40	0.005	0.004	-
8:42	0.000	0.000	8:41	0.005	0.004	-
8:43	0.000	0.000	8:42	0.005	0.004	-
8:44	0.000	0.000	8:43	0.005	0.004	-
8:45	0.000	0.000	8:44	0.005	0.005	-
8:46	0.000	0.000	8:45	0.006	0.005	-
8:47	0.000	0.000	8:46	0.005	0.005	-
8:48	0.000	0.000	8:47	0.005	0.005	-
8:49	0.000	0.000	8:48	0.006	0.005	-
8:50	0.000	0.000	8:49	0.020	0.005	-
8:51	0.000	0.000	8:50	0.009	0.006	-
8:52	0.000	0.000	8:51	0.005	0.006	-
8:53	0.000	0.000	8:52	0.006	0.006	-
8:54	0.000	0.000	8:53	0.016	0.006	-
8:55	0.000	0.000	8:54	0.008	0.007	-
8:56	0.000	0.000	8:55	0.005	0.007	-
8:57	0.000	0.000	8:56	0.004	0.007	-
8:58	0.000	0.000	8:57	0.003	0.007	-
8:59	0.000	0.000	8:58	0.004	0.007	-
9:00	0.000	0.000	8:59	0.003	0.007	-
9:01	0.000	0.000	9:00	0.003	0.007	-
9:02	-0.001	0.000	9:01	0.003	0.007	-
9:03	-0.003	0.000	9:02	0.004	0.007	-
9:04	-0.003	0.000	9:03	0.004	0.007	-
9:05	-0.003	0.000	9:04	0.004	0.006	-
9:06	-0.003	-0.001	9:05	0.004	0.005	-
9:07	-0.003	-0.001	9:06	0.005	0.005	-
9:08	-0.003	-0.001	9:07	0.006	0.005	-
9:09	-0.003	-0.001	9:08	0.003	0.005	-
9:10	-0.002	-0.001	9:09	0.003	0.004	-
9:11	0.000	-0.002	9:10	0.003	0.004	-
9:12	0.000	-0.002	9:11	0.003	0.004	-
9:13	0.000	-0.002	9:12	0.004	0.004	-
9:14	0.000	-0.002	9:13	0.003	0.004	-
9:15	0.000	-0.002	9:14	0.003	0.004	-
9:16	0.000	-0.002	9:15	0.003	0.004	-
9:17	0.000	-0.002	9:16	0.003	0.004	-
9:18	0.000	-0.002	9:17	0.003	0.004	-
9:19	0.000	-0.001	9:18	0.002	0.004	-
9:20	0.000	-0.001	9:19	0.003	0.003	-
9:21	0.000	-0.001	9:20	0.003	0.003	-
9:22	0.000	-0.001	9:21	0.003	0.003	-
9:23	0.000	-0.001	9:22	0.003	0.003	-
9:24	0.000	0.000	9:23	0.003	0.003	-
9:25	0.000	0.000	9:24	0.003	0.003	-
9:26	0.000	0.000	9:25	0.003	0.003	-
9:27	0.000	0.000	9:26	0.003	0.003	-
9:28	0.000	0.000	9:27	0.003	0.003	-
9:29	0.000	0.000	9:28	0.003	0.003	-
9:30	0.000	0.000	9:29	0.003	0.003	-
9:31	0.000	0.000	9:30	0.003	0.003	-
9:32	0.000	0.000	9:31	0.003	0.003	-
9:33	0.000	0.000	9:32	0.003	0.003	-
9:34	0.000	0.000	9:33	0.003	0.003	-
9:35	0.000	0.000	9:34	0.003	0.003	-
9:36	0.000	0.000	9:35	0.003	0.003	-
9:37	0.000	0.000	9:36	0.003	0.003	-
9:38	0.000	0.000	9:37	0.003	0.003	-
9:39	0.000	0.000	9:38	0.003	0.003	-
9:40	0.000	0.000	9:39	0.003	0.003	-

May 11, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						336
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
9:41	0.000	0.000	9:40	0.003	0.003	-
9:42	0.000	0.000	9:41	0.003	0.003	-
9:43	0.000	0.000	9:42	0.003	0.003	-
9:44	0.000	0.000	9:43	0.003	0.003	-
9:45	0.000	0.000	9:44	0.002	0.003	-
9:46	0.000	0.000	9:45	0.003	0.003	-
9:47	0.000	0.000	9:46	0.003	0.003	-
9:48	0.000	0.000	9:47	0.003	0.003	-
9:49	0.000	0.000	9:48	0.003	0.003	-
9:50	0.000	0.000	9:49	0.003	0.003	-
9:51	0.000	0.000	9:50	0.002	0.003	-
9:52	0.000	0.000	9:51	0.003	0.003	-
9:53	0.000	0.000	9:52	0.003	0.003	-
9:54	0.000	0.000	9:53	0.002	0.003	-
9:55	0.000	0.000	9:54	0.003	0.003	-
9:56	0.000	0.000	9:55	0.003	0.003	-
9:57	0.000	0.000	9:56	0.003	0.003	-
9:58	-0.001	0.000	9:57	0.002	0.003	-
9:59	-0.001	0.000	9:58	0.003	0.003	-
10:00	-0.002	0.000	9:59	0.013	0.003	-
10:01	-0.002	0.000	10:00	0.003	0.003	-
10:02	-0.002	0.000	10:01	0.003	0.003	-
10:03	-0.003	-0.001	10:02	0.003	0.003	-
10:04	-0.003	-0.001	10:03	0.003	0.003	-
10:05	-0.003	-0.001	10:04	0.003	0.003	-
10:06	-0.003	-0.001	10:05	0.003	0.003	-
10:07	-0.003	-0.001	10:06	0.003	0.004	-
10:08	-0.002	-0.002	10:07	0.003	0.004	-
10:09	-0.001	-0.002	10:08	0.003	0.004	-
10:10	-0.001	-0.002	10:09	0.003	0.004	-
10:11	-0.001	-0.002	10:10	0.003	0.004	-
10:12	-0.001	-0.002	10:11	0.003	0.004	-
10:13	0.000	-0.002	10:12	0.003	0.004	-
10:14	0.000	-0.002	10:13	0.003	0.004	-
10:15	0.000	-0.002	10:14	0.003	0.004	-
10:16	0.000	-0.002	10:15	0.003	0.003	-
10:17	0.000	-0.002	10:16	0.003	0.003	-
10:18	0.000	-0.001	10:17	0.003	0.003	-
10:19	0.000	-0.001	10:18	0.003	0.003	-
10:20	0.000	-0.001	10:19	0.002	0.003	-
10:21	0.000	-0.001	10:20	0.003	0.003	-
10:22	0.000	-0.001	10:21	0.003	0.003	-
10:23	0.000	0.000	10:22	0.003	0.003	-
10:24	0.000	0.000	10:23	0.003	0.003	-
10:25	0.000	0.000	10:24	0.003	0.003	-
10:26	0.000	0.000	10:25	0.003	0.003	-
10:27	0.000	0.000	10:26	0.003	0.003	-
10:28	0.000	0.000	10:27	0.003	0.003	-
10:29	0.000	0.000	10:28	0.003	0.003	-
10:30	0.000	0.000	10:29	0.003	0.003	-
10:31	0.000	0.000	10:30	0.003	0.003	-
10:32	0.000	0.000	10:31	0.003	0.003	-
10:33	0.000	0.000	10:32	0.003	0.003	-
10:34	0.000	0.000	10:33	0.003	0.003	-
10:35	0.000	0.000	10:34	0.003	0.003	-
10:36	0.000	0.000	10:35	0.003	0.003	-
10:37	0.000	0.000	10:36	0.003	0.003	-
10:38	0.000	0.000	10:37	0.003	0.003	-
10:39	0.000	0.000	10:38	0.004	0.003	-
10:40	0.000	0.000	10:39	0.003	0.003	-
10:41	0.000	0.000	10:40	0.003	0.003	-
10:42	0.000	0.000	10:41	0.003	0.003	-
10:43	0.000	0.000	10:42	0.005	0.003	-
10:44	0.000	0.000	10:43	0.003	0.003	-
10:45	0.000	0.000	10:44	0.003	0.003	-
10:46	0.000	0.000	10:45	0.004	0.003	-
10:47	0.000	0.000	10:46	0.003	0.003	-
10:48	0.000	0.000	10:47	0.003	0.003	-

May 11, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						336
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
10:49	0.000	0.000	10:48	0.003	0.003	-
10:50	0.000	0.000	10:49	0.003	0.003	-
10:51	0.000	0.000	10:50	0.003	0.003	-
10:52	0.000	0.000	10:51	0.003	0.003	-
10:53	0.000	0.000	10:52	0.003	0.003	-
10:54	0.000	0.000	10:53	0.003	0.003	-
10:55	0.000	0.000	10:54	0.003	0.003	-
10:56	0.000	0.000	10:55	0.003	0.003	-
10:57	0.000	0.000	10:56	0.003	0.003	-
10:58	0.000	0.000	10:57	0.003	0.003	-
10:59	0.000	0.000	10:58	0.003	0.003	-
11:00	0.000	0.000	10:59	0.003	0.003	-
11:01	0.000	0.000	11:00	0.003	0.003	-
11:02	0.000	0.000	11:01	0.003	0.003	-
11:03	0.000	0.000	11:02	0.003	0.003	-
11:04	0.000	0.000	11:03	0.004	0.003	-
11:05	0.000	0.000	11:04	0.003	0.003	-
11:06	0.000	0.000	11:05	0.003	0.003	-
11:07	0.000	0.000	11:06	0.004	0.003	-
11:08	0.000	0.000	11:07	0.004	0.003	-
11:09	0.000	0.000	11:08	0.004	0.003	-
11:10	0.000	0.000	11:09	0.003	0.003	-
11:11	0.000	0.000	11:10	0.003	0.003	-
11:12	0.000	0.000	11:11	0.003	0.003	-
11:13	0.000	0.000	11:12	0.003	0.003	-
11:14	0.000	0.000	11:13	0.003	0.003	-
11:15	0.000	0.000	11:14	0.003	0.003	-
11:16	0.000	0.000	11:15	0.003	0.003	-
11:17	0.000	0.000	11:16	0.003	0.003	-
11:18	0.000	0.000	11:17	0.003	0.003	-
11:19	0.000	0.000	11:18	0.003	0.003	-
11:20	0.000	0.000	11:19	0.003	0.003	-
11:21	0.000	0.000	11:20	0.003	0.003	-
11:22	0.000	0.000	11:21	0.003	0.003	-
11:23	0.000	0.000	11:22	0.003	0.003	-
11:24	0.000	0.000	11:23	0.003	0.003	-
11:25	0.000	0.000	11:24	0.003	0.003	-
11:26	0.000	0.000	11:25	0.003	0.003	-
11:27	0.000	0.000	11:26	0.003	0.003	-
11:28	0.000	0.000	11:27	0.004	0.003	-
11:29	0.000	0.000	11:28	0.004	0.003	-
11:30	0.000	0.000	11:29	0.003	0.003	-
11:31	0.000	0.000	11:30	0.003	0.003	-
11:32	0.000	0.000	11:31	0.003	0.003	-
11:33	0.000	0.000	11:32	0.003	0.003	-

May 11, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						336
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
11:34	0.000	0.000	11:33	0.003	0.003	-
11:35	0.000	0.000	11:34	0.004	0.003	-
11:36	0.000	0.000	11:35	0.004	0.003	-
11:37	0.000	0.000	11:36	0.003	0.003	-
11:38	0.000	0.000	11:37	0.003	0.003	-
11:39	0.000	0.000	11:38	0.005	0.003	-
11:40	0.000	0.000	11:39	0.004	0.003	-
11:41	0.000	0.000	11:40	0.004	0.003	-
11:42	0.000	0.000	11:41	0.003	0.004	-
11:43	0.000	0.000	11:42	0.004	0.004	-
11:44	0.000	0.000	11:43	0.004	0.004	-
11:45	0.000	0.000	11:44	0.005	0.004	-
11:46	0.000	0.000	11:45	0.005	0.004	-
11:47	0.000	0.000	11:46	0.005	0.004	-
11:48	0.000	0.000	11:47	0.005	0.004	-
11:49	0.000	0.000	11:48	0.006	0.004	-
11:50	0.000	0.000	11:49	0.005	0.004	-
11:51	0.000	0.000	11:50	0.005	0.004	-
11:52	0.000	0.000	11:51	0.005	0.004	-
11:53	0.000	0.000	11:52	0.004	0.005	-
11:54	0.000	0.000	11:53	0.004	0.005	-
11:55	0.000	0.000	11:54	0.004	0.005	-
11:56	0.000	0.000	11:55	0.005	0.005	-
11:57	0.000	0.000	11:56	0.005	0.005	-
11:58	0.000	0.000	11:57	0.005	0.005	-
11:59	0.000	0.000	11:58	0.005	0.005	-
12:00	0.000	0.000	11:59	0.005	0.005	-
12:01	0.000	0.000	12:00	0.004	0.005	-
12:02	0.000	0.000	12:01	0.014	0.005	-
12:03	0.000	0.000	12:02	0.013	0.005	-
12:04	0.000	0.000	12:03	0.013	0.006	-
12:05	0.000	0.000	12:04	0.014	0.006	-
12:06	0.000	0.000	12:05	0.013	0.007	-
12:07	0.000	0.000	12:06	0.013	0.008	-
12:08	0.000	0.000	12:07	0.013	0.008	-
12:09	-0.001	0.000	12:08	0.013	0.009	-
12:10	-0.002	0.000	12:09	0.012	0.009	-
12:11	-0.001	0.000	12:10	0.012	0.010	-
12:12	0.000	0.000	12:11	0.014	0.010	-
12:13	0.000	0.000	12:12	0.013	0.011	-
12:14	-0.001	0.000	12:13	0.013	0.011	-
12:15	-0.001	0.000	12:14	0.013	0.012	-
12:16	-0.001	0.000	12:15	0.013	0.012	-
12:17	-0.001	0.000	12:16	0.014	0.013	-
12:18	-0.001	-0.001	12:17	0.014	0.013	-
12:19	-0.002	-0.001	12:18	0.014	0.013	-
12:20	-0.002	-0.001	12:19	0.014	0.013	-
12:21	-0.002	-0.001	12:20	0.014	0.013	-
12:22	-0.002	-0.001	12:21	0.014	0.013	-
12:23	-0.002	-0.001	12:22	0.013	0.013	-
12:24	-0.002	-0.001	12:23	0.014	0.013	-
12:25	-0.001	-0.001	12:24	0.015	0.013	-
12:26	-0.001	-0.001	12:25	0.014	0.014	-
12:27	-0.001	-0.001	12:26	0.014	0.014	-
12:28	-0.001	-0.001	12:27	0.015	0.014	-
12:29	-0.001	-0.001	12:28	0.014	0.014	-
12:30	0.000	-0.001	12:29	0.016	0.014	-
12:31	0.000	-0.001	12:30	0.015	0.014	-
12:32	0.000	-0.001	12:31	0.015	0.014	-
12:33	0.000	-0.001	12:32	0.014	0.014	-
12:34	0.000	-0.001	12:33	0.014	0.014	-
12:35	0.000	-0.001	12:34	0.015	0.014	-
12:36	0.000	-0.001	12:35	0.014	0.014	-
12:37	0.000	-0.001	12:36	0.015	0.014	-
12:38	0.000	-0.001	12:37	0.014	0.014	-
12:39	0.000	0.000	12:38	0.015	0.015	-
12:40	0.000	0.000	12:39	0.014	0.015	-

May 11, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + .150 mg/m ³ =						0
Number of Comparable Data Points =						336
PARTICULATE DATA						
Upwind			Downwind Station 1			Exceeds Particulate Alarm Limits
Time	PM 10 (mg/m ³)	15-Minute Average	Time	PM 10 (mg/m ³)	15-Minute Average	
12:41	0.000	0.000	12:40	0.014	0.015	-
12:42	0.000	0.000	12:41	0.014	0.015	-
12:43	0.000	0.000	12:42	0.024	0.015	-
12:44	0.001	0.000	12:43	0.017	0.015	-
12:45	0.002	0.000	12:44	0.014	0.015	-
12:46	0.002	0.000	12:45	0.170	0.015	-
12:47	0.000	0.000	12:46	0.013	0.026	-
12:48	0.000	0.000	12:47	0.013	0.025	-
12:49	0.000	0.000	12:48	0.014	0.025	-
12:50	0.000	0.000	12:49	0.014	0.025	-
12:51	0.000	0.000	12:50	0.014	0.025	-
12:52	0.000	0.000	12:51	0.014	0.025	-
12:53	0.000	0.000	12:52	0.014	0.025	-
12:54	0.000	0.000	12:53	0.014	0.025	-
12:55	0.000	0.000	12:54	0.014	0.025	-
12:56	-0.001	0.000	12:55	0.014	0.025	-
12:57	-0.001	0.000	12:56	-	0.025	-
12:58	0.000	0.000	12:57	-	0.026	-
12:59	-0.002	0.000	12:58	-	0.026	-
13:00	-0.002	0.000	12:59	-	0.027	-
13:01	-0.002	0.000	13:00	-	0.028	-
13:02	-0.002	-0.001	13:01	-	0.014	-
13:03	-0.001	-0.001	13:02	-	0.014	-
13:04	0.000	-0.001	13:03	-	0.014	-
13:05	0.000	-0.001	13:04	-	0.014	-
13:06	0.000	-0.001	13:05	-	0.014	-
13:07	0.000	-0.001	13:06	-	0.014	-
13:08	0.000	-0.001	13:07	-	0.014	-
13:09	0.000	-0.001	13:08	-	0.014	-
13:10	0.000	-0.001	13:09	-	0.014	-

May 11, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						379
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
7:21	0.0	-	7:20	0.00	-	
7:22	0.0	-	7:21	0.00	-	
7:23	0.0	-	7:22	0.00	-	
7:24	0.0	-	7:23	0.00	-	
7:25	0.0	-	7:24	0.00	-	
7:26	0.0	-	7:25	0.00	-	
7:27	0.0	-	7:26	0.00	-	
7:28	0.0	-	7:27	0.00	-	
7:29	0.0	-	7:28	0.00	-	
7:30	0.0	-	7:29	0.00	-	
7:31	0.0	-	7:30	0.00	-	
7:32	0.0	-	7:31	0.00	-	
7:33	0.0	-	7:32	0.00	-	
7:34	0.0	-	7:33	0.00	-	
7:35	0.0	0.01	7:34	0.00	0.00	-
7:36	0.0	0.00	7:35	0.00	0.00	-
7:37	0.0	0.00	7:36	0.00	0.00	-
7:38	0.0	0.00	7:37	0.00	0.00	-
7:39	0.0	0.00	7:38	0.00	0.00	-
7:40	0.0	0.00	7:39	0.00	0.00	-
7:41	0.0	0.00	7:40	0.00	0.00	-
7:42	0.0	0.00	7:41	0.00	0.00	-
7:43	0.0	0.00	7:42	0.00	0.00	-
7:44	0.0	0.00	7:43	0.00	0.00	-
7:45	0.0	0.00	7:44	0.00	0.00	-
7:46	0.0	0.00	7:45	0.00	0.00	-
7:47	0.0	0.00	7:46	0.00	0.00	-
7:48	0.0	0.00	7:47	0.00	0.00	-
7:49	0.0	0.00	7:48	0.00	0.00	-
7:50	0.0	0.00	7:49	0.00	0.00	-
7:51	0.0	0.00	7:50	0.00	0.00	-
7:52	0.0	0.00	7:51	0.00	0.00	-
7:53	0.0	0.00	7:52	0.00	0.00	-
7:54	0.0	0.00	7:53	0.00	0.00	-
7:55	0.0	0.00	7:54	0.00	0.00	-
7:56	0.0	0.00	7:55	0.00	0.00	-
7:57	0.0	0.00	7:56	0.00	0.00	-
7:58	0.0	0.00	7:57	0.00	0.00	-
7:59	0.0	0.00	7:58	0.00	0.00	-
8:00	0.0	0.00	7:59	0.00	0.00	-
8:01	0.0	0.00	8:00	0.00	0.00	-
8:02	0.0	0.00	8:01	0.00	0.00	-
8:03	0.0	0.00	8:02	0.00	0.00	-
8:04	0.0	0.00	8:03	0.00	0.00	-
8:05	0.0	0.00	8:04	0.00	0.00	-
8:06	0.0	0.00	8:05	0.00	0.00	-
8:07	0.0	0.00	8:06	0.00	0.00	-
8:08	0.0	0.00	8:07	0.00	0.00	-
8:09	0.0	0.00	8:08	0.00	0.00	-
8:10	0.0	0.00	8:09	0.00	0.00	-
8:11	0.0	0.00	8:10	0.00	0.00	-
8:12	0.0	0.00	8:11	0.00	0.00	-
8:13	0.0	0.00	8:12	0.00	0.00	-
8:14	0.0	0.00	8:13	0.00	0.00	-
8:15	0.0	0.00	8:14	0.00	0.00	-
8:16	0.0	0.00	8:15	0.00	0.00	-
8:17	0.0	0.00	8:16	0.00	0.00	-
8:18	0.0	0.00	8:17	0.00	0.00	-
8:19	0.0	0.00	8:18	0.00	0.00	-
8:20	0.0	0.00	8:19	0.00	0.00	-
8:21	0.0	0.00	8:20	0.00	0.00	-
8:22	0.0	0.00	8:21	0.00	0.00	-
8:23	0.0	0.00	8:22	0.00	0.00	-
8:24	0.0	0.00	8:23	0.00	0.00	-
8:25	0.0	0.00	8:24	0.00	0.00	-
8:26	0.0	0.00	8:25	0.00	0.00	-
8:27	0.0	0.00	8:26	0.00	0.00	-
8:28	0.0	0.00	8:27	0.00	0.00	-
8:29	0.0	0.00	8:28	0.00	0.00	-
8:30	0.0	0.00	8:29	0.00	0.00	-

May 11, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						379
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
8:31	0.0	0.00	8:30	0.00	0.00	-
8:32	0.0	0.00	8:31	0.00	0.00	-
8:33	0.0	0.00	8:32	0.00	0.00	-
8:34	0.0	0.00	8:33	0.00	0.00	-
8:35	0.0	0.00	8:34	0.00	0.00	-
8:36	0.0	0.00	8:35	0.00	0.00	-
8:37	0.0	0.00	8:36	0.00	0.00	-
8:38	0.0	0.00	8:37	0.00	0.00	-
8:39	0.0	0.00	8:38	0.00	0.00	-
8:40	0.0	0.00	8:39	0.00	0.00	-
8:41	0.0	0.00	8:40	0.00	0.00	-
8:42	0.0	0.00	8:41	0.00	0.00	-
8:43	0.0	0.00	8:42	0.00	0.00	-
8:44	0.0	0.00	8:43	0.00	0.00	-
8:45	0.0	0.00	8:44	0.00	0.00	-
8:46	0.0	0.00	8:45	0.00	0.00	-
8:47	0.0	0.00	8:46	0.00	0.00	-
8:48	0.0	0.00	8:47	0.00	0.00	-
8:49	0.0	0.00	8:48	0.00	0.00	-
8:50	0.0	0.00	8:49	0.00	0.00	-
8:51	0.0	0.00	8:50	0.00	0.00	-
8:52	0.0	0.00	8:51	0.00	0.00	-
8:53	0.0	0.00	8:52	0.00	0.00	-
8:54	0.0	0.00	8:53	0.00	0.00	-
8:55	0.0	0.00	8:54	0.00	0.00	-
8:56	0.0	0.00	8:55	0.00	0.00	-
8:57	0.0	0.00	8:56	0.00	0.00	-
8:58	0.0	0.00	8:57	0.00	0.00	-
8:59	0.0	0.00	8:58	0.00	0.00	-
9:00	0.0	0.00	8:59	0.00	0.00	-
9:01	0.0	0.00	9:00	0.00	0.00	-
9:02	0.0	0.00	9:01	0.00	0.00	-
9:03	0.0	0.00	9:02	0.00	0.00	-
9:04	0.0	0.00	9:03	0.00	0.00	-
9:05	0.0	0.00	9:04	0.00	0.00	-
9:06	0.0	0.00	9:05	0.00	0.00	-
9:07	0.0	0.00	9:06	0.00	0.00	-
9:08	0.0	0.00	9:07	0.00	0.00	-
9:09	0.0	0.00	9:08	0.00	0.00	-
9:10	0.0	0.00	9:09	0.00	0.00	-
9:11	0.0	0.00	9:10	0.00	0.00	-
9:12	0.0	0.00	9:11	0.00	0.00	-
9:13	0.0	0.00	9:12	0.00	0.00	-
9:14	0.0	0.00	9:13	0.00	0.00	-
9:15	0.0	0.00	9:14	0.00	0.00	-
9:16	0.0	0.00	9:15	0.00	0.00	-
9:17	0.0	0.00	9:16	0.00	0.00	-
9:18	0.0	0.00	9:17	0.00	0.00	-
9:19	0.0	0.00	9:18	0.00	0.00	-
9:20	0.0	0.00	9:19	0.00	0.00	-
9:21	0.0	0.00	9:20	0.00	0.00	-
9:22	0.0	0.00	9:21	0.00	0.00	-
9:23	0.0	0.00	9:22	0.00	0.00	-
9:24	0.0	0.00	9:23	0.00	0.00	-
9:25	0.0	0.00	9:24	0.00	0.00	-
9:26	0.0	0.00	9:25	0.00	0.00	-
9:27	0.0	0.00	9:26	0.00	0.00	-
9:28	0.0	0.00	9:27	0.00	0.00	-
9:29	0.0	0.00	9:28	0.00	0.00	-
9:30	0.0	0.00	9:29	0.00	0.00	-
9:31	0.0	0.00	9:30	0.00	0.00	-
9:32	0.0	0.00	9:31	0.00	0.00	-
9:33	0.0	0.0	9:32	0.00	0.00	-
9:34	0.0	0.0	9:33	0.00	0.00	-
9:35	0.0	0.0	9:34	0.00	0.00	-
9:36	0.0	0.0	9:35	0.00	0.00	-
9:37	0.0	0.0	9:36	0.00	0.00	-
9:38	0.0	0.0	9:37	0.00	0.00	-
9:39	0.0	0.0	9:38	0.00	0.00	-
9:40	0.0	0.0	9:39	0.00	0.00	-

May 11, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						379
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
9:41	0.0	0.0	9:40	0.00	0.00	-
9:42	0.0	0.0	9:41	0.00	0.0	-
9:43	0.0	0.0	9:42	0.00	0.0	-
9:44	0.0	0.0	9:43	0.00	0.0	-
9:45	0.0	0.0	9:44	0.00	0.0	-
9:46	0.0	0.0	9:45	0.00	0.0	-
9:47	0.0	0.0	9:46	0.00	0.0	-
9:48	0.0	0.0	9:47	0.00	0.0	-
9:49	0.0	0.0	9:48	0.00	0.0	-
9:50	0.0	0.0	9:49	0.00	0.0	-
9:51	0.0	0.0	9:50	0.00	0.0	-
9:52	0.0	0.0	9:51	0.00	0.0	-
9:53	0.0	0.0	9:52	0.00	0.0	-
9:54	0.0	0.0	9:53	0.00	0.0	-
9:55	0.0	0.0	9:54	0.00	0.0	-
9:56	0.0	0.0	9:55	0.00	0.0	-
9:57	0.0	0.0	9:56	0.00	0.0	-
9:58	0.0	0.0	9:57	0.00	0.0	-
9:59	0.0	0.0	9:58	0.00	0.0	-
10:00	0.0	0.0	9:59	0.00	0.0	-
10:01	0.0	0.0	10:00	0.00	0.0	-
10:02	0.0	0.0	10:01	0.00	0.0	-
10:03	0.0	0.0	10:02	0.00	0.0	-
10:04	0.0	0.0	10:03	0.00	0.0	-
10:05	0.0	0.0	10:04	0.00	0.0	-
10:06	0.0	0.0	10:05	0.00	0.0	-
10:07	0.0	0.0	10:06	0.00	0.0	-
10:08	0.0	0.0	10:07	0.00	0.0	-
10:09	0.0	0.0	10:08	0.00	0.0	-
10:10	0.0	0.0	10:09	0.00	0.0	-
10:11	0.0	0.0	10:10	0.00	0.0	-
10:12	0.0	0.0	10:11	0.00	0.0	-
10:13	0.0	0.0	10:12	0.00	0.0	-
10:14	0.0	0.0	10:13	0.00	0.0	-
10:15	0.0	0.0	10:14	0.00	0.0	-
10:16	0.0	0.0	10:15	0.00	0.0	-
10:17	0.0	0.0	10:16	0.00	0.0	-
10:18	0.0	0.0	10:17	0.00	0.0	-
10:19	0.0	0.0	10:18	0.00	0.0	-
10:20	0.0	0.0	10:19	0.00	0.0	-
10:21	0.0	0.0	10:20	0.00	0.0	-
10:22	0.0	0.0	10:21	0.00	0.0	-
10:23	0.0	0.0	10:22	0.00	0.0	-
10:24	0.0	0.0	10:23	0.00	0.0	-
10:25	0.0	0.0	10:24	0.00	0.0	-
10:26	0.0	0.0	10:25	0.00	0.0	-
10:27	0.0	0.0	10:26	0.00	0.0	-
10:28	0.0	0.0	10:27	0.00	0.0	-
10:29	0.0	0.0	10:28	0.00	0.0	-
10:30	0.0	0.0	10:29	0.00	0.0	-
10:31	0.0	0.0	10:30	0.00	0.0	-
10:32	0.0	0.0	10:31	0.00	0.0	-
10:33	0.0	0.0	10:32	0.00	0.0	-
10:34	0.0	0.0	10:33	0.00	0.0	-
10:35	0.0	0.0	10:34	0.00	0.0	-
10:36	0.0	0.0	10:35	0.00	0.0	-
10:37	0.0	0.0	10:36	0.00	0.0	-
10:38	0.0	0.0	10:37	0.00	0.0	-
10:39	0.0	0.0	10:38	0.00	0.0	-
10:40	0.0	0.0	10:39	0.00	0.0	-
10:41	0.0	0.0	10:40	0.00	0.0	-
10:42	0.0	0.0	10:41	0.00	0.0	-
10:43	0.0	0.0	10:42	0.00	0.0	-
10:44	0.0	0.0	10:43	0.00	0.0	-
10:45	0.0	0.0	10:44	0.00	0.0	-
10:46	0.0	0.0	10:45	0.00	0.0	-
10:47	0.0	0.0	10:46	0.00	0.0	-
10:48	0.0	0.0	10:47	0.00	0.0	-

May 11, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						379
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
10:49	0.0	0.0	10:48	0.00	0.0	-
10:50	0.0	0.0	10:49	0.00	0.0	-
10:51	0.0	0.0	10:50	0.00	0.0	-
10:52	0.0	0.0	10:51	0.00	0.0	-
10:53	0.0	0.0	10:52	0.00	0.0	-
10:54	0.0	0.0	10:53	0.00	0.0	-
10:55	0.0	0.0	10:54	0.00	0.0	-
10:56	0.0	0.0	10:55	0.00	0.0	-
10:57	0.0	0.0	10:56	0.00	0.0	-
10:58	0.0	0.0	10:57	0.00	0.0	-
10:59	0.0	0.0	10:58	0.00	0.0	-
11:00	0.0	0.0	10:59	0.00	0.0	-
11:01	0.0	0.0	11:00	0.00	0.0	-
11:02	0.0	0.0	11:01	0.00	0.0	-
11:03	0.0	0.0	11:02	0.00	0.0	-
11:04	0.0	0.0	11:03	0.00	0.0	-
11:05	0.0	0.0	11:04	0.00	0.0	-
11:06	0.0	0.0	11:05	0.00	0.0	-
11:07	0.0	0.0	11:06	0.00	0.0	-
11:08	0.0	0.0	11:07	0.00	0.0	-
11:09	0.0	0.0	11:08	0.00	0.0	-
11:10	0.0	0.0	11:09	0.00	0.0	-
11:11	0.0	0.0	11:10	0.00	0.0	-
11:12	0.0	0.0	11:11	0.00	0.0	-
11:13	0.0	0.0	11:12	0.00	0.0	-
11:14	0.0	0.0	11:13	0.00	0.0	-
11:15	0.0	0.0	11:14	0.00	0.0	-
11:16	0.0	0.0	11:15	0.00	0.0	-
11:17	0.0	0.0	11:16	0.00	0.0	-
11:18	0.0	0.0	11:17	0.00	0.0	-
11:19	0.0	0.0	11:18	0.00	0.0	-
11:20	0.0	0.0	11:19	0.00	0.0	-
11:21	0.0	0.0	11:20	0.00	0.0	-
11:22	0.0	0.0	11:21	0.00	0.0	-
11:23	0.0	0.0	11:22	0.00	0.0	-
11:24	0.0	0.0	11:23	0.00	0.0	-
11:25	0.0	0.0	11:24	0.00	0.0	-
11:26	0.0	0.0	11:25	0.00	0.0	-
11:27	0.0	0.0	11:26	0.00	0.0	-
11:28	0.0	0.0	11:27	0.0	0.0	-
11:29	0.0	0.0	11:28	0.0	0.0	-
11:30	0.0	0.0	11:29	0.0	0.0	-
11:31	0.0	0.0	11:30	0.0	0.0	-

May 11, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						379
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
11:32	0.0	0.0	11:31	0.0	0.0	-
11:33	0.0	0.0	11:32	0.0	0.0	-
11:34	0.0	0.0	11:33	0.0	0.0	-
11:35	0.0	0.0	11:34	0.0	0.0	-
11:36	0.0	0.0	11:35	0.0	0.0	-
11:37	0.0	0.0	11:36	0.0	0.0	-
11:38	0.0	0.0	11:37	0.0	0.0	-
11:39	0.0	0.0	11:38	0.0	0.0	-
11:40	0.0	0.0	11:39	0.0	0.0	-
11:41	0.0	0.0	11:40	0.0	0.0	-
11:42	0.0	0.0	11:41	0.0	0.0	-
11:43	0.0	0.0	11:42	0.0	0.0	-
11:44	0.0	0.0	11:43	0.0	0.0	-
11:45	0.0	0.0	11:44	0.0	0.0	-
11:46	0.0	0.0	11:45	0.0	0.0	-
11:47	0.0	0.0	11:46	0.0	0.0	-
11:48	0.0	0.0	11:47	0.0	0.0	-
11:49	0.0	0.0	11:48	0.0	0.0	-
11:50	0.0	0.0	11:49	0.0	0.0	-
11:51	0.0	0.0	11:50	0.0	0.0	-
11:52	0.0	0.0	11:51	0.0	0.0	-
11:53	0.0	0.0	11:52	0.0	0.0	-
11:54	0.0	0.0	11:53	0.0	0.0	-
11:55	0.0	0.0	11:54	0.0	0.0	-
11:56	0.0	0.0	11:55	0.0	0.0	-
11:57	0.0	0.0	11:56	0.0	0.0	-
11:58	0.0	0.0	11:57	0.0	0.0	-
11:59	0.0	0.0	11:58	0.0	0.0	-
12:00	0.0	0.0	11:59	0.0	0.0	-
12:01	0.0	0.0	12:00	0.0	0.0	-
12:02	0.0	0.0	12:01	0.0	0.0	-
12:03	0.0	0.0	12:02	0.0	0.0	-
12:04	0.0	0.0	12:03	0.0	0.0	-
12:05	0.0	0.0	12:04	0.0	0.0	-
12:06	0.0	0.0	12:05	0.0	0.0	-
12:07	0.0	0.0	12:06	0.0	0.0	-
12:08	0.0	0.0	12:07	0.0	0.0	-
12:09	0.0	0.0	12:08	0.0	0.0	-
12:10	0.0	0.0	12:09	0.0	0.0	-
12:11	0.0	0.0	12:10	0.0	0.0	-
12:12	0.0	0.0	12:11	0.0	0.0	-
12:13	0.0	0.0	12:12	0.0	0.0	-
12:14	0.0	0.0	12:13	0.0	0.0	-
12:15	0.0	0.0	12:14	0.0	0.0	-
12:16	0.0	0.0	12:15	0.0	0.0	-
12:17	0.0	0.0	12:16	0.0	0.0	-
12:18	0.0	0.0	12:17	0.0	0.0	-
12:19	0.0	0.0	12:18	0.0	0.0	-
12:20	0.0	0.0	12:19	0.0	0.0	-
12:21	0.0	0.0	12:20	0.0	0.0	-
12:22	0.0	0.0	12:21	0.0	0.0	-
12:23	0.0	0.0	12:22	0.0	0.0	-
12:24	0.0	0.0	12:23	0.0	0.0	-
12:25	0.0	0.0	12:24	0.0	0.0	-
12:26	0.0	0.0	12:25	0.0	0.0	-
12:27	0.0	0.0	12:26	0.0	0.0	-
12:28	0.0	0.0	12:27	0.0	0.0	-
12:29	0.0	0.0	12:28	0.0	0.0	-
12:30	0.0	0.0	12:29	0.0	0.0	-
12:31	0.0	0.0	12:30	0.0	0.0	-
12:32	0.0	0.0	12:31	0.0	0.0	-
12:33	0.0	0.0	12:32	0.0	0.0	-
12:34	0.0	0.0	12:33	0.0	0.0	-
12:35	0.0	0.0	12:34	0.0	0.0	-
12:36	0.0	0.0	12:35	0.0	0.0	-
12:37	0.0	0.0	12:36	0.0	0.0	-
12:38	0.0	0.0	12:37	0.0	0.0	-
12:39	0.0	0.0	12:38	0.0	0.0	-
12:40	0.0	0.0	12:39	0.0	0.0	-
12:41	0.0	0.0	12:40	0.0	0.0	-
12:42	0.0	0.0	12:41	0.0	0.0	-
12:43	0.0	0.0	12:42	0.0	0.0	-
12:44	0.0	0.0	12:43	0.0	0.0	-
12:45	0.0	0.0	12:44	0.0	0.0	-
12:46	0.0	0.0	12:45	0.0	0.0	-
12:47	0.0	0.0	12:46	0.0	0.0	-

May 11, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5ppm =						0
Number of Comparable Data Points =						379
PID DATA						
Upwind Station			Downwind Station 1			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
12:48	0.0	0.0	12:47	0.0	0.0	-
12:49	0.0	0.0	12:48	0.0	0.0	-
12:50	0.0	0.0	12:49	0.0	0.0	-
12:51	0.0	0.0	12:50	0.0	0.0	-
12:52	0.0	0.0	12:51	0.0	0.0	-
12:53	0.0	0.0	12:52	0.0	0.0	-
12:54	0.0	0.0	12:53	0.0	0.0	-
12:55	0.0	0.0	12:54	0.0	0.0	-
12:56	0.0	0.0	12:55	0.0	0.0	-
12:57	0.0	0.0	12:56	0.0	0.0	-
12:58	0.0	0.0	12:57	0.0	0.0	-
12:59	0.0	0.0	12:58	0.0	0.0	-
13:00	0.0	0.0	12:59	0.0	0.0	-
13:01	0.0	0.0	13:00	0.0	0.0	-
13:02	0.0	0.0	13:01	0.0	0.0	-
13:03	0.0	0.0	13:02	0.0	0.0	-
13:04	0.0	0.0	13:03	0.0	0.0	-
13:05	0.0	0.0	13:04	0.0	0.0	-
13:06	0.0	0.0	13:05	0.0	0.0	-
13:07	0.0	0.0	13:06	0.0	0.0	-
13:08	0.0	0.0	13:07	0.0	0.0	-
13:09	0.0	0.0	13:08	0.0	0.0	-
13:10	0.0	0.0	13:09	0.0	0.0	-
13:11	0.0	0.0	13:10	0.0	0.0	-
13:12	0.0	0.0	13:11	0.0	0.0	-
13:13	0.0	0.0	13:12	0.0	0.0	-
13:14	0.0	0.0	13:13	0.0	0.0	-
13:15	0.0	0.0	13:14	0.0	0.0	-
13:16	0.0	0.0	13:15	0.0	0.0	-
13:17	0.0	0.0	13:16	0.0	0.0	-
13:18	0.0	0.0	13:17	0.0	0.0	-
13:19	0.0	0.0	13:18	0.0	0.0	-
13:20	0.0	0.0	13:19	0.0	0.0	-
13:21	0.0	0.0	13:20	0.0	0.0	-
13:22	0.0	0.0	13:21	0.0	0.0	-
13:23	0.0	0.0	13:22	0.0	0.0	-
13:24	0.0	0.0	13:23	0.0	0.0	-
13:25	0.0	0.0	13:24	0.0	0.0	-
13:26	0.0	0.0	13:25	0.0	0.0	-
13:27	0.0	0.0	13:26	0.0	0.0	-
13:28	0.0	0.0	13:27	0.0	0.0	-
13:29	0.0	0.0	13:28	0.0	0.0	-
13:30	-	0.0	13:29	0.0	0.0	-
13:31	-	0.0	13:30	0.0	0.0	-
13:32	-	0.0	13:31	0.0	0.0	-
13:33	-	0.0	13:32	0.0	0.0	-
13:34	-	0.0	13:33	0.1	0.0	-
13:35	-	0.0	13:34	0.0	0.0	-
13:36	-	0.0	13:35	0.0	0.0	-