



MEMORANDUM

To: Pat Vecchione
From: Gary Hucka 
CC: David Noonan
Nancy Connery w/copy of Phase I Report
Date: April 4, 2000
Re: 438-454 West 18th Street Garage – Phase I Report

The Phase I Environmental Site Assessment prepared by Langan Engineering and Environmental Services, dated March 31, 2000, Number 1648801, for the above referenced site is attached.

This Phase I Environmental Site Assessment report was prepared by a consultant for Bell Atlantic – New York (BANY) to use in determining the suitability of the garage for BANY's future use and highlight areas of concern, if any, with respect to the environmental condition of the facility.

After you have had a change to review, please give me a call on 703.974.1661.

PHASE 1 ENVIRONMENTAL SITE ASSESSMENT

**2-STORY PARKING GARAGE
440 WEST 18TH STREET
BLOCK 715, LOT 59
MANHATTAN, NEW YORK**

Prepared For:

**Bell Atlantic
575 Shrewsbury Avenue
Shrewsbury, New Jersey 07702**

Prepared By:

**Langan Engineering and Environmental Services, Inc.
River Drive Center 1
Elmwood Park, New Jersey 07407**

**31 March 2000
1648801**



Langan
Engineering and Environmental Services



TABLE OF CONTENTS

	<u>Page No.</u>
1.0 INTRODUCTION.....	1
2.0 PROPERTY SETTING	1
3.0 PROPERTY OWNERSHIP	2
4.0 GEOLOGICAL CONDITIONS	2
5.0 ENVIRONMENTAL DATABASE SEARCH FINDINGS.....	3
6.0 LOCAL CONTACTS.....	5
7.0 SANBORN MAP REVIEW	5
8.0 PROPERTY ASSESSMENT	7
9.0 PROPERTY OVERVIEW	7
9.1 Building Interior	8
9.2 Exterior Area	9
10.0 SURROUNDING AREAS	9
11.0 CONCLUSIONS AND RECOMMENDATION	10
12.0 LIMITATIONS	11
13.0 CLOSURE	12

LIST OF TABLES

Table 1	Database Descriptions
Table 2	List of Contacts

LIST OF FIGURES

Figure 1	Site Location Map
Figure 2	Tax Map

LIST OF APPENDICES

Appendix A	EDR Environmental Database Search Report
Appendix B	Gasoline Installations, Inc. Letter of December 13, 1993
Appendix C	Local Correspondence
Appendix D	Sanborn Maps
Appendix E	Photographs

1.0 INTRODUCTION

Langan Engineering and Environmental Services, Inc. (Langan) has completed a Phase I Environmental Site Assessment (ESA) of the above-referenced property, which consists of a two-story garage. The building which occupies the entire 39,375-sq. ft. lot, also contains several offices, a separate three-car garage, and several storage rooms. The building has reportedly been utilized as a garage since its construction in 1915. Prior to 1915, the property was occupied by the Consolidated Gas Company. The former gas facility consisted of two natural gas holding tanks, offices, and support facilities.

This ESA was conducted to identify current or potential environmental concerns resulting from activities on-site, in the immediate vicinity of the site, and within a one-mile radius (Study Area) of the referenced property. The findings of this ESA are based on a site visit conducted on 18 February 2000. As per ASTM Standard Practice E1527-97, the Phase 1 ESA also included a review of State and Federal environmental databases as they concern the subject property and surrounding area and telephone contact with local and state agencies. Historical Sanborn Fire Insurance Maps were also obtained and reviewed for the subject property in the effort to ascertain further pertinent information. The results of the Phase I ESA follow.

2.0 PROPERTY SETTING

The subject property is located at 440 West 18th Street, Manhattan, New York City, New York (see Figure 1). The property is surrounded by an automobile repair facility, commercial buildings, and residential two- to three-story buildings.

The property is located approximately one and three-quarters of a mile west of the F.D.R. Drive and the East River, two miles southwest of Central Park, 500 feet west of the Hudson River, and one and one-quarter miles north of the Holland Tunnel.

3.0 PROPERTY OWNERSHIP

According to the Manhattan Borough (New York County) Tax Register, the subject property is designated as Block 715, Lot 59 (see Figure 2). The property includes a total of approximately 39,375 square feet of land.

According to the information on file with the Tax Assessor's office, the current owner of the property is Retaco Holding Corp., 362 Kingsland Avenue, Brooklyn, New York. Retaco Holding has owned the property for approximately ten years. During the past ten years, the building was also used for storage of trucks.

According to records reviewed in the Zoning Department, the subject property is located within a mixed residential/commercial district.

4.0 GEOLOGICAL CONDITIONS

For the purpose of report completeness and in order to better understand the subsurface conditions, the geologic conditions in the general area of the subject property are discussed in this section.

The subject property is located south of Central Park and is situated in the Manhattan Prong, a geologic region of metamorphosed Paleozoic marine sedimentary rocks. These rocks overlie a billion year old basement metamorphic rock identified as a schist. Locally, the rock is known as the Manhattan Schist, a strongly fabricated crystalline rock whose minerals have developed parallelism (align in the same direction) as a result of dynamic metamorphic processes that occurred during its formation.

The depth to the schist bedrock in Manhattan is relatively shallow and, therefore, is a crucial element in the construction of many of the tall buildings on the island. Bedrock is at or near the surface in the midtown area and at the southern tip of Manhattan, the location of the financial district. In between these locations and to the north, the bedrock is not as close to the surface and the skyline shows a corresponding decrease in the height of buildings.

5.0 ENVIRONMENTAL DATABASE SEARCH FINDINGS

For this Phase I ESA, the database of the records search firm, Environmental Data Resources (EDR) of Southport, Connecticut, was obtained and reviewed for both the subject property and surrounding areas. The EDR database contained a total of 33 Federal and State regulatory inventories and lists including all of those databases that are required to be researched as per the American Society for Testing and Materials (ASTM) guidelines for conducting Phase I ESAs. A summary of the EDR databases is provided in Table 1. Be advised that some sites will be listed in more than one database. A copy of the complete EDR database search report is provided in Appendix A. Some of the more pertinent database findings as they pertain to the subject property are as follows:

The subject property does not appear on either the current Federal National Priorities List (NPL) or the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) list. The NPL is a listing of sites which have been investigated and for which the United States Environmental Protection Agency (USEPA) has determined that the site may represent a threat to either the public health or the environment. The CERCLIS list is a computer database used by the USEPA to monitor activities conducted under its Superfund program. The CERCLIS database lists sites, which have been reported to USEPA as having a potential for releasing hazardous substances into the environment. There are no NPL sites located within one mile of the subject property and no CERCLIS sites located within one-half mile of the subject property.

The Emergency Response Notification System (ERNS) database, compiled and updated by the USEPA, revealed no record of any reported releases and/or spills occurring on the subject property. The subject property is not listed as a Federal Resource Conservation and Recovery Act (RCRA) Treatment, Storage, Disposal (TSD) facility.

A review of the Resource Conservation and Recovery Information System (RCRIS) Small Quantity Generator (SQG) and Large Quantity Generator (LQG) lists revealed that the subject property, identified as Mendon Leasing Corp., is listed as a SQG site. According to the

database, there are no violations listed for the facility's handling and use of hazardous substances or wastes are regulated by RCRA. The database identified 13 SQG sites and 8 LQG sites located within one-quarter mile of the subject property. Be advised that inclusion on the RCRIS generator list only indicates that the facility generates hazardous waste but does not indicate that spills or discharges to the environment from these facilities has occurred.

The subject property does not appear on the New York State Department of Environmental Conservation (NYSDEC) List of Leaking Underground Storage Tanks (LUST). This list is an inventory of sites where leaking underground storage tanks have been identified and reported to NYSDEC. According to EDR, there are 62 LUST sites located within one-half mile of the subject property. Of these sites, only seven sites are situated less than one-eighth of a mile from the subject property. The nearest sites, situated less than 500 feet from the subject property, located just west of the intersection of 10th Avenue and W. 18th Street include the Hertz/Penske facility, 493 10th Avenue, and the Mendon Leasing Corp. facility, 515 W. 18th Avenue. Tank failures, associated with either gasoline or diesel fuel, were identified at both sites in 1989 (Hertz) and 1996 (Mendon). The NYSDEC is overseeing both cases which have affected the soil and groundwater in the vicinity of the compromised USTs at these nearby sites.

According to EDR, the subject property appears on the NYSDEC List of Underground Storage Tanks (UST). This list is an inventory of sites where NYSDEC-registered UST facilities are located. According to the New York State Petroleum Bulk Storage Act database, six underground storage tanks were registered at the facility, identified as the Mendon Leasing Corp., 440 W. 18th Street, New York, New York. The tanks are listed as having been removed or closed in December 1993. They include five 550-gallon unleaded gasoline tanks and one 4,000-gallon unleaded gasoline tank. The tanks were of steel construction and were owned by Retaco Holding Corp., the current property owner. The UST registration No. for the property is 2-032298. The facility use is listed as trucking/transportation. A UST record search request form was submitted to the NYC Fire Department Bureau of Fire Prevention as indicated in Section 6.0 of this report.

On 30 March 2000, the owner provided us a copy of an affidavit, dated 13 December 1993, prepared by Gasoline Installations, Inc. of Inwood, New York. The signed and notarized

document states that "on 12 December 1993, one 4,000-gallon diesel tank and five 550-gallon gasoline tanks were removed from the above location. No evidence of Soil Contamination." The document was addressed to the New York City Division of Fire Prevention, attention of Inspector M. Reardon. The document also contains an unscaled sketch depicting the approximate former tank locations. The copy of the affidavit is provided in Appendix B.

There are 23 such UST facilities located within one-quarter mile of the subject property. Information on these 23 UST sites is provided in the EDR report.

6.0 LOCAL CONTACTS

As part of this assessment, we contacted the following New York City offices: the Building, Health and Fire Departments. In addition, we also reviewed the Public Access Property Profile Overview printout files of the property. Based on this document review, no reports, violations or complaints of an environmental nature were noted as being filed for the subject property. The printout occupancy code identifies the property as a garage/gas station. A file review request letter or record search request form was submitted to the NYC Departments of Environmental Protection, Health, and Fire. Copies of the Property Profile Overview printout, the file review request letters, and forms are provided in Appendix C. Should any pertinent information be received at a later date, it will be forwarded as an addendum to this report.

A list of all individuals and affiliations that were contacted for this assessment is provided in Table 2.

7.0 SANBORN MAP REVIEW

Historical Sanborn Maps for the subject property were obtained from EDR-Sanborn. The Sanborn Maps were compiled from field observations and from relevant public records. The available years of map coverage for the property include the years 1895, 1904, 1921, 1950, 1980, 1991, 1992, 1993, 1995 and 1996. All 10 maps are provided in Appendix D and are individually described below.

- **1895 Sanborn Map**

The 1895 Sanborn Map depicts the subject property as being occupied by the Consolidated Gas Company. The property contains two large gas "holders" or tanks. The remainder of the property includes a storehouse and one-story building. The neighboring properties include predominantly residential 3-, 4-, or 5-story buildings.

- **1904 Sanborn Map**

The 1904 Sanborn Map again depicts the Consolidated Gas Company facility. The map indicates that each tank contains approximately 200,000 cubic feet of space. The map also shows a paint shop in the building adjacent to the storehouse. The neighboring properties are shown as predominantly residential buildings.

- **1921 Sanborn Map**

The 1921 Sanborn Map depicts the subject two-story garage. The property is generally surrounded by residential buildings with a cable and lumberyard situated to the north and south of the subject property.

- **1950 Sanborn Map**

The 1950 Sanborn Map depicts the subject garage building as shown in the 1921 Sanborn Map. The neighboring properties, however, include generally commercial facilities such as auto repair shops, parking garages, warehouses, a lumber yard, and auto painting shops.

- **1980 Sanborn Map**

The 1980 Sanborn Map depicts the subject building as a taxi garage. The map also indicates that the building was constructed in 1915 and more clearly shows the ramp leading to the second floor. The neighboring properties to the east and south have been demolished and replaced with residential 25-story apartment buildings identified on the map as the Fulton Houses. The neighboring commercial facilities include auto repair shops, chinaware and textile warehouses, parking garages, and vacant land.

- **1991 Sanborn Map**

The 1991 Sanborn Map depicts the subject garage building which is again identified as a taxi garage. The garage's capacity is listed as 235 cars. There are no other significant changes shown on the map in comparison to the 1980 Sanborn Map.

- **1992, 1993, 1995, and 1996 Sanborn Maps**

The 1992, 1993, 1995, and 1996 Sanborn Maps generally depict the same information as shown in the 1991 Sanborn Map.

8.0 PROPERTY ASSESSMENT

A visual inspection of the subject property was conducted on 18 February 2000. Langan was accompanied on the inspection by the property owner's representative, Mr. Pat Vecchione. The inspection included the building interior and exterior grounds (i.e., front of building). Photographs taken during the inspection are provided in Appendix E.

9.0 PROPERTY OVERVIEW

The subject property includes a two-story garage and occupies the entire 39,375-sq. ft. lot. The building which also contains a three-car capacity garage, several offices, and storage rooms has reportedly been utilized as a garage since its construction in 1915. Prior to 1915, the property was occupied by the Consolidated Gas Company. The former gas facility consisted of two natural gas holding tanks, offices, and support facilities.

The subject building is serviced by public and municipal utilities, which provide drinking water, sewer connection, electricity and natural gas. According to Mr. Vecchione, there are currently no underground storage tanks, septic fields, or wells on the property and our property inspection revealed no visual evidence (i.e., well heads, fill ports, vent pipes) to suggest otherwise. There are no ground-level transformers on the property.

Drinking water is provided by the City of New York, which derives its water from a variety of sources including reservoirs and supply wells located in Putnam and Dutchess Counties. Con

Ed provides electricity and natural gas to the building. Sanitary wastewater is diverted to a regional NYC wastewater treatment plant. The garage portion of the building is reportedly not heated. The office areas are heated by electrical heaters.

9.1 Building Interior

The building consists of two floors which are utilized predominantly as a parking garage. The first floor contains a garage area, several offices, bathrooms, and storage areas and a three-car capacity garage. The second floor contains a parking deck and a bathroom. A ramp leading up to the second floor is located at the easternmost side of the building. The first floor is utilized for daily and hourly parking. The garage is staffed by two attendants.

Several floor drains were noted on the concrete floor in the garage. The floor drains reportedly connect to the city sewer system.

Along the southwest corner of the building, we noted remnants of an abandoned subgrade hydraulic lift system in the floor. There is no information available regarding the use or construction of the lift system. Due to the presence of parked vehicles throughout this area, we could not observe the entire structure.

Several storage rooms were noted along the rear of the building. The rooms contained personal belongings, furniture, a motorcycle, shelves, fixtures, boxed files, an automobile battery, and several quart, gallon and five-gallon containers of floor finish, paint and cleaning solutions. These storage areas contained a wood floor.

Vinyl floor tiles (12-inch by 12-inch) were noted within a five-foot by five-foot area, outside the office. The tiles appeared to have been placed relatively recently.

A vehicular entrance located east of the main garage, provided access to a three-car capacity garage and rear storage area. Several floor drains were noted in the garage area. The storage area contained furniture, boxed files, shelves, and tables.

Friable suspect asbestos-containing pipe insulation was visually observed during our site visit. A grayish corrugated aircell-type insulation covered a pipe that extended along the ceiling the entire length of the main garage (approx. 150 feet) to the office area. The pipe insulation was not accessible for sampling, however, based on the appearance of the insulation material, our knowledge and familiarity with asbestos, and the age of the building, this material likely contains asbestos. The insulation was damaged and fragments of the insulation appeared to have been removed or fallen off the pipe.

The second floor is used for parking and/or storage of vehicles on a long-term basis. The floor contained approximately 75 to 100 vehicles. Two 55-gallon steel drums were noted in the northeastern corner of the space. One of the drums was noted as empty, although a dark stain was noted on the concrete surrounding the drum. The second drum which was approximately three-quarters full contains an oil which appears to have leaked from the drum as indicated by a dark stain on the concrete in the vicinity of the drum. A bathroom was also noted in this area. Two out-of-service mechanical ventilation structures were noted suspended from the ceiling at opposite ends of the garage.

9.2 Exterior Area

There are no exterior areas on the property, as the building and sidewalk occupy the entire lot.

10.0 SURROUNDING AREAS

As previously described, the subject property is immediately surrounded by an automobile repair facility, commercial buildings, and residential two- to three-story buildings, none of which were identified by EDR as having had a reportable release or spill into the environment.

11.0 CONCLUSIONS AND RECOMMENDATION

Based on information obtained during the property inspection, conversations with the property representative, local and State officials, accessing of environmental databases, review of historical Sanborn Maps, and our subsequent records review, the Phase I ESA has revealed the following environmental conditions, as per ASTM E 1527-97, in association with the subject property.

- ***Former Underground Storage Tanks***

According to the environmental database search report, and as confirmed by the property owner, five NYSDEC-registered underground storage tanks were present on the property. The tanks were removed in 1993 by Gasline Installations, Inc. of Inwood, New York. Documentation provided by the tank removal contractor and submitted to the NYC Division of Fire Prevention indicates that the tanks, which included five 550-gallon gasoline tanks and one 4,000-gallon diesel tank, were removed on 12 December 1993. The document also indicates that there was no evidence of soil contamination in connection with the removal of tanks. Furthermore, the property is not identified on the leaking underground storage tank database.

- ***Former Hydraulic Lift System***

The remnants of a former hydraulic lift were observed in the building. The abandoned lift mechanism, in addition to the former gasoline USTs, were presumably used when the facility operated as a taxi garage and service facility. The property owner has no information regarding the former use of the hydraulic lift system, whether it was drained of all hydraulic oils or how it was abandoned in place.

As the integrity of the hydraulic lift system or the removal of the hydraulic oil could not be verified, be advised that this area is considered an area of potential environmental concern.

- ***Floor Drains***

Several floor drains were noted in the building. The drains reportedly connect to the city sewer system. Staining was not visually apparent in the vicinity of the drains during our inspection.

We recommend that if Bell Atlantic has no use for these drains, they may want to consider having them permanently sealed or covered.

- ***Previous Property Use***

Prior to the construction of the existing two-story garage in 1915, the property was occupied by the Consolidated Gas Company. The natural gas storage facility contained two large gas holding tanks and support facilities. These structures were demolished to make way for construction of the existing building. Be advised that there may be some contaminants below the building that may have been related to this previous use.

- ***Suspect Asbestos-Containing Insulation***

Friable suspect asbestos-containing pipe insulation was visually observed during our site visit. The gray corrugated aircell-type insulation covered a pipe that extended approximately 150 feet along the entire length of the main garage. The insulation was damaged and fragments appeared to have been removed or fallen off the pipe.

Therefore, we recommend that the asbestos-containing pipe insulation material be removed by a city/state licensed asbestos removal contractor in accordance with the regulations governing this material. In addition, prior to any future renovation or alternations of the building, a complete asbestos survey of the building may be considered, in order to properly assess and quantify the presence of asbestos in the building.

12.0 LIMITATIONS

Langan's services have been provided in accordance with generally accepted industry practices, including *ASTM Standard Practice E1527-97*, at the time that this work was performed. It is important to recognize that even the most comprehensive scope of services may fail to detect environmental liabilities on a particular property. Therefore, Langan cannot act as insurers and cannot "certify" that a property is free of environmental contamination, and that no expressed or implied representation or warranty is included or intended in our reports

except that our services were performed within the limits prescribed by our client with the customary thoroughness and competence of our profession.

13.0 CLOSURE

We trust this report will satisfy your requirements and wish to extend our appreciation for allowing us to be of service to you. If you have any questions or if we can be of further assistance, please do not hesitate to call.

G:\DATA8\16488\manhattan.ph1.rpt.doc

Tables




TABLE 1
DATABASE DESCRIPTIONS

Federal ASTM-Required Records (8)

NPL -	Sites designated for Superfund Cleanup by the USEPA.
Delisted NPL -	Sites which have been deleted from the NPL list.
CERCLIS -	Known or suspected uncontrolled or abandoned hazardous waste sites.
CERC-NFRAP -	CERCLIS sites designated "No Further Remedial Action Planned" and which have been removed from the CERCLIS list.
ERNS -	Emergency Response Notification System used to record and store information on reported releases of oil and hazardous substances.
RCRIS-TSD -	Information pertaining to facilities that treat, store, and/or dispose of hazardous waste or meet other applicable requirements of RCRA.
RCRIS-Lg Gen -	A listing of RCRA facilities which generate at least 1,000 kg/month of non-acutely hazardous waste or 1 kg/month of acutely hazardous waste.
RCRIS-Sm Gen -	A listing of RCRA facilities which generate less than 1,000 kg/month of non-acutely hazardous waste.

State ASTM-Required Records (5)

AST -	Listing of all registered aboveground storage tanks (Petroleum Bulk Storage Act)
UST -	Listing of all registered underground storage tanks.
LUST -	Listing of all reported leaking underground storage tanks.
SHWS -	State Inactive Hazardous Waste Disposal Sites.
SWF/LF -	Inventory of solid waste facilities permitted by NYSDEC.

Federal and State Non-ASTM-Required Records (20)

ROD -	Records of Decision documents pertaining to remedies at NPL sites.
NPL LIENS -	A listing of all properties in which Federal Superfund liens have been issued.
FINDS -	Inventory of all facilities regulated or tracked by the USEPA.

TABLE 1--continued
DATABASE DESCRIPTIONS

PADS -	A USEPA PCB Activity Database
N.Y. SPILLS -	Spills or discharges reported to NYSDEC
CBS UST -	Chemical Bulk Storage Act (Underground Storage Tanks)
CBS AST -	Chemical Bulk Storage Act (Aboveground Storage Tanks)
MOSF UST -	Major Oil Storage Facilities Database (Underground Storage Tanks)
MOSF AST -	Major Oil Storage Facilities Database (Aboveground Storage Tanks)
RAATS -	Inventory of all facilities that have been issued enforcement actions under RCRA.
TRIS -	Inventory of all facilities that release toxic chemicals to air, water and land under SARA Title III.
TSCA -	Toxic Substances Control Act which identifies manufacturers of chemicals.
HMIRS -	Hazardous Materials Incident Report System documenting all hazardous spill incidents reported to the DOT.
CORRACTS -	Listing of hazardous waste handlers with RCRA corrective action activity.
MILTS -	Listing of approximately 8,100 sites which possess or use radioactive materials and are subject to Nuclear Regulatory Commission licensing requirements.
CONSENT -	Superfund (CERCLIS) Consent Decrees.
COAL GAS -	Former sites that manufactured coal gas.
MINES -	U.S. Department of Labor, Mine Safety and Health Administration listing of known mines.
VCP -	Listing of sites under NYSDEC Voluntary Cleanup Agreements
HSWDS -	NYSDEC's Hazardous Substances Waste Disposal Site Inventory

TABLE 2

LIST OF CONTACTS

Mr. A. Munshi, Director
Department of Health
Bureau of Environmental Investigations
346 Broadway, Room 714, Box 16A
New York, NY 10013

Ms. Marie Dooley
New York City Department of
Environmental Protection
Freedom of Information Department
59-17 Junction Boulevard, 19th Floor
Corona, NY 11368


New York City Fire Department
Bureau of Fire Prevention
9 Metro Tech East
Brooklyn, NY 11201


NYC Building Department
60 Hudson Street
Manhattan, NY

NYC Real Property Assessment Department
1 Center Street
9th Floor
Manhattan, NY

Mr. Pat Vecchione
Property Owner's Representative
362 Kingsland Avenue
Brooklyn, NY
(718) 391-5300

Figures





MAP REFERENCE : BROOKLYN, N.Y. & CENTRAL PARK, JERSEY CITY, WEEHAWKEN, N.J.-N.Y. U.S.G.S. QUADRANGLE MAPS



Langan

Engineering and Environmental Services

ELMWOOD PK, NJ
(201) 794-6900

NEW YORK, NY
(212) 964-7888

PHILADELPHIA, PA
(215) 864-0640

DOYLESTOWN, PA
(215) 348-7101

NEW HAVEN, CT
(203) 562-5771

MIAMI, FL
(305) 362-1166

Project

**440 WEST 18TH STREET
BLOCK 715 LOT 59
SITE LOCATION MAP**

MANHATTAN

NEW YORK

JOB NO.
1648801

DATE
2/22/2000

SCALE
1" = 2000'

FIGURE NO.
1

Appendix A



APPENDIX A

**EDR ENVIRONMENTAL DATABASE
SEARCH REPORT**



The EDR-Radius Map with GeoCheck[®]

**Parking Garage
440 W 18th St
Manhattan, NY 10011**

Inquiry Number: 465167.1s

February 18, 2000

The Source For Environmental Risk Management Data

**3530 Post Road
Southport, Connecticut 06490**

Nationwide Customer Service

**Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com**

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary.....	ES1
Topographic Map.....	2
GeoCheck Summary.....	3
Overview Map.....	5
Detail Map.....	6
Map Summary - All Sites.....	7
Map Findings.....	8
Orphan Summary.....	189
 <u>APPENDICES</u>	
GeoCheck Version 2.1.....	A1
Government Records Searched / Data Currency Tracking Addendum.....	A3

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer and Other Information

This Report contains information obtained from a variety of public and other sources and Environmental Data Resources, Inc. (EDR) makes no representation or warranty regarding the accuracy, reliability, quality, suitability, or completeness of said information or the information contained in this report. The customer shall assume full responsibility for the use of this report.

NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, EXPRESSED OR IMPLIED, SHALL APPLY AND EDR SPECIFICALLY DISCLAIMS THE MAKING OF SUCH WARRANTIES. IN NO EVENT SHALL EDR BE LIABLE TO ANYONE FOR SPECIAL, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES. COPYRIGHT (C) 1998 BY ENVIRONMENTAL DATA RESOURCES, INC. ALL RIGHTS RESERVED.

Unless otherwise indicated, all trademarks used herein are the property of Environmental Data Resources, Inc. or its affiliates.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc. (EDR). The report meets the government records search requirements of ASTM Standard Practice for Environmental Site Assessments, E 1527-97. Search distances are per ASTM standard or custom distances requested by the user.

TARGET PROPERTY ADDRESS

440 W 18TH ST
MANHATTAN, NY 10011

TARGET PROPERTY COORDINATES

Latitude (North): 40.744060 - 40° 44' 38.6"
Longitude (West): 74.006510 - 74° 0' 23.4"
Universal Transverse Mercator: Zone 18
UTM X (Meters): 583879.2
UTM Y (Meters): 4510609.0

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property: 2440074-F1 JERSEY CITY, NJ NY
Source: USGS 7.5 min quad index

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following government records. For more information on this property see page 9 of the attached EDR Radius Map report:

Site	Database(s)	EPA ID
MENDON LEASING CORP 440 W 18TH ST NEW YORK, NY 10011	RCRIS-SQG FINDS UST	NY0000071357

SURROUNDING SITES: DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the ASTM E 1527-97 search radius around the target property for the following Databases:

FEDERAL ASTM STANDARD

NPL:..... National Priority List
Delisted NPL:..... NPL Deletions
CERCLIS:..... Comprehensive Environmental Response, Compensation, and Liability Information System
CERC-NFRAP:..... Comprehensive Environmental Response, Compensation, and Liability Information System
CORRACTS:..... Corrective Action Report
RCRIS-TSD:..... Resource Conservation and Recovery Information System
ERNS:..... Emergency Response Notification System

STATE ASTM STANDARD

SHWS:..... State Haz. Waste
SWF/LF:..... Facility Register
CBS UST:..... Chemical Bulk Storage (CBS) Database
MOSF UST:..... Major Oil Storage Facilities Database

FEDERAL ASTM SUPPLEMENTAL

CONSENT:..... Superfund (CERCLA) Consent Decrees

EXECUTIVE SUMMARY

ROD:..... ROD
 HMIRS:..... Hazardous Materials Information Reporting System
 MLTS:..... Material Licensing Tracking System
 MINES:..... Mines Master Index File
 NPL Lien:..... NPL Liens
 PADS:..... PCB Activity Database System
 RAATS:..... RCRA Administrative Action Tracking System
 TRIS:..... Toxic Chemical Release Inventory System
 TSCA:..... Toxic Substances Control Act

STATE OR LOCAL ASTM SUPPLEMENTAL

HSWDS:..... Hazardous Substance Waste Disposal Site Inventory
 AST:..... Petroleum Bulk Storage (AST)
 MOSF AST:..... Major Oil Storage Facilities Database
 NY Spills:..... NY Spills
 VCP:..... Voluntary Cleanup Agreement

EDR PROPRIETARY DATABASES

Coal Gas:..... Former Manufactured gas (Coal Gas) Sites.

SURROUNDING SITES: DATABASES WITH MAPPED SITES

Unmapped (orphan) sites are not considered in the foregoing analysis.

Elevations have been determined from the USGS 1 degree Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. EDR's definition of a site with an elevation equal to the target property includes a tolerance of +/- 10 feet. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property (by more than 10 feet). Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

FEDERAL ASTM STANDARD

RCRIS: The Resource Conservation and Recovery Act database includes selected information on sites that generate, store, treat, or dispose of hazardous waste as defined by the Act. The source of this database is the U.S. EPA.

A review of the RCRIS-LQG list, as provided by EDR, and dated 09/01/1999 has revealed that there are 8 RCRIS-LQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>MUCCIO JOHN</i>	<i>528 W 19TH ST</i>	<i>0 - 1/8 NNW E13</i>		<i>31</i>
<i>GETTY PETROLEUM CORP 58542</i>	<i>152 10TH AVE</i>	<i>0 - 1/8 NNE C15</i>		<i>32</i>
<i>ABLE EMPIRE GROUP</i>	<i>99 TENTH AVE</i>	<i>0 - 1/8 SW F18</i>		<i>43</i>
<i>FREEDMAN CUT-OUTS</i>	<i>455 W 16TH ST</i>	<i>0 - 1/8 SSE D21</i>		<i>49</i>
<i>MANARK ASSOCIATES DIP</i>	<i>85 10TH AVE</i>	<i>0 - 1/8 SW H25</i>		<i>60</i>
<i>NYCTA</i>	<i>W 15TH ST & 11TH AVE</i>	<i>1/8 - 1/4 SW K36</i>		<i>91</i>
<i>FRITZSCHE DODGE & OLCOTT INC</i>	<i>76 9TH AVE</i>	<i>1/8 - 1/4 SSE N53</i>		<i>140</i>
<i>EMSIG MFG CORP</i>	<i>521 W 23RD ST</i>	<i>1/8 - 1/4 NNE Q63</i>		<i>155</i>

EXECUTIVE SUMMARY

RCRIS: The Resource Conservation and Recovery Act database includes selected information on sites that generate, store, treat, or dispose of hazardous waste as defined by the Act. The source of this database is the U.S. EPA.

A review of the RCRIS-SQG list, as provided by EDR, and dated 09/01/1999 has revealed that there are 13 RCRIS-SQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
METROPOLITAN OLDSMOBILE INC	440 W 19TH ST	0 - 1/8 NNE	C7	26
NYCHA - FULTON HOUSES	427-431 W 17TH ST	0 - 1/8 SSE	D11	30
NORTHEAST LABORATORY - DRUG EN	99 10TH AVE ROOM 721	0 - 1/8 SW	F19	44
HENRY & LLOYD CO THE	507 W 21ST ST	1/8 - 1/4 NNE	I29	77
TAMARA DRY CLEANERS	126 9TH AVE	1/8 - 1/4 ESE	41	108
HERTZ PENSKE TRUCK LEASING INC	542 W 21ST ST	1/8 - 1/4 N	L45	111
PENSKE TRUCK LEASING CO L P	550 W 21ST ST	1/8 - 1/4 N	47	112
1014 GAS INC	501 W 14TH ST	1/8 - 1/4 SW	M50	126
GIVAUDAN CORP C/O FRITZSCHE DI	76 NINTH AVE	1/8 - 1/4 SSE	N54	140
GEORGE UHE CO INC	76 NINTH AVE	1/8 - 1/4 SSE	N55	141
GENERAL THEOLOGICAL SEMINAR TH	175 9TH AVE	1/8 - 1/4 E	58	142
EXXON CO USA 32253	215 10TH AVE	1/8 - 1/4 NNE	P59	143
EMPIRE CITY SUBWAY CO LTD	177-183 10TH AVE	1/8 - 1/4 NNE	P60	147

STATE ASTM STANDARD

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the Department of Environmental Conservation's Spills Information Database.

A review of the LUST list, as provided by EDR, and dated 10/01/1999 has revealed that there are 62 LUST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
HERTZ/PENSKE - MAN	493 10TH AVE # 7	0 - 1/8 NNW	A3	17
MENDON LEASING CORP.	515 W 18TH ST	0 - 1/8 NW	B4	18
501-513 W. 19TH STREET	513 W 19TH ST	0 - 1/8 N	C8	28
444 WEST 17TH STREET	444 W 17TH ST	0 - 1/8 SSE	D9	28
528 WEST 19TH ST/MANH	528 WEST 19TH STREET	0 - 1/8 NNW	E12	30
555 WEST 17TH ST/MANH	555 WEST 17TH STREET	0 - 1/8 W	14	31
152-156 TENTH AVE/MANHATT	152-156 TENTH AVENUE	0 - 1/8 NNE	C17	42
507 WEST 21ST STREET	507 W 21ST ST	1/8 - 1/4 NNE	I28	76
PIER 57- 11TH AVENUE	PIER 57 / 11TH AVENUE	1/8 - 1/4 SW	K33	85
PIER 57- WESTSIDE HIGHWAY	PIER 57 / 17TH ST	1/8 - 1/4 SW	K34	86
NYC TRANSIT AUTH/MANHATTA	WEST 15TH ST / 11TH A	1/8 - 1/4 SW	K39	105
11 ELEVENTH AVENUE	11 11TH AVE	1/8 - 1/4 SW	42	108
535 EAST 21ST STREET	535 EAST 21ST STREET	1/8 - 1/4 N	L43	109
19 11TH AVE/NYCTA-HUDSON	19 11TH AVE	1/8 - 1/4 SW	K44	110
193 10TH AVE	193 10TH AVE	1/8 - 1/4 NNE	46	111
505 W 14 ST	505 W 14 ST / 10 AVE	1/8 - 1/4 SW	M48	112
501 W 14TH ST/SUNOCO	501 W 14TH ST	1/8 - 1/4 SW	M51	127
DR. SERSINI	415 WEST 21ST STREET	1/8 - 1/4 ENE	O56	141
415 W. 21ST STREET	415 W 21ST ST	1/8 - 1/4 ENE	O57	142
MENDON LEASING CORP	527 W 23RD ST	1/4 - 1/2 NNE	Q64	155
TANKFAILED MENDON LEASING	527 W. 23 ST.	1/4 - 1/2 NNE	Q65	156
MENDEN LEASING	523 W 23RD ST	1/4 - 1/2 NNE	Q66	157

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
562 W 23RD ST/MANHATTAN	562 WEST 23RD STREET	1/4 - 1/2N	67	158
310 WEST 18TH STREET	310 WEST 18TH STREET	1/4 - 1/2ESE	R68	159
239 10TH AVENUE/GETTY	239 10TH AVENUE	1/4 - 1/2NNE	S69	159
GETTY GAS STATION	239 10TH AVE	1/4 - 1/2NNE	S70	161
308 WEST 18TH ST	308 W 18TH ST	1/4 - 1/2ESE	R71	161
SILVERSTEIN 42ND ASSOC.	500-516 12TH AVE	1/4 - 1/2NNW	72	162
239 10TH AVE/MANH/GETTY	239 10TH AVENUE	1/4 - 1/2NNE	73	163
UNKNOWN APARTMNT BUILDING	204 8TH AVE	1/4 - 1/2E	74	163
201 11TH AVE/MANH/USPS	201 11TH AVENUE	1/4 - 1/2N	75	164
15TH ST & 8TH AVE/BKLYN	15TH ST / 8TH AVE	1/4 - 1/2SE	76	166
400 WEST 25TH STREET	400 W 25TH ST	1/4 - 1/2NE	77	167
53 HORATIO STREET	53 HORATIO ST	1/4 - 1/2S	78	168
536 WEST 26TH STREET	536 W 26TH ST	1/4 - 1/2NNE	T79	169
PENSKE TRUCK LEASING CO L P	536 W 26TH ST	1/4 - 1/2NNE	T80	170
168-11 12TH AVENUE	168-11 12TH AVE	1/4 - 1/2NNW	81	171
DEL. SPILL /W.28ST.&10AV	W.26ST / 10 AVE.	1/4 - 1/2NNE	82	171
2 HORATIO ST	2 HORATIO ST	1/4 - 1/2SSE	83	172
514 WEST END AVENUE	514 WEST ST	1/4 - 1/2SSW	84	173
601 WEST 26TH ST/MANH	601 WEST 26TH STREET	1/4 - 1/2N	85	174
ELLIOTT HOUSES	426 WEST 27TH STREET	1/4 - 1/2NE	86	174
530 WEST 27TH ST/MANH	530 WEST 27TH STREET	1/4 - 1/2NNE	U87	175
505 W 27THST/CENTRAL IRON	505 W 27TH ST	1/4 - 1/2NNE	U88	176
POWER HOUSE	315 W 25TH ST	1/4 - 1/2ENE	V89	176
PS 33	281 9TH AVE	1/4 - 1/2NE	W90	177
PUBLIC SCHOOL #33	281 9TH AVE	1/4 - 1/2NE	W91	178
Not reported	240 WEST 16TH ST	1/4 - 1/2SE	X92	179
Not reported	240 WEST 16TH AT	1/4 - 1/2SE	X93	179
258 WEST 15TH ST/MANHATTA	258 WEST 15TH STREET	1/4 - 1/2SE	Y94	180
APARTMENT COMPLEX	238 W 14TH ST	1/4 - 1/2SE	Z95	181
MUTUAL REDEVELOPMENT HSNG	315 W 25TH ST	1/4 - 1/2ENE	V96	181
303 10 AVE. MANHATTAN/UNK	303 10 AVE.	1/4 - 1/2NNE	U97	182
317 WEST 12TH ST	317 W 12TH ST	1/4 - 1/2S	98	183
328 WEST 12TH STREET	328 W 12TH ST	1/4 - 1/2S	99	184
APARTMENT BLDG	299 W 12TH ST	1/4 - 1/2S	AA100	184
GOODSTEIN MNGMT	302 W 12TH ST	1/4 - 1/2S	AA101	185
229 WEST 14TH STREET	229 W 14TH ST	1/4 - 1/2SE	Z102	186
OUR LADY OF GUADALUPE CHU	229 W 14TH ST	1/4 - 1/2SE	Z103	186
APARTMENT BUILDING	250 W 15TH ST	1/4 - 1/2SE	Y104	187
210 WEST 16TH STREET	210 W 16TH ST	1/4 - 1/2SE	105	188
200 WEST 18TH ST/MANH	200 WEST 18TH STREET	1/4 - 1/2ESE	106	188

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the UST list, as provided by EDR, and dated 10/01/1999 has revealed that there are 23 UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
MENDON LEASING CORP	131 10TH AVE	0 - 1/8 NNW	A2	14
MENDON LEASING CORP	515 W 18TH ST	0 - 1/8 NW	B5	19
FREEDMAN REALTY	110 10TH AVE	0 - 1/8 SW	6	24
METROPOLITAN OLDSMOBILE INC	440 W 19TH ST	0 - 1/8 NNE	C7	26
KAUFMAN EIGHTH AVE ASSOC	519 8TH AVE	0 - 1/8 N	C10	29

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
GETTY 58542	152 TENTH AVE	0 - 1/8 NNE	C16	32
455 WEST 16TH STREET	455 W 16TH ST	0 - 1/8 SSE	D20	44
MENDON LEASING CORP	542 W 19TH ST	0 - 1/8 NNW	E22	49
BERMUDA MOTOR CAR RENTING CO	537 WEST 20TH STREET	0 - 1/8 N	G23	56
AROUND THE CLOCK CENTER	85 10TH AVE	0 - 1/8 SW	H24	59
BAYVIEW CORR FAC	550 W 20TH ST	1/8 - 1/4 NNW	G26	61
THE HENRY LLOYD COMPANY	507 W 21ST ST	1/8 - 1/4 NNE	I27	64
MORGAN & BROTHER MANHATAN STOR	510 W 21ST ST	1/8 - 1/4 NNE	I30	77
TIME WARNER CABLE / MANHATTAN	511 W 21ST ST	1/8 - 1/4 NNE	I31	78
AROUND THE CLOCK CENTER	459 W 15TH ST	1/8 - 1/4 S	J32	84
TRIBECA MANAGEMENT	521 WEST 21TH STREET	1/8 - 1/4 N	I35	87
HUDSON PIER BUS DEPOT	11TH AVE & WEST 15TH ST	1/8 - 1/4 SW	K38	92
15TH STREET MINI STORAGE INC	450 W 15TH ST	1/8 - 1/4 S	J40	106
1014 GAS CORP	501 W 14TH ST	1/8 - 1/4 SW	M49	113
SUNOCO STATION (CAVANT)	14TH STREET & WEST SIDE	1/8 - 1/4 SW	52	127
EXXON CO USA 32253	215 10TH AVE	1/8 - 1/4 NNE	P59	143
DIA ART FOUNDATION	548 W 22ND ST	1/8 - 1/4 N	61	148
GULF SERVICE STA	500 W 23RD ST	1/8 - 1/4 NNE	62	151

STATE OR LOCAL ASTM SUPPLEMENTAL

CBS AST: Chemical Bulk Storage Database. Registration data collected as required by 6 NYCRR Part 596. It includes facilities storing hazardous substances listed in 6 NYCRR Part 597, in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size. Includes facilities registered (and closed) since effective date of CBS regulations (July 15, 1988) through the date request is processed.

A review of the CBS AST list, as provided by EDR, and dated 10/01/1999 has revealed that there is 1 CBS AST site within approximately 0.25 miles of the target property.


<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
HUDSON PIER BUS DEPOT	11 AVE/WEST 15 STREET	1/8 - 1/4 SW	K37	91

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped:

<u>Site Name</u>	<u>Database(s)</u>
STEVENS INST. OF TECHNOLOGY	FINDS,RCRIS-LQG,MLTS
	SHWS,LUST
NYCDEP NORTH RIVER WPCP	LUST
138TH ST	LUST,NY Spills
PIER 57 & HUDSON DEPOT	LUST
331 WEST 211TH STREET	LUST
AMICO STATION	LUST
97	LUST
615 PORT WQASHINGTON AVE	LUST
57-15 49TH STREET	LUST,NY Spills
ELLIOTT HOUSES	LUST
WESTSIDE HIGWAY (RTE. 9A)	UST
CHELSEA PIERS CO	RCRIS-SQG,FINDS
CON EDISON - PIER 62	FINDS,RCRIS-LQG
PARKING LOT	NY Spills
NYCDPR MANHATTAN GARAGE	NY Spills
CONSOLIDATED GAS CO.	Coal Gas

TOPOGRAPHIC MAP - 465167.1s - Langan Engineering



- Major Roads
- Contour Lines
- Waterways
- Earthquake epicenter, Richter 5 or greater
- Closest Federal Well in quadrant
- Closest State Well in quadrant
- Closest Public Water Supply Well

- Closest Hydrogeological Data
- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location

TARGET PROPERTY: Parking Garage
 ADDRESS: 440 W 18th St
 CITY/STATE/ZIP: Manhattan NY 10011
 LAT/LONG: 40.7441 / 74.0065

CUSTOMER: Langan Engineering
 CONTACT: Jerry Cirilli
 INQUIRY #: 465167.1s
 DATE: February 18, 2000 6:18 pm

GEOCHECK VERSION 2.1 SUMMARY

TARGET PROPERTY COORDINATES

Latitude (North): 40.744061 - 40° 44' 38.6"
Longitude (West): 74.006508 - 74° 0' 23.4"
Universal Transverse Mercator: Zone 18
UTM X (Meters): 583879.2
UTM Y (Meters): 4510609.0

USGS TOPOGRAPHIC MAP ASSOCIATED WITH THIS SITE

Target Property: 2440074-F1 JERSEY CITY, NJ NY

GEOLOGIC AGE IDENTIFICATION†

Geologic Code: OC
Era: Paleozoic
System: Ordovician
Series: Lower Ordovician and Cambrian carbonate rocks

ROCK STRATIGRAPHIC UNIT†

Category: Stratified Sequence

GROUNDWATER FLOW INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, including well data collected on nearby properties, regional groundwater flow information (from deep aquifers), or surface topography.‡

AQUIFLOW™** Search Radius: 2.000 Miles. The following table shows sites where groundwater flow and depth information was reported. Additional AQUIFLOW™ site information may be available in the GeoCheck® section at the end of this report.

<u>MAP ID</u>	<u>DISTANCE FROM TP</u>	<u>DIRECTION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
2g	1/2 - 1 Mile	South	NOT REPORTED

For additional site information, refer to GeoCheck Appendix.

General Topographic Gradient at Target Property: General East
General Hydrogeologic Gradient at Target Property: No hydrogeologic data available.

† Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).
‡ U.S. EPA Ground Water Handbook, Vol. I: Ground Water and Contamination, Office of Research and development EPA/625/6-90/016a Chapter 4, page 78, September 1990.
** EDR AQUIFLOW™ information System of hydrogeologically determined groundwater flow directions at specific locations. See the date pages at the end of this report for a complete description.

GEOCHECK VERSION 2.1 SUMMARY

Site-Specific Hydrogeological Data*:

Search Radius: 2.0 miles
Location Relative to TP: 1/2 - 1 Mile NE
Site Name: MANHATTAN GENERAL MAIL FACILITY
Site EPA ID Number: NY6180000352
Groundwater Flow Direction: NOT AVAILABLE.
Inferred Depth to Water: not available. Saturated layers impacted by salt water intrusion are present in the overburden. It is generally inferred that the depth to the uppermost 'aquifer' is greater than 70 feet at the surface of the bedrock/sediment interface.
Hydraulic Connection: Detailed hydraulic connection information is not available. Glacial till and outwash deposit sediments overlie the Manhattan Schist, the uppermost bedrock unit at the site. The surface elevation of bedrock decreases to the southwest of the site.
Sole Source Aquifer: No information about a sole source aquifer is available
Data Quality: Information is inferred in the CERCLIS investigation report(s)

FEDERAL DATABASE WELL INFORMATION

<u>WELL</u> <u>QUADRANT</u>	<u>DISTANCE</u> <u>FROM TP</u>	<u>LITHOLOGY</u>	<u>DEPTH TO</u> <u>WATER TABLE</u>
NO WELLS FOUND			

STATE DATABASE WELL INFORMATION

<u>WELL</u> <u>QUADRANT</u>	<u>DISTANCE</u> <u>FROM TP</u>
NO WELLS FOUND	

PUBLIC WATER SUPPLY SYSTEM INFORMATION

Searched by Nearest PWS.

NOTE: PWS System location is not always the same as well location.

PWS Name: BREWSTER SQUARE
RT 6
BREWSTER, NY 10509

Location Relative to TP: 1 - 2 Miles East

PWS currently has or has had major violation(s) or enforcement: No

AREA RADON INFORMATION

State Radon Information for NEW YORK County:

Number of sites tested: 1050

<u>Average (pCi/L)</u>	<u>Geometric</u> <u>Mean (pCi/L)</u>	<u>Geometric</u> <u>Std Dev.</u>	<u>Maximum (pCi/L)</u>	<u>% Homes</u> <u>>4 pCi/L</u>	<u>% Homes</u> <u>>20 pCi/L</u>
1.5	0.9	2.7	23.0	6.7	0.1


EPA Radon Zone for NEW YORK County: 3

Note: Zone 1 indoor average level > 4 pCi/L
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L

Not Reported

* ©1996 Site-specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

OVERVIEW MAP - 465167.1s - Langan Engineering



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Coal Gasification Sites (if requested)
- National Priority List Sites
- Landfill Sites


- Power transmission lines
- Oil & Gas pipelines
- ▨ 100-year flood zone
- ▨ 500-year flood zone

0 1/4 1/2 1 Miles

TARGET PROPERTY: Parking Garage
 ADDRESS: 440 W 18th St
 CITY/STATE/ZIP: Manhattan NY 10011
 LAT/LONG: 40.7441 / 74.0065

CUSTOMER: Langan Engineering
 CONTACT: Jerry Cirilli
 INQUIRY #: 465167.1s
 DATE: February 18, 2000 6:13 pm

DETAIL MAP - 465167.1s - Langan Engineering



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Coal Gasification Sites (if requested)
- ▲ Sensitive Receptors
- National Priority List Sites
- Landfill Sites

- Power transmission lines
- Oil & Gas pipelines
- ▨ 100-year flood zone
- ▨ 500-year flood zone

TARGET PROPERTY: Parking Garage
 ADDRESS: 440 W 18th St
 CITY/STATE/ZIP: Manhattan NY 10011
 LAT/LONG: 40.7441 / 74.0065

CUSTOMER: Langan Engineering
 CONTACT: Jerry Cirilli
 INQUIRY #: 465167.1s
 DATE: February 18, 2000 6:16 pm

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<u>FEDERAL ASTM STANDARD</u>								
NPL		1.000	0	0	0	0	NR	0
Delisted NPL		1.000	0	0	0	0	NR	0
CERCLIS		0.500	0	0	0	NR	NR	0
CERC-NFRAP		0.250	0	0	NR	NR	NR	0
CORRACTS		1.000	0	0	0	NR	NR	0
RCRIS-TSD		0.500	0	0	0	NR	NR	8
RCRIS Lg. Quan. Gen.		0.250	5	3	NR	NR	NR	13
RCRIS Sm. Quan. Gen.	X	0.250	3	10	NR	NR	NR	0
ERNS		TP	NR	NR	NR	NR	NR	0
<u>STATE ASTM STANDARD</u>								
State Haz. Waste		1.000	0	0	0	0	NR	0
State Landfill		0.500	0	0	0	NR	NR	0
LUST		0.500	7	12	43	NR	NR	62
UST	X	0.250	10	13	NR	NR	NR	23
CBS UST		0.250	0	0	NR	NR	NR	0
MOSF UST		0.500	0	0	0	NR	NR	0
<u>FEDERAL ASTM SUPPLEMENTAL</u>								
CONSENT		1.000	0	0	0	0	NR	0
ROD		1.000	0	0	0	0	NR	0
FINDS	X	TP	NR	NR	NR	NR	NR	0
HMIRS		TP	NR	NR	NR	NR	NR	0
MLTS		TP	NR	NR	NR	NR	NR	0
MINES		0.250	0	0	NR	NR	NR	0
NPL Liens		TP	NR	NR	NR	NR	NR	0
PADS		TP	NR	NR	NR	NR	NR	0
RAATS		TP	NR	NR	NR	NR	NR	0
TRIS		TP	NR	NR	NR	NR	NR	0
TSCA		TP	NR	NR	NR	NR	NR	0
<u>STATE OR LOCAL ASTM SUPPLEMENTAL</u>								
HSWDS		0.500	0	0	0	NR	NR	0
AST		TP	NR	NR	NR	NR	NR	0
CBS AST		0.250	0	1	NR	NR	NR	1
MOSF AST		0.500	0	0	0	NR	NR	0
NY Spills		TP	NR	NR	NR	NR	NR	0
VCP		0.500	0	0	0	NR	NR	0
<u>EDR PROPRIETARY DATABASES</u>								
Coal Gas		1.000	0	0	0	0	NR	0
AQUIFLOW - see EDR GeoCheck Summary								

TP = Target Property

NR = Not Requested at this Search Distance

* Sites may be listed in more than one database

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

Coal Gas Site Search: No site was found in a search of Real Property Scan's ENVIROHAZ database.

A1
Target
Property

MENDON LEASING CORP
440 W 18TH ST
NEW YORK, NY 10011

RCRIS-SQG
FINDS
UST

1000871565
NY0000071357

RCRIS:

Owner: RETACO HOLDING CORP
(718) 389-2100

Contact: JIM MCELHINNEY
(718) 389-2100

Record Date: 12/07/1993

Classification: Small Quantity Generator

Used Oil Recyc: No

Violation Status: No violations found

PBS UST:

PBS Number: 2-032298

CBS Number: Not reported

SPDES Number: Not reported

SWIS ID: 6201

Telephone: (212) 255-0900

Operator: MENDON LEASING CORP

Emergency Contact: JIM MCELHINNEY, (516) 437-5305

Total Tanks: 0

Owner: RETACO HOLDING CORP
362 KINGSLAND AVE
BROOKLYN, NY 11222
(718) 389-2100

Owner Type: Corporate/Commercial

Owner Mark: First Owner

Owner Subtype: Not reported

Mailing Address: RETACO HOLDING CORP
362 KINGSLAND AVE
BROOKLYN, NY 11222
(718) 389-2100
ATTN: JIM MCELHINNEY

Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and
Subpart 360-14.

Capacity (gals): 550

Tank Location: UNDERGROUND

Tank ID: 001

Install Date: 00/00

Product Stored: UNLEADED GASOLINE

Tank Type: Steel/carbon steel

Tank Internal: NONE

Pipe Internal: NONE

Pipe Location: Underground

Pipe Type: STEEL/IRON

Tank External: NONE

Tank Status: Closed-Removed

Tank Error Status: No Missing Data

Pipe External: NONE

Second Containment: NONE

Leak Detection: NONE

Overfill Prot: None

Dispenser: Suction

Date Tested: Not reported

Next Test Date: Not reported

Date Closed: 12/93

Test Method: Not reported

Deleted: False

Updated: True

Dead Letter: False

Owner Screen: No data missing

FAMT: Fiscal amount for registration fee is correct

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

MENDON LEASING CORP (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000871565

Total Capacity:	0	Renewal Date:	19911016
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19920122
Old PBS Number:	Not reported	Expiration Date:	19961230
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-032298	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 255-0900
SWIS ID:	6201		
Operator:	MENDON LEASING CORP		
Emergency Contact:	JIM MCELHINNEY, (516) 437-5305		
Total Tanks:	0		
Owner:	RETACO HOLDING CORP 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	RETACO HOLDING CORP 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100 ATTN: JIM MCELHINNEY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank ID:	006	Install Date:	00/00
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	STEEL/IRON
Tank External:	NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	12/93	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19911016
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19920122
Old PBS Number:	Not reported	Expiration Date:	19961230
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

MENDON LEASING CORP (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000871565

PBS Number:	2-032298	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 255-0900
Operator:	MENDON LEASING CORP		
Emergency Contact:	JIM MCELHINNEY, (516) 437-5305		
Total Tanks:	0		
Owner:	RETACO HOLDING CORP 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	RETACO HOLDING CORP 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100 ATTN: JIM MCELHINNEY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	002	Install Date:	00/00
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	STEEL/IRON
Tank External:	NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	12/93	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19911016
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19920122
Old PBS Number:	Not reported	Expiration Date:	19961230
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-032298	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 255-0900
Operator:	MENDON LEASING CORP		
Emergency Contact:	JIM MCELHINNEY, (516) 437-5305		
Total Tanks:	0		
Owner:	RETACO HOLDING CORP 362 KINGSLAND AVE BROOKLYN, NY 11222		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

1000871565

MENDON LEASING CORP (Continued)

Owner Type:	(718) 389-2100 Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	RETACO HOLDING CORP 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100 ATTN: JIM MCELHINNEY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	00/00
Tank ID:	003	Tank Type:	Steel/carbon steel
Product Stored:	UNLEADED GASOLINE	Pipe Internal:	NONE
Tank Internal:	NONE	Pipe Type:	STEEL/IRON
Pipe Location:	Underground		
Tank External:	NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE		
Second Containment:	NONE		
Leak Detection:	NONE	Dispenser:	Suction
Overfill Prot:	None	Next Test Date:	Not reported
Date Tested:	Not reported	Test Method:	Not reported
Date Closed:	12/93	Updated:	True
Deleted:	False	Owner Screen:	No data missing
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct	Renewal Date:	19911016
Total Capacity:	0	Federal ID:	Not reported
Tank Screen:	0	Facility Screen:	No data missing
Renew Flag:	Renwal has not been printed	Certification Date:	19920122
Certification Flag:	False	Expiration Date:	19961230
Old PBS Number:	Not reported	Inspector:	Not reported
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-032298	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 255-0900
SWIS ID:	6201		
Operator:	MENDON LEASING CORP		
Emergency Contact:	JIM MCELHINNEY, (516) 437-5305		
Total Tanks:	0		
Owner:	RETACO HOLDING CORP 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100 Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	RETACO HOLDING CORP 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100 ATTN: JIM MCELHINNEY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

1000871565

MENDON LEASING CORP (Continued)

Capacity (gals):	550	Install Date:	00/00
Tank Location:	UNDERGROUND	Tank Type:	Steel/carbon steel
Tank ID:	004	Pipe Internal:	NONE
Product Stored:	UNLEADED GASOLINE	Pipe Type:	STEEL/IRON
Tank Internal:	NONE		
Pipe Location:	Underground		
Tank External:	NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE		
Second Containment:	NONE		
Leak Detection:	NONE	Dispenser:	Suction
Overfill Prot:	None	Next Test Date:	Not reported
Date Tested:	Not reported	Test Method:	Not reported
Date Closed:	12/93	Updated:	True
Deleted:	False	Owner Screen:	No data missing
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct	Renewal Date:	19911016
Total Capacity:	0	Federal ID:	Not reported
Tank Screen:	0	Facility Screen:	No data missing
Renew Flag:	Renwal has not been printed	Certification Date:	19920122
Certification Flag:	False	Expiration Date:	19961230
Old PBS Number:	Not reported	Inspector:	Not reported
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-032298	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 255-0900
SWIS ID:	6201		
Operator:	MENDON LEASING CORP		
Emergency Contact:	JIM MCELHINNEY, (516) 437-5305		
Total Tanks:	0		
Owner:	RETACO HOLDING CORP 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100	Owner Mark:	First Owner
Owner Type:	Corporate/Commercial		
Owner Subtype:	Not reported		
Mailing Address:	RETACO HOLDING CORP 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100 ATTN: JIM MCELHINNEY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550	Install Date:	00/00
Tank Location:	UNDERGROUND	Tank Type:	Steel/carbon steel
Tank ID:	005	Pipe Internal:	NONE
Product Stored:	UNLEADED GASOLINE	Pipe Type:	STEEL/IRON
Tank Internal:	NONE		
Pipe Location:	Underground		
Tank External:	NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

MENDON LEASING CORP (Continued)

1000871565

Second Containment:	NONE	Dispenser:	Suction
Leak Detection:	NONE	Next Test Date:	Not reported
Overfill Prot:	None	Test Method:	Not reported
Date Tested:	Not reported	Updated:	True
Date Closed:	12/93	Owner Screen:	No data missing
Deleted:	False		
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19911016
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19920122
Old PBS Number:	Not reported	Expiration Date:	19961230
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		

A2
NNW
< 1/8
105
Higher

MENDON LEASING CORP
131 10TH AVE
NEW YORK, NY 10011

UST

U001831290
N/A

PBS UST:			
PBS Number:	2-032255	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 255-0900
Operator:	MENDON LEASING CORP		
Emergency Contact:	THOMAS FASINI, (516) 795-1193		
Total Tanks:	0		
Owner:	COTARD REATLY ASSOCIATES 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100		
Owner Type:	Not reported	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	COTARD REATLY ASSOCIATES 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100 Not Reported		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	001	Install Date:	00/00
Product Stored:	LEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON
Tank External:	Not reported		
Tank Status:	Closed-In Place		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Not reported	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	03/96	Test Method:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

U001831290

MENDON LEASING CORP (Continued)

Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19960903
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19920122
Old PBS Number:	Not reported	Expiration Date:	19961202
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-032255	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 255-0900
Operator:	MENDON LEASING CORP		
Emergency Contact:	THOMAS FASINI, (516) 795-1193		
Total Tanks:	0		
Owner:	COTARD REATLY ASSOCIATES 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100	Owner Mark:	First Owner
Owner Type:	Not reported		
Owner Subtype:	Not reported		
Mailing Address:	COTARD REATLY ASSOCIATES 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100		
Facility Status:	Not Reported 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	00/00
Tank ID:	002	Tank Type:	Steel/carbon steel
Product Stored:	LEADED GASOLINE	Pipe Internal:	Not reported
Tank Internal:	Not reported	Pipe Type:	STEEL/IRON
Pipe Location:	Not reported		
Tank External:	Not reported		
Tank Status:	Closed-In Place		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE	Dispenser:	Suction
Leak Detection:	NONE	Next Test Date:	Not reported
Overfill Prot:	Not reported	Test Method:	Not reported
Date Tested:	Not reported	Updated:	True
Date Closed:	03/96	Owner Screen:	Minor data missing
Deleted:	False		
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct	Renewal Date:	19960903
Total Capacity:	0	Federal ID:	Not reported
Tank Screen:	0	Facility Screen:	No data missing
Renew Flag:	Renwal has not been printed	Certification Date:	19920122
Certification Flag:	False	Expiration Date:	19961202
Old PBS Number:	Not reported	Inspector:	Not reported
Inspected Date:	Not reported		
Inspection Result:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

U001831290

MENDON LEASING CORP (Continued)

Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-032255	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 255-0900
SWIS ID:	6201		
Operator:	MENDON LEASING CORP		
Emergency Contact:	THOMAS FASINI, (516) 795-1193		
Total Tanks:	0		
Owner:	COTARD REATLY ASSOCIATES 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100	Owner Mark:	First Owner
Owner Type:	Not reported		
Owner Subtype:	Not reported		
Mailing Address:	COTARD REATLY ASSOCIATES 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100		
Facility Status:	Not Reported 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550	Install Date:	00/00
Tank Location:	UNDERGROUND	Tank Type:	Steel/carbon steel
Tank ID:	003	Pipe Internal:	Not reported
Product Stored:	LEADED GASOLINE	Pipe Type:	STEEL/IRON
Tank Internal:	Not reported		
Pipe Location:	Not reported		
Tank External:	Not reported		
Tank Status:	Closed-In Place		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE	Dispenser:	Suction
Leak Detection:	NONE	Next Test Date:	Not reported
Overfill Prot:	Not reported	Test Method:	Not reported
Date Tested:	Not reported	Updated:	True
Date Closed:	03/96	Owner Screen:	Minor data missing
Deleted:	False		
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct	Renewal Date:	19960903
Total Capacity:	0	Federal ID:	Not reported
Tank Screen:	0	Facility Screen:	No data missing
Renew Flag:	Renwal has not been printed	Certification Date:	19920122
Certification Flag:	False	Expiration Date:	19961202
Old PBS Number:	Not reported	Inspector:	Not reported
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-032255	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 255-0900
SWIS ID:	6201		
Operator:	MENDON LEASING CORP		
Emergency Contact:	THOMAS FASINI, (516) 795-1193		
Total Tanks:	0		
Owner:	COTARD REATLY ASSOCIATES		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

MENDON LEASING CORP (Continued)

U001831290

362 KINGSLAND AVE
BROOKLYN, NY 11222
(718) 389-2100

Owner Type: Not reported
Owner Subtype: Not reported
Mailing Address: COTARD REATLY ASSOCIATES
362 KINGSLAND AVE
BROOKLYN, NY 11222
(718) 389-2100

Owner Mark: First Owner

Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and
Subpart 360-14.

Capacity (gals): 550
Tank Location: UNDERGROUND
Tank ID: 004
Product Stored: LEADED GASOLINE
Tank Internal: Not reported
Pipe Location: Not reported
Tank External: Not reported
Tank Status: Closed-In Place
Tank Error Status: Minor Data Missing
Pipe External: Not reported
Second Containment: NONE
Leak Detection: NONE
Overfill Prot: Not reported
Date Tested: Not reported
Date Closed: 03/96
Deleted: False
Dead Letter: False
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 0
Tank Screen: 0
Renew Flag: Renwal has not been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: Not reported
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: TRUCKING/TRANSPORTATION

Install Date: 00/00
Tank Type: Steel/carbon steel
Pipe Internal: Not reported
Pipe Type: STEEL/IRON

Dispenser: Suction
Next Test Date: Not reported
Test Method: Not reported
Updated: True
Owner Screen: Minor data missing

Renewal Date: 19960903
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 19920122
Expiration Date: 19961202
Inspector: Not reported

A3
NNW
< 1/8
115
Higher

HERTZ/PENSKE - MAN
493 10TH AVE # 7
NEW YORK, NY

LUST

S100145636
N/A

LUST:

Spill Number: 8906443
Facility Contact: Not reported
Investigator: JAMES
Caller Name: VIRGINIA CARLSON
Caller Phone: (201) 307-2475
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: HERTZ
Spiller Address: 225 BRAE BLVD
PARK RIDGE, NJ 07656

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: HERTZ
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

HERTZ/PENSKE - MAN (Continued)

EDR ID Number
EPA ID Number

Database(s)

S100145636

Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /

Spill Cause: Tank Failure

Water Affected: Not reported

Spill Notifier: Responsible Party

Spill Date: 12/12/89 15:30

Cleanup Ceased: / /

Last Inspection: / /

Cleanup Meets Standard: False

Recommended Penalty: No Penalty

Spiller Cleanup Date: / /

Enforcement Date: / /

Investigation Complete: / /

UST Involvement: True

Spill Record Last Update: 08/16/95

Is Updated: False

Corrective Action Plan Submitted: / /

Date Spill Entered In Computer Data File: 12/28/89

Date Region Sent Summary to Central Office: / /

DEC Remarks: Not reported

Spill Cause: LAB REPORT REVEALED HIGH LEVELS OF HYDROCARBONS BELOW TANK & IN EXCAV-AT
ED SOIL - PB LEVELS WERE ALSO HIGH - FLASH PT > 160 DEG F - SPILLER AGRE
ED TO SUBMIT MORE INFO & REMEDIATE SITE IF NECESSARY.

B4
NW
< 1/8
167
Higher

MENDON LEASING CORP.
515 W 18TH ST
NEW YORK, NY

LUST

S102232664
N/A

LUST:

Spill Number: 9514181

Facility Contact: TOM FASINI

Investigator: MULQUEEN

Caller Name: ROBERT NEDWICK

Caller Phone: (516) 261-1590

Notifier Name: ROBERT NEDWICK

Notifier Phone: (516) 261-1590

Spiller Contact: TOM FASINI

Spiller: MENDON LEASING CORP.

Spiller Address: 515 WEST 18TH STREET
NYC

Region of Spill: 2

Facility Tele: (718) 389-2100

SWIS: 62

Caller Agency: ISLAND PUMP AND TANK

Caller Extension: Not reported

Notifier Agency: ISLAND PUMP AND TANK

Notifier Extension: Not reported

Spiller Phone: (718) 389-2100

Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /

Spill Cause: Tank Test Failure

Water Affected: Not reported

Spill Notifier: Responsible Party

Spill Date: 02/07/96 11:30

Cleanup Ceased: / /

Last Inspection: / /

Cleanup Meets Standard: False

Recommended Penalty: No Penalty

Spiller Cleanup Date: / /

Enforcement Date: / /

Investigation Complete: / /

UST Involvement: False

Spill Record Last Update: 10/06/97

Resource Affected: On Land

Spill Source: Other Non Commercial/Industrial

PBS Number: Not reported

Reported to Dept: 02/07/96 12:40

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

MENDON LEASING CORP. (Continued)

S102232664

Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/07/96
Date Region Sent Summary to Central Office: / /
DEC Remarks: ORIGINALLY ASSIGNED TO MARTINKAT - FILE TRANSFERRED TO MULQUEEN
Spill Cause: tank test failure.

B5
NW
< 1/8
167
Higher

MENDON LEASING CORP
515 W 18TH ST
NEW YORK, NY 10011

UST

U003159461
N/A

PBS UST:

PBS Number: 2-032212 CBS Number: Not reported
SPDES Number: Not reported
SWIS ID: 6201 Telephone: (212) 255-0900
Operator: THOMAS P. FASINI
Emergency Contact: THOMAS P. FASINI, (516) 795-1197
Total Tanks: 1
Owner: COTARD REALTY ASSOCIATES
362 KINGS LAND AVE
BROOKLYN, NY 11222
(718) 389-2100

Owner Type: Corporate/Commercial Owner Mark: First Owner
Owner Subtype: Not reported
Mailing Address: COTARD REALTY ASSOCIATES
362 KINGS LAND AVE
BROOKLYN, NY 11222
(718) 389-2100
ATTN: THOMAS P. FASINI

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Capacity (gals): 1500
Tank Location: UNDERGROUND
Tank ID: 012A Install Date: 00/00
Product Stored: DIESEL Tank Type: Steel/carbon steel
Tank Internal: NONE Pipe Internal: NONE
Pipe Location: Underground Pipe Type: STEEL/IRON
Tank External: NONE/NONE

Tank Status: Closed-In Place
Tank Error Status: No Missing Data
Pipe External: NONE/NONE
Second Containment: NONE/NONE
Leak Detection: NONE/NONE
Overfill Prot: None Dispenser: Suction
Date Tested: Not reported Next Test Date: Not reported
Date Closed: 01/97 Test Method: Not reported
Deleted: False Updated: True
Dead Letter: False Owner Screen: No data missing

FAMT: Fiscal amount for registration fee is correct
Total Capacity: 4000 Renewal Date: 19960903
Tank Screen: No data missing Federal ID: Not reported
Renew Flag: Renewal has not been printed Facility Screen: No data missing
Certification Flag: False Certification Date: 19990120
Old PBS Number: Not reported Expiration Date: 20011202
Inspected Date: Not reported Inspector: Not reported
Inspection Result: Not reported
Lat/long: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

MENDON LEASING CORP (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003159461

Facility Type: TRUCKING/TRANSPORTATION

PBS Number: 2-032212
SPDES Number: Not reported
SWIS ID: 6201
Operator: THOMAS P. FASINI
Emergency Contact: THOMAS P. FASINI, (516) 795-1197
Total Tanks: 1
Owner: COTARD REALTY ASSOCIATES

CBS Number: Not reported
Telephone: (212) 255-0900

Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Address: COTARD REALTY ASSOCIATES
362 KINGSLAND AVE
BROOKLYN, NY 11222
(718) 389-2100
ATTN: THOMAS P. FASINI

Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Capacity (gals): 1500
Tank Location: UNDERGROUND

Tank ID: 012B
Product Stored: DIESEL

Tank Internal: NONE
Pipe Location: Underground
Tank External: NONE/NONE

Tank Status: Closed-In Place
Tank Error Status: No Missing Data

Pipe External: NONE/NONE
Second Containment: NONE/NONE

Leak Detection: NONE/NONE
Overfill Prot: None

Date Tested: Not reported
Date Closed: 01/97

Deleted: False
Dead Letter: False

FAMT: Fiscal amount for registration fee is correct
Total Capacity: 4000

Tank Screen: No data missing
Renew Flag: Renewal has not been printed

Certification Flag: False
Old PBS Number: Not reported

Inspected Date: Not reported
Inspection Result: Not reported

Lat/long: Not reported
Facility Type: TRUCKING/TRANSPORTATION

Install Date: 00/00
Tank Type: Steel/carbon steel
Pipe Internal: NONE
Pipe Type: STEEL/IRON

Dispenser: Suction
Next Test Date: Not reported
Test Method: Not reported
Updated: True
Owner Screen: No data missing

Renewal Date: 19960903
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 19990120
Expiration Date: 20011202
Inspector: Not reported

PBS Number: 2-032212
SPDES Number: Not reported
SWIS ID: 6201
Operator: THOMAS P. FASINI
Emergency Contact: THOMAS P. FASINI, (516) 795-1197
Total Tanks: 1
Owner: COTARD REALTY ASSOCIATES
362 KINGSLAND AVE

CBS Number: Not reported
Telephone: (212) 255-0900

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

MENDON LEASING CORP (Continued)

U003159461

BROOKLYN, NY 11222
(718) 389-2100
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Address: COTARD REALTY ASSOCIATES
362 KINGSLAND AVE
BROOKLYN, NY 11222
(718) 389-2100
ATTN: THOMAS P. FASINI
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Capacity (gals): 550
Tank Location: UNDERGROUND
Tank ID: 123A
Product Stored: UNLEADED GASOLINE
Tank Internal: NONE
Pipe Location: Underground
Tank External: NONE/NONE
Tank Status: Closed-Removed
Tank Error Status: No Missing Data
Pipe External: NONE/NONE
Second Containment: NONE/NONE
Leak Detection: NONE/NONE
Overfill Prot: None
Date Tested: 02/96
Date Closed: 01/99
Deleted: False
Dead Letter: False
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 4000
Tank Screen: No data missing
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: Not reported
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: TRUCKING/TRANSPORTATION
Install Date: 00/00
Tank Type: Steel/carbon steel
Pipe Internal: NONE
Pipe Type: STEEL/IRON
Dispenser: Suction
Next Test Date: Not reported
Test Method: PETRO-TITE
Updated: True
Owner Screen: No data missing
Renewal Date: 19960903
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 19990120
Expiration Date: 20011202
Inspector: Not reported
CBS Number: Not reported
Telephone: (212) 255-0900
PBS Number: 2-032212
SPDES Number: Not reported
SWIS ID: 6201
Operator: THOMAS P. FASINI
Emergency Contact: THOMAS P. FASINI, (516) 795-1197
Total Tanks: 1
Owner: COTARD REALTY ASSOCIATES
362 KINGSLAND AVE
BROOKLYN, NY 11222
(718) 389-2100
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Address: COTARD REALTY ASSOCIATES
362 KINGSLAND AVE
BROOKLYN, NY 11222
(718) 389-2100
ATTN: THOMAS P. FASINI
Owner Mark: First Owner

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

U003159461

MENDON LEASING CORP (Continued)

Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	00/00
Tank ID:	123B	Tank Type:	Steel/carbon steel
Product Stored:	UNLEADED GASOLINE	Pipe Internal:	NONE
Tank Internal:	NONE	Pipe Type:	STEEL/IRON
Pipe Location:	Underground		
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE	Dispenser:	Suction
Overfill Prot:	None	Next Test Date:	Not reported
Date Tested:	02/96	Test Method:	PETRO-TITE
Date Closed:	01/99	Updated:	True
Deleted:	False	Owner Screen:	No data missing
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct	Renewal Date:	19960903
Total Capacity:	4000	Federal ID:	Not reported
Tank Screen:	No data missing	Facility Screen:	No data missing
Renew Flag:	Renwal has not been printed	Certification Date:	19990120
Certification Flag:	False	Expiration Date:	20011202
Old PBS Number:	Not reported	Inspector:	Not reported
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-032212	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 255-0900
SWIS ID:	6201		
Operator:	THOMAS P. FASINI		
Emergency Contact:	THOMAS P. FASINI, (516) 795-1197		
Total Tanks:	1		
Owner:	COTARD REALTY ASSOCIATES 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100	Owner Mark:	First Owner
Owner Type:	Corporate/Commercial		
Owner Subtype:	Not reported		
Mailing Address:	COTARD REALTY ASSOCIATES 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100 ATTN: THOMAS P. FASINI		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	00/00
Tank ID:	123C	Tank Type:	Steel/carbon steel
Product Stored:	UNLEADED GASOLINE	Pipe Internal:	NONE
Tank Internal:	NONE	Pipe Type:	STEEL/IRON
Pipe Location:	Underground		
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

MENDON LEASING CORP (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003159461

Tank Error Status:	No Missing Data	Dispenser:	Suction
Pipe External:	NONE/NONE	Next Test Date:	Not reported
Second Containment:	NONE/NONE	Test Method:	PETRO-TITE
Leak Detection:	NONE/NONE	Updated:	True
Overfill Prot:	None	Owner Screen:	No data missing
Date Tested:	02/96	Renewal Date:	19960903
Date Closed:	01/99	Federal ID:	Not reported
Deleted:	False	Facility Screen:	No data missing
Dead Letter:	False	Certification Date:	19990120
FAMT:	Fiscal amount for registration fee is correct	Expiration Date:	20011202
Total Capacity:	4000	Inspector:	Not reported
Tank Screen:	No data missing		
Renew Flag:	Renwal has not been printed		
Certification Flag:	False		
Old PBS Number:	Not reported		
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-032212	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 255-0900
SWIS ID:	6201		
Operator:	THOMAS P. FASINI		
Emergency Contact:	THOMAS P. FASINI, (516) 795-1197		
Total Tanks:	1		
Owner:	COTARD REALTY ASSOCIATES 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	COTARD REALTY ASSOCIATES 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100 ATTN: THOMAS P. FASINI		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank ID:	012C	Install Date:	05/97
Product Stored:	DIESEL	Tank Type:	Fiberglass coated steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	FIBERGLASS [FRP]
Tank External:	NONE/FIBERGLASS		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Pipe External:	FIBERGLASS		
Second Containment:	NONE/DOUBLED-WALLED TANK		
Leak Detection:	INTERSTITIAL MONITORING		
Overfill Prot:	High Level Alarm, Catch Basin	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

MENDON LEASING CORP (Continued)

U003159461

Total Capacity: 4000
Tank Screen: No data missing
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: Not reported
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: TRUCKING/TRANSPORTATION

Renewal Date: 19960903
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 19990120
Expiration Date: 20011202
Inspector: Not reported

6
SW
< 1/8
255
Higher

FREEDMAN REALTY
110 10TH AVE
NEW YORK, NY 10011

UST

U001736499
N/A

PBS UST:
PBS Number: 2-601567
SPDES Number: Not reported
SWIS ID: 6201
Operator: DONALD FREEDMAN
Emergency Contact: DONALD FREEDMAN, (413) 229-2931
Total Tanks: 3
Owner: FREEDMAN REALTY
P.O. BOX 306
SOUTH EGREMOUNT, MA 01258
(413) 229-2931

CBS Number: Not reported
Telephone: (212) 243-4700

Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Address: FREEDMAN REALTY
P.O. BOX 306
SOUTH EGREMOUNT, MA 01258
(413) 229-2931
ATTN: MR. DONALD FREEDMAN

Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Capacity (gals): 550
Tank Location: UNDERGROUND
Tank ID: 001
Product Stored: DIESEL
Tank Internal: NONE
Pipe Location: Underground
Tank External: NONE
Tank Status: Temporarily Out Of Service
Tank Error Status: No Missing Data
Pipe External: NONE
Second Containment: NONE
Leak Detection: NONE
Overfill Prot: None
Date Tested: Not reported
Date Closed: Not reported
Deleted: False
Dead Letter: False
FAMT: Fiscal amount for registration fee is correct

Install Date: 00/00
Tank Type: Steel/carbon steel
Pipe Internal: NONE
Pipe Type: GALVANIZED STEEL

Total Capacity: 1650
Tank Screen: No data missing
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: Not reported

Dispenser: Submersible
Next Test Date: N.T.R
Test Method: Not reported
Updated: True
Owner Screen: Minor data missing

Renewal Date: Not reported
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 19930810
Expiration Date: 19980810

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

FREEDMAN REALTY (Continued)

U001736499

Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-601567	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 243-4700
Operator:	DONALD FREEDMAN		
Emergency Contact:	DONALD FREEDMAN, (413) 229-2931		
Total Tanks:	3		
Owner:	FREEDMAN REALTY P.O. BOX 306 SOUTH EGREMOUNT, MA 01258 (413) 229-2931	Owner Mark:	First Owner
Owner Type:	Corporate/Commercial		
Owner Subtype:	Not reported		
Mailing Address:	FREEDMAN REALTY P.O. BOX 306 SOUTH EGREMOUNT, MA 01258 (413) 229-2931 ATTN: MR. DONALD FREEDMAN		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	002	Install Date:	00/00
Product Stored:	DIESEL	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE		
Tank Status:	Temporarily Out Of Service		
Tank Error Status:	No Missing Data		
Pipe External:	NONE		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	None	Dispenser:	Submersible
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	1650	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19930810
Old PBS Number:	Not reported	Expiration Date:	19980810
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-601567	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 243-4700
Operator:	DONALD FREEDMAN		
Emergency Contact:	DONALD FREEDMAN, (413) 229-2931		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

FREEDMAN REALTY (Continued)

U001736499

Total Tanks: 3
Owner: FREEDMAN REALTY
P.O. BOX 306
SOUTH EGREMOUNT, MA 01258
(413) 229-2931
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Address: FREEDMAN REALTY
P.O. BOX 306
SOUTH EGREMOUNT, MA 01258
(413) 229-2931
ATTN: MR. DONALD FREEDMAN
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Capacity (gals): 550
Tank Location: UNDERGROUND
Tank ID: 003
Product Stored: DIESEL
Tank Internal: NONE
Pipe Location: Underground
Tank External: NONE
Tank Status: Temporarily Out Of Service
Tank Error Status: No Missing Data
Pipe External: NONE
Second Containment: NONE
Leak Detection: NONE
Overfill Prot: None
Date Tested: Not reported
Date Closed: Not reported
Deleted: False
Dead Letter: False
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 1650
Tank Screen: No data missing
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: Not reported
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: TRUCKING/TRANSPORTATION
Owner Mark: First Owner
Install Date: 00/00
Tank Type: Steel/carbon steel
Pipe Internal: NONE
Pipe Type: GALVANIZED STEEL
Dispenser: Submersible
Next Test Date: N.T.R
Test Method: Not reported
Updated: True
Owner Screen: Minor data missing
Renewal Date: Not reported
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 19930810
Expiration Date: 19980810
Inspector: Not reported

C7
NNE
< 1/8
291
Higher

METROPOLITAN OLDSMOBILE INC
440 W 19TH ST
NEW YORK, NY 10011

RCRIS-SQG 1000367827
FINDS NYD981489230
UST

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

METROPOLITAN OLDSMOBILE INC (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000367827

RCRIS:

Owner: OPERATING CORP
(212) 555-1212
Contact: GERALD TENEBRUSO
(212) 620-5800
Record Date: 07/16/1986
Classification: Small Quantity Generator
Used Oil Recyc: No
Violation Status: No violations found

PBS UST:

PBS Number:	2-349372	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 620-5800
SWIS ID:	6201		
Operator:	ROBERT RUBIN		
Emergency Contact:	A B C FUEL OIL CO, INC, (718) 633-5600		
Total Tanks:	1		
Owner:	METROPOLITAN OLDS, INC 440 W 19TH ST NEW YORK, NY 10011 (212) 620-5800	Owner Mark:	First Owner
Owner Type:	Not reported		
Owner Subtype:	Not reported		
Mailing Address:	METROPOLITAN OLDS, INC 440 W 19TH ST NEW YORK, NY 10011 (212) 620-5800 Not Reported		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	1500		
Tank Location:	UNDERGROUND		
Tank ID:	001	Install Date:	00/00
Product Stored:	NOS 1,2, OR 4 FUEL OIL	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON
Tank External:	Not reported		
Tank Status:	In Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Product Level Gauge	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	12/87
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	False
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	1500	Renewal Date:	19930720
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has been printed	Facility Screen:	Minor data missing
Certification Flag:	False	Certification Date:	19880519
Old PBS Number:	Not reported	Expiration Date:	19930519
Inspected Date:	Not reported	Inspector:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

METROPOLITAN OLDSMOBILE INC (Continued)

1000367827

Inspection Result: Not reported
Lat/long: Not reported
Facility Type: Not reported

C8
North
< 1/8
323
Higher

501-513 W. 19TH STREET
513 W 19TH ST
NEW YORK, NY

LUST

S101340991
N/A

LUST:

Spill Number: 9406402
Facility Contact: Not reported
Investigator: SULLIVAN
Caller Name: ROBERT RUKSTALIS
Caller Phone: (201) 222-9600
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: BROADWAY BLDG MATERIALS
Spiller Address: 501-513 W. 19TH STREET
NEW YORK, NEW YORK

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: APEX ENVIRONMENT
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Spill Class: Not reported
Spill Closed Dt: / /
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 08/10/94 17:00
Cleanup Ceased: / /
Last Inspection: / /

Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 08/10/94 09:23

Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 08/16/95
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/20/94
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: STUCK PROBE IN GROUND FOUND CONTAMINATED SOIL AT 9 FEET. WILL PULL TANKS
OUT -ONCE THEY CAN SEE ALL CONTAMINATED SOIL THEY CAN REMOVE IT
STUCK PILE.

D9
SSE
< 1/8
325
Higher

444 WEST 17TH STREET
444 W 17TH ST
NEW YORK, NY

LUST

S100493965
N/A

LUST:

Spill Number: 9206441
Facility Contact: Not reported
Investigator: TANG
Caller Name: BILL KLEIN
Caller Phone: (718) 762-5200

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: FRANKLIN COMPANY
Caller Extension: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

444 WEST 17TH STREET (Continued)

S100493965

Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: Not reported
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Spill Cause: Tank Failure Resource Affected: Groundwater
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Other PBS Number: Not reported
Spill Date: 09/03/92 09:40 Reported to Dept: 09/03/92 09:43
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 12/03/92
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/04/92
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: DISCOVERED DURING TANK PULL, GENE SULLIVAN OFFICE WAS NOTIFIED ABOUT JA
N - FEB 92' ARE WORKING ON REMEDIATION.

C10
North
< 1/8
344
Higher

KAUFMAN EIGHTH AVE ASSOC
519 8TH AVE
NEW YORK, NY 10018

UST

U001837219
N/A

PBS UST:
PBS Number: 2-335010 CBS Number: Not reported
SPDES Number: Not reported Telephone: (212) 868-1495
SWIS ID: 6201
Operator: KAUFMAN MANAGEMENT
Emergency Contact: JOSEPH BUROGINA, (212) 563-6252
Total Tanks: 1
Owner: KAUFMAN EIGHTH AVE ASSOC
450 7TH AVE
NEW YORK, NY 10123
(212) 563-6252
Owner Type: Not reported Owner Mark: First Owner
Owner Subtype: Not reported
Mailing Address: KAUFMAN EIGHTH AVE ASSOC
450 7TH AVE
NEW YORK, NY 10123
(212) 563-6252
ATTN: CHARLES REIDOR
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than
1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Capacity (gals): 10000
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank ID: 001 Install Date: 00/00
Product Stored: NOS 5 OR 6 FUEL OIL Tank Type: Steel/carbon steel

MAP FINDINGS

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

U001837219

KAUFMAN EIGHTH AVE ASSOC (Continued)

Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON
Tank External:	Not reported		
Tank Status:	In Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	VAULT		
Leak Detection:	OTHER	Dispenser:	Suction
Overfill Prot:	Product Level Gauge	Next Test Date:	N.T.R
Date Tested:	Not reported	Test Method:	Not reported
Date Closed:	Not reported	Updated:	False
Deleted:	False	Owner Screen:	Minor data missing
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct	Renewal Date:	19970806
Total Capacity:	10000	Federal ID:	Not reported
Tank Screen:	Minor data missing	Facility Screen:	No data missing
Renew Flag:	Renwal has not been printed	Certification Date:	19970926
Certification Flag:	False	Expiration Date:	20021002
Old PBS Number:	Not reported	Inspector:	Not reported
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		

D11
SSE
< 1/8
356
Higher

NYCHA - FULTON HOUSES
427-431 W 17TH ST
NEW YORK, NY 10011

RCRIS-SQG 1001224124
FINDS NYR000053405

RCRIS:
Owner: NYCHA
(212) 306-3229
Contact: FRANK OCELLO
(212) 306-3229
Record Date: 04/02/1998
Classification: Small Quantity Generator
Used Oil Recyc: No
Violation Status: No violations found

E12
NNW
< 1/8
385
Higher

528 WEST 19TH ST/MANH
528 WEST 19TH STREET
NEW YORK CITY, NY

LUST

S100168227
N/A

LUST:		Region of Spill:	2
Spill Number:	9011674	Facility Tele:	Not reported
Facility Contact:	Not reported	SWIS:	62
Investigator:	SULLIVAN	Caller Agency:	NYCDEP
Caller Name:	LIONEL MCKENZIE	Caller Extension:	Not reported
Caller Phone:	(212) 669-8930	Notifier Agency:	Not reported
Notifier Name:	Not reported	Notifier Extension:	Not reported
Notifier Phone:	Not reported	Spiller Phone:	(212) 255-0900
Spiller Contact:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

S100168227

528 WEST 19TH ST/MANH (Continued)

Spiller: MENDON PARKING GARAGE
Spiller Address: 528 WEST 19TH STREET
NEW YORK, N.Y.
Spill Class: Not reported
Spill Closed Dt: 11/14/91
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: Local Agency
Spill Date: 02/06/91 10:00
Cleanup Ceased: 11/14/91
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 11/25/91
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/12/91
Date Region Sent Summary to Central Office: / /
DEC Remarks: 02/06/91: NYCDEP TESTED NEARBY SEWERS, NO FINDINGS, DEC TO FOLLOW UP.
Spill Cause: (4) 550 GAL TANKS WERE DISCOVERED DURING A ROUTINE CON ED STREET PA
TROL, NYCDEP WAS TOLD THAT TANKS FAILED 10 YEAR PBS TEST IN 1990, TANK
S WERE NOT IN USE BUT NOT CLOSED PROPERLY.

Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 02/06/91 15:14

E13
NNW
< 1/8
385
Higher

MUCCIO JOHN
528 W 19TH ST
NEW YORK, NY 10011

FINDS 1000555587
RCRIS-LQG NYD986981272

RCRIS:
Owner: MENDON LEASING
(212) 555-1212
Contact: JOHN MUCCIO
(212) 675-8906
Record Date: 11/27/1991
Classification: Large Quantity Generator
Used Oil Recyc: No
Violation Status: No violations found

14
West
< 1/8
393
Higher

555 WEST 17TH ST/MANH
555 WEST 17TH STREET
NEW YORK CITY, NY

LUST S100168016
N/A

LUST:
Spill Number: 9006677
Facility Contact: Not reported
Investigator: TANG
Caller Name: LT MURPHY
Caller Phone: (212) 430-0291

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: NYCFD
Caller Extension: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

555 WEST 17TH ST/MANH (Continued)

S100168016

Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: SILSID REALTY CO
Spiller Address: P O BOX 443
QUEENS, N.Y 11375

Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (718) 263-5211

Spill Class: Not reported
Spill Closed Dt: 09/19/90
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: Fire Department
Spill Date: 09/18/90 12:00
Cleanup Ceased: 09/19/90

Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 09/18/90 12:30

Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: / /
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/09/90
Date Region Sent Summary to Central Office: / /

DEC Remarks: 09/19/90: VAULT TO BE CLEANED, TO CLEAN TANK & INSPECT FOR STRUCTURAL
SOUNDNESS, TO TEST THE FILL PIPE & VENT PIPE, IF TANK FAILS INSP
ECTION TO REPLACE THE TANK.

Spill Cause: 5K TANK VAULTED, DRAIN PLUG OF TANK IS STRIPPED, OIL LEAKED OUT, SITE WA
S INSPECTED, TANK WAS FOUND TO BE VERY RUSTY, PIPING WAS VERY OLD & RU
STY, OIL SOAKED DEBRIS FOUND IN TANK ROOM.

C15
NNE
< 1/8
411
Higher

GETTY PETROLEUM CORP 58542
152 10TH AVE
NEW YORK, NY 10011

FINDS 1001224068
RCRIS-LQG NYR000052845

RCRIS:

Owner: GETTY PETROLEUM CORP
(516) 286-2600

Contact: DALE HOLDEN
(516) 286-2600

Record Date: 03/31/1998

Classification: Large Quantity Generator, Small Quantity Generator

Used Oil Recyc: No

Violation Status: No violations found

C16
NNE
< 1/8
411
Higher

GETTY 58542
152 TENTH AVE
NY, NY 10011

UST

U001839223
N/A

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

GETTY 58542 (Continued)

EDR ID Number
EPA ID Number

Database(s)

U001839223

PBS UST:			
PBS Number:	2-326267	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 675-5854
SWIS ID:	6201		
Operator:	L BARKER		
Emergency Contact:	EDWARD WALDRON, (718) 729-6500		
Total Tanks:	0		
Owner:	GETTY 125 JERICHO TURNPIKE JERICHO, NY 11753 (516) 338-1400	Owner Mark:	First Owner
Owner Type:	Corporate/Commercial		
Owner Subtype:	Not reported		
Mailing Address:	GETY 30-23 GREENPOINT AVENUE LONG ISLAND CITY, NY 11101 (516) 694-9696 ATTN: LUIS OCHONTORENA		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	001	Install Date:	03/98
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	09/93	Next Test Date:	N.T.R
Date Closed:	03/98	Test Method:	UNKNOWN
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19970902
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	Minor data missing
Certification Flag:	False	Certification Date:	19980219
Old PBS Number:	Not reported	Expiration Date:	20021116
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	Not reported		
PBS Number:	2-326267	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 675-5854
SWIS ID:	6201		
Operator:	L BARKER		
Emergency Contact:	EDWARD WALDRON, (718) 729-6500		
Total Tanks:	0		
Owner:	GETTY 125 JERICHO TURNPIKE JERICHO, NY 11753		

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

GETTY 58542 (Continued)

U001839223

Owner Type:	(516) 338-1400 Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	GETY 30-23 GREENPOINT AVENUE LONG ISLAND CITY, NY 11101 (516) 694-9696 ATTN: LUIS OCHONTORENA		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	002	Install Date:	03/98
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	09/93	Next Test Date:	N.T.R
Date Closed:	03/98	Test Method:	UNKNOWN
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19970902
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	Minor data missing
Certification Flag:	False	Certification Date:	19980219
Old PBS Number:	Not reported	Expiration Date:	20021116
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	Not reported		
PBS Number:	2-326267	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 675-5854
Operator:	L BARKER		
Emergency Contact:	EDWARD WALDRON, (718) 729-6500		
Total Tanks:	0		
Owner:	GETTY 125 JERICHO TURNPIKE JERICHO, NY 11753 (516) 338-1400	Owner Mark:	First Owner
Owner Type:	Corporate/Commercial		
Owner Subtype:	Not reported		
Mailing Address:	GETY 30-23 GREENPOINT AVENUE LONG ISLAND CITY, NY 11101 (516) 694-9696 ATTN: LUIS OCHONTORENA		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

GETTY 58542 (Continued)

U001839223

Capacity (gals):	550	Install Date:	03/98
Tank Location:	UNDERGROUND	Tank Type:	Steel/carbon steel
Tank ID:	003	Pipe Internal:	NONE
Product Stored:	UNLEADED GASOLINE	Pipe Type:	GALVANIZED STEEL
Tank Internal:	NONE		
Pipe Location:	Underground		
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	09/93	Next Test Date:	N.T.R
Date Closed:	03/98	Test Method:	UNKNOWN
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19970902
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	Minor data missing
Certification Flag:	False	Certification Date:	19980219
Old PBS Number:	Not reported	Expiration Date:	20021116
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	Not reported		
PBS Number:	2-326267	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 675-5854
Operator:	L BARKER		
Emergency Contact:	EDWARD WALDRON, (718) 729-6500		
Total Tanks:	0		
Owner:	GETTY 125 JERICHO TURNPIKE JERICHO, NY 11753 (516) 338-1400		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	GETY 30-23 GREENPOINT AVENUE LONG ISLAND CITY, NY 11101 (516) 694-9696 ATTN: LUIS OCHONTORENA		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550	Install Date:	03/98
Tank Location:	UNDERGROUND	Tank Type:	Steel/carbon steel
Tank ID:	004	Pipe Internal:	NONE
Product Stored:	UNLEADED GASOLINE	Pipe Type:	GALVANIZED STEEL
Tank Internal:	NONE		
Pipe Location:	Underground		
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

GETTY 58542 (Continued)

EDR ID Number
EPA ID Number

Database(s)

U001839223

Second Containment:	NONE/NONE	Dispenser:	Suction
Leak Detection:	NONE/NONE	Next Test Date:	N.T.R
Overfill Prot:	None	Test Method:	UNKNOWN
Date Tested:	09/93	Updated:	True
Date Closed:	03/98	Owner Screen:	No data missing
Deleted:	False		
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19970902
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	Minor data missing
Certification Flag:	False	Certification Date:	19980219
Old PBS Number:	Not reported	Expiration Date:	20021116
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	Not reported		
PBS Number:	2-326267	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 675-5854
Operator:	L BARKER		
Emergency Contact:	EDWARD WALDRON, (718) 729-6500		
Total Tanks:	0		
Owner:	GETTY		
	125 JERICO TURNPIKE		
	JERICO, NY 11753		
	(516) 338-1400		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	GETY		
	30-23 GREENPOINT AVENUE		
	LONG ISLAND CITY, NY 11101		
	(516) 694-9696		
	ATTN: LUIS OCHONTORENA		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	005	Install Date:	03/98
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	09/93	Next Test Date:	N.T.R
Date Closed:	02/98	Test Method:	UNKNOWN
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19970902
Tank Screen:	0	Federal ID:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

GETTY 58542 (Continued)

EDR ID Number
EPA ID Number

Database(s)

U001839223

Renew Flag:	Renwal has not been printed	Facility Screen:	Minor data missing
Certification Flag:	False	Certification Date:	19980219
Old PBS Number:	Not reported	Expiration Date:	20021116
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	Not reported		
PBS Number:	2-326267	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 675-5854
SWIS ID:	6201		
Operator:	L BARKER		
Emergency Contact:	EDWARD WALDRON, (718) 729-6500		
Total Tanks:	0		
Owner:	GETTY 125 JERICHO TURNPIKE JERICHO, NY 11753 (516) 338-1400		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	GETY 30-23 GREENPOINT AVENUE LONG ISLAND CITY, NY 11101 (516) 694-9696 ATTN: LUIS OCHONTORENA		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	03/98
Tank ID:	006	Tank Type:	Steel/carbon steel
Product Stored:	UNLEADED GASOLINE	Pipe Internal:	NONE
Tank Internal:	NONE	Pipe Type:	GALVANIZED STEEL
Pipe Location:	Underground		
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	09/93	Next Test Date:	N.T.R
Date Closed:	03/98	Test Method:	UNKNOWN
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19970902
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	Minor data missing
Certification Flag:	False	Certification Date:	19980219
Old PBS Number:	Not reported	Expiration Date:	20021116
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	Not reported		
PBS Number:	2-326267	CBS Number:	Not reported
SPDES Number:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

GETTY 58542 (Continued)

EDR ID Number
EPA ID Number

Database(s)

U001839223

SWIS ID:	6201	Telephone:	(212) 675-5854
Operator:	L BARKER		
Emergency Contact:	EDWARD WALDRON, (718) 729-6500		
Total Tanks:	0		
Owner:	GETTY		
	125 JERICO TURNPIKE		
	JERICO, NY 11753		
	(516) 338-1400		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	GETY		
	30-23 GREENPOINT AVENUE		
	LONG ISLAND CITY, NY 11101		
	(516) 694-9696		
	ATTN: LUIS OCHONTORENA		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	007	Install Date:	03/98
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	09/93	Next Test Date:	N.T.R
Date Closed:	03/98	Test Method:	UNKNOWN
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19970902
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	Minor data missing
Certification Flag:	False	Certification Date:	19980219
Old PBS Number:	Not reported	Expiration Date:	20021116
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	Not reported		
PBS Number:	2-326267	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 675-5854
Operator:	L BARKER		
Emergency Contact:	EDWARD WALDRON, (718) 729-6500		
Total Tanks:	0		
Owner:	GETTY		
	125 JERICO TURNPIKE		
	JERICO, NY 11753		
	(516) 338-1400		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

U001839223

GETTY 58542 (Continued)

Mailing Address:	GETY 30-23 GREENPOINT AVENUE LONG ISLAND CITY, NY 11101 (516) 694-9696 ATTN: LUIS OCHONTORENA		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	03/98
Tank ID:	008	Tank Type:	Steel/carbon steel
Product Stored:	UNLEADED GASOLINE	Pipe Internal:	NONE
Tank Internal:	NONE	Pipe Type:	GALVANIZED STEEL
Pipe Location:	Underground		
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE	Dispenser:	Suction
Overfill Prot:	None	Next Test Date:	N.T.R
Date Tested:	09/93	Test Method:	UNKNOWN
Date Closed:	03/98	Updated:	True
Deleted:	False	Owner Screen:	No data missing
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct	Renewal Date:	19970902
Total Capacity:	0	Federal ID:	Not reported
Tank Screen:	0	Facility Screen:	Minor data missing
Renew Flag:	Renwal has not been printed	Certification Date:	19980219
Certification Flag:	False	Expiration Date:	20021116
Old PBS Number:	Not reported	Inspector:	Not reported
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	Not reported		
PBS Number:	2-326267	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 675-5854
SWIS ID:	6201		
Operator:	L BARKER		
Emergency Contact:	EDWARD WALDRON, (718) 729-6500		
Total Tanks:	0		
Owner:	GETTY 125 JERICHO TURNPIKE JERICHO, NY 11753 (516) 338-1400	Owner Mark:	First Owner
Owner Type:	Corporate/Commercial		
Owner Subtype:	Not reported		
Mailing Address:	GETY 30-23 GREENPOINT AVENUE LONG ISLAND CITY, NY 11101 (516) 694-9696 ATTN: LUIS OCHONTORENA		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	03/98
Tank ID:	009		

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

GETTY 58542 (Continued)

U001839223

Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	09/93	Next Test Date:	N.T.R
Date Closed:	03/98	Test Method:	UNKNOWN
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19970902
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	Minor data missing
Certification Flag:	False	Certification Date:	19980219
Old PBS Number:	Not reported	Expiration Date:	20021116
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	Not reported		
		CBS Number:	Not reported
PBS Number:	2-326267		
SPDES Number:	Not reported	Telephone:	(212) 675-5854
SWIS ID:	6201		
Operator:	L BARKER		
Emergency Contact:	EDWARD WALDRON, (718) 729-6500		
Total Tanks:	0		
Owner:	GETTY		
	125 JERICHO TURNPIKE		
	JERICHO, NY 11753		
	(516) 338-1400		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	GETY		
	30-23 GREENPOINT AVENUE		
	LONG ISLAND CITY, NY 11101		
	(516) 694-9696		
	ATTN: LUIS OCHONTORENA		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	010	Install Date:	03/98
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

GETTY 58542 (Continued)

U001839223

Date Tested:	09/93	Next Test Date:	N.T.R
Date Closed:	03/98	Test Method:	UNKNOWN
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19970902
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	Minor data missing
Certification Flag:	False	Certification Date:	19980219
Old PBS Number:	Not reported	Expiration Date:	20021116
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	Not reported		
PBS Number:	2-326267	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 675-5854
Operator:	L BARKER		
Emergency Contact:	EDWARD WALDRON, (718) 729-6500		
Total Tanks:	0		
Owner:	GETTY 125 JERICO TURNPIKE JERICO, NY 11753 (516) 338-1400		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	GETY 30-23 GREENPOINT AVENUE LONG ISLAND CITY, NY 11101 (516) 694-9696 ATTN: LUIS OCHONTORENA		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	011	Install Date:	03/98
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	09/93	Next Test Date:	N.T.R
Date Closed:	03/98	Test Method:	UNKNOWN
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19970902
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	Minor data missing
Certification Flag:	False	Certification Date:	19980219
Old PBS Number:	Not reported	Expiration Date:	20021116

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

GETTY 58542 (Continued)

EDR ID Number
EPA ID Number

Database(s)

U001839223

Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	Not reported		
PBS Number:	2-326267	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 675-5854
SWIS ID:	6201		
Operator:	L BARKER		
Emergency Contact:	EDWARD WALDRON, (718) 729-6500		
Total Tanks:	0		
Owner:	GETTY 125 JERICO TURNPIKE JERICO, NY 11753 (516) 338-1400	Owner Mark:	First Owner
Owner Type:	Corporate/Commercial		
Owner Subtype:	Not reported		
Mailing Address:	GETY 30-23 GREENPOINT AVENUE LONG ISLAND CITY, NY 11101 (516) 694-9696 ATTN: LUIS OCHONTORENA		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	03/98
Tank ID:	012	Tank Type:	Steel/carbon steel
Product Stored:	UNLEADED GASOLINE	Pipe Internal:	NONE
Tank Internal:	NONE	Pipe Type:	GALVANIZED STEEL
Pipe Location:	Underground		
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	09/93	Next Test Date:	N.T.R
Date Closed:	03/98	Test Method:	UNKNOWN
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19970902
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	Minor data missing
Certification Flag:	False	Certification Date:	19980219
Old PBS Number:	Not reported	Expiration Date:	20021116
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	Not reported		

C17
NNE
< 1/8
411
Higher

152-156 TENTH AVE/MANHATT
152-156 TENTH AVENUE
NEW YORK CITY, NY

LUST

S100166699
N/A

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

152-156 TENTH AVE/MANHATT (Continued)

EDR ID Number
EPA ID Number

Database(s)

S100166699

LUST:

Spill Number: 8903509
Facility Contact: Not reported
Investigator: SULLIVAN
Caller Name: BERNARD MCELHONE
Caller Phone: (212) 473-6359
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: GETTY?-CLOSED GAS STA
Spiller Address: 152-156 TENTH AVENUE
NEW YORK, N.Y.

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: CITIZEN
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Spill Class: Not reported
Spill Closed Dt: 08/24/89
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: Citizen
Spill Date: 04/06/89 12:00
Cleanup Ceased: 08/24/89
Last Inspection: / /

Resource Affected: Groundwater
Spill Source: Gas Station
PBS Number: 2-326267
Reported to Dept: 07/07/89 11:23

Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 10/13/89
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/11/89
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: STRONG GAS ODOR, DARK STAINS ON CONCRETE & ASPHALT. DEC INSPECTED.

F18
SW
< 1/8
421
Higher

ABLE EMPIRE GROUP
99 TENTH AVE
NEW YORK, NY 10011

FINDS 1000994402
RCRIS-LQG NYD986878601

RCRIS:

Owner: ABE HIRSCHFELD
(212) 555-1212
Contact: JAMES CERMAK
(718) 502-8132
Record Date: 12/01/1988
Classification: Large Quantity Generator

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

ABLE EMPIRE GROUP (Continued)

Used Oil Recyc: No
Violation Status: No violations found

EDR ID Number
EPA ID Number

1000994402

F19
SW
< 1/8
421
Higher

NORTHEAST LABORATORY - DRUG ENFORCEMENT
99 10TH AVE ROOM 721
NEW YORK, NY 10011

RCRIS-SQG
FINDS

1000833453
NYD987017514

RCRIS:

Owner: ABLE EMPIRE
(212) 989-0175
Contact: ROGER GODINO
(212) 620-3677
Record Date: 07/02/1992
Classification: Small Quantity Generator
Used Oil Recyc: No
Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

D20
SSE
< 1/8
432
Higher

455 WEST 16TH STREET
455 W 16TH ST
NEW YORK, NY 10011

UST

U001841438
N/A

PBS UST:

PBS Number: 2-600410
SPDES Number: Not reported
SWIS ID: 6201
Operator: PHILIP FRIEDMAN
Emergency Contact: PHILIP FRIEDMAN, (212) 243-4700
Total Tanks: 0
Owner: FREEDMAN REALTY
455 WEST 16TH STREET
NEW YORK, NY 10011
(212) 243-4700

CBS Number: Not reported
Telephone: (212) 243-4700

Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Address: FREEDMAN REALTY
444 WEST 17TH STREET
NEW YORK, NY 10011
(212) 243-4700
ATTN: MR. PHILIP FRIEDMAN

Owner Mark: First Owner

Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and
Subpart 360-14.

Capacity (gals): 550
Tank Location: UNDERGROUND
Tank ID: 001
Product Stored: EMPTY
Tank Internal: NONE
Pipe Location: Underground

Install Date: 00/00
Tank Type: Steel/carbon steel
Pipe Internal: NONE
Pipe Type: GALVANIZED STEEL

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

455 WEST 16TH STREET (Continued)

EDR ID Number
EPA ID Number

Database(s)

U001841438

Tank External:	OTHER	Dispenser:	Suction
Tank Status:	Closed-Removed	Next Test Date:	Not reported
Tank Error Status:	No Missing Data	Test Method:	Not reported
Pipe External:	NONE	Updated:	True
Second Containment:	NONE	Owner Screen:	Minor data missing
Leak Detection:	NONE		
Overfill Prot:	None	Renewal Date:	Not reported
Date Tested:	Not reported	Federal ID:	Not reported
Date Closed:	00/00	Facility Screen:	No data missing
Deleted:	False	Certification Date:	Not reported
Dead Letter:	False	Expiration Date:	19961101
FAMT:	Fiscal amount for registration fee is correct	Inspector:	Not reported
Total Capacity:	0		
Tank Screen:	0		
Renew Flag:	Renewal has not been printed		
Certification Flag:	False		
Old PBS Number:	Not reported		
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	MANUFACTURING		
PBS Number:	2-600410	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 243-4700
Operator:	PHILIP FRIEDMAN		
Emergency Contact:	PHILIP FRIEDMAN, (212) 243-4700		
Total Tanks:	0		
Owner:	FREEDMAN REALTY 455 WEST 16TH STREET NEW YORK, NY 10011 (212) 243-4700		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	FREEDMAN REALTY 444 WEST 17TH STREET NEW YORK, NY 10011 (212) 243-4700 ATTN: MR. PHILIP FRIEDMAN		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	00/00
Tank ID:	002	Tank Type:	Steel/carbon steel
Product Stored:	EMPTY	Pipe Internal:	NONE
Tank Internal:	NONE	Pipe Type:	GALVANIZED STEEL
Pipe Location:	Underground		
Tank External:	OTHER		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	00/00	Test Method:	Not reported
Deleted:	False	Updated:	True

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

455 WEST 16TH STREET (Continued)

U001841438

Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	Not reported
Old PBS Number:	Not reported	Expiration Date:	19961101
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	MANUFACTURING		
PBS Number:	2-600410	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 243-4700
Operator:	PHILIP FRIEDMAN		
Emergency Contact:	PHILIP FRIEDMAN, (212) 243-4700		
Total Tanks:	0		
Owner:	FREEDMAN REALTY 455 WEST 16TH STREET NEW YORK, NY 10011 (212) 243-4700		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	FREEDMAN REALTY 444 WEST 17TH STREET NEW YORK, NY 10011 (212) 243-4700 ATTN: MR. PHILIP FRIEDMAN		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	003	Install Date:	00/00
Product Stored:	EMPTY	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	OTHER		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	00/00	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	Not reported
Old PBS Number:	Not reported	Expiration Date:	19961101
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

455 WEST 16TH STREET (Continued)

EDR ID Number
EPA ID Number

Database(s)

U001841438

Facility Type:	MANUFACTURING		
PBS Number:	2-600410	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 243-4700
SWIS ID:	6201		
Operator:	PHILIP FRIEDMAN		
Emergency Contact:	PHILIP FRIEDMAN, (212) 243-4700		
Total Tanks:	0		
Owner:	FREEDMAN REALTY 455 WEST 16TH STREET NEW YORK, NY 10011 (212) 243-4700		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	FREEDMAN REALTY 444 WEST 17TH STREET NEW YORK, NY 10011 (212) 243-4700 ATTN: MR. PHILIP FRIEDMAN		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	00/00
Tank ID:	004	Tank Type:	Steel/carbon steel
Product Stored:	EMPTY	Pipe Internal:	NONE
Tank Internal:	NONE	Pipe Type:	GALVANIZED STEEL
Pipe Location:	Underground		
Tank External:	OTHER		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	00/00	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	Not reported
Old PBS Number:	Not reported	Expiration Date:	19961101
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	MANUFACTURING		
PBS Number:	2-600410	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 243-4700
SWIS ID:	6201		
Operator:	PHILIP FRIEDMAN		
Emergency Contact:	PHILIP FRIEDMAN, (212) 243-4700		
Total Tanks:	0		
Owner:	FREEDMAN REALTY 455 WEST 16TH STREET		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

455 WEST 16TH STREET (Continued)

U001841438

Owner Type:	NEW YORK, NY 10011	Owner Mark:	First Owner
Owner Subtype:	(212) 243-4700 Corporate/Commercial		
Mailing Address:	Not reported		
	FREEDMAN REALTY		
	444 WEST 17TH STREET		
	NEW YORK, NY 10011		
	(212) 243-4700		
	ATTN: MR. PHILIP FRIEDMAN		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	005	Install Date:	00/00
Product Stored:	EMPTY	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	OTHER		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	00/00	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	Not reported
Old PBS Number:	Not reported	Expiration Date:	19961101
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	MANUFACTURING		
PBS Number:	2-600410	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 243-4700
Operator:	PHILIP FRIEDMAN		
Emergency Contact:	PHILIP FRIEDMAN, (212) 243-4700		
Total Tanks:	0		
Owner:	FREEDMAN REALTY		
	455 WEST 16TH STREET		
	NEW YORK, NY 10011		
	(212) 243-4700		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	FREEDMAN REALTY		
	444 WEST 17TH STREET		
	NEW YORK, NY 10011		
	(212) 243-4700		
	ATTN: MR. PHILIP FRIEDMAN		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

455 WEST 16TH STREET (Continued)

U001841438

Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
Capacity (gals): 550
Tank Location: UNDERGROUND
Tank ID: 006
Product Stored: EMPTY
Tank Internal: NONE
Pipe Location: Underground
Tank External: OTHER
Tank Status: Closed-Removed
Tank Error Status: No Missing Data
Pipe External: NONE
Second Containment: NONE
Leak Detection: NONE
Overfill Prot: None
Date Tested: Not reported
Date Closed: 00/00
Deleted: False
Dead Letter: False
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 0
Tank Screen: 0
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: Not reported
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: MANUFACTURING
Install Date: 00/00
Tank Type: Steel/carbon steel
Pipe Internal: NONE
Pipe Type: GALVANIZED STEEL
Dispenser: Suction
Next Test Date: Not reported
Test Method: Not reported
Updated: True
Owner Screen: Minor data missing
Renewal Date: Not reported
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: Not reported
Expiration Date: 19961101
Inspector: Not reported

D21
SSE
< 1/8
432
Higher

FREEDMAN CUT-OUTS
455 W 16TH ST
NEW YORK, NY 10011

FINDS 1000693642
RCRIS-LQG NYD986997070

RCRIS:
Owner: FREEDMAN REALTY
212555121
Contact: DONALD FREEDMAN
(212) 243-4700
Record Date: 03/30/1992
Classification: Large Quantity Generator
Used Oil Recyc: No
Violation Status: No violations found

E22
NNW
< 1/8
452
Higher

MENDON LEASING CORP
542 W 19TH ST
NEW YORK, NY 10011

UST

U001831289
N/A

PBS UST:
PBS Number: 2-032239
SPDES Number: Not reported

CBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

MENDON LEASING CORP (Continued)

EDR ID Number
EPA ID Number

Database(s)

U001831289

SWIS ID:	6201	Telephone:	(212) 255-0900
Operator:	MENDON LEASING CORP		
Emergency Contact:	THOMAS FASINI, (516) 795-1137		
Total Tanks:	0		
Owner:	COTARD REALTY COMPANY 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	COTARD REALTY COMPANY 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100 ATTN: JIM MCELHINNEY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	2200		
Tank Location:	UNDERGROUND		
Tank ID:	123	Install Date:	00/00
Product Stored:	LEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON
Tank External:	Not reported		
Tank Status:	Closed-In Place		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Not reported	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	11/91	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19960903
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19920212
Old PBS Number:	Not reported	Expiration Date:	19961202
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-032239	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 255-0900
Operator:	MENDON LEASING CORP		
Emergency Contact:	THOMAS FASINI, (516) 795-1137		
Total Tanks:	0		
Owner:	COTARD REALTY COMPANY 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

MENDON LEASING CORP (Continued)

EDR ID Number
EPA ID Number

Database(s)

U001831289

Mailing Address:	COTARD REALTY COMPANY 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100 ATTN: JIM MCELHINNEY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	3300		
Tank Location:	UNDERGROUND		
Tank ID:	023	Install Date:	00/00
Product Stored:	LEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON
Tank External:	Not reported		
Tank Status:	Closed-Removed		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Not reported	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	11/91	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19960903
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19920212
Old PBS Number:	Not reported	Expiration Date:	19961202
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-032239	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 255-0900
Operator:	MENDON LEASING CORP		
Emergency Contact:	THOMAS FASINI, (516) 795-1137		
Total Tanks:	0		
Owner:	COTARD REALTY COMPANY 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	COTARD REALTY COMPANY 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100 ATTN: JIM MCELHINNEY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	001	Install Date:	00/00

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

MENDON LEASING CORP (Continued)

EDR ID Number
EPA ID Number

Database(s)

U001831289

Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	STEEL/IRON
Tank External:	NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	01/92	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19960903
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19920212
Old PBS Number:	Not reported	Expiration Date:	19961202
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-032239	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 255-0900
Operator:	MENDON LEASING CORP		
Emergency Contact:	THOMAS FASINI, (516) 795-1137		
Total Tanks:	0		
Owner:	COTARD REALTY COMPANY 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	COTARD REALTY COMPANY 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100 ATTN: JIM MCELHINNEY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	002	Install Date:	00/00
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	STEEL/IRON
Tank External:	NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	None	Dispenser:	Suction

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

MENDON LEASING CORP (Continued)

U001831289

Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	01/92	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19960903
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19920212
Old PBS Number:	Not reported	Expiration Date:	19961202
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-032239	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 255-0900
Operator:	MENDON LEASING CORP		
Emergency Contact:	THOMAS FASINI, (516) 795-1137		
Total Tanks:	0		
Owner:	COTARD REALTY COMPANY 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	COTARD REALTY COMPANY 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100 ATTN: JIM MCELHINNEY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	003	Install Date:	00/00
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	STEEL/IRON
Tank External:	NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	01/92	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19960903
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19920212
Old PBS Number:	Not reported	Expiration Date:	19961202

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

MENDON LEASING CORP (Continued)

U001831289

Inspected Date: Not reported
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: TRUCKING/TRANSPORTATION

Inspector: Not reported

PBS Number: 2-032239
SPDES Number: Not reported
SWIS ID: 6201
Operator: MENDON LEASING CORP
Emergency Contact: THOMAS FASINI, (516) 795-1137
Total Tanks: 0
Owner: COTARD REALTY COMPANY
362 KINGSLAND AVE
BROOKLYN, NY 11222
(718) 389-2100

CBS Number: Not reported
Telephone: (212) 255-0900

Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Address: COTARD REALTY COMPANY
362 KINGSLAND AVE
BROOKLYN, NY 11222
(718) 389-2100
ATTN: JIM MCELHINNEY

Owner Mark: First Owner

Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.

Capacity (gals): 550
Tank Location: UNDERGROUND
Tank ID: 004
Product Stored: UNLEADED GASOLINE
Tank Internal: NONE
Pipe Location: Underground
Tank External: NONE
Tank Status: Closed-Removed
Tank Error Status: No Missing Data
Pipe External: NONE
Second Containment: NONE
Leak Detection: NONE
Overfill Prot: None
Date Tested: Not reported
Date Closed: 01/92
Deleted: False
Dead Letter: False

Install Date: 00/00
Tank Type: Steel/carbon steel
Pipe Internal: NONE
Pipe Type: STEEL/IRON

FAMT: Fiscal amount for registration fee is correct
Total Capacity: 0
Tank Screen: 0

Dispenser: Suction
Next Test Date: N.T.R
Test Method: Not reported
Updated: True
Owner Screen: No data missing

Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: Not reported
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: TRUCKING/TRANSPORTATION

Renewal Date: 19960903
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 19920212
Expiration Date: 19961202
Inspector: Not reported

PBS Number: 2-032239
SPDES Number: Not reported
SWIS ID: 6201
Operator: MENDON LEASING CORP
Emergency Contact: THOMAS FASINI, (516) 795-1137

CBS Number: Not reported
Telephone: (212) 255-0900

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

MENDON LEASING CORP (Continued)

U001831289

Total Tanks:	0		
Owner:	COTARD REALTY COMPANY 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	COTARD REALTY COMPANY 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100 ATTN: JIM MCELHINNEY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	005	Install Date:	00/00
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	STEEL/IRON
Tank External:	NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	01/92	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19960903
Tank Screen:	0	Federal ID:	Not reported
Renewal Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19920212
Old PBS Number:	Not reported	Expiration Date:	19961202
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-032239	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 255-0900
Operator:	MENDON LEASING CORP		
Emergency Contact:	THOMAS FASINI, (516) 795-1137		
Total Tanks:	0		
Owner:	COTARD REALTY COMPANY 362 KINGSLAND AVE BROOKLYN, NY 11222 (718) 389-2100		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	COTARD REALTY COMPANY 362 KINGSLAND AVE BROOKLYN, NY 11222		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

MENDON LEASING CORP (Continued)

U001831289

(718) 389-2100
ATTN: JIM MCELHINNEY
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
Capacity (gals): 550
Tank Location: UNDERGROUND
Tank ID: 006
Product Stored: UNLEADED GASOLINE
Tank Internal: NONE
Pipe Location: Underground
Tank External: NONE
Tank Status: Closed-Removed
Tank Error Status: No Missing Data
Pipe External: NONE
Second Containment: NONE
Leak Detection: NONE
Overfill Prot: None
Date Tested: Not reported
Date Closed: 01/92
Deleted: False
Dead Letter: False
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 0
Tank Screen: 0
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: Not reported
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: TRUCKING/TRANSPORTATION
Install Date: 00/00
Tank Type: Steel/carbon steel
Pipe Internal: NONE
Pipe Type: STEEL/IRON
Dispenser: Suction
Next Test Date: Not reported
Test Method: Not reported
Updated: True
Owner Screen: No data missing
Renewal Date: 19960903
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 19920212
Expiration Date: 19961202
Inspector: Not reported

G23
North
< 1/8
632
Higher

BERMUDA MOTOR CAR RENTING CO
537 WEST 20TH STREET
N Y C, NY 10011

UST

U001839677
N/A

PBS UST:
PBS Number: 2-349402
SPDES Number: Not reported
SWIS ID: 6201
Operator: ROBERT A VERDI
Emergency Contact: ROBERT A VERDI, (212) 249-8400
Total Tanks: 0
Owner: ROBERT A VERDI
537 W 20TH ST
N Y C, NY 10011
(212) 249-8400
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Address: ROBERT A VERDI
537 W 20TH ST
N Y C, NY 10011
(212) 249-8400
Not Reported
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
Capacity (gals): 550
CBS Number: Not reported
Telephone: (212) 249-8400
Owner Mark: First Owner

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

BERMUDA MOTOR CAR RENTING CO (Continued)

U001839677

Tank Location:	UNDERGROUND	Install Date:	00/00
Tank ID:	001	Tank Type:	Steel/carbon steel
Product Stored:	UNLEADED GASOLINE	Pipe Internal:	Not reported
Tank Internal:	Not reported	Pipe Type:	Not reported
Pipe Location:	Not reported		
Tank External:	Not reported		
Tank Status:	Closed-In Place		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Product Level Gauge	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	01/94	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19930720
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has been printed	Facility Screen:	Minor data missing
Certification Flag:	False	Certification Date:	19880519
Old PBS Number:	Not reported	Expiration Date:	19930519
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	Not reported		
PBS Number:	2-349402	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 249-8400
Operator:	ROBERT A VERDI		
Emergency Contact:	ROBERT A VERDI, (212) 249-8400		
Total Tanks:	0		
Owner:	ROBERT A VERDI 537 W 20TH ST N Y C, NY 10011 (212) 249-8400	Owner Mark:	First Owner
Owner Type:	Not reported		
Owner Subtype:	Not reported		
Mailing Address:	ROBERT A VERDI 537 W 20TH ST N Y C, NY 10011 (212) 249-8400 Not Reported		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	00/00
Tank ID:	002	Tank Type:	Steel/carbon steel
Product Stored:	UNLEADED GASOLINE	Pipe Internal:	Not reported
Tank Internal:	Not reported	Pipe Type:	Not reported
Pipe Location:	Not reported		
Tank External:	Not reported		
Tank Status:	Closed-In Place		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

BERMUDA MOTOR CAR RENTING CO (Continued)

U001839677

Leak Detection:	NONE	Dispenser:	Suction
Overfill Prot:	Product Level Gauge	Next Test Date:	N.T.R
Date Tested:	Not reported	Test Method:	Not reported
Date Closed:	01/94	Updated:	True
Deleted:	False	Owner Screen:	Minor data missing
Dead Letter:	False	Renewal Date:	19930720
FAMT:	Fiscal amount for registration fee is correct	Federal ID:	Not reported
Total Capacity:	0	Facility Screen:	Minor data missing
Tank Screen:	0	Certification Date:	19880519
Renew Flag:	Renwal has been printed	Expiration Date:	19930519
Certification Flag:	False	Inspector:	Not reported
Old PBS Number:	Not reported		
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	Not reported		
PBS Number:	2-349402	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 249-8400
SWIS ID:	6201		
Operator:	ROBERT A VERDI		
Emergency Contact:	ROBERT A VERDI, (212) 249-8400		
Total Tanks:	0		
Owner:	ROBERT A VERDI 537 W 20TH ST N Y C, NY 10011 (212) 249-8400	Owner Mark:	First Owner
Owner Type:	Not reported		
Owner Subtype:	Not reported		
Mailing Address:	ROBERT A VERDI 537 W 20TH ST N Y C, NY 10011 (212) 249-8400 Not Reported		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550	Install Date:	00/00
Tank Location:	UNDERGROUND	Tank Type:	Steel/carbon steel
Tank ID:	003	Pipe Internal:	Not reported
Product Stored:	UNLEADED GASOLINE	Pipe Type:	Not reported
Tank Internal:	Not reported		
Pipe Location:	Not reported		
Tank External:	Not reported		
Tank Status:	Closed-In Place		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE	Dispenser:	Suction
Overfill Prot:	Product Level Gauge	Next Test Date:	N.T.R
Date Tested:	Not reported	Test Method:	Not reported
Date Closed:	01/94	Updated:	True
Deleted:	False	Owner Screen:	Minor data missing
Dead Letter:	False	Renewal Date:	19930720
FAMT:	Fiscal amount for registration fee is correct	Federal ID:	Not reported
Total Capacity:	0	Facility Screen:	Minor data missing
Tank Screen:	0		
Renew Flag:	Renwal has been printed		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

U001839677

BERMUDA MOTOR CAR RENTING CO (Continued)

Certification Flag: False
Old PBS Number: Not reported
Inspected Date: Not reported
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: Not reported

Certification Date: 19880519
Expiration Date: 19930519
Inspector: Not reported

PBS Number: 2-349402
SPDES Number: Not reported
SWIS ID: 6201
Operator: ROBERT A VERDI
Emergency Contact: ROBERT A VERDI, (212) 249-8400
Total Tanks: 0
Owner: ROBERT A VERDI

CBS Number: Not reported
Telephone: (212) 249-8400

537 W 20TH ST
N Y C, NY 10011
(212) 249-8400
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Address: ROBERT A VERDI
537 W 20TH ST
N Y C, NY 10011
(212) 249-8400
Not Reported

Owner Mark: First Owner

Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.

Capacity (gals): 550
Tank Location: UNDERGROUND
Tank ID: 004
Product Stored: UNLEADED GASOLINE
Tank Internal: Not reported
Pipe Location: Not reported
Tank External: Not reported
Tank Status: Closed-In Place
Tank Error Status: Minor Data Missing
Pipe External: Not reported
Second Containment: NONE
Leak Detection: NONE
Overfill Prot: Product Level Gauge
Date Tested: Not reported
Date Closed: 01/94
Deleted: False
Dead Letter: False
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 0
Tank Screen: 0
Renew Flag: Renewal has been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: Not reported
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: Not reported

Install Date: 00/00
Tank Type: Steel/carbon steel
Pipe Internal: Not reported
Pipe Type: Not reported

Dispenser: Suction
Next Test Date: Not reported
Test Method: Not reported
Updated: True
Owner Screen: Minor data missing

Renewal Date: 19930720
Federal ID: Not reported
Facility Screen: Minor data missing
Certification Date: 19880519
Expiration Date: 19930519
Inspector: Not reported

H24
SW
< 1/8
659
Higher

ARDUND THE CLOCK CENTER
85 10TH AVE
NEW YORK, NY 10011

UST

U001837689
N/A

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site
--------	-----------	----------	----------------	-----------	------

Database(s)

U001837689

H25 MANARK ASSOCIATES DIP
SW 85 10TH AVE
< 1/8 NEW YORK, NY 10011
659
Higher

TC465167.1s Page 59

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

MANARK ASSOCIATES DIP (Continued)

1000912544

RCRIS:

Owner: MANARK ASSOCIATES DIP
(718) 937-8700

Contact: CHERYL COHEN
(718) 937-8700

Record Date: 09/29/1994

Classification: Large Quantity Generator

Used Oil Recyc: No

Violation Status: No violations found

G26
NNW
1/8-1/4
696
Higher

BAYVIEW CORR FAC
550 W 20TH ST
NEW YORK, NY 10011

UST
AST

U003074576
N/A

PBS UST:

PBS Number: 2-399515

SPDES Number: Not reported

SWIS ID: 6201

Operator: BAYVIEW CORRECTIONAL FACILITY

Emergency Contact: MRS. A DIXON, (212) 255-7590

Total Tanks: 3

Owner: NYS DEPT CORR SVC
550 WEST 20TH STREET
NEW YORK, NY 10011
(212) 255-7590

Owner Type: State Government

Owner Subtype: NYS Department of Corrective Services

Mailing Address: NYS DEPT CORR SVC
STATE CAMPUS-BUILDING #2
ALBANY, NY 12226
(518) 432-2454
ATTN: FRANK SHERIDAN

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Capacity (gals): 7500

Tank Location: UNDERGROUND, VAULTED, WITH ACCESS

Tank ID: 001

Product Stored: NOS 1,2, OR 4 FUEL OIL

Tank Internal: Not reported

Pipe Location: Not reported

Tank External: Not reported

Tank Status: In Service

Tank Error Status: Minor Data Missing

Pipe External: Not reported

Second Containment: VAULT

Leak Detection: NONE

Overfill Prot: Product Level Gauge

Date Tested: Not reported

Date Closed: Not reported

Deleted: False

Dead Letter: False

FAMT: Fiscal amount for registration fee is correct

Total Capacity: 8050

CBS Number: Not reported

Telephone: (212) 255-7590

Owner Mark: First Owner

Install Date: 00/00

Tank Type: Steel/carbon steel

Pipe Internal: Not reported

Pipe Type: STEEL/IRON

Dispenser: Suction

Next Test Date: N.T.R

Test Method: Not reported

Updated: False

Owner Screen: Minor data missing

Renewal Date: 19970811

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

BAYVIEW CORR FAC (Continued)

U003074576

Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19971103
Old PBS Number:	Not reported	Expiration Date:	20021006
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		

PBS AST:

PBS Number:	2-399515	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS Code:	6201
Federal ID:	Not reported	Previous PBS#:	Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		

Facility Type: OTHER
Owner Type: State Government
Owner Sub Type: NYS Department of Corrective Services
Owner: NYS DEPT CORR SVC
550 WEST 20TH STREET
NEW YORK, NY 10011

Owner Phone: (212) 255-7590
Facility Phone: (212) 255-7590
Operator: BAYVIEW CORRECTIONAL FACILITY
Emergency Name: MRS. A DIXON
Emergency Phone: (212) 255-7590
Total Tanks: 3
Total Capacity: 8050
Tank ID: 002
Tank Status: In Service
Capacity (Gal): 275
Tank Error Status: Minor data missing
Tank Location: ABOVEGROUND
Product Stored: DIESEL
Tank Type: Steel/carbon steel
Install Date: 08/96
Tank Internal: Not reported
Tank External: Not reported
Tank Containment: DOUBLED-WALLED TANK
Pipe Type: STEEL/IRON
Pipe Location: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Leak Detection: NONE
Overfill Protection: Product Level Gauge, Vent Whistle
Dispenser Method: Suction
Date Tested: Not reported
Date Closed: Not reported
Updated: True
Date Inspected: Not reported
Result of Inspection: Not reported
Mailing Name: NYS DEPT CORR SVC
Mailing Address: STATE CAMPUS-BUILDING #2
ALBANY, NY 12226
Mailing Contact: FRANK SHERIDAN
Mailing Telephone: (518) 432-2454
Owner Mark: First Owner
Certification Flag: False

Next Test Date: N.T.R
Test Method: Not reported
Deleted: False
Inspector: Not reported

Expiration Date: 10/06/02
Certification Date: 11/03/97

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

BAYVIEW CORR FAC (Continued)

U003074576

Renew Flag:	False	Renew Date:	08/11/97
Lat/Long:	Not reported		
Dead Letter:	False		
Facility Screen:	No data missing		
Owner Screen:	Minor data missing		
Tank Screen:	Minor data missing		
Fiscal Amount for Registration Fee is Correct:	True		
PBS Number:	2-399515	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS Code:	6201
Federal ID:	Not reported	Previous PBS#:	Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Facility Type:	OTHER		
Owner Type:	State Government		
Owner Sub Type:	NYS Department of Corrective Services		
Owner:	NYS DEPT CORR SVC 550 WEST 20TH STREET NEW YORK, NY 10011		
Owner Phone:	(212) 255-7590		
Facility Phone:	(212) 255-7590		
Operator:	BAYVIEW CORRECTIONAL FACILITY		
Emergency Name:	MRS. A DIXON		
Emergency Phone:	(212) 255-7590		
Total Tanks:	3		
Total Capacity:	8050		
Tank ID:	003		
Tank Status:	In Service		
Capacity (Gal):	275		
Tank Error Status:	Minor data missing		
Tank Location:	ABOVEGROUND		
Product Stored:	DIESEL		
Tank Type:	Steel/carbon steel		
Install Date:	05/96		
Tank Internal:	Not reported		
Tank External:	Not reported		
Tank Containment:	DOUBLED-WALLED TANK		
Pipe Type:	STEEL/IRON		
Pipe Location:	Not reported		
Pipe Internal:	Not reported		
Pipe External:	Not reported		
Leak Detection:	NONE		
Overfill Protection:	Product Level Gauge, Vent Whistle		
Dispenser Method:	Suction		
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	Not reported
Updated:	True	Deleted:	False
Date Inspected:	Not reported	Inspector:	Not reported
Result of Inspection:	Not reported		
Mailing Name:	NYS DEPT CORR SVC		
Mailing Address:	STATE CAMPUS-BUILDING #2 ALBANY, NY 12226		
Mailing Contact:	FRANK SHERIDAN		
Mailing Telephone:	(518) 432-2454		
Owner Mark:	First Owner		
Certification Flag:	False	Expiration Date:	10/06/02
Renew Flag:	False	Certification Date:	11/03/97
		Renew Date:	08/11/97

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

BAYVIEW CORR FAC (Continued)

U003074576

Lat/Long: Not reported
Dead Letter: False
Facility Screen: No data missing
Owner Screen: Minor data missing
Tank Screen: Minor data missing
Fiscal Amount for Registration Fee is Correct: True

I27
NNE
1/8-1/4
776
Higher

THE HENRY LLOYD COMPANY
507 W 21ST ST
NEW YORK, NY 10021

UST

U003127203
N/A

PBS UST:
PBS Number: 2-602777 CBS Number: Not reported
SPDES Number: Not reported
SWIS ID: 6201 Telephone: (212) 244-1762
Operator: ARTHUR SHAPOLSKY
Emergency Contact: ARTHUR SHAPOLSKY, (212) 244-1762
Total Tanks: 0
Owner: THE HENRY LLOYD COMPANY
348 WEST 42ND STREET
NEW YORK, NY 10036
(212) 244-1762
Owner Type: Corporate/Commercial Owner Mark: First Owner
Owner Subtype: Not reported
Mailing Address: THE HENRY LLOYD COMPANY
348 WEST 42ND STREET
NEW YORK, NY 10036
(212) 244-1762
ATTN: ARTHUR SHAPOLSKY
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and
Subpart 360-14.
Capacity (gals): 550
Tank Location: UNDERGROUND
Tank ID: 001 Install Date: 00/00
Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel
Tank Internal: NONE Pipe Internal: NONE
Pipe Location: Underground Pipe Type: GALVANIZED STEEL
Tank External: NONE/NONE
Tank Status: Closed-Removed
Tank Error Status: No Missing Data
Pipe External: NONE/NONE
Second Containment: NONE/NONE
Leak Detection: NONE/NONE
Overfill Prot: None Dispenser: Suction
Date Tested: Not reported Next Test Date: N.T.R
Date Closed: 11/96 Test Method: Not reported
Deleted: False Updated: True
Dead Letter: False Owner Screen: Minor data missing
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 0 Renewal Date: Not reported
Tank Screen: 0 Federal ID: Not reported
Renew Flag: Renewal has not been printed Facility Screen: No data missing
Certification Flag: False Certification Date: 19960919
Old PBS Number: Not reported Expiration Date: 20010916
Inspected Date: Not reported Inspector: Not reported
Inspection Result: Not reported
Lat/long: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

THE HENRY LLOYD COMPANY (Continued)

U003127203

Facility Type:	OTHER		
PBS Number:	2-602777	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 244-1762
Operator:	ARTHUR SHAPOLSKY		
Emergency Contact:	ARTHUR SHAPOLSKY, (212) 244-1762		
Total Tanks:	0		
Owner:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762 ATTN: ARTHUR SHAPOLSKY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	002	Install Date:	00/00
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	11/96	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19960919
Old PBS Number:	Not reported	Expiration Date:	20010916
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-602777	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 244-1762
Operator:	ARTHUR SHAPOLSKY		
Emergency Contact:	ARTHUR SHAPOLSKY, (212) 244-1762		
Total Tanks:	0		
Owner:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

U003127203

THE HENRY LLOYD COMPANY (Continued)

Owner Type:	NEW YORK, NY 10036	Owner Mark:	First Owner
Owner Subtype:	(212) 244-1762		
Mailing Address:	Corporate/Commercial		
	Not reported		
	THE HENRY LLOYD COMPANY		
	348 WEST 42ND STREET		
	NEW YORK, NY 10036		
	(212) 244-1762		
	ATTN: ARTHUR SHAPOLSKY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	00/00
Tank ID:	003	Tank Type:	Steel/carbon steel
Product Stored:	UNLEADED GASOLINE	Pipe Internal:	NONE
Tank Internal:	NONE	Pipe Type:	GALVANIZED STEEL
Pipe Location:	Underground		
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	11/96	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19960919
Old PBS Number:	Not reported	Expiration Date:	20010916
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-602777	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 244-1762
Operator:	ARTHUR SHAPOLSKY		
Emergency Contact:	ARTHUR SHAPOLSKY, (212) 244-1762		
Total Tanks:	0		
Owner:	THE HENRY LLOYD COMPANY		
	348 WEST 42ND STREET		
	NEW YORK, NY 10036		
	(212) 244-1762		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	THE HENRY LLOYD COMPANY		
	348 WEST 42ND STREET		
	NEW YORK, NY 10036		
	(212) 244-1762		
	ATTN: ARTHUR SHAPOLSKY		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

U003127203

THE HENRY LLOYD COMPANY (Continued)

Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	00/00
Tank ID:	004	Tank Type:	Steel/carbon steel
Product Stored:	UNLEADED GASOLINE	Pipe Internal:	NONE
Tank Internal:	NONE	Pipe Type:	GALVANIZED STEEL
Pipe Location:	Underground		
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE	Dispenser:	Suction
Second Containment:	NONE/NONE	Next Test Date:	N.T.R
Leak Detection:	NONE/NONE	Test Method:	Not reported
Overfill Prot:	None	Updated:	True
Date Tested:	Not reported	Owner Screen:	Minor data missing
Date Closed:	11/96		
Deleted:	False	Renewal Date:	Not reported
Dead Letter:	False	Federal ID:	Not reported
FAMT:	Fiscal amount for registration fee is correct	Facility Screen:	No data missing
Total Capacity:	0	Certification Date:	19960919
Tank Screen:	0	Expiration Date:	20010916
Renew Flag:	Renwal has not been printed	Inspector:	Not reported
Certification Flag:	False		
Old PBS Number:	Not reported		
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-602777	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 244-1762
SWIS ID:	6201		
Operator:	ARTHUR SHAPOLSKY		
Emergency Contact:	ARTHUR SHAPOLSKY, (212) 244-1762		
Total Tanks:	0		
Owner:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762 ATTN: ARTHUR SHAPOLSKY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	00/00
Tank ID:	005	Tank Type:	Steel/carbon steel
Product Stored:	UNLEADED GASOLINE	Pipe Internal:	NONE
Tank Internal:	NONE	Pipe Type:	GALVANIZED STEEL
Pipe Location:	Underground		
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

THE HENRY LLOYD COMPANY (Continued)

U003127203

Tank Error Status:	No Missing Data	Dispenser:	Suction
Pipe External:	NONE/NONE	Next Test Date:	N.T.R
Second Containment:	NONE/NONE	Test Method:	Not reported
Leak Detection:	NONE/NONE	Updated:	True
Overfill Prot:	None	Owner Screen:	Minor data missing
Date Tested:	Not reported	Renewal Date:	Not reported
Date Closed:	11/96	Federal ID:	Not reported
Deleted:	False	Facility Screen:	No data missing
Dead Letter:	False	Certification Date:	19960919
FAMT:	Fiscal amount for registration fee is correct	Expiration Date:	20010916
Total Capacity:	0	Inspector:	Not reported
Tank Screen:	0		
Renew Flag:	Renwal has not been printed		
Certification Flag:	False		
Old PBS Number:	Not reported		
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-602777	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 244-1762
SWIS ID:	6201		
Operator:	ARTHUR SHAPOLSKY		
Emergency Contact:	ARTHUR SHAPOLSKY, (212) 244-1762		
Total Tanks:	0		
Owner:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762 ATTN: ARTHUR SHAPOLSKY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	00/00
Tank ID:	006	Tank Type:	Steel/carbon steel
Product Stored:	UNLEADED GASOLINE	Pipe Internal:	NONE
Tank Internal:	NONE	Pipe Type:	GALVANIZED STEEL
Pipe Location:	Underground		
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data	Dispenser:	Suction
Pipe External:	NONE/NONE	Next Test Date:	N.T.R
Second Containment:	NONE/NONE	Test Method:	Not reported
Leak Detection:	NONE/NONE	Updated:	True
Overfill Prot:	None	Owner Screen:	Minor data missing
Date Tested:	Not reported		
Date Closed:	11/96		
Deleted:	False		
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

U003127203

THE HENRY LLOYD COMPANY (Continued)

Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19960919
Old PBS Number:	Not reported	Expiration Date:	20010916
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-602777	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 244-1762
SWIS ID:	6201		
Operator:	ARTHUR SHAPOLSKY		
Emergency Contact:	ARTHUR SHAPOLSKY, (212) 244-1762		
Total Tanks:	0		
Owner:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762	Owner Mark:	First Owner
Owner Type:	Corporate/Commercial		
Owner Subtype:	Not reported		
Mailing Address:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762 ATTN: ARTHUR SHAPOLSKY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	00/00
Tank ID:	007	Tank Type:	Steel/carbon steel
Product Stored:	UNLEADED GASOLINE	Pipe Internal:	NONE
Tank Internal:	NONE	Pipe Type:	GALVANIZED STEEL
Pipe Location:	Underground		
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE	Dispenser:	Suction
Second Containment:	NONE/NONE	Next Test Date:	N.T.R
Leak Detection:	NONE/NONE	Test Method:	Not reported
Overfill Prot:	None	Updated:	True
Date Tested:	Not reported	Owner Screen:	Minor data missing
Date Closed:	11/96		
Deleted:	False	Renewal Date:	Not reported
Dead Letter:	False	Federal ID:	Not reported
FAMT:	Fiscal amount for registration fee is correct	Facility Screen:	No data missing
Total Capacity:	0	Certification Date:	19960919
Tank Screen:	0	Expiration Date:	20010916
Renew Flag:	Renwal has not been printed	Inspector:	Not reported
Certification Flag:	False		
Old PBS Number:	Not reported		
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

THE HENRY LLOYD COMPANY (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003127203

PBS Number:	2-602777	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 244-1762
SWIS ID:	6201		
Operator:	ARTHUR SHAPOLSKY		
Emergency Contact:	ARTHUR SHAPOLSKY, (212) 244-1762		
Total Tanks:	0		
Owner:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762 ATTN: ARTHUR SHAPOLSKY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	008	Install Date:	00/00
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	11/96	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19960919
Old PBS Number:	Not reported	Expiration Date:	20010916
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-602777	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 244-1762
SWIS ID:	6201		
Operator:	ARTHUR SHAPOLSKY		
Emergency Contact:	ARTHUR SHAPOLSKY, (212) 244-1762		
Total Tanks:	0		
Owner:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

THE HENRY LLOYD COMPANY (Continued)

U003127203

Owner Type:	(212) 244-1762 Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762 ATTN: ARTHUR SHAPOLSKY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	00/00
Tank ID:	009	Tank Type:	Steel/carbon steel
Product Stored:	UNLEADED GASOLINE	Pipe Internal:	NONE
Tank Internal:	NONE	Pipe Type:	GALVANIZED STEEL
Pipe Location:	Underground		
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	11/96	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19960919
Old PBS Number:	Not reported	Expiration Date:	20010916
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-602777	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 244-1762
Operator:	ARTHUR SHAPOLSKY		
Emergency Contact:	ARTHUR SHAPOLSKY, (212) 244-1762		
Total Tanks:	0		
Owner:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762 ATTN: ARTHUR SHAPOLSKY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

THE HENRY LLOYD COMPANY (Continued)

U003127203

Capacity (gals):	550	Install Date:	00/00
Tank Location:	UNDERGROUND	Tank Type:	Steel/carbon steel
Tank ID:	010	Pipe Internal:	NONE
Product Stored:	UNLEADED GASOLINE	Pipe Type:	GALVANIZED STEEL
Tank Internal:	NONE		
Pipe Location:	Underground		
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	11/96	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19960919
Old PBS Number:	Not reported	Expiration Date:	20010916
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-602777	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 244-1762
Operator:	ARTHUR SHAPOLSKY		
Emergency Contact:	ARTHUR SHAPOLSKY, (212) 244-1762		
Total Tanks:	0		
Owner:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762 ATTN: ARTHUR SHAPOLSKY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	00/00
Tank ID:	011	Tank Type:	Steel/carbon steel
Product Stored:	UNLEADED GASOLINE	Pipe Internal:	NONE
Tank Internal:	NONE	Pipe Type:	GALVANIZED STEEL
Pipe Location:	Underground		
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

THE HENRY LLOYD COMPANY (Continued)

U003127203

Second Containment:	NONE/NONE	Dispenser:	Suction
Leak Detection:	NONE/NONE	Next Test Date:	N.T.R
Overfill Prot:	None	Test Method:	Not reported
Date Tested:	Not reported	Updated:	True
Date Closed:	11/96	Owner Screen:	Minor data missing
Deleted:	False		
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19960919
Old PBS Number:	Not reported	Expiration Date:	20010916
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-602777	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 244-1762
Operator:	ARTHUR SHAPOLSKY		
Emergency Contact:	ARTHUR SHAPOLSKY, (212) 244-1762		
Total Tanks:	0		
Owner:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762 ATTN: ARTHUR SHAPOLSKY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	012	Install Date:	00/00
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	11/96	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

THE HENRY LLOYD COMPANY (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003127203

Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19960919
Old PBS Number:	Not reported	Expiration Date:	20010916
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-602777	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 244-1762
Operator:	ARTHUR SHAPOLSKY		
Emergency Contact:	ARTHUR SHAPOLSKY, (212) 244-1762		
Total Tanks:	0		
Owner:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762 ATTN: ARTHUR SHAPOLSKY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	013	Install Date:	00/00
Product Stored:	DIESEL	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	11/96	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19960919
Old PBS Number:	Not reported	Expiration Date:	20010916
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-602777	CBS Number:	Not reported
SPDES Number:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

THE HENRY LLOYD COMPANY (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003127203

SWIS ID:	6201	Telephone:	(212) 244-1762
Operator:	ARTHUR SHAPOLSKY		
Emergency Contact:	ARTHUR SHAPOLSKY, (212) 244-1762		
Total Tanks:	0		
Owner:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762 ATTN: ARTHUR SHAPOLSKY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	014	Install Date:	00/00
Product Stored:	DIESEL	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	11/96	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19960919
Old PBS Number:	Not reported	Expiration Date:	20010916
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-602777	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 244-1762
Operator:	ARTHUR SHAPOLSKY		
Emergency Contact:	ARTHUR SHAPOLSKY, (212) 244-1762		
Total Tanks:	0		
Owner:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

THE HENRY LLOYD COMPANY (Continued)

U003127203

Mailing Address:	THE HENRY LLOYD COMPANY 348 WEST 42ND STREET NEW YORK, NY 10036 (212) 244-1762 ATTN: ARTHUR SHAPOLSKY		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	1000		
Tank Location:	UNDERGROUND		
Tank ID:	015	Install Date:	00/00
Product Stored:	LUBE OIL	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	11/96	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19960919
Old PBS Number:	Not reported	Expiration Date:	20010916
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		

128
NNE
1/8-1/4
776
Higher

507 WEST 21ST STREET
507 W 21ST ST
NEW YORK, NY

LUST

S102660672
N/A

LUST:

Spill Number:	9510154	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	TIBBE	SWIS:	62
Caller Name:	JACOB KRIMGOLD	Caller Agency:	NYS DEC
Caller Phone:	(718) 482-4933	Caller Extension:	7143
Notifier Name:	ALLAN C SCHWARTZ	Notifier Agency:	SCHWARTZ, WEISS, STECKLER
Notifier Phone:	(212) 687-5725	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	UNKNOWN		
Spiller Address:	Not reported		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Unable/unwilling Responsible Party. Corrective action taken. (ISR)		
Spill Closed Dt:	12/17/97		
Spill Cause:	Tank Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Gas Station
Spill Notifier:	Other	PBS Number:	Not reported
Spill Date:	06/08/93 12:00	Reported to Dept:	11/14/95 12:25

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

507 WEST 21ST STREET (Continued)

S102660672

Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 12/17/97
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/14/95
Date Region Sent Summary to Central Office: / /
DEC Remarks: SEE FILE. SEE ALSO 91-12111 & 96-10012.
Spill Cause: SITE OWNER HENRY & LLOYD COMPANY. ATTORNEY OF THE OWNER NOTIFIED NEW YORK CITY LAW DEPARTMENT ABOUT LEAKAGE FROM 14X550 GALLON TANKS AT SITE.
(SEE COPY OF HIS LETTER)

I29
NNE
1/8-1/4
776
Higher

HENRY & LLOYD CO THE
507 W 21ST ST
NEW YORK, NY 10036

RCRIS-SQG 1001124824
FINDS NYR000031443

RCRIS:

Owner: THE HENRY & LLOYD CO
(212) 581-6500
Contact: ARTHUR SHAPOLSKY
(212) 581-6500
Record Date: 10/25/1996
Classification: Conditionally Exempt Small Quantity Generator
Used Oil Recyc: No
Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

I30
NNE
1/8-1/4
783
Higher

MORGAN & BROTHER MANHATAN STORAGE CO.
510 W 21ST ST
NY, NY 10011

UST

U001834792
N/A

PBS UST:
PBS Number: 2-238325 CBS Number: Not reported
SPDES Number: Not reported Telephone: (212) 633-7816
SWIS ID: 6201
Operator: MORGAN & BROTHER MANHATAN STRG
Emergency Contact: MR LARRY PANNONE, (718) 967-0409
Total Tanks: 1
Owner: MORGAN & BROTHER MANHATAN STRG CO, INC.
510 WEST 21TH STREET
NY, NY 10011
(212) 633-7800
Owner Type: Corporate/Commercial Owner Mark: First Owner
Owner Subtype: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

MORGAN & BROTHER MANHATAN STORAGE CO. (Continued)

U001834792

Mailing Address: MORGAN & BROTHER MANHATAN STRG
510 WEST 21TH STREET
NY, NY 10011
(212) 633-7800
Not Reported

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than
1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Capacity (gals): 2000

Tank Location: UNDERGROUND, VAULTED, WITH ACCESS

Tank ID: 001 Install Date: 00/00

Product Stored: NOS 1,2, OR 4 FUEL OIL Tank Type: Steel/carbon steel

Tank Internal: Not reported Pipe Internal: Not reported

Pipe Location: Not reported Pipe Type: STEEL/IRON

Tank External: Not reported

Tank Status: In Service

Tank Error Status: Minor Data Missing

Pipe External: Not reported

Second Containment: NONE

Leak Detection: NONE

Overfill Prot: Product Level Gauge Dispenser: Suction

Date Tested: Not reported Next Test Date: N.T.R

Date Closed: Not reported Test Method: Not reported

Deleted: False Updated: False

Dead Letter: False Owner Screen: No data missing

FAMT: Fiscal amount for registration fee is correct

Total Capacity: 2000 Renewal Date: 19970613

Tank Screen: Minor data missing Federal ID: Not reported

Renew Flag: Renewal has been printed Facility Screen: No data missing

Certification Flag: False Certification Date: 19930721

Old PBS Number: Not reported Expiration Date: 19970710

Inspected Date: Not reported Inspector: Not reported

Inspection Result: Not reported

Lat/long: Not reported

Facility Type: OTHER

I31
NNE
1/8-1/4
783
Higher

TIME WARNER CABLE / MANHATTAN CABLE
511 W 21ST ST
NEW YORK, NY 10001

UST
AST

U003074535
N/A

PBS UST:

PBS Number: 2-285919 CBS Number: Not reported

SPDES Number: Not reported Telephone: (212) 598-7357

SWIS ID: 6201

Operator: TIME WARNER CABLE

Emergency Contact: TIME WARNER CABLE, (212) 598-7357

Total Tanks: 6

Owner: TIME WARNER CABLE OF NEW YORK CITY
120 EAST 23RD STREET
NEW YORK, NY 10010
(212) 598-7357

Owner Type: Corporate/Commercial Owner Mark: First Owner

Owner Subtype: Not reported

Mailing Address: TIME WARNER CABLE OF NEW YORK CITY
120 EAST 23RD STREET
NEW YORK, NY 10010
(212) 598-7357
ATTN: MS. VICKY MELENDEZ

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

TIME WARNER CABLE / MANHATTAN CABLE (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003074535

Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank ID:	101	Install Date:	03/90
Product Stored:	UNLEADED GASOLINE	Tank Type:	Fiberglass reinforced plastic [FRP]
Tank Internal:	FIBERGLASS LINER [FRP]	Pipe Internal:	FIBERGLASS LINER [FRP]
Pipe Location:	Underground	Pipe Type:	FIBERGLASS [FRP]
Tank External:	FIBERGLASS		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Pipe External:	FIBERGLASS		
Second Containment:	DOUBLED-WALLED TANK		
Leak Detection:	INTERSTITIAL MONITORING		
Overfill Prot:	High Level Alarm, Catch Basin	Dispenser:	Submersible
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	11100	Renewal Date:	19970616
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19971029
Old PBS Number:	Not reported	Expiration Date:	20020720
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-285919	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 598-7357
Operator:	TIME WARNER CABLE		
Emergency Contact:	TIME WARNER CABLE, (212) 598-7357		
Total Tanks:	6		
Owner:	TIME WARNER CABLE OF NEW YORK CITY 120 EAST 23RD STREET NEW YORK, NY 10010 (212) 598-7357		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	TIME WARNER CABLE OF NEW YORK CITY 120 EAST 23RD STREET NEW YORK, NY 10010 (212) 598-7357 ATTN: MS. VICKY MELENDEZ		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank ID:	102	Install Date:	03/90
Product Stored:	UNLEADED GASOLINE	Tank Type:	Fiberglass reinforced plastic [FRP]
Tank Internal:	FIBERGLASS LINER [FRP]	Pipe Internal:	FIBERGLASS LINER [FRP]
Pipe Location:	Underground	Pipe Type:	FIBERGLASS [FRP]
Tank External:	FIBERGLASS		
Tank Status:	In Service		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

TIME WARNER CABLE / MANHATTAN CABLE (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003074535

Tank Error Status:	No Missing Data	Dispenser:	Submersible
Pipe External:	FIBERGLASS	Next Test Date:	N.T.R
Second Containment:	DOUBLED-WALLED TANK	Test Method:	Not reported
Leak Detection:	INTERSTITIAL MONITORING	Updated:	True
Overfill Prot:	High Level Alarm, Catch Basin	Owner Screen:	Minor data missing
Date Tested:	Not reported	Renewal Date:	19970616
Date Closed:	Not reported	Federal ID:	Not reported
Deleted:	False	Facility Screen:	No data missing
Dead Letter:	False	Certification Date:	19971029
FAMT:	Fiscal amount for registration fee is correct	Expiration Date:	20020720
Total Capacity:	11100	Inspector:	Not reported
Tank Screen:	Minor data missing		
Renew Flag:	Renwal has been printed		
Certification Flag:	False		
Old PBS Number:	Not reported		
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-285919	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 598-7357
SWIS ID:	6201		
Operator:	TIME WARNER CABLE		
Emergency Contact:	TIME WARNER CABLE, (212) 598-7357		
Total Tanks:	6		
Owner:	TIME WARNER CABLE OF NEW YORK CITY 120 EAST 23RD STREET NEW YORK, NY 10010 (212) 598-7357		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	TIME WARNER CABLE OF NEW YORK CITY 120 EAST 23RD STREET NEW YORK, NY 10010 (212) 598-7357 ATTN: MS. VICKY MELENDEZ		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	103	Install Date:	03/90
Product Stored:	OTHER	Tank Type:	Fiberglass reinforced plastic [FRP]
Tank Internal:	FIBERGLASS LINER [FRP]	Pipe Internal:	FIBERGLASS LINER [FRP]
Pipe Location:	Underground	Pipe Type:	FIBERGLASS [FRP]
Tank External:	FIBERGLASS		
Tank Status:	In Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	FIBERGLASS		
Second Containment:	DOUBLED-WALLED TANK		
Leak Detection:	INTERSTITIAL MONITORING		
Overfill Prot:	High Level Alarm	Dispenser:	Not reported
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TIME WARNER CABLE / MANHATTAN CABLE (Continued)

U003074535

Total Capacity:	11100	Renewal Date:	19970616
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19971029
Old PBS Number:	Not reported	Expiration Date:	20020720
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		

PBS AST:

PBS Number:	2-285919	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS Code:	6201
Federal ID:	Not reported	Previous PBS#:	Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		

Facility Type: OTHER
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: TIME WARNER CABLE OF NEW YORK CITY
120 EAST 23RD STREET
NEW YORK, NY 10010

Owner Phone: (212) 598-7357
Facility Phone: (212) 598-7357
Operator: TIME WARNER CABLE
Emergency Name: TIME WARNER CABLE
Emergency Phone: (212) 598-7357
Total Tanks: 6
Total Capacity: 11100
Tank ID: 001
Tank Status: In Service
Capacity (Gal): 2000
Tank Error Status: Minor data missing
Tank Location: ABOVEGROUND
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Install Date: Not reported
Tank Internal: Not reported
Tank External: Not reported
Tank Containment: NONE
Pipe Type: STEEL/IRON
Pipe Location: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Leak Detection: NONE
Overfill Protection: Product Level Gauge

Dispenser Method: Suction
Date Tested: Not reported
Date Closed: Not reported
Updated: False

Next Test Date: N.T.R
Test Method: Not reported
Deleted: False
Inspector: Not reported

Date Inspected: Not reported
Result of Inspection: Not reported
Mailing Name: TIME WARNER CABLE OF NEW YORK CITY
Mailing Address: 120 EAST 23RD STREET
NEW YORK, NY 10010
Mailing Contact: MS. VICKY MELENDEZ
Mailing Telephone: (212) 598-7357
Owner Mark: First Owner

Expiration Date: 07/20/02

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

TIME WARNER CABLE / MANHATTAN CABLE (Continued)

U003074535

Certification Flag:	False	Certification Date:	10/29/97
Renew Flag:	True	Renew Date:	06/16/97
Lat/Long:	Not reported		
Dead Letter:	False		
Facility Screen:	No data missing		
Owner Screen:	Minor data missing		
Tank Screen:	Minor data missing		
Fiscal Amount for Registration Fee is Correct:	True		
PBS Number:	2-285919	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS Code:	6201
Federal ID:	Not reported	Previous PBS#:	Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Facility Type:	OTHER		
Owner Type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Owner:	TIME WARNER CABLE OF NEW YORK CITY 120 EAST 23RD STREET NEW YORK, NY 10010		
Owner Phone:	(212) 598-7357		
Facility Phone:	(212) 598-7357		
Operator:	TIME WARNER CABLE		
Emergency Name:	TIME WARNER CABLE		
Emergency Phone:	(212) 598-7357		
Total Tanks:	6		
Total Capacity:	11100		
Tank ID:	104		
Tank Status:	In Service		
Capacity (Gal):	275		
Tank Error Status:	Minor data missing		
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE		
Product Stored:	OTHER		
Tank Type:	Steel/carbon steel		
Install Date:	05/94		
Tank Internal:	Not reported		
Tank External:	Not reported		
Tank Containment:	PREFABRICATED STEEL DIKE		
Pipe Type:	Not reported		
Pipe Location:	Not reported		
Pipe Internal:	Not reported		
Pipe External:	Not reported		
Leak Detection:	Not reported		
Overfill Protection:	Float Vent Valve		
Dispenser Method:	Not reported		
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	Not reported
Updated:	True	Deleted:	False
Date Inspected:	Not reported	Inspector:	Not reported
Result of Inspection:	Not reported		
Mailing Name:	TIME WARNER CABLE OF NEW YORK CITY		
Mailing Address:	120 EAST 23RD STREET NEW YORK, NY 10010		
Mailing Contact:	MS. VICKY MELENDEZ		
Mailing Telephone:	(212) 598-7357		
Owner Mark:	First Owner	Expiration Date:	07/20/02
Certification Flag:	False	Certification Date:	10/29/97

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

TIME WARNER CABLE / MANHATTAN CABLE (Continued)

U003074535

Renew Flag:	True	Renew Date:	06/16/97
Lat/Long:	Not reported		
Dead Letter:	False		
Facility Screen:	No data missing		
Owner Screen:	Minor data missing		
Tank Screen:	Minor data missing		
Fiscal Amount for Registration Fee is Correct:	True		
PBS Number:	2-285919	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS Code:	6201
Federal ID:	Not reported	Previous PBS#:	Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Facility Type:	OTHER		
Owner Type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Owner:	TIME WARNER CABLE OF NEW YORK CITY 120 EAST 23RD STREET NEW YORK, NY 10010		
Owner Phone:	(212) 598-7357		
Facility Phone:	(212) 598-7357		
Operator:	TIME WARNER CABLE		
Emergency Name:	TIME WARNER CABLE		
Emergency Phone:	(212) 598-7357		
Total Tanks:	6		
Total Capacity:	11100		
Tank ID:	105		
Tank Status:	In Service		
Capacity (Gal):	275		
Tank Error Status:	Minor data missing		
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE		
Product Stored:	OTHER		
Tank Type:	Steel/carbon steel		
Install Date:	03/90		
Tank Internal:	Not reported		
Tank External:	Not reported		
Tank Containment:	Not reported		
Pipe Type:	Not reported		
Pipe Location:	Not reported		
Pipe Internal:	Not reported		
Pipe External:	Not reported		
Leak Detection:	Not reported		
Overfill Protection:	Not reported		
Dispenser Method:	Not reported		
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	Not reported
Updated:	True	Deleted:	False
Date Inspected:	Not reported	Inspector:	Not reported
Result of Inspection:	Not reported		
Mailing Name:	TIME WARNER CABLE OF NEW YORK CITY		
Mailing Address:	120 EAST 23RD STREET NEW YORK, NY 10010		
Mailing Contact:	MS. VICKY MELENDEZ		
Mailing Telephone:	(212) 598-7357		
Owner Mark:	First Owner		
Certification Flag:	False	Expiration Date:	07/20/02
Renew Flag:	True	Certification Date:	10/29/97
		Renew Date:	06/16/97

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

TIME WARNER CABLE / MANHATTAN CABLE (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003074535

Lat/Long: Not reported
Dead Letter: False
Facility Screen: No data missing
Owner Screen: Minor data missing
Tank Screen: Minor data missing
Fiscal Amount for Registration Fee is Correct: True

J32
South
1/8-1/4
786
Higher

AROUND THE CLOCK CENTER
459 W 15TH ST
NEW YORK, NY 10011

UST

U000405327
N/A

PBS UST:
PBS Number: 2-216674 CBS Number: Not reported
SPDES Number: Not reported
SWIS ID: 6201 Telephone: (212) 243-6005
Operator: JOHN GILLEN
Emergency Contact: JOHN GILLEN, (203) 878-8692
Total Tanks: 2
Owner: CMC MIC HOLDING CO. L.L.C.
88 TENTH AVENUE
NEW YORK, NY 10011
(212) 243-6005
Owner Type: Corporate/Commercial Owner Mark: Second Owner
Owner Subtype: Not reported
Mailing Address: ATC MANAGEMENT, INC.
99 TENTH AVENUE
NEW YORK, NY 10011
(212) 355-2330
Not Reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than
1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Capacity (gals): 17000
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank ID: 001 Install Date: 12/59
Product Stored: NOS 5 OR 6 FUEL OIL Tank Type: Steel/carbon steel
Tank Internal: Not reported Pipe Internal: Not reported
Pipe Location: Not reported Pipe Type: STEEL/IRON
Tank External: Not reported
Tank Status: In Service
Tank Error Status: Minor Data Missing
Pipe External: Not reported
Second Containment: VAULT
Leak Detection: NONE
Overfill Prot: Product Level Gauge Dispenser: Suction
Date Tested: Not reported Next Test Date: N.T.R
Date Closed: Not reported Test Method: Not reported
Deleted: False Updated: False
Dead Letter: False Owner Screen: No data missing
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 34000 Renewal Date: 19970811
Tank Screen: Minor data missing Federal ID: Not reported
Renew Flag: Renewal has not been printed Facility Screen: No data missing
Certification Flag: False Certification Date: 19971103
Old PBS Number: Not reported Expiration Date: 20021103
Inspected Date: Not reported Inspector: Not reported
Inspection Result: Not reported
Lat/long: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

AROUND THE CLOCK CENTER (Continued)

U000405327

Facility Type:	OTHER		
PBS Number:	2-216674	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 243-6005
Operator:	JOHN GILLEN		
Emergency Contact:	JOHN GILLEN, (203) 878-8692		
Total Tanks:	2		
Owner:	CMC MIC HOLDING CO. L.L.C. 88 TENTH AVENUE NEW YORK, NY 10011 (212) 243-6005		
Owner Type:	Corporate/Commercial	Owner Mark:	Second Owner
Owner Subtype:	Not reported		
Mailing Address:	ATC MANAGEMENT, INC. 99 TENTH AVENUE NEW YORK, NY 10011 (212) 355-2330 Not Reported		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	17000		
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS		
Tank ID:	002	Install Date:	12/59
Product Stored:	NOS 5 OR 6 FUEL OIL	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON
Tank External:	Not reported		
Tank Status:	In Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	VAULT		
Leak Detection:	NONE		
Overfill Prot:	Product Level Gauge	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	False
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	34000	Renewal Date:	19970811
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19971103
Old PBS Number:	Not reported	Expiration Date:	20021103
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		

K33
SW
1/8-1/4
801
Higher

PIER 57- 11TH AVENUE
PIER 57 / 11TH AVENUE
MANHATTAN, NY

LUST

S101341073
N/A

LUST:

Spill Number: 9408802
Facility Contact: Not reported
Investigator: HALE

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PIER 57- 11TH AVENUE (Continued)

S101341073

Caller Name:	OFFICER STANIEWSKI	Caller Agency:	NYC DEC REG. 2
Caller Phone:	(718) 482-4885	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(212) 924-8425
Spiller:	NYC TRANSIT AUTHORITY		
Spiller Address:	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	/ /		
Spill Cause:	Tank Failure	Resource Affected:	On Land
Water Affected:	HUDSON RIVER	Spill Source:	Other Commercial/Industrial
Spill Notifier:	DEC	PBS Number:	Not reported
Spill Date:	09/30/94 11:00	Reported to Dept:	10/03/94 10:00
Cleanup Ceased:	/ /		
Last Inspection:	/ /		
Cleanup Meets Standard:	False		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	/ /		
Enforcement Date:	/ /		
Investigation Complete:	/ /		
UST Involvement:	False		
Spill Record Last Update:	10/17/97		
Is Updated:	False		
Corrective Action Plan Submitted:	/ /		
Date Spill Entered In Computer Data File:	11/01/94		
Date Region Sent Summary to Central Office:	/ /		
DEC Remarks:	Not reported		
Spill Cause:	W.O. TANK LEAKS-NO CLEAN UP DONE		

K34
SW
1/8-1/4
803
Higher

PIER 57- WESTSIDE HIGHWAY
PIER 57 / 17TH ST
MANHATTAN, NY

LUST

S101341228
N/A

LUST:

Spill Number:	9412040	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	TIBBE	SWIS:	62
Caller Name:	PO HOBSON	Caller Agency:	USCG
Caller Phone:	(212) 668-7920	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	NYCTA & NYSDOT		
Spiller Address:	Not reported		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	12/09/94		
Spill Cause:	Tank Failure	Resource Affected:	On Land
Water Affected:	HUDSON RIVER	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Federal Government	PBS Number:	Not reported
Spill Date:	12/09/94 08:00	Reported to Dept:	12/09/94 09:20
Cleanup Ceased:	/ /		
Last Inspection:	/ /		
Cleanup Meets Standard:	False		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	/ /		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

PIER 57- WESTSIDE HIGHWAY (Continued)

S101341228

Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 05/07/98
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/25/95
Date Region Sent Summary to Central Office: / /
DEC Remarks: SEE 94-07577 & SP93876.
Spill Cause: ON GOING - SEE PAGE SITE BREACHED -CONTAINED UNDERGROUND STORAGE TANKS C
ONTRACTORS ENROUTE, ALSO USCG GOING OUT.

I35
North
1/8-1/4
805
Higher

TRIBECA MANAGEMENT
521 WEST 21TH STREET
MANHATTAN, NY 10011

UST

U001736518
N/A

PBS UST:
PBS Number: 2-601593 CBS Number: Not reported
SPDES Number: Not reported Telephone: (212) 675-1717
SWIS ID: 6201
Operator: GUY ROBERTS
Emergency Contact: GUY ROBERTS, (212) 675-1717
Total Tanks: 0
Owner: ESTATE OF JOHN J. CASALE, C/O KEY TRUST - OF MAINE
P.O. BOX 1054
AUGUSTA, MA 04330
(207) 623-4721
Owner Type: Corporate/Commercial Owner Mark: First Owner
Owner Subtype: Not reported
Mailing Address: TARANTO & ASSOCIATES INC.
267 FIFTH AVENUE.
SUITE 906
NEW YORK, NY 10016
(212) 686-6200
ATTN: DAVID BRIMLOW
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and
Subpart 360-14.
Capacity (gals): 550
Tank Location: UNDERGROUND
Tank ID: 001 Install Date: 10/97
Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel
Tank Internal: NONE Pipe Internal: NONE
Pipe Location: Underground Pipe Type: STEEL/IRON
Tank External: NONE/NONE
Tank Status: Closed-Removed
Tank Error Status: No Missing Data
Pipe External: NONE/NONE
Second Containment: NONE/NONE
Leak Detection: NONE/NONE
Overfill Prot: None Dispenser: Suction
Date Tested: Not reported Next Test Date: N.T.R
Date Closed: 10/97 Test Method: Not reported
Deleted: False Updated: True
Dead Letter: False Owner Screen: No data missing
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 0 Renewal Date: Not reported
Tank Screen: 0 Federal ID: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

TRIBECA MANAGEMENT (Continued)

EDR ID Number
EPA ID Number

Database(s)

U001736518

Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19930914
Old PBS Number:	Not reported	Expiration Date:	19980914
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-601593	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 675-1717
Operator:	GUY ROBERTS		
Emergency Contact:	GUY ROBERTS, (212) 675-1717		
Total Tanks:	0		
Owner:	ESTATE OF JOHN J. CASALE, C/O KEY TRUST - OF MAINE P.O. BOX 1054 AUGUSTA, MA 04330 (207) 623-4721		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	TARANTO & ASSOCIATES INC. 267 FIFTH AVENUE. SUITE 906 NEW YORK, NY 10016 (212) 686-6200 ATTN: DAVID BRIMLOW		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	002	Install Date:	10/97
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	EPOXY LINER
Pipe Location:	Underground	Pipe Type:	STEEL/IRON
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	10/97	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19930914
Old PBS Number:	Not reported	Expiration Date:	19980914
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-601593	CBS Number:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

TRIBECA MANAGEMENT (Continued)

U001736518

SPDES Number:	Not reported	Telephone:	(212) 675-1717
SWIS ID:	6201		
Operator:	GUY ROBERTS		
Emergency Contact:	GUY ROBERTS, (212) 675-1717		
Total Tanks:	0		
Owner:	ESTATE OF JOHN J. CASALE, C/O KEY TRUST - OF MAINE P.O. BOX 1054 AUGUSTA, MA 04330 (207) 623-4721		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	TARANTO & ASSOCIATES INC. 267 FIFTH AVENUE. SUITE 906 NEW YORK, NY 10016 (212) 686-6200 ATTN: DAVID BRIMLOW		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	003	Install Date:	10/97
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	STEEL/IRON
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	10/97	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19930914
Old PBS Number:	Not reported	Expiration Date:	19980914
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-601593	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 675-1717
Operator:	GUY ROBERTS		
Emergency Contact:	GUY ROBERTS, (212) 675-1717		
Total Tanks:	0		
Owner:	ESTATE OF JOHN J. CASALE, C/O KEY TRUST - OF MAINE P.O. BOX 1054 AUGUSTA, MA 04330 (207) 623-4721		

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

TRIBECA MANAGEMENT (Continued)

U001736518

Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	TARANTO & ASSOCIATES INC. 267 FIFTH AVENUE. SUITE 906 NEW YORK, NY 10016 (212) 686-6200 ATTN: DAVID BRIMLOW		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	004	Install Date:	10/97
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	NONE
Tank External:	NONE/NONE		
Tank Status:	Closed-Removed		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	10/97	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19930914
Old PBS Number:	Not reported	Expiration Date:	19980914
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-601593	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 675-1717
Operator:	GUY ROBERTS		
Emergency Contact:	GUY ROBERTS, (212) 675-1717		
Total Tanks:	0		
Owner:	ESTATE OF JOHN J. CASALE, C/O KEY TRUST - OF MAINE P.O. BOX 1054 AUGUSTA, MA 04330 (207) 623-4721		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	TARANTO & ASSOCIATES INC. 267 FIFTH AVENUE. SUITE 906 NEW YORK, NY 10016 (212) 686-6200 ATTN: DAVID BRIMLOW		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

TRIBECA MANAGEMENT (Continued)

U001736518

Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
Capacity (gals): 550
Tank Location: UNDERGROUND
Tank ID: 005
Product Stored: UNLEADED GASOLINE
Tank Internal: NONE
Pipe Location: Underground
Tank External: NONE/NONE
Tank Status: Closed-Removed
Tank Error Status: No Missing Data
Pipe External: NONE/NONE
Second Containment: NONE/NONE
Leak Detection: NONE/NONE
Overfill Prot: None
Date Tested: Not reported
Date Closed: 10/97
Deleted: False
Dead Letter: False
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 0
Tank Screen: 0
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: Not reported
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: TRUCKING/TRANSPORTATION
Install Date: 10/97
Tank Type: Steel/carbon steel
Pipe Internal: NONE
Pipe Type: STEEL/IRON
Dispenser: Suction
Next Test Date: N.T.R
Test Method: Not reported
Updated: True
Owner Screen: No data missing
Renewal Date: Not reported
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 19930914
Expiration Date: 19980914
Inspector: Not reported

K36
SW
1/8-1/4
810
Higher

NYCTA
W 15TH ST & 11TH AVE
NEW YORK, NY 10011

FINDS 1000140961
RCRIS-LQG NYD980642235

RCRIS:

Owner: CITY OF NEW YORK
(212) 555-1212
Contact: GARY FEIL
(212) 498-8149
Record Date: 05/21/1982
Classification: Large Quantity Generator, Small Quantity Generator
Used Oil Recyc: No
Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

K37
SW
1/8-1/4
810
Higher

HUDSON PIER BUS DEPOT
11 AVE/WEST 15 STREET
NEW YORK, NY 10011

CBS AST S104073311
N/A

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HUDSON PIER BUS DEPOT (Continued)

S104073311

CBS AST:
CBS Number: 2-000287 Telephone: (212) 690-9659
Owner: NEW YORK CITY TRANSIT
370 JAY STREET ROOM 819
BROOKLYN, NY 11201
(718) 243-4581
Facility Status: Active
Total Tanks 1
Tank Error Status: No Missing Data
Tank Location: Aboveground
Install Date: 11/57
Capacity (Gal): 550
Tank Type: Steel/carbon steel
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: Painted/Asphalt Coating
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: GALVANIZED STEEL Pipe Location: Aboveground/Underground Combination
Pipe Internal: None
Pipe External: Painted/Asphalt Coating
Pipe Containment: None Haz Percent: 100
Leak Detection: None
Overfill Protection: Not reported
Chemical: Ethylene glycol Tank Closed: Not reported
PBS Number: 2-190284 SWIS Code: 6201
Federal ID: Not reported CAS Number: 107211
MOSF Number: Not reported ICS Number: Not reported
SPDES Number: Not reported
Facility Type: Municipality
Operator: NEW YORK CITY TRANSIT Facility Town: NEW YORK CITY
Emrgncy Contact: HOWARD MATZA Emrgncy Phone: (718) 243-4581
Certified Date: 19990903 Expiration Date: 20010811
Owner type: State Government
Owner Sub Type: None
Mail Name: NEW YORK CITY TRANSIT
Mail Contact: HOWARD MATZA
370 JAY STREET
ROOM 819
BROOKLYN, NY 11201
Mail Phone: (718) 243-4581
Tank Secret: False Date Entered: 08/10/95 13:23:15
Last Test: Not reported Due Date: Not reported
Pipe Flag: F Owner Mark: 0
Renew Date: Not reported Date Expired: Not reported
Is it There: False Is Updated: False
Owner Status: F
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: False
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 550
Unique Tank Id Number: CBS-HUD-1
Date Pre-Printed Renewal App Form Was Last Printed: 19990503

K38
SW
1/8-1/4
810
Higher

HUDSON PIER BUS DEPOT
11TH AVE & WEST 15TH ST (PIER 57)
MANHATTAN, NY 10011

UST
AST

U003074389
N/A

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

HUDSON PIER BUS DEPOT (Continued)

U003074389

PBS UST:			
PBS Number:	2-190284	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(718) 690-9659
Operator:	NYC TRANSIT AUTHORITY		
Emergency Contact:	HOWARD MATZA, (718) 243-4581		
Total Tanks:	10		
Owner:	NYC TRANSIT AUTHORITY 370 JAY STREET, ROOM 819 BROOKLYN, NY 11201 (718) 243-4581		
Owner Type:	Local Government	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	NEW YORK CITY TRANSIT AUTHORITY 370 JAY STREET, ROOM 819 BROOKLYN, NY 11201 (718) 243-4581 ATTN: HOWARD MATZA		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	7100		
Tank Location:	UNDERGROUND		
Tank ID:	HUD-5	Install Date:	01/71
Product Stored:	DIESEL	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/NONE		
Tank Status:	Closed-In Place		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/PAINTED/ASPHALT COATING		
Second Containment:	NONE/VAULT		
Leak Detection:	IN-TANK SYSTEM/OTHER		
Overfill Prot:	High Level Alarm, Automatic Shut-Off	Dispenser:	Suction
Date Tested:	11/95	Next Test Date:	Not reported
Date Closed:	11/98	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	53000	Renewal Date:	19970604
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19980323
Old PBS Number:	Not reported	Expiration Date:	20020605
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS Number:	2-190284	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(718) 690-9659
Operator:	NYC TRANSIT AUTHORITY		
Emergency Contact:	HOWARD MATZA, (718) 243-4581		
Total Tanks:	10		
Owner:	NYC TRANSIT AUTHORITY 370 JAY STREET, ROOM 819 BROOKLYN, NY 11201		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HUDSON PIER BUS DEPOT (Continued)

U003074389

Owner Type:	(718) 243-4581 Local Government	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	NEW YORK CITY TRANSIT AUTHORITY 370 JAY STREET, ROOM 819 BROOKLYN, NY 11201 (718) 243-4581 ATTN: HOWARD MATZA		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	7100		
Tank Location:	UNDERGROUND	Install Date:	01/71
Tank ID:	HUD-6	Tank Type:	Steel/carbon steel
Product Stored:	DIESEL	Pipe Internal:	NONE
Tank Internal:	NONE	Pipe Type:	GALVANIZED STEEL
Pipe Location:	Underground		
Tank External:	NONE/NONE		
Tank Status:	Closed-In Place		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/PAINTED/ASPHALT COATING		
Second Containment:	NONE/VAULT		
Leak Detection:	IN-TANK SYSTEM/OTHER		
Overfill Prot:	High Level Alarm, Automatic Shut-Off	Dispenser:	Suction
Date Tested:	11/95	Next Test Date:	Not reported
Date Closed:	11/98	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	53000	Renewal Date:	19970604
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19980323
Old PBS Number:	Not reported	Expiration Date:	20020605
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	TRUCKING/TRANSPORTATION		
PBS AST:			
PBS Number:	2-190284	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS Code:	6201
Federal ID:	Not reported	Previous PBS#:	Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Facility Type:	TRUCKING/TRANSPORTATION		
Owner Type:	Local Government		
Owner Sub Type:	Not reported		
Owner:	NYC TRANSIT AUTHORITY 370 JAY STREET, ROOM 819 BROOKLYN, NY 11201 (718) 243-4581		
Owner Phone:	(718) 243-4581		
Facility Phone:	(718) 690-9659		
Operator:	NYC TRANSIT AUTHORITY		
Emergency Name:	HOWARD MATZA		
Emergency Phone:	(718) 243-4581		
Total Tanks:	10		
Total Capacity:	53000		
Tank ID:	HUD-1		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

HUDSON PIER BUS DEPOT (Continued)

U003074389

Tank Status:	In Service	
Capacity (Gal):	4000	
Tank Error Status:	No data missing	
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE	
Product Stored:	NOS 1,2, OR 4 FUEL OIL	
Tank Type:	Steel/carbon steel	
Install Date:	10/86	
Tank Internal:	NONE	
Tank External:	NONE/PAINTED/ASPHALT COATING	
Tank Containment:	NONE/CUT-OFF WALLS	
Pipe Type:	STEEL/IRON	
Pipe Location:	Aboveground	
Pipe Internal:	NONE	
Pipe External:	NONE/PAINTED/ASPHALT COATING	
Leak Detection:	NONE/INTERSTITIAL MONITORING	
Overfill Protection:	High Level Alarm, Automatic Shut-Off	
Dispenser Method:	Suction	
Date Tested:	Not reported	Next Test Date: N.T.R
Date Closed:	Not reported	Test Method: Not reported
Updated:	True	Deleted: False
Date Inspected:	Not reported	Inspector: Not reported
Result of Inspection:	Not reported	
Mailing Name:	NEW YORK CITY TRANSIT AUTHORITY	
Mailing Address:	370 JAY STREET, ROOM 819 BROOKLYN, NY 11201	
Mailing Contact:	HOWARD MATZA	
Mailing Telephone:	(718) 243-4581	
Owner Mark:	First Owner	Expiration Date: 06/05/02
Certification Flag:	False	Certification Date: 03/23/98
Renew Flag:	True	Renew Date: 06/04/97
Lat/Long:	Not reported	
Dead Letter:	False	
Facility Screen:	No data missing	
Owner Screen:	Minor data missing	
Tank Screen:	No data missing	
Fiscal Amount for Registration Fee is Correct:	True	
PBS Number:	2-190284	CBS Number: Not reported
SPDES Number:	Not reported	SWIS Code: 6201
Federal ID:	Not reported	Previous PBS#: Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.	
Facility Type:	TRUCKING/TRANSPORTATION	
Owner Type:	Local Government	
Owner Sub Type:	Not reported	
Owner:	NYC TRANSIT AUTHORITY 370 JAY STREET, ROOM 819 BROOKLYN, NY 11201	
Owner Phone:	(718) 243-4581	
Facility Phone:	(718) 690-9659	
Operator:	NYC TRANSIT AUTHORITY	
Emergency Name:	HOWARD MATZA	
Emergency Phone:	(718) 243-4581	
Total Tanks:	10	
Total Capacity:	53000	
Tank ID:	HUD-2	
Tank Status:	In Service	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HUDSON PIER BUS DEPOT (Continued)

U003074389

Capacity (Gal):	4000	
Tank Error Status:	No data missing	
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE	
Product Stored:	NOS 1,2, OR 4 FUEL OIL	
Tank Type:	Steel/carbon steel	
Install Date:	10/86	
Tank Internal:	NONE	
Tank External:	NONE/PAINTED/ASPHALT COATING	
Tank Containment:	NONE/CUT-OFF WALLS	
Pipe Type:	STEEL/IRON	
Pipe Location:	Aboveground	
Pipe Internal:	NONE	
Pipe External:	NONE/PAINTED/ASPHALT COATING	
Leak Detection:	NONE/INTERSTITIAL MONITORING	
Overfill Protection:	High Level Alarm, Automatic Shut-Off	
Dispenser Method:	Suction	
Date Tested:	Not reported	Next Test Date: N.T.R
Date Closed:	Not reported	Test Method: Not reported
Updated:	True	Deleted: False
Date Inspected:	Not reported	Inspector: Not reported
Result of Inspection:	Not reported	
Mailing Name:	NEW YORK CITY TRANSIT AUTHORITY	
Mailing Address:	370 JAY STREET, ROOM 819 BROOKLYN, NY 11201	
Mailing Contact:	HOWARD MATZA	
Mailing Telephone:	(718) 243-4581	
Owner Mark:	First Owner	Expiration Date: 06/05/02
Certification Flag:	False	Certification Date: 03/23/98
Renew Flag:	True	Renew Date: 06/04/97
Lat/Long:	Not reported	
Dead Letter:	False	
Facility Screen:	No data missing	
Owner Screen:	Minor data missing	
Tank Screen:	No data missing	
Fiscal Amount for Registration Fee is Correct:	True	
PBS Number:	2-190284	CBS Number: Not reported
SPDES Number:	Not reported	SWIS Code: 6201
Federal ID:	Not reported	Previous PBS#: Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.	
Facility Type:	TRUCKING/TRANSPORTATION	
Owner Type:	Local Government	
Owner Sub Type:	Not reported	
Owner:	NYC TRANSIT AUTHORITY 370 JAY STREET, ROOM 819 BROOKLYN, NY 11201	
Owner Phone:	(718) 243-4581	
Facility Phone:	(718) 690-9659	
Operator:	NYC TRANSIT AUTHORITY	
Emergency Name:	HOWARD MATZA	
Emergency Phone:	(718) 243-4581	
Total Tanks:	10	
Total Capacity:	53000	
Tank ID:	HUD-3	
Tank Status:	In Service	
Capacity (Gal):	4000	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HUDSON PIER BUS DEPOT (Continued)

U003074389

Tank Error Status: No data missing
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Install Date: 10/86
Tank Internal: NONE
Tank External: NONE/PAINTED/ASPHALT COATING
Tank Containment: NONE/CUT-OFF WALLS
Pipe Type: STEEL/IRON
Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: NONE/PAINTED/ASPHALT COATING
Leak Detection: NONE/INTERSTITIAL MONITORING
Overfill Protection: High Level Alarm, Automatic Shut-Off
Dispenser Method: Suction
Date Tested: Not reported
Date Closed: Not reported
Updated: True
Date Inspected: Not reported
Result of Inspection: Not reported
Mailing Name: NEW YORK CITY TRANSIT AUTHORITY
Mailing Address: 370 JAY STREET, ROOM 819
BROOKLYN, NY 11201
Mailing Contact: HOWARD MATZA
Mailing Telephone: (718) 243-4581
Owner Mark: First Owner
Certification Flag: False
Renew Flag: True
Lat/Long: Not reported
Dead Letter: False
Facility Screen: No data missing
Owner Screen: Minor data missing
Tank Screen: No data missing
Fiscal Amount for Registration Fee is Correct: True
Next Test Date: N.T.R
Test Method: Not reported
Deleted: False
Inspector: Not reported
Expiration Date: 06/05/02
Certification Date: 03/23/98
Renew Date: 06/04/97
PBS Number: 2-190284
SPDES Number: Not reported
Federal ID: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: TRUCKING/TRANSPORTATION
Owner Type: Local Government
Owner Sub Type: Not reported
Owner: NYC TRANSIT AUTHORITY
370 JAY STREET, ROOM 819
BROOKLYN, NY 11201
Owner Phone: (718) 243-4581
Facility Phone: (718) 690-9659
Operator: NYC TRANSIT AUTHORITY
Emergency Name: HOWARD MATZA
Emergency Phone: (718) 243-4581
Total Tanks: 10
Total Capacity: 53000
Tank ID: HUD-4
Tank Status: In Service
Capacity (Gal): 4000
Tank Error Status: No data missing
CBS Number: Not reported
SWIS Code: 6201
Previous PBS#: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

HUDSON PIER BUS DEPOT (Continued)

U003074389

Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE		
Product Stored:	NOS 1,2, OR 4 FUEL OIL		
Tank Type:	Steel/carbon steel		
Install Date:	10/86		
Tank Internal:	NONE		
Tank External:	NONE/PAINTED/ASPHALT COATING		
Tank Containment:	NONE/CUT-OFF WALLS		
Pipe Type:	STEEL/IRON		
Pipe Location:	Aboveground		
Pipe Internal:	NONE		
Pipe External:	NONE/PAINTED/ASPHALT COATING		
Leak Detection:	NONE/INTERSTITIAL MONITORING		
Overfill Protection:	High Level Alarm, Automatic Shut-Off		
Dispenser Method:	Suction		
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	Not reported
Updated:	True	Deleted:	False
Date Inspected:	Not reported	Inspector:	Not reported
Result of Inspection:	Not reported		
Mailing Name:	NEW YORK CITY TRANSIT AUTHORITY		
Mailing Address:	370 JAY STREET, ROOM 819 BROOKLYN, NY 11201		
Mailing Contact:	HOWARD MATZA		
Mailing Telephone:	(718) 243-4581		
Owner Mark:	First Owner	Expiration Date:	06/05/02
Certification Flag:	False	Certification Date:	03/23/98
Renew Flag:	True	Renew Date:	06/04/97
Lat/Long:	Not reported		
Dead Letter:	False		
Facility Screen:	No data missing		
Owner Screen:	Minor data missing		
Tank Screen:	No data missing		
Fiscal Amount for Registration Fee is Correct:	True		
PBS Number:	2-190284	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS Code:	6201
Federal ID:	Not reported	Previous PBS#:	Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Facility Type:	TRUCKING/TRANSPORTATION		
Owner Type:	Local Government		
Owner Sub Type:	Not reported		
Owner:	NYC TRANSIT AUTHORITY 370 JAY STREET, ROOM 819 BROOKLYN, NY 11201		
Owner Phone:	(718) 243-4581		
Facility Phone:	(718) 690-9659		
Operator:	NYC TRANSIT AUTHORITY		
Emergency Name:	HOWARD MATZA		
Emergency Phone:	(718) 243-4581		
Total Tanks:	10		
Total Capacity:	53000		
Tank ID:	008		
Tank Status:	Closed-Removed		
Capacity (Gal):	275		
Tank Error Status:	Minor data missing		
Tank Location:	ABOVEGROUND		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

HUDSON PIER BUS DEPOT (Continued)

U003074389

Product Stored:	LUBE OIL	
Tank Type:	Steel/carbon steel	
Install Date:	11/57	
Tank Internal:	Not reported	
Tank External:	NONE/PAINTED/ASPHALT COATING	
Tank Containment:	NONE	
Pipe Type:	GALVANIZED STEEL	
Pipe Location:	Aboveground	
Pipe Internal:	Not reported	
Pipe External:	Not reported	
Leak Detection:	NONE	
Overfill Protection:	Not reported	
Dispenser Method:	Suction	
Date Tested:	Not reported	Next Test Date: Not reported
Date Closed:	02/95	Test Method: Not reported
Updated:	True	Deleted: False
Date Inspected:	Not reported	Inspector: Not reported
Result of Inspection:	Not reported	
Mailing Name:	NEW YORK CITY TRANSIT AUTHORITY	
Mailing Address:	370 JAY STREET, ROOM 819 BROOKLYN, NY 11201	
Mailing Contact:	HOWARD MATZA	
Mailing Telephone:	(718) 243-4581	
Owner Mark:	First Owner	Expiration Date: 06/05/02
Certification Flag:	False	Certification Date: 03/23/98
Renew Flag:	True	Renew Date: 06/04/97
Lat/Long:	Not reported	
Dead Letter:	False	
Facility Screen:	No data missing	
Owner Screen:	Minor data missing	
Tank Screen:	No data missing	
Fiscal Amount for Registration Fee is Correct:	True	
PBS Number:	2-190284	CBS Number: Not reported
SPDES Number:	Not reported	SWIS Code: 6201
Federal ID:	Not reported	Previous PBS#: Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.	
Facility Type:	TRUCKING/TRANSPORTATION	
Owner Type:	Local Government	
Owner Sub Type:	Not reported	
Owner:	NYC TRANSIT AUTHORITY 370 JAY STREET, ROOM 819 BROOKLYN, NY 11201	
Owner Phone:	(718) 243-4581	
Facility Phone:	(718) 690-9659	
Operator:	NYC TRANSIT AUTHORITY	
Emergency Name:	HOWARD MATZA	
Emergency Phone:	(718) 243-4581	
Total Tanks:	10	
Total Capacity:	53000	
Tank ID:	HUD-7	
Tank Status:	In Service	
Capacity (Gal):	1000	
Tank Error Status:	No data missing	
Tank Location:	ABOVEGROUND	
Product Stored:	LUBE OIL	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HUDSON PIER BUS DEPOT (Continued)

U003074389

Tank Type:	Steel/carbon steel	
Install Date:	06/87	
Tank Internal:	NONE	
Tank External:	NONE/NONE	
Tank Containment:	NONE/NONE	
Pipe Type:	GALVANIZED STEEL	
Pipe Location:	Aboveground	
Pipe Internal:	NONE	
Pipe External:	NONE/NONE	
Leak Detection:	NONE/NONE	
Overfill Protection:	Product Level Gauge	
Dispenser Method:	Suction	
Date Tested:	Not reported	Next Test Date: N.T.R
Date Closed:	Not reported	Test Method: Not reported
Updated:	True	Deleted: False
Date Inspected:	Not reported	Inspector: Not reported
Result of Inspection:	Not reported	
Mailing Name:	NEW YORK CITY TRANSIT AUTHORITY	
Mailing Address:	370 JAY STREET, ROOM 819 BROOKLYN, NY 11201	
Mailing Contact:	HOWARD MATZA	
Mailing Telephone:	(718) 243-4581	
Owner Mark:	First Owner	Expiration Date: 06/05/02
Certification Flag:	False	Certification Date: 03/23/98
Renew Flag:	True	Renew Date: 06/04/97
Lat/Long:	Not reported	
Dead Letter:	False	
Facility Screen:	No data missing	
Owner Screen:	Minor data missing	
Tank Screen:	No data missing	
Fiscal Amount for Registration Fee is Correct:	True	
PBS Number:	2-190284	CBS Number: Not reported
SPDES Number:	Not reported	SWIS Code: 6201
Federal ID:	Not reported	Previous PBS#: Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.	
Facility Type:	TRUCKING/TRANSPORTATION	
Owner Type:	Local Government	
Owner Sub Type:	Not reported	
Owner:	NYC TRANSIT AUTHORITY 370 JAY STREET, ROOM 819 BROOKLYN, NY 11201	
Owner Phone:	(718) 243-4581	
Facility Phone:	(718) 690-9659	
Operator:	NYC TRANSIT AUTHORITY	
Emergency Name:	HOWARD MATZA	
Emergency Phone:	(718) 243-4581	
Total Tanks:	10	
Total Capacity:	53000	
Tank ID:	HUD-8	
Tank Status:	In Service	
Capacity (Gal):	1000	
Tank Error Status:	No data missing	
Tank Location:	ABOVEGROUND	
Product Stored:	USED OIL	
Tank Type:	Steel/carbon steel	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

U003074389

HUDSON PIER BUS DEPOT (Continued)

Install Date:	06/87	
Tank Internal:	NONE	
Tank External:	NONE/PAINTED/ASPHALT COATING	
Tank Containment:	NONE/CUT-OFF WALLS	
Pipe Type:	GALVANIZED STEEL	
Pipe Location:	Aboveground	
Pipe Internal:	NONE	
Pipe External:	NONE/PAINTED/ASPHALT COATING	
Leak Detection:	NONE/INTERSTITIAL MONITORING	
Overfill Protection:	High Level Alarm, Automatic Shut-Off	
Dispenser Method:	Gravity	
Date Tested:	Not reported	Next Test Date: N.T.R
Date Closed:	Not reported	Test Method: Not reported
Updated:	True	Deleted: False
Date Inspected:	Not reported	Inspector: Not reported
Result of Inspection:	Not reported	
Mailing Name:	NEW YORK CITY TRANSIT AUTHORITY	
Mailing Address:	370 JAY STREET, ROOM 819 BROOKLYN, NY 11201	
Mailing Contact:	HOWARD MATZA	
Mailing Telephone:	(718) 243-4581	Expiration Date: 06/05/02
Owner Mark:	First Owner	Certification Date: 03/23/98
Certification Flag:	False	Renew Date: 06/04/97
Renew Flag:	True	
Lat/Long:	Not reported	
Dead Letter:	False	
Facility Screen:	No data missing	
Owner Screen:	Minor data missing	
Tank Screen:	No data missing	
Fiscal Amount for Registration Fee is Correct:	True	
PBS Number:	2-190284	CBS Number: Not reported
SPDES Number:	Not reported	SWIS Code: 6201
Federal ID:	Not reported	Previous PBS#: Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.	
Facility Type:	TRUCKING/TRANSPORTATION	
Owner Type:	Local Government	
Owner Sub Type:	Not reported	
Owner:	NYC TRANSIT AUTHORITY 370 JAY STREET, ROOM 819 BROOKLYN, NY 11201	
Owner Phone:	(718) 243-4581	
Facility Phone:	(718) 690-9659	
Operator:	NYC TRANSIT AUTHORITY	
Emergency Name:	HOWARD MATZA	
Emergency Phone:	(718) 243-4581	
Total Tanks:	10	
Total Capacity:	53000	
Tank ID:	HUD-9	
Tank Status:	In Service	
Capacity (Gal):	7500	
Tank Error Status:	No data missing	
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE	
Product Stored:	NOS 1,2, OR 4 FUEL OIL	
Tank Type:	Steel/carbon steel	
Install Date:	06/87	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HUDSON PIER BUS DEPOT (Continued)

U003074389

Tank Internal:	NONE	
Tank External:	NONE/PAINTED/ASPHALT COATING	
Tank Containment:	NONE/CUT-OFF WALLS	
Pipe Type:	STEEL/IRON	
Pipe Location:	Aboveground	
Pipe Internal:	NONE	
Pipe External:	NONE/PAINTED/ASPHALT COATING	
Leak Detection:	NONE/INTERSTITIAL MONITORING	
Overfill Protection:	High Level Alarm, Automatic Shut-Off	
Dispenser Method:	Suction	
Date Tested:	Not reported	Next Test Date: N.T.R
Date Closed:	Not reported	Test Method: Not reported
Updated:	True	Deleted: False
Date Inspected:	Not reported	Inspector: Not reported
Result of Inspection:	Not reported	
Mailing Name:	NEW YORK CITY TRANSIT AUTHORITY	
Mailing Address:	370 JAY STREET, ROOM 819 BROOKLYN, NY 11201	
Mailing Contact:	HOWARD MATZA	
Mailing Telephone:	(718) 243-4581	
Owner Mark:	First Owner	Expiration Date: 06/05/02
Certification Flag:	False	Certification Date: 03/23/98
Renew Flag:	True	Renew Date: 06/04/97
Lat/Long:	Not reported	
Dead Letter:	False	
Facility Screen:	No data missing	
Owner Screen:	Minor data missing	
Tank Screen:	No data missing	
Fiscal Amount for Registration Fee is Correct:	True	
PBS Number:	2-190284	CBS Number: Not reported
SPDES Number:	Not reported	SWIS Code: 6201
Federal ID:	Not reported	Previous PBS#: Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.	
Facility Type:	TRUCKING/TRANSPORTATION	
Owner Type:	Local Government	
Owner Sub Type:	Not reported	
Owner:	NYC TRANSIT AUTHORITY 370 JAY STREET, ROOM 819 BROOKLYN, NY 11201	
Owner Phone:	(718) 243-4581	
Facility Phone:	(718) 690-9659	
Operator:	NYC TRANSIT AUTHORITY	
Emergency Name:	HOWARD MATZA	
Emergency Phone:	(718) 243-4581	
Total Tanks:	10	
Total Capacity:	53000	
Tank ID:	HUD-10	
Tank Status:	In Service	
Capacity (Gal):	7500	
Tank Error Status:	No data missing	
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE	
Product Stored:	NOS 1,2, OR 4 FUEL OIL	
Tank Type:	Steel/carbon steel	
Install Date:	06/87	
Tank Internal:	NONE	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HUDSON PIER BUS DEPOT (Continued)

U003074389

Tank External:	NONE/PAINTED/ASPHALT COATING		
Tank Containment:	NONE/CUT-OFF WALLS		
Pipe Type:	STEEL/IRON		
Pipe Location:	Aboveground		
Pipe Internal:	NONE		
Pipe External:	NONE/PAINTED/ASPHALT COATING		
Leak Detection:	NONE/INTERSTITIAL MONITORING		
Overfill Protection:	High Level Alarm, Automatic Shut-Off		
Dispenser Method:	Suction		
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	Not reported
Updated:	True	Deleted:	False
Date Inspected:	Not reported	Inspector:	Not reported
Result of Inspection:	Not reported		
Mailing Name:	NEW YORK CITY TRANSIT AUTHORITY		
Mailing Address:	370 JAY STREET, ROOM 819		
	BROOKLYN, NY 11201		
Mailing Contact:	HOWARD MATZA		
Mailing Telephone:	(718) 243-4581		
Owner Mark:	First Owner	Expiration Date:	06/05/02
Certification Flag:	False	Certification Date:	03/23/98
Renew Flag:	True	Renew Date:	06/04/97
Lat/Long:	Not reported		
Dead Letter:	False		
Facility Screen:	No data missing		
Owner Screen:	Minor data missing		
Tank Screen:	No data missing		
Fiscal Amount for Registration Fee is Correct:	True		
PBS Number:	2-190284	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS Code:	6201
Federal ID:	Not reported	Previous PBS#:	Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Facility Type:	TRUCKING/TRANSPORTATION		
Owner Type:	Local Government		
Owner Sub Type:	Not reported		
Owner:	NYC TRANSIT AUTHORITY		
	370 JAY STREET, ROOM 819		
	BROOKLYN, NY 11201		
Owner Phone:	(718) 243-4581		
Facility Phone:	(718) 690-9659		
Operator:	NYC TRANSIT AUTHORITY		
Emergency Name:	HOWARD MATZA		
Emergency Phone:	(718) 243-4581		
Total Tanks:	10		
Total Capacity:	53000		
Tank ID:	HUD-11		
Tank Status:	In Service		
Capacity (Gal):	10000		
Tank Error Status:	No data missing		
Tank Location:	ABOVEGROUND		
Product Stored:	DIESEL		
Tank Type:	Steel/carbon steel		
Install Date:	11/98		
Tank Internal:	NONE		
Tank External:	NONE/PAINTED/ASPHALT COATING		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HUDSON PIER BUS DEPOT (Continued)

U003074389

Tank Containment:	NONE/PREFABRICATED STEEL DIKE	
Pipe Type:	STEEL/IRON	
Pipe Location:	Aboveground	
Pipe Internal:	NONE	
Pipe External:	NONE/PAINTED/ASPHALT COATING	
Leak Detection:	NONE/IN-TANK SYSTEM	
Overfill Protection:	High Level Alarm, Catch Basin	
Dispenser Method:	Submersible	
Date Tested:	Not reported	Next Test Date: N.T.R
Date Closed:	Not reported	Test Method: Not reported
Updated:	True	Deleted: False
Date Inspected:	Not reported	Inspector: Not reported
Result of Inspection:	Not reported	
Mailing Name:	NEW YORK CITY TRANSIT AUTHORITY	
Mailing Address:	370 JAY STREET, ROOM 819 BROOKLYN, NY 11201	
Mailing Contact:	HOWARD MATZA	
Mailing Telephone:	(718) 243-4581	
Owner Mark:	First Owner	Expiration Date: 06/05/02
Certification Flag:	False	Certification Date: 03/23/98
Renew Flag:	True	Renew Date: 06/04/97
Lat/Long:	Not reported	
Dead Letter:	False	
Facility Screen:	No data missing	
Owner Screen:	Minor data missing	
Tank Screen:	No data missing	
Fiscal Amount for Registration Fee is Correct:	True	
PBS Number:	2-190284	CBS Number: Not reported
SPDES Number:	Not reported	SWIS Code: 6201
Federal ID:	Not reported	Previous PBS#: Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.	
Facility Type:	TRUCKING/TRANSPORTATION	
Owner Type:	Local Government	
Owner Sub Type:	Not reported	
Owner:	NYC TRANSIT AUTHORITY 370 JAY STREET, ROOM 819 BROOKLYN, NY 11201	
Owner Phone:	(718) 243-4581	
Facility Phone:	(718) 690-9659	
Operator:	NYC TRANSIT AUTHORITY	
Emergency Name:	HOWARD MATZA	
Emergency Phone:	(718) 243-4581	
Total Tanks:	10	
Total Capacity:	53000	
Tank ID:	HUD-12	
Tank Status:	In Service	
Capacity (Gal):	10000	
Tank Error Status:	No data missing	
Tank Location:	ABOVEGROUND	
Product Stored:	DIESEL	
Tank Type:	Steel/carbon steel	
Install Date:	11/98	
Tank Internal:	NONE	
Tank External:	NONE/PAINTED/ASPHALT COATING	
Tank Containment:	NONE/PREFABRICATED STEEL DIKE	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HUDSON PIER BUS DEPOT (Continued)

U003074389

Pipe Type: STEEL/IRON
Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: NONE/PAINTED/ASPHALT COATING
Leak Detection: NONE/IN-TANK SYSTEM
Overfill Protection: High Level Alarm, Catch Basin
Dispenser Method: Submersible
Date Tested: Not reported
Date Closed: Not reported
Updated: True
Date Inspected: Not reported
Result of Inspection: Not reported
Mailing Name: NEW YORK CITY TRANSIT AUTHORITY
Mailing Address: 370 JAY STREET, ROOM 819
BROOKLYN, NY 11201
Mailing Contact: HOWARD MATZA
Mailing Telephone: (718) 243-4581
Owner Mark: First Owner
Certification Flag: False
Renew Flag: True
Lat/Long: Not reported
Dead Letter: False
Facility Screen: No data missing
Owner Screen: Minor data missing
Tank Screen: No data missing
Fiscal Amount for Registration Fee is Correct: True
Next Test Date: N.T.R
Test Method: Not reported
Deleted: False
Inspector: Not reported
Expiration Date: 06/05/02
Certification Date: 03/23/98
Renew Date: 06/04/97

K39
SW
1/8-1/4
810
Higher

NYC TRANSIT AUTH/MANHATTA
WEST 15TH ST / 11TH AVE
NEW YORK CITY, NY

LUST
NY Spills

S100166630
N/A

LUST:

Spill Number: 8807870
Facility Contact: Not reported
Investigator: GRATHWOL
Caller Name: SEBASTIAN LOREFICE
Caller Phone: (718) 789-3770
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: NYC TRANSIT AUTHORITY
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 03/24/89
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 12/28/88 13:30
Cleanup Ceased: 03/24/89
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 08/04/89
Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: TANK TESTING INC
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: Groundwater
Spill Source: Other Non Commercial/Industrial
PBS Number: 2-190284
Reported to Dept: 12/28/88 15:37

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

NYC TRANSIT AUTH/MANHATTA (Continued)

S100166630

Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/30/88
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: 7.5K TANK FAILED TEST, COULDN'T STABILIZE, WILL EMPTY DOWN TANK TO DO LI
NE TEST.

SPILLS:

Spill Number:	9614511	Region of Spill:	2
Facility Contact:	ERIC JONES	Facility Tele:	(718) 243-4581
Investigator:	ZHITOMIRSKY	SWIS:	62
Caller Name:	ERIC JONES	Caller Agency:	NYC TRANSIT
Caller Phone:	(718) 243-4581	Caller Extension:	Not reported
Notifier Name:	ERIC JONES	Notifier Agency:	NYC TRANSIT
Notifier Phone:	(718) 243-4581	Notifier Extension:	Not reported
Spiller Contact:	ERIC JONES	Spiller Phone:	(718) 243-4581
Spiller:	NYC TRANSIT		
Spiller Address:	666 WEST 133RD ST NEWYORK, NY		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	03/18/1997		
Spill Cause:	Equipment Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Private Dwelling
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	03/17/1997 06:30	Reported to Dept:	03/17/1997 10:08
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	03/20/1997		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	03/17/1997		
Date Region Sent Summary to Central Office:	Not reported		
Remarks:	VALVE BROKE IN BUILDING.		
DEC Remarks:	OIL LEAKED ON THE CONCRETE FLOOR. OIL WAS CLEANEDUP BY TA E. JONES.		

J40
South
1/8-1/4
815
Higher

15TH STREET MINI STORAGE INC
450 W 15TH ST
NEW YORK, NY 10011

UST

U003178488
N/A

PBS UST:

PBS Number:	2-403938	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 691-7770
Operator:	JESUS SOLIS		
Emergency Contact:	MAZDACK RASSI, (917) 317-0274		
Total Tanks:	2		
Owner:	15TH STREET MINI STORAGE INC 450 WEST 15 STREET, SUITE 301 NEW YORK, NY 10011		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

15TH STREET MINI STORAGE INC (Continued)

U003178488

Owner Type:	(212) 545-8980 Corporate/Commercial	Owner Mark:	Second Owner
Owner Subtype:	Not reported		
Mailing Address:	15TH STREET MINI STORAGE INC 450 WEST 15 STREET, SUITE 301 NEW YORK, NY 10011 (212) 545-8980 ATTN: MAZDACK RASSI		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	2000		
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS		
Tank ID:	001	Install Date:	00/00
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	NONE
Pipe Location:	Aboveground	Pipe Type:	STEEL/IRON
Tank External:	NONE/PAINTED/ASPHALT COATING		
Tank Status:	In Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	NONE/PAINTED/ASPHALT COATING		
Second Containment:	NONE/VAULT		
Leak Detection:	NONE/NONE		
Overfill Prot:	Float Vent Valve, Catch Basin	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	4000	Renewal Date:	19920721
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19980303
Old PBS Number:	Not reported	Expiration Date:	20020609
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-403938	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 691-7770
Operator:	JESUS SOLIS		
Emergency Contact:	MAZDACK RASSI, (917) 317-0274		
Total Tanks:	2		
Owner:	15TH STREET MINI STORAGE INC 450 WEST 15 STREET, SUITE 301 NEW YORK, NY 10011 (212) 545-8980 ATTN: MAZDACK RASSI		
Owner Type:	Corporate/Commercial	Owner Mark:	Second Owner
Owner Subtype:	Not reported		
Mailing Address:	15TH STREET MINI STORAGE INC 450 WEST 15 STREET, SUITE 301 NEW YORK, NY 10011 (212) 545-8980 ATTN: MAZDACK RASSI		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

15TH STREET MINI STORAGE INC (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003178488

Capacity (gals):	2000		
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS		
Tank ID:	002	Install Date:	00/00
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	NONE
Pipe Location:	Aboveground	Pipe Type:	STEEL/IRON
Tank External:	NONE/PAINTED/ASPHALT COATING		
Tank Status:	In Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	NONE/PAINTED/ASPHALT COATING		
Second Containment:	NONE/VAULT		
Leak Detection:	NONE/NONE		
Overfill Prot:	Float Vent Valve, Catch Basin	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	4000	Renewal Date:	19920721
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renewal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19980303
Old PBS Number:	Not reported	Expiration Date:	20020609
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		

41
ESE
1/8-1/4
825
Higher

TAMARA DRY CLEANERS
126 9TH AVE
NEW YORK, NY 10011

RCRIS-SQG 1000790246
FINDS NYD987017241

RCRIS:
Owner: GEORGE ORELLANA
(212) 555-1212

Contact: GEORGE ORELLANA
(212) 242-5900

Record Date: 10/07/1992
Classification: Small Quantity Generator

Used Oil Recyc: No
Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

42
SW
1/8-1/4
830
Higher

11 ELEVENTH AVENUE
11 11TH AVE
NEW YORK, NY

LUST S102618890
N/A

LUST:
Spill Number: 9405274
Facility Contact: Not reported
Region of Spill: 2
Facility Tele: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

11 ELEVENTH AVENUE (Continued)

S102618890

Investigator: ZHITOMIRSKY
Caller Name: JEFF BEAUDETTE
Caller Phone: (800) 666-2605
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: HUDSON BUS DEPOT
Spiller Address: 11 ELEVENTH AVENUE
NEW YORK, NEW YORK
SWIS: 62
Caller Agency: TANKNOLOGY
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/17/96
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 07/18/94 12:50
Cleanup Ceased: / /
Last Inspection: / /
Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 07/18/94 12:54
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 01/06/97
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/06/94
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: BROKEN VENT-URS WILL UNCOVER TANK. ISOLATE-RETEST

L43
North
1/8-1/4
848
Higher

535 EAST 21ST STREET
535 EAST 21ST STREET
NEW YORK CITY, NY

LUST

S103478031
N/A

LUST:

Spill Number: 8803752
Facility Contact: Not reported
Investigator: BATTISTA
Caller Name: MIKE HOETZEL
Caller Phone: (516) 747-3704
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: HARRY SILVERSTEIN
Spiller Address: 429 MAYFAIR DRIVE
PO BOX 360-007 BKLYN, NY
Region of Spill: 2
Facility Tele: Not reported
SWIS: 61
Caller Agency: DONEGAL ENVIRON.
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/25/93
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 07/29/88 11:30
Cleanup Ceased: 02/25/93
Last Inspection: / /
Resource Affected: Groundwater
Spill Source: Private Dwelling
PBS Number: 2-358797
Reported to Dept: 07/29/88 15:13

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

535 EAST 21ST STREET (Continued)

S103478031

Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 07/20/98
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/02/88
Date Region Sent Summary to Central Office: / /
DEC Remarks: 02/25/93: DONEGAL DID REPAIRS AND RETESTED AND PASSED 7/29/88.
Spill Cause: 4K TANK FAILED AN INITIAL SYSTEM- PETRO TITE TEST WITH A GROSS LEAK, WI
LL EXCAVATE, ISOLATE AND RETEST.

K44
SW
1/8-1/4
857
Higher

19 11TH AVE/NYCTA-HUDSON
19 11TH AVE
NEW YORK, NY

LUST

S100177042
N/A

LUST:

Spill Number: 9106100
Facility Contact: Not reported
Investigator: HALE
Caller Name: SCOTT SCHUCK
Caller Phone: (516) 586-4900
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: NYCTA, RON TRAMPOSH FOR
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 09/06/91 14:00
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 10/17/97
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/10/91
Date Region Sent Summary to Central Office: / /
DEC Remarks: 11/18/94: REASSIGNED FROM SIGONA TO ZHITOMIRSKY ON 11/18/94.
Spill Cause: 75K TANK, PETRO; GROSS LEAK. SYSTEM
Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: FENLY
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (716) 856-5636
Resource Affected: On Land
Spill Source: Other Non Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 09/06/91 14:21

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

L45
North
1/8-1/4
879
Higher

HERTZ PENSKE TRUCK LEASING INC
542 W 21ST ST
NEW YORK, NY 10011

Database(s)

RCRIS-SQG
FINDS

EDR ID Number
EPA ID Number

1000423668
NYD981563430

RCRIS:

Owner: J & F RIZZO
(212) 555-1212

Contact: J D CATAUDELLA
(212) 741-9803

Record Date: 10/21/1986
Classification: Not reported
Used Oil Recyc: No
Violation Status: No violations found

46
NNE
1/8-1/4
907
Higher

193 10TH AVE
193 10TH AVE
NEW YORK, NY

LUST

S102672077
N/A

LUST:

Spill Number: 9211918
Facility Contact: Not reported
Investigator: TANG
Caller Name: ROCKY VENUTO
Caller Phone: (718) 389-8100
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: GOTHAM PETRO
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 01/19/93
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 01/19/93 12:45
Cleanup Ceased: 01/19/93
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: / /
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/28/93
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: CONTAINED ON CONCRETE-CLEANUP IS DONE BY SPILLER CREW

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: GOTHAM PETRO TRANS
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Resource Affected: On Land
Spill Source: Tank Truck
PBS Number: Not reported
Reported to Dept: 01/19/93 13:37

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

47
North
1/8-1/4
915
Higher

PENSKE TRUCK LEASING CO L P
550 W 21ST ST
NEW YORK, NY 10011

Database(s)

RCRIS-SQG
FINDS

EDR ID Number
EPA ID Number

1000382744
NYD981563448

RCRIS:

Owner: LESLIE GARFIELD
(212) 555-1212

Contact: LESLIE GARFIELD
(212) 741-9800

Record Date: 10/21/1986
Classification: Small Quantity Generator
Used Oil Recyc: No
Violation Status: No violations found

M48
SW
1/8-1/4
970
Higher

505 W 14 ST
505 W 14 ST / 10 AVE
NYC, NY

LUST

S100145249
N/A

LUST:

Spill Number: 8806146
Facility Contact: Not reported
Investigator: SULLIVAN
Caller Name: BOB MENNIGKE
Caller Phone: (718) 647-7443
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: SUNOCO A
Spiller Address: Not reported
Spill Class: Known release that creates a file or hazard. DEC Response. Willing
Responsible Party. Corrective action taken.

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: GASOLINE INSTALLATIONS
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (212) 989-2802

Spill Closed Dt: / /
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 10/20/88 15:30
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 08/16/95
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/31/88
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: 4K TK FAILED PETRO, L R = -0.086 GPH. 4K TK SYS FAILED PETRO, L R = -1
.77 GPH.

Resource Affected: Groundwater
Spill Source: Gas Station
PBS Number: Not reported
Reported to Dept: 10/20/88 16:04

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M49
SW
1/8-1/4
981
Higher

1014 GAS CORP
501 W 14TH ST
NEW YORK, NY 10014

UST

U001838977
N/A

PBS UST:

PBS Number: 2-204420
SPDES Number: Not reported
SWIS ID: 6201
Operator: 1014 GAS CORP
Emergency Contact: MIKE YARDENI, (212) 989-2802
Total Tanks: 0
Owner: DAVID OIL CORP
1158 BROADWAY
HEWLETT, NY 11557
(516) 295-3400

CBS Number: Not reported
Telephone: (718) 989-2802

Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Address: DAVID OIL CORP
1158 BROADWAY
HEWLETT, NY 11557
(516) 295-3400
ATTN: AL CARUOLO V.P. MKTG

Owner Mark: First Owner

Facility Status:

3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).

Capacity (gals):

550
UNDERGROUND

Tank Location:

001

Tank ID:

Product Stored:

OTHER

Tank Internal:

Not reported

Pipe Location:

Not reported

Tank External:

Not reported

Tank Status:

Closed-In Place

Tank Error Status:

Minor Data Missing

Pipe External:

Not reported

Second Containment:

NONE

Leak Detection:

NONE

Overfill Prot:

Not reported

Date Tested:

Not reported

Date Closed:

08/93

Deleted:

False

Dead Letter:

False

FAMT:

Fiscal amount for registration fee is correct

Total Capacity:

0

Tank Screen:

Minor data missing

Renew Flag:

Renwal has not been printed

Certification Flag:

False

Old PBS Number:

Not reported

Inspected Date:

Not reported

Inspection Result:

Not reported

Lat/long:

Not reported

Facility Type:

RETAIL GASOLINE SALES

Install Date: 05/50
Tank Type: Steel/carbon steel
Pipe Internal: Not reported
Pipe Type: STEEL/IRON

Dispenser: Gravity
Next Test Date: Not reported
Test Method: Not reported
Updated: True
Owner Screen: No data missing

Renewal Date: 19930708
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 19930806
Expiration Date: 19981014
Inspector: Not reported

CBS Number: Not reported
Telephone: (718) 989-2802

PBS Number: 2-204420
SPDES Number: Not reported
SWIS ID: 6201
Operator: 1014 GAS CORP

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

U001838977

1014 GAS CORP (Continued)

Emergency Contact:	MIKE YARDENI, (212) 989-2802		
Total Tanks:	0		
Owner:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 ATTN: AL CARUOLO V.P. MKTG		
Facility Status:	3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	002	Install Date:	05/50
Product Stored:	OTHER	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON
Tank External:	Not reported		
Tank Status:	Closed-In Place		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Not reported	Dispenser:	Gravity
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	08/93	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19930708
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19930806
Old PBS Number:	Not reported	Expiration Date:	19981014
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number:	2-204420	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(718) 989-2802
Operator:	1014 GAS CORP		
Emergency Contact:	MIKE YARDENI, (212) 989-2802		
Total Tanks:	0		
Owner:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

1014 GAS CORP (Continued)

U001838977

Facility Status:	1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 ATTN: AL CARUOLO V.P. MKTG 3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	003	Install Date:	10/57
Product Stored:	OTHER	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON
Tank External:	Not reported		
Tank Status:	Closed-In Place		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Not reported	Dispenser:	Gravity
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	08/93	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19930708
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19930806
Old PBS Number:	Not reported	Expiration Date:	19981014
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number:	2-204420	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(718) 989-2802
Operator:	1014 GAS CORP		
Emergency Contact:	MIKE YARDENI, (212) 989-2802		
Total Tanks:	0		
Owner:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 ATTN: AL CARUOLO V.P. MKTG		
Facility Status:	3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

1014 GAS CORP (Continued)

EDR ID Number
EPA ID Number

Database(s)

U001838977

Tank ID:	004	Install Date:	10/57
Product Stored:	OTHER	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON
Tank External:	Not reported		
Tank Status:	Closed-In Place		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Not reported	Dispenser:	Gravity
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	08/93	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19930708
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19930806
Old PBS Number:	Not reported	Expiration Date:	19981014
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number:	2-204420	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(718) 989-2802
Operator:	1014 GAS CORP		
Emergency Contact:	MIKE YARDENI, (212) 989-2802		
Total Tanks:	0		
Owner:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 ATTN: AL CARUOLO V.P. MKTG		
Facility Status:	3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	005	Install Date:	10/57
Product Stored:	OTHER	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON
Tank External:	Not reported		
Tank Status:	Closed-In Place		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

1014 GAS CORP (Continued)

U001838977

Leak Detection:	NONE	Dispenser:	Gravity
Overfill Prot:	Not reported	Next Test Date:	Not reported
Date Tested:	Not reported	Test Method:	Not reported
Date Closed:	08/93	Updated:	True
Deleted:	False	Owner Screen:	No data missing
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct	Renewal Date:	19930708
Total Capacity:	0	Federal ID:	Not reported
Tank Screen:	Minor data missing	Facility Screen:	No data missing
Renew Flag:	Renwal has not been printed	Certification Date:	19930806
Certification Flag:	False	Expiration Date:	19981014
Old PBS Number:	Not reported	Inspector:	Not reported
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number:	2-204420	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(718) 989-2802
SWIS ID:	6201		
Operator:	1014 GAS CORP		
Emergency Contact:	MIKE YARDENI, (212) 989-2802		
Total Tanks:	0		
Owner:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Corporate/Commercial	Owner Mark:	First Owner
Owner Type:	Corporate/Commercial		
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 ATTN: AL CARUOLO V.P. MKTG		
Facility Status:	3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	03/67
Tank ID:	006	Tank Type:	Steel/carbon steel
Product Stored:	OTHER	Pipe Internal:	Not reported
Tank Internal:	Not reported	Pipe Type:	STEEL/IRON
Pipe Location:	Not reported		
Tank External:	Not reported		
Tank Status:	Closed-In Place		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE	Dispenser:	Gravity
Overfill Prot:	Not reported	Next Test Date:	Not reported
Date Tested:	Not reported	Test Method:	Not reported
Date Closed:	08/93	Updated:	True
Deleted:	False	Owner Screen:	No data missing
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct	Renewal Date:	19930708
Total Capacity:	0	Federal ID:	Not reported
Tank Screen:	Minor data missing		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

1014 GAS CORP (Continued)

U001838977

Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19930806
Old PBS Number:	Not reported	Expiration Date:	19981014
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number:	2-204420	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(718) 989-2802
SWIS ID:	6201		
Operator:	1014 GAS CORP		
Emergency Contact:	MIKE YARDENI, (212) 989-2802		
Total Tanks:	0		
Owner:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400	Owner Mark:	First Owner
Owner Type:	Corporate/Commercial		
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 ATTN: AL CARUOLO V.P. MKTG		
Facility Status:	3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	03/67
Tank ID:	007	Tank Type:	Steel/carbon steel
Product Stored:	OTHER	Pipe Internal:	Not reported
Tank Internal:	Not reported	Pipe Type:	STEEL/IRON
Pipe Location:	Not reported		
Tank External:	Not reported		
Tank Status:	Closed-In Place		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE	Dispenser:	Gravity
Leak Detection:	NONE	Next Test Date:	Not reported
Overfill Prot:	Not reported	Test Method:	Not reported
Date Tested:	Not reported	Updated:	True
Date Closed:	08/93	Owner Screen:	No data missing
Deleted:	False		
Dead Letter:	False	Renewal Date:	19930708
FAMT:	Fiscal amount for registration fee is correct	Federal ID:	Not reported
Total Capacity:	0	Facility Screen:	No data missing
Tank Screen:	Minor data missing	Certification Date:	19930806
Renew Flag:	Renwal has not been printed	Expiration Date:	19981014
Certification Flag:	False	Inspector:	Not reported
Old PBS Number:	Not reported		
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number:	2-204420	CBS Number:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

1014 GAS CORP (Continued)

U001838977

SPDES Number:	Not reported	Telephone:	(718) 989-2802
SWIS ID:	6201		
Operator:	1014 GAS CORP		
Emergency Contact:	MIKE YARDENI, (212) 989-2802		
Total Tanks:	0		
Owner:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400	Owner Mark:	First Owner
Owner Type:	Corporate/Commercial		
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 ATTN: AL CARUOLO V.P. MKTG		
Facility Status:	3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).		
Capacity (gals):	550		
Tank Location:	UNDERGROUND	Install Date:	03/67
Tank ID:	008	Tank Type:	Steel/carbon steel
Product Stored:	OTHER	Pipe Internal:	Not reported
Tank Internal:	Not reported	Pipe Type:	STEEL/IRON
Pipe Location:	Not reported		
Tank External:	Not reported		
Tank Status:	Closed-In Place		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE	Dispenser:	Gravity
Overfill Prot:	Not reported	Next Test Date:	Not reported
Date Tested:	Not reported	Test Method:	Not reported
Date Closed:	08/93	Updated:	True
Deleted:	False	Owner Screen:	No data missing
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct	Renewal Date:	19930708
Total Capacity:	0	Federal ID:	Not reported
Tank Screen:	Minor data missing	Facility Screen:	No data missing
Renew Flag:	Renwal has not been printed	Certification Date:	19930806
Certification Flag:	False	Expiration Date:	19981014
Old PBS Number:	Not reported	Inspector:	Not reported
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number:	2-204420	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(718) 989-2802
SWIS ID:	6201		
Operator:	1014 GAS CORP		
Emergency Contact:	MIKE YARDENI, (212) 989-2802		
Total Tanks:	0		
Owner:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

1014 GAS CORP (Continued)

U001838977

Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 ATTN: AL CARUOLO V.P. MKTG		
Facility Status:	3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	009	Install Date:	09/64
Product Stored:	OTHER	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON
Tank External:	Not reported		
Tank Status:	Closed-In Place		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Not reported	Dispenser:	Gravity
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	08/93	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19930708
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19930806
Old PBS Number:	Not reported	Expiration Date:	19981014
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number:	2-204420	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(718) 989-2802
Operator:	1014 GAS CORP		
Emergency Contact:	MIKE YARDENI, (212) 989-2802		
Total Tanks:	0		
Owner:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 ATTN: AL CARUOLO V.P. MKTG		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

Database(s)

1014 GAS CORP (Continued)

U001838977

Facility Status:	3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	010	Install Date:	09/64
Product Stored:	OTHER	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON
Tank External:	Not reported		
Tank Status:	Closed-In Place		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Not reported	Dispenser:	Gravity
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	08/93	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19930708
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19930806
Old PBS Number:	Not reported	Expiration Date:	19981014
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number:	2-204420	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(718) 989-2802
Operator:	1014 GAS CORP		
Emergency Contact:	MIKE YARDENI, (212) 989-2802		
Total Tanks:	0		
Owner:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 ATTN: AL CARUOLO V.P. MKTG		
Facility Status:	3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	011	Install Date:	07/64
Product Stored:	OTHER	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

U001838977

1014 GAS CORP (Continued)

Tank External:	Not reported		
Tank Status:	Closed-In Place		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Not reported	Dispenser:	Gravity
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	08/93	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19930708
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19930806
Old PBS Number:	Not reported	Expiration Date:	19981014
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number:	2-204420	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(718) 989-2802
Operator:	1014 GAS CORP		
Emergency Contact:	MIKE YARDENI, (212) 989-2802		
Total Tanks:	0		
Owner:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 ATTN: AL CARUOLO V.P. MKTG		
Facility Status:	3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	012	Install Date:	07/64
Product Stored:	OTHER	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON
Tank External:	Not reported		
Tank Status:	Closed-In Place		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE	Dispenser:	Gravity
Overfill Prot:	Not reported	Next Test Date:	Not reported
Date Tested:	Not reported	Test Method:	Not reported
Date Closed:	08/93		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

1014 GAS CORP (Continued)

U001838977

Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct	Renewal Date:	19930708
Total Capacity:	0	Federal ID:	Not reported
Tank Screen:	Minor data missing	Facility Screen:	No data missing
Renew Flag:	Renwal has not been printed	Certification Date:	19930806
Certification Flag:	False	Expiration Date:	19981014
Old PBS Number:	Not reported	Inspector:	Not reported
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number:	2-204420	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(718) 989-2802
SWIS ID:	6201		
Operator:	1014 GAS CORP		
Emergency Contact:	MIKE YARDENI, (212) 989-2802		
Total Tanks:	0		
Owner:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400	Owner Mark:	First Owner
Owner Type:	Corporate/Commercial		
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 ATTN: AL CARUOLO V.P. MKTG		
Facility Status:	3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND	Install Date:	04/84
Tank ID:	013	Tank Type:	Steel/carbon steel
Product Stored:	UNLEADED GASOLINE	Pipe Internal:	Not reported
Tank Internal:	Not reported	Pipe Type:	GALVANIZED STEEL
Pipe Location:	Not reported		
Tank External:	Not reported		
Tank Status:	Undefined		
Tank Error Status:	Minor Data Missing	Dispenser:	Submersible
Pipe External:	Not reported	Next Test Date:	07/96
Second Containment:	NONE	Test Method:	PETRO-TITE
Leak Detection:	NONE	Updated:	True
Overfill Prot:	Not reported	Owner Screen:	No data missing
Date Tested:	07/91	Renewal Date:	19930708
Date Closed:	04/98	Federal ID:	Not reported
Deleted:	False	Facility Screen:	No data missing
Dead Letter:	False	Certification Date:	19930806
FAMT:	Fiscal amount for registration fee is correct	Expiration Date:	19981014
Total Capacity:	0	Inspector:	Not reported
Tank Screen:	Minor data missing		
Renew Flag:	Renwal has not been printed		
Certification Flag:	False		
Old PBS Number:	Not reported		
Inspected Date:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

1014 GAS CORP (Continued)

U001838977

Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number:	2-204420	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(718) 989-2802
Operator:	1014 GAS CORP		
Emergency Contact:	MIKE YARDENI, (212) 989-2802		
Total Tanks:	0		
Owner:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400	Owner Mark:	First Owner
Owner Type:	Corporate/Commercial		
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 ATTN: AL CARUOLO V.P. MKTG		
Facility Status:	3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank ID:	014	Install Date:	04/84
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	GALVANIZED STEEL
Tank External:	Not reported		
Tank Status:	Undefined		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Not reported	Dispenser:	Submersible
Date Tested:	07/91	Next Test Date:	07/96
Date Closed:	04/98	Test Method:	PETRO-TITE
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19930708
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19930806
Old PBS Number:	Not reported	Expiration Date:	19981014
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number:	2-204420	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(718) 989-2802
Operator:	1014 GAS CORP		
Emergency Contact:	MIKE YARDENI, (212) 989-2802		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

1014 GAS CORP (Continued)

U001838977

Total Tanks:	0		
Owner:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 ATTN: AL CARUOLO V.P. MKTG		
Facility Status:	3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).		
Capacity (gals):	2000		
Tank Location:	UNDERGROUND		
Tank ID:	015	Install Date:	04/71
Product Stored:	LEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	GALVANIZED STEEL
Tank External:	Not reported		
Tank Status:	Undefined		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Not reported	Dispenser:	Submersible
Date Tested:	07/91	Next Test Date:	07/96
Date Closed:	04/98	Test Method:	PETRO-TITE
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	19930708
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19930806
Old PBS Number:	Not reported	Expiration Date:	19981014
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number:	2-204420	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(718) 989-2802
Operator:	1014 GAS CORP		
Emergency Contact:	MIKE YARDENI, (212) 989-2802		
Total Tanks:	0		
Owner:	DAVID OIL CORP 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP 1158 BROADWAY		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

1014 GAS CORP (Continued)

U001838977

HEWLETT, NY 11557
(516) 295-3400
ATTN: AL CARUOLO V.P. MKTG

Facility Status: 3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).

Capacity (gals): 4000

Tank Location: UNDERGROUND

Tank ID: 016

Product Stored: DIESEL

Tank Internal: Not reported

Pipe Location: Not reported

Tank External: Not reported

Tank Status: Undefined

Tank Error Status: Minor Data Missing

Pipe External: Not reported

Second Containment: NONE

Leak Detection: NONE

Overfill Prot: Not reported

Date Tested: 07/91

Date Closed: 04/98

Deleted: False

Dead Letter: False

FAMT: Fiscal amount for registration fee is correct

Total Capacity: 0

Tank Screen: Minor data missing

Renew Flag: Renewal has not been printed

Certification Flag: False

Old PBS Number: Not reported

Inspected Date: Not reported

Inspection Result: Not reported

Lat/long: Not reported

Facility Type: RETAIL GASOLINE SALES

Install Date: 04/71

Tank Type: Steel/carbon steel

Pipe Internal: Not reported

Pipe Type: GALVANIZED STEEL

Dispenser: Submersible

Next Test Date: 07/96

Test Method: PETRO-TITE

Updated: True

Owner Screen: No data missing

Renewal Date: 19930708

Federal ID: Not reported

Facility Screen: No data missing

Certification Date: 19930806

Expiration Date: 19981014

Inspector: Not reported

M50
SW
1/8-1/4
981
Higher

1014 GAS INC
501 W 14TH ST
NEW YORK, NY 10014

RCRIS-SQG 1000556261
FINDS NYD986988210

RCRIS:

Owner: DAVID OIL CO
(516) 295-3400

Contact: MIKE YARDENI
(212) 989-2580

Record Date: 12/13/1991

Classification: Small Quantity Generator

Used Oil Recyc: No

Violation Status: No violations found

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

1014 GAS INC (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000556261

FINDS:

Other Pertinent Environmental Activity Identified at Site:
AIRS Facility System (AIRS/AFS)

M51
SW
1/8-1/4
981
Higher

501 W 14TH ST/SUNOCO
501 W 14TH ST
NEW YORK, NY

LUST

S100153686
N/A

LUST:

Spill Number:	9103563	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	SULLIVAN	SWIS:	62
Caller Name:	GINA CONSTANTINI	Caller Agency:	TYREE
Caller Phone:	(516) 249-3150	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 295-3400
Spiller:	SPARTAN PETROLEUM-A		
Spiller Address:	1158 BROADWAY HEWLITT, NY 11557		
Spill Class:	Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	/ /	Resource Affected:	On Land
Spill Cause:	Tank Test Failure	Spill Source:	Gas Station
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Tank Tester	Reported to Dept:	07/01/91 14:33
Spill Date:	07/01/91 13:30		
Cleanup Ceased:	/ /		
Last Inspection:	/ /		
Cleanup Meets Standard:	False		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	/ /		
Enforcement Date:	/ /		
Investigation Complete:	/ /		
UST Involvement:	True		
Spill Record Last Update:	08/16/95		
Is Updated:	False		
Corrective Action Plan Submitted:	/ /		
Date Spill Entered In Computer Data File:	07/01/91		
Date Region Sent Summary to Central Office:	/ /		
DEC Remarks:	Not reported		
Spill Cause:	4K TANK, PETROTITE .6GPH, SYSTEM TEST; WILL EXCAVATE, ISOLATE & RETEST		

52
SW
1/8-1/4
1006
Higher

SUNOCO STATION (CAVANT)
14TH STREET & WEST SIDE HIGHWAY
NEW YORK, NY 10014

UST

U003241876
N/A

PBS UST:

PBS Number:	2-603197	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(000) 000-0000
SWIS ID:	6201		
Operator:	N/A		
Emergency Contact:	ELIZABETH KILKEARY, (212) 581-1598		
Total Tanks:	15		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

SUNOCO STATION (CAVANT) (Continued)

U003241876

Owner: NEW YORK STATE DEPT. OF TRANSPORTATION
29 BROADWAY, SUITE 1125
NEW YORK, NY 10006
(212) 425-8574

Owner Type: State Government
Owner Subtype: NYS Department of Transportation
Mailing Address: CORE CONTRACTING L.L.C.
513 WEST 54TH STREET
NEW YORK, NY 10019
(212) 581-1598
ATTN: ELIZABETH KILKEARY

Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Capacity (gals): 550

Tank Location: UNDERGROUND, VAULTED, WITH ACCESS

Tank ID: 001

Product Stored: EMPTY

Tank Internal: Not reported

Pipe Location: Not reported

Tank External: Not reported

Tank Status: In Service

Tank Error Status: Minor Data Missing

Pipe External: Not reported

Second Containment: Not reported

Leak Detection: Not reported

Overfill Prot: Not reported

Date Tested: Not reported

Date Closed: Not reported

Deleted: False

Dead Letter: False

FAMT: Fiscal amount for registration fee is correct

Total Capacity: 12600

Tank Screen: Minor data missing

Renew Flag: Renewal has not been printed

Certification Flag: False

Old PBS Number: Not reported

Inspected Date: Not reported

Inspection Result: Not reported

Lat/long: Not reported

Facility Type: OTHER

Install Date: 10/97

Tank Type: Steel/carbon steel

Pipe Internal: Not reported

Pipe Type: Not reported

Dispenser: Not reported

Next Test Date: N.T.R

Test Method: Not reported

Updated: True

Owner Screen: Minor data missing

Renewal Date: Not reported

Federal ID: Not reported

Facility Screen: No data missing

Certification Date: 19980402

Expiration Date: 20021106

Inspector: Not reported

PBS Number: 2-603197

SPDES Number: Not reported

SWIS ID: 6201

Operator: N/A

Emergency Contact: ELIZABETH KILKEARY, (212) 581-1598

Total Tanks: 15

Owner: NEW YORK STATE DEPT. OF TRANSPORTATION
29 BROADWAY, SUITE 1125
NEW YORK, NY 10006
(212) 425-8574

Owner Type: State Government
Owner Subtype: NYS Department of Transportation
Mailing Address: CORE CONTRACTING L.L.C.
513 WEST 54TH STREET
NEW YORK, NY 10019
(212) 581-1598

Owner Mark: First Owner

CBS Number: Not reported

Telephone: (000) 000-0000

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

SUNOCO STATION (CAVANT) (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003241876

Facility Status:	ATTN: ELIZABETH KILKEARY 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS		
Tank ID:	002	Install Date:	10/97
Product Stored:	EMPTY	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	Not reported
Tank External:	Not reported		
Tank Status:	Temporarily Out Of Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	Not reported		
Leak Detection:	Not reported		
Overfill Prot:	Not reported	Dispenser:	Not reported
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	12600	Renewal Date:	Not reported
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19980402
Old PBS Number:	Not reported	Expiration Date:	20021106
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-603197	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(000) 000-0000
Operator:	N/A		
Emergency Contact:	ELIZABETH KILKEARY, (212) 581-1598		
Total Tanks:	15		
Owner:	NEW YORK STATE DEPT. OF TRANSPORTATION 29 BROADWAY, SUITE 1125 NEW YORK, NY 10006 (212) 425-8574		
Owner Type:	State Government	Owner Mark:	First Owner
Owner Subtype:	NYS Department of Transportation		
Mailing Address:	CORE CONTRACTING L.L.C. 513 WEST 54TH STREET NEW YORK, NY 10019 (212) 581-1598		
Facility Status:	ATTN: ELIZABETH KILKEARY 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS		
Tank ID:	003	Install Date:	10/97
Product Stored:	EMPTY	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	Not reported
Tank External:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

SUNOCO STATION (CAVANT) (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003241876

Tank Status:	Temporarily Out Of Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	Not reported		
Leak Detection:	Not reported		
Overfill Prot:	Not reported	Dispenser:	Not reported
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	12600	Renewal Date:	Not reported
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19980402
Old PBS Number:	Not reported	Expiration Date:	20021106
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-603197	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(000) 000-0000
Operator:	N/A		
Emergency Contact:	ELIZABETH KILKEARY, (212) 581-1598		
Total Tanks:	15		
Owner:	NEW YORK STATE DEPT. OF TRANSPORTATION 29 BROADWAY, SUITE 1125 NEW YORK, NY 10006 (212) 425-8574		
Owner Type:	State Government	Owner Mark:	First Owner
Owner Subtype:	NYS Department of Transportation		
Mailing Address:	CORE CONTRACTING L.L.C. 513 WEST 54TH STREET NEW YORK, NY 10019 (212) 581-1598 ATTN: ELIZABETH KILKEARY		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS		
Tank ID:	004	Install Date:	10/97
Product Stored:	EMPTY	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	Not reported
Tank External:	Not reported		
Tank Status:	Temporarily Out Of Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	Not reported		
Leak Detection:	Not reported		
Overfill Prot:	Not reported	Dispenser:	Not reported
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

U003241876

SUNOCO STATION (CAVANT) (Continued)

FAMT:	Fiscal amount for registration fee is correct	Renewal Date:	Not reported
Total Capacity:	12600	Federal ID:	Not reported
Tank Screen:	Minor data missing	Facility Screen:	No data missing
Renew Flag:	Renwal has not been printed	Certification Date:	19980402
Certification Flag:	False	Expiration Date:	20021106
Old PBS Number:	Not reported	Inspector:	Not reported
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-603197	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(000) 000-0000
SWIS ID:	6201		
Operator:	N/A		
Emergency Contact:	ELIZABETH KILKEARY, (212) 581-1598		
Total Tanks:	15		
Owner:	NEW YORK STATE DEPT. OF TRANSPORTATION 29 BROADWAY, SUITE 1125 NEW YORK, NY 10006 (212) 425-8574	Owner Mark:	First Owner
Owner Type:	State Government		
Owner Subtype:	NYS Department of Transportation		
Mailing Address:	CORE CONTRACTING L.L.C. 513 WEST 54TH STREET NEW YORK, NY 10019 (212) 581-1598 ATTN: ELIZABETH KILKEARY		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS	Install Date:	00/00
Tank ID:	005	Tank Type:	Steel/carbon steel
Product Stored:	EMPTY	Pipe Internal:	Not reported
Tank Internal:	Not reported	Pipe Type:	Not reported
Pipe Location:	Not reported		
Tank External:	Not reported		
Tank Status:	Temporarily Out Of Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	Not reported	Dispenser:	Not reported
Leak Detection:	Not reported	Next Test Date:	N.T.R
Overfill Prot:	Not reported	Test Method:	Not reported
Date Tested:	Not reported	Updated:	True
Date Closed:	Not reported	Owner Screen:	Minor data missing
Deleted:	False		
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	12600	Renewal Date:	Not reported
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19980402
Old PBS Number:	Not reported	Expiration Date:	20021106
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

U003241876

SUNOCO STATION (CAVANT) (Continued)

PBS Number:	2-603197	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(000) 000-0000
SWIS ID:	6201		
Operator:	N/A		
Emergency Contact:	ELIZABETH KILKEARY, (212) 581-1598		
Total Tanks:	15		
Owner:	NEW YORK STATE DEPT. OF TRANSPORTATION 29 BROADWAY, SUITE 1125 NEW YORK, NY 10006 (212) 425-8574		
Owner Type:	State Government	Owner Mark:	First Owner
Owner Subtype:	NYS Department of Transportation		
Mailing Address:	CORE CONTRACTING L.L.C. 513 WEST 54TH STREET NEW YORK, NY 10019 (212) 581-1598 ATTN: ELIZABETH KILKEARY		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS		
Tank ID:	006	Install Date:	10/97
Product Stored:	EMPTY	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	Not reported
Tank External:	Not reported		
Tank Status:	Temporarily Out Of Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	Not reported		
Leak Detection:	Not reported	Dispenser:	Not reported
Overfill Prot:	Not reported	Next Test Date:	N.T.R
Date Tested:	Not reported	Test Method:	Not reported
Date Closed:	Not reported	Updated:	True
Deleted:	False	Owner Screen:	Minor data missing
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct	Renewal Date:	Not reported
Total Capacity:	12600	Federal ID:	Not reported
Tank Screen:	Minor data missing	Facility Screen:	No data missing
Renew Flag:	Renwal has not been printed	Certification Date:	19980402
Certification Flag:	False	Expiration Date:	20021106
Old PBS Number:	Not reported	Inspector:	Not reported
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-603197	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(000) 000-0000
SWIS ID:	6201		
Operator:	N/A		
Emergency Contact:	ELIZABETH KILKEARY, (212) 581-1598		
Total Tanks:	15		
Owner:	NEW YORK STATE DEPT. OF TRANSPORTATION 29 BROADWAY, SUITE 1125 NEW YORK, NY 10006		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

U003241876

SUNOCO STATION (CAVANT) (Continued)

Owner Type:	(212) 425-8574 State Government	Owner Mark:	First Owner
Owner Subtype:	NYS Department of Transportation		
Mailing Address:	CORE CONTRACTING L.L.C. 513 WEST 54TH STREET NEW YORK, NY 10019 (212) 581-1598 ATTN: ELIZABETH KILKEARY		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS	Install Date:	10/97
Tank ID:	007	Tank Type:	Steel/carbon steel
Product Stored:	EMPTY	Pipe Internal:	Not reported
Tank Internal:	Not reported	Pipe Type:	Not reported
Pipe Location:	Not reported		
Tank External:	Not reported		
Tank Status:	Temporarily Out Of Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	Not reported		
Leak Detection:	Not reported	Dispenser:	Not reported
Overfill Prot:	Not reported	Next Test Date:	N.T.R
Date Tested:	Not reported	Test Method:	Not reported
Date Closed:	Not reported	Updated:	True
Deleted:	False	Owner Screen:	Minor data missing
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct	Renewal Date:	Not reported
Total Capacity:	12600	Federal ID:	Not reported
Tank Screen:	Minor data missing	Facility Screen:	No data missing
Renew Flag:	Renwal has not been printed	Certification Date:	19980402
Certification Flag:	False	Expiration Date:	20021106
Old PBS Number:	Not reported	Inspector:	Not reported
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-603197	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(000) 000-0000
SWIS ID:	6201		
Operator:	N/A		
Emergency Contact:	ELIZABETH KILKEARY, (212) 581-1598		
Total Tanks:	15		
Owner:	NEW YORK STATE DEPT. OF TRANSPORTATION 29 BROADWAY, SUITE 1125 NEW YORK, NY 10006 (212) 425-8574	Owner Mark:	First Owner
Owner Type:	State Government		
Owner Subtype:	NYS Department of Transportation		
Mailing Address:	CORE CONTRACTING L.L.C. 513 WEST 54TH STREET NEW YORK, NY 10019 (212) 581-1598 ATTN: ELIZABETH KILKEARY		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

SUNOCO STATION (CAVANT) (Continued)

U003241876

Capacity (gals):	550		
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS	Install Date:	10/97
Tank ID:	008	Tank Type:	Steel/carbon steel
Product Stored:	EMPTY	Pipe Internal:	Not reported
Tank Internal:	Not reported	Pipe Type:	Not reported
Pipe Location:	Not reported		
Tank External:	Not reported		
Tank Status:	Temporarily Out Of Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	Not reported	Dispenser:	Not reported
Leak Detection:	Not reported	Next Test Date:	N.T.R
Overfill Prot:	Not reported	Test Method:	Not reported
Date Tested:	Not reported	Updated:	True
Date Closed:	Not reported	Owner Screen:	Minor data missing
Deleted:	False		
Dead Letter:	False	Renewal Date:	Not reported
FAMT:	Fiscal amount for registration fee is correct	Federal ID:	Not reported
Total Capacity:	12600	Facility Screen:	No data missing
Tank Screen:	Minor data missing	Certification Date:	19980402
Renew Flag:	Renwal has not been printed	Expiration Date:	20021106
Certification Flag:	False	Inspector:	Not reported
Old PBS Number:	Not reported		
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-603197	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(000) 000-0000
SWIS ID:	6201		
Operator:	N/A		
Emergency Contact:	ELIZABETH KILKEARY, (212) 581-1598		
Total Tanks:	15		
Owner:	NEW YORK STATE DEPT. OF TRANSPORTATION 29 BROADWAY, SUITE 1125 NEW YORK, NY 10006 (212) 425-8574	Owner Mark:	First Owner
Owner Type:	State Government		
Owner Subtype:	NYS Department of Transportation		
Mailing Address:	CORE CONTRACTING L.L.C. 513 WEST 54TH STREET NEW YORK, NY 10019 (212) 581-1598 ATTN: ELIZABETH KILKEARY		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS	Install Date:	10/97
Tank ID:	009	Tank Type:	Steel/carbon steel
Product Stored:	EMPTY	Pipe Internal:	Not reported
Tank Internal:	Not reported	Pipe Type:	Not reported
Pipe Location:	Not reported		
Tank External:	Not reported		
Tank Status:	Temporarily Out Of Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

SUNOCO STATION (CAVANT) (Continued)

U003241876

Second Containment:	Not reported	Dispenser:	Not reported
Leak Detection:	Not reported	Next Test Date:	N.T.R
Overfill Prot:	Not reported	Test Method:	Not reported
Date Tested:	Not reported	Updated:	True
Date Closed:	Not reported	Owner Screen:	Minor data missing
Deleted:	False		
Dead Letter:	False	Renewal Date:	Not reported
FAMT:	Fiscal amount for registration fee is correct	Federal ID:	Not reported
Total Capacity:	12600	Facility Screen:	No data missing
Tank Screen:	Minor data missing	Certification Date:	19980402
Renew Flag:	Renwal has not been printed	Expiration Date:	20021106
Certification Flag:	False	Inspector:	Not reported
Old PBS Number:	Not reported		
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-603197	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(000) 000-0000
SWIS ID:	6201		
Operator:	N/A		
Emergency Contact:	ELIZABETH KILKEARY, (212) 581-1598		
Total Tanks:	15		
Owner:	NEW YORK STATE DEPT. OF TRANSPORTATION 29 BROADWAY, SUITE 1125 NEW YORK, NY 10006 (212) 425-8574		
Owner Type:	State Government	Owner Mark:	First Owner
Owner Subtype:	NYS Department of Transportation		
Mailing Address:	CORE CONTRACTING L.L.C. 513 WEST 54TH STREET NEW YORK, NY 10019 (212) 581-1598 ATTN: ELIZABETH KILKEARY		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS		
Tank ID:	010	Install Date:	10/97
Product Stored:	EMPTY	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	Not reported
Tank External:	Not reported		
Tank Status:	Temporarily Out Of Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	Not reported		
Leak Detection:	Not reported		
Overfill Prot:	Not reported	Dispenser:	Not reported
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	12600	Renewal Date:	Not reported
Tank Screen:	Minor data missing	Federal ID:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

SUNOCO STATION (CAVANT) (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003241876

Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19980402
Old PBS Number:	Not reported	Expiration Date:	20021106
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-603197	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(000) 000-0000
SWIS ID:	6201		
Operator:	N/A		
Emergency Contact:	ELIZABETH KILKEARY, (212) 581-1598		
Total Tanks:	15		
Owner:	NEW YORK STATE DEPT. OF TRANSPORTATION 29 BROADWAY, SUITE 1125 NEW YORK, NY 10006 (212) 425-8574		
Owner Type:	State Government	Owner Mark:	First Owner
Owner Subtype:	NYS Department of Transportation		
Mailing Address:	CORE CONTRACTING L.L.C. 513 WEST 54TH STREET NEW YORK, NY 10019 (212) 581-1598 ATTN: ELIZABETH KILKEARY		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS		
Tank ID:	011	Install Date:	10/97
Product Stored:	EMPTY	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	Not reported
Tank External:	Not reported		
Tank Status:	Temporarily Out Of Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	Not reported	Dispenser:	Not reported
Leak Detection:	Not reported	Next Test Date:	N.T.R
Overfill Prot:	Not reported	Test Method:	Not reported
Date Tested:	Not reported	Updated:	True
Date Closed:	Not reported	Owner Screen:	Minor data missing
Deleted:	False		
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	12600	Renewal Date:	Not reported
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19980402
Old PBS Number:	Not reported	Expiration Date:	20021106
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-603197	CBS Number:	Not reported
SPDES Number:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

SUNOCO STATION (CAVANT) (Continued)

U003241876

SWIS ID:	6201	Telephone:	(000) 000-0000
Operator:	N/A		
Emergency Contact:	ELIZABETH KILKEARY, (212) 581-1598		
Total Tanks:	15		
Owner:	NEW YORK STATE DEPT. OF TRANSPORTATION 29 BROADWAY, SUITE 1125 NEW YORK, NY 10006 (212) 425-8574		
Owner Type:	State Government	Owner Mark:	First Owner
Owner Subtype:	NYS Department of Transportation		
Mailing Address:	CORE CONTRACTING L.L.C. 513 WEST 54TH STREET NEW YORK, NY 10019 (212) 581-1598 ATTN: ELIZABETH KILKEARY		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS		
Tank ID:	012	Install Date:	00/00
Product Stored:	EMPTY	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	Not reported
Tank External:	Not reported		
Tank Status:	Temporarily Out Of Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	Not reported		
Leak Detection:	Not reported		
Overfill Prot:	Not reported	Dispenser:	Not reported
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	12600	Renewal Date:	Not reported
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19980402
Old PBS Number:	Not reported	Expiration Date:	20021106
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-603197	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(000) 000-0000
Operator:	N/A		
Emergency Contact:	ELIZABETH KILKEARY, (212) 581-1598		
Total Tanks:	15		
Owner:	NEW YORK STATE DEPT. OF TRANSPORTATION 29 BROADWAY, SUITE 1125 NEW YORK, NY 10006 (212) 425-8574		
Owner Type:	State Government	Owner Mark:	First Owner
Owner Subtype:	NYS Department of Transportation		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

U003241876

SUNOCO STATION (CAVANT) (Continued)

Mailing Address:	CORE CONTRACTING L.L.C. 513 WEST 54TH STREET NEW YORK, NY 10019 (212) 581-1598 ATTN: ELIZABETH KILKEARY		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	2000		
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS		
Tank ID:	013	Install Date:	10/97
Product Stored:	EMPTY	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	Not reported
Tank External:	Not reported		
Tank Status:	Temporarily Out Of Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	Not reported		
Leak Detection:	Not reported	Dispenser:	Not reported
Overfill Prot:	Not reported	Next Test Date:	N.T.R
Date Tested:	Not reported	Test Method:	Not reported
Date Closed:	Not reported	Updated:	True
Deleted:	False	Owner Screen:	Minor data missing
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	12600	Renewal Date:	Not reported
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19980402
Old PBS Number:	Not reported	Expiration Date:	20021106
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
PBS Number:	2-603197	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(000) 000-0000
SWIS ID:	6201		
Operator:	N/A		
Emergency Contact:	ELIZABETH KILKEARY, (212) 581-1598		
Total Tanks:	15		
Owner:	NEW YORK STATE DEPT. OF TRANSPORTATION 29 BROADWAY, SUITE 1125 NEW YORK, NY 10006 (212) 425-8574		
Owner Type:	State Government	Owner Mark:	First Owner
Owner Subtype:	NYS Department of Transportation		
Mailing Address:	CORE CONTRACTING L.L.C. 513 WEST 54TH STREET NEW YORK, NY 10019 (212) 581-1598 ATTN: ELIZABETH KILKEARY		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	2000		
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS		
Tank ID:	014	Install Date:	10/97

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

U003241876

SUNOCO STATION (CAVANT) (Continued)

Product Stored:	EMPTY	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	Not reported
Tank External:	Not reported		
Tank Status:	Temporarily Out Of Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	Not reported		
Leak Detection:	Not reported	Dispenser:	Not reported
Overfill Prot:	Not reported	Next Test Date:	N.T.R
Date Tested:	Not reported	Test Method:	Not reported
Date Closed:	Not reported	Updated:	True
Deleted:	False	Owner Screen:	Minor data missing
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct	Renewal Date:	Not reported
Total Capacity:	12600	Federal ID:	Not reported
Tank Screen:	Minor data missing	Facility Screen:	No data missing
Renew Flag:	Renwal has not been printed	Certification Date:	19980402
Certification Flag:	False	Expiration Date:	20021106
Old PBS Number:	Not reported	Inspector:	Not reported
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
		CBS Number:	Not reported
PBS Number:	2-603197	Telephone:	(000) 000-0000
SPDES Number:	Not reported		
SWIS ID:	6201		
Operator:	N/A		
Emergency Contact:	ELIZABETH KILKEARY, (212) 581-1598		
Total Tanks:	15		
Owner:	NEW YORK STATE DEPT. OF TRANSPORTATION 29 BROADWAY, SUITE 1125 NEW YORK, NY 10006 (212) 425-8574	Owner Mark:	First Owner
Owner Type:	State Government		
Owner Subtype:	NYS Department of Transportation		
Mailing Address:	CORE CONTRACTING L.L.C. 513 WEST 54TH STREET NEW YORK, NY 10019 (212) 581-1598 ATTN: ELIZABETH KILKEARY		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	2000		
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS	Install Date:	10/97
Tank ID:	015	Tank Type:	Steel/carbon steel
Product Stored:	EMPTY	Pipe Internal:	Not reported
Tank Internal:	Not reported	Pipe Type:	Not reported
Pipe Location:	Not reported		
Tank External:	Not reported		
Tank Status:	Temporarily Out Of Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	Not reported		
Leak Detection:	Not reported	Dispenser:	Not reported
Overfill Prot:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

SUNOCO STATION (CAVANT) (Continued)

U003241876

Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	12600	Renewal Date:	Not reported
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19980402
Old PBS Number:	Not reported	Expiration Date:	20021106
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		

N53
SSE
1/8-1/4
1018
Higher

FRITZSCHE DODGE & OLCOTT INC
76 9TH AVE
NEW YORK, NY 10011

FINDS
RCRIS-LQG
TSCA
1000423858
NYD001328368

RCRIS:
Owner: FRITZSCHE DODGE & OLCOTT INC
(212) 555-1212
Contact: VINCENT T HEANEY
(212) 929-4100
Record Date: 08/18/1980
Classification: Large Quantity Generator
Used Oil Recyc: No
Violation Status: No violations found

FINDS:
Other Pertinent Environmental Activity Identified at Site:
AIRS Facility System (AIRS/AFS)

N54
SSE
1/8-1/4
1018
Higher

GIVAUDAN CORP C/O FRITZSCHE DI
76 NINTH AVE
NEW YORK, NY 10011

RCRIS-SQG
FINDS
1000458101
NYD986934305

RCRIS:
Owner: PA BLDG CO
(212) 344-0044
Contact: THEODORE HEIART
(212) 929-4100
Record Date: 12/26/1990
Classification: Small Quantity Generator

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

GIVAUDAN CORP C/O FRITZSCHE DI (Continued)

EDR ID Number
EPA ID Number

1000458101

Used Oil Recyc: No
Violation Status: No violations found

N55
SSE
1/8-1/4
1018
Higher

GEORGE UHE CO INC
76 NINTH AVE
NEW YORK, NY 10011

RCRIS-SQG
FINDS
TSCA

1000357187
NYD982797888

RCRIS:
Owner: SYLVAN LAWRENCE INC
(212) 555-1212
Contact: LARRY MASLOW
(212) 929-0870
Record Date: 11/03/1989
Classification: Not reported
Used Oil Recyc: No
Violation Status: No violations found

O56
ENE
1/8-1/4
1033
Higher

DR. SERSINI
415 WEST 21ST STREET
NEW YORK CITY, NY

LUST

S102672707
N/A

LUST:
Spill Number: 9411689
Facility Contact: Not reported
Investigator: MARTINKAT
Caller Name: PETER LEPORE
Caller Phone: (718) 852-7000
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: WHALECO FUEL
Spiller Address: 1 COFFEY STREET
BROOKLYN, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/02/94
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 12/02/94 07:30
Cleanup Ceased: 12/02/94
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: / /
Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: WHALECO FUEL
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (718) 852-7000
Resource Affected: On Land
Spill Source: Private Dwelling
PBS Number: Not reported
Reported to Dept: 12/02/94 08:12

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DR. SERSINI (Continued)

S102672707

Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/12/95
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: TANK WAS ALREADY FULL. WHALECO WENT TO FILL AND IT OVERFILLED. IN PROC
ESS OF CLEANING UP. NCB.

O57
ENE
1/8-1/4
1033
Higher

415 W. 21ST STREET
415 W 21ST ST
NEW YORK, NY

LUST

S102672732
N/A

LUST:

Spill Number: 9412289
Facility Contact: Not reported
Investigator: KRIMGOLD
Caller Name: PETE LEPORE
Caller Phone: (718) 852-7000
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: WHALECO
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/14/94
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 12/14/94 09:30
Cleanup Ceased: 12/14/94
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: / /
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/30/95
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: SPILL CONTAINED ON CONCRETE WALKWAY-SERVICE TO DO CLEANUP

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: WHALECO
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: On Land
Spill Source: Private Dwelling
PBS Number: Not reported
Reported to Dept: 12/14/94 09:47

58
East
1/8-1/4
1046
Higher

GENERAL THEOLOGICAL SEMINAR THE
175 9TH AVE
NEW YORK, NY 10011

RCRIS-SQG 1001223855
FINDS NYR000050716

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

GENERAL THEOLOGICAL SEMINAR THE (Continued)

1001223855

RCRIS:

Owner: THE GENERAL THEOLOGICAL SEMINAR
(212) 243-5150
Contact: FREDDIE HORNEDO
(212) 243-5150
Record Date: 02/18/1998
Classification: Small Quantity Generator
Used Oil Recyc: No
Violation Status: No violations found

P59
NNE
1/8-1/4
1098
Higher

EXXON CO USA 32253
215 10TH AVE
NEW YORK, NY 10011

RCRIS-SQG
FINDS
UST

1000791102
NYD987026069

RCRIS:

Owner: EXXON CO USA
(713) 656-7761
Contact: ALDA S POOL
(713) 656-7709
Record Date: 01/15/1993
Classification: Small Quantity Generator
Used Oil Recyc: No
Violation Status: No violations found

PBS UST:

PBS Number: 2-600799
SPDES Number: Not reported
SWIS ID: 6201
Operator: T. BORBAS
Emergency Contact: EUSA, (800) 350-0531
Total Tanks: 5
Owner: EXXON COMPANY USA
P.O. BOX 4386
HOUSTON, TX 77210
(800) 350-0531
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Address: EXXON COMPANY USA
P.O. BOX 4386
HOUSTON, TX 77210
(800) 350-0531
ATTN: REGULATORY ADMISITRATOR

CBS Number: Not reported
Telephone: (212) 675-7646

Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Capacity (gals): 4000
Tank Location: UNDERGROUND
Tank ID: 01
Product Stored: UNLEADED GASOLINE
Tank Internal: NONE
Pipe Location: Underground

Install Date: 11/91
Tank Type: Steel/carbon steel
Pipe Internal: NONE
Pipe Type: GALVANIZED STEEL

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

EXXON CO USA 32253 (Continued)

1000791102

Tank External:	NONE/JACKETED		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/FIBERGLASS		
Second Containment:	NONE/DOUBLED-WALLED TANK		
Leak Detection:	NONE/INTERSTITIAL MONITORING		
Overfill Prot:	High Level Alarm	Dispenser:	Gravity
Date Tested:	06/98	Next Test Date:	06/03
Date Closed:	Not reported	Test Method:	USTest 2000
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	20000	Renewal Date:	19970612
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19980805
Old PBS Number:	Not reported	Expiration Date:	20020708
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number:	2-600799	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 675-7646
Operator:	T. BORBAS		
Emergency Contact:	EUSA, (800) 350-0531		
Total Tanks:	5		
Owner:	EXXON COMPANY USA P.O. BOX 4386 HOUSTON, TX 77210 (800) 350-0531		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	EXXON COMPANY USA P.O. BOX 4386 HOUSTON, TX 77210 (800) 350-0531 ATTN: REGULATORY ADMISITRATOR		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank ID:	02	Install Date:	11/91
Product Stored:	UNLEADED GASOLINE	Tank Type:	Fiberglass coated steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/JACKETED		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/FIBERGLASS		
Second Containment:	NONE/DOUBLED-WALLED TANK		
Leak Detection:	NONE/INTERSTITIAL MONITORING		
Overfill Prot:	High Level Alarm	Dispenser:	Gravity
Date Tested:	06/98	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	USTest 2000
Deleted:	False	Updated:	True

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

EXXON CO USA 32253 (Continued)

1000791102

Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct	Renewal Date:	19970612
Total Capacity:	20000	Federal ID:	Not reported
Tank Screen:	No data missing	Facility Screen:	No data missing
Renew Flag:	Renwal has not been printed	Certification Date:	19980805
Certification Flag:	False	Expiration Date:	20020708
Old PBS Number:	Not reported	Inspector:	Not reported
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number:	2-600799	CBS Number:	Not reported
SPDES Number:	Not reported	Telephone:	(212) 675-7646
SWIS ID:	6201		
Operator:	T. BORBAS		
Emergency Contact:	EUSA, (800) 350-0531		
Total Tanks:	5		
Owner:	EXXON COMPANY USA P.O. BOX 4386 HOUSTON, TX 77210 (800) 350-0531	Owner Mark:	First Owner
Owner Type:	Corporate/Commercial		
Owner Subtype:	Not reported		
Mailing Address:	EXXON COMPANY USA P.O. BOX 4386 HOUSTON, TX 77210 (800) 350-0531 ATTN: REGULATORY ADMISITRATOR		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND	Install Date:	11/91
Tank ID:	03	Tank Type:	Fiberglass coated steel
Product Stored:	UNLEADED GASOLINE	Pipe Internal:	NONE
Tank Internal:	NONE	Pipe Type:	GALVANIZED STEEL
Pipe Location:	Underground		
Tank External:	NONE/JACKETED		
Tank Status:	In Service		
Tank Error Status:	No Missing Data	Dispenser:	Gravity
Pipe External:	NONE/FIBERGLASS	Next Test Date:	N.T.R
Second Containment:	NONE/DOUBLED-WALLED TANK	Test Method:	USTest 2000
Leak Detection:	NONE/INTERSTITIAL MONITORING	Updated:	True
Overfill Prot:	High Level Alarm	Owner Screen:	No data missing
Date Tested:	06/98	Renewal Date:	19970612
Date Closed:	Not reported	Federal ID:	Not reported
Deleted:	False	Facility Screen:	No data missing
Dead Letter:	False	Certification Date:	19980805
FAMT:	Fiscal amount for registration fee is correct	Expiration Date:	20020708
Total Capacity:	20000	Inspector:	Not reported
Tank Screen:	No data missing		
Renew Flag:	Renwal has not been printed		
Certification Flag:	False		
Old PBS Number:	Not reported		
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

EXXON CO USA 32253 (Continued)

1000791102

Facility Type: RETAIL GASOLINE SALES

PBS Number: 2-600799
SPDES Number: Not reported
SWIS ID: 6201
Operator: T. BORBAS
Emergency Contact: EUSA, (800) 350-0531
Total Tanks: 5
Owner: EXXON COMPANY USA

CBS Number: Not reported
Telephone: (212) 675-7646

Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Address: EXXON COMPANY USA

Owner Mark: First Owner

P.O. BOX 4386
HOUSTON, TX 77210
(800) 350-0531
ATTN: REGULATORY ADMISITRATOR

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than
1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Capacity (gals): 4000

Tank Location: UNDERGROUND

Tank ID: 04

Product Stored: UNLEADED GASOLINE

Tank Internal: NONE

Pipe Location: Underground

Tank External: NONE/JACKETED

Tank Status: In Service

Tank Error Status: No Missing Data

Pipe External: NONE/FIBERGLASS

Second Containment: NONE/DOUBLED-WALLED TANK

Leak Detection: NONE/INTERSTITIAL MONITORING

Overfill Prot: High Level Alarm

Date Tested: 06/98

Date Closed: Not reported

Deleted: False

Dead Letter: False

FAMT: Fiscal amount for registration fee is correct

Total Capacity: 20000

Tank Screen: No data missing

Renew Flag: Renwal has not been printed

Certification Flag: False

Old PBS Number: Not reported

Inspected Date: Not reported

Inspection Result: Not reported

Lat/long: Not reported

Facility Type: RETAIL GASOLINE SALES

Install Date: 11/91
Tank Type: Fiberglass coated steel
Pipe Internal: NONE
Pipe Type: GALVANIZED STEEL

Dispenser: Gravity
Next Test Date: N.T.R
Test Method: USTest 2000
Updated: True
Owner Screen: No data missing

Renewal Date: 19970612
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 19980805
Expiration Date: 20020708
Inspector: Not reported

PBS Number: 2-600799
SPDES Number: Not reported
SWIS ID: 6201
Operator: T. BORBAS
Emergency Contact: EUSA, (800) 350-0531
Total Tanks: 5
Owner: EXXON COMPANY USA

CBS Number: Not reported
Telephone: (212) 675-7646

P.O. BOX 4386

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

EXXON CO USA 32253 (Continued)

1000791102

	HOUSTON, TX 77210 (800) 350-0531		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	EXXON COMPANY USA P.O. BOX 4386 HOUSTON, TX 77210 (800) 350-0531		
	ATTN: REGULATORY ADMISITRATOR		
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank ID:	05	Install Date:	11/91
Product Stored:	UNLEADED GASOLINE	Tank Type:	Fiberglass coated steel
Tank Internal:	NONE	Pipe Internal:	FIBERGLASS LINER [FRP]
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/JACKETED		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/FIBERGLASS		
Second Containment:	NONE/DOUBLED-WALLED TANK		
Leak Detection:	NONE/INTERSTITIAL MONITORING		
Overfill Prot:	High Level Alarm	Dispenser:	Gravity
Date Tested:	06/98	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	USTest 2000
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	20000	Renewal Date:	19970612
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	19980805
Old PBS Number:	Not reported	Expiration Date:	20020708
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		

P60
NNE
1/8-1/4
1136
Higher

EMPIRE CITY SUBWAY CO LTD
177-183 10TH AVE
NEW YORK, NY 10011

RCRIS-SQG 1000912482
FINDS NY0000821736

RCRIS:
Owner: EMPIRE CITY SUBWAY CO LTD
(212) 242-1173
Contact: HUGH GILLESPIE
(212) 242-1173
Record Date: 03/10/1995
Classification: Small Quantity Generator

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

EMPIRE CITY SUBWAY CO LTD (Continued)

1000912482

Used Oil Recyc: No

Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

61
North
1/8-1/4
1166
Higher

DIA ART FOUNDATION
548 W 22ND ST
NEW YORK, NY 10011

UST
AST

U003074426
N/A

PBS UST:
PBS Number: 2-272256 CBS Number: Not reported
SPDES Number: Not reported
SWIS ID: 6201 Telephone: (212) 242-0125
Operator: JAMES P SCHAEUFELE
Emergency Contact: JAMES P SCHAEUFELE, (212) 334-8141
Total Tanks: 0
Owner: DIA ART FOUNDATION
155 MERCER
NEW YORK, NY 10012
(212) 431-9232
Owner Type: Not reported Owner Mark: First Owner
Owner Subtype: Not reported
Mailing Address: DIA ART FOUNDATION
155 MERCER
NEW YORK, NY 10012
(212) 431-9232
Not Reported
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and
Subpart 360-14.
Capacity (gals): 5000
Tank Location: UNDERGROUND
Tank ID: 001 Install Date: 00/00
Product Stored: NOS 1,2, OR 4 FUEL OIL Tank Type: Steel/carbon steel
Tank Internal: Not reported Pipe Internal: Not reported
Pipe Location: Not reported Pipe Type: STEEL/IRON
Tank External: Not reported
Tank Status: Closed Before April 1, 1991
Tank Error Status: Minor Data Missing
Pipe External: Not reported
Second Containment: NONE
Leak Detection: NONE
Overfill Prot: Product Level Gauge Dispenser: Suction
Date Tested: Not reported Next Test Date: Not reported
Date Closed: 12/90 Test Method: Not reported
Deleted: False Updated: True
Dead Letter: False Owner Screen: Minor data missing
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 0 Renewal Date: Not reported
Tank Screen: 0 Federal ID: Not reported
Renew Flag: Renewal has not been printed Facility Screen: Minor data missing
Certification Flag: False Certification Date: 19870618
Old PBS Number: Not reported Expiration Date: 19920618
Inspected Date: Not reported Inspector: Not reported
Inspection Result: Not reported
Lat/long: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DIA ART FOUNDATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003074426

Facility Type:	Not reported	
PBS AST:		
PBS Number:	2-272256	CBS Number: Not reported
SPDES Number:	Not reported	SWIS Code: 6201
Federal ID:	Not reported	Previous PBS#: Not reported
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.	
Facility Type:	Not reported	
Owner Type:	Not reported	
Owner Sub Type:	Not reported	
Owner:	DIA ART FOUNDATION 155 MERCER NEW YORK, NY 10012	
Owner Phone:	(212) 431-9232	
Facility Phone:	(212) 242-0125	
Operator:	JAMES P SCHAEUFELE	
Emergency Name:	JAMES P SCHAEUFELE	
Emergency Phone:	(212) 334-8141	
Total Tanks:	0	
Total Capacity:	0	
Tank ID:	002	
Tank Status:	Tank Converted To Non-Regulated Use	
Capacity (Gal):	275	
Tank Error Status:	Minor data missing	
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE	
Product Stored:	NOS 1,2, OR 4 FUEL OIL	
Tank Type:	Steel/carbon steel	
Install Date:	09/90	
Tank Internal:	Not reported	
Tank External:	Not reported	
Tank Containment:	VAULT	
Pipe Type:	STEEL/IRON	
Pipe Location:	Not reported	
Pipe Internal:	Not reported	
Pipe External:	Not reported	
Leak Detection:	NONE	
Overfill Protection:	Product Level Gauge	
Dispenser Method:	Gravity	
Date Tested:	Not reported	Next Test Date: Not reported
Date Closed:	08/96	Test Method: Not reported
Updated:	True	Deleted: False
Date Inspected:	Not reported	Inspector: Not reported
Result of Inspection:	Not reported	
Mailing Name:	DIA ART FOUNDATION	
Mailing Address:	155 MERCER NEW YORK, NY 10012	
Mailing Contact:	Not reported	
Mailing Telephone:	(212) 431-9232	
Owner Mark:	First Owner	
Certification Flag:	False	
Renew Flag:	False	
Lat/Long:	Not reported	
Dead Letter:	False	
Facility Screen:	Minor data missing	
Owner Screen:	Minor data missing	
Tank Screen:	0	
Fiscal Amount for Registration Fee is Correct:	True	
		Expiration Date: 06/18/92
		Certification Date: 06/18/87
		Renew Date: / /

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

DIA ART FOUNDATION (Continued)

U003074426

PBS Number:	2-272256	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS Code:	6201
Federal ID:	Not reported	Previous PBS#:	Not reported
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Facility Type:	Not reported		
Owner Type:	Not reported		
Owner Sub Type:	Not reported		
Owner:	DIA ART FOUNDATION 155 MERCER NEW YORK, NY 10012		
Owner Phone:	(212) 431-9232		
Facility Phone:	(212) 242-0125		
Operator:	JAMES P SCHAEUFELE		
Emergency Name:	JAMES P SCHAEUFELE		
Emergency Phone:	(212) 334-8141		
Total Tanks:	0		
Total Capacity:	0		
Tank ID:	003		
Tank Status:	Tank Converted To Non-Regulated Use		
Capacity (Gal):	275		
Tank Error Status:	Minor data missing		
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE		
Product Stored:	NOS 1,2, OR 4 FUEL OIL		
Tank Type:	Steel/carbon steel		
Install Date:	09/90		
Tank Internal:	Not reported		
Tank External:	Not reported		
Tank Containment:	VAULT		
Pipe Type:	STEEL/IRON		
Pipe Location:	Not reported		
Pipe Internal:	Not reported		
Pipe External:	Not reported		
Leak Detection:	NONE		
Overfill Protection:	Product Level Gauge		
Dispenser Method:	Gravity		
Date Tested:	Not reported		
Date Closed:	08/96		
Updated:	True		
Date Inspected:	Not reported		
Result of Inspection:	Not reported		
Mailing Name:	DIA ART FOUNDATION		
Mailing Address:	155 MERCER NEW YORK, NY 10012		
Mailing Contact:	Not reported		
Mailing Telephone:	(212) 431-9232		
Owner Mark:	First Owner		
Certification Flag:	False		
Renew Flag:	False		
Lat/Long:	Not reported		
Dead Letter:	False		
Facility Screen:	Minor data missing		
Owner Screen:	Minor data missing		
Tank Screen:	0		
Fiscal Amount for Registration Fee is Correct:	True		

Next Test Date:	Not reported
Test Method:	Not reported
Deleted:	False
Inspector:	Not reported

Expiration Date:	06/18/92
Certification Date:	06/18/87
Renew Date:	/ /

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

62
NNE
1/8-1/4
1291
Higher

GULF SERVICE STA
500 W 23RD ST
NY, NY 10011

UST

U001839074
N/A

PBS UST:

PBS Number: 2-336939
SPDES Number: Not reported
SWIS ID: 6201
Operator: EARL MURRAY
Emergency Contact: EARL MURRAY, (212) 860-0656
Total Tanks: 1
Owner: CUMBERLAND FARMS INC
777 DEDHAM ST
CANTON, MA 02021
(617) 828-4912

CBS Number: Not reported
Telephone: (212) 924-1260

Owner Type: Not reported
Owner Subtype: Not reported
Mailing Address: CUMBERLAND FARMS INC
777 DEDHAM ST
CANTON, MA 02021
(617) 828-4912
Not Reported

Owner Mark: First Owner

Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.

Capacity (gals): 2000
Tank Location: UNDERGROUND
Tank ID: 001
Product Stored: LEADED GASOLINE
Tank Internal: Not reported
Pipe Location: Not reported
Tank External: Not reported
Tank Status: Closed-Removed
Tank Error Status: Minor Data Missing
Pipe External: Not reported
Second Containment: VAULT
Leak Detection: GROUNDWATER WELL
Overfill Prot: Not reported
Date Tested: Not reported
Date Closed: 12/89
Deleted: False
Dead Letter: False

Install Date: 04/71
Tank Type: Steel/carbon steel
Pipe Internal: Not reported
Pipe Type: GALVANIZED STEEL

FAMT: Fiscal amount for registration fee is correct
Total Capacity: 550
Tank Screen: Minor data missing
Renewal Flag: Renewal has been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: Not reported
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: Not reported

Dispenser: Suction
Next Test Date: Not reported
Test Method: Not reported
Updated: True
Owner Screen: Minor data missing

Renewal Date: 19930122
Federal ID: Not reported
Facility Screen: Minor data missing
Certification Date: 19871029
Expiration Date: 19921029
Inspector: Not reported

PBS Number: 2-336939
SPDES Number: Not reported
SWIS ID: 6201
Operator: EARL MURRAY
Emergency Contact: EARL MURRAY, (212) 860-0656

CBS Number: Not reported
Telephone: (212) 924-1260

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

GULF SERVICE STA (Continued)

U001839074

Total Tanks:	1		
Owner:	CUMBERLAND FARMS INC 777 DEDHAM ST CANTON, MA 02021 (617) 828-4912		
Owner Type:	Not reported	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	CUMBERLAND FARMS INC 777 DEDHAM ST CANTON, MA 02021 (617) 828-4912 Not Reported		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	2000		
Tank Location:	UNDERGROUND		
Tank ID:	002	Install Date:	04/71
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	GALVANIZED STEEL
Tank External:	Not reported		
Tank Status:	Closed-Removed		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	VAULT		
Leak Detection:	GROUNDWATER WELL		
Overfill Prot:	Not reported	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	12/89	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	550	Renewal Date:	19930122
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has been printed	Facility Screen:	Minor data missing
Certification Flag:	False	Certification Date:	19871029
Old PBS Number:	Not reported	Expiration Date:	19921029
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	Not reported		
PBS Number:	2-336939	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 924-1260
Operator:	EARL MURRAY		
Emergency Contact:	EARL MURRAY, (212) 860-0656		
Total Tanks:	1		
Owner:	CUMBERLAND FARMS INC 777 DEDHAM ST CANTON, MA 02021 (617) 828-4912		
Owner Type:	Not reported	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	CUMBERLAND FARMS INC 777 DEDHAM ST CANTON, MA 02021		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GULF SERVICE STA (Continued)

U001839074

Facility Status:	(617) 828-4912 Not Reported 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	2000		
Tank Location:	UNDERGROUND		
Tank ID:	003	Install Date:	10/78
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	GALVANIZED STEEL
Tank External:	Not reported		
Tank Status:	Closed-Removed		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	VAULT		
Leak Detection:	GROUNDWATER WELL		
Overfill Prot:	Not reported	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	12/93	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	550	Renewal Date:	19930122
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has been printed	Facility Screen:	Minor data missing
Certification Flag:	False	Certification Date:	19871029
Old PBS Number:	Not reported	Expiration Date:	19921029
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	Not reported		
PBS Number:	2-336939	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6201	Telephone:	(212) 924-1260
Operator:	EARL MURRAY		
Emergency Contact:	EARL MURRAY, (212) 860-0656		
Total Tanks:	1		
Owner:	CUMBERLAND FARMS INC 777 DEDHAM ST CANTON, MA 02021 (617) 828-4912		
Owner Type:	Not reported	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	CUMBERLAND FARMS INC 777 DEDHAM ST CANTON, MA 02021 (617) 828-4912 Not Reported		
Facility Status:	2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.		
Capacity (gals):	2000		
Tank Location:	UNDERGROUND		
Tank ID:	004	Install Date:	10/78
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	GALVANIZED STEEL

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

239 10TH AVENUE/GETTY (Continued)

S100167595

Spill Closed Dt: 07/29/94
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 10/20/88 15:00
Cleanup Ceased: 07/29/94
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 08/01/94
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/05/88
Date Region Sent Summary to Central Office: / /
DEC Remarks: 08/01/94: SEE EPS LETTER DATED 7/29/94 CROSS REFERENCE TO SPILL 8806159.
Spill Cause: (2) 4K TANKS FAILED.

Resource Affected: Groundwater
Spill Source: Gas Station
PBS Number: 2-151270
Reported to Dept: 10/21/88 08:41

SPILLS:

Spill Number: 9707190
Facility Contact: LOUIS OCHOTOIENA
Investigator: O'DOWD
Caller Name: DAN RUFFINI
Caller Phone: (516) 249-3150
Notifier Name: CREW CHIEF
Notifier Phone: Not reported
Spiller Contact: LOUIS OCHOTOIENA
Spiller: GETTY GAS #341
Spiller Address: 239 10TH AVE
MANHATTAN

Region of Spill: 2
Facility Tele: (718) 729-6500
SWIS: 62
Caller Agency: TYREE
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (718) 729-6500

Spill Class: Known release that creates potential for fire or hazard. (Highly Improbable)

Spill Closed Dt: Not reported
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 09/17/1997 15:00
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 09/25/1997
Is Updated: False

Resource Affected: On Land
Spill Source: Gas Station
PBS Number: Not reported
Reported to Dept: 09/17/1997 16:24

Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 09/17/1997
Date Region Sent Summary to Central Office: Not reported
Remarks: A LEAK IN THE REMOTE FILL. SOIL WAS REMOVED AND LEAK WAS REPAIRED.
DEC Remarks: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S70
NNE
1/4-1/2
1602
Higher

GETTY GAS STATION
239 10TH AVE
NEW YORK, NY

LUST

S100167594
N/A

LUST:

Spill Number: 8806159
Facility Contact: Not reported
Investigator: SULLIVAN
Caller Name: HOWARD GREENBERG
Caller Phone: (718) 461-5400
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: SAME
Spiller Address: Not reported
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: ALVIN PETROLEUM
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (718) 729-6500

Spill Closed Dt: 07/29/94
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 10/20/88 15:00
Cleanup Ceased: 07/29/94
Last Inspection: / /

Resource Affected: Groundwater
Spill Source: Gas Station
PBS Number: 2-287504
Reported to Dept: 10/21/88 08:41

Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 08/01/94
Is Updated: False

Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/02/88
Date Region Sent Summary to Central Office: / /

DEC Remarks: 08/01/94: SEE EPS LETTER DATED 7/29/94 AND CROSS REFERENCE TO SPILL 8806
160. LATEST PRECISION RESULTS GIVEN TO PBS UNIT.

Spill Cause: 2 4K TKS BOTH L R'S UNREADABLE. GETTY WILL EXCAV & INVES.

R71
ESE
1/4-1/2
1634
Higher

308 WEST 18TH ST
308 W 18TH ST
NEW YORK, NY

LUST

S102673112
N/A

LUST:

Spill Number: 9511332
Facility Contact: HOFFMAN
Investigator: KRIMGOLD
Caller Name: PAUL SCAROLA
Caller Phone: (718) 647-4200
Notifier Name: DRIVER
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: BAERENKLAU
Spiller Address: 740 JAMAICA AVE
BROOKLYN, NY 11208

Region of Spill: 2
Facility Tele: (212) 924-0972
SWIS: 62
Caller Agency: BAERENKLAU FUEL
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

S102673112

308 WEST 18TH ST (Continued)

Spill Closed Dt: 12/08/95
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 12/07/95 13:00
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 01/04/96
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/08/95
Date Region Sent Summary to Central Office: / /
DEC Remarks: GET THE ROOM OPENED AT 12/08/95 - 1 GALLON SPILLED - CLEANED BY BAERENKL
AU FUEL.
Spill Cause: DRIVER OVERFILLED TANK - COULD NOT GET IN TO CLEANUP THE 1 QUART SPILL
DUE TO THE ROOM BEING LOCKED

Resource Affected: On Land
Spill Source: Tank Truck
PBS Number: Not reported
Reported to Dept: 12/08/95 09:13

72
NNW
1/4-1/2
1779
Higher

SILVERSTEIN 42ND ASSOC.
500-516 12TH AVE
NEW YORK, NY

LUST
S101658414
N/A

LUST:

Spill Number: 9504838
Facility Contact: Not reported
Investigator: MULQUEEN
Caller Name: JOHN JAVA
Caller Phone: (201) 812-6815
Notifier Name: SAME
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: ROSENMAN & COLIN
Spiller Address: 575 MADISON AVE
NEW YORK, NY 10022-2585
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/03/96
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 07/20/95 16:00
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 07/03/96
Is Updated: False
Corrective Action Plan Submitted: / /

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: WOODWARD CLYDE CONS.
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (212) 940-8700

Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 07/20/95 16:46

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

SILVERSTEIN 42ND ASSOC. (Continued)

S101658414

Date Spill Entered In Computer Data File: 08/15/95
Date Region Sent Summary to Central Office: / /
DEC Remarks: SITE OF FORMER COAL GASIFICATION PLANT & WAS INVESTIGATED BY HAZ. WASTE
REM. BUT FOUND NO 371 WASTES. SOILS AROUND USTS WERE STOCKPILED AND REM
OVED. GROUNDWATER HAD MINOR AMOUNTS OF BENZENE ALONG NORTH WEST CORNER O
F SITE. F & T MODEL INDICATES THATCONCENTRATIONS WILL NOT IMPACT SENSITI
VE RECEPTORS - NFA. 7/16/98 mmm:FILE TRANSFERED TO NYS RECORDS CENTER
BOX # 306858.
Spill Cause: SOIL CONTAMINATION/ GROUND WATER CONTAMINATION FOUND DURING TANK REMOVAL
FROM MAY 8TH TO MAY 25TH, 1995

73
NNE
1/4-1/2
1783
Higher

239 10TH AVE/MANH/GETTY
239 10TH AVENUE
NEW YORK CITY, NY

LUST

S100167969
N/A

LUST:

Spill Number: 9005116
Facility Contact: Not reported
Investigator: SULLIVAN
Caller Name: HAROLD GREENBERG
Caller Phone: (718) 461-5400
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: GETTY
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/16/92
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 08/08/90 11:00
Cleanup Ceased: 07/16/92
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 07/28/92
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/14/90
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: 4K TANK FAILED AN AIR PRESSURE TEST.

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: ALVIN PETROLEUM
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (718) 729-6500
Resource Affected: On Land
Spill Source: Gas Station
PBS Number: Not reported
Reported to Dept: 08/08/90 15:17

74
East
1/4-1/2
1812
Higher

UNKNOWN APARTMNT BUILDING
204 8TH AVE
NEW YORK, NY

LUST

S100145554
N/A

LUST:

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

UNKNOWN APARTMNT BUILDING (Continued)

S100145554

Spill Number:	8905180	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	SULLIVAN	SWIS:	62
Caller Name:	WASHINGTON HERNANDEZ	Caller Agency:	NYC DEP
Caller Phone:	(212) 669-8930	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	UNK		
Spiller Address:	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	09/15/97	Resource Affected:	On Land
Spill Cause:	Tank Failure	Spill Source:	Other Commercial/Industrial
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Local Agency	Reported to Dept:	08/25/89 09:14
Spill Date:	08/25/89 08:50		
Cleanup Ceased:	/ /		
Last Inspection:	/ /		
Cleanup Meets Standard:	False		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	/ /		
Enforcement Date:	/ /		
Investigation Complete:	/ /		
UST Involvement:	False		
Spill Record Last Update:	01/23/98		
Is Updated:	False		
Corrective Action Plan Submitted:	/ /		
Date Spill Entered in Computer Data File:	09/01/89		
Date Region Sent Summary to Central Office:	/ /		
DEC Remarks:	CHANGED BY RP.		
Spill Cause:	TWO 275 GALLON TANKS LEAKING. NYFD ATTEMPTING TO PLUG LEAK.		

75
North
1/4-1/2
1836
Higher

201 11TH AVE/MANH/USPS
201 11TH AVENUE
NEW YORK CITY, NY

LUST
NY Spills

S100167779
N/A

LUST:

Spill Number:	8908706	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	SULLIVAN	SWIS:	62
Caller Name:	BOB SKRIVANEK	Caller Agency:	USPS
Caller Phone:	(212) 330-3123	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(212) 330-4912
Spiller:	U S POSTAL SERVICE		
Spiller Address:	JAMES A FARLEY BLDG RM 5030		
Spill Class:	Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	/ /	Resource Affected:	On Land
Spill Cause:	Tank Test Failure	Spill Source:	Other Non Commercial/Industrial
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Responsible Party	Reported to Dept:	12/04/89 12:01
Spill Date:	11/27/89 14:00		
Cleanup Ceased:	/ /		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

201 11TH AVE/MANH/USPS (Continued)

EDR ID Number
EPA ID Number

Database(s)

S100167779

Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 11/13/92
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/07/89
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: 4K TANK, SYSTEMS TEST, FAILED VPLT WITH A LEAK RATE OF -.244GPH, WILL EX
CAVATE, ISOLATE & RETEST.

Spill Number:	9005469	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	BATTISTA	SWIS:	62
Caller Name:	ROBERT SKRIVANEK	Caller Agency:	USPS
Caller Phone:	(212) 330-3123	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	USPS		

Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 05/11/90
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 08/17/90 10:30
Cleanup Ceased: 05/11/90
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 10/16/90
Is Updated: False

Resource Affected: On Land
Spill Source: Other Non Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 08/17/90 11:05

Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/20/90
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: GASKET ON TANK IS LEAKING, SMALL AMOUNT OF CONTAMINATED SOIL, WILL EX
POSE & REPAIR TANK & CLEAN UP, TYREE BROS TO DO WORK.

SPILLS:

Spill Number:	9209596	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	TANG	SWIS:	62
Caller Name:	PAT GERAGHTY	Caller Agency:	CASTLE OIL CO.
Caller Phone:	(212) 823-8800	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

201 11TH AVE/MANH/USPS (Continued)

S100167779

Spiller: Not reported
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/18/1992
Spill Cause: Human Error
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 11/18/1992 08:00
Cleanup Ceased: 11/18/1992
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: Not reported
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 11/18/1992
Date Region Sent Summary to Central Office: Not reported
Remark: CUST. SUPT. DIRECTED DRIVER TO DELIV.FUEL TA A TANK WHICH WOULD NOT HOLD
THE SPECIFIED AMOUNT-SPILL TEAM ENROUTE TO CLEAN ROUTE.UST COOR. WILL
SUPERVISE CLEAN UP
DEC Remarks: Not reported

76
SE
1/4-1/2
1848
Higher

15TH ST & 8TH AVE/BKLYN
15TH ST / 8TH AVE
NEW YORK CITY, NY

LUST

S102671425
N/A

LUST:

Spill Number: 8905987
Facility Contact: Not reported
Investigator: JAMES
Caller Name: GEORGE JAMES
Caller Phone: (718) 776-6080
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: NYSOGS
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Unable/unwilling Responsible Party. Corrective action taken. (ISR)
Spill Closed Dt: / /
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 09/18/89 11:00
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Region of Spill: 2
Facility Tele: Not reported
SWIS: 61
Caller Agency: NYSDEC
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (212) 519-5191
Resource Affected: On Land
Spill Source: Other Non Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 09/18/89 12:07

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

15TH ST & 8TH AVE/BKLYN (Continued)

S102671425

Spill Record Last Update: 08/09/95
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/12/89
Date Region Sent Summary to Central Office: / /
DEC Remarks: 09/18/89: BRIAN CONTRACTING CORP WILL DISPOSE OF 80YDS OF CONTAMINATED S
AND.
Spill Cause: BACKFILL CONTAMINATED WITH PRODUCT WHEN TANK WAS PREPARED TO BE RE
MOVED, TANK ENCLOSED BY CONCRETE VAULT.

77
NE
1/4-1/2
2023
Higher

400 WEST 25TH STREET
400 W 25TH ST
NEW YORK, NY 10010

LUST
AST

S103517586
N/A

LUST:

Spill Number: 9310011
Facility Contact: Not reported
Investigator: CAMMISA
Caller Name: PETE LEPORE
Caller Phone: (718) 852-7000
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: Not reported
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/17/93
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 11/17/93 13:15
Cleanup Ceased: 11/17/93
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: / /
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/18/93
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: POSSIBLE GAGE CONTAINED ON SIDEWALK - DRIVER APPLIED SORBENT - P/U.
Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: WHALECO
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 11/17/93 13:17

PBS AST:

PBS Number: 2-252107
SPDES Number: Not reported
Federal ID: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than
1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: APARTMENT BUILDING
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
CBS Number: Not reported
SWIS Code: 6201
Previous PBS#: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

400 WEST 25TH STREET (Continued)

EDR ID Number
EPA ID Number

Database(s)

S103517586

Owner: ELK INVESTORS
641 LEXINGTON AVENUE
NEW YORK, NY 10022
Owner Phone: (212) 371-5050
Facility Phone: (212) 691-7217
Operator: VICTOR MONDRAGON
Emergency Name: MARIO ESPINOZA
Emergency Phone: (212) 679-5468
Total Tanks: 1
Total Capacity: 2500
Tank ID: 001
Tank Status: In Service
Capacity (Gal): 2500
Tank Error Status: Minor data missing
Tank Location: ABOVEGROUND
Product Stored: NOS 1.2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Install Date: 12/79
Tank Internal: Not reported
Tank External: Not reported
Tank Containment: DOUBLED-WALLED TANK
Pipe Type: STEEL/IRON
Pipe Location: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Leak Detection: NONE
Overfill Protection: Product Level Gauge
Dispenser Method: Suction
Date Tested: Not reported
Date Closed: Not reported
Updated: False
Date Inspected: Not reported
Result of Inspection: Not reported
Mailing Name: ELK INVESTORS
Mailing Address: 641 LEXINGTON AVENUE
23RD FL
NEW YORK, NY 10022
Mailing Contact: SHAZ MOSSANEN
Mailing Telephone: (212) 371-5050
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: Not reported
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: Minor data missing
Fiscal Amount for Registration Fee is Correct: True
Next Test Date: N.T.R
Test Method: Not reported
Deleted: False
Inspector: Not reported
Expiration Date: 11/16/02
Certification Date: 09/30/99
Renew Date: 09/02/97

78
South
1/4-1/2
2050
Higher

53 HORACIO STREET
53 HORATIO ST
NEW YORK, NY

LUST

S102672567
N/A

LUST:

Spill Number: 9406077
Facility Contact: Not reported
Investigator: MARTINKAT

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

53 HORACIO STREET (Continued)

S102672567

Caller Name: PETER LEPORE
Caller Phone: (718) 852-7000
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: WHALECO OIL CO
Spiller Address: 1 COFFEE STREET
BROOKLYN, NEW YORK
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 08/04/94
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 08/04/94 08:30
Cleanup Ceased: 08/04/94
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: / /
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/19/94
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: OVERFILLED TANK-CLEAN UP, NO OTHER AGENCIES CALLED

Caller Agency: WHALECO OIL
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (718) 852-7000
Resource Affected: On Land
Spill Source: Private Dwelling
PBS Number: Not reported
Reported to Dept: 08/04/92 08:33

T79
NNE
1/4-1/2
2183
Higher

536 WEST 26TH STREET
536 W 26TH ST
NEW YORK, NY

LUST

S100494628
N/A

LUST:

Spill Number: 9211726
Facility Contact: Not reported
Investigator: O'DOWD
Caller Name: DANA ROOT
Caller Phone: (800) 666-2605
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: Not reported
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 01/21/93
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 01/13/93 10:25
Cleanup Ceased: 01/21/93
Last Inspection: / /
Cleanup Meets Standard: True

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: TANKNOLOGY
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 01/13/93 10:45

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

S100494628

536 WEST 26TH STREET (Continued)

Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 03/27/95
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/14/93
Date Region Sent Summary to Central Office: / /
DEC Remarks: 03/27/95: REPAIRED FILL RETESTED AND PASSED.
Spill Cause: EIR

T80
NNE
1/4-1/2
2183
Higher

PENSKE TRUCK LEASING CO L P
536 W 26TH ST
NEW YORK, NY 10001

FINDS 1000382741
RCRIS-LQG NYD101106565
LUST

RCRIS:
Owner: 293 10TH AVE CORP
(212) 555-1212
Contact: ANTHONY POPPLE
(718) 741-9800
Record Date: 10/21/1986
Classification: Large Quantity Generator, Small Quantity Generator
Used Oil Recyc: No
Violation Status: No violations found

NY MANIFEST
Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

LUST:
Spill Number: 9801954
Facility Contact: RICHARD SAUT
Investigator: TOMASELLO
Caller Name: DAVE VOLZ
Caller Phone: (609) 259-6424
Notifier Name: DARREN SCILLIERI
Notifier Phone: (609) 259-6424
Spiller Contact: RICHARD SAUT
Spiller: PENSKE TRUCK LEASING
Spiller Address: 536 WEST 26TH ST
MANHATTEN, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 05/14/98 14:00
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Region of Spill: 2
Facility Tele: (610) 775-6010
SWIS: 62
Caller Agency: SECOR INTERNATIONAL INC.
Caller Extension: Not reported
Notifier Agency: SECOR INTERNATIONAL
Notifier Extension: Not reported
Spiller Phone: (610) 775-6010
Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 05/14/98 16:24

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PENSKE TRUCK LEASING CO L P (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000382741

Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 05/19/98
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/14/98
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: CALLER RESPONDED TO ABOVE LOCATION TO REMOVE FUEL TANKS. UPON REMOVAL SOME SOIL CONTAMINATION DISCOVERED. TANKS REMOVED AND SOIL EXCAVATION IN PROGRESS. NO CALL BACK REQUESTED.

81
NNW
1/4-1/2
2208
Higher

168-11 12TH AVENUE
168-11 12TH AVE
NEW YORK, NY

LUST

S100346428
N/A

LUST:

Spill Number: 8803037
Facility Contact: Not reported
Investigator: BATTISTA
Caller Name: SEBASTIAN LOREFICE
Caller Phone: (718) 789-3770
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: SAME
Spiller Address: NOVI RAMO
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/30/92
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 07/07/88 08:00
Cleanup Ceased: 09/30/92
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 05/12/94
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/08/88
Date Region Sent Summary to Central Office: / /
DEC Remarks: / / : PUMP OUT, INSPECT & TEST LINES.
Spill Cause: 3K TANK, NEVER STABILIZED, INITIAL SYSTEM HORNER-EZY CHECK TEST.

Region of Spill: 2
Facility Tele: Not reported
SWIS: 63
Caller Agency: TANK TEST, INC
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (718) 767-7400
Resource Affected: Groundwater
Spill Source: Other Commercial/Industrial
PBS Number: 2-158372
Reported to Dept: 07/07/88 14:02

82
NNE
1/4-1/2
2211
Higher

DEL. SPILL /W.28ST.&10AV
W.26ST / 10 AVE.
NEW YORK CITY, NY

LUST

S102671130
N/A

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DEL. SPILL /W.28ST.&10AV (Continued)

S102671130

LUST:

Spill Number:	8605584	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	Not reported	SWIS:	62
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(718) 769-860
Spiller:	ONDPR TRUCKING		
Spiller Address:	702OAK ST.		
Spill Class:	Not reported		
Spill Closed Dt:	12/04/86		
Spill Cause:	Tank Overfill	Resource Affected:	On Land
Water Affected:	NONE	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Other	PBS Number:	Not reported
Spill Date:	12/04/86 01:42	Reported to Dept:	12/04/86 02:39
Cleanup Ceased:	12/04/86		
Last Inspection:	/ /		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	/ /		
Enforcement Date:	/ /		
Investigation Complete:	/ /		
UST Involvement:	False		
Spill Record Last Update:	09/01/87		
Is Updated:	False		
Corrective Action Plan Submitted:	/ /		
Date Spill Entered In Computer Data File:	12/06/86		
Date Region Sent Summary to Central Office:	/ /		
DEC Remarks:	Not reported		
Spill Cause:	NYCFD CONTAINED SPILL WITH SORBENT PADS. UNKNOWN NOTIFIER.		

83
SSE
1/4-1/2
2292
Higher

2 HORATIO ST
2 HORATIO ST
NEW YORK, NY

LUST

S102673382
N/A

LUST:

Spill Number:	9601839	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	(212) 243-6878
Investigator:	KATZ	SWIS:	62
Caller Name:	MICHAEL VIDA	Caller Agency:	HESS
Caller Phone:	(201) 437-1017	Caller Extension:	Not reported
Notifier Name:	DRIVER	Notifier Agency:	Not reported
Notifier Phone:	(0) -	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(0) -
Spiller:	HESS OIL		
Spiller Address:	420 HOOK RD BAYONNE, NJ 07002		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	05/09/96		
Spill Cause:	Tank Overfill	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Tank Truck
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	05/07/96 06:55	Reported to Dept:	05/07/96 07:01

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

S102673382

2 HORATIO ST (Continued)

Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 05/28/96
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/07/96
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: caller states that it was the bldg owners fault for giving the driver th
e wrong reading - however it was the driver who overfilled the tank - oi
l came out of the vent pipe - going to be cleaned up

84
SSW
1/4-1/2
2329
Higher

514 WEST END AVENUE
514 WEST ST
NEW YORK, NY

LUST

S102672798
N/A

LUST:

Spill Number:	9414188	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	MARTINKAT	SWIS:	62
Caller Name:	JANET MATOS	Caller Agency:	CASTLE OIL CO
Caller Phone:	(718) 579-3413	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	CASTLE OIL CO		
Spiller Address:	290 LOCUST AVENUE BRONX, NEW YORK 10454		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	01/26/95	Resource Affected:	On Land
Spill Cause:	Tank Overfill	Spill Source:	Tank Truck
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Local Agency	Reported to Dept:	01/26/95 10:04
Spill Date:	01/26/95 09:55		
Cleanup Ceased:	01/26/95		
Last Inspection:	/ /		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	/ /		
Enforcement Date:	/ /		
Investigation Complete:	/ /		
UST Involvement:	False		
Spill Record Last Update:	/ /		
Is Updated:	False		
Corrective Action Plan Submitted:	/ /		
Date Spill Entered In Computer Data File:	02/16/95		
Date Region Sent Summary to Central Office:	/ /		
DEC Remarks:	Not reported		
Spill Cause:	TANK OVERFILL- DEFECTIVE GAUGE ON TANK - SPILLED HAS BEEN CONTAINED. WIL L BE CLEANED		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

85
North
1/4-1/2
2352
Higher

601 WEST 26TH ST/MANH
601 WEST 26TH STREET
NEW YORK CITY, NY

LUST

S100168312
N/A

LUST:

Spill Number: 9100519
Facility Contact: Not reported
Investigator: FINGER
Caller Name: BOB DECK
Caller Phone: (718) 624-4842
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: OWNER
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: PETRO TANK CLEANERS
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Spill Closed Dt: 10/16/97
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 04/12/91 12:45
Cleanup Ceased: / /
Last Inspection: / /

Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 04/12/91 16:33

Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 10/17/97
Is Updated: False

Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/17/91
Date Region Sent Summary to Central Office: / /

DEC Remarks: Not reported
Spill Cause: 20K TANK. TANK DORMANT FOR 4YRS.WATER GETTING INTO TANK VIA FILL LINE.OI
L FLOATED OUT ONTO CONCRETEBASEMENT FLOOR IN TANKROOM,VAC TRUCK & SPEEDY DRY WAS USED.

86
NE
1/4-1/2
2358
Higher

ELLIOTT HOUSES
426 WEST 27TH STREET
NEW YORK CITY, NY

LUST

S100167890
N/A

LUST:

Spill Number: 9002184
Facility Contact: Not reported
Investigator: SACCACIO
Caller Name: SEBASTIAN LOREFICE
Caller Phone: (718) 789-3770
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: NYCHA
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: TANK TESTING INC
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (212) 306-3142

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

ELLIOTT HOUSES (Continued)

S100167890

Spill Closed Dt: / /
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 05/25/90 11:00
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 11/29/94
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/31/90
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: VISIBLE LEAKS AT GAUGES & (2) MANHOLE COVERS, MANIFOLD TANKS (2) 20K FA
ILED HORNER EZY CHECK WITH A GROSS LEAK, WILL REPAIR & RETEST.

Resource Affected: On Land
Spill Source: Other Non Commercial/Industrial
PBS Number: 2-601955
Reported to Dept: 05/25/90 11:43

U87
NNE
1/4-1/2
2373
Higher

530 WEST 27TH ST/MANH
530 WEST 27TH STREET
NEW YORK CITY, NY

LUST

S100167677
N/A

LUST:

Spill Number: 8901381
Facility Contact: Not reported
Investigator: SIGONA
Caller Name: ANTHONY SIGONA
Caller Phone: (718) 482-4933
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: RICHARD BRESLOW
Spiller Address: 559 WEST 45TH STREET
NEW YORK, N.Y.
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: NYSDEC
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (212) 265-4023

Spill Closed Dt: / /
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: Federal Government
Spill Date: 05/11/89 14:30
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 11/15/94
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/18/89

Resource Affected: Groundwater
Spill Source: Non Major Facility > 1,100 gallons
PBS Number: Not reported
Reported to Dept: 05/11/89 14:30

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

530 WEST 27TH ST/MANH (Continued)

S100167677

Date Region Sent Summary to Central Office: / /

DEC Remarks: 05/11/89: DEC TO REQUEST SUBSURFACE OR EXPLORATORY INVESTIGATION AROUND
TANK TOP.

Spill Cause: BURIED UNDERGROUND TANK FILLED WITH WATER BUT SURFACE SOIL AROUND TANK TO
P & CEMENT IS SEEPING WITH OIL. OIL WAS SAMPLED.

U88
NNE
1/4-1/2
2386
Higher

505 W 27TH ST/CENTRAL IRON
505 W 27TH ST
NEW YORK, NY

LUST

S102671782
N/A

LUST:

Spill Number: 9109614
Facility Contact: Not reported
Investigator: SIGONA
Caller Name: ANTHONY SIGONA
Caller Phone: (718) 482-4933
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: CENTRAL IRON
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: NYSDEC
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (212) 947-2985

Spill Closed Dt: / /

Spill Cause: Tank Overfill

Water Affected: Not reported

Spill Notifier: Other

Spill Date: 12/10/91 09:30

Cleanup Ceased: / /

Last Inspection: / /

Cleanup Meets Standard: False

Recommended Penalty: No Penalty

Spiller Cleanup Date: / /

Enforcement Date: / /

Investigation Complete: / /

UST Involvement: False

Spill Record Last Update: 11/21/94

Is Updated: False

Corrective Action Plan Submitted: / /

Date Spill Entered In Computer Data File: 12/13/91

Date Region Sent Summary to Central Office: / /

DEC Remarks: / / : ORDERED FACILITY TO CLEAN UP.

Spill Cause: 2-550 GAL TANKS/500 HEATING OIL.

Resource Affected: On Land

Spill Source: Non Major Facility > 1,100 gallons

PBS Number: Not reported

Reported to Dept: 12/10/91 09:30

V89
ENE
1/4-1/2
2387
Higher

POWER HOUSE
315 W 25TH ST
NEW YORK, NY

LUST

S102233331
N/A

LUST:

Spill Number: 9602633
Facility Contact: BRENDAN KEANY
Investigator: TIBBE
Caller Name: BRENDAN KEANY
Caller Phone: (212) 675-3200

Region of Spill: 2
Facility Tele: (212) 675-3200
SWIS: 62
Caller Agency: MUTUAL REDEVELOPMENT
Caller Extension: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

S102233331

POWER HOUSE (Continued)

Notifier Name: CAMP DRESSER MCKEE
Notifier Phone: Not reported
Spiller Contact: BRENDAN KEANY
Spiller: POWER HOUSE
Spiller Address: 315 W 25TH ST
MANHATTAN

Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (212) 675-3200

Spill Class: Not reported
Spill Closed Dt: / /
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 05/23/96 15:30
Cleanup Ceased: / /
Last Inspection: / /

Resource Affected: On Land
Spill Source: Other Non Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 05/23/96 15:49

Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 06/27/96
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/23/96
Date Region Sent Summary to Central Office: / /

DEC Remarks: Not reported
Spill Cause: OLD TANK APPEARED TO HAVE FAILED. TANK IS BEING REMOVED, CONTAMINATED SO
IL WAS FOUND DURING REMOVAL PROCESS. INVESTIGATION IS UNDERWAY AT THIS TIME.

W90
NE
1/4-1/2
2394
Higher

PS 33
281 9TH AVE
NEW YORK, NY

LUST

S104073555
N/A

LUST:

Spill Number: 9713196
Facility Contact: JOHN KASE
Investigator: TOMASELLO
Caller Name: FRANK LENDINO
Caller Phone: (718) 624-4842
Notifier Name: JOHN KASE
Notifier Phone: (718) 391-6590
Spiller Contact: Not reported
Spiller: CASTLE OIL
Spiller Address: 290 LOCUST AVE
BRONX, NY 10454

Region of Spill: 2
Facility Tele: (718) 391-6590
SWIS: 62
Caller Agency: PETROLIUM TANK CLEANERS
Caller Extension: Not reported
Notifier Agency: NYC SCHOOL DISTRICT
Notifier Extension: Not reported
Spiller Phone: Not reported

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 02/26/98 10:00
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: No Penalty

Resource Affected: On Land
Spill Source: Other Non Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 02/26/98 11:47

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PS 33 (Continued)

EDR ID Number
EPA ID Number

Database(s)

S104073555

Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 02/27/98
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/26/98
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: CALLER REPORTING OVERFILL AT PUBLIC SCHOOL #33. CLEAN UP WILL BEGIN SHO
RTLY.

W91
NE
1/4-1/2
2394
Higher

PUBLIC SCHOOL #33
281 9TH AVE
NEW YORK, NY

LUST

S102662879
N/A

LUST:

Spill Number: 9614151
Facility Contact: Not reported
Investigator: MULQUEEN
Caller Name: ESTON CLARE
Caller Phone: (718) 499-2900
Notifier Name: ESTON CLARE
Notifier Phone: (718) 499-2900
Spiller Contact: ESTON CLARE
Spiller: T & S TRUCKING
Spiller Address: 53 2ND AVENUE
BROOKLYN, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/31/97
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 03/05/97 13:30
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 01/06/98
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 03/05/97
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: CALLER STATED THAT 5,500GAL WAS ORDERED. TANK STARTED OVERFILLING AT 1,
315 GALS.
Region of Spill: 2
Facility Tele: (718) 391-6575
SWIS: 62
Caller Agency: T & S TRUCKING CO
Caller Extension: Not reported
Notifier Agency: T & S TRUCKING CO
Notifier Extension: Not reported
Spiller Phone: (718) 499-2900
Resource Affected: On Land
Spill Source: Other Non Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 03/05/97 14:16

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

X92
SE
1/4-1/2
2395
Higher

240 WEST 16TH ST
NEW YORK CITY, NY

LUST

S103940489
N/A

LUST:

Spill Number: 9811171
Facility Contact: SUZUKI
Investigator: TIBBE
Caller Name: JIM CAREY
Caller Phone: (718) 579-3414
Notifier Name: BILL WELCH
Notifier Phone: Not reported
Spiller Contact: JIM CAREY
Spiller: CASTLE OIL CORPORATION
Spiller Address: 290 LOCUST AVENUE
BRONX, NY 10454

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: CASTLE OIL CORPORATION
Caller Extension: Not reported
Notifier Agency: CASTLE OIL
Notifier Extension: Not reported
Spiller Phone: (718) 579-3414

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 12/05/98 09:00

Resource Affected: On Land
Spill Source: Private Dwelling
PBS Number: Not reported
Reported to Dept: 12/05/98 10:26

Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 01/08/99
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/05/98
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: CALLER STATED TANK WAS OVERFILLED. CLEAN UP IS BEING COMPLETED BY CASTL
E.

X93
SE
1/4-1/2
2395
Higher

240 WEST 16TH AT
MANHATTAN, NY

LUST

S103940077
N/A

LUST:

Spill Number: 9800017
Facility Contact: Not reported
Investigator: TANG
Caller Name: JIM CAREY
Caller Phone: (718) 579-3414
Notifier Name: CHARLIE FULLWOOD
Notifier Phone: (718) 579-3414
Spiller Contact: Not reported
Spiller: SUZUKI ASSOCIATES
Spiller Address: 240 WEST 16TH AT
MANHATTAN, NY

Region of Spill: 2
Facility Tele: (212) 255-9340
SWIS: 62
Caller Agency: CASTLE OIL CORPORATION
Caller Extension: Not reported
Notifier Agency: CASTLE OIL CORPORATION
Notifier Extension: Not reported
Spiller Phone: (212) 255-9340

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S103940077

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 04/01/98

Spill Cause: Tank Overfill

Water Affected: Not reported

Spill Notifier: Affected Persons

Spill Date: 04/01/98 10:30

Cleanup Ceased: / /

Last Inspection: / /

Cleanup Meets Standard: False

Recommended Penalty: No Penalty

Spiller Cleanup Date: / /

Enforcement Date: / /

Investigation Complete: / /

UST Involvement: False

Spill Record Last Update: 04/02/98

Is Updated: False

Corrective Action Plan Submitted: / /

Date Spill Entered In Computer Data File: 04/01/98

Date Region Sent Summary to Central Office: / /

DEC Remarks: Not reported

Spill Cause: top of tank was open causing overfill

Resource Affected: On Land

Spill Source: Other Commercial/Industrial

PBS Number: Not reported

Reported to Dept: 04/01/98 11:12

Y94
SE
1/4-1/2
2429
Higher

258 WEST 15TH ST/MANHATTA
258 WEST 15TH STREET
NEW YORK CITY, NY

LUST

S102671334
N/A

LUST:

Spill Number: 8807781

Facility Contact: Not reported

Investigator: SIGONA

Caller Name: AL SWARTZ

Caller Phone: (212) 847-0588

Notifier Name: Not reported

Notifier Phone: Not reported

Spiller Contact: Not reported

Spiller: BELCHER FUEL OIL

Spiller Address: Not reported

Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/04/92

Spill Cause: Tank Overfill

Water Affected: Not reported

Spill Notifier: Fire Department

Spill Date: 12/23/88 08:53

Cleanup Ceased: 12/04/92

Last Inspection: / /

Cleanup Meets Standard: True

Recommended Penalty: No Penalty

Spiller Cleanup Date: / /

Enforcement Date: / /

Investigation Complete: / /

UST Involvement: False

Spill Record Last Update: 12/04/92

Is Updated: False

Corrective Action Plan Submitted: / /

Date Spill Entered In Computer Data File: 12/30/88

Region of Spill: 2

Facility Tele: Not reported

SWIS: 62

Caller Agency: NYCFD HAZMAT

Caller Extension: Not reported

Notifier Agency: Not reported

Notifier Extension: Not reported

Spiller Phone: (718) 762-4200

Resource Affected: On Land

Spill Source: Tank Truck

PBS Number: Not reported

Reported to Dept: 12/23/88 10:00

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

258 WEST 15TH ST/MANHATTA (Continued)

S102671334

Date Region Sent Summary to Central Office: / /

DEC Remarks: Not reported

Spill Cause: SPILL ON SIDEWALK AND IN BASEMENT, HAZMAT USING SORBENT.

Z95
SE
1/4-1/2
2454
Higher

APARTMENT COMPLEX
238 W 14TH ST
NEW YORK, NY

LUST

S102660098
N/A

LUST:

Spill Number: 9610832

Facility Contact: N/A

Investigator: MARTINKAT

Caller Name: MR ESTON CLARE

Caller Phone: (718) 499-2900

Notifier Name: GEORGE CAPELLA

Notifier Phone: Not reported

Spiller Contact: MR CLARE

Spiller: TS TRUCKING INC+CASTLE OI

Spiller Address: 53 SECOND AVE

BROOKLYN, NY 11215

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/02/96

Spill Cause: Tank Failure

Water Affected: Not reported

Spill Notifier: Other

Spill Date: 12/02/96 15:30

Cleanup Ceased: / /

Last Inspection: / /

Cleanup Meets Standard: False

Recommended Penalty: No Penalty

Spiller Cleanup Date: / /

Enforcement Date: / /

Investigation Complete: / /

UST Involvement: False

Spill Record Last Update: 12/05/96

Is Updated: False

Corrective Action Plan Submitted: / /

Date Spill Entered in Computer Data File: 12/02/96

Date Region Sent Summary to Central Office: / /

DEC Remarks: Not reported

Spill Cause: THE PERSON FROM CASTLE OIL WHO WAS ON THE SCENE TOLD HIS DRIVER TO PUMP THE OIL INTO THE TANK MR CLARE STATED.THE TANK HAD A CRACK IN THE SEAM.CASTLE OIL ADDRESS IS 290 LOCUST AVE BRONX NY 10454 OIL WAS CLEANED UP.MANS NAME FROM CASTLE OIL IS NOT AVAILABLE JAMES CAREY IS IN HCHARGE OF CASTLE OIL-718-579-3414

Region of Spill: 2

Facility Tele: Not reported

SWIS: 61

Caller Agency: TS TRUCKING INC

Caller Extension: Not reported

Notifier Agency: DRIVER

Notifier Extension: Not reported

Spiller Phone: (718) 499-2900

Resource Affected: On Land

Spill Source: Other Non Commercial/Industrial

PBS Number: Not reported

Reported to Dept: 12/02/96 16:02

V96
ENE
1/4-1/2
2461
Higher

MUTUAL REDEVELOPMENT HSNQ
315 W 25TH ST
NEW YORK, NY

LUST

S100145726
N/A

LUST:

Spill Number: 8908445

Facility Contact: Not reported

Region of Spill: 2

Facility Tele: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HSNB (Continued)

S100145726

Investigator:	BATTISTA	SWIS:	62
Caller Name:	TOM DESENA	Caller Agency:	TANK TESTING INC.
Caller Phone:	(718) 789-3770	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	SAME		
Spiller Address:	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	/ /		
Spill Cause:	Tank Test Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Tank Tester	PBS Number:	Not reported
Spill Date:	11/27/89 13:00	Reported to Dept:	11/27/89 13:52
Cleanup Ceased:	/ /		
Last Inspection:	/ /		
Cleanup Meets Standard:	False		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	/ /		
Enforcement Date:	/ /		
Investigation Complete:	/ /		
UST Involvement:	False		
Spill Record Last Update:	11/27/92		
Is Updated:	False		
Corrective Action Plan Submitted:	/ /		
Date Spill Entered In Computer Data File:	11/29/89		
Date Region Sent Summary to Central Office:	/ /		
DEC Remarks:	Not reported		
Spill Cause:	TANK #11&12 BOTH 20K HORNER GROSS LEAKS.		

U97
NNE
1/4-1/2
2488
Higher

303 10 AVE. MANHATTAN/UNK
303 10 AVE.
NEW YORK CITY, NY

LUST

S102671132
N/A

LUST:

Spill Number:	8605682	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	Not reported	SWIS:	62
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	UNK NAMED GAS STATION		
Spiller Address:	303 10 AVE MANH, NY		
Spill Class:	Not reported		
Spill Closed Dt:	12/05/86	Resource Affected:	Groundwater
Spill Cause:	Tank Overfill	Spill Source:	Gas Station
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Fire Department	Reported to Dept:	12/05/86 16:00
Spill Date:	12/04/86 12:00		
Cleanup Ceased:	12/05/86		
Last Inspection:	/ /		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

303 10 AVE. MANHATTAN/UNK (Continued)

S102671132

Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 11/02/88
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/08/87
Date Region Sent Summary to Central Office: / /
DEC Remarks: 10/10/95: This is additional information about material spilled from the translation of the old spill file: POTEN SPILL.
Spill Cause: @

98
South
1/4-1/2
2502
Higher

317 WEST 12TH ST
317 W 12TH ST
NEW YORK, NY

LUST

S102660102
N/A

LUST:

Spill Number:	9612484	Region of Spill:	2
Facility Contact:	MRS CARTIER	Facility Tele:	(212) 233-0924
Investigator:	MULQUEEN	SWIS:	62
Caller Name:	BOB DECK	Caller Agency:	PETROLEUM TANK CLEANERS
Caller Phone:	(718) 624-4842	Caller Extension:	Not reported
Notifier Name:	EMPLOYEES	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	MRS CARTIER		
Spiller Address:	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	04/21/97	Resource Affected:	On Land
Spill Cause:	Tank Failure	Spill Source:	Other Non Commercial/Industrial
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Other	Reported to Dept:	01/20/97 12:45
Spill Date:	01/16/97		
Cleanup Ceased:	/ /		
Last Inspection:	03/11/97		
Cleanup Meets Standard:	False		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	/ /		
Enforcement Date:	/ /		
Investigation Complete:	03/11/97		
UST Involvement:	False		
Spill Record Last Update:	04/21/97		
Is Updated:	False		
Corrective Action Plan Submitted:	03/11/97		
Date Spill Entered In Computer Data File:	01/20/97		
Date Region Sent Summary to Central Office:	/ /		
DEC Remarks:	TWO X 275 AST MANIFOLDED HAD LEAKED IN BASEMENT DUE TO TANK OVERFILL BY FERRANTI OIL. PTC HIRED BY OIL COMPANY TO CLEANUP OVERFILL IN FRONT OF BUILDING AND IN CELLAR NEXT DOOR (VENT LINE DISCHARGE). TANKS BEGAN SWEATING OIL SO LANDLORD HIRED PTC TO REMOVE TANKS AND SWITCHED BUILDING TO GAS HEAT.		
Spill Cause:	CALLER JUST FOUND THE PAPERWORK ON HIS DESK - CREW RESPONDED THAT NIGHT - PUMPED OUT TANK AND CAME UP WITH 20 GAL LEFT IN IT - UNK HOW MUCH LEAKED BEFORE BEING DISCOVERED - "SPEEDY-DRI" APPLIED AND A NEW TANK WAS PUT IN		

MAP FINDINGS

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

99
South
1/4-1/2
2506
Higher

328 WEST 12TH STREET
328 W 12TH ST
NEW YORK, NY

LUST

S102672066
N/A

LUST:

Spill Number: 9211532
Facility Contact: Not reported
Investigator: CAMMISA
Caller Name: PETE LEPORE
Caller Phone: (718) 852-7000
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: Not reported
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: WHALECO
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Spill Closed Dt: 01/07/93
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 01/07/93 10:30
Cleanup Ceased: 01/07/93

Resource Affected: On Land
Spill Source: Tank Truck
PBS Number: Not reported
Reported to Dept: 01/07/93 11:37

Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: / /
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/08/93
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: CONTAINED ON CONCRETE SIDEWALK WHALECO TO CLEANUP

AA100
South
1/4-1/2
2514
Higher

APARTMENT BLDG
299 W 12TH ST
NEW YORK, NY

LUST

S102673411
N/A

LUST:

Spill Number: 9603973
Facility Contact: ORLANDO
Investigator: ENGELHARDT
Caller Name: SCOTT WILLIAMS
Caller Phone: (201) 489-5100
Notifier Name: DRIVER
Notifier Phone: (0) -
Spiller Contact: SCOTT
Spiller: AMERADA HESS
Spiller Address: 1 HESS PLAZA
WOODBIDGE, NJ 07095

Region of Spill: 2
Facility Tele: (212) 645-8487
SWIS: 62
Caller Agency: AMERADA HESS
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (201) 489-5100

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/03/96

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

APARTMENT BLDG (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102673411

Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 06/23/96 13:15
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 07/08/96
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 06/23/96
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: faulty petrometer reading - being cleaned up now

Resource Affected: On Land
Spill Source: Tank Truck
PBS Number: Not reported
Reported to Dept: 06/23/96 15:11

AA101
South
1/4-1/2
2524
Higher

GOODSTEIN MNGMT
302 W 12TH ST
NEW YORK, NY

LUST

S102671310
N/A

LUST:

Spill Number: 8805303
Facility Contact: Not reported
Investigator: SIGONA
Caller Name: DAVID BROWN
Caller Phone: (201) 437-1017
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: HESS
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 09/21/88
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 09/29/88 08:30
Cleanup Ceased: 09/21/88
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 11/03/88
Is Updated: False

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: AMERADA HESS
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Resource Affected: On Land
Spill Source: Tank Truck
PBS Number: Not reported
Reported to Dept: 09/20/88 09:45

Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/21/88
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: FAULTY GAUGE READING BY GOODSTEIN. CONTAINED ON PAVEMENT, HESS PER- SO
NNEL DID CLEAN UP.

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

Database(s)

Z102
SE
1/4-1/2
2538
Higher

229 WEST 14TH STREET
229 W 14TH ST
NEW YORK, NY

LUST

S102672375
N/A

LUST:

Spill Number: 9312989
Facility Contact: Not reported
Investigator: CAMMISA
Caller Name: JIM CAREY
Caller Phone: (718) 923-8800
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: CASTLE
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: CASTLE OIL
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Spill Closed Dt: 02/03/94
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 02/03/94 09:30
Cleanup Ceased: 02/03/94
Last Inspection: / /

Resource Affected: On Land
Spill Source: Tank Truck
PBS Number: Not reported
Reported to Dept: 02/03/94 10:13

Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: / /
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/04/94
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: SPILL CONTAINED ON SIDE WALK - CASTLE TO DO CLEAN UP -

Z103
SE
1/4-1/2
2538
Higher

OUR LADY OF GUADALUPE CHU
229 W 14TH ST
NEW YORK, NY

LUST

S103238332
N/A

LUST:

Spill Number: 9801147
Facility Contact: FATHER PETER
Investigator: O'DOWD
Caller Name: THOMAS LEDDY
Caller Phone: (516) 321-4670
Notifier Name: JOHN LEDDY
Notifier Phone: (516) 321-4670
Spiller Contact: FATHER PETER
Spiller: OUR LADY OF GUADALUPE CHU
Spiller Address: 229 WEST 14TH STREET
NEW YORK, NY

Region of Spill: 2
Facility Tele: (212) 243-5317
SWIS: 62
Caller Agency: PROTEST ENTERPRISES
Caller Extension: Not reported
Notifier Agency: PROTEST ENTERPRISES
Notifier Extension: Not reported
Spiller Phone: (212) 243-5317

Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

OUR LADY OF GUADALUPE CHU (Continued)

S103238332

Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 04/20/98 10:00
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 04/28/98
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/27/98
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported
Spill Cause: FURTHER ACTION TO FOLLOW.

Resource Affected: On Land
Spill Source: Other Non Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 04/27/98 11:33

Y104
SE
1/4-1/2
2548
Higher

APARTMENT BUILDING
250 W 15TH ST
NEW YORK, NY

LUST

S103238403
N/A

LUST:

Spill Number: 9802344
Facility Contact: GREG DEMARAS
Investigator: TIBBE
Caller Name: TJ O'CONNER
Caller Phone: (516) 678-5115
Notifier Name: TJ O'CONNER
Notifier Phone: (516) 678-5115
Spiller Contact: GREG DEMARAS
Spiller: Not reported
Spiller Address: 250 W. 15TH ST
MANHATTEN

Region of Spill: 2
Facility Tele: (212) 868-8320 Ext. 223
SWIS: 62
Caller Agency: DRY AS A BONE
Caller Extension: Not reported
Notifier Agency: DRY AS A BONE
Notifier Extension: Not reported
Spiller Phone: (212) 868-8320 Ext. 223

Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 05/22/98 10:30
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 05/26/98
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/22/98
Date Region Sent Summary to Central Office: / /
DEC Remarks: Not reported

Resource Affected: On Land
Spill Source: Private Dwelling
PBS Number: Not reported
Reported to Dept: 05/22/98 11:51

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BUILDING (Continued)

S103238403

Spill Cause: tank test failure, unknown as of yet on further

105
SE
1/4-1/2
2576
Higher

210 WEST 16TH STREET
210 W 16TH ST
NEW YORK, NY

LUST

S102672114
N/A

LUST:

Spill Number: 9213149
Facility Contact: Not reported
Investigator: SULLIVAN
Caller Name: MIKE FRIED
Caller Phone: (718) 626-4161
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: ABC TRANSPORT CO.
Spiller Address: Not reported
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: ABC TRANSPORT
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (718) 626-4161

Spill Closed Dt: / /
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 02/25/93 09:40
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 06/29/93
Is Updated: False

Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 02/25/93 09:50

Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/26/93
Date Region Sent Summary to Central Office: / /

DEC Remarks: Not reported
Spill Cause: DURING DELIVERY DRIVER PUT NOZZLE INTO WRONG FILL-PIPE ,OIL CAME OUT VE
NT ONTO BACKYARD CONCRET COURTYARD-SPILL TEAM ENROUTE TO COMPLETE CLEANU
P. WILL P/U AND DISPOSE

106
ESE
1/4-1/2
2602
Higher

200 WEST 18TH ST/MANH
200 WEST 18TH STREET
NEW YORK CITY, NY

LUST

S100167965
N/A

LUST:

Spill Number: 9004954
Facility Contact: Not reported
Investigator: BATTISTA
Caller Name: SEBASTIAN LOREFICE
Caller Phone: (718) 789-3770
Notifier Name: Not reported
Notifier Phone: Not reported

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: TANK TESTING INC
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

200 WEST 18TH ST/MANH (Continued)

EDR ID Number
EPA ID Number

Database(s)

S100167965

Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	Not reported		
Spiller Address:	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	/ /		
Spill Cause:	Tank Test Failure	Resource Affected:	Groundwater
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Tank Tester	PBS Number:	Not reported
Spill Date:	08/03/90 12:00	Reported to Dept:	08/03/90 14:01
Cleanup Ceased:	/ /		
Last Inspection:	/ /		
Cleanup Meets Standard:	False		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	/ /		
Enforcement Date:	/ /		
Investigation Complete:	/ /		
UST Involvement:	False		
Spill Record Last Update:	11/27/92		
Is Updated:	False		
Corrective Action Plan Submitted:	/ /		
Date Spill Entered In Computer Data File:	08/08/90		
Date Region Sent Summary to Central Office:	/ /		
DEC Remarks:	Not reported		
Spill Cause:	4K TANK FAILED HORNER EZY CHECK WITH A GROSS LEAK, WILL EXCAVATE, IS OLATE & RETEST.		

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)	Facility ID
HOBOKEN	1000430112	STEVENS INST. OF TECHNOLOGY	RIVER ST	07030	FINDS, RCRIS-LOG, MLTS, SHWS, LUST	95-09-06-1659-06
MANHATTAN	S103037230	PARKING LOT	12TH AVE BTWN 46 / 45		NY Spills	9800071
MANHATTAN	S102960138	NYCDP NORTH RIVER WPCP	137TH STREET/12TH AVENUE		LUST	9213212
MANHATTAN	S102146826	138TH ST	138TH ST		LUST, NY Spills	9300535
MANHATTAN	S103238504	PIER 57 & HUDSON DEPOT	15TH ST / ROUTE 9A		LUST	9407577
MANHATTAN	S102672217	331 WEST 211TH STREET	331 WEST 211TH STREET		LUST	9306349
MANHATTAN	S104191607	AMICO STATION	436 10TH AVE/34TH ST		LUST	9905246
MANHATTAN	S103479029	97	FORT WASHINGTON		LUST	9805475
MANHATTAN	S102672973	615 PORT WASHINGTON AVE	615 PORT WASHINGTON AVE		LUST	9505737
MANHATTAN	S103576241	NYCDPR MANHATTAN GARAGE	SITE 219- 10 RANDALLS IS.		NY Spills	9812469
MANHATTAN	S100494356	57-15 49TH STREET	57-15 49TH STREET		LUST, NY Spills	9209704
NEW YORK	G000000361	CONSOLIDATED GAS CO.	450 W 18TH ST.	10011	Coal Gas	
NEW YORK	1000555102	CHELSEA PIERS CO	23RD ST HUDSON RIVER PIER 61	10011	RCRIS-SQG, FINDS	
NEW YORK	S102659902	ELLIOTT HOUSES	426 W 27TH ST	10001	LUST	9602200
NEW YORK	1000111687	CON EDISON - PIER 62	W MARGINAL & W 20TH ST	10011	FINDS, RCRIS-LOG	
NEW YORK	U003312881	WESTSIDE HIGWAY (RTE. 9A)	WEST OF SOUTH BOUND LANES OF 9A, BETW	10014	UST	2-603491

GEOCHECK VERSION 2.1 ADDENDUM GROUNDWATER FLOW INFORMATION

Map ID
Direction
Distance
Elevation

Site

2g
South
1/2 - 1 Mile
Lower

Site ID: 16311
Groundwater Flow: NOT REPORTED
Water Table Depth: 4.96-5.92
Date: 10/01/92

The following regulatory files were reviewed by a member of EDR's professional field research team in an effort to identify groundwater flow direction and depth information. However, this information was not evident in the reports. This may be for a number of reasons, such as groundwater monitoring wells not being part of the field work or groundwater not having been encountered during drilling. This information is provided to save you time and money in the conduct of your hydrogeological research.

Map ID
1g

Date
Not Reported

Type Of Report
Not Reported

GEOCHECK VERSION 2.1

PUBLIC WATER SUPPLY SYSTEM INFORMATION

Searched by Nearest PWS.

PWS SUMMARY:

PWS ID:	NY0022417	PWS Status:	Active	Distance from TP:	1 - 2 Miles
Date Initiated:	Not Reported	Date Deactivated:	Not Reported	Dir relative to TP:	East
PWS Name:	BREWSTER SQUARE RT 6 BREWSTER, NY 10509				
Addressee / Facility:	System Owner/Responsible Party GOSTFRAND DAVID C/O DAVID GOSTFRAND 463 7TH AVENUE, SUITE 703 NEW YORK, NY 10018				
Facility Latitude:	40 45 18	Facility Longitude:	073 59 18		
City Served:	SOUTHEAST (T)	Population Served:	Not Reported		
Treatment Class	Not Reported				
PWS currently has or has had major violation(s) or enforcement:	No				

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Elapsed ASTM days: Provides confirmation that this EDR report meets or exceeds the 90-day updating requirement of the ASTM standard.

FEDERAL ASTM STANDARD RECORDS

NPL: National Priority List

Source: EPA

Telephone: N/A

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC).

Date of Government Version: 07/22/99

Date Made Active at EDR: 09/10/99

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 08/05/99

Elapsed ASTM days: 36

Date of Last EDR Contact: 11/08/99

DELISTED NPL: NPL Deletions

Source: EPA

Telephone: N/A

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 06/24/99

Date Made Active at EDR: 09/10/99

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 08/10/99

Elapsed ASTM days: 31

Date of Last EDR Contact: 11/08/99

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

Source: EPA

Telephone: 703-413-0223

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 08/26/99

Date Made Active at EDR: 11/11/99

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 08/30/99

Elapsed ASTM days: 73

Date of Last EDR Contact: 11/29/99

CERCLIS-NFRAP: No Further Remedial Action Planned

Source: EPA

Telephone: 703-413-0223

As of February 1995, CERCLIS sites designated "No Further Remedial Action Planned" (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund action or NPL consideration. EPA has removed approximately 25,000 NFRAP sites to lift the unintended barriers to the redevelopment of these properties and has archived them as historical records so EPA does not needlessly repeat the investigations in the future. This policy change is part of the EPA's Brownfields Redevelopment Program to help cities, states, private investors and affected citizens to promote economic redevelopment of unproductive urban sites.

Date of Government Version: 08/26/99

Date Made Active at EDR: 11/11/99

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 08/30/99

Elapsed ASTM days: 73

Date of Last EDR Contact: 11/29/99

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CORRACTS: Corrective Action Report

Source: EPA

Telephone: 800-424-9346

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 09/07/99

Date Made Active at EDR: 10/28/99

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 09/13/99

Elapsed ASTM days: 45

Date of Last EDR Contact: 12/13/99

RCRIS: Resource Conservation and Recovery Information System

Source: EPA/NTIS

Telephone: 800-424-9346

Resource Conservation and Recovery Information System. RCRIS includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA).

Date of Government Version: 09/01/99

Date Made Active at EDR: 11/17/99

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 10/06/99

Elapsed ASTM days: 42

Date of Last EDR Contact: 01/03/00

ERNS: Emergency Response Notification System

Source: EPA/NTIS

Telephone: 202-260-2342

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 01/06/00

Date Made Active at EDR: 02/08/00

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 01/31/00

Elapsed ASTM days: 8

Date of Last EDR Contact: 11/01/99

FEDERAL ASTM SUPPLEMENTAL RECORDS

BRS: Biennial Reporting System

Source: EPA/NTIS

Telephone: 800-424-9346

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/97

Database Release Frequency: Biennially

Date of Last EDR Contact: 12/20/99

Date of Next Scheduled EDR Contact: 03/20/00

CONSENT: Superfund (CERCLA) Consent Decrees

Source: EPA Regional Offices

Telephone: Varies

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: Varies

Database Release Frequency: Varies

Date of Last EDR Contact: Varies

Date of Next Scheduled EDR Contact: N/A

ROD: Records Of Decision

Source: NTIS

Telephone: 703-416-0223

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 01/31/99

Database Release Frequency: Annually

Date of Last EDR Contact: 01/10/00

Date of Next Scheduled EDR Contact: 04/10/00

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FINDS: Facility Index System/Facility Identification Initiative Program Summary Report

Source: EPA

Telephone: N/A

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 10/13/99

Database Release Frequency: Quarterly

Date of Last EDR Contact: 01/12/00

Date of Next Scheduled EDR Contact: 04/10/00

HMIRS: Hazardous Materials Information Reporting System

Source: U.S. Department of Transportation

Telephone: 202-366-4526

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 06/30/99

Database Release Frequency: Annually

Date of Last EDR Contact: 10/28/99

Date of Next Scheduled EDR Contact: 01/24/00

MLTS: Material Licensing Tracking System

Source: Nuclear Regulatory Commission

Telephone: 301-415-7169

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 10/29/99

Database Release Frequency: Quarterly

Date of Last EDR Contact: 01/10/00

Date of Next Scheduled EDR Contact: 04/10/00

MINES: Mines Master Index File

Source: Department of Labor, Mine Safety and Health Administration

Telephone: 303-231-5959

Date of Government Version: 08/01/98

Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 01/03/00

Date of Next Scheduled EDR Contact: 04/03/00

NPL LIENS: Federal Superfund Liens

Source: EPA

Telephone: 205-564-4267

Federal Superfund Liens. Under the authority granted the USEPA by the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner receives notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/91

Database Release Frequency: No Update Planned

Date of Last EDR Contact: 11/24/99

Date of Next Scheduled EDR Contact: 02/21/00

PADS: PCB Activity Database System

Source: EPA

Telephone: 202-260-3936

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 09/22/97

Database Release Frequency: No Update Planned

Date of Last EDR Contact: 11/09/99

Date of Next Scheduled EDR Contact: 02/14/00

RAATS: RCRA Administrative Action Tracking System

Source: EPA

Telephone: 202-564-4104

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/95

Database Release Frequency: No Update Planned

Date of Last EDR Contact: 12/13/99

Date of Next Scheduled EDR Contact: 03/13/00

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

TRIS: Toxic Chemical Release Inventory System

Source: EPA

Telephone: 202-260-1531

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/97

Database Release Frequency: Annually

Date of Last EDR Contact: 12/27/99

Date of Next Scheduled EDR Contact: 03/27/00

TSCA: Toxic Substances Control Act

Source: EPA

Telephone: 202-260-1444

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/94

Database Release Frequency: Every 4 Years

Date of Last EDR Contact: 01/03/00

Date of Next Scheduled EDR Contact: 04/24/00

STATE OF NEW YORK ASTM STANDARD RECORDS

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Source: Department of Environmental Conservation

Telephone: 518-457-0747

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 04/01/99

Date Made Active at EDR: 09/16/99

Database Release Frequency: Annually

Date of Data Arrival at EDR: 07/15/99

Elapsed ASTM days: 63

Date of Last EDR Contact: 11/29/99

LF: Facility Register

Source: Department of Environmental Conservation

Telephone: 518-457-2051

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 08/27/99

Date Made Active at EDR: 11/05/99

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 09/27/99

Elapsed ASTM days: 39

Date of Last EDR Contact: 11/08/99

LUST: Spills Information Database

Source: Department of Environmental Conservation

Telephone: 518-457-2462

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 10/01/99

Date Made Active at EDR: 01/04/00

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 11/29/99

Elapsed ASTM days: 36

Date of Last EDR Contact: 11/01/99

UST: Petroleum Bulk Storage (PBS) Database

Source: Department of Environmental Conservation

Telephone: 518-457-4351

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 10/01/99

Date Made Active at EDR: 12/21/99

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 11/29/99

Elapsed ASTM days: 22

Date of Last EDR Contact: 11/01/99

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CBS UST: Chemical Bulk Storage Database

Source: NYSDEC

Telephone: 518-457-4351

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 10/01/99

Date Made Active at EDR: 01/04/00

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 11/29/99

Elapsed ASTM days: 36

Date of Last EDR Contact: 11/01/99

MOSF UST: Major Oil Storage Facilities Database

Source: NYSDEC

Telephone: 518-457-4351

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 10/01/99

Date Made Active at EDR: 01/04/00

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 11/29/99

Elapsed ASTM days: 36

Date of Last EDR Contact: 11/01/99

STATE OF NEW YORK ASTM SUPPLEMENTAL RECORDS

HSWDS: Hazardous Substance Waste Disposal Site Inventory

Source: Department of Environmental Conservation

Telephone: 518-457-0639

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-registry sites which U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared.

Date of Government Version: 05/17/99

Database Release Frequency: Annually

Date of Last EDR Contact: 12/06/99

Date of Next Scheduled EDR Contact: 03/06/00

AST: Petroleum Bulk Storage (AST)

Source: Department of Environmental Conservation

Telephone: 518-457-4351

Registered Aboveground Storage Tanks.

Date of Government Version: 10/01/99

Database Release Frequency: Quarterly

Date of Last EDR Contact: 11/01/99

Date of Next Scheduled EDR Contact: 01/31/00

CBS AST: Chemical Bulk Storage Database

Source: NYSDEC

Telephone: 518-457-4351

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 10/01/99

Database Release Frequency: Quarterly

Date of Last EDR Contact: 11/01/99

Date of Next Scheduled EDR Contact: 01/31/00

MOSF AST: Major Oil Storage Facilities Database

Source: NYSDEC

Telephone: 518-457-4351

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 10/01/99

Database Release Frequency: Quarterly

Date of Last EDR Contact: 11/01/99

Date of Next Scheduled EDR Contact: 01/31/00

SPILLS: Spills Information Database

Source: Department of Environmental Conservation

Telephone: 518-457-2462

Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 10/01/99

Database Release Frequency: Quarterly

Date of Last EDR Contact: 11/01/99

Date of Next Scheduled EDR Contact: 01/31/00

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

VCP: Voluntary Cleanup Agreements

Source: Department of Environmental Conservation

Telephone: 518-457-7894

The voluntary remedial program uses private monies to get contaminated sites remediated to levels allowing for the sites' productive use. The program covers virtually any kind of site and contamination.

Date of Government Version: 12/21/99

Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 12/23/99

Date of Next Scheduled EDR Contact: 03/20/00

LOCAL RECORDS

CORTLAND COUNTY:

Cortland County UST Listing (UST)

Source: Cortland County Health Department

Telephone: 607-753-5035

Date of Government Version: 01/03/00

Database Release Frequency: Quarterly

Date of Last EDR Contact: 12/06/99

Date of Next Scheduled EDR Contact: 03/06/00

Cortland County UST Listing (AST)

Source: Cortland County Health Department

Telephone: 607-753-5035

Date of Government Version: 01/03/00

Database Release Frequency: Quarterly

Date of Last EDR Contact: 12/06/99

Date of Next Scheduled EDR Contact: 03/06/00

NASSAU COUNTY:

Registered Tank Database

Source: Nassau County Health Department

Telephone: 516-571-3314

Date of Government Version: 11/29/99

Database Release Frequency: Quarterly

Date of Last EDR Contact: 11/09/99

Date of Next Scheduled EDR Contact: 02/07/00

Registered Tank Database

Source: Nassau County Health Department

Telephone: 516-571-3314

Date of Government Version: 11/29/99

Database Release Frequency: Quarterly

Date of Last EDR Contact: 11/09/99

Date of Next Scheduled EDR Contact: 02/07/00

ROCKLAND COUNTY:

Petroleum Bulk Storage Database (UST)

Source: Rockland County Health Department

Telephone: 914-364-2605

Date of Government Version: 11/16/99

Database Release Frequency: Quarterly

Date of Last EDR Contact: 01/10/00

Date of Next Scheduled EDR Contact: 04/10/00

Petroleum Bulk Storage Database (AST)

Source: Rockland County Health Department

Telephone: 914-364-2605

Date of Government Version: 11/16/99

Database Release Frequency: Quarterly

Date of Last EDR Contact: 01/10/00

Date of Next Scheduled EDR Contact: 04/10/00

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SUFFOLK COUNTY:

Underground Storage Tank Database (UST)

Source: Suffolk County Department of Health Services
Telephone: 516-854-2521

Date of Government Version: 03/01/99
Database Release Frequency: Annually

Date of Last EDR Contact: 12/06/99
Date of Next Scheduled EDR Contact: 03/06/00

Underground Storage Tank Database (AST)

Source: Suffolk County Department of Health Services
Telephone: 516-854-2521

Date of Government Version: 03/01/99
Database Release Frequency: Annually

Date of Last EDR Contact: 12/06/99
Date of Next Scheduled EDR Contact: 03/06/00

EDR PROPRIETARY DATABASES

Former Manufactured Gas (Coal Gas) Sites: The existence and location of Coal Gas sites is provided exclusively to EDR by Real Property Scan, Inc. ©Copyright 1993 Real Property Scan, Inc. For a technical description of the types of hazards which may be found at such sites, contact your EDR customer service representative.

Disclaimer Provided by Real Property Scan, Inc.

The information contained in this report has predominantly been obtained from publicly available sources produced by entities other than Real Property Scan. While reasonable steps have been taken to insure the accuracy of this report, Real Property Scan does not guarantee the accuracy of this report. Any liability on the part of Real Property Scan is strictly limited to a refund of the amount paid. No claim is made for the actual existence of toxins at any site. This report does not constitute a legal opinion.

HISTORICAL AND OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

PWS: Public Water Systems

Source: EPA/Office of Drinking Water
Telephone: 202-260-2805

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water
Telephone: 202-260-2805

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SWDIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

Area Radon Information: The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones: Sections 307 & 309 of IRRA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

Oil/Gas Pipelines/Electrical Transmission Lines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines and electrical transmission lines.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

USGS Water Wells: In November 1971 the United States Geological Survey (USGS) implemented a national water resource information tracking system. This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on more than 900,000 wells, springs, and other sources of groundwater.

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in March 1997 from the U.S. Fish and Wildlife Service.


Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Water Dams: National Inventory of Dams
Source: Federal Emergency Management Agency
Telephone: 202-646-2801
National computer database of more than 74,000 dams maintained by the Federal Emergency Management Agency.

New York Public Water Wells
Source: New York Department of Health
Telephone: 518-458-6731

New York Facility and Manifest Data
Source: NYSDEC
Telephone: 518-457-6585
Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Appendix B



APPENDIX B

GASOLINE INSTALLATIONS, INC. LETTER OF DECEMBER 13, 1993

RETACO HOLDING CO. LLC

362 Kingsland Ave Brooklyn, NY 11222 Office 718-391-5300

FAX TRANSMITTAL

Reply Fax No. (718) 389-2149

Fax No. 718-349-2514

Page 1 of 2

To: Jerry Cirilli
From: Pat Vecchione
Date: MARCH 30, 2000

Dear Jerry,

Please find affidavit of removal of tank of gasoline installion at West 18th Street.

Thank you,

Pat Vecchione
PV:ad

TANKS & PUMPS
RELAMPING & ELECTRICAL
ASPHALT & CONCRETE
LIFTS & AIR EQUIPMENT

EQUIPMENT SALES
SERVICE REBUILDING
INSTALLATIONS

"Co-ordinated Aids For The Industry"

GASOLINE INSTALLATIONS, INC.

Main Office and Plant:

P.O. Box H • 3 Hoover Street • Inwood, LI, NY 11696

(516) 371-2743 • (718) 647-7443

FAX # (516) 239-6124

KENT-MOORE TESTS
HYDROSTATIC TESTS
RECOVERY WORK
PERMITS

BROOKLYN OFFICE & WAREHOUSE
382-882 SHEPHERD AVENUE
BROOKLYN, N.Y. 11208

December 13, 1993

Division of Fire Prevention
250 Livingston Street
Room 413
Brooklyn, New York 11201
Attn: Insp. M. Reardon

RE: Mendon Leasing
438 W. 18th Street
New York, New York

A F F I D A V I T

Please be advised that on December 12, 1993, One 4000 gallon Diesel tank,
and Five-550 Gasoline tanks were removed from above location.
No evidence of Soil Contamination.

Respectfully,
GASOLINE INSTALLATIONS, INC.


Anthony B. Parone
ANTHONY B. PARONE LICENSE # 237

NOTARY

Sworn to before me this
28th day of December 1993.

Wayne M. Barone
Notary


Wayne M. Barone
Notary Public State of New York
No. 4887007
Qualified Nassau County
Commission Expires 2/18/95



W. 18th

TOTAL P.02

Appendix C



APPENDIX C

LOCAL CORRESPONDENCE

BUREAU OF FIRE PREVENTION *9 MetroTech East*
~~ROOM 438, 280 LIVINGSTON STREET~~
BROOKLYN, N.Y. 11201-~~8884~~
3857

RECORD SEARCH REQUEST
UNDERGROUND STORAGE TANKS

MAIL TO:

Langan Eng. & Env. Serv.
Attn. Jerome Cirilli
River Drive Center 1
Elmwood Park, N.J. 07407
(201) 794-6900

Search
No. _____

The undersigned requests the following information:

440 W. 18th St.

ADDRESS

Manhattan

BOROUGH

For Buried Motor Vehicle Fuel Tanks Only

- ☒ 1. No. and size of tanks (includes date of installation) Fee \$10.00
☒ 2. No. and size of sealed and/or removed tanks Fee \$10.00
☐ 3. Most recent tank and/or piping test results, including type of test performed Fee \$10.00
☐ 4. History of leaks Fee \$10.00
☐ 5. Pending Headquarters violation orders Fee \$10.00
☐ 6. Other _____ Fee \$10.00

Total \$20

State applicants interest in or relation to premises:

Environmental Site Assessment

(THE CITY OF NEW YORK IS NOT BEING SUED, NOR IS THERE ANY INTENTION TO SUE THE CITY OF NEW YORK)

Signed Jerome Cirilli

Date 2/24/00

DO NOT WRITE BELOW THIS LINE

Gentlemen:

In reply to your request concerning the premises mentioned above, please be advised that as of 9 A.M.,

our records show the following: (ADDITIONAL
COMMENTS ARE MADE ON REVERSE SIDE).

Searched By: _____

VIOLATIONS RECORDED ABOVE ARE ONLY THOSE WHICH ARE A MATTER OF RECORD IN HEADQUARTERS OF THE BUREAU OF
FIRE PREVENTION, AND MAY NOT INCLUDE VIOLATIONS ISSUED BY LOCAL UNITS.

MAXIMUM RESPONSE TIME 20 BUSINESS DAYS.

FIRE DEPARTMENT • CITY OF NEW YORK
BUREAU OF FIRE PREVENTION
9 MetroTech East
Brooklyn, N.Y. 11201-3857

JPL

RECORD SEARCH REQUEST
FUEL (HEATING) OIL

Search No. _____

MAIL TO:



Langan
Engineering and Environmental Services
Attn: *Jerome Cirilli*
River Drive Center I
Elmwood Park, New Jersey 07407
(201) 794-6900

The undersigned requests the following information re: Premises

440 West 18th St.

Manhattan

ADDRESS

BOROUGH

F Fuel (Heating) Oil Tanks Only

1. No. and Size of tanks (Includes date of Installation) Fee: \$10.00
2. No. and Size of sealed and/or removed tanks Fee: \$10.00
- Searched by _____ Date _____
3. Pending Headquarters violation orders Fee: \$10.00
4. Other _____

Note: The N.Y.C. Fire Department Does Not Conduct Tests on Fuel (Heating) Oil Tanks.

\$20

Site Applicants interest in or relation to premises: *Environmental Site Assessment*

Signed: *Jerome Cirilli*

Date: *2* / *24* / *00*

DO NOT WRITE BELOW THIS LINE


Gentlemen:
In reply to your request concerning the premises mentioned above, please be advised that as of 9 A.M. _____
our records show the following:

(MAKE ADDITIONAL COMMENTS ON REVERSE SIDE)

Searched by: _____

VIOLATIONS RECORDED ABOVE ARE ONLY THOSE WHICH ARE A MATTER OF RECORD IN HEADQUARTERS OF THE BUREAU OF FIRE PREVENTION, AND MAY NOT INCLUDE VIOLATIONS ISSUED BY LOCAL UNITS, UNLESS A SUMMONS FOR "FAILURE TO COMPLY" WAS ISSUED. ALL REPORTED TANK INFORMATION COMES FROM RECORDS WHICH EXIST IN THE FIRE DEPARTMENT DISTRICT OFFICE RECORDS OR ON COMPUTER FILES.

Appendix D



APPENDIX D

SANBORN MAPS