

Monthly LNAPL Tables and Progress Reports

(Provided on DVD in Bound Report)

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	2
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	2.5
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	2
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	3
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	1
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	12
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	26
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	2
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	3.5
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	2.5
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	4
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	7
							Total:	48

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

LNAPL Recovery IRM Summary Table

Former Paragon Paint Varnish Corp.
5-43 to 5-49 46th Avenue and 45-38 to 45-40 Vernon Boulevard
Long Island City, New York
NYSDEC Site No. C241108

Date	Well	DTP (ft)	DTW (ft)	PID (ppm)	Apparent LNAPL Thickness (ft)	LNAPL Removed (g)
12/22/11	MW-3	6.86	7.42	301	0.56	2
12/30/11	MW-3	6.80	6.83	192	0.03	0.5
1/6/12	MW-3	6.80	7.02	210	0.22	1
1/12/12	MW-3	6.65	6.81	212	0.16	0.5
12/22/11	MW-6	10.00	13.90	31.4	3.9	2
12/30/11	MW-6	10.00	13.71	38.5	3.71	1
1/6/12	MW-6	10.03	13.80	84.6	3.77	0.5
1/12/12	MW-6	9.91	13.52	36.1	3.61	0.75
12/22/11	MW-7	1.95	2.30	17.7	0.35	1
12/30/11	MW-7	2.11	2.28	53.9	0.17	0.75
1/6/12	MW-7	2.43	2.89	66.1	0.46	0.25
1/12/12	MW-7	2.1	2.18	40.2	0.08	0.5
12/22/11	MW-8	6.21	10.22	55.8	4.01	12
12/30/11	MW-8	6.33	10.41	53.9	4.08	14
1/6/12	MW-8	6.12	10.26	100	4.14	16
1/12/12	MW-8	5.65	9.87	79	4.22	19
12/22/11	MW-9	6.65	8.99	44	2.34	2
12/30/11	MW-9	6.81	8.24	77.1	1.43	1.5
1/6/12	MW-9	6.92	7.75	95	0.83	0.5
1/12/12	MW-9	6.09	6.2	38.9	0.11	0.5
12/22/11	MW-12	7.49	11.82	37.4	4.33	2.5
12/30/11	MW-12	8.86	10.39	30.4	1.53	1.75
1/6/12	MW-12	8.77	9.43	58.3	0.66	1
1/12/12	MW-12	8.24	8.25	40.9	0.01	0.1
12/22/11	MW-13	6.94	12.90	62.7	5.96	4
12/30/11	MW-13	7.69	11.02	70.3	3.33	3
1/6/12	MW-13	7.60	10.24	88.6	2.64	3
1/12/12	MW-13	7.31	9.29	76.6	1.98	2

Notes:

LNAPL - Light non-aqueous phase liquid

DTP - Depth to product

DTW - Depth to water

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	2
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	2.5
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1	3.5
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.5	4
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0	4
1/26/2012	MW-3	6.8	6.91	2	263	0.11	0.5	4.5
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.5	6
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.5	7.5
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	2
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	3
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.5	3.5
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.2	13.8	1	39.7	3.6	0.0	4.25
1/26/2012	MW-6	10.09	13.9	1	44.6	3.81	0.5	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.6	0.5	5.25
2/10/2012	MW-6	10.2	13.94	1	46.2	3.74	0.5	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.5	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.5	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.5	7.25
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	1
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.5	2.5
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0	2.5
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.5	3
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0	3
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.5	3.5
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.5	4
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.5	4.5
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.5	5

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	12
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	26
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16	42
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19	61
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27	88
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28	116
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14	130
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16	146
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15	161
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5	166
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10	176
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	2
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	3.5
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.5	4
1/12/2012	MW-9	6.09	6.2	2	38.9	0.11	0.5	4.5
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0	4.5
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.5	5
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.5	5.5
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.1	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.1
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.1	6.2
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	2.5
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.1	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.5	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.1
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.5	7.6
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.1	7.95

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	4
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	7
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3	10
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2	12
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0	12
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.5	13.5
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.5	15
2/10/2012	MW-13	8.02	9.92	2	58.5	1.9	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.5	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.5	20.25
							Total:	230.4

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

LNAPL Recovery IRM Summary Table

Former Paragon Paint Varnish Corp.
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York
NYSDEC Site No. C241108

Date	Well	DTP (ft)	DTW (ft)	DIA (inch)	PID (ppm)	PT (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1	
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.5	
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0	
1/26/2012	MW-3	6.8	6.91	2	263	0.11	0.5	
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.500	
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	
2/17/2012	MW-3	7	7.18	2	125	0.18	0.25	
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.5	
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.5	
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	
1/20/2012	MW-6	10.2	13.8	1	39.7	3.6	0.0	
1/26/2012	MW-6	10.09	13.9	1	44.6	3.81	0.5	
2/3/2012	MW-6	10.33	13.93	1	40.2	3.6	0.5	
2/10/2012	MW-6	10.2	13.94	1	46.2	3.74	0.5	
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.5	
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.5	
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.5	
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.5	
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	
1/12/2012	MW-7	2.1	2.18	1	40.2	0.08	0.5	
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0	
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.5	
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0	
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.5	
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.5	
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.5	
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.5	
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16	
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19	
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27	
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28	
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14	
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16	
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15	
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5	
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10	
3/6/2012	MW-8	6.98	10.68	2	106	3.7	9	

LNAPL Recovery IRM Summary Table

Former Paragon Paint Varnish Corp.
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York
NYSDEC Site No. C241108

Date	Well	DTP (ft)	DTW (ft)	DIA (inch)	PID (ppm)	PT (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	6.45
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.5	
1/12/2012	MW-9	6.09	6.2	2	38.9	0.11	0.5	
1/20/2012	MW-9	7.06	7.7	2	59.6	0.64	0	
1/26/2012	MW-9	7.02	7.4	2	68.1	0.38	0.5	
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.5	
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.1	
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.1	
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1	
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.1	
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0	
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1	
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.5	
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	
2/17/2012	MW-12	8.3	9.03	2	48.1	0.73	0.5	
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.1	
3/6/2012	MW-12	8.9	9.39	2	54.1	0.49	0.25	
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	21.5
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3	
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2	
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0	
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.5	
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.5	
2/10/2012	MW-13	8.02	9.92	2	58.5	1.9	1.25	
2/17/2012	MW-13	7.99	9.9	2	83.7	1.91	1.5	
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1	
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.5	
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	
							Total:	

Notes:

DTP - Depth to product

DTW - Depth to water

DIA - Well diameter

PID - Photo ionization detector (well headspace reading)

PT - Product thickness

ft - Feet

ppm - Parts per million

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.1	0.1
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	2
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	2.5
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1	3.5
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.5	4
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0	4
1/26/2012	MW-3	6.8	6.91	2	263	0.11	0.5	4.5
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.5	6
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.5	7.5
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8
3/16/2012	MW-3	7.06	7.06	2	108	0	0	8
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.1	8.1
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.6

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	2
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	3
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.5	3.5
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.2	13.8	1	39.7	3.6	0.0	4.25
1/26/2012	MW-6	10.09	13.9	1	44.6	3.81	0.5	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.6	0.5	5.25
2/10/2012	MW-6	10.2	13.94	1	46.2	3.74	0.5	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.5	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.5	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.5	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.5	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.5	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.5	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.5	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.5	9.75

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	1
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.5	2.5
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0	2.5
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.5	3
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0	3
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.5	3.5
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.5	4
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.5	4.5
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.5	5
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.5
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.5	6.5

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	12
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	26
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16	42
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19	61
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27	88
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28	116
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14	130
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16	146
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15	161
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5	166
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10	176
3/6/2012	MW-8	6.98	10.68	2	106	3.7	9	185
3/16/2012	MW-8	6.59	10.7	2	154	4.11	15	200
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11	211
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21	232
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23	255

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	2
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	3.5
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.5	4
1/12/2012	MW-9	6.09	6.2	2	38.9	0.11	0.5	4.5
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0	4.5
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.5	5
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.5	5.5
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.1	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.1
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.1	6.2
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0	0	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.1	6.55
3/27/2012	MW-9	7.91	8.2	2	50.6	0.29	0.1	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.1	6.75

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	2.5
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.1	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.5	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.1
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.5	7.6
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.1	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.2
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.1	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.1	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.5	9.15

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	4
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	7
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3	10
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2	12
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0	12
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.5	13.5
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.5	15
2/10/2012	MW-13	8.02	9.92	2	58.5	1.9	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.5	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.5	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.5
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.5
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1	25.5
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.5	28
							Total:	324.85

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.1	0.1
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.1	0.2
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.1	0.3
5/15/2012	MW-2	7.6	7.61	2	223	0.01	0.1	0.4
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.1	0.5
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	2
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	2.5
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1	3.5
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.5	4
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0	4
1/26/2012	MW-3	6.8	6.91	2	263	0.11	0.5	4.5
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.5	6
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.5	7.5
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8
3/16/2012	MW-3	7.06	7.06	2	108	0	0	8
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.1	8.1
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.6
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.1	9.7
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.2
5/23/2012	MW-3	6.7	6.73	2	176	0.03	0.1	10.3
5/29/2012	MW-3	6.6	6.63	2	137	0.03	0.1	10.4

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	2
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	3
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.5	3.5
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.2	13.8	1	39.7	3.6	0.0	4.25
1/26/2012	MW-6	10.09	13.9	1	44.6	3.81	0.5	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.6	0.5	5.25
2/10/2012	MW-6	10.2	13.94	1	46.2	3.74	0.5	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.5	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.5	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.5	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.5	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.5	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.5	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.5	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.5	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.5	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.5	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.5	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.5	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.5	12.25

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	1
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.5	2.5
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0	2.5
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.5	3
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0	3
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.5	3.5
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.5	4
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.5	4.5
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.5	5
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.5
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.5	6.5
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.1	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.1
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.6

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	12
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	26
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16	42
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19	61
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27	88
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28	116
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14	130
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16	146
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15	161
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5	166
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10	176
3/6/2012	MW-8	6.98	10.68	2	106	3.7	9	185
3/16/2012	MW-8	6.59	10.7	2	154	4.11	15	200
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11	211
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21	232
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23	255
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21	276
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23	299
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17	316
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23	339
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22	361

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	2
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	3.5
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.5	4
1/12/2012	MW-9	6.09	6.2	2	38.9	0.11	0.5	4.5
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0	4.5
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.5	5
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.5	5.5
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.1	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.1
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.1	6.2
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0	0	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.1	6.55
3/27/2012	MW-9	7.91	8.2	2	50.6	0.29	0.1	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.1	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.1	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.1	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.1	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.1	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.1	7.25

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	2.5
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.1	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.5	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.1
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.5	7.6
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.1	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.2
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.1	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.1	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.5	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.4
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.1	9.5
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.1	9.6
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.1	9.95

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	4
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	7
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3	10
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2	12
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0	12
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.5	13.5
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.5	15
2/10/2012	MW-13	8.02	9.92	2	58.5	1.9	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.5	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.5	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.5
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.5
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1	25.5
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.5	28
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2	30
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.5	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.5	36.5
							Total:	445.45

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.1	0.1
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.1	0.2
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.1	0.3
5/15/2012	MW-2	7.6	7.61	2	223	0.01	0.1	0.4
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.1	0.5
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	2
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	2.5
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1	3.5
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.5	4
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0	4
1/26/2012	MW-3	6.8	6.91	2	263	0.11	0.5	4.5
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.5	6
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.5	7.5
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8
3/16/2012	MW-3	7.06	7.06	2	108	0	0	8
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.1	8.1
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.6
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.1	9.7
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.2
5/23/2012	MW-3	6.7	6.73	2	176	0.03	0.1	10.3
5/29/2012	MW-3	6.6	6.63	2	137	0.03	0.1	10.4
6/4/2012	MW-3	6.58	6.61	2	112	0.03	0.1	10.5
6/15/2012	MW-3	6.66	7.11	2	87.7	0.45	0.1	10.6
6/21/2012	MW-3	6.68	6.68	2	160	0	0.01	10.61

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	2
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	3
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.5	3.5
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.2	13.8	1	39.7	3.6	0.0	4.25
1/26/2012	MW-6	10.09	13.9	1	44.6	3.81	0.5	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.6	0.5	5.25
2/10/2012	MW-6	10.2	13.94	1	46.2	3.74	0.5	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.5	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.5	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.5	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.5	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.5	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.5	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.5	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.5	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.5	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.5	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.5	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.5	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.5	12.25
6/4/2012	MW-6	10.00	13.04	1	46.2	3.04	0.5	12.75
6/15/2012	MW-6	10.04	13.29	1	57.8	3.25	0.5	13.25
6/21/2012	MW-6	9.97	13.44	1	54.8	3.47	0.5	13.75

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	1
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.5	2.5
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0	2.5
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.5	3
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0	3
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.5	3.5
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.5	4
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.5	4.5
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.5	5
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.5
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.5	6.5
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.1	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.1
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.6
6/4/2012	MW-7	2.32	3.90	1	66.5	1.58	0.25	7.85
6/15/2012	MW-7	2.63	4.21	1	43.6	1.58	0.25	8.1
6/21/2012	MW-7	2.58	4.2	1	65.3	1.62	0.25	8.35

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	12
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	26
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16	42
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19	61
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27	88
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28	116
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14	130
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16	146
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15	161
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5	166
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10	176
3/6/2012	MW-8	6.98	10.68	2	106	3.7	9	185
3/16/2012	MW-8	6.59	10.7	2	154	4.11	15	200
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11	211
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21	232
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23	255
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21	276
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23	299
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17	316
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23	339
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22	361
6/4/2012	MW-8	5.98	9.85	2	81.4	3.87	21	382
6/15/2012	MW-8	6.08	9.97	2	96.4	3.89	18	400
6/21/2012	MW-8	6.21	10.18	2	184	3.97	15	415

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	2
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	3.5
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.5	4
1/12/2012	MW-9	6.09	6.2	2	38.9	0.11	0.5	4.5
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0	4.5
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.5	5
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.5	5.5
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.1	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.1
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.1	6.2
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0	0	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.1	6.55
3/27/2012	MW-9	7.91	8.2	2	50.6	0.29	0.1	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.1	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.1	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.1	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.1	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.1	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.1	7.25
6/4/2012	MW-9	6.95	7.11	2	45.8	0.16	0.1	7.35
6/15/2012	MW-9	6.90	7.08	2	48.9	0.18	0.1	7.45
6/21/2012	MW-9	6.99	6.99	2	54.1	0	0.01	7.46

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	2.5
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.1	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.5	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.1
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.5	7.6
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.1	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.2
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.1	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.1	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.5	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.4
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.1	9.5
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.1	9.6
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.1	9.95
6/4/2012	MW-12	7.78	7.80	2	35.3	0.02	0.1	10.05
6/15/2012	MW-12	7.71	9.07	2	39	1.36	0.1	10.15
6/21/2012	MW-12	8.09	8.49	2	40.6	0.4	0.1	10.25

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	4
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	7
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3	10
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2	12
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0	12
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.5	13.5
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.5	15
2/10/2012	MW-13	8.02	9.92	2	58.5	1.9	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.5	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.5	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.5
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.5
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1	25.5
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.5	28
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2	30
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.5	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.5	36.5
6/4/2012	MW-13	7.34	10.21	2	63.4	2.87	1.5	38
6/15/2012	MW-13	7.32	10.88	2	63.4	3.56	2.5	40.5
6/21/2012	MW-13	7.48	10.63	2	52.9	3.15	2	42.5
							Total:	508.42

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.1	0.1
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.1	0.2
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.1	0.3
5/15/2012	MW-2	7.6	7.61	2	223	0.01	0.1	0.4
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.1	0.5
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	2
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	2.5
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1	3.5
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.5	4
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0	4
1/26/2012	MW-3	6.8	6.91	2	263	0.11	0.5	4.5
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.5	6
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.5	7.5
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8
3/16/2012	MW-3	7.06	7.06	2	108	0	0	8
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.1	8.1
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.6
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.1	9.7
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.2
5/23/2012	MW-3	6.7	6.73	2	176	0.03	0.1	10.3
5/29/2012	MW-3	6.6	6.63	2	137	0.03	0.1	10.4
6/4/2012	MW-3	6.58	6.61	2	112	0.03	0.1	10.5
6/15/2012	MW-3	6.66	7.11	2	87.7	0.45	0.1	10.6
6/21/2012	MW-3	6.68	6.68	2	160	0	0.01	10.61
7/10/2012	MW-3	6.83	7.31	2	104	0.48	0.75	11.36

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	2
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	3
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.5	3.5
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.2	13.8	1	39.7	3.6	0.0	4.25
1/26/2012	MW-6	10.09	13.9	1	44.6	3.81	0.5	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.6	0.5	5.25
2/10/2012	MW-6	10.2	13.94	1	46.2	3.74	0.5	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.5	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.5	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.5	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.5	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.5	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.5	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.5	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.5	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.5	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.5	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.5	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.5	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.5	12.25
6/4/2012	MW-6	10.00	13.04	1	46.2	3.04	0.5	12.75
6/15/2012	MW-6	10.04	13.29	1	57.8	3.25	0.5	13.25
6/21/2012	MW-6	9.97	13.44	1	54.8	3.47	0.5	13.75
7/10/2012	MW-6	10.14	13.46	1	39.4	3.32	0.5	14.25

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	1
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.5	2.5
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0	2.5
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.5	3
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0	3
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.5	3.5
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.5	4
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.5	4.5
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.5	5
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.5
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.5	6.5
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.1	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.1
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.6
6/4/2012	MW-7	2.32	3.90	1	66.5	1.58	0.25	7.85
6/15/2012	MW-7	2.63	4.21	1	43.6	1.58	0.25	8.1
6/21/2012	MW-7	2.58	4.2	1	65.3	1.62	0.25	8.35
7/10/2012	MW-7	2.30	4.71	1	70.1	2.41	0.25	8.6

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	12
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	26
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16	42
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19	61
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27	88
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28	116
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14	130
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16	146
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15	161
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5	166
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10	176
3/6/2012	MW-8	6.98	10.68	2	106	3.7	9	185
3/16/2012	MW-8	6.59	10.7	2	154	4.11	15	200
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11	211
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21	232
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23	255
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21	276
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23	299
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17	316
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23	339
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22	361
6/4/2012	MW-8	5.98	9.85	2	81.4	3.87	21	382
6/15/2012	MW-8	6.08	9.97	2	96.4	3.89	18	400
6/21/2012	MW-8	6.21	10.18	2	184	3.97	15	415
7/10/2012	MW-8	6.27	10.13	2	74.6	3.86	20	435

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	2
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	3.5
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.5	4
1/12/2012	MW-9	6.09	6.2	2	38.9	0.11	0.5	4.5
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0	4.5
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.5	5
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.5	5.5
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.1	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.1
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.1	6.2
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0	0	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.1	6.55
3/27/2012	MW-9	7.91	8.2	2	50.6	0.29	0.1	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.1	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.1	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.1	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.1	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.1	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.1	7.25
6/4/2012	MW-9	6.95	7.11	2	45.8	0.16	0.1	7.35
6/15/2012	MW-9	6.90	7.08	2	48.9	0.18	0.1	7.45
6/21/2012	MW-9	6.99	6.99	2	54.1	0	0.01	7.46
7/10/2012	MW-9	7.14	7.48	2	75.1	0.34	0.1	7.56

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	2.5
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.1	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.5	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.1
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.5	7.6
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.1	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.2
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.1	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.1	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.5	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.4
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.1	9.5
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.1	9.6
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.1	9.95
6/4/2012	MW-12	7.78	7.80	2	35.3	0.02	0.1	10.05
6/15/2012	MW-12	7.71	9.07	2	39	1.36	0.1	10.15
6/21/2012	MW-12	8.09	8.49	2	40.6	0.4	0.1	10.25
7/10/2012	MW-12	8.06	8.67	2	47.7	0.61	0.1	10.35

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	4
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	7
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3	10
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2	12
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0	12
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.5	13.5
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.5	15
2/10/2012	MW-13	8.02	9.92	2	58.5	1.9	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.5	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.5	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.5
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.5
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1	25.5
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.5	28
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2	30
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.5	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.5	36.5
6/4/2012	MW-13	7.34	10.21	2	63.4	2.87	1.5	38
6/15/2012	MW-13	7.32	10.88	2	63.4	3.56	2.5	40.5
6/21/2012	MW-13	7.48	10.63	2	52.9	3.15	2	42.5
7/10/2012	MW-13	7.23	12.01	2	78.4	4.78	2.5	45
							Total:	532.62

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.1	0.1
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.1	0.2
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.1	0.3
5/15/2012	MW-2	7.6	7.61	2	223	0.01	0.1	0.4
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.1	0.5
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	2
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	2.5
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1	3.5
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.5	4
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0	4
1/26/2012	MW-3	6.8	6.91	2	263	0.11	0.5	4.5
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.5	6
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.5	7.5
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8
3/16/2012	MW-3	7.06	7.06	2	108	0	0	8
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.1	8.1
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.6
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.1	9.7
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.2
5/23/2012	MW-3	6.7	6.73	2	176	0.03	0.1	10.3
5/29/2012	MW-3	6.6	6.63	2	137	0.03	0.1	10.4
6/4/2012	MW-3	6.58	6.61	2	112	0.03	0.1	10.5
6/15/2012	MW-3	6.66	7.11	2	87.7	0.45	0.1	10.6
6/21/2012	MW-3	6.68	6.68	2	160	0	0.01	10.61
7/10/2012	MW-3	6.83	7.31	2	104	0.48	0.75	11.36
8/16/2010	MW-3	6.81	6.83	2	79.2	0.02	0.01	11.37
8/21/2012	MW-3	6.72	7.11	2	50.9	0.39	0.25	11.62
8/30/2012	MW-3	6.76	7.28	2	90.6	0.52	0.5	12.12

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	2
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	3
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.5	3.5
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.2	13.8	1	39.7	3.6	0.0	4.25
1/26/2012	MW-6	10.09	13.9	1	44.6	3.81	0.5	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.6	0.5	5.25
2/10/2012	MW-6	10.2	13.94	1	46.2	3.74	0.5	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.5	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.5	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.5	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.5	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.5	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.5	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.5	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.5	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.5	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.5	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.5	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.5	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.5	12.25
6/4/2012	MW-6	10.00	13.04	1	46.2	3.04	0.5	12.75
6/15/2012	MW-6	10.04	13.29	1	57.8	3.25	0.5	13.25
6/21/2012	MW-6	9.97	13.44	1	54.8	3.47	0.5	13.75
7/10/2012	MW-6	10.14	13.46	1	39.4	3.32	0.5	14.25
8/16/2012	MW-6	10.13	13.36	1	27	3.23	0.75	15
8/21/2012	MW-6	10.14	13.41	1	25.8	3.27	0.75	15.75
8/30/2012	MW-6	10.20	13.38	1	17.5	3.18	0.5	16.25

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	1
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.5	2.5
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0	2.5
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.5	3
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0	3
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.5	3.5
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.5	4
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.5	4.5
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.5	5
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.5
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.5	6.5
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.1	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.1
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.6
6/4/2012	MW-7	2.32	3.90	1	66.5	1.58	0.25	7.85
6/15/2012	MW-7	2.63	4.21	1	43.6	1.58	0.25	8.1
6/21/2012	MW-7	2.58	4.2	1	65.3	1.62	0.25	8.35
7/10/2012	MW-7	2.30	4.71	1	70.1	2.41	0.25	8.6
8/16/2012	MW-7	2.58	4.83	1	40.6	2.25	0.5	9.1
8/21/2012	MW-7	2.94	3.87	1	30.3	0.93	0.5	9.6
8/30/2012	MW-7	3.09	4.10	1	22.4	1.01	0.5	10.1

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	12
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	26
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16	42
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19	61
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27	88
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28	116
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14	130
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16	146
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15	161
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5	166
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10	176
3/6/2012	MW-8	6.98	10.68	2	106	3.7	9	185
3/16/2012	MW-8	6.59	10.7	2	154	4.11	15	200
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11	211
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21	232
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23	255
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21	276
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23	299
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17	316
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23	339
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22	361
6/4/2012	MW-8	5.98	9.85	2	81.4	3.87	21	382
6/15/2012	MW-8	6.08	9.97	2	96.4	3.89	18	400
6/21/2012	MW-8	6.21	10.18	2	184	3.97	15	415
7/10/2012	MW-8	6.27	10.13	2	74.6	3.86	20	435
8/16/2012	MW-8	6.11	9.30	2	65.9	3.19	22	457
8/21/2012	MW-8	6.40	10.13	2	79.7	3.73	21	478
8/30/2012	MW-8	6.26	9.90	2	98.8	3.64	18	496

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	2
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	3.5
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.5	4
1/12/2012	MW-9	6.09	6.2	2	38.9	0.11	0.5	4.5
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0	4.5
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.5	5
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.5	5.5
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.1	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.1
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.1	6.2
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0	0	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.1	6.55
3/27/2012	MW-9	7.91	8.2	2	50.6	0.29	0.1	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.1	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.1	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.1	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.1	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.1	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.1	7.25
6/4/2012	MW-9	6.95	7.11	2	45.8	0.16	0.1	7.35
6/15/2012	MW-9	6.90	7.08	2	48.9	0.18	0.1	7.45
6/21/2012	MW-9	6.99	6.99	2	54.1	0	0.01	7.46
7/10/2012	MW-9	7.14	7.48	2	75.1	0.34	0.1	7.56
8/16/2012	MW-9	7.14	7.43	2	35.2	0.29	0.1	7.66
8/21/2012	MW-9	7.18	7.42	2	22.3	0.24	0.1	7.76
8/30/2012	MW-9	7.31	7.61	2	12.8	0.3	0.1	7.86

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	2.5
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.1	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.5	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.1
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.5	7.6
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.1	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.2
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.1	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.1	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.5	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.4
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.1	9.5
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.1	9.6
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.1	9.95
6/4/2012	MW-12	7.78	7.80	2	35.3	0.02	0.1	10.05
6/15/2012	MW-12	7.71	9.07	2	39	1.36	0.1	10.15
6/21/2012	MW-12	8.09	8.49	2	40.6	0.4	0.1	10.25
7/10/2012	MW-12	8.06	8.67	2	47.7	0.61	0.1	10.35
8/16/2012	MW-12	7.98	8.85	2	32.5	0.87	0.25	10.6
8/21/2012	MW-12	8.21	8.68	2	17.4	0.47	0.25	10.85
8/31/2012	MW-12	8.14	8.46	2	20.3	0.32	0.1	10.95

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	4
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	7
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3	10
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2	12
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0	12
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.5	13.5
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.5	15
2/10/2012	MW-13	8.02	9.92	2	58.5	1.9	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.5	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.5	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.5
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.5
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1	25.5
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.5	28
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2	30
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.5	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.5	36.5
6/4/2012	MW-13	7.34	10.21	2	63.4	2.87	1.5	38
6/15/2012	MW-13	7.32	10.88	2	63.4	3.56	2.5	40.5
6/21/2012	MW-13	7.48	10.63	2	52.9	3.15	2	42.5
7/10/2012	MW-13	7.23	12.01	2	78.4	4.78	2.5	45
8/16/2012	MW-13	7.05	12.08	2	47.6	5.03	2.5	47.5
8/21/2012	MW-13	7.55	11.09	2	38.5	3.54	1.75	49.25
8/30/2012	MW-13	7.64	10.84	2	40.9	3.2	1.5	50.75
							Total:	604.53

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.1	0.1
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.1	0.2
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.1	0.3
5/15/2012	MW-2	7.6	7.61	2	223	0.01	0.1	0.4
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.1	0.5
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	2
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	2.5
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1	3.5
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.5	4
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0	4
1/26/2012	MW-3	6.8	6.91	2	263	0.11	0.5	4.5
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.5	6
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.5	7.5
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8
3/16/2012	MW-3	7.06	7.06	2	108	0	0	8
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.1	8.1
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.6
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.1	9.7
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.2
5/23/2012	MW-3	6.7	6.73	2	176	0.03	0.1	10.3
5/29/2012	MW-3	6.6	6.63	2	137	0.03	0.1	10.4
6/4/2012	MW-3	6.58	6.61	2	112	0.03	0.1	10.5
6/15/2012	MW-3	6.66	7.11	2	87.7	0.45	0.1	10.6
6/21/2012	MW-3	6.68	6.68	2	160	0	0.01	10.61
7/10/2012	MW-3	6.83	7.31	2	104	0.48	0.75	11.36
8/16/2010	MW-3	6.81	6.83	2	79.2	0.02	0.01	11.37
8/21/2012	MW-3	6.72	7.11	2	50.9	0.39	0.25	11.62
8/30/2012	MW-3	6.76	7.28	2	90.6	0.52	0.5	12.12
9/4/2012	MW-3	6.86	7.02	2	87.1	0.16	0.1	12.22
9/13/2012	MW-3	6.96	7.34	2	78.6	0.38	0.25	12.47
9/18/2012	MW-3	ND	6.99	2	62.4	0	NA	12.47
9/27/2012	MW-3	ND	6.88	2	58.9	0	NA	12.47

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	2
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	3
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.5	3.5
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.2	13.8	1	39.7	3.6	0.0	4.25
1/26/2012	MW-6	10.09	13.9	1	44.6	3.81	0.5	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.6	0.5	5.25
2/10/2012	MW-6	10.2	13.94	1	46.2	3.74	0.5	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.5	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.5	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.5	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.5	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.5	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.5	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.5	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.5	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.5	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.5	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.5	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.5	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.5	12.25
6/4/2012	MW-6	10.00	13.04	1	46.2	3.04	0.5	12.75
6/15/2012	MW-6	10.04	13.29	1	57.8	3.25	0.5	13.25
6/21/2012	MW-6	9.97	13.44	1	54.8	3.47	0.5	13.75
7/10/2012	MW-6	10.14	13.46	1	39.4	3.32	0.5	14.25
8/16/2012	MW-6	10.13	13.36	1	27	3.23	0.75	15
8/21/2012	MW-6	10.14	13.41	1	25.8	3.27	0.75	15.75
8/30/2012	MW-6	10.20	13.38	1	17.5	3.18	0.5	16.25
9/4/2012	MW-6	10.16	13.42	1	15.9	3.26	0.5	16.75
9/13/2012	MW-6	10.42	13.51	1	10.6	3.09	0.5	17.25
9/18/2012	MW-6	10.42	13.81	1	9.5	3.39	0.5	17.75
9/27/2012	MW-6	10.39	13.72	1	11.3	3.33	0.5	18.25

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	1
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.5	2.5
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0	2.5
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.5	3
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0	3
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.5	3.5
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.5	4
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.5	4.5
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.5	5
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.5
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.5	6.5
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.1	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.1
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.6
6/4/2012	MW-7	2.32	3.90	1	66.5	1.58	0.25	7.85
6/15/2012	MW-7	2.63	4.21	1	43.6	1.58	0.25	8.1
6/21/2012	MW-7	2.58	4.2	1	65.3	1.62	0.25	8.35
7/10/2012	MW-7	2.30	4.71	1	70.1	2.41	0.25	8.6
8/16/2012	MW-7	2.58	4.83	1	40.6	2.25	0.5	9.1
8/21/2012	MW-7	2.94	3.87	1	30.3	0.93	0.5	9.6
8/30/2012	MW-7	3.09	4.10	1	22.4	1.01	0.5	10.1
9/4/2012	MW-7	2.97	3.88	1	11.6	0.91	0.5	10.6
9/13/2012	MW-7	3.52	4.28	1	6.3	0.76	0.5	11.1
9/18/2012	MW-7	3.15	4.28	1	8.8	1.13	0.5	11.6
9/27/2012	MW-7	3.18	4.04	1	14.5	0.86	0.5	12.1

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	12
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	26
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16	42
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19	61
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27	88
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28	116
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14	130
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16	146
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15	161
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5	166
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10	176
3/6/2012	MW-8	6.98	10.68	2	106	3.7	9	185
3/16/2012	MW-8	6.59	10.7	2	154	4.11	15	200
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11	211
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21	232
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23	255
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21	276
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23	299
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17	316
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23	339
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22	361
6/4/2012	MW-8	5.98	9.85	2	81.4	3.87	21	382
6/15/2012	MW-8	6.08	9.97	2	96.4	3.89	18	400
6/21/2012	MW-8	6.21	10.18	2	184	3.97	15	415
7/10/2012	MW-8	6.27	10.13	2	74.6	3.86	20	435
8/16/2012	MW-8	6.11	9.30	2	65.9	3.19	22	457
8/21/2012	MW-8	6.40	10.13	2	79.7	3.73	21	478
8/30/2012	MW-8	6.26	9.90	2	98.8	3.64	18	496
9/4/2012	MW-8	6.40	10.14	2	77.2	3.74	18	514
9/13/2012	MW-8	6.90	10.72	2	53.7	3.82	11	525
9/18/2012	MW-8	6.66	10.31	2	45.1	3.65	22	547
9/27/2012	MW-8	6.56	10.07	2	52.8	3.51	23	570

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	2
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	3.5
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.5	4
1/12/2012	MW-9	6.09	6.2	2	38.9	0.11	0.5	4.5
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0	4.5
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.5	5
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.5	5.5
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.1	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.1
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.1	6.2
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0	0	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.1	6.55
3/27/2012	MW-9	7.91	8.2	2	50.6	0.29	0.1	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.1	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.1	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.1	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.1	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.1	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.1	7.25
6/4/2012	MW-9	6.95	7.11	2	45.8	0.16	0.1	7.35
6/15/2012	MW-9	6.90	7.08	2	48.9	0.18	0.1	7.45
6/21/2012	MW-9	6.99	6.99	2	54.1	0	0.01	7.46
7/10/2012	MW-9	7.14	7.48	2	75.1	0.34	0.1	7.56
8/16/2012	MW-9	7.14	7.43	2	35.2	0.29	0.1	7.66
8/21/2012	MW-9	7.18	7.42	2	22.3	0.24	0.1	7.76
8/30/2012	MW-9	7.31	7.61	2	12.8	0.3	0.1	7.86
9/4/2012	MW-9	7.34	7.49	2	15.3	0.15	0.1	7.96
9/13/2012	MW-9	7.93	8.01	2	11.2	0.08	0.1	8.06
9/18/2012	MW-9	7.74	7.92	2	6.3	0.18	0.1	8.16
9/27/2012	MW-9	7.51	7.65	2	5.1	0.14	0.1	8.26

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	2.5
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.1	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.5	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.1
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.5	7.6
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.1	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.2
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.1	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.1	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.5	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.4
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.1	9.5
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.1	9.6
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.1	9.95
6/4/2012	MW-12	7.78	7.80	2	35.3	0.02	0.1	10.05
6/15/2012	MW-12	7.71	9.07	2	39	1.36	0.1	10.15
6/21/2012	MW-12	8.09	8.49	2	40.6	0.4	0.1	10.25
7/10/2012	MW-12	8.06	8.67	2	47.7	0.61	0.1	10.35
8/16/2012	MW-12	7.98	8.85	2	32.5	0.87	0.25	10.6
8/21/2012	MW-12	8.21	8.68	2	17.4	0.47	0.25	10.85
8/31/2012	MW-12	8.14	8.46	2	20.3	0.32	0.1	10.95
9/4/2012	MW-12	8.25	8.53	2	16.9	0.28	0.1	11.05
9/13/2012	MW-12	8.87	9.31	2	16.4	0.44	0.1	11.15
9/18/2012	MW-12	8.53	8.98	2	10.7	0.45	0.1	11.25
9/27/2012	MW-12	8.29	8.76	2	12.3	0.47	0.1	11.35

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	4
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	7
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3	10
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2	12
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0	12
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.5	13.5
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.5	15
2/10/2012	MW-13	8.02	9.92	2	58.5	1.9	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.5	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.5	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.5
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.5
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1	25.5
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.5	28
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2	30
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.5	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.5	36.5
6/4/2012	MW-13	7.34	10.21	2	63.4	2.87	1.5	38
6/15/2012	MW-13	7.32	10.88	2	63.4	3.56	2.5	40.5
6/21/2012	MW-13	7.48	10.63	2	52.9	3.15	2	42.5
7/10/2012	MW-13	7.23	12.01	2	78.4	4.78	2.5	45
8/16/2012	MW-13	7.05	12.08	2	47.6	5.03	2.5	47.5
8/21/2012	MW-13	7.55	11.09	2	38.5	3.54	1.75	49.25
8/30/2012	MW-13	7.64	10.84	2	40.9	3.2	1.5	50.75
9/4/2012	MW-13	7.79	10.42	2	36.4	2.63	1.25	52
9/13/2012	MW-13	8.39	11.37	2	24.9	2.98	0.75	52.75
9/18/2012	MW-13	8.17	10.78	2	22.6	2.61	1.25	54
9/27/2012	MW-13	7.85	10.92	2	21.4	3.07	1.75	55.75
							Total:	688.68

Notes:

- PID - Photo ionization detector (well headspace reading)
- ft - Feet
- ppm - Parts per million
- g - Gallons

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.1	0.1
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.1	0.2
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.1	0.3
5/15/2012	MW-2	7.6	7.61	2	223	0.01	0.1	0.4
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.1	0.5
10/4/2012	MW-2	7.51	7.60	2	81	0.09	0.1	0.6
10/11/2012	MW-2	7.55	7.55	2	52.9	Trace	0.01	0.61
10/16/2012	MW-2	7.54	7.57	2	73.7	0.03	0.01	0.62
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	2
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	2.5
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1	3.5
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.5	4
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0	4
1/26/2012	MW-3	6.8	6.91	2	263	0.11	0.5	4.5
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.5	6
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.5	7.5
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8
3/16/2012	MW-3	7.06	7.06	2	108	0	0	8
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.1	8.1
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.6
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.1	9.7
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.2
5/23/2012	MW-3	6.7	6.73	2	176	0.03	0.1	10.3
5/29/2012	MW-3	6.6	6.63	2	137	0.03	0.1	10.4
6/4/2012	MW-3	6.58	6.61	2	112	0.03	0.1	10.5
6/15/2012	MW-3	6.66	7.11	2	87.7	0.45	0.1	10.6
6/21/2012	MW-3	6.68	6.68	2	160	0	0.01	10.61
7/10/2012	MW-3	6.83	7.31	2	104	0.48	0.75	11.36
8/16/2010	MW-3	6.81	6.83	2	79.2	0.02	0.01	11.37
8/21/2012	MW-3	6.72	7.11	2	50.9	0.39	0.25	11.62
8/30/2012	MW-3	6.76	7.28	2	90.6	0.52	0.5	12.12
9/4/2012	MW-3	6.86	7.02	2	87.1	0.16	0.1	12.22
9/13/2012	MW-3	6.96	7.34	2	78.6	0.38	0.25	12.47
9/18/2012	MW-3	ND	6.99	2	62.4	0	NA	12.47
9/27/2012	MW-3	ND	6.88	2	58.9	0	NA	12.47

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
 5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
 Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
10/4/2012	MW-3	6.69	7.31	2	24.8	0.62	1	13.47
10/11/2012	MW-3	6.83	6.84	2	38.7	0.01	0.01	13.48
10/16/2012	MW-3	ND	6.86	2	29.6	0	NA	13.48

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	2
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	3
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.5	3.5
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.2	13.8	1	39.7	3.6	0.0	4.25
1/26/2012	MW-6	10.09	13.9	1	44.6	3.81	0.5	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.6	0.5	5.25
2/10/2012	MW-6	10.2	13.94	1	46.2	3.74	0.5	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.5	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.5	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.5	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.5	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.5	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.5	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.5	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.5	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.5	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.5	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.5	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.5	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.5	12.25
6/4/2012	MW-6	10.00	13.04	1	46.2	3.04	0.5	12.75
6/15/2012	MW-6	10.04	13.29	1	57.8	3.25	0.5	13.25
6/21/2012	MW-6	9.97	13.44	1	54.8	3.47	0.5	13.75
7/10/2012	MW-6	10.14	13.46	1	39.4	3.32	0.5	14.25
8/16/2012	MW-6	10.13	13.36	1	27	3.23	0.75	15
8/21/2012	MW-6	10.14	13.41	1	25.8	3.27	0.75	15.75
8/30/2012	MW-6	10.20	13.38	1	17.5	3.18	0.5	16.25
9/4/2012	MW-6	10.16	13.42	1	15.9	3.26	0.5	16.75
9/13/2012	MW-6	10.42	13.51	1	10.6	3.09	0.5	17.25
9/18/2012	MW-6	10.42	13.81	1	9.5	3.39	0.5	17.75
9/27/2012	MW-6	10.39	13.72	1	11.3	3.33	0.5	18.25
10/4/2012	MW-6	10.27	13.59	1	20.3	3.32	0.5	18.75
10/11/2012	MW-6	10.33	13.69	1	14.8	3.36	0.5	19.25
10/16/2012	MW-6	10.32	13.64	1	15	3.32	0.5	19.75

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	1
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.5	2.5
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0	2.5
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.5	3
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0	3
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.5	3.5
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.5	4
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.5	4.5
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.5	5
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.5
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.5	6.5
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.1	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.1
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.6
6/4/2012	MW-7	2.32	3.90	1	66.5	1.58	0.25	7.85
6/15/2012	MW-7	2.63	4.21	1	43.6	1.58	0.25	8.1
6/21/2012	MW-7	2.58	4.2	1	65.3	1.62	0.25	8.35
7/10/2012	MW-7	2.30	4.71	1	70.1	2.41	0.25	8.6
8/16/2012	MW-7	2.58	4.83	1	40.6	2.25	0.5	9.1
8/21/2012	MW-7	2.94	3.87	1	30.3	0.93	0.5	9.6
8/30/2012	MW-7	3.09	4.10	1	22.4	1.01	0.5	10.1
9/4/2012	MW-7	2.97	3.88	1	11.6	0.91	0.5	10.6
9/13/2012	MW-7	3.52	4.28	1	6.3	0.76	0.5	11.1
9/18/2012	MW-7	3.15	4.28	1	8.8	1.13	0.5	11.6
9/27/2012	MW-7	3.18	4.04	1	14.5	0.86	0.5	12.1
10/4/2012	MW-7	3.11	3.83	1	16.9	0.72	0.25	12.35
10/11/2012	MW-7	3.12	3.93	1	15.2	0.81	0.25	12.6
10/16/2012	MW-7	2.88	4.07	1	14.6	1.19	0.25	12.85

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	12
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	26
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16	42
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19	61
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27	88
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28	116
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14	130
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16	146
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15	161
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5	166
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10	176
3/6/2012	MW-8	6.98	10.68	2	106	3.7	9	185
3/16/2012	MW-8	6.59	10.7	2	154	4.11	15	200
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11	211
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21	232
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23	255
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21	276
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23	299
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17	316
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23	339
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22	361
6/4/2012	MW-8	5.98	9.85	2	81.4	3.87	21	382
6/15/2012	MW-8	6.08	9.97	2	96.4	3.89	18	400
6/21/2012	MW-8	6.21	10.18	2	184	3.97	15	415
7/10/2012	MW-8	6.27	10.13	2	74.6	3.86	20	435
8/16/2012	MW-8	6.11	9.30	2	65.9	3.19	22	457
8/21/2012	MW-8	6.40	10.13	2	79.7	3.73	21	478
8/30/2012	MW-8	6.26	9.90	2	98.8	3.64	18	496
9/4/2012	MW-8	6.40	10.14	2	77.2	3.74	18	514
9/13/2012	MW-8	6.90	10.72	2	53.7	3.82	11	525
9/18/2012	MW-8	6.66	10.31	2	45.1	3.65	22	547
9/27/2012	MW-8	6.56	10.07	2	52.8	3.51	23	570
10/4/2012	MW-8	6.46	10.13	2	62.7	3.67	19	589
10/11/2012	MW-8	6.57	10.08	2	75.2	3.51	12	601
10/16/2012	MW-8	6.49	10.03	2	47.1	3.54	18	619

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	2
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	3.5
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.5	4
1/12/2012	MW-9	6.09	6.2	2	38.9	0.11	0.5	4.5
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0	4.5
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.5	5
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.5	5.5
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.1	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.1
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.1	6.2
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0	0	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.1	6.55
3/27/2012	MW-9	7.91	8.2	2	50.6	0.29	0.1	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.1	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.1	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.1	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.1	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.1	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.1	7.25
6/4/2012	MW-9	6.95	7.11	2	45.8	0.16	0.1	7.35
6/15/2012	MW-9	6.90	7.08	2	48.9	0.18	0.1	7.45
6/21/2012	MW-9	6.99	6.99	2	54.1	0	0.01	7.46
7/10/2012	MW-9	7.14	7.48	2	75.1	0.34	0.1	7.56
8/16/2012	MW-9	7.14	7.43	2	35.2	0.29	0.1	7.66
8/21/2012	MW-9	7.18	7.42	2	22.3	0.24	0.1	7.76
8/30/2012	MW-9	7.31	7.61	2	12.8	0.3	0.1	7.86
9/4/2012	MW-9	7.34	7.49	2	15.3	0.15	0.1	7.96
9/13/2012	MW-9	7.93	8.01	2	11.2	0.08	0.1	8.06
9/18/2012	MW-9	7.74	7.92	2	6.3	0.18	0.1	8.16
9/27/2012	MW-9	7.51	7.65	2	5.1	0.14	0.1	8.26
10/4/2012	MW-9	7.20	7.38	2	29.6	0.18	0.1	8.36
10/11/2012	MW-9	7.24	7.30	2	19.4	0.06	0.1	8.46
10/16/2012	MW-9	7.24	7.40	2	13.4	0.16	0.1	8.56

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	2.5
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.1	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.5	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.1
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.5	7.6
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.1	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.2
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.1	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.1	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.5	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.4
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.1	9.5
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.1	9.6
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.1	9.95
6/4/2012	MW-12	7.78	7.80	2	35.3	0.02	0.1	10.05
6/15/2012	MW-12	7.71	9.07	2	39	1.36	0.1	10.15
6/21/2012	MW-12	8.09	8.49	2	40.6	0.4	0.1	10.25
7/10/2012	MW-12	8.06	8.67	2	47.7	0.61	0.1	10.35
8/16/2012	MW-12	7.98	8.85	2	32.5	0.87	0.25	10.6
8/21/2012	MW-12	8.21	8.68	2	17.4	0.47	0.25	10.85
8/31/2012	MW-12	8.14	8.46	2	20.3	0.32	0.1	10.95
9/4/2012	MW-12	8.25	8.53	2	16.9	0.28	0.1	11.05
9/13/2012	MW-12	8.87	9.31	2	16.4	0.44	0.1	11.15
9/18/2012	MW-12	8.53	8.98	2	10.7	0.45	0.1	11.25
9/27/2012	MW-12	8.29	8.76	2	12.3	0.47	0.1	11.35
10/4/2012	MW-12	8.28	8.66	2	16.3	0.38	0.1	11.45
10/11/2012	MW-12	8.38	8.62	2	16.7	0.24	0.1	11.55
10/16/2012	MW-12	8.26	8.51	2	13.9	0.25	0.1	11.65

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	4
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	7
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3	10
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2	12
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0	12
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.5	13.5
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.5	15
2/10/2012	MW-13	8.02	9.92	2	58.5	1.9	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.5	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.5	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.5
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.5
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1	25.5
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.5	28
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2	30
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.5	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.5	36.5
6/4/2012	MW-13	7.34	10.21	2	63.4	2.87	1.5	38
6/15/2012	MW-13	7.32	10.88	2	63.4	3.56	2.5	40.5
6/21/2012	MW-13	7.48	10.63	2	52.9	3.15	2	42.5
7/10/2012	MW-13	7.23	12.01	2	78.4	4.78	2.5	45
8/16/2012	MW-13	7.05	12.08	2	47.6	5.03	2.5	47.5
8/21/2012	MW-13	7.55	11.09	2	38.5	3.54	1.75	49.25
8/30/2012	MW-13	7.64	10.84	2	40.9	3.2	1.5	50.75
9/4/2012	MW-13	7.79	10.42	2	36.4	2.63	1.25	52
9/13/2012	MW-13	8.39	11.37	2	24.9	2.98	0.75	52.75
9/18/2012	MW-13	8.17	10.78	2	22.6	2.61	1.25	54
9/27/2012	MW-13	7.85	10.92	2	21.4	3.07	1.75	55.75
10/4/2012	MW-13	7.71	10.89	2	37.4	3.18	2	57.75
10/11/2012	MW-13	7.80	10.87	2	33.1	3.07	2	59.75
10/16/2012	MW-13	7.81	10.59	2	30.2	2.78	1.75	61.5
Total:								747.41

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.1	0.1
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.1	0.2
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.1	0.3
5/15/2012	MW-2	7.6	7.61	2	223	0.01	0.1	0.4
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.1	0.5
10/4/2012	MW-2	7.51	7.60	2	81	0.09	0.1	0.6
10/11/2012	MW-2	7.55	7.55	2	52.9	0	0.01	0.61
10/16/2012	MW-2	7.54	7.57	2	73.7	0.03	0.01	0.62
10/25/2012	MW-2	7.46	7.46	2	56.2	0	0.01	0.63
11/2/2012	MW-2	ND	5.59	2	17.5	0	0	0.63
11/6/2012	MW-2	ND	6.07	2	29.8	0	0	0.63
11/14/2012	MW-2	6.24	6.24	2	50.6	0	0.01	0.64
11/21/2012	MW-2	6.54	6.54	2	37.5	0	0.01	0.65
11/29/2012	MW-2	6.79	6.79	2	42.8	0	0.01	0.66
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	2
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	2.5
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1	3.5
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.5	4
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0	4
1/26/2012	MW-3	6.8	6.91	2	263	0.11	0.5	4.5
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.5	6
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.5	7.5
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8
3/16/2012	MW-3	7.06	7.06	2	108	0	0	8
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.1	8.1
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.6
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.1	9.7
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.2
5/23/2012	MW-3	6.7	6.73	2	176	0.03	0.1	10.3
5/29/2012	MW-3	6.6	6.63	2	137	0.03	0.1	10.4
6/4/2012	MW-3	6.58	6.61	2	112	0.03	0.1	10.5
6/15/2012	MW-3	6.66	7.11	2	87.7	0.45	0.1	10.6
6/21/2012	MW-3	6.68	6.68	2	160	0	0.01	10.61
7/10/2012	MW-3	6.83	7.31	2	104	0.48	0.75	11.36
8/16/2010	MW-3	6.81	6.83	2	79.2	0.02	0.01	11.37
8/21/2012	MW-3	6.72	7.11	2	50.9	0.39	0.25	11.62
8/30/2012	MW-3	6.76	7.28	2	90.6	0.52	0.5	12.12
9/4/2012	MW-3	6.86	7.02	2	87.1	0.16	0.1	12.22
9/13/2012	MW-3	6.96	7.34	2	78.6	0.38	0.25	12.47
9/18/2012	MW-3	ND	6.99	2	62.4	0	0	12.47
9/27/2012	MW-3	ND	6.88	2	58.9	0	NA	12.47
10/4/2012	MW-3	6.69	7.31	2	24.8	0.62	1	13.47
10/11/2012	MW-3	6.83	6.84	2	38.7	0.01	0.1	13.57
10/16/2012	MW-3	ND	6.86	2	29.6	0	0	13.57
10/25/2012	MW-3	6.81	6.88	2	24.3	0.07	0.01	13.58
11/2/2012	MW-3	ND	4.58	2	34.2	0	0	13.58
11/6/2012	MW-3	5.49	5.51	2	46.3	0	0.01	13.59
11/14/2012	MW-3	5.72	5.79	2	41.5	0	0.01	13.6
11/21/2012	MW-3	6.07	6.11	2	29.4	0.04	0.01	13.61
11/29/2012	MW-3	6.31	6.40	2	32.6	0.09	0.1	13.71

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	2
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	3
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.5	3.5
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.2	13.8	1	39.7	3.6	0.0	4.25
1/26/2012	MW-6	10.09	13.9	1	44.6	3.81	0.5	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.6	0.5	5.25
2/10/2012	MW-6	10.2	13.94	1	46.2	3.74	0.5	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.5	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.5	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.5	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.5	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.5	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.5	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.5	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.5	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.5	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.5	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.5	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.5	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.5	12.25
6/4/2012	MW-6	10.00	13.04	1	46.2	3.04	0.5	12.75
6/15/2012	MW-6	10.04	13.29	1	57.8	3.25	0.5	13.25
6/21/2012	MW-6	9.97	13.44	1	54.8	3.47	0.5	13.75
7/10/2012	MW-6	10.14	13.46	1	39.4	3.32	0.5	14.25
8/16/2012	MW-6	10.13	13.36	1	27	3.23	0.75	15
8/21/2012	MW-6	10.14	13.41	1	25.8	3.27	0.75	15.75
8/30/2012	MW-6	10.20	13.38	1	17.5	3.18	0.5	16.25
9/4/2012	MW-6	10.16	13.42	1	15.9	3.26	0.5	16.75
9/13/2012	MW-6	10.42	13.51	1	10.6	3.09	0.5	17.25
9/18/2012	MW-6	10.42	13.81	1	9.5	3.39	0.5	17.75
9/27/2012	MW-6	10.39	13.72	1	11.3	3.33	0.5	18.25
10/4/2012	MW-6	10.27	13.59	1	20.3	3.32	0.5	18.75
10/11/2012	MW-6	10.33	13.69	1	14.8	3.36	0.5	19.25
10/16/2012	MW-6	10.32	13.64	1	15	3.32	0.5	19.75
10/25/2012	MW-6	10.39	13.42	1	13.4	3.03	0.5	20.25
11/2/2012	MW-6	7.84	10.07	1	22.1	2.23	0.25	20.5
11/6/2021	MW-6	8.13	13.48	1	13.7	5.35	0.75	21.25
11/14/2012	MW-6	8.76	13.8	1	19.5	5.04	0.75	22
11/21/2012	MW-6	9.06	13.88	1	15.2	4.82	0.75	22.75
11/29/2012	MW-6	9.48	14.04	1	13.7	4.56	0.5	23.25

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	1
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.5	2.5
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0	2.5
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.5	3
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0	3
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.5	3.5
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.5	4
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.5	4.5
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.5	5
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.5
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.5	6.5
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.1	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.1
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.6
6/4/2012	MW-7	2.32	3.90	1	66.5	1.58	0.25	7.85
6/15/2012	MW-7	2.63	4.21	1	43.6	1.58	0.25	8.1
6/21/2012	MW-7	2.58	4.2	1	65.3	1.62	0.25	8.35
7/10/2012	MW-7	2.30	4.71	1	70.1	2.41	0.25	8.6
8/16/2012	MW-7	2.58	4.83	1	40.6	2.25	0.5	9.1
8/21/2012	MW-7	2.94	3.87	1	30.3	0.93	0.5	9.6
8/30/2012	MW-7	3.09	4.10	1	22.4	1.01	0.5	10.1
9/4/2012	MW-7	2.97	3.88	1	11.6	0.91	0.5	10.6
9/13/2012	MW-7	3.52	4.28	1	6.3	0.76	0.5	11.1
9/18/2012	MW-7	3.15	4.28	1	8.8	1.13	0.5	11.6
9/27/2012	MW-7	3.18	4.04	1	14.5	0.86	0.5	12.1
10/4/2012	MW-7	3.11	3.83	1	16.9	0.72	0.25	12.35
10/11/2012	MW-7	3.12	3.93	1	15.2	0.81	0.25	12.6
10/16/2012	MW-7	2.88	4.07	1	14.6	1.19	0.25	12.85
10/25/2012	MW-7	3.08	4.33	1	16.5	1.25	0.25	13.1
11/2/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/6/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/14/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/21/2012	MW-7	1.24	2.11	1	27.8	0.87	0.1	13.2
11/29/2012	MW-7	2.02	2.53	1	29.2	0.51	0.1	13.3

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	12
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	26
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16	42
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19	61
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27	88
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28	116
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14	130
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16	146
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15	161
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5	166
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10	176
3/6/2012	MW-8	6.98	10.68	2	106	3.7	9	185
3/16/2012	MW-8	6.59	10.7	2	154	4.11	15	200
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11	211
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21	232
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23	255
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21	276
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23	299
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17	316
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23	339
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22	361
6/4/2012	MW-8	5.98	9.85	2	81.4	3.87	21	382
6/15/2012	MW-8	6.08	9.97	2	96.4	3.89	18	400
6/21/2012	MW-8	6.21	10.18	2	184	3.97	15	415
7/10/2012	MW-8	6.27	10.13	2	74.6	3.86	20	435
8/16/2012	MW-8	6.11	9.30	2	65.9	3.19	22	457
8/21/2012	MW-8	6.40	10.13	2	79.7	3.73	21	478
8/30/2012	MW-8	6.26	9.90	2	98.8	3.64	18	496
9/4/2012	MW-8	6.40	10.14	2	77.2	3.74	18	514
9/13/2012	MW-8	6.90	10.72	2	53.7	3.82	11	525
9/18/2012	MW-8	6.66	10.31	2	45.1	3.65	22	547
9/27/2012	MW-8	6.56	10.07	2	52.8	3.51	23	570
10/4/2012	MW-8	6.46	10.13	2	62.7	3.67	19	589
10/11/2012	MW-8	6.57	10.08	2	75.2	3.51	12	601
10/16/2012	MW-8	6.49	10.03	2	47.1	3.54	18	619
10/25/2012	MW-8	6.44	9.97	2	47.7	3.53	20	639
11/2/2012	MW-8	4.73	7.02	2	91.4	2.29	7	646
11/6/2012	MW-8	4.90	10.21	2	52	5.31	11	657
11/14/2012	MW-8	4.97	10.86	2	68.1	5.89	6	663
11/21/2012	MW-8	5.29	11.38	2	51.6	6.09	5	668
11/29/2012	MW-8	5.66	11.28	2	61.5	5.62	23	691

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	2
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	3.5
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.5	4
1/12/2012	MW-9	6.09	6.2	2	38.9	0.11	0.5	4.5
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0	4.5
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.5	5
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.5	5.5
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.1	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.1
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.1	6.2
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0	0	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.1	6.55
3/27/2012	MW-9	7.91	8.2	2	50.6	0.29	0.1	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.1	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.1	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.1	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.1	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.1	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.1	7.25
6/4/2012	MW-9	6.95	7.11	2	45.8	0.16	0.1	7.35
6/15/2012	MW-9	6.90	7.08	2	48.9	0.18	0.1	7.45
6/21/2012	MW-9	6.99	6.99	2	54.1	0	0.01	7.46
7/10/2012	MW-9	7.14	7.48	2	75.1	0.34	0.1	7.56
8/16/2012	MW-9	7.14	7.43	2	35.2	0.29	0.1	7.66
8/21/2012	MW-9	7.18	7.42	2	22.3	0.24	0.1	7.76
8/30/2012	MW-9	7.31	7.61	2	12.8	0.3	0.1	7.86
9/4/2012	MW-9	7.34	7.49	2	15.3	0.15	0.1	7.96
9/13/2012	MW-9	7.93	8.01	2	11.2	0.08	0.1	8.06
9/18/2012	MW-9	7.74	7.92	2	6.3	0.18	0.1	8.16
9/27/2012	MW-9	7.51	7.65	2	5.1	0.14	0.1	8.26
10/4/2012	MW-9	7.20	7.38	2	29.6	0.18	0.1	8.36
10/11/2012	MW-9	7.24	7.3	2	19.4	0.06	0.1	8.46
10/16/2012	MW-9	7.24	7.4	2	13.4	0.16	0.1	8.56
10/25/2012	MW-9	7.30	7.52	2	17.9	0.22	0.1	8.66
11/2/2012	MW-9	ND	5.07	2	3.6	0	0	8.66
11/6/2012	MW-9	5.68	5.68	2	17.1	0	0.01	8.67
11/14/2012	MW-9	6.06	6.13	2	18.4	0.07	0.01	8.68
11/21/2012	MW-9	6.64	6.79	2	13.1	0.15	0.01	8.69
11/29/2012	MW-9	7.27	7.51	2	15.9	0.24	0.25	8.94

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	2.5
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.1	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.5	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.1
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.5	7.6
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.1	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.2
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.1	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.1	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.5	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.4
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.1	9.5
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.1	9.6
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.1	9.95
6/4/2012	MW-12	7.78	7.80	2	35.3	0.02	0.1	10.05
6/15/2012	MW-12	7.71	9.07	2	39	1.36	0.1	10.15
6/21/2012	MW-12	8.09	8.49	2	40.6	0.4	0.1	10.25
7/10/2012	MW-12	8.06	8.67	2	47.7	0.61	0.1	10.35
8/16/2012	MW-12	7.98	8.85	2	32.5	0.87	0.25	10.6
8/21/2012	MW-12	8.21	8.68	2	17.4	0.47	0.25	10.85
8/31/2012	MW-12	8.14	8.46	2	20.3	0.32	0.1	10.95
9/4/2012	MW-12	8.25	8.53	2	16.9	0.28	0.1	11.05
9/13/2012	MW-12	8.87	9.31	2	16.4	0.44	0.1	11.15
9/18/2012	MW-12	8.53	8.98	2	10.7	0.45	0.1	11.25
9/27/2012	MW-12	8.29	8.76	2	12.3	0.47	0.1	11.35
10/4/2012	MW-12	8.28	8.66	2	16.3	0.38	0.1	11.45
10/11/2012	MW-12	8.38	8.62	2	16.7	0.24	0.1	11.55
10/16/2012	MW-12	8.26	8.51	2	13.9	0.25	0.1	11.65
10/25/2012	MW-12	8.22	8.51	2	12.6	0.29	0.1	11.75
11/2/2012	MW-12	ND	6.51	2	4.3	0	0	11.75
11/6/2012	MW-12	7.01	7.02	2	8.4	0.01	0.01	11.76
11/14/2012	MW-12	7.02	8.89	2	19.3	1.87	0.75	12.51
11/21/2012	MW-12	7.69	8.16	2	9.3	0.47	0.1	12.61
11/29/2012	MW-12	7.87	8.26	2	19.7	0.39	0.1	12.71

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	4
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	7
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3	10
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2	12
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0	12
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.5	13.5
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.5	15
2/10/2012	MW-13	8.02	9.92	2	58.5	1.9	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.5	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.5	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.5
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.5
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1	25.5
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.5	28
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2	30
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.5	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.5	36.5
6/4/2012	MW-13	7.34	10.21	2	63.4	2.87	1.5	38
6/15/2012	MW-13	7.32	10.88	2	63.4	3.56	2.5	40.5
6/21/2012	MW-13	7.48	10.63	2	52.9	3.15	2	42.5
7/10/2012	MW-13	7.23	12.01	2	78.4	4.78	2.5	45
8/16/2012	MW-13	7.05	12.08	2	47.6	5.03	2.5	47.5
8/21/2012	MW-13	7.55	11.09	2	38.5	3.54	1.75	49.25
8/30/2012	MW-13	7.64	10.84	2	40.9	3.2	1.5	50.75
9/4/2012	MW-13	7.79	10.42	2	36.4	2.63	1.25	52
9/13/2012	MW-13	8.39	11.37	2	24.9	2.98	0.75	52.75
9/18/2012	MW-13	8.17	10.78	2	22.6	2.61	1.25	54
9/27/2012	MW-13	7.85	10.92	2	21.4	3.07	1.75	55.75
10/4/2012	MW-13	7.71	10.89	2	37.4	3.18	2	57.75
10/11/2012	MW-13	7.80	10.87	2	33.1	3.07	2	59.75
10/16/2012	MW-13	7.81	10.59	2	30.2	2.78	1.75	61.5
10/25/2012	MW-13	7.74	10.88	2	28.1	3.14	1.75	63.25
11/2/2012	MW-13	6.20	8.62	2	39.8	2.42	0.75	64
11/6/2012	MW-13	6.86	8.71	2	15.6	1.85	0.75	64.75
11/14/2012	MW-13	7.02	8.75	2	26.7	1.73	1.25	66
11/21/2012	MW-13	7.33	9.18	2	18.5	1.85	1.25	67.25
11/29/2012	MW-13	7.60	9.64	2	22.3	2.04	2.04	69.29
Total:							830.82	

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Non detected

NG - Not gauged

1 - Monitoring well MW-7 inaccessible due to flooding in the basement of the warehouse

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.1	0.1
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.1	0.2
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.1	0.3
5/15/2012	MW-2	7.6	7.61	2	223	0.01	0.1	0.4
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.1	0.5
10/4/2012	MW-2	7.51	7.60	2	81	0.09	0.1	0.6
10/11/2012	MW-2	7.55	7.55	2	52.9	0	0.01	0.61
10/16/2012	MW-2	7.54	7.57	2	73.7	0.03	0.01	0.62
10/25/2012	MW-2	7.46	7.46	2	56.2	0	0.01	0.63
11/2/2012	MW-2	ND	5.59	2	17.5	0	0	0.63
11/6/2012	MW-2	ND	6.07	2	29.8	0	0	0.63
11/14/2012	MW-2	6.24	6.24	2	50.6	0	0.01	0.64
11/21/2012	MW-2	6.54	6.54	2	37.5	0	0.01	0.65
11/29/2012	MW-2	6.79	6.79	2	42.8	0	0.01	0.66
12/7/2012	MW-2	ND	7.19	2	36.7	0	0	0.66
12/12/2012	MW-2	ND	7.24	2	41.4	0	0	0.66
12/21/2012	MW-2	ND	6.93	2	44.3	0	0	0.66
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	2
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	2.5
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1	3.5
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.5	4
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0	4
1/26/2012	MW-3	6.8	6.91	2	263	0.11	0.5	4.5
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.5	6
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.5	7.5
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8
3/16/2012	MW-3	7.06	7.06	2	108	0	0	8
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.1	8.1
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.6
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.1	9.7
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.2
5/23/2012	MW-3	6.7	6.73	2	176	0.03	0.1	10.3
5/29/2012	MW-3	6.6	6.63	2	137	0.03	0.1	10.4
6/4/2012	MW-3	6.58	6.61	2	112	0.03	0.1	10.5
6/15/2012	MW-3	6.66	7.11	2	87.7	0.45	0.1	10.6
6/21/2012	MW-3	6.68	6.68	2	160	0	0.01	10.61
7/10/2012	MW-3	6.83	7.31	2	104	0.48	0.75	11.36
8/16/2010	MW-3	6.81	6.83	2	79.2	0.02	0.01	11.37
8/21/2012	MW-3	6.72	7.11	2	50.9	0.39	0.25	11.62
8/30/2012	MW-3	6.76	7.28	2	90.6	0.52	0.5	12.12
9/4/2012	MW-3	6.86	7.02	2	87.1	0.16	0.1	12.22
9/13/2012	MW-3	6.96	7.34	2	78.6	0.38	0.25	12.47
9/18/2012	MW-3	ND	6.99	2	62.4	0	0	12.47
9/27/2012	MW-3	ND	6.88	2	58.9	0	NA	12.47
10/4/2012	MW-3	6.69	7.31	2	24.8	0.62	1	13.47
10/11/2012	MW-3	6.83	6.84	2	38.7	0.01	0.1	13.57
10/16/2012	MW-3	ND	6.86	2	29.6	0	0	13.57
10/25/2012	MW-3	6.81	6.88	2	24.3	0.07	0.01	13.58
11/2/2012	MW-3	ND	4.58	2	34.2	0	0	13.58
11/6/2012	MW-3	5.49	5.51	2	46.3	0	0.01	13.59
11/14/2012	MW-3	5.72	5.79	2	41.5	0	0.01	13.6
11/21/2012	MW-3	6.07	6.11	2	29.4	0.04	0.01	13.61
11/29/2012	MW-3	6.31	6.40	2	32.6	0.09	0.1	13.71
12/7/2012	MW-3	6.51	6.79	2	50.8	0.28	0.1	13.81

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
 5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
 Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/12/2012	MW-3	6.5	6.78	2	42.7	0.28	0.1	13.91
12/21/2012	MW-3	4.91	5.15	2	56.1	0.24	0.01	13.92

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	2
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	3
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.5	3.5
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.2	13.8	1	39.7	3.6	0.0	4.25
1/26/2012	MW-6	10.09	13.9	1	44.6	3.81	0.5	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.6	0.5	5.25
2/10/2012	MW-6	10.2	13.94	1	46.2	3.74	0.5	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.5	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.5	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.5	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.5	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.5	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.5	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.5	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.5	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.5	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.5	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.5	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.5	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.5	12.25
6/4/2012	MW-6	10.00	13.04	1	46.2	3.04	0.5	12.75
6/15/2012	MW-6	10.04	13.29	1	57.8	3.25	0.5	13.25
6/21/2012	MW-6	9.97	13.44	1	54.8	3.47	0.5	13.75
7/10/2012	MW-6	10.14	13.46	1	39.4	3.32	0.5	14.25
8/16/2012	MW-6	10.13	13.36	1	27	3.23	0.75	15
8/21/2012	MW-6	10.14	13.41	1	25.8	3.27	0.75	15.75
8/30/2012	MW-6	10.20	13.38	1	17.5	3.18	0.5	16.25
9/4/2012	MW-6	10.16	13.42	1	15.9	3.26	0.5	16.75
9/13/2012	MW-6	10.42	13.51	1	10.6	3.09	0.5	17.25
9/18/2012	MW-6	10.42	13.81	1	9.5	3.39	0.5	17.75
9/27/2012	MW-6	10.39	13.72	1	11.3	3.33	0.5	18.25
10/4/2012	MW-6	10.27	13.59	1	20.3	3.32	0.5	18.75
10/11/2012	MW-6	10.33	13.69	1	14.8	3.36	0.5	19.25
10/16/2012	MW-6	10.32	13.64	1	15	3.32	0.5	19.75
10/25/2012	MW-6	10.39	13.42	1	13.4	3.03	0.5	20.25
11/2/2012	MW-6	7.84	10.07	1	22.1	2.23	0.25	20.5
11/6/2021	MW-6	8.13	13.48	1	13.7	5.35	0.75	21.25
11/14/2012	MW-6	8.76	13.8	1	19.5	5.04	0.75	22
11/21/2012	MW-6	9.06	13.88	1	15.2	4.82	0.75	22.75
11/29/2012	MW-6	9.48	14.04	1	13.7	4.56	0.5	23.25
12/7/2012	MW-6	9.6	14.07	1	21.4	4.47		
12/12/2012	MW-6	9.8	14.04	1	18.5	4.24		
12/21/2012	MW-6	9.25	13.19	1	17.4	3.94		

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	1
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.5	2.5
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0	2.5
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.5	3
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0	3
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.5	3.5
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.5	4
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.5	4.5
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.5	5
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.5
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.5	6.5
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.1	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.1
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.6
6/4/2012	MW-7	2.32	3.90	1	66.5	1.58	0.25	7.85
6/15/2012	MW-7	2.63	4.21	1	43.6	1.58	0.25	8.1
6/21/2012	MW-7	2.58	4.2	1	65.3	1.62	0.25	8.35
7/10/2012	MW-7	2.30	4.71	1	70.1	2.41	0.25	8.6
8/16/2012	MW-7	2.58	4.83	1	40.6	2.25	0.5	9.1
8/21/2012	MW-7	2.94	3.87	1	30.3	0.93	0.5	9.6
8/30/2012	MW-7	3.09	4.10	1	22.4	1.01	0.5	10.1
9/4/2012	MW-7	2.97	3.88	1	11.6	0.91	0.5	10.6
9/13/2012	MW-7	3.52	4.28	1	6.3	0.76	0.5	11.1
9/18/2012	MW-7	3.15	4.28	1	8.8	1.13	0.5	11.6
9/27/2012	MW-7	3.18	4.04	1	14.5	0.86	0.5	12.1
10/4/2012	MW-7	3.11	3.83	1	16.9	0.72	0.25	12.35
10/11/2012	MW-7	3.12	3.93	1	15.2	0.81	0.25	12.6
10/16/2012	MW-7	2.88	4.07	1	14.6	1.19	0.25	12.85
10/25/2012	MW-7	3.08	4.33	1	16.5	1.25	0.25	13.1
11/2/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/6/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/14/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/21/2012	MW-7	1.24	2.11	1	27.8	0.87	0.1	13.2
11/29/2012	MW-7	2.02	2.53	1	29.2	0.51	0.1	13.3
12/7/2012	MW-7	2.02	2.11	1	15.9			
12/12/2012	MW-7	1.96	2.12	1	10.2			
12/21/2012	MW-7	0.84	1.11	1	43.5			

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	12
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	26
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16	42
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19	61
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27	88
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28	116
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14	130
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16	146
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15	161
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5	166
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10	176
3/6/2012	MW-8	6.98	10.68	2	106	3.7	9	185
3/16/2012	MW-8	6.59	10.7	2	154	4.11	15	200
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11	211
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21	232
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23	255
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21	276
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23	299
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17	316
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23	339
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22	361
6/4/2012	MW-8	5.98	9.85	2	81.4	3.87	21	382
6/15/2012	MW-8	6.08	9.97	2	96.4	3.89	18	400
6/21/2012	MW-8	6.21	10.18	2	184	3.97	15	415
7/10/2012	MW-8	6.27	10.13	2	74.6	3.86	20	435
8/16/2012	MW-8	6.11	9.30	2	65.9	3.19	22	457
8/21/2012	MW-8	6.40	10.13	2	79.7	3.73	21	478
8/30/2012	MW-8	6.26	9.90	2	98.8	3.64	18	496
9/4/2012	MW-8	6.40	10.14	2	77.2	3.74	18	514
9/13/2012	MW-8	6.90	10.72	2	53.7	3.82	11	525
9/18/2012	MW-8	6.66	10.31	2	45.1	3.65	22	547
9/27/2012	MW-8	6.56	10.07	2	52.8	3.51	23	570
10/4/2012	MW-8	6.46	10.13	2	62.7	3.67	19	589
10/11/2012	MW-8	6.57	10.08	2	75.2	3.51	12	601
10/16/2012	MW-8	6.49	10.03	2	47.1	3.54	18	619
10/25/2012	MW-8	6.44	9.97	2	47.7	3.53	20	639
11/2/2012	MW-8	4.73	7.02	2	91.4	2.29	7	646
11/6/2012	MW-8	4.90	10.21	2	52	5.31	11	657
11/14/2012	MW-8	4.97	10.86	2	68.1	5.89	6	663
11/21/2012	MW-8	5.29	11.38	2	51.6	6.09	5	668
11/29/2012	MW-8	5.66	11.28	2	61.5	5.62	23	691
12/7/2012	MW-8	5.75	11.47	2	75.2	5.72		
12/12/2012	MW-8	5.98	11.31	2	66.1	5.33		
12/21/2012	MW-8	4.93	10.66	2	69.5	5.73		

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	2
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	3.5
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.5	4
1/12/2012	MW-9	6.09	6.2	2	38.9	0.11	0.5	4.5
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0	4.5
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.5	5
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.5	5.5
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.1	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.1
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.1	6.2
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0	0	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.1	6.55
3/27/2012	MW-9	7.91	8.2	2	50.6	0.29	0.1	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.1	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.1	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.1	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.1	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.1	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.1	7.25
6/4/2012	MW-9	6.95	7.11	2	45.8	0.16	0.1	7.35
6/15/2012	MW-9	6.90	7.08	2	48.9	0.18	0.1	7.45
6/21/2012	MW-9	6.99	6.99	2	54.1	0	0.01	7.46
7/10/2012	MW-9	7.14	7.48	2	75.1	0.34	0.1	7.56
8/16/2012	MW-9	7.14	7.43	2	35.2	0.29	0.1	7.66
8/21/2012	MW-9	7.18	7.42	2	22.3	0.24	0.1	7.76
8/30/2012	MW-9	7.31	7.61	2	12.8	0.3	0.1	7.86
9/4/2012	MW-9	7.34	7.49	2	15.3	0.15	0.1	7.96
9/13/2012	MW-9	7.93	8.01	2	11.2	0.08	0.1	8.06
9/18/2012	MW-9	7.74	7.92	2	6.3	0.18	0.1	8.16
9/27/2012	MW-9	7.51	7.65	2	5.1	0.14	0.1	8.26
10/4/2012	MW-9	7.20	7.38	2	29.6	0.18	0.1	8.36
10/11/2012	MW-9	7.24	7.3	2	19.4	0.06	0.1	8.46
10/16/2012	MW-9	7.24	7.4	2	13.4	0.16	0.1	8.56
10/25/2012	MW-9	7.30	7.52	2	17.9	0.22	0.1	8.66
11/2/2012	MW-9	ND	5.07	2	3.6	0	0	8.66
11/6/2012	MW-9	5.68	5.68	2	17.1	0	0.01	8.67
11/14/2012	MW-9	6.06	6.13	2	18.4	0.07	0.01	8.68
11/21/2012	MW-9	6.64	6.79	2	13.1	0.15	0.01	8.69
11/29/2012	MW-9	7.27	7.51	2	15.9	0.24	0.25	8.94
12/7/2012	MW-9	7.54	7.78	2	20.3			
12/12/2012	MW-9	7.60	8.56	2	18.6			
12/21/2012	MW-9	6.35	7.24	2	23.6			

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	2.5
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.1	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.5	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.1
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.5	7.6
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.1	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.2
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.1	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.1	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.5	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.4
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.1	9.5
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.1	9.6
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.1	9.95
6/4/2012	MW-12	7.78	7.80	2	35.3	0.02	0.1	10.05
6/15/2012	MW-12	7.71	9.07	2	39	1.36	0.1	10.15
6/21/2012	MW-12	8.09	8.49	2	40.6	0.4	0.1	10.25
7/10/2012	MW-12	8.06	8.67	2	47.7	0.61	0.1	10.35
8/16/2012	MW-12	7.98	8.85	2	32.5	0.87	0.25	10.6
8/21/2012	MW-12	8.21	8.68	2	17.4	0.47	0.25	10.85
8/31/2012	MW-12	8.14	8.46	2	20.3	0.32	0.1	10.95
9/4/2012	MW-12	8.25	8.53	2	16.9	0.28	0.1	11.05
9/13/2012	MW-12	8.87	9.31	2	16.4	0.44	0.1	11.15
9/18/2012	MW-12	8.53	8.98	2	10.7	0.45	0.1	11.25
9/27/2012	MW-12	8.29	8.76	2	12.3	0.47	0.1	11.35
10/4/2012	MW-12	8.28	8.66	2	16.3	0.38	0.1	11.45
10/11/2012	MW-12	8.38	8.62	2	16.7	0.24	0.1	11.55
10/16/2012	MW-12	8.26	8.51	2	13.9	0.25	0.1	11.65
10/25/2012	MW-12	8.22	8.51	2	12.6	0.29	0.1	11.75
11/2/2012	MW-12	ND	6.51	2	4.3	0	0	11.75
11/6/2012	MW-12	7.01	7.02	2	8.4	0.01	0.01	11.76
11/14/2012	MW-12	7.02	8.89	2	19.3	1.87	0.75	12.51
11/21/2012	MW-12	7.69	8.16	2	9.3	0.47	0.1	12.61
11/29/2012	MW-12	7.87	8.26	2	19.7	0.39	0.1	12.71
12/7/2012	MW-12	8.15	8.43	2	22.9			
12/12/2012	MW-12	8.38	8.76	2	21.3			
12/21/2012	MW-12	7.09	7.49	2	14.2			

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	4
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	7
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3	10
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2	12
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0	12
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.5	13.5
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.5	15
2/10/2012	MW-13	8.02	9.92	2	58.5	1.9	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.5	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.5	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.5
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.5
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1	25.5
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.5	28
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2	30
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.5	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.5	36.5
6/4/2012	MW-13	7.34	10.21	2	63.4	2.87	1.5	38
6/15/2012	MW-13	7.32	10.88	2	63.4	3.56	2.5	40.5
6/21/2012	MW-13	7.48	10.63	2	52.9	3.15	2	42.5
7/10/2012	MW-13	7.23	12.01	2	78.4	4.78	2.5	45
8/16/2012	MW-13	7.05	12.08	2	47.6	5.03	2.5	47.5
8/21/2012	MW-13	7.55	11.09	2	38.5	3.54	1.75	49.25
8/30/2012	MW-13	7.64	10.84	2	40.9	3.2	1.5	50.75
9/4/2012	MW-13	7.79	10.42	2	36.4	2.63	1.25	52
9/13/2012	MW-13	8.39	11.37	2	24.9	2.98	0.75	52.75
9/18/2012	MW-13	8.17	10.78	2	22.6	2.61	1.25	54
9/27/2012	MW-13	7.85	10.92	2	21.4	3.07	1.75	55.75
10/4/2012	MW-13	7.71	10.89	2	37.4	3.18	2	57.75
10/11/2012	MW-13	7.80	10.87	2	33.1	3.07	2	59.75
10/16/2012	MW-13	7.81	10.59	2	30.2	2.78	1.75	61.5
10/25/2012	MW-13	7.74	10.88	2	28.1	3.14	1.75	63.25
11/2/2012	MW-13	6.20	8.62	2	39.8	2.42	0.75	64
11/6/2012	MW-13	6.86	8.71	2	15.6	1.85	0.75	64.75
11/14/2012	MW-13	7.02	8.75	2	26.7	1.73	1.25	66
11/21/2012	MW-13	7.33	9.18	2	18.5	1.85	1.25	67.25
11/29/2012	MW-13	7.60	9.64	2	22.3	2.04	2.04	69.29
12/7/2012	MW-13	7.56	10.12	2	27.1	2.56	2.56	71.85
12/12/2012	MW-13	7.79	10.19	2	29.9	2.4	2.40	74.25
12/21/2012	MW-13	6.61	8.94	2	18.7	2.33	2.33	76.58
Total:								831.03

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Non detected

NG - Not gauged

1 - Monitoring well MW-7 inaccessible due to flooding in the basement of the warehouse

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.1	0.1
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.1	0.2
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.1	0.3
5/15/2012	MW-2	7.6	7.61	2	223	0.01	0.1	0.4
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.1	0.5
10/4/2012	MW-2	7.51	7.60	2	81	0.09	0.1	0.6
10/11/2012	MW-2	7.55	7.55	2	52.9	0	0.01	0.61
10/16/2012	MW-2	7.54	7.57	2	73.7	0.03	0.01	0.62
10/25/2012	MW-2	7.46	7.46	2	56.2	0	0.01	0.63
11/2/2012	MW-2	ND	5.59	2	17.5	0	0	0.63
11/6/2012	MW-2	ND	6.07	2	29.8	0	0	0.63
11/14/2012	MW-2	6.24	6.24	2	50.6	0	0.01	0.64
11/21/2012	MW-2	6.54	6.54	2	37.5	0	0.01	0.65
11/29/2012	MW-2	6.79	6.79	2	42.8	0	0.01	0.66
12/7/2012	MW-2	ND	7.19	2	36.7	0	0	0.66
12/12/2012	MW-2	ND	7.24	2	41.4	0	0	0.66
12/21/2012	MW-2	ND	6.93	2	44.3	0	0	0.66
1/4/2013	MW-2	ND	6.92	2	64.1	0	0	0.66
1/18/2013	MW-2	ND	7.34	2	45.7	0	0	0.66
1/31/2013	MW-2	ND	7.51	2	40.2	0	0	0.66
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	2
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	2.5
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1	3.5
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.5	4
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0	4
1/26/2012	MW-3	6.8	6.91	2	263	0.11	0.5	4.5
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.5	6
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.5	7.5
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8
3/16/2012	MW-3	7.06	7.06	2	108	0	0	8
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.1	8.1
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.6
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.1	9.7
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.2
5/23/2012	MW-3	6.7	6.73	2	176	0.03	0.1	10.3
5/29/2012	MW-3	6.6	6.63	2	137	0.03	0.1	10.4
6/4/2012	MW-3	6.58	6.61	2	112	0.03	0.1	10.5
6/15/2012	MW-3	6.66	7.11	2	87.7	0.45	0.1	10.6
6/21/2012	MW-3	6.68	6.68	2	160	0	0.01	10.61
7/10/2012	MW-3	6.83	7.31	2	104	0.48	0.75	11.36
8/16/2010	MW-3	6.81	6.83	2	79.2	0.02	0.01	11.37
8/21/2012	MW-3	6.72	7.11	2	50.9	0.39	0.25	11.62
8/30/2012	MW-3	6.76	7.28	2	90.6	0.52	0.5	12.12
9/4/2012	MW-3	6.86	7.02	2	87.1	0.16	0.1	12.22
9/13/2012	MW-3	6.96	7.34	2	78.6	0.38	0.25	12.47
9/18/2012	MW-3	ND	6.99	2	62.4	0	0	12.47
9/27/2012	MW-3	ND	6.88	2	58.9	0	NA	12.47
10/4/2012	MW-3	6.69	7.31	2	24.8	0.62	1	13.47
10/11/2012	MW-3	6.83	6.84	2	38.7	0.01	0.1	13.57
10/16/2012	MW-3	ND	6.86	2	29.6	0	0	13.57
10/25/2012	MW-3	6.81	6.88	2	24.3	0.07	0.01	13.58
11/2/2012	MW-3	ND	4.58	2	34.2	0	0	13.58
11/6/2012	MW-3	5.49	5.51	2	46.3	0	0.01	13.59
11/14/2012	MW-3	5.72	5.79	2	41.5	0	0.01	13.6

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
11/21/2012	MW-3	6.07	6.11	2	29.4	0.04	0.01	13.61
11/29/2012	MW-3	6.31	6.40	2	32.6	0.09	0.1	13.71
12/7/2012	MW-3	6.51	6.79	2	50.8	0.28	0.1	13.81
12/12/2012	MW-3	6.5	6.78	2	42.7	0.28	0.1	13.91
12/21/2012	MW-3	4.91	5.15	2	56.1	0.24	0.01	13.92
1/4/2013	MW-3	6.32	6.85	2	55.4	0.53	0.25	14.17
1/18/2013	MW-3	6.57	7.16	2	42.8	0.59	0.25	14.42
1/31/2013	MW-3	6.56	6.89	2	32.1	0.33	0.1	14.52

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	2
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	3
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.5	3.5
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.2	13.8	1	39.7	3.6	0.0	4.25
1/26/2012	MW-6	10.09	13.9	1	44.6	3.81	0.5	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.6	0.5	5.25
2/10/2012	MW-6	10.2	13.94	1	46.2	3.74	0.5	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.5	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.5	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.5	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.5	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.5	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.5	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.5	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.5	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.5	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.5	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.5	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.5	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.5	12.25
6/4/2012	MW-6	10.00	13.04	1	46.2	3.04	0.5	12.75
6/15/2012	MW-6	10.04	13.29	1	57.8	3.25	0.5	13.25
6/21/2012	MW-6	9.97	13.44	1	54.8	3.47	0.5	13.75
7/10/2012	MW-6	10.14	13.46	1	39.4	3.32	0.5	14.25
8/16/2012	MW-6	10.13	13.36	1	27	3.23	0.75	15
8/21/2012	MW-6	10.14	13.41	1	25.8	3.27	0.75	15.75
8/30/2012	MW-6	10.20	13.38	1	17.5	3.18	0.5	16.25
9/4/2012	MW-6	10.16	13.42	1	15.9	3.26	0.5	16.75
9/13/2012	MW-6	10.42	13.51	1	10.6	3.09	0.5	17.25
9/18/2012	MW-6	10.42	13.81	1	9.5	3.39	0.5	17.75
9/27/2012	MW-6	10.39	13.72	1	11.3	3.33	0.5	18.25
10/4/2012	MW-6	10.27	13.59	1	20.3	3.32	0.5	18.75
10/11/2012	MW-6	10.33	13.69	1	14.8	3.36	0.5	19.25
10/16/2012	MW-6	10.32	13.64	1	15	3.32	0.5	19.75
10/25/2012	MW-6	10.39	13.42	1	13.4	3.03	0.5	20.25
11/2/2012	MW-6	7.84	10.07	1	22.1	2.23	0.25	20.5
11/6/2021	MW-6	8.13	13.48	1	13.7	5.35	0.75	21.25
11/14/2012	MW-6	8.76	13.8	1	19.5	5.04	0.75	22
11/21/2012	MW-6	9.06	13.88	1	15.2	4.82	0.75	22.75
11/29/2012	MW-6	9.48	14.04	1	13.7	4.56	0.5	23.25
12/7/2012	MW-6	9.6	14.07	1	21.4	4.47		
12/12/2012	MW-6	9.8	14.04	1	18.5	4.24		
12/21/2012	MW-6	9.25	13.19	1	17.4	3.94		
1/4/2013	MW-6	9.85	13.98	1	21.6	4.13		
1/18/2013	MW-6	10.2	14.07	1	14.4	3.87		
1/31/2012	MW-6	10.07	13.82	1	11.1	3.75		

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	1
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.5	2.5
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0	2.5
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.5	3
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0	3
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.5	3.5
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.5	4
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.5	4.5
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.5	5
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.5
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.5	6.5
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.1	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.1
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.6
6/4/2012	MW-7	2.32	3.90	1	66.5	1.58	0.25	7.85
6/15/2012	MW-7	2.63	4.21	1	43.6	1.58	0.25	8.1
6/21/2012	MW-7	2.58	4.2	1	65.3	1.62	0.25	8.35
7/10/2012	MW-7	2.30	4.71	1	70.1	2.41	0.25	8.6
8/16/2012	MW-7	2.58	4.83	1	40.6	2.25	0.5	9.1
8/21/2012	MW-7	2.94	3.87	1	30.3	0.93	0.5	9.6
8/30/2012	MW-7	3.09	4.10	1	22.4	1.01	0.5	10.1
9/4/2012	MW-7	2.97	3.88	1	11.6	0.91	0.5	10.6
9/13/2012	MW-7	3.52	4.28	1	6.3	0.76	0.5	11.1
9/18/2012	MW-7	3.15	4.28	1	8.8	1.13	0.5	11.6
9/27/2012	MW-7	3.18	4.04	1	14.5	0.86	0.5	12.1
10/4/2012	MW-7	3.11	3.83	1	16.9	0.72	0.25	12.35
10/11/2012	MW-7	3.12	3.93	1	15.2	0.81	0.25	12.6
10/16/2012	MW-7	2.88	4.07	1	14.6	1.19	0.25	12.85
10/25/2012	MW-7	3.08	4.33	1	16.5	1.25	0.25	13.1
11/2/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/6/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/14/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/21/2012	MW-7	1.24	2.11	1	27.8	0.87	0.1	13.2
11/29/2012	MW-7	2.02	2.53	1	29.2	0.51	0.1	13.3
12/7/2012	MW-7	2.02	2.11	1	15.9			
12/12/2012	MW-7	1.96	2.12	1	10.2			
12/21/2012	MW-7	0.84	1.11	1	43.5			
4/4/2013	MW-7	1.2	1.97	1	48.2			
1/18/2013	MW-7	1.17	1.62	1	51.6			
1/31/2013	MW-7	1.77	1.12	1	48.4			

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	12
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	26
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16	42
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19	61
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27	88
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28	116
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14	130
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16	146
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15	161
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5	166
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10	176
3/6/2012	MW-8	6.98	10.68	2	106	3.7	9	185
3/16/2012	MW-8	6.59	10.7	2	154	4.11	15	200
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11	211
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21	232
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23	255
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21	276
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23	299
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17	316
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23	339
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22	361
6/4/2012	MW-8	5.98	9.85	2	81.4	3.87	21	382
6/15/2012	MW-8	6.08	9.97	2	96.4	3.89	18	400
6/21/2012	MW-8	6.21	10.18	2	184	3.97	15	415
7/10/2012	MW-8	6.27	10.13	2	74.6	3.86	20	435
8/16/2012	MW-8	6.11	9.30	2	65.9	3.19	22	457
8/21/2012	MW-8	6.40	10.13	2	79.7	3.73	21	478
8/30/2012	MW-8	6.26	9.90	2	98.8	3.64	18	496
9/4/2012	MW-8	6.40	10.14	2	77.2	3.74	18	514
9/13/2012	MW-8	6.90	10.72	2	53.7	3.82	11	525
9/18/2012	MW-8	6.66	10.31	2	45.1	3.65	22	547
9/27/2012	MW-8	6.56	10.07	2	52.8	3.51	23	570
10/4/2012	MW-8	6.46	10.13	2	62.7	3.67	19	589
10/11/2012	MW-8	6.57	10.08	2	75.2	3.51	12	601
10/16/2012	MW-8	6.49	10.03	2	47.1	3.54	18	619
10/25/2012	MW-8	6.44	9.97	2	47.7	3.53	20	639
11/2/2012	MW-8	4.73	7.02	2	91.4	2.29	7	646
11/6/2012	MW-8	4.90	10.21	2	52	5.31	11	657
11/14/2012	MW-8	4.97	10.86	2	68.1	5.89	6	663
11/21/2012	MW-8	5.29	11.38	2	51.6	6.09	5	668
11/29/2012	MW-8	5.66	11.28	2	61.5	5.62	23	691
12/7/2012	MW-8	5.75	11.47	2	75.2	5.72		
12/12/2012	MW-8	5.98	11.31	2	66.1	5.33		
12/21/2012	MW-8	4.93	10.66	2	69.5	5.73		
1/4/2013	MW-8	5.88	11.53	2	77.4	5.65		
1/18/2013	MW-8	6.33	11.41	2	85.2	5.08		
1/13/2013	MW-8	5.99	11.22	2	73.8	5.23		

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	2
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	3.5
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.5	4
1/12/2012	MW-9	6.09	6.2	2	38.9	0.11	0.5	4.5
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0	4.5
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.5	5
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.5	5.5
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.1	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.1
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.1	6.2
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0	0	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.1	6.55
3/27/2012	MW-9	7.91	8.2	2	50.6	0.29	0.1	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.1	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.1	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.1	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.1	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.1	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.1	7.25
6/4/2012	MW-9	6.95	7.11	2	45.8	0.16	0.1	7.35
6/15/2012	MW-9	6.90	7.08	2	48.9	0.18	0.1	7.45
6/21/2012	MW-9	6.99	6.99	2	54.1	0	0.01	7.46
7/10/2012	MW-9	7.14	7.48	2	75.1	0.34	0.1	7.56
8/16/2012	MW-9	7.14	7.43	2	35.2	0.29	0.1	7.66
8/21/2012	MW-9	7.18	7.42	2	22.3	0.24	0.1	7.76
8/30/2012	MW-9	7.31	7.61	2	12.8	0.3	0.1	7.86
9/4/2012	MW-9	7.34	7.49	2	15.3	0.15	0.1	7.96
9/13/2012	MW-9	7.93	8.01	2	11.2	0.08	0.1	8.06
9/18/2012	MW-9	7.74	7.92	2	6.3	0.18	0.1	8.16
9/27/2012	MW-9	7.51	7.65	2	5.1	0.14	0.1	8.26
10/4/2012	MW-9	7.20	7.38	2	29.6	0.18	0.1	8.36
10/11/2012	MW-9	7.24	7.3	2	19.4	0.06	0.1	8.46
10/16/2012	MW-9	7.24	7.4	2	13.4	0.16	0.1	8.56
10/25/2012	MW-9	7.30	7.52	2	17.9	0.22	0.1	8.66
11/2/2012	MW-9	ND	5.07	2	3.6	0	0	8.66
11/6/2012	MW-9	5.68	5.68	2	17.1	0	0.01	8.67
11/14/2012	MW-9	6.06	6.13	2	18.4	0.07	0.01	8.68
11/21/2012	MW-9	6.64	6.79	2	13.1	0.15	0.01	8.69
11/29/2012	MW-9	7.27	7.51	2	15.9	0.24	0.25	8.94
12/7/2012	MW-9	7.54	7.78	2	20.3			
12/12/2012	MW-9	7.60	8.56	2	18.6			
12/21/2012	MW-9	6.35	7.24	2	23.6			
1/4/2013	MW-9	7.09	9.2	2	28.7			
1/18/2013	MW-9	7.40	9.59	2	33.4			
1/31/2013	MW-9	7.06	8.93	2	39.7			

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	2.5
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.1	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.5	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.1
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.5	7.6
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.1	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.2
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.1	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.1	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.5	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.4
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.1	9.5
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.1	9.6
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.1	9.95
6/4/2012	MW-12	7.78	7.80	2	35.3	0.02	0.1	10.05
6/15/2012	MW-12	7.71	9.07	2	39	1.36	0.1	10.15
6/21/2012	MW-12	8.09	8.49	2	40.6	0.4	0.1	10.25
7/10/2012	MW-12	8.06	8.67	2	47.7	0.61	0.1	10.35
8/16/2012	MW-12	7.98	8.85	2	32.5	0.87	0.25	10.6
8/21/2012	MW-12	8.21	8.68	2	17.4	0.47	0.25	10.85
8/31/2012	MW-12	8.14	8.46	2	20.3	0.32	0.1	10.95
9/4/2012	MW-12	8.25	8.53	2	16.9	0.28	0.1	11.05
9/13/2012	MW-12	8.87	9.31	2	16.4	0.44	0.1	11.15
9/18/2012	MW-12	8.53	8.98	2	10.7	0.45	0.1	11.25
9/27/2012	MW-12	8.29	8.76	2	12.3	0.47	0.1	11.35
10/4/2012	MW-12	8.28	8.66	2	16.3	0.38	0.1	11.45
10/11/2012	MW-12	8.38	8.62	2	16.7	0.24	0.1	11.55
10/16/2012	MW-12	8.26	8.51	2	13.9	0.25	0.1	11.65
10/25/2012	MW-12	8.22	8.51	2	12.6	0.29	0.1	11.75
11/2/2012	MW-12	ND	6.51	2	4.3	0	0	11.75
11/6/2012	MW-12	7.01	7.02	2	8.4	0.01	0.01	11.76
11/14/2012	MW-12	7.02	8.89	2	19.3	1.87	0.75	12.51
11/21/2012	MW-12	7.69	8.16	2	9.3	0.47	0.1	12.61
11/29/2012	MW-12	7.87	8.26	2	19.7	0.39	0.1	12.71
12/7/2012	MW-12	8.15	8.43	2	22.9			
12/12/2012	MW-12	8.38	8.76	2	21.3			
12/21/2012	MW-12	7.09	7.49	2	14.2			
1/4/2013	MW-12	9.51	9.66	2	12.2			
1/18/2013	MW-12	9.42	9.76	2	18.6			
1/31/2013	MW-12	9.02	9.04	2	6.4			

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	4
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	7
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3	10
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2	12
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0	12
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.5	13.5
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.5	15
2/10/2012	MW-13	8.02	9.92	2	58.5	1.9	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.5	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.5	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.5
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.5
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1	25.5
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.5	28
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2	30
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.5	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.5	36.5
6/4/2012	MW-13	7.34	10.21	2	63.4	2.87	1.5	38
6/15/2012	MW-13	7.32	10.88	2	63.4	3.56	2.5	40.5
6/21/2012	MW-13	7.48	10.63	2	52.9	3.15	2	42.5
7/10/2012	MW-13	7.23	12.01	2	78.4	4.78	2.5	45
8/16/2012	MW-13	7.05	12.08	2	47.6	5.03	2.5	47.5
8/21/2012	MW-13	7.55	11.09	2	38.5	3.54	1.75	49.25
8/30/2012	MW-13	7.64	10.84	2	40.9	3.2	1.5	50.75
9/4/2012	MW-13	7.79	10.42	2	36.4	2.63	1.25	52
9/13/2012	MW-13	8.39	11.37	2	24.9	2.98	0.75	52.75
9/18/2012	MW-13	8.17	10.78	2	22.6	2.61	1.25	54
9/27/2012	MW-13	7.85	10.92	2	21.4	3.07	1.75	55.75
10/4/2012	MW-13	7.71	10.89	2	37.4	3.18	2	57.75
10/11/2012	MW-13	7.80	10.87	2	33.1	3.07	2	59.75
10/16/2012	MW-13	7.81	10.59	2	30.2	2.78	1.75	61.5
10/25/2012	MW-13	7.74	10.88	2	28.1	3.14	1.75	63.25
11/2/2012	MW-13	6.20	8.62	2	39.8	2.42	0.75	64
11/6/2012	MW-13	6.86	8.71	2	15.6	1.85	0.75	64.75
11/14/2012	MW-13	7.02	8.75	2	26.7	1.73	1.25	66
11/21/2012	MW-13	7.33	9.18	2	18.5	1.85	1.25	67.25
11/29/2012	MW-13	7.60	9.64	2	22.3	2.04	2.04	69.29
12/7/2012	MW-13	7.56	10.12	2	27.1	2.56	2.56	71.85
12/12/2012	MW-13	7.79	10.19	2	29.9	2.4	2.40	74.25
12/21/2012	MW-13	6.61	8.94	2	18.7	2.33	2.33	76.58
1/4/2013	MW-13	7.61	10.68	2	27.3	3.07	3.07	79.65
1/18/2013	MW-13	7.63	11.68	2	30.1	4.05	4.05	83.70
1/31/2013	MW-13	7.15	11.18	2	27.9	4.03	4.03	87.73
Total:								831.63

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Non detected

NG - Not gauged

1 - Monitoring well MW-7 inaccessible due to flooding in the basement of the warehouse

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.1	0.1
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.1	0.2
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.1	0.3
5/15/2012	MW-2	7.6	7.61	2	223	0.01	0.1	0.4
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.1	0.5
10/4/2012	MW-2	7.51	7.60	2	81	0.09	0.1	0.6
10/11/2012	MW-2	7.55	7.55	2	52.9	0	0.01	0.61
10/16/2012	MW-2	7.54	7.57	2	73.7	0.03	0.01	0.62
10/25/2012	MW-2	7.46	7.46	2	56.2	0	0.01	0.63
11/2/2012	MW-2	ND	5.59	2	17.5	0	0	0.63
11/6/2012	MW-2	ND	6.07	2	29.8	0	0	0.63
11/14/2012	MW-2	6.24	6.24	2	50.6	0	0.01	0.64
11/21/2012	MW-2	6.54	6.54	2	37.5	0	0.01	0.65
11/29/2012	MW-2	6.79	6.79	2	42.8	0	0.01	0.66
12/7/2012	MW-2	ND	7.19	2	36.7	0	0	0.66
12/12/2012	MW-2	ND	7.24	2	41.4	0	0	0.66
12/21/2012	MW-2	ND	6.93	2	44.3	0	0	0.66
1/4/2013	MW-2	ND	6.92	2	64.1	0	0	0.66
1/18/2013	MW-2	ND	7.34	2	45.7	0	0	0.66
1/31/2013	MW-2	ND	7.51	2	40.2	0	0	0.66
2/14/2013	MW-2	ND	7.48	2	26.2	0	0	0.66

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	2
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	2.5
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1	3.5
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.5	4
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0	4
1/26/2012	MW-3	6.8	6.91	2	263	0.11	0.5	4.5
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.5	6
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.5	7.5
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8
3/16/2012	MW-3	7.06	7.06	2	108	0	0	8
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.1	8.1
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.6
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.1	9.7
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.2
5/23/2012	MW-3	6.7	6.73	2	176	0.03	0.1	10.3
5/29/2012	MW-3	6.6	6.63	2	137	0.03	0.1	10.4
6/4/2012	MW-3	6.58	6.61	2	112	0.03	0.1	10.5
6/15/2012	MW-3	6.66	7.11	2	87.7	0.45	0.1	10.6
6/21/2012	MW-3	6.68	6.68	2	160	0	0.01	10.61
7/10/2012	MW-3	6.83	7.31	2	104	0.48	0.75	11.36
8/16/2010	MW-3	6.81	6.83	2	79.2	0.02	0.01	11.37
8/21/2012	MW-3	6.72	7.11	2	50.9	0.39	0.25	11.62
8/30/2012	MW-3	6.76	7.28	2	90.6	0.52	0.5	12.12
9/4/2012	MW-3	6.86	7.02	2	87.1	0.16	0.1	12.22
9/13/2012	MW-3	6.96	7.34	2	78.6	0.38	0.25	12.47
9/18/2012	MW-3	ND	6.99	2	62.4	0	0	12.47
9/27/2012	MW-3	ND	6.88	2	58.9	0	NA	12.47
10/4/2012	MW-3	6.69	7.31	2	24.8	0.62	1	13.47
10/11/2012	MW-3	6.83	6.84	2	38.7	0.01	0.1	13.57
10/16/2012	MW-3	ND	6.86	2	29.6	0	0	13.57
10/25/2012	MW-3	6.81	6.88	2	24.3	0.07	0.01	13.58
11/2/2012	MW-3	ND	4.58	2	34.2	0	0	13.58
11/6/2012	MW-3	5.49	5.51	2	46.3	0	0.01	13.59
11/14/2012	MW-3	5.72	5.79	2	41.5	0	0.01	13.6
11/21/2012	MW-3	6.07	6.11	2	29.4	0.04	0.01	13.61
11/29/2012	MW-3	6.31	6.40	2	32.6	0.09	0.1	13.71
12/7/2012	MW-3	6.51	6.79	2	50.8	0.28	0.1	13.81
12/12/2012	MW-3	6.50	6.78	2	42.7	0.28	0.1	13.91
12/21/2012	MW-3	4.91	5.15	2	56.1	0.24	0.01	13.92
1/4/2013	MW-3	6.32	6.85	2	55.4	0.53	0.25	14.17
1/18/2013	MW-3	6.57	7.16	2	42.8	0.59	0.25	14.42
1/31/2013	MW-3	6.56	6.89	2	32.1	0.33	0.1	14.52
2/14/2013	MW-3	6.42	7.11	2	43.7	0.69	0.25	14.77

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	2
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	3
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.5	3.5
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.2	13.8	1	39.7	3.6	0.0	4.25
1/26/2012	MW-6	10.09	13.9	1	44.6	3.81	0.5	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.6	0.5	5.25
2/10/2012	MW-6	10.2	13.94	1	46.2	3.74	0.5	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.5	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.5	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.5	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.5	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.5	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.5	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.5	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.5	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.5	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.5	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.5	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.5	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.5	12.25
6/4/2012	MW-6	10.00	13.04	1	46.2	3.04	0.5	12.75
6/15/2012	MW-6	10.04	13.29	1	57.8	3.25	0.5	13.25
6/21/2012	MW-6	9.97	13.44	1	54.8	3.47	0.5	13.75
7/10/2012	MW-6	10.14	13.46	1	39.4	3.32	0.5	14.25
8/16/2012	MW-6	10.13	13.36	1	27	3.23	0.75	15
8/21/2012	MW-6	10.14	13.41	1	25.8	3.27	0.75	15.75
8/30/2012	MW-6	10.20	13.38	1	17.5	3.18	0.5	16.25
9/4/2012	MW-6	10.16	13.42	1	15.9	3.26	0.5	16.75
9/13/2012	MW-6	10.42	13.51	1	10.6	3.09	0.5	17.25
9/18/2012	MW-6	10.42	13.81	1	9.5	3.39	0.5	17.75
9/27/2012	MW-6	10.39	13.72	1	11.3	3.33	0.5	18.25
10/4/2012	MW-6	10.27	13.59	1	20.3	3.32	0.5	18.75
10/11/2012	MW-6	10.33	13.69	1	14.8	3.36	0.5	19.25
10/16/2012	MW-6	10.32	13.64	1	15	3.32	0.5	19.75
10/25/2012	MW-6	10.39	13.42	1	13.4	3.03	0.5	20.25
11/2/2012	MW-6	7.84	10.07	1	22.1	2.23	0.25	20.5
11/6/2012	MW-6	8.13	13.48	1	13.7	5.35	0.75	21.25
11/14/2012	MW-6	8.76	13.80	1	19.5	5.04	0.75	22
11/21/2012	MW-6	9.06	13.88	1	15.2	4.82	0.75	22.75
11/29/2012	MW-6	9.48	14.04	1	13.7	4.56	0.5	23.25
12/7/2012	MW-6	9.60	14.07	1	21.4	4.47	0.5	23.75
12/12/2012	MW-6	9.80	14.04	1	18.5	4.24	0.5	24.25
12/21/2012	MW-6	9.25	13.19	1	17.4	3.94	0.5	24.75
1/4/2013	MW-6	9.85	13.98	1	21.6	4.13	0.5	25.25
1/18/2013	MW-6	10.20	14.07	1	14.4	3.87	0.5	25.75
1/31/2013	MW-6	10.07	13.82	1	11.1	3.75	0.5	26.25
2/14/2013	MW-6	10.21	13.82	1	18.4	3.61	0.5	26.75

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	1
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.5	2.5
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0	2.5
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.5	3
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0	3
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.5	3.5
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.5	4
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.5	4.5
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.5	5
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.5
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.5	6.5
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.1	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.1
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.6
6/4/2012	MW-7	2.32	3.90	1	66.5	1.58	0.25	7.85
6/15/2012	MW-7	2.63	4.21	1	43.6	1.58	0.25	8.1
6/21/2012	MW-7	2.58	4.2	1	65.3	1.62	0.25	8.35
7/10/2012	MW-7	2.30	4.71	1	70.1	2.41	0.25	8.6
8/16/2012	MW-7	2.58	4.83	1	40.6	2.25	0.5	9.1
8/21/2012	MW-7	2.94	3.87	1	30.3	0.93	0.5	9.6
8/30/2012	MW-7	3.09	4.10	1	22.4	1.01	0.5	10.1
9/4/2012	MW-7	2.97	3.88	1	11.6	0.91	0.5	10.6
9/13/2012	MW-7	3.52	4.28	1	6.3	0.76	0.5	11.1
9/18/2012	MW-7	3.15	4.28	1	8.8	1.13	0.5	11.6
9/27/2012	MW-7	3.18	4.04	1	14.5	0.86	0.5	12.1
10/4/2012	MW-7	3.11	3.83	1	16.9	0.72	0.25	12.35
10/11/2012	MW-7	3.12	3.93	1	15.2	0.81	0.25	12.6
10/16/2012	MW-7	2.88	4.07	1	14.6	1.19	0.25	12.85
10/25/2012	MW-7	3.08	4.33	1	16.5	1.25	0.25	13.1
11/2/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/6/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/14/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/21/2012	MW-7	1.24	2.11	1	27.8	0.87	0.1	13.2
11/29/2012	MW-7	2.02	2.53	1	29.2	0.51	0.1	13.3
12/7/2012	MW-7	2.02	2.11	1	15.9	0.09	0.1	13.4
12/12/2012	MW-7	1.96	2.12	1	10.2	0.16	0.1	13.5
12/21/2012	MW-7	0.84	1.11	1	43.5	0.27	0.1	13.6
1/4/2013	MW-7	1.20	1.97	1	48.2	0.77	0.1	13.7
1/18/2013	MW-7	1.17	1.62	1	51.6	0.45	0.1	13.8
1/31/2013	MW-7	1.12	1.77	1	48.4	0.65	0.1	13.9
2/14/2013	MW-7	1.10	1.14	1	46.2	0.04	0.1	14

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	12
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	26
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16	42
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19	61
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27	88
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28	116
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14	130
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16	146
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15	161
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5	166
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10	176
3/6/2012	MW-8	6.98	10.68	2	106	3.7	9	185
3/16/2012	MW-8	6.59	10.7	2	154	4.11	15	200
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11	211
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21	232
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23	255
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21	276
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23	299
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17	316
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23	339
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22	361
6/4/2012	MW-8	5.98	9.85	2	81.4	3.87	21	382
6/15/2012	MW-8	6.08	9.97	2	96.4	3.89	18	400
6/21/2012	MW-8	6.21	10.18	2	184	3.97	15	415
7/10/2012	MW-8	6.27	10.13	2	74.6	3.86	20	435
8/16/2012	MW-8	6.11	9.30	2	65.9	3.19	22	457
8/21/2012	MW-8	6.40	10.13	2	79.7	3.73	21	478
8/30/2012	MW-8	6.26	9.90	2	98.8	3.64	18	496
9/4/2012	MW-8	6.40	10.14	2	77.2	3.74	18	514
9/13/2012	MW-8	6.90	10.72	2	53.7	3.82	11	525
9/18/2012	MW-8	6.66	10.31	2	45.1	3.65	22	547
9/27/2012	MW-8	6.56	10.07	2	52.8	3.51	23	570
10/4/2012	MW-8	6.46	10.13	2	62.7	3.67	19	589
10/11/2012	MW-8	6.57	10.08	2	75.2	3.51	12	601
10/16/2012	MW-8	6.49	10.03	2	47.1	3.54	18	619
10/25/2012	MW-8	6.44	9.97	2	47.7	3.53	20	639
11/2/2012	MW-8	4.73	7.02	2	91.4	2.29	7	646
11/6/2012	MW-8	4.90	10.21	2	52	5.31	11	657
11/14/2012	MW-8	4.97	10.86	2	68.1	5.89	6	663
11/21/2012	MW-8	5.29	11.38	2	51.6	6.09	5	668
11/29/2012	MW-8	5.66	11.28	2	61.5	5.62	23	691
12/7/2012	MW-8	5.75	11.47	2	75.2	5.72	22	713
12/12/2012	MW-8	5.98	11.31	2	66.1	5.33	5	718
12/21/2012	MW-8	4.93	10.66	2	69.5	5.73	7	725
1/4/2013	MW-8	5.88	11.53	2	77.4	5.65	4	729
1/18/2013	MW-8	6.33	11.41	2	85.2	5.08	20	749
1/31/2013	MW-8	5.99	11.22	2	73.8	5.23	20	769
2/14/2013	MW-8	6.29	10.93	2	57.1	4.64	20	789

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	2
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	3.5
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.5	4
1/12/2012	MW-9	6.09	6.2	2	38.9	0.11	0.5	4.5
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0	4.5
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.5	5
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.5	5.5
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.1	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.1
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.1	6.2
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0	0	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.1	6.55
3/27/2012	MW-9	7.91	8.2	2	50.6	0.29	0.1	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.1	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.1	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.1	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.1	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.1	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.1	7.25
6/4/2012	MW-9	6.95	7.11	2	45.8	0.16	0.1	7.35
6/15/2012	MW-9	6.90	7.08	2	48.9	0.18	0.1	7.45
6/21/2012	MW-9	6.99	6.99	2	54.1	0	0.01	7.46
7/10/2012	MW-9	7.14	7.48	2	75.1	0.34	0.1	7.56
8/16/2012	MW-9	7.14	7.43	2	35.2	0.29	0.1	7.66
8/21/2012	MW-9	7.18	7.42	2	22.3	0.24	0.1	7.76
8/30/2012	MW-9	7.31	7.61	2	12.8	0.3	0.1	7.86
9/4/2012	MW-9	7.34	7.49	2	15.3	0.15	0.1	7.96
9/13/2012	MW-9	7.93	8.01	2	11.2	0.08	0.1	8.06
9/18/2012	MW-9	7.74	7.92	2	6.3	0.18	0.1	8.16
9/27/2012	MW-9	7.51	7.65	2	5.1	0.14	0.1	8.26
10/4/2012	MW-9	7.20	7.38	2	29.6	0.18	0.1	8.36
10/11/2012	MW-9	7.24	7.3	2	19.4	0.06	0.1	8.46
10/16/2012	MW-9	7.24	7.4	2	13.4	0.16	0.1	8.56
10/25/2012	MW-9	7.30	7.52	2	17.9	0.22	0.1	8.66
11/2/2012	MW-9	ND	5.07	2	3.6	0	0	8.66
11/6/2012	MW-9	5.68	5.68	2	17.1	0	0.01	8.67
11/14/2012	MW-9	6.06	6.13	2	18.4	0.07	0.01	8.68
11/21/2012	MW-9	6.64	6.79	2	13.1	0.15	0.01	8.69
11/29/2012	MW-9	7.27	7.51	2	15.9	0.24	0.25	8.94
12/7/2012	MW-9	7.54	7.78	2	20.3	0.24	0.01	8.95
12/12/2012	MW-9	7.60	8.56	2	18.6	0.96	1	9.95
12/21/2012	MW-9	6.35	7.24	2	23.6	0.89	0.5	10.45
1/4/2013	MW-9	7.09	9.2	2	28.7	2.11	0.75	11.2
1/18/2013	MW-9	7.40	9.59	2	33.4	2.19	1	12.2
1/31/2013	MW-9	7.06	8.93	2	39.7	1.87	0.5	12.7
2/14/2013	MW-9	7.04	9.58	2	41.5	2.54	1	13.7

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	2.5
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.1	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.5	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.1
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.5	7.6
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.1	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.2
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.1	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.1	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.5	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.4
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.1	9.5
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.1	9.6
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.1	9.95
6/4/2012	MW-12	7.78	7.80	2	35.3	0.02	0.1	10.05
6/15/2012	MW-12	7.71	9.07	2	39	1.36	0.1	10.15
6/21/2012	MW-12	8.09	8.49	2	40.6	0.4	0.1	10.25
7/10/2012	MW-12	8.06	8.67	2	47.7	0.61	0.1	10.35
8/16/2012	MW-12	7.98	8.85	2	32.5	0.87	0.25	10.6
8/21/2012	MW-12	8.21	8.68	2	17.4	0.47	0.25	10.85
8/31/2012	MW-12	8.14	8.46	2	20.3	0.32	0.1	10.95
9/4/2012	MW-12	8.25	8.53	2	16.9	0.28	0.1	11.05
9/13/2012	MW-12	8.87	9.31	2	16.4	0.44	0.1	11.15
9/18/2012	MW-12	8.53	8.98	2	10.7	0.45	0.1	11.25
9/27/2012	MW-12	8.29	8.76	2	12.3	0.47	0.1	11.35
10/4/2012	MW-12	8.28	8.66	2	16.3	0.38	0.1	11.45
10/11/2012	MW-12	8.38	8.62	2	16.7	0.24	0.1	11.55
10/16/2012	MW-12	8.26	8.51	2	13.9	0.25	0.1	11.65
10/25/2012	MW-12	8.22	8.51	2	12.6	0.29	0.1	11.75
11/2/2012	MW-12	ND	6.51	2	4.3	0	0	11.75
11/6/2012	MW-12	7.01	7.02	2	8.4	0.01	0.01	11.76
11/14/2012	MW-12	7.02	8.89	2	19.3	1.87	0.75	12.51
11/21/2012	MW-12	7.69	8.16	2	9.3	0.47	0.1	12.61
11/29/2012	MW-12	7.87	8.26	2	19.7	0.39	0.1	12.71
12/7/2012	MW-12	8.15	8.43	2	22.9	0.28	0.1	12.81
12/12/2012	MW-12	8.38	8.76	2	21.3	0.38	0.1	12.91
12/21/2012	MW-12	7.09	7.49	2	14.2	0.40	0.1	13.01
1/4/2013	MW-12	9.51	9.66	2	12.2	0.15	0.1	13.11
1/18/2013	MW-12	9.42	9.76	2	18.6	0.34	0.1	13.21
1/31/2013	MW-12	9.02	9.04	2	6.4	0.02	0.1	13.31
2/14/2013	MW-12	9.13	9.41	2	5.7	0.28	0.1	13.41

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	4
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	7
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3	10
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2	12
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0	12
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.5	13.5
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.5	15
2/10/2012	MW-13	8.02	9.92	2	58.5	1.9	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.5	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.5	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.5
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.5
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1	25.5
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.5	28
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2	30
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.5	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.5	36.5
6/4/2012	MW-13	7.34	10.21	2	63.4	2.87	1.5	38
6/15/2012	MW-13	7.32	10.88	2	63.4	3.56	2.5	40.5
6/21/2012	MW-13	7.48	10.63	2	52.9	3.15	2	42.5
7/10/2012	MW-13	7.23	12.01	2	78.4	4.78	2.5	45
8/16/2012	MW-13	7.05	12.08	2	47.6	5.03	2.5	47.5
8/21/2012	MW-13	7.55	11.09	2	38.5	3.54	1.75	49.25
8/30/2012	MW-13	7.64	10.84	2	40.9	3.2	1.5	50.75
9/4/2012	MW-13	7.79	10.42	2	36.4	2.63	1.25	52
9/13/2012	MW-13	8.39	11.37	2	24.9	2.98	0.75	52.75
9/18/2012	MW-13	8.17	10.78	2	22.6	2.61	1.25	54
9/27/2012	MW-13	7.85	10.92	2	21.4	3.07	1.75	55.75
10/4/2012	MW-13	7.71	10.89	2	37.4	3.18	2	57.75
10/11/2012	MW-13	7.80	10.87	2	33.1	3.07	2	59.75
10/16/2012	MW-13	7.81	10.59	2	30.2	2.78	1.75	61.5
10/25/2012	MW-13	7.74	10.88	2	28.1	3.14	1.75	63.25
11/2/2012	MW-13	6.20	8.62	2	39.8	2.42	0.75	64
11/6/2012	MW-13	6.86	8.71	2	15.6	1.85	0.75	64.75
11/14/2012	MW-13	7.02	8.75	2	26.7	1.73	1.25	66
11/21/2012	MW-13	7.33	9.18	2	18.5	1.85	1.25	67.25
11/29/2012	MW-13	7.60	9.64	2	22.3	2.04	2.04	69.29
12/7/2012	MW-13	7.56	10.12	2	27.1	2.56	1.50	70.79
12/12/2012	MW-13	7.79	10.19	2	29.9	2.4	1.25	72.04
12/21/2012	MW-13	6.61	8.94	2	18.7	2.33	1.00	73.04
1/4/2013	MW-13	7.61	10.68	2	27.3	3.07	1.50	74.54
1/18/2013	MW-13	7.63	11.68	2	30.1	4.05	1.75	76.29
1/31/2013	MW-13	7.15	11.18	2	27.9	4.03	1.50	77.79
2/14/2013	MW-13	7.37	11.81	2	22.6	4.44	1.75	79.54
Total:								951.83

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Non detected

NG - Not gauged

1 - Monitoring well MW-7 inaccessible due to flooding in the basement of the warehouse

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.1	0.1
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.1	0.2
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.1	0.3
5/15/2012	MW-2	7.6	7.61	2	223	0.01	0.1	0.4
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.1	0.5
10/4/2012	MW-2	7.51	7.60	2	81	0.09	0.1	0.6
10/11/2012	MW-2	7.55	7.55	2	52.9	0	0.01	0.61
10/16/2012	MW-2	7.54	7.57	2	73.7	0.03	0.01	0.62
10/25/2012	MW-2	7.46	7.46	2	56.2	0	0.01	0.63
11/2/2012	MW-2	ND	5.59	2	17.5	0	0	0.63
11/6/2012	MW-2	ND	6.07	2	29.8	0	0	0.63
11/14/2012	MW-2	6.24	6.24	2	50.6	0	0.01	0.64
11/21/2012	MW-2	6.54	6.54	2	37.5	0	0.01	0.65
11/29/2012	MW-2	6.79	6.79	2	42.8	0	0.01	0.66
12/7/2012	MW-2	ND	7.19	2	36.7	0	0	0.66
12/12/2012	MW-2	ND	7.24	2	41.4	0	0	0.66
12/21/2012	MW-2	ND	6.93	2	44.3	0	0	0.66
1/4/2013	MW-2	ND	6.92	2	64.1	0	0	0.66
1/18/2013	MW-2	ND	7.34	2	45.7	0	0	0.66
1/31/2013	MW-2	ND	7.51	2	40.2	0	0	0.66
2/14/2013	MW-2	ND	7.48	2	26.2	0	0	0.66
2/28/2013	MW-2	ND	7.27	2	NR	0	0	0.66
3/12/2013	MW-2	ND	7.16	2	NR	0	0	0.66
3/29/2013	MW-2	ND	7.46	2	NR	0	0	0.66

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	2
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	2.5
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1	3.5
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.5	4
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0	4
1/26/2012	MW-3	6.8	6.91	2	263	0.11	0.5	4.5
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.5	6
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.5	7.5
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8
3/16/2012	MW-3	7.06	7.06	2	108	0	0	8
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.1	8.1
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.6
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.1	9.7
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.2
5/23/2012	MW-3	6.7	6.73	2	176	0.03	0.1	10.3
5/29/2012	MW-3	6.6	6.63	2	137	0.03	0.1	10.4
6/4/2012	MW-3	6.58	6.61	2	112	0.03	0.1	10.5
6/15/2012	MW-3	6.66	7.11	2	87.7	0.45	0.1	10.6
6/21/2012	MW-3	6.68	6.68	2	160	0	0.01	10.61
7/10/2012	MW-3	6.83	7.31	2	104	0.48	0.75	11.36
8/16/2010	MW-3	6.81	6.83	2	79.2	0.02	0.01	11.37
8/21/2012	MW-3	6.72	7.11	2	50.9	0.39	0.25	11.62
8/30/2012	MW-3	6.76	7.28	2	90.6	0.52	0.5	12.12
9/4/2012	MW-3	6.86	7.02	2	87.1	0.16	0.1	12.22
9/13/2012	MW-3	6.96	7.34	2	78.6	0.38	0.25	12.47
9/18/2012	MW-3	ND	6.99	2	62.4	0	0	12.47
9/27/2012	MW-3	ND	6.88	2	58.9	0	NA	12.47
10/4/2012	MW-3	6.69	7.31	2	24.8	0.62	1	13.47
10/11/2012	MW-3	6.83	6.84	2	38.7	0.01	0.1	13.57
10/16/2012	MW-3	ND	6.86	2	29.6	0	0	13.57
10/25/2012	MW-3	6.81	6.88	2	24.3	0.07	0.01	13.58
11/2/2012	MW-3	ND	4.58	2	34.2	0	0	13.58
11/6/2012	MW-3	5.49	5.51	2	46.3	0	0.01	13.59
11/14/2012	MW-3	5.72	5.79	2	41.5	0	0.01	13.6
11/21/2012	MW-3	6.07	6.11	2	29.4	0.04	0.01	13.61
11/29/2012	MW-3	6.31	6.40	2	32.6	0.09	0.1	13.71
12/7/2012	MW-3	6.51	6.79	2	50.8	0.28	0.1	13.81
12/12/2012	MW-3	6.50	6.78	2	42.7	0.28	0.1	13.91
12/21/2012	MW-3	4.91	5.15	2	56.1	0.24	0.01	13.92
1/4/2013	MW-3	6.32	6.85	2	55.4	0.53	0.25	14.17
1/18/2013	MW-3	6.57	7.16	2	42.8	0.59	0.25	14.42
1/31/2013	MW-3	6.56	6.89	2	32.1	0.33	0.1	14.52
2/14/2013	MW-3	6.42	7.11	2	43.7	0.69	0.25	14.77
2/28/2013	MW-3	6.32	6.59	2	NR	0.27	0.1	14.87
3/12/2013	MW-3	6.46	6.61	2	NR	0.15	0.1	14.97
3/29/2013	MW-3	6.45	6.86	2	NR	0.41	0.1	15.07

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	2
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	3
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.5	3.5
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.2	13.8	1	39.7	3.6	0.0	4.25
1/26/2012	MW-6	10.09	13.9	1	44.6	3.81	0.5	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.6	0.5	5.25
2/10/2012	MW-6	10.2	13.94	1	46.2	3.74	0.5	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.5	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.5	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.5	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.5	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.5	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.5	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.5	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.5	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.5	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.5	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.5	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.5	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.5	12.25
6/4/2012	MW-6	10.00	13.04	1	46.2	3.04	0.5	12.75
6/15/2012	MW-6	10.04	13.29	1	57.8	3.25	0.5	13.25
6/21/2012	MW-6	9.97	13.44	1	54.8	3.47	0.5	13.75
7/10/2012	MW-6	10.14	13.46	1	39.4	3.32	0.5	14.25
8/16/2012	MW-6	10.13	13.36	1	27	3.23	0.75	15
8/21/2012	MW-6	10.14	13.41	1	25.8	3.27	0.75	15.75
8/30/2012	MW-6	10.20	13.38	1	17.5	3.18	0.5	16.25
9/4/2012	MW-6	10.16	13.42	1	15.9	3.26	0.5	16.75
9/13/2012	MW-6	10.42	13.51	1	10.6	3.09	0.5	17.25
9/18/2012	MW-6	10.42	13.81	1	9.5	3.39	0.5	17.75
9/27/2012	MW-6	10.39	13.72	1	11.3	3.33	0.5	18.25
10/4/2012	MW-6	10.27	13.59	1	20.3	3.32	0.5	18.75
10/11/2012	MW-6	10.33	13.69	1	14.8	3.36	0.5	19.25
10/16/2012	MW-6	10.32	13.64	1	15	3.32	0.5	19.75
10/25/2012	MW-6	10.39	13.42	1	13.4	3.03	0.5	20.25
11/2/2012	MW-6	7.84	10.07	1	22.1	2.23	0.25	20.5
11/6/2021	MW-6	8.13	13.48	1	13.7	5.35	0.75	21.25
11/14/2012	MW-6	8.76	13.80	1	19.5	5.04	0.75	22
11/21/2012	MW-6	9.06	13.88	1	15.2	4.82	0.75	22.75
11/29/2012	MW-6	9.48	14.04	1	13.7	4.56	0.5	23.25
12/7/2012	MW-6	9.60	14.07	1	21.4	4.47	0.5	23.75
12/12/2012	MW-6	9.80	14.04	1	18.5	4.24	0.5	24.25
12/21/2012	MW-6	9.25	13.19	1	17.4	3.94	0.5	24.75
1/4/2013	MW-6	9.85	13.98	1	21.6	4.13	0.5	25.25
1/18/2013	MW-6	10.20	14.07	1	14.4	3.87	0.5	25.75
1/31/2013	MW-6	10.07	13.82	1	11.1	3.75	0.5	26.25
2/14/2013	MW-6	10.21	13.82	1	18.4	3.61	0.5	26.75
2/28/2013	MW-6	9.87	13.18	1	NR	3.31	0.1	26.85
3/12/2013	MW-6	9.8	13.29	1	NR	3.49	0.5	27.35
3/29/2013	MW-6	10.11	13.73	1	NR	3.62	0.5	27.85

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	1
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.5	2.5
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0	2.5
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.5	3
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0	3
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.5	3.5
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.5	4
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.5	4.5
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.5	5
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.5
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.5	6.5
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.1	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.1
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.6
6/4/2012	MW-7	2.32	3.90	1	66.5	1.58	0.25	7.85
6/15/2012	MW-7	2.63	4.21	1	43.6	1.58	0.25	8.1
6/21/2012	MW-7	2.58	4.2	1	65.3	1.62	0.25	8.35
7/10/2012	MW-7	2.30	4.71	1	70.1	2.41	0.25	8.6
8/16/2012	MW-7	2.58	4.83	1	40.6	2.25	0.5	9.1
8/21/2012	MW-7	2.94	3.87	1	30.3	0.93	0.5	9.6
8/30/2012	MW-7	3.09	4.10	1	22.4	1.01	0.5	10.1
9/4/2012	MW-7	2.97	3.88	1	11.6	0.91	0.5	10.6
9/13/2012	MW-7	3.52	4.28	1	6.3	0.76	0.5	11.1
9/18/2012	MW-7	3.15	4.28	1	8.8	1.13	0.5	11.6
9/27/2012	MW-7	3.18	4.04	1	14.5	0.86	0.5	12.1
10/4/2012	MW-7	3.11	3.83	1	16.9	0.72	0.25	12.35
10/11/2012	MW-7	3.12	3.93	1	15.2	0.81	0.25	12.6
10/16/2012	MW-7	2.88	4.07	1	14.6	1.19	0.25	12.85
10/25/2012	MW-7	3.08	4.33	1	16.5	1.25	0.25	13.1
11/2/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/6/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/14/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/21/2012	MW-7	1.24	2.11	1	27.8	0.87	0.1	13.2
11/29/2012	MW-7	2.02	2.53	1	29.2	0.51	0.1	13.3
12/7/2012	MW-7	2.02	2.11	1	15.9	0.09	0.1	13.4
12/12/2012	MW-7	1.96	2.12	1	10.2	0.16	0.1	13.5
12/21/2012	MW-7	0.84	1.11	1	43.5	0.27	0.1	13.6
1/4/2013	MW-7	1.20	1.97	1	48.2	0.77	0.1	13.7
1/18/2013	MW-7	1.17	1.62	1	51.6	0.45	0.1	13.8
1/31/2013	MW-7	1.12	1.77	1	48.4	0.65	0.1	13.9
2/14/2013	MW-7	1.10	1.14	1	46.2	0.04	0.1	14
2/28/2013	MW-7	1.12	1.58	1	NR	0.46	0.1	14.1
3/12/2013	MW-7	1.28	1.99	1	NR	0.71	0.1	14.2
3/29/2013	MW-7	1.68	2.19	1	NR	0.51	0.1	14.3

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	12
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	26
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16	42
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19	61
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27	88
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28	116
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14	130
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16	146
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15	161
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5	166
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10	176
3/6/2012	MW-8	6.98	10.68	2	106	3.7	9	185
3/16/2012	MW-8	6.59	10.7	2	154	4.11	15	200
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11	211
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21	232
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23	255
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21	276
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23	299
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17	316
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23	339
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22	361
6/4/2012	MW-8	5.98	9.85	2	81.4	3.87	21	382
6/15/2012	MW-8	6.08	9.97	2	96.4	3.89	18	400
6/21/2012	MW-8	6.21	10.18	2	184	3.97	15	415
7/10/2012	MW-8	6.27	10.13	2	74.6	3.86	20	435
8/16/2012	MW-8	6.11	9.30	2	65.9	3.19	22	457
8/21/2012	MW-8	6.40	10.13	2	79.7	3.73	21	478
8/30/2012	MW-8	6.26	9.90	2	98.8	3.64	18	496
9/4/2012	MW-8	6.40	10.14	2	77.2	3.74	18	514
9/13/2012	MW-8	6.90	10.72	2	53.7	3.82	11	525
9/18/2012	MW-8	6.66	10.31	2	45.1	3.65	22	547
9/27/2012	MW-8	6.56	10.07	2	52.8	3.51	23	570
10/4/2012	MW-8	6.46	10.13	2	62.7	3.67	19	589
10/11/2012	MW-8	6.57	10.08	2	75.2	3.51	12	601
10/16/2012	MW-8	6.49	10.03	2	47.1	3.54	18	619
10/25/2012	MW-8	6.44	9.97	2	47.7	3.53	20	639
11/2/2012	MW-8	4.73	7.02	2	91.4	2.29	7	646
11/6/2012	MW-8	4.90	10.21	2	52	5.31	11	657
11/14/2012	MW-8	4.97	10.86	2	68.1	5.89	6	663
11/21/2012	MW-8	5.29	11.38	2	51.6	6.09	5	668
11/29/2012	MW-8	5.66	11.28	2	61.5	5.62	23	691
12/7/2012	MW-8	5.75	11.47	2	75.2	5.72	22	713
12/12/2012	MW-8	5.98	11.31	2	66.1	5.33	5	718
12/21/2012	MW-8	4.93	10.66	2	69.5	5.73	7	725
1/4/2013	MW-8	5.88	11.53	2	77.4	5.65	4	729
1/18/2013	MW-8	6.33	11.41	2	85.2	5.08	20	749
1/31/2013	MW-8	5.99	11.22	2	73.8	5.23	20	769
2/14/2013	MW-8	6.29	10.93	2	57.1	4.64	20	789
2/28/2013	MW-8	5.67	10.23	2	NR	4.56	8	797
3/12/2013	MW-8	5.77	10.50	2	NR	4.73	21	818
3/29/2013	MW-8	6.25	11.01	2	NR	4.76	22	840

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	2
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	3.5
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.5	4
1/12/2012	MW-9	6.09	6.2	2	38.9	0.11	0.5	4.5
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0	4.5
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.5	5
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.5	5.5
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.1	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.1
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.1	6.2
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0	0	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.1	6.55
3/27/2012	MW-9	7.91	8.2	2	50.6	0.29	0.1	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.1	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.1	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.1	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.1	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.1	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.1	7.25
6/4/2012	MW-9	6.95	7.11	2	45.8	0.16	0.1	7.35
6/15/2012	MW-9	6.90	7.08	2	48.9	0.18	0.1	7.45
6/21/2012	MW-9	6.99	6.99	2	54.1	0	0.01	7.46
7/10/2012	MW-9	7.14	7.48	2	75.1	0.34	0.1	7.56
8/16/2012	MW-9	7.14	7.43	2	35.2	0.29	0.1	7.66
8/21/2012	MW-9	7.18	7.42	2	22.3	0.24	0.1	7.76
8/30/2012	MW-9	7.31	7.61	2	12.8	0.3	0.1	7.86
9/4/2012	MW-9	7.34	7.49	2	15.3	0.15	0.1	7.96
9/13/2012	MW-9	7.93	8.01	2	11.2	0.08	0.1	8.06
9/18/2012	MW-9	7.74	7.92	2	6.3	0.18	0.1	8.16
9/27/2012	MW-9	7.51	7.65	2	5.1	0.14	0.1	8.26
10/4/2012	MW-9	7.20	7.38	2	29.6	0.18	0.1	8.36
10/11/2012	MW-9	7.24	7.3	2	19.4	0.06	0.1	8.46
10/16/2012	MW-9	7.24	7.4	2	13.4	0.16	0.1	8.56
10/25/2012	MW-9	7.30	7.52	2	17.9	0.22	0.1	8.66
11/2/2012	MW-9	ND	5.07	2	3.6	0	0	8.66
11/6/2012	MW-9	5.68	5.68	2	17.1	0	0.01	8.67
11/14/2012	MW-9	6.06	6.13	2	18.4	0.07	0.01	8.68
11/21/2012	MW-9	6.64	6.79	2	13.1	0.15	0.01	8.69
11/29/2012	MW-9	7.27	7.51	2	15.9	0.24	0.25	8.94
12/7/2012	MW-9	7.54	7.78	2	20.3	0.24	0.01	8.95
12/12/2012	MW-9	7.60	8.56	2	18.6	0.96	1	9.95
12/21/2012	MW-9	6.35	7.24	2	23.6	0.89	0.5	10.45
1/4/2013	MW-9	7.09	9.2	2	28.7	2.11	0.75	11.2
1/18/2013	MW-9	7.40	9.59	2	33.4	2.19	1	12.2
1/31/2013	MW-9	7.06	8.93	2	39.7	1.87	0.5	12.7
2/14/2013	MW-9	7.04	9.58	2	41.5	2.54	1	13.7
2/28/2013	MW-9	6.80	8.49	2	NR	1.69	1.25	14.95
3/12/2013	MW-9	6.91	8.82	2	NR	1.91	0.75	15.7
3/29/2013	MW-9	7.14	9.82	2	NR	2.68	0.75	16.45

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	2.5
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.1	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.5	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.1
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.5	7.6
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.1	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.2
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.1	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.1	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.5	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.4
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.1	9.5
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.1	9.6
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.1	9.95
6/4/2012	MW-12	7.78	7.80	2	35.3	0.02	0.1	10.05
6/15/2012	MW-12	7.71	9.07	2	39	1.36	0.1	10.15
6/21/2012	MW-12	8.09	8.49	2	40.6	0.4	0.1	10.25
7/10/2012	MW-12	8.06	8.67	2	47.7	0.61	0.1	10.35
8/16/2012	MW-12	7.98	8.85	2	32.5	0.87	0.25	10.6
8/21/2012	MW-12	8.21	8.68	2	17.4	0.47	0.25	10.85
8/31/2012	MW-12	8.14	8.46	2	20.3	0.32	0.1	10.95
9/4/2012	MW-12	8.25	8.53	2	16.9	0.28	0.1	11.05
9/13/2012	MW-12	8.87	9.31	2	16.4	0.44	0.1	11.15
9/18/2012	MW-12	8.53	8.98	2	10.7	0.45	0.1	11.25
9/27/2012	MW-12	8.29	8.76	2	12.3	0.47	0.1	11.35
10/4/2012	MW-12	8.28	8.66	2	16.3	0.38	0.1	11.45
10/11/2012	MW-12	8.38	8.62	2	16.7	0.24	0.1	11.55
10/16/2012	MW-12	8.26	8.51	2	13.9	0.25	0.1	11.65
10/25/2012	MW-12	8.22	8.51	2	12.6	0.29	0.1	11.75
11/2/2012	MW-12	ND	6.51	2	4.3	0	0	11.75
11/6/2012	MW-12	7.01	7.02	2	8.4	0.01	0.01	11.76
11/14/2012	MW-12	7.02	8.89	2	19.3	1.87	0.75	12.51
11/21/2012	MW-12	7.69	8.16	2	9.3	0.47	0.1	12.61
11/29/2012	MW-12	7.87	8.26	2	19.7	0.39	0.1	12.71
12/7/2012	MW-12	8.15	8.43	2	22.9	0.28	0.1	12.81
12/12/2012	MW-12	8.38	8.76	2	21.3	0.38	0.1	12.91
12/21/2012	MW-12	7.09	7.49	2	14.2	0.40	0.1	13.01
1/4/2013	MW-12	9.51	9.66	2	12.2	0.15	0.1	13.11
1/18/2013	MW-12	9.42	9.76	2	18.6	0.34	0.1	13.21
1/31/2013	MW-12	9.02	9.04	2	6.4	0.02	0.1	13.31
2/14/2013	MW-12	9.13	9.41	2	5.7	0.28	0.1	13.41
2/28/2013	MW-12	7.58	8.62	2	NR	1.04	0.5	13.91
3/12/2013	MW-12	7.55	9.12	2	NR	1.57	0.25	14.16
3/29/2013	MW-12	8.12	9.87	2	NR	1.75	0.5	14.66

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	4
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	7
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3	10
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2	12
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0	12
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.5	13.5
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.5	15
2/10/2012	MW-13	8.02	9.92	2	58.5	1.9	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.5	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.5	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.5
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.5
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1	25.5
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.5	28
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2	30
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.5	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.5	36.5
6/4/2012	MW-13	7.34	10.21	2	63.4	2.87	1.5	38
6/15/2012	MW-13	7.32	10.88	2	63.4	3.56	2.5	40.5
6/21/2012	MW-13	7.48	10.63	2	52.9	3.15	2	42.5
7/10/2012	MW-13	7.23	12.01	2	78.4	4.78	2.5	45
8/16/2012	MW-13	7.05	12.08	2	47.6	5.03	2.5	47.5
8/21/2012	MW-13	7.55	11.09	2	38.5	3.54	1.75	49.25
8/30/2012	MW-13	7.64	10.84	2	40.9	3.2	1.5	50.75
9/4/2012	MW-13	7.79	10.42	2	36.4	2.63	1.25	52
9/13/2012	MW-13	8.39	11.37	2	24.9	2.98	0.75	52.75
9/18/2012	MW-13	8.17	10.78	2	22.6	2.61	1.25	54
9/27/2012	MW-13	7.85	10.92	2	21.4	3.07	1.75	55.75
10/4/2012	MW-13	7.71	10.89	2	37.4	3.18	2	57.75
10/11/2012	MW-13	7.80	10.87	2	33.1	3.07	2	59.75
10/16/2012	MW-13	7.81	10.59	2	30.2	2.78	1.75	61.5
10/25/2012	MW-13	7.74	10.88	2	28.1	3.14	1.75	63.25
11/2/2012	MW-13	6.20	8.62	2	39.8	2.42	0.75	64
11/6/2012	MW-13	6.86	8.71	2	15.6	1.85	0.75	64.75
11/14/2012	MW-13	7.02	8.75	2	26.7	1.73	1.25	66
11/21/2012	MW-13	7.33	9.18	2	18.5	1.85	1.25	67.25
11/29/2012	MW-13	7.60	9.64	2	22.3	2.04	2.04	69.29
12/7/2012	MW-13	7.56	10.12	2	27.1	2.56	1.50	70.79
12/12/2012	MW-13	7.79	10.19	2	29.9	2.4	1.25	72.04
12/21/2012	MW-13	6.61	8.94	2	18.7	2.33	1.00	73.04
1/4/2013	MW-13	7.61	10.68	2	27.3	3.07	1.50	74.54
1/18/2013	MW-13	7.63	11.68	2	30.1	4.05	1.75	76.29
1/31/2013	MW-13	7.15	11.18	2	27.9	4.03	1.50	77.79
2/14/2013	MW-13	7.37	11.81	2	22.6	4.44	1.75	79.54
2/28/2013	MW-13	6.83	11.06	2	NR	4.23	2.50	82.04
3/12/2013	MW-13	7.19	10.93	2	NR	3.74	1.50	83.54
3/29/2013	MW-13	7.48	12.11	2	NR	4.63	1.50	85.04
							Total:	1014.03

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Non detected

NG - Not gauged

NR - Not recorded

1 - Monitoring well MW-7 inaccessible due to flooding in the basement of the warehouse

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.1	0.1
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.1	0.2
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.1	0.3
5/15/2012	MW-2	7.6	7.61	2	223	0.01	0.1	0.4
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.1	0.5
10/4/2012	MW-2	7.51	7.60	2	81	0.09	0.1	0.6
10/11/2012	MW-2	7.55	7.55	2	52.9	0	0.01	0.61
10/16/2012	MW-2	7.54	7.57	2	73.7	0.03	0.01	0.62
10/25/2012	MW-2	7.46	7.46	2	56.2	0	0.01	0.63
11/2/2012	MW-2	ND	5.59	2	17.5	0	0	0.63
11/6/2012	MW-2	ND	6.07	2	29.8	0	0	0.63
11/14/2012	MW-2	6.24	6.24	2	50.6	0	0.01	0.64
11/21/2012	MW-2	6.54	6.54	2	37.5	0	0.01	0.65
11/29/2012	MW-2	6.79	6.79	2	42.8	0	0.01	0.66
12/7/2012	MW-2	ND	7.19	2	36.7	0	0	0.66
12/12/2012	MW-2	ND	7.24	2	41.4	0	0	0.66
12/21/2012	MW-2	ND	6.93	2	44.3	0	0	0.66
1/4/2013	MW-2	ND	6.92	2	64.1	0	0	0.66
1/18/2013	MW-2	ND	7.34	2	45.7	0	0	0.66
1/31/2013	MW-2	ND	7.51	2	40.2	0	0	0.66
2/14/2013	MW-2	ND	7.48	2	26.2	0	0	0.66
2/28/2013	MW-2	ND	7.27	2	NR	0	0	0.66
3/12/2013	MW-2	ND	7.16	2	NR	0	0	0.66
3/29/2013	MW-2	ND	7.46	2	NR	0	0	0.66
4/11/2013	MW-2	ND	7.68	2	71.6	0	0	0.66
4/23/2013	MW-2	ND	7.69	2	68.4	0	0	0.66

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	2
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	2.5
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1	3.5
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.5	4
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0	4
1/26/2012	MW-3	6.8	6.91	2	263	0.11	0.5	4.5
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.5	6
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.5	7.5
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8
3/16/2012	MW-3	7.06	7.06	2	108	0	0	8
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.1	8.1
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.6
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.1	9.7
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.2
5/23/2012	MW-3	6.7	6.73	2	176	0.03	0.1	10.3
5/29/2012	MW-3	6.6	6.63	2	137	0.03	0.1	10.4
6/4/2012	MW-3	6.58	6.61	2	112	0.03	0.1	10.5
6/15/2012	MW-3	6.66	7.11	2	87.7	0.45	0.1	10.6
6/21/2012	MW-3	6.68	6.68	2	160	0	0.01	10.61
7/10/2012	MW-3	6.83	7.31	2	104	0.48	0.75	11.36
8/16/2010	MW-3	6.81	6.83	2	79.2	0.02	0.01	11.37
8/21/2012	MW-3	6.72	7.11	2	50.9	0.39	0.25	11.62
8/30/2012	MW-3	6.76	7.28	2	90.6	0.52	0.5	12.12
9/4/2012	MW-3	6.86	7.02	2	87.1	0.16	0.1	12.22
9/13/2012	MW-3	6.96	7.34	2	78.6	0.38	0.25	12.47
9/18/2012	MW-3	ND	6.99	2	62.4	0	0	12.47
9/27/2012	MW-3	ND	6.88	2	58.9	0	NA	12.47
10/4/2012	MW-3	6.69	7.31	2	24.8	0.62	1	13.47
10/11/2012	MW-3	6.83	6.84	2	38.7	0.01	0.1	13.57
10/16/2012	MW-3	ND	6.86	2	29.6	0	0	13.57
10/25/2012	MW-3	6.81	6.88	2	24.3	0.07	0.01	13.58
11/2/2012	MW-3	ND	4.58	2	34.2	0	0	13.58
11/6/2012	MW-3	5.49	5.51	2	46.3	0	0.01	13.59
11/14/2012	MW-3	5.72	5.79	2	41.5	0	0.01	13.6
11/21/2012	MW-3	6.07	6.11	2	29.4	0.04	0.01	13.61
11/29/2012	MW-3	6.31	6.40	2	32.6	0.09	0.1	13.71
12/7/2012	MW-3	6.51	6.79	2	50.8	0.28	0.1	13.81
12/12/2012	MW-3	6.50	6.78	2	42.7	0.28	0.1	13.91
12/21/2012	MW-3	4.91	5.15	2	56.1	0.24	0.01	13.92
1/4/2013	MW-3	6.32	6.85	2	55.4	0.53	0.25	14.17
1/18/2013	MW-3	6.57	7.16	2	42.8	0.59	0.25	14.42
1/31/2013	MW-3	6.56	6.89	2	32.1	0.33	0.1	14.52
2/14/2013	MW-3	6.42	7.11	2	43.7	0.69	0.25	14.77
2/28/2013	MW-3	6.32	6.59	2	NR	0.27	0.1	14.87
3/12/2013	MW-3	6.46	6.61	2	NR	0.15	0.1	14.97
3/29/2013	MW-3	6.45	6.86	2	NR	0.41	0.1	15.07
4/11/2013	MW-3	6.41	7.03	2	13.2	0.62	0.25	15.32
4/23/2013	MW-3	6.51	7.06	2	16.8	0.55	0.1	15.42

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	2
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	3
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.5	3.5
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.2	13.8	1	39.7	3.6	0.0	4.25
1/26/2012	MW-6	10.09	13.9	1	44.6	3.81	0.5	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.6	0.5	5.25
2/10/2012	MW-6	10.2	13.94	1	46.2	3.74	0.5	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.5	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.5	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.5	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.5	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.5	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.5	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.5	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.5	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.5	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.5	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.5	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.5	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.5	12.25
6/4/2012	MW-6	10.00	13.04	1	46.2	3.04	0.5	12.75
6/15/2012	MW-6	10.04	13.29	1	57.8	3.25	0.5	13.25
6/21/2012	MW-6	9.97	13.44	1	54.8	3.47	0.5	13.75
7/10/2012	MW-6	10.14	13.46	1	39.4	3.32	0.5	14.25
8/16/2012	MW-6	10.13	13.36	1	27	3.23	0.75	15
8/21/2012	MW-6	10.14	13.41	1	25.8	3.27	0.75	15.75
8/30/2012	MW-6	10.20	13.38	1	17.5	3.18	0.5	16.25
9/4/2012	MW-6	10.16	13.42	1	15.9	3.26	0.5	16.75
9/13/2012	MW-6	10.42	13.51	1	10.6	3.09	0.5	17.25
9/18/2012	MW-6	10.42	13.81	1	9.5	3.39	0.5	17.75
9/27/2012	MW-6	10.39	13.72	1	11.3	3.33	0.5	18.25
10/4/2012	MW-6	10.27	13.59	1	20.3	3.32	0.5	18.75
10/11/2012	MW-6	10.33	13.69	1	14.8	3.36	0.5	19.25
10/16/2012	MW-6	10.32	13.64	1	15	3.32	0.5	19.75
10/25/2012	MW-6	10.39	13.42	1	13.4	3.03	0.5	20.25
11/2/2012	MW-6	7.84	10.07	1	22.1	2.23	0.25	20.5
11/6/2012	MW-6	8.13	13.48	1	13.7	5.35	0.75	21.25
11/14/2012	MW-6	8.76	13.80	1	19.5	5.04	0.75	22
11/21/2012	MW-6	9.06	13.88	1	15.2	4.82	0.75	22.75
11/29/2012	MW-6	9.48	14.04	1	13.7	4.56	0.5	23.25
12/7/2012	MW-6	9.60	14.07	1	21.4	4.47	0.5	23.75
12/12/2012	MW-6	9.80	14.04	1	18.5	4.24	0.5	24.25
12/21/2012	MW-6	9.25	13.19	1	17.4	3.94	0.5	24.75
1/4/2013	MW-6	9.85	13.98	1	21.6	4.13	0.5	25.25
1/18/2013	MW-6	10.20	14.07	1	14.4	3.87	0.5	25.75
1/31/2013	MW-6	10.07	13.82	1	11.1	3.75	0.5	26.25
2/14/2013	MW-6	10.21	13.82	1	18.4	3.61	0.5	26.75
2/28/2013	MW-6	9.87	13.18	1	NR	3.31	0.1	26.85
3/12/2013	MW-6	9.80	13.29	1	NR	3.49	0.5	27.35
3/29/2013	MW-6	10.11	13.73	1	NR	3.62	0.5	27.85
4/11/2013	MW-6	10.24	13.76	1	24.0	3.52	0.5	28.35
4/23/2013	MW-6	10.18	13.57	1	19.7	3.39	0.5	28.85

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	1
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.5	2.5
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0	2.5
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.5	3
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0	3
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.5	3.5
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.5	4
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.5	4.5
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.5	5
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.5
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.5	6.5
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.1	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.1
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.6
6/4/2012	MW-7	2.32	3.90	1	66.5	1.58	0.25	7.85
6/15/2012	MW-7	2.63	4.21	1	43.6	1.58	0.25	8.1
6/21/2012	MW-7	2.58	4.2	1	65.3	1.62	0.25	8.35
7/10/2012	MW-7	2.30	4.71	1	70.1	2.41	0.25	8.6
8/16/2012	MW-7	2.58	4.83	1	40.6	2.25	0.5	9.1
8/21/2012	MW-7	2.94	3.87	1	30.3	0.93	0.5	9.6
8/30/2012	MW-7	3.09	4.10	1	22.4	1.01	0.5	10.1
9/4/2012	MW-7	2.97	3.88	1	11.6	0.91	0.5	10.6
9/13/2012	MW-7	3.52	4.28	1	6.3	0.76	0.5	11.1
9/18/2012	MW-7	3.15	4.28	1	8.8	1.13	0.5	11.6
9/27/2012	MW-7	3.18	4.04	1	14.5	0.86	0.5	12.1
10/4/2012	MW-7	3.11	3.83	1	16.9	0.72	0.25	12.35
10/11/2012	MW-7	3.12	3.93	1	15.2	0.81	0.25	12.6
10/16/2012	MW-7	2.88	4.07	1	14.6	1.19	0.25	12.85
10/25/2012	MW-7	3.08	4.33	1	16.5	1.25	0.25	13.1
11/2/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/6/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/14/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/21/2012	MW-7	1.24	2.11	1	27.8	0.87	0.1	13.2
11/29/2012	MW-7	2.02	2.53	1	29.2	0.51	0.1	13.3
12/7/2012	MW-7	2.02	2.11	1	15.9	0.09	0.1	13.4
12/12/2012	MW-7	1.96	2.12	1	10.2	0.16	0.1	13.5
12/21/2012	MW-7	0.84	1.11	1	43.5	0.27	0.1	13.6
1/4/2013	MW-7	1.20	1.97	1	48.2	0.77	0.1	13.7
1/18/2013	MW-7	1.17	1.62	1	51.6	0.45	0.1	13.8
1/31/2013	MW-7	1.12	1.77	1	48.4	0.65	0.1	13.9
2/14/2013	MW-7	1.10	1.14	1	46.2	0.04	0.1	14
2/28/2013	MW-7	1.12	1.58	1	NR	0.46	0.1	14.1
3/12/2013	MW-7	1.28	1.99	1	NR	0.71	0.1	14.2
3/29/2013	MW-7	1.68	2.19	1	NR	0.51	0.1	14.3
4/11/2013	MW-7	2.64	3.80	1	20.1	1.16	0.25	14.55
4/23/2013	MW-7	2.88	3.32	1	14.2	0.44	0.1	14.65

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	12
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	26
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16	42
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19	61
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27	88
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28	116
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14	130
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16	146
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15	161
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5	166
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10	176
3/6/2012	MW-8	6.98	10.68	2	106	3.7	9	185
3/16/2012	MW-8	6.59	10.7	2	154	4.11	15	200
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11	211
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21	232
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23	255
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21	276
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23	299
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17	316
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23	339
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22	361
6/4/2012	MW-8	5.98	9.85	2	81.4	3.87	21	382
6/15/2012	MW-8	6.08	9.97	2	96.4	3.89	18	400
6/21/2012	MW-8	6.21	10.18	2	184	3.97	15	415
7/10/2012	MW-8	6.27	10.13	2	74.6	3.86	20	435
8/16/2012	MW-8	6.11	9.30	2	65.9	3.19	22	457
8/21/2012	MW-8	6.40	10.13	2	79.7	3.73	21	478
8/30/2012	MW-8	6.26	9.90	2	98.8	3.64	18	496
9/4/2012	MW-8	6.40	10.14	2	77.2	3.74	18	514
9/13/2012	MW-8	6.90	10.72	2	53.7	3.82	11	525
9/18/2012	MW-8	6.66	10.31	2	45.1	3.65	22	547
9/27/2012	MW-8	6.56	10.07	2	52.8	3.51	23	570
10/4/2012	MW-8	6.46	10.13	2	62.7	3.67	19	589
10/11/2012	MW-8	6.57	10.08	2	75.2	3.51	12	601
10/16/2012	MW-8	6.49	10.03	2	47.1	3.54	18	619
10/25/2012	MW-8	6.44	9.97	2	47.7	3.53	20	639
11/2/2012	MW-8	4.73	7.02	2	91.4	2.29	7	646
11/6/2012	MW-8	4.90	10.21	2	52	5.31	11	657
11/14/2012	MW-8	4.97	10.86	2	68.1	5.89	6	663
11/21/2012	MW-8	5.29	11.38	2	51.6	6.09	5	668
11/29/2012	MW-8	5.66	11.28	2	61.5	5.62	23	691
12/7/2012	MW-8	5.75	11.47	2	75.2	5.72	22	713
12/12/2012	MW-8	5.98	11.31	2	66.1	5.33	5	718
12/21/2012	MW-8	4.93	10.66	2	69.5	5.73	7	725
1/4/2013	MW-8	5.88	11.53	2	77.4	5.65	4	729
1/18/2013	MW-8	6.33	11.41	2	85.2	5.08	20	749
1/31/2013	MW-8	5.99	11.22	2	73.8	5.23	20	769
2/14/2013	MW-8	6.29	10.93	2	57.1	4.64	20	789
2/28/2013	MW-8	5.67	10.23	2	NR	4.56	8	797
3/12/2013	MW-8	5.77	10.50	2	NR	4.73	21	818
3/29/2013	MW-8	6.25	11.01	2	NR	4.76	22	840
4/11/2013	MW-8	6.29	10.79	2	26.8	4.5	20	860
4/23/2013	MW-8	6.12	10.48	2	62.3	4.36	19	879

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	2
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	3.5
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.5	4
1/12/2012	MW-9	6.09	6.2	2	38.9	0.11	0.5	4.5
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0	4.5
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.5	5
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.5	5.5
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.1	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.1
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.1	6.2
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0	0	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.1	6.55
3/27/2012	MW-9	7.91	8.2	2	50.6	0.29	0.1	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.1	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.1	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.1	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.1	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.1	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.1	7.25
6/4/2012	MW-9	6.95	7.11	2	45.8	0.16	0.1	7.35
6/15/2012	MW-9	6.90	7.08	2	48.9	0.18	0.1	7.45
6/21/2012	MW-9	6.99	6.99	2	54.1	0	0.01	7.46
7/10/2012	MW-9	7.14	7.48	2	75.1	0.34	0.1	7.56
8/16/2012	MW-9	7.14	7.43	2	35.2	0.29	0.1	7.66
8/21/2012	MW-9	7.18	7.42	2	22.3	0.24	0.1	7.76
8/30/2012	MW-9	7.31	7.61	2	12.8	0.3	0.1	7.86
9/4/2012	MW-9	7.34	7.49	2	15.3	0.15	0.1	7.96
9/13/2012	MW-9	7.93	8.01	2	11.2	0.08	0.1	8.06
9/18/2012	MW-9	7.74	7.92	2	6.3	0.18	0.1	8.16
9/27/2012	MW-9	7.51	7.65	2	5.1	0.14	0.1	8.26
10/4/2012	MW-9	7.20	7.38	2	29.6	0.18	0.1	8.36
10/11/2012	MW-9	7.24	7.3	2	19.4	0.06	0.1	8.46
10/16/2012	MW-9	7.24	7.4	2	13.4	0.16	0.1	8.56
10/25/2012	MW-9	7.30	7.52	2	17.9	0.22	0.1	8.66
11/2/2012	MW-9	ND	5.07	2	3.6	0	0	8.66
11/6/2012	MW-9	5.68	5.68	2	17.1	0	0.01	8.67
11/14/2012	MW-9	6.06	6.13	2	18.4	0.07	0.01	8.68
11/21/2012	MW-9	6.64	6.79	2	13.1	0.15	0.01	8.69
11/29/2012	MW-9	7.27	7.51	2	15.9	0.24	0.25	8.94
12/7/2012	MW-9	7.54	7.78	2	20.3	0.24	0.01	8.95
12/12/2012	MW-9	7.60	8.56	2	18.6	0.96	1	9.95
12/21/2012	MW-9	6.35	7.24	2	23.6	0.89	0.5	10.45
1/4/2013	MW-9	7.09	9.2	2	28.7	2.11	0.75	11.2
1/18/2013	MW-9	7.40	9.59	2	33.4	2.19	1	12.2
1/31/2013	MW-9	7.06	8.93	2	39.7	1.87	0.5	12.7
2/14/2013	MW-9	7.04	9.58	2	41.5	2.54	1	13.7
2/28/2013	MW-9	6.80	8.49	2	NR	1.69	1.25	14.95
3/12/2013	MW-9	6.91	8.82	2	NR	1.91	0.75	15.7
3/29/2013	MW-9	7.14	9.82	2	NR	2.68	0.75	16.45
4/11/2013	MW-9	7.23	9.71	2	18.0	2.48	0.75	17.2
4/23/2013	MW-9	7.30	9.41	2	21.7	2.11	0.75	17.95

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	2.5
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.1	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.5	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.1
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.5	7.6
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.1	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.2
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.1	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.1	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.5	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.4
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.1	9.5
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.1	9.6
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.1	9.95
6/4/2012	MW-12	7.78	7.80	2	35.3	0.02	0.1	10.05
6/15/2012	MW-12	7.71	9.07	2	39	1.36	0.1	10.15
6/21/2012	MW-12	8.09	8.49	2	40.6	0.4	0.1	10.25
7/10/2012	MW-12	8.06	8.67	2	47.7	0.61	0.1	10.35
8/16/2012	MW-12	7.98	8.85	2	32.5	0.87	0.25	10.6
8/21/2012	MW-12	8.21	8.68	2	17.4	0.47	0.25	10.85
8/31/2012	MW-12	8.14	8.46	2	20.3	0.32	0.1	10.95
9/4/2012	MW-12	8.25	8.53	2	16.9	0.28	0.1	11.05
9/13/2012	MW-12	8.87	9.31	2	16.4	0.44	0.1	11.15
9/18/2012	MW-12	8.53	8.98	2	10.7	0.45	0.1	11.25
9/27/2012	MW-12	8.29	8.76	2	12.3	0.47	0.1	11.35
10/4/2012	MW-12	8.28	8.66	2	16.3	0.38	0.1	11.45
10/11/2012	MW-12	8.38	8.62	2	16.7	0.24	0.1	11.55
10/16/2012	MW-12	8.26	8.51	2	13.9	0.25	0.1	11.65
10/25/2012	MW-12	8.22	8.51	2	12.6	0.29	0.1	11.75
11/2/2012	MW-12	ND	6.51	2	4.3	0	0	11.75
11/6/2012	MW-12	7.01	7.02	2	8.4	0.01	0.01	11.76
11/14/2012	MW-12	7.02	8.89	2	19.3	1.87	0.75	12.51
11/21/2012	MW-12	7.69	8.16	2	9.3	0.47	0.1	12.61
11/29/2012	MW-12	7.87	8.26	2	19.7	0.39	0.1	12.71
12/7/2012	MW-12	8.15	8.43	2	22.9	0.28	0.1	12.81
12/12/2012	MW-12	8.38	8.76	2	21.3	0.38	0.1	12.91
12/21/2012	MW-12	7.09	7.49	2	14.2	0.40	0.1	13.01
1/4/2013	MW-12	9.51	9.66	2	12.2	0.15	0.1	13.11
1/18/2013	MW-12	9.42	9.76	2	18.6	0.34	0.1	13.21
1/31/2013	MW-12	9.02	9.04	2	6.4	0.02	0.1	13.31
2/14/2013	MW-12	9.13	9.41	2	5.7	0.28	0.1	13.41
2/28/2013	MW-12	7.58	8.62	2	NR	1.04	0.5	13.91
3/12/2013	MW-12	7.55	9.12	2	NR	1.57	0.25	14.16
3/29/2013	MW-12	8.12	9.87	2	NR	1.75	0.5	14.66
4/11/2013	MW-12	8.05	9.42	2	18.9	1.37	0.25	14.91
4/23/2013	MW-12	7.99	8.94	2	15.2	0.95	0.1	15.01

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	4
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	7
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3	10
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2	12
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0	12
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.5	13.5
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.5	15
2/10/2012	MW-13	8.02	9.92	2	58.5	1.9	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.5	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.5	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.5
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.5
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1	25.5
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.5	28
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2	30
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.5	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.5	36.5
6/4/2012	MW-13	7.34	10.21	2	63.4	2.87	1.5	38
6/15/2012	MW-13	7.32	10.88	2	63.4	3.56	2.5	40.5
6/21/2012	MW-13	7.48	10.63	2	52.9	3.15	2	42.5
7/10/2012	MW-13	7.23	12.01	2	78.4	4.78	2.5	45
8/16/2012	MW-13	7.05	12.08	2	47.6	5.03	2.5	47.5
8/21/2012	MW-13	7.55	11.09	2	38.5	3.54	1.75	49.25
8/30/2012	MW-13	7.64	10.84	2	40.9	3.2	1.5	50.75
9/4/2012	MW-13	7.79	10.42	2	36.4	2.63	1.25	52
9/13/2012	MW-13	8.39	11.37	2	24.9	2.98	0.75	52.75
9/18/2012	MW-13	8.17	10.78	2	22.6	2.61	1.25	54
9/27/2012	MW-13	7.85	10.92	2	21.4	3.07	1.75	55.75
10/4/2012	MW-13	7.71	10.89	2	37.4	3.18	2	57.75
10/11/2012	MW-13	7.80	10.87	2	33.1	3.07	2	59.75
10/16/2012	MW-13	7.81	10.59	2	30.2	2.78	1.75	61.5
10/25/2012	MW-13	7.74	10.88	2	28.1	3.14	1.75	63.25
11/2/2012	MW-13	6.20	8.62	2	39.8	2.42	0.75	64
11/6/2012	MW-13	6.86	8.71	2	15.6	1.85	0.75	64.75
11/14/2012	MW-13	7.02	8.75	2	26.7	1.73	1.25	66
11/21/2012	MW-13	7.33	9.18	2	18.5	1.85	1.25	67.25
11/29/2012	MW-13	7.60	9.64	2	22.3	2.04	2.04	69.29
12/7/2012	MW-13	7.56	10.12	2	27.1	2.56	1.5	70.79
12/12/2012	MW-13	7.79	10.19	2	29.9	2.4	1.25	72.04
12/21/2012	MW-13	6.61	8.94	2	18.7	2.33	1.0	73.04
1/4/2013	MW-13	7.61	10.68	2	27.3	3.07	1.5	74.54
1/18/2013	MW-13	7.63	11.68	2	30.1	4.05	1.75	76.29
1/31/2013	MW-13	7.15	11.18	2	27.9	4.03	1.5	77.79
2/14/2013	MW-13	7.37	11.81	2	22.6	4.44	1.75	79.54
2/28/2013	MW-13	6.83	11.06	2	NR	4.23	2.5	82.04
3/12/2013	MW-13	7.19	10.93	2	NR	3.74	1.5	83.54
3/29/2013	MW-13	7.48	12.11	2	NR	4.63	1.5	85.04
4/11/2013	MW-13	7.50	11.88	2	30.4	4.38	1.5	86.54
4/23/2013	MW-13	7.40	11.63	2	22.6	4.23	1.5	88.04
							Total:	1059.58

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Non detected

NG - Not gauged

NR - Not recorded

1 - Monitoring well MW-7 inaccessible due to flooding in the basement of the warehouse

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.1	0.1
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.1	0.2
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.1	0.3
5/15/2012	MW-2	7.6	7.61	2	223	0.01	0.1	0.4
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.1	0.5
10/4/2012	MW-2	7.51	7.60	2	81	0.09	0.1	0.6
10/11/2012	MW-2	7.55	7.55	2	52.9	0	0.01	0.61
10/16/2012	MW-2	7.54	7.57	2	73.7	0.03	0.01	0.62
10/25/2012	MW-2	7.46	7.46	2	56.2	0	0.01	0.63
11/2/2012	MW-2	ND	5.59	2	17.5	0	0	0.63
11/6/2012	MW-2	ND	6.07	2	29.8	0	0	0.63
11/14/2012	MW-2	6.24	6.24	2	50.6	0	0.01	0.64
11/21/2012	MW-2	6.54	6.54	2	37.5	0	0.01	0.65
11/29/2012	MW-2	6.79	6.79	2	42.8	0	0.01	0.66
12/7/2012	MW-2	ND	7.19	2	36.7	0	0	0.66
12/12/2012	MW-2	ND	7.24	2	41.4	0	0	0.66
12/21/2012	MW-2	ND	6.93	2	44.3	0	0	0.66
1/4/2013	MW-2	ND	6.92	2	64.1	0	0	0.66
1/18/2013	MW-2	ND	7.34	2	45.7	0	0	0.66
1/31/2013	MW-2	ND	7.51	2	40.2	0	0	0.66
2/14/2013	MW-2	ND	7.48	2	26.2	0	0	0.66
2/28/2013	MW-2	ND	7.27	2	NR	0	0	0.66
3/12/2013	MW-2	ND	7.16	2	NR	0	0	0.66
3/29/2013	MW-2	ND	7.46	2	NR	0	0	0.66
4/11/2013	MW-2	ND	7.68	2	71.6	0	0	0.66
4/23/2013	MW-2	ND	7.69	2	68.4	0	0	0.66
5/8/2013	MW-2	ND	7.70	2	84.3	0	0	0.66
5/22/2013	MW-2	ND	7.51	2	65.1	0	0	0.66
6/5/2013	MW-2	ND	7.44	2	53.6	0	0	0.66
6/20/2013	MW-2R	ND	6.88	4	69.9	0	0	0.66

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	2
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	2.5
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1	3.5
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.5	4
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0	4
1/26/2012	MW-3	6.8	6.91	2	263	0.11	0.5	4.5
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.5	6
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.5	7.5
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8
3/16/2012	MW-3	7.06	7.06	2	108	0	0	8
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.1	8.1
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.6
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.1	9.7
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.2
5/23/2012	MW-3	6.7	6.73	2	176	0.03	0.1	10.3
5/29/2012	MW-3	6.6	6.63	2	137	0.03	0.1	10.4
6/4/2012	MW-3	6.58	6.61	2	112	0.03	0.1	10.5
6/15/2012	MW-3	6.66	7.11	2	87.7	0.45	0.1	10.6
6/21/2012	MW-3	6.68	6.68	2	160	0	0.01	10.61
7/10/2012	MW-3	6.83	7.31	2	104	0.48	0.75	11.36
8/16/2010	MW-3	6.81	6.83	2	79.2	0.02	0.01	11.37
8/21/2012	MW-3	6.72	7.11	2	50.9	0.39	0.25	11.62
8/30/2012	MW-3	6.76	7.28	2	90.6	0.52	0.5	12.12
9/4/2012	MW-3	6.86	7.02	2	87.1	0.16	0.1	12.22
9/13/2012	MW-3	6.96	7.34	2	78.6	0.38	0.25	12.47
9/18/2012	MW-3	ND	6.99	2	62.4	0	0	12.47
9/27/2012	MW-3	ND	6.88	2	58.9	0	NA	12.47
10/4/2012	MW-3	6.69	7.31	2	24.8	0.62	1	13.47
10/11/2012	MW-3	6.83	6.84	2	38.7	0.01	0.1	13.57
10/16/2012	MW-3	ND	6.86	2	29.6	0	0	13.57
10/25/2012	MW-3	6.81	6.88	2	24.3	0.07	0.01	13.58
11/2/2012	MW-3	ND	4.58	2	34.2	0	0	13.58
11/6/2012	MW-3	5.49	5.51	2	46.3	0	0.01	13.59
11/14/2012	MW-3	5.72	5.79	2	41.5	0	0.01	13.6
11/21/2012	MW-3	6.07	6.11	2	29.4	0.04	0.01	13.61
11/29/2012	MW-3	6.31	6.40	2	32.6	0.09	0.1	13.71
12/7/2012	MW-3	6.51	6.79	2	50.8	0.28	0.1	13.81
12/12/2012	MW-3	6.50	6.78	2	42.7	0.28	0.1	13.91
12/21/2012	MW-3	4.91	5.15	2	56.1	0.24	0.01	13.92
1/4/2013	MW-3	6.32	6.85	2	55.4	0.53	0.25	14.17
1/18/2013	MW-3	6.57	7.16	2	42.8	0.59	0.25	14.42
1/31/2013	MW-3	6.56	6.89	2	32.1	0.33	0.1	14.52
2/14/2013	MW-3	6.42	7.11	2	43.7	0.69	0.25	14.77
2/28/2013	MW-3	6.32	6.59	2	NR	0.27	0.1	14.87
3/12/2013	MW-3	6.46	6.61	2	NR	0.15	0.1	14.97
3/29/2013	MW-3	6.45	6.86	2	NR	0.41	0.1	15.07
4/11/2013	MW-3	6.41	7.03	2	13.2	0.62	0.25	15.32
4/23/2013	MW-3	6.51	7.06	2	16.8	0.55	0.1	15.42
5/8/2013	MW-3	6.32	6.48	2	22.9	0.16	0.1	15.52
5/22/2013	MW-3	6.37	6.51	2	18.4	0.14	0.1	15.62
6/5/2013	MW-3	6.35	6.72	2	24.2	0.37	0.1	15.72
6/20/2013	MW-3	6.05	6.16	2	18.2	0.11	0.1	15.82

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	2
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	3
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.5	3.5
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.2	13.8	1	39.7	3.6	0.0	4.25
1/26/2012	MW-6	10.09	13.9	1	44.6	3.81	0.5	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.6	0.5	5.25
2/10/2012	MW-6	10.2	13.94	1	46.2	3.74	0.5	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.5	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.5	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.5	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.5	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.5	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.5	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.5	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.5	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.5	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.5	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.5	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.5	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.5	12.25
6/4/2012	MW-6	10.00	13.04	1	46.2	3.04	0.5	12.75
6/15/2012	MW-6	10.04	13.29	1	57.8	3.25	0.5	13.25
6/21/2012	MW-6	9.97	13.44	1	54.8	3.47	0.5	13.75
7/10/2012	MW-6	10.14	13.46	1	39.4	3.32	0.5	14.25
8/16/2012	MW-6	10.13	13.36	1	27	3.23	0.75	15
8/21/2012	MW-6	10.14	13.41	1	25.8	3.27	0.75	15.75
8/30/2012	MW-6	10.20	13.38	1	17.5	3.18	0.5	16.25
9/4/2012	MW-6	10.16	13.42	1	15.9	3.26	0.5	16.75
9/13/2012	MW-6	10.42	13.51	1	10.6	3.09	0.5	17.25
9/18/2012	MW-6	10.42	13.81	1	9.5	3.39	0.5	17.75
9/27/2012	MW-6	10.39	13.72	1	11.3	3.33	0.5	18.25
10/4/2012	MW-6	10.27	13.59	1	20.3	3.32	0.5	18.75
10/11/2012	MW-6	10.33	13.69	1	14.8	3.36	0.5	19.25
10/16/2012	MW-6	10.32	13.64	1	15	3.32	0.5	19.75
10/25/2012	MW-6	10.39	13.42	1	13.4	3.03	0.5	20.25
11/2/2012	MW-6	7.84	10.07	1	22.1	2.23	0.25	20.5
11/6/2012	MW-6	8.13	13.48	1	13.7	5.35	0.75	21.25
11/14/2012	MW-6	8.76	13.80	1	19.5	5.04	0.75	22
11/21/2012	MW-6	9.06	13.88	1	15.2	4.82	0.75	22.75
11/29/2012	MW-6	9.48	14.04	1	13.7	4.56	0.5	23.25
12/7/2012	MW-6	9.60	14.07	1	21.4	4.47	0.5	23.75
12/12/2012	MW-6	9.80	14.04	1	18.5	4.24	0.5	24.25
12/21/2012	MW-6	9.25	13.19	1	17.4	3.94	0.5	24.75
1/4/2013	MW-6	9.85	13.98	1	21.6	4.13	0.5	25.25
1/18/2013	MW-6	10.20	14.07	1	14.4	3.87	0.5	25.75
1/31/2013	MW-6	10.07	13.82	1	11.1	3.75	0.5	26.25
2/14/2013	MW-6	10.21	13.82	1	18.4	3.61	0.5	26.75
2/28/2013	MW-6	9.87	13.18	1	NR	3.31	0.1	26.85
3/12/2013	MW-6	9.80	13.29	1	NR	3.49	0.5	27.35
3/29/2013	MW-6	10.11	13.73	1	NR	3.62	0.5	27.85
4/11/2013	MW-6	10.24	13.76	1	24.0	3.52	0.5	28.35
4/23/2013	MW-6	10.18	13.57	1	19.7	3.39	0.5	28.85
5/8/2013	MW-6	10.30	13.61	1	15.3	3.31	0.5	29.35
5/22/2013	MW-6	10.17	13.36	1	16.0	3.19	0.5	29.85
6/5/2013	MW-6	10.21	13.52	1	16.5	3.31	0.5	30.35
6/20/2013	MW-6	9.74	13.02	1	20.8	3.28	0.5	30.85

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	1
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.5	2.5
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0	2.5
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.5	3
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0	3
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.5	3.5
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.5	4
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.5	4.5
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.5	5
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.5
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.5	6.5
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.1	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.1
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.6
6/4/2012	MW-7	2.32	3.90	1	66.5	1.58	0.25	7.85
6/15/2012	MW-7	2.63	4.21	1	43.6	1.58	0.25	8.1
6/21/2012	MW-7	2.58	4.2	1	65.3	1.62	0.25	8.35
7/10/2012	MW-7	2.30	4.71	1	70.1	2.41	0.25	8.6
8/16/2012	MW-7	2.58	4.83	1	40.6	2.25	0.5	9.1
8/21/2012	MW-7	2.94	3.87	1	30.3	0.93	0.5	9.6
8/30/2012	MW-7	3.09	4.10	1	22.4	1.01	0.5	10.1
9/4/2012	MW-7	2.97	3.88	1	11.6	0.91	0.5	10.6
9/13/2012	MW-7	3.52	4.28	1	6.3	0.76	0.5	11.1
9/18/2012	MW-7	3.15	4.28	1	8.8	1.13	0.5	11.6
9/27/2012	MW-7	3.18	4.04	1	14.5	0.86	0.5	12.1
10/4/2012	MW-7	3.11	3.83	1	16.9	0.72	0.25	12.35
10/11/2012	MW-7	3.12	3.93	1	15.2	0.81	0.25	12.6
10/16/2012	MW-7	2.88	4.07	1	14.6	1.19	0.25	12.85
10/25/2012	MW-7	3.08	4.33	1	16.5	1.25	0.25	13.1
11/2/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/6/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/14/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/21/2012	MW-7	1.24	2.11	1	27.8	0.87	0.1	13.2
11/29/2012	MW-7	2.02	2.53	1	29.2	0.51	0.1	13.3
12/7/2012	MW-7	2.02	2.11	1	15.9	0.09	0.1	13.4
12/12/2012	MW-7	1.96	2.12	1	10.2	0.16	0.1	13.5
12/21/2012	MW-7	0.84	1.11	1	43.5	0.27	0.1	13.6
1/4/2013	MW-7	1.20	1.97	1	48.2	0.77	0.1	13.7
1/18/2013	MW-7	1.17	1.62	1	51.6	0.45	0.1	13.8
1/31/2013	MW-7	1.12	1.77	1	48.4	0.65	0.1	13.9
2/14/2013	MW-7	1.10	1.14	1	46.2	0.04	0.1	14
2/28/2013	MW-7	1.12	1.58	1	NR	0.46	0.1	14.1
3/12/2013	MW-7	1.28	1.99	1	NR	0.71	0.1	14.2
3/29/2013	MW-7	1.68	2.19	1	NR	0.51	0.1	14.3
4/11/2013	MW-7	2.64	3.80	1	20.1	1.16	0.25	14.55
4/23/2013	MW-7	2.88	3.32	1	14.2	0.44	0.1	14.65
5/8/2013	MW-7	3.06	3.43	1	9.8	0.37	0.1	14.75
5/22/2013	MW-7	2.51	3.64	1	16.8	1.13	0.25	15
6/5/2013	MW-7	2.50	3.83	1	14.9	1.33	0.25	15.25
6/20/2013	MW-7	1.66	2.85	1	29.6	1.19	0.25	15.5

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	12
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	26
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16	42
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19	61
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27	88
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28	116
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14	130
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16	146
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15	161
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5	166
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10	176
3/6/2012	MW-8	6.98	10.68	2	106	3.7	9	185
3/16/2012	MW-8	6.59	10.7	2	154	4.11	15	200
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11	211
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21	232
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23	255
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21	276
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23	299
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17	316
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23	339
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22	361
6/4/2012	MW-8	5.98	9.85	2	81.4	3.87	21	382
6/15/2012	MW-8	6.08	9.97	2	96.4	3.89	18	400
6/21/2012	MW-8	6.21	10.18	2	184	3.97	15	415
7/10/2012	MW-8	6.27	10.13	2	74.6	3.86	20	435
8/16/2012	MW-8	6.11	9.30	2	65.9	3.19	22	457
8/21/2012	MW-8	6.40	10.13	2	79.7	3.73	21	478
8/30/2012	MW-8	6.26	9.90	2	98.8	3.64	18	496
9/4/2012	MW-8	6.40	10.14	2	77.2	3.74	18	514
9/13/2012	MW-8	6.90	10.72	2	53.7	3.82	11	525
9/18/2012	MW-8	6.66	10.31	2	45.1	3.65	22	547
9/27/2012	MW-8	6.56	10.07	2	52.8	3.51	23	570
10/4/2012	MW-8	6.46	10.13	2	62.7	3.67	19	589
10/11/2012	MW-8	6.57	10.08	2	75.2	3.51	12	601
10/16/2012	MW-8	6.49	10.03	2	47.1	3.54	18	619
10/25/2012	MW-8	6.44	9.97	2	47.7	3.53	20	639
11/2/2012	MW-8	4.73	7.02	2	91.4	2.29	7	646
11/6/2012	MW-8	4.90	10.21	2	52	5.31	11	657
11/14/2012	MW-8	4.97	10.86	2	68.1	5.89	6	663
11/21/2012	MW-8	5.29	11.38	2	51.6	6.09	5	668
11/29/2012	MW-8	5.66	11.28	2	61.5	5.62	23	691
12/7/2012	MW-8	5.75	11.47	2	75.2	5.72	22	713
12/12/2012	MW-8	5.98	11.31	2	66.1	5.33	5	718
12/21/2012	MW-8	4.93	10.66	2	69.5	5.73	7	725
1/4/2013	MW-8	5.88	11.53	2	77.4	5.65	4	729
1/18/2013	MW-8	6.33	11.41	2	85.2	5.08	20	749
1/31/2013	MW-8	5.99	11.22	2	73.8	5.23	20	769
2/14/2013	MW-8	6.29	10.93	2	57.1	4.64	20	789
2/28/2013	MW-8	5.67	10.23	2	NR	4.56	8	797
3/12/2013	MW-8	5.77	10.50	2	NR	4.73	21	818
3/29/2013	MW-8	6.25	11.01	2	NR	4.76	22	840
4/11/2013	MW-8	6.29	10.79	2	26.8	4.5	20	860
4/23/2013	MW-8	6.12	10.48	2	62.3	4.36	19	879
5/8/2013	MW-8	6.35	10.17	2	57.4	3.82	19	898
5/22/2013	MW-8	6.20	10.18	2	59.7	3.98	21	919
6/5/2013	MW-8	6.29	10.17	2	61.3	3.88	20	939
6/20/2013	MW-8	5.77	9.71	2	53.7	3.94	19	958

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	2
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	3.5
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.5	4
1/12/2012	MW-9	6.09	6.2	2	38.9	0.11	0.5	4.5
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0	4.5
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.5	5
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.5	5.5
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.1	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.1
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.1	6.2
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0	0	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.1	6.55
3/27/2012	MW-9	7.91	8.2	2	50.6	0.29	0.1	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.1	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.1	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.1	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.1	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.1	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.1	7.25
6/4/2012	MW-9	6.95	7.11	2	45.8	0.16	0.1	7.35
6/15/2012	MW-9	6.90	7.08	2	48.9	0.18	0.1	7.45
6/21/2012	MW-9	6.99	6.99	2	54.1	0	0.01	7.46
7/10/2012	MW-9	7.14	7.48	2	75.1	0.34	0.1	7.56
8/16/2012	MW-9	7.14	7.43	2	35.2	0.29	0.1	7.66
8/21/2012	MW-9	7.18	7.42	2	22.3	0.24	0.1	7.76
8/30/2012	MW-9	7.31	7.61	2	12.8	0.3	0.1	7.86
9/4/2012	MW-9	7.34	7.49	2	15.3	0.15	0.1	7.96
9/13/2012	MW-9	7.93	8.01	2	11.2	0.08	0.1	8.06
9/18/2012	MW-9	7.74	7.92	2	6.3	0.18	0.1	8.16
9/27/2012	MW-9	7.51	7.65	2	5.1	0.14	0.1	8.26
10/4/2012	MW-9	7.20	7.38	2	29.6	0.18	0.1	8.36
10/11/2012	MW-9	7.24	7.3	2	19.4	0.06	0.1	8.46
10/16/2012	MW-9	7.24	7.4	2	13.4	0.16	0.1	8.56
10/25/2012	MW-9	7.30	7.52	2	17.9	0.22	0.1	8.66
11/2/2012	MW-9	ND	5.07	2	3.6	0	0	8.66
11/6/2012	MW-9	5.68	5.68	2	17.1	0	0.01	8.67
11/14/2012	MW-9	6.06	6.13	2	18.4	0.07	0.01	8.68
11/21/2012	MW-9	6.64	6.79	2	13.1	0.15	0.01	8.69
11/29/2012	MW-9	7.27	7.51	2	15.9	0.24	0.25	8.94
12/7/2012	MW-9	7.54	7.78	2	20.3	0.24	0.01	8.95
12/12/2012	MW-9	7.60	8.56	2	18.6	0.96	1	9.95
12/21/2012	MW-9	6.35	7.24	2	23.6	0.89	0.5	10.45
1/4/2013	MW-9	7.09	9.2	2	28.7	2.11	0.75	11.2
1/18/2013	MW-9	7.40	9.59	2	33.4	2.19	1	12.2
1/31/2013	MW-9	7.06	8.93	2	39.7	1.87	0.5	12.7
2/14/2013	MW-9	7.04	9.58	2	41.5	2.54	1	13.7
2/28/2013	MW-9	6.80	8.49	2	NR	1.69	1.25	14.95
3/12/2013	MW-9	6.91	8.82	2	NR	1.91	0.75	15.7
3/29/2013	MW-9	7.14	9.82	2	NR	2.68	0.75	16.45
4/11/2013	MW-9	7.23	9.71	2	18.0	2.48	0.75	17.2
4/23/2013	MW-9	7.30	9.41	2	21.7	2.11	0.75	17.95
5/8/2013	MW-9	7.16	10.18	2	15.2	3.02	0.5	18.45
5/22/2013	MW-9	7.00	9.08	2	14.6	2.08	0.25	18.7
6/5/2013	MW-9	6.93	9.38	2	22.7	2.45	0.25	18.95
6/20/2013	MW-9	6.45	7.28	2	26.6	0.83	0.1	19.05

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	2.5
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.1	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.5	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.1
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.5	7.6
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.1	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.2
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.1	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.1	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.5	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.4
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.1	9.5
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.1	9.6
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.1	9.95
6/4/2012	MW-12	7.78	7.80	2	35.3	0.02	0.1	10.05
6/15/2012	MW-12	7.71	9.07	2	39	1.36	0.1	10.15
6/21/2012	MW-12	8.09	8.49	2	40.6	0.4	0.1	10.25
7/10/2012	MW-12	8.06	8.67	2	47.7	0.61	0.1	10.35
8/16/2012	MW-12	7.98	8.85	2	32.5	0.87	0.25	10.6
8/21/2012	MW-12	8.21	8.68	2	17.4	0.47	0.25	10.85
8/31/2012	MW-12	8.14	8.46	2	20.3	0.32	0.1	10.95
9/4/2012	MW-12	8.25	8.53	2	16.9	0.28	0.1	11.05
9/13/2012	MW-12	8.87	9.31	2	16.4	0.44	0.1	11.15
9/18/2012	MW-12	8.53	8.98	2	10.7	0.45	0.1	11.25
9/27/2012	MW-12	8.29	8.76	2	12.3	0.47	0.1	11.35
10/4/2012	MW-12	8.28	8.66	2	16.3	0.38	0.1	11.45
10/11/2012	MW-12	8.38	8.62	2	16.7	0.24	0.1	11.55
10/16/2012	MW-12	8.26	8.51	2	13.9	0.25	0.1	11.65
10/25/2012	MW-12	8.22	8.51	2	12.6	0.29	0.1	11.75
11/2/2012	MW-12	ND	6.51	2	4.3	0	0	11.75
11/6/2012	MW-12	7.01	7.02	2	8.4	0.01	0.01	11.76
11/14/2012	MW-12	7.02	8.89	2	19.3	1.87	0.75	12.51
11/21/2012	MW-12	7.69	8.16	2	9.3	0.47	0.1	12.61
11/29/2012	MW-12	7.87	8.26	2	19.7	0.39	0.1	12.71
12/7/2012	MW-12	8.15	8.43	2	22.9	0.28	0.1	12.81
12/12/2012	MW-12	8.38	8.76	2	21.3	0.38	0.1	12.91
12/21/2012	MW-12	7.09	7.49	2	14.2	0.40	0.1	13.01
1/4/2013	MW-12	9.51	9.66	2	12.2	0.15	0.1	13.11
1/18/2013	MW-12	9.42	9.76	2	18.6	0.34	0.1	13.21
1/31/2013	MW-12	9.02	9.04	2	6.4	0.02	0.1	13.31
2/14/2013	MW-12	9.13	9.41	2	5.7	0.28	0.1	13.41
2/28/2013	MW-12	7.58	8.62	2	NR	1.04	0.5	13.91
3/12/2013	MW-12	7.55	9.12	2	NR	1.57	0.25	14.16
3/29/2013	MW-12	8.12	9.87	2	NR	1.75	0.5	14.66
4/11/2013	MW-12	8.05	9.42	2	18.9	1.37	0.25	14.91
4/23/2013	MW-12	7.99	8.94	2	15.2	0.95	0.1	15.01
5/8/2013	MW-12	8.07	9.11	2	13.7	1.04	0.1	15.11
5/22/2013	MW-12	7.78	9.17	2	15.2	1.39	0.1	15.21
6/5/2013	MW-12	7.78	9.71	2	16.6	1.93	0.25	15.46
6/20/2013	MW-12	7.05	9.77	2	20.3	2.72	0.5	15.96

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	4
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	7
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3	10
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2	12
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0	12
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.5	13.5
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.5	15
2/10/2012	MW-13	8.02	9.92	2	58.5	1.9	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.5	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.5	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.5
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.5
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1	25.5
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.5	28
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2	30
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.5	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.5	36.5
6/4/2012	MW-13	7.34	10.21	2	63.4	2.87	1.5	38
6/15/2012	MW-13	7.32	10.88	2	63.4	3.56	2.5	40.5
6/21/2012	MW-13	7.48	10.63	2	52.9	3.15	2	42.5
7/10/2012	MW-13	7.23	12.01	2	78.4	4.78	2.5	45
8/16/2012	MW-13	7.05	12.08	2	47.6	5.03	2.5	47.5
8/21/2012	MW-13	7.55	11.09	2	38.5	3.54	1.75	49.25
8/30/2012	MW-13	7.64	10.84	2	40.9	3.2	1.5	50.75
9/4/2012	MW-13	7.79	10.42	2	36.4	2.63	1.25	52
9/13/2012	MW-13	8.39	11.37	2	24.9	2.98	0.75	52.75
9/18/2012	MW-13	8.17	10.78	2	22.6	2.61	1.25	54
9/27/2012	MW-13	7.85	10.92	2	21.4	3.07	1.75	55.75
10/4/2012	MW-13	7.71	10.89	2	37.4	3.18	2	57.75
10/11/2012	MW-13	7.80	10.87	2	33.1	3.07	2	59.75
10/16/2012	MW-13	7.81	10.59	2	30.2	2.78	1.75	61.5
10/25/2012	MW-13	7.74	10.88	2	28.1	3.14	1.75	63.25
11/2/2012	MW-13	6.20	8.62	2	39.8	2.42	0.75	64
11/6/2012	MW-13	6.86	8.71	2	15.6	1.85	0.75	64.75
11/14/2012	MW-13	7.02	8.75	2	26.7	1.73	1.25	66
11/21/2012	MW-13	7.33	9.18	2	18.5	1.85	1.25	67.25
11/29/2012	MW-13	7.60	9.64	2	22.3	2.04	2.04	69.29
12/7/2012	MW-13	7.56	10.12	2	27.1	2.56	1.5	70.79
12/12/2012	MW-13	7.79	10.19	2	29.9	2.4	1.25	72.04
12/21/2012	MW-13	6.61	8.94	2	18.7	2.33	1.0	73.04
1/4/2013	MW-13	7.61	10.68	2	27.3	3.07	1.5	74.54
1/18/2013	MW-13	7.63	11.68	2	30.1	4.05	1.75	76.29
1/31/2013	MW-13	7.15	11.18	2	27.9	4.03	1.5	77.79
2/14/2013	MW-13	7.37	11.81	2	22.6	4.44	1.75	79.54
2/28/2013	MW-13	6.83	11.06	2	NR	4.23	2.5	82.04
3/12/2013	MW-13	7.19	10.93	2	NR	3.74	1.5	83.54
3/29/2013	MW-13	7.48	12.11	2	NR	4.63	1.5	85.04
4/11/2013	MW-13	7.50	11.88	2	30.4	4.38	1.5	86.54
4/23/2013	MW-13	7.40	11.63	2	22.6	4.23	1.5	88.04
5/8/2013	MW-13	7.56	11.93	2	26.5	4.37	1.5	89.54
5/22/2013	MW-13	7.16	12.18	2	30.3	5.02	1.75	91.29
6/5/2013	MW-13	7.24	12.36	2	28.4	5.12	1.75	93.04
6/20/2013	MW-13	6.71	11.64	2	31.4	4.93	2.00	95.04
							Total:	1150.88

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Non detected

NG - Not gauged

NR - Not recorded

1 - Monitoring well MW-7 inaccessible due to flooding in the basement of the warehouse

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.1	0.1
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.1	0.2
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.1	0.3
5/15/2012	MW-2	7.6	7.61	2	223	0.01	0.1	0.4
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.1	0.5
10/4/2012	MW-2	7.51	7.60	2	81	0.09	0.1	0.6
10/11/2012	MW-2	7.55	7.55	2	52.9	0	0.01	0.61
10/16/2012	MW-2	7.54	7.57	2	73.7	0.03	0.01	0.62
10/25/2012	MW-2	7.46	7.46	2	56.2	0	0.01	0.63
11/2/2012	MW-2	ND	5.59	2	17.5	0	0	0.63
11/6/2012	MW-2	ND	6.07	2	29.8	0	0	0.63
11/14/2012	MW-2	6.24	6.24	2	50.6	0	0.01	0.64
11/21/2012	MW-2	6.54	6.54	2	37.5	0	0.01	0.65
11/29/2012	MW-2	6.79	6.79	2	42.8	0	0.01	0.66
12/7/2012	MW-2	ND	7.19	2	36.7	0	0	0.66
12/12/2012	MW-2	ND	7.24	2	41.4	0	0	0.66
12/21/2012	MW-2	ND	6.93	2	44.3	0	0	0.66
1/4/2013	MW-2	ND	6.92	2	64.1	0	0	0.66
1/18/2013	MW-2	ND	7.34	2	45.7	0	0	0.66
1/31/2013	MW-2	ND	7.51	2	40.2	0	0	0.66
2/14/2013	MW-2	ND	7.48	2	26.2	0	0	0.66
2/28/2013	MW-2	ND	7.27	2	NR	0	0	0.66
3/12/2013	MW-2	ND	7.16	2	NR	0	0	0.66
3/29/2013	MW-2	ND	7.46	2	NR	0	0	0.66
4/11/2013	MW-2	ND	7.68	2	71.6	0	0	0.66
4/23/2013	MW-2	ND	7.69	2	68.4	0	0	0.66
5/8/2013	MW-2	ND	7.70	2	84.3	0	0	0.66
5/22/2013	MW-2	ND	7.51	2	65.1	0	0	0.66
6/5/2013	MW-2	ND	7.44	2	53.6	0	0	0.66
6/20/2013	MW-2R	ND	6.88	4	69.9	0	0	0.66
7/3/2013	MW-2R	ND	7.31	4	58.7	0	0	0.66
7/18/2013	MW-2R	ND	7.42	4	43.4	0	0	0.66

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	2
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	2.5
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1	3.5
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.5	4
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0	4
1/26/2012	MW-3	6.8	6.91	2	263	0.11	0.5	4.5
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.5	6
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.5	7.5
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8
3/16/2012	MW-3	7.06	7.06	2	108	0	0	8
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.1	8.1
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.6
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.1	9.7
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.2
5/23/2012	MW-3	6.7	6.73	2	176	0.03	0.1	10.3
5/29/2012	MW-3	6.6	6.63	2	137	0.03	0.1	10.4
6/4/2012	MW-3	6.58	6.61	2	112	0.03	0.1	10.5
6/15/2012	MW-3	6.66	7.11	2	87.7	0.45	0.1	10.6
6/21/2012	MW-3	6.68	6.68	2	160	0	0.01	10.61
7/10/2012	MW-3	6.83	7.31	2	104	0.48	0.75	11.36
8/16/2010	MW-3	6.81	6.83	2	79.2	0.02	0.01	11.37
8/21/2012	MW-3	6.72	7.11	2	50.9	0.39	0.25	11.62
8/30/2012	MW-3	6.76	7.28	2	90.6	0.52	0.5	12.12
9/4/2012	MW-3	6.86	7.02	2	87.1	0.16	0.1	12.22
9/13/2012	MW-3	6.96	7.34	2	78.6	0.38	0.25	12.47
9/18/2012	MW-3	ND	6.99	2	62.4	0	0	12.47
9/27/2012	MW-3	ND	6.88	2	58.9	0	NA	12.47
10/4/2012	MW-3	6.69	7.31	2	24.8	0.62	1	13.47
10/11/2012	MW-3	6.83	6.84	2	38.7	0.01	0.1	13.57
10/16/2012	MW-3	ND	6.86	2	29.6	0	0	13.57
10/25/2012	MW-3	6.81	6.88	2	24.3	0.07	0.01	13.58
11/2/2012	MW-3	ND	4.58	2	34.2	0	0	13.58
11/6/2012	MW-3	5.49	5.51	2	46.3	0	0.01	13.59
11/14/2012	MW-3	5.72	5.79	2	41.5	0	0.01	13.6
11/21/2012	MW-3	6.07	6.11	2	29.4	0.04	0.01	13.61
11/29/2012	MW-3	6.31	6.40	2	32.6	0.09	0.1	13.71
12/7/2012	MW-3	6.51	6.79	2	50.8	0.28	0.1	13.81
12/12/2012	MW-3	6.50	6.78	2	42.7	0.28	0.1	13.91
12/21/2012	MW-3	4.91	5.15	2	56.1	0.24	0.01	13.92
1/4/2013	MW-3	6.32	6.85	2	55.4	0.53	0.25	14.17
1/18/2013	MW-3	6.57	7.16	2	42.8	0.59	0.25	14.42
1/31/2013	MW-3	6.56	6.89	2	32.1	0.33	0.1	14.52
2/14/2013	MW-3	6.42	7.11	2	43.7	0.69	0.25	14.77
2/28/2013	MW-3	6.32	6.59	2	NR	0.27	0.1	14.87
3/12/2013	MW-3	6.46	6.61	2	NR	0.15	0.1	14.97
3/29/2013	MW-3	6.45	6.86	2	NR	0.41	0.1	15.07
4/11/2013	MW-3	6.41	7.03	2	13.2	0.62	0.25	15.32
4/23/2013	MW-3	6.51	7.06	2	16.8	0.55	0.1	15.42
5/8/2013	MW-3	6.32	6.48	2	22.9	0.16	0.1	15.52
5/22/2013	MW-3	6.37	6.51	2	18.4	0.14	0.1	15.62
6/5/2013	MW-3	6.35	6.72	2	24.2	0.37	0.1	15.72
6/20/2013	MW-3	6.05	6.16	2	18.2	0.11	0.1	15.82
7/3/2013	MW-3	6.26	6.39	2	30.4	0.13	0.1	15.92
7/18/2013	MW-3	6.36	6.45	2	21.8	0.09	0.1	16.02

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	2
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	3
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.5	3.5
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.2	13.8	1	39.7	3.6	0.0	4.25
1/26/2012	MW-6	10.09	13.9	1	44.6	3.81	0.5	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.6	0.5	5.25
2/10/2012	MW-6	10.2	13.94	1	46.2	3.74	0.5	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.5	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.5	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.5	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.5	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.5	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.5	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.5	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.5	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.5	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.5	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.5	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.5	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.5	12.25
6/4/2012	MW-6	10.00	13.04	1	46.2	3.04	0.5	12.75
6/15/2012	MW-6	10.04	13.29	1	57.8	3.25	0.5	13.25
6/21/2012	MW-6	9.97	13.44	1	54.8	3.47	0.5	13.75
7/10/2012	MW-6	10.14	13.46	1	39.4	3.32	0.5	14.25
8/16/2012	MW-6	10.13	13.36	1	27	3.23	0.75	15
8/21/2012	MW-6	10.14	13.41	1	25.8	3.27	0.75	15.75
8/30/2012	MW-6	10.20	13.38	1	17.5	3.18	0.5	16.25
9/4/2012	MW-6	10.16	13.42	1	15.9	3.26	0.5	16.75
9/13/2012	MW-6	10.42	13.51	1	10.6	3.09	0.5	17.25
9/18/2012	MW-6	10.42	13.81	1	9.5	3.39	0.5	17.75
9/27/2012	MW-6	10.39	13.72	1	11.3	3.33	0.5	18.25
10/4/2012	MW-6	10.27	13.59	1	20.3	3.32	0.5	18.75
10/11/2012	MW-6	10.33	13.69	1	14.8	3.36	0.5	19.25
10/16/2012	MW-6	10.32	13.64	1	15	3.32	0.5	19.75
10/25/2012	MW-6	10.39	13.42	1	13.4	3.03	0.5	20.25
11/2/2012	MW-6	7.84	10.07	1	22.1	2.23	0.25	20.5
11/6/2012	MW-6	8.13	13.48	1	13.7	5.35	0.75	21.25
11/14/2012	MW-6	8.76	13.80	1	19.5	5.04	0.75	22
11/21/2012	MW-6	9.06	13.88	1	15.2	4.82	0.75	22.75
11/29/2012	MW-6	9.48	14.04	1	13.7	4.56	0.5	23.25
12/7/2012	MW-6	9.60	14.07	1	21.4	4.47	0.5	23.75
12/12/2012	MW-6	9.80	14.04	1	18.5	4.24	0.5	24.25
12/21/2012	MW-6	9.25	13.19	1	17.4	3.94	0.5	24.75
1/4/2013	MW-6	9.85	13.98	1	21.6	4.13	0.5	25.25
1/18/2013	MW-6	10.20	14.07	1	14.4	3.87	0.5	25.75
1/31/2013	MW-6	10.07	13.82	1	11.1	3.75	0.5	26.25
2/14/2013	MW-6	10.21	13.82	1	18.4	3.61	0.5	26.75
2/28/2013	MW-6	9.87	13.18	1	NR	3.31	0.1	26.85
3/12/2013	MW-6	9.80	13.29	1	NR	3.49	0.5	27.35
3/29/2013	MW-6	10.11	13.73	1	NR	3.62	0.5	27.85
4/11/2013	MW-6	10.24	13.76	1	24.0	3.52	0.5	28.35
4/23/2013	MW-6	10.18	13.57	1	19.7	3.39	0.5	28.85
5/8/2013	MW-6	10.30	13.61	1	15.3	3.31	0.5	29.35
5/22/2013	MW-6	10.17	13.36	1	16.0	3.19	0.5	29.85
6/5/2013	MW-6	10.21	13.52	1	16.5	3.31	0.5	30.35
6/20/2013	MW-6	9.74	13.02	1	20.8	3.28	0.5	30.85
7/3/2013	MW-6	9.87	13.26	1	29.4	3.39	0.5	31.35
7/18/2013	MW-6	9.92	13.33	1	20.7	3.41	0.5	31.85

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	1
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.5	2.5
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0	2.5
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.5	3
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0	3
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.5	3.5
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.5	4
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.5	4.5
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.5	5
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.5
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.5	6.5
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.1	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.1
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.6
6/4/2012	MW-7	2.32	3.90	1	66.5	1.58	0.25	7.85
6/15/2012	MW-7	2.63	4.21	1	43.6	1.58	0.25	8.1
6/21/2012	MW-7	2.58	4.2	1	65.3	1.62	0.25	8.35
7/10/2012	MW-7	2.30	4.71	1	70.1	2.41	0.25	8.6
8/16/2012	MW-7	2.58	4.83	1	40.6	2.25	0.5	9.1
8/21/2012	MW-7	2.94	3.87	1	30.3	0.93	0.5	9.6
8/30/2012	MW-7	3.09	4.10	1	22.4	1.01	0.5	10.1
9/4/2012	MW-7	2.97	3.88	1	11.6	0.91	0.5	10.6
9/13/2012	MW-7	3.52	4.28	1	6.3	0.76	0.5	11.1
9/18/2012	MW-7	3.15	4.28	1	8.8	1.13	0.5	11.6
9/27/2012	MW-7	3.18	4.04	1	14.5	0.86	0.5	12.1
10/4/2012	MW-7	3.11	3.83	1	16.9	0.72	0.25	12.35
10/11/2012	MW-7	3.12	3.93	1	15.2	0.81	0.25	12.6
10/16/2012	MW-7	2.88	4.07	1	14.6	1.19	0.25	12.85
10/25/2012	MW-7	3.08	4.33	1	16.5	1.25	0.25	13.1
11/2/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/6/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/14/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/21/2012	MW-7	1.24	2.11	1	27.8	0.87	0.1	13.2
11/29/2012	MW-7	2.02	2.53	1	29.2	0.51	0.1	13.3
12/7/2012	MW-7	2.02	2.11	1	15.9	0.09	0.1	13.4
12/12/2012	MW-7	1.96	2.12	1	10.2	0.16	0.1	13.5
12/21/2012	MW-7	0.84	1.11	1	43.5	0.27	0.1	13.6
1/4/2013	MW-7	1.20	1.97	1	48.2	0.77	0.1	13.7
1/18/2013	MW-7	1.17	1.62	1	51.6	0.45	0.1	13.8
1/31/2013	MW-7	1.12	1.77	1	48.4	0.65	0.1	13.9
2/14/2013	MW-7	1.10	1.14	1	46.2	0.04	0.1	14
2/28/2013	MW-7	1.12	1.58	1	NR	0.46	0.1	14.1
3/12/2013	MW-7	1.28	1.99	1	NR	0.71	0.1	14.2
3/29/2013	MW-7	1.68	2.19	1	NR	0.51	0.1	14.3
4/11/2013	MW-7	2.64	3.80	1	20.1	1.16	0.25	14.55
4/23/2013	MW-7	2.88	3.32	1	14.2	0.44	0.1	14.65
5/8/2013	MW-7	3.06	3.43	1	9.8	0.37	0.1	14.75
5/22/2013	MW-7	2.51	3.64	1	16.8	1.13	0.25	15
6/5/2013	MW-7	2.50	3.83	1	14.9	1.33	0.25	15.25
6/20/2013	MW-7	1.66	2.85	1	29.6	1.19	0.25	15.5
7/3/2013	MW-7	1.86	2.63	1	25.6	0.77	0.1	15.6
7/18/2013	MW-7	2.09	2.26	1	12.3	0.17	0.1	15.7

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	12
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	26
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16	42
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19	61
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27	88
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28	116
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14	130
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16	146
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15	161
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5	166
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10	176
3/6/2012	MW-8	6.98	10.68	2	106	3.7	9	185
3/16/2012	MW-8	6.59	10.7	2	154	4.11	15	200
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11	211
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21	232
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23	255
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21	276
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23	299
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17	316
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23	339
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22	361
6/4/2012	MW-8	5.98	9.85	2	81.4	3.87	21	382
6/15/2012	MW-8	6.08	9.97	2	96.4	3.89	18	400
6/21/2012	MW-8	6.21	10.18	2	184	3.97	15	415
7/10/2012	MW-8	6.27	10.13	2	74.6	3.86	20	435
8/16/2012	MW-8	6.11	9.30	2	65.9	3.19	22	457
8/21/2012	MW-8	6.40	10.13	2	79.7	3.73	21	478
8/30/2012	MW-8	6.26	9.90	2	98.8	3.64	18	496
9/4/2012	MW-8	6.40	10.14	2	77.2	3.74	18	514
9/13/2012	MW-8	6.90	10.72	2	53.7	3.82	11	525
9/18/2012	MW-8	6.66	10.31	2	45.1	3.65	22	547
9/27/2012	MW-8	6.56	10.07	2	52.8	3.51	23	570
10/4/2012	MW-8	6.46	10.13	2	62.7	3.67	19	589
10/11/2012	MW-8	6.57	10.08	2	75.2	3.51	12	601
10/16/2012	MW-8	6.49	10.03	2	47.1	3.54	18	619
10/25/2012	MW-8	6.44	9.97	2	47.7	3.53	20	639
11/2/2012	MW-8	4.73	7.02	2	91.4	2.29	7	646
11/6/2012	MW-8	4.90	10.21	2	52	5.31	11	657
11/14/2012	MW-8	4.97	10.86	2	68.1	5.89	6	663
11/21/2012	MW-8	5.29	11.38	2	51.6	6.09	5	668
11/29/2012	MW-8	5.66	11.28	2	61.5	5.62	23	691
12/7/2012	MW-8	5.75	11.47	2	75.2	5.72	22	713
12/12/2012	MW-8	5.98	11.31	2	66.1	5.33	5	718
12/21/2012	MW-8	4.93	10.66	2	69.5	5.73	7	725
1/4/2013	MW-8	5.88	11.53	2	77.4	5.65	4	729
1/18/2013	MW-8	6.33	11.41	2	85.2	5.08	20	749
1/31/2013	MW-8	5.99	11.22	2	73.8	5.23	20	769
2/14/2013	MW-8	6.29	10.93	2	57.1	4.64	20	789
2/28/2013	MW-8	5.67	10.23	2	NR	4.56	8	797
3/12/2013	MW-8	5.77	10.50	2	NR	4.73	21	818
3/29/2013	MW-8	6.25	11.01	2	NR	4.76	22	840
4/11/2013	MW-8	6.29	10.79	2	26.8	4.5	20	860
4/23/2013	MW-8	6.12	10.48	2	62.3	4.36	19	879
5/8/2013	MW-8	6.35	10.17	2	57.4	3.82	19	898
5/22/2013	MW-8	6.20	10.18	2	59.7	3.98	21	919
6/5/2013	MW-8	6.29	10.17	2	61.3	3.88	20	939
6/20/2013	MW-8	5.77	9.71	2	53.7	3.94	19	958
7/3/2013	MW-8	5.98	10.01	2	60.2	4.03	8	966
7/18/2013	MW-8	5.92	9.97	2	53.8	4.05	20	986

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	2
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	3.5
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.5	4
1/12/2012	MW-9	6.09	6.2	2	38.9	0.11	0.5	4.5
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0	4.5
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.5	5
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.5	5.5
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.1	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.1
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.1	6.2
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0	0	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.1	6.55
3/27/2012	MW-9	7.91	8.2	2	50.6	0.29	0.1	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.1	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.1	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.1	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.1	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.1	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.1	7.25
6/4/2012	MW-9	6.95	7.11	2	45.8	0.16	0.1	7.35
6/15/2012	MW-9	6.90	7.08	2	48.9	0.18	0.1	7.45
6/21/2012	MW-9	6.99	6.99	2	54.1	0	0.01	7.46
7/10/2012	MW-9	7.14	7.48	2	75.1	0.34	0.1	7.56
8/16/2012	MW-9	7.14	7.43	2	35.2	0.29	0.1	7.66
8/21/2012	MW-9	7.18	7.42	2	22.3	0.24	0.1	7.76
8/30/2012	MW-9	7.31	7.61	2	12.8	0.3	0.1	7.86
9/4/2012	MW-9	7.34	7.49	2	15.3	0.15	0.1	7.96
9/13/2012	MW-9	7.93	8.01	2	11.2	0.08	0.1	8.06
9/18/2012	MW-9	7.74	7.92	2	6.3	0.18	0.1	8.16
9/27/2012	MW-9	7.51	7.65	2	5.1	0.14	0.1	8.26
10/4/2012	MW-9	7.20	7.38	2	29.6	0.18	0.1	8.36
10/11/2012	MW-9	7.24	7.3	2	19.4	0.06	0.1	8.46
10/16/2012	MW-9	7.24	7.4	2	13.4	0.16	0.1	8.56
10/25/2012	MW-9	7.30	7.52	2	17.9	0.22	0.1	8.66
11/2/2012	MW-9	ND	5.07	2	3.6	0	0	8.66
11/6/2012	MW-9	5.68	5.68	2	17.1	0	0.01	8.67
11/14/2012	MW-9	6.06	6.13	2	18.4	0.07	0.01	8.68
11/21/2012	MW-9	6.64	6.79	2	13.1	0.15	0.01	8.69
11/29/2012	MW-9	7.27	7.51	2	15.9	0.24	0.25	8.94
12/7/2012	MW-9	7.54	7.78	2	20.3	0.24	0.01	8.95
12/12/2012	MW-9	7.60	8.56	2	18.6	0.96	1	9.95
12/21/2012	MW-9	6.35	7.24	2	23.6	0.89	0.5	10.45
1/4/2013	MW-9	7.09	9.2	2	28.7	2.11	0.75	11.2
1/18/2013	MW-9	7.40	9.59	2	33.4	2.19	1	12.2
1/31/2013	MW-9	7.06	8.93	2	39.7	1.87	0.5	12.7
2/14/2013	MW-9	7.04	9.58	2	41.5	2.54	1	13.7
2/28/2013	MW-9	6.80	8.49	2	NR	1.69	1.25	14.95
3/12/2013	MW-9	6.91	8.82	2	NR	1.91	0.75	15.7
3/29/2013	MW-9	7.14	9.82	2	NR	2.68	0.75	16.45
4/11/2013	MW-9	7.23	9.71	2	18.0	2.48	0.75	17.2
4/23/2013	MW-9	7.30	9.41	2	21.7	2.11	0.75	17.95
5/8/2013	MW-9	7.16	10.18	2	15.2	3.02	0.5	18.45
5/22/2013	MW-9	7.00	9.08	2	14.6	2.08	0.25	18.7
6/5/2013	MW-9	6.93	9.38	2	22.7	2.45	0.25	18.95
6/20/2013	MW-9	6.45	7.28	2	26.6	0.83	0.1	19.05
7/3/2013	MW-9	6.80	7.99	2	25.2	1.19	0.1	19.15
7/18/2013	MW-9	6.90	7.98	2	23.7	1.08	0.1	19.25

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	2.5
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.1	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.5	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.1
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.5	7.6
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.1	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.2
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.1	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.1	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.5	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.4
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.1	9.5
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.1	9.6
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.1	9.95
6/4/2012	MW-12	7.78	7.80	2	35.3	0.02	0.1	10.05
6/15/2012	MW-12	7.71	9.07	2	39	1.36	0.1	10.15
6/21/2012	MW-12	8.09	8.49	2	40.6	0.4	0.1	10.25
7/10/2012	MW-12	8.06	8.67	2	47.7	0.61	0.1	10.35
8/16/2012	MW-12	7.98	8.85	2	32.5	0.87	0.25	10.6
8/21/2012	MW-12	8.21	8.68	2	17.4	0.47	0.25	10.85
8/31/2012	MW-12	8.14	8.46	2	20.3	0.32	0.1	10.95
9/4/2012	MW-12	8.25	8.53	2	16.9	0.28	0.1	11.05
9/13/2012	MW-12	8.87	9.31	2	16.4	0.44	0.1	11.15
9/18/2012	MW-12	8.53	8.98	2	10.7	0.45	0.1	11.25
9/27/2012	MW-12	8.29	8.76	2	12.3	0.47	0.1	11.35
10/4/2012	MW-12	8.28	8.66	2	16.3	0.38	0.1	11.45
10/11/2012	MW-12	8.38	8.62	2	16.7	0.24	0.1	11.55
10/16/2012	MW-12	8.26	8.51	2	13.9	0.25	0.1	11.65
10/25/2012	MW-12	8.22	8.51	2	12.6	0.29	0.1	11.75
11/2/2012	MW-12	ND	6.51	2	4.3	0	0	11.75
11/6/2012	MW-12	7.01	7.02	2	8.4	0.01	0.01	11.76
11/14/2012	MW-12	7.02	8.89	2	19.3	1.87	0.75	12.51
11/21/2012	MW-12	7.69	8.16	2	9.3	0.47	0.1	12.61
11/29/2012	MW-12	7.87	8.26	2	19.7	0.39	0.1	12.71
12/7/2012	MW-12	8.15	8.43	2	22.9	0.28	0.1	12.81
12/12/2012	MW-12	8.38	8.76	2	21.3	0.38	0.1	12.91
12/21/2012	MW-12	7.09	7.49	2	14.2	0.40	0.1	13.01
1/4/2013	MW-12	9.51	9.66	2	12.2	0.15	0.1	13.11
1/18/2013	MW-12	9.42	9.76	2	18.6	0.34	0.1	13.21
1/31/2013	MW-12	9.02	9.04	2	6.4	0.02	0.1	13.31
2/14/2013	MW-12	9.13	9.41	2	5.7	0.28	0.1	13.41
2/28/2013	MW-12	7.58	8.62	2	NR	1.04	0.5	13.91
3/12/2013	MW-12	7.55	9.12	2	NR	1.57	0.25	14.16
3/29/2013	MW-12	8.12	9.87	2	NR	1.75	0.5	14.66
4/11/2013	MW-12	8.05	9.42	2	18.9	1.37	0.25	14.91
4/23/2013	MW-12	7.99	8.94	2	15.2	0.95	0.1	15.01
5/8/2013	MW-12	8.07	9.11	2	13.7	1.04	0.1	15.11
5/22/2013	MW-12	7.78	9.17	2	15.2	1.39	0.1	15.21
6/5/2013	MW-12	7.78	9.71	2	16.6	1.93	0.25	15.46
6/20/2013	MW-12	7.05	9.77	2	20.3	2.72	0.5	15.96
7/3/2013	MW-12	7.56	10.02	2	24.3	2.46	0.5	16.46
7/18/2013	MW-12	7.40	9.46	2	17.1	2.06	0.5	16.96

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	4
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	7
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3	10
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2	12
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0	12
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.5	13.5
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.5	15
2/10/2012	MW-13	8.02	9.92	2	58.5	1.9	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.5	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.5	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.5
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.5
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1	25.5
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.5	28
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2	30
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.5	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.5	36.5
6/4/2012	MW-13	7.34	10.21	2	63.4	2.87	1.5	38
6/15/2012	MW-13	7.32	10.88	2	63.4	3.56	2.5	40.5
6/21/2012	MW-13	7.48	10.63	2	52.9	3.15	2	42.5
7/10/2012	MW-13	7.23	12.01	2	78.4	4.78	2.5	45
8/16/2012	MW-13	7.05	12.08	2	47.6	5.03	2.5	47.5
8/21/2012	MW-13	7.55	11.09	2	38.5	3.54	1.75	49.25
8/30/2012	MW-13	7.64	10.84	2	40.9	3.2	1.5	50.75
9/4/2012	MW-13	7.79	10.42	2	36.4	2.63	1.25	52
9/13/2012	MW-13	8.39	11.37	2	24.9	2.98	0.75	52.75
9/18/2012	MW-13	8.17	10.78	2	22.6	2.61	1.25	54
9/27/2012	MW-13	7.85	10.92	2	21.4	3.07	1.75	55.75
10/4/2012	MW-13	7.71	10.89	2	37.4	3.18	2	57.75
10/11/2012	MW-13	7.80	10.87	2	33.1	3.07	2	59.75
10/16/2012	MW-13	7.81	10.59	2	30.2	2.78	1.75	61.5
10/25/2012	MW-13	7.74	10.88	2	28.1	3.14	1.75	63.25
11/2/2012	MW-13	6.20	8.62	2	39.8	2.42	0.75	64
11/6/2012	MW-13	6.86	8.71	2	15.6	1.85	0.75	64.75
11/14/2012	MW-13	7.02	8.75	2	26.7	1.73	1.25	66
11/21/2012	MW-13	7.33	9.18	2	18.5	1.85	1.25	67.25
11/29/2012	MW-13	7.60	9.64	2	22.3	2.04	2.04	69.29
12/7/2012	MW-13	7.56	10.12	2	27.1	2.56	1.5	70.79
12/12/2012	MW-13	7.79	10.19	2	29.9	2.4	1.25	72.04
12/21/2012	MW-13	6.61	8.94	2	18.7	2.33	1.0	73.04
1/4/2013	MW-13	7.61	10.68	2	27.3	3.07	1.5	74.54
1/18/2013	MW-13	7.63	11.68	2	30.1	4.05	1.75	76.29
1/31/2013	MW-13	7.15	11.18	2	27.9	4.03	1.5	77.79
2/14/2013	MW-13	7.37	11.81	2	22.6	4.44	1.75	79.54
2/28/2013	MW-13	6.83	11.06	2	NR	4.23	2.5	82.04
3/12/2013	MW-13	7.19	10.93	2	NR	3.74	1.5	83.54
3/29/2013	MW-13	7.48	12.11	2	NR	4.63	1.5	85.04
4/11/2013	MW-13	7.50	11.88	2	30.4	4.38	1.5	86.54
4/23/2013	MW-13	7.40	11.63	2	22.6	4.23	1.5	88.04
5/8/2013	MW-13	7.56	11.93	2	26.5	4.37	1.5	89.54
5/22/2013	MW-13	7.16	12.18	2	30.3	5.02	1.75	91.29
6/5/2013	MW-13	7.24	12.36	2	28.4	5.12	1.75	93.04
6/20/2013	MW-13	6.71	11.64	2	31.4	4.93	2.00	95.04
7/3/2013	MW-13	7.00	11.58	2	37.8	4.58	1.75	96.79
7/18/2013	MW-13	6.88	11.64	2	28.2	4.76	1.50	98.29
							Total:	1181.48

Notes:
 PID - Photo ionization detector (well headspace reading)
 ft - Feet
 ppm - Parts per million
 g - Gallons
 ND - Non detected
 NG - Not gauged
 NR - Not recorded
 1 - Monitoring well MW-7 inaccessible due to flooding in the basement of the warehouse

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.1	0.1
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.1	0.2
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.1	0.3
5/15/2012	MW-2	7.6	7.61	2	223	0.01	0.1	0.4
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.1	0.5
10/4/2012	MW-2	7.51	7.60	2	81	0.09	0.1	0.6
10/11/2012	MW-2	7.55	7.55	2	52.9	0	0.01	0.61
10/16/2012	MW-2	7.54	7.57	2	73.7	0.03	0.01	0.62
10/25/2012	MW-2	7.46	7.46	2	56.2	0	0.01	0.63
11/2/2012	MW-2	ND	5.59	2	17.5	0	0	0.63
11/6/2012	MW-2	ND	6.07	2	29.8	0	0	0.63
11/14/2012	MW-2	6.24	6.24	2	50.6	0	0.01	0.64
11/21/2012	MW-2	6.54	6.54	2	37.5	0	0.01	0.65
11/29/2012	MW-2	6.79	6.79	2	42.8	0	0.01	0.66
12/7/2012	MW-2	ND	7.19	2	36.7	0	0	0.66
12/12/2012	MW-2	ND	7.24	2	41.4	0	0	0.66
12/21/2012	MW-2	ND	6.93	2	44.3	0	0	0.66
1/4/2013	MW-2	ND	6.92	2	64.1	0	0	0.66
1/18/2013	MW-2	ND	7.34	2	45.7	0	0	0.66
1/31/2013	MW-2	ND	7.51	2	40.2	0	0	0.66
2/14/2013	MW-2	ND	7.48	2	26.2	0	0	0.66
2/28/2013	MW-2	ND	7.27	2	NR	0	0	0.66
3/12/2013	MW-2	ND	7.16	2	NR	0	0	0.66
3/29/2013	MW-2	ND	7.46	2	NR	0	0	0.66
4/11/2013	MW-2	ND	7.68	2	71.6	0	0	0.66
4/23/2013	MW-2	ND	7.69	2	68.4	0	0	0.66
5/8/2013	MW-2	ND	7.70	2	84.3	0	0	0.66
5/22/2013	MW-2	ND	7.51	2	65.1	0	0	0.66
6/5/2013	MW-2	ND	7.44	2	53.6	0	0	0.66
6/20/2013	MW-2R	ND	6.88	4	69.9	0	0	0.66
7/3/2013	MW-2R	ND	7.31	4	58.7	0	0	0.66
7/18/2013	MW-2R	ND	7.42	4	43.4	0	0	0.66

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	2
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	2.5
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1	3.5
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.5	4
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0	4
1/26/2012	MW-3	6.8	6.91	2	263	0.11	0.5	4.5
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.5	6
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.5	7.5
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8
3/16/2012	MW-3	7.06	7.06	2	108	0	0	8
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.1	8.1
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.6
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.1	9.7
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.2
5/23/2012	MW-3	6.7	6.73	2	176	0.03	0.1	10.3
5/29/2012	MW-3	6.6	6.63	2	137	0.03	0.1	10.4
6/4/2012	MW-3	6.58	6.61	2	112	0.03	0.1	10.5
6/15/2012	MW-3	6.66	7.11	2	87.7	0.45	0.1	10.6
6/21/2012	MW-3	6.68	6.68	2	160	0	0.01	10.61
7/10/2012	MW-3	6.83	7.31	2	104	0.48	0.75	11.36
8/16/2010	MW-3	6.81	6.83	2	79.2	0.02	0.01	11.37
8/21/2012	MW-3	6.72	7.11	2	50.9	0.39	0.25	11.62
8/30/2012	MW-3	6.76	7.28	2	90.6	0.52	0.5	12.12
9/4/2012	MW-3	6.86	7.02	2	87.1	0.16	0.1	12.22
9/13/2012	MW-3	6.96	7.34	2	78.6	0.38	0.25	12.47
9/18/2012	MW-3	ND	6.99	2	62.4	0	0	12.47
9/27/2012	MW-3	ND	6.88	2	58.9	0	NA	12.47
10/4/2012	MW-3	6.69	7.31	2	24.8	0.62	1	13.47
10/11/2012	MW-3	6.83	6.84	2	38.7	0.01	0.1	13.57
10/16/2012	MW-3	ND	6.86	2	29.6	0	0	13.57
10/25/2012	MW-3	6.81	6.88	2	24.3	0.07	0.01	13.58
11/2/2012	MW-3	ND	4.58	2	34.2	0	0	13.58
11/6/2012	MW-3	5.49	5.51	2	46.3	0	0.01	13.59
11/14/2012	MW-3	5.72	5.79	2	41.5	0	0.01	13.6
11/21/2012	MW-3	6.07	6.11	2	29.4	0.04	0.01	13.61
11/29/2012	MW-3	6.31	6.40	2	32.6	0.09	0.1	13.71
12/7/2012	MW-3	6.51	6.79	2	50.8	0.28	0.1	13.81
12/12/2012	MW-3	6.50	6.78	2	42.7	0.28	0.1	13.91
12/21/2012	MW-3	4.91	5.15	2	56.1	0.24	0.01	13.92
1/4/2013	MW-3	6.32	6.85	2	55.4	0.53	0.25	14.17
1/18/2013	MW-3	6.57	7.16	2	42.8	0.59	0.25	14.42
1/31/2013	MW-3	6.56	6.89	2	32.1	0.33	0.1	14.52
2/14/2013	MW-3	6.42	7.11	2	43.7	0.69	0.25	14.77
2/28/2013	MW-3	6.32	6.59	2	NR	0.27	0.1	14.87
3/12/2013	MW-3	6.46	6.61	2	NR	0.15	0.1	14.97
3/29/2013	MW-3	6.45	6.86	2	NR	0.41	0.1	15.07
4/11/2013	MW-3	6.41	7.03	2	13.2	0.62	0.25	15.32
4/23/2013	MW-3	6.51	7.06	2	16.8	0.55	0.1	15.42
5/8/2013	MW-3	6.32	6.48	2	22.9	0.16	0.1	15.52
5/22/2013	MW-3	6.37	6.51	2	18.4	0.14	0.1	15.62
6/5/2013	MW-3	6.35	6.72	2	24.2	0.37	0.1	15.72
6/20/2013	MW-3	6.05	6.16	2	18.2	0.11	0.1	15.82
7/3/2013	MW-3	6.26	6.39	2	30.4	0.13	0.1	15.92
7/18/2013	MW-3	6.36	6.45	2	21.8	0.09	0.1	16.02

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	2
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	3
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.5	3.5
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.2	13.8	1	39.7	3.6	0.0	4.25
1/26/2012	MW-6	10.09	13.9	1	44.6	3.81	0.5	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.6	0.5	5.25
2/10/2012	MW-6	10.2	13.94	1	46.2	3.74	0.5	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.5	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.5	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.5	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.5	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.5	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.5	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.5	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.5	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.5	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.5	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.5	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.5	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.5	12.25
6/4/2012	MW-6	10.00	13.04	1	46.2	3.04	0.5	12.75
6/15/2012	MW-6	10.04	13.29	1	57.8	3.25	0.5	13.25
6/21/2012	MW-6	9.97	13.44	1	54.8	3.47	0.5	13.75
7/10/2012	MW-6	10.14	13.46	1	39.4	3.32	0.5	14.25
8/16/2012	MW-6	10.13	13.36	1	27	3.23	0.75	15
8/21/2012	MW-6	10.14	13.41	1	25.8	3.27	0.75	15.75
8/30/2012	MW-6	10.20	13.38	1	17.5	3.18	0.5	16.25
9/4/2012	MW-6	10.16	13.42	1	15.9	3.26	0.5	16.75
9/13/2012	MW-6	10.42	13.51	1	10.6	3.09	0.5	17.25
9/18/2012	MW-6	10.42	13.81	1	9.5	3.39	0.5	17.75
9/27/2012	MW-6	10.39	13.72	1	11.3	3.33	0.5	18.25
10/4/2012	MW-6	10.27	13.59	1	20.3	3.32	0.5	18.75
10/11/2012	MW-6	10.33	13.69	1	14.8	3.36	0.5	19.25
10/16/2012	MW-6	10.32	13.64	1	15	3.32	0.5	19.75
10/25/2012	MW-6	10.39	13.42	1	13.4	3.03	0.5	20.25
11/2/2012	MW-6	7.84	10.07	1	22.1	2.23	0.25	20.5
11/6/2012	MW-6	8.13	13.48	1	13.7	5.35	0.75	21.25
11/14/2012	MW-6	8.76	13.80	1	19.5	5.04	0.75	22
11/21/2012	MW-6	9.06	13.88	1	15.2	4.82	0.75	22.75
11/29/2012	MW-6	9.48	14.04	1	13.7	4.56	0.5	23.25
12/7/2012	MW-6	9.60	14.07	1	21.4	4.47	0.5	23.75
12/12/2012	MW-6	9.80	14.04	1	18.5	4.24	0.5	24.25
12/21/2012	MW-6	9.25	13.19	1	17.4	3.94	0.5	24.75
1/4/2013	MW-6	9.85	13.98	1	21.6	4.13	0.5	25.25
1/18/2013	MW-6	10.20	14.07	1	14.4	3.87	0.5	25.75
1/31/2013	MW-6	10.07	13.82	1	11.1	3.75	0.5	26.25
2/14/2013	MW-6	10.21	13.82	1	18.4	3.61	0.5	26.75
2/28/2013	MW-6	9.87	13.18	1	NR	3.31	0.1	26.85
3/12/2013	MW-6	9.80	13.29	1	NR	3.49	0.5	27.35
3/29/2013	MW-6	10.11	13.73	1	NR	3.62	0.5	27.85
4/11/2013	MW-6	10.24	13.76	1	24.0	3.52	0.5	28.35
4/23/2013	MW-6	10.18	13.57	1	19.7	3.39	0.5	28.85
5/8/2013	MW-6	10.30	13.61	1	15.3	3.31	0.5	29.35
5/22/2013	MW-6	10.17	13.36	1	16.0	3.19	0.5	29.85
6/5/2013	MW-6	10.21	13.52	1	16.5	3.31	0.5	30.35
6/20/2013	MW-6	9.74	13.02	1	20.8	3.28	0.5	30.85
7/3/2013	MW-6	9.87	13.26	1	29.4	3.39	0.5	31.35
7/18/2013	MW-6	9.92	13.33	1	20.7	3.41	0.5	31.85

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	1
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.5	2.5
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0	2.5
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.5	3
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0	3
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.5	3.5
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.5	4
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.5	4.5
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.5	5
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.5
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.5	6.5
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.1	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.1
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.6
6/4/2012	MW-7	2.32	3.90	1	66.5	1.58	0.25	7.85
6/15/2012	MW-7	2.63	4.21	1	43.6	1.58	0.25	8.1
6/21/2012	MW-7	2.58	4.2	1	65.3	1.62	0.25	8.35
7/10/2012	MW-7	2.30	4.71	1	70.1	2.41	0.25	8.6
8/16/2012	MW-7	2.58	4.83	1	40.6	2.25	0.5	9.1
8/21/2012	MW-7	2.94	3.87	1	30.3	0.93	0.5	9.6
8/30/2012	MW-7	3.09	4.10	1	22.4	1.01	0.5	10.1
9/4/2012	MW-7	2.97	3.88	1	11.6	0.91	0.5	10.6
9/13/2012	MW-7	3.52	4.28	1	6.3	0.76	0.5	11.1
9/18/2012	MW-7	3.15	4.28	1	8.8	1.13	0.5	11.6
9/27/2012	MW-7	3.18	4.04	1	14.5	0.86	0.5	12.1
10/4/2012	MW-7	3.11	3.83	1	16.9	0.72	0.25	12.35
10/11/2012	MW-7	3.12	3.93	1	15.2	0.81	0.25	12.6
10/16/2012	MW-7	2.88	4.07	1	14.6	1.19	0.25	12.85
10/25/2012	MW-7	3.08	4.33	1	16.5	1.25	0.25	13.1
11/2/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/6/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/14/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/21/2012	MW-7	1.24	2.11	1	27.8	0.87	0.1	13.2
11/29/2012	MW-7	2.02	2.53	1	29.2	0.51	0.1	13.3
12/7/2012	MW-7	2.02	2.11	1	15.9	0.09	0.1	13.4
12/12/2012	MW-7	1.96	2.12	1	10.2	0.16	0.1	13.5
12/21/2012	MW-7	0.84	1.11	1	43.5	0.27	0.1	13.6
1/4/2013	MW-7	1.20	1.97	1	48.2	0.77	0.1	13.7
1/18/2013	MW-7	1.17	1.62	1	51.6	0.45	0.1	13.8
1/31/2013	MW-7	1.12	1.77	1	48.4	0.65	0.1	13.9
2/14/2013	MW-7	1.10	1.14	1	46.2	0.04	0.1	14
2/28/2013	MW-7	1.12	1.58	1	NR	0.46	0.1	14.1
3/12/2013	MW-7	1.28	1.99	1	NR	0.71	0.1	14.2
3/29/2013	MW-7	1.68	2.19	1	NR	0.51	0.1	14.3
4/11/2013	MW-7	2.64	3.80	1	20.1	1.16	0.25	14.55
4/23/2013	MW-7	2.88	3.32	1	14.2	0.44	0.1	14.65
5/8/2013	MW-7	3.06	3.43	1	9.8	0.37	0.1	14.75
5/22/2013	MW-7	2.51	3.64	1	16.8	1.13	0.25	15
6/5/2013	MW-7	2.50	3.83	1	14.9	1.33	0.25	15.25
6/20/2013	MW-7	1.66	2.85	1	29.6	1.19	0.25	15.5
7/3/2013	MW-7	1.86	2.63	1	25.6	0.77	0.1	15.6
7/18/2013	MW-7	2.09	2.26	1	12.3	0.17	0.1	15.7

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	12
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	26
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16	42
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19	61
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27	88
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28	116
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14	130
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16	146
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15	161
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5	166
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10	176
3/6/2012	MW-8	6.98	10.68	2	106	3.7	9	185
3/16/2012	MW-8	6.59	10.7	2	154	4.11	15	200
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11	211
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21	232
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23	255
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21	276
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23	299
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17	316
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23	339
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22	361
6/4/2012	MW-8	5.98	9.85	2	81.4	3.87	21	382
6/15/2012	MW-8	6.08	9.97	2	96.4	3.89	18	400
6/21/2012	MW-8	6.21	10.18	2	184	3.97	15	415
7/10/2012	MW-8	6.27	10.13	2	74.6	3.86	20	435
8/16/2012	MW-8	6.11	9.30	2	65.9	3.19	22	457
8/21/2012	MW-8	6.40	10.13	2	79.7	3.73	21	478
8/30/2012	MW-8	6.26	9.90	2	98.8	3.64	18	496
9/4/2012	MW-8	6.40	10.14	2	77.2	3.74	18	514
9/13/2012	MW-8	6.90	10.72	2	53.7	3.82	11	525
9/18/2012	MW-8	6.66	10.31	2	45.1	3.65	22	547
9/27/2012	MW-8	6.56	10.07	2	52.8	3.51	23	570
10/4/2012	MW-8	6.46	10.13	2	62.7	3.67	19	589
10/11/2012	MW-8	6.57	10.08	2	75.2	3.51	12	601
10/16/2012	MW-8	6.49	10.03	2	47.1	3.54	18	619
10/25/2012	MW-8	6.44	9.97	2	47.7	3.53	20	639
11/2/2012	MW-8	4.73	7.02	2	91.4	2.29	7	646
11/6/2012	MW-8	4.90	10.21	2	52	5.31	11	657
11/14/2012	MW-8	4.97	10.86	2	68.1	5.89	6	663
11/21/2012	MW-8	5.29	11.38	2	51.6	6.09	5	668
11/29/2012	MW-8	5.66	11.28	2	61.5	5.62	23	691
12/7/2012	MW-8	5.75	11.47	2	75.2	5.72	22	713
12/12/2012	MW-8	5.98	11.31	2	66.1	5.33	5	718
12/21/2012	MW-8	4.93	10.66	2	69.5	5.73	7	725
1/4/2013	MW-8	5.88	11.53	2	77.4	5.65	4	729
1/18/2013	MW-8	6.33	11.41	2	85.2	5.08	20	749
1/31/2013	MW-8	5.99	11.22	2	73.8	5.23	20	769
2/14/2013	MW-8	6.29	10.93	2	57.1	4.64	20	789
2/28/2013	MW-8	5.67	10.23	2	NR	4.56	8	797
3/12/2013	MW-8	5.77	10.50	2	NR	4.73	21	818
3/29/2013	MW-8	6.25	11.01	2	NR	4.76	22	840
4/11/2013	MW-8	6.29	10.79	2	26.8	4.5	20	860
4/23/2013	MW-8	6.12	10.48	2	62.3	4.36	19	879
5/8/2013	MW-8	6.35	10.17	2	57.4	3.82	19	898
5/22/2013	MW-8	6.20	10.18	2	59.7	3.98	21	919
6/5/2013	MW-8	6.29	10.17	2	61.3	3.88	20	939
6/20/2013	MW-8	5.77	9.71	2	53.7	3.94	19	958
7/3/2013	MW-8	5.98	10.01	2	60.2	4.03	8	966
7/18/2013	MW-8	5.92	9.97	2	53.8	4.05	20	986

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	2
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	3.5
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.5	4
1/12/2012	MW-9	6.09	6.2	2	38.9	0.11	0.5	4.5
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0	4.5
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.5	5
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.5	5.5
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.1	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.1
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.1	6.2
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0	0	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.1	6.55
3/27/2012	MW-9	7.91	8.2	2	50.6	0.29	0.1	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.1	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.1	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.1	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.1	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.1	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.1	7.25
6/4/2012	MW-9	6.95	7.11	2	45.8	0.16	0.1	7.35
6/15/2012	MW-9	6.90	7.08	2	48.9	0.18	0.1	7.45
6/21/2012	MW-9	6.99	6.99	2	54.1	0	0.01	7.46
7/10/2012	MW-9	7.14	7.48	2	75.1	0.34	0.1	7.56
8/16/2012	MW-9	7.14	7.43	2	35.2	0.29	0.1	7.66
8/21/2012	MW-9	7.18	7.42	2	22.3	0.24	0.1	7.76
8/30/2012	MW-9	7.31	7.61	2	12.8	0.3	0.1	7.86
9/4/2012	MW-9	7.34	7.49	2	15.3	0.15	0.1	7.96
9/13/2012	MW-9	7.93	8.01	2	11.2	0.08	0.1	8.06
9/18/2012	MW-9	7.74	7.92	2	6.3	0.18	0.1	8.16
9/27/2012	MW-9	7.51	7.65	2	5.1	0.14	0.1	8.26
10/4/2012	MW-9	7.20	7.38	2	29.6	0.18	0.1	8.36
10/11/2012	MW-9	7.24	7.3	2	19.4	0.06	0.1	8.46
10/16/2012	MW-9	7.24	7.4	2	13.4	0.16	0.1	8.56
10/25/2012	MW-9	7.30	7.52	2	17.9	0.22	0.1	8.66
11/2/2012	MW-9	ND	5.07	2	3.6	0	0	8.66
11/6/2012	MW-9	5.68	5.68	2	17.1	0	0.01	8.67
11/14/2012	MW-9	6.06	6.13	2	18.4	0.07	0.01	8.68
11/21/2012	MW-9	6.64	6.79	2	13.1	0.15	0.01	8.69
11/29/2012	MW-9	7.27	7.51	2	15.9	0.24	0.25	8.94
12/7/2012	MW-9	7.54	7.78	2	20.3	0.24	0.01	8.95
12/12/2012	MW-9	7.60	8.56	2	18.6	0.96	1	9.95
12/21/2012	MW-9	6.35	7.24	2	23.6	0.89	0.5	10.45
1/4/2013	MW-9	7.09	9.2	2	28.7	2.11	0.75	11.2
1/18/2013	MW-9	7.40	9.59	2	33.4	2.19	1	12.2
1/31/2013	MW-9	7.06	8.93	2	39.7	1.87	0.5	12.7
2/14/2013	MW-9	7.04	9.58	2	41.5	2.54	1	13.7
2/28/2013	MW-9	6.80	8.49	2	NR	1.69	1.25	14.95
3/12/2013	MW-9	6.91	8.82	2	NR	1.91	0.75	15.7
3/29/2013	MW-9	7.14	9.82	2	NR	2.68	0.75	16.45
4/11/2013	MW-9	7.23	9.71	2	18.0	2.48	0.75	17.2
4/23/2013	MW-9	7.30	9.41	2	21.7	2.11	0.75	17.95
5/8/2013	MW-9	7.16	10.18	2	15.2	3.02	0.5	18.45
5/22/2013	MW-9	7.00	9.08	2	14.6	2.08	0.25	18.7
6/5/2013	MW-9	6.93	9.38	2	22.7	2.45	0.25	18.95
6/20/2013	MW-9	6.45	7.28	2	26.6	0.83	0.1	19.05
7/3/2013	MW-9	6.80	7.99	2	25.2	1.19	0.1	19.15
7/18/2013	MW-9	6.90	7.98	2	23.7	1.08	0.1	19.25

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	2.5
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.1	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.5	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.1
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.5	7.6
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.1	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.2
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.1	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.1	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.5	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.4
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.1	9.5
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.1	9.6
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.1	9.95
6/4/2012	MW-12	7.78	7.80	2	35.3	0.02	0.1	10.05
6/15/2012	MW-12	7.71	9.07	2	39	1.36	0.1	10.15
6/21/2012	MW-12	8.09	8.49	2	40.6	0.4	0.1	10.25
7/10/2012	MW-12	8.06	8.67	2	47.7	0.61	0.1	10.35
8/16/2012	MW-12	7.98	8.85	2	32.5	0.87	0.25	10.6
8/21/2012	MW-12	8.21	8.68	2	17.4	0.47	0.25	10.85
8/31/2012	MW-12	8.14	8.46	2	20.3	0.32	0.1	10.95
9/4/2012	MW-12	8.25	8.53	2	16.9	0.28	0.1	11.05
9/13/2012	MW-12	8.87	9.31	2	16.4	0.44	0.1	11.15
9/18/2012	MW-12	8.53	8.98	2	10.7	0.45	0.1	11.25
9/27/2012	MW-12	8.29	8.76	2	12.3	0.47	0.1	11.35
10/4/2012	MW-12	8.28	8.66	2	16.3	0.38	0.1	11.45
10/11/2012	MW-12	8.38	8.62	2	16.7	0.24	0.1	11.55
10/16/2012	MW-12	8.26	8.51	2	13.9	0.25	0.1	11.65
10/25/2012	MW-12	8.22	8.51	2	12.6	0.29	0.1	11.75
11/2/2012	MW-12	ND	6.51	2	4.3	0	0	11.75
11/6/2012	MW-12	7.01	7.02	2	8.4	0.01	0.01	11.76
11/14/2012	MW-12	7.02	8.89	2	19.3	1.87	0.75	12.51
11/21/2012	MW-12	7.69	8.16	2	9.3	0.47	0.1	12.61
11/29/2012	MW-12	7.87	8.26	2	19.7	0.39	0.1	12.71
12/7/2012	MW-12	8.15	8.43	2	22.9	0.28	0.1	12.81
12/12/2012	MW-12	8.38	8.76	2	21.3	0.38	0.1	12.91
12/21/2012	MW-12	7.09	7.49	2	14.2	0.40	0.1	13.01
1/4/2013	MW-12	9.51	9.66	2	12.2	0.15	0.1	13.11
1/18/2013	MW-12	9.42	9.76	2	18.6	0.34	0.1	13.21
1/31/2013	MW-12	9.02	9.04	2	6.4	0.02	0.1	13.31
2/14/2013	MW-12	9.13	9.41	2	5.7	0.28	0.1	13.41
2/28/2013	MW-12	7.58	8.62	2	NR	1.04	0.5	13.91
3/12/2013	MW-12	7.55	9.12	2	NR	1.57	0.25	14.16
3/29/2013	MW-12	8.12	9.87	2	NR	1.75	0.5	14.66
4/11/2013	MW-12	8.05	9.42	2	18.9	1.37	0.25	14.91
4/23/2013	MW-12	7.99	8.94	2	15.2	0.95	0.1	15.01
5/8/2013	MW-12	8.07	9.11	2	13.7	1.04	0.1	15.11
5/22/2013	MW-12	7.78	9.17	2	15.2	1.39	0.1	15.21
6/5/2013	MW-12	7.78	9.71	2	16.6	1.93	0.25	15.46
6/20/2013	MW-12	7.05	9.77	2	20.3	2.72	0.5	15.96
7/3/2013	MW-12	7.56	10.02	2	24.3	2.46	0.5	16.46
7/18/2013	MW-12	7.40	9.46	2	17.1	2.06	0.5	16.96

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	4
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	7
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3	10
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2	12
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0	12
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.5	13.5
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.5	15
2/10/2012	MW-13	8.02	9.92	2	58.5	1.9	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.5	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.5	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.5
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.5
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1	25.5
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.5	28
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2	30
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.5	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.5	36.5
6/4/2012	MW-13	7.34	10.21	2	63.4	2.87	1.5	38
6/15/2012	MW-13	7.32	10.88	2	63.4	3.56	2.5	40.5
6/21/2012	MW-13	7.48	10.63	2	52.9	3.15	2	42.5
7/10/2012	MW-13	7.23	12.01	2	78.4	4.78	2.5	45
8/16/2012	MW-13	7.05	12.08	2	47.6	5.03	2.5	47.5
8/21/2012	MW-13	7.55	11.09	2	38.5	3.54	1.75	49.25
8/30/2012	MW-13	7.64	10.84	2	40.9	3.2	1.5	50.75
9/4/2012	MW-13	7.79	10.42	2	36.4	2.63	1.25	52
9/13/2012	MW-13	8.39	11.37	2	24.9	2.98	0.75	52.75
9/18/2012	MW-13	8.17	10.78	2	22.6	2.61	1.25	54
9/27/2012	MW-13	7.85	10.92	2	21.4	3.07	1.75	55.75
10/4/2012	MW-13	7.71	10.89	2	37.4	3.18	2	57.75
10/11/2012	MW-13	7.80	10.87	2	33.1	3.07	2	59.75
10/16/2012	MW-13	7.81	10.59	2	30.2	2.78	1.75	61.5
10/25/2012	MW-13	7.74	10.88	2	28.1	3.14	1.75	63.25
11/2/2012	MW-13	6.20	8.62	2	39.8	2.42	0.75	64
11/6/2012	MW-13	6.86	8.71	2	15.6	1.85	0.75	64.75
11/14/2012	MW-13	7.02	8.75	2	26.7	1.73	1.25	66
11/21/2012	MW-13	7.33	9.18	2	18.5	1.85	1.25	67.25
11/29/2012	MW-13	7.60	9.64	2	22.3	2.04	2.04	69.29
12/7/2012	MW-13	7.56	10.12	2	27.1	2.56	1.5	70.79
12/12/2012	MW-13	7.79	10.19	2	29.9	2.4	1.25	72.04
12/21/2012	MW-13	6.61	8.94	2	18.7	2.33	1.0	73.04
1/4/2013	MW-13	7.61	10.68	2	27.3	3.07	1.5	74.54
1/18/2013	MW-13	7.63	11.68	2	30.1	4.05	1.75	76.29
1/31/2013	MW-13	7.15	11.18	2	27.9	4.03	1.5	77.79
2/14/2013	MW-13	7.37	11.81	2	22.6	4.44	1.75	79.54
2/28/2013	MW-13	6.83	11.06	2	NR	4.23	2.5	82.04
3/12/2013	MW-13	7.19	10.93	2	NR	3.74	1.5	83.54
3/29/2013	MW-13	7.48	12.11	2	NR	4.63	1.5	85.04
4/11/2013	MW-13	7.50	11.88	2	30.4	4.38	1.5	86.54
4/23/2013	MW-13	7.40	11.63	2	22.6	4.23	1.5	88.04
5/8/2013	MW-13	7.56	11.93	2	26.5	4.37	1.5	89.54
5/22/2013	MW-13	7.16	12.18	2	30.3	5.02	1.75	91.29
6/5/2013	MW-13	7.24	12.36	2	28.4	5.12	1.75	93.04
6/20/2013	MW-13	6.71	11.64	2	31.4	4.93	2.00	95.04
7/3/2013	MW-13	7.00	11.58	2	37.8	4.58	1.75	96.79
7/18/2013	MW-13	6.88	11.64	2	28.2	4.76	1.50	98.29
							Total:	1181.48

Notes:

- PID - Photo ionization detector (well headspace reading)
- ft - Feet
- ppm - Parts per million
- g - Gallons
- ND - Non detected
- NG - Not gauged
- NR - Not recorded
- 1 - Monitoring well MW-7 inaccessible due to flooding in the basement of the warehouse

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.1	0.1
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.1	0.2
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.1	0.3
5/15/2012	MW-2	7.6	7.61	2	223	0.01	0.1	0.4
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.1	0.5
10/4/2012	MW-2	7.51	7.60	2	81	0.09	0.1	0.6
10/11/2012	MW-2	7.55	7.55	2	52.9	0	0.01	0.61
10/16/2012	MW-2	7.54	7.57	2	73.7	0.03	0.01	0.62
10/25/2012	MW-2	7.46	7.46	2	56.2	0	0.01	0.63
11/2/2012	MW-2	ND	5.59	2	17.5	0	0	0.63
11/6/2012	MW-2	ND	6.07	2	29.8	0	0	0.63
11/14/2012	MW-2	6.24	6.24	2	50.6	0	0.01	0.64
11/21/2012	MW-2	6.54	6.54	2	37.5	0	0.01	0.65
11/29/2012	MW-2	6.79	6.79	2	42.8	0	0.01	0.66
12/7/2012	MW-2	ND	7.19	2	36.7	0	0	0.66
12/12/2012	MW-2	ND	7.24	2	41.4	0	0	0.66
12/21/2012	MW-2	ND	6.93	2	44.3	0	0	0.66
1/4/2013	MW-2	ND	6.92	2	64.1	0	0	0.66
1/18/2013	MW-2	ND	7.34	2	45.7	0	0	0.66
1/31/2013	MW-2	ND	7.51	2	40.2	0	0	0.66
2/14/2013	MW-2	ND	7.48	2	26.2	0	0	0.66
2/28/2013	MW-2	ND	7.27	2	NR	0	0	0.66
3/12/2013	MW-2	ND	7.16	2	NR	0	0	0.66
3/29/2013	MW-2	ND	7.46	2	NR	0	0	0.66
4/11/2013	MW-2	ND	7.68	2	71.6	0	0	0.66
4/23/2013	MW-2	ND	7.69	2	68.4	0	0	0.66
5/8/2013	MW-2	ND	7.70	2	84.3	0	0	0.66
5/22/2013	MW-2	ND	7.51	2	65.1	0	0	0.66
6/5/2013	MW-2	ND	7.44	2	53.6	0	0	0.66
6/20/2013	MW-2R	ND	6.88	4	69.9	0	0	0.66
7/3/2013	MW-2R	ND	7.31	4	58.7	0	0	0.66
7/18/2013	MW-2R	ND	7.42	4	43.4	0	0	0.66
7/31/2013	MW-2R	ND	7.57	4	18.5	0	0	0.66
8/15/2013	MW-2R	ND	7.81	4	15.4	0	0	0.66
8/28/2013	MW-2R	ND	7.88	4	17.4	0	0	0.66

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	2
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	2.5
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1	3.5
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.5	4
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0	4
1/26/2012	MW-3	6.8	6.91	2	263	0.11	0.5	4.5
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.5	6
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.5	7.5
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8
3/16/2012	MW-3	7.06	7.06	2	108	0	0	8
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.1	8.1
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.6
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.1	9.7
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.2
5/23/2012	MW-3	6.7	6.73	2	176	0.03	0.1	10.3
5/29/2012	MW-3	6.6	6.63	2	137	0.03	0.1	10.4
6/4/2012	MW-3	6.58	6.61	2	112	0.03	0.1	10.5
6/15/2012	MW-3	6.66	7.11	2	87.7	0.45	0.1	10.6
6/21/2012	MW-3	6.68	6.68	2	160	0	0.01	10.61
7/10/2012	MW-3	6.83	7.31	2	104	0.48	0.75	11.36
8/16/2010	MW-3	6.81	6.83	2	79.2	0.02	0.01	11.37
8/21/2012	MW-3	6.72	7.11	2	50.9	0.39	0.25	11.62
8/30/2012	MW-3	6.76	7.28	2	90.6	0.52	0.5	12.12
9/4/2012	MW-3	6.86	7.02	2	87.1	0.16	0.1	12.22
9/13/2012	MW-3	6.96	7.34	2	78.6	0.38	0.25	12.47
9/18/2012	MW-3	ND	6.99	2	62.4	0	0	12.47
9/27/2012	MW-3	ND	6.88	2	58.9	0	NA	12.47
10/4/2012	MW-3	6.69	7.31	2	24.8	0.62	1	13.47
10/11/2012	MW-3	6.83	6.84	2	38.7	0.01	0.1	13.57
10/16/2012	MW-3	ND	6.86	2	29.6	0	0	13.57
10/25/2012	MW-3	6.81	6.88	2	24.3	0.07	0.01	13.58
11/2/2012	MW-3	ND	4.58	2	34.2	0	0	13.58
11/6/2012	MW-3	5.49	5.51	2	46.3	0	0.01	13.59
11/14/2012	MW-3	5.72	5.79	2	41.5	0	0.01	13.6
11/21/2012	MW-3	6.07	6.11	2	29.4	0.04	0.01	13.61
11/29/2012	MW-3	6.31	6.40	2	32.6	0.09	0.1	13.71
12/7/2012	MW-3	6.51	6.79	2	50.8	0.28	0.1	13.81
12/12/2012	MW-3	6.50	6.78	2	42.7	0.28	0.1	13.91
12/21/2012	MW-3	4.91	5.15	2	56.1	0.24	0.01	13.92
1/4/2013	MW-3	6.32	6.85	2	55.4	0.53	0.25	14.17
1/18/2013	MW-3	6.57	7.16	2	42.8	0.59	0.25	14.42
1/31/2013	MW-3	6.56	6.89	2	32.1	0.33	0.1	14.52
2/14/2013	MW-3	6.42	7.11	2	43.7	0.69	0.25	14.77
2/28/2013	MW-3	6.32	6.59	2	NR	0.27	0.1	14.87
3/12/2013	MW-3	6.46	6.61	2	NR	0.15	0.1	14.97
3/29/2013	MW-3	6.45	6.86	2	NR	0.41	0.1	15.07
4/11/2013	MW-3	6.41	7.03	2	13.2	0.62	0.25	15.32
4/23/2013	MW-3	6.51	7.06	2	16.8	0.55	0.1	15.42
5/8/2013	MW-3	6.32	6.48	2	22.9	0.16	0.1	15.52
5/22/2013	MW-3	6.37	6.51	2	18.4	0.14	0.1	15.62
6/5/2013	MW-3	6.35	6.72	2	24.2	0.37	0.1	15.72
6/20/2013	MW-3	6.05	6.16	2	18.2	0.11	0.1	15.82
7/3/2013	MW-3	6.26	6.39	2	30.4	0.13	0.1	15.92
7/18/2013	MW-3	6.36	6.45	2	21.8	0.09	0.1	16.02
7/31/2013	MW-3	6.52	7.03	2	37.3	0.51	0.1	16.12
8/15/2013	MW-3	6.57	7.26	2	42.4	0.69	0.1	16.22
8/28/2013	MW-3	6.70	7.11	2	64.2	0.41	0.1	16.32

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	2
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	3
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.5	3.5
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.2	13.8	1	39.7	3.6	0.0	4.25
1/26/2012	MW-6	10.09	13.9	1	44.6	3.81	0.5	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.6	0.5	5.25
2/10/2012	MW-6	10.2	13.94	1	46.2	3.74	0.5	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.5	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.5	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.5	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.5	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.5	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.5	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.5	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.5	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.5	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.5	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.5	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.5	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.5	12.25
6/4/2012	MW-6	10.00	13.04	1	46.2	3.04	0.5	12.75
6/15/2012	MW-6	10.04	13.29	1	57.8	3.25	0.5	13.25
6/21/2012	MW-6	9.97	13.44	1	54.8	3.47	0.5	13.75
7/10/2012	MW-6	10.14	13.46	1	39.4	3.32	0.5	14.25
8/16/2012	MW-6	10.13	13.36	1	27	3.23	0.75	15
8/21/2012	MW-6	10.14	13.41	1	25.8	3.27	0.75	15.75
8/30/2012	MW-6	10.20	13.38	1	17.5	3.18	0.5	16.25
9/4/2012	MW-6	10.16	13.42	1	15.9	3.26	0.5	16.75
9/13/2012	MW-6	10.42	13.51	1	10.6	3.09	0.5	17.25
9/18/2012	MW-6	10.42	13.81	1	9.5	3.39	0.5	17.75
9/27/2012	MW-6	10.39	13.72	1	11.3	3.33	0.5	18.25
10/4/2012	MW-6	10.27	13.59	1	20.3	3.32	0.5	18.75
10/11/2012	MW-6	10.33	13.69	1	14.8	3.36	0.5	19.25
10/16/2012	MW-6	10.32	13.64	1	15	3.32	0.5	19.75
10/25/2012	MW-6	10.39	13.42	1	13.4	3.03	0.5	20.25
11/2/2012	MW-6	7.84	10.07	1	22.1	2.23	0.25	20.5
11/6/2021	MW-6	8.13	13.48	1	13.7	5.35	0.75	21.25
11/14/2012	MW-6	8.76	13.80	1	19.5	5.04	0.75	22
11/21/2012	MW-6	9.06	13.88	1	15.2	4.82	0.75	22.75
11/29/2012	MW-6	9.48	14.04	1	13.7	4.56	0.5	23.25
12/7/2012	MW-6	9.60	14.07	1	21.4	4.47	0.5	23.75
12/12/2012	MW-6	9.80	14.04	1	18.5	4.24	0.5	24.25
12/21/2012	MW-6	9.25	13.19	1	17.4	3.94	0.5	24.75
1/4/2013	MW-6	9.85	13.98	1	21.6	4.13	0.5	25.25
1/18/2013	MW-6	10.20	14.07	1	14.4	3.87	0.5	25.75
1/31/2013	MW-6	10.07	13.82	1	11.1	3.75	0.5	26.25
2/14/2013	MW-6	10.21	13.82	1	18.4	3.61	0.5	26.75
2/28/2013	MW-6	9.87	13.18	1	NR	3.31	0.1	26.85
3/12/2013	MW-6	9.80	13.29	1	NR	3.49	0.5	27.35
3/29/2013	MW-6	10.11	13.73	1	NR	3.62	0.5	27.85
4/11/2013	MW-6	10.24	13.76	1	24.0	3.52	0.5	28.35
4/23/2013	MW-6	10.18	13.57	1	19.7	3.39	0.5	28.85
5/8/2013	MW-6	10.30	13.61	1	15.3	3.31	0.5	29.35
5/22/2013	MW-6	10.17	13.36	1	16.0	3.19	0.5	29.85
6/5/2013	MW-6	10.21	13.52	1	16.5	3.31	0.5	30.35
6/20/2013	MW-6	9.74	13.02	1	20.8	3.28	0.5	30.85
7/3/2013	MW-6	9.87	13.26	1	29.4	3.39	0.5	31.35
7/18/2013	MW-6	9.92	13.33	1	20.7	3.41	0.5	31.85
7/31/2013	MW-6	10.06	13.21	1	18.4	3.15	0.5	32.35
8/15/2013	MW-6	10.24	13.46	1	16.5	3.22	0.5	32.85
8/28/2013	MW-6	10.22	13.48	1	14.3	3.26	0.5	33.35

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	1
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.5	2.5
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0	2.5
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.5	3
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0	3
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.5	3.5
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.5	4
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.5	4.5
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.5	5
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.5
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.5	6.5
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.1	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.1
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.6
6/4/2012	MW-7	2.32	3.90	1	66.5	1.58	0.25	7.85
6/15/2012	MW-7	2.63	4.21	1	43.6	1.58	0.25	8.1
6/21/2012	MW-7	2.58	4.2	1	65.3	1.62	0.25	8.35
7/10/2012	MW-7	2.30	4.71	1	70.1	2.41	0.25	8.6
8/16/2012	MW-7	2.58	4.83	1	40.6	2.25	0.5	9.1
8/21/2012	MW-7	2.94	3.87	1	30.3	0.93	0.5	9.6
8/30/2012	MW-7	3.09	4.10	1	22.4	1.01	0.5	10.1
9/4/2012	MW-7	2.97	3.88	1	11.6	0.91	0.5	10.6
9/13/2012	MW-7	3.52	4.28	1	6.3	0.76	0.5	11.1
9/18/2012	MW-7	3.15	4.28	1	8.8	1.13	0.5	11.6
9/27/2012	MW-7	3.18	4.04	1	14.5	0.86	0.5	12.1
10/4/2012	MW-7	3.11	3.83	1	16.9	0.72	0.25	12.35
10/11/2012	MW-7	3.12	3.93	1	15.2	0.81	0.25	12.6
10/16/2012	MW-7	2.88	4.07	1	14.6	1.19	0.25	12.85
10/25/2012	MW-7	3.08	4.33	1	16.5	1.25	0.25	13.1
11/2/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/6/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/14/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/21/2012	MW-7	1.24	2.11	1	27.8	0.87	0.1	13.2
11/29/2012	MW-7	2.02	2.53	1	29.2	0.51	0.1	13.3
12/7/2012	MW-7	2.02	2.11	1	15.9	0.09	0.1	13.4
12/12/2012	MW-7	1.96	2.12	1	10.2	0.16	0.1	13.5
12/21/2012	MW-7	0.84	1.11	1	43.5	0.27	0.1	13.6
1/4/2013	MW-7	1.20	1.97	1	48.2	0.77	0.1	13.7
1/18/2013	MW-7	1.17	1.62	1	51.6	0.45	0.1	13.8
1/31/2013	MW-7	1.12	1.77	1	48.4	0.65	0.1	13.9
2/14/2013	MW-7	1.10	1.14	1	46.2	0.04	0.1	14
2/28/2013	MW-7	1.12	1.58	1	NR	0.46	0.1	14.1
3/12/2013	MW-7	1.28	1.99	1	NR	0.71	0.1	14.2
3/29/2013	MW-7	1.68	2.19	1	NR	0.51	0.1	14.3
4/11/2013	MW-7	2.64	3.80	1	20.1	1.16	0.25	14.55
4/23/2013	MW-7	2.88	3.32	1	14.2	0.44	0.1	14.65
5/8/2013	MW-7	3.06	3.43	1	9.8	0.37	0.1	14.75
5/22/2013	MW-7	2.51	3.64	1	16.8	1.13	0.25	15
6/5/2013	MW-7	2.50	3.83	1	14.9	1.33	0.25	15.25
6/20/2013	MW-7	1.66	2.85	1	29.6	1.19	0.25	15.5
7/3/2013	MW-7	1.86	2.63	1	25.6	0.77	0.1	15.6
7/18/2013	MW-7	2.09	2.26	1	12.3	0.17	0.1	15.7
7/31/2013	MW-7	2.37	3.12	1	10.9	0.75	0.1	15.8
8/15/2013	MW-7	2.61	3.18	1	11.3	0.57	0.1	15.9
8/28/2013	MW-7	2.48	2.85	1	16.3	0.37	0.1	16

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	12
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	26
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16	42
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19	61
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27	88
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28	116
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14	130
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16	146
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15	161
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5	166
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10	176
3/6/2012	MW-8	6.98	10.68	2	106	3.7	9	185
3/16/2012	MW-8	6.59	10.7	2	154	4.11	15	200
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11	211
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21	232
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23	255
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21	276
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23	299
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17	316
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23	339
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22	361
6/4/2012	MW-8	5.98	9.85	2	81.4	3.87	21	382
6/15/2012	MW-8	6.08	9.97	2	96.4	3.89	18	400
6/21/2012	MW-8	6.21	10.18	2	184	3.97	15	415
7/10/2012	MW-8	6.27	10.13	2	74.6	3.86	20	435
8/16/2012	MW-8	6.11	9.30	2	65.9	3.19	22	457
8/21/2012	MW-8	6.40	10.13	2	79.7	3.73	21	478
8/30/2012	MW-8	6.26	9.90	2	98.8	3.64	18	496
9/4/2012	MW-8	6.40	10.14	2	77.2	3.74	18	514
9/13/2012	MW-8	6.90	10.72	2	53.7	3.82	11	525
9/18/2012	MW-8	6.66	10.31	2	45.1	3.65	22	547
9/27/2012	MW-8	6.56	10.07	2	52.8	3.51	23	570
10/4/2012	MW-8	6.46	10.13	2	62.7	3.67	19	589
10/11/2012	MW-8	6.57	10.08	2	75.2	3.51	12	601
10/16/2012	MW-8	6.49	10.03	2	47.1	3.54	18	619
10/25/2012	MW-8	6.44	9.97	2	47.7	3.53	20	639
11/2/2012	MW-8	4.73	7.02	2	91.4	2.29	7	646
11/6/2012	MW-8	4.90	10.21	2	52	5.31	11	657
11/14/2012	MW-8	4.97	10.86	2	68.1	5.89	6	663
11/21/2012	MW-8	5.29	11.38	2	51.6	6.09	5	668
11/29/2012	MW-8	5.66	11.28	2	61.5	5.62	23	691
12/7/2012	MW-8	5.75	11.47	2	75.2	5.72	22	713
12/12/2012	MW-8	5.98	11.31	2	66.1	5.33	5	718
12/21/2012	MW-8	4.93	10.66	2	69.5	5.73	7	725
1/4/2013	MW-8	5.88	11.53	2	77.4	5.65	4	729
1/18/2013	MW-8	6.33	11.41	2	85.2	5.08	20	749
1/31/2013	MW-8	5.99	11.22	2	73.8	5.23	20	769
2/14/2013	MW-8	6.29	10.93	2	57.1	4.64	20	789
2/28/2013	MW-8	5.67	10.23	2	NR	4.56	8	797
3/12/2013	MW-8	5.77	10.50	2	NR	4.73	21	818
3/29/2013	MW-8	6.25	11.01	2	NR	4.76	22	840
4/11/2013	MW-8	6.29	10.79	2	26.8	4.5	20	860
4/23/2013	MW-8	6.12	10.48	2	62.3	4.36	19	879
5/8/2013	MW-8	6.35	10.17	2	57.4	3.82	19	898
5/22/2013	MW-8	6.20	10.18	2	59.7	3.98	21	919
6/5/2013	MW-8	6.29	10.17	2	61.3	3.88	20	939
6/20/2013	MW-8	5.77	9.71	2	53.7	3.94	19	958
7/3/2013	MW-8	5.98	10.01	2	60.2	4.03	8	966
7/18/2013	MW-8	5.92	9.97	2	53.8	4.05	20	986
7/31/2013	MW-8	6.18	10.04	2	88.6	3.86	20	1006
8/15/2013	MW-8	6.42	10.05	2	78.7	3.63	20	1026
8/28/2013	MW-8	6.42	10.17	2	137	3.75	19	1045

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	2
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	3.5
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.5	4
1/12/2012	MW-9	6.09	6.2	2	38.9	0.11	0.5	4.5
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0	4.5
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.5	5
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.5	5.5
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.1	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.1
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.1	6.2
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0	0	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.1	6.55
3/27/2012	MW-9	7.91	8.2	2	50.6	0.29	0.1	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.1	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.1	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.1	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.1	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.1	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.1	7.25
6/4/2012	MW-9	6.95	7.11	2	45.8	0.16	0.1	7.35
6/15/2012	MW-9	6.90	7.08	2	48.9	0.18	0.1	7.45
6/21/2012	MW-9	6.99	6.99	2	54.1	0	0.01	7.46
7/10/2012	MW-9	7.14	7.48	2	75.1	0.34	0.1	7.56
8/16/2012	MW-9	7.14	7.43	2	35.2	0.29	0.1	7.66
8/21/2012	MW-9	7.18	7.42	2	22.3	0.24	0.1	7.76
8/30/2012	MW-9	7.31	7.61	2	12.8	0.3	0.1	7.86
9/4/2012	MW-9	7.34	7.49	2	15.3	0.15	0.1	7.96
9/13/2012	MW-9	7.93	8.01	2	11.2	0.08	0.1	8.06
9/18/2012	MW-9	7.74	7.92	2	6.3	0.18	0.1	8.16
9/27/2012	MW-9	7.51	7.65	2	5.1	0.14	0.1	8.26
10/4/2012	MW-9	7.20	7.38	2	29.6	0.18	0.1	8.36
10/11/2012	MW-9	7.24	7.3	2	19.4	0.06	0.1	8.46
10/16/2012	MW-9	7.24	7.4	2	13.4	0.16	0.1	8.56
10/25/2012	MW-9	7.30	7.52	2	17.9	0.22	0.1	8.66
11/2/2012	MW-9	ND	5.07	2	3.6	0	0	8.66
11/6/2012	MW-9	5.68	5.68	2	17.1	0	0.01	8.67
11/14/2012	MW-9	6.06	6.13	2	18.4	0.07	0.01	8.68
11/21/2012	MW-9	6.64	6.79	2	13.1	0.15	0.01	8.69
11/29/2012	MW-9	7.27	7.51	2	15.9	0.24	0.25	8.94
12/7/2012	MW-9	7.54	7.78	2	20.3	0.24	0.01	8.95
12/12/2012	MW-9	7.60	8.56	2	18.6	0.96	1	9.95
12/21/2012	MW-9	6.35	7.24	2	23.6	0.89	0.5	10.45
1/4/2013	MW-9	7.09	9.2	2	28.7	2.11	0.75	11.2
1/18/2013	MW-9	7.40	9.59	2	33.4	2.19	1	12.2
1/31/2013	MW-9	7.06	8.93	2	39.7	1.87	0.5	12.7
2/14/2013	MW-9	7.04	9.58	2	41.5	2.54	1	13.7
2/28/2013	MW-9	6.80	8.49	2	NR	1.69	1.25	14.95
3/12/2013	MW-9	6.91	8.82	2	NR	1.91	0.75	15.7
3/29/2013	MW-9	7.14	9.82	2	NR	2.68	0.75	16.45
4/11/2013	MW-9	7.23	9.71	2	18.0	2.48	0.75	17.2
4/23/2013	MW-9	7.30	9.41	2	21.7	2.11	0.75	17.95
5/8/2013	MW-9	7.16	10.18	2	15.2	3.02	0.5	18.45
5/22/2013	MW-9	7.00	9.08	2	14.6	2.08	0.25	18.7
6/5/2013	MW-9	6.93	9.38	2	22.7	2.45	0.25	18.95
6/20/2013	MW-9	6.45	7.28	2	26.6	0.83	0.1	19.05
7/3/2013	MW-9	6.80	7.99	2	25.2	1.19	0.1	19.15
7/18/2013	MW-9	6.90	7.98	2	23.7	1.08	0.1	19.25
7/31/2013	MW-9	7.05	8.73	2	47.7	1.68	0.25	19.5
8/15/2013	MW-9	7.20	9.12	2	38.2	1.92	0.25	19.75
8/28/2013	MW-9	7.11	10.18	2	46.3	3.07	0.25	20

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	2.5
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.1	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.5	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.1
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.5	7.6
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.1	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.2
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.1	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.1	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.5	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.4
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.1	9.5
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.1	9.6
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.1	9.95
6/4/2012	MW-12	7.78	7.80	2	35.3	0.02	0.1	10.05
6/15/2012	MW-12	7.71	9.07	2	39	1.36	0.1	10.15
6/21/2012	MW-12	8.09	8.49	2	40.6	0.4	0.1	10.25
7/10/2012	MW-12	8.06	8.67	2	47.7	0.61	0.1	10.35
8/16/2012	MW-12	7.98	8.85	2	32.5	0.87	0.25	10.6
8/21/2012	MW-12	8.21	8.68	2	17.4	0.47	0.25	10.85
8/31/2012	MW-12	8.14	8.46	2	20.3	0.32	0.1	10.95
9/4/2012	MW-12	8.25	8.53	2	16.9	0.28	0.1	11.05
9/13/2012	MW-12	8.87	9.31	2	16.4	0.44	0.1	11.15
9/18/2012	MW-12	8.53	8.98	2	10.7	0.45	0.1	11.25
9/27/2012	MW-12	8.29	8.76	2	12.3	0.47	0.1	11.35
10/4/2012	MW-12	8.28	8.66	2	16.3	0.38	0.1	11.45
10/11/2012	MW-12	8.38	8.62	2	16.7	0.24	0.1	11.55
10/16/2012	MW-12	8.26	8.51	2	13.9	0.25	0.1	11.65
10/25/2012	MW-12	8.22	8.51	2	12.6	0.29	0.1	11.75
11/2/2012	MW-12	ND	6.51	2	4.3	0	0	11.75
11/6/2012	MW-12	7.01	7.02	2	8.4	0.01	0.01	11.76
11/14/2012	MW-12	7.02	8.89	2	19.3	1.87	0.75	12.51
11/21/2012	MW-12	7.69	8.16	2	9.3	0.47	0.1	12.61
11/29/2012	MW-12	7.87	8.26	2	19.7	0.39	0.1	12.71
12/7/2012	MW-12	8.15	8.43	2	22.9	0.28	0.1	12.81
12/12/2012	MW-12	8.38	8.76	2	21.3	0.38	0.1	12.91
12/21/2012	MW-12	7.09	7.49	2	14.2	0.40	0.1	13.01
1/4/2013	MW-12	9.51	9.66	2	12.2	0.15	0.1	13.11
1/18/2013	MW-12	9.42	9.76	2	18.6	0.34	0.1	13.21
1/31/2013	MW-12	9.02	9.04	2	6.4	0.02	0.1	13.31
2/14/2013	MW-12	9.13	9.41	2	5.7	0.28	0.1	13.41
2/28/2013	MW-12	7.58	8.62	2	NR	1.04	0.5	13.91
3/12/2013	MW-12	7.55	9.12	2	NR	1.57	0.25	14.16
3/29/2013	MW-12	8.12	9.87	2	NR	1.75	0.5	14.66
4/11/2013	MW-12	8.05	9.42	2	18.9	1.37	0.25	14.91
4/23/2013	MW-12	7.99	8.94	2	15.2	0.95	0.1	15.01
5/8/2013	MW-12	8.07	9.11	2	13.7	1.04	0.1	15.11
5/22/2013	MW-12	7.78	9.17	2	15.2	1.39	0.1	15.21
6/5/2013	MW-12	7.78	9.71	2	16.6	1.93	0.25	15.46
6/20/2013	MW-12	7.05	9.77	2	20.3	2.72	0.5	15.96
7/3/2013	MW-12	7.56	10.02	2	24.3	2.46	0.5	16.46
7/18/2013	MW-12	7.40	9.46	2	17.1	2.06	0.5	16.96
7/31/2013	MW-12	7.74	9.68	2	19.7	1.94	0.5	17.46
8/15/2013	MW-12	7.98	9.96	2	15.9	1.98	0.25	17.71
8/28/2013	MW-12	7.84	10.06	2	25.9	2.22	0.5	18.21

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	4
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	7
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3	10
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2	12
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0	12
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.5	13.5
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.5	15
2/10/2012	MW-13	8.02	9.92	2	58.5	1.9	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.5	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.5	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.5
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.5
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1	25.5
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.5	28
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2	30
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.5	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.5	36.5
6/4/2012	MW-13	7.34	10.21	2	63.4	2.87	1.5	38
6/15/2012	MW-13	7.32	10.88	2	63.4	3.56	2.5	40.5
6/21/2012	MW-13	7.48	10.63	2	52.9	3.15	2	42.5
7/10/2012	MW-13	7.23	12.01	2	78.4	4.78	2.5	45
8/16/2012	MW-13	7.05	12.08	2	47.6	5.03	2.5	47.5
8/21/2012	MW-13	7.55	11.09	2	38.5	3.54	1.75	49.25
8/30/2012	MW-13	7.64	10.84	2	40.9	3.2	1.5	50.75
9/4/2012	MW-13	7.79	10.42	2	36.4	2.63	1.25	52
9/13/2012	MW-13	8.39	11.37	2	24.9	2.98	0.75	52.75
9/18/2012	MW-13	8.17	10.78	2	22.6	2.61	1.25	54
9/27/2012	MW-13	7.85	10.92	2	21.4	3.07	1.75	55.75
10/4/2012	MW-13	7.71	10.89	2	37.4	3.18	2	57.75
10/11/2012	MW-13	7.80	10.87	2	33.1	3.07	2	59.75
10/16/2012	MW-13	7.81	10.59	2	30.2	2.78	1.75	61.5
10/25/2012	MW-13	7.74	10.88	2	28.1	3.14	1.75	63.25
11/2/2012	MW-13	6.20	8.62	2	39.8	2.42	0.75	64
11/6/2012	MW-13	6.86	8.71	2	15.6	1.85	0.75	64.75
11/14/2012	MW-13	7.02	8.75	2	26.7	1.73	1.25	66
11/21/2012	MW-13	7.33	9.18	2	18.5	1.85	1.25	67.25
11/29/2012	MW-13	7.60	9.64	2	22.3	2.04	2.04	69.29
12/7/2012	MW-13	7.56	10.12	2	27.1	2.56	1.5	70.79
12/12/2012	MW-13	7.79	10.19	2	29.9	2.4	1.25	72.04
12/21/2012	MW-13	6.61	8.94	2	18.7	2.33	1.0	73.04
1/4/2013	MW-13	7.61	10.68	2	27.3	3.07	1.5	74.54
1/18/2013	MW-13	7.63	11.68	2	30.1	4.05	1.75	76.29
1/31/2013	MW-13	7.15	11.18	2	27.9	4.03	1.5	77.79
2/14/2013	MW-13	7.37	11.81	2	22.6	4.44	1.75	79.54
2/28/2013	MW-13	6.83	11.06	2	NR	4.23	2.5	82.04
3/12/2013	MW-13	7.19	10.93	2	NR	3.74	1.5	83.54
3/29/2013	MW-13	7.48	12.11	2	NR	4.63	1.5	85.04
4/11/2013	MW-13	7.50	11.88	2	30.4	4.38	1.5	86.54
4/23/2013	MW-13	7.40	11.63	2	22.6	4.23	1.5	88.04
5/8/2013	MW-13	7.56	11.93	2	26.5	4.37	1.5	89.54
5/22/2013	MW-13	7.16	12.18	2	30.3	5.02	1.75	91.29
6/5/2013	MW-13	7.24	12.36	2	28.4	5.12	1.75	93.04
6/20/2013	MW-13	6.71	11.64	2	31.4	4.93	2.00	95.04
7/3/2013	MW-13	7.00	11.58	2	37.8	4.58	1.75	96.79
7/18/2013	MW-13	6.88	11.64	2	28.2	4.76	1.50	98.29
7/31/2013	MW-13	7.11	12.19	2	30.8	5.08	1.75	100.04
8/15/2013	MW-13	7.29	12.28	2	29.7	4.99	1.50	101.54
8/28/2013	MW-13	7.29	12.22	2	38.1	4.93	1.75	103.29
							Total:	1252.83

Notes:
 PID - Photo ionization detector (well headspace reading)
 ft - Feet
 ppm - Parts per million
 g - Gallons
 ND - Non detected
 NG - Not gauged
 NR - Not recorded
 1 - Monitoring well MW-7 inaccessible due to flooding in the basement of the warehouse

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.1	0.1
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.1	0.2
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.1	0.3
5/15/2012	MW-2	7.6	7.61	2	223	0.01	0.1	0.4
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.1	0.5
10/4/2012	MW-2	7.51	7.60	2	81	0.09	0.1	0.6
10/11/2012	MW-2	7.55	7.55	2	52.9	0	0.01	0.61
10/16/2012	MW-2	7.54	7.57	2	73.7	0.03	0.01	0.62
10/25/2012	MW-2	7.46	7.46	2	56.2	0	0.01	0.63
11/2/2012	MW-2	ND	5.59	2	17.5	0	0	0.63
11/6/2012	MW-2	ND	6.07	2	29.8	0	0	0.63
11/14/2012	MW-2	6.24	6.24	2	50.6	0	0.01	0.64
11/21/2012	MW-2	6.54	6.54	2	37.5	0	0.01	0.65
11/29/2012	MW-2	6.79	6.79	2	42.8	0	0.01	0.66
12/7/2012	MW-2	ND	7.19	2	36.7	0	0	0.66
12/12/2012	MW-2	ND	7.24	2	41.4	0	0	0.66
12/21/2012	MW-2	ND	6.93	2	44.3	0	0	0.66
1/4/2013	MW-2	ND	6.92	2	64.1	0	0	0.66
1/18/2013	MW-2	ND	7.34	2	45.7	0	0	0.66
1/31/2013	MW-2	ND	7.51	2	40.2	0	0	0.66
2/14/2013	MW-2	ND	7.48	2	26.2	0	0	0.66
2/28/2013	MW-2	ND	7.27	2	NR	0	0	0.66
3/12/2013	MW-2	ND	7.16	2	NR	0	0	0.66
3/29/2013	MW-2	ND	7.46	2	NR	0	0	0.66
4/11/2013	MW-2	ND	7.68	2	71.6	0	0	0.66
4/23/2013	MW-2	ND	7.69	2	68.4	0	0	0.66
5/8/2013	MW-2	ND	7.70	2	84.3	0	0	0.66
5/22/2013	MW-2	ND	7.51	2	65.1	0	0	0.66
6/5/2013	MW-2	ND	7.44	2	53.6	0	0	0.66
6/20/2013	MW-2R	ND	6.88	4	69.9	0	0	0.66
7/3/2013	MW-2R	ND	7.31	4	58.7	0	0	0.66
7/18/2013	MW-2R	ND	7.42	4	43.4	0	0	0.66
7/31/2013	MW-2R	ND	7.57	4	18.5	0	0	0.66
8/15/2013	MW-2R	ND	7.81	4	15.4	0	0	0.66
8/28/2013	MW-2R	ND	7.88	4	17.4	0	0	0.66
9/13/2013	MW-2R	ND	7.79	4	23.5	0	0	0.66
9/27/2013	MW-2R	ND	8.19	4	15.3	0	0	0.66

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2	2
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.5	2.5
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1	3.5
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.5	4
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0	4
1/26/2012	MW-3	6.8	6.91	2	263	0.11	0.5	4.5
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.5	6
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.5	7.5
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8
3/16/2012	MW-3	7.06	7.06	2	108	0	0	8
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.1	8.1
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.6
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.1	9.7
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.2
5/23/2012	MW-3	6.7	6.73	2	176	0.03	0.1	10.3
5/29/2012	MW-3	6.6	6.63	2	137	0.03	0.1	10.4
6/4/2012	MW-3	6.58	6.61	2	112	0.03	0.1	10.5
6/15/2012	MW-3	6.66	7.11	2	87.7	0.45	0.1	10.6
6/21/2012	MW-3	6.68	6.68	2	160	0	0.01	10.61
7/10/2012	MW-3	6.83	7.31	2	104	0.48	0.75	11.36
8/16/2010	MW-3	6.81	6.83	2	79.2	0.02	0.01	11.37
8/21/2012	MW-3	6.72	7.11	2	50.9	0.39	0.25	11.62
8/30/2012	MW-3	6.76	7.28	2	90.6	0.52	0.5	12.12
9/4/2012	MW-3	6.86	7.02	2	87.1	0.16	0.1	12.22
9/13/2012	MW-3	6.96	7.34	2	78.6	0.38	0.25	12.47
9/18/2012	MW-3	ND	6.99	2	62.4	0	0	12.47
9/27/2012	MW-3	ND	6.88	2	58.9	0	NA	12.47
10/4/2012	MW-3	6.69	7.31	2	24.8	0.62	1	13.47
10/11/2012	MW-3	6.83	6.84	2	38.7	0.01	0.1	13.57
10/16/2012	MW-3	ND	6.86	2	29.6	0	0	13.57
10/25/2012	MW-3	6.81	6.88	2	24.3	0.07	0.01	13.58
11/2/2012	MW-3	ND	4.58	2	34.2	0	0	13.58
11/6/2012	MW-3	5.49	5.51	2	46.3	0	0.01	13.59
11/14/2012	MW-3	5.72	5.79	2	41.5	0	0.01	13.6
11/21/2012	MW-3	6.07	6.11	2	29.4	0.04	0.01	13.61
11/29/2012	MW-3	6.31	6.40	2	32.6	0.09	0.1	13.71
12/7/2012	MW-3	6.51	6.79	2	50.8	0.28	0.1	13.81
12/12/2012	MW-3	6.50	6.78	2	42.7	0.28	0.1	13.91
12/21/2012	MW-3	4.91	5.15	2	56.1	0.24	0.01	13.92
1/4/2013	MW-3	6.32	6.85	2	55.4	0.53	0.25	14.17
1/18/2013	MW-3	6.57	7.16	2	42.8	0.59	0.25	14.42
1/31/2013	MW-3	6.56	6.89	2	32.1	0.33	0.1	14.52
2/14/2013	MW-3	6.42	7.11	2	43.7	0.69	0.25	14.77
2/28/2013	MW-3	6.32	6.59	2	NR	0.27	0.1	14.87
3/12/2013	MW-3	6.46	6.61	2	NR	0.15	0.1	14.97
3/29/2013	MW-3	6.45	6.86	2	NR	0.41	0.1	15.07
4/11/2013	MW-3	6.41	7.03	2	13.2	0.62	0.25	15.32
4/23/2013	MW-3	6.51	7.06	2	16.8	0.55	0.1	15.42
5/8/2013	MW-3	6.32	6.48	2	22.9	0.16	0.1	15.52
5/22/2013	MW-3	6.37	6.51	2	18.4	0.14	0.1	15.62
6/5/2013	MW-3	6.35	6.72	2	24.2	0.37	0.1	15.72
6/20/2013	MW-3	6.05	6.16	2	18.2	0.11	0.1	15.82
7/3/2013	MW-3	6.26	6.39	2	30.4	0.13	0.1	15.92
7/18/2013	MW-3	6.36	6.45	2	21.8	0.09	0.1	16.02
7/31/2013	MW-3	6.52	7.03	2	37.3	0.51	0.1	16.12
8/15/2013	MW-3	6.57	7.26	2	42.4	0.69	0.1	16.22
8/28/2013	MW-3	6.70	7.11	2	64.2	0.41	0.1	16.32
9/13/2013	MW-3	6.58	7.03	2	71.7	0.45	0.2	16.52
9/27/2013	MW-3	6.74	7.52	2	68.1	0.78	0.25	16.77

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.9	2	2
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1	3
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.5	3.5
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.2	13.8	1	39.7	3.6	0.0	4.25
1/26/2012	MW-6	10.09	13.9	1	44.6	3.81	0.5	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.6	0.5	5.25
2/10/2012	MW-6	10.2	13.94	1	46.2	3.74	0.5	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.5	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.5	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.5	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.5	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.5	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.5	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.5	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.5	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.5	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.5	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.5	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.5	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.5	12.25
6/4/2012	MW-6	10.00	13.04	1	46.2	3.04	0.5	12.75
6/15/2012	MW-6	10.04	13.29	1	57.8	3.25	0.5	13.25
6/21/2012	MW-6	9.97	13.44	1	54.8	3.47	0.5	13.75
7/10/2012	MW-6	10.14	13.46	1	39.4	3.32	0.5	14.25
8/16/2012	MW-6	10.13	13.36	1	27	3.23	0.75	15
8/21/2012	MW-6	10.14	13.41	1	25.8	3.27	0.75	15.75
8/30/2012	MW-6	10.20	13.38	1	17.5	3.18	0.5	16.25
9/4/2012	MW-6	10.16	13.42	1	15.9	3.26	0.5	16.75
9/13/2012	MW-6	10.42	13.51	1	10.6	3.09	0.5	17.25
9/18/2012	MW-6	10.42	13.81	1	9.5	3.39	0.5	17.75
9/27/2012	MW-6	10.39	13.72	1	11.3	3.33	0.5	18.25
10/4/2012	MW-6	10.27	13.59	1	20.3	3.32	0.5	18.75
10/11/2012	MW-6	10.33	13.69	1	14.8	3.36	0.5	19.25
10/16/2012	MW-6	10.32	13.64	1	15	3.32	0.5	19.75
10/25/2012	MW-6	10.39	13.42	1	13.4	3.03	0.5	20.25
11/2/2012	MW-6	7.84	10.07	1	22.1	2.23	0.25	20.5
11/6/2012	MW-6	8.13	13.48	1	13.7	5.35	0.75	21.25
11/14/2012	MW-6	8.76	13.80	1	19.5	5.04	0.75	22
11/21/2012	MW-6	9.06	13.88	1	15.2	4.82	0.75	22.75
11/29/2012	MW-6	9.48	14.04	1	13.7	4.56	0.5	23.25
12/7/2012	MW-6	9.60	14.07	1	21.4	4.47	0.5	23.75
12/12/2012	MW-6	9.80	14.04	1	18.5	4.24	0.5	24.25
12/21/2012	MW-6	9.25	13.19	1	17.4	3.94	0.5	24.75
1/4/2013	MW-6	9.85	13.98	1	21.6	4.13	0.5	25.25
1/18/2013	MW-6	10.20	14.07	1	14.4	3.87	0.5	25.75
1/31/2013	MW-6	10.07	13.82	1	11.1	3.75	0.5	26.25
2/14/2013	MW-6	10.21	13.82	1	18.4	3.61	0.5	26.75
2/28/2013	MW-6	9.87	13.18	1	NR	3.31	0.1	26.85
3/12/2013	MW-6	9.80	13.29	1	NR	3.49	0.5	27.35
3/29/2013	MW-6	10.11	13.73	1	NR	3.62	0.5	27.85
4/11/2013	MW-6	10.24	13.76	1	24.0	3.52	0.5	28.35
4/23/2013	MW-6	10.18	13.57	1	19.7	3.39	0.5	28.85
5/8/2013	MW-6	10.30	13.61	1	15.3	3.31	0.5	29.35
5/22/2013	MW-6	10.17	13.36	1	16.0	3.19	0.5	29.85
6/5/2013	MW-6	10.21	13.52	1	16.5	3.31	0.5	30.35
6/20/2013	MW-6	9.74	13.02	1	20.8	3.28	0.5	30.85
7/3/2013	MW-6	9.87	13.26	1	29.4	3.39	0.5	31.35
7/18/2013	MW-6	9.92	13.33	1	20.7	3.41	0.5	31.85
7/31/2013	MW-6	10.06	13.21	1	18.4	3.15	0.5	32.35
8/15/2013	MW-6	10.24	13.46	1	16.5	3.22	0.5	32.85
8/28/2013	MW-6	10.22	13.48	1	14.3	3.26	0.5	33.35
9/13/2013	MW-6	10.34	13.49	1	17.9	3.15	0.5	33.85
9/27/2013	MW-6	10.49	13.56	1	12.8	3.07	0.5	34.35

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1	1
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.5	2.5
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0	2.5
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.5	3
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0	3
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.5	3.5
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.5	4
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.5	4.5
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.5	5
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.5
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.5	6.5
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.1	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.1
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.6
6/4/2012	MW-7	2.32	3.90	1	66.5	1.58	0.25	7.85
6/15/2012	MW-7	2.63	4.21	1	43.6	1.58	0.25	8.1
6/21/2012	MW-7	2.58	4.2	1	65.3	1.62	0.25	8.35
7/10/2012	MW-7	2.30	4.71	1	70.1	2.41	0.25	8.6
8/16/2012	MW-7	2.58	4.83	1	40.6	2.25	0.5	9.1
8/21/2012	MW-7	2.94	3.87	1	30.3	0.93	0.5	9.6
8/30/2012	MW-7	3.09	4.10	1	22.4	1.01	0.5	10.1
9/4/2012	MW-7	2.97	3.88	1	11.6	0.91	0.5	10.6
9/13/2012	MW-7	3.52	4.28	1	6.3	0.76	0.5	11.1
9/18/2012	MW-7	3.15	4.28	1	8.8	1.13	0.5	11.6
9/27/2012	MW-7	3.18	4.04	1	14.5	0.86	0.5	12.1
10/4/2012	MW-7	3.11	3.83	1	16.9	0.72	0.25	12.35
10/11/2012	MW-7	3.12	3.93	1	15.2	0.81	0.25	12.6
10/16/2012	MW-7	2.88	4.07	1	14.6	1.19	0.25	12.85
10/25/2012	MW-7	3.08	4.33	1	16.5	1.25	0.25	13.1
11/2/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/6/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/14/2012	MW-7 ¹	NG	NG	1	NG	NG	0	13.1
11/21/2012	MW-7	1.24	2.11	1	27.8	0.87	0.1	13.2
11/29/2012	MW-7	2.02	2.53	1	29.2	0.51	0.1	13.3
12/7/2012	MW-7	2.02	2.11	1	15.9	0.09	0.1	13.4
12/12/2012	MW-7	1.96	2.12	1	10.2	0.16	0.1	13.5
12/21/2012	MW-7	0.84	1.11	1	43.5	0.27	0.1	13.6
1/4/2013	MW-7	1.20	1.97	1	48.2	0.77	0.1	13.7
1/18/2013	MW-7	1.17	1.62	1	51.6	0.45	0.1	13.8
1/31/2013	MW-7	1.12	1.77	1	48.4	0.65	0.1	13.9
2/14/2013	MW-7	1.10	1.14	1	46.2	0.04	0.1	14
2/28/2013	MW-7	1.12	1.58	1	NR	0.46	0.1	14.1
3/12/2013	MW-7	1.28	1.99	1	NR	0.71	0.1	14.2
3/29/2013	MW-7	1.68	2.19	1	NR	0.51	0.1	14.3
4/11/2013	MW-7	2.64	3.80	1	20.1	1.16	0.25	14.55
4/23/2013	MW-7	2.88	3.32	1	14.2	0.44	0.1	14.65
5/8/2013	MW-7	3.06	3.43	1	9.8	0.37	0.1	14.75
5/22/2013	MW-7	2.51	3.64	1	16.8	1.13	0.25	15
6/5/2013	MW-7	2.50	3.83	1	14.9	1.33	0.25	15.25
6/20/2013	MW-7	1.66	2.85	1	29.6	1.19	0.25	15.5
7/3/2013	MW-7	1.86	2.63	1	25.6	0.77	0.1	15.6
7/18/2013	MW-7	2.09	2.26	1	12.3	0.17	0.1	15.7
7/31/2013	MW-7	2.37	3.12	1	10.9	0.75	0.1	15.8
8/15/2013	MW-7	2.61	3.18	1	11.3	0.57	0.1	15.9
8/28/2013	MW-7	2.48	2.85	1	16.3	0.37	0.1	16
9/13/2013	MW-7	2.50	2.92	1	15.3	0.42	0.1	16.1
9/27/2013	MW-7	2.99	3.43	1	11.5	0.44	0.1	16.2
9/12/2013	MW-7R	2.80	2.81	4	122	0.01	0.01	0.01
9/27/2013	MW-7R	3.26	3.26	4	81.6	Trace	0.01	0.02

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12	12
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14	26
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16	42
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19	61
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27	88
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28	116
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14	130
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16	146
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15	161
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5	166
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10	176
3/6/2012	MW-8	6.98	10.68	2	106	3.7	9	185
3/16/2012	MW-8	6.59	10.7	2	154	4.11	15	200
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11	211
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21	232
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23	255
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21	276
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23	299
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17	316
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23	339
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22	361
6/4/2012	MW-8	5.98	9.85	2	81.4	3.87	21	382
6/15/2012	MW-8	6.08	9.97	2	96.4	3.89	18	400
6/21/2012	MW-8	6.21	10.18	2	184	3.97	15	415
7/10/2012	MW-8	6.27	10.13	2	74.6	3.86	20	435
8/16/2012	MW-8	6.11	9.30	2	65.9	3.19	22	457
8/21/2012	MW-8	6.40	10.13	2	79.7	3.73	21	478
8/30/2012	MW-8	6.26	9.90	2	98.8	3.64	18	496
9/4/2012	MW-8	6.40	10.14	2	77.2	3.74	18	514
9/13/2012	MW-8	6.90	10.72	2	53.7	3.82	11	525
9/18/2012	MW-8	6.66	10.31	2	45.1	3.65	22	547
9/27/2012	MW-8	6.56	10.07	2	52.8	3.51	23	570
10/4/2012	MW-8	6.46	10.13	2	62.7	3.67	19	589
10/11/2012	MW-8	6.57	10.08	2	75.2	3.51	12	601
10/16/2012	MW-8	6.49	10.03	2	47.1	3.54	18	619
10/25/2012	MW-8	6.44	9.97	2	47.7	3.53	20	639
11/2/2012	MW-8	4.73	7.02	2	91.4	2.29	7	646
11/6/2012	MW-8	4.90	10.21	2	52	5.31	11	657
11/14/2012	MW-8	4.97	10.86	2	68.1	5.89	6	663
11/21/2012	MW-8	5.29	11.38	2	51.6	6.09	5	668
11/29/2012	MW-8	5.66	11.28	2	61.5	5.62	23	691
12/7/2012	MW-8	5.75	11.47	2	75.2	5.72	22	713
12/12/2012	MW-8	5.98	11.31	2	66.1	5.33	5	718
12/21/2012	MW-8	4.93	10.66	2	69.5	5.73	7	725
1/4/2013	MW-8	5.88	11.53	2	77.4	5.65	4	729
1/18/2013	MW-8	6.33	11.41	2	85.2	5.08	20	749
1/31/2013	MW-8	5.99	11.22	2	73.8	5.23	20	769
2/14/2013	MW-8	6.29	10.93	2	57.1	4.64	20	789
2/28/2013	MW-8	5.67	10.23	2	NR	4.56	8	797
3/12/2013	MW-8	5.77	10.50	2	NR	4.73	21	818
3/29/2013	MW-8	6.25	11.01	2	NR	4.76	22	840
4/11/2013	MW-8	6.29	10.79	2	26.8	4.5	20	860
4/23/2013	MW-8	6.12	10.48	2	62.3	4.36	19	879
5/8/2013	MW-8	6.35	10.17	2	57.4	3.82	19	898
5/22/2013	MW-8	6.20	10.18	2	59.7	3.98	21	919
6/5/2013	MW-8	6.29	10.17	2	61.3	3.88	20	939
6/20/2013	MW-8	5.77	9.71	2	53.7	3.94	19	958
7/3/2013	MW-8	5.98	10.01	2	60.2	4.03	8	966
7/18/2013	MW-8	5.92	9.97	2	53.8	4.05	20	986
7/31/2013	MW-8	6.18	10.04	2	88.6	3.86	20	1006
8/15/2013	MW-8	6.42	10.05	2	78.7	3.63	20	1026
8/28/2013	MW-8	6.42	10.17	2	137	3.75	19	1045
9/13/2013	MW-8	6.38	9.97	2	96.1	3.59	18	1063
9/27/2013	MW-8	6.68	10.05	2	63.7	3.37	18	1081

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2	2
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.5	3.5
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.5	4
1/12/2012	MW-9	6.09	6.2	2	38.9	0.11	0.5	4.5
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0	4.5
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.5	5
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.5	5.5
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.1	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.1
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.1	6.2
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0	0	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.1	6.55
3/27/2012	MW-9	7.91	8.2	2	50.6	0.29	0.1	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.1	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.1	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.1	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.1	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.1	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.1	7.25
6/4/2012	MW-9	6.95	7.11	2	45.8	0.16	0.1	7.35
6/15/2012	MW-9	6.90	7.08	2	48.9	0.18	0.1	7.45
6/21/2012	MW-9	6.99	6.99	2	54.1	0	0.01	7.46
7/10/2012	MW-9	7.14	7.48	2	75.1	0.34	0.1	7.56
8/16/2012	MW-9	7.14	7.43	2	35.2	0.29	0.1	7.66
8/21/2012	MW-9	7.18	7.42	2	22.3	0.24	0.1	7.76
8/30/2012	MW-9	7.31	7.61	2	12.8	0.3	0.1	7.86
9/4/2012	MW-9	7.34	7.49	2	15.3	0.15	0.1	7.96
9/13/2012	MW-9	7.93	8.01	2	11.2	0.08	0.1	8.06
9/18/2012	MW-9	7.74	7.92	2	6.3	0.18	0.1	8.16
9/27/2012	MW-9	7.51	7.65	2	5.1	0.14	0.1	8.26
10/4/2012	MW-9	7.20	7.38	2	29.6	0.18	0.1	8.36
10/11/2012	MW-9	7.24	7.3	2	19.4	0.06	0.1	8.46
10/16/2012	MW-9	7.24	7.4	2	13.4	0.16	0.1	8.56
10/25/2012	MW-9	7.30	7.52	2	17.9	0.22	0.1	8.66
11/2/2012	MW-9	ND	5.07	2	3.6	0	0	8.66
11/6/2012	MW-9	5.68	5.68	2	17.1	0	0.01	8.67
11/14/2012	MW-9	6.06	6.13	2	18.4	0.07	0.01	8.68
11/21/2012	MW-9	6.64	6.79	2	13.1	0.15	0.01	8.69
11/29/2012	MW-9	7.27	7.51	2	15.9	0.24	0.25	8.94
12/7/2012	MW-9	7.54	7.78	2	20.3	0.24	0.01	8.95
12/12/2012	MW-9	7.60	8.56	2	18.6	0.96	1	9.95
12/21/2012	MW-9	6.35	7.24	2	23.6	0.89	0.5	10.45
1/4/2013	MW-9	7.09	9.2	2	28.7	2.11	0.75	11.2
1/18/2013	MW-9	7.40	9.59	2	33.4	2.19	1	12.2
1/31/2013	MW-9	7.06	8.93	2	39.7	1.87	0.5	12.7
2/14/2013	MW-9	7.04	9.58	2	41.5	2.54	1	13.7
2/28/2013	MW-9	6.80	8.49	2	NR	1.69	1.25	14.95
3/12/2013	MW-9	6.91	8.82	2	NR	1.91	0.75	15.7
3/29/2013	MW-9	7.14	9.82	2	NR	2.68	0.75	16.45
4/11/2013	MW-9	7.23	9.71	2	18.0	2.48	0.75	17.2
4/23/2013	MW-9	7.30	9.41	2	21.7	2.11	0.75	17.95
5/8/2013	MW-9	7.16	10.18	2	15.2	3.02	0.5	18.45
5/22/2013	MW-9	7.00	9.08	2	14.6	2.08	0.25	18.7
6/5/2013	MW-9	6.93	9.38	2	22.7	2.45	0.25	18.95
6/20/2013	MW-9	6.45	7.28	2	26.6	0.83	0.1	19.05
7/3/2013	MW-9	6.80	7.99	2	25.2	1.19	0.1	19.15
7/18/2013	MW-9	6.90	7.98	2	23.7	1.08	0.1	19.25
7/31/2013	MW-9	7.05	8.73	2	47.7	1.68	0.25	19.5
8/15/2013	MW-9	7.20	9.12	2	38.2	1.92	0.25	19.75
8/28/2013	MW-9	7.11	10.18	2	46.3	3.07	0.25	20
9/13/2013	MW-9	6.82	12.53	2	87.4	5.71	1.25	21.25
9/27/2013	MW-9	7.03	12.48	2	79.4	5.45	1.25	22.5

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.5	2.5
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.1	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.5	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.1
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.5	7.6
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.1	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.2
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.1	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.1	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.5	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.4
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.1	9.5
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.1	9.6
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.1	9.95
6/4/2012	MW-12	7.78	7.80	2	35.3	0.02	0.1	10.05
6/15/2012	MW-12	7.71	9.07	2	39	1.36	0.1	10.15
6/21/2012	MW-12	8.09	8.49	2	40.6	0.4	0.1	10.25
7/10/2012	MW-12	8.06	8.67	2	47.7	0.61	0.1	10.35
8/16/2012	MW-12	7.98	8.85	2	32.5	0.87	0.25	10.6
8/21/2012	MW-12	8.21	8.68	2	17.4	0.47	0.25	10.85
8/31/2012	MW-12	8.14	8.46	2	20.3	0.32	0.1	10.95
9/4/2012	MW-12	8.25	8.53	2	16.9	0.28	0.1	11.05
9/13/2012	MW-12	8.87	9.31	2	16.4	0.44	0.1	11.15
9/18/2012	MW-12	8.53	8.98	2	10.7	0.45	0.1	11.25
9/27/2012	MW-12	8.29	8.76	2	12.3	0.47	0.1	11.35
10/4/2012	MW-12	8.28	8.66	2	16.3	0.38	0.1	11.45
10/11/2012	MW-12	8.38	8.62	2	16.7	0.24	0.1	11.55
10/16/2012	MW-12	8.26	8.51	2	13.9	0.25	0.1	11.65
10/25/2012	MW-12	8.22	8.51	2	12.6	0.29	0.1	11.75
11/2/2012	MW-12	ND	6.51	2	4.3	0	0	11.75
11/6/2012	MW-12	7.01	7.02	2	8.4	0.01	0.01	11.76
11/14/2012	MW-12	7.02	8.89	2	19.3	1.87	0.75	12.51
11/21/2012	MW-12	7.69	8.16	2	9.3	0.47	0.1	12.61
11/29/2012	MW-12	7.87	8.26	2	19.7	0.39	0.1	12.71
12/7/2012	MW-12	8.15	8.43	2	22.9	0.28	0.1	12.81
12/12/2012	MW-12	8.38	8.76	2	21.3	0.38	0.1	12.91
12/21/2012	MW-12	7.09	7.49	2	14.2	0.40	0.1	13.01
1/4/2013	MW-12	9.51	9.66	2	12.2	0.15	0.1	13.11
1/18/2013	MW-12	9.42	9.76	2	18.6	0.34	0.1	13.21
1/31/2013	MW-12	9.02	9.04	2	6.4	0.02	0.1	13.31
2/14/2013	MW-12	9.13	9.41	2	5.7	0.28	0.1	13.41
2/28/2013	MW-12	7.58	8.62	2	NR	1.04	0.5	13.91
3/12/2013	MW-12	7.55	9.12	2	NR	1.57	0.25	14.16
3/29/2013	MW-12	8.12	9.87	2	NR	1.75	0.5	14.66
4/11/2013	MW-12	8.05	9.42	2	18.9	1.37	0.25	14.91
4/23/2013	MW-12	7.99	8.94	2	15.2	0.95	0.1	15.01
5/8/2013	MW-12	8.07	9.11	2	13.7	1.04	0.1	15.11
5/22/2013	MW-12	7.78	9.17	2	15.2	1.39	0.1	15.21
6/5/2013	MW-12	7.78	9.71	2	16.6	1.93	0.25	15.46
6/20/2013	MW-12	7.05	9.77	2	20.3	2.72	0.5	15.96
7/3/2013	MW-12	7.56	10.02	2	24.3	2.46	0.5	16.46
7/18/2013	MW-12	7.40	9.46	2	17.1	2.06	0.5	16.96
7/31/2013	MW-12	7.74	9.68	2	19.7	1.94	0.5	17.46
8/15/2013	MW-12	7.98	9.96	2	15.9	1.98	0.25	17.71
8/28/2013	MW-12	7.84	10.06	2	25.9	2.22	0.5	18.21
9/13/2013	MW-12	7.59	10.70	2	23.8	3.11	0.75	18.96
9/27/2013	MW-12	7.93	10.82	2	19.6	2.89	0.5	19.46

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4	4
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3	7
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3	10
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2	12
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0	12
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.5	13.5
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.5	15
2/10/2012	MW-13	8.02	9.92	2	58.5	1.9	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.5	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.5	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.5
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.5
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1	25.5
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.5	28
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2	30
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.5	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.5	36.5
6/4/2012	MW-13	7.34	10.21	2	63.4	2.87	1.5	38
6/15/2012	MW-13	7.32	10.88	2	63.4	3.56	2.5	40.5
6/21/2012	MW-13	7.48	10.63	2	52.9	3.15	2	42.5
7/10/2012	MW-13	7.23	12.01	2	78.4	4.78	2.5	45
8/16/2012	MW-13	7.05	12.08	2	47.6	5.03	2.5	47.5
8/21/2012	MW-13	7.55	11.09	2	38.5	3.54	1.75	49.25
8/30/2012	MW-13	7.64	10.84	2	40.9	3.2	1.5	50.75
9/4/2012	MW-13	7.79	10.42	2	36.4	2.63	1.25	52
9/13/2012	MW-13	8.39	11.37	2	24.9	2.98	0.75	52.75
9/18/2012	MW-13	8.17	10.78	2	22.6	2.61	1.25	54
9/27/2012	MW-13	7.85	10.92	2	21.4	3.07	1.75	55.75
10/4/2012	MW-13	7.71	10.89	2	37.4	3.18	2	57.75
10/11/2012	MW-13	7.80	10.87	2	33.1	3.07	2	59.75
10/16/2012	MW-13	7.81	10.59	2	30.2	2.78	1.75	61.5
10/25/2012	MW-13	7.74	10.88	2	28.1	3.14	1.75	63.25
11/2/2012	MW-13	6.20	8.62	2	39.8	2.42	0.75	64
11/6/2012	MW-13	6.86	8.71	2	15.6	1.85	0.75	64.75
11/14/2012	MW-13	7.02	8.75	2	26.7	1.73	1.25	66
11/21/2012	MW-13	7.33	9.18	2	18.5	1.85	1.25	67.25
11/29/2012	MW-13	7.60	9.64	2	22.3	2.04	2.04	69.29
12/7/2012	MW-13	7.56	10.12	2	27.1	2.56	1.5	70.79
12/12/2012	MW-13	7.79	10.19	2	29.9	2.4	1.25	72.04
12/21/2012	MW-13	6.61	8.94	2	18.7	2.33	1.0	73.04
1/4/2013	MW-13	7.61	10.68	2	27.3	3.07	1.5	74.54
1/18/2013	MW-13	7.63	11.68	2	30.1	4.05	1.75	76.29
1/31/2013	MW-13	7.15	11.18	2	27.9	4.03	1.5	77.79
2/14/2013	MW-13	7.37	11.81	2	22.6	4.44	1.75	79.54
2/28/2013	MW-13	6.83	11.06	2	NR	4.23	2.5	82.04
3/12/2013	MW-13	7.19	10.93	2	NR	3.74	1.5	83.54
3/29/2013	MW-13	7.48	12.11	2	NR	4.63	1.5	85.04
4/11/2013	MW-13	7.50	11.88	2	30.4	4.38	1.5	86.54
4/23/2013	MW-13	7.40	11.63	2	22.6	4.23	1.5	88.04
5/8/2013	MW-13	7.56	11.93	2	26.5	4.37	1.5	89.54
5/22/2013	MW-13	7.16	12.18	2	30.3	5.02	1.75	91.29
6/5/2013	MW-13	7.24	12.36	2	28.4	5.12	1.75	93.04
6/20/2013	MW-13	6.71	11.64	2	31.4	4.93	2.00	95.04
7/3/2013	MW-13	7.00	11.58	2	37.8	4.58	1.75	96.79
7/18/2013	MW-13	6.88	11.64	2	28.2	4.76	1.50	98.29
7/31/2013	MW-13	7.11	12.19	2	30.8	5.08	1.75	100.04
8/15/2013	MW-13	7.29	12.28	2	29.7	4.99	1.50	101.54
8/28/2013	MW-13	7.29	12.22	2	38.1	4.93	1.75	103.29
9/13/2013	MW-13	7.21	12.34	2	45.2	5.13	2.00	105.29
9/27/2013	MW-13	7.52	12.59	2	37.2	5.07	2.00	107.29
							Total:	1298.25

Notes:
 PID - Photo ionization detector (well headspace reading)
 ft - Feet
 ppm - Parts per million
 g - Gallons
 ND - Non detected
 NG - Not gauged
 NR - Not recorded
 1 - Monitoring well MW-7 inaccessible due to flooding in the basement of the warehouse

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.10	0.10
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.10	0.20
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.10	0.30
5/15/2012	MW-2	7.60	7.61	2	223	0.01	0.10	0.40
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.10	0.50
10/4/2012	MW-2	7.51	7.60	2	81	0.09	0.10	0.60
10/11/2012	MW-2	7.55	7.55	2	52.9	0.00	0.01	0.61
10/16/2012	MW-2	7.54	7.57	2	73.7	0.03	0.01	0.62
10/25/2012	MW-2	7.46	7.46	2	56.2	0.00	0.01	0.63
11/2/2012	MW-2	ND	5.59	2	17.5	0.00	0.00	0.63
11/6/2012	MW-2	ND	6.07	2	29.8	0.00	0.00	0.63
11/14/2012	MW-2	6.24	6.24	2	50.6	0.00	0.01	0.64
11/21/2012	MW-2	6.54	6.54	2	37.5	0.00	0.01	0.65
11/29/2012	MW-2	6.79	6.79	2	42.8	0.00	0.01	0.66
12/7/2012	MW-2	ND	7.19	2	36.7	0.00	0.00	0.66
12/12/2012	MW-2	ND	7.24	2	41.4	0.00	0.00	0.66
12/21/2012	MW-2	ND	6.93	2	44.3	0.00	0.00	0.66
1/4/2013	MW-2	ND	6.92	2	64.1	0.00	0.00	0.66
1/18/2013	MW-2	ND	7.34	2	45.7	0.00	0.00	0.66
1/31/2013	MW-2	ND	7.51	2	40.2	0.00	0.00	0.66
2/14/2013	MW-2	ND	7.48	2	26.2	0.00	0.00	0.66
2/28/2013	MW-2	ND	7.27	2	NR	0.00	0.00	0.66
3/12/2013	MW-2	ND	7.16	2	NR	0.00	0.00	0.66
3/29/2013	MW-2	ND	7.46	2	NR	0.00	0.00	0.66
4/11/2013	MW-2	ND	7.68	2	71.6	0.00	0.00	0.66
4/23/2013	MW-2	ND	7.69	2	68.4	0.00	0.00	0.66
5/8/2013	MW-2	ND	7.70	2	84.3	0.00	0.00	0.66
5/22/2013	MW-2	ND	7.51	2	65.1	0.00	0.00	0.66
6/5/2013	MW-2	ND	7.44	2	53.6	0.00	0.00	0.66
6/20/2013	MW-2R	ND	6.88	4	69.9	0.00	0.00	0.66
7/3/2013	MW-2R	ND	7.31	4	58.7	0.00	0.00	0.66
7/18/2013	MW-2R	ND	7.42	4	43.4	0.00	0.00	0.66
7/31/2013	MW-2R	ND	7.57	4	18.5	0.00	0.00	0.66
8/15/2013	MW-2R	ND	7.81	4	15.4	0.00	0.00	0.66
8/28/2013	MW-2R	ND	7.88	4	17.4	0.00	0.00	0.66
9/13/2013	MW-2R	ND	7.79	4	23.5	0.00	0.00	0.66
9/27/2013	MW-2R	ND	8.19	4	15.3	0.00	0.00	0.66
10/11/2013	MW-2R	ND	8.20	4	11.7	0.00	0.00	0.66
10/25/2013	MW-2R	ND	8.75	4	7.3	0.00	0.00	0.66

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2.00	2.00
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.50	2.50
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1.00	3.50
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.50	4.00
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0.00	4.00
1/26/2012	MW-3	6.80	6.91	2	263	0.11	0.50	4.50
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.50	6.00
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7.00
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.50	7.50
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8.00
3/16/2012	MW-3	7.06	7.06	2	108	0.00	0.00	8.00
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.10	8.10
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.60
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.10	9.70
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.20
5/23/2012	MW-3	6.70	6.73	2	176	0.03	0.10	10.30
5/29/2012	MW-3	6.60	6.63	2	137	0.03	0.10	10.40
6/4/2012	MW-3	6.58	6.61	2	112	0.03	0.10	10.50
6/15/2012	MW-3	6.66	7.11	2	87.7	0.45	0.10	10.60
6/21/2012	MW-3	6.68	6.68	2	160	0.00	0.01	10.61
7/10/2012	MW-3	6.83	7.31	2	104	0.48	0.75	11.36
8/16/2010	MW-3	6.81	6.83	2	79.2	0.02	0.01	11.37
8/21/2012	MW-3	6.72	7.11	2	50.9	0.39	0.25	11.62
8/30/2012	MW-3	6.76	7.28	2	90.6	0.52	0.50	12.12
9/4/2012	MW-3	6.86	7.02	2	87.1	0.16	0.10	12.22
9/13/2012	MW-3	6.96	7.34	2	78.6	0.38	0.25	12.47
9/18/2012	MW-3	ND	6.99	2	62.4	0.00	0.00	12.47
9/27/2012	MW-3	ND	6.88	2	58.9	0.00	NA	12.47
10/4/2012	MW-3	6.69	7.31	2	24.8	0.62	1.00	13.47
10/11/2012	MW-3	6.83	6.84	2	38.7	0.01	0.10	13.57
10/16/2012	MW-3	ND	6.86	2	29.6	0.00	0.00	13.57
10/25/2012	MW-3	6.81	6.88	2	24.3	0.07	0.01	13.58
11/2/2012	MW-3	ND	4.58	2	34.2	0.00	0.00	13.58
11/6/2012	MW-3	5.49	5.51	2	46.3	0.02	0.01	13.59
11/14/2012	MW-3	5.72	5.79	2	41.5	0.07	0.01	13.60
11/21/2012	MW-3	6.07	6.11	2	29.4	0.04	0.01	13.61
11/29/2012	MW-3	6.31	6.40	2	32.6	0.09	0.10	13.71
12/7/2012	MW-3	6.51	6.79	2	50.8	0.28	0.10	13.81
12/12/2012	MW-3	6.50	6.78	2	42.7	0.28	0.10	13.91

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/21/2012	MW-3	4.91	5.15	2	56.1	0.24	0.01	13.92
1/4/2013	MW-3	6.32	6.85	2	55.4	0.53	0.25	14.17
1/18/2013	MW-3	6.57	7.16	2	42.8	0.59	0.25	14.42
1/31/2013	MW-3	6.56	6.89	2	32.1	0.33	0.10	14.52
2/14/2013	MW-3	6.42	7.11	2	43.7	0.69	0.25	14.77
2/28/2013	MW-3	6.32	6.59	2	NR	0.27	0.10	14.87
3/12/2013	MW-3	6.46	6.61	2	NR	0.15	0.10	14.97
3/29/2013	MW-3	6.45	6.86	2	NR	0.41	0.10	15.07
4/11/2013	MW-3	6.41	7.03	2	13.2	0.62	0.25	15.32
4/23/2013	MW-3	6.51	7.06	2	16.8	0.55	0.10	15.42
5/8/2013	MW-3	6.32	6.48	2	22.9	0.16	0.10	15.52
5/22/2013	MW-3	6.37	6.51	2	18.4	0.14	0.10	15.62
6/5/2013	MW-3	6.35	6.72	2	24.2	0.37	0.10	15.72
6/20/2013	MW-3	6.05	6.16	2	18.2	0.11	0.10	15.82
7/3/2013	MW-3	6.26	6.39	2	30.4	0.13	0.10	15.92
7/18/2013	MW-3	6.36	6.45	2	21.8	0.09	0.10	16.02
7/31/2013	MW-3	6.52	7.03	2	37.3	0.51	0.10	16.12
8/15/2013	MW-3	6.57	7.26	2	42.4	0.69	0.10	16.22
8/28/2013	MW-3	6.70	7.11	2	64.2	0.41	0.10	16.32
9/13/2013	MW-3	6.58	7.03	2	71.7	0.45	0.20	16.52
9/27/2013	MW-3	6.74	7.52	2	68.1	0.78	0.25	16.77
10/11/2013	MW-3	6.89	7.33	2	1.9	0.44	0.30	17.07
10/25/2013	MW-3	ND	7.04	2	31.1	0.00	0.00	17.07

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.90	2.00	2.00
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1.00	3.00
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.50	3.50
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.20	13.80	1	39.7	3.60	0.00	4.25
1/26/2012	MW-6	10.09	13.90	1	44.6	3.81	0.50	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.60	0.50	5.25
2/10/2012	MW-6	10.20	13.94	1	46.2	3.74	0.50	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.50	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.50	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.50	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.50	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.50	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.50	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.50	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.50	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.50	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.50	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.50	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.50	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.50	12.25
6/4/2012	MW-6	10.00	13.04	1	46.2	3.04	0.50	12.75
6/15/2012	MW-6	10.04	13.29	1	57.8	3.25	0.50	13.25
6/21/2012	MW-6	9.97	13.44	1	54.8	3.47	0.50	13.75
7/10/2012	MW-6	10.14	13.46	1	39.4	3.32	0.50	14.25
8/16/2012	MW-6	10.13	13.36	1	27	3.23	0.75	15.00
8/21/2012	MW-6	10.14	13.41	1	25.8	3.27	0.75	15.75
8/30/2012	MW-6	10.20	13.38	1	17.5	3.18	0.50	16.25
9/4/2012	MW-6	10.16	13.42	1	15.9	3.26	0.50	16.75
9/13/2012	MW-6	10.42	13.51	1	10.6	3.09	0.50	17.25
9/18/2012	MW-6	10.42	13.81	1	9.5	3.39	0.50	17.75
9/27/2012	MW-6	10.39	13.72	1	11.3	3.33	0.50	18.25
10/4/2012	MW-6	10.27	13.59	1	20.3	3.32	0.50	18.75
10/11/2012	MW-6	10.33	13.69	1	14.8	3.36	0.50	19.25
10/16/2012	MW-6	10.32	13.64	1	15	3.32	0.50	19.75
10/25/2012	MW-6	10.39	13.42	1	13.4	3.03	0.50	20.25
11/2/2012	MW-6	7.84	10.07	1	22.1	2.23	0.25	20.50
11/6/2021	MW-6	8.13	13.48	1	13.7	5.35	0.75	21.25
11/14/2012	MW-6	8.76	13.80	1	19.5	5.04	0.75	22.00
11/21/2012	MW-6	9.06	13.88	1	15.2	4.82	0.75	22.75
11/29/2012	MW-6	9.48	14.04	1	13.7	4.56	0.50	23.25
12/7/2012	MW-6	9.60	14.07	1	21.4	4.47	0.50	23.75
12/12/2012	MW-6	9.80	14.04	1	18.5	4.24	0.50	24.25

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/21/2012	MW-6	9.25	13.19	1	17.4	3.94	0.50	24.75
1/4/2013	MW-6	9.85	13.98	1	21.6	4.13	0.50	25.25
1/18/2013	MW-6	10.20	14.07	1	14.4	3.87	0.50	25.75
1/31/2013	MW-6	10.07	13.82	1	11.1	3.75	0.50	26.25
2/14/2013	MW-6	10.21	13.82	1	18.4	3.61	0.50	26.75
2/28/2013	MW-6	9.87	13.18	1	NR	3.31	0.10	26.85
3/12/2013	MW-6	9.80	13.29	1	NR	3.49	0.50	27.35
3/29/2013	MW-6	10.11	13.73	1	NR	3.62	0.50	27.85
4/11/2013	MW-6	10.24	13.76	1	24.0	3.52	0.50	28.35
4/23/2013	MW-6	10.18	13.57	1	19.7	3.39	0.50	28.85
5/8/2013	MW-6	10.30	13.61	1	15.3	3.31	0.50	29.35
5/22/2013	MW-6	10.17	13.36	1	16.0	3.19	0.50	29.85
6/5/2013	MW-6	10.21	13.52	1	16.5	3.31	0.50	30.35
6/20/2013	MW-6	9.74	13.02	1	20.8	3.28	0.50	30.85
7/3/2013	MW-6	9.87	13.26	1	29.4	3.39	0.50	31.35
7/18/2013	MW-6	9.92	13.33	1	20.7	3.41	0.50	31.85
7/31/2013	MW-6	10.06	13.21	1	18.4	3.15	0.50	32.35
8/15/2013	MW-6	10.24	13.46	1	16.5	3.22	0.50	32.85
8/28/2013	MW-6	10.22	13.48	1	14.3	3.26	0.50	33.35
9/13/2013	MW-6	10.34	13.49	1	17.9	3.15	0.50	33.85
9/27/2013	MW-6	10.49	13.56	1	12.8	3.07	0.50	34.35
10/11/2013	MW-6	10.36	13.47	1	15.1	3.11	0.10	34.45
10/25/2013	MW-6	10.71	13.77	1	14.9	3.06	0.50	34.95

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1.00	1.00
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2.00
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.50	2.50
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0.00	2.50
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.50	3.00
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0.00	3.00
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.50	3.50
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.50	4.00
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.50	4.50
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.50	5.00
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.50
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6.00
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.50	6.50
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.10	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.10
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.60
6/4/2012	MW-7	2.32	3.90	1	66.5	1.58	0.25	7.85
6/15/2012	MW-7	2.63	4.21	1	43.6	1.58	0.25	8.10
6/21/2012	MW-7	2.58	4.20	1	65.3	1.62	0.25	8.35
7/10/2012	MW-7	2.30	4.71	1	70.1	2.41	0.25	8.60
8/16/2012	MW-7	2.58	4.83	1	40.6	2.25	0.50	9.10
8/21/2012	MW-7	2.94	3.87	1	30.3	0.93	0.50	9.60
8/30/2012	MW-7	3.09	4.10	1	22.4	1.01	0.50	10.10
9/4/2012	MW-7	2.97	3.88	1	11.6	0.91	0.50	10.60
9/13/2012	MW-7	3.52	4.28	1	6.3	0.76	0.50	11.10
9/18/2012	MW-7	3.15	4.28	1	8.8	1.13	0.50	11.60
9/27/2012	MW-7	3.18	4.04	1	14.5	0.86	0.50	12.10
10/4/2012	MW-7	3.11	3.83	1	16.9	0.72	0.25	12.35
10/11/2012	MW-7	3.12	3.93	1	15.2	0.81	0.25	12.60
10/16/2012	MW-7	2.88	4.07	1	14.6	1.19	0.25	12.85
10/25/2012	MW-7	3.08	4.33	1	16.5	1.25	0.25	13.10
11/2/2012	MW-7 ¹	NG	NG	1	NG	NG	0.00	13.10
11/6/2012	MW-7 ¹	NG	NG	1	NG	NG	0.00	13.10
11/14/2012	MW-7 ¹	NG	NG	1	NG	NG	0.00	13.10
11/21/2012	MW-7	1.24	2.11	1	27.8	0.87	0.10	13.20
11/29/2012	MW-7	2.02	2.53	1	29.2	0.51	0.10	13.30
12/7/2012	MW-7	2.02	2.11	1	15.9	0.09	0.10	13.40

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/12/2012	MW-7	1.96	2.12	1	10.2	0.16	0.10	13.50
12/21/2012	MW-7	0.84	1.11	1	43.5	0.27	0.10	13.60
1/4/2013	MW-7	1.20	1.97	1	48.2	0.77	0.10	13.70
1/18/2013	MW-7	1.17	1.62	1	51.6	0.45	0.10	13.80
1/31/2013	MW-7	1.12	1.77	1	48.4	0.65	0.10	13.90
2/14/2013	MW-7	1.10	1.14	1	46.2	0.04	0.10	14.00
2/28/2013	MW-7	1.12	1.58	1	NR	0.46	0.10	14.10
3/12/2013	MW-7	1.28	1.99	1	NR	0.71	0.10	14.20
3/29/2013	MW-7	1.68	2.19	1	NR	0.51	0.10	14.30
4/11/2013	MW-7	2.64	3.80	1	20.1	1.16	0.25	14.55
4/23/2013	MW-7	2.88	3.32	1	14.2	0.44	0.10	14.65
5/8/2013	MW-7	3.06	3.43	1	9.8	0.37	0.10	14.75
5/22/2013	MW-7	2.51	3.64	1	16.8	1.13	0.25	15.00
6/5/2013	MW-7	2.50	3.83	1	14.9	1.33	0.25	15.25
6/20/2013	MW-7	1.66	2.85	1	29.6	1.19	0.25	15.50
7/3/2013	MW-7	1.86	2.63	1	25.6	0.77	0.10	15.60
7/18/2013	MW-7	2.09	2.26	1	12.3	0.17	0.10	15.70
7/31/2013	MW-7	2.37	3.12	1	10.9	0.75	0.10	15.80
8/15/2013	MW-7	2.61	3.18	1	11.3	0.57	0.10	15.90
8/28/2013	MW-7	2.48	2.85	1	16.3	0.37	0.10	16.00
9/13/2013	MW-7	2.50	2.92	1	15.3	0.42	0.10	16.10
9/27/2013	MW-7	2.99	3.43	1	11.5	0.44	0.10	16.20
10/11/2013	MW-7	2.72	5.55	1	0.6	2.83	0.50	16.70
10/25/2013	MW-7	3.38	4.22	1	15.4	0.84	0.01	16.71
9/12/2013	MW-7R	2.80	2.81	4	122	0.01	0.01	0.01
9/27/2013	MW-7R	3.26	3.26	4	81.6	Trace	0.01	0.02
10/11/2013	MW-7R	3.05	3.09	4	97.1	0.04	0.10	0.12
10/25/2013	MW-7R	ND	3.65	4	90.7	0.00	0.00	0.12

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12.00	12.00
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14.00	26.00
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16.00	42.00
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19.00	61.00
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27.00	88.00
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28.00	116.00
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14.00	130.00
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16.00	146.00
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15.00	161.00
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5.00	166.00
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10.00	176.00
3/6/2012	MW-8	6.98	10.68	2	106	3.70	9.00	185.00
3/16/2012	MW-8	6.59	10.70	2	154	4.11	15.00	200.00
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11.00	211.00
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21.00	232.00
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23.00	255.00
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21.00	276.00
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23.00	299.00
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17.00	316.00
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23.00	339.00
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22.00	361.00
6/4/2012	MW-8	5.98	9.85	2	81.4	3.87	21.00	382.00
6/15/2012	MW-8	6.08	9.97	2	96.4	3.89	18.00	400.00
6/21/2012	MW-8	6.21	10.18	2	184	3.97	15.00	415.00
7/10/2012	MW-8	6.27	10.13	2	74.6	3.86	20.00	435.00
8/16/2012	MW-8	6.11	9.30	2	65.9	3.19	22.00	457.00
8/21/2012	MW-8	6.40	10.13	2	79.7	3.73	21.00	478.00
8/30/2012	MW-8	6.26	9.90	2	98.8	3.64	18.00	496.00
9/4/2012	MW-8	6.40	10.14	2	77.2	3.74	18.00	514.00
9/13/2012	MW-8	6.90	10.72	2	53.7	3.82	11.00	525.00
9/18/2012	MW-8	6.66	10.31	2	45.1	3.65	22.00	547.00
9/27/2012	MW-8	6.56	10.07	2	52.8	3.51	23.00	570.00
10/4/2012	MW-8	6.46	10.13	2	62.7	3.67	19.00	589.00
10/11/2012	MW-8	6.57	10.08	2	75.2	3.51	12.00	601.00
10/16/2012	MW-8	6.49	10.03	2	47.1	3.54	18.00	619.00
10/25/2012	MW-8	6.44	9.97	2	47.7	3.53	20.00	639.00
11/2/2012	MW-8	4.73	7.02	2	91.4	2.29	7.00	646.00
11/6/2012	MW-8	4.90	10.21	2	52	5.31	11.00	657.00
11/14/2012	MW-8	4.97	10.86	2	68.1	5.89	6.00	663.00
11/21/2012	MW-8	5.29	11.38	2	51.6	6.09	5.00	668.00
11/29/2012	MW-8	5.66	11.28	2	61.5	5.62	23.00	691.00
12/7/2012	MW-8	5.75	11.47	2	75.2	5.72	22.00	713.00
12/12/2012	MW-8	5.98	11.31	2	66.1	5.33	5.00	718.00

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/21/2012	MW-8	4.93	10.66	2	69.5	5.73	7.00	725.00
1/4/2013	MW-8	5.88	11.53	2	77.4	5.65	4.00	729.00
1/18/2013	MW-8	6.33	11.41	2	85.2	5.08	20.00	749.00
1/31/2013	MW-8	5.99	11.22	2	73.8	5.23	20.00	769.00
2/14/2013	MW-8	6.29	10.93	2	57.1	4.64	20.00	789.00
2/28/2013	MW-8	5.67	10.23	2	NR	4.56	8.00	797.00
3/12/2013	MW-8	5.77	10.50	2	NR	4.73	21.00	818.00
3/29/2013	MW-8	6.25	11.01	2	NR	4.76	22.00	840.00
4/11/2013	MW-8	6.29	10.79	2	26.8	4.50	20.00	860.00
4/23/2013	MW-8	6.12	10.48	2	62.3	4.36	19.00	879.00
5/8/2013	MW-8	6.35	10.17	2	57.4	3.82	19.00	898.00
5/22/2013	MW-8	6.20	10.18	2	59.7	3.98	21.00	919.00
6/5/2013	MW-8	6.29	10.17	2	61.3	3.88	20.00	939.00
6/20/2013	MW-8	5.77	9.71	2	53.7	3.94	19.00	958.00
7/3/2013	MW-8	5.98	10.01	2	60.2	4.03	8.00	966.00
7/18/2013	MW-8	5.92	9.97	2	53.8	4.05	20.00	986.00
7/31/2013	MW-8	6.18	10.04	2	88.6	3.86	20.00	1006.00
8/15/2013	MW-8	6.42	10.05	2	78.7	3.63	20.00	1026.00
8/28/2013	MW-8	6.42	10.17	2	137	3.75	19.00	1045.00
9/13/2013	MW-8	6.38	9.97	2	96.1	3.59	18.00	1063.00
9/27/2013	MW-8	6.68	10.05	2	63.7	3.37	18.00	1081.00
10/11/2013	MW-8	6.57	10.09	2	66.4	3.52	2.00	1083.00
10/25/2013	MW-8	7.06	10.29	2	59.6	3.23	17.00	1100.00

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2.00	2.00
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.50	3.50
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.50	4.00
1/12/2012	MW-9	6.09	6.20	2	38.9	0.11	0.50	4.50
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0.00	4.50
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.50	5.00
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.50	5.50
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.10	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.10
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.10	6.20
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0.00	0.00	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.10	6.55
3/27/2012	MW-9	7.91	8.20	2	50.6	0.29	0.10	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.10	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.10	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.10	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.10	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.10	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.10	7.25
6/4/2012	MW-9	6.95	7.11	2	45.8	0.16	0.10	7.35
6/15/2012	MW-9	6.90	7.08	2	48.9	0.18	0.10	7.45
6/21/2012	MW-9	6.99	6.99	2	54.1	0.00	0.01	7.46
7/10/2012	MW-9	7.14	7.48	2	75.1	0.34	0.10	7.56
8/16/2012	MW-9	7.14	7.43	2	35.2	0.29	0.10	7.66
8/21/2012	MW-9	7.18	7.42	2	22.3	0.24	0.10	7.76
8/30/2012	MW-9	7.31	7.61	2	12.8	0.30	0.10	7.86
9/4/2012	MW-9	7.34	7.49	2	15.3	0.15	0.10	7.96
9/13/2012	MW-9	7.93	8.01	2	11.2	0.08	0.10	8.06
9/18/2012	MW-9	7.74	7.92	2	6.3	0.18	0.10	8.16
9/27/2012	MW-9	7.51	7.65	2	5.1	0.14	0.10	8.26
10/4/2012	MW-9	7.20	7.38	2	29.6	0.18	0.10	8.36
10/11/2012	MW-9	7.24	7.30	2	19.4	0.06	0.10	8.46
10/16/2012	MW-9	7.24	7.40	2	13.4	0.16	0.10	8.56
10/25/2012	MW-9	7.30	7.52	2	17.9	0.22	0.10	8.66
11/2/2012	MW-9	ND	5.07	2	3.6	0.00	0.00	8.66
11/6/2012	MW-9	5.68	5.68	2	17.1	0.00	0.01	8.67
11/14/2012	MW-9	6.06	6.13	2	18.4	0.07	0.01	8.68
11/21/2012	MW-9	6.64	6.79	2	13.1	0.15	0.01	8.69
11/29/2012	MW-9	7.27	7.51	2	15.9	0.24	0.25	8.94
12/7/2012	MW-9	7.54	7.78	2	20.3	0.24	0.01	8.95
12/12/2012	MW-9	7.60	8.56	2	18.6	0.96	1.00	9.95

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/21/2012	MW-9	6.35	7.24	2	23.6	0.89	0.50	10.45
1/4/2013	MW-9	7.09	9.20	2	28.7	2.11	0.75	11.20
1/18/2013	MW-9	7.40	9.59	2	33.4	2.19	1.00	12.20
1/31/2013	MW-9	7.06	8.93	2	39.7	1.87	0.50	12.70
2/14/2013	MW-9	7.04	9.58	2	41.5	2.54	1.00	13.70
2/28/2013	MW-9	6.80	8.49	2	NR	1.69	1.25	14.95
3/12/2013	MW-9	6.91	8.82	2	NR	1.91	0.75	15.70
3/29/2013	MW-9	7.14	9.82	2	NR	2.68	0.75	16.45
4/11/2013	MW-9	7.23	9.71	2	18.0	2.48	0.75	17.20
4/23/2013	MW-9	7.30	9.41	2	21.7	2.11	0.75	17.95
5/8/2013	MW-9	7.16	10.18	2	15.2	3.02	0.50	18.45
5/22/2013	MW-9	7.00	9.08	2	14.6	2.08	0.25	18.70
6/5/2013	MW-9	6.93	9.38	2	22.7	2.45	0.25	18.95
6/20/2013	MW-9	6.45	7.28	2	26.6	0.83	0.10	19.05
7/3/2013	MW-9	6.80	7.99	2	25.2	1.19	0.10	19.15
7/18/2013	MW-9	6.90	7.98	2	23.7	1.08	0.10	19.25
7/31/2013	MW-9	7.05	8.73	2	47.7	1.68	0.25	19.50
8/15/2013	MW-9	7.20	9.12	2	38.2	1.92	0.25	19.75
8/28/2013	MW-9	7.11	10.18	2	46.3	3.07	0.25	20.00
9/13/2013	MW-9	6.82	12.53	2	87.4	5.71	1.25	21.25
9/27/2013	MW-9	7.03	12.48	2	79.4	5.45	1.25	22.50
10/11/2013	MW-9	7.07	12.19	2	17.5	5.12	2.50	25.00
10/25/2013	MW-9	7.43	12.62	2	61.8	5.19	1.50	26.50

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.50	2.50
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1.00	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.10	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0.00	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1.00	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.50	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.10
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.50	7.60
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.10	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.20
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.10	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.10	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.50	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.40
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.10	9.50
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.10	9.60
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.10	9.95
6/4/2012	MW-12	7.78	7.80	2	35.3	0.02	0.10	10.05
6/15/2012	MW-12	7.71	9.07	2	39	1.36	0.10	10.15
6/21/2012	MW-12	8.09	8.49	2	40.6	0.40	0.10	10.25
7/10/2012	MW-12	8.06	8.67	2	47.7	0.61	0.10	10.35
8/16/2012	MW-12	7.98	8.85	2	32.5	0.87	0.25	10.60
8/21/2012	MW-12	8.21	8.68	2	17.4	0.47	0.25	10.85
8/31/2012	MW-12	8.14	8.46	2	20.3	0.32	0.10	10.95
9/4/2012	MW-12	8.25	8.53	2	16.9	0.28	0.10	11.05
9/13/2012	MW-12	8.87	9.31	2	16.4	0.44	0.10	11.15
9/18/2012	MW-12	8.53	8.98	2	10.7	0.45	0.10	11.25
9/27/2012	MW-12	8.29	8.76	2	12.3	0.47	0.10	11.35
10/4/2012	MW-12	8.28	8.66	2	16.3	0.38	0.10	11.45
10/11/2012	MW-12	8.38	8.62	2	16.7	0.24	0.10	11.55
10/16/2012	MW-12	8.26	8.51	2	13.9	0.25	0.10	11.65
10/25/2012	MW-12	8.22	8.51	2	12.6	0.29	0.10	11.75
11/2/2012	MW-12	ND	6.51	2	4.3	0.00	0.00	11.75
11/6/2012	MW-12	7.01	7.02	2	8.4	0.01	0.01	11.76
11/14/2012	MW-12	7.02	8.89	2	19.3	1.87	0.75	12.51
11/21/2012	MW-12	7.69	8.16	2	9.3	0.47	0.10	12.61
11/29/2012	MW-12	7.87	8.26	2	19.7	0.39	0.10	12.71
12/7/2012	MW-12	8.15	8.43	2	22.9	0.28	0.10	12.81
12/12/2012	MW-12	8.38	8.76	2	21.3	0.38	0.10	12.91

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/21/2012	MW-12	7.09	7.49	2	14.2	0.40	0.10	13.01
1/4/2013	MW-12	9.51	9.66	2	12.2	0.15	0.10	13.11
1/18/2013	MW-12	9.42	9.76	2	18.6	0.34	0.10	13.21
1/31/2013	MW-12	9.02	9.04	2	6.4	0.02	0.10	13.31
2/14/2013	MW-12	9.13	9.41	2	5.7	0.28	0.10	13.41
2/28/2013	MW-12	7.58	8.62	2	NR	1.04	0.50	13.91
3/12/2013	MW-12	7.55	9.12	2	NR	1.57	0.25	14.16
3/29/2013	MW-12	8.12	9.87	2	NR	1.75	0.50	14.66
4/11/2013	MW-12	8.05	9.42	2	18.9	1.37	0.25	14.91
4/23/2013	MW-12	7.99	8.94	2	15.2	0.95	0.10	15.01
5/8/2013	MW-12	8.07	9.11	2	13.7	1.04	0.10	15.11
5/22/2013	MW-12	7.78	9.17	2	15.2	1.39	0.10	15.21
6/5/2013	MW-12	7.78	9.71	2	16.6	1.93	0.25	15.46
6/20/2013	MW-12	7.05	9.77	2	20.3	2.72	0.50	15.96
7/3/2013	MW-12	7.56	10.02	2	24.3	2.46	0.50	16.46
7/18/2013	MW-12	7.40	9.46	2	17.1	2.06	0.50	16.96
7/31/2013	MW-12	7.74	9.68	2	19.7	1.94	0.50	17.46
8/15/2013	MW-12	7.98	9.96	2	15.9	1.98	0.25	17.71
8/28/2013	MW-12	7.84	10.06	2	25.9	2.22	0.50	18.21
9/13/2013	MW-12	7.59	10.70	2	23.8	3.11	0.75	18.96
9/27/2013	MW-12	7.93	10.82	2	19.6	2.89	0.50	19.46
10/11/2013	MW-12	7.88	10.30	2	3.4	2.42	1.00	20.46
10/25/2013	MW-12	8.48	10.41	2	13.2	1.93	0.50	20.96

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4.00	4.00
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3.00	7.00
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3.00	10.00
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2.00	12.00
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0.00	12.00
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.50	13.50
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.50	15.00
2/10/2012	MW-13	8.02	9.92	2	58.5	1.90	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.50	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1.00	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.50	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.50
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.50
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1.00	25.50
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.50	28.00
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2.00	30.00
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.50	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35.00
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.50	36.50
6/4/2012	MW-13	7.34	10.21	2	63.4	2.87	1.50	38.00
6/15/2012	MW-13	7.32	10.88	2	63.4	3.56	2.50	40.50
6/21/2012	MW-13	7.48	10.63	2	52.9	3.15	2.00	42.50
7/10/2012	MW-13	7.23	12.01	2	78.4	4.78	2.50	45.00
8/16/2012	MW-13	7.05	12.08	2	47.6	5.03	2.50	47.50
8/21/2012	MW-13	7.55	11.09	2	38.5	3.54	1.75	49.25
8/30/2012	MW-13	7.64	10.84	2	40.9	3.20	1.50	50.75
9/4/2012	MW-13	7.79	10.42	2	36.4	2.63	1.25	52.00
9/13/2012	MW-13	8.39	11.37	2	24.9	2.98	0.75	52.75
9/18/2012	MW-13	8.17	10.78	2	22.6	2.61	1.25	54.00
9/27/2012	MW-13	7.85	10.92	2	21.4	3.07	1.75	55.75
10/4/2012	MW-13	7.71	10.89	2	37.4	3.18	2.00	57.75
10/11/2012	MW-13	7.80	10.87	2	33.1	3.07	2.00	59.75
10/16/2012	MW-13	7.81	10.59	2	30.2	2.78	1.75	61.50
10/25/2012	MW-13	7.74	10.88	2	28.1	3.14	1.75	63.25
11/2/2012	MW-13	6.20	8.62	2	39.8	2.42	0.75	64.00
11/6/2012	MW-13	6.86	8.71	2	15.6	1.85	0.75	64.75
11/14/2012	MW-13	7.02	8.75	2	26.7	1.73	1.25	66.00
11/21/2012	MW-13	7.33	9.18	2	18.5	1.85	1.25	67.25
11/29/2012	MW-13	7.60	9.64	2	22.3	2.04	2.04	69.29
12/7/2012	MW-13	7.56	10.12	2	27.1	2.56	1.50	70.79
12/12/2012	MW-13	7.79	10.19	2	29.9	2.40	1.25	72.04

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/21/2012	MW-13	6.61	8.94	2	18.7	2.33	1.00	73.04
1/4/2013	MW-13	7.61	10.68	2	27.3	3.07	1.50	74.54
1/18/2013	MW-13	7.63	11.68	2	30.1	4.05	1.75	76.29
1/31/2013	MW-13	7.15	11.18	2	27.9	4.03	1.50	77.79
2/14/2013	MW-13	7.37	11.81	2	22.6	4.44	1.75	79.54
2/28/2013	MW-13	6.83	11.06	2	NR	4.23	2.50	82.04
3/12/2013	MW-13	7.19	10.93	2	NR	3.74	1.50	83.54
3/29/2013	MW-13	7.48	12.11	2	NR	4.63	1.50	85.04
4/11/2013	MW-13	7.50	11.88	2	30.4	4.38	1.50	86.54
4/23/2013	MW-13	7.40	11.63	2	22.6	4.23	1.50	88.04
5/8/2013	MW-13	7.56	11.93	2	26.5	4.37	1.50	89.54
5/22/2013	MW-13	7.16	12.18	2	30.3	5.02	1.75	91.29
6/5/2013	MW-13	7.24	12.36	2	28.4	5.12	1.75	93.04
6/20/2013	MW-13	6.71	11.64	2	31.4	4.93	2.00	95.04
7/3/2013	MW-13	7.00	11.58	2	37.8	4.58	1.75	96.79
7/18/2013	MW-13	6.88	11.64	2	28.2	4.76	1.50	98.29
7/31/2013	MW-13	7.11	12.19	2	30.8	5.08	1.75	100.04
8/15/2013	MW-13	7.29	12.28	2	29.7	4.99	1.50	101.54
8/28/2013	MW-13	7.29	12.22	2	38.1	4.93	1.75	103.29
9/13/2013	MW-13	7.21	12.34	2	45.2	5.13	2.00	105.29
9/27/2013	MW-13	7.52	12.59	2	37.2	5.07	2.00	107.29
10/11/2013	MW-13	7.43	12.43	2	17.6	5.00	3.00	110.29
10/25/2013	MW-13	7.97	12.91	2	30.4	4.94	1.75	112.04
							Total:	1329.01

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Non detected

NG - Not gauged

NR - Not recorded

1 - Monitoring well MW-7 inaccessible due to flooding in the basement of the warehouse

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.10	0.10
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.10	0.20
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.10	0.30
5/15/2012	MW-2	7.60	7.61	2	223	0.01	0.10	0.40
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.10	0.50
10/4/2012	MW-2	7.51	7.60	2	81	0.09	0.10	0.60
10/11/2012	MW-2	7.55	7.55	2	52.9	0.00	0.01	0.61
10/16/2012	MW-2	7.54	7.57	2	73.7	0.03	0.01	0.62
10/25/2012	MW-2	7.46	7.46	2	56.2	0.00	0.01	0.63
11/2/2012	MW-2	ND	5.59	2	17.5	0.00	0.00	0.63
11/6/2012	MW-2	ND	6.07	2	29.8	0.00	0.00	0.63
11/14/2012	MW-2	6.24	6.24	2	50.6	0.00	0.01	0.64
11/21/2012	MW-2	6.54	6.54	2	37.5	0.00	0.01	0.65
11/29/2012	MW-2	6.79	6.79	2	42.8	0.00	0.01	0.66
12/7/2012	MW-2	ND	7.19	2	36.7	0.00	0.00	0.66
12/12/2012	MW-2	ND	7.24	2	41.4	0.00	0.00	0.66
12/21/2012	MW-2	ND	6.93	2	44.3	0.00	0.00	0.66
1/4/2013	MW-2	ND	6.92	2	64.1	0.00	0.00	0.66
1/18/2013	MW-2	ND	7.34	2	45.7	0.00	0.00	0.66
1/31/2013	MW-2	ND	7.51	2	40.2	0.00	0.00	0.66
2/14/2013	MW-2	ND	7.48	2	26.2	0.00	0.00	0.66
2/28/2013	MW-2	ND	7.27	2	NR	0.00	0.00	0.66
3/12/2013	MW-2	ND	7.16	2	NR	0.00	0.00	0.66
3/29/2013	MW-2	ND	7.46	2	NR	0.00	0.00	0.66
4/11/2013	MW-2	ND	7.68	2	71.6	0.00	0.00	0.66
4/23/2013	MW-2	ND	7.69	2	68.4	0.00	0.00	0.66
5/8/2013	MW-2	ND	7.70	2	84.3	0.00	0.00	0.66
5/22/2013	MW-2	ND	7.51	2	65.1	0.00	0.00	0.66
6/5/2013	MW-2	ND	7.44	2	53.6	0.00	0.00	0.66
6/20/2013	MW-2R	ND	6.88	4	69.9	0.00	0.00	0.66
7/3/2013	MW-2R	ND	7.31	4	58.7	0.00	0.00	0.66
7/18/2013	MW-2R	ND	7.42	4	43.4	0.00	0.00	0.66
7/31/2013	MW-2R	ND	7.57	4	18.5	0.00	0.00	0.66
8/15/2013	MW-2R	ND	7.81	4	15.4	0.00	0.00	0.66
8/28/2013	MW-2R	ND	7.88	4	17.4	0.00	0.00	0.66
9/13/2013	MW-2R	ND	7.79	4	23.5	0.00	0.00	0.66
9/27/2013	MW-2R	ND	8.19	4	15.3	0.00	0.00	0.66
10/11/2013	MW-2R	ND	8.20	4	11.7	0.00	0.00	0.66
10/25/2013	MW-2R	ND	8.75	4	7.3	0.00	0.00	0.66
11/8/2013	MW2R	ND	8.77	4	9.8	0.00	0.00	0.66
11/20/2013	MW-2R	ND	9.22	4	23	0.00	0.00	0.66

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2.00	2.00
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.50	2.50
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1.00	3.50
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.50	4.00
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0.00	4.00
1/26/2012	MW-3	6.80	6.91	2	263	0.11	0.50	4.50
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.50	6.00
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7.00
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.50	7.50
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8.00
3/16/2012	MW-3	7.06	7.06	2	108	0.00	0.00	8.00
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.10	8.10
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.60
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.10	9.70
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.20
5/23/2012	MW-3	6.70	6.73	2	176	0.03	0.10	10.30
5/29/2012	MW-3	6.60	6.63	2	137	0.03	0.10	10.40
6/4/2012	MW-3	6.58	6.61	2	112	0.03	0.10	10.50
6/15/2012	MW-3	6.66	7.11	2	87.7	0.45	0.10	10.60
6/21/2012	MW-3	6.68	6.68	2	160	0.00	0.01	10.61
7/10/2012	MW-3	6.83	7.31	2	104	0.48	0.75	11.36
8/16/2010	MW-3	6.81	6.83	2	79.2	0.02	0.01	11.37
8/21/2012	MW-3	6.72	7.11	2	50.9	0.39	0.25	11.62
8/30/2012	MW-3	6.76	7.28	2	90.6	0.52	0.50	12.12
9/4/2012	MW-3	6.86	7.02	2	87.1	0.16	0.10	12.22
9/13/2012	MW-3	6.96	7.34	2	78.6	0.38	0.25	12.47
9/18/2012	MW-3	ND	6.99	2	62.4	0.00	0.00	12.47
9/27/2012	MW-3	ND	6.88	2	58.9	0.00	NA	12.47
10/4/2012	MW-3	6.69	7.31	2	24.8	0.62	1.00	13.47
10/11/2012	MW-3	6.83	6.84	2	38.7	0.01	0.10	13.57
10/16/2012	MW-3	ND	6.86	2	29.6	0.00	0.00	13.57
10/25/2012	MW-3	6.81	6.88	2	24.3	0.07	0.01	13.58
11/2/2012	MW-3	ND	4.58	2	34.2	0.00	0.00	13.58
11/6/2012	MW-3	5.49	5.51	2	46.3	0.02	0.01	13.59
11/14/2012	MW-3	5.72	5.79	2	41.5	0.07	0.01	13.60
11/21/2012	MW-3	6.07	6.11	2	29.4	0.04	0.01	13.61
11/29/2012	MW-3	6.31	6.40	2	32.6	0.09	0.10	13.71
12/7/2012	MW-3	6.51	6.79	2	50.8	0.28	0.10	13.81
12/12/2012	MW-3	6.50	6.78	2	42.7	0.28	0.10	13.91

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/21/2012	MW-3	4.91	5.15	2	56.1	0.24	0.01	13.92
1/4/2013	MW-3	6.32	6.85	2	55.4	0.53	0.25	14.17
1/18/2013	MW-3	6.57	7.16	2	42.8	0.59	0.25	14.42
1/31/2013	MW-3	6.56	6.89	2	32.1	0.33	0.10	14.52
2/14/2013	MW-3	6.42	7.11	2	43.7	0.69	0.25	14.77
2/28/2013	MW-3	6.32	6.59	2	NR	0.27	0.10	14.87
3/12/2013	MW-3	6.46	6.61	2	NR	0.15	0.10	14.97
3/29/2013	MW-3	6.45	6.86	2	NR	0.41	0.10	15.07
4/11/2013	MW-3	6.41	7.03	2	13.2	0.62	0.25	15.32
4/23/2013	MW-3	6.51	7.06	2	16.8	0.55	0.10	15.42
5/8/2013	MW-3	6.32	6.48	2	22.9	0.16	0.10	15.52
5/22/2013	MW-3	6.37	6.51	2	18.4	0.14	0.10	15.62
6/5/2013	MW-3	6.35	6.72	2	24.2	0.37	0.10	15.72
6/20/2013	MW-3	6.05	6.16	2	18.2	0.11	0.10	15.82
7/3/2013	MW-3	6.26	6.39	2	30.4	0.13	0.10	15.92
7/18/2013	MW-3	6.36	6.45	2	21.8	0.09	0.10	16.02
7/31/2013	MW-3	6.52	7.03	2	37.3	0.51	0.10	16.12
8/15/2013	MW-3	6.57	7.26	2	42.4	0.69	0.10	16.22
8/28/2013	MW-3	6.70	7.11	2	64.2	0.41	0.10	16.32
9/13/2013	MW-3	6.58	7.03	2	71.7	0.45	0.20	16.52
9/27/2013	MW-3	6.74	7.52	2	68.1	0.78	0.25	16.77
10/11/2013	MW-3	6.89	7.33	2	1.9	0.44	0.30	17.07
10/25/2013	MW-3	ND	7.04	2	31.1	0.00	0.00	17.07
11/8/2013	MW-3	6.82	7.35	2	1.3	0.53	0.50	17.57
11/20/2013	MW-3	7.27	8.46	2	7.4	1.19	0.50	18.07

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.90	2.00	2.00
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1.00	3.00
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.50	3.50
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.20	13.80	1	39.7	3.60	0.00	4.25
1/26/2012	MW-6	10.09	13.90	1	44.6	3.81	0.50	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.60	0.50	5.25
2/10/2012	MW-6	10.20	13.94	1	46.2	3.74	0.50	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.50	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.50	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.50	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.50	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.50	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.50	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.50	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.50	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.50	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.50	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.50	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.50	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.50	12.25
6/4/2012	MW-6	10.00	13.04	1	46.2	3.04	0.50	12.75
6/15/2012	MW-6	10.04	13.29	1	57.8	3.25	0.50	13.25
6/21/2012	MW-6	9.97	13.44	1	54.8	3.47	0.50	13.75
7/10/2012	MW-6	10.14	13.46	1	39.4	3.32	0.50	14.25
8/16/2012	MW-6	10.13	13.36	1	27	3.23	0.75	15.00
8/21/2012	MW-6	10.14	13.41	1	25.8	3.27	0.75	15.75
8/30/2012	MW-6	10.20	13.38	1	17.5	3.18	0.50	16.25
9/4/2012	MW-6	10.16	13.42	1	15.9	3.26	0.50	16.75
9/13/2012	MW-6	10.42	13.51	1	10.6	3.09	0.50	17.25
9/18/2012	MW-6	10.42	13.81	1	9.5	3.39	0.50	17.75
9/27/2012	MW-6	10.39	13.72	1	11.3	3.33	0.50	18.25
10/4/2012	MW-6	10.27	13.59	1	20.3	3.32	0.50	18.75
10/11/2012	MW-6	10.33	13.69	1	14.8	3.36	0.50	19.25
10/16/2012	MW-6	10.32	13.64	1	15	3.32	0.50	19.75
10/25/2012	MW-6	10.39	13.42	1	13.4	3.03	0.50	20.25
11/2/2012	MW-6	7.84	10.07	1	22.1	2.23	0.25	20.50
11/6/2021	MW-6	8.13	13.48	1	13.7	5.35	0.75	21.25
11/14/2012	MW-6	8.76	13.80	1	19.5	5.04	0.75	22.00
11/21/2012	MW-6	9.06	13.88	1	15.2	4.82	0.75	22.75
11/29/2012	MW-6	9.48	14.04	1	13.7	4.56	0.50	23.25
12/7/2012	MW-6	9.60	14.07	1	21.4	4.47	0.50	23.75
12/12/2012	MW-6	9.80	14.04	1	18.5	4.24	0.50	24.25

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/21/2012	MW-6	9.25	13.19	1	17.4	3.94	0.50	24.75
1/4/2013	MW-6	9.85	13.98	1	21.6	4.13	0.50	25.25
1/18/2013	MW-6	10.20	14.07	1	14.4	3.87	0.50	25.75
1/31/2013	MW-6	10.07	13.82	1	11.1	3.75	0.50	26.25
2/14/2013	MW-6	10.21	13.82	1	18.4	3.61	0.50	26.75
2/28/2013	MW-6	9.87	13.18	1	NR	3.31	0.10	26.85
3/12/2013	MW-6	9.80	13.29	1	NR	3.49	0.50	27.35
3/29/2013	MW-6	10.11	13.73	1	NR	3.62	0.50	27.85
4/11/2013	MW-6	10.24	13.76	1	24.0	3.52	0.50	28.35
4/23/2013	MW-6	10.18	13.57	1	19.7	3.39	0.50	28.85
5/8/2013	MW-6	10.30	13.61	1	15.3	3.31	0.50	29.35
5/22/2013	MW-6	10.17	13.36	1	16.0	3.19	0.50	29.85
6/5/2013	MW-6	10.21	13.52	1	16.5	3.31	0.50	30.35
6/20/2013	MW-6	9.74	13.02	1	20.8	3.28	0.50	30.85
7/3/2013	MW-6	9.87	13.26	1	29.4	3.39	0.50	31.35
7/18/2013	MW-6	9.92	13.33	1	20.7	3.41	0.50	31.85
7/31/2013	MW-6	10.06	13.21	1	18.4	3.15	0.50	32.35
8/15/2013	MW-6	10.24	13.46	1	16.5	3.22	0.50	32.85
8/28/2013	MW-6	10.22	13.48	1	14.3	3.26	0.50	33.35
9/13/2013	MW-6	10.34	13.49	1	17.9	3.15	0.50	33.85
9/27/2013	MW-6	10.49	13.56	1	12.8	3.07	0.50	34.35
10/11/2013	MW-6	10.36	13.47	1	15.1	3.11	0.10	34.45
10/25/2013	MW-6	10.71	13.77	1	14.9	3.06	0.50	34.95
11/8/2013	MW-6	10.66	13.81	1	14.3	3.15	1.00	35.95
11/20/2013	MW-6	10.98	14.21	1	41.2	3.23	0.75	36.70

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1.00	1.00
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2.00
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.50	2.50
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0.00	2.50
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.50	3.00
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0.00	3.00
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.50	3.50
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.50	4.00
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.50	4.50
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.50	5.00
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.50
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6.00
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.50	6.50
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.10	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.10
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.60
6/4/2012	MW-7	2.32	3.90	1	66.5	1.58	0.25	7.85
6/15/2012	MW-7	2.63	4.21	1	43.6	1.58	0.25	8.10
6/21/2012	MW-7	2.58	4.20	1	65.3	1.62	0.25	8.35
7/10/2012	MW-7	2.30	4.71	1	70.1	2.41	0.25	8.60
8/16/2012	MW-7	2.58	4.83	1	40.6	2.25	0.50	9.10
8/21/2012	MW-7	2.94	3.87	1	30.3	0.93	0.50	9.60
8/30/2012	MW-7	3.09	4.10	1	22.4	1.01	0.50	10.10
9/4/2012	MW-7	2.97	3.88	1	11.6	0.91	0.50	10.60
9/13/2012	MW-7	3.52	4.28	1	6.3	0.76	0.50	11.10
9/18/2012	MW-7	3.15	4.28	1	8.8	1.13	0.50	11.60
9/27/2012	MW-7	3.18	4.04	1	14.5	0.86	0.50	12.10
10/4/2012	MW-7	3.11	3.83	1	16.9	0.72	0.25	12.35
10/11/2012	MW-7	3.12	3.93	1	15.2	0.81	0.25	12.60
10/16/2012	MW-7	2.88	4.07	1	14.6	1.19	0.25	12.85
10/25/2012	MW-7	3.08	4.33	1	16.5	1.25	0.25	13.10
11/2/2012	MW-7 ¹	NG	NG	1	NG	NG	0.00	13.10
11/6/2012	MW-7 ¹	NG	NG	1	NG	NG	0.00	13.10
11/14/2012	MW-7 ¹	NG	NG	1	NG	NG	0.00	13.10
11/21/2012	MW-7	1.24	2.11	1	27.8	0.87	0.10	13.20
11/29/2012	MW-7	2.02	2.53	1	29.2	0.51	0.10	13.30
12/7/2012	MW-7	2.02	2.11	1	15.9	0.09	0.10	13.40

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/12/2012	MW-7	1.96	2.12	1	10.2	0.16	0.10	13.50
12/21/2012	MW-7	0.84	1.11	1	43.5	0.27	0.10	13.60
1/4/2013	MW-7	1.20	1.97	1	48.2	0.77	0.10	13.70
1/18/2013	MW-7	1.17	1.62	1	51.6	0.45	0.10	13.80
1/31/2013	MW-7	1.12	1.77	1	48.4	0.65	0.10	13.90
2/14/2013	MW-7	1.10	1.14	1	46.2	0.04	0.10	14.00
2/28/2013	MW-7	1.12	1.58	1	NR	0.46	0.10	14.10
3/12/2013	MW-7	1.28	1.99	1	NR	0.71	0.10	14.20
3/29/2013	MW-7	1.68	2.19	1	NR	0.51	0.10	14.30
4/11/2013	MW-7	2.64	3.80	1	20.1	1.16	0.25	14.55
4/23/2013	MW-7	2.88	3.32	1	14.2	0.44	0.10	14.65
5/8/2013	MW-7	3.06	3.43	1	9.8	0.37	0.10	14.75
5/22/2013	MW-7	2.51	3.64	1	16.8	1.13	0.25	15.00
6/5/2013	MW-7	2.50	3.83	1	14.9	1.33	0.25	15.25
6/20/2013	MW-7	1.66	2.85	1	29.6	1.19	0.25	15.50
7/3/2013	MW-7	1.86	2.63	1	25.6	0.77	0.10	15.60
7/18/2013	MW-7	2.09	2.26	1	12.3	0.17	0.10	15.70
7/31/2013	MW-7	2.37	3.12	1	10.9	0.75	0.10	15.80
8/15/2013	MW-7	2.61	3.18	1	11.3	0.57	0.10	15.90
8/28/2013	MW-7	2.48	2.85	1	16.3	0.37	0.10	16.00
9/13/2013	MW-7	2.50	2.92	1	15.3	0.42	0.10	16.10
9/27/2013	MW-7	2.99	3.43	1	11.5	0.44	0.10	16.20
10/11/2013	MW-7	2.72	5.55	1	0.6	2.83	0.50	16.70
10/25/2013	MW-7	3.38	4.22	1	15.4	0.84	0.01	16.71
11/8/2013	MW-7	3.21	3.27	1	102.1	0.06	0.10	16.81
11/20/2013	MW-7	4.57	4.81	1	18.9	0.24	0.10	16.91
9/12/2013	MW-7R	2.80	2.81	4	122	0.01	0.01	0.01
9/27/2013	MW-7R	3.26	3.26	4	81.6	Trace	0.01	0.02
10/11/2013	MW-7R	3.05	3.09	4	97.1	0.04	0.10	0.12
10/25/2013	MW-7R	ND	3.65	4	90.7	0.00	0.00	0.12
11/8/2013	MW-7R	3.35	3.37	4	1.00	0.02	0.01	0.13
11/20/2013	MW-7R	4.35	4.37	4	30.7	0.02	0.01	0.14

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12.00	12.00
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14.00	26.00
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16.00	42.00
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19.00	61.00
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27.00	88.00
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28.00	116.00
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14.00	130.00
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16.00	146.00
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15.00	161.00
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5.00	166.00
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10.00	176.00
3/6/2012	MW-8	6.98	10.68	2	106	3.70	9.00	185.00
3/16/2012	MW-8	6.59	10.70	2	154	4.11	15.00	200.00
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11.00	211.00
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21.00	232.00
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23.00	255.00
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21.00	276.00
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23.00	299.00
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17.00	316.00
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23.00	339.00
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22.00	361.00
6/4/2012	MW-8	5.98	9.85	2	81.4	3.87	21.00	382.00
6/15/2012	MW-8	6.08	9.97	2	96.4	3.89	18.00	400.00
6/21/2012	MW-8	6.21	10.18	2	184	3.97	15.00	415.00
7/10/2012	MW-8	6.27	10.13	2	74.6	3.86	20.00	435.00
8/16/2012	MW-8	6.11	9.30	2	65.9	3.19	22.00	457.00
8/21/2012	MW-8	6.40	10.13	2	79.7	3.73	21.00	478.00
8/30/2012	MW-8	6.26	9.90	2	98.8	3.64	18.00	496.00
9/4/2012	MW-8	6.40	10.14	2	77.2	3.74	18.00	514.00
9/13/2012	MW-8	6.90	10.72	2	53.7	3.82	11.00	525.00
9/18/2012	MW-8	6.66	10.31	2	45.1	3.65	22.00	547.00
9/27/2012	MW-8	6.56	10.07	2	52.8	3.51	23.00	570.00
10/4/2012	MW-8	6.46	10.13	2	62.7	3.67	19.00	589.00
10/11/2012	MW-8	6.57	10.08	2	75.2	3.51	12.00	601.00
10/16/2012	MW-8	6.49	10.03	2	47.1	3.54	18.00	619.00
10/25/2012	MW-8	6.44	9.97	2	47.7	3.53	20.00	639.00
11/2/2012	MW-8	4.73	7.02	2	91.4	2.29	7.00	646.00
11/6/2012	MW-8	4.90	10.21	2	52	5.31	11.00	657.00
11/14/2012	MW-8	4.97	10.86	2	68.1	5.89	6.00	663.00
11/21/2012	MW-8	5.29	11.38	2	51.6	6.09	5.00	668.00
11/29/2012	MW-8	5.66	11.28	2	61.5	5.62	23.00	691.00
12/7/2012	MW-8	5.75	11.47	2	75.2	5.72	22.00	713.00
12/12/2012	MW-8	5.98	11.31	2	66.1	5.33	5.00	718.00

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/21/2012	MW-8	4.93	10.66	2	69.5	5.73	7.00	725.00
1/4/2013	MW-8	5.88	11.53	2	77.4	5.65	4.00	729.00
1/18/2013	MW-8	6.33	11.41	2	85.2	5.08	20.00	749.00
1/31/2013	MW-8	5.99	11.22	2	73.8	5.23	20.00	769.00
2/14/2013	MW-8	6.29	10.93	2	57.1	4.64	20.00	789.00
2/28/2013	MW-8	5.67	10.23	2	NR	4.56	8.00	797.00
3/12/2013	MW-8	5.77	10.50	2	NR	4.73	21.00	818.00
3/29/2013	MW-8	6.25	11.01	2	NR	4.76	22.00	840.00
4/11/2013	MW-8	6.29	10.79	2	26.8	4.50	20.00	860.00
4/23/2013	MW-8	6.12	10.48	2	62.3	4.36	19.00	879.00
5/8/2013	MW-8	6.35	10.17	2	57.4	3.82	19.00	898.00
5/22/2013	MW-8	6.20	10.18	2	59.7	3.98	21.00	919.00
6/5/2013	MW-8	6.29	10.17	2	61.3	3.88	20.00	939.00
6/20/2013	MW-8	5.77	9.71	2	53.7	3.94	19.00	958.00
7/3/2013	MW-8	5.98	10.01	2	60.2	4.03	8.00	966.00
7/18/2013	MW-8	5.92	9.97	2	53.8	4.05	20.00	986.00
7/31/2013	MW-8	6.18	10.04	2	88.6	3.86	20.00	1006.00
8/15/2013	MW-8	6.42	10.05	2	78.7	3.63	20.00	1026.00
8/28/2013	MW-8	6.42	10.17	2	137	3.75	19.00	1045.00
9/13/2013	MW-8	6.38	9.97	2	96.1	3.59	18.00	1063.00
9/27/2013	MW-8	6.68	10.05	2	63.7	3.37	18.00	1081.00
10/11/2013	MW-8	6.57	10.09	2	66.4	3.52	2.00	1083.00
10/25/2013	MW-8	7.06	10.29	2	59.6	3.23	17.00	1100.00
11/8/2013	MW-8	6.65	10.21	2	60.3	3.56	18.50	1118.50
11/20/2013	MW-8	7.28	10.30	2	12.2	3.02	20.00	1138.50

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2.00	2.00
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.50	3.50
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.50	4.00
1/12/2012	MW-9	6.09	6.20	2	38.9	0.11	0.50	4.50
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0.00	4.50
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.50	5.00
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.50	5.50
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.10	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.10
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.10	6.20
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0.00	0.00	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.10	6.55
3/27/2012	MW-9	7.91	8.20	2	50.6	0.29	0.10	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.10	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.10	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.10	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.10	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.10	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.10	7.25
6/4/2012	MW-9	6.95	7.11	2	45.8	0.16	0.10	7.35
6/15/2012	MW-9	6.90	7.08	2	48.9	0.18	0.10	7.45
6/21/2012	MW-9	6.99	6.99	2	54.1	0.00	0.01	7.46
7/10/2012	MW-9	7.14	7.48	2	75.1	0.34	0.10	7.56
8/16/2012	MW-9	7.14	7.43	2	35.2	0.29	0.10	7.66
8/21/2012	MW-9	7.18	7.42	2	22.3	0.24	0.10	7.76
8/30/2012	MW-9	7.31	7.61	2	12.8	0.30	0.10	7.86
9/4/2012	MW-9	7.34	7.49	2	15.3	0.15	0.10	7.96
9/13/2012	MW-9	7.93	8.01	2	11.2	0.08	0.10	8.06
9/18/2012	MW-9	7.74	7.92	2	6.3	0.18	0.10	8.16
9/27/2012	MW-9	7.51	7.65	2	5.1	0.14	0.10	8.26
10/4/2012	MW-9	7.20	7.38	2	29.6	0.18	0.10	8.36
10/11/2012	MW-9	7.24	7.30	2	19.4	0.06	0.10	8.46
10/16/2012	MW-9	7.24	7.40	2	13.4	0.16	0.10	8.56
10/25/2012	MW-9	7.30	7.52	2	17.9	0.22	0.10	8.66
11/2/2012	MW-9	ND	5.07	2	3.6	0.00	0.00	8.66
11/6/2012	MW-9	5.68	5.68	2	17.1	0.00	0.01	8.67
11/14/2012	MW-9	6.06	6.13	2	18.4	0.07	0.01	8.68
11/21/2012	MW-9	6.64	6.79	2	13.1	0.15	0.01	8.69
11/29/2012	MW-9	7.27	7.51	2	15.9	0.24	0.25	8.94
12/7/2012	MW-9	7.54	7.78	2	20.3	0.24	0.01	8.95
12/12/2012	MW-9	7.60	8.56	2	18.6	0.96	1.00	9.95

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/21/2012	MW-9	6.35	7.24	2	23.6	0.89	0.50	10.45
1/4/2013	MW-9	7.09	9.20	2	28.7	2.11	0.75	11.20
1/18/2013	MW-9	7.40	9.59	2	33.4	2.19	1.00	12.20
1/31/2013	MW-9	7.06	8.93	2	39.7	1.87	0.50	12.70
2/14/2013	MW-9	7.04	9.58	2	41.5	2.54	1.00	13.70
2/28/2013	MW-9	6.80	8.49	2	NR	1.69	1.25	14.95
3/12/2013	MW-9	6.91	8.82	2	NR	1.91	0.75	15.70
3/29/2013	MW-9	7.14	9.82	2	NR	2.68	0.75	16.45
4/11/2013	MW-9	7.23	9.71	2	18.0	2.48	0.75	17.20
4/23/2013	MW-9	7.30	9.41	2	21.7	2.11	0.75	17.95
5/8/2013	MW-9	7.16	10.18	2	15.2	3.02	0.50	18.45
5/22/2013	MW-9	7.00	9.08	2	14.6	2.08	0.25	18.70
6/5/2013	MW-9	6.93	9.38	2	22.7	2.45	0.25	18.95
6/20/2013	MW-9	6.45	7.28	2	26.6	0.83	0.10	19.05
7/3/2013	MW-9	6.80	7.99	2	25.2	1.19	0.10	19.15
7/18/2013	MW-9	6.90	7.98	2	23.7	1.08	0.10	19.25
7/31/2013	MW-9	7.05	8.73	2	47.7	1.68	0.25	19.50
8/15/2013	MW-9	7.20	9.12	2	38.2	1.92	0.25	19.75
8/28/2013	MW-9	7.11	10.18	2	46.3	3.07	0.25	20.00
9/13/2013	MW-9	6.82	12.53	2	87.4	5.71	1.25	21.25
9/27/2013	MW-9	7.03	12.48	2	79.4	5.45	1.25	22.50
10/11/2013	MW-9	7.07	12.19	2	17.5	5.12	2.50	25.00
10/25/2013	MW-9	7.43	12.62	2	61.8	5.19	1.50	26.50
11/8/2013	MW-9	7.48	11.92	2	16.2	4.44	3.00	29.50
11/20/2013	MW-9	7.88	12.75	2	7.4	4.87	3.00	32.50

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.50	2.50
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1.00	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.10	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0.00	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1.00	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.50	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.10
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.50	7.60
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.10	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.20
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.10	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.10	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.50	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.40
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.10	9.50
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.10	9.60
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.10	9.95
6/4/2012	MW-12	7.78	7.80	2	35.3	0.02	0.10	10.05
6/15/2012	MW-12	7.71	9.07	2	39	1.36	0.10	10.15
6/21/2012	MW-12	8.09	8.49	2	40.6	0.40	0.10	10.25
7/10/2012	MW-12	8.06	8.67	2	47.7	0.61	0.10	10.35
8/16/2012	MW-12	7.98	8.85	2	32.5	0.87	0.25	10.60
8/21/2012	MW-12	8.21	8.68	2	17.4	0.47	0.25	10.85
8/31/2012	MW-12	8.14	8.46	2	20.3	0.32	0.10	10.95
9/4/2012	MW-12	8.25	8.53	2	16.9	0.28	0.10	11.05
9/13/2012	MW-12	8.87	9.31	2	16.4	0.44	0.10	11.15
9/18/2012	MW-12	8.53	8.98	2	10.7	0.45	0.10	11.25
9/27/2012	MW-12	8.29	8.76	2	12.3	0.47	0.10	11.35
10/4/2012	MW-12	8.28	8.66	2	16.3	0.38	0.10	11.45
10/11/2012	MW-12	8.38	8.62	2	16.7	0.24	0.10	11.55
10/16/2012	MW-12	8.26	8.51	2	13.9	0.25	0.10	11.65
10/25/2012	MW-12	8.22	8.51	2	12.6	0.29	0.10	11.75
11/2/2012	MW-12	ND	6.51	2	4.3	0.00	0.00	11.75
11/6/2012	MW-12	7.01	7.02	2	8.4	0.01	0.01	11.76
11/14/2012	MW-12	7.02	8.89	2	19.3	1.87	0.75	12.51
11/21/2012	MW-12	7.69	8.16	2	9.3	0.47	0.10	12.61
11/29/2012	MW-12	7.87	8.26	2	19.7	0.39	0.10	12.71
12/7/2012	MW-12	8.15	8.43	2	22.9	0.28	0.10	12.81
12/12/2012	MW-12	8.38	8.76	2	21.3	0.38	0.10	12.91

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/21/2012	MW-12	7.09	7.49	2	14.2	0.40	0.10	13.01
1/4/2013	MW-12	9.51	9.66	2	12.2	0.15	0.10	13.11
1/18/2013	MW-12	9.42	9.76	2	18.6	0.34	0.10	13.21
1/31/2013	MW-12	9.02	9.04	2	6.4	0.02	0.10	13.31
2/14/2013	MW-12	9.13	9.41	2	5.7	0.28	0.10	13.41
2/28/2013	MW-12	7.58	8.62	2	NR	1.04	0.50	13.91
3/12/2013	MW-12	7.55	9.12	2	NR	1.57	0.25	14.16
3/29/2013	MW-12	8.12	9.87	2	NR	1.75	0.50	14.66
4/11/2013	MW-12	8.05	9.42	2	18.9	1.37	0.25	14.91
4/23/2013	MW-12	7.99	8.94	2	15.2	0.95	0.10	15.01
5/8/2013	MW-12	8.07	9.11	2	13.7	1.04	0.10	15.11
5/22/2013	MW-12	7.78	9.17	2	15.2	1.39	0.10	15.21
6/5/2013	MW-12	7.78	9.71	2	16.6	1.93	0.25	15.46
6/20/2013	MW-12	7.05	9.77	2	20.3	2.72	0.50	15.96
7/3/2013	MW-12	7.56	10.02	2	24.3	2.46	0.50	16.46
7/18/2013	MW-12	7.40	9.46	2	17.1	2.06	0.50	16.96
7/31/2013	MW-12	7.74	9.68	2	19.7	1.94	0.50	17.46
8/15/2013	MW-12	7.98	9.96	2	15.9	1.98	0.25	17.71
8/28/2013	MW-12	7.84	10.06	2	25.9	2.22	0.50	18.21
9/13/2013	MW-12	7.59	10.70	2	23.8	3.11	0.75	18.96
9/27/2013	MW-12	7.93	10.82	2	19.6	2.89	0.50	19.46
10/11/2013	MW-12	7.88	10.30	2	3.4	2.42	1.00	20.46
10/25/2013	MW-12	8.48	10.41	2	13.2	1.93	0.50	20.96
11/8/2013	MW-12	8.38	9.26	2	3.7	0.88	2.00	22.96
11/20/2013	MW-12	8.68	10.59	2	39.2	1.91	3.00	25.96

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4.00	4.00
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3.00	7.00
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3.00	10.00
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2.00	12.00
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0.00	12.00
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.50	13.50
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.50	15.00
2/10/2012	MW-13	8.02	9.92	2	58.5	1.90	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.50	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1.00	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.50	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.50
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.50
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1.00	25.50
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.50	28.00
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2.00	30.00
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.50	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35.00
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.50	36.50
6/4/2012	MW-13	7.34	10.21	2	63.4	2.87	1.50	38.00
6/15/2012	MW-13	7.32	10.88	2	63.4	3.56	2.50	40.50
6/21/2012	MW-13	7.48	10.63	2	52.9	3.15	2.00	42.50
7/10/2012	MW-13	7.23	12.01	2	78.4	4.78	2.50	45.00
8/16/2012	MW-13	7.05	12.08	2	47.6	5.03	2.50	47.50
8/21/2012	MW-13	7.55	11.09	2	38.5	3.54	1.75	49.25
8/30/2012	MW-13	7.64	10.84	2	40.9	3.20	1.50	50.75
9/4/2012	MW-13	7.79	10.42	2	36.4	2.63	1.25	52.00
9/13/2012	MW-13	8.39	11.37	2	24.9	2.98	0.75	52.75
9/18/2012	MW-13	8.17	10.78	2	22.6	2.61	1.25	54.00
9/27/2012	MW-13	7.85	10.92	2	21.4	3.07	1.75	55.75
10/4/2012	MW-13	7.71	10.89	2	37.4	3.18	2.00	57.75
10/11/2012	MW-13	7.80	10.87	2	33.1	3.07	2.00	59.75
10/16/2012	MW-13	7.81	10.59	2	30.2	2.78	1.75	61.50
10/25/2012	MW-13	7.74	10.88	2	28.1	3.14	1.75	63.25
11/2/2012	MW-13	6.20	8.62	2	39.8	2.42	0.75	64.00
11/6/2012	MW-13	6.86	8.71	2	15.6	1.85	0.75	64.75
11/14/2012	MW-13	7.02	8.75	2	26.7	1.73	1.25	66.00
11/21/2012	MW-13	7.33	9.18	2	18.5	1.85	1.25	67.25
11/29/2012	MW-13	7.60	9.64	2	22.3	2.04	2.04	69.29
12/7/2012	MW-13	7.56	10.12	2	27.1	2.56	1.50	70.79
12/12/2012	MW-13	7.79	10.19	2	29.9	2.40	1.25	72.04

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/21/2012	MW-13	6.61	8.94	2	18.7	2.33	1.00	73.04
1/4/2013	MW-13	7.61	10.68	2	27.3	3.07	1.50	74.54
1/18/2013	MW-13	7.63	11.68	2	30.1	4.05	1.75	76.29
1/31/2013	MW-13	7.15	11.18	2	27.9	4.03	1.50	77.79
2/14/2013	MW-13	7.37	11.81	2	22.6	4.44	1.75	79.54
2/28/2013	MW-13	6.83	11.06	2	NR	4.23	2.50	82.04
3/12/2013	MW-13	7.19	10.93	2	NR	3.74	1.50	83.54
3/29/2013	MW-13	7.48	12.11	2	NR	4.63	1.50	85.04
4/11/2013	MW-13	7.50	11.88	2	30.4	4.38	1.50	86.54
4/23/2013	MW-13	7.40	11.63	2	22.6	4.23	1.50	88.04
5/8/2013	MW-13	7.56	11.93	2	26.5	4.37	1.50	89.54
5/22/2013	MW-13	7.16	12.18	2	30.3	5.02	1.75	91.29
6/5/2013	MW-13	7.24	12.36	2	28.4	5.12	1.75	93.04
6/20/2013	MW-13	6.71	11.64	2	31.4	4.93	2.00	95.04
7/3/2013	MW-13	7.00	11.58	2	37.8	4.58	1.75	96.79
7/18/2013	MW-13	6.88	11.64	2	28.2	4.76	1.50	98.29
7/31/2013	MW-13	7.11	12.19	2	30.8	5.08	1.75	100.04
8/15/2013	MW-13	7.29	12.28	2	29.7	4.99	1.50	101.54
8/28/2013	MW-13	7.29	12.22	2	38.1	4.93	1.75	103.29
9/13/2013	MW-13	7.21	12.34	2	45.2	5.13	2.00	105.29
9/27/2013	MW-13	7.52	12.59	2	37.2	5.07	2.00	107.29
10/11/2013	MW-13	7.43	12.43	2	17.6	5.00	3.00	110.29
10/25/2013	MW-13	7.97	12.91	2	30.4	4.94	1.75	112.04
11/8/2013	MW-13	7.98	12.41	2	16.9	4.43	3.25	115.29
11/20/2013	MW-13	8.44	12.18	2	19.9	3.74	3.20	118.49
							Total:	1387.93

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Non detected

NG - Not gauged

NR - Not recorded

1 - Monitoring well MW-7 inaccessible due to flooding in the basement of the warehouse

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.10	0.10
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.10	0.20
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.10	0.30
5/15/2012	MW-2	7.60	7.61	2	223	0.01	0.10	0.40
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.10	0.50
10/4/2012	MW-2	7.51	7.60	2	81	0.09	0.10	0.60
10/11/2012	MW-2	7.55	7.55	2	52.9	0.00	0.01	0.61
10/16/2012	MW-2	7.54	7.57	2	73.7	0.03	0.01	0.62
10/25/2012	MW-2	7.46	7.46	2	56.2	0.00	0.01	0.63
11/2/2012	MW-2	ND	5.59	2	17.5	0.00	0.00	0.63
11/6/2012	MW-2	ND	6.07	2	29.8	0.00	0.00	0.63
11/14/2012	MW-2	6.24	6.24	2	50.6	0.00	0.01	0.64
11/21/2012	MW-2	6.54	6.54	2	37.5	0.00	0.01	0.65
11/29/2012	MW-2	6.79	6.79	2	42.8	0.00	0.01	0.66
12/7/2012	MW-2	ND	7.19	2	36.7	0.00	0.00	0.66
12/12/2012	MW-2	ND	7.24	2	41.4	0.00	0.00	0.66
12/21/2012	MW-2	ND	6.93	2	44.3	0.00	0.00	0.66
1/4/2013	MW-2	ND	6.92	2	64.1	0.00	0.00	0.66
1/18/2013	MW-2	ND	7.34	2	45.7	0.00	0.00	0.66
1/31/2013	MW-2	ND	7.51	2	40.2	0.00	0.00	0.66
2/14/2013	MW-2	ND	7.48	2	26.2	0.00	0.00	0.66
2/28/2013	MW-2	ND	7.27	2	NR	0.00	0.00	0.66
3/12/2013	MW-2	ND	7.16	2	NR	0.00	0.00	0.66
3/29/2013	MW-2	ND	7.46	2	NR	0.00	0.00	0.66
4/11/2013	MW-2	ND	7.68	2	71.6	0.00	0.00	0.66
4/23/2013	MW-2	ND	7.69	2	68.4	0.00	0.00	0.66
5/8/2013	MW-2	ND	7.70	2	84.3	0.00	0.00	0.66
5/22/2013	MW-2	ND	7.51	2	65.1	0.00	0.00	0.66
6/5/2013	MW-2	ND	7.44	2	53.6	0.00	0.00	0.66
6/20/2013	MW-2R	ND	6.88	4	69.9	0.00	0.00	0.66
7/3/2013	MW-2R	ND	7.31	4	58.7	0.00	0.00	0.66
7/18/2013	MW-2R	ND	7.42	4	43.4	0.00	0.00	0.66
7/31/2013	MW-2R	ND	7.57	4	18.5	0.00	0.00	0.66
8/15/2013	MW-2R	ND	7.81	4	15.4	0.00	0.00	0.66
8/28/2013	MW-2R	ND	7.88	4	17.4	0.00	0.00	0.66
9/13/2013	MW-2R	ND	7.79	4	23.5	0.00	0.00	0.66
9/27/2013	MW-2R	ND	8.19	4	15.3	0.00	0.00	0.66
10/11/2013	MW-2R	ND	8.20	4	11.7	0.00	0.00	0.66
10/25/2013	MW-2R	ND	8.75	4	7.3	0.00	0.00	0.66
11/8/2013	MW2R	ND	8.77	4	9.8	0.00	0.00	0.66
11/20/2013	MW-2R	ND	9.22	4	23	0.00	0.00	0.66
12/5/2013	MW-2R	ND	8.14	4	619.4	0.00	0.00	0.66
12/16/2013	MW-2R	ND	7.69	4	51.1	0.00	0.00	0.66
12/31/2013	MW-2R	ND	7.54	4	4.9	0.00	0.00	0.66

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2.00	2.00
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.50	2.50
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1.00	3.50
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.50	4.00
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0.00	4.00
1/26/2012	MW-3	6.80	6.91	2	263	0.11	0.50	4.50
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.50	6.00
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7.00
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.50	7.50
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8.00
3/16/2012	MW-3	7.06	7.06	2	108	0.00	0.00	8.00
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.10	8.10
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.60
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.10	9.70
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.20
5/23/2012	MW-3	6.70	6.73	2	176	0.03	0.10	10.30
5/29/2012	MW-3	6.60	6.63	2	137	0.03	0.10	10.40
6/4/2012	MW-3	6.58	6.61	2	112	0.03	0.10	10.50
6/15/2012	MW-3	6.66	7.11	2	87.7	0.45	0.10	10.60
6/21/2012	MW-3	6.68	6.68	2	160	0.00	0.01	10.61
7/10/2012	MW-3	6.83	7.31	2	104	0.48	0.75	11.36
8/16/2010	MW-3	6.81	6.83	2	79.2	0.02	0.01	11.37
8/21/2012	MW-3	6.72	7.11	2	50.9	0.39	0.25	11.62
8/30/2012	MW-3	6.76	7.28	2	90.6	0.52	0.50	12.12
9/4/2012	MW-3	6.86	7.02	2	87.1	0.16	0.10	12.22
9/13/2012	MW-3	6.96	7.34	2	78.6	0.38	0.25	12.47
9/18/2012	MW-3	ND	6.99	2	62.4	0.00	0.00	12.47
9/27/2012	MW-3	ND	6.88	2	58.9	0.00	NA	12.47
10/4/2012	MW-3	6.69	7.31	2	24.8	0.62	1.00	13.47
10/11/2012	MW-3	6.83	6.84	2	38.7	0.01	0.10	13.57
10/16/2012	MW-3	ND	6.86	2	29.6	0.00	0.00	13.57
10/25/2012	MW-3	6.81	6.88	2	24.3	0.07	0.01	13.58
11/2/2012	MW-3	ND	4.58	2	34.2	0.00	0.00	13.58
11/6/2012	MW-3	5.49	5.51	2	46.3	0.02	0.01	13.59
11/14/2012	MW-3	5.72	5.79	2	41.5	0.07	0.01	13.60
11/21/2012	MW-3	6.07	6.11	2	29.4	0.04	0.01	13.61
11/29/2012	MW-3	6.31	6.40	2	32.6	0.09	0.10	13.71
12/7/2012	MW-3	6.51	6.79	2	50.8	0.28	0.10	13.81
12/12/2012	MW-3	6.50	6.78	2	42.7	0.28	0.10	13.91
12/21/2012	MW-3	4.91	5.15	2	56.1	0.24	0.01	13.92
1/4/2013	MW-3	6.32	6.85	2	55.4	0.53	0.25	14.17
1/18/2013	MW-3	6.57	7.16	2	42.8	0.59	0.25	14.42
1/31/2013	MW-3	6.56	6.89	2	32.1	0.33	0.10	14.52

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
2/14/2013	MW-3	6.42	7.11	2	43.7	0.69	0.25	14.77
2/28/2013	MW-3	6.32	6.59	2	NR	0.27	0.10	14.87
3/12/2013	MW-3	6.46	6.61	2	NR	0.15	0.10	14.97
3/29/2013	MW-3	6.45	6.86	2	NR	0.41	0.10	15.07
4/11/2013	MW-3	6.41	7.03	2	13.2	0.62	0.25	15.32
4/23/2013	MW-3	6.51	7.06	2	16.8	0.55	0.10	15.42
5/8/2013	MW-3	6.32	6.48	2	22.9	0.16	0.10	15.52
5/22/2013	MW-3	6.37	6.51	2	18.4	0.14	0.10	15.62
6/5/2013	MW-3	6.35	6.72	2	24.2	0.37	0.10	15.72
6/20/2013	MW-3	6.05	6.16	2	18.2	0.11	0.10	15.82
7/3/2013	MW-3	6.26	6.39	2	30.4	0.13	0.10	15.92
7/18/2013	MW-3	6.36	6.45	2	21.8	0.09	0.10	16.02
7/31/2013	MW-3	6.52	7.03	2	37.3	0.51	0.10	16.12
8/15/2013	MW-3	6.57	7.26	2	42.4	0.69	0.10	16.22
8/28/2013	MW-3	6.70	7.11	2	64.2	0.41	0.10	16.32
9/13/2013	MW-3	6.58	7.03	2	71.7	0.45	0.20	16.52
9/27/2013	MW-3	6.74	7.52	2	68.1	0.78	0.25	16.77
10/11/2013	MW-3	6.89	7.33	2	1.9	0.44	0.30	17.07
10/25/2013	MW-3	ND	7.04	2	31.1	0.00	0.00	17.07
11/8/2013	MW-3	6.82	7.35	2	1.3	0.53	0.50	17.57
11/20/2013	MW-3	7.27	8.46	2	7.4	1.19	0.50	18.07
12/5/2013	MW-3	6.80	7.57	2	130	0.77	0.50	18.57
12/16/2013	MW-3	6.61	6.87	2	197.3	0.26	0.10	18.67
12/31/2013	MW-3	6.52	6.55	2	7.2	0.03	0.10	18.77

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.90	2.00	2.00
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1.00	3.00
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.50	3.50
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.20	13.80	1	39.7	3.60	0.00	4.25
1/26/2012	MW-6	10.09	13.90	1	44.6	3.81	0.50	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.60	0.50	5.25
2/10/2012	MW-6	10.20	13.94	1	46.2	3.74	0.50	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.50	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.50	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.50	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.50	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.50	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.50	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.50	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.50	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.50	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.50	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.50	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.50	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.50	12.25
6/4/2012	MW-6	10.00	13.04	1	46.2	3.04	0.50	12.75
6/15/2012	MW-6	10.04	13.29	1	57.8	3.25	0.50	13.25
6/21/2012	MW-6	9.97	13.44	1	54.8	3.47	0.50	13.75
7/10/2012	MW-6	10.14	13.46	1	39.4	3.32	0.50	14.25
8/16/2012	MW-6	10.13	13.36	1	27	3.23	0.75	15.00
8/21/2012	MW-6	10.14	13.41	1	25.8	3.27	0.75	15.75
8/30/2012	MW-6	10.20	13.38	1	17.5	3.18	0.50	16.25
9/4/2012	MW-6	10.16	13.42	1	15.9	3.26	0.50	16.75
9/13/2012	MW-6	10.42	13.51	1	10.6	3.09	0.50	17.25
9/18/2012	MW-6	10.42	13.81	1	9.5	3.39	0.50	17.75
9/27/2012	MW-6	10.39	13.72	1	11.3	3.33	0.50	18.25
10/4/2012	MW-6	10.27	13.59	1	20.3	3.32	0.50	18.75
10/11/2012	MW-6	10.33	13.69	1	14.8	3.36	0.50	19.25
10/16/2012	MW-6	10.32	13.64	1	15	3.32	0.50	19.75
10/25/2012	MW-6	10.39	13.42	1	13.4	3.03	0.50	20.25
11/2/2012	MW-6	7.84	10.07	1	22.1	2.23	0.25	20.50
11/6/2021	MW-6	8.13	13.48	1	13.7	5.35	0.75	21.25
11/14/2012	MW-6	8.76	13.80	1	19.5	5.04	0.75	22.00
11/21/2012	MW-6	9.06	13.88	1	15.2	4.82	0.75	22.75
11/29/2012	MW-6	9.48	14.04	1	13.7	4.56	0.50	23.25
12/7/2012	MW-6	9.60	14.07	1	21.4	4.47	0.50	23.75
12/12/2012	MW-6	9.80	14.04	1	18.5	4.24	0.50	24.25
12/21/2012	MW-6	9.25	13.19	1	17.4	3.94	0.50	24.75
1/4/2013	MW-6	9.85	13.98	1	21.6	4.13	0.50	25.25
1/18/2013	MW-6	10.20	14.07	1	14.4	3.87	0.50	25.75
1/31/2013	MW-6	10.07	13.82	1	11.1	3.75	0.50	26.25

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
2/14/2013	MW-6	10.21	13.82	1	18.4	3.61	0.50	26.75
2/28/2013	MW-6	9.87	13.18	1	NR	3.31	0.10	26.85
3/12/2013	MW-6	9.80	13.29	1	NR	3.49	0.50	27.35
3/29/2013	MW-6	10.11	13.73	1	NR	3.62	0.50	27.85
4/11/2013	MW-6	10.24	13.76	1	24.0	3.52	0.50	28.35
4/23/2013	MW-6	10.18	13.57	1	19.7	3.39	0.50	28.85
5/8/2013	MW-6	10.30	13.61	1	15.3	3.31	0.50	29.35
5/22/2013	MW-6	10.17	13.36	1	16.0	3.19	0.50	29.85
6/5/2013	MW-6	10.21	13.52	1	16.5	3.31	0.50	30.35
6/20/2013	MW-6	9.74	13.02	1	20.8	3.28	0.50	30.85
7/3/2013	MW-6	9.87	13.26	1	29.4	3.39	0.50	31.35
7/18/2013	MW-6	9.92	13.33	1	20.7	3.41	0.50	31.85
7/31/2013	MW-6	10.06	13.21	1	18.4	3.15	0.50	32.35
8/15/2013	MW-6	10.24	13.46	1	16.5	3.22	0.50	32.85
8/28/2013	MW-6	10.22	13.48	1	14.3	3.26	0.50	33.35
9/13/2013	MW-6	10.34	13.49	1	17.9	3.15	0.50	33.85
9/27/2013	MW-6	10.49	13.56	1	12.8	3.07	0.50	34.35
10/11/2013	MW-6	10.36	13.47	1	15.1	3.11	0.10	34.45
10/25/2013	MW-6	10.71	13.77	1	14.9	3.06	0.50	34.95
11/8/2013	MW-6	10.66	13.81	1	14.3	3.15	1.00	35.95
11/20/2013	MW-6	10.98	14.21	1	41.2	3.23	0.75	36.70
12/5/2013	MW-6	10.69	12.15	1	242	1.46	0.75	37.45
12/16/2013	MW-6	10.77	13.62	1	47.3	2.85	0.30	37.75
12/31/2013	MW-6	10.62	13.30	1	70.3	2.68	1.5	39.25

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1.00	1.00
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2.00
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.50	2.50
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0.00	2.50
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.50	3.00
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0.00	3.00
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.50	3.50
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.50	4.00
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.50	4.50
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.50	5.00
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.50
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6.00
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.50	6.50
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.10	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.10
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.60
6/4/2012	MW-7	2.32	3.90	1	66.5	1.58	0.25	7.85
6/15/2012	MW-7	2.63	4.21	1	43.6	1.58	0.25	8.10
6/21/2012	MW-7	2.58	4.20	1	65.3	1.62	0.25	8.35
7/10/2012	MW-7	2.30	4.71	1	70.1	2.41	0.25	8.60
8/16/2012	MW-7	2.58	4.83	1	40.6	2.25	0.50	9.10
8/21/2012	MW-7	2.94	3.87	1	30.3	0.93	0.50	9.60
8/30/2012	MW-7	3.09	4.10	1	22.4	1.01	0.50	10.10
9/4/2012	MW-7	2.97	3.88	1	11.6	0.91	0.50	10.60
9/13/2012	MW-7	3.52	4.28	1	6.3	0.76	0.50	11.10
9/18/2012	MW-7	3.15	4.28	1	8.8	1.13	0.50	11.60
9/27/2012	MW-7	3.18	4.04	1	14.5	0.86	0.50	12.10
10/4/2012	MW-7	3.11	3.83	1	16.9	0.72	0.25	12.35
10/11/2012	MW-7	3.12	3.93	1	15.2	0.81	0.25	12.60
10/16/2012	MW-7	2.88	4.07	1	14.6	1.19	0.25	12.85
10/25/2012	MW-7	3.08	4.33	1	16.5	1.25	0.25	13.10
11/2/2012	MW-7 ¹	NG	NG	1	NG	NG	0.00	13.10
11/6/2012	MW-7 ¹	NG	NG	1	NG	NG	0.00	13.10
11/14/2012	MW-7 ¹	NG	NG	1	NG	NG	0.00	13.10
11/21/2012	MW-7	1.24	2.11	1	27.8	0.87	0.10	13.20
11/29/2012	MW-7	2.02	2.53	1	29.2	0.51	0.10	13.30
12/7/2012	MW-7	2.02	2.11	1	15.9	0.09	0.10	13.40
12/12/2012	MW-7	1.96	2.12	1	10.2	0.16	0.10	13.50
12/21/2012	MW-7	0.84	1.11	1	43.5	0.27	0.10	13.60
1/4/2013	MW-7	1.20	1.97	1	48.2	0.77	0.10	13.70
1/18/2013	MW-7	1.17	1.62	1	51.6	0.45	0.10	13.80
1/31/2013	MW-7	1.12	1.77	1	48.4	0.65	0.10	13.90

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
2/14/2013	MW-7	1.10	1.14	1	46.2	0.04	0.10	14.00
2/28/2013	MW-7	1.12	1.58	1	NR	0.46	0.10	14.10
3/12/2013	MW-7	1.28	1.99	1	NR	0.71	0.10	14.20
3/29/2013	MW-7	1.68	2.19	1	NR	0.51	0.10	14.30
4/11/2013	MW-7	2.64	3.80	1	20.1	1.16	0.25	14.55
4/23/2013	MW-7	2.88	3.32	1	14.2	0.44	0.10	14.65
5/8/2013	MW-7	3.06	3.43	1	9.8	0.37	0.10	14.75
5/22/2013	MW-7	2.51	3.64	1	16.8	1.13	0.25	15.00
6/5/2013	MW-7	2.50	3.83	1	14.9	1.33	0.25	15.25
6/20/2013	MW-7	1.66	2.85	1	29.6	1.19	0.25	15.50
7/3/2013	MW-7	1.86	2.63	1	25.6	0.77	0.10	15.60
7/18/2013	MW-7	2.09	2.26	1	12.3	0.17	0.10	15.70
7/31/2013	MW-7	2.37	3.12	1	10.9	0.75	0.10	15.80
8/15/2013	MW-7	2.61	3.18	1	11.3	0.57	0.10	15.90
8/28/2013	MW-7	2.48	2.85	1	16.3	0.37	0.10	16.00
9/13/2013	MW-7	2.50	2.92	1	15.3	0.42	0.10	16.10
9/27/2013	MW-7	2.99	3.43	1	11.5	0.44	0.10	16.20
10/11/2013	MW-7	2.72	5.55	1	0.6	2.83	0.50	16.70
10/25/2013	MW-7	3.38	4.22	1	15.4	0.84	0.01	16.71
11/8/2013	MW-7	3.21	3.27	1	102.1	0.06	0.10	16.81
11/20/2013	MW-7	4.57	4.81	1	18.9	0.24	0.10	16.91
12/5/2013	MW-7	2.86	2.91	1	293	0.05	0.10	17.01
12/16/2013	MW-7	1.10	1.32	1	85.4	0.22	0.10	17.11
12/31/2013	MW-7	1.42	1.77	1	12	0.35	0.10	17.21
9/12/2013	MW-7R	2.80	2.81	4	122	0.01	0.01	0.01
9/27/2013	MW-7R	3.26	3.26	4	81.6	Trace	0.01	0.02
10/11/2013	MW-7R	3.05	3.09	4	97.1	0.04	0.10	0.12
10/25/2013	MW-7R	ND	3.65	4	90.7	0.00	0.00	0.12
11/8/2013	MW-7R	3.35	3.37	4	1.00	0.02	0.01	0.13
11/20/2013	MW-7R	4.35	4.37	4	30.7	0.02	0.01	0.14
12/5/2013	MW-7R	ND	2.92	4	135	0.00	0.00	0.14
12/16/2013	MW-7R	ND	1.10	4	89.1	0.00	0.00	0.14
12/31/2013	MW-7R	ND	1.00	4	106.6	0.00	0.00	0.14

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12.00	12.00
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14.00	26.00
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16.00	42.00
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19.00	61.00
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27.00	88.00
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28.00	116.00
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14.00	130.00
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16.00	146.00
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15.00	161.00
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5.00	166.00
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10.00	176.00
3/6/2012	MW-8	6.98	10.68	2	106	3.70	9.00	185.00
3/16/2012	MW-8	6.59	10.70	2	154	4.11	15.00	200.00
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11.00	211.00
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21.00	232.00
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23.00	255.00
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21.00	276.00
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23.00	299.00
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17.00	316.00
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23.00	339.00
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22.00	361.00
6/4/2012	MW-8	5.98	9.85	2	81.4	3.87	21.00	382.00
6/15/2012	MW-8	6.08	9.97	2	96.4	3.89	18.00	400.00
6/21/2012	MW-8	6.21	10.18	2	184	3.97	15.00	415.00
7/10/2012	MW-8	6.27	10.13	2	74.6	3.86	20.00	435.00
8/16/2012	MW-8	6.11	9.30	2	65.9	3.19	22.00	457.00
8/21/2012	MW-8	6.40	10.13	2	79.7	3.73	21.00	478.00
8/30/2012	MW-8	6.26	9.90	2	98.8	3.64	18.00	496.00
9/4/2012	MW-8	6.40	10.14	2	77.2	3.74	18.00	514.00
9/13/2012	MW-8	6.90	10.72	2	53.7	3.82	11.00	525.00
9/18/2012	MW-8	6.66	10.31	2	45.1	3.65	22.00	547.00
9/27/2012	MW-8	6.56	10.07	2	52.8	3.51	23.00	570.00
10/4/2012	MW-8	6.46	10.13	2	62.7	3.67	19.00	589.00
10/11/2012	MW-8	6.57	10.08	2	75.2	3.51	12.00	601.00
10/16/2012	MW-8	6.49	10.03	2	47.1	3.54	18.00	619.00
10/25/2012	MW-8	6.44	9.97	2	47.7	3.53	20.00	639.00
11/2/2012	MW-8	4.73	7.02	2	91.4	2.29	7.00	646.00
11/6/2012	MW-8	4.90	10.21	2	52	5.31	11.00	657.00
11/14/2012	MW-8	4.97	10.86	2	68.1	5.89	6.00	663.00
11/21/2012	MW-8	5.29	11.38	2	51.6	6.09	5.00	668.00
11/29/2012	MW-8	5.66	11.28	2	61.5	5.62	23.00	691.00
12/7/2012	MW-8	5.75	11.47	2	75.2	5.72	22.00	713.00
12/12/2012	MW-8	5.98	11.31	2	66.1	5.33	5.00	718.00
12/21/2012	MW-8	4.93	10.66	2	69.5	5.73	7.00	725.00
1/4/2013	MW-8	5.88	11.53	2	77.4	5.65	4.00	729.00
1/18/2013	MW-8	6.33	11.41	2	85.2	5.08	20.00	749.00
1/31/2013	MW-8	5.99	11.22	2	73.8	5.23	20.00	769.00

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
2/14/2013	MW-8	6.29	10.93	2	57.1	4.64	20.00	789.00
2/28/2013	MW-8	5.67	10.23	2	NR	4.56	8.00	797.00
3/12/2013	MW-8	5.77	10.50	2	NR	4.73	21.00	818.00
3/29/2013	MW-8	6.25	11.01	2	NR	4.76	22.00	840.00
4/11/2013	MW-8	6.29	10.79	2	26.8	4.50	20.00	860.00
4/23/2013	MW-8	6.12	10.48	2	62.3	4.36	19.00	879.00
5/8/2013	MW-8	6.35	10.17	2	57.4	3.82	19.00	898.00
5/22/2013	MW-8	6.20	10.18	2	59.7	3.98	21.00	919.00
6/5/2013	MW-8	6.29	10.17	2	61.3	3.88	20.00	939.00
6/20/2013	MW-8	5.77	9.71	2	53.7	3.94	19.00	958.00
7/3/2013	MW-8	5.98	10.01	2	60.2	4.03	8.00	966.00
7/18/2013	MW-8	5.92	9.97	2	53.8	4.05	20.00	986.00
7/31/2013	MW-8	6.18	10.04	2	88.6	3.86	20.00	1006.00
8/15/2013	MW-8	6.42	10.05	2	78.7	3.63	20.00	1026.00
8/28/2013	MW-8	6.42	10.17	2	137	3.75	19.00	1045.00
9/13/2013	MW-8	6.38	9.97	2	96.1	3.59	18.00	1063.00
9/27/2013	MW-8	6.68	10.05	2	63.7	3.37	18.00	1081.00
10/11/2013	MW-8	6.57	10.09	2	66.4	3.52	2.00	1083.00
10/25/2013	MW-8	7.06	10.29	2	59.6	3.23	17.00	1100.00
11/8/2013	MW-8	6.65	10.21	2	60.3	3.56	18.50	1118.50
11/20/2013	MW-8	7.28	10.30	2	12.2	3.02	20.00	1138.50
12/5/2013	MW-8	6.62	9.86	2	840	3.24	13.50	1152.00
12/16/2013	MW-8	6.82	10.01	2	45.6	3.19	16.00	1168.00
12/31/2013	MW-8	6.49	10.05	2	6.0	3.56	16.50	1184.50

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2.00	2.00
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.50	3.50
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.50	4.00
1/12/2012	MW-9	6.09	6.20	2	38.9	0.11	0.50	4.50
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0.00	4.50
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.50	5.00
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.50	5.50
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.10	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.10
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.10	6.20
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0.00	0.00	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.10	6.55
3/27/2012	MW-9	7.91	8.20	2	50.6	0.29	0.10	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.10	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.10	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.10	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.10	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.10	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.10	7.25
6/4/2012	MW-9	6.95	7.11	2	45.8	0.16	0.10	7.35
6/15/2012	MW-9	6.90	7.08	2	48.9	0.18	0.10	7.45
6/21/2012	MW-9	6.99	6.99	2	54.1	0.00	0.01	7.46
7/10/2012	MW-9	7.14	7.48	2	75.1	0.34	0.10	7.56
8/16/2012	MW-9	7.14	7.43	2	35.2	0.29	0.10	7.66
8/21/2012	MW-9	7.18	7.42	2	22.3	0.24	0.10	7.76
8/30/2012	MW-9	7.31	7.61	2	12.8	0.30	0.10	7.86
9/4/2012	MW-9	7.34	7.49	2	15.3	0.15	0.10	7.96
9/13/2012	MW-9	7.93	8.01	2	11.2	0.08	0.10	8.06
9/18/2012	MW-9	7.74	7.92	2	6.3	0.18	0.10	8.16
9/27/2012	MW-9	7.51	7.65	2	5.1	0.14	0.10	8.26
10/4/2012	MW-9	7.20	7.38	2	29.6	0.18	0.10	8.36
10/11/2012	MW-9	7.24	7.30	2	19.4	0.06	0.10	8.46
10/16/2012	MW-9	7.24	7.40	2	13.4	0.16	0.10	8.56
10/25/2012	MW-9	7.30	7.52	2	17.9	0.22	0.10	8.66
11/2/2012	MW-9	ND	5.07	2	3.6	0.00	0.00	8.66
11/6/2012	MW-9	5.68	5.68	2	17.1	0.00	0.01	8.67
11/14/2012	MW-9	6.06	6.13	2	18.4	0.07	0.01	8.68
11/21/2012	MW-9	6.64	6.79	2	13.1	0.15	0.01	8.69
11/29/2012	MW-9	7.27	7.51	2	15.9	0.24	0.25	8.94
12/7/2012	MW-9	7.54	7.78	2	20.3	0.24	0.01	8.95
12/12/2012	MW-9	7.60	8.56	2	18.6	0.96	1.00	9.95
12/21/2012	MW-9	6.35	7.24	2	23.6	0.89	0.50	10.45
1/4/2013	MW-9	7.09	9.20	2	28.7	2.11	0.75	11.20
1/18/2013	MW-9	7.40	9.59	2	33.4	2.19	1.00	12.20
1/31/2013	MW-9	7.06	8.93	2	39.7	1.87	0.50	12.70

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
2/14/2013	MW-9	7.04	9.58	2	41.5	2.54	1.00	13.70
2/28/2013	MW-9	6.80	8.49	2	NR	1.69	1.25	14.95
3/12/2013	MW-9	6.91	8.82	2	NR	1.91	0.75	15.70
3/29/2013	MW-9	7.14	9.82	2	NR	2.68	0.75	16.45
4/11/2013	MW-9	7.23	9.71	2	18.0	2.48	0.75	17.20
4/23/2013	MW-9	7.30	9.41	2	21.7	2.11	0.75	17.95
5/8/2013	MW-9	7.16	10.18	2	15.2	3.02	0.50	18.45
5/22/2013	MW-9	7.00	9.08	2	14.6	2.08	0.25	18.70
6/5/2013	MW-9	6.93	9.38	2	22.7	2.45	0.25	18.95
6/20/2013	MW-9	6.45	7.28	2	26.6	0.83	0.10	19.05
7/3/2013	MW-9	6.80	7.99	2	25.2	1.19	0.10	19.15
7/18/2013	MW-9	6.90	7.98	2	23.7	1.08	0.10	19.25
7/31/2013	MW-9	7.05	8.73	2	47.7	1.68	0.25	19.50
8/15/2013	MW-9	7.20	9.12	2	38.2	1.92	0.25	19.75
8/28/2013	MW-9	7.11	10.18	2	46.3	3.07	0.25	20.00
9/13/2013	MW-9	6.82	12.53	2	87.4	5.71	1.25	21.25
9/27/2013	MW-9	7.03	12.48	2	79.4	5.45	1.25	22.50
10/11/2013	MW-9	7.07	12.19	2	17.5	5.12	2.50	25.00
10/25/2013	MW-9	7.43	12.62	2	61.8	5.19	1.50	26.50
11/8/2013	MW-9	7.48	11.92	2	16.2	4.44	3.00	29.50
11/20/2013	MW-9	7.88	12.75	2	7.4	4.87	3.00	32.50
12/5/2013	MW-9	7.42	11.56	2	575	4.14	1.50	34.00
12/16/2013	MW-9	7.03	10.16	2	75.9	3.13	0.50	34.50
12/31/2013	MW-9	6.89	9.81	2	26.8	2.92	2.50	37.00

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.50	2.50
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1.00	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.10	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0.00	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1.00	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.50	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.10
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.50	7.60
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.10	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.20
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.10	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.10	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.50	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.40
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.10	9.50
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.10	9.60
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.10	9.95
6/4/2012	MW-12	7.78	7.80	2	35.3	0.02	0.10	10.05
6/15/2012	MW-12	7.71	9.07	2	39	1.36	0.10	10.15
6/21/2012	MW-12	8.09	8.49	2	40.6	0.40	0.10	10.25
7/10/2012	MW-12	8.06	8.67	2	47.7	0.61	0.10	10.35
8/16/2012	MW-12	7.98	8.85	2	32.5	0.87	0.25	10.60
8/21/2012	MW-12	8.21	8.68	2	17.4	0.47	0.25	10.85
8/31/2012	MW-12	8.14	8.46	2	20.3	0.32	0.10	10.95
9/4/2012	MW-12	8.25	8.53	2	16.9	0.28	0.10	11.05
9/13/2012	MW-12	8.87	9.31	2	16.4	0.44	0.10	11.15
9/18/2012	MW-12	8.53	8.98	2	10.7	0.45	0.10	11.25
9/27/2012	MW-12	8.29	8.76	2	12.3	0.47	0.10	11.35
10/4/2012	MW-12	8.28	8.66	2	16.3	0.38	0.10	11.45
10/11/2012	MW-12	8.38	8.62	2	16.7	0.24	0.10	11.55
10/16/2012	MW-12	8.26	8.51	2	13.9	0.25	0.10	11.65
10/25/2012	MW-12	8.22	8.51	2	12.6	0.29	0.10	11.75
11/2/2012	MW-12	ND	6.51	2	4.3	0.00	0.00	11.75
11/6/2012	MW-12	7.01	7.02	2	8.4	0.01	0.01	11.76
11/14/2012	MW-12	7.02	8.89	2	19.3	1.87	0.75	12.51
11/21/2012	MW-12	7.69	8.16	2	9.3	0.47	0.10	12.61
11/29/2012	MW-12	7.87	8.26	2	19.7	0.39	0.10	12.71
12/7/2012	MW-12	8.15	8.43	2	22.9	0.28	0.10	12.81
12/12/2012	MW-12	8.38	8.76	2	21.3	0.38	0.10	12.91
12/21/2012	MW-12	7.09	7.49	2	14.2	0.40	0.10	13.01
1/4/2013	MW-12	9.51	9.66	2	12.2	0.15	0.10	13.11
1/18/2013	MW-12	9.42	9.76	2	18.6	0.34	0.10	13.21
1/31/2013	MW-12	9.02	9.04	2	6.4	0.02	0.10	13.31

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
2/14/2013	MW-12	9.13	9.41	2	5.7	0.28	0.10	13.41
2/28/2013	MW-12	7.58	8.62	2	NR	1.04	0.50	13.91
3/12/2013	MW-12	7.55	9.12	2	NR	1.57	0.25	14.16
3/29/2013	MW-12	8.12	9.87	2	NR	1.75	0.50	14.66
4/11/2013	MW-12	8.05	9.42	2	18.9	1.37	0.25	14.91
4/23/2013	MW-12	7.99	8.94	2	15.2	0.95	0.10	15.01
5/8/2013	MW-12	8.07	9.11	2	13.7	1.04	0.10	15.11
5/22/2013	MW-12	7.78	9.17	2	15.2	1.39	0.10	15.21
6/5/2013	MW-12	7.78	9.71	2	16.6	1.93	0.25	15.46
6/20/2013	MW-12	7.05	9.77	2	20.3	2.72	0.50	15.96
7/3/2013	MW-12	7.56	10.02	2	24.3	2.46	0.50	16.46
7/18/2013	MW-12	7.40	9.46	2	17.1	2.06	0.50	16.96
7/31/2013	MW-12	7.74	9.68	2	19.7	1.94	0.50	17.46
8/15/2013	MW-12	7.98	9.96	2	15.9	1.98	0.25	17.71
8/28/2013	MW-12	7.84	10.06	2	25.9	2.22	0.50	18.21
9/13/2013	MW-12	7.59	10.70	2	23.8	3.11	0.75	18.96
9/27/2013	MW-12	7.93	10.82	2	19.6	2.89	0.50	19.46
10/11/2013	MW-12	7.88	10.30	2	3.4	2.42	1.00	20.46
10/25/2013	MW-12	8.48	10.41	2	13.2	1.93	0.50	20.96
11/8/2013	MW-12	8.38	9.26	2	3.7	0.88	2.00	22.96
11/20/2013	MW-12	8.68	10.59	2	39.2	1.91	3.00	25.96
12/5/2013	MW-12	8.11	9.55	2	571	1.44	0.75	26.71
12/16/2013	MW-12	8.28	9.47	2	52.2	1.19	0.50	27.21
12/31/2013	MW-12	8.14	9.52	2	42.9	1.38	1.75	28.96

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4.00	4.00
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3.00	7.00
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3.00	10.00
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2.00	12.00
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0.00	12.00
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.50	13.50
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.50	15.00
2/10/2012	MW-13	8.02	9.92	2	58.5	1.90	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.50	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1.00	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.50	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.50
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.50
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1.00	25.50
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.50	28.00
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2.00	30.00
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.50	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35.00
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.50	36.50
6/4/2012	MW-13	7.34	10.21	2	63.4	2.87	1.50	38.00
6/15/2012	MW-13	7.32	10.88	2	63.4	3.56	2.50	40.50
6/21/2012	MW-13	7.48	10.63	2	52.9	3.15	2.00	42.50
7/10/2012	MW-13	7.23	12.01	2	78.4	4.78	2.50	45.00
8/16/2012	MW-13	7.05	12.08	2	47.6	5.03	2.50	47.50
8/21/2012	MW-13	7.55	11.09	2	38.5	3.54	1.75	49.25
8/30/2012	MW-13	7.64	10.84	2	40.9	3.20	1.50	50.75
9/4/2012	MW-13	7.79	10.42	2	36.4	2.63	1.25	52.00
9/13/2012	MW-13	8.39	11.37	2	24.9	2.98	0.75	52.75
9/18/2012	MW-13	8.17	10.78	2	22.6	2.61	1.25	54.00
9/27/2012	MW-13	7.85	10.92	2	21.4	3.07	1.75	55.75
10/4/2012	MW-13	7.71	10.89	2	37.4	3.18	2.00	57.75
10/11/2012	MW-13	7.80	10.87	2	33.1	3.07	2.00	59.75
10/16/2012	MW-13	7.81	10.59	2	30.2	2.78	1.75	61.50
10/25/2012	MW-13	7.74	10.88	2	28.1	3.14	1.75	63.25
11/2/2012	MW-13	6.20	8.62	2	39.8	2.42	0.75	64.00
11/6/2012	MW-13	6.86	8.71	2	15.6	1.85	0.75	64.75
11/14/2012	MW-13	7.02	8.75	2	26.7	1.73	1.25	66.00
11/21/2012	MW-13	7.33	9.18	2	18.5	1.85	1.25	67.25
11/29/2012	MW-13	7.60	9.64	2	22.3	2.04	2.04	69.29
12/7/2012	MW-13	7.56	10.12	2	27.1	2.56	1.50	70.79
12/12/2012	MW-13	7.79	10.19	2	29.9	2.40	1.25	72.04
12/21/2012	MW-13	6.61	8.94	2	18.7	2.33	1.00	73.04
1/4/2013	MW-13	7.61	10.68	2	27.3	3.07	1.50	74.54
1/18/2013	MW-13	7.63	11.68	2	30.1	4.05	1.75	76.29
1/31/2013	MW-13	7.15	11.18	2	27.9	4.03	1.50	77.79

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
2/14/2013	MW-13	7.37	11.81	2	22.6	4.44	1.75	79.54
2/28/2013	MW-13	6.83	11.06	2	NR	4.23	2.50	82.04
3/12/2013	MW-13	7.19	10.93	2	NR	3.74	1.50	83.54
3/29/2013	MW-13	7.48	12.11	2	NR	4.63	1.50	85.04
4/11/2013	MW-13	7.50	11.88	2	30.4	4.38	1.50	86.54
4/23/2013	MW-13	7.40	11.63	2	22.6	4.23	1.50	88.04
5/8/2013	MW-13	7.56	11.93	2	26.5	4.37	1.50	89.54
5/22/2013	MW-13	7.16	12.18	2	30.3	5.02	1.75	91.29
6/5/2013	MW-13	7.24	12.36	2	28.4	5.12	1.75	93.04
6/20/2013	MW-13	6.71	11.64	2	31.4	4.93	2.00	95.04
7/3/2013	MW-13	7.00	11.58	2	37.8	4.58	1.75	96.79
7/18/2013	MW-13	6.88	11.64	2	28.2	4.76	1.50	98.29
7/31/2013	MW-13	7.11	12.19	2	30.8	5.08	1.75	100.04
8/15/2013	MW-13	7.29	12.28	2	29.7	4.99	1.50	101.54
8/28/2013	MW-13	7.29	12.22	2	38.1	4.93	1.75	103.29
9/13/2013	MW-13	7.21	12.34	2	45.2	5.13	2.00	105.29
9/27/2013	MW-13	7.52	12.59	2	37.2	5.07	2.00	107.29
10/11/2013	MW-13	7.43	12.43	2	17.6	5.00	3.00	110.29
10/25/2013	MW-13	7.97	12.91	2	30.4	4.94	1.75	112.04
11/8/2013	MW-13	7.98	12.41	2	16.9	4.43	3.25	115.29
11/20/2013	MW-13	8.44	12.18	2	19.9	3.74	3.20	118.49
12/5/2013	MW-13	7.83	11.62	2	130	3.79	2.00	120.49
12/16/2013	MW-13	8.03	10.02	2	69.1	1.99	1.00	121.49
12/31/2013	MW-13	7.76	10.55	2	29.1	2.79	3.00	124.49
							Total:	1450.98

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Non detected

NG - Not gauged

NR - Not recorded

1 - Monitoring well MW-7 inaccessible due to flooding in the basement of the warehouse

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/24/2012	MW-2	7.66	7.88	2	226	0.22	0.10	0.10
5/1/2012	MW-2	7.76	7.79	2	235	0.03	0.10	0.20
5/8/2012	MW-2	7.65	7.66	2	221	0.01	0.10	0.30
5/15/2012	MW-2	7.60	7.61	2	223	0.01	0.10	0.40
5/23/2012	MW-2	7.45	7.46	2	153	0.01	0.10	0.50
10/4/2012	MW-2	7.51	7.60	2	81	0.09	0.10	0.60
10/11/2012	MW-2	7.55	7.55	2	52.9	0.00	0.01	0.61
10/16/2012	MW-2	7.54	7.57	2	73.7	0.03	0.01	0.62
10/25/2012	MW-2	7.46	7.46	2	56.2	0.00	0.01	0.63
11/2/2012	MW-2	ND	5.59	2	17.5	0.00	0.00	0.63
11/6/2012	MW-2	ND	6.07	2	29.8	0.00	0.00	0.63
11/14/2012	MW-2	6.24	6.24	2	50.6	0.00	0.01	0.64
11/21/2012	MW-2	6.54	6.54	2	37.5	0.00	0.01	0.65
11/29/2012	MW-2	6.79	6.79	2	42.8	0.00	0.01	0.66
12/7/2012	MW-2	ND	7.19	2	36.7	0.00	0.00	0.66
12/12/2012	MW-2	ND	7.24	2	41.4	0.00	0.00	0.66
12/21/2012	MW-2	ND	6.93	2	44.3	0.00	0.00	0.66
1/4/2013	MW-2	ND	6.92	2	64.1	0.00	0.00	0.66
1/18/2013	MW-2	ND	7.34	2	45.7	0.00	0.00	0.66
1/31/2013	MW-2	ND	7.51	2	40.2	0.00	0.00	0.66
2/14/2013	MW-2	ND	7.48	2	26.2	0.00	0.00	0.66
2/28/2013	MW-2	ND	7.27	2	NR	0.00	0.00	0.66
3/12/2013	MW-2	ND	7.16	2	NR	0.00	0.00	0.66
3/29/2013	MW-2	ND	7.46	2	NR	0.00	0.00	0.66
4/11/2013	MW-2	ND	7.68	2	71.6	0.00	0.00	0.66
4/23/2013	MW-2	ND	7.69	2	68.4	0.00	0.00	0.66
5/8/2013	MW-2	ND	7.70	2	84.3	0.00	0.00	0.66
5/22/2013	MW-2	ND	7.51	2	65.1	0.00	0.00	0.66
6/5/2013	MW-2	ND	7.44	2	53.6	0.00	0.00	0.66
6/20/2013	MW-2R	ND	6.88	4	69.9	0.00	0.00	0.66
7/3/2013	MW-2R	ND	7.31	4	58.7	0.00	0.00	0.66
7/18/2013	MW-2R	ND	7.42	4	43.4	0.00	0.00	0.66
7/31/2013	MW-2R	ND	7.57	4	18.5	0.00	0.00	0.66
8/15/2013	MW-2R	ND	7.81	4	15.4	0.00	0.00	0.66
8/28/2013	MW-2R	ND	7.88	4	17.4	0.00	0.00	0.66
9/13/2013	MW-2R	ND	7.79	4	23.5	0.00	0.00	0.66
9/27/2013	MW-2R	ND	8.19	4	15.3	0.00	0.00	0.66
10/11/2013	MW-2R	ND	8.20	4	11.7	0.00	0.00	0.66
10/25/2013	MW-2R	ND	8.75	4	7.3	0.00	0.00	0.66
11/8/2013	MW2R	ND	8.77	4	9.8	0.00	0.00	0.66
11/20/2013	MW-2R	ND	9.22	4	23	0.00	0.00	0.66
12/5/2013	MW-2R	ND	8.14	4	619.4	0.00	0.00	0.66
12/16/2013	MW-2R	ND	7.69	4	51.1	0.00	0.00	0.66
12/31/2013	MW-2R	ND	7.54	4	4.9	0.00	0.00	0.66
1/17/2014	MW-2R	ND	7.15	4	3.2	0.00	0.00	0.66
1/29/2014	MW-2R	ND	7.80	4	374.6	0.00	0.00	0.66

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-3	6.86	7.42	2	301	0.56	2.00	2.00
12/30/2011	MW-3	6.80	6.83	2	192	0.03	0.50	2.50
1/6/2012	MW-3	6.80	7.02	2	210	0.22	1.00	3.50
1/12/2012	MW-3	6.65	6.81	2	212	0.16	0.50	4.00
1/20/2012	MW-3	6.88	7.34	2	174.5	0.46	0.00	4.00
1/26/2012	MW-3	6.80	6.91	2	263	0.11	0.50	4.50
2/3/2012	MW-3	6.98	7.73	2	171	0.75	1.50	6.00
2/10/2012	MW-3	6.98	7.22	2	203	0.24	0.75	6.75
2/17/2012	MW-3	7.00	7.18	2	125	0.18	0.25	7.00
2/21/2012	MW-3	7.16	7.64	2	217	0.48	0.50	7.50
2/27/2012	MW-3	7.18	7.49	2	107	0.31	0.25	7.75
3/6/2012	MW-3	7.04	7.56	2	69.5	0.52	0.25	8.00
3/16/2012	MW-3	7.06	7.06	2	108	0.00	0.00	8.00
3/22/2012	MW-3	7.09	7.51	2	67.5	0.42	0.10	8.10
3/27/2012	MW-3	7.19	7.98	2	51.7	0.75	0.75	8.85
4/24/2012	MW-3	6.59	7.22	2	54.9	0.63	0.75	9.60
5/1/2012	MW-3	6.72	6.96	2	137	0.24	0.10	9.70
5/8/2012	MW-3	6.78	7.13	2	87.4	0.35	0.25	9.95
5/15/2012	MW-3	6.83	7.19	2	90.3	0.36	0.25	10.20
5/23/2012	MW-3	6.70	6.73	2	176	0.03	0.10	10.30
5/29/2012	MW-3	6.60	6.63	2	137	0.03	0.10	10.40
6/4/2012	MW-3	6.58	6.61	2	112	0.03	0.10	10.50
6/15/2012	MW-3	6.66	7.11	2	87.7	0.45	0.10	10.60
6/21/2012	MW-3	6.68	6.68	2	160	0.00	0.01	10.61
7/10/2012	MW-3	6.83	7.31	2	104	0.48	0.75	11.36
8/16/2010	MW-3	6.81	6.83	2	79.2	0.02	0.01	11.37
8/21/2012	MW-3	6.72	7.11	2	50.9	0.39	0.25	11.62
8/30/2012	MW-3	6.76	7.28	2	90.6	0.52	0.50	12.12
9/4/2012	MW-3	6.86	7.02	2	87.1	0.16	0.10	12.22
9/13/2012	MW-3	6.96	7.34	2	78.6	0.38	0.25	12.47
9/18/2012	MW-3	ND	6.99	2	62.4	0.00	0.00	12.47
9/27/2012	MW-3	ND	6.88	2	58.9	0.00	NA	12.47
10/4/2012	MW-3	6.69	7.31	2	24.8	0.62	1.00	13.47
10/11/2012	MW-3	6.83	6.84	2	38.7	0.01	0.10	13.57
10/16/2012	MW-3	ND	6.86	2	29.6	0.00	0.00	13.57
10/25/2012	MW-3	6.81	6.88	2	24.3	0.07	0.01	13.58
11/2/2012	MW-3	ND	4.58	2	34.2	0.00	0.00	13.58
11/6/2012	MW-3	5.49	5.51	2	46.3	0.02	0.01	13.59
11/14/2012	MW-3	5.72	5.79	2	41.5	0.07	0.01	13.60
11/21/2012	MW-3	6.07	6.11	2	29.4	0.04	0.01	13.61
11/29/2012	MW-3	6.31	6.40	2	32.6	0.09	0.10	13.71
12/7/2012	MW-3	6.51	6.79	2	50.8	0.28	0.10	13.81
12/12/2012	MW-3	6.50	6.78	2	42.7	0.28	0.10	13.91
12/21/2012	MW-3	4.91	5.15	2	56.1	0.24	0.01	13.92
1/4/2013	MW-3	6.32	6.85	2	55.4	0.53	0.25	14.17
1/18/2013	MW-3	6.57	7.16	2	42.8	0.59	0.25	14.42
1/31/2013	MW-3	6.56	6.89	2	32.1	0.33	0.10	14.52

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
2/14/2013	MW-3	6.42	7.11	2	43.7	0.69	0.25	14.77
2/28/2013	MW-3	6.32	6.59	2	NR	0.27	0.10	14.87
3/12/2013	MW-3	6.46	6.61	2	NR	0.15	0.10	14.97
3/29/2013	MW-3	6.45	6.86	2	NR	0.41	0.10	15.07
4/11/2013	MW-3	6.41	7.03	2	13.2	0.62	0.25	15.32
4/23/2013	MW-3	6.51	7.06	2	16.8	0.55	0.10	15.42
5/8/2013	MW-3	6.32	6.48	2	22.9	0.16	0.10	15.52
5/22/2013	MW-3	6.37	6.51	2	18.4	0.14	0.10	15.62
6/5/2013	MW-3	6.35	6.72	2	24.2	0.37	0.10	15.72
6/20/2013	MW-3	6.05	6.16	2	18.2	0.11	0.10	15.82
7/3/2013	MW-3	6.26	6.39	2	30.4	0.13	0.10	15.92
7/18/2013	MW-3	6.36	6.45	2	21.8	0.09	0.10	16.02
7/31/2013	MW-3	6.52	7.03	2	37.3	0.51	0.10	16.12
8/15/2013	MW-3	6.57	7.26	2	42.4	0.69	0.10	16.22
8/28/2013	MW-3	6.70	7.11	2	64.2	0.41	0.10	16.32
9/13/2013	MW-3	6.58	7.03	2	71.7	0.45	0.20	16.52
9/27/2013	MW-3	6.74	7.52	2	68.1	0.78	0.25	16.77
10/11/2013	MW-3	6.89	7.33	2	1.9	0.44	0.30	17.07
10/25/2013	MW-3	ND	7.04	2	31.1	0.00	0.00	17.07
11/8/2013	MW-3	6.82	7.35	2	1.3	0.53	0.50	17.57
11/20/2013	MW-3	7.27	8.46	2	7.4	1.19	0.50	18.07
12/5/2013	MW-3	6.80	7.57	2	130	0.77	0.50	18.57
12/16/2013	MW-3	6.61	6.87	2	197.3	0.26	0.10	18.67
12/31/2013	MW-3	6.52	6.55	2	7.2	0.03	0.10	18.77
1/17/2014	MW-3	6.57	6.60	2	6.8	0.03	0.10	18.87
1/29/2014	MW-3	7.05	7.06	2	124.4	0.01	0.10	18.97

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-6	10.00	13.90	1	31.4	3.90	2.00	2.00
12/30/2011	MW-6	10.00	13.71	1	38.5	3.71	1.00	3.00
1/6/2012	MW-6	10.03	13.80	1	84.6	3.77	0.50	3.50
1/12/2012	MW-6	9.91	13.52	1	36.1	3.61	0.75	4.25
1/20/2012	MW-6	10.20	13.80	1	39.7	3.60	0.00	4.25
1/26/2012	MW-6	10.09	13.90	1	44.6	3.81	0.50	4.75
2/3/2012	MW-6	10.33	13.93	1	40.2	3.60	0.50	5.25
2/10/2012	MW-6	10.20	13.94	1	46.2	3.74	0.50	5.75
2/17/2012	MW-6	10.26	13.95	1	34.2	3.69	0.50	6.25
2/21/2012	MW-6	10.41	13.96	1	61.3	3.55	0.50	6.75
2/27/2012	MW-6	10.51	13.96	1	60.2	3.45	0.50	7.25
3/6/2012	MW-6	10.56	13.95	1	89.1	3.39	0.50	7.75
3/16/2012	MW-6	10.40	13.94	1	53.2	3.54	0.50	8.25
3/22/2012	MW-6	10.51	13.96	1	58.6	3.45	0.50	8.75
3/27/2012	MW-6	10.67	14.29	1	49.8	3.62	0.50	9.25
4/24/2012	MW-6	10.39	13.95	1	45.8	3.56	0.50	9.75
5/1/2012	MW-6	10.37	13.59	1	39.2	3.22	0.50	10.25
5/8/2012	MW-6	10.26	13.52	1	46.2	3.26	0.50	10.75
5/15/2012	MW-6	10.31	13.48	1	52.7	3.17	0.50	11.25
5/23/2012	MW-6	10.22	13.46	1	57.8	3.24	0.50	11.75
5/29/2012	MW-6	10.11	13.16	1	58.6	3.05	0.50	12.25
6/4/2012	MW-6	10.00	13.04	1	46.2	3.04	0.50	12.75
6/15/2012	MW-6	10.04	13.29	1	57.8	3.25	0.50	13.25
6/21/2012	MW-6	9.97	13.44	1	54.8	3.47	0.50	13.75
7/10/2012	MW-6	10.14	13.46	1	39.4	3.32	0.50	14.25
8/16/2012	MW-6	10.13	13.36	1	27	3.23	0.75	15.00
8/21/2012	MW-6	10.14	13.41	1	25.8	3.27	0.75	15.75
8/30/2012	MW-6	10.20	13.38	1	17.5	3.18	0.50	16.25
9/4/2012	MW-6	10.16	13.42	1	15.9	3.26	0.50	16.75
9/13/2012	MW-6	10.42	13.51	1	10.6	3.09	0.50	17.25
9/18/2012	MW-6	10.42	13.81	1	9.5	3.39	0.50	17.75
9/27/2012	MW-6	10.39	13.72	1	11.3	3.33	0.50	18.25
10/4/2012	MW-6	10.27	13.59	1	20.3	3.32	0.50	18.75
10/11/2012	MW-6	10.33	13.69	1	14.8	3.36	0.50	19.25
10/16/2012	MW-6	10.32	13.64	1	15	3.32	0.50	19.75
10/25/2012	MW-6	10.39	13.42	1	13.4	3.03	0.50	20.25
11/2/2012	MW-6	7.84	10.07	1	22.1	2.23	0.25	20.50
11/6/2021	MW-6	8.13	13.48	1	13.7	5.35	0.75	21.25
11/14/2012	MW-6	8.76	13.80	1	19.5	5.04	0.75	22.00
11/21/2012	MW-6	9.06	13.88	1	15.2	4.82	0.75	22.75
11/29/2012	MW-6	9.48	14.04	1	13.7	4.56	0.50	23.25
12/7/2012	MW-6	9.60	14.07	1	21.4	4.47	0.50	23.75
12/12/2012	MW-6	9.80	14.04	1	18.5	4.24	0.50	24.25
12/21/2012	MW-6	9.25	13.19	1	17.4	3.94	0.50	24.75
1/4/2013	MW-6	9.85	13.98	1	21.6	4.13	0.50	25.25
1/18/2013	MW-6	10.20	14.07	1	14.4	3.87	0.50	25.75
1/31/2013	MW-6	10.07	13.82	1	11.1	3.75	0.50	26.25

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
2/14/2013	MW-6	10.21	13.82	1	18.4	3.61	0.50	26.75
2/28/2013	MW-6	9.87	13.18	1	NR	3.31	0.10	26.85
3/12/2013	MW-6	9.80	13.29	1	NR	3.49	0.50	27.35
3/29/2013	MW-6	10.11	13.73	1	NR	3.62	0.50	27.85
4/11/2013	MW-6	10.24	13.76	1	24.0	3.52	0.50	28.35
4/23/2013	MW-6	10.18	13.57	1	19.7	3.39	0.50	28.85
5/8/2013	MW-6	10.30	13.61	1	15.3	3.31	0.50	29.35
5/22/2013	MW-6	10.17	13.36	1	16.0	3.19	0.50	29.85
6/5/2013	MW-6	10.21	13.52	1	16.5	3.31	0.50	30.35
6/20/2013	MW-6	9.74	13.02	1	20.8	3.28	0.50	30.85
7/3/2013	MW-6	9.87	13.26	1	29.4	3.39	0.50	31.35
7/18/2013	MW-6	9.92	13.33	1	20.7	3.41	0.50	31.85
7/31/2013	MW-6	10.06	13.21	1	18.4	3.15	0.50	32.35
8/15/2013	MW-6	10.24	13.46	1	16.5	3.22	0.50	32.85
8/28/2013	MW-6	10.22	13.48	1	14.3	3.26	0.50	33.35
9/13/2013	MW-6	10.34	13.49	1	17.9	3.15	0.50	33.85
9/27/2013	MW-6	10.49	13.56	1	12.8	3.07	0.50	34.35
10/11/2013	MW-6	10.36	13.47	1	15.1	3.11	0.10	34.45
10/25/2013	MW-6	10.71	13.77	1	14.9	3.06	0.50	34.95
11/8/2013	MW-6	10.66	13.81	1	14.3	3.15	1.00	35.95
11/20/2013	MW-6	10.98	14.21	1	41.2	3.23	0.75	36.70
12/5/2013	MW-6	10.69	12.15	1	242	1.46	0.75	37.45
12/16/2013	MW-6	10.77	13.62	1	47.3	2.85	0.30	37.75
12/31/2013	MW-6	10.62	13.30	1	70.3	2.68	1.5	39.25
1/17/2014	MW-6	10.39	13.31	1	85.1	2.92	1.5	40.75
1/29/2014	MW-6R	11.39	13.61	2	87.5	2.22	1.0	41.75

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-7	1.95	2.30	1	17.7	0.35	1.00	1.00
12/30/2011	MW-7	2.11	2.28	1	53.9	0.17	0.75	1.75
1/6/2012	MW-7	2.43	2.89	1	66.1	0.46	0.25	2.00
1/12/2012	MW-7	2.10	2.18	1	40.2	0.08	0.50	2.50
1/20/2012	MW-7	2.21	3.06	1	29.8	0.85	0.00	2.50
1/26/2012	MW-7	2.06	2.09	1	44.2	0.03	0.50	3.00
2/3/2012	MW-7	2.62	4.46	1	48.3	1.84	0.00	3.00
2/10/2012	MW-7	2.46	4.38	1	59.1	1.92	0.50	3.50
2/17/2012	MW-7	2.79	4.02	1	83.1	1.23	0.50	4.00
2/21/2012	MW-7	3.28	4.16	1	74.8	0.88	0.50	4.50
2/27/2012	MW-7	3.46	4.45	1	155	0.99	0.50	5.00
3/6/2012	MW-7	3.56	4.71	1	80.3	1.15	0.25	5.25
3/16/2012	MW-7	3.00	4.68	1	63.9	1.68	0.25	5.50
3/22/2012	MW-7	3.12	4.21	1	59.4	1.09	0.25	5.75
3/27/2012	MW-7	3.66	4.41	1	30.8	0.75	0.25	6.00
4/24/2012	MW-7	2.74	5.71	1	103	2.97	0.50	6.50
5/1/2012	MW-7	2.89	4.21	1	43.9	1.32	0.25	6.75
5/8/2012	MW-7	2.88	3.99	1	56.4	1.11	0.10	6.85
5/15/2012	MW-7	2.94	3.99	1	90.6	1.05	0.25	7.10
5/23/2012	MW-7	2.66	3.87	1	110	1.21	0.25	7.35
5/29/2012	MW-7	2.36	3.54	1	51.1	1.18	0.25	7.60
6/4/2012	MW-7	2.32	3.90	1	66.5	1.58	0.25	7.85
6/15/2012	MW-7	2.63	4.21	1	43.6	1.58	0.25	8.10
6/21/2012	MW-7	2.58	4.20	1	65.3	1.62	0.25	8.35
7/10/2012	MW-7	2.30	4.71	1	70.1	2.41	0.25	8.60
8/16/2012	MW-7	2.58	4.83	1	40.6	2.25	0.50	9.10
8/21/2012	MW-7	2.94	3.87	1	30.3	0.93	0.50	9.60
8/30/2012	MW-7	3.09	4.10	1	22.4	1.01	0.50	10.10
9/4/2012	MW-7	2.97	3.88	1	11.6	0.91	0.50	10.60
9/13/2012	MW-7	3.52	4.28	1	6.3	0.76	0.50	11.10
9/18/2012	MW-7	3.15	4.28	1	8.8	1.13	0.50	11.60
9/27/2012	MW-7	3.18	4.04	1	14.5	0.86	0.50	12.10
10/4/2012	MW-7	3.11	3.83	1	16.9	0.72	0.25	12.35
10/11/2012	MW-7	3.12	3.93	1	15.2	0.81	0.25	12.60
10/16/2012	MW-7	2.88	4.07	1	14.6	1.19	0.25	12.85
10/25/2012	MW-7	3.08	4.33	1	16.5	1.25	0.25	13.10
11/2/2012	MW-7 ¹	NG	NG	1	NG	NG	0.00	13.10
11/6/2012	MW-7 ¹	NG	NG	1	NG	NG	0.00	13.10
11/14/2012	MW-7 ¹	NG	NG	1	NG	NG	0.00	13.10
11/21/2012	MW-7	1.24	2.11	1	27.8	0.87	0.10	13.20
11/29/2012	MW-7	2.02	2.53	1	29.2	0.51	0.10	13.30
12/7/2012	MW-7	2.02	2.11	1	15.9	0.09	0.10	13.40
12/12/2012	MW-7	1.96	2.12	1	10.2	0.16	0.10	13.50
12/21/2012	MW-7	0.84	1.11	1	43.5	0.27	0.10	13.60
1/4/2013	MW-7	1.20	1.97	1	48.2	0.77	0.10	13.70
1/18/2013	MW-7	1.17	1.62	1	51.6	0.45	0.10	13.80
1/31/2013	MW-7	1.12	1.77	1	48.4	0.65	0.10	13.90

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
2/14/2013	MW-7	1.10	1.14	1	46.2	0.04	0.10	14.00
2/28/2013	MW-7	1.12	1.58	1	NR	0.46	0.10	14.10
3/12/2013	MW-7	1.28	1.99	1	NR	0.71	0.10	14.20
3/29/2013	MW-7	1.68	2.19	1	NR	0.51	0.10	14.30
4/11/2013	MW-7	2.64	3.80	1	20.1	1.16	0.25	14.55
4/23/2013	MW-7	2.88	3.32	1	14.2	0.44	0.10	14.65
5/8/2013	MW-7	3.06	3.43	1	9.8	0.37	0.10	14.75
5/22/2013	MW-7	2.51	3.64	1	16.8	1.13	0.25	15.00
6/5/2013	MW-7	2.50	3.83	1	14.9	1.33	0.25	15.25
6/20/2013	MW-7	1.66	2.85	1	29.6	1.19	0.25	15.50
7/3/2013	MW-7	1.86	2.63	1	25.6	0.77	0.10	15.60
7/18/2013	MW-7	2.09	2.26	1	12.3	0.17	0.10	15.70
7/31/2013	MW-7	2.37	3.12	1	10.9	0.75	0.10	15.80
8/15/2013	MW-7	2.61	3.18	1	11.3	0.57	0.10	15.90
8/28/2013	MW-7	2.48	2.85	1	16.3	0.37	0.10	16.00
9/13/2013	MW-7	2.50	2.92	1	15.3	0.42	0.10	16.10
9/27/2013	MW-7	2.99	3.43	1	11.5	0.44	0.10	16.20
10/11/2013	MW-7	2.72	5.55	1	0.6	2.83	0.50	16.70
10/25/2013	MW-7	3.38	4.22	1	15.4	0.84	0.01	16.71
11/8/2013	MW-7	3.21	3.27	1	102.1	0.06	0.10	16.81
11/20/2013	MW-7	4.57	4.81	1	18.9	0.24	0.10	16.91
12/5/2013	MW-7	2.86	2.91	1	293	0.05	0.10	17.01
12/16/2013	MW-7	1.10	1.32	1	85.4	0.22	0.10	17.11
12/31/2013	MW-7	1.42	1.77	1	12	0.35	0.10	17.21
1/17/2014	MW-7	1.10	1.11	1	90.2	0.01	0.10	17.31
1/29/2014	MW-7	NG	NG	1	NM	NG	0.00	17.31
9/12/2013	MW-7R	2.80	2.81	2	122	0.01	0.01	0.01
9/27/2013	MW-7R	3.26	3.26	2	81.6	Trace	0.01	0.02
10/11/2013	MW-7R	3.05	3.09	2	97.1	0.04	0.10	0.12
10/25/2013	MW-7R	ND	3.65	2	90.7	0.00	0.00	0.12
11/8/2013	MW-7R	3.35	3.37	2	1.00	0.02	0.01	0.13
11/20/2013	MW-7R	4.35	4.37	2	30.7	0.02	0.01	0.14
12/5/2013	MW-7R	ND	2.92	2	135	0.00	0.00	0.14
12/16/2013	MW-7R	ND	1.10	2	89.1	0.00	0.00	0.14
12/31/2013	MW-7R	ND	1.00	2	106.6	0.00	0.00	0.14
1/17/2014	MW-7R	ND	1.00	2	NM	0.00	0.00	0.14
1/29/2014	MW-7R	ND	2.66	2	430.2	0.00	0.00	0.14

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-8	6.21	10.22	2	55.8	4.01	12.00	12.00
12/30/2011	MW-8	6.33	10.41	2	53.9	4.08	14.00	26.00
1/6/2012	MW-8	6.12	10.26	2	100	4.14	16.00	42.00
1/12/2012	MW-8	5.65	9.87	2	79	4.22	19.00	61.00
1/20/2012	MW-8	6.39	10.28	2	83.4	3.89	27.00	88.00
1/26/2012	MW-8	6.33	10.21	2	82.5	3.88	28.00	116.00
2/3/2012	MW-8	6.64	10.39	2	90.7	3.75	14.00	130.00
2/10/2012	MW-8	6.36	10.21	2	97.1	3.85	16.00	146.00
2/17/2012	MW-8	6.42	10.46	2	86.8	4.04	15.00	161.00
2/21/2012	MW-8	6.63	10.34	2	70.1	3.71	5.00	166.00
2/27/2012	MW-8	6.88	10.73	2	156	3.85	10.00	176.00
3/6/2012	MW-8	6.98	10.68	2	106	3.70	9.00	185.00
3/16/2012	MW-8	6.59	10.70	2	154	4.11	15.00	200.00
3/22/2012	MW-8	6.60	10.47	2	113	3.87	11.00	211.00
3/27/2012	MW-8	6.98	10.72	2	88.7	3.74	21.00	232.00
4/24/2012	MW-8	6.52	10.20	2	63.9	3.68	23.00	255.00
5/1/2012	MW-8	6.38	10.36	2	103	3.98	21.00	276.00
5/8/2012	MW-8	6.43	10.39	2	84.5	3.96	23.00	299.00
5/15/2012	MW-8	6.35	10.22	2	113	3.87	17.00	316.00
5/23/2012	MW-8	6.33	10.19	2	105	3.86	23.00	339.00
5/29/2012	MW-8	6.00	10.01	2	186	4.01	22.00	361.00
6/4/2012	MW-8	5.98	9.85	2	81.4	3.87	21.00	382.00
6/15/2012	MW-8	6.08	9.97	2	96.4	3.89	18.00	400.00
6/21/2012	MW-8	6.21	10.18	2	184	3.97	15.00	415.00
7/10/2012	MW-8	6.27	10.13	2	74.6	3.86	20.00	435.00
8/16/2012	MW-8	6.11	9.30	2	65.9	3.19	22.00	457.00
8/21/2012	MW-8	6.40	10.13	2	79.7	3.73	21.00	478.00
8/30/2012	MW-8	6.26	9.90	2	98.8	3.64	18.00	496.00
9/4/2012	MW-8	6.40	10.14	2	77.2	3.74	18.00	514.00
9/13/2012	MW-8	6.90	10.72	2	53.7	3.82	11.00	525.00
9/18/2012	MW-8	6.66	10.31	2	45.1	3.65	22.00	547.00
9/27/2012	MW-8	6.56	10.07	2	52.8	3.51	23.00	570.00
10/4/2012	MW-8	6.46	10.13	2	62.7	3.67	19.00	589.00
10/11/2012	MW-8	6.57	10.08	2	75.2	3.51	12.00	601.00
10/16/2012	MW-8	6.49	10.03	2	47.1	3.54	18.00	619.00
10/25/2012	MW-8	6.44	9.97	2	47.7	3.53	20.00	639.00
11/2/2012	MW-8	4.73	7.02	2	91.4	2.29	7.00	646.00
11/6/2012	MW-8	4.90	10.21	2	52	5.31	11.00	657.00
11/14/2012	MW-8	4.97	10.86	2	68.1	5.89	6.00	663.00
11/21/2012	MW-8	5.29	11.38	2	51.6	6.09	5.00	668.00
11/29/2012	MW-8	5.66	11.28	2	61.5	5.62	23.00	691.00
12/7/2012	MW-8	5.75	11.47	2	75.2	5.72	22.00	713.00
12/12/2012	MW-8	5.98	11.31	2	66.1	5.33	5.00	718.00
12/21/2012	MW-8	4.93	10.66	2	69.5	5.73	7.00	725.00
1/4/2013	MW-8	5.88	11.53	2	77.4	5.65	4.00	729.00
1/18/2013	MW-8	6.33	11.41	2	85.2	5.08	20.00	749.00
1/31/2013	MW-8	5.99	11.22	2	73.8	5.23	20.00	769.00

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
2/14/2013	MW-8	6.29	10.93	2	57.1	4.64	20.00	789.00
2/28/2013	MW-8	5.67	10.23	2	NR	4.56	8.00	797.00
3/12/2013	MW-8	5.77	10.50	2	NR	4.73	21.00	818.00
3/29/2013	MW-8	6.25	11.01	2	NR	4.76	22.00	840.00
4/11/2013	MW-8	6.29	10.79	2	26.8	4.50	20.00	860.00
4/23/2013	MW-8	6.12	10.48	2	62.3	4.36	19.00	879.00
5/8/2013	MW-8	6.35	10.17	2	57.4	3.82	19.00	898.00
5/22/2013	MW-8	6.20	10.18	2	59.7	3.98	21.00	919.00
6/5/2013	MW-8	6.29	10.17	2	61.3	3.88	20.00	939.00
6/20/2013	MW-8	5.77	9.71	2	53.7	3.94	19.00	958.00
7/3/2013	MW-8	5.98	10.01	2	60.2	4.03	8.00	966.00
7/18/2013	MW-8	5.92	9.97	2	53.8	4.05	20.00	986.00
7/31/2013	MW-8	6.18	10.04	2	88.6	3.86	20.00	1006.00
8/15/2013	MW-8	6.42	10.05	2	78.7	3.63	20.00	1026.00
8/28/2013	MW-8	6.42	10.17	2	137	3.75	19.00	1045.00
9/13/2013	MW-8	6.38	9.97	2	96.1	3.59	18.00	1063.00
9/27/2013	MW-8	6.68	10.05	2	63.7	3.37	18.00	1081.00
10/11/2013	MW-8	6.57	10.09	2	66.4	3.52	2.00	1083.00
10/25/2013	MW-8	7.06	10.29	2	59.6	3.23	17.00	1100.00
11/8/2013	MW-8	6.65	10.21	2	60.3	3.56	18.50	1118.50
11/20/2013	MW-8	7.28	10.30	2	12.2	3.02	20.00	1138.50
12/5/2013	MW-8	6.62	9.86	2	840	3.24	13.50	1152.00
12/16/2013	MW-8	6.82	10.01	2	45.6	3.19	16.00	1168.00
12/31/2013	MW-8	6.49	10.05	2	6.0	3.56	16.50	1184.50
1/17/2014	MW-8	6.17	10.05	2	7.1	3.88	17.00	1201.50
1/29/2014	MW-8	6.64	10.86	2	120.7	4.22	6.00	1207.50

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-9	6.65	8.99	2	44	2.34	2.00	2.00
12/30/2011	MW-9	6.81	8.24	2	77.1	1.43	1.50	3.50
1/6/2012	MW-9	6.92	7.75	2	95	0.83	0.50	4.00
1/12/2012	MW-9	6.09	6.20	2	38.9	0.11	0.50	4.50
1/20/2012	MW-9	7.06	7.70	2	59.6	0.64	0.00	4.50
1/26/2012	MW-9	7.02	7.40	2	68.1	0.38	0.50	5.00
2/3/2012	MW-9	7.26	7.81	2	47.3	0.55	0.50	5.50
2/10/2012	MW-9	7.26	7.63	2	45.4	0.37	0.25	5.75
2/17/2012	MW-9	7.38	7.66	2	56.2	0.28	0.10	5.85
2/21/2012	MW-9	7.59	7.91	2	85.6	0.32	0.25	6.10
2/27/2012	MW-9	7.71	8.00	2	96.7	0.29	0.10	6.20
3/6/2012	MW-9	7.66	8.05	2	55.1	0.39	0.25	6.45
3/16/2012	MW-9	7.62	7.62	2	41.9	0.00	0.00	6.45
3/22/2012	MW-9	7.70	8.02	2	59.1	0.32	0.10	6.55
3/27/2012	MW-9	7.91	8.20	2	50.6	0.29	0.10	6.65
4/24/2012	MW-9	7.30	7.44	2	51.8	0.14	0.10	6.75
5/1/2012	MW-9	7.43	7.57	2	75.8	0.14	0.10	6.85
5/8/2012	MW-9	7.42	7.61	2	92.2	0.19	0.10	6.95
5/15/2012	MW-9	7.42	7.63	2	50.5	0.21	0.10	7.05
5/23/2012	MW-9	7.07	7.22	2	48.1	0.15	0.10	7.15
5/29/2012	MW-9	6.97	7.02	2	52.6	0.05	0.10	7.25
6/4/2012	MW-9	6.95	7.11	2	45.8	0.16	0.10	7.35
6/15/2012	MW-9	6.90	7.08	2	48.9	0.18	0.10	7.45
6/21/2012	MW-9	6.99	6.99	2	54.1	0.00	0.01	7.46
7/10/2012	MW-9	7.14	7.48	2	75.1	0.34	0.10	7.56
8/16/2012	MW-9	7.14	7.43	2	35.2	0.29	0.10	7.66
8/21/2012	MW-9	7.18	7.42	2	22.3	0.24	0.10	7.76
8/30/2012	MW-9	7.31	7.61	2	12.8	0.30	0.10	7.86
9/4/2012	MW-9	7.34	7.49	2	15.3	0.15	0.10	7.96
9/13/2012	MW-9	7.93	8.01	2	11.2	0.08	0.10	8.06
9/18/2012	MW-9	7.74	7.92	2	6.3	0.18	0.10	8.16
9/27/2012	MW-9	7.51	7.65	2	5.1	0.14	0.10	8.26
10/4/2012	MW-9	7.20	7.38	2	29.6	0.18	0.10	8.36
10/11/2012	MW-9	7.24	7.30	2	19.4	0.06	0.10	8.46
10/16/2012	MW-9	7.24	7.40	2	13.4	0.16	0.10	8.56
10/25/2012	MW-9	7.30	7.52	2	17.9	0.22	0.10	8.66
11/2/2012	MW-9	ND	5.07	2	3.6	0.00	0.00	8.66
11/6/2012	MW-9	5.68	5.68	2	17.1	0.00	0.01	8.67
11/14/2012	MW-9	6.06	6.13	2	18.4	0.07	0.01	8.68
11/21/2012	MW-9	6.64	6.79	2	13.1	0.15	0.01	8.69
11/29/2012	MW-9	7.27	7.51	2	15.9	0.24	0.25	8.94
12/7/2012	MW-9	7.54	7.78	2	20.3	0.24	0.01	8.95
12/12/2012	MW-9	7.60	8.56	2	18.6	0.96	1.00	9.95
12/21/2012	MW-9	6.35	7.24	2	23.6	0.89	0.50	10.45
1/4/2013	MW-9	7.09	9.20	2	28.7	2.11	0.75	11.20
1/18/2013	MW-9	7.40	9.59	2	33.4	2.19	1.00	12.20
1/31/2013	MW-9	7.06	8.93	2	39.7	1.87	0.50	12.70

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
2/14/2013	MW-9	7.04	9.58	2	41.5	2.54	1.00	13.70
2/28/2013	MW-9	6.80	8.49	2	NR	1.69	1.25	14.95
3/12/2013	MW-9	6.91	8.82	2	NR	1.91	0.75	15.70
3/29/2013	MW-9	7.14	9.82	2	NR	2.68	0.75	16.45
4/11/2013	MW-9	7.23	9.71	2	18.0	2.48	0.75	17.20
4/23/2013	MW-9	7.30	9.41	2	21.7	2.11	0.75	17.95
5/8/2013	MW-9	7.16	10.18	2	15.2	3.02	0.50	18.45
5/22/2013	MW-9	7.00	9.08	2	14.6	2.08	0.25	18.70
6/5/2013	MW-9	6.93	9.38	2	22.7	2.45	0.25	18.95
6/20/2013	MW-9	6.45	7.28	2	26.6	0.83	0.10	19.05
7/3/2013	MW-9	6.80	7.99	2	25.2	1.19	0.10	19.15
7/18/2013	MW-9	6.90	7.98	2	23.7	1.08	0.10	19.25
7/31/2013	MW-9	7.05	8.73	2	47.7	1.68	0.25	19.50
8/15/2013	MW-9	7.20	9.12	2	38.2	1.92	0.25	19.75
8/28/2013	MW-9	7.11	10.18	2	46.3	3.07	0.25	20.00
9/13/2013	MW-9	6.82	12.53	2	87.4	5.71	1.25	21.25
9/27/2013	MW-9	7.03	12.48	2	79.4	5.45	1.25	22.50
10/11/2013	MW-9	7.07	12.19	2	17.5	5.12	2.50	25.00
10/25/2013	MW-9	7.43	12.62	2	61.8	5.19	1.50	26.50
11/8/2013	MW-9	7.48	11.92	2	16.2	4.44	3.00	29.50
11/20/2013	MW-9	7.88	12.75	2	7.4	4.87	3.00	32.50
12/5/2013	MW-9	7.42	11.56	2	575	4.14	1.50	34.00
12/16/2013	MW-9	7.03	10.16	2	75.9	3.13	0.50	34.50
12/31/2013	MW-9	6.89	9.81	2	26.8	2.92	2.50	37.00
1/17/2014	MW-9	6.91	10.36	2	27.7	3.45	2.00	39.00
1/29/2014	MW-9	7.45	9.79	2	190	2.34	1.00	40.00

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-12	7.49	11.82	2	37.4	4.33	2.50	2.50
12/30/2011	MW-12	8.86	10.39	2	30.4	1.53	1.75	4.25
1/6/2012	MW-12	8.77	9.43	2	58.3	0.66	1.00	5.25
1/12/2012	MW-12	8.24	8.25	2	40.9	0.01	0.10	5.35
1/20/2012	MW-12	8.71	9.48	2	29.4	0.77	0.00	5.35
1/26/2012	MW-12	7.91	8.89	2	39.2	0.98	1.00	6.35
2/3/2012	MW-12	8.37	9.34	2	45.7	0.97	0.50	6.85
2/10/2012	MW-12	8.12	8.65	2	43.3	0.53	0.25	7.10
2/17/2012	MW-12	8.30	9.03	2	48.1	0.73	0.50	7.60
2/21/2012	MW-12	8.36	8.98	2	56.9	0.62	0.25	7.85
2/27/2012	MW-12	8.79	9.16	2	59.6	0.37	0.10	7.95
3/6/2012	MW-12	8.90	9.39	2	54.1	0.49	0.25	8.20
3/16/2012	MW-12	8.48	9.01	2	48.8	0.53	0.25	8.45
3/22/2012	MW-12	8.42	8.88	2	53	0.46	0.10	8.55
3/27/2012	MW-12	8.89	9.28	2	48.6	0.39	0.10	8.65
4/24/2012	MW-12	8.25	9.00	2	42.5	0.75	0.50	9.15
5/1/2012	MW-12	8.23	8.72	2	47.1	0.49	0.25	9.40
5/8/2012	MW-12	8.36	8.67	2	47.3	0.31	0.10	9.50
5/15/2012	MW-12	8.23	8.56	2	39.6	0.33	0.10	9.60
5/23/2012	MW-12	8.15	8.48	2	66.2	0.33	0.25	9.85
5/29/2012	MW-12	7.87	8.14	2	36.9	0.27	0.10	9.95
6/4/2012	MW-12	7.78	7.80	2	35.3	0.02	0.10	10.05
6/15/2012	MW-12	7.71	9.07	2	39	1.36	0.10	10.15
6/21/2012	MW-12	8.09	8.49	2	40.6	0.40	0.10	10.25
7/10/2012	MW-12	8.06	8.67	2	47.7	0.61	0.10	10.35
8/16/2012	MW-12	7.98	8.85	2	32.5	0.87	0.25	10.60
8/21/2012	MW-12	8.21	8.68	2	17.4	0.47	0.25	10.85
8/31/2012	MW-12	8.14	8.46	2	20.3	0.32	0.10	10.95
9/4/2012	MW-12	8.25	8.53	2	16.9	0.28	0.10	11.05
9/13/2012	MW-12	8.87	9.31	2	16.4	0.44	0.10	11.15
9/18/2012	MW-12	8.53	8.98	2	10.7	0.45	0.10	11.25
9/27/2012	MW-12	8.29	8.76	2	12.3	0.47	0.10	11.35
10/4/2012	MW-12	8.28	8.66	2	16.3	0.38	0.10	11.45
10/11/2012	MW-12	8.38	8.62	2	16.7	0.24	0.10	11.55
10/16/2012	MW-12	8.26	8.51	2	13.9	0.25	0.10	11.65
10/25/2012	MW-12	8.22	8.51	2	12.6	0.29	0.10	11.75
11/2/2012	MW-12	ND	6.51	2	4.3	0.00	0.00	11.75
11/6/2012	MW-12	7.01	7.02	2	8.4	0.01	0.01	11.76
11/14/2012	MW-12	7.02	8.89	2	19.3	1.87	0.75	12.51
11/21/2012	MW-12	7.69	8.16	2	9.3	0.47	0.10	12.61
11/29/2012	MW-12	7.87	8.26	2	19.7	0.39	0.10	12.71
12/7/2012	MW-12	8.15	8.43	2	22.9	0.28	0.10	12.81
12/12/2012	MW-12	8.38	8.76	2	21.3	0.38	0.10	12.91
12/21/2012	MW-12	7.09	7.49	2	14.2	0.40	0.10	13.01
1/4/2013	MW-12	9.51	9.66	2	12.2	0.15	0.10	13.11
1/18/2013	MW-12	9.42	9.76	2	18.6	0.34	0.10	13.21
1/31/2013	MW-12	9.02	9.04	2	6.4	0.02	0.10	13.31

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
2/14/2013	MW-12	9.13	9.41	2	5.7	0.28	0.10	13.41
2/28/2013	MW-12	7.58	8.62	2	NR	1.04	0.50	13.91
3/12/2013	MW-12	7.55	9.12	2	NR	1.57	0.25	14.16
3/29/2013	MW-12	8.12	9.87	2	NR	1.75	0.50	14.66
4/11/2013	MW-12	8.05	9.42	2	18.9	1.37	0.25	14.91
4/23/2013	MW-12	7.99	8.94	2	15.2	0.95	0.10	15.01
5/8/2013	MW-12	8.07	9.11	2	13.7	1.04	0.10	15.11
5/22/2013	MW-12	7.78	9.17	2	15.2	1.39	0.10	15.21
6/5/2013	MW-12	7.78	9.71	2	16.6	1.93	0.25	15.46
6/20/2013	MW-12	7.05	9.77	2	20.3	2.72	0.50	15.96
7/3/2013	MW-12	7.56	10.02	2	24.3	2.46	0.50	16.46
7/18/2013	MW-12	7.40	9.46	2	17.1	2.06	0.50	16.96
7/31/2013	MW-12	7.74	9.68	2	19.7	1.94	0.50	17.46
8/15/2013	MW-12	7.98	9.96	2	15.9	1.98	0.25	17.71
8/28/2013	MW-12	7.84	10.06	2	25.9	2.22	0.50	18.21
9/13/2013	MW-12	7.59	10.70	2	23.8	3.11	0.75	18.96
9/27/2013	MW-12	7.93	10.82	2	19.6	2.89	0.50	19.46
10/11/2013	MW-12	7.88	10.30	2	3.4	2.42	1.00	20.46
10/25/2013	MW-12	8.48	10.41	2	13.2	1.93	0.50	20.96
11/8/2013	MW-12	8.38	9.26	2	3.7	0.88	2.00	22.96
11/20/2013	MW-12	8.68	10.59	2	39.2	1.91	3.00	25.96
12/5/2013	MW-12	8.11	9.55	2	571	1.44	0.75	26.71
12/16/2013	MW-12	8.28	9.47	2	52.2	1.19	0.50	27.21
12/31/2013	MW-12	8.14	9.52	2	42.9	1.38	1.75	28.96
1/17/2014	MW-12	7.69	9.92	2	56.2	2.23	2.00	30.96
1/29/2014	MW-12	8.56	10.02	2	75	1.46	0.50	31.46

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/22/2011	MW-13	6.94	12.90	2	62.7	5.96	4.00	4.00
12/30/2011	MW-13	7.69	11.02	2	70.3	3.33	3.00	7.00
1/6/2012	MW-13	7.60	10.24	2	88.6	2.64	3.00	10.00
1/12/2012	MW-13	7.31	9.29	2	76.6	1.98	2.00	12.00
1/20/2012	MW-13	7.88	10.17	2	45.3	2.29	0.00	12.00
1/26/2012	MW-13	7.88	9.97	2	55.6	2.09	1.50	13.50
2/3/2012	MW-13	8.13	10.19	2	89.1	2.06	1.50	15.00
2/10/2012	MW-13	8.02	9.92	2	58.5	1.90	1.25	16.25
2/17/2012	MW-13	7.99	9.90	2	83.7	1.91	1.50	17.75
2/21/2012	MW-13	8.36	9.95	2	110	1.59	1.00	18.75
2/27/2012	MW-13	8.58	10.46	2	101	1.88	1.50	20.25
3/6/2012	MW-13	8.44	11.07	2	76.3	2.63	1.25	21.50
3/16/2012	MW-13	8.07	10.62	2	82.1	2.55	1.25	22.75
3/22/2012	MW-13	8.16	10.51	2	99.2	2.35	1.75	24.50
3/27/2012	MW-13	8.50	10.96	2	62.8	2.46	1.00	25.50
4/24/2012	MW-13	7.40	12.41	2	88.7	5.01	2.50	28.00
5/1/2012	MW-13	7.59	11.40	2	53.9	3.81	2.00	30.00
5/8/2012	MW-13	7.71	11.26	2	49.7	3.55	1.75	31.75
5/15/2012	MW-13	7.65	10.92	2	61.8	3.27	1.50	33.25
5/23/2012	MW-13	7.59	10.78	2	84.3	3.19	1.75	35.00
5/29/2012	MW-13	7.34	10.19	2	73.5	2.85	1.50	36.50
6/4/2012	MW-13	7.34	10.21	2	63.4	2.87	1.50	38.00
6/15/2012	MW-13	7.32	10.88	2	63.4	3.56	2.50	40.50
6/21/2012	MW-13	7.48	10.63	2	52.9	3.15	2.00	42.50
7/10/2012	MW-13	7.23	12.01	2	78.4	4.78	2.50	45.00
8/16/2012	MW-13	7.05	12.08	2	47.6	5.03	2.50	47.50
8/21/2012	MW-13	7.55	11.09	2	38.5	3.54	1.75	49.25
8/30/2012	MW-13	7.64	10.84	2	40.9	3.20	1.50	50.75
9/4/2012	MW-13	7.79	10.42	2	36.4	2.63	1.25	52.00
9/13/2012	MW-13	8.39	11.37	2	24.9	2.98	0.75	52.75
9/18/2012	MW-13	8.17	10.78	2	22.6	2.61	1.25	54.00
9/27/2012	MW-13	7.85	10.92	2	21.4	3.07	1.75	55.75
10/4/2012	MW-13	7.71	10.89	2	37.4	3.18	2.00	57.75
10/11/2012	MW-13	7.80	10.87	2	33.1	3.07	2.00	59.75
10/16/2012	MW-13	7.81	10.59	2	30.2	2.78	1.75	61.50
10/25/2012	MW-13	7.74	10.88	2	28.1	3.14	1.75	63.25
11/2/2012	MW-13	6.20	8.62	2	39.8	2.42	0.75	64.00
11/6/2012	MW-13	6.86	8.71	2	15.6	1.85	0.75	64.75
11/14/2012	MW-13	7.02	8.75	2	26.7	1.73	1.25	66.00
11/21/2012	MW-13	7.33	9.18	2	18.5	1.85	1.25	67.25
11/29/2012	MW-13	7.60	9.64	2	22.3	2.04	2.04	69.29
12/7/2012	MW-13	7.56	10.12	2	27.1	2.56	1.50	70.79
12/12/2012	MW-13	7.79	10.19	2	29.9	2.40	1.25	72.04
12/21/2012	MW-13	6.61	8.94	2	18.7	2.33	1.00	73.04
1/4/2013	MW-13	7.61	10.68	2	27.3	3.07	1.50	74.54
1/18/2013	MW-13	7.63	11.68	2	30.1	4.05	1.75	76.29
1/31/2013	MW-13	7.15	11.18	2	27.9	4.03	1.50	77.79

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
2/14/2013	MW-13	7.37	11.81	2	22.6	4.44	1.75	79.54
2/28/2013	MW-13	6.83	11.06	2	NR	4.23	2.50	82.04
3/12/2013	MW-13	7.19	10.93	2	NR	3.74	1.50	83.54
3/29/2013	MW-13	7.48	12.11	2	NR	4.63	1.50	85.04
4/11/2013	MW-13	7.50	11.88	2	30.4	4.38	1.50	86.54
4/23/2013	MW-13	7.40	11.63	2	22.6	4.23	1.50	88.04
5/8/2013	MW-13	7.56	11.93	2	26.5	4.37	1.50	89.54
5/22/2013	MW-13	7.16	12.18	2	30.3	5.02	1.75	91.29
6/5/2013	MW-13	7.24	12.36	2	28.4	5.12	1.75	93.04
6/20/2013	MW-13	6.71	11.64	2	31.4	4.93	2.00	95.04
7/3/2013	MW-13	7.00	11.58	2	37.8	4.58	1.75	96.79
7/18/2013	MW-13	6.88	11.64	2	28.2	4.76	1.50	98.29
7/31/2013	MW-13	7.11	12.19	2	30.8	5.08	1.75	100.04
8/15/2013	MW-13	7.29	12.28	2	29.7	4.99	1.50	101.54
8/28/2013	MW-13	7.29	12.22	2	38.1	4.93	1.75	103.29
9/13/2013	MW-13	7.21	12.34	2	45.2	5.13	2.00	105.29
9/27/2013	MW-13	7.52	12.59	2	37.2	5.07	2.00	107.29
10/11/2013	MW-13	7.43	12.43	2	17.6	5.00	3.00	110.29
10/25/2013	MW-13	7.97	12.91	2	30.4	4.94	1.75	112.04
11/8/2013	MW-13	7.98	12.41	2	16.9	4.43	3.25	115.29
11/20/2013	MW-13	8.44	12.18	2	19.9	3.74	3.20	118.49
12/5/2013	MW-13	7.83	11.62	2	130	3.79	2.00	120.49
12/16/2013	MW-13	8.03	10.02	2	69.1	1.99	1.00	121.49
12/31/2013	MW-13	7.76	10.55	2	29.1	2.79	3.00	124.49
1/17/2014	MW-13	7.27	11.72	2	32.1	4.45	3.00	127.49
1/29/2014	MW-13	7.90	11.65	2	52.1	3.75	2.00	129.49

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
1/29/2014	MW-17	7.02	10.60	4	469.7	3.58	3.00	3.00
1/29/2014	MW-19	2.20	2.30	2	266.3	0.10	0.01	0.01
1/29/2014	MW-23	6.96	12.01	4	3.84	5.05	10.00	10.00
							Total:	1500.29

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Non detected

NG - Not gauged

NR - Not recorded

NM - Not measured

1 - Monitoring well MW-7 inaccessible due to flooding in the basement of the warehouse

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
3/14/2014	MW-1R	ND	6.76	4	2.1	0	0	0
3/28/2014	MW-1R	ND	6.56	4	5.1	0	0	0
3/14/2014	MW-2R	ND	7.84	4	15.1	0	0	0.66
3/28/2014	MW-2R	ND	7.86	4	11.4	0	0	0.66
3/14/2014	MW-3	7.00	7.12	2	45.7	0.12	0.10	19.27
3/28/2014	MW-3	6.88	7.01	2	28.6	0.13	0.10	19.37
3/14/2014	MW-4	ND	9.73	2	0	0	0	0
3/28/2014	MW-4	ND	9.85	2	0	0	0	0
3/14/2014	MW-5	ND	6.10	2	0	0	0	0
3/28/2014	MW-5	ND	6.25	2	0	0	0	0
3/14/2014	MW-6	10.50	13.22	1	16.4	2.72	0.5	42.25
3/28/2014	MW-6	10.34	13.21	1	29.2	2.87	0.5	42.75
3/14/2014	MW-6R	10.27	13.04	2	22.5	2.77	1.25	5.25
3/28/2014	MW-6R	10.16	12.64	2	31.7	2.48	0.75	6.00
3/14/2014	MW-7	2.39	2.66	1	30.6	0.27	0.10	17.61
3/28/2014	MW-7	2.57	2.70	1	29.4	0.13	0.10	17.71
3/14/2014	MW-7R	ND	1.36	2	21.1	0	0	0.14
3/28/2014	MW-7R	ND	2.60	2	18.6	0	0	0.14
3/14/2014	MW-8	6.84	9.46	2	67.4	2.62	10	1221
3/28/2014	MW-8	6.36	10.28	2	52.4	3.92	11	1232
3/14/2014	MW-9	7.39	9.88	2	26.3	2.49	0.50	42.75
3/28/2014	MW-9	7.34	9.48	2	28.7	2.14	0.25	43.00
3/14/2014	MW-10	ND	6.38	2	0	0	0	0
3/28/2014	MW-10	ND	5.92	2	0	0	0	0
3/14/2014	MW-11	ND	6.70	2	0	0	0	0
3/28/2014	MW-11	ND	6.36	2	0	0	0	0
3/14/2014	MW-12	8.31	9.69	2	23.6	1.38	0.25	33.46
3/28/2014	MW-12	8.02	9.21	2	17.4	1.19	0.25	33.71
3/14/2014	MW-13	7.98	11.02	2	35.8	3.04	1.50	135.49
3/28/2014	MW-13	7.63	11.91	2	25.9	4.28	1.00	136.49
3/14/2014	MW-14	ND	9.55	2	0	0	0	0
3/28/2014	MW-14	ND	9.77	2	0	0	0	0
3/14/2014	MW-15	ND	9.46	2	0	0	0	0
3/28/2014	MW-15	ND	9.62	2	0	0	0	0
3/14/2014	MW-16	ND	7.40	2	0	0	0	0
3/28/2014	MW-16	ND	7.38	2	0	0	0	0
3/14/2014	MW-17	7.03	11.02	4	112.4	3.99	9.00	27.50
3/28/2014	MW-17	7.07	10.18	4	68.2	3.11	6.50	34.00
3/14/2014	MW-18	ND	6.81	4	0	0	0	0
3/28/2014	MW-18	ND	6.79	4	0	0	0	0
3/14/2014	MW-19	1.96	2.01	2	47.2	0.05	0.01	0.04
3/28/2014	MW-19	2.19	2.21	2	32.8	0.02	0.01	0.05

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
3/14/2014	MW-20	ND	9.85	2	0	0	0	0
3/28/2014	MW-20	ND	9.96	2	0	0	0	0
3/14/2014	MW-21	ND	6.44	4	0	0	0	0
3/28/2014	MW-21	ND	6.52	4	0	0	0	0
3/14/2014	MW-22	ND	9.79	2	0	0	0	0
3/28/2014	MW-22	ND	9.89	2	0	0	0	0
3/14/2014	MW-23	7.02	10.13	4	62.8	3.11	15	64
3/28/2014	MW-23	6.60	10.73	4	84.6	4.13	22	86
							Total:	1651.88

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Not Detected

NG - Not Gauged

NM - Not Measured

NA - Not Applicable

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
3/14/2014	MW-1R	ND	6.76	4	2.1	0	0	0
3/28/2014	MW-1R	ND	6.56	4	5.1	0	0	0
3/14/2014	MW-2R	ND	7.84	4	15.1	0	0	0.66
3/28/2014	MW-2R	ND	7.86	4	11.4	0	0	0.66
3/14/2014	MW-3	7.00	7.12	2	45.7	0.12	0.10	19.27
3/28/2014	MW-3	6.88	7.01	2	28.6	0.13	0.10	19.37
3/14/2014	MW-4	ND	9.73	2	0	0	0	0
3/28/2014	MW-4	ND	9.85	2	0	0	0	0
3/14/2014	MW-5	ND	6.10	2	0	0	0	0
3/28/2014	MW-5	ND	6.25	2	0	0	0	0
3/14/2014	MW-6	10.50	13.22	1	16.4	2.72	0.5	42.25
3/28/2014	MW-6	10.34	13.21	1	29.2	2.87	0.5	42.75
3/14/2014	MW-6R	10.27	13.04	2	22.5	2.77	1.25	5.25
3/28/2014	MW-6R	10.16	12.64	2	31.7	2.48	0.75	6.00
3/14/2014	MW-7	2.39	2.66	1	30.6	0.27	0.10	17.61
3/28/2014	MW-7	2.57	2.70	1	29.4	0.13	0.10	17.71
3/14/2014	MW-7R	ND	1.36	2	21.1	0	0	0.14
3/28/2014	MW-7R	ND	2.60	2	18.6	0	0	0.14
3/14/2014	MW-8	6.84	9.46	2	67.4	2.62	10	1221
3/28/2014	MW-8	6.36	10.28	2	52.4	3.92	11	1232
3/14/2014	MW-9	7.39	9.88	2	26.3	2.49	0.50	42.75
3/28/2014	MW-9	7.34	9.48	2	28.7	2.14	0.25	43.00
3/14/2014	MW-10	ND	6.38	2	0	0	0	0
3/28/2014	MW-10	ND	5.92	2	0	0	0	0
3/14/2014	MW-11	ND	6.70	2	0	0	0	0
3/28/2014	MW-11	ND	6.36	2	0	0	0	0
3/14/2014	MW-12	8.31	9.69	2	23.6	1.38	0.25	33.46
3/28/2014	MW-12	8.02	9.21	2	17.4	1.19	0.25	33.71
3/14/2014	MW-13	7.98	11.02	2	35.8	3.04	1.50	135.49
3/28/2014	MW-13	7.63	11.91	2	25.9	4.28	1.00	136.49
3/14/2014	MW-14	ND	9.55	2	0	0	0	0
3/28/2014	MW-14	ND	9.77	2	0	0	0	0
3/14/2014	MW-15	ND	9.46	2	0	0	0	0
3/28/2014	MW-15	ND	9.62	2	0	0	0	0
3/14/2014	MW-16	ND	7.40	2	0	0	0	0
3/28/2014	MW-16	ND	7.38	2	0	0	0	0
3/14/2014	MW-17	7.03	11.02	4	112.4	3.99	9.00	27.50
3/28/2014	MW-17	7.07	10.18	4	68.2	3.11	6.50	34.00
3/14/2014	MW-18	ND	6.81	4	0	0	0	0
3/28/2014	MW-18	ND	6.79	4	0	0	0	0
3/14/2014	MW-19	1.96	2.01	2	47.2	0.05	0.01	0.04
3/28/2014	MW-19	2.19	2.21	2	32.8	0.02	0.01	0.05

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
3/14/2014	MW-20	ND	9.85	2	0	0	0	0
3/28/2014	MW-20	ND	9.96	2	0	0	0	0
3/14/2014	MW-21	ND	6.44	4	0	0	0	0
3/28/2014	MW-21	ND	6.52	4	0	0	0	0
3/14/2014	MW-22	ND	9.79	2	0	0	0	0
3/28/2014	MW-22	ND	9.89	2	0	0	0	0
3/14/2014	MW-23	7.02	10.13	4	62.8	3.11	15	64
3/28/2014	MW-23	6.60	10.73	4	84.6	4.13	22	86
							Total:	1651.88

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Not Detected

NG - Not Gauged

NM - Not Measured

NA - Not Applicable

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/11/2014	MW-1R	ND	6.39	4	2.0	0	0	0
4/24/2014	MW-1R	ND	6.49	4	0.3	0	0	0
4/11/2014	MW-2R	ND	7.39	4	7.4	0	0	0.66
4/24/2014	MW-2R	ND	7.54	4	3.4	0	0	0.66
4/11/2014	MW-3	6.61	6.66	2	30.8	0.05	0.10	19.47
4/24/2014	MW-3	6.79	6.84	2	28.3	0.05	0.10	19.57
4/11/2014	MW-4	ND	9.55	2	0	0	0	0
4/24/2014	MW-4	ND	9.69	2	0	0	0	0
4/11/2014	MW-5	ND	5.87	2	0	0	0	0
4/24/2014	MW-5	ND	6.06	2	0	0	0	0
4/11/2014	MW-6	10.18	13.13	1	21.7	2.95	0.5	43.25
4/24/2014	MW-6	10.23	13.17	1	15.8	2.94	0.5	43.75
4/11/2014	MW-6R	9.99	12.56	2	30.1	2.57	0.75	6.75
4/24/2014	MW-6R	10.01	12.62	2	26.4	2.61	0.75	7.50
4/11/2014	MW-7	1.38	1.61	1	38.4	0.23	0.10	17.81
4/24/2014	MW-7	2.06	2.14	1	20.8	0.08	0.10	17.91
4/11/2014	MW-7R	ND	1.02	2	26.1	0	0	0.14
4/24/2014	MW-7R	ND	1.32	2	13.5	0	0	0.14
4/11/2014	MW-8	6.20	9.96	2	46.7	3.76	9	1241
4/24/2014	MW-8	6.31	9.98	2	60.7	3.67	8	1249
4/11/2014	MW-9	6.88	8.72	2	27.1	1.84	0.25	43.25
4/24/2014	MW-9	7.10	8.63	2	22.4	1.53	0.25	43.50
4/11/2014	MW-10	ND	6.95	2	0	0	0	0
4/24/2014	MW-10	ND	7.46	2	0	0	0	0
4/11/2014	MW-11	ND	6.38	2	0	0	0	0
4/24/2014	MW-11	ND	6.59	2	0	0	0	0
4/11/2014	MW-12	7.42	10.73	2	17.9	3.31	0.50	34.21
4/24/2014	MW-12	7.83	9.21	2	10.7	1.38	0.25	34.46
4/11/2014	MW-13	7.26	11.58	2	30.5	4.32	1.25	137.74
4/24/2014	MW-13	7.42	11.48	2	19.6	4.06	1.00	138.74
4/11/2014	MW-14	ND	9.55	2	0	0	0	0
4/24/2014	MW-14	ND	9.56	2	0	0	0	0
4/11/2014	MW-15	ND	6.21	2	0	0	0	0
4/24/2014	MW-15	ND	9.43	2	0	0	0	0
4/11/2014	MW-16	ND	7.09	2	0	0	0	0
4/24/2014	MW-16	ND	7.25	2	0	0	0	0
4/11/2014	MW-17	7.04	8.69	4	82.3	1.65	3.50	37.50
4/24/2014	MW-17	7.22	8.33	4	41.6	1.11	2.50	40.00
4/11/2014	MW-18	ND	6.57	4	0	0	0	0
4/24/2014	MW-18	ND	6.68	4	0	0	0	0
4/11/2014	MW-19	1.62	1.63	2	47.6	0.01	0.01	0.06
4/24/2014	MW-19	1.64	1.68	2	36.2	0.04	0.01	0.07

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/11/2014	MW-20	ND	9.76	2	0	0	0	0
4/24/2014	MW-20	ND	9.80	2	0	0	0	0
4/11/2014	MW-21	ND	6.11	4	0	0	0	0
4/24/2014	MW-21	ND	6.37	4	0	0	0	0
4/11/2014	MW-22	ND	9.60	2	0	0	0	0
4/24/2014	MW-22	ND	9.74	2	0	0	0	0
4/11/2014	MW-23	6.46	9.46	4	79.2	3.00	20	106
4/24/2014	MW-23	6.56	9.80	4	68.1	3.24	22	128
							Total:	1723.30

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Not Detected

NG - Not Gauged

NM - Not Measured

NA - Not Applicable

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
5/8/2014	MW-1R	ND	6.32	4	0.0	0	0	0
5/22/2014	MW-1R	ND	6.10	4	0.0	0	0	0
5/8/2014	MW-2R	ND	7.09	4	0.0	0	0	0.66
5/22/2014	MW-2R	ND	6.89	4	0.0	0	0	0.66
5/8/2014	MW-3	6.38	6.42	2	22.7	0.04	0.10	19.67
5/22/2014	MW-3	6.28	6.32	2	30.1	0.04	0.10	19.77
5/8/2014	MW-4	ND	9.37	2	0.0	0	0	0
5/22/2014	MW-4	ND	9.29	2	0.0	0	0	0
5/8/2014	MW-5	ND	5.68	2	0.0	0	0	0
5/22/2014	MW-5	ND	5.64	2	0.0	0	0	0
5/8/2014	MW-6	9.91	13.02	1	11.8	3.11	0.5	44.25
5/22/2014	MW-6	9.72	13.18	1	17.2	3.46	0.5	44.75
5/8/2014	MW-6R	9.74	12.19	2	19.6	2.28	0.75	8.25
5/22/2014	MW-6R	9.59	12.23	2	26.8	2.64	0.75	9.00
5/8/2014	MW-7	1.76	2.11	1	25.1	0.35	0.25	18.16
5/22/2014	MW-7	1.50	1.81	1	32.9	0.31	0.10	18.26
5/8/2014	MW-7R	ND	0.80	2	18.4	0	0	0.14
5/22/2014	MW-7R	ND	1.02	2	12.3	0	0	0.14
5/8/2014	MW-8	5.92	9.84	2	53.2	3.92	3	1252
5/22/2014	MW-8	5.67	9.63	2	64.7	3.96	4	1256
5/8/2014	MW-9	6.80	7.97	2	30.8	1.17	0.50	44.00
5/22/2014	MW-9	6.76	8.11	2	22.3	1.35	0.50	44.50
5/8/2014	MW-10	ND	7.78	2	0.0	0	0	0
5/22/2014	MW-10	ND	7.74	2	0.0	0	0	0
5/8/2014	MW-11	ND	6.42	2	0.0	0	0	0
5/22/2014	MW-11	ND	6.28	2	0.0	0	0	0
5/8/2014	MW-12	7.50	7.63	2	7.5	0.13	0.25	34.71
5/22/2014	MW-12	7.41	8.90	2	27.4	1.49	0.50	35.21
5/8/2014	MW-13	7.06	10.84	2	12.3	3.78	0.75	139.49
5/22/2014	MW-13	6.89	10.27	2	32.6	3.38	0.75	140.24
5/8/2014	MW-14	ND	9.08	2	0.0	0	0	0
5/22/2014	MW-14	ND	9.08	2	0.0	0	0	0
5/8/2014	MW-15	ND	8.99	2	0.0	0	0	0
5/22/2014	MW-15	ND	9.97	2	0.0	0	0	0
5/8/2014	MW-16	ND	6.68	2	0.0	0	0	0
5/22/2014	MW-16	ND	6.46	2	0.0	0	0	0
5/8/2014	MW-17	6.83	7.06	4	6.6	0.23	0.75	40.75
5/22/2014	MW-17	6.70	6.94	4	11.5	0.24	0.10	40.85
5/8/2014	MW-18	ND	6.41	4	0.0	0	0	0
5/22/2014	MW-18	ND	6.35	4	0.0	0	0	0
5/8/2014	MW-19	1.84	1.86	2	47.4	0.02	0.01	0.08
5/22/2014	MW-19	ND	1.53	2	37.8	0.00	0.00	0.08

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
5/8/2014	MW-20	ND	9.46	2	0.0	0	0	0
5/22/2014	MW-20	ND	9.40	2	0.0	0	0	0
5/8/2014	MW-21	ND	6.04	4	0.0	0	0	0
5/22/2014	MW-21	ND	5.92	4	0.0	0	0	0
5/8/2014	MW-22	ND	9.41	2	0.0	0	0	0
5/22/2014	MW-22	ND	9.36	2	0.0	0	0	0
5/8/2014	MW-23	6.21	9.53	4	75.8	3.32	20	148
5/22/2014	MW-23	5.98	9.43	4	96.2	3.45	18	166
							Total:	1775.46

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Not Detected

NG - Not Gauged

NM - Not Measured

NA - Not Applicable

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
6/5/2014	MW-1R	ND	6.28	4	0.0	0	0	0
6/19/2014	MW-1R	ND	6.24	4	0.0	0	0	0
6/5/2014	MW-2R	ND	7.07	4	0.0	0	0	0.66
6/19/2014	MW-2R	ND	6.99	4	0.0	0	0	0.66
6/5/2014	MW-3	6.46	6.49	2	12.8	0.03	0.10	19.87
6/19/2014	MW-3	6.43	6.47	2	17.3	0.04	0.10	19.97
6/5/2014	MW-4	ND	9.55	2	0.0	0	0	0
6/19/2014	MW-4	ND	9.42	2	0.0	0	0	0
6/5/2014	MW-5	ND	5.89	2	0.0	0	0	0
6/19/2014	MW-5	ND	5.88	2	0.0	0	0	0
6/5/2014	MW-6	9.66	12.27	1	14.2	2.61	0.5	45.25
6/19/2014	MW-6	9.90	13.03	1	11.4	3.13	0.5	45.75
6/5/2014	MW-6R	9.78	13.15	2	17.5	3.37	1.00	10.00
6/19/2014	MW-6R	9.66	12.07	2	9.2	2.41	0.75	10.75
6/5/2014	MW-7	1.69	1.72	1	20.6	0.03	0.10	18.36
6/19/2014	MW-7	1.40	1.51	1	30.5	0.11	0.10	18.46
6/5/2014	MW-7R	ND	1.21	2	6.2	0	0	0.14
6/19/2014	MW-7R	ND	1.02	2	13.8	0	0	0.14
6/5/2014	MW-8	NG ¹	NG	2	NM	NA	NA	1256
6/19/2014	MW-8	5.93	9.67	2	39.7	3.74	7	1263
6/5/2014	MW-9	6.48	8.73	2	11.4	2.25	0.50	45.00
6/19/2014	MW-9	6.65	8.08	2	6.1	1.43	0.25	45.25
6/5/2014	MW-10	ND	7.56	2	0.0	0	0	0
6/19/2014	MW-10	ND	7.89	2	0.0	0	0	0
6/5/2014	MW-11	ND	6.18	2	0.0	0	0	0
6/19/2014	MW-11	ND	6.47	2	0.0	0	0	0
6/5/2014	MW-12	7.48	9.26	2	20.8	1.78	0.50	35.71
6/19/2014	MW-12	7.46	9.83	2	15.6	2.37	0.75	36.46
6/5/2014	MW-13	6.94	10.53	2	16.7	3.59	1.00	141.24
6/19/2014	MW-13	7.00	10.87	2	21.4	3.87	0.75	141.99
6/5/2014	MW-14	ND	9.38	2	0.0	0	0	0
6/19/2014	MW-14	ND	9.22	2	0.0	0	0	0
6/5/2014	MW-15	ND	9.26	2	0.0	0	0	0
6/19/2014	MW-15	ND	9.11	2	0.0	0	0	0
6/5/2014	MW-16	ND	6.45	2	0.0	0	0	0
6/19/2014	MW-16	ND	6.38	2	0.0	0	0	0
6/5/2014	MW-17	6.88	7.01	4	7.3	0.13	0.10	40.95
6/19/2014	MW-17	6.95	7.02	4	3.2	0.07	0.10	41.05
6/5/2014	MW-18	ND	6.56	4	0.0	0	0	0
6/19/2014	MW-18	ND	6.51	4	0.0	0	0	0
6/5/2014	MW-19	1.72	1.72	2	28.9	0.00	0.01	0.09
6/19/2014	MW-19	ND	1.68	2	36.8	0.00	0.00	0.09

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
6/5/2014	MW-20	ND	9.69	2	0.0	0	0	0
6/19/2014	MW-20	ND	9.55	2	0.0	0	0	0
6/5/2014	MW-21	ND	6.32	4	0.0	0	0	0
6/19/2014	MW-21	ND	6.19	4	0.0	0	0	0
6/5/2014	MW-22	ND	9.60	2	0.0	0	0	0
6/19/2014	MW-22	ND	9.49	2	0.0	0	0	0
6/5/2014	MW-23	6.18	9.46	4	51.8	3.28	20	186
6/19/2014	MW-23	6.34	9.32	4	40.4	2.98	23	209
							Total:	1832.57

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Not Detected

NG - Not Gauged

NM - Not Measured

NA - Not Applicable

1 - During the 6/5/14 gauging the entire area around MW-8 was flooded; therefore, MW-8 was not gauged

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
8/7/2014	MW-1R	ND	6.22	4	0.0	0	0	0
8/22/2014	MW-1R	ND	6.10	4	0.0	0	0	0
9/4/2014	MW-1R	ND	6.54	4	0.0	0	0	0
8/7/2014	MW-2R	ND	7.47	4	0.0	0	0	0.66
8/22/2014	MW-2R	ND	7.61	4	0.0	0	0	0.66
9/4/2014	MW-2R	ND	7.70	4	0.0	0	0	0.66
8/7/2014	MW-3	ND	6.79	2	61.5	0	0	19.97
8/22/2014	MW-3	ND	6.86	2	33.2	0.00	0.00	19.97
9/4/2014	MW-3	7.02	7.09	2	22.4	0.07	0.10	19.98
8/7/2014	MW-4	ND	9.79	2	0.0	0	0	0
8/22/2014	MW-4	ND	9.88	2	0.0	0	0	0
9/4/2014	MW-4	ND	9.94	2	0.0	0	0	0
8/7/2014	MW-5	ND	6.36	2	0.0	0	0	0
8/22/2014	MW-5	ND	6.40	2	0.0	0	0	0
9/4/2014	MW-5	ND	6.52	2	0.0	0	0	0
8/7/2014	MW-6	10.14	13.26	1	117.4	3.12	0.5	46.25
8/22/2014	MW-6	10.18	13.51	1	20.1	3.33	0.5	46.75
9/4/2014	MW-6	10.38	13.65	1	16.4	3.27	0.5	47.25
8/7/2014	MW-6R	9.98	12.47	2	146.6	2.49	0.75	11.50
8/22/2014	MW-6R	10.02	12.53	2	16.7	2.51	0.75	12.25
9/4/2014	MW-6R	10.14	12.51	2	10.6	2.37	0.75	13.00
8/7/2014	MW-7	2.21	2.46	1	0.25	0.25	0.25	18.71
8/22/2014	MW-7	2.63	2.68	1	52.6	0.05	0.01	18.72
9/4/2014	MW-7	2.88	2.96	1	31.2	0.08	0.01	18.73
8/7/2014	MW-7R	ND	2.35	2	0	0	0	0.14
8/22/2014	MW-7R	ND	2.52	2	19.5	0	0	0.14
9/4/2014	MW-7R	ND	2.81	2	26.3	0	0	0.14
8/7/2014	MW-8	6.16	9.48	2	106.4	3.32	3	1266
8/22/2014	MW-8	5.99	8.51	2	61.4	2.52	1.75	1267.75
9/4/2014	MW-8	6.46	9.42	2	41.7	2.96	2.50	1270.25
8/7/2014	MW-9	7.02	9.28	2	285.2	2.26	0.75	46.00
8/22/2014	MW-9	6.69	12.42	2	73.1	5.73	2.50	48.50
9/4/2014	MW-9	7.05	11.32	2	62.3	4.27	1.75	50.25
8/7/2014	MW-10	ND	5.81	2	0.0	0	0	0
8/22/2014	MW-10	ND	5.39	2	0.0	0	0	0
9/4/2014	MW-10	ND	7.61	2	0.0	0	0	0
8/7/2014	MW-11	ND	6.10	2	0.0	0	0	0
8/22/2014	MW-11	ND	6.04	2	0.0	0	0	0
9/4/2014	MW-11	ND	6.73	2	0.0	0	0	0
8/7/2014	MW-12	7.41	10.18	2	84.8	2.77	1.00	37.46
8/22/2014	MW-12	7.68	9.37	2	33.4	1.69	1.00	38.46
9/4/2014	MW-12	8.06	9.37	2	17.5	1.31	0.75	39.21

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
8/7/2014	MW-13	7.38	10.99	2	221.3	3.61	1.50	143.49
8/22/2014	MW-13	7.56	10.82	2	51.5	3.26	2.00	145.49
9/4/2014	MW-13	7.82	10.63	2	30.6	2.81	1.50	146.99
8/7/2014	MW-14	ND	9.70	2	0.0	0	0	0
8/22/2014	MW-14	ND	9.87	2	0.0	0	0	0
9/4/2014	MW-14	ND	9.82	2	0.0	0	0	0
8/7/2014	MW-15	ND	9.61	2	0.0	0	0	0
8/22/2014	MW-15	ND	9.73	2	0.0	0	0	0
9/4/2014	MW-15	ND	9.76	2	0.0	0	0	0
8/7/2014	MW-16	ND	6.42	2	0.0	0	0	0
8/22/2014	MW-16	ND	6.08	2	0.0	0	0	0
9/4/2014	MW-16	ND	6.27	2	0.0	0	0	0
8/7/2014	MW-17 ¹	7.29	7.33	4	2.8	0.04	0.10	41.15
8/22/2014	MW-17 ¹	7.40	7.42	4	11.8	0.02	0.10	41.25
9/4/2014	MW-17 ¹	7.51	7.88	4	18.3	0.37	0.25	41.50
8/7/2014	MW-18	ND	6.74	4	0.0	0	0	0
8/22/2014	MW-18	ND	6.79	4	0.0	0	0	0
9/4/2014	MW-18	ND	6.89	4	0.0	0	0	0
8/7/2014	MW-19	ND	2.18	2	0	0.00	0.00	0.09
8/22/2014	MW-19	2.39	2.40	2	28.1	0.01	0.01	0.10
9/4/2014	MW-19	2.58	2.60	2	16.7	0.02	0.01	0.11
8/7/2014	MW-20	ND	9.88	2	0.0	0	0	0
8/22/2014	MW-20	ND	10.00	2	0.0	0	0	0
9/4/2014	MW-20	ND	10.06	2	0.0	0	0	0
8/7/2014	MW-21	ND	6.38	4	0.0	0	0	0
8/22/2014	MW-21	ND	5.88	4	0.0	0	0	0
9/4/2014	MW-21	ND	6.37	4	0.0	0	0	0
8/7/2014	MW-22	ND	9.83	2	0.0	0	0	0
8/22/2014	MW-22	ND	9.91	2	0.0	0	0	0
9/4/2014	MW-22	ND	9.98	2	0.0	0	0	0
8/7/2014	MW-23	6.44	9.02	4	97.3	2.58	21	230
8/22/2014	MW-23	6.35	8.97	4	102.6	2.62	16	246
9/4/2014	MW-23	6.69	9.01	4	73.8	2.32	18	264
9/4/2014	MW-24	ND	7.04	2	0.0	0	0	0
9/4/2014	MW-25	ND	7.62	2	0.0	0	0	0
9/4/2014	MW-27	ND	7.86	2	0.0	0	0	0
9/4/2014	MW-28	ND	7.41	2	0.0	0	0	0
9/4/2014	MW-30	ND	7.47	4	0.0	0	0	0
9/4/2014	MW-31	7.94	9.46	4	6.3	1.52	9	9
9/4/2014	MW-32	ND	7.05	4	0.00	0	0	0
							Total:	1921.07

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Not Detected

1 - Monitoring well MW-17 was observed to be damaged

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
9/17/2014	MW-1R	ND	6.47	4	0.0	0	0	0
10/3/2014	MW-1R	ND	6.32	4	0.0	0	0	0
9/17/2014	MW-2R	ND	7.76	4	0.0	0	0	0.66
10/3/2014	MW-2R	ND	7.88	4	0.0	0	0	0.66
9/17/2014	MW-3	7.04	7.13	2	19.6	0.9	0.1	20.08
10/3/2014	MW-3	7.20	7.24	2	26.2	0.04	0.01	20.09
9/17/2014	MW-4	ND	10.00	2	0.0	0	0	0
10/3/2014	MW-4	ND	10.13	2	0.0	0	0	0
9/17/2014	MW-5	ND	6.61	2	0.0	0	0	0
10/3/2014	MW-5	ND	6.79	2	0.0	0	0	0
9/17/2014	MW-6	10.25	13.52	1	10.7	3.27	0.5	47.75
10/3/2014	MW-6	10.36	13.49	1	5.6	3.13	0.5	48.25
9/17/2014	MW-6R	10.11	12.46	2	11.3	2.35	0.75	13.75
10/3/2014	MW-6R	10.23	12.48	2	7.1	2.25	0.75	14.50
9/17/2014	MW-7	2.69	2.77	1	20.4	0.08	0.01	18.74
10/3/2014	MW-7	2.80	3.14	1	12.8	0.34	0.1	18.84
9/17/2014	MW-7R	ND	2.72	2	12.6	0	0	0.14
10/3/2014	MW-7R	ND	2.98	2	3.2	0	0	0.14
9/17/2014	MW-8	6.39	9.17	2	38.5	2.78	2	1272.25
10/3/2014	MW-8	6.38	9.46	2	41.5	3.08	3	1275.25
9/17/2014	MW-9	6.90	10.73	2	41.6	3.83	1.75	52
10/3/2014	MW-9	7.11	11.68	2	32.9	4.57	1.5	53.5
9/17/2014	MW-10	ND	7.73	2	0.0	0	0	0
10/3/2014	MW-10	ND	7.38	2	0.0	0	0	0
9/17/2014	MW-11	ND	6.69	2	0.0	0	0	0
10/3/2014	MW-11	ND	6.56	2	0.0	0	0	0
9/17/2014	MW-12	8.06	9.20	2	12.3	1.14	0.5	39.71
10/3/2014	MW-12	8.08	9.13	2	10.1	1.05	0.25	39.96
9/17/2014	MW-13	7.78	10.46	2	15.7	2.68	1.5	148.49
10/3/2014	MW-13	7.70	10.57	2	19.5	2.87	1.5	149.99
9/17/2014	MW-14	ND	10.02	2	0.0	0	0	0
10/3/2014	MW-14	ND	10.11	2	0.0	0	0	0
9/17/2014	MW-15	ND	9.88	2	0.0	0	0	0
10/3/2014	MW-15	ND	10.02	2	0.0	0	0	0
9/17/2014	MW-16	ND	5.84	2	0.0	0	0	0
10/3/2014	MW-16	ND	6.50	2	0.0	0	0	0
9/17/2014	MW-17 ¹	7.46	7.62	4	8.6	0.16	0.25	41.75
10/3/2014	MW-17 ¹	7.52	7.61	4	13.4	0.09	0.25	42

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
9/17/2014	MW-18	ND	6.91	4	0.0	0	0	0
10/3/2014	MW-18	ND	7.04	4	0.0	0	0	0
9/17/2014	MW-19	2.62	2.63	2	9.2	0.01	0.01	0.12
10/3/2014	MW-19	2.72	2.75	2	6.1	0.03	0.01	0.13
9/17/2014	MW-20	ND	10.11	2	0.0	0	0	0
10/3/2014	MW-20	ND	10.24	2	0.0	0	0	0
9/17/2014	MW-21	ND	6.03	4	0.0	0	0	0
10/3/2014	MW-21	ND	6.68	4	0.0	0	0	0
9/17/2014	MW-22	ND	10.05	2	0.0	0	0	0
10/3/2014	MW-22	ND	10.18	2	0.0	0	0	0
9/17/2014	MW-23	6.60	9.11	4	39.2	2.51	19	283
10/3/2014	MW-23 ²	6.63	9.97	4	30.7	3.34	0	283
9/17/2014	MW-24	ND	7.27	2	0.0	0	0	0
10/3/2014	MW-24	ND	7.44	2	0.0	0	0	0
9/17/2014	MW-25	ND	7.66	2	0.0	0	0	0
10/3/2014	MW-25	ND	7.78	2	0.0	0	0	0
9/17/2014	MW-27	ND	7.89	2	0.0	0	0	0
10/3/2014	MW-27	ND	8.02	2	0.0	0	0	0
9/17/2014	MW-28	ND	7.52	2	0.0	0	0	0
10/3/2014	MW-28	ND	7.66	2	0.0	0	0	0
9/17/2014	MW-30	ND	7.30	4	0.0	0	0	0
10/3/2014	MW-30	ND	7.30	4	0.0	0	0	0
9/17/2014	MW-31	8.00	9.16	4	7.8	1.16	11	20
10/3/2014	MW-31	7.92	9.86	4	8.9	1.94	12	32
9/17/2014	MW-32	ND	6.68	4	0.00	0	0	0
10/3/2014	MW-32	ND	6.42	4	0.00	0	0	0
							Total:	1978.31

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Not Detected

1 - Monitoring well MW-17 was observed to be damaged

2 - A car was parked over MW-23 which prevented LNAPL recovery but did not interfere with gauging.

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
10/14/2014	MW-1R	ND	6.72	4	NM	0	0	0
10/27/2014	MW-1R	ND	6.48	4	0.0	0	0	0
10/14/2014	MW-2R	ND	7.88	4	NM	0	0	0.66
10/27/2014	MW-2R	ND	7.36	4	0.6	0	0	0.66
10/14/2014	MW-3	7.13	7.16	2	NM	0.03	0.01	20.10
10/27/2014	MW-3	6.72	6.88	2	74.6	0.16	0.01	20.11
10/14/2014	MW-4	ND	10.09	2	NM	0	0	0
10/27/2014	MW-4	ND	9.65	2	0.2	0	0	0
10/14/2014	MW-5	ND	6.74	2	NM	0	0	0
10/27/2014	MW-5	ND	6.18	2	0.0	0	0	0
10/14/2014	MW-6	10.36	13.44	1	NM	3.08	0.5	48.75
10/27/2014	MW-6	9.69	13.72	1	36.4	4.03	0.5	49.25
10/14/2014	MW-6R	10.22	12.66	2	NM	2.44	0.50	15.00
10/27/2014	MW-6R	9.32	12.08	2	21.6	2.76	0.50	15.50
10/14/2014	MW-7	2.61	2.75	1	NM	0.14	0.01	18.85
10/27/2014	MW-7	1.68	2.32	1	78.5	0.64	0.25	19.10
10/14/2014	MW-7R	ND	2.86	2	NM	0	0	0.14
10/27/2014	MW-7R	ND	1.32	2	11.8	0	0	0.14
10/14/2014	MW-8	6.60	9.62	2	NM	3.02	3.5	1278.75
10/27/2014	MW-8	6.33	8.42	2	102	2.09	2.25	1281
10/14/2014	MW-9	7.06	12.05	2	NM	4.99	1.75	55.25
10/27/2014	MW-9	6.81	10.77	2	38	3.96	0.75	56
10/14/2014	MW-10	ND	7.86	2	NM	0	0	0
10/27/2014	MW-10	ND	6.88	2	0.0	0	0	0
10/14/2014	MW-11	ND	6.78	2	NM	0	0	0
10/27/2014	MW-11	ND	6.43	2	0.0	0	0	0
10/14/2014	MW-12	8.69	9.31	2	NM	0.62	0.25	40.21
10/27/2014	MW-12	8.11	9.18	2	15.6	1.07	0.25	40.46
10/14/2014	MW-13	8.01	10.53	2	NM	2.52	1.25	151.24
10/27/2014	MW-13	7.92	10.25	2	31.6	2.33	0.75	151.99
10/14/2014	MW-14	ND	10.07	2	NM	0	0	0
10/27/2014	MW-14	ND	9.33	2	0.0	0	0	0
10/14/2014	MW-15	ND	9.97	2	NM	0	0	0
10/27/2014	MW-15	ND	9.33	2	0.0	0	0	0
10/14/2014	MW-16	ND	6.23	2	NM	0	0	0
10/27/2014	MW-16	ND	6.05	2	2.8	0	0	0
10/14/2014	MW-17 ¹	7.62	7.83	4	NM	0.21	0.25	42.25
10/27/2014	MW-17 ¹	7.46	7.62	4	56.5	0.16	0.25	42.5
10/14/2014	MW-18	ND	7.00	4	NM	0	0	0
10/27/2014	MW-18	ND	6.74	4	0.0	0	0	0

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
10/14/2014	MW-19	2.71	2.71	2	NM	0.00	0.01	0.14
10/27/2014	MW-19	ND	2.04	2	15.4	0.00	0.00	0.14
10/14/2014	MW-20	ND	10.22	2	NM	0	0	0
10/27/2014	MW-20	ND	9.77	2	0.0	0	0	0
10/14/2014	MW-21	ND	6.26	4	0.0	0	0	0
10/27/2014	MW-21	ND	6.02	4	0.0	0	0	0
10/14/2014	MW-22	ND	10.14	2	NM	0	0	0
10/27/2014	MW-22	ND	9.69	2	3.7	0	0	0
10/14/2014	MW-23	6.88	9.07	4	NM	2.19	17	300
10/27/2014	MW-23 ²	6.55	8.78	4	129	2.23	12	312
10/14/2014	MW-24	ND	7.37	2	NM	0	0	0
10/27/2014	MW-24	ND	6.61	2	3.7	0	0	0
10/14/2014	MW-25	ND	7.76	2	NM	0	0	0
10/27/2014	MW-25	ND	7.16	2	0.0	0	0	0
10/14/2014	MW-27	ND	8.01	2	NM	0	0	0
10/27/2014	MW-27	ND	7.50	2	6.4	0	0	0
10/14/2014	MW-28	ND	7.60	2	NM	0	0	0
10/27/2014	MW-28	ND	7.09	2	3.2	0	0	0
10/14/2014	MW-30	ND	7.38	4	NM	0	0	0
10/27/2014	MW-30	ND	7.02	4	26.7	0	0	0
10/14/2014	MW-31	8.22	9.59	4	NM	1.37	9	41
10/27/2014	MW-31	8.14	8.47	4	88.1	0.33	0.5	41.5
10/14/2014	MW-32	ND	6.39	4	NM	0	0	0
10/27/2014	MW-32	ND	6.23	4	0.8	0	0	0
							Total:	2030.35

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Not Detected

1 - Monitoring well MW-17 was observed to be damaged

2 - A car was parked over MW-23 which prevented LNAPL recovery but did not interfere with gauging.

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
11/10/2014	MW-1R	ND	6.67	4	0.3	0	0	0
11/25/2014	MW-1R	ND	6.05	4	0.4	0	0	0
11/10/2014	MW-2R	ND	7.72	4	3.3	0	0	0.66
11/25/2014	MW-2R	ND	7.52	4	1.2	0	0	0.66
11/10/2014	MW-3	7.04	7.16	2	17.2	0.12	0.01	20.12
11/25/2014	MW-3	6.89	7.06	2	8.4	0.17	1.00	21.12
11/10/2014	MW-4	ND	9.89	2	0.9	0	0	0
11/25/2014	MW-4	ND	9.72	2	0.2	0	0	0
11/10/2014	MW-5	ND	6.21	2	0.0	0	0	0
11/25/2014	MW-5	ND	6.16	2	0.6	0	0	0
11/10/2014	MW-6	10.20	13.72	1	25.8	3.52	0.5	49.75
11/25/2014	MW-6	10.19	13.90	1	19.8	3.71	0.2	49.95
11/10/2014	MW-6R	9.84	12.17	2	53.3	2.33	0.50	16.00
11/25/2014	MW-6R	9.90	13.00	2	46.8	3.10	0.50	16.50
11/10/2014	MW-7	2.62	2.83	1	42.7	0.21	0.01	19.11
11/25/2014	MW-7	1.42	2.05	1	86.3	0.63	0.50	19.61
11/10/2014	MW-7R	ND	2.44	2	13.8	0	0	0.14
11/25/2014	MW-7R	ND	4.05	2	45.9	0	0	0.14
11/10/2014	MW-8	6.38	10.22	2	85.7	3.84	4.5	1285.5
11/25/2014	MW-8	6.21	NR	2	71.6	NR	5.00	1290.5
11/10/2014	MW-9	7.19	10.46	2	113	3.27	0.50	56.5
11/25/2014	MW-9	7.03	9.85	2	11.2	2.82	0.50	57
11/10/2014	MW-10	ND	6.12	2	0.0	0	0	0
11/25/2014	MW-10	ND	6.21	2	0.3	0	0	0
11/10/2014	MW-11	ND	6.49	2	0.0	0	0	0
11/25/2014	MW-11	ND	6.21	2	0.5	0	0	0
11/10/2014	MW-12	9.12	9.81	2	44.6	0.69	0.25	40.71
11/25/2014	MW-12	8.10	9.40	2	49.8	1.30	0.75	41.46
11/10/2014	MW-13	8.10	10.14	2	117	2.04	0.50	152.49
11/25/2014	MW-13	7.92	9.76	2	22.5	1.84	0.75	153.24
11/10/2014	MW-14	ND	9.78	2	0.0	0	0	0
11/25/2014	MW-14	ND	9.47	2	11.9	0	0	0
11/10/2014	MW-15	ND	9.66	2	0.0	0	0	0
11/25/2014	MW-15	ND	9.42	2	8.1	0	0	0
11/10/2014	MW-16	ND	6.38	2	0.4	0	0	0
11/25/2014	MW-16	ND	5.82	2	3.4	0	0	0
11/10/2014	MW-17 ¹	7.56	7.73	4	78.8	0.17	0.25	42.75
11/25/2014	MW-17 ¹	7.47	7.57	4	61.2	0.10	0.10	42.85
11/10/2014	MW-18	ND	6.88	4	NM	0	0	0
11/25/2014	MW-18	ND	6.77	4	0.1	0	0	0

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
11/10/2014	MW-19	2.32	2.23	2	58.9	0.00	0.01	0.15
11/25/2014	MW-19	ND	1.95	2	77.5	0.00	0.00	0.15
11/10/2014	MW-20	ND	10.04	2	1.6	0	0	0
11/25/2014	MW-20	ND	9.87	2	0.0	0	0	0
11/10/2014	MW-21	ND	6.23	4	0.0	0	0	0
11/25/2014	MW-21	ND	8.82	4	1.6	0	0	0
11/10/2014	MW-22	ND	9.94	2	0.0	0	0	0
11/25/2014	MW-22	ND	9.78	2	0.4	0	0	0
11/10/2014	MW-23	6.68	9.01	4	127	2.33	13	325
11/25/2014	MW-23	6.35	8.62	4	43.3	2.27	17	342
11/10/2014	MW-24	ND	6.98	2	11.9	0	0	0
11/25/2014	MW-24	ND	6.61	2	3.0	0	0	0
11/10/2014	MW-25	ND	7.44	2	3.8	0	0	0
11/25/2014	MW-25	ND	7.11	2	0.7	0	0	0
11/10/2014	MW-27	ND	7.75	2	5.7	0	0	0
11/25/2014	MW-27	ND	7.50	2	6.6	0	0	0
11/10/2014	MW-28	ND	7.29	2	8.6	0	0	0
11/25/2014	MW-28	ND	7.08	2	10.2	0	0	0
11/10/2014	MW-30	ND	7.34	4	38.7	0	0	0
11/25/2014	MW-30	ND	7.10	4	19.9	0	0	0
11/10/2014	MW-31	8.27	9.09	4	106	0.82	1	42
11/25/2014	MW-31	8.15	8.41	4	12.0	0.26	0.5	42.5
11/10/2014	MW-32	ND	6.30	4	1.2	0	0	0
11/25/2014	MW-32 ²	NM	NM	4	NM	0	0	0
							Total:	2077.68

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Not Detected

NM - Not measured

NR - Not recorded

1 - Monitoring well MW-17 was observed to be damaged

2 - A car was parked over monitoring well MW-32 during the November 25th event preventing access

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/8/2014	MW-1R	ND	5.61	4	0.3	0	0	0
12/23/2014	MW-1R ³	NM	NM	4	NM	NM	0	0
12/8/2014	MW-2R	ND	6.95	4	0.7	0	0	0.66
12/23/2014	MW-2R	ND	6.90	4	NM	0	0	0.66
12/8/2014	MW-3	6.36	6.51	2	78.1	0.15	0.01	21.13
12/23/2014	MW-3	6.58	6.77	2	NM	0.19	0.01	21.14
12/8/2014	MW-4	ND	9.42	2	0.0	0	0	0
12/23/2014	MW-4	ND	9.56	2	NM	0	0	0
12/8/2014	MW-5	ND	5.98	2	0.0	0	0	0
12/23/2014	MW-5	ND	6.12	2	NM	0	0	0
12/8/2014	MW-6	10.04	13.56	1	36.4	3.52	0.5	50.45
12/23/2014	MW-6	9.74	13.50	1	NM	3.76	0.5	50.95
12/8/2014	MW-6R	9.83	11.88	2	93.7	2.05	0.50	17.00
12/23/2014	MW-6R	9.54	11.30	2	NM	1.76	0.75	17.75
12/8/2014	MW-7 ¹	NM	NM	1	NM	NM	0.00	19.61
12/23/2014	MW-7	2.09	2.74	1	NM	0.65	0.01	19.62
12/8/2014	MW-7R ¹	NM	NM	2	NM	NM	0	0.14
12/23/2014	MW-7R	ND	1.16	2	NM	0	0	0.14
12/8/2014	MW-8	5.90	8.71	2	102	2.81	2.5	1293
12/23/2014	MW-8	5.36	10.01	2	NM	4.65	2.50	1295.5
12/8/2014	MW-9	6.06	9.38	2	38.6	3.32	0.75	57.8
12/23/2014	MW-9	6.67	8.27	2	NM	1.60	1.00	59
12/8/2014	MW-10	ND	4.67	2	0.0	0	0	0
12/23/2014	MW-10	ND	5.46	2	NM	0	0	0
12/8/2014	MW-11	ND	5.85	2	0.0	0	0	0
12/23/2014	MW-11	ND	5.44	2	NM	0	0	0
12/8/2014	MW-12	7.58	9.94	2	31.3	2.36	0.25	41.71
12/23/2014	MW-12	7.26	9.41	2	NM	2.15	0.25	41.96
12/8/2014	MW-13	7.60	9.81	2	109	2.21	0.75	153.99
12/23/2014	MW-13	7.44	9.39	2	NM	1.95	0.75	154.74
12/8/2014	MW-14	ND	8.74	2	0.0	0	0	0
12/23/2014	MW-14	ND	9.33	2	11.9	0	0	0
12/8/2014	MW-15	ND	8.76	2	0.0	0	0	0
12/23/2014	MW-15	ND	9.22	2	8.1	0	0	0
12/8/2014	MW-16	ND	5.68	2	0.9	0	0	0
12/23/2014	MW-16	ND	6.12	2	3.4	0	0	0
12/8/2014	MW-17 ²	6.54	6.91	4	113	0.37	0.25	43.10
12/23/2014	MW-17 ²	6.48	6.65	4	NM	0.17	0.25	43.35
12/8/2014	MW-18	ND	6.50	4	0.0	0	0	0
12/23/2014	MW-18	ND	6.59	4	0.1	0	0	0

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
12/8/2014	MW-19 ¹	NM	NM	2	NM	NA	0.00	0.15
12/23/2014	MW-19	ND	1.38	2	NM	0.00	0.00	0.15
12/8/2014	MW-20 ³	NM	NM	2	NM	NA	0	0
12/23/2014	MW-20	ND	8.67	2	NM	0	0	0
12/8/2014	MW-21	ND	5.71	4	0.0	0	0	0
12/23/2014	MW-21	ND	6.01	4	NM	0	0	0
12/8/2014	MW-22	ND	9.48	2	0.0	0	0	0
12/23/2014	MW-22	ND	9.62	2	0.4	0	0	0
12/8/2014	MW-23	5.89	8.42	4	139	2.53	10	352
12/23/2014	MW-23	5.98	8.49	4	NM	2.51	10	362
12/8/2014	MW-24	ND	5.97	2	0.4	0	0	0
12/23/2014	MW-24	ND	6.42	2	3.0	0	0	0
12/8/2014	MW-25 ¹	NM	NM	2	NM	NA	0	0
12/23/2014	MW-25	ND	6.96	2	0.7	0	0	0
12/8/2014	MW-27	ND	6.94	2	19.3	0	0	0
12/23/2014	MW-27	ND	7.29	2	6.6	0	0	0
12/8/2014	MW-28	ND	6.57	2	1.5	0	0	0
12/23/2014	MW-28	ND	6.73	2	10.2	0	0	0
12/8/2014	MW-30	ND	6.53	4	21.0	0	0	0
12/23/2014	MW-30 ³	NM	NM	4	NM	NM	0	0
12/8/2014	MW-31	7.64	7.90	4	35.9	0.26	0.25	42.75
12/23/2014	MW-31	7.62	7.83	4	NM	0.21	0.25	43
12/8/2014	MW-32	ND	5.40	4	0.0	0	0	0
12/23/2014	MW-32	ND	5.46	4	NM	0	0	0
12/28/2004	MW-33	ND	6.79	4	NM	0	0	0
							Total:	2109.71

Notes:

- PID - Photo ionization detector (well headspace reading)
- ft - Feet
- ppm - Parts per million
- g - Gallons
- ND - Not Detected
- NM - Not measured
- NR - Not recorded
- 1 - Could not access well due to ongoing asbestos abatement
- 2 - Monitoring well MW-17 was observed to be damaged
- 3 - Could not access, well flooded

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
1/9/2015	MW-1R	ND	6.62	4	0.7	0	0	0
1/21/2015	MW-1R	ND	6.33	4	0.2	0	0	0
1/9/2015	MW-2R	ND	7.14	4	0.9	0	0	0.66
2/21/2015	MW-2R	ND	7.19	4	1.4	0	0	0.66
1/9/2015	MW-3	6.67	6.74	2	108	0.07	0.01	21.15
1/21/2015	MW-3	6.67	6.81	2	95.3	0.14	0.01	21.16
12/8/2015	MW-4	ND	9.62	2	0.0	0	0	0
12/23/2015	MW-4	ND	9.59	2	0.0	0	0	0
12/8/2015	MW-5	ND	6.10	2	0.0	0	0	0
12/23/2015	MW-5	ND	6.08	2	0.0	0	0	0
1/9/2015	MW-6	10.04	13.72	1	33.7	3.68	0.5	51.45
1/21/2015	MW-6	10.20	13.32	1	11.9	3.12	0.5	51.95
1/9/2015	MW-6R	9.87	11.93	2	61.9	2.06	0.50	18.25
1/21/2015	MW-6R	10.02	11.91	2	55.8	1.89	0.75	19.00
1/9/2015	MW-7	1.78	2.14	1	36.2	0.36	0.25	19.87
1/21/2015	MW-7	1.76	2.13	1	116	0.37	0.25	20.12
1/9/2015	MW-7R	ND	1.06	2	50.3	0	0	0.14
1/21/2015	MW-7R	ND	1.38	2	22.7	0	0	0.14
1/9/2015	MW-8	6.08	10.45	2	144	4.37	3.0	1298.5
1/21/2015	MW-8 ¹	NG	NG	2	NM	0.00	0.00	1298.5
1/9/2015	MW-9	6.94	7.93	2	47.6	0.99	0.50	59.3
1/21/2015	MW-9	7.26	8.20	2	42.1	0.94	0.25	59.5
1/9/2015	MW-10	ND	7.55	2	0.0	0	0	0
1/21/2015	MW-10	ND	5.28	2	0.0	0	0	0
1/9/2015	MW-11	ND	6.52	2	0.0	0	0	0
1/21/2015	MW-11 ¹	NG	NG	2	NM	0	0	0
1/9/2015	MW-12	9.13	10.81	2	39.6	1.68	0.25	42.21
1/21/2015	MW-12 ¹	NG	NG	2	NM	0.00	0.00	42.21
1/9/2015	MW-13	7.90	9.49	2	56.8	1.59	0.50	155.24
1/21/2015	MW-13 ¹	NG	NG	2	NM	0.00	0.00	155.24
1/9/2015	MW-14	ND	9.35	2	0.0	0	0	0
1/21/2015	MW-14	ND	9.32	2	0.2	0	0	0
1/9/2015	MW-15	ND	9.26	2	0.0	0	0	0
1/21/2015	MW-15	ND	9.26	2	0.3	0	0	0
1/9/2015	MW-16	ND	6.12	2	1.8	0	0	0
1/21/2015	MW-16	ND	5.80	2	1.5	0	0	0
1/9/2015	MW-17 ²	6.86	6.89	4	28.1	0.03	0.10	43.45
1/21/2015	MW-17 ²	6.98	7.01	4	8.3	0.03	0.10	43.55
1/9/2015	MW-18	ND	6.68	4	0.0	0	0	0
1/21/2015	MW-18	ND	6.63	4	0.0	0	0	0

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
1/9/2015	MW-19	ND	1.02	2	41	0.00	0.00	0.15
1/21/2015	MW-19	1.19	1.21	2	65.6	0.02	0.01	0.16
1/9/2015	MW-20	ND	9.79	2	0.0	0	0	0
1/21/2015	MW-20	ND	9.67	2	0.5	0	0	0
1/9/2015	MW-21	ND	6.11	4	0.0	0	0	0
1/21/2015	MW-21	ND	5.89	4	0.0	0	0	0
1/9/2015	MW-22	ND	9.66	2	0.0	0	0	0
1/21/2015	MW-22	ND	9.60	2	3.5	0	0	0
1/9/2015	MW-23	6.46	8.41	4	123	1.95	6	368
1/21/2015	MW-23 ¹	NG	NG	4	NM	0	0	368
1/9/2015	MW-24	ND	6.36	2	3.2	0	0	0
1/21/2015	MW-24	ND	6.48	2	2.3	0	0	0
1/9/2015	MW-25	ND	6.88	2	1.6	0	0	0
1/21/2015	MW-25	ND	7.04	2	0.6	0	0	0
1/9/2015	MW-27	ND	7.29	2	7.2	0	0	0
1/21/2015	MW-27	ND	7.29	2	5.4	0	0	0
1/9/2015	MW-28	ND	6.75	2	1.0	0	0	0
1/21/2015	MW-28	ND	6.90	2	3.5	0	0	0
1/9/2015	MW-30	ND	7.06	4	17.7	0	0	0
1/21/2015	MW-30 ¹	NG	NG	4	NM	0	0	0
1/9/2015	MW-31	8.00	8.21	4	103	0.21	0.10	43.10
1/21/2015	MW-31	7.81	8.06	4	95.0	0.25	0.10	43.20
1/9/2015	MW-32	ND	6.18	4	1.4	0	0	0
1/21/2015	MW-32	ND	5.87	4	1.2	0	0	0
1/9/2015	MW-33	7.39	8.20	4	160	0.81	2	2
1/21/2015	MW-33	7.56	7.72	4	63.0	0.16	0.1	2.1
1/9/2015	MW-34	ND	6.76	4	174	0	0	0
1/21/2015	MW-34	ND	7.11	4	53.8	0	0	0
1/9/2015	MW-35	7.68	7.79	4	143	0.11	0.1	0.1
1/21/2015	MW-35 ¹	NG	NG	4	NM	0	0	0.1
1/9/2015	MW-36	ND	7.07	4	56.0	0	0	0
1/21/2015	MW-36	ND	6.98	4	72.1	0	0	0
1/9/2015	MW-37	ND	1.02	2	78.8	0	0	0
1/21/2015	MW-37	ND	1.35	2	31.6	0	0	0
1/9/2015	MW-38	NG	NG	2	NM	0	0	0
1/21/2015	MW-38	ND	1.87	2	125.0	0	0	0
							Total:	2125.59

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Not Detected

NM - Not measured

NR - Not recorded

1- Could not access well due to ongoing underground storage tank removal activities

2 - Monitoring well MW-17 was observed to be damaged

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
2/5/2015	MW-1R ¹	NG	NG	4	NM	NA	NA	0
2/18/2015	MW-1R ¹	NG	NG	4	NM	NA	NA	0
2/5/2015	MW-2R	ND	7.31	4	4.2	0	0	0.66
2/18/2015	MW-2R	ND	7.63	4	1.4	0	0	0.66
2/5/2015	MW-3	6.77	6.97	2	4.0	0.20	0.01	21.17
2/18/2015	MW-3	6.94	7.08	2	49.8	0.14	0.10	21.27
2/5/2015	MW-4	ND	9.66	2	2.4	0	0	0
2/18/2015	MW-4	ND	9.85	2	0.0	0	0	0
2/5/2015	MW-5	ND	6.08	2	0.9	0	0	0
2/18/2015	MW-5	ND	6.34	2	0.0	0	0	0
2/5/2015	MW-6	10.17	13.82	1	42.7	3.65	0.01	51.96
2/18/2015	MW-6	10.27	13.62	1	25.0	3.35	0.5	52.46
2/5/2015	MW-6R	10.01	11.90	2	9.3	1.89	0.10	19.10
2/18/2015	MW-6R	10.20	11.97	2	66.2	1.77	0.75	19.85
2/5/2015	MW-7	1.65	2.16	1	8.3	0.51	0.05	20.17
2/18/2015	MW-7	2.79	3.21	1	52.9	0.42	0.10	20.27
2/5/2015	MW-7R	ND	1.81	2	26.0	0	0	0.14
2/18/2015	MW-7R	ND	2.33	2	26.2	0	0	0.14
2/5/2015	MW-8 ¹	NG	NG	2	NM	NA	NA	1298.5
2/18/2015	MW-8 ¹	NG	NG	2	NM	NA	NA	1298.5
2/5/2015	MW-9	7.09	7.79	2	17.2	0.70	0.10	59.6
2/18/2015	MW-9	7.38	8.06	2	56.5	0.68	0.50	60.1
2/5/2015	MW-10	ND	8.06	2	0.3	0	0	0
2/18/2015	MW-10	ND	4.92	2	0.0	0	0	0
2/5/2015	MW-11 ¹	NG	NG	2	NM	NA	NA	0
2/18/2015	MW-11 ¹	NG	NG	2	NM	NA	NA	0
2/5/2015	MW-12	7.83	9.66	2	NM	1.83	0.25	42.46
2/18/2015	MW-12 ²	NG	NG	2	NM	NA	NA	42.46
2/5/2015	MW-13	7.70	9.97	2	NM	2.27	0.00	155.24
2/18/2015	MW-13	8.10	11.22	2	55.9	3.12	1.25	156.49
2/5/2015	MW-14	ND	9.62	2	4.0	0	0	0
2/18/2015	MW-14	ND	9.81	2	0.0	0	0	0
2/5/2015	MW-15	ND	9.51	2	2.3	0	0	0
2/18/2015	MW-15	ND	9.69	2	0.0	0	0	0
2/5/2015	MW-16	ND	6.37	4	5.0	0	0	0
2/18/2015	MW-16 ¹	NG	NG	4	1.5	NA	NA	0
2/5/2015	MW-17 ³	6.87	9.62	4	3.1	2.75	0.10	43.65
2/18/2015	MW-17 ³	7.03	7.07	4	38.6	0.04	0.10	43.75
2/5/2015	MW-18	ND	6.66	4	0.5	0	0	0
2/18/2015	MW-18	ND	6.84	4	0.0	0	0	0

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
2/5/2015	MW-19	1.95	1.99	2	61.9	0.04	0.01	0.17
2/18/2015	MW-19	2.38	2.39	2	109	0.01	0.01	0.18
2/5/2015	MW-20	ND	9.81	2	4.7	0	0	0
2/18/2015	MW-20	ND	9.98	2	0.0	0	0	0
2/5/2015	MW-21	ND	5.63	4	1.0	0	0	0
2/18/2015	MW-21	ND	6.33	4	0.0	0	0	0
2/5/2015	MW-22	ND	9.74	2	7.1	0	0	0
2/18/2015	MW-22	ND	9.90	2	0.0	0	0	0
2/5/2015	MW-23 ¹	NG	NG	4	NM	NA	NA	368
2/18/2015	MW-23 ¹	NG	NG	4	NM	NA	NA	368
2/5/2015	MW-24	ND	6.70	2	1.8	0	0	0
2/18/2015	MW-24	ND	6.88	2	0.0	0	0	0
2/5/2015	MW-25	ND	7.23	2	7.8	0	0	0
2/18/2015	MW-25	ND	7.39	2	0.0	0	0	0
2/5/2015	MW-27	ND	7.53	2	2.7	0	0	0
2/18/2015	MW-27	ND	7.72	2	2.9	0	0	0
2/5/2015	MW-28	ND	7.05	2	1.2	0	0	0
2/18/2015	MW-28	ND	7.24	2	1.3	0	0	0
2/5/2015	MW-30 ⁴	NG	NG	4	NM	NA	NA	0
2/18/2015	MW-30 ⁴	NG	NG	4	NM	NA	NA	0
2/5/2015	MW-31 ¹	NG	NG	4	NM	NA	NA	43.20
2/18/2015	MW-31 ¹	NG	NG	4	NM	NA	NA	43.20
2/5/2015	MW-32	ND	6.45	4	1.1	0	0	0
2/18/2015	MW-32 ²	NG	NG	4	NM	NA	NA	0
2/5/2015	MW-33	7.55	7.69	4	81.3	0.14	0.1	2.2
2/18/2015	MW-33	7.84	7.96	4	76.5	0.12	0.1	2.3
2/5/2015	MW-34	ND	7.05	4	18.5	0	0	0
2/18/2015	MW-34	ND	7.31	4	77.3	0	0	0
2/5/2015	MW-35 ²	NG	NG	4	NM	NA	NA	0.1
2/18/2015	MW-35 ²	NG	NG	4	NM	NA	NA	0.1
2/5/2015	MW-36	ND	7.44	4	7.4	0	0	0
2/18/2015	MW-36 ²	NG	NG	4	NM	NA	NA	0
2/5/2015	MW-37	ND	1.52	2	26.9	0	0	0
2/18/2015	MW-37	ND	1.85	2	30.6	0	0	0
2/5/2015	MW-38	ND	1.99	2	0.8	0	0	0
2/18/2015	MW-38	ND	2.44	2	68.0	0	0	0
							Total:	2129.73

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Not detected

NM - Not measured

NR - Not recorded

NA - Not applicable

1 - Could not access well due to ongoing underground storage tank removal activities

2 - Could not access well due to an accumulation of snow and ice

3 - Monitoring well MW-17 was observed to be damaged

4 - MW-30 was destroyed during underground storage tanks removal activities

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
3/5/2015	MW-1R ¹	NG	NG	4	NM	NA	0	0
3/19/2015	MW-1R1	NG	NG	4	NM	NA	0	0
3/30/2015	MW-1R ¹	NG	NG	4	NM	NA	0	0
3/5/2015	MW-2R	ND	7.92	4	NM	0	0	0.66
3/19/2015	MW-2R	ND	7.23	4	1.2	0	0	0.66
3/30/2015	MW-2R	ND	6.88	4	0.6	0	0	0.66
3/5/2015	MW-3	6.91	7.03	2	NM	0.12	0.01	21.28
3/19/2015	MW-3	6.54	6.69	2	24.3	0.15	0.01	21.29
3/30/2015	MW-3	6.94	7.08	2	49.8	0.14	0.10	21.39
3/5/2015	MW-4	ND	9.70	2	NM	0	0	0
3/19/2015	MW-4	ND	9.39	2	0.0	0	0	0
3/30/2015	MW-4	ND	9.46	2	0.0	0	0	0
3/5/2015	MW-5	ND	5.48	2	NM	0	0	0
3/19/2015	MW-5	ND	5.48	2	0.0	0	0	0
3/30/2015	MW-5	ND	5.53	2	0.0	0	0	0
3/5/2015	MW-6	10.65	13.34	1	NM	2.69	0.50	52.96
3/19/2015	MW-6	10.21	13.42	1	20.8	3.21	0.50	53.46
3/30/2015	MW-6	9.77	13.11	1	22.3	3.34	0.50	53.96
3/5/2015	MW-6R	10.47	12.13	2	NM	1.66	0.75	20.60
3/19/2015	MW-6R	9.94	12.02	2	137	2.08	0.50	21.10
3/30/2015	MW-6R	9.64	11.82	2	39.9	2.18	0.50	21.60
3/5/2015	MW-7	2.99	3.28	1	NM	0.29	0.10	20.37
3/19/2015	MW-7	1.52	1.62	1	49.7	0.10	0.10	20.47
3/30/2015	MW-7	1.36	1.47	1	42.6	0.11	0.10	20.57
3/5/2015	MW-7R	ND	2.56	2	NM	0	0	0.14
3/19/2015	MW-7R	ND	1.15	2	1.3	0	0	0.14
3/30/2015	MW-7R	ND	0.83	2	57.4	0	0	0.14
3/5/2015	MW-8 ¹	NG	NG	2	NM	NA	0	1298.50
3/19/2015	MW-8 ¹	NG	NG	2	NM	NA	0	1298.50
3/30/2015	MW-8 ¹	NG	NG	2	NM	NA	0	1298.50
3/5/2015	MW-9	7.46	8.18	2	NM	0.72	0.25	60.35
3/19/2015	MW-9 ²	NG	NG	NA	NM	NM	NA	60.35
3/30/2015	MW-9 ²	NG	NG	NA	NM	NM	NA	60.35
3/5/2015	MW-10 ¹	NG	NG	2	NM	NA	0	0
3/19/2015	MW-10	ND	7.33	2	0.0	0	0	0
3/30/2015	MW-10	ND	7.20	2	0.0	0	0	0
3/5/2015	MW-11 ¹	NG	NG	2	NM	NA	0	0
3/19/2015	MW-11 ¹	NG	NG	2	NM	NA	0	0
3/30/2015	MW-11 ¹	NG	NG	2	NM	NA	0	0
3/5/2015	MW-12 ³	NG	NG	2	NM	NA	0	42.46
3/19/2015	MW-12	7.78	9.29	2	134	1.51	0.50	42.96
3/30/2015	MW-12	7.10	10.23	2	3.13	42.40	0.75	43.71
3/5/2015	MW-13	8.26	9.47	2	NM	1.21	0.50	156.99
3/19/2015	MW-13	8.99	13.22	2	112	4.23	1.25	158.24
3/30/2015	MW-13	7.48	8.57	2	42.6	1.09	0.25	158.49

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
3/5/2015	MW-14	ND	9.95	2	NM	0	0	0
3/19/2015	MW-14	ND	9.09	2	0.2	0	0	0
3/30/2015	MW-14	ND	9.06	2	1.6	0	0	0
3/5/2015	MW-15	ND	9.80	2	NM	0	0	0
3/19/2015	MW-15	ND	9.00	2	0.3	0	0	0
3/30/2015	MW-15	ND	9.00	2	0.7	0	0	0
3/5/2015	MW-16 ¹	NG	NG	4	NM	NA	0	0
3/19/2015	MW-16 ¹	NG	NG	4	NM	NA	0	0
3/30/2015	MW-16 ¹	NG	NG	4	NM	NA	0	0
3/5/2015	MW-17 ⁴	7.08	7.12	4	NM	0.04	0.01	43.76
3/19/2015	MW-17 ⁴	6.70	6.72	4	61.6	0.02	0.01	43.77
3/30/2015	MW-17 ⁴	6.46	6.48	4	78.2	0.02	0.01	43.78
3/5/2015	MW-18	ND	6.59	4	NM	0	0	0
3/19/2015	MW-18	ND	6.56	4	0.0	0	0	0
3/30/2015	MW-18	ND	6.51	4	0.0	0	0	0
3/5/2015	MW-19	2.36	2.37	2	NM	0.01	0.01	0.19
3/19/2015	MW-19	2.02	2.02	2	78.2	0	0.01	0.20
3/30/2015	MW-19	ND	1.60	2	94.3	0	0.00	0.20
3/5/2015	MW-20	ND	9.91	2	NM	0	0	0
3/19/2015	MW-20	ND	9.51	2	0.0	0	0	0
3/30/2015	MW-20	ND	9.59	2	0.0	0	0	0
3/5/2015	MW-21	ND	4.45	4	NM	0	0	0
3/19/2015	MW-21	ND	5.84	4	0.0	0	0	0
3/30/2015	MW-21	ND	5.76	4	0.0	0	0	0
3/5/2015	MW-22	ND	9.79	2	NM	0	0	0
3/19/2015	MW-22	ND	9.44	2	0.0	0	0	0
3/30/2015	MW-22	ND	9.52	2	0.0	0	0	0
3/5/2015	MW-23 ¹	NG	NG	4	NM	NA	0	368.00
3/19/2015	MW-23 ¹	NG	NG	4	NM	NA	0	368.00
3/30/2015	MW-23	5.89	7.90	4	168	2	4	372.00
3/5/2015	MW-24	ND	6.98	2	NM	0	0	0
3/19/2015	MW-24	ND	6.42	2	4.2	0	0	0
3/30/2015	MW-24	ND	6.10	2	0.0	0	0	0
3/5/2015	MW-25	ND	7.60	2	NM	0	0	0
3/19/2015	MW-25	ND	6.39	2	7.4	0	0	0
3/30/2015	MW-25	ND	6.71	2	2.1	0	0	0
3/5/2015	MW-27	ND	7.74	2	NM	0	0	0
3/19/2015	MW-27	ND	7.20	2	6.1	0	0	0
3/30/2015	MW-27	ND	7.13	2	0.6	0	0	0

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
3/5/2015	MW-28	ND	7.39	2	NM	0	0	0
3/19/2015	MW-28	ND	6.64	2	0.2	0	0	0
3/30/2015	MW-28	ND	6.59	2	3.5	0	0	0
3/5/2015	MW-30 ²	NG	NG	4	NM	NA	NA	0
3/19/2015	MW-30 ²	NG	NG	4	NM	NA	NA	0
3/30/2015	MW-30 ²	NG	NG	4	NM	NA	NA	0
3/5/2015	MW-31 ²	NG	NG	4	NM	NA	NA	43.20
3/19/2015	MW-31 ²	NG	NG	4	NM	NA	NA	43.20
3/30/2015	MW-31 ²	NG	NG	4	NM	NA	NA	43.20
3/5/2015	MW-32	ND	6.79	4	NM	0	0	0
3/19/2015	MW-32	ND	5.98	4	1.3	0	0	0
3/30/2015	MW-32	ND	5.91	4	1.6	0	0	0
3/5/2015	MW-33	8.04	8.16	4	NM	0.12	0.10	2.40
3/19/2015	MW-33	7.46	7.49	4	58.6	0.03	0.10	2.50
3/30/2015	MW-33	7.14	7.16	4	64.6	0.02	0.10	2.60
3/5/2015	MW-34	ND	7.56	4	NM	0	0	0
3/19/2015	MW-34	ND	6.86	4	129	0	0	0
3/30/2015	MW-34	ND	6.53	4	69.3	0	0	0
3/5/2015	MW-35 ¹	NG	NG	4	NM	NA	NA	0.10
3/19/2015	MW-35 ¹	NG	NG	4	NM	NA	NA	0.10
3/30/2015	MW-35 ¹	NG	NG	4	NM	NA	NA	0.10
3/5/2015	MW-36 ²	NG	NG	NA	NM	NA	NA	0
3/19/2015	MW-36 ²	NG	NG	NA	NM	NA	NA	0
3/30/2015	MW-36 ²	NG	NG	NA	NM	NA	NA	0
3/5/2015	MW-37	ND	2.23	2	NM	0	0	0
3/19/2015	MW-37	ND	1.14	2	45.8	0	0	0
3/30/2015	MW-37	ND	1.85	2	30.6	0	0	0
3/5/2015	MW-38	ND	2.90	2	NM	0	0	0
3/19/2015	MW-38	ND	1.71	2	23.4	0	0	0
3/30/2015	MW-38	ND	1.52	2	55.1	0	0	0
Notes:							Total:	2141.25

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Not detected

NM - Not measured

NR - Not recorded

NA - Not applicable

1- Could not access well due to ongoing underground storage tank removal activities

2 - Monitoring well destroyed during underground storage tank removal activities

3 - Could not access well due to an accumulation of snow and ice

4 - Monitoring well MW-17 was observed to be damaged

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/15/2015	MW-1R ¹	NG	NG	4	NM	NA	NA	0
5/1/2015	MW-1R	ND	6.38	4	1.2	0	0	0
4/15/2015	MW-2R	ND	7.34	4	0.2	0	0	0.66
5/1/2015	MW-2R	ND	7.22	4	2.8	0	0	0.66
4/15/2015	MW-3	6.77	7.18	2	28.1	0.41	0.25	21.64
5/1/2015	MW-3	6.79	7.03	2	35.7	0.14	0.01	21.65
4/15/2015	MW-4	ND	9.74	2	2.3	0	0	0
5/1/2015	MW-4	ND	9.70	2	0.0	0	0	0
4/15/2015	MW-5	ND	6.08	2	0.0	0	0	0
5/1/2015	MW-5	ND	6.12	2	0.0	0	0	0
4/15/2015	MW-6	10.11	14.03	1	23.4	3.92	0.10	54.06
5/1/2015	MW-6	10.07	13.51	1	53.8	3.44	0.50	54.56
4/15/2015	MW-6R	9.89	12.02	2	9.3	2.13	1.00	22.60
5/1/2015	MW-6R	9.89	12.08	2	83.4	2.19	0.75	23.35
4/15/2015	MW-7	2.14	2.87	1	9.2	0.73	0.01	20.58
5/1/2015	MW-7	2.28	2.36	1	75.7	0.08	0.01	20.59
4/15/2015	MW-7R	ND	1.38	2	31.3	0	0	0.14
5/1/2015	MW-7R	ND	1.21	2	46.0	0	0	0.14
4/15/2015	MW-8 ¹	NG	NG	2	NM	NA	NA	1298.50
5/1/2015	MW-8 ¹	NG	NG	2	NM	NA	NA	1298.50
4/15/2015	MW-9 ²	NG	NG	NA	NM	NM	NA	60.35
5/1/2015	MW-9 ²	NG	NG	NA	NM	NM	NA	60.35
4/15/2015	MW-10	ND	8.11	2	1.2	0	0	0
5/1/2015	MW-10 ¹	NG	NG	2	NM	NA	NA	0
4/15/2015	MW-11	ND	6.97	2	11.8	NA	0	0
5/1/2015	MW-11 ¹	NG	NG	2	NM	NA	NA	0
4/15/2015	MW-12	7.99	10.39	2	19.5	2.40	NG	43.71
5/1/2015	MW-12	7.33	10.88	2	34.90	3.55	NM	43.71
4/15/2015	MW-13	8.08	8.81	2	25.5	0.73	1.50	159.99
5/1/2015	MW-13	7.99	8.66	2	68.9	0.67	0.50	160.49
4/15/2015	MW-14	ND	9.57	2	1.1	0	0	0
5/1/2015	MW-14	ND	9.45	2	0.3	0	0	0
4/15/2015	MW-15	ND	9.47	2	9.9	0	0	0
5/1/2015	MW-15	ND	9.36	2	0.7	0	0	0
4/15/2015	MW-16	ND	5.79	4	1.3	0	0	0
5/1/2015	MW-16 ¹	NG	NG	4	NM	NA	NA	0
4/15/2015	MW-17 ³	6.94	6.95	4	53.1	0.01	0.01	43.79
5/1/2015	MW-17 ³	6.79	6.81	4	55.3	0.02	0.01	43.80
4/15/2015	MW-18	ND	6.74	4	6.1	0	0	0
5/1/2015	MW-18	ND	6.75	4	0.0	0	0	0
4/15/2015	MW-19	1.67	1.72	2	75.2	0	0.01	0.21
5/1/2015	MW-19	2.01	2.02	2	77.2	0	0.01	0.22
4/15/2015	MW-20	ND	9.83	2	2.3	0	0	0
5/1/2015	MW-20	ND	9.83	2	1.2	0	0	0
4/15/2015	MW-21	ND	6.12	4	0.1	0	0	0
3/30/2015	MW-21	ND	6.26	4	0.0	0	0	0
4/15/2015	MW-22	ND	9.76	2	1.2	0	0	0
5/1/2015	MW-22	ND	9.75	2	0.0	0	0	0

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
4/15/2015	MW-23	6.55	8.71	4	79.4	2.16	2.50	374.50
5/1/2015	MW-23	6.39	8.80	4	159	2	5	379.50
4/15/2015	MW-24	ND	6.50	2	1.9	0	0	0
5/1/2015	MW-24	ND	6.39	2	3.0	0	0	0
4/15/2015	MW-25	ND	7.17	2	1.5	0	0	0
5/1/2015	MW-25 ¹	NG	NG	2	NM	NA	NA	0
4/15/2015	MW-27	ND	7.49	2	11.8	0	0	0
5/1/2015	MW-27	ND	7.42	2	3.1	0	0	0
4/15/2015	MW-28	ND	6.99	2	1.2	0	0	0
5/1/2015	MW-28	ND	6.86	2	3.7	0	0	0
4/15/2015	MW-30 ²	NG	NG	4	NM	NA	NA	0
5/1/2015	MW-30 ²	NG	NG	4	NM	NA	NA	0
4/15/2015	MW-31 ²	NG	NG	4	NM	NA	NA	43.20
5/1/2015	MW-31 ²	NG	NG	4	NM	NA	NA	43.20
4/15/2015	MW-32	NG	NG	4	NM	NA	NA	0
5/1/2015	MW-32	NG	NG	4	NM	NA	NA	0
4/15/2015	MW-33	7.54	7.63	4	93.7	0.09	0.01	2.61
5/1/2015	MW-33	7.47	7.49	4	52.4	0.02	0.01	2.62
4/15/2015	MW-34	ND	7.08	4	33.3	0	0	0
5/1/2015	MW-34	6.94	6.98	4	89.1	0	0.01	0.01
4/15/2015	MW-35	7.73	7.85	4	50.0	0.12	0.01	0.11
5/1/2015	MW-35	7.63	7.72	4	62.8	0.09	0.10	0.21
4/15/2015	MW-36 ²	NG	NG	NA	NM	NA	NA	0
5/1/2015	MW-36 ²	NG	NG	NA	NM	NA	NA	0
4/15/2015	MW-37	ND	1.43	2	20.8	0	0	0
5/1/2015	MW-37	ND	1.28	2	25.2	0	0	0
4/15/2015	MW-38	ND	2.13	2	3.2	0	0	0
5/1/2015	MW-38	ND	1.90	2	18.6	0	0	0
							Total:	2153.56

Notes:

- PID - Photo ionization detector (well headspace reading)
- ft - Feet
- ppm - Parts per million
- g - Gallons
- ND - Not detected
- NG - Not gauged
- NM - Not measured
- NA - Not applicable
- 1 - Could not access well due to ongoing Resource Conservation and Recovery Act closure activities
- 2 - Monitoring well destroyed during underground storage tank removal activities
- 3 - Monitoring well MW-17 was observed to be damaged

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
5/15/2015	MW-1R ¹	NG	NG	4	NM	NA	NA	0
5/28/2015	MW-1R	ND	7.01	4	0.8	0	0	0
5/15/2015	MW-2R	ND	7.60	4	1.8	0	0	0.66
5/28/2015	MW-2R	ND	7.80	4	0.3	0	0	0.66
5/15/2015	MW-3	6.94	7.40	2	28.4	0.46	0.25	21.90
5/28/2015	MW-3	7.03	7.22	2	33.9	0.19	0.10	22.00
5/15/2015	MW-4	ND	9.86	2	1.1	0	0	0
5/28/2015	MW-4	ND	9.94	2	0.2	0	0	0
5/15/2015	MW-5	ND	6.23	2	0.2	0	0	0
5/28/2015	MW-5	ND	6.31	2	0.0	0	0	0
5/15/2015	MW-6	10.29	13.62	1	32.4	3.33	0.50	55.06
5/28/2015	MW-6	10.47	13.72	1	42.1	3.25	0.50	55.56
5/15/2015	MW-6R	10.13	12.27	2	33.8	2.14	0.50	23.85
5/28/2015	MW-6R	10.32	12.28	2	68.7	1.96	0.75	24.60
5/15/2015	MW-7	2.66	3.06	1	110	0.40	0.25	20.84
5/28/2015	MW-7	2.69	3.04	1	78.4	0.35	0.25	21.09
5/15/2015	MW-7R	ND	1.98	2	81.2	0	0	0.14
5/28/2015	MW-7R	ND	2.27	2	47.6	0	0	0.14
5/15/2015	MW-8 ¹	NG	NG	2	NM	NA	NA	1298.50
5/28/2015	MW-8	6.68	10.22	2	33.5	3.54	3.5	1302.00
5/15/2015	MW-9 ²	NG	NG	NA	NM	NM	NA	60.35
5/28/2015	MW-9 ²	NG	NG	NA	NM	NM	NA	60.35
5/15/2015	MW-10 ¹	NG	NG	2	NM	NA	NA	0
5/28/2015	MW-10 ¹	NG	NG	2	NM	NA	NA	0
5/15/2015	MW-11 ¹	NG	NG	2	NM	NA	NA	0
5/28/2015	MW-11 ¹	NG	NG	2	NM	NA	NA	0
5/15/2015	MW-12	7.49	11.39	2	44.9	3.90	0.00	43.71
5/28/2015	MW-12	7.60	11.81	2	38.10	4.21	0.00	43.71
5/15/2015	MW-13	8.46	8.92	2	44.7	0.46	0.50	160.99
5/28/2015	MW-13	8.36	9.02	2	53.7	0.66	0.25	161.24
5/15/2015	MW-14	ND	9.80	2	0.8	0	0	0
5/28/2015	MW-14	ND	9.91	2	0.8	0	0	0
5/15/2015	MW-15	ND	9.67	2	0.2	0	0	0
5/28/2015	MW-15	ND	9.76	2	0.2	0	0	0
5/15/2015	MW-16 ¹	NG	NG	4	NM	NA	NA	0
5/28/2015	MW-16 ¹	NG	NG	4	NM	NA	NA	0
5/15/2015	MW-17 ³	7.12	7.14	4	42.9	0.02	0.01	43.81
5/28/2015	MW-17 ³	7.25	7.27	4	27.6	0.02	0.01	43.82
5/15/2015	MW-18	ND	6.87	4	0.0	0	0	0
5/28/2015	MW-18	ND	6.92	4	0.0	0	0	0
5/15/2015	MW-19	2.31	2.33	2	42.1	0	0.01	0.23
5/28/2015	MW-19	2.40	2.43	2	64.3	0	0.01	0.24
5/15/2015	MW-20	ND	10.01	2	0.5	0	0	0
5/28/2015	MW-20	ND	10.08	2	1.5	0	0	0
5/15/2015	MW-21	ND	6.55	4	0.0	0	0	0
5/28/2015	MW-21	ND	6.52	4	0.0	0	0	0
5/15/2015	MW-22	ND	9.91	2	2.0	0	0	0
5/28/2015	MW-22	ND	9.99	2	4.8	0	0	0

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
5/15/2015	MW-23	6.99	10.72	4	96.5	3.73	8.00	387.50
5/28/2015	MW-23	6.96	10.74	4	92.6	3.78	8.5	396.00
5/15/2015	MW-24	ND	6.75	2	0.3	0	0	0
5/28/2015	MW-24	ND	7.00	2	0.7	0	0	0
5/15/2015	MW-25	ND	7.37	2	0.4	0	0	0
5/28/2015	MW-25	ND	7.53	2	0.2	0	0	0
5/15/2015	MW-27	ND	7.70	2	3.6	0	0	0
5/28/2015	MW-27	ND	7.81	2	4.4	0	0	0
5/15/2015	MW-28	ND	7.19	2	2.6	0	0	0
5/28/2015	MW-28	ND	7.32	2	6.3	0	0	0
5/15/2015	MW-30 ²	NG	NG	4	NM	NA	NA	0
5/28/2015	MW-30 ²	NG	NG	4	NM	NA	NA	0
5/15/2015	MW-31 ²	NG	NG	4	NM	NA	NA	43.20
5/28/2015	MW-31 ²	NG	NG	4	NM	NA	NA	43.20
5/15/2015	MW-32 ¹	NG	NG	4	NM	NA	NA	0
5/28/2015	MW-32 ¹	NG	NG	4	NM	NA	NA	0
5/15/2015	MW-33	7.83	7.86	4	25.5	0.03	0.01	2.63
5/28/2015	MW-33	7.95	8.01	4	70.4	0.06	0.01	2.64
5/15/2015	MW-34	7.42	7.44	4	77.5	0	0.01	0.02
5/28/2015	MW-34	7.50	7.52	4	57.2	0	0.01	0.03
5/15/2015	MW-35	7.89	7.92	4	53.8	0.03	0.01	0.22
5/28/2015	MW-35	8.04	8.11	4	41.1	0.07	0.01	0.23
5/15/2015	MW-36 ²	NG	NG	NA	NM	NA	NA	0
5/28/2015	MW-36 ²	NG	NG	NA	NM	NA	NA	0
5/15/2015	MW-37	ND	1.61	2	33.1	0	0	0
5/28/2015	MW-37	ND	1.92	2	46.6	0	0	0
5/15/2015	MW-38	ND	2.48	2	32.4	0	0	0
5/28/2015	MW-38	ND	2.79	2	72.8	0	0	0
							Total:	2177.51

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Not detected

NG - Not gauged

NM - Not measured

NA - Not applicable

1 - Could not access well due to ongoing Resource Conservation and Recovery Act closure activities

2 - Monitoring well destroyed during underground storage tank removal activities

3 - Monitoring well MW-17 was observed to be damaged

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
5/28/2015	MW-1R	ND	7.01	4	0.8	0	0	0
6/11/2015	MW-1R	ND	6.58	4	6.3	0	0	0
6/26/2015	MW-1R	ND	6.54	4	0.8	0	0	0
5/28/2015	MW-2R	ND	7.80	4	0.3	0	0	0.66
6/11/2015	MW-2R	ND	7.36	4	3.1	0	0	0.66
6/26/2015	MW-2R	ND	7.17	4	5.4	0	0	0.66
5/28/2015	MW-3	7.03	7.22	2	33.9	0.19	0.10	22.10
6/11/2015	MW-3	6.76	6.91	2	43.3	0.15	0.10	22.20
6/26/2015	MW-3	6.69	6.74	2	38.0	0.05	0.10	22.30
5/28/2015	MW-4	ND	9.94	2	0.2	0	0	0
6/11/2015	MW-4	ND	9.35	2	0.0	0	0	0
6/26/2015	MW-4	ND	9.63	2	0.0	0	0	0
5/28/2015	MW-5	ND	6.31	2	0.0	0	0	0
6/11/2015	MW-5	ND	5.94	2	0.0	0	0	0
6/26/2015	MW-5	ND	5.96	2	0.0	0	0	0
5/28/2015	MW-6	10.47	13.72	1	42.1	3.25	0.50	56.06
6/11/2015	MW-6	10.18	13.63	1	28.2	3.45	0.50	56.56
6/26/2015	MW-6	10.12	13.47	1	20.1	3.35	0.50	57.06
5/28/2015	MW-6R	10.32	12.28	2	68.7	1.96	0.75	25.35
6/11/2015	MW-6R	10.00	12.03	2	39.9	2.03	0.50	25.85
6/26/2015	MW-6R	9.93	12.08	2	57.4	2.15	0.50	26.35
5/28/2015	MW-7	2.69	3.04	1	78.4	0.35	0.25	21.34
6/11/2015	MW-7	2.08	2.17	1	178	0.09	0.10	21.44
6/26/2015	MW-7	1.97	2.36	1	118	0.39	0.10	21.54
5/28/2015	MW-7R	ND	2.27	2	47.6	0	0	0.14
6/11/2015	MW-7R	ND	1.22	2	84.1	0	0	0.14
6/26/2015	MW-7R	ND	1.08	2	86.6	0	0	0.14
5/28/2015	MW-8	6.68	10.22	2	33.5	3.54	3.5	1305.5
6/11/2015	MW-8	6.21	9.70	2	55.7	3.49	2	1307.5
6/26/2015	MW-8	6.11	9.33	2	139	3.22	1.5	1309
5/28/2015	MW-9 ¹	NG	NG	NA	NM	NA	NA	60.35
6/11/2015	MW-9 ¹	NG	NG	NA	NM	NA	NA	60.35
6/26/2015	MW-9 ¹	NG	NG	NA	NM	NA	NA	60.35
5/28/2015	MW-10 ²	NG	NG	2	NM	NA	NA	0
6/11/2015	MW-10 ²	NG	NG	2	NM	NA	NA	0
6/26/2015	MW-10	ND	7.64	2	0.0	0	0	0
5/28/2015	MW-11 ²	NG	NG	2	NM	NA	NA	0
6/11/2015	MW-11 ²	NG	NG	2	NM	NA	NA	0
6/26/2015	MW-11	ND	6.57	2	0.0	0	0	0
5/28/2015	MW-12	7.60	11.81	2	38.1	4.21	0.00	43.71
6/11/2015	MW-12	7.11	12.13	2	50.1	5.02	0.00	43.71
6/26/2015	MW-12	6.94	11.81	2	85.3	4.87	0.00	43.71
5/28/2015	MW-13	8.36	9.02	2	53.7	0.66	0.25	161.49
6/11/2015	MW-13	7.96	8.48	2	82.6	0.52	0.10	161.50
6/26/2015	MW-13	7.82	8.43	2	112	0.61	0.10	161.60
5/28/2015	MW-14	ND	9.91	2	0.8	0	0	0
6/11/2015	MW-14	ND	9.41	2	2.0	0	0	0
6/26/2015	MW-14	ND	9.40	2	2.7	0	0	0

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
5/28/2015	MW-15	ND	9.76	2	0.2	0	0	0
6/11/2015	MW-15	ND	9.29	2	0.6	0	0	0
6/26/2015	MW-15	ND	9.26	2	2.6	0	0	0
5/28/2015	MW-16 ²	NG	NG	4	NM	NA	NA	0
6/11/2015	MW-16 ²	NG	NG	4	NM	NA	NA	0
6/26/2015	MW-16	ND	6.04	4	3.8	0	0	0
5/28/2015	MW-17 ³	7.25	7.27	4	27.6	0.02	0.01	43.83
6/11/2015	MW-17 ³	7.08	7.08	4	7.3	Sheen	0.01	43.84
6/26/2015	MW-17 ³	6.90	6.92	4	17.7	0.02	0.01	43.85
5/28/2015	MW-18	ND	6.92	4	0.0	0	0	0
6/11/2015	MW-18	ND	6.69	4	0.0	0	0	0
6/26/2015	MW-18	ND	6.68	4	0.0	0	0	0
5/28/2015	MW-19	2.40	2.43	2	64.3	0.03	0.01	0.25
6/11/2015	MW-19	1.86	1.86	2	52.4	Sheen	0.01	0.26
6/26/2015	MW-19	ND	1.62	2	25.6	0	0.00	0.26
5/28/2015	MW-20	ND	10.08	2	1.5	0	0	0
6/11/2015	MW-20	ND	9.78	2	0.0	0	0	0
6/26/2015	MW-20	ND	9.71	2	0.0	0	0	0
5/28/2015	MW-21	ND	6.52	4	0.0	0	0	0
6/11/2015	MW-21	ND	5.90	4	0.0	0	0	0
6/26/2015	MW-21	ND	5.83	4	0.0	0	0	0
5/28/2015	MW-22	ND	9.99	2	4.8	0	0	0
6/11/2015	MW-22	ND	9.68	2	0.9	0	0	0
6/26/2015	MW-22	ND	9.68	2	0.0	0	0	0
5/28/2015	MW-23	6.96	10.74	4	92.6	3.78	8.50	404.50
6/11/2015	MW-23	6.49	8.62	4	103	2.13	6.00	410.50
6/26/2015	MW-23	6.45	8.51	4	162	2.06	5.0	415.50
5/28/2015	MW-24	ND	7.00	2	0.7	0	0	0
6/11/2015	MW-24	ND	6.33	2	0.0	0	0	0
6/26/2015	MW-24	ND	6.22	2	0.2	0	0	0
5/28/2015	MW-25	ND	7.53	2	0.2	0	0	0
6/11/2015	MW-25	ND	7.06	2	0.0	0	0	0
6/26/2015	MW-25	ND	6.93	2	0.6	0	0	0
5/28/2015	MW-27	ND	7.81	2	4.4	0	0	0
6/11/2015	MW-27	ND	7.39	2	1.2	0	0	0
6/26/2015	MW-27	ND	7.29	2	0.8	0	0	0
5/28/2015	MW-28	ND	7.32	2	6.3	0	0	0
6/11/2015	MW-28	ND	6.83	2	3.7	0	0	0
6/26/2015	MW-28	ND	6.65	2	0.7	0	0	0
5/28/2015	MW-30 ¹	NG	NG	4	NM	NA	NA	0
6/11/2015	MW-30 ¹	NG	NG	4	NM	NA	NA	0
6/26/2015	MW-30 ¹	NG	NG	4	NM	NA	NA	0
5/28/2015	MW-31 ¹	NG	NG	4	NM	NA	NA	43.20
6/11/2015	MW-31 ¹	NG	NG	4	NM	NA	NA	43.20
6/26/2015	MW-31 ¹	NG	NG	4	NM	NA	NA	43.20
5/28/2015	MW-32 ²	NG	NG	4	NM	NA	NA	0
6/11/2015	MW-32 ²	NG	NG	4	NM	NA	NA	0
6/26/2015	MW-32	ND	6.31	4	0.6	0.00	0	0

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
5/28/2015	MW-33	7.95	8.01	4	70.4	0.06	0.01	2.65
6/11/2015	MW-33	7.46	7.49	4	17.8	0.03	0.01	2.66
6/26/2015	MW-33	7.29	7.31	4	47.6	0.02	0.01	2.67
5/28/2015	MW-34	7.50	7.52	4	57.2	0	0.01	0.04
6/11/2015	MW-34	7.09	7.11	4	58.9	0	0.01	0.05
6/26/2015	MW-34	6.92	6.93	4	66.8	0	0.01	0.06
5/28/2015	MW-35	8.04	8.11	4	41.1	0.07	0.01	0.24
6/11/2015	MW-35	7.66	7.68	4	55.1	0.02	0.01	0.25
6/26/2015	MW-35	7.34	7.34	4	78.9	Sheen	0.01	0.26
5/28/2015	MW-36 ¹	NG	NG	NA	NM	NA	NA	0
6/11/2015	MW-36 ¹	NG	NG	NA	NM	NA	NA	0
6/26/2015	MW-36 ¹	NG	NG	NA	NM	NA	NA	0
5/28/2015	MW-37	ND	1.92	2	46.6	0	0	0
6/11/2015	MW-37	ND	1.25	2	74.3	0	0	0
6/26/2015	MW-37	ND	1.13	2	14.9	0	0	0
5/28/2015	MW-38	ND	2.79	2	46.6	0	0	0
6/11/2015	MW-38	ND	1.89	2	92.5	0	0	0
6/26/2015	MW-38	ND	1.80	2	24.6	0	0	0
							Total:	2208.51

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Not detected

NG - Not gauged

NM - Not measured

NA - Not applicable

1 - Monitoring well destroyed during underground storage tank removal activities

2- Could not access well due to ongoing Resource Conservation and Recovery Act closure activities

3 - Monitoring well MW-17 was observed to be damaged

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
7/10/2015	MW-1R	ND	6.37	4	0.1	0	0	0
7/24/2015	MW-1R ²	NG	NG	4	NM	NA	NA	0
7/10/2015	MW-2R	ND	7.13	4	25.7	0.00	0	0.66
7/24/2015	MW-2R	ND	7.42	4	15.6	0.00	0	0.66
7/10/2015	MW-3	6.74	6.86	2	28.4	0.12	0.10	22.40
7/24/2015	MW-3	6.83	7.14	2	31.7	0.31	0.25	22.65
7/10/2015	MW-4	ND	9.65	2	0.0	0.00	0	0
7/24/2015	MW-4	ND	9.82	2	0.0	0.00	0	0
7/10/2015	MW-5	ND	6.11	2	0.0	0.00	0	0
7/24/2015	MW-5	ND	6.31	2	0.0	0.00	0	0
7/10/2015	MW-6 ²	NG	NG	1	NM	NA	NA	57.06
7/24/2015	MW-6 ²	NG	NG	1	NM	NA	NA	57.06
7/10/2015	MW-6R	9.79	12.11	2	127	2.32	0.50	26.85
7/24/2015	MW-6R	9.90	12.17	2	42.6	2.27	0.50	27.35
7/10/2015	MW-7	2.06	2.73	1	56.1	0.67	0.10	21.64
7/24/2015	MW-7	2.49	3.02	1	112	0.53	0.10	21.74
7/10/2015	MW-7R	ND	1.06	2	68.9	0.00	0	0.14
7/24/2015	MW-7R	ND	1.55	2	55.4	0.00	0	0.14
7/10/2015	MW-8	6.02	9.64	2	70.1	3.62	1.75	1310.75
7/24/2015	MW-8	6.38	9.84	2	137	3.46	1.5	1312.25
7/10/2015	MW-9 ¹	NG	NG	NA	NM	NA	NA	60.35
7/24/2015	MW-9 ¹	NG	NG	NA	NM	NA	NA	60.35
7/10/2015	MW-10 ²	NG	NG	2	NM	NA	NA	0
7/24/2015	MW-10	ND	7.87	2	0.0	0.00	0	0
7/10/2015	MW-11 ²	NG	NG	2	NM	NA	NA	0
7/24/2015	MW-11	ND	6.79	2	0.0	0.00	0	0
7/10/2015	MW-12	6.82	11.71	2	86.9	4.89	0.00	43.71
7/24/2015	MW-12	7.13	12.22	2	63.7	5.09	0.00	43.71
7/10/2015	MW-13	7.74	8.32	2	148	0.58	0.25	161.85
7/24/2015	MW-13	8.04	8.83	2	86.1	0.79	0.25	162.10
7/10/2015	MW-14	ND	9.36	2	1.2	0.00	0	0
7/24/2015	MW-14	ND	9.63	2	0.2	0.00	0	0

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
7/10/2015	MW-15	ND	9.21	2	1.2	0.00	0	0
7/24/2015	MW-15	ND	9.51	2	0.5	0.00	0	0
7/10/2015	MW-16	ND	6.17	4	0.3	0.00	0	0
7/24/2015	MW-16	ND	6.48	4	3.6	0.00	0	0
7/10/2015	MW-17 ³	6.68	6.70	4	52	0.02	0.01	43.86
7/24/2015	MW-17 ³	6.94	6.95	4	40.1	0.01	0.01	43.87
7/10/2015	MW-18	ND	6.69	4	0.0	0.00	0	0
7/24/2015	MW-18	ND	6.84	4	0.0	0.00	0	0
7/10/2015	MW-19	1.72	1.72	2	47.4	0.00	0.01	0.27
7/24/2015	MW-19	2.14	2.16	2	25.5	0.02	0.01	0.28
7/10/2015	MW-20	ND	9.73	2	1.9	0.00	0	0
7/24/2015	MW-20	ND	9.90	2	4.6	0.00	0	0
7/10/2015	MW-21	ND	5.91	4	0.0	0.00	0	0
7/24/2015	MW-21	ND	6.23	4	0.0	0.00	0	0
7/10/2015	MW-22	ND	9.69	2	0.0	0.00	0	0
7/24/2015	MW-22	ND	9.85	2	0.0	0.00	0	0
7/10/2015	MW-23	6.35	8.52	4	136	2.17	4.00	419.50
7/24/2015	MW-23	6.66	9.11	4	148	2.45	4.5	424.00
7/10/2015	MW-24	ND	6.38	2	2.2	0.00	0	0
7/24/2015	MW-24	ND	6.63	2	0.1	0.00	0	0
7/10/2015	MW-25	ND	7.05	2	8.8	0.00	0	0
7/24/2015	MW-25	ND	7.24	2	0.0	0.00	0	0
7/10/2015	MW-27	ND	7.41	2	0.7	0.00	0	0
7/24/2015	MW-27	ND	7.52	2	0.0	0.00	0	0
7/10/2015	MW-28	ND	6.81	2	3.2	0.00	0	0
7/24/2015	MW-28	ND	6.81	2	2.6	0.00	0	0
7/10/2015	MW-30 ¹	NG	NG	4	NM	NA	NA	0
7/24/2015	MW-30 ¹	NG	NG	4	NM	NA	NA	0
7/10/2015	MW-31 ¹	NG	NG	4	NM	NA	NA	43.20
7/24/2015	MW-31 ¹	NG	NG	4	NM	NA	NA	43.20
7/10/2015	MW-32	ND	5.98	4	0.00	0.00	0	0
7/24/2015	MW-32	ND	6.44	4	5.3	0.00	0	0

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
7/10/2015	MW-33	7.24	7.26	4	18.4	0.02	0.01	2.68
7/24/2015	MW-33	7.54	7.56	4	54.0	0.02	0.01	2.69
7/10/2015	MW-34	6.86	6.86	4	70.9	0.00	0.01	0.07
7/24/2015	MW-34	7.19	7.20	4	95.3	0.00	0.01	0.08
7/10/2015	MW-35	7.48	7.51	4	51.5	0.03	0.01	0.27
7/24/2015	MW-35	7.71	7.73	4	38.9	0.02	0.01	0.28
7/10/2015	MW-36 ¹	NG	NG	NA	NM	NA	NA	0
7/24/2015	MW-36 ¹	NG	NG	NA	NM	NA	NA	0
7/10/2015	MW-37	ND	1.28	2	19.7	0.00	0	0
7/24/2015	MW-37	ND	1.59	2	25.7	0.00	0	0
7/10/2015	MW-38	ND	1.85	2	17.2	0.00	0	0
7/24/2015	MW-38	ND	2.24	2	7.4	0.00	0	0
							Total:	2222.41

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Not detected

NG - Not gauged

NM - Not measured

NA - Not applicable

1 - Monitoring well destroyed during underground storage tank removal activities

2 - Could not access well due to ongoing Resource Conservation and Recovery Act closure activities

3 - Monitoring well MW-17 was observed to be damaged

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
8/6/2015	MW-1R ²	NG	NG	4	NM	NA	NA	0
8/18/2015	MW-1R ²	NG	NG	4	NM	NA	NA	0
8/6/2015	MW-2R	ND	7.58	4	9.2	0.00	0	0.66
8/18/2015	MW-2R	ND	7.63	4	7.5	0.00	0	0.66
8/6/2015	MW-3	6.89	7.72	2	66.8	0.75	0.10	23.40
8/18/2015	MW-3	6.82	6.82	2	19.1	Trace	0.01	23.41
8/6/2015	MW-4	ND	9.88	2	0.2	0.00	0	0
8/18/2015	MW-4	ND	9.80	2	0.0	0.00	0	0
8/6/2015	MW-5	ND	6.35	2	0.0	0.00	0	0
8/18/2015	MW-5	ND	6.28	2	0.7	0.00	0	0
8/6/2015	MW-6 ²	NG	NG	1	NM	NA	NA	57.06
8/18/2015	MW-6 ²	NG	NG	1	NM	NA	NA	57.06
8/6/2015	MW-6R	9.98	12.17	2	83.8	2.19	0.50	27.85
8/18/2015	MW-6R	9.91	12.26	2	176	2.35	0.50	28.35
8/6/2015	MW-7	2.50	3.13	1	73.5	0.63	0.10	21.84
8/18/2015	MW-7	1.78	2.19	1	174	0.41	0.10	21.94
8/6/2015	MW-7R	ND	1.72	2	69.5	0.00	0	0.14
8/18/2015	MW-7R	ND	1.18	2	59.3	0.00	0	0.14
8/6/2015	MW-8	6.49	9.88	2	97.8	3.39	2.00	1314.25
8/18/2015	MW-8	6.54	6.60	2	63.8	0.06	0.1	1314.26
8/6/2015	MW-9 ¹	NG	NG	NA	NM	NA	NA	60.35
8/18/2015	MW-9 ¹	NG	NG	NA	NM	NA	NA	60.35
8/6/2015	MW-10 ²	NG	NG	2	NM	NA	NA	0
8/18/2015	MW-10 ²	NG	NG	2	NM	NA	NA	0
8/6/2015	MW-11 ²	NG	NG	2	NM	NA	NA	0
8/18/2015	MW-11 ²	NG	NG	2	NM	NA	NA	0
8/6/2015	MW-12	7.26	12.01	2	142	4.75	0.00	43.71
8/18/2015	MW-12	7.22	12.18	2	67.9	4.96	0.00	43.71
8/6/2015	MW-13	8.12	8.81	2	112	0.69	0.25	162.35
8/18/2015	MW-13	7.74	7.82	2	76.5	0.08	0.10	162.45
8/6/2015	MW-14	ND	9.67	2	0.1	0.00	0	0
8/18/2015	MW-14	ND	9.56	2	1.0	0.00	0	0

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
8/6/2015	MW-15	ND	9.53	2	2.2	0.00	0	0
8/18/2015	MW-15	ND	9.41	2	1.8	0.00	0	0
8/6/2015	MW-16	ND	6.64	4	54.7	0.00	0	0
8/18/2015	MW-16	ND	6.84	4	90.9	0.00	0	0
8/6/2015	MW-17 ³	7.12	7.13	4	30.2	0.01	0.01	43.88
8/18/2015	MW-17 ³	7.04	7.05	4	26.5	0.01	0.01	43.89
8/6/2015	MW-18	ND	6.89	4	0.0	0.00	0	0
8/18/2015	MW-18	ND	6.77	4	0.0	0.00	0	0
8/6/2015	MW-19	2.26	2.28	2	56.0	0.02	0.01	0.29
8/18/2015	MW-19	ND	2.10	2	63.2	0.00	0.00	0.29
8/6/2015	MW-20	ND	9.96	2	1.2	0.00	0	0
8/18/2015	MW-20	ND	9.88	2	1.6	0.00	0	0
8/6/2015	MW-21	ND	6.03	4	0.1	0.00	0	0
8/18/2015	MW-21	ND	5.32	4	0.0	0.00	0	0
8/6/2015	MW-22	ND	9.91	2	0.3	0.00	0	0
8/18/2015	MW-22	ND	9.87	2	0.6	0.00	0	0
8/6/2015	MW-23	6.78	10.47	4	208	3.69	5.00	429.00
8/18/2015	MW-23	6.82	10.53	4	47.8	3.71	8.0	437.00
8/6/2015	MW-24	ND	6.91	2	4.4	0.00	0	0
8/18/2015	MW-24	ND	6.59	2	1.3	0.00	0	0
8/6/2015	MW-25	ND	7.34	2	2.3	0.00	0	0
8/18/2015	MW-25	ND	7.15	2	3.7	0.00	0	0
8/6/2015	MW-27	ND	7.55	2	3.0	0.00	0	0
8/18/2015	MW-27	ND	7.34	2	23.8	0.00	0	0
8/6/2015	MW-28	ND	6.79	2	0.3	0.00	0	0
8/18/2015	MW-28	ND	6.63	2	12.4	0.00	0	0
8/6/2015	MW-30 ¹	NG	NG	4	NM	NA	NA	0
8/18/2015	MW-30 ¹	NG	NG	4	NM	NA	NA	0
8/6/2015	MW-31 ¹	NG	NG	4	NM	NA	NA	43.20
8/18/2015	MW-31 ¹	NG	NG	4	NM	NA	NA	43.20
8/6/2015	MW-32	ND	6.50	4	7.7	0.00	0	0
8/18/2015	MW-32	ND	6.51	4	2.6	0.00	0	0

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
8/6/2015	MW-33	7.68	7.71	4	9.4	0.03	0.01	2.70
8/18/2015	MW-33	7.49	7.52	4	26.8	0.03	0.01	2.71
8/6/2015	MW-34	7.36	7.38	4	107	0.02	0.01	0.09
8/18/2015	MW-34	ND	7.36	4	57.1	0.00	0.00	0.09
8/6/2015	MW-35	7.80	7.82	4	46.6	0.02	0.01	0.29
8/18/2015	MW-35	ND	7.82	4	74.9	0.00	0.00	0.29
8/6/2015	MW-36 ¹	NG	NG	NA	NM	NA	NA	0
8/18/2015	MW-36 ¹	NG	NG	NA	NM	NA	NA	0
8/6/2015	MW-37	ND	1.81	2	13.8	0.00	0	0
8/18/2015	MW-37	ND	1.56	2	62.7	0.00	0	0
8/6/2015	MW-38	ND	2.47	2	13.1	0.00	0	0
8/18/2015	MW-38	ND	2.35	2	61.0	0.00	0	0
							Total:	2239.80

Notes:

PID - Photo ionization detector (well headspace reading)

ft - Feet

ppm - Parts per million

g - Gallons

ND - Not detected

NG - Not gauged

NM - Not measured

NA - Not applicable

1 - Monitoring well destroyed during underground storage tank removal activities

2- Could not access well

3 - Monitoring well MW-17 was observed to be damaged

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
9/4/2015	MW-1R ²	NG	NG	4	NM	NA	NA	0
9/18/2015	MW-1R ²	NG	NG	4	NM	NA	NA	0
9/30/2015	MW-1R ²	NG	NG	4	NM	NA	NA	0
9/4/2015	MW-2R	ND	7.71	4	2.7	0.00	0	0.66
9/18/2015	MW-2R	ND	7.79	4	9.4	0.00	0	0.66
9/30/2015	MW-2R	ND	7.88	4	6.6	0.00	0	0.66
9/4/2015	MW-3	7.06	7.47	2	45.6	0.75	0.25	23.66
9/18/2015	MW-3	7.09	7.32	2	33.4	0.23	0.10	23.76
9/30/2015	MW-3	7.02	7.51	2	35.2	0.49	0.25	24.01
9/4/2015	MW-4	ND	10.00	2	0.0	0.00	0	0
9/18/2015	MW-4	ND	10.11	2	0.0	0.00	0	0
9/30/2015	MW-4	ND	10.19	2	0.0	0.00	0	0
9/4/2015	MW-5	ND	6.59	2	0.0	0.00	0	0
9/18/2015	MW-5	ND	6.64	2	0.0	0.00	0	0
9/30/2015	MW-5	ND	6.75	2	0.0	0.00	0	0
9/4/2015	MW-6	10.18	13.41	1	36.2	3.23	0.25	57.31
9/18/2015	MW-6	10.19	13.71	1	54.1	3.52	0.20	57.51
9/30/2015	MW-6 ²	NG	NG	1	NM	NA	NA	57.51
9/4/2015	MW-6R	9.96	11.74	2	44.8	1.78	0.25	28.60
9/18/2015	MW-6R	10.06	11.97	2	42.7	1.91	0.50	29.10
9/30/2015	MW-6R	10.14	11.81	2	54.2	1.67	0.75	29.85
9/4/2015	MW-7	2.62	3.03	1	65.2	0.41	0.10	22.04
9/18/2015	MW-7	2.32	2.56	1	73.6	0.24	0.10	22.14
9/30/2015	MW-7	2.36	2.42	1	36.3	0.06	0.10	22.24
9/4/2015	MW-7R	ND	1.80	2	57.4	0.00	0	0.14
9/18/2015	MW-7R	ND	1.73	2	56.4	0.00	0	0.14
9/30/2015	MW-7R	ND	2.09	2	41.2	0.00	0	0.14
9/4/2015	MW-8	6.49	10.11	2	77.1	3.62	2.25	1316.51
9/18/2015	MW-8	6.60	10.37	2	59.6	3.77	2.50	1319.01
9/30/2015	MW-8	6.46	10.22	2	80.8	3.76	0.0	1319.01
9/4/2015	MW-9 ¹	NG	NG	NA	NM	NA	NA	60.35
9/18/2015	MW-9 ¹	NG	NG	NA	NM	NA	NA	60.35
9/30/2015	MW-9 ¹	NG	NG	NA	NM	NA	NA	60.35
9/4/2015	MW-10	ND	7.88	2	0.0	0	0	0
9/18/2015	MW-10	ND	8.11	2	0.0	0	0	0
9/30/2015	MW-10	ND	7.37	2	0.0	0.00	0	0
9/4/2015	MW-11	ND	6.99	2	0.0	0	0	0
9/18/2015	MW-11	ND	6.97	2	0.0	0	0	0
9/30/2015	MW-11	ND	6.51	2	0.0	0.00	0	0
9/4/2015	MW-12	7.19	12.83	2	63.7	5.64	0.00	43.71
9/18/2015	MW-12	7.28	12.46	2	66.7	5.18	0.00	43.71
9/30/2015	MW-12	7.11	13.12	2	66.8	6.01	0.00	43.71
9/4/2015	MW-13	8.05	9.22	2	42.9	1.17	0.25	162.70
9/18/2015	MW13	8.23	9.32	2	58.5	1.09	0.10	162.80
9/30/2015	MW-13	7.57	8.86	2	30.9	1.29	0.20	163.00
9/4/2015	MW-14	ND	9.83	2	0.0	0.00	0	0
9/18/2015	MW-14	ND	9.99	2	0.0	0.00	0	0
9/30/2015	MW-14	ND	10.21	2	1.4	0.00	0	0

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
9/4/2015	MW-15	ND	9.70	2	6.8	0.00	0	0
9/18/2015	MW-15	ND	9.87	2	0.2	0.00	0	0
9/30/2015	MW-15	ND	10.05	2	0.0	0.00	0	0
9/4/2015	MW-16	ND	6.70	4	23.3	0.00	0	0
9/18/2015	MW-16	ND	6.89	4	16.8	0.00	0	0
9/30/2015	MW-16	ND	6.42	4	14.2	0.00	0	0
9/4/2015	MW-17 ³	ND	7.28	4	8.0	0.00	0.00	43.89
9/18/2015	MW-17 ³	ND	7.32	4	3.0	0.00	0.00	43.89
9/30/2015	MW-17 ³	6.62	6.63	4	7.9	0.01	0.01	43.90
9/4/2015	MW-18	ND	6.97	4	0.0	0.00	0	0
9/18/2015	MW-18	ND	7.05	4	0.0	0.00	0	0
9/30/2015	MW-18	ND	7.07	4	0.0	0.00	0	0
9/4/2015	MW-19	2.31	2.32	2	38.4	0.01	0.01	0.30
9/18/2015	MW-19	2.28	2.28	2	18.4	0.00	0.01	0.31
9/30/2015	MW-19	2.39	2.40	2	10.2	0.01	0.01	0.32
9/4/2015	MW-20	ND	10.09	2	0.3	0.00	0	0
9/18/2015	MW-20	ND	10.20	2	0.0	0.00	0	0
9/30/2015	MW-20	ND	10.32	2	0.0	0.00	0	0
9/4/2015	MW-21	ND	6.42	4	0.0	0.00	0	0
9/18/2015	MW-21	ND	6.48	4	0.0	0.00	0	0
9/30/2015	MW-21	ND	5.76	4	0.0	0.00	0	0
9/4/2015	MW-22	ND	10.04	2	2.1	0.00	0	0
9/18/2015	MW-22	ND	10.14	4	0.0	0.00	0	0
9/30/2015	MW-22	ND	10.25	2	0.0	0.00	0	0
9/4/2015	MW-23	6.77	10.66	4	181	3.89	7.5	444.5
9/18/2015	MW-23	6.89	10.88	4	97.1	3.99	8.0	452.5
9/30/2015	MW-23	6.72	10.78	4	125	4.06	9.5	462.0
9/4/2015	MW-24	ND	6.95	2	0.0	0.00	0	0
9/18/2015	MW-24	ND	7.08	2	0.2	0.00	0	0
9/30/2015	MW-24	ND	7.28	2	0.0	0.00	0	0
9/4/2015	MW-25	ND	7.48	2	2.6	0.00	0	0
9/18/2015	MW-25	ND	7.59	2	0.4	0.00	0	0
9/30/2015	MW-25	ND	7.73	2	0.0	0.00	0	0
9/4/2015	MW-27	ND	7.74	2	0.0	0.00	0	0
9/18/2015	MW-27	ND	7.88	2	0.5	0.00	0	0
9/30/2015	MW-27	ND	7.99	2	0.8	0.00	0	0
9/4/2015	MW-28	ND	7.13	2	3.2	0.00	0	0
9/18/2015	MW-28	ND	7.33	2	0.8	0.00	0	0
9/30/2015	MW-28	ND	7.52	2	0.0	0.00	0	0
9/4/2015	MW-30 ¹	NG	NG	4	NM	NA	NA	0
9/18/2015	MW-30 ¹	NG	NG	4	NM	NA	NA	0
9/30/2015	MW-30 ¹	NG	NG	4	NM	NA	NA	0
9/4/2015	MW-31 ¹	NG	NG	4	NM	NA	NA	43.20
9/18/2015	MW-31 ¹	NG	NG	4	NM	NA	NA	43.20
9/30/2015	MW-31 ¹	NG	NG	4	NM	NA	NA	43.20
9/4/2015	MW-32	ND	6.24	4	0.0	0.00	0	0
9/18/2015	MW-32	ND	6.50	4	3.4	0.00	0	0
9/30/2015	MW-32	ND	6.06	4	0.1	0.00	0	0

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
9/4/2015	MW-33	7.76	7.79	4	14.8	0.03	0.01	2.72
9/18/2015	MW-33	7.82	7.84	4	24.3	0.02	0.01	2.73
9/30/2015	MW-33	7.84	7.87	4	9.7	0.03	0.01	2.74
9/4/2015	MW-34	7.42	7.42	4	76.8	0.00	0.01	0.10
9/18/2015	MW-34	ND	7.52	4	76.2	0.00	0.00	0.10
9/30/2015	MW-34	7.50	7.52	4	64.1	0.02	0.01	0.11
9/4/2015	MW-35	ND	7.80	4	81.3	0.00	0.00	0.29
9/18/2015	MW-35	ND	7.91	4	52.7	0.00	0.00	0.29
9/30/2015	MW-35	7.82	7.86	4	64.7	0.04	0.01	0.30
9/4/2015	MW-36 ¹	NG	NG	NA	NM	NA	NA	0
9/18/2015	MW36 ¹	NG	NG	NA	NM	NA	NA	0
9/30/2015	MW-36 ¹	NG	NG	NA	NM	NA	NA	0
9/4/2015	MW-37	ND	1.81	2	59.8	0.00	0	0
9/18/2015	MW-37	ND	1.96	2	65.4	0.00	0	0
9/30/2015	MW-37	ND	2.26	2	36.7	0.00	0	0
9/4/2015	MW-38	ND	2.56	2	38.7	0.00	0	0
9/18/2015	MW-38	ND	2.51	2	14.1	0.00	0	0
9/30/2015	MW-38	ND	2.82	2	38.9	0.00	0	0
							Total:	2273.05

Notes:

- PID - Photo ionization detector (well headspace reading)
- ft - Feet
- ppm - Parts per million
- g - Gallons
- ND - Not detected
- NG - Not gauged
- NM - Not measured
- NA - Not applicable
- 1 - Monitoring well destroyed during underground storage tank removal activities
- 2- Could not access well
- 3 - Monitoring well MW-17 was observed to be damaged

**Table 1. LNAPL Recovery IRM Summary Table, Former Paragon Paint Varnish Corp
5-43 to 5-49 46th Ave. and 45-38 to 45-40 Vernon Blvd.
Long Island City, New York, NYSDEC Site No. C241108**

Date	Well	Depth to Product (ft)	Depth to Water (ft)	Well Diameter (inch)	PID (ppm)	Product Thickness (ft)	Purged (g)	Cumulative (g)
10/15/2015	MW-1R	ND	6.82	4	1.2	0.00	0	0
10/15/2015	MW-2R	ND	7.59	4	2.5	0.00	0	0.66
10/15/2015	MW-3	7.02	7.33	2	43.3	0.31	0.10	24.11
10/15/2015	MW-4	ND	9.97	2	0.9	0.00	0	0
10/15/2015	MW-5	ND	6.52	2	0.0	0.00	0	0
10/15/2015	MW-6 ²	NG	NG	1	NM	NA	0	57.51
10/15/2015	MW-6R	9.71	11.63	2	107	1.92	0	29.85
10/15/2015	MW-7	2.18	2.29	1	43.6	0.11	0.10	22.34
10/15/2015	MW-7R	ND	1.29	2	18.4	0.00	0	0.14
10/15/2015	MW-8	6.48	10.52	2	60.7	4.04	3.0	1322.01
10/15/2015	MW-9 ¹	NG	NG	2	NM	NA	0	60.35
10/15/2015	MW-10 ²	NG	NG	2	NM	NA	0	0
10/15/2015	MW-11 ²	NG	NG	2	NM	NA	0	0
10/15/2015	MW-12	7.19	12.87	2	120	5.68	0	43.71
10/15/2015	MW-13	8.28	9.16	2	61.1	0.88	0	163
10/15/2015	MW-14	ND	9.73	2	1.4	0.00	0	0
10/15/2015	MW-15	ND	9.66	2	1.3	0.00	0	0
10/15/2015	MW-16	ND	6.26	4	0.5	0.00	0	0
10/15/2015	MW-17 ³	ND	7.01	4	27.9	0.00	0	43.9
10/15/2015	MW-18	ND	6.96	4	0.0	0.00	0	0
10/15/2015	MW-19	1.92	1.93	2	34.2	0.01	0.01	0.33
10/15/2015	MW-20 ²	NG	NG	2	NM	NA	0	0
10/15/2015	MW-21	ND	5.74	4	0.0	0.00	0	0
10/15/2015	MW-22 ²	NG	NG	2	NM	NA	0	0
10/15/2015	MW-23	6.77	10.68	4	140	3.91	10	472
10/15/2015	MW-24 ¹	NG	NG	2	NM	NA	0	0
10/15/2015	MW-25 ¹	NG	NG	2	NM	NA	0	0
10/15/2015	MW-27 ¹	NG	NG	2	NM	NA	0	0
10/15/2015	MW-28 ¹	NG	NG	2	NM	NA	0	0
10/15/2015	MW-30 ¹	NG	NG	4	NM	NA	0	0
10/15/2015	MW-31 ¹	NG	NG	4	NM	NA	0	43.2
10/15/2015	MW-32	ND	6.29	4	0.4	0.00	0	0
10/15/2015	MW-33	7.66	7.68	4	15.9	0.02	0.01	2.75
10/15/2015	MW-34	7.30	7.32	4	66.1	0.02	0.01	0.12
10/15/2015	MW-35	7.82	7.83	4	23.8	0.01	0.01	0.31
10/15/2015	MW-36 ¹	NG	NG	NA	NM	NA	0	0
10/15/2015	MW-37	ND	1.38	2	31.2	0.00	0	0
10/15/2015	MW-38	ND	2.04	2	20.9	0.00	0	0
							Total:	2286.29

Notes:

- PID - Photo ionization detector (well headspace reading)
- ft - Feet
- ppm - Parts per million
- g - Gallons
- ND - Not detected
- NG - Not gauged
- NM - Not measured
- NA - Not applicable
- 1 - Monitoring well destroyed
- 2- Could not access well
- 3 - Monitoring well MW-17 was observed to be damaged

Jordanna Kendrot

From: Richard Maxwell
Sent: Friday, April 10, 2015 10:31 AM
To: Martinkat, Sondra (DEC)
Cc: Jane O'Connell (jane.oconnell@dec.ny.gov); bcarrier@credevelopment.com; mbogin@sprlaw.com; Joe Duminuco; Omar Ramotar
Subject: Progress Report - Former Paragon Paint (NYSDEC Site No. C241108)
Attachments: LNAPL Update 4.10.2015.pdf; 2051Fig 1.pdf

Ms. Martinkat,

In accordance with the Brownfield Cleanup Agreement, Roux Associates has prepared this email to serve as a periodic update for the former Paragon Paint and Varnish Corp. facility located at 5-43 to 5-49 46th Avenue and 45-38 to 45-40 Vernon Boulevard in Long Island City, New York (Site) (NYSDEC Site No C241108).

LNAPL Recovery Interim Remedial Measure

Light non-aqueous phase liquid (LNAPL) Interim Remedial Measure (IRM) recovery events were initiated at the Site on December 22, 2011 and consisted of manually removing LNAPL using bailers. Beginning December 21, 2012, with NYSDEC approval, the frequency of the IRM recovery visits was reduced from weekly to bi-weekly (twice a month). Bi-weekly IRM recovery events continued at the Site through June of 2014 when vacuum enhanced LNAPL recovery was assessed. The manual LNAPL recovery IRM events resumed in the month of August 2014. In total, Roux Associates has performed 101 LNAPL recovery IRM events. During each event, all monitoring wells were gauged using an electronic interface probe capable of detecting LNAPL thicknesses of 0.01 feet. Following gauging, those monitoring wells that exhibited LNAPL were manually bailed using a bailer. Recovered LNAPL was transferred to labeled 55-gallon drums that are being temporarily stored onsite awaiting proper disposal. The most recent LNAPL recovery IRM events occurred on March 5th, 19th and 30th, 2015. Attached, for your reference is a Site Plan depicting the location of all wells and a LNAPL Recovery IRM Summary Table.

In total, approximately 2,141-gallons of LNAPL have been recovered since initiation of the LNAPL Recovery IRM, with an average of approximately 21-gallons of LNAPL recovered during each of the 101 events. Approximately 1,298 gallons of LNAPL has been recovered from MW-8 alone accounting for approximately 60% of the total. Note that due to underground storage tank (UST) removal activities some of the monitoring wells located in the courtyard could not be accessed during one or more of the three gauging events completed during this monitoring period. Additionally, monitoring wells MW-9, MW-30, MW-31 and MW-36 were destroyed during UST removal activities.

Remedial Investigation

As per our meeting of November 26, 2014 Roux Associates submitted a Work Plan on December 17, 2014 which proposed the installation of additional monitoring wells in the driveway, and in the courtyard to better determine the extent of the LNAPL plume in those areas. The monitoring wells were installed between December 22nd and December 24th 2014 and were sampled on January 22, 2015. The newly installed monitoring wells were gauged as part of the LNAPL IRM on all three gauging events completed during this monitoring period. That data is included on the attached Summary Table.

Roux Associates will include details of the monitoring well installation and gauging results along with the results of the previously completed test pitting activities and finalize the RIR. The final RIR will be submitted to NYSDEC in April 2015.

Tank Removal

As you are aware, UST removal activities began in the courtyard in January of 2015 and were completed during this monitoring period. With NYSDEC approval, six 20,000-gallon USTs have been removed from the courtyard (CT-1, CT-2/5, CT-3/4, CT-6/7, CT-8 and CT-9) and two 550-gallon USTs (F-1 and F-2, both located in the driveway) were removed. Roux Associates will prepare a Tank Closure Summary Report for submission to NYSDEC.

Remedial Action Work Plan

Preparation of the RAWP is underway, it is anticipated that the RAWP will be submitted to NYSDEC in May 2015.

Resource Conservation and Recovery Act (RCRA) Facility Closure Work Plan

As you are aware, RCRA Closure activities have been initiated. The following is a summary of key activities that have occurred since the Site Contractor (SCE Environmental Group {SCE}) mobilized to the Site on March 30, 2015.

- Mobilization of temporary facilities.
- Preparation of Key subcontractor work plans.
- “Tagging” of ASTs/ Vessels, piping, conveyors, belts, mixers, etc... to be managed as hazardous waste, non-hazardous waste or recyclable, where applicable.
- SCE has identified the following TSDF and recycling facilities for ASTs/ vessels, piping, and related process equipment waste residues, contaminated containment system components, structures and equipment contaminated with waste. Please note the following regarding proposed facilities:
 - Residual Solid Waste (hazardous) – To be disposed at Cycle Chem, 201 South First Steet, Elizabeth, NJ
 - Residual Solid Waste (non-hazardous) – To be disposed at Cycle Chem, 201 South First Steet, Elizabeth, NJ
 - Residual Liquid Waste (non-hazardous) – To be disposed at Cycle Chem, 3249 Richmond Terrace, Staten Island, NY.
 - Residual Liquid Waste (hazardous) – To be disposed at Cycle Chem, 201 South First Street, Elizabeth, NJ
 - Non-Recyclable Material to be Landfilled (hazardous, doesn’t meet acceptance criteria of recycler) – Clean Earth of Carteret, 24 Middlesex Avenue, Carteret, NJ
 - Non-Recyclable Material to be Landfilled (non-hazardous, doesn’t meet acceptance criteria of recycler) – Clean Earth of Carteret, 24 Middlesex Avenue, Carteret, NJ
 - Recyclable Material to be Scrapped – SIMS Metal East, LLC (“SMM”) d.b.a. SMMs owns and operates a number of recycling facilities in the New York metropolitan region. These facilities can accept recyclable materials from our project site if there are no observable non-hazardous/ hazardous liquids or solids remaining after cleaning.

Please do not hesitate to contact me with any questions or concerns.

Regards,

Richard Maxwell
Senior Geologist
Roux Associates, Inc.
209 Shafter Street
Islandia, NY 11749
Office: (631) 232-2600
Direct: (631) 630-2349
www.rouxinc.com

We solve our clients' most challenging environmental problems.

NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail, permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.

THINK BEFORE YOU PRINT: Please consider the environment before printing this email.

Jordanna Kendrot

From: Richard Maxwell
Sent: Tuesday, November 10, 2015 5:27 PM
To: Martinkat, Sondra (DEC)
Cc: Jane O'Connell (jane.oconnell@dec.ny.gov); Anthony Peretta (acp06@notes.health.state.ny.us); bcarrier@credevelopment.com; mbogin@sprlaw.com; Omar Ramotar; Charlie McGuckin; Joe Duminuco
Subject: Progress Report - Former Paragon Paint (NYSDEC Site No. C241108)
Attachments: 2051Fig 1.pdf; LNAPL Update 11.10.2015.pdf

Ms. Martinkat,

In accordance with the Brownfield Cleanup Agreement, Roux Associates has prepared this email to serve as a periodic update for the former Paragon Paint and Varnish Corp. facility located at 5-43 to 5-49 46th Avenue and 45-38 to 45-40 Vernon Boulevard in Long Island City, New York (Site) (NYSDEC Site No C241108).

LNAPL Recovery Interim Remedial Measure

Light non-aqueous phase liquid (LNAPL) Interim Remedial Measure (IRM) recovery events were initiated at the Site on December 22, 2011 and consisted of manually removing LNAPL using bailers. In total, Roux Associates has performed 116 LNAPL recovery IRM events. During each event, all monitoring wells were gauged using an electronic interface probe capable of detecting LNAPL thicknesses of 0.01 feet. Following gauging, those monitoring wells that exhibited LNAPL were manually bailed using a bailer. Recovered LNAPL was transferred to labeled 55-gallon drums that are being temporarily stored onsite awaiting proper disposal. The most recent LNAPL recovery IRM event occurred on October 15th, 2015. Attached, for your reference is a Site Plan depicting the location of all wells and a LNAPL Recovery IRM Summary Table. LNAPL IRM recovery events have now been suspended due to ongoing remedial activities (discussed below).

In total, approximately 2,286-gallons of LNAPL have been recovered since initiation of the LNAPL Recovery IRM, with an average of approximately 20-gallons of LNAPL recovered during each of the 116 events. Approximately 1,322 gallons of LNAPL has been recovered from MW-8 alone accounting for approximately 57% of the total. Note that monitoring wells MW-9, MW-24, MW-25, MW-27, MW-28, MW-30, MW-31 and MW-36 were destroyed during either underground storage tank (UST) removal activities or remedial activities.

Remedial Activities

The Remedial Action Work Plan (RAWP) was revised and resubmitted to NYSDEC on October 7, 2015 and was approved by NYSDEC on October 8, 2015.

On October 9, 2015, the Remedial Action began within the courtyard and garage located at the Former Paragon Paint Manufacturing Facility. The following actions have been completed during the above reporting period:

- SCE Environmental Group (SCE) and Roux Associates mobilized to the Site on October 9, 2015 to implement the RAWP. Shore Systems Group (Shore) mobilized to the Site on October 29, 2015 to complete toe-pinning required for the pile driving system.
- The following equipment was mobilized to the Site:
 - SCE: x1 CAT 279C excavator, x1 CAT 304E, x1 CAT 321C LCR, x2 Toro Dingo TX-525, and x1 Kobelco SK350LC
 - Roux: x1 MiniRae 2000, x2 MiniRae 3000, x2 DustTrak II, x2 Tripds/Cases, and x1 weather station

- Shore: x1 Sullair 1150 XH air compressor, and x1 Comacchio MC 400P
- Concrete removal began and was completed in the garage area and approximately 60 cubic yards (CY) of material was generated and shipped off-site for disposal. Concrete removal began in the courtyard and approximately 470 CY of material has been generated and 450 CY has been shipped off-site for disposal. Remaining concrete from the courtyard is currently stockpiled and will be shipped off-site for disposal.
- Excavation of the garage has been completed to approximately three (3) feet below level surface (ft bls) generating 78 CY of material that was sampled for potential on-site reuse and is staged inside of the Paint Factory Building (PFB). Soil excavation has not begun in the courtyard, but soil generated from the demolition of the shed footprint (approx. 100 CY) was stockpiled and sampled for potential on-site reuse and is stockpiled in the courtyard excavation footprint.
- Six chambered USTs were discovered in the garage excavation area and five dished USTs were identified in the courtyard excavation. The following are the sizes and contents:
 - GT-1 in the garage is 10' deep and with 6" of clear, water-like fluid. A final length has not been confirmed due to the building structure.
 - GT-2 in the garage is 10' deep and 13' long with 4' of a product and sludge mix material.
 - GT-3 in the garage is comprised of two chambers (GT-3A and GT-3B). GT-3A is 10' deep and 11.5' long with 6" of sludge material. GT-3B is 10' deep and 11.5' long with 6" of hard gel.
 - GT-4 in the garage is comprised of two chambers (GT-4A and GT-4B). GT-4A is 10' deep and 9' long with 2' of thick gel. GT-4B is 10' deep and 9' long and is filled to the top of the manhole cover with a clear, water-like fluid.
 - GT-5 in the garage is comprised of three (3) chambers (GT-5A, GT-5B and GT-5C). GT-5A is 10' deep and 10' long with 1' of product. GT-5B is 10' deep and 16' long with 5' of thick gel. GT-5C is 10' deep and 10' long with 4' of thick gel.
 - GT-6 in the garage is 10' deep and estimated to be 36' long with 6" of clear water-like fluid (GT-8 and GT-10 do not exist).
 - D-1 in the courtyard has dished ends, is 6' deep and 12' long with 4' of water-like material.
 - D-2 in the courtyard has dished ends, is 6' deep and 10' long with 2' of odorous fluid mixed with a stringy gel/solid.
 - D-3 in the courtyard has dished ends, is 6' deep and 10' long and is filled with 6' of water-like fluid.
 - D-4 in the courtyard has dished ends, is 6' deep and 10' long with 1' of thick gel.
 - D-5 in the courtyard has dished ends, is 6' deep and 10' long with 4' of an odorous fluid.
- 60 sheet piles have been delivered to the site for use in the courtyard excavation. Each sheet pile is 25' to 30' in length and 4.7' wide. The sheet piles were driven using the Kobelco SK350LC with a pile driving attachment to the final excavation depth along the proposed excavation limits of the courtyard. The sheet pile installation is as follows:
 - East perimeter: 15 sheets with a total horizontal length of approximately 70.5'.
 - North perimeter: 19.5 sheets with 2 half sheets in the corner with a total horizontal length of approximately 96.5'.
 - West perimeter: 11 sheets with a total horizontal length of approximately 51.7'

The south perimeter of the excavation will not require sheet piles and will be sloped during excavation activities. As such the SOE installation is complete and the construction of the enclosure has begun.

- Dust mitigation and suppression methods have been implanted during work in the form of fans and water applied during concrete and soil removal, and during toe pinning activities. Odor suppression has not been required of the project at this time.

Daily construction reports were submitted to the NYSDEC throughout the performance of the Remedial Action.

Sampling Results: Two samples were collected from soil stockpiled from the shed area and the garage for potential reuse as backfill. Three UST sidewall samples (along the east sidewall near the PFB) were collected from the courtyard excavation area. The results have not been received, but will be provided to the NYSDEC for review and the results will be included in the Final Engineering Report.

Planned Actions: The following activities are scheduled for the next reporting period (November 1, 2015 through November 30, 2015):

- Preliminary preparation of Final Engineering Report;
- Preparation and installation of permanent *in-situ* chemical oxidation injection monitoring wells in the basement of the three-story building and the garage following UST abandonment; and
- Continued implementation of the Remedial Action.

Work Plan Modifications: USTs are much larger than accounted for in the garage (20,000+ gallons) and appear to have been used as shoring or structural support for the garage and adjacent basement. It has been proposed to abandon the large USTs in place by removing the top of the USTs to expose the contents, remove all liquids and solids to clean in-place, and abandon in place by backfilling the shells of the USTs with clean sand.

Design Report

A Design Report which includes details of the proposed in situ chemical oxidation injections and LNAPL recovery wells was submitted to NYSDEC on October 14, 2015.

Site Management Plan

The Draft Site Management Plan was submitted to NYSDEC on October 23, 2015.

Resource Conservation and Recovery Act (RCRA) Facility Closure Work Plan

RCRA closure activities were initiated at the Site on March 30, 2015 and were completed during this monitoring period. As per the RCRA Closure Plan, a Closure Completion Report will be submitted to NYSDEC under separate cover.

Please do not hesitate to contact me with any questions or concerns.

Richard Maxwell
Senior Geologist
Roux Associates, Inc.
209 Shafter Street
Islandia, NY 11749
Office: (631) 232-2600
Direct: (631) 630-2349
www.rouxinc.com

We solve our clients' most challenging environmental problems.

NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail, permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.

THINK BEFORE YOU PRINT: Please consider the environment before printing this email.

Jordanna Kendrot

From: Jordanna Kendrot
Sent: Thursday, December 10, 2015 10:36 PM
To: Martinkat, Sondra (DEC) (sondra.martinkat@dec.ny.gov)
Cc: O'Connell, Jane H (DEC) (jane.oconnell@dec.ny.gov) (jane.oconnell@dec.ny.gov); Perretta, Anthony C (HEALTH) (anthony.perretta@health.ny.gov); Brent Carrier (CRE Development) (bcarrier@credevelopment.com); 'mbogin@sprlaw.com'; Omar Ramotar; Richard Maxwell; Joe Duminuco; Charlie McGuckin
Subject: Progress Report November 2015 - Former Paragon Paint (NYSDEC Site No. C241108)

Ms. Martinkat,

In accordance with the Brownfield Cleanup Agreement, Roux Associates has prepared this email to serve as a periodic update for the former Paragon Paint and Varnish Corp. facility located at 5-43 to 5-49 46th Avenue and 45-38 to 45-40 Vernon Boulevard in Long Island City, New York (Site) (NYSDEC Site No C241108).

Remedial Activities:

- The following equipment was mobilized to the Site:
 - SCE:
 - x1 JLG 600 AJ Articulating Boom Lift
 - x1 JLG 660 SJ Articulating Boom Lift
 - x19 40' long I-beams to be used as rakers and whalers
 - x38 55-gallon drums delivered to site for UST contents
 - x16 bags of carbon for TIGG filtration system
 - x2 pallets of accessories for TIGG filtration system
 - x1 pallet of poly liner
 - x1 TIGG filtration system
 - x2 25 M Gable infill for tent
 - x1 tent for odor suppression (structural pieces and liner)
 - x1 40 CY container for metal recycling
 - x2 10,000 gallon Adler frac tanks (A462 and A6024)
 - SCE
 - 40 CY container of scrap metal containing non-impacted pipes from the garage/courtyard and cleaned USTS D-1, D-2, and D-3.
 - x1 Kobelco SK 75 SR with shear attachment
 - x1 Kobelco SK350LC pile driver
 - x1 Alder frac tank (A3560)
 - x1 JLG 600 AJ Articulating Boom Lift
 - x1 JLG 660 SJ Articulating Boom Lift
 - Hammer attachment for excavator
 - Shore System Group
 - x1 drill rig used for installation of toe pins

- x1 Sullair 1150 XH Air Compressor
- The following material was mobilized to the Site:
 - 26.46 tons of 3/4'-1.5' clean stone for construction entrance which was spread over the driveway.
 - 25 CY of clean stone (3/4" to 1 1/2" size) delivered to site for extension of truck wash/construction entrance
- The following material was removed off-Site for disposal:
 - x3 loads of concrete generated from courtyard (approx. 45 CY)
 - x1 40 CY container for metal recycling with cut steel sheets for recycling offsite.
 - x5 20-CY truckloads of soil from SP-SHED disposed of offsite at Clean Earth New Jersey.
 - x10 trucks off-site with pre-characterized, non-hazardous material from SP-04 (5-9') (approx. 250 CY)
 - Approx. 5,300 gallons removed from UST GT-4B for offsite disposal at Clean Earth facilities.
 - Approx. 4,800 gallons removed from Frac Tank A273 for offsite disposal at Clean Earth facilities.
 - Approx. 4,216 gallons removed from UST GT-1, GT-2, GT-6 for offsite disposal at Clean Earth facilities.
- Surface concrete removal was completed in the courtyard and disposed off-Site (45 CY). Additional concrete located within the excavation below grade has been removed and stockpiled in the excavation for future off-site disposal.
- Excavation of garage soil has been completed to approximately 3 feet below the surface of the USTs. No additional soil will be removed as per approved NYSDEC Design Plan pertaining to cleaning, sampling, and backfill in-place over-sized USTs that may influence building structure.
 - Besides pumping out liquid contents of USTs (volumes noted above in “material removed off-Site for disposal” section), the solid contents of the USTs have been containerized in 55-gallon drums. The most current inventory of drums and content origin is as follows:

UST ID	Total Drums/Containers Generated	Containers/Drums offsite for Disposal
GT-1	2 totes, 2 drums	N/A; drums/totes staged in PFB
GT-2	49 drums	17 drums disposed offsite (32 remain)
GT-3A	3 drums	N/A; drums staged in PFB
GT-3B	3 drums	N/A; drums staged in PFB
GT-4A	23 drums	All drums disposed offsite
GT-4B	2 drums	N/A; drums staged in PFB
GT-5A	3 drums	N/A; drums staged in PFB
D-5	4 totes	N/A; totes staged in PFB
D-3	3 drums	N/A; drums staged in PFB
D-2	6 drums	N/A; drums staged in PFB
D-1	2 drums	N/A; drums staged in PFB

- Completed construction of tent over courtyard excavation footprint. Tent was installed to prevent mitigation of odors offsite.
- Excavation completed in the northwest quadrant of the site associated with waste characterization sample SC-04.
 - The NW section of the quadrant was excavated to 14 ft bls with a clean bottom sample.

- The NE section was split into two smaller areas to the north and south and were excavated to 18 ft bls and 16 ft bls respectively due to encountering bedrock.
- Upon excavation of the NE section of the SC-04 characterized soil, recharged groundwater had a large amount of free product/LNAPL on the surface. This material was skimmed and/or dewatered from the excavation and stored in on-Site frac tanks for future off-Site disposal.
- Excavation has begun in the northeast quadrant of the site associated with waste characterization sample SC-05.
 - The north section of this quadrant has had the top 5' of reusable soil removed and stockpiled.
- Zebra Environmental Corporation mobilized to the site to complete 20 injection points using RegenOx; 16 in the basement of the three-story building (115 gallons of material per point) and 4 in the driveway leading to the courtyard (380 gallons of material per point). The Design Report for this activity was provided to the NYSDEC on November 24, 2015.
 - Partial injection completed at three injection points (stop due to excess pressure in pump feed line)
 - IP-3 = 30 gallons
 - IP-4 = 60 gallons
 - IP-13 = 30 gallons
 - To assess the performance of the ISCO injections, the radius of influence of the injection points will be verified during the injections by monitoring field parameters (i.e., pH and dissolved oxygen) at any adjacent monitoring wells.
- Dust mitigation and suppression methods have been implemented during work in the form of the newly installed TIGG system and water applied during soil movement. Foam suppressant has been used to control odors from the excavation during soil movement and loadout and has been applied to the bed of dump trucks as necessary.
 - Dust exceedances were recorded on November 3, 4, 16, and 18, 2015. Associated action limit reports have been submitted with the daily construction reports.
 - VOC monitoring was completed throughout the work in the form of site-wide CAMP implementation and roving neighborhood checks for odors. No exceedances were observed during this monitoring period.

Sampling/Sample Results: The sample results in this section will be provided to the NYSDEC for review and will be included in the Final Engineering Report.

Post-Excavation Samples (Courtyard and Garage):

- x2 bottom soil samples collected from the NW SC-04 excavation footprint (13 ft bls and 14 ft bls; submitted for VOC analysis at 24-hour tat
 - Analytical results shows sample at 13ft bls (SP-04-NW-B-13) came back with exceedances. Bottom samples at 14 ft bls came back with no exceedances.

Waste Characterization Samples (Soil and UST Liquid/Solid Contents):

- SCE collected waste profiles for material contained in USTs and soil stockpiled in courtyard on 11/4/15.
- SCE collected waste profiles for material contained in UST GT-6 on 11/11/15.
- Shed footprint soil had exceedances in SVOCs, metals and PCBs that exceeded Restricted Residential and Protection of Groundwater SCOs. Roux collected a waste characterization soil sample from stockpile SP-SHED to be analyzed for TCLP Metals on 11/11/15.

- SCE collected waste profiles for material contained in UST GT-6 on 11/11/15.
- SCE collected waste profiles for material contained in UST GT-6 on 11/11/15.

Planned Actions: The following activities are scheduled for the next reporting period (December 1, 2015 through December 31, 2015):

- Continued preparation of Final Engineering Report;
- Continued implementation of the Remedial Action.

Work Plan Modifications:

Due to structural integrity issues (concrete slab footing) and truck access issues (would be unable to enter tent), the sheet piling was not extended as far in the southeast and southwest corner of the excavation footprint. This decision was made after input from the owner's structural engineer. A letter explaining this decision was submitted to the NYSDEC on November 17, 2015.

Site Management Plan

The Draft Site Management Plan was submitted to NYSDEC on October 23, 2015.

Resource Conservation and Recovery Act (RCRA) Facility Closure Work Plan

RCRA closure activities were initiated at the Site on March 30, 2015 and were completed during this monitoring period. As per the RCRA Closure Plan, a Closure Completion Report will be submitted to NYSDEC under separate cover.

Please do not hesitate to contact me, Richard Maxwell or Omar Ramotar with any questions or concerns.

Thank you,

Jordanna Kendrot
Project Engineer
jkendrot@rouxinc.com
Roux Associates, Inc.
[209 Shafter Street](#)
[Islandia, NY 11749-5074](#)
Office: [\(631\) 232-2600](tel:(631)232-2600)
Direct: [\(631\) 630-2356](tel:(631)630-2356)
Cell: [\(631\) 741-7142](tel:(631)741-7142)
www.rouxinc.com

We solve our clients' most challenging environmental problems.

NOTICE: THIS ELECTRONIC COMMUNICATION, INCLUDING ANY AUTHORIZED ATTACHMENTS, CONTAINS INFORMATION THAT MAY BE LEGALLY PRIVILEGED, PROTECTED, CONFIDENTIAL AND/OR EXEMPT FROM DISCLOSURE OR CERTAIN TYPES OF USE UNDER APPLICABLE LAW. THIS INFORMATION IS FOR THE SOLE USE OF THE INTENDED RECIPIENT(S). IF YOU ARE NOT THE INTENDED RECIPIENT(S) OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERY OF THIS MESSAGE TO THE INTENDED RECIPIENT(S), YOU ARE HEREBY NOTIFIED THAT ANY REVIEW, USE, DISCLOSURE, COPYING, DISTRIBUTION OR THE TAKING OF ANY ACTION IN RELIANCE ON THE CONTENTS OF THIS E-MAIL OR ANY ATTACHMENTS IS STRICTLY PROHIBITED. YOU ARE FURTHER ADVISED THAT REVIEW BY AN INDIVIDUAL OTHER THAN THE INTENDED RECIPIENT(S) SHALL NOT CONSTITUTE A WAIVER OF ANY ATTORNEY-CLIENT PRIVILEGE WHICH MAY APPLY TO THIS COMMUNICATION. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY THE SENDER IMMEDIATELY BY RETURN E-MAIL, PERMANENTLY DELETE THIS E-MAIL AND ANY ATTACHMENTS FROM ALL COMPUTERS ON WHICH THEY MAY BE STORED AND DESTROY ANY PRINT-OUTS OF THIS EMAIL AND ANY ATTACHMENTS.

Jordanna Kendrot

From: Jordanna Kendrot
Sent: Monday, January 11, 2016 5:15 PM
To: Martinkat, Sondra (DEC) (sondra.martinkat@dec.ny.gov)
Cc: O'Connell, Jane H (DEC) (jane.oconnell@dec.ny.gov) (jane.oconnell@dec.ny.gov); Perretta, Anthony C (HEALTH) (anthony.perretta@health.ny.gov); Brent Carrier (CRE Development) (bcarrier@credevelopment.com); 'mbogin@sprlaw.com'; Omar Ramotar; Richard Maxwell; Joe Duminuco; Charlie McGuckin
Subject: Progress Report December 2015 - Former Paragon Paint (NYSDEC Site No. C241108)

Ms. Martinkat,

In accordance with the Brownfield Cleanup Agreement, Roux Associates has prepared this email to serve as a periodic update for the former Paragon Paint and Varnish Corp. facility located at 5-43 to 5-49 46th Avenue and 45-38 to 45-40 Vernon Boulevard in Long Island City, New York (Site) (NYSDEC Site No C241108).

Remedial Activities:

During this reporting period the following major Site activities occurred:

The excavation footprint located beneath the odor-suppression tent was completed as per the RAWP. The final depth of the excavation was dependent on sample results or encountering bedrock. Upon a clean analysis or reaching bedrock, the area was backfilled with approved for re-use site soils (original 0-5 ft bls pre-characterized soil from the courtyard excavation) or imported RCA.

- Approximately 2880 CY (144 loads) of clean 1"-5" RCA was imported to the Site from Liberty Aggregates LLC to be used as backfill.
- Approximately 2618 CY (119 loads) of pre-characterized nonhazardous material was excavated from inside the tent was transported off-site for disposal to one of the following facilities: Clean Earth- Carteret, Berks County Landfill, Cumberland County Landfill, or Greentree County Landfill.
- Dished UST D-4 was removed from the excavation after being cleaned in-place and will be disposed off-Site.
- A concrete slab was uncovered from 11 ft bls to 13 ft bls within the southern portion of the courtyard excavation. Soil samples were collected from beneath the slab during excavation activities. As per email correspondence, NYSDEC has approved leaving the concrete slab in place and to treat any residual soil exceeding Site-specific cleanup criteria with in-situ chemical oxidation (ISCO) injections as described in the RAWP.

The Excavation of garage soil was completed to approximately 3 feet below the surface of the USTs. Backfill was completed using re-usable soil previously excavated and imported RCA. The contents of the UST were removed by-hand and containerized in either 55-gallon drums or 275 gallon totes. The contents were disposed off-Site either in these containers by a certified hauler or in the case of liquid-state material, was disposed off-Site by use of a Vac truck.

- 110 55-gallon drums were removed off-Site;
- 5 275-gallon totes were removed off-Site; and
- 14,316 gallons were removed off-Site.

The status of backfilling USTs located inside the garage area is noted below:

- GT-3A, GT-3B, GT-4A, and half of GT-5A were backfilled with material from stockpile SP-Garage;
- GT-1, GT-2, half of GT-5A, GT-5B, and GT-C were backfilled with clean 1.5" RCA; and
- GT-6 was not backfilled during this reporting period, but will be backfilled with flowable fill.

Confirmatory UST samples were collected from the garage USTs post-cleaning as per the NYSDEC approved Tank Closure Design Plan dated November 18, 2015. The inside wall of each UST was cut using power tools and, if concrete was not encountered, a sidewall sample was collected. The status of collecting sidewall samples from these USTs are noted below:

- UST sidewall samples GT-3A-W-SW-9, GT-2-N-SW-9 and GT-1-E-SW-9 were the only locations that did not present concrete refusal for sample locations in GT-1, GT-2, GT-3A, GT-3B, GT-4A, GT-4B, and GT-5A.
- USTs GT-1, GT-2, GT-3A, GT-3B, GT-4A, GT-4B, GT-5A, GT-5B and GT-5C are all certified to be clean and all sidewall samples from the listed tanks were collected or concrete refusal was identified at the proposed sample location.

Dust was mitigated by applying water as necessary during soil movement activities. Foam suppressant was used to control odors from the excavation during soil movement and loadout and has been applied to the bed of dump trucks as necessary. No dust or VOC exceedances were recorded during the month of December 2015.

Sampling/Sample Results:

The sample results discussed herein were received during this reporting period and will be validated and provided to the NYSDEC as part of the Final Engineering Report.

Post-Excavation Samples (Courtyard):

- 3 sidewall samples were collected from the excavation through the excavation support system (PD-04C/8-10, PD-11/4-6 and PD-01/4-6):
 - Analytical results from PD-04C/8-10 did not exceed Site-specific cleanup criteria and no further action is required.
 - Analytical results from PD-11/4-6 and PD-01/4-6 exceeded Site-specific cleanup criteria. The residual contamination will be treated with ISCO injections in the post-remediation phase.
- 5 bottom soil samples were collected from the NW SC-04 excavation footprint from 14ft to 17 ft bls (SC-04-NE-B-14R, SC-05-NW-B-15, SC-05-NE-B-15.5, SC-05-NW-B-15.5S and SC-05-NW-B-17S):
 - Analytical results show the following samples did not exceed Site-specific cleanup criteria and no further action is required:
 - SC-04-NE-B-14R;
 - SC-05-NE-B-15.5;
 - SC-05-NW-B-15.5S; and
 - SC-05-NW-B-17S.
 - Analytical results from SC-05-NW-B-15 exceeded Site-specific cleanup criteria and was addressed with further excavation. This location was resampled as “SC-05-NW-B-15.5S” and did not exceed Site-specific criteria.
- 4 sub-slab samples were collected from the slab encountered at 11-13 ft bls on the south perimeter of the tent excavation (SC-04-SW-B-13S, SC-04-SE-B-13S, SC-04-SE-B-13SR, and SC-05-SW-B-13):
 - Analytical results show the following samples came back with no exceedances;
 - SC-04-SW-B-13S.
 - Analytical results show the following samples exceeded Site-specific cleanup criteria and, as per NYSDEC response, the residual contamination will be treated with ISCO injections in the post-remediation phase:
 - SC-04-SE-B-13S;
 - SC-04-SE-B-13SR; and
 - SC-05-SW-B-13S.

Waste Characterization Samples (Soil and UST Liquid/Solid Contents):

- Roux collected soil characterization sample SC-06/9-16 for disposal purposes.
- SCE collected waste samples for profiling purposes from material contained in UST GT-3B (hard gel) on 12/1/15.

- SCE collected waste samples for profiling purposes from oily water generated from dewatering the excavation on 12/1/15.

Post-Injection Groundwater Monitoring Samples:

- Roux collected groundwater samples from monitoring wells MW-19, and MW-38; both monitoring wells are located in the area recently injected with RegenOx[®]. Results of all groundwater sampling on-Site will be completed under a separate cover to document the effectiveness of the implemented ISCO injection phase of work.

Planned Actions:

The following activities are scheduled for the next reporting period (January 1, 2015 through January 31, 2016):

- Completion of the Remedial Action;
- Continued preparation of Final Engineering Report; and
- Submittal of the completed RCRA Closure Completion Report.

Work Plan Modifications:

No modifications made to the Work Plan during this reporting period.

Site Management Plan

The Draft Site Management Plan was submitted to NYSDEC on October 23, 2015. Comments from the NYSDEC have not been received to date.

Resource Conservation and Recovery Act (RCRA) Facility Closure Work Plan

As per the RCRA Closure Plan, a Closure Completion Report will be submitted to NYSDEC under separate cover during the next reporting period.

Please do not hesitate to contact me, Richard Maxwell or Omar Ramotar with any questions or concerns.

Thank you,

Jordanna Kendrot
Project Engineer
jkendrot@rouxinc.com
Roux Associates, Inc.
[209 Shafter Street](#)
[Islandia, NY 11749-5074](#)
Office: [\(631\) 232-2600](tel:(631)232-2600)
Direct: [\(631\) 630-2356](tel:(631)630-2356)
Cell: [\(631\) 741-7142](tel:(631)741-7142)
www.rouxinc.com

We solve our clients' most challenging environmental problems.

NOTICE: THIS ELECTRONIC COMMUNICATION, INCLUDING ANY AUTHORIZED ATTACHMENTS, CONTAINS INFORMATION THAT MAY BE LEGALLY PRIVILEGED, PROTECTED, CONFIDENTIAL AND/OR EXEMPT FROM DISCLOSURE OR CERTAIN TYPES OF USE UNDER APPLICABLE LAW. THIS INFORMATION IS FOR THE SOLE USE OF THE INTENDED RECIPIENT(S). IF YOU ARE NOT THE INTENDED RECIPIENT(S) OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERY OF THIS MESSAGE TO THE INTENDED RECIPIENT(S), YOU ARE HEREBY NOTIFIED THAT ANY REVIEW, USE, DISCLOSURE, COPYING, DISTRIBUTION OR THE TAKING OF ANY ACTION IN RELIANCE ON THE CONTENTS OF THIS E-MAIL OR ANY ATTACHMENTS IS STRICTLY PROHIBITED. YOU ARE FURTHER ADVISED THAT REVIEW BY AN INDIVIDUAL OTHER THAN THE INTENDED RECIPIENT(S) SHALL NOT CONSTITUTE A WAIVER OF ANY ATTORNEY-CLIENT PRIVILEGE WHICH MAY APPLY TO THIS COMMUNICATION. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY THE SENDER IMMEDIATELY BY RETURN E-MAIL, PERMANENTLY DELETE THIS E-MAIL AND ANY ATTACHMENTS FROM ALL COMPUTERS ON WHICH THEY MAY BE STORED AND DESTROY ANY PRINT-OUTS OF THIS EMAIL AND ANY ATTACHMENTS.

Jordanna Kendrot

From: Jordanna Kendrot
Sent: Wednesday, February 10, 2016 1:23 PM
To: Martinkat, Sondra (DEC) (sondra.martinkat@dec.ny.gov)
Cc: O'Connell, Jane H (DEC) (jane.oconnell@dec.ny.gov) (jane.oconnell@dec.ny.gov); Perretta, Anthony C (HEALTH) (anthony.perretta@health.ny.gov); Brent Carrier (CRE Development) (bcarrier@credevelopment.com); 'mbogin@sprlaw.com'; Omar Ramotar; Richard Maxwell; Joe Duminuco; Charlie McGuckin; Rachel Henke
Subject: Progress Report January 2016 - Former Paragon Paint (NYSDEC Site No. C241108)

Ms. Martinkat,

In accordance with the Brownfield Cleanup Agreement, Roux Associates has prepared this email to serve as a periodic update for the former Paragon Paint and Varnish Corp. facility located at 5-43 to 5-49 46th Avenue and 45-38 to 45-40 Vernon Boulevard in Long Island City, New York (Site) (NYSDEC Site No C241108).

Remedial Activities:

During this reporting period the following major Site activities occurred:

The excavation footprint located beneath the odor-suppression tent was completed during the last reporting period as per the RAWP. The area was backfilled with imported RCA to restore to original grade elevation.

- 965.86 tons (40 loads) of clean 1"-5" RCA were imported to the Site from Liberty Aggregates LLC;
- Dished underground storage tanks (UST) D-5 was removed from the excavation after being cleaned in-place and was disposed off-Site with previously removed UST D-4. Wastes generated from the cleaning are currently staged on-Site to be disposed of at a later date:
 - 2 55-gallons drums
 - 3 275-gallon totes
- The tent surrounding the footprint was disassembled and shipped off-Site; and
- 5,160 gallons of oily water dewatered from the excavation were shipped off-Site for treatment and disposal.

The excavation of the area to the south of the tent footprint was completed as per the RAWP. The final depth of the excavation was 11 feet below level surface (ft bls), where the previously documented concrete slab is located. The excavation was split into three sections based on previous pre-delineation samples PD-06, PD-07 and PD-08 and the final horizontal extent of the excavation areas was dependent on sample results, encountering grossly contaminated material, or not exceeding the required excavation sloping (1:1) that was implemented to prevent structure collapse (see attached figure). The area was backfilled with imported RCA to restore to original grade elevation; this RCA was taken from the tent footprint backfilled area.

- 849.60 tons (29 loads) of pre-characterized non-hazardous material was excavated and transported off-site for disposal to Cumberland County Landfill.
- The excavation area associated with sample PD-06 was extended both west and south due to the presence of grossly contaminated material. Western excavation was completed to 1.5 feet off the border of the site due to the presence of a subgrade retaining wall that surrounded the former 20,000-gallon courtyard USTs. The excavation was extended south until 1:1 sloping off of the warehouse building limited the excavation. When excavation activities were completed in the driveway, described below, the excavation was further extended south due to the presence of grossly contaminated material.
- The excavation associated with sample PD-07 was bordered by PD-06 and PD-08 excavation areas, so it did not expand to the west or east. The area extended to the south until a clean sample was collected.

- The excavation associated with sample PD-08 was extended both south and east. Additionally sampling was completed (PD-12) to further document the sub-surface delineation marked by the eastern sidewall of the subgrade retaining wall that surrounded the former 20,000-gallon courtyard USTs. The area extended to the east until it was limited by UST GT-6 or by the concrete and brick encasement around part of UST GT-6. The excavation was extended south until 1:1 slopping off the warehouse and boiler room limited the excavation.

The excavation of the driveway near preexisting monitoring wells MW-12 and MW-13 was completed using a 10' by 20' slide-rail excavation system. The area was backfilled with imported RCA to restore to original grade elevation; this RCA was taken from the tent footprint backfilled area.

- 225.38 tons (8 loads) of pre-characterized nonhazardous material was excavated and transported off-site for disposal to Cumberland County Landfill.
- The excavation was extended to 17.5 ft bls due to the presence of grossly contaminated material. Due to machinery and shoring limitations, further excavation could not be completed to remove grossly impacted material beyond the noted depth.

The status of backfilling USTs located inside the garage area is noted below:

- GT-1, GT-2, GT-3A, GT-3B, GT-4A GT-5A, GT-5B, and GT-5C were backfilled during the previous reporting period;
- GT-6 was not backfilled during this reporting period, but will be backfilled with RCA.

Confirmatory UST samples were collected from beneath the concrete slab where the dished USTs were located prior to removal and off-Site disposal. Samples were completed using a drill rig to sample through the concrete slab. Five (5) bottom soil samples were completed for the dished USTs at a depth of 11-13 ft bls and three (3) sidewall samples were collected for the dished USTs at 6-7 ft bls.

Confirmatory UST samples were collected from the garage USTs post-cleaning using a drill rig as per the NYSDEC approved Tank Closure Design Plan dated November 18, 2015. Bottom samples were collected through the concrete slab that was encountered beneath the garage USTs. Three (3) bottom soil samples were collected either below the sub-slab concrete located in the garage, with a final depth not exceeding 17 ft bls, where non-impacted material was observed. Monitoring wells were installed at the bottom sampling locations after samples were collected. Three (3) sidewall samples were completed at UST GT-6 from 6.5- 9 ft bls.

The spent activated carbon from the TIGG air filtration unit was removed from the unit and stockpiled on-Site prior to off-Site disposal. Approximately 22 cubic yards of material was removed and transported off-site for disposal to Cumberland County Landfill

Dust was mitigated by applying water as necessary during soil movement activities, RCA stockpiling and load out of spent carbon. Foam suppressant was used to control odors from the excavation during soil movement and loadout and has been applied to the bed of dump trucks as necessary. No dust or VOC exceedances were recorded during the month of January 2016.

Sampling/Sample Results:

The sample results discussed herein were received during this reporting period and will be validated and provided to the NYSDEC as part of the Final Engineering Report.

Post-Excavation Samples (Courtyard):

- 5 sidewall samples were collected from the excavation completed to the south of the tent excavation footprint (PD-06B/9-11, PD-07B/9-11, PD-09/4-6, PD-12-S-SW-4-6, and PD-12-W-SW-4-6):
 - Analytical results from PD-07B/9-11 and PD-09/4-6 did not exceed Site-specific cleanup criteria and no further action is required.

- Analytical results show the following samples came back with exceedances of Site-specific cleanup criteria. The residual contamination will be treated with ISCO injections in the post-remediation phase:
 - PD-06B/9-11;
 - PD-12-S-SW-4-6; and
 - PD-12-W-SW-4-6.
- 1 bottom soil sample was collected from the excavation completed to the south of the tent excavation footprint (PD-12-S-B-11-13):
 - Analytical results from PD-12-S-B-11-13 exceeded Site-specific cleanup but the excavation could not be extended due to the location of the garage foundation (the sample was collected under the foundation) and the presence of large boulders that could not be removed. The residual contamination will be treated with ISCO injections in the post-remediation phase

Post-Excavation Samples (Driveway):

- 4 sidewall samples were collected from the driveway excavation before dropping the excavation support system (Driveway-S-SW-6-8, Driveway-E-SW-6-8, Driveway-W-SW-6-8, and Driveway-N-SW-6-8):
 - Analytical results show the following samples came back with no exceedances;
 - Driveway-S-SW-6-8;
 - Driveway-E-SW-6-8; and
 - Driveway-W-SW-6-8
 - Analytical results from Driveway-N-SW exceeded Site-specific cleanup criteria. The excavation was extended north into excavation being completed outside the tent footprint to remove all accessible grossly contaminated material..
- 2 bottom soil samples were collected from the driveway excavation (Driveway-B-14, and Driveway-B-17.5):
 - Analytical results from Driveway-B-14 exceeded Site-specific cleanup criteria and was addressed with further excavation. This location was resampled as “Driveway-B-17.5”, which still exceeded Site-specific criteria. Due to machinery and shoring limitations, further excavation could not be completed to remove grossly impacted material beyond the noted depth. The residual contamination will be treated with ISCO injections in the post-remediation phase and by the recovery well system to be installed as per the Site Management Plan (SMP).

Confirmatory UST Samples (Courtyard):

- 5 sub-slab bottom samples were collected from the slab encountered below the dished USTs located in the tent excavation footprint (D-1 B/10-12, D-2 B/10-12, D-3 B/10-12, D-4 B/10-12, and D-5 B/10-12).
 - Analytical results show that the five (5) sub-slab bottom samples exceeded Site-specific cleanup criteria and, as per NYSDEC response, the residual contamination will be treated with ISCO injections in the post-remediation phase and by the recovery well system to be installed as per the SMP.
- 3 post-excavation sidewall samples were collected from the previous location of dished USTs D-4 and D-5 (D-4 East/6-7, D-5 East/6-7, and D-5 South/6-7)
 - Analytical results show the three (3) sidewall samples did not exceeded Site-specific cleanup criteria.

Confirmatory UST Samples (Garage):

- 3 sub-slab bottom samples were collected from the slab encountered below the garage USTs (GT-4A-E-B/16-17, GT-5C-W-B/9-11, and GT-5C-W-B/15-17).
 - Analytical results from GT-4A-E-B/16-17 did not exceed Site-specific cleanup criteria and no further action is required.
 - Analytical results from GT-5C-W-B/9-11 exceeded Site-specific cleanup criteria and the area was resampled to determine the extent of contamination. This location was resampled at a deeper depth as “GT-5C-W-B/15-17”, which no longer exceeded Site-specific criteria. The residual contamination

located above 17 ft bls will be treated with ISCO injections in the post-remediation phase and by the recovery well system to be installed as per the SMP.

- 3 sidewall samples were collected from the garage USTs (GT-6-W-SW-9, GT-6-E-SW/7-9, and GT-6-N-SW/6.5-8.5)
 - Analytical results show that the three (3) sidewall samples did not exceeded Site-specific cleanup criteria and no further action is required.

Waste Characterization Samples (Soil and UST Liquid/Solid Contents):

- No waste characterization samples were collected during this reporting period.

Six-week Post-Injection Groundwater Monitoring Samples:

- Roux collected groundwater samples from six (6) monitoring wells; MW-2R, MW-7R, MW-19, MW-33, MW-34, MW-37, and MW-38. These monitoring wells are located in or adjacent to the area recently injected with RegenOx[®]. Results of all groundwater sampling on-Site will be completed under a separate cover to document the effectiveness of the implemented ISCO injection phase of work.

Planned Actions:

The following activities are scheduled for the next reporting period (February 1, 2016 through February 29, 2016):

- Completion of the Remedial Action;
- Continued preparation of Final Engineering Report; and
- Submittal of the completed RCRA Closure Completion Report.

Work Plan Modifications:

No modifications made to the Work Plan during this reporting period.

Site Management Plan

The Draft Site Management Plan was submitted to NYSDEC on October 23, 2015. Comments from the NYSDEC have not been received to date.

Resource Conservation and Recovery Act (RCRA) Facility Closure Work Plan

As per the RCRA Closure Plan, a Closure Completion Report will be submitted to NYSDEC under separate cover during the next reporting period.

Please do not hesitate to contact me, Richard Maxwell or Omar Ramotar with any questions or concerns.

Thank you,

Jordanna Kendrot
Project Engineer
jkendrot@rouxinc.com
Roux Associates, Inc.
[209 Shafter Street](#)
[Islandia, NY 11749-5074](#)
Office: [\(631\) 232-2600](tel:(631)232-2600)
Direct: [\(631\) 630-2356](tel:(631)630-2356)
Cell: [\(631\) 741-7142](tel:(631)741-7142)
www.rouxinc.com

We solve our clients' most challenging environmental problems.

NOTICE: THIS ELECTRONIC COMMUNICATION, INCLUDING ANY AUTHORIZED ATTACHMENTS, CONTAINS INFORMATION THAT MAY BE LEGALLY PRIVILEGED, PROTECTED, CONFIDENTIAL AND/OR EXEMPT FROM DISCLOSURE OR CERTAIN TYPES OF USE UNDER APPLICABLE LAW. THIS INFORMATION IS FOR THE SOLE USE OF THE

INTENDED RECIPIENT(S). IF YOU ARE NOT THE INTENDED RECIPIENT(S) OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERY OF THIS MESSAGE TO THE INTENDED RECIPIENT(S), YOU ARE HEREBY NOTIFIED THAT ANY REVIEW, USE, DISCLOSURE, COPYING, DISTRIBUTION OR THE TAKING OF ANY ACTION IN RELIANCE ON THE CONTENTS OF THIS E-MAIL OR ANY ATTACHMENTS IS STRICTLY PROHIBITED. YOU ARE FURTHER ADVISED THAT REVIEW BY AN INDIVIDUAL OTHER THAN THE INTENDED RECIPIENT(S) SHALL NOT CONSTITUTE A WAIVER OF ANY ATTORNEY-CLIENT PRIVILEGE WHICH MAY APPLY TO THIS COMMUNICATION. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY THE SENDER IMMEDIATELY BY RETURN E-MAIL, PERMANENTLY DELETE THIS E-MAIL AND ANY ATTACHMENTS FROM ALL COMPUTERS ON WHICH THEY MAY BE STORED AND DESTROY ANY PRINT-OUTS OF THIS EMAIL AND ANY ATTACHMENTS.

Jordanna Kendrot

From: Jordanna Kendrot
Sent: Thursday, March 10, 2016 7:23 AM
To: Martinkat, Sondra (DEC) (sondra.martinkat@dec.ny.gov)
Cc: O'Connell, Jane H (DEC) (jane.oconnell@dec.ny.gov) (jane.oconnell@dec.ny.gov); Perretta, Anthony C (HEALTH) (anthony.perretta@health.ny.gov); Brent Carrier (CRE Development) (bcarrier@credevelopment.com); 'mbogin@sprlaw.com'; Omar Ramotar; Richard Maxwell; Joe Duminuco; Charlie McGuckin; Rachel Henke
Subject: Progress Report February 2016 - Former Paragon Paint (NYSDEC Site No. C241108)

Ms. Martinkat,

In accordance with the Brownfield Cleanup Agreement, Roux Associates has prepared this email to serve as a periodic update for the former Paragon Paint and Varnish Corp. facility located at 5-43 to 5-49 46th Avenue and 45-38 to 45-40 Vernon Boulevard in Long Island City, New York (Site) (NYSDEC Site No C241108).

Remedial Activities:

During this reporting period the following major Site activities occurred:

The excavation footprint located beneath the odor-suppression tent, the area to the south of the tent footprint, and 10' by 20' slide-rail excavation of the driveway was completed during the last reporting period as per the RAWP. These areas were backfilled with imported RCA to restore to original grade elevation or to provide an additional 2' RCA cap in areas where reusable soil was used or native impacted material was undisturbed.

- 709.10 tons (32 loads) of clean 1"-5" RCA were imported to the Site from Liberty Aggregates LLC;
- 943 gallons of oily water dewatered from the excavation were shipped off-Site for treatment and disposal. Frac tanks (x2) were demobilized offsite and the area where frac tanks were staged was decontaminated;
- Whalers, rakers, and toe pins were removed to approximately 3 to 5 ft bls or cut and shipped off-Site for disposal;
- Approximately 115 CY (7 loads) of clean, non-impacted concrete were shipped off-Site for disposal; and
- All sheets installed for the remedial excavation were removed; x23 sheets pulled from excavation footprint perimeter were decontaminated for off-Site removal

Dust was mitigated by applying water as necessary during RCA mobilization, RCA stockpile management, and load out of concrete. Foam suppressant was not used during this reporting period. No dust or VOC exceedances were recorded during the month of February 2016.

A hole was cut in the top surface of garage UST GT-6 and approximately 120 CY of flowable fill was used to backfill and abandon the UST in place. All USTs located inside the garage have been abandoned in place and backfilled using either RCA, reusable soil from the garage, or flowable fill.

Installation of the LNAPL recovery system, which will be used to reduce mobile LNAPL on-Site and prevent off-Site migration during the SMP phase, has begun during this reporting period. The LNAPL recovery system will be installed as per the RAWP.

- 5 recovery wells (RW-1 through RW-5) and associated trenches were installed;
- x1 truck load of clean sand delivered to site (26.63 tons) was used as piping protection from backfilling activities. Sand came from a NYSDEC-permitted virgin mining pit, NY Sand and Stone, LLC;
- Piping was installed on 4" of clean, virgin-source sand and backfilled with 6" of virgin-source sand prior to backfilling with reusable site soils or RCA. Caution tape was placed at 6" bls to mark recovery system layout;
- PVC piping was used for the recovery system to protect recovery components as follows:

- 2" PVC for RW-1 recovery components to RW-3 vault box;
- 2" PVC for RW-2 recovery components to RW-3 vault box;
- 4" PVC for RW-1, RW-2, and RW-3 recovery components to the pull box;
- 2" PVC for RW-4 recovery components to the pull box; and
- 2" PVC for RW-5 recovery components to the pull box.
- Recovery components for RW-4 and RW-5 (air lines and product recovery tubing) were pulled to the pull box; and
- Damage to RW-3 vault will be repaired during the March 2016 reporting session to allow complete installation and startup of the LNAPL recovery system.

Sampling/Sample Results:

No samples were collected during this reporting period.

Planned Actions:

The following activities are scheduled for the next reporting period (March 1, 2016 through March 31, 2016):

- Startup of the LNAPL Recovery System;
- Completion of the Remedial Action; and
- Continued preparation of Final Engineering Report.

Work Plan Modifications:

No modifications made to the Work Plan during this reporting period.

Site Management Plan

The Draft Site Management Plan was submitted to NYSDEC on October 23, 2015. Comments from the NYSDEC have not been received to date.

Resource Conservation and Recovery Act (RCRA) Facility Closure Work Plan

As per the RCRA Closure Plan, the Closure Completion Report was submitted to NYSDEC on February 12, 2016.

Please do not hesitate to contact me, Richard Maxwell or Omar Ramotar with any questions or concerns.

Thank you,

Jordanna Kendrot
Project Engineer
jkendrot@rouxinc.com
Roux Associates, Inc.
 209 Shafter Street
 Islandia, NY 11749-5074
 Office: (631) 232-2600
 Direct: (631) 630-2356
 Cell: (631) 741-7142
www.rouxinc.com

We solve our clients' most challenging environmental problems.

NOTICE: THIS ELECTRONIC COMMUNICATION, INCLUDING ANY AUTHORIZED ATTACHMENTS, CONTAINS INFORMATION THAT MAY BE LEGALLY PRIVILEGED, PROTECTED, CONFIDENTIAL AND/OR EXEMPT FROM DISCLOSURE OR CERTAIN TYPES OF USE UNDER APPLICABLE LAW. THIS INFORMATION IS FOR THE SOLE USE OF THE INTENDED RECIPIENT(S). IF YOU ARE NOT THE INTENDED RECIPIENT(S) OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERY OF THIS MESSAGE TO THE INTENDED RECIPIENT(S), YOU ARE HEREBY NOTIFIED THAT ANY REVIEW, USE, DISCLOSURE, COPYING, DISTRIBUTION OR THE TAKING OF ANY ACTION IN RELIANCE ON THE CONTENTS OF THIS E-MAIL OR ANY ATTACHMENTS IS STRICTLY PROHIBITED. YOU ARE FURTHER ADVISED THAT REVIEW BY AN INDIVIDUAL OTHER THAN THE INTENDED

RECIPIENT(S) SHALL NOT CONSTITUTE A WAIVER OF ANY ATTORNEY-CLIENT PRIVILEGE WHICH MAY APPLY TO THIS COMMUNICATION. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY THE SENDER IMMEDIATELY BY RETURN E-MAIL, PERMANENTLY DELETE THIS E-MAIL AND ANY ATTACHMENTS FROM ALL COMPUTERS ON WHICH THEY MAY BE STORED AND DESTROY ANY PRINT-OUTS OF THIS EMAIL AND ANY ATTACHMENTS.

Jordanna Kendrot

From: Jordanna Kendrot
Sent: Monday, April 11, 2016 4:51 PM
To: Martinkat, Sondra (DEC) (sondra.martinkat@dec.ny.gov)
Cc: O'Connell, Jane H (DEC) (jane.oconnell@dec.ny.gov) (jane.oconnell@dec.ny.gov); Perretta, Anthony C (HEALTH) (anthony.perretta@health.ny.gov); Brent Carrier (CRE Development) (bcarrier@credevelopment.com); 'mbogin@sprlaw.com'; Omar Ramotar; Richard Maxwell; Joe Duminuco; Charlie McGuckin; Rachel Henke
Subject: Progress Report March 2016 - Former Paragon Paint (NYSDEC Site No. C241108)

Ms. Martinkat,

In accordance with the Brownfield Cleanup Agreement, Roux Associates has prepared this email to serve as a periodic update for the former Paragon Paint and Varnish Corp. facility located at 5-43 to 5-49 46th Avenue and 45-38 to 45-40 Vernon Boulevard in Long Island City, New York (Site) (NYSDEC Site No C241108).

Remedial Activities:

During this reporting period the following major Site activities occurred:

The excavation footprint located beneath the odor-suppression tent, the area to the south of the tent footprint, and 10' by 20' slide-rail excavation of the driveway was completed during the last reporting period as per the RAWP. These areas were backfilled with imported RCA to restore to original grade elevation or to provide an additional 2' RCA cap in areas where reusable soil was used or native impacted material was undisturbed.

- 5 loads of clean 3/4" RCA (approximately 140 tons) were imported to the Site from Liberty Aggregates LLC;
- Final grading of site was completed using RCA;
- x49 sheets pulled from excavation footprint perimeter were wet decontaminated prior to off-Site removal;
- All sheets installed for the remedial excavation were removed off-Site;
- A 2' RCA cap above final grade was installed along the north-east corner and perimeter of tent excavation footprint as engineering control; and
- Asphalt cover installed in driveway, west and north perimeter of the Site, and south of tent excavation footprint.

Dust and odor mitigation was not utilized during this reporting period due to no impacted material being present on-Site to generate odors or excessive fugitive dust.

Completed installation of the LNAPL recovery system, which will be used to reduce mobile LNAPL on-Site and prevent off-Site migration during the SMP phase. The LNAPL recovery system was installed as per the RAWP, with the recovery wells and trenches installed during the previous reporting period.

- Damage to RW-3 vault was repaired during this reporting period.
- Recovery well vaults RW-1 and RW-2 and monitoring wells MW-2 and MW-33 were raised and had concrete re-poured prior to asphalt installation.
- Recovery components for recovery wells RW-1 through RW-5 (air lines and product recovery tubing) were pulled into the Paint Factory Building and connected to the 55-gallon product recovery drum and control panel; and
- Initial system start up for product recovery from recovery wells RW-2, RW-3 and RW-5. Recovery wells RW-1 and RW-4 not programmed into system due to lack of monitored product, but will be implemented in program once product is determined to be present.

Sampling/Sample Results:

No samples were collected during this reporting period.

Planned Actions:

The following activities are scheduled for the next reporting period (April 1 through April 30, 2016):

- Monitoring of the LNAPL Recovery System;
- Completion of the Remedial Action (final waste disposal); and
- Continued preparation of Final Engineering Report.

Work Plan Modifications:

No modifications made to the Work Plan during this reporting period.

Site Management Plan

The Draft Site Management Plan was submitted to NYSDEC on October 23, 2015. Comments from the NYSDEC have not been received to date.

Resource Conservation and Recovery Act (RCRA) Facility Closure Work Plan

The RCRA Closure Completion Report was submitted to NYSDEC on February 12, 2016. Comments from the NYSDEC have not been received to date.

Please do not hesitate to contact me, Richard Maxwell or Omar Ramotar with any questions or concerns.

Thank you,

Jordanna Kendrot
Project Engineer
jkendrot@rouxinc.com
Roux Associates, Inc.
[209 Shafter Street](#)
[Islandia, NY 11749-5074](#)
Office: [\(631\) 232-2600](#)
Direct: [\(631\) 630-2356](#)
Cell: [\(631\) 741-7142](#)
www.rouxinc.com

We solve our clients' most challenging environmental problems.

NOTICE: THIS ELECTRONIC COMMUNICATION, INCLUDING ANY AUTHORIZED ATTACHMENTS, CONTAINS INFORMATION THAT MAY BE LEGALLY PRIVILEGED, PROTECTED, CONFIDENTIAL AND/OR EXEMPT FROM DISCLOSURE OR CERTAIN TYPES OF USE UNDER APPLICABLE LAW. THIS INFORMATION IS FOR THE SOLE USE OF THE INTENDED RECIPIENT(S). IF YOU ARE NOT THE INTENDED RECIPIENT(S) OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERY OF THIS MESSAGE TO THE INTENDED RECIPIENT(S), YOU ARE HEREBY NOTIFIED THAT ANY REVIEW, USE, DISCLOSURE, COPYING, DISTRIBUTION OR THE TAKING OF ANY ACTION IN RELIANCE ON THE CONTENTS OF THIS E-MAIL OR ANY ATTACHMENTS IS STRICTLY PROHIBITED. YOU ARE FURTHER ADVISED THAT REVIEW BY AN INDIVIDUAL OTHER THAN THE INTENDED RECIPIENT(S) SHALL NOT CONSTITUTE A WAIVER OF ANY ATTORNEY-CLIENT PRIVILEGE WHICH MAY APPLY TO THIS COMMUNICATION. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY THE SENDER IMMEDIATELY BY RETURN E-MAIL, PERMANENTLY DELETE THIS E-MAIL AND ANY ATTACHMENTS FROM ALL COMPUTERS ON WHICH THEY MAY BE STORED AND DESTROY ANY PRINT-OUTS OF THIS EMAIL AND ANY ATTACHMENTS.

Jordanna Kendrot

From: Jordanna Kendrot
Sent: Tuesday, May 10, 2016 6:31 PM
To: Martinkat, Sondra (DEC) (sondra.martinkat@dec.ny.gov)
Cc: O'Connell, Jane H (DEC) (jane.oconnell@dec.ny.gov) (jane.oconnell@dec.ny.gov); Perretta, Anthony C (HEALTH) (anthony.perretta@health.ny.gov); Brent Carrier (CRE Development) (bcarrier@credevelopment.com); 'mbogin@sprlaw.com'; Omar Ramotar; Richard Maxwell; Joe Duminuco; Charlie McGuckin
Subject: Progress Report April 2016 - Former Paragon Paint (NYSDEC Site No. C241108)

Ms. Martinkat,

In accordance with the Brownfield Cleanup Agreement, Roux Associates has prepared this email to serve as a periodic update for the former Paragon Paint and Varnish Corp. facility located at 5-43 to 5-49 46th Avenue and 45-38 to 45-40 Vernon Boulevard in Long Island City, New York (Site) (NYSDEC Site No C241108).

Remedial Activities:

Backfilling of the excavation areas and installation of the LNAPL recovery system were completed the previous reporting period. During this reporting period the following material generated from remedial activities was removed offsite for disposal:

- 9 55-gallon drums of solid and liquid paint residue from cleaning underground storage tank (UST) D-4;
- 2 55-gallon drums of solid and liquid paint residue from cleaning UST D-5;
- 1 55-gallons drum containerizing the chalk removed and separated during excavation activities in the main courtyard;
- 7 55-gallons drums of solid sediment generated from decontaminating the frac tanks;
- 4 55-gallon drums of paint residue from the piping removed throughout excavation activities;
- 4 55-gallon drums of purged groundwater generated during recovery well installation and development;
- 3 275-gallon totes containerizing nonhazardous wastewater from the frac tanks and USTs GT-1, GT-4B and D-5; and
- 1 20 CY container of cleaned piping from the garage and excavation areas.

The LNAPL recovery system is operational and recovering free-product.

Sampling/Sample Results:

No samples were collected during this reporting period.

Planned Actions:

The following activities are scheduled for the next reporting period (May 1 through May 31, 2016):

- Monitoring of the LNAPL Recovery System;
- Resubmission of the Site Management Plan; and

- Potential submission of Final Engineering Report.

Work Plan Modifications:

No modifications made to the Work Plan during this reporting period.

Site Management Plan

The Draft Site Management Plan was submitted to NYSDEC on October 23, 2015. Comments from the NYSDEC have not been received to date. An updated Draft Site Management Plan will be submitted to further document current site conditions and remedial systems installed onsite.

Resource Conservation and Recovery Act (RCRA) Facility Closure Work Plan

The RCRA Closure Completion Report was submitted to NYSDEC on February 12, 2016. Comments from the NYSDEC have not been received to date.

Please do not hesitate to contact me, Richard Maxwell or Omar Ramotar with any questions or concerns.

Thank you,

Jordanna Kendrot
Project Engineer
jkendrot@rouxinc.com
Roux Associates, Inc.
[209 Shafter Street](#)
[Islandia, NY 11749-5074](#)
Office: [\(631\) 232-2600](tel:(631)232-2600)
Direct: [\(631\) 630-2356](tel:(631)630-2356)
Cell: [\(631\) 741-7142](tel:(631)741-7142)
www.rouxinc.com

We solve our clients' most challenging environmental problems.

NOTICE: THIS ELECTRONIC COMMUNICATION, INCLUDING ANY AUTHORIZED ATTACHMENTS, CONTAINS INFORMATION THAT MAY BE LEGALLY PRIVILEGED, PROTECTED, CONFIDENTIAL AND/OR EXEMPT FROM DISCLOSURE OR CERTAIN TYPES OF USE UNDER APPLICABLE LAW. THIS INFORMATION IS FOR THE SOLE USE OF THE INTENDED RECIPIENT(S). IF YOU ARE NOT THE INTENDED RECIPIENT(S) OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERY OF THIS MESSAGE TO THE INTENDED RECIPIENT(S), YOU ARE HEREBY NOTIFIED THAT ANY REVIEW, USE, DISCLOSURE, COPYING, DISTRIBUTION OR THE TAKING OF ANY ACTION IN RELIANCE ON THE CONTENTS OF THIS E-MAIL OR ANY ATTACHMENTS IS STRICTLY PROHIBITED. YOU ARE FURTHER ADVISED THAT REVIEW BY AN INDIVIDUAL OTHER THAN THE INTENDED RECIPIENT(S) SHALL NOT CONSTITUTE A WAIVER OF ANY ATTORNEY-CLIENT PRIVILEGE WHICH MAY APPLY TO THIS COMMUNICATION. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY THE SENDER IMMEDIATELY BY RETURN E-MAIL, PERMANENTLY DELETE THIS E-MAIL AND ANY ATTACHMENTS FROM ALL COMPUTERS ON WHICH THEY MAY BE STORED AND DESTROY ANY PRINT-OUTS OF THIS EMAIL AND ANY ATTACHMENTS.

Jordanna Kendrot

From: Jordanna Kendrot
Sent: Friday, June 10, 2016 2:33 PM
To: Martinkat, Sondra (DEC) (sondra.martinkat@dec.ny.gov)
Cc: O'Connell, Jane H (DEC) (jane.oconnell@dec.ny.gov) (jane.oconnell@dec.ny.gov); Perretta, Anthony C (HEALTH) (anthony.perretta@health.ny.gov); Brent Carrier (CRE Development) (bcarrier@credevelopment.com); 'mbogin@sprlaw.com'; Omar Ramotar; Richard Maxwell; Joe Duminuco; Charlie McGuckin; 'atill@simonbaron.com'; Robert Hendrickson
Subject: Progress Report May 2016 - Former Paragon Paint (NYSDEC Site No. C241108)

Ms. Martinkat,

In accordance with the Brownfield Cleanup Agreement, Roux Associates has prepared this email to serve as a periodic update for the former Paragon Paint and Varnish Corp. facility located at 5-43 to 5-49 46th Avenue and 45-38 to 45-40 Vernon Boulevard in Long Island City, New York (Site) (NYSDEC Site No C241108).

Remedial Activities:

During this reporting period, the following Remedial Activities were performed:

- The LNAPL recovery system is operational and recovering free-product. During this reporting period a 55-gallon drum of LNAPL recovered by the LNAPL recovery system was removed offsite for disposal.
- Continued preparation of the Final Engineering Report (FER); and
- Continued preparation of resubmittal of Site Management Plan (SMP).

Sampling/Sample Results:

No samples were collected during this reporting period.

Planned Actions:

The following activities are scheduled for the next reporting period (June 1 through June 30, 2016):

- Monitoring of the LNAPL Recovery System;
- Potential resubmission of the Site Management Plan; and
- Potential submission of Final Engineering Report.

Work Plan Modifications:

No modifications made to the Work Plan during this reporting period.

Site Management Plan

The Draft Site Management Plan was submitted to NYSDEC on October 23, 2015. Comments from the NYSDEC have not been received to date. An updated Draft Site Management Plan will be submitted to further document current site conditions and remedial systems installed onsite.

Resource Conservation and Recovery Act (RCRA) Facility Closure Work Plan

The RCRA Closure Completion Report was submitted to NYSDEC on February 12, 2016. Comments from the NYSDEC have not been received to date.

Please do not hesitate to contact me or Omar Ramotar with any questions or concerns.

Thank you,

Jordanna Kendrot

Project Engineer

jkendrot@rouxinc.com

Roux Associates, Inc.

[209 Shafter Street](#)

[Islandia, NY 11749-5074](#)

Office: [\(631\) 232-2600](tel:(631)232-2600)

Direct: [\(631\) 630-2356](tel:(631)630-2356)

Cell: [\(631\) 741-7142](tel:(631)741-7142)

www.rouxinc.com

We solve our clients' most challenging environmental problems.

NOTICE: THIS ELECTRONIC COMMUNICATION, INCLUDING ANY AUTHORIZED ATTACHMENTS, CONTAINS INFORMATION THAT MAY BE LEGALLY PRIVILEGED, PROTECTED, CONFIDENTIAL AND/OR EXEMPT FROM DISCLOSURE OR CERTAIN TYPES OF USE UNDER APPLICABLE LAW. THIS INFORMATION IS FOR THE SOLE USE OF THE INTENDED RECIPIENT(S). IF YOU ARE NOT THE INTENDED RECIPIENT(S) OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERY OF THIS MESSAGE TO THE INTENDED RECIPIENT(S), YOU ARE HEREBY NOTIFIED THAT ANY REVIEW, USE, DISCLOSURE, COPYING, DISTRIBUTION OR THE TAKING OF ANY ACTION IN RELIANCE ON THE CONTENTS OF THIS E-MAIL OR ANY ATTACHMENTS IS STRICTLY PROHIBITED. YOU ARE FURTHER ADVISED THAT REVIEW BY AN INDIVIDUAL OTHER THAN THE INTENDED RECIPIENT(S) SHALL NOT CONSTITUTE A WAIVER OF ANY ATTORNEY-CLIENT PRIVILEGE WHICH MAY APPLY TO THIS COMMUNICATION. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY THE SENDER IMMEDIATELY BY RETURN E-MAIL, PERMANENTLY DELETE THIS E-MAIL AND ANY ATTACHMENTS FROM ALL COMPUTERS ON WHICH THEY MAY BE STORED AND DESTROY ANY PRINT-OUTS OF THIS EMAIL AND ANY ATTACHMENTS.

Jordanna Kendrot

From: Jordanna Kendrot
Sent: Monday, July 11, 2016 10:30 AM
To: Martinkat, Sondra (DEC) (sondra.martinkat@dec.ny.gov)
Cc: O'Connell, Jane H (DEC) (jane.oconnell@dec.ny.gov) (jane.oconnell@dec.ny.gov); Perretta, Anthony C (HEALTH) (anthony.perretta@health.ny.gov); Brent Carrier (CRE Development) (bcarrier@credevelopment.com); 'mbogin@sprlaw.com'; Omar Ramotar; Richard Maxwell; Joe Duminuco; Charlie McGuckin; 'atill@simonbaron.com'; 'Robert Hendrickson'
Subject: Progress Report June 2016 - Former Paragon Paint (NYSDEC Site No. C241108)

Ms. Martinkat,

In accordance with the Brownfield Cleanup Agreement, Roux Associates has prepared this email to serve as a periodic update for the former Paragon Paint and Varnish Corp. facility located at 5-43 to 5-49 46th Avenue and 45-38 to 45-40 Vernon Boulevard in Long Island City, New York (Site) (NYSDEC Site No C241108).

Remedial Activities:

During this reporting period, the following Remedial Activities were performed:

- Electronic submittal of the Draft Final Engineering Report (FER) on June 23, 2016; and
- Continued preparation of resubmittal of the Draft Site Management Plan (SMP).

Sampling/Sample Results:

No samples were collected during this reporting period.

Planned Actions:

The following activities are scheduled for the next reporting period (July 1 through July 31, 2016):

- Resubmission of the Draft SMP.

Work Plan Modifications:

No modifications made to the Work Plan during this reporting period.

Site Management Plan

The Draft SMP was submitted to NYSDEC on October 23, 2015. Comments from the NYSDEC have not been received to date. An updated Draft SMP will be submitted during the July 2016 reporting period to further document current site conditions and remedial systems installed onsite.

Resource Conservation and Recovery Act (RCRA) Facility Closure Work Plan

The RCRA Closure Completion Report was submitted to NYSDEC on February 12, 2016. Comments from the NYSDEC have not been received to date.

Please do not hesitate to contact me or Omar Ramotar with any questions or concerns.

Thank you,

Jordanna Kendrot
Project Engineer
jkendrot@rouxinc.com
Roux Associates, Inc.
[209 Shafter Street](#)
[Islandia, NY 11749-5074](#)
Office: [\(631\) 232-2600](tel:(631)232-2600)
Direct: [\(631\) 630-2356](tel:(631)630-2356)
Cell: [\(631\) 741-7142](tel:(631)741-7142)
www.rouxinc.com

We solve our clients' most challenging environmental problems.

NOTICE: THIS ELECTRONIC COMMUNICATION, INCLUDING ANY AUTHORIZED ATTACHMENTS, CONTAINS INFORMATION THAT MAY BE LEGALLY PRIVILEGED, PROTECTED, CONFIDENTIAL AND/OR EXEMPT FROM DISCLOSURE OR CERTAIN TYPES OF USE UNDER APPLICABLE LAW. THIS INFORMATION IS FOR THE SOLE USE OF THE INTENDED RECIPIENT(S). IF YOU ARE NOT THE INTENDED RECIPIENT(S) OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERY OF THIS MESSAGE TO THE INTENDED RECIPIENT(S), YOU ARE HEREBY NOTIFIED THAT ANY REVIEW, USE, DISCLOSURE, COPYING, DISTRIBUTION OR THE TAKING OF ANY ACTION IN RELIANCE ON THE CONTENTS OF THIS E-MAIL OR ANY ATTACHMENTS IS STRICTLY PROHIBITED. YOU ARE FURTHER ADVISED THAT REVIEW BY AN INDIVIDUAL OTHER THAN THE INTENDED RECIPIENT(S) SHALL NOT CONSTITUTE A WAIVER OF ANY ATTORNEY-CLIENT PRIVILEGE WHICH MAY APPLY TO THIS COMMUNICATION. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY THE SENDER IMMEDIATELY BY RETURN E-MAIL, PERMANENTLY DELETE THIS E-MAIL AND ANY ATTACHMENTS FROM ALL COMPUTERS ON WHICH THEY MAY BE STORED AND DESTROY ANY PRINT-OUTS OF THIS EMAIL AND ANY ATTACHMENTS.

Jordanna Kendrot

From: Jordanna Kendrot
Sent: Wednesday, August 10, 2016 11:28 AM
To: Martinkat, Sondra (DEC) (sondra.martinkat@dec.ny.gov)
Cc: O'Connell, Jane H (DEC) (jane.oconnell@dec.ny.gov) (jane.oconnell@dec.ny.gov); Perretta, Anthony C (HEALTH) (anthony.perretta@health.ny.gov); Brent Carrier (CRE Development) (bcarrier@credevelopment.com); 'mbogin@sprlaw.com'; Omar Ramotar; Richard Maxwell; Joe Duminuco; Charlie McGuckin; 'atill@simonbaron.com'; 'Robert Hendrickson'
Subject: Progress Report July 2016 - Former Paragon Paint (NYSDEC Site No. C241108)

Ms. Martinkat,

In accordance with the Brownfield Cleanup Agreement, Roux Associates has prepared this email to serve as a periodic update for the former Paragon Paint and Varnish Corp. facility located at 5-43 to 5-49 46th Avenue and 45-38 to 45-40 Vernon Boulevard in Long Island City, New York (Site) (NYSDEC Site No C241108).

Remedial Activities:

Following removal of the 55-gallon drum containing recovered LNAPL, completed during the previous reporting period, the LNAPL recovery system has experienced difficulties due to the compressor malfunctioning. During this reporting period, the LNAPL recovery was non-operational and did not recover free-product.

The electronic and physical submittal of the Draft Site Management Plan (SMP) was completed on July 11, 2016.

Sampling/Sample Results:

No samples were collected during this reporting period.

Planned Actions:

The following activities are scheduled for the next reporting period (August 1 through August 31, 2016):

- Repair the LNAPL recovery system and resume LNAPL recovery.

Work Plan Modifications:

No modifications made to the Work Plan during this reporting period.

Site Management Plan

The updated Draft SMP was submitted to NYSDEC on July 11, 2016. Comments from the NYSDEC have not been received to date.

Resource Conservation and Recovery Act (RCRA) Facility Closure Work Plan

The RCRA Closure Completion Report was submitted to NYSDEC on February 12, 2016. Comments from the NYSDEC have not been received to date.

Please do not hesitate to contact me or Omar Ramotar with any questions or concerns.

Thank you,

Jordanna Kendrot
Project Engineer
jkendrot@rouxinc.com
Roux Associates, Inc.
[209 Shafter Street](#)
[Islandia, NY 11749-5074](#)
Office: [\(631\) 232-2600](tel:(631)232-2600)
Direct: [\(631\) 630-2356](tel:(631)630-2356)
Cell: [\(631\) 741-7142](tel:(631)741-7142)
www.rouxinc.com

We solve our clients' most challenging environmental problems.

NOTICE: THIS ELECTRONIC COMMUNICATION, INCLUDING ANY AUTHORIZED ATTACHMENTS, CONTAINS INFORMATION THAT MAY BE LEGALLY PRIVILEGED, PROTECTED, CONFIDENTIAL AND/OR EXEMPT FROM DISCLOSURE OR CERTAIN TYPES OF USE UNDER APPLICABLE LAW. THIS INFORMATION IS FOR THE SOLE USE OF THE INTENDED RECIPIENT(S). IF YOU ARE NOT THE INTENDED RECIPIENT(S) OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERY OF THIS MESSAGE TO THE INTENDED RECIPIENT(S), YOU ARE HEREBY NOTIFIED THAT ANY REVIEW, USE, DISCLOSURE, COPYING, DISTRIBUTION OR THE TAKING OF ANY ACTION IN RELIANCE ON THE CONTENTS OF THIS E-MAIL OR ANY ATTACHMENTS IS STRICTLY PROHIBITED. YOU ARE FURTHER ADVISED THAT REVIEW BY AN INDIVIDUAL OTHER THAN THE INTENDED RECIPIENT(S) SHALL NOT CONSTITUTE A WAIVER OF ANY ATTORNEY-CLIENT PRIVILEGE WHICH MAY APPLY TO THIS COMMUNICATION. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY THE SENDER IMMEDIATELY BY RETURN E-MAIL, PERMANENTLY DELETE THIS E-MAIL AND ANY ATTACHMENTS FROM ALL COMPUTERS ON WHICH THEY MAY BE STORED AND DESTROY ANY PRINT-OUTS OF THIS EMAIL AND ANY ATTACHMENTS.

Jordanna Kendrot

From: Omar Ramotar
Sent: Friday, September 09, 2016 12:07 AM
To: Martinkat, Sondra (DEC) (sondra.martinkat@dec.ny.gov)
Cc: O'Connell, Jane H (DEC) (jane.oconnell@dec.ny.gov) (jane.oconnell@dec.ny.gov); Perretta, Anthony C (HEALTH) (anthony.perretta@health.ny.gov); Brent Carrier (CRE Development) (bcarrier@credevelopment.com); mbogin@sprlaw.com; Jordanna Kendrot; Joe Duminuco; atill@simonbaron.com; Robert Hendrickson
Subject: Progress Report August 2016 - Former Paragon Paint (NYSDEC Site No. C241108)

Ms. Martinkat,

In accordance with the Brownfield Cleanup Agreement, Roux Associates has prepared this email to serve as a periodic update for the former Paragon Paint and Varnish Corp. facility located at 5-43 to 5-49 46th Avenue and 45-38 to 45-40 Vernon Boulevard in Long Island City, New York (Site) (NYSDEC Site No C241108).

Remedial Activities:

As reported the previous period, the LNAPL recovery system was non-operational and did not recover free-product. During maintenance and troubleshooting completed this reporting period, it was determined that the compressor had sustained moisture damage. The compressor was repaired and will be re-installed during the next scheduled site visit. Upon reinstallation and testing the LNAPL recovery system will be fully operational. This is anticipated to occur on September 9, 2016.

Sampling/Sample Results:

No samples were collected during this reporting period.

Planned Actions:

The following activities are scheduled for the next reporting period (September 1 through September 30, 2016):

- Preparation and completion of quarterly gauging and collection of groundwater samples from monitoring wells within proposed SMP monitoring network; and
- Installation of repaired compressor in the LNAPL recovery system and resume LNAPL recovery.

These activities are anticipated to be completed by September 9, 2016.

Work Plan Modifications:

No modifications were made to the Work Plan during this reporting period.

Site Management Plan

The updated Draft SMP was submitted to NYSDEC on July 11, 2016. Comments from the NYSDEC were received on August 31, 2016. Comments will be addressed and the revised Draft SMP will be re-submitted to the NYSDEC and NYSDOH within the required 30 day time frame.

Final Engineering Report (FER)

The FER was submitted to NYSDEC on June 23, 2016. Comments from the NYSDEC have not been received to date.

Resource Conservation and Recovery Act (RCRA) Facility Closure Work Plan

The RCRA Closure Completion Report was submitted to NYSDEC on February 12, 2016. Comments from the NYSDEC have not been received to date.

Please do not hesitate to contact our office with any questions or concerns.

Kind Regards,
Omar

Omar Ramotar
Principal Engineer
P.E. - NY, AZ

oramotar@rouxinc.com

Roux Associates, Inc./ Remedial Engineering, P.C.

209 Shafter Street

Islandia, New York 11749

Office: 631-232-2600

Direct No.: 631-630-2339

Fax: 631-232-9898

Cell: 631-553-9274

www.rouxinc.com

We solve our clients' most challenging environmental problems.



Follow us on: Check out our blog:

THINK BEFORE YOU PRINT: Please consider the environment before printing this email.

NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail, permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.

Jordanna Kendrot

From: Jordanna Kendrot
Sent: Wednesday, October 12, 2016 2:35 PM
To: Martinkat, Sondra (DEC) (sondra.martinkat@dec.ny.gov)
Cc: O'Connell, Jane H (DEC) (jane.oconnell@dec.ny.gov) (jane.oconnell@dec.ny.gov); Perretta, Anthony C (HEALTH) (anthony.perretta@health.ny.gov); Brent Carrier (CRE Development) (bcarrier@credevelopment.com); 'mbogin@sprlaw.com'; Omar Ramotar; Richard Maxwell; Joe Duminuco; Charlie McGuckin; 'atill@simonbaron.com'; 'Robert Hendrickson'
Subject: Progress Report September 2016 - Former Paragon Paint (NYSDEC Site No. C241108)
Attachments: Water Level Elevations and LNAPL thickness (September 2016).pdf

Ms. Martinkat,

In accordance with the Brownfield Cleanup Agreement, Roux Associates has prepared this email to serve as a periodic update for the former Paragon Paint and Varnish Corp. facility located at 5-43 to 5-49 46th Avenue and 45-38 to 45-40 Vernon Boulevard in Long Island City, New York (Site) (NYSDEC Site No C241108).

Operation, Maintenance and Monitoring Activities:

On September 8, 2016, Roux Associates completed the first post-remediation quarterly groundwater gauging and sampling of monitoring wells to be included in the SMP monitoring network, consisting of 17 monitoring wells. If the presence of free-product was observed, the monitoring well was not sampled. The remainder of monitoring wells were sampled and analyzed for VOCs. During the gauging event, the five recovery wells (RW-1 through RW-5) onsite were gauged to determine the presence of free-product.

During the groundwater sampling on September 8, 2016, the presence of free-product was noted in monitoring wells MW-2R, MW-3, MW-4, MW-7, MW-22, MW-33 and MW-40 and recovery wells RW-3 and RW-4. Free-product that was present in the monitoring wells were manually bailed and removed from the monitoring well. Approximately 1.35 gallons of free-product were removed in total from these monitoring wells, to be stored in the onsite 55-gallon recovery drum.

Free-product had not previously been noted in monitoring wells MW-4 and MW-22. As a result, subsequent Site visits were completed on September 16 and 30, 2016 to confirm observations noted on September 8, 2016. During these visits, the two monitoring wells were gauged again and manually bailed with the following results:

- MW-22: Thickness was 1.38' on September 8, 2016. 0.25 gallons of free-product removed during gauging event. To confirm presence of free-product observed on September 8, 2016, well gauged again on September 16, 2016. Thickness was 0.29' on September 16, 2016 (about one foot less). **Trace amounts** of free-product removed during this subsequent Site visit because thickness of free-product in the well was only 0.29'.
- MW-4: Thickness was 0.20' on September 8, 2016. 0.1 gallons of free-product removed during gauging event. To confirm presence of free-product observed on September 8, 2016, well gauged again on September 16, 2016. Thickness was 0.15' on September 16, 2016 (about 0.05' less). **Trace amounts** of free-product removed during this subsequent Site visit because thickness of free-product in the well was only 0.15'.

A summary of the gauging data collected during the reporting period is provided in the attached table. Moving forward, free-product levels at these monitoring wells, as well as other monitoring wells across the entire Site that have product present, will continue to be monitored and respective free-product bailed on a monthly basis. Additional efforts to optimize free-product recovery efforts will be employed, as necessary, in accordance with the Site Management Plan.

As reported during the previous reporting period, the LNAPL recovery system was non-operational and did not recover free-product. On September 29, 2016, the LNAPL recovery system was brought online upon system repair.

Sampling/ Sample Results:

During this reporting period, 11 groundwater samples were collected from the following monitoring wells:

- MW-5 • MW-7R • MW-10 • MW-11 • MW-19 • MW-21
- MW-34 • MW-37 • MW-38 • MW-41 • MW-42

Monitoring well MW-7R, though not included in the original SMP monitoring network, was sampled in lieu of MW-7 because no product was encountered. The results of this quarterly sampling round will be presented and discussed in a groundwater monitoring report, which will be submitted under separate cover in the upcoming reporting period.

Planned Actions:

The following activities are scheduled for the next reporting period (October 1 through October 31, 2016):

- Continued monthly O&M of LNAPL recovery system;
- Continued monthly gauging of monitoring wells within modified SMP monitoring network; and
- Installation of six (6) monitoring wells within the courtyard and former paint factory building.

Work Plan Modifications:

No modifications made to the Work Plan during this reporting period.

Site Management Plan

The updated Draft SMP was submitted to the NYSDEC on July 11, 2016. Comments from the NYSDEC were received on August 31, 2016. Comments were addressed and the revised Draft SMP was re-submitted to the NYSDEC and NYSDOH on October 3, 2016. Additional comments on the Draft SMP raised during Roux Associates meeting with the NYSDEC on October 7, 2016 will require the immediate resubmission of the Draft SMP. The updated draft is anticipated to be submitted during the week of October 17, 2016.

Final Engineering Report

The Draft Final Engineering Report (FER) was submitted to the NYSDEC on June 23, 2016. Comments from the NYSDEC were received on October 6, 2016. Comments will be addressed during the next comment period and the FER is anticipated to be resubmitted to the NYSDEC after the new monitoring wells have been installed and monitored for the presence of free-product. It is anticipated that the FER will be submitted during the week of October 24, 2016.

Resource Conservation and Recovery Act (RCRA) Facility Closure Work Plan

The RCRA Closure Completion Report was submitted to NYSDEC on February 12, 2016. Comments from the NYSDEC have not been received to date.

Please do not hesitate to contact me or Omar Ramotar with any questions or concerns.

Thank you,

Jordanna Kendrot
Project Engineer
jkendrot@rouxinc.com

Roux Associates, Inc.

[209 Shafter Street](#)

[Islandia, NY 11749-5074](#)

Office: [\(631\) 232-2600](#)

Direct: [\(631\) 630-2356](#)

Cell: [\(631\) 741-7142](#)

www.rouxinc.com

We solve our clients' most challenging environmental problems.

NOTICE: THIS ELECTRONIC COMMUNICATION, INCLUDING ANY AUTHORIZED ATTACHMENTS, CONTAINS INFORMATION THAT MAY BE LEGALLY PRIVILEGED, PROTECTED, CONFIDENTIAL AND/OR EXEMPT FROM DISCLOSURE OR CERTAIN TYPES OF USE UNDER APPLICABLE LAW. THIS INFORMATION IS FOR THE SOLE USE OF THE INTENDED RECIPIENT(S). IF YOU ARE NOT THE INTENDED RECIPIENT(S) OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERY OF THIS MESSAGE TO THE INTENDED RECIPIENT(S), YOU ARE HEREBY NOTIFIED THAT ANY REVIEW, USE, DISCLOSURE, COPYING, DISTRIBUTION OR THE TAKING OF ANY ACTION IN RELIANCE ON THE CONTENTS OF THIS E-MAIL OR ANY ATTACHMENTS IS STRICTLY PROHIBITED. YOU ARE FURTHER ADVISED THAT REVIEW BY AN INDIVIDUAL OTHER THAN THE INTENDED RECIPIENT(S) SHALL NOT CONSTITUTE A WAIVER OF ANY ATTORNEY-CLIENT PRIVILEGE WHICH MAY APPLY TO THIS COMMUNICATION. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY THE SENDER IMMEDIATELY BY RETURN E-MAIL, PERMANENTLY DELETE THIS E-MAIL AND ANY ATTACHMENTS FROM ALL COMPUTERS ON WHICH THEY MAY BE STORED AND DESTROY ANY PRINT-OUTS OF THIS EMAIL AND ANY ATTACHMENTS.

Table 1. Updated Summary of September 2016 Water Level Elevations and LNAPL Thickness, Former Paragon Paint Manufacturing Facility, Long Island City, New York

Well ID ³	MPE (ft)	September 8, 2016				September 16, 2016				September 30, 2016				Comments
		DTP (ft)	DTW (ft)	GWE (ft)	FPT (ft)	DTP (ft)	DTW (ft)	GWE (ft)	FPT (ft)	DTP (ft)	DTW (ft)	GWE (ft)	FPT (ft)	
Monitoring Wells														
MW-2R	9.46	7.52	7.59	1.92	0.07	--	--	--	--	--	--	--	--	Trace free-product observed. Free-product has historically been observed at this location. No free-product removed during gauging event. Free-product levels at this monitoring well will continue to be monitored and respective free-product bailed on a monthly basis, to the extent practical.
MW-3	8.44	6.8	8.91	1.11	2.11	--	--	--	--	--	--	--	--	Free-product observed. Free-product has historically been observed at this location. 1 gallon of free-product removed during September 8, 2016 gauging event. Free-product levels at this monitoring well will continue to be monitored and respective free-product bailed on a monthly basis, to the extent practical.
MW-4	11.57	9.98	10.18	1.54	0.2	10.04	10.19	1.49	0.15	10.18	10.22	1.38	0.04	Free-product observed. However, free-product has historically not been observed at this location during prior gauging events (See Note 3). 0.1 gallons of free-product removed during September 8, 2016 gauging event. To confirm presence of free-product observed on September 8, 2016, well regauged on September 16, 2016. Trace amounts of free-product removed during subsequent Site visits. Free-product levels at this monitoring well will continue to be monitored and bailed on a monthly basis, to the extent practical.
MW-5	8.35	--	6.76	1.59	--	--	--	--	--	--	6.79	--	--	No free-product observed. Monitoring well will continue to be monitored on a monthly basis.
MW-7	4.48	2.39	3.65	1.78	1.26	--	--	--	--	--	--	--	--	Free-product observed. Free-product has historically been observed at this location. Free-product not removed from this location during the September 8, 2016 gauging event since this monitoring well has a one-inch diameter and the field workers did not have the right size bailer to remove the free-product that was present. Free-product levels at this monitoring well will continue to be monitored and respective free-product bailed on a monthly basis, to the extent practical.
MW-10	7.82	--	7.65	0.17	--	--	--	--	--	--	--	--	--	No free-product observed. Monitoring well will continue to be monitored on a monthly basis.
MW-11	7.82	--	6.77	1.05	--	--	--	--	--	--	--	--	--	No free-product observed. Monitoring well will continue to be monitored on a monthly basis.
MW-14*	11.63	--	--	--	--	--	--	--	--	--	10.11	1.52	--	No free-product observed. See Note 5.
MW-15	11.51	--	9.27	2.24	--	--	--	--	--	--	9.98	1.53	--	No free-product observed. Monitoring well will continue to be monitored on a monthly basis.
MW-17*	8.78	--	--	--	--	--	--	--	--	--	7.05	1.73	--	No free-product observed. See Note 5.
MW-18*	8.40	--	--	--	--	--	--	--	--	--	7.07	1.33	--	No free-product observed. See Note 5.
MW-19	4.41	--	2.36	2.05	--	--	--	--	--	--	--	--	--	No free-product observed. Trace free-product observed prior to system start-up. Monitoring well will continue to be monitored on a monthly basis.
MW-20*	11.69	--	--	--	--	--	--	--	--	--	10.27	1.42	--	No free-product observed. See Note 5.
MW-21	8.17	--	6.65	1.52	--	--	--	--	--	--	--	--	--	No free-product observed. Monitoring well will continue to be monitored on a monthly basis.
MW-22	11.63	9.81	11.19	1.48	1.38	10.06	10.35	1.50	0.29	10.19	10.34	1.40	0.15	Free-product observed. However, free-product has historically not been observed at this location during prior gauging events (See Notes 3 and 4). 0.25 gallons of free-product removed during September 8, 2016 gauging event. To confirm presence of free-product observed on September 8, 2016, well regauged on September 16, 2016. Trace amounts of free-product removed during this subsequent Site visit. Free-product levels at this monitoring well will continue to be monitored and respective free-product bailed on a monthly basis, to the extent practical.
MW-33	9.49	7.46	7.48	2.03	0.02	--	--	--	--	--	--	--	--	Trace free-product levels observed. Free-product has historically been observed at this location. No free-product removed during gauging event. Free-product levels at this monitoring well will continue to be monitored and respective free-product bailed on a monthly basis, to the extent practical.
MW-34	8.30	--	7.31	0.99	--	--	--	--	--	--	--	--	--	No free-product observed. Monitoring well will continue to be monitored on a monthly basis.
MW-36*	9.11	--	--	--	--	--	--	--	--	--	7.44	1.67	--	No free-product observed. See Note 5.
MW-38	4.44	--	2.62	1.82	--	--	--	--	--	--	--	--	--	No free-product observed. Monitoring well will continue to be monitored on a monthly basis.
MW-40	8.49	6.98	7	1.51	0.02	--	--	--	--	--	--	--	--	Trace amount of free-product observed. No free-product removed during September 8, 2016 gauging event. New monitoring well installed during remedial action. Free-product levels at this monitoring well will continue to be monitored and respective free-product bailed on a monthly basis, to the extent practical.
MW-41	8.51	--	6.61	1.90	--	--	--	--	--	--	--	--	--	No free-product observed. New monitoring well installed during remedial action and will continue to be monitored on a monthly basis.
MW-42	9.37	--	7.86	1.51	--	--	--	--	--	--	--	--	--	No free-product observed. New monitoring well installed during remedial action and will continue to be monitored on a monthly basis.
Recovery Wells														
RW-1 ⁴	8.26	--	6.71	1.55	--	--	--	--	--	--	--	--	--	Since system was started, free-product has not been observed at this location.
RW-2 ⁴	9.81	--	7.34	2.47	--	--	--	--	--	--	--	--	--	Since system was started, free-product has decreased from 1.2 inches to non-detect levels at this location.
RW-3 ⁴	9.83	8.36	8.38	1.47	0.02	--	--	--	--	--	--	--	--	Since system was started, free-product has decreased from 2.76 inches to trace levels at this location.
RW-4 ⁴	10.2	8.65	8.66	1.55	0.01	--	--	--	--	--	--	--	--	Since system was started, only trace free-product has been observed at this location.
RW-5 ⁴	10.27	--	8.45	1.82	--	--	--	--	--	--	--	--	--	Since system was started, free-product has decreased from 2.28 inches to non-detect levels at this location.

Notes:

- The elevation datum used for the MPE is NAVD 88.
- For monitoring wells that contained LNAPL the following formula was used to calculate the corrected water table elevation:

$$\text{Corrected GWE} = \text{MPE} - \text{DTW} + (\text{LNAPL thickness} * \text{LNAPL specific gravity})$$
 Assumes a specific gravity of 0.75
- Presence of free-product at monitoring well attributed to disturbance and resulting movement of free-product within the courtyard area during the performance of the remedial action.
- Monitoring well was gauged to corroborate presence of free-product at MW-4.
- Monitoring wells gauged are not part of the SMP monitoring network. Wells gauged at request of the NYSDEC on September 29, 2016.

Legend:

- LNAPL - light non-aqueous phase liquid
- MPE - measuring point elevation (top of well casing)
- DTW - depth to water
- DTP - depth to product
- GWE - groundwater elevation (corrected for presence of LNAPL when applicable^{1,2})
- FPT - free product thickness