Phase 1 Report: 6819 Woodhaven Blvd., Queens New York



Figure 1a Street View of 68th Ave. Across Woodhaven Boulevard

Prepared for:

Damien Smith, President First Standard Construction 70 Lafayette Street, 4th Floor New York, NY 10013

Prepared By:

Dr. James M. Cervino, QEP Restoration and Conservation Advisement Group, LLC. 9-22 119th Street College Point, NY 11356

Table of Contents

Section 1: Introduction, Purpose, and Site Specific Information	
1.0 Purpose and Summary	
1.1 Introduction4	:
1.2 Scope of this Investigation	
1.3 Questionnaire	I
1.4 Specialized Knowledge and EDR	I
1.5 Environmental Lien Search (Summary Report)	I
1.6 Orphan Sites	
Section 2: Findings and Results11	
2.0 Physical Settings	
2.1 Site Findings	
2.2 Chemical Findings	-
2.3 Report Findings	I
2.4 Opinion	I
2.5 Conclusion & Phase 2 Suggestion17	,
Section 3: Certification	
3.0 Certification	

A	ppendices19
	Appendix 1a, b, c: Radius Map, Site, and Summary Reports
	Appendix 1d: Department of Buildings Property Profile Overview
	Appendix 2: Certified Sanborn Map
	Appendix 3: Tax Map
	Appendix 4: City Building Permit
	Appendix 5a: Aerial Photo Decade Package
	Appendix 5b, c: Historical Topo Map Report
	Appendix 6: Vapor Encroachment Map
	Appendix 7: Official Site Survey

SECTION 1: Introduction, Purpose, and Site Specific Information

Purpose and Summary

The purpose for the in-situ surface site assessment was to identify recognized environmental conditions (RECs) in accordance with ASTM Standard E-1527-13; Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process, the United States Environmental Protection Agency (USEPA) Standards and Practices for All Appropriate Inquiries (AAI) (40 CFR Part 312). Any exceptions to, or deletions from, this overall investigation are described in the report. Due to the nature of the business, an "Automotive repair and auto-body repair" shop, may indicate an existing release, past release, or material threat of a release of hazardous substances or petroleum products into structures of the property or into the ground, groundwater, or surface water of the property of interest. RECs includes hazardous substances and petroleum products under conditions that might be compliant within the law. The term does not include "de minimis" conditions that do not present a threat to human health and / or the environment, and that may not be subject to an enforcement action if brought to the attention of appropriate governmental agencies.


Limited Summary

Areas of concern (AOCs) were also identified during this investigation, which has shown evidence of a potential point source release to the site environment and potentially the groundwater, which appears to have been ongoing in the past due to the history of the property. Indoor activities consisting of rinse water of all the floors and cars where oil changes and spray painting of vehicles occur, is part of the daily business practice. Cars are stripped with lacquer thinners (VOCs) and sanded following a water rinse into the floor drains. Further testing and a full Phase 2 Investigation are needed to fully determine the extent of environmental "AOC" concerns on said property. An AOC is defined as a location or area at a property where hazardous waste and/or hazardous substances (including petroleum products) may have been used, stored, treated, handled, disposed, spilled, and/or released to the environment.

3

Introduction

This report presents the findings of a Phase 1 Environmental Site Assessment of 68-19 Woodhaven Blvd., Queens, New York Avenue, **Block 3148– Lot 2.** This report was prepared by Dr. James M. Cervino, QEP, owner of Restoration and Conservation Advisement Group, LLC., for Damien Smith, President of First Standard Construction. This Phase 1 site reconnaissance was performed by Dr. James M. Cervino on May 1, 2019 and again on May 4, 2019. Damien Smith was present during the site reconnaissance and provided site-specific information about the property.



The **Figure (1b)**, above map, provided by NYC OASIS, shows an aerial view of the building, highlighted in the orange outline. The building is located within block 3148 and is lot number 2 Woodhaven Blvd., Cross Street.

Scope of this Investigation

In order to develop a meaningful assessment regarding any potential environmental risks to the "Site," the following tasks were completed:

1. A site reconnaissance to characterize conditions and assess the Subject Property's location with respect to adjoining and surrounding property uses and natural surface features. The reconnaissance included the surrounding

roads and observations of surrounding properties from public rights-of-way to identify obvious potential environmental conditions on neighboring properties (Appendices 1a, 1b, 1c and 1d).

- 2. The site reconnaissance was conducted in a systematic manner focusing on the spatial extent of the Subject Property and then progressing to adjoining and surrounding properties. Photographs taken as part of the site reconnaissance are included in the Certified Sanborn Map (Appendix 2) and the Tax Map (Appendix 3).
- 3. A review of the response to the User questionnaire. The completed User Questionnaire is included in Figure 2 below.
- 4. A review of environmental databases maintained by the U.S. EPA, state, and local agencies within the approximate minimum search area. The environmental database report was provided by Environmental Data Resources, Inc. (EDR), and is included in Appendices 1a, 1b and 1c).
- 5. A review of New York City Department of Buildings (NYCDOB) records and a Planning Commission Zoning DOB Permits. Available NYCDOB records and the Zoning Map are included in Appendix 4.
- 6. A review of physical characteristics of the Subject Property through a review of referenced sources for topographic, geologic, soils, and hydrologic data (Appendix 1a).
- 7. A review and interpretation of aerial photographs, Sanborn® Fire Insurance Maps (Sanborn® Maps), historical topographic maps, and city directories to identify previous activities on and in the vicinity of the Subject Property. Copies are included in Appendices (1, 2, & 5a, 5b, and 5c).
- 8. A review of published radon occurrence maps to evaluate whether the Subject Property is located in an area with a propensity for elevated radon levels (Appendix 1a, page 519).


-

Figure (2)

	As part of this study, which of the following are you providing?		
	1. Previous environmental site	assessment reports OYes No	
	2. Environmental compliance a	audit reports Oyes ONO	
		uding but not limited to solid waste disposal permits, hazardous waste er permits, NPDES permits, underground injection permits.OYes	
	4. Registrations for underground	nd and aboveground storage tanks 🔘 Yes 🏼 🍘 No	
	5. Registrations for underground	nd injection systems 🔿 Yes 🍘No	
	6. Material safety data sheets	⊖Yes @No	
	7. Community Right-to-Know p	olan 🔿 Yes 🍘 No	
	 Safety plans; preparedness plans; etc. Yes No 	and prevention plans; spill prevention, countermeasure, and control	
	9. Reports regarding hydroged	ologic conditions on the property or surrounding area OYes 🍘 No	
	10. Notices or other correspondence from any government agency relating to past or current violations of environmental laws with respect to the property or relating to environmental liens encumbering the property OYes No		
	11. Hazardous waste generator	notices or reports Yes INO	
	12. Geotechnical studies	Yes 🕘 No	
	13. Risk assessments OYes	No	
	14. Recorded Activity and Use I	Limitations (AULs). OYes No	
Please contact us if you have any questions regarding these ASTM requirements.			
Please return the completed document to Restoration and Conservation Advisement Group, LLC. emailed to <u>tinaezratty@hotmail.com</u> .			
	Completed by:	Darven Switt	
	Signature:	2	
	Title:	Menber	
	Company:	27-10 37K AVENUE LLC	
	Relationship to site (i.e. lender, purchaser,owner):		
	Date:	Purchaser 4/13/2019.	
	Louis .		

This Phase I ESA was not intended to be a extensive physical investigation of possible environmental impacts at the Subject Property. However, we did confirm that the subject property given its past use, has no record of a NYSDEC Spill (based on NYSDEC Database search and environmental lien search on this address); however, on the adjoining properties, there are records of multiple NYSDEC spills, up- and downgradient from the said subject property, some within 200 feet; as per EDR VEC-AOC Light-box tool (*Figure 3 and Appendix 6)*. This also highlights Brownfields, CERCLA sites and Vapor Encroachment within 0.5 miles of the said property. The purpose of this investigation was to determine if there are any RECs affecting the Subject Property. Therefore, Restoration and Conservation Advisement Group, LLC., cannot "certify" that the Subject Property is free from any environmental impacts due to recent onsite inspections and past usage of the property.






May 4th, 2019

Phase I: Environmental Site Assessment 68-19 Woodhaven Blvd., Rego Park Queens New York Restoration and Conservation Advisement Group, LLC

Our services were performed within the limits set forth by ASTM E1527-13, with the customary standard of care exercised by professionals performing similar services under similar circumstances within the same jurisdiction. The conclusions, opinions, and recommendations provided in this report are based solely on the specific activities as required for the performance of ASTM E1527-13 and are intended exclusively for the purpose stated, at the specified Subject Property, as it existed at the time of our site visits. The property's past usage has been as 1) a stone cutting manufacturer, and 2) an auto-body/automotive repair and restoration shop. Figure (4) shows historic usage of the property since 1932. Based on historic usage along with 2 recent on-site inspections, an in-depth Phase 2 is necessary to evaluate environmental risks and AOCs.

Figure 4



Specialized Knowledge and EDR

The historic Sanborn Maps report that the land has been established on since 1902. From 1932 – 1980, the land was used as a Granite Cutting Burial Vault Manufacture business due to the close proximity of the cemetery. This is all within a mixed-use residential zone area. Between the years 1932 –2019, (Figure 4) it was zoned for a store/residential properties, and from 1981 – present it has been zoned for commercial use with a business operating as an auto repair shop (Figure 1a). The Certified Sanborn maps, aerial photographs, and Historical Topographical maps are all consistent with the zoned land use (See EDR Appendices). Referencing the City Directory, the land was used as a Seal-Lock Vault Burial Manufacturer from 1932 to 1980, and then was claimed as a Landscape Florist and Auto-repair commercial use as of current 2019.

The target property, along with any property located within a one (1) mile radius, are NOT listed on the Federal Resource Conservation Recovery Act (RCRA) Treatment Storage Disposal (TSD) List – a list of facilities on which treatment, storage, and/or disposal of hazardous wastes takes place, whom are regulated and follow standards set forth by RCRA. The target property is not located on the Federal RCRA Generator's list – a list kept by EPA of persons or entities that generate hazardous waste as defined and regulated by RCRA, however, in close proximity there are orphan and regulated sites that are listed. As per **Appendix (1d)**, the DOB Property Profile indicates no "environmental or ECB violations" on the said property.

There were a total of 13 properties located within a half mile radius of the target property that were located on the list. Inclusion of the surrounding properties on the RCRA Generator's List does not imply that the property has been contaminated. The EDR Radius Summary Report showed that there were no Solid Waste Disposal sites – defined as any place, location, tract of land, area, or premises used for the disposal of solid waste as defined by NY State solid waste regulations – located within a 0.5 mile radius of the target property (Appendices 1a, b and c).

9

The target property, along with any property located within a one (1) mile radius, are on the Emergency Response Notification System (ERNS) list – a list of reported CERCLA hazardous substance releases or spills in quantities greater than the reportable quantity, as set forth and maintained by the National Response Center as a result of spills and NYSDEC Brownfields. Notification requirements must correspond with 40 CFR Parts 302 & 355. **Appendices 1a, b and c** list the standard and additional environmental details that were searched for the report.

A Historical Recognized Environmental Conditions (HREC) is an environmental condition which in the past would have been considered a Recognized Environmental Condition (REC), but now may/may not presently be considered an REC. The target property did not show any concerns of HRECs. This was deduced from evidence qualitatively evaluated during the on-site inspection, and equally supported when researching the target property in a government database search/historical review. ABER is defined by ASTM E1527-13 as a risk that can have a material environmental or environmentally driven impact on the business associated with the current or planned use of a parcel of commercial real estate, not necessarily limited to those environmental issues required to be investigated in this practice. Historic fill and demolition debris associated with the former building is expected to be present at the Subject Property. Based on the construction date of the former building (prior to 1936), potential contaminants inherent to building materials (i.e., lead-based paint, asbestos-containing material) or typical of historic fill material may impact future disposal costs.

Orphan Sites

An orphan site is defined as unmappable sites that are not evaluated in a foregoing environmental investigation. The target property was NOT on the list of orphan sites, there were a total of nine (5) orphans sites located in the one (1) mile radius of the target property **(Appendix 1c)**.

10


SECTION 2: Findings and Results

Physical Settings

Bodies of Water:

The nearest body of water within a 2-mile radius, located Northeast of the target property, is the Willow Lake in Flushing Meadows Park (Figure 4). Jamaica Bay is 6 miles to the south (Figure 5). The property is located about 40ft above sea level.

Figure (4)




Groundwater Flow

The hydrogeological data provided by EDR shows that the groundwater flows in a Southwest direction and there is not a steep gradient for the water to travel down. Groundwater is not a primary drinking source of water for the boroughs of New York City.

Ecologically Sensitive Area

The EDR Maps show that the target property is located near an ecologically sensitive area, Jamaica Bay, which can be impacted by stormwater runoff.

Figure (5)



Site Geology and Topography

The rock-type of the target property is Mesozoic, Upper Cretaceous stratified sedimentary rock sequences. The soil surface textures are: silt loam, loamy sand, sandy loam, and fine sandy loam. The surficial soil types are: silt loam, loamy sane, sandy loam, and fine sandy loam. The deeper soil types include: unweathered bedrock, very

gravelly – loamy sand, stratified, and sandy loam. The lower soil layer is impermeable and the soil reaction (pH) is 9.0.

Site Findings

General Site Findings and Reconnaissance Observations

The Subject Property is a rectangular property with a 1-story building and a small backyard that had grass and pebbles occupied by a landscape business on both sides of the back yards of the property. The property was occupied by an auto body shop/building, chain-link fence in the front of the house, and another metal chain-link fence that bounded the back property line. The perimeter of the building did not show any evidence of a REC's or environmental impacts.

Pits, Ponds, and Lagoons

Pits, Ponds, and Lagoons were observed a few miles away at Willow Lake during the Site Reconnaissance of the Subject Property.

Pools of Liquid

Pools of Liquid were observed during the Site Reconnaissance of the Subject Property with oil sheen and staining.

Storm Drains, Wells, and Cisterns

Storms Drains, wells, and cisterns were not observed during the Site Reconnaissance of the Subject Property.

Transformers and other Suspect Equipment

Transformers and other suspect equipment was not observed during the Site

Reconnaissance of the Subject Property.

Storage Containers, Drums, and Chemical Storage Areas

Storage containers, drums, and chemical storage areas were observed during the Site Reconnaissance of the Subject Property.

Sewage Ejector Pits and Dumps

Sewage ejector pits and dumps were not observed during the Site Reconnaissance of the Subject Property.

Waste Generation, Storage, and Disposal

Waste generation, storage and disposal was observed during the Site Reconnaissance of the Subject Property.

Air Emissions or Wastewater Discharges

Air emissions or wastewater dischargers were not observed during the Site

Reconnaissance of the Subject Property.

USTs or ASTs

USTs or ASTs were not observed during the Site Reconnaissance of the Subject Property.

Monitoring Wells or Remedial Activities

Monitoring wells and remedial activities were not observed during the Site

Reconnaissance of the Subject Property.

Stained or Discolored Soil

Stained or discolored soil was observed during the Site Reconnaissance of the Subject Property.

Leachate or Seeps

Leachates or seeps were observed during the Site Reconnaissance of the Subject Property.

Adjoining or Surrounding Property Users

Adjoining and surrounding properties of the area included residential homes, mixed use buildings. The east, west, and south bounding properties of the building were residential homes and mixed use properties. Across the street, north of the building, there was a gas station towards the back of the building adjacent 68th Ave.

Chemical Findings

PCB's: Transformers often contain poly-chlorinated biphenyl (PCB) Askarel coolant liquid and are generally used in hazardous locations where fires are of concern. PCB transformers are no longer produced because of EPA's ban on the manufacture of new equipment containing PCBs. However, older equipment does remain in certain areas and may contain PCBs. As of January, 1979, Polychlorinated Biphenyls (PCB) and other toxic materials used in fluorescent ballasts were phased out. Any building constructed

14

prior to 1979 may contain PCB in minor quantities and is not considered a major health threat. Further evaluation goes beyond the scope of a Phase I Environmental Report. No electrical transformers were observed on the property. As per the Toxic Substance Control Act (TSCA), the transformer owner, i.e. the utility company, is responsible for all transformer maintenance and all spills of PCBs from their transformers. Asbestos: The EPA has identified asbestos fibers as a hazardous waste linked to adverse health effects. The inspection of the Long Island City premises is to determine the presence of friable asbestos, as defined by the Federal Environmental Protection Agency as any material, which may be pulverized mechanically. This material has the potential to release asbestos fibers into the atmosphere and in turn may be hazardous to the building occupants' health. Restoration & Conservation Advisement Group, LLC. Restoration & Conservation LLC; has not inspected for or included in our report any building materials, which may contain non-friable asbestos such as vinyl asbestos floor tiles, exterior asbestos shingles, asbestos roofing felts, and moldings. Many of these materials are still manufactured today and not considered hazardous unless the material is cut, sawed, or grounded in a manner that might release asbestos fibers into the atmosphere. We have used the 4-category system as defined by Asbestos Hazardous Emergency Response Act (AHERA) to designate the different conditions of asbestos noted throughout the areas of the site. This report is not designed to meet the AHERA protocols.No friable asbestos containing material was observed in any of the accessible areas of the site.

Lead-based Paint: Lead-based paint (LBP) was used extensively in buildings and structures that were constructed prior to 1978 and can be hazardous when damaged (i.e., chipped, broken, crumbling, pulverized); lead is toxic to humans particularly to children, if ingested, inhaled, or otherwise absorbed. Exposure to lead can cause health problems in children ranging from damage to the brain and nervous system, behavioral and learning problems (such as hyperactivity), slowed growth, hearing problems and headaches. In adults the health problems can range from difficulties during pregnancy, other reproductive problems, high blood pressure, digestive problems, nerve disorders, memory and concentration problems and muscle and joint pain.

Although the building was built prior to 1978, the entire property is going to be demolished and rebuilt. The concern for lead-based paint is greatly minimized, and will not be harmful for the occupants of the residence or other community members. *Mold:* Our on-site inspection did not reveal any visible evidence of mold or mold spores in any of the accessible areas inspected, including the bathrooms and storm drains. *Radon:* Radon first gained national attention in early 1984, when extremely high levels of indoor radon were found in areas of Connecticut, Pennsylvania, New Jersey, and New York. Radon is a colorless, odorless radioactive gas. EPA established a Radon Program in 1985 to assist States and homeowners in reducing their risk of lung cancer from indoor radon. The New York State Department of Health indicates the average radon level for this area of Queens to be 0.620 picocuries per liter (pCi/L), which is below the EPA action level of 4 pCi/L. A radon canister was not installed inside the garage at the time of our inspection since this is beyond the scope of this assessment.

Report Findings

Based on our historical review, database search, and on-site investigation, no RECs were noted (defined in section 1.1). There was also no evidence of HRECs during the on-site investigation and the post-site research done using database searches and historical review (defined in section 1.5). The neighboring properties were also evaluated during the site reconnaissance. The mixed-use properties were evaluated in the EDR Database in accordance with ASTM Standard E 1527-13.

Opinions

Based on the historical review, database search, and site reconnaissance, results showed that there were recognized environmental conditions or "de-minimis" conditions that were identified under the scope of services outlined above. There were no historical recognized environmental conditions; however, current usage and practices are an AOC. All oil sheen that is draining into a center pit was somewhat evident, however, there was not compliance with EPA Standards and Regulations throughout the entire process of this occupant's activities. I asked for an SOP, and there was no response. Residual clean up of any remaining decomposed petroleum compounds may be needed

16

due to the inability of getting close enough to the foundation walls that can otherwise compromise the adjoining buildings.


Figure (6)



Conclusion

The target property, 68-19 Woodhaven Blvd., Rego Park Queens, NY, **Block 3148– Lot 2** is not an E-Designated area – a Phase II must be conducted by an Qualified Environmental Person and Phase 2 Environmental Remediation Report must be provided, which includes and in-depth sampling event of the following locations one See **Figure (7)** below; which indicates indoor and all outdoor suspected AOC locations at all strategic locations within and surrounding the property (**Appendix 7** Site Survey).

Figure (7)



CERTIFICATION

I, Dr. James M. Cervino, am a Qualified Environmental Professional as defined in §43-140. I have primary direct responsibility for implementation of this Phase 1 report.

Dr. James M. Cervino May 5th, 2019.

& ENI Dr. James M. Cervino MS, PhD OSHA - HAZMAT | NYS DEC SWPPP certified certified

Restoration & Conservation LLC

Dr. James M. Cervino e-mail: jamescervino@gmail.com Phone: 917-620-5287 <u>HAZMAT OSHA Certified #1805221</u>

Phase 1 Report Documents To Be Used

6819 Woodhaven BLVD

6819 Woodhaven BLVD Rego Park, NY 11374

Inquiry Number: 5618352.5 April 11, 2019

The EDR-City Directory Abstract



6 Armstrong Road Shelton, CT 06484 800.352.0050 www.edrnet.com

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business. Please contact EDR at 1-800-352-0050 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING. WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2017 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1922 through 2014. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 200 feet of the target property.

A summary of the information obtained is provided in the text of this report.

RECORD SOURCES

EDR's Digital Archive combines historical directory listings from sources such as Cole Information and Dun & Bradstreet. These standard sources of property information complement and enhance each other to provide a more comprehensive report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.



RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

<u>Year</u>	<u>Source</u>	<u>TP</u>	<u>Adjoining</u>	<u>Text Abstract</u>	Source Image
2014	EDR Digital Archive	Х	Х	Х	-
2010	EDR Digital Archive	Х	Х	Х	-
2005	Hill-Donnelly Information Services	-	Х	Х	-
	Hill-Donnelly Information Services	Х	Х	Х	-
2000	Cole Information Services	-	Х	Х	-
	Cole Information Services	Х	Х	Х	-
1996	NYNEX	-	-	-	-
1991	NYNEX Information Resource Company	-	Х	Х	-
	NYNEX Information Resource Company	Х	Х	Х	-
1983	New York Telephone	-	Х	Х	-
	New York Telephone	Х	Х	Х	-
1976	New York Telephone	-	Х	Х	-

EXECUTIVE SUMMARY

<u>Year</u>	<u>Source</u>	<u>TP</u>	<u>Adjoining</u>	<u>Text Abstract</u>	<u>Source Image</u>
1970	New York Telephone	-	Х	Х	-
1967	New York Telephone	-	Х	Х	-
1962	New York Telephone Directory	-	Х	Х	-
	New York Telephone Directory	Х	Х	Х	-
1950	New York Telephone	-	Х	Х	-
1945	New York Telephone	-	-	-	-
1939	New York Telephone Company	-	-	-	-
1934	R. L. Polk & Co.	-	-	-	-
1922	H.C. Morris	-	-	-	-

TARGET PROPERTY INFORMATION

ADDRESS

6819 Woodhaven BLVD Rego Park, NY 11374

FINDINGS DETAIL

Target Property research detail.

Woodhaven Blvd

6819 Woodhaven Blvd

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	FLORIST HILLS INC	EDR Digital Archive
2010	FLORIST HILLS INC	EDR Digital Archive
	MC CLOSKEY J F FLORIST & GARD	EDR Digital Archive

WOODHAVEN BLVD

6819 WOODHAVEN BLVD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2005	Florist Hills	Hill-Donnelly Information Services
2000	68TH RD INTS FROM	Cole Information Services
	Mc Closkey John F	Cole Information Services
	Mc Clsky F Grdn Shp	Cole Information Services
	Mc Clsky Flrst	Cole Information Services
1991	MC CLOSKEY J F FLORIST AND GARDEN SHOP	NYNEX Information Resource Company
	Mc Closkey John F	NYNEX Information Resource Company
1983	JF Mc Closkey Florist Garden Center	New York Telephone
	Mc Closkey John F	New York Telephone
1962	Seal Lock Prods	New York Telephone Directory
	Tropic Tile	New York Telephone Directory

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

<u>68TH RD</u>

8502 68TH RD				
<u>Year</u>	<u>Uses</u>	<u>Source</u>		
1970	Payne Clifford L	New York Telephone		
85-04 68	TH RD			
<u>Year</u>	<u>Uses</u>	<u>Source</u>		
1950	HAAS CHAS R	New York Telephone		
85-17 68	TH RD			
<u>Year</u>	<u>Uses</u>	<u>Source</u>		
1950	SEAL LOCK BURIAL VAULT INC	New York Telephone		
<u>Woodha</u>	ven Blvd			
6805 Wo	odhaven Blvd			
<u>Year</u>	<u>Uses</u>	<u>Source</u>		
2014	HAVEN MOTEL INC	EDR Digital Archive		
2010	HAVEN MOTEL INC	EDR Digital Archive		
	EXPRESS TOW	EDR Digital Archive		
WOODH	AVEN BLVD			
6805 WO	ODHAVEN BLVD			
<u>Year</u>	<u>Uses</u>	<u>Source</u>		
2005	Haven Motel I s	Hill-Donnelly Information Services		
	Express Tow is	Hill-Donnelly Information Services		
2000	Haven Motel	Cole Information Services		
1983	Haven Motel	New York Telephone		
1976	Haven Motel	New York Telephone		
1970	Haven Motel	New York Telephone		
1967	Haven Motel	New York Telephone		

Woodhaven Blvd

6827 Woodhaven Blvd

<u>Year</u>	<u>Uses</u>
2014	SUNDIAL MANAGEMENT
	AC WOODHAVEN CAR WASH
2010	AC WOODHAVEN CAR WASH
	SUNDIAL MANAGEMENT
	MOBIL

<u>Source</u>

EDR Digital Archive EDR Digital Archive EDR Digital Archive EDR Digital Archive EDR Digital Archive

WOODHAVEN BLVD

6827 WOODHAVEN BLVD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2005	A C Woodhaven Realty Corp	Hill-Donnelly Information Services
	Mobil	Hill-Donnelly Information Services
	Sundial Management Corp	Hill-Donnelly Information Services
2000	Wdhvm Car Wsh	Cole Information Services
	Sundial Mgmt Corp	Cole Information Services
1991	Scaf Inc	NYNEX Information Resource Company
	R & S CAR WASH	NYNEX Information Resource Company
1983	Sun Refining & Marketing Co	New York Telephone
1970	Syken Coach Co	New York Telephone
1967	Kays Sunoco Svce Sta	New York Telephone
1962	Kays Sunoca Svce Sta	New York Telephone Directory

6828 WOODHAVEN BLVD

<u>Year</u>	<u>Uses</u>
1962	Kundzins Brigita

6829 WOODHAVEN BLVD

<u>Year</u>	<u>Uses</u>
2000	Woodhaven Svce St
1991	WOODHAVEN SVCE STA
1983	YELLOWSTONE SVCE
1967	Yellowstone Svce Sta Inc

69-30 WOODHAVEN BLVD

Year Uses 1950 EFF EDW New York Telephone New York Telephone

NYNEX Information Resource Company

Cole Information Services

New York Telephone Directory

<u>Source</u>

<u>Source</u>

Source

New York Telephone

5618352-5

69-32 WOODHAVEN BLVD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1950	RICHARDSON ELEANOR S	New York Telephone
WOODHVN EIED		
6829 WOODHVN EIED		
Year	Uses	Source

Tear	<u>USES</u>	
1970	Yellow Wood Svce Sta	

<u>Source</u>

New York Telephone

ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

Address Researched	Address Not Identified in Research Source
6805 WOODHAVEN BLVD	2014, 2010, 1996, 1991, 1962, 1950, 1945, 1939, 1934, 1922
6805 Woodhaven Blvd	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
6827 Woodhaven Blvd	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
6827 WOODHAVEN BLVD	2014, 2010, 1996, 1976, 1950, 1945, 1939, 1934, 1922
6828 WOODHAVEN BLVD	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1939, 1934, 1922
6829 WOODHAVEN BLVD	2014, 2010, 2005, 1996, 1976, 1970, 1962, 1950, 1945, 1939, 1934, 1922
6829 WOODHVN EIED	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1967, 1962, 1950, 1945, 1939, 1934, 1922
69-30 WOODHAVEN BLVD	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
69-32 WOODHAVEN BLVD	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
85-04 68TH RD	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
85-17 68TH RD	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
8502 68TH RD	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1967, 1962, 1950, 1945, 1939, 1934, 1922

TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

Address Researched

Address Not Identified in Research Source

6819 Woodhaven BLVD

1996, 1976, 1970, 1967, 1950, 1945, 1939, 1934, 1922

6819 Woodhaven BLVD

6819 Woodhaven BLVD Rego Park, NY 11374

Inquiry Number: 5618352.8 April 11, 2019

EDR Building Permit Report

Target Property and Adjoining Properties



6 Armstrong Road Shelton, CT 06484 800.352.0050 www.edrnet.com

TABLE OF CONTENTS

SECTION

About This Report Executive Summary Findings

Glossary

Thank you for your business. Please contact EDR at 1-800-352-0050 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING. WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2017 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EDR BUILDING PERMIT REPORT

About This Report

The EDR Building Permit Report provides a practical and efficient method to search building department records for indications of environmental conditions. Generated via a search of municipal building permit records gathered from more than 1,600 cities nationwide, this report will assist you in meeting the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13), or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

Building permit data can be used to identify current and/or former operations and structures/features of environmental concern. The data can provide information on a target property and adjoining properties such as the presence of underground storage tanks, pump islands, sumps, drywells, etc., as well as information regarding water, sewer, natural gas, electrical connection dates, and current/former septic tanks.

ASTM and EPA Requirements

ASTM E 1527-13 lists building department records as a "standard historical source," as detailed in § 8.3.4.7: "Building Department Records - The term building department records means those records of the local government in which the property is located indicating permission of the local government to construct, alter, or demolish improvements on the property." ASTM also states that "Uses in the area surrounding the property shall be identified in the report, but this task is required only to the extent that this information is revealed in the course of researching the property itself."

EPA's Standards and Practices for All Appropriate Inquires (AAI) states: "§312.24: Reviews of historical sources of information. (a) Historical documents and records must be reviewed for the purposes of achieving the objectives and performance factors of §312.20(e) and (f). Historical documents and records may include, but are not limited to, aerial photographs, fire insurance maps, building department records, chain of title documents, and land use records."

Methodology

EDR has developed the EDR Building Permit Report through our partnership with BuildFax, the nation's largest repository of building department records. BuildFax collects, updates, and manages building department records from local municipal governments. The database now includes 30 million permits, on more than 10 million properties across 1,600 cities in the United States.

The EDR Building Permit Report comprises local municipal building permit records, gathered directly from local jurisdictions, including both target property and adjoining properties. Years of coverage vary by municipality. Data reported includes (where available): date of permit, permit type, permit number, status, valuation, contractor company, contractor name, and description.

Incoming permit data is checked at seven stages in a regimented quality control process, from initial data source interview, to data preparation, through final auditing. To ensure the building department is accurate, each of the seven quality control stages contains, on average, 15 additional quality checks, resulting in a process of approximately 105 quality control "touch points."

For more information about the EDR Building Permit Report, please contact your EDR Account Executive at (800) 352-0050.





EXECUTIVE SUMMARY: SEARCH DOCUMENTATION

A search of building department records was conducted by Environmental Data Resources, Inc (EDR) on behalf of Restoration and Conservation Advisement on Apr 11, 2019.

TARGET PROPERTY

6819 Woodhaven BLVD Rego Park, NY 11374

SEARCH METHODS

EDR searches available lists for both the Target Property and Surrounding Properties.

RESEARCH SUMMARY

Building permits identified: YES

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

P//New York City, NY

<u>Year</u>	Source	<u>TP</u>	<u>Adjoining</u>
2019	New York City, Department of Buildings		
2018	New York City, Department of Buildings		Х
2017	New York City, Department of Buildings		Х
2016	New York City, Department of Buildings		Х
2015	New York City, Department of Buildings		Х
	New York City, Department of Buildings	Х	
2014	New York City, Department of Buildings		Х
	New York City, Department of Buildings	Х	
2013	New York City, Department of Buildings		Х
2012	New York City, Department of Buildings		Х
2011	New York City, Department of Buildings		Х
2010	New York City, Department of Buildings		Х
2009	New York City, Department of Buildings		Х
2008	New York City, Department of Buildings		Х
2007	New York City, Department of Buildings		Х
2006	New York City, Department of Buildings		Х
2005	New York City, Department of Buildings		Х
2004	New York City, Department of Buildings		Х
2003	New York City, Department of Buildings		Х
2002	New York City, Department of Buildings		Х
2001	New York City, Department of Buildings		Х
2000	New York City, Department of Buildings		Х
1999	New York City, Department of Buildings		Х
1998	New York City, Department of Buildings		Х
1997	New York City, Department of Buildings		Х
1996	New York City, Department of Buildings		Х
1995	New York City, Department of Buildings		Х
1994	New York City, Department of Buildings		Х

EXECUTIVE SUMMARY: SEARCH DOCUMENTATION

<u>Year</u>	Source	<u>TP</u>	<u>Adjoining</u>
1993	New York City, Department of Buildings		Х
1992	New York City, Department of Buildings		Х
1991	New York City, Department of Buildings		Х
1990	New York City, Department of Buildings		Х
1989	New York City, Department of Buildings		Х
1988	New York City, Department of Buildings		Х
1987	New York City, Department of Buildings		Х
1986	New York City, Department of Buildings		
1985	New York City, Department of Buildings		Х
1984	New York City, Department of Buildings		Х
1983	New York City, Department of Buildings		Х
1982	New York City, Department of Buildings		Х
1981	New York City, Department of Buildings		
1980	New York City, Department of Buildings		
1979	New York City, Department of Buildings		
1978	New York City, Department of Buildings		
1977	New York City, Department of Buildings		
1976	New York City, Department of Buildings		
1975	New York City, Department of Buildings		
1974	New York City, Department of Buildings		

Name: JurisdictionName Years: Years Source: Source

Phone: Phone

BUILDING DEPARTMENT RECORDS SEARCHED

Name:P//New York City, NYYears:1974-2019Source:New York City, Department of Buildings, REGO PARK, NYPhone:(212) 566-5000

TARGET PROPERTY FINDINGS

TARGET PROPERTY DETAIL

6819 Woodhaven BLVD Rego Park, NY 11374

6819 WOODHAVEN BLVD

Date: Permit Type:	1/27/2015
Description:	
Permit Description:	ELECTRICAL
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	A334243
Status:	AWAITING INSPECTION REQUEST, Open
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	JLC ELEC'L CONTR'G INC CARMINE CAMENZULI, JLC ELEC'L CONTR'G INC

Date: Permit Type: Description:	1/23/2015 PL REPLACE EXISTING PLUMBING FIXTURES AND FINISHES DO TO FIRE DAMAGE. ALL AS PER PLANS AND APPLICATIONS. NO CHANGE IN USE,EGRESS OR OCCUPANCY
Permit Description:	PLUMBING
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	PLUMBING
Permit Number:	421021478-01-PL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	AMER-A-PIPE PLBG & HTG IN, AMER-A-PIPE PLUMBING & HTG, AMER-A-PIPE PLUMBING & HEATING I, AMER-A-PIPE

TARGET PROPERTY FINDINGS

Date: Permit Type: Description:	12/4/2014 EW REPLACE EXISTING PLUMBING FIXTURES AND FINISHES DO TO FIRE DAMAGE. ALL AS PER PLANS AND APPLICATIONS. NO CHANGE IN USE,EGRESS OR OCCUPANCY
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	421021478-01-EW-OT
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	PLANET CONSTRUCTION & DEV, PLANET CONST & DEV. CORP, PLANET CONST &
Contractor Name:	DEV. CORP*, PLANET CONST & DEVLP

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

<u>67TH DR</u>

8501 67TH DR

Date: 6/16/1999 Permit Type: Description:

Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	A159221
Status:	SIGN SHOP JOB AWAIT INSP RQST
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	GANECO ELECTRIC CORP. WARREN GANNES

Date: Permit Type: Description:	10/24/1997 PL
Permit Description:	PLUMBING
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	PLUMBING
Permit Number:	400788867-01-PL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	RAYTONE PLBG SPEC, INC, RAYTONE PLBG. SPEC, INC., RAYTONE PLG SPEC,
Contractor Name:	RAYTONE PLG SPEC INC, RAYTONE PL

Date: Permit Type: Description:	10/8/1997 EW
Permit Description: Work Class: Proposed Use: Permit Number: Status: Valuation: Contractor Company Contractor Name:	EQUIPMENT WORK A2 - ALTERATION TYPE 2 OTHER CONSTRUCTION EQUIPMENT 400788867-01-EW-OT ISSUED \$0.00 : 69-20 QUEENS BLVD. RLTY CORP., 69-20 QUEENS BLVD ., INC., 38-29 RESTAURANT CORP, CASPER_ORLANDO, CAS

Date: 8/15/1997 Permit Type: Description:

Permit Description: Work Class: Proposed Use:	Electrical
Permit Number:	A139258
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	GANECO ELECTRIC CORP. WARREN GANNES

8512 67TH DR

Date:	2/20/1997
Permit Type:	NB
Description:	

Permit Description:	NEW BUILDING
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	400663439-01-NB
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	

Date:	4/16/1992
Permit Type:	
Description:	

Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	A077482
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	BLH ELECT'L CONTRS. INC. ROBERT SILVERMAN, BLH ELECT'L CONTRS. INC.

8525 67TH DR

Date: Permit Type: Description:	11/12/1990
Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	A061347
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	J. STEFANOU ELECTRIC INC. JOHN STEFANOU, J. STEFANOU ELECTRIC INC. NICHOLAS STEFANOU, J. STEFANOU EL

8534 67TH DR

Date: Permit Type: Description:	1/19/2018 PL APPLICATION IS FILED FOR LEGALIZATION OF CELLAR LAYOUT. NO CHANGE IN USE, EGRESS OR OCCUPANCY.
Permit Description:	PLUMBING
Work Class:	A2 - AI TERATION TYPE 2
Proposed Use:	PLUMBING
Permit Number:	421535645-01-PL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	PRECISION PLBG SVCS., INC, MPI PLUMBING CORP, PRECISION PLUMBING SERVIC, HYDRO TECH MECH CORP, PRECI

Date: Permit Type: Description:	1/11/2018 EW APPLICATION IS FILED FOR LEGALIZATION OF CELLAR LAYOUT. NO CHANGE IN USE, EGRESS OR OCCUPANCY.
Permit Description: Work Class: Proposed Use: Permit Number: Status: Valuation: Contractor Company Contractor Name:	EQUIPMENT WORK A2 - ALTERATION TYPE 2 OTHER CONSTRUCTION EQUIPMENT 421535645-01-EW-OT ISSUED \$0.00 HAYDEN BROWN CONS CORP, HAYDEN BROWN CONSTR CORP, HAYDEN BROWN CONSTRUCTION CORP, HAYDEN BROWN CONST

Date:	6/20/2005
Permit Type:	
Description:	

Permit Description: Work Class: Proposed Use:	Electrical
Permit Number:	A236786
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	LENS ELECTRIC, INC LEONID SIMKIN, LENS ELECTRIC, INC

8537 67TH DR

Date: Permit Type:	5/27/1998
Description:	
Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	A147676
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	UNITED ELEC'L CONT'G CORP JOE YUK LEE, UNITED ELEC'L CONT'G CORP

8558 67TH DR

Date: Permit Type: Description:	4/14/2015
Permit Description:	ELECTRICAL
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	A336584
Status:	COMPLETED, Open
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	ISTRA ELEC'L CONTRS CORP MICHAEL MINIERO, ISTRA ELEC'L CONTRS CORP DAVID MONGUILLOT, ISTRA ELEC'L CO

<u>68TH AVE</u>

Date:	10/29/2001
Permit Type:	PL
Description:	TO LEGALIZE PLUMBING FIXTURES AND PARTIT ION WORK IN CELLAR. NO CHANGE IN USE, OCCUPANCY OR EGRESS.
Permit Description:	PLUMBING
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	PLUMBING
Permit Number:	401249314-01-PL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	RIEHM PLUMBING CORP, RIEHM PLUMBING CORP., DPC NEW YORK, INC, D.P. CONSULTING, CORP, RIEHM PLG COROP

Date:	6/14/2001
Permit Type:	EW
Description:	TO LEGALIZE PLUMBING FIXTURES AND PARTIT ION WORK IN CELLAR. NO CHANGE IN USE, OCCUPANCY OR EGRESS.

Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	401249314-01-EW-OT
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	

Date:	12/1/1993
Permit Type:	
Description:	

Permit Description:ElectricalWork Class:Proposed Use:Permit Number:A096619Status:COMPLETEDValuation:\$0.00Contractor Company:Contractor Name:BLITZ ELECTRIC INC. ROLF ENDRES

8517 68TH AVE

Date: 7/25/1985 Permit Type: Description:

Permit Description: Work Class: Proposed Use:	Electrical
Permit Number:	Q16262
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	J & A ELECT'C CONTRS. INC HERCULES ISAAKIDES, J & A ELECT'C CONTRS. INC A GIANNAKOPOULOS, J & A ELEC

Date: Permit Type: Description:	3/8/2000 PL
Permit Description: Work Class:	PLUMBING A1 - ALTERATION TYPE 1
Proposed Use:	PLUMBING
Permit Number:	400974656-01-PL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	PROCORE MECHANICAL CORP, A.J.A PLBG & HTG CORP, A.J.A. PLUMBING, A J A PLUMBING, A.J.A PLUMBING, AJA

Date: Permit Type: Description:	2/25/2000 AL
Permit Description:	ALTERATION
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	400974656-01-AL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	DOUBLE 'D' CONTRACTORS INC, DOUBLE D CONT INC, DOUBLE D. CONT, DOUBLE D CONTRACTORS INC, DOBLE D CON

Date: Permit Type: Description:	1/26/2000
Permit Description: Work Class: Proposed Use:	Electrical
Permit Number:	A167784
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	SALZMAN ELECTRIC CO., INC JOHN VAN BLERKOM, SALZMAN ELECTRIC CO., INC STANLEY GUDERSKI, SALZMAN ELEC

8523 68TH AVE

Date: Permit Type: Description:	3/29/2012 EW REFILING FOR FIRE DAMAGE REPAIRS DONE BY AND FILED BY PREVIOUS OWNER IN1991, UNDER APPL# 400206335. NO WORK UNDER THIS APPLICATION. THIS APPLICATION TO BE SIGNED OFF SIMULTANEOUSLY WITH PREVIOUS APPLICATION. WORK CONSISTED OF REPLACING SHEETROCK, FLORING, KITCHEN CABINETS, WINDOWS AND DOORS. NO CHANGE TO ZONING USE OCCUPANCY OR EGRESS.
Permit Description: Work Class: Proposed Use: Permit Number:	EQUIPMENT WORK A2 - ALTERATION TYPE 2 OTHER CONSTRUCTION EQUIPMENT

 Proposed Use:
 OTHER CONSTRUCTION EQUIPMEN

 Permit Number:
 420524212-01-EW-OT

 Status:
 ISSUED

 Valuation:
 \$0.00

 Contractor Company:
 Contractor Name:

Date: 10/28/1991 Permit Type: AL Description:

Permit Description:ALTERATIONWork Class:A3 - ALTERATION TYPE 3Proposed Use:Permit Number:Permit Number:400206335-01-ALStatus:ISSUEDValuation:\$0.00Contractor Company:Contractor Name:

Date: 12/20/1984 Permit Type: Description:

Permit Description:ElectricalWork Class:Proposed Use:Permit Number:Q10158Status:COMPLETEDValuation:\$0.00Contractor Company:Contractor Name:FERGUSON ELECTRIC INC. PETER AMABILE

Date: Permit Type:	3/27/2000 PL
Description:	
Permit Description:	PLUMBING
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	PLUMBING
Permit Number:	401023316-01-PL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	AMERICAN HERITAGE PLBG CORP, AMERICAN HERITAGE PLB COR, AMERICAN HERITAGE PLUMBERS CORPO, AMERICAN H

Date: Permit Type: Description:	10/14/1999 EW
Permit Description:	
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use: Permit Number:	MECHANICAL/HVAC 401023316-01-EW-MH
Status:	401023316-01-EVV-IVIH ISSUED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	J.A.J CONTRACTING CORP, J A J CONTRACTING CORP, JAJ CONTRACTING CORP., J A J CONTRACTING CORP, J.

Date: Permit Type: Description:	10/14/1999 EW
Permit Description: Work Class: Proposed Use: Permit Number: Status: Valuation: Contractor Company Contractor Name:	EQUIPMENT WORK A2 - ALTERATION TYPE 2 OTHER CONSTRUCTION EQUIPMENT 401023316-01-EW-OT ISSUED \$0.00 T J.A.J CONTRACTING CORP, J A J CONTRACTING CORP, JAJ CONTRACTING CORP., J A J CONTRACTING CORP, J.

8535 68TH AVE

Date: 9/20/1985 Permit Type: Description:

Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	Q17512
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	D. STRATIS ELEC'L CO. D STRATIS

Date: Permit Type: Description:	6/16/2015 EW MINOR PLUMBING WORKS AND PARTITION WORKS AT CELLAR. THERE IS NO CHANGE IN USE, EGRESS AND OCCUPANCY.
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	421168863-01-EW-OT
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	BARMOR REHAB INC, BARMOR REHAB INC., HP SERVICES, INC, HPH SERVICES,
Contractor Name:	INC, BARBOR REHAB INC, BARMOR R

Date: Permit Type: Description:	6/16/2015 PL MINOR PLUMBING WORKS AND PARTITION WORKS AT CELLAR. THERE IS NO CHANGE IN USE, EGRESS AND OCCUPANCY.
Permit Description: Work Class: Proposed Use: Permit Number: Status: Valuation: Contractor Company	PLUMBING A2 - ALTERATION TYPE 2 PLUMBING 421168863-01-PL ISSUED \$0.00
Contractor Name:	BARMOR REHAB INC, BARMOR REHAB INC., HP SERVICES, INC, HPH SERVICES, INC, BARBOR REHAB INC, BARMOR R

8537 68TH AVE

Date:	9/19/1985
Permit Type:	
Description:	

Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	Q17763
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	D. STRATIS ELEC'L CO. D STRATIS

Date:	1/19/1988
Permit Type:	
Description:	

Electrical
A023512
COMPLETED
\$0.00
SCHLICHTER ELECTRIC INC WOLFGANG SCHLICHTER

8542 68TH AVE

Date: Permit Type: Description:	5/22/2013
Permit Description:	ELECTRICAL
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	A317885
Status:	Closed
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	RUSSO ELECTRIC INC. STEVEN RUSSO, RUSSO ELECTRIC INC. P RUSSO, RUSSO ELECTRIC INC.

Date:	3/30/2011
Permit Type:	
Description:	

Permit Description:	Electrical
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	A293282
Status:	ASSIGNED TO INSPECTOR, COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	KENNETH FISK ELECTRIC COR KENNETH FISK, KENNETH FISK ELECTRIC COR

8544 68TH AVE

Date:	2/16/1988
Permit Type:	
Description:	

Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	A024513
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	SCHLICHTER ELECTRIC INC WOLFGANG SCHLICHTER

Date: Permit Type: Description:	10/19/2010 EW EMERGENCY REPAIR OF 2ND FLOOR FRONT FACADE AND ROOF. REPLACEMENT OF WINDOWS AND SKYLIGHT. THIS APPLICATION IS FILE TO RESOLVE THE VACATE ORDER CAUSED BY HIGH WIND FALLING TREE DAMAGE. NO CHANGE OF USE, OCCUPANCY OR EGRESS.
Permit Description: Work Class: Proposed Use: Permit Number: Status: Valuation: Contractor Company	EQUIPMENT WORK A2 - ALTERATION TYPE 2 OTHER CONSTRUCTION EQUIPMENT 420273545-01-EW-OT ISSUED \$0.00
Contractor Name:	GOOD-WILL MECHANICAL CORP, P&W CLEANERS INC, GOOD-WILL MECHANICAL CORP., GOODWILLAM MECHANICAL CORP.

8547 68TH AVE

Date: Permit Type: Description:	2/3/2003
Permit Description: Work Class: Proposed Use:	Electrical
Permit Number:	A202698
Status:	AWAITING INSPECTION REQUEST
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	TRIANGLE ELECTRIC INC. DONATO SARRANTONIO, TRIANGLE ELECTRIC INC.

<u>68TH RD</u>

8517 68TH RD

Date: Permit Type: Description:	4/29/2003
Permit Description: Work Class: Proposed Use:	Electrical
Permit Number:	A205190
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	ASTRO ELEC'L CONTR'S INC. PASQUALE PESCATORE, ASTRO ELEC'L CONTR'S INC. ONOFRIO BERARDI, ASTRO ELEC'

Date: Permit Type: Description:	4/8/1996 EW
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	400578861-01-EW-SP
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	SCHMELZ BROS INC, SCHMELZ BROS . INC, SCHMELZ BROS, INC, SCHMELZ BROS. INC, SCHMELZ BROS., INC., SCH

Date:	2/1/1996
Permit Type:	PL
Description:	

Permit Description:	PLUMBING
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	PLUMBING
Permit Number:	400578861-01-PL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	SCHMELZ BROS INC, SCHMELZ BROS . INC, SCHMELZ BROS, INC, SCHMELZ BROS. INC, SCHMELZ BROS., INC., SCH

Date:	10/27/1995
Permit Type:	EW
Description:	
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	400578861-01-EW-MH
Status:	ISSUED
Valuation:	\$0.00
Contractor Compan	ıy:
Contractor Name:	CENTRAL SPRAY BOOTHS INC, CENTRAL SPRAY BOOTHS, CENTERLINE SPRAY BOOTHS, CENTERLINE DISTRIBUTORS, CE

Date:10/27/1995Permit Type:EWDescription:Image: Construction of the second se

Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	400578861-01-EW-OT
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	CENTRAL SPRAY BOOTHS INC, CENTRAL SPRAY BOOTHS, CENTERLINE SPRAY BOOTHS, CENTERLINE DISTRIBUTORS, CE
Status: Valuation: Contractor Company:	ISSUED \$0.00 CENTRAL SPRAY BOOTHS INC, CENTRAL SPRAY BOOTHS, CENTERLINE SPRAY

Date: Permit Type: Description:	2/15/1993
Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	A086674
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	SURGE ELECTRIC CORP. M SUSS, SURGE ELECTRIC CORP. JOHN DIGNAN, SURGE ELECTRIC CORP. ALAN BEITLER

8525 68TH RD

Date:	10/20/2018
Permit Type:	
Description:	

Permit Description: Work Class: Proposed Use:	Electrical Permit
Permit Number: Status:	Q00090063I1EL Permit Issued
Valuation: Contractor Company: Contractor Name:	\$0.00 LIVE WIRE ELECTRICAL, INC

10/17/2018
Electrical Permit
Q00088390I1EL
Permit Issued
\$0.00
:
BALANCE ELECTRICAL CONTRACTING, BALANCE ELEC CONT'G CORP.

Date: 10/1/2018 Permit Type: EW Description: INSTALL NEW CHIMNEY AS PER PLANS. NO CHANGE IN USE, EGRESS OR OCCUPANCY.

Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	440509996-01-EW-OT
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	GUARANTEED HOME IMPROVEME, GUARANTEE HOME IMPROVEME

Date: Permit Type: Description:	9/4/2018 EW REPLACE (2) GAS BOILERS WITH (3) GAS BOILERS (NYC BOILER# MD68672- 01,02). CONNECT TO EXISTING GAS PIPING.
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	440505696-01-EW-BL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	J. CAIAZZO PLBG & HTG COR, J CAIAZZO PLUMBING & HEAT, J CAIAZZO P & H CORP, J. CAIAZZO P & H CORP, J

Date: Permit Type: Description:	9/4/2018 PL REPLACE (2) GAS BOILERS WITH (3) GAS BOILERS (NYC BOILER# MD68672- 01,02). CONNECT TO EXISTING GAS PIPING.
Permit Description:	PLUMBING
Work Class:	A2 - AI TERATION TYPE 2
WORK Class.	AZ - ALTERATION TYPE Z
Proposed Use:	PLUMBING
Permit Number:	440505696-01-PL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	J. CAIAZZO PLBG & HTG COR, J CAIAZZO PLUMBING & HEAT, J CAIAZZO P & H CORP, J. CAIAZZO P & H CORP, J

Date:	4
Permit Type:	
Description:	

4/25/2018

Permit Description:Electrical PermitWork Class:Proposed Use:Proposed Use:Q0003771611ELPermit Number:Q0003771611ELStatus:Permit IssuedValuation:\$0.00Contractor Company:FOREST HILLS ELEC'L CONT.

 Date:
 4/25/2018

 Permit Type:
 AL

 Description:
 INSTALLATION OF TELECOMMUNICATION ANTENNA COMPONENTS ON THE ROOF. RETROFIT EXISTING EQUIPMENT CABINET ON THE ROOF. ALL WORK IS IN COMPLIANCE WITH TPPN 5/98. NO CHANGE IN USE, EGRESS OR OCCUPANCY.

Permit Description:	ALTERATION
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	440242239-01-AL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	PRIORE CONSTRUCTION SVCS, PRIORE CONSTRUCTION, PRIORE CONSTRUCTION SERVICE, PRIORE CONSTRUCTION SERV

Date: Permit Type: Description:	4/23/2018
Permit Description:	ELECTRICAL
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	A375019
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	FOREST HILLS ELEC'L CONT. PAUL GENNARO, FOREST HILLS ELEC'L CONT.

Date:	3/20/2018
Permit Type:	EW
Description:	INSTALL SPLIT A/C UNIT FOR EXISTING ELEVATOR MACHINERY ROOM

Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	440471188-01-EW-MH
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	T F O'BRIEN AND CO INC, T.F. O'BRIEN & CO., INC., T F O'BRIEN & CO INC, T.F.O'BRIEN & CO, INC., T.F.

Date:	3/20/2018
Permit Type:	EW
Description:	INSTALL SPLIT A/C UNIT FOR EXISTING ELEVATOR MACHINERY ROOM

Permit Description:	EQUIPMENT WORK	
Work Class:	A2 - ALTERATION TYPE 2	
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT	
Permit Number:	440471188-01-EW-OT	
Status:	ISSUED	
Valuation:	\$0.00	
Contractor Company:		
Contractor Name:	T F O'BRIEN AND CO INC, T.F. O'BRIEN & CO., INC., T F O'BRIEN & CO INC, T.F.O'BRIEN & CO, INC., T.F.	

Date: Permit Type: Description:	2/24/2018
Permit Description: Work Class: Proposed Use:	Electrical Permit
Permit Number:	Q0002212111EL
Status:	Permit Issued
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	RC3 ELECTRIC, LLC, TRI-STATE ELECTRIC OF NY

Date: 2/23/2018 Permit Type: Description:

Date:

Permit Type: Description: Permit Description: Work Class: Proposed Use: Permit Number: Status: Valuation: Valuation: Contractor Company: Contractor Name: TUXEDO ELEC'L CONTR'G INC

2/6/2018

Permit Type: Description:	
Permit Description:	ELECTRICAL
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	A371979
Status:	(SEE DOB NOW BUILD)
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	TUXEDO ELEC'L CONTR'G INC JOHN AHRENS, TUXEDO ELEC'L CONTR'G INC

J.A. LEE ELECTRIC, INC. JOHN LEE, J.A. LEE ELECTRIC, INC.

Date:11/11/2003Permit Type:Description:Description:ElectricalWork Class:Proposed Use:Permit Number:A212876Status:COMPLETED

\$0.00

2/5/2018

Date:

Valuation:

Contractor Company: Contractor Name:

Date: Permit Type: Description:	10/31/2003 EW INSTALLING TELECOMMUNICATIONS CABINETS W ITH RELATED DUNNAGE AND ANTENNA ON ROOF IN CONFORMANCE WITH TPPN #5/98. NO CHANGE IN USE,EGRESS OR OCCUPANCY.
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	401733576-01-EW-OT
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	TELCOM ENGINEERING GP INC, TELCOM ENGINEERING GP IN*, TELCOM
Contractor Name:	ENGINEERING GROUP, TELCOM ENGINEERING G

Date:	10/6/1992
Permit Type:	PL
Description:	

Permit Description:	PLUMBING
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	PLUMBING
Permit Number:	400325000-01-PL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	ABRA MECHANICAL SERVICES, ABRA MECH SVCS, ABRA MECHANICAL SVC INC,
	ABRA MECH SER., ABRA MECHNICAL SE

Date: Permit Type: Description:	9/8/1992 EW
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	400325000-01-EW-BL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	COASTAL COMBUSTION CORP., COASTAL COMBUSTION CORPORATION, COASTAL COMBUSTION CORPRATION, COSTAL COMB

Date:9/26/1991Permit Type:EWDescription:

Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	400215575-01-EW-OT
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	PHOENIX COMBUSTION CORP, PHOENIX ENVIRONMENTAL, PHEONIX ENVIROMENTAL SVCS, PHOENIX ENVIRONMENTAL COR

Date: Permit Type: Description:	9/26/1991 EW
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	400215575-01-EW-SP
Status:	RE-ISSUED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	APEC CORP, GENERAL REST. ASSOC. INC, STANDARD WATERPROOFING, GENERAL RESTORATION ASSOC., INC., GENER

ALDERTON ST

6759 ALDERTON ST

Date: 6/24/1998 Permit Type: Description:

Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	A148509
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	MIDWAY ELECTRICAL CONTR., SILVANO KINKELA, MIDWAY ELECTRICAL CONTR.,

6763 ALDERTON ST

Date: Permit Type:	1/6/1999
Description:	
Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	A154724
Status:	AWAITING INSPECTION REQUEST
Valuation:	\$0.00
Contractor Company	
Contractor Name:	RUSSO ELECTRIC INC. STEVEN RUSSO, RUSSO ELECTRIC INC. P RUSSO, RUSSO ELECTRIC INC.

6769 ALDERTON ST

Date:	12/17/1987
Permit Type:	
Description:	

Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	A023661
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	GERARD CALLAHAN G CALLAHAN

Date:	11/6/1985
Permit Type:	

Description:

Permit Description:ElectricalWork Class:Proposed Use:Permit Number:Q19077Status:COMPLETEDValuation:\$0.00Contractor Company:Contractor Name:ATLAS ELEC CONTR'S. INC. JOHN MARI

6781 ALDERTON ST

Date: Permit Type: Description:	4/8/1999
Permit Description: Work Class: Proposed Use:	Electrical
Permit Number:	A157267
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	ROTHSTEIN & HOFFMAN ELEC. S HOFFMAN, ROTHSTEIN & HOFFMAN ELEC. MARK NG

6785 ALDERTON ST

Date:	6/27/2007
Permit Type:	PL
Description:	INTERIOR RENOVATION FOR HOME OCCUPATION ON FIRST FLOOR. NO CHANGE TO USE, OCCUPANCY OR EGRESS.
Permit Description:	PLUMBING
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	PLUMBING
Permit Number:	402610581-01-PL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	CN PLUMBING INC, CN PLUMBING INC.,, CN PLUMBING, CN PLBG INC, CN PLUMBING INC., CN PLG INC, C N PLUM

Date: Permit Type: Description:	6/18/2007 EW INTERIOR RENOVATION FOR HOME OCCUPATION ON FIRST FLOOR. NO CHANGE TO USE, OCCUPANCY OR EGRESS.
Permit Description: Work Class:	EQUIPMENT WORK

Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	402610581-01-EW-OT
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	HI-TECH CPM CORP, HI-TECH CPM CORP., HI TECH CPM CORP, H-TECH CPM
	CORP, HI-TECH CPM CORP MERICAN INC

Date: Permit Type: Description:	9/5/2006
Permit Description: Work Class: Proposed Use:	Electrical
Permit Number:	A249404
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	ALPINE ELEC'L CONTRACTOR DAVID MISHANIEH, ALPINE ELEC'L CONTRACTOR

Date:	7/6/2004
Permit Type:	PL
Description:	To legalize two family dwelling to three family dwelling.

Permit Description:	PLUMBING
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	PLUMBING
Permit Number:	401832013-01-PL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	AL HAAG & SON PLUMBING & HEATING, AL HAGG & SON PLUMBING & HEATING, AL HAAG & SON PLBG & HTG, A. HAA

Date: Permit Type: Description:	4/1/2004
Permit Description: Work Class: Proposed Use:	Electrical
Permit Number:	A218023
Status:	CLOSED/CANCELLED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	HUDSON EAST ELEC'L, INC. MELVIN KLEIN, HUDSON EAST ELEC'L, INC.

Date: Permit Type: Description:	4/1/2004
Permit Description: Work Class: Proposed Use:	Electrical
Permit Number:	A219076
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	HUDSON EAST ELEC'L, INC. MELVIN KLEIN, HUDSON EAST ELEC'L, INC.

Date:3/5/2004Permit Type:ALDescription:To legalize two family dwelling to three family dwelling.

Permit Description:ALTERATIONWork Class:A1 - ALTERATION TYPE 1Proposed Use:Permit Number:Permit Number:401832013-01-ALStatus:ISSUEDValuation:\$0.00Contractor Company:Contractor Name:

6823 ALDERTON ST

Date:

Permit Type: Description:	
Permit Description:	Electrical Permit
Work Class:	
Proposed Use:	
Permit Number:	Q00055973I1EL
Status:	Permit Issued
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	JAMES WALTERS ELECTL

6/24/2018

Date:	10/15/2013
Permit Type:	PL
Description:	PROPOSE TO LEGALIZE THE CELLAR LAYOUT WITH FULL BATHROOM IN ORDER TO RESOLVE ECB VIOL. NO. 35005808N. THERE IS NO CHANGE IN OCCUPANCY OR USE.
Permit Description:	PLUMBING
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	PLUMBING
Permit Number:	420893509-01-PL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	

AND HTG INC, M & M PLUMBING

M&M PLBG & HTG INC, M & M P/H INC, M & M PLG AND HTG INC, M & M PLUMBING

 Date:
 10/1/2013

 Permit Type:
 EW

 Description:
 PROPOSE TO LEGALIZE THE CELLAR LAYOUT WITH FULL BATHROOM IN ORDER

 TO RESOLVE ECB VIOL. NO. 35005808N. THERE IS NO CHANGE IN OCCUPANCY OR USE.

Permit Description:EQUIPMENT WORKWork Class:A2 - ALTERATION TYPE 2Proposed Use:OTHER CONSTRUCTION EQUIPMENTPermit Number:420893509-01-EW-OTStatus:ISSUEDValuation:\$0.00Contractor Company:Contractor Name:

Contractor Name:

6840 ALDERTON ST

Date:	11/4/1982
Permit Type:	
Description:	

Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	Q06654C
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	POLY-ARC ELEC'L CONTR'S. JERRY SLAMAVITZ

6841 ALDERTON ST

Date:	8/21/1992
Permit Type:	AL
Description:	

Permit Description:	ALTERATION
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	400321095-01-AL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	BARBU GENERAL CONTRACTING CORP.

Date:8/18/1992Permit Type:ALDescription:Image: Construction of the second of

Permit Description:ALTERATIONWork Class:A3 - ALTERATION TYPE 3Proposed Use:+Permit Number:400318116-01-ALStatus:ISSUEDValuation:\$0.00Contractor Company:+Contractor Name:BARBU GENERAL CONTRACTING CORP.

6848 ALDERTON ST

Date: **12/20/1994** Permit Type: Description:

Permit Description: Work Class: Proposed Use:	Electrical
1	
Permit Number:	A110213
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	RUSSO ELECTRIC INC. STEVEN RUSSO, RUSSO ELECTRIC INC. P RUSSO, RUSSO ELECTRIC INC.

Date:	9/15/1987
Permit Type:	
Description:	

Permit Description:ElectricalWork Class:-Proposed Use:-Permit Number:A019651Status:COMPLETEDValuation:\$0.00Contractor Company:-Contractor Name:L. DUNCANSON INC-LADCO EL L DUNCANSON

6850 ALDERTON ST

Date:	9/19/1990
Permit Type:	
Description:	

Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	A059396
Status:	NOACCESS
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	PAUL F. VIVIANO, INC. PAUL VIVIANO, PAUL F. VIVIANO, INC.

6856 ALDERTON ST

Date: Permit Type: Description:	10/21/2004 PL CONVERT ONE TO TWO FAMILY WITH HORIZONTAL AND VERTICAL EXTENSION AS PER PLAN. OBTAIN NEW C. OF O.
Proposed Use:	A1 - ALTERATION TYPE 1 PLUMBING 401690005-01-PL ISSUED \$0.00
Date: Permit Type: Description:	5/1/2004
Permit Description: Work Class: Proposed Use: Permit Number:	Electrical A218267

Valuation: \$0.00

COMPLETED

Contractor Company: Contractor Name:

Status:

AL-LECTRIC ELECT'L CONTRG SANG CHEUNG, AL-LECTRIC ELECT'L CONTRG

Date: Permit Type:	10/14/2003 AL
Description:	CONVERT ONE TO TWO FAMILY WITH HORIZONTAL AND VERTICAL EXTENSION AS PER PLAN. OBTAIN NEW C. OF O.
Permit Description:	ALTERATION
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	401690005-01-AL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	LI FONG CORP, LI FENG CONSTRUCTION CORP, LI FONG CONST CORP, LI FONG CORP., LI FENG CONSTR. CORP, LI

6897 ALDERTON ST

Date: Permit Type: Description:	9/20/2010 EW INTERIOR RENOVATION FOR THE EXISTING ONE FAMILY HOUSE, MINOR PARTITION WORK AND PLUMBING WORK. NO CHANGE IN USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.
Permit Description: Work Class: Proposed Use: Permit Number: Status: Valuation:	EQUIPMENT WORK A2 - ALTERATION TYPE 2 OTHER CONSTRUCTION EQUIPMENT 420211808-01-EW-OT ISSUED \$0.00
Contractor Company Contractor Name:	: GLOBAL GROUP INDUSTRIES C, GLOBAL GROUP INDUSTRIES CORP, TIMES DEVELOPMENT INC, TRIPLE 8 CONSTRUCTIO

Date: Permit Type: Description:	8/20/2010 PL INTERIOR RENOVATION FOR THE EXISTING ONE FAMILY HOUSE, MINOR PARTITION WORK AND PLUMBING WORK. NO CHANGE IN USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.
Permit Description: Work Class: Proposed Use: Permit Number: Status:	PLUMBING A2 - ALTERATION TYPE 2 PLUMBING 420211808-01-PL ISSUED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	TOP DOG PLBG & HTG CORP, C & T PLUMBING & HTG INC, TOP DOG PLG AND HTG CORP, TOP DOG P & H CORP, TOP

Date:4/15/2009Permit Type:EWDescription:TO REMOVE EXISTING PLASTER AND REPLACE WITH GYPSUM BOARD. TO
REMOVE EXISTING DETERIORATED FINISH FLOOR AND REPLACE WITH NEW, TO
REPLACE ANY DAMAGE SUBFLOOR AS REQUIRE. ALL WORK AS PER PLANS.
THERE IS NO CHANGE OF USE, EGRESS OR OCCUPANCY UNDER THIS
APPLICATION

Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	420006353-01-EW-OT
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	ABEL & CAIN ENTERPRISES L

6899 ALDERTON ST

Date:	3/1/2007
Permit Type:	DM
Description:	
Permit Description:	DEMOLITION & REMOVAL
1	
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	402503108-01-DM
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	RONI CONTRACTING CORP, RONI CONTRACTING CORP., RONI CONTRACTING, RONI CONSTRUCTION CORP., RONI CONTR

Date: Permit Type: Description:	3/1/2007 EQ
Permit Description:	CONSTRUCTION EQUIPMENT
Work Class:	DM - FULL DEMOLITION
Proposed Use:	CONSTRUCTION EQUIPMENT
Permit Number:	402503108-01-EQ-FN
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	<i>Ι</i> .
Contractor Name:	RONI CONTRACTING CORP, RONI CONTRACTING CORP., RONI CONTRACTING, RONI CONSTRUCTION CORP., RONI CONTR

Date: Permit Type: Description:	2/27/1991
Permit Description: Work Class: Proposed Use:	Electrical
Permit Number:	A063991
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	GLEN OAKS ELEC'L INC. ANTHONY LENNON, GLEN OAKS ELEC'L INC.

6901 ALDERTON ST

Date: 12/12/2011 Permit Type: EW Description: TO LEGALIZED EXISTING WORK IN THE CELLAR AND FIRST FLOOR. ALL WORK AS PER PLANS FILE HEREWITH. THERE IS NO CHANGE OF USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION

Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	420292472-01-EW-OT
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	BOLTECH BLDG SOLUTIONS CO, BOLTECH BUILDING SOLUT CP

Date: Permit Type: Description:	7/15/2011 PL TO LEGALIZED EXISTING WORK IN THE CELLAR AND FIRST FLOOR. ALL WORK AS PER PLANS FILE HEREWITH. THERE IS NO CHANGE OF USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION
Permit Description: Work Class: Proposed Use: Permit Number: Status: Valuation: Contractor Company: Contractor Name:	420292472-01-PL ISSUED \$0.00
Date:	4/5/1995

Permit Type: Description:

Permit Description: Work Class: Proposed Use:	Electrical
Permit Number:	A112754
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	FOREST HILLS ELEC'L CONT. PAUL GENNARO, FOREST HILLS ELEC'L CONT.

6902 ALDERTON ST

Date: Permit Type:	8/8/2012
Description:	
Permit Description:	ELECTRICAL
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	A304175
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	POWER SURGE ELECTRIC, INC MARIO CASTRO, POWER SURGE ELECTRIC, INC

Date: Permit Type: Description:	5/4/2006 PL Legalize existing partitions and plumbing fixtures in cellar as per ECB violation# 34170193Z. No change in use, egress or occupancy under this application.
Permit Description:	
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	PLUMBING
Permit Number:	402198590-01-PL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	QMB PLUMBING & HEATING IN, QMB PLUMBING & HTG INC, QMB PLUMBING & HEATING INC., QMB PLUMBING & HEATI

Date: Permit Type: Description:	8/26/2005 EW Legalize existing partitions and plumbing fixtures in cellar as per ECB violation# 34170193Z. No change in use, egress or occupancy under this application.
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	402198590-01-EW-MH
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	KEEN DAY INC, KEEN _DAY INC., KEEN DAV INC
Date [.]	8/26/2005

Date:8/26/2005Permit Type:EWDescription:Legalize existing partitions and plumbing fixtures in cellar as per ECB violation#
34170193Z. No change in use, egress or occupancy under this application.

Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	402198590-01-EW-OT
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	KEEN DAY INC, KEEN _DAY INC., KEEN DAV INC

WOODHAVEN BLVD

6753 WOODHAVEN BLVD

Date: Permit Type: Description:	11/22/2017 EW APPLICATION FILED TO SHOW THE CONSTRUCTION WORK IN THE RETAIL STORE UG 6A, SCOPE OF WORK INCLUDES INSTALLATION OF THE PARTITIONS, CHANGE TO THE LAYOUT, CHANGE TO THE STOREFRONT, PLUMBING WORK AS PER PLANS FILED HEREWITH.NO CHANGE TO USE, EGRESS AND OCCUPANCY PROPOSED UNDER THIS APPLICATION
Permit Description: Work Class: Proposed Use: Permit Number: Status: Valuation: Contractor Company: Contractor Name:	EQUIPMENT WORK A2 - ALTERATION TYPE 2 MECHANICAL/HVAC 421572747-01-EW-MH ISSUED \$0.00 R & JP BUILDERS INC

Date: Permit Type: Description:	11/22/2017 PL APPLICATION FILED TO SHOW THE CONSTRUCTION WORK IN THE RETAIL STORE UG 6A, SCOPE OF WORK INCLUDES INSTALLATION OF THE PARTITIONS, CHANGE TO THE LAYOUT, CHANGE TO THE STOREFRONT, PLUMBING WORK AS PER PLANS FILED HEREWITH.NO CHANGE TO USE, EGRESS AND OCCUPANCY PROPOSED UNDER THIS APPLICATION

Permit Description:	PLUMBING
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	PLUMBING
Permit Number:	421572747-01-PL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	NATIONWIDE MECHANICAL INC, MCLNY PLBG & HEATING LLC, FOUR STAR MECHANICAL INC, FOUR STAR MECHANICAL,

Date: Permit Type: Description:	11/9/2017 EW APPLICATION FILED TO SHOW THE CONSTRUCTION WORK IN THE RETAIL STORE UG 6A, SCOPE OF WORK INCLUDES INSTALLATION OF THE PARTITIONS, CHANGE TO THE LAYOUT, CHANGE TO THE STOREFRONT, PLUMBING WORK AS PER PLANS FILED HEREWITH.NO CHANGE TO USE, EGRESS AND OCCUPANCY PROPOSED UNDER THIS APPLICATION
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	421572747-01-EW-OT
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	R & JP BUILDERS INC

Date: 7/11/2011 Permit Type: SG Description: Permit Description: SIGN Work Class: SG - SIGN Proposed Use: Permit Number: 420207993-01-SG Status: ISSUED Valuation: \$0.00 Contractor Company: INTERBORO SIGN & MAINTENA, INTERBORO SIGN & ELECL MAI, INTERBORO SIGN Contractor Name: & MNTNCE, INTERBORO SIGN AND MA

Date: Permit Type: Description:	10/27/2010 EW INSTALLATION OF A WALL MOUNTED SIGN STRUCTURE 12'X 24'. ALL AS PER PLANS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	420180949-01-EW-OT
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	WEISS PLUMBING INC, INTERBORO SIGN & ELEC MAI, INTERBORO SIGN & MAINTENA, INTERBORO SIGN & MAIN INC,

Date:	1/19/2000
Permit Type:	EW
Description:	

Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	401029748-01-EW-MH
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	SY LUBA INC, SY LUBA AIR CONT & HEAT, SY LUBA INC.

Date: 6/7/1999 Permit Type: AL Description:

Permit Description:ALTERATIONWork Class:A1 - ALTERATION TYPE 1Proposed Use:Permit Number:Permit Number:400904401-01-ALStatus:ISSUEDValuation:\$0.00Contractor Company:Contractor Name:

Date:	12/16/1996
Permit Type:	AL
Description:	

Permit Description:ALTERATIONWork Class:A1 - ALTERATION TYPE 1Proposed Use:Permit Number:Permit Number:400697340-01-ALStatus:ISSUEDValuation:\$0.00Contractor Company:Contractor Name:Contractor Name:GC & REPAIRS

Date:4/14/1994Permit Type:PLDescription:

PLUMBING Permit Description: Work Class: A2 - ALTERATION TYPE 2 Proposed Use: PLUMBING Permit Number: 400258350-01-PL Status: ISSUED \$0.00 Valuation: Contractor Company: Contractor Name: STELLMAR PLUMBING & MECH CORP, STELLMAR PLUMBING & MECHANICAL C, STELLMAR PLUMBING & MECHANICAL, STE

Date:3/7/1994Permit Type:ALDescription:Image: Construction of the second seco

Permit Description:ALTERATIONWork Class:A1 - ALTERATION TYPE 1Proposed Use:Permit Number:Permit Number:400434375-01-ALStatus:ISSUEDValuation:\$0.00Contractor Company:Contractor Name:POLOLO CON CORP.

Date: Permit Type: Description:	8/25/1992 EW
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	400258350-01-EW-FP
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	DEAL FIRE, IDEAL FIRE SYSTEMS INC, IDEAL FIRE SYST INC, IDEAL FIRE SYSTEMS, INC., IDEAL FIRE CONTROL

Date:	6/3/1992
Permit Type:	PL
Description:	

Permit Description:	PLUMBING
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	PLUMBING
Permit Number:	400246346-01-PL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	STELLMAR PLBG & MECH.CORP, STELLMAR PLBG & MECH CORP, STELLMAR PLUMBING & MECH. CORP, STELLMAR, STEL

Date: 5/1/1992 Permit Type: EW Description:

Permit Description:	EQUIPMENT WORK	
Work Class:	A2 - ALTERATION TYPE 2	
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT	
Permit Number:	400246346-01-EW-OT	
Status:	ISSUED	
Valuation:	\$0.00	
Contractor Company:		
Contractor Name:	CAPITAL CONSTRUCTION CO.	

6763 WOODHAVEN BLVD

Date:	11/1/2015
Permit Type:	
Description:	

Permit Description:ELECTRICALWork Class:Proposed Use:Permit Number:A342828Status:AWAITING INSPECTION REQUESTValuation:\$0.00Contractor Company:Contractor Name:

Date:	4/1/2014
Permit Type:	PL
Description:	INTERIOR RENOVATION OF EXISTING EATING OR DRINKING ESTABLISHMENT. TO CREATE NEW PLATFORM FOR SEATING AREA. NEW BAR AREA. NEW PARTITIONS. RELOCATION OF PLUMBING FIXTURES ON EXISTING ROUGHING AND NEW FIXTURES, H.V.A.C. DUCTWORK. ALL AS PER PLANS FILES HEREWITH. THERE IS NO CHANGE OF USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.
Permit Description:	PLUMBING
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	PLUMBING
Permit Number	420962578-01-PI

VVUK CIASS.	AZ - ALTERATION TIPE Z
Proposed Use:	PLUMBING
Permit Number:	420962578-01-PL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	MARCO POLO PLBG & HTG INC, PFEIFFER P,HTG,SPKL CONT, PFEIFFER PLBG & HTG, FREDERICK PFEIFFER PLUMBIN

Date:	3/28/2014
Permit Type:	
Description:	

Permit Description: Work Class:	ELECTRICAL REHABILITATION
Proposed Use:	
Permit Number:	A325578
Status:	Open
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	HIGH VOLT ELEC CORP. OF JOHN MILIOTI, HIGH VOLT ELEC CORP. OF

Date:	3/28/2014
Permit Type:	EW
Description:	INTERIOR RENOVATION OF EXISTING EATING OR DRINKING ESTABLISHMENT. TO CREATE NEW PLATFORM FOR SEATING AREA. NEW BAR AREA. NEW PARTITIONS. RELOCATION OF PLUMBING FIXTURES ON EXISTING ROUGHING AND NEW FIXTURES, H.V.A.C. DUCTWORK. ALL AS PER PLANS FILES HEREWITH. THERE IS NO CHANGE OF USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.

Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	420962578-01-EW-OT
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	NOBEL CONSTRUCTION CORP

Date: Permit Type: Description:	3/27/2014 EW INTERIOR RENOVATION OF EXISTING EATING OR DRINKING ESTABLISHMENT. TO CREATE NEW PLATFORM FOR SEATING AREA. NEW BAR AREA. NEW PARTITIONS. RELOCATION OF PLUMBING FIXTURES ON EXISTING ROUGHING AND NEW FIXTURES, H.V.A.C. DUCTWORK. ALL AS PER PLANS FILES HEREWITH. THERE IS NO CHANGE OF USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	420962578-01-EW-MH
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	NOBEL CONSTRUCTION CORP

Date:	4/10/2007
Permit Type: Description:	EW INSTALL FIRE SUPPRESSION SYSTEM ONLY ONLY NO CHANGE IN USE, EGRESS, OR O CCUPANCY

Permit Description:	EQUIPMENT WORK	
Work Class:	A2 - ALTERATION TYPE 2	
Proposed Use:	FIRE SUPPRESSION	
Permit Number:	402561474-01-EW-FP	
Status:	ISSUED	
Valuation:	\$0.00	
Contractor Company:		
Contractor Name:	FIRE COMMAND CO INC, FIRE COMMAND CO., INC, FIRE COMMAND CO., INC, FIRE COMMAND CO. INC., FIRE COMMAM	

Date: Permit Type: Description:	1/21/1997
Permit Description: Work Class: Proposed Use:	Electrical
Permit Number:	A133404
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	NETWORK ELEC'L CONTR OF - PATSY RICCI, NETWORK ELEC'L CONTR OF -

6769 WOODHAVEN BLVD

Date:	3/17/2016
Permit Type:	
Description:	

Permit Description:	Electrical Permit
Work Class:	
Proposed Use:	
Permit Number:	A347019
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	L.E.B. ELECTRIC LTD

Date:	12/30/2014
Permit Type:	EW
Description:	PROPOSE TRENCHING FOR THE PURPOSE OF INSTALLING REMEDIATION PIPING. NO CHANGE IN USE, EGRESS OR OCCUPANCY.
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	421048066-01-EW-OT
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	CLEAN GLOBE ENVIRONMENTAL, GROUNDWATER TECHNOLOGY INC.

Date: 1/30/2005 Permit Type: Description:

Permit Description:ElectricalWork Class:Proposed Use:Permit Number:A229769Status:AWAITING INSPECTION REQUESTValuation:\$0.00Contractor Company:Contractor Name:

Date: Permit Type: Description:	5/27/2004 AL CONVERT EXISTING AUTHOTIVE SERVICE STATI ON & ATTENDANTS BOOTHS (UG 16) O OPEN SALES OF USED CARS & RENTALS OF A UTHOMOBILES (UG 16) NO WORK AS PER PPN 7/94 SELF CERTIFICATION OF OBJECTIONS IS REQUESTED

ALTERATION
A1 - ALTERATION TYPE 1
401812302-01-AL
ISSUED
\$0.00

Date:	8/23/2002
Permit Type:	PL
Description:	INSTALL A PROTECTIVE SHED FOR A MICRTURB INE GENERATOR. INSTALL A NATURA GAS LINE & METER. NO CHANGE IN C/O/O E GRESS, ZONING, OCCUPANCY.
Permit Description:	PLUMBING
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	PLUMBING
Permit Number:	401499133-01-PL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	STELLMAR PLBG & MECH.CORP, STELLMAR PLBG & MECH CORP, STELLMAR PLUMBING & MECH. CORP, STELLMAR, STEL

Date: Permit Type: Description:	8/9/2002 EW INSTALL A PROTECTIVE SHED FOR A MICRTURB INE GENERATOR. INSTALL A NATURA GAS LINE & METER. NO CHANGE IN C/O/O E GRESS, ZONING, OCCUPANCY.
Permit Description: Work Class: Proposed Use: Permit Number: Status: Valuation: Contractor Company Contractor Name:	EQUIPMENT WORK A2 - ALTERATION TYPE 2 OTHER CONSTRUCTION EQUIPMENT 401499133-01-EW-OT ISSUED \$0.00 : FIRE VIOLATIONS SERVICES, FIRE VIOLATIONS SERVICE, INC, FIRE VIOLATIONS SERVICE, INC., FIRE VIOLATIO

Date:	4/10/1997
Permit Type:	AL
Description:	

Permit Description:	ALTERATION
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	400726005-01-AL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	CHARLES ESPOSITO CONT, C. ESPOSITO CONTR., CHARLES ESPOSITO CONTRACTING, CHARLES ESPOSITO CONTRACTOR

Date: Permit Type: Description:	9/23/1988
Permit Description: Work Class: Proposed Use:	Electrical
Permit Number:	A033216
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	VIC CONSTRUCTION CORP. J DEMARTINI, VIC CONSTRUCTION CORP. V STEINFELD, VIC CONSTRUCTION CORP. P POL

Date: Permit Type: Description:	9/23/1988
Permit Description: Work Class: Proposed Use:	Electrical
Permit Number:	A033217
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company	r.
Contractor Name:	VIC CONSTRUCTION CORP. J DEMARTINI, VIC CONSTRUCTION CORP. V STEINFELD, VIC CONSTRUCTION CORP. P POL

Date: Permit Type: Description:	9/23/1988
Permit Description: Work Class: Proposed Use:	Electrical
Permit Number:	A033220
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	VIC CONSTRUCTION CORP. J DEMARTINI, VIC CONSTRUCTION CORP. V STEINFELD, VIC CONSTRUCTION CORP. P POL

Date: Permit Type: Description:	9/23/1988
Permit Description: Work Class: Proposed Use: Permit Number: Status: Valuation: Contractor Company:	A033227 COMPLETED \$0.00
Contractor Name:	VIC CONSTRUCTION CORP. J DEMARTINI, VIC CONSTRUCTION CORP. V STEINFELD, VIC CONSTRUCTION CORP. P POL

Permit Type:	
Description:	
Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	A033082
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	VIC CONSTRUCTION CORP. J DEMARTINI, VIC CONSTRUCTION CORP. V STEINFELD, VIC CONSTRUCTION CORP. P POL

6805 WOODHAVEN BLVD

Date:

Date: 5/3/1992 Permit Type: Description:

9/21/1988

Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	A078672
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	JACAM ELECTRIC INC. JOHN ABBRACCIAMENTO

Date: Permit Type: Description:	4/10/1991 EW
Permit Description: Work Class: Proposed Use: Permit Number: Status: Valuation: Contractor Company Contractor Name:	EQUIPMENT WORK A2 - ALTERATION TYPE 2 BOILER 400185483-01-EW-BL ISSUED \$0.00 : LASBERG CONSTRUCTION ASSO, MASTER HEATING SPECIALISTS, INC., MASTER HTNG. SPEC. INC, MASTER HEATING

Description:	
Permit Description: Work Class: Proposed Use: Permit Number: Status: Valuation: Contractor Company: Contractor Name:	PLUMBING A2 - ALTERATION TYPE 2 PLUMBING 400185483-01-PL ISSUED \$0.00 LASBERG CONSTRUCTION ASSO, MASTER HEATING SPECIALISTS, INC., MASTER HTNG. SPEC. INC, MASTER HEATING

Date:5/22/1990Permit Type:EWDescription:

4/10/1991

PL

Date:

Permit Type:

Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	400093652-01-EW-MH
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	MICHAEL HARLEY, MICAHEL HARLEY, MICHAELL HARLEY

Date:	
Permit Type:	
Description:	

12/12/1989

Permit Description:ElectricalWork Class:-Proposed Use:-Permit Number:A048495Status:COMPLETEDValuation:\$0.00Contractor Company:-Contractor Name:ERA-LOR ELECT CONTG CORP F BALZOFIORE

Date: 12/1/1989 Permit Type: Description:

Permit Description:ElectricalWork Class:-Proposed Use:-Permit Number:A048499Status:COMPLETEDValuation:\$0.00Contractor Company:-Contractor Name:ERA-LOR ELECT CONTG CORP F BALZOFIORE

6827 WOODHAVEN BLVD

Date:	10/31/2018
Permit Type:	
Description:	

Permit Description:	Electrical Permit
Work Class:	
Proposed Use:	
Permit Number:	Q0009422211EL
Status:	Permit Issued
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	DELTA PHASE ELECTRICAL CORP, DELTA PHANE ELECTRECAL CORP, DELTA PHANE ELECTRIC CORP, DELTA, DELTA PH

Date: Permit Type: Description:	6/15/2018 EW FILING HEREWITH FOR INSTALLATION OF STANDBY GENERATOR, ASSOCIATED DIESEL BELLY TANK, AND GENERAL SITE WORK. NO CHANGE IN USE, EGRESS, OR OCCUPANCY UNDER THIS APPLICATION.
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	440486546-01-EW-OT
Status:	RE-ISSUED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	METRO ENVIRONMENTAL SERVI, TYREE HOLDINGS CORP, TYREE HOLDING CORP, LARY E. TYREE CO, LARRY E. TYREE

Date: Permit Type:	1/24/2017 EW
Description:	PROPOSED INSTALLATION OF A 75' X 81' IRREGULAR SHAPED CANOPY AND 5' X 19' ATTENDANT KIOSK AT EXISTING GASOLINE SERVICE STATION. NO CHANGE TO USE,EGRESS OR OCCUPANCY.
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	440246315-01-EW-OT
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	ALVIN PETROLEUM SYSTEMS I, ALVIN PETROLEUM, ALVIN PETROLEUM SYSTEMS INC., ALVIN PETRLEUM, ALVIN PETR

Date:	12/28/2016
Permit Type:	EW
Description:	PROPOSED INSTALLATION OF FIRE SUPPRESSION SYSTEM OVER PUMP FUELING ISLAND. NO CHANGE IN USE, EGRESS OR OCCUPANCY.

Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	421374630-01-EW-FP
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	EMDI LTD, BK ENGINEERING, BK ENG, BK ENG., BK ENGINERRING, BK ENGINEERING NECK RD, BK_ENGIN., FIRE G

Date: Permit Type: Description:	11/16/2016 PL PROPOSED INSTALLATION OF A 75' X 81' IRREGULAR SHAPED CANOPY AND 5' X 19' ATTENDANT KIOSK AT EXISTING GASOLINE SERVICE STATION. NO CHANGE
Permit Description:	TO USE,EGRESS OR OCCUPANCY. PLUMBING
Work Class: Proposed Use: Permit Number:	A2 - ALTERATION TYPE 2 PLUMBING 440246315-01-PL
Status: Valuation: Contractor Company	ISSUED \$0.00
Contractor Name:	NORTHEAST PLBG & HTG CORP, NORTHEAST WATER&SEWER COR
Date: Permit Type: Description:	11/5/2016

Permit Description:	Electrical Permit
Work Class:	
Proposed Use:	
Permit Number:	A355590
Status:	CLOSED/CANCELLED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	DELTA PHASE ELECTRICAL CORP, DELTA PHANE ELECTRECAL CORP, DELTA PHANE ELECTRIC CORP, DELTA, DELTA PH

Date: Permit Type: Description:	9/9/2016 EW PROPOSED INSTALLATION OF (1) 10,000 GALLON DOUBLE WALL FIBERGLASS UNDERGROUND STORAGE TANKS (DWFRO UST) AND (1) 10,000 GALLON DWFRP COMPARTMENT UST CONSISTING OF (2) 5,000 GALLON COMPARTMENTS WITH INSTALLATION OF (7) NEW DISPENSERS, ISLANDS AND ASSOCIATED PIPING. NO CHANGE TO USE, EGRESS OR OCCUPANCY.
Permit Description: Work Class: Proposed Use: Permit Number: Status: Valuation: Contractor Company Contractor Name:	EQUIPMENT WORK A2 - ALTERATION TYPE 2 OTHER CONSTRUCTION EQUIPMENT 440198821-01-EW-OT ISSUED \$0.00 : ALVIN PETROLEUM SYSTEMS I, ALVIN PETROLEUM, ALVIN PETROLEUM SYSTEMS INC., ALVIN PETRLEUM, ALVIN PETR

Date:	6/16/2016
Permit Type:	EW
Description:	FILING FOR SUPPORT OF EXCAVATION AS PER PLANS FILED HEREWITH. NO CHANGE TO USE, EGRESS OR OCCUPANCY.

Permit Description:	EQUIPMENT WORK	
Work Class:	A2 - ALTERATION TYPE 2	
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT	
Permit Number:	421338788-01-EW-OT	
Status:	ISSUED	
Valuation:	\$0.00	
Contractor Company:		
Contractor Name:	ALVIN PETROLEUM SYSTEMS I, ALVIN PETROLEUM, ALVIN PETROLEUM SYSTEMS INC., ALVIN PETRLEUM, ALVIN PETR	

Date: Permit Type: Description:	1/29/2016 EQ PROPOSED INSTALLATION OF (1) 10,000 GALLON DOUBLE WALL FIBERGLASS UNDERGROUND STORAGE TANKS (DWFRO UST) AND (1) 10,000 GALLON DWFRP COMPARTMENT UST CONSISTING OF (2) 5,000 GALLON COMPARTMENTS WITH INSTALLATION OF (7) NEW DISPENSERS, ISLANDS AND ASSOCIATED PIPING. NO CHANGE TO USE, EGRESS OR OCCUPANCY.
Permit Description:	CONSTRUCTION EQUIPMENT
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	CONSTRUCTION EQUIPMENT
Permit Number:	440198821-01-EQ-FN
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	ALVIN PETROLEUM SYSTEMS I, ALVIN PETROLEUM, ALVIN PETROLEUM SYSTEMS
Contractor Name:	INC., ALVIN PETRLEUM, ALVIN PETR

Date: Permit Type: Description:	5/15/2013
Permit Description: Work Class: Proposed Use:	ELECTRICAL REHABILITATION

Proposed Use:	
Permit Number:	A317581
Status:	Closed
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	ELECTROTEC OF NY ELECL IN ROOPCHAND SINGH, ELECTROTEC OF NY ELECL IN WILLIAM GOLDENBAUM, ELECTROTEC

Date: Permit Type: Description:	9/14/2006 EW LEGALIZATION OF STEEL CANOPY. THIS APPLICATION IS TO REMOVE ECB VIOLATION# 34527691K. NO CHANGE IN USE, OCCUPANCY AND MEANS OF EGRESS IS INVOLVED UNDER THIS APPLICATION.
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	402451707-01-EW-OT
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	UILDING VIOLATIONS REMOVAL INC., BUILDING VIOLATIONS REMOVAL INC,
Contractor Name:	BUILDING VIOLATIONS REMOVAL, BUIL

Permit Type: Description:	EW
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	400392936-01-EW-FP
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	FIRE GUARD OF L. I. INC, FIRE GUARD OF LONG ISLAND, FIRE GUARD OF LONG ISLAND, INC., FIRE GUARD OF L

9/23/1994

Date:

Date: Permit Type: Description:	8/17/1994
Permit Description: Work Class: Proposed Use:	Electrical
•	A105283
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	DELTA PHASE ELEC'L CORP. ANTHONY SARACENI, DELTA PHASE ELEC'L CORP.

Permit Type:	
Description:	
Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	A103375
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	DELTA PHASE ELEC'L CORP. ANTHONY SARACENI, DELTA PHASE ELEC'L CORP.

Date:	6/1/1994
Permit Type:	EQ
Description:	

Date:

Permit Description:	CONSTRUCTION EQUIPMENT
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	CONSTRUCTION EQUIPMENT
Permit Number:	400393481-01-EQ-FN
Status:	RE-ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	

7/1/1994

Date:	6/1/1994
Permit Type:	EW
Description:	

Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	400393481-01-EW-MH
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	

Date: 6/1/1994 Permit Type: EW Description:

Permit Description:EQUIPMENT WORKWork Class:A2 - ALTERATION TYPE 2Proposed Use:OTHER CONSTRUCTION EQUIPMENTPermit Number:400393481-01-EW-OTStatus:ISSUEDValuation:\$0.00Contractor Company:Contractor Name:

Date: 6/1/1994 Permit Type: PL Description:

Permit Description: PLUMBING Work Class: A2 - ALTERATION TYPE 2 Proposed Use: PLUMBING Permit Number: 400393481-01-PL Status: ISSUED Valuation: \$0.00 Contractor Company: MOST PLMBG & HTG CORP, MOST PLUMBING & HEATING C, MOST PLBG & HTG, Contractor Name: MOST PLUMBING 7 HEATING CORP, MOS

Date:	8/18/1993
Permit Type:	EW
Description:	
Permit Description	FOUIPMENT WORK

r ennit Desenption.	
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	400392945-01-EW-OT
Status:	RE-ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	SUNDIAL/A.C.WOODHAVEN OPERATIONS

Date: 7/19/1993 Permit Type: EW Description:

Permit Description:EQUIPMENT WORKWork Class:A2 - ALTERATION TYPE 2Proposed Use:OTHER CONSTRUCTION EQUIPMENTPermit Number:400387773-01-EW-OTStatus:RE-ISSUEDValuation:\$0.00Contractor Company:AREK PETRO CORP, AREK PETRO CO, AREK PETRO CORPORATION, AREK PETRO

11/9/1983 Date: Permit Type: Description: Permit Description: Electrical Work Class: Proposed Use: Permit Number: Q07539B COMPLETED Status: Valuation: \$0.00 Contractor Company: **B & J ELECTRIC CO. B BOHLINGER** Contractor Name:

6901 WOODHAVEN BLVD

Date: Permit Type: Description:	5/1/2014
Permit Description:	ELECTRICAL
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	A326525
Status:	Closed
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	ELECTROTEC OF NY ELECL IN ROOPCHAND SINGH, ELECTROTEC OF NY ELECL IN WILLIAM GOLDENBAUM, ELECTROTEC

Date:	5/28/2007
Permit Type:	
Description:	

Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	A257705
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	STAT ELECTRIC INC. HOWARD ZAMKOFF, STAT ELECTRIC INC.

Date: Permit Type: Description:	2/21/2007 SG
Permit Description:	SIGN
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	402536387-01-SG
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	BERGER SIGNS INC, BERGER SIGN INC, BERGER SIGNS INS, BERGER SIGNS INC., BERGER SINGS INC, BEGER SIGN

Date:	10/27/1998
Permit Type:	
Description:	

Permit Description: Work Class: Proposed Use:	Electrical
Permit Number:	A152755
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	PIONEER ELEC'L ENTRP INC. ANTHONY CIRRINCIONE

Date:	7/6/1998
Permit Type:	AL
Description:	

Permit Description:	ALTERATION
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	400844949-01-AL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	:
Contractor Name:	MANNYS REPAIR

Date:4/30/1993Permit Type:ALDescription:Image: Construction of the second sec

Permit Description:ALTERATIONWork Class:A1 - ALTERATION TYPE 1Proposed Use:+Permit Number:400325581-01-ALStatus:ISSUEDValuation:\$0.00Contractor Company:-Contractor Name:THE CLEAN MACINE CORP

Date: 10/5/1987 Permit Type: Description:

Permit Description:ElectricalWork Class:-Proposed Use:-Permit Number:A020181Status:COMPLETEDValuation:\$0.00Contractor Company:-Contractor Name:BES ELECTRIC, INC. BRUNO SCHROETER, BES ELECTRIC, INC. PETER
SCHROETER, BES ELECTRIC, INC.

YELLOWSTONE BLVD

7445 YELLOWSTONE BLVD

Date: Permit Type: Description:	5/15/2018
Permit Description: Work Class: Proposed Use:	Electrical Permit
Permit Number: Status:	Q00043753I1EL Permit Issued
Valuation:	\$0.00

Valuation: \$0.00 Contractor Company: Contractor Name: SHUIR ELEC'L CONTR'S CORP

Date: 8/25/2017 Permit Type: Description:

Permit Description:Electrical PermitWork Class:Proposed Use:Permit Number:A366204Status:AWAITING INSPECTION REQUESTValuation:\$0.00Contractor Company:Contractor Name:STAR ELEC'L CONTRACTORS C

Date: Permit Type: Description:	9/9/2015 AL DECOMMISSION OF EXISTING ANTENNA SITE. INITIAL INSTALLATION APPROVED UNDER APPLICATIONS 410162425 & 420581711. ALL WORK IN CONFORMANCE WITH TPPN#5/98. NO CHANGE IN USE EGRESS, OR OCCUPANCY.
Permit Description: Work Class: Proposed Use:	ALTERATION A3 - ALTERATION TYPE 3 OTHER CONSTRUCTION EQUIPMENT
Permit Number:	421194781-01-AL
Status: Valuation:	ISSUED \$0.00
Contractor Company Contractor Name:	: TELCOM ENGINEERING GP INC, TELCOM ENGINEERING GP IN*, TELCOM ENGINEERING GROUP

Date:	11/1/2012
Permit Type:	AL
Description:	INSTALL NEW TELECOMMUNICATIONS ANTENNAS ON ROOF IN CONFORMANCE
	WITH TPPN #5/98 NO CHANGE IN USE,EGRESS OR OCCUPANCY

Permit Description:	ALTERATION
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	420581711-01-AL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	WESTOWER COMMUNICATIONS I

Permit Type:	
Description:	
Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	A285448
Status:	AWAITING INSPECTION REQUEST
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	RNH ELECTRIC COMPANY INC JOSEPH NAPPI, RNH ELECTRIC COMPANY INC

Date:

4/21/2010

Date:9/17/2008Permit Type:ALDescription:INSTALLING TELECOMMUNICATIONS CABINETS WITH RELATED DUNNAGE AND
ANTENNAS ON RO OF IN CONFORMANCE WITH TPPN#5/98. NO CHANGE IN
USE,EGRESS OR OCCUPANCY.

Permit Description:	ALTERATION
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	410162425-01-AL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	ARETE DEVELOPMENT INC, ARETE DEVELOPMENT INC., ARETE DEVELOPMENT, INC., ARETE DEVELOPMENT, ARETE DEV

Date:	8/22/2008
Permit Type:	
Description:	

Permit Description:ElectricalWork Class:Proposed Use:Permit Number:A270931Status:COMPLETEDValuation:\$0.00Contractor Company:Contractor Name:ARNOLD FINKELSTEIN

Date: 8/18/2008 Permit Type: Description:

Permit Description:ElectricalWork Class:Proposed Use:Permit Number:A270930Status:COMPLETEDValuation:\$0.00Contractor Company:Contractor Name:ARNOLD FINKELSTEIN

Date: 5/27/1999 Permit Type: Description:

Permit Description:ElectricalWork Class:Proposed Use:Permit Number:A158726Status:AWAITING INSPECTION REQUESTValuation:\$0.00Contractor Company:Contractor Name:MURRAY DIAMOND

7510 YELLOWSTONE BLVD

Date:	3/11/2018
Permit Type:	
Description:	

Permit Description:	Electrical Permit
Work Class:	
Proposed Use:	
Permit Number:	Q00026166I1EL
Status:	Permit Issued
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	4000 ELECTRIC CORP

Date: 3/10/2018 Permit Type: Description:

Permit Description:	ELECTRICAL
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	A373290
Status:	(SEE DOB NOW BUILD)
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	4000 ELECTRIC CORP IVAN TORRES, 4000 ELECTRIC CORP

Date: Permit Type: Description:	10/24/2013 EQ PROPOSED INSTALLATION OF HEAVY DUTY SIDEWALK SHED FILED FOR REMEDIAL REPAIRS AS PER PLANS. NO CHANGE IN USE OCCUPANCY OR EGRESS UNDER THIS APPLICATION. LIVE LOAD 300 PER SQUARE FEET. SIDEWALK SHED SHALL COMPLY WITH CHAPTER # 33 OF THE 2008 CODE.
Permit Description:	CONSTRUCTION EQUIPMENT
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	CONSTRUCTION EQUIPMENT
Permit Number:	440109393-01-EQ-SH
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	TOTAL NY CONSTRUCTION COR, MSS GOLDEN EAGLE CONSTRUC, MSS GOLDEN
Contractor Name:	EAGLE CONST US, MISS GOLDEN EAGLE C

Date:	10/24/2013
Permit Type:	AL
Description:	REPLACEMENT OF WINDOW LINTELS, WINDOW SILLS AND BRICK POINTING AS PER PLAN.NO CHANGE IN USE OCCUPANCY OR EGRESS UNDER THIS APPLICATION.

Permit Description:	ALTERATION	
Work Class:	A3 - ALTERATION TYPE 3	
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT	
Permit Number:	440110354-01-AL	
Status:	ISSUED	
Valuation:	\$0.00	
Contractor Company:		
Contractor Name:	TOTAL NY CONSTRUCTION COR, MSS GOLDEN EAGLE CONSTRUC, MSS GOLDEN EAGLE CONST US, MISS GOLDEN EAGLE C	

Date: Permit Type:	10/10/2013
Description:	
Permit Description:	ELECTRICAL
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	A321561
Status:	Open
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	RPJ ELECTRIC CORP IRVING BAPTISTE, RPJ ELECTRIC CORP

Date:9/9/2010Permit Type:Description:Description:ElectricalWork Class:ElectricalWork Class:A288980Permit Number:A288980Status:COMPLETEDValuation:\$0.00Contractor Company:

L GODELL, ASSOCIATED ELEC CONT O

Contractor Name:

ASSOCIATED ELEC CONT OF N MICHAEL MURPHY, ASSOCIATED ELEC CONT OF N

5618352-8

Date:	8/20/2010
Permit Type:	AL
Description:	INSTALLATION OF TELECOMMUNICATIONS CABINETS, RELATED DUNNAGE AND RELATED ANTEN NAS ON ROOF. ALL WORK IN COMPLIANCE WITH TPPN 5/98, NO CHANGE TO USE, EGRESS O R OCCUPANCY

Permit Description:ALTERATIONWork Class:A3 - ALTERATION TYPE 3Proposed Use:OTHER CONSTRUCTION EQUIPMENTPermit Number:420230146-01-ALStatus:ISSUEDValuation:\$0.00Contractor Company:TRINITY TECHNOLOGIES LLC

Date: 10/23/2008 Permit Type: Description:

Permit Description: Work Class: Proposed Use:	Electrical
Permit Number:	A272851
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	ASSOCIATED ELEC CONT OF N MICHAEL MURPHY, ASSOCIATED ELEC CONT OF N L GODELL, ASSOCIATED ELEC CONT O

Permit Type: Description:	
Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	A263171
Status:	AWAITING INSPECTION REQUEST
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	STAT ELECTRIC INC. HOWARD ZAMKOFF, STAT ELECTRIC INC.

11/12/2007

Date:

Date: 8/7/2007 Permit Type: AL Description: INSTALLING TELECOMMUNICATIONS CABINETS, RELATED DUNNAGE & RELATED ATTENN AS ON ROOF.

Permit Description:	ALTERATION
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	402640790-01-AL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	VERTICAL SOLUTIONS INC, VERTICAL SOLUTION, VERTICAL SOLUTIONS_INC, VERTICAL SOLUTIONS INC., VERTICAL

Date: Permit Type: Description:	5/30/2007
Permit Description: Work Class: Proposed Use:	Electrical
Permit Number: Status: Valuation: Contractor Company	A257535 AWAITING INSPECTION REQUEST \$0.00
Contractor Name:	TESTA ELECTRIC CO., INC RONALD TESTA, JR., TESTA ELECTRIC CO., INC RONALD TESTA, TESTA ELECTRIC CO.,
Date: Permit Type: Description:	10/15/2004
Permit Description: Work Class: Proposed Use:	Electrical
Permit Number: Status: Valuation:	A225918 COMPLETED \$0.00
Contractor Company: Contractor Name:	ATN ELECTRIC CORP NORMAN WEISS, ATN ELECTRIC CORP
Date: Permit Type: Description:	8/1/1990
Permit Description: Work Class: Proposed Use:	Electrical
Permit Number: Status: Valuation:	A056808 COMPLETED \$0.00
Contractor Company: Contractor Name:	IRWIN ELECTR'L CONTR'S, I IRWIN GELLIS, IRWIN ELECTR'L CONTR'S, I

Permit Description: PLUMBING Work Class: A2 - ALTERATION TYPE 2	
Proposed Use: PLUMBING Permit Number: 400101643-01-PL Status: ISSUED Valuation: \$0.00 Contractor Company: BMC PLMB CORP, BMC PLG CORP, BMC PLUMBING CORP, BMC PLUMBING CORP	DRP.,

Date: Permit Type: Description:	7/6/1990 EW
Proposed Use:	EQUIPMENT WORK A2 - ALTERATION TYPE 2 BOILER 400101643-01-EW-BL ISSUED \$0.00 ABILENE, INC, ABILENE HEATING, ABILENE INC, ABILIENE INC., ABILENE INC., ABILENE INC, ABILINE HEATIN

Date: Permit Type: Description:	7/6/1990 EW
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL BURNING
Permit Number:	400101643-01-EW-FB
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	
Contractor Name:	ABILENE, INC, ABILENE HEATING, ABILENE INC, ABILIENE INC., ABILENE INC., ABILENE INC., ABILINE HEATIN

Date:	7/6/1990
Permit Type:	EW
Description:	

Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL STORAGE
Permit Number:	400101643-01-EW-FS
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	ABILENE, INC, ABILENE HEATING, ABILENE INC, ABILIENE INC., ABILENE INC., ABILENE INC, ABILINE HEATIN

Date: 10/2/1985 Permit Type: Description:

Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	Q17995
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	JOHN WANERKA

7541 YELLOWSTONE BLVD

Date:	10/12/2010
Permit Type:	PL
Description: THIS JOB IS FOR THE PLUMBING WHICH IS ASSOCIATED WITH JOB # 4202 INSTALLING A 60' UNDERGROUND PIPE ATTACHING TO THE SANITARY SE ON SITE FOR A REMEDEATION SYSTEM.	
Permit Description:	PLUMBING
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	PLUMBING
Permit Number:	420274045-01-PL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	CASA MECHANICAL CO. INC, CASA MECH, CASA MECH., CASA MECHANICAL INC, CASA MECHANICAL, CASA MECHANICA

Date: Permit Type: Description:	9/30/2010 EW INSTALL A 20' X 8' SHED FOR A REMEDIATION SYSTEM.
Permit Description: Work Class: Proposed Use: Permit Number: Status:	EQUIPMENT WORK A2 - ALTERATION TYPE 2 OTHER CONSTRUCTION EQUIPMENT 420258740-01-EW-OT
Valuation: Contractor Company Contractor Name:	\$0.00 : METRO ENVIRONMENTAL SERVI, TYREE HOLDINGS CORP, TYREE HOLDING CORP, LARY E. TYREE CO, LARRY E. TYREE

Date: Permit Type: Description:	8/21/2010
Permit Description: Work Class: Proposed Use:	Electrical
Permit Number:	A288490
Status:	ASSIGNED TO INSPECTOR
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	JAM ELECTRICAL CORP ANTHONY LUCIANO, JAM ELECTRICAL CORP

Date: Permit Type:	11/19/2007
Description:	
Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	A263393
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	JAM ELECTRICAL CORP ANTHONY LUCIANO, JAM ELECTRICAL CORP

Date: Permit Type: Description:	7/5/2007 EW To install new New York City approved 10 MPH dry chemical fire suppression system over existing motor fuel dispenser. No change in use, egress or occupancy.
Permit Description: Work Class: Proposed Use: Permit Number: Status: Valuation: Contractor Company Contractor Name:	EQUIPMENT WORK A2 - ALTERATION TYPE 2 FIRE SUPPRESSION 402092551-01-EW-FP ISSUED \$0.00 * ACTION FIRE SERVICE CO., ACTION FIRE SERVICES CO., INC., ELITE ACTION FIRE EXT.& EQUIPMNT, ACTION FI

Date: Permit Type: Description:	7/30/1998 EW
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	400833185-01-EW-FP
Status:	ISSUED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	FIRE GUARD OF L. I. INC, FIRE GUARD OF LONG ISLAND, FIRE GUARD OF LONG ISLAND, INC., FIRE GUARD OF L

Date: Permit Type: Description:	7/23/1997 EW
Permit Description:	EQUIPMENT WORK
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	400577782-01-EW-OT
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	LARRY E TYREE COMPANY, LARRY E. TYREE COMPANY INC., LARRY E TYREECO,
Contractor Name:	LARRY E.TYREE, LARRY E. TYREE,

Date:	4/23/1993
Permit Type:	
Description:	

Date:

Permit Description:	Electrical
Work Class:	
Proposed Use:	
Permit Number:	A088804
Status:	COMPLETED
Valuation:	\$0.00
Contractor Company:	
Contractor Name:	ALESCI ELECTRIC CORP. P ALESCI

9/18/1992

Permit Type: Description:	AL
Permit Description:	ALTERATION
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	400313905-01-AL
Status:	ISSUED
Valuation:	\$0.00
Contractor Company	/:
Contractor Name:	PETROLEUM CONST, PETROLEUM CONSTRUCTION, PETROLEUM CONST CO INC, PETROLEUM CONSTRUCTION CO., PETROLE

Date:	10/26/1988
Permit Type:	
Description:	

Permit Description:ElectricalWork Class:Proposed Use:Permit Number:A035712Status:COMPLETEDValuation:\$0.00Contractor Company:Contractor Name:UNICO SERVICE CORP. A GOMEZ

Date: 7/27/1988 Permit Type: Description:

Permit Description:ElectricalWork Class:Proposed Use:Permit Number:A030573Status:COMPLETEDValuation:\$0.00Contractor Company:Contractor Name:UNICO SERVICE CORP. A GOMEZ

GLOSSARY

General Building Department concepts

- ICC: The International Code Council. The governing body for the building/development codes used by all jurisdictions who've adopted the ICC guidelines. MOST of the US has done this. Canada, Mexico, and other countries use ICC codes books and guides as well. There are a few states who have added guidelines to the ICC codes to better fit their needs. For example, California has added seismic retrofit requirements for most commercial structures.
- Building Department (Permitting Authority, Building Codes, Inspections Department, Building and Inspections): This is the department in a jurisdiction where an owner or contractor goes to obtain permits and inspections for building, tearing down, remodeling, adding to, re-roofing, moving or otherwise making changes to any structure, Residential or Commercial.
- Jurisdiction: This is the geographic area representing the properties over which a Permitting Authority has
 responsibility.
- GC: General Contractor. Usually the primary contractor hired for any Residential or Commercial construction work.
- Sub: Subordinate contracting companies or subcontractors. Usually a "trades" contractor working for the GC. These contractors generally have an area of expertise in which they are licensed like Plumbing, Electrical, Heating and Air systems, Gas Systems, Pools etc. (called "trades").
- Journeymen: Sub contractors who have their own personal licenses in one or more trades and work for different contracting companies, wherever they are needed or there is work.
- HVAC (Mechanical, Heating & Air companies): HVAC = Heating, Ventilation, and Air Conditioning.
- ELEC (Electrical, TempPole, TPole, TPower, Temporary Power, Panel, AMP Change, Power Release): Electrical permits can be pulled for many reasons. The most common reason is to increase the AMPs of power in an electrical power panel. This requires a permit in almost every jurisdiction. Other commons reason for Electrical permits is to insert a temporary power pole at a new construction site. Construction requires electricity, and in a new development, power has yet to be run to the lot. The temporary power pole is usually the very first permit pulled for new development. The power is released to the home owner when construction is complete and this sometimes takes the form of a Power Release permit or inspection.
- "Pull" a permit: To obtain and pay for a building permit.
- CBO: Chief Building Official
- Planning Department: The department in the development process where the building /structural plans are reviewed for their completeness and compliance with building codes
- Zoning Department: The department in the development process where the site plans are reviewed for their compliance with the regulations associated with the zoning district in which they are situated.
- Zoning District: A pre-determined geographic boundary within a jurisdiction where certain types of structures are permitted / prohibited. Examples are Residential structure, Commercial/Retail structures, Industrial/Manufacturing structures etc. Each zoning district has regulations associated with it like the sizes of the lots, the density of the structures on the lots, the number of parking spaces required for certain types of structures on the lots etc.
- PIN (TMS, GIS ID, Parcel#): Property Identification Number and Tax Map System number.
- State Card (Business license): A license card issued to a contractor to conduct business.
- Building Inspector (Inspector): The inspector is a building department employee that inspects building construction for compliance to codes.
- C.O.: Certificate of Occupancy. This is the end of the construction process and designates that the owners now have permission to occupy a structure after its building is complete. Sometimes also referred to as a Certificate of Compliance.

GLOSSARY

Permit Content Definitions

- Permit Number: The alphanumerical designation assigned to a permit for tracking within the building department system. Sometimes the permit number gives clues to its role, e.g. a "PL" prefix may designate a plumbing permit.
- Description: A field on the permit form that allows the building department to give a brief description of the work being done. More often than not, this is the most important field for EP's to find clues to the prior use(s) of the property.
- Permit Type: Generally a brief designation of the type of job being done. For example BLDG-RES, BLDG-COM, ELEC, MECH etc.

Sample Building Permit Data

Date: Nov 09, 2000 Permit Type: Bldg -New Permit Number: 10100000405 Status: Valuation: \$1,000,000.00 Contractor Company: OWNER-BUILDER Contractor Name:

Description: New one store retail (SAV-ON) with drive-thru pharmacy. Certificate of Occupancy.

6819 Woodhaven BLVD 6819 Woodhaven BLVD Rego Park, NY 11374

Inquiry Number: 5618352.4 April 11, 2019

EDR Historical Topo Map Report with QuadMatch™



6 Armstrong Road, 4th floor Shelton, CT 06484 Toll Free: 800.352.0050 www.edrnet.com

EDR Historical To	04/11/19	
Site Name:	Client Name:	

6819 Woodhaven BLVD 6819 Woodhaven BLVD Rego Park, NY 11374 EDR Inquiry # 5618352.4 Restoration and Conservation Advisemen 9-22 119st College Point, NY 11356 Contact: Dr. James M. Cervino



EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by Restoration and Conservation Advisement were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

Search Resu	ılts:		Coordinates:	
P.O.#	NA		Latitude:	40.715319 40° 42' 55" North
Project:	NA		Longitude:	-73.859561 -73° 51' 34" West
-			UTM Zone:	Zone 18 North
			UTM X Meters:	596325.11
			UTM Y Meters:	4507780.92
			Elevation:	57.00' above sea level
Maps Provid	ed:			
2013	18	97		
1994, 1995	5			
1979				
1966, 1967	,			
1956, 1957	,			
1947				
1900				
1898				

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report as legal advice.

Copyright 2019 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

2013 Source Sheets





Jamaica 2013 7.5-minute, 24000

Brooklyn 2013 7.5-minute, 24000

1994, 1995 Source Sheets



Jamaica 1994 7.5-minute, 24000



Brooklyn 1995 7.5-minute, 24000 Aerial Photo Revised 1977

1979 Source Sheets



Jamaica 1979 7.5-minute, 24000 Aerial Photo Revised 1977



Brooklyn 1979 7.5-minute, 24000 Aerial Photo Revised 1977

1966, 1967 Source Sheets



Jamaica 1966 7.5-minute, 24000 Aerial Photo Revised 1953



Brooklyn 1967 7.5-minute, 24000 Aerial Photo Revised 1966

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1956, 1957 Source Sheets



Brooklyn 1956 7.5-minute, 24000



Jamaica 1957 7.5-minute, 24000 Aerial Photo Revised 1957

1947 Source Sheets





Brooklyn 1947 7.5-minute, 24000 Aerial Photo Revised 1940

1947 7.5-minute, 24000 Aerial Photo Revised 1941

1900 Source Sheets



Brooklyn 1900 15-minute, 62500

1898 Source Sheets



Brooklyn 1898 15-minute, 62500


Topo Sheet Key


This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1897 Source Sheets





Brooklyn 1897 15-minute, 62500



















Historical Topo Map



CLIENT: Restoration and Conservation Advisement


5618352 - 4 page 8





W N NE TP, Jamaica, 1966, 7.5-minute SW, Brooklyn, 1967, 7.5-minute SW S SE

SITE NAME: 6819 Woodhaven BLVD ADDRESS: 6819 Woodhaven BLVD Rego Park, NY 11374 CLIENT: Restoration and Conservation Advisemer




This report includes information from the following map sheet(s). 0.5 1 1.5 0 Miles 0.25 NW Ν NE SITE NAME: 6819 Woodhaven BLVD TP, Jamaica, 1957, 7.5-minute SW, Brooklyn, 1956, 7.5-minute ADDRESS: 6819 Woodhaven BLVD Rego Park, NY 11374 W CLIENT: Restoration and Conservation Advisemer

SW


S

SE





SITE NAME:	6819 Woodhaven BLVD
ADDRESS:	6819 Woodhaven BLVD
	Rego Park, NY 11374
CLIENT:	Restoration and Conservation Advisemer




SW

S


SE

CLIENT: Restoration and Conservation Advisemer





SITE NAME:	6819 Woodhaven BLVD
ADDRESS:	6819 Woodhaven BLVD
	Rego Park, NY 11374
CLIENT:	Restoration and Conservation Advisemer



6819 Woodhaven BLVD

6819 Woodhaven BLVD Rego Park, NY 11374

Inquiry Number: 5618352.11 April 11, 2019

The EDR Aerial Photo Decade Package



6 Armstrong Road, 4th floor Shelton, CT 06484 Toll Free: 800.352.0050 www.edrnet.com

EDR Aerial Photo Decade Package

Site Name:

Client Name:

6819 Woodhaven BLVD 6819 Woodhaven BLVD Rego Park, NY 11374 EDR Inquiry # 5618352.11

Restoration and Conservation Adviseme 9-22 119st College Point, NY 11356 Contact: Dr. James M. Cervino



Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search	Results:		
Year	Scale	Details	Source
2017	1"=500'	Flight Year: 2017	USDA/NAIP
2009	1"=500'	Flight Year: 2009	USDA/NAIP
2006	1"=500'	Flight Year: 2006	USDA/NAIP
1994	1"=500'	Acquisition Date: April 08, 1994	USGS/DOQQ
1985	1"=500'	Flight Date: March 16, 1985	USDA
1976	1"=500'	Flight Date: October 29, 1976	USGS
1966	1"=500'	Flight Date: February 23, 1966	USGS
1962	1"=500'	Flight Date: January 16, 1962	EDR Proprietary Aerial Viewpoint
1954	1"=500'	Flight Date: February 18, 1954	USGS
1951	1"=500'	Flight Date: April 20, 1951	EDR Proprietary Aerial Viewpoint
1924	1"=500'	Flight Date: July 01, 1924	FAIR


When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.


Disclaimer - Copyright and Trademark Notice


This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.


Copyright 2019 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.























6819 Woodhaven BLVD

6819 Woodhaven BLVD Rego Park, NY 11374

Inquiry Number: 5618352.2s April 11, 2019

The EDR Radius Map[™] Report with GeoCheck®



6 Armstrong Road, 4th floor Shelton, CT 06484 Toll Free: 800.352.0050 www.edrnet.com

FORM-LBB-KKT

TABLE OF CONTENTS

SECTION

PAGE

Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	427
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-7
Physical Setting Source Map Findings	A-8
Physical Setting Source Records Searched	PSGR-1

Thank you for your business. Please contact EDR at 1-800-352-0050 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2019 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E 2247-16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E 1528-14) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

6819 WOODHAVEN BLVD REGO PARK, NY 11374

COORDINATES

Latitude (North):	40.7153190 - 40° 42' 55.14"
Longitude (West):	73.8595610 - 73° 51' 34.41"
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	596327.7
UTM Y (Meters):	4507569.5
Elevation:	57 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:
Version Date:

2013 5940597 BROOKLYN, NY

5940539 JAMAICA, NY

2013

AERIAL PHOTOGRAPHY IN THIS REPORT

Southwest Map: Version Date:

Portions of Photo from:	20150522
Source:	USDA

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A1	WOODHAVEN BLVD & 68T	WOODHAVEN BLVD & 68T	NY Spills	Higher	169, 0.032, SW
A2	68-27 WOODHAVEN BLVD	68-27 WOOHAVEN BLVD.	NY Spills	Higher	186, 0.035, South
A3	MOBIL S/S #17-GJH	68-29 WOODHAVEN BLVD	NY Spills	Higher	186, 0.035, South
A4	SUNOCO WOODHAVEN BLV	68-27 WOODHAVEN BLVD	NY LTANKS	Higher	186, 0.035, South
B5	CON EDISON	85-25 68TH RD FRONT	NY MANIFEST	Higher	186, 0.035, ENE
B6	CON EDISON SERVICE B	85-25 68TH RD FRONT	RCRA NonGen / NLR	Higher	186, 0.035, ENE
7	85-23 68TH AVE/QUEEN	85-23 68TH AVENUE	NY LTANKS	Higher	193, 0.037, NNW
8	75 10 BOULEVARD OWNE	75-10 YELLOWSTONE BO	NY AST	Higher	253, 0.048, ESE
C9	GAS SALE	68-27 WOODHAVEN BOUL	NY UST, NY AST	Higher	255, 0.048, South
C10	MOBIL	6827 WOODHAVEN BLVD	EDR Hist Auto	Higher	255, 0.048, South
C11	SUNOCO SERVICE STATI	68-27 WOODHAVEN BLVD	RCRA NonGen / NLR, FINDS, ECHO	Higher	255, 0.048, South
C12	MOBIL OIL CORP	68-29 WOODHAVEN BLVD	RCRA NonGen / NLR, US AIRS, NY MANIFEST	Higher	260, 0.049, South
C13	WOODHAVEN SERVICE ST	6829 WOODHAVEN BLVD	EDR Hist Auto	Higher	260, 0.049, South
C14	FORMER EXXON STATION	68-29 WOODHAVEN BLVD	NY Spills	Higher	260, 0.049, South
C15	FORMER MOBIL SERVICE	68-29 WOODHAVEN BOUL	NY UST	Higher	260, 0.049, South
D16	FRANKS AMERICAN SERV	67-69 WOODHAVEN BLV	EDR Hist Auto	Higher	303, 0.057, WNW
D17	AMOCO SERVICE STATIO	67-69 WOODHAVEN BLVD	NY UST	Higher	303, 0.057, WNW
D18	FORMER BP AMOCO STAT	67-69 WOODHAVEN BLVD	NY Spills	Higher	303, 0.057, WNW
D19	AMOCO SERVICE STATIO	67-79 WOODHAVEN BLVD	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	309, 0.059, WNW
20	ALDERTON APARTMENTS	74-45 YELLOWSTONE BO	NY UST	Higher	366, 0.069, East
E21	Х	85-47 68TH AVE	NY Spills	Higher	375, 0.071, NNE
D22	67-53 WOODHAVEN BLVD	67-53 WOODHAVEN BLVD	NY Spills	Higher	404, 0.077, NW
F23	CON EDISON SERVICE B	85-19 67TH DR FRONT	RCRA NonGen / NLR, FINDS	Higher	442, 0.084, NNW
E24	CON EDISON	85-56 67TH DR	NY MANIFEST	Higher	449, 0.085, NNE
E25	CON EDISON SERVICE B	85-56 67TH DR	RCRA NonGen / NLR	Higher	449, 0.085, NNE
G26	GETTY 8	75-41 YELLOW STONE B	NY Spills	Higher	483, 0.091, SSE
G27	BETSO	7541 YELLOWSTONE BLV	EDR Hist Auto	Higher	483, 0.091, SSE
G28	GLOBAL MONTELLO GROU	75-41 YELLOWSTONE BO	NY AST	Higher	483, 0.091, SSE
G29	GETTY GAS STA.	75-41 YELLOWSTONE BL	NY LTANKS, NY Spills	Higher	483, 0.091, SSE
G30	GLOBAL MONTELLO GROU	75-41 YELLOWSTONE BO	NY UST	Higher	483, 0.091, SSE
G31	GETTY PETROLEUM CORP	75-41 YELLOWSTONE BL	RCRA NonGen / NLR, US AIRS, NY MANIFEST	Higher	483, 0.091, SSE
G32	G-TECH	7541 YELLOWSTONE BLV	RCRA NonGen / NLR, FINDS, ECHO	Higher	483, 0.091, SSE
G33	GETTY # 8	75-41 YELLOWSTONE BL	NY Spills	Higher	484, 0.092, SSE
H34	CON EDISON	WOODHAVEN BLVD & YEL	RCRA NonGen / NLR, FINDS, ECHO	Higher	491, 0.093, South
H35	CON EDISON SERVICE B	YELLOWSTONE BLVD & W	RCRA NonGen / NLR, FINDS	Higher	491, 0.093, South
F36	CON EDISON	85-23 67TH DR	NY MANIFEST	Higher	505, 0.096, NNW
F37	CON EDISON	85-23 67TH DR	RCRA NonGen / NLR	Higher	505, 0.096, NNW
F38	CON EDISON	85-23 67TH DR	NJ MANIFEST	Higher	505, 0.096, NNW
F39	CON EDISON	85-39 67TH DR	RCRA NonGen / NLR, FINDS, ECHO	Higher	505, 0.096, NNW

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
F40	CON EDISON	8523 67TH D	NY MANIFEST	Higher	505, 0.096, NNW
F41	CON EDISON	85-39 67TH DR	NJ MANIFEST	Higher	514, 0.097, North
F42	CON EDISON	85-39 67TH DR	NY MANIFEST	Higher	514, 0.097, North
F43	CON EDISON	85-39 67TH DR FRONT	NY MANIFEST	Higher	514, 0.097, North
F44	CON EDISON SERVICE B	85-39 67TH DR FRONT	RCRA NonGen / NLR, FINDS	Higher	514, 0.097, North
145	TWO QTS TRANNY FLUID	67 DRIVE & WOODHAVEN	NY Spills	Higher	530, 0.100, WNW
I 46	CON EDISON SERVICE B	85-01 67TH DR FRONT	RCRA NonGen / NLR, FINDS	Higher	578, 0.109, NW
147	CON EDISON	85-01 67TH DR FRONT	NY MANIFEST	Higher	578, 0.109, NW
G48	METROPOLITAN AUTO RE	69-01 WOODHAVEN BLV	EDR Hist Auto	Higher	600, 0.114, SSE
G49	IMPERIAL CWL, INC. D	69-01 WOODHAVEN BLVD	NY AST	Higher	600, 0.114, SSE
J50	CON EDISON	67-26 SELFRIDGE ST	RCRA NonGen / NLR	Higher	642, 0.122, East
J51	CON EDISON	67-26 SELFRIDGE ST	NY MANIFEST	Higher	642, 0.122, East
J52	CON EDISON SERVICE B	67-20 SELFRIDGE ST	RCRA NonGen / NLR	Higher	644, 0.122, East
J53	CON EDISON	67-20 SELFRIDGE ST	NY MANIFEST	Higher	644, 0.122, East
J54	CON EDISON SERVICE B	6732 SELFRIDGE ST	RCRA NonGen / NLR	Higher	644, 0.122, East
J55	CON EDISON	6732 SELFRIDGE ST	NY MANIFEST	Higher	644, 0.122, East
J56	CON EDISON	67-40 SELFRIDGE ST	RCRA NonGen / NLR	Higher	672, 0.127, East
J57	CON EDISON	67-40 SELFRIDGE ST	NY MANIFEST	Higher	672, 0.127, East
J58	CON EDISON	67-40 SELFRIDGE ST	NY MANIFEST	Higher	672, 0.127, East
J59	CON EDISON SERVICE B	67-40 SELFRIDGE ST	RCRA NonGen / NLR	Higher	672, 0.127, East
K60	CON EDISON SERVICE B	67-04 SELFRIDGE ST F	RCRA NonGen / NLR	Higher	678, 0.128, ENE
K61	CON EDISON	67-04 SELFRIDGE ST F	NY MANIFEST	Higher	678, 0.128, ENE
L62	CON EDISON	67-46 SELFRIDGE ST F	NY MANIFEST	Higher	691, 0.131, ESE
L63	CON EDISON SERVICE B	67-46 SELFRIDGE ST	RCRA NonGen / NLR	Higher	691, 0.131, ESE
L64	CON EDISON	67-52 SELFRIDGE ST	NY MANIFEST	Higher	708, 0.134, ESE
L65	CON EDISON SERVICE B	67-52 SELFRIDGE ST	RCRA NonGen / NLR	Higher	708, 0.134, ESE
66	CON EDISON	8523 67TH D	RCRA NonGen / NLR, FINDS, ECHO	Higher	713, 0.135, NNW
L67	CON EDISON SERVICE B	67-58 SELFRIDGE ST	RCRA NonGen / NLR, FINDS	Higher	719, 0.136, ESE
L68	CON EDISON	67-58 SELFRIDGE ST	NY MANIFEST	Higher	719, 0.136, ESE
M69	CON EDISON SERVICE B	COOPER AVE & WOODHAV	RCRA NonGen / NLR, FINDS	Higher	731, 0.138, South
M70	CON EDISON SERVICE B	COOPER AVE & WOODHAV	RCRA NonGen / NLR, FINDS	Higher	731, 0.138, South
N71	66-92 SELFRIDGE ST	66-92 SELFRIDGE STRE	NY AST	Higher	738, 0.140, NE
N72	66-92 SELFRIDGE ST	66-92 SELFRIDGE STRE	NY UST	Higher	738, 0.140, NE
O73	CON EDISON SERVICE B	67TH RD & WOODHAVEN	RCRA NonGen / NLR, FINDS	Higher	768, 0.145, NW
O74	CON EDISON	67TH RD & WOODHAVEN	RCRA NonGen / NLR, FINDS, ECHO	Higher	768, 0.145, NW
P75	CON EDISON	67-70 SELFRIDGE ST	NY MANIFEST	Higher	770, 0.146, ESE
P76	CON EDISON SERVICE B	67-70 SELFRIDGE ST	RCRA NonGen / NLR	Higher	770, 0.146, ESE
077	CON EDISON	85-01 67TH RD	NY MANIFEST	Higher	813, 0.154, NW
O78	CON EDISON SERVICE B	85-01 67TH RD	RCRA NonGen / NLR	Higher	813, 0.154, NW

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
Q79	CHEVRON USA PRODUCTS	73-20 YELLOWSTONE BL	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	874, 0.166, NE
Q80	CON EDISON MANHOLE:	73-18 YELLOWSTONE BL	RCRA NonGen / NLR, FINDS	Higher	891, 0.169, NE
Q81	CON EDISON	73-18 YELLOWSTONE BL	NY MANIFEST	Higher	891, 0.169, NE
Q82	CON EDISON	73-18 YELLOWSTONE BL	NY MANIFEST	Higher	891, 0.169, NE
O83	CON EDISON SERVICE B	67-63 WOODHAVEN BLVD	RCRA NonGen / NLR, FINDS	Higher	897, 0.170, NW
R84	CON EDISON	67-11 ALDERTON ST	NY MANIFEST	Higher	899, 0.170, NNE
R85	CON EDISON SERVICE B	67-11 ALDERTON ST	RCRA NonGen / NLR, FINDS	Higher	899, 0.170, NNE
86	68-27 WOODHAVEN BL/S	68-27 WOODHAVEN BLVD	NY LTANKS	Higher	917, 0.174, WNW
S87	CON EDISON SERVICE B	89-10 68TH AVE FRONT	RCRA NonGen / NLR, FINDS	Higher	938, 0.178, ESE
Q88	CON EDISON	73-12 YELLOWSTONE BL	NY MANIFEST	Higher	958, 0.181, NE
Q89	CON EDISON SERVICE B	73-12 YELLOWSTONE BL	RCRA NonGen / NLR, FINDS	Higher	958, 0.181, NE
90	CON EDISON SERVICE B	85-19 67TH AVE FRONT	RCRA NonGen / NLR, FINDS	Higher	984, 0.186, North
S91	CON EDISON - MANHOLE	89-16 68 AVE	NY MANIFEST	Higher	1003, 0.190, ESE
92	THORNTON TENANTS COR	68-20 SELFRIDGE STRE	NY UST, NY AST	Higher	1023, 0.194, SE
T93	CON EDISON	YELLOWSTONE BLVD & S	NY MANIFEST	Higher	1024, 0.194, NE
T94	CON EDISON MANHOLE:	YELLOWSTONE BLVD & S	RCRA NonGen / NLR	Higher	1024, 0.194, NE
U95	CON EDISON SERVICE B	WOODHAVEN BLVD & 67T	RCRA NonGen / NLR, FINDS	Higher	1027, 0.195, NW
U96	CON EDISON	67TH AVE & WOODHAVEN	NY MANIFEST	Higher	1027, 0.195, NW
U97	CON EDISON SERVICE B	67TH AVE & WOODHAVEN	RCRA NonGen / NLR, FINDS	Higher	1027, 0.195, NW
U98	CON EDISON	WOODHAVEN BLVD & 67T	NY MANIFEST	Higher	1027, 0.195, NW
99	CON EDISON SERVICE B	67-13 JUNO ST FRONT	RCRA NonGen / NLR	Higher	1033, 0.196, NE
V100	CON EDISON	85-27 67TH AVE	RCRA NonGen / NLR	Higher	1037, 0.196, NNW
V101	CON EDISON	85-27 67 AVE	NY MANIFEST	Higher	1037, 0.196, NNW
V102	CON EDISON	85-27 67TH AVE	NJ MANIFEST	Higher	1037, 0.196, NNW
V103	CON EDISON	85-27 67TH AVE FRONT	NY MANIFEST	Higher	1037, 0.196, NNW
V104	CON EDISON SERVICE B	85-27 67TH AVE FRONT	RCRA NonGen / NLR	Higher	1037, 0.196, NNW
105	CON EDISON SERVICE B	70-10 WOODHAVEN BLVD	RCRA NonGen / NLR, FINDS	Higher	1060, 0.201, South
T106	D B S FIRST CLASS CL	66-73 SELFRIDGE ST	RCRA NonGen / NLR, NY MANIFEST	Higher	1101, 0.209, NE
T107	FIRST CLASS CLEANERS	66-73 SELFRIDGE ST.	NY DRYCLEANERS	Higher	1101, 0.209, NE
W108	K & R AUTO	9101 METROPOLITAN AV	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1116, 0.211, SSE
W109	CON EDISON SERVICE B	91-01 METROPOLITAN A	RCRA NonGen / NLR	Higher	1116, 0.211, SSE
W110	S.M.G. PETROLEUM	91-01 METROPOLITAN A	NY UST, NY MANIFEST	Higher	1116, 0.211, SSE
111	CON EDISON SERVICE B	68-17 NANSEN ST	RCRA NonGen / NLR, NY MANIFEST	Higher	1125, 0.213, ESE
T112	CON EDISON	73-11 YELLOWSTONE BL	NY MANIFEST	Higher	1129, 0.214, NE
T113	CON EDISON	73-11 YELLOWSTONE BL	RCRA NonGen / NLR	Higher	1129, 0.214, NE
X114	SELFRIDGE TENANTS, I	68-15 SELFRIDGE STRE	NY UST	Higher	1160, 0.220, SE
X115	SELFRIDGE TENANTS, I	68-15 SELFRIDGE STRE	NY AST	Higher	1160, 0.220, SE
116	CON EDISON SERVICE B	68-36 SELFRIDGE ST	RCRA NonGen / NLR, NY MANIFEST	Higher	1199, 0.227, SE
117	MOBIL S/S 17-B42	89-09 METROPOLITAN A	NY UST	Higher	1231, 0.233, SSW

MAP ID	SITE NAME	ADDRESS		RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
118	CON EDISON SERVICE B	57 METROPOLITAN AVE	RCRA NonGen / NLR, FINDS	Higher	1253, 0.237, South
Y119	CON EDISON SERVICE B	METROPOLITAN AVE & W	RCRA NonGen / NLR, FINDS	Higher	1275, 0.241, South
X120	CON EDISON SERVICE B	68-09 OLCOTT ST FRON	RCRA NonGen / NLR	Higher	1277, 0.242, SE
X121	CON EDISON	68-09 OLCOTT ST FRON	NY MANIFEST	Higher	1277, 0.242, SE
Z122	CON EDISON	68-31 NANSEN ST FRON	NY MANIFEST	Higher	1278, 0.242, ESE
Z123	CON EDISON SERVICE B	68-31 NANSEN ST FRON	RCRA NonGen / NLR, FINDS	Higher	1278, 0.242, ESE
Y124	EAC USA INC	90-30 METROPOLITAN A	RCRA-CESQG, NY SHWS, NY ENG CONTROLS, NY INS	T Higher	1282, 0.243, South
AA125	CON EDISON	WOODHAVEN BLVD & 66T	NY MANIFEST	Higher	1286, 0.244, NW
AA126	CON EDISON SERVICE B	WOODHAVEN BLVD & 66T	RCRA NonGen / NLR, FINDS	Higher	1286, 0.244, NW
AB127	CAMERA AUTO BODY INC	90-33 METROPOLITAN A	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1301, 0.246, SSE
AB128	WENDY'S	90-33 METROPOLITAN A	NY UST	Higher	1301, 0.246, SSE
AC129	CON EDISON	85-57 66TH RD	RCRA NonGen / NLR	Higher	1303, 0.247, NNW
AC130	CON EDISON	85-57 66TH RD	NJ MANIFEST	Higher	1303, 0.247, NNW
AC131	CON EDISON	85-57 66TH RD	NY MANIFEST	Higher	1303, 0.247, NNW
AD132	CON EDISON SERVICE B	85-39 66TH RD FRONT	RCRA NonGen / NLR	Higher	1304, 0.247, NNW
AD133	CON EDISON	85-39 66TH RD FRONT	NY MANIFEST	Higher	1304, 0.247, NNW
Y134	EXXON DIV OF CFI #70	90-02 METROPOLITAN A	NY LTANKS, NY Spills, RCRA NonGen / NLR, US AIRS,	Higher	1335, 0.253, South
135	WOODHAVEN LANES	72-25 WOODHAVEN BLVD	NY SHWS, NY UST	Higher	1572, 0.298, South
136	6820- 6822 INGRAM ST	6820- 6822 INGRAM ST	NY LTANKS	Higher	1573, 0.298, ENE
137	CLOSED-LACKOF RECENT	25010 DIETEREL CRESE	NY LTANKS	Higher	1846, 0.350, North
138	FORMER SHELL STATION	65-35 WOODHAVEN BLVD	NY LTANKS	Higher	1922, 0.364, NW
139	67-50 THORNTON PLACE	67-50 THORNTON PLACE	NY LTANKS, NY UST, NY AST	Higher	1944, 0.368, NNE
140	67-64 EXETER ST	67-64 EXETER ST	NY LTANKS	Higher	2139, 0.405, NE
141	CLOSED-LACKOF RECENT	87-01 69TH AVE	NY LTANKS	Higher	2234, 0.423, SSE
142	97-09 69TH AVE	97-09 69TH AVE	NY LTANKS	Higher	2321, 0.440, ENE
143	93-02 70TH AVENUE	93-02 70TH AVENUE	NY LTANKS	Higher	2341, 0.443, ESE
144	75-11 WOODHAVEN BLVD	75-11 WOODHAVEN BLVD	NY LTANKS	Higher	2397, 0.454, South
145	67-15 DARTHMOUTH ST/	67-15 DARTMOUTH ST	NY LTANKS	Higher	2440, 0.462, NNE
AE146	HOME DEPOT IN WOODHA	WOODHAVEN BLVD & MET	NY ENG CONTROLS, NY INST CONTROL, NY VCP	Higher	2553, 0.484, South
AE147	75-09 WOODHAVEN BOUL	75-09 WOODHAVEN BLVD	NY SHWS, NY DEL SHWS	Higher	2553, 0.484, South
148	CON EDISON	71-44 YELLOWSTONE BL	NY LTANKS, NY MANIFEST	Higher	2572, 0.487, NNE
149	98-02 69TH AV	98-02 69TH AV	NY LTANKS	Higher	2578, 0.488, ENE
150	69-46 SYBILLA ST/QUE	69-46 SYBILLA STREET	NY LTANKS	Higher	2579, 0.488, SSE
AF151	CLOSED-LACKOF RECENT	100-32 METROPOLITAN	NY LTANKS	Higher	2598, 0.492, SE
AF152	100-16 METROPOLITAN	100-16 METROPOLITAN	NY LTANKS	Higher	2604, 0.493, SE
153	OUR LADY OF MERCY SC	70-25 KESSEL ST	NY LTANKS, NY UST	Higher	2614, 0.495, ESE
154	METROPOLITAN AVENUE	87-01 69TH AVENUE &	NY ENG CONTROLS, NY INST CONTROL, NY VCP	Higher	2618, 0.496, SSE
155	89-03 70TH AVE	89-03 70TH AVE	NY LTANKS	Higher	2620, 0.496, SSE
156	KLIEGMAN BROTHERS SI	76-01 77TH AVENUE	NY SHWS, NY VCP, NY Spills	Higher	4994, 0.946, SW

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL	National Priority List
Proposed NPL	Proposed National Priority List Sites
NPL LIENS	

Federal Delisted NPL site list

Delisted NPL_____ National Priority List Deletions

Federal CERCLIS list

FEDERAL FACILITY_____ Federal Facility Site Information listing SEMS______ Superfund Enterprise Management System

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE_____ Superfund Enterprise Management System Archive

Federal RCRA CORRACTS facilities list

CORRACTS..... Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG_____RCRA - Large Quantity Generators RCRA-SQG_____RCRA - Small Quantity Generators

Federal institutional controls / engineering controls registries

LUCIS	Land Use Control Information System
US ENG CONTROLS	Engineering Controls Sites List
	Sites with Institutional Controls

Federal ERNS list

ERNS..... Emergency Response Notification System

State and tribal landfill and/or solid waste disposal site lists

NY SWF/LF..... Facility Register

State and tribal leaking storage tank lists

INDIAN LUST	Leaking Underground Storage Tanks on Indian Land
NY HIST LTANKS	Listing of Leaking Storage Tanks

State and tribal registered storage tank lists

FEMA UST	Underground Storage Tank Listing
	Chemical Bulk Storage Database
NY MOSF UST	Major Oil Storage Facilities Database
NY MOSF	Major Oil Storage Facility Site Listing
NY CBS	Chemical Bulk Storage Site Listing
NY CBS AST	Chemical Bulk Storage Database
NY MOSF AST	Major Oil Storage Facilities Database
INDIAN UST	Underground Storage Tanks on Indian Land
NY TANKS	Storage Tank Faciliy Listing

State and tribal institutional control / engineering control registries

NY RES DECL..... Restrictive Declarations Listing

State and tribal voluntary cleanup sites

INDIAN VCP..... Voluntary Cleanup Priority Listing

State and tribal Brownfields sites

NY BROWNFIELDS...... Brownfields Site List NY ERP..... Environmental Restoration Program Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

NY SWTIRE	Registered Waste Tire Storage & Facility List
NY SWRCY	Registered Recycling Facility List
	Report on the Status of Open Dumps on Indian Lands
DEBRIS REGION 9	Torres Martinez Reservation Illegal Dump Site Locations
ODI	Open Dump Inventory
IHS OPEN DUMPS	Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL..... Delisted National Clandestine Laboratory Register

US CDL	National Clandestine Laboratory Register
NY PFAS	PFAS Contamination Site Location Listing

Local Lists of Registered Storage Tanks

NY HIST UST	Historical Petroleum Bulk Storage Database
NY HIST AST	Historical Petroleum Bulk Storage Database

Local Land Records

NY LIENS	Spill Liens Information
LIENS 2	CERCLA Lien Information

Records of Emergency Release Reports

HMIRS	Hazardous Materials Information Reporting System
NY Hist Spills	SPILLS Database
	SPILLS 90 data from FirstSearch
NY SPILLS 80	SPILLS 80 data from FirstSearch

Other Ascertainable Records

DOD. SCRD DRYCLEANERS US FIN ASSUR. EPA WATCH LIST. 2020 COR ACTION. TSCA. TRIS. SSTS. ROD. RMP. RAATS. PRP. PADS. ICIS. FTTS. MLTS. COAL ASH DOE. COAL ASH DOE. COAL ASH EPA. PCB TRANSFORMER. RADINFO. HIST FTTS. DOT OPS. CONSENT. INDIAN RESERV. FUSRAP. UMTRA. LEAD SMELTERS. US MINES. ABANDONED MINES.	 2020 Corrective Action Program List Toxic Substances Control Act Toxic Chemical Release Inventory System Section 7 Tracking Systems Records Of Decision Risk Management Plans RCRA Administrative Action Tracking System Potentially Responsible Parties PCB Activity Database System Integrated Compliance Information System FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) Material Licensing Tracking System Steam-Electric Plant Operation Data Coal Combustion Residues Surface Impoundments List PCB Transformer Registration Database Radiation Information Database FIFRA/TSCA Tracking System Administrative Case Listing Incident and Accident Data Superfund (CERCLA) Consent Decrees Indian Reservations Formerly Utilized Sites Remedial Action Program Uranium Mill Tailings Sites Lead Smelter Sites Mines Master Index File Abandoned Mines
LEAD SMELTERS US MINES ABANDONED MINES	Lead Smelter Sites Mines Master Index File Abandoned Mines Hazardous Waste Compliance Docket Listing

	EPA Fuels Program Registered Listing
NY AIRS	Air Emissions Data
NY COAL ASH	Coal Ash Disposal Site Listing
NY E DESIGNATION	E DESIGNATION SITE LISTING
NY Financial Assurance	Financial Assurance Information Listing
NY HSWDS	Hazardous Substance Waste Disposal Site Inventory
NY SPDES	State Pollutant Discharge Elimination System
NY VAPOR REOPENED	Vapor Intrusion Legacy Site List
	Underground Injection Control Wells
NY COOLING TOWERS	Registered Cooling Towers

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP.....EDR Proprietary Manufactured Gas Plants EDR Hist Cleaner.....EDR Exclusive Historical Cleaners

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

NY RGA HWS______ Recovered Government Archive State Hazardous Waste Facilities List NY RGA LF______ Recovered Government Archive Solid Waste Facilities List

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property. Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in **bold italics** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal RCRA generators list

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 03/01/2018 has revealed that there is

1 RCRA-CESQG site within approximately 0.25 miles of the target property.

S 1/8 - 1/4 (0.243 mi.)	Y124	277
S	: 1/8 - 1/4 (0.243 mi.)	5 1/8 - 1/4 (0.243 mi.) Y124

State- and tribal - equivalent CERCLIS

NY SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Conservation's Inactive Hazardous waste Disposal Sites in New York State.

A review of the NY SHWS list, as provided by EDR, and dated 11/12/2018 has revealed that there are 4 NY SHWS sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
EAC USA INC Site Code: 57916	90-30 METROPOLITAN A	S 1/8 - 1/4 (0.243 mi.)	Y124	277
WOODHAVEN LANES Site Code: 420827	72-25 WOODHAVEN BLVD	S 1/4 - 1/2 (0.298 mi.)	135	320
75-09 WOODHAVEN BOUL Site Code: 57078	75-09 WOODHAVEN BLVD	S 1/4 - 1/2 (0.484 mi.)	AE147	375
KLIEGMAN BROTHERS SI Site Code: 56757	76-01 77TH AVENUE	SW 1/2 - 1 (0.946 mi.)	156	418

Class Code: Significant threat to the public health or environment - action required.

State and tribal leaking storage tank lists

NY LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the NY LTANKS list, as provided by EDR, and dated 11/12/2018 has revealed that there are 22 NY LTANKS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SUNOCO WOODHAVEN BLV Site ID: 72878	68-27 WOODHAVEN BLVD	S 0 - 1/8 (0.035 mi.)	A4	13
Spill Number/Closed Date: 8600248 /	1998-02-09			
85-23 68TH AVE/QUEEN Site ID: 327649	85-23 68TH AVENUE	NNW 0 - 1/8 (0.037 mi.)	7	16
Spill Number/Closed Date: 9008026 /	1990-10-23			
GETTY GAS STA.	75-41 YELLOWSTONE BL	SSE 0 - 1/8 (0.091 mi.)	G29	108

Site ID: 326130 Spill Number/Closed Date: 9404162 /	1994-06-24			
68-27 WOODHAVEN BL/S Site ID: 65845	68-27 WOODHAVEN BLVD	WNW 1/8 - 1/4 (0.174 mi.)	86	211
Spill Number/Closed Date: 8807236 /	2006-01-18			
EXXON DIV OF CFI #70 Site ID: 331111 Site ID: 331109 Site ID: 331110 Site ID: 175748 Site ID: 89388 Spill Number/Closed Date: 9704180 / Spill Number/Closed Date: 9306284 / Spill Number/Closed Date: 9701869 / Spill Number/Closed Date: 9113011 /	1993-12-31 2004-05-03	S 1/4 - 1/2 (0.253 mi.)	Y134	309
Spill Number/Closed Date: 9913639 /	2003-10-09			
6820- 6822 INGRAM ST Site ID: 63719	6820- 6822 INGRAM ST	ENE 1/4 - 1/2 (0.298 mi.)	136	323
Spill Number/Closed Date: 9614696 /			407	004
CLOSED-LACKOF RECENT Site ID: 146038 Spill Number/Closed Date: 9004826 /	25010 DIETEREL CRESE 2003-03-06	N 1/4 - 1/2 (0.350 mi.)	137	324
FORMER SHELL STATION Site ID: 129744 Site ID: 170661	65-35 WOODHAVEN BLVD	NW 1/4 - 1/2 (0.364 mi.)	138	326
Spill Number/Closed Date: 8703900 / Spill Number/Closed Date: 9708143 /				
67-50 THORNTON PLACE Site ID: 372476	67-50 THORNTON PLACE	NNE 1/4 - 1/2 (0.368 mi.)	139	328
Spill Number/Closed Date: 0608494 /				
67-64 EXETER ST Site ID: 198074 Spill Number/Closed Date: 0400162 /	67-64 EXETER ST	NE 1/4 - 1/2 (0.405 mi.)	140	334
Spill Number/Closed Date: 9409162 /		CCE 1/4 = 1/2 (0.422 mi)	1 1 1	225
CLOSED-LACKOF RECENT Site ID: 245183 Spill Number/Closed Date: 9200423 /	87-01 69TH AVE	SSE 1/4 - 1/2 (0.423 mi.)	141	335
97-09 69TH AVE	97-09 69TH AVE	ENE 1/4 - 1/2 (0.440 mi.)	142	336
Site ID: 197245 Spill Number/Closed Date: 9407821 /	1994-09-13			
93-02 70TH AVENUE Site ID: 175886	93-02 70TH AVENUE	ESE 1/4 - 1/2 (0.443 mi.)	143	337
Spill Number/Closed Date: 9315363 /	1994-04-14			
75-11 WOODHAVEN BLVD Site ID: 111406 Spill Number/Closed Date: 8905984 /	75-11 WOODHAVEN BLVD	S 1/4 - 1/2 (0.454 mi.)	144	338
67-15 DARTHMOUTH ST/ Site ID: 181923	67-15 DARTMOUTH ST	NNE 1/4 - 1/2 (0.462 mi.)	145	339
Spill Number/Closed Date: 8707378 /	1992-10-07			
CON EDISON Site ID: 198181	71-44 YELLOWSTONE BL	NNE 1/4 - 1/2 (0.487 mi.)	148	381

Spill Number/Closed Date: 0206946 /	2003-01-14			
98-02 69TH AV Site ID: 142026	98-02 69TH AV	ENE 1/4 - 1/2 (0.488 mi.)	149	384
Spill Number/Closed Date: 9512778 /	1996-01-16			
69-46 SYBILLA ST/QUE Site ID: 129032	69-46 SYBILLA STREET	SSE 1/4 - 1/2 (0.488 mi.)	150	385
Spill Number/Closed Date: 9005425 /	1995-06-07			
CLOSED-LACKOF RECENT Site ID: 68996	100-32 METROPOLITAN	SE 1/4 - 1/2 (0.492 mi.)	AF151	386
Spill Number/Closed Date: 9002525 /	2003-03-04			
100-16 METROPOLITAN Site ID: 281316	100-16 METROPOLITAN	SE 1/4 - 1/2 (0.493 mi.)	AF152	387
Spill Number/Closed Date: 9315327 /	1994-09-07			
OUR LADY OF MERCY SC Site ID: 319557	70-25 KESSEL ST	ESE 1/4 - 1/2 (0.495 mi.)	153	388
Spill Number/Closed Date: 0211078 /	2005-12-01			
89-03 70TH AVE Site ID: 83925	89-03 70TH AVE	SSE 1/4 - 1/2 (0.496 mi.)	155	416
Spill Number/Closed Date: 9710073 /	2003-10-31			

State and tribal registered storage tank lists

NY UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the NY UST list, as provided by EDR, has revealed that there are 11 NY UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
GAS SALE Database: UST, Date of Government	68-27 WOODHAVEN BOUL Version: 02/11/2019	S 0 - 1/8 (0.048 mi.)	C9	19
FORMER MOBIL SERVICE Database: UST, Date of Government	68-29 WOODHAVEN BOUL Version: 02/11/2019	S 0 - 1/8 (0.049 mi.)	C15	48
AMOCO SERVICE STATIO Database: UST, Date of Government	67-69 WOODHAVEN BLVD Version: 02/11/2019	WNW 0 - 1/8 (0.057 mi.)	D17	61
ALDERTON APARTMENTS Database: UST, Date of Government	74-45 YELLOWSTONE BO Version: 02/11/2019	E 0 - 1/8 (0.069 mi.)	20	92
GLOBAL MONTELLO GROU Database: UST, Date of Government	75-41 YELLOWSTONE BO Version: 02/11/2019	SSE 0 - 1/8 (0.091 mi.)	G30	123
66-92 SELFRIDGE ST Database: UST, Date of Government	66-92 SELFRIDGE STRE Version: 02/11/2019	NE 1/8 - 1/4 (0.140 mi.)	N72	191
THORNTON TENANTS COR Database: UST, Date of Government	68-20 SELFRIDGE STRE Version: 02/11/2019	SE 1/8 - 1/4 (0.194 mi.)	92	220
S.M.G. PETROLEUM Database: UST, Date of Government	91-01 METROPOLITAN A Version: 02/11/2019	SSE 1/8 - 1/4 (0.211 mi.)	W110	248
SELFRIDGE TENANTS, I Database: UST, Date of Government		SE 1/8 - 1/4 (0.220 mi.)	X114	259

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
MOBIL S/S 17-B42 Database: UST, Date of Governme	89-09 METROPOLITAN A nt Version: 02/11/2019	SSW 1/8 - 1/4 (0.233 mi.)	117	265
WENDY'S Database: UST, Date of Governme	90-33 METROPOLITAN A nt Version: 02/11/2019	SSE 1/8 - 1/4 (0.246 mi.)	AB128	298

NY AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the NY AST list, as provided by EDR, has revealed that there are 7 NY AST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
75 10 BOULEVARD OWNE Database: AST, Date of Government Facility Id: 2-092851	75-10 YELLOWSTONE BO t Version: 02/11/2019	ESE 0 - 1/8 (0.048 mi.)	8	17
GAS SALE Database: AST, Date of Government Facility Id: 2-339695	68-27 WOODHAVEN BOUL t Version: 02/11/2019	S 0 - 1/8 (0.048 mi.)	C9	19
GLOBAL MONTELLO GROU Database: AST, Date of Government Facility Id: 2-326372	75-41 YELLOWSTONE BO t Version: 02/11/2019	SSE 0 - 1/8 (0.091 mi.)	G28	104
IMPERIAL CWL, INC. D Database: AST, Date of Government Facility Id: 2-610993	69-01 WOODHAVEN BLVD t Version: 02/11/2019	SSE 0 - 1/8 (0.114 mi.)	G49	160
66-92 SELFRIDGE ST Database: AST, Date of Government Facility Id: 2-339261	66-92 SELFRIDGE STRE t Version: 02/11/2019	NE 1/8 - 1/4 (0.140 mi.)	N71	189
THORNTON TENANTS COR Database: AST, Date of Government Facility Id: 2-094951	68-20 SELFRIDGE STRE t Version: 02/11/2019	SE 1/8 - 1/4 (0.194 mi.)	92	220
SELFRIDGE TENANTS, I Database: AST, Date of Government Facility Id: 2-321516	68-15 SELFRIDGE STRE t Version: 02/11/2019	SE 1/8 - 1/4 (0.220 mi.)	X115	261

State and tribal institutional control / engineering control registries

NY ENG CONTROLS: Environmental Remediation sites that have engineering controls in place.

A review of the NY ENG CONTROLS list, as provided by EDR, and dated 11/12/2018 has revealed that there are 3 NY ENG CONTROLS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
EAC USA INC Site Code: 58551	90-30 METROPOLITAN A	S 1/8 - 1/4 (0.243 mi.)	Y124	277
HOME DEPOT IN WOODHA	WOODHAVEN BLVD & MET	S 1/4 - 1/2 (0.484 mi.)	AE146	341

Site Code: 56816

METROPOLITAN AVENUE

87-01 69TH AVENUE &

392

SSE 1/4 - 1/2 (0.496 mi.) 154

Site Code: 57054

Environmental Remediation sites that have institutional controls in place.

A review of the NY INST CONTROL list, as provided by EDR, and dated 11/12/2018 has revealed that there are 3 NY INST CONTROL sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
EAC USA INC Site Code: 58551	90-30 METROPOLITAN A	S 1/8 - 1/4 (0.243 mi.)	Y124	277
HOME DEPOT IN WOODHA Site Code: 56816	WOODHAVEN BLVD & MET	S 1/4 - 1/2 (0.484 mi.)	AE146	341
METROPOLITAN AVENUE Site Code: 57054	87-01 69TH AVENUE &	SSE 1/4 - 1/2 (0.496 mi.)	154	392

State and tribal voluntary cleanup sites

NY VCP: Voluntary Cleanup Agreements. The voluntary remedial program uses private monies to get contaminated sites remediated to levels allowing for the sites' productive use. The program covers virtually any kind of site and contamination.

A review of the NY VCP list, as provided by EDR, has revealed that there are 3 NY VCP sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
EAC USA INC Database: VCP, Date of Governmen Site Code: 58551	90-30 METROPOLITAN A nt Version: 11/12/2018	S 1/8 - 1/4 (0.243 mi.)	Y124	277
HOME DEPOT IN WOODHA Database: VCP, Date of Governmen Site Code: 56816	WOODHAVEN BLVD & MET nt Version: 11/12/2018	S 1/4 - 1/2 (0.484 mi.)	AE146	341
METROPOLITAN AVENUE Database: VCP, Date of Governmen Site Code: 57054	87-01 69TH AVENUE & nt Version: 11/12/2018	SSE 1/4 - 1/2 (0.496 mi.)	154	392

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Hazardous waste / Contaminated Sites

NY DEL SHWS: A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

A review of the NY DEL SHWS list, as provided by EDR, and dated 11/12/2018 has revealed that there is

1 NY DEL SHWS site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
75-09 WOODHAVEN BOUL Site Code Id: 57078	75-09 WOODHAVEN BLVD	S 1/4 - 1/2 (0.484 mi.)	AE147	375

Records of Emergency Release Reports

NY Spills: Data collected on spills reported to NYSDEC. is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, and dated 11/12/2018 has revealed that there are 11 NY Spills sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
WOODHAVEN BLVD & 68T Site ID: 72080 Spill Number/Closed Date: 9313251 /	WOODHAVEN BLVD & 68T	SW 0 - 1/8 (0.032 mi.)	A1	8
68-27 WOODHAVEN BLVD Site ID: 150273 Spill Number/Closed Date: 9402005 /	68-27 WOOHAVEN BLVD.	S 0 - 1/8 (0.035 mi.)	A2	9
MOBIL S/S #17-GJH Site ID: 304798 Site ID: 304799 Spill Number/Closed Date: 8909751 / Spill Number/Closed Date: 8909755 /	68-29 WOODHAVEN BLVD 2003-07-07	S 0 - 1/8 (0.035 mi.)	A3	10
FORMER EXXON STATION Site ID: 535685 Spill Number/Closed Date: 1608001 /	68-29 WOODHAVEN BLVD	S 0 - 1/8 (0.049 mi.)	C14	43
FORMER BP AMOCO STAT Site ID: 236378 Spill Number/Closed Date: 0005364 /	67-69 WOODHAVEN BLVD	WNW 0 - 1/8 (0.057 mi.)	D18	78
X Site ID: 214806 Spill Number/Closed Date: 0000019 /	85-47 68TH AVE	NNE 0 - 1/8 (0.071 mi.)	E21	97
67-53 WOODHAVEN BLVD Site ID: 240390 Spill Number/Closed Date: 0009397 /	67-53 WOODHAVEN BLVD	NW 0 - 1/8 (0.077 mi.)	D22	98
GETTY 8 Site ID: 409830 Spill Number/Closed Date: 0812221 /	75-41 YELLOW STONE B	SSE 0 - 1/8 (0.091 mi.)	G26	103
GETTY GAS STA. Site ID: 351814 Site ID: 383952 Site ID: 326128 Site ID: 326129 Site ID: 326131 *Additional key fields are available in th	75-41 YELLOWSTONE BL	SSE 0 - 1/8 (0.091 mi.)	G29	108

Spill Number/Closed Date: 0506581 / 2005-08-29 Spill Number/Closed Date: 0703905 / 2007-09-11 Spill Number/Closed Date: 0011472 / 2003-12-29 Spill Number/Closed Date: 0330023 / Not Reported Spill Number/Closed Date: 9706071 / Not Reported *Additional key fields are available in the Map Findings section GETTY #8 75-41 YELLOWSTONE BL SSE 0 - 1/8 (0.092 mi.) G33 140 Site ID: 423912 Spill Number/Closed Date: 0911128 / 2010-01-19 TWO QTS TRANNY FLUID 67 DRIVE & WOODHAVEN WNW 0 - 1/8 (0.100 mi.) 145 155 Site ID: 380348 Spill Number/Closed Date: 0700959 / 2007-04-24

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 03/01/2018 has revealed that there are 58 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON SERVICE B EPA ID:: NYP004563250	85-25 68TH RD FRONT	ENE 0 - 1/8 (0.035 mi.)	B6	15
SUNOCO SERVICE STATI EPA ID:: NYD000707323	68-27 WOODHAVEN BLVD	S 0 - 1/8 (0.048 mi.)	C11	36
MOBIL OIL CORP EPA ID:: NYD986906345	68-29 WOODHAVEN BLVD	S 0 - 1/8 (0.049 mi.)	C12	38
AMOCO SERVICE STATIO EPA ID:: NYD103666566	67-79 WOODHAVEN BLVD	WNW 0 - 1/8 (0.059 mi.)	D19	89
CON EDISON SERVICE B EPA ID:: NYP004533758	85-19 67TH DR FRONT	NNW 0 - 1/8 (0.084 mi.)	F23	99
CON EDISON SERVICE B EPA ID:: NYP004536314	85-56 67TH DR	NNE 0 - 1/8 (0.085 mi.)	E25	102
GETTY PETROLEUM CORP EPA ID:: NYR000043497	75-41 YELLOWSTONE BL	SSE 0 - 1/8 (0.091 mi.)	G31	134
G-TECH EPA ID:: NYD986986040	7541 YELLOWSTONE BLV	SSE 0 - 1/8 (0.091 mi.)	G32	138
CON EDISON EPA ID:: NYP004745618	WOODHAVEN BLVD & YEL	S 0 - 1/8 (0.093 mi.)	H34	141
CON EDISON SERVICE B EPA ID:: NYP004533733	YELLOWSTONE BLVD & W	S 0 - 1/8 (0.093 mi.)	H35	142
CON EDISON EPA ID:: NYP004727087	85-23 67TH DR	NNW 0 - 1/8 (0.096 mi.)	F37	145
CON EDISON	85-39 67TH DR	NNW 0 - 1/8 (0.096 mi.)	F39	147

EPA ID:: NYP004727079

CON EDISON SERVICE B EPA ID:: NYP004555066	85-39 67TH DR FRONT	N 0 - 1/8 (0.097 mi.)	F44	154
CON EDISON SERVICE B EPA ID:: NYP004512083	85-01 67TH DR FRONT	NW 0 - 1/8 (0.109 mi.)	146	156
CON EDISON EPA ID:: NYP004812968	67-26 SELFRIDGE ST	E 0 - 1/8 (0.122 mi.)	J50	163
CON EDISON SERVICE B EPA ID:: NYP004484440	67-20 SELFRIDGE ST	E 0 - 1/8 (0.122 mi.)	J52	165
CON EDISON SERVICE B EPA ID:: NYP004484457	6732 SELFRIDGE ST	E 0 - 1/8 (0.122 mi.)	J54	168
CON EDISON EPA ID:: NYP004812992	67-40 SELFRIDGE ST	E 1/8 - 1/4 (0.127 mi.)	J56	170
CON EDISON SERVICE B EPA ID:: NYP004484481	67-40 SELFRIDGE ST	E 1/8 - 1/4 (0.127 mi.)	J59	174
CON EDISON SERVICE B EPA ID:: NYP004484432	67-04 SELFRIDGE ST F	ENE 1/8 - 1/4 (0.128 mi.)	K60	175
CON EDISON SERVICE B EPA ID:: NYP004484499	67-46 SELFRIDGE ST	ESE 1/8 - 1/4 (0.131 mi.)	L63	179
CON EDISON SERVICE B EPA ID:: NYP004484507	67-52 SELFRIDGE ST	ESE 1/8 - 1/4 (0.134 mi.)	L65	181
CON EDISON EPA ID:: NYP004727095	8523 67TH D	NNW 1/8 - 1/4 (0.135 mi.)	66	182
CON EDISON SERVICE B EPA ID:: NYP004484515	67-58 SELFRIDGE ST	ESE 1/8 - 1/4 (0.136 mi.)	L67	183
CON EDISON SERVICE B EPA ID:: NYP004526240	COOPER AVE & WOODHAV	S 1/8 - 1/4 (0.138 mi.)	M69	186
CON EDISON SERVICE B EPA ID:: NYP004533717	COOPER AVE & WOODHAV	S 1/8 - 1/4 (0.138 mi.)	M70	187
CON EDISON SERVICE B EPA ID:: NYP004512117	67TH RD & WOODHAVEN	NW 1/8 - 1/4 (0.145 mi.)	073	193
CON EDISON EPA ID:: NYP004512091	67TH RD & WOODHAVEN	NW 1/8 - 1/4 (0.145 mi.)	074	194
CON EDISON SERVICE B EPA ID:: NYP004484473	67-70 SELFRIDGE ST	ESE 1/8 - 1/4 (0.146 mi.)	P76	197
CON EDISON SERVICE B EPA ID:: NYP004522355	85-01 67TH RD	NW 1/8 - 1/4 (0.154 mi.)	078	199
CHEVRON USA PRODUCTS EPA ID:: NY0000092882	73-20 YELLOWSTONE BL	NE 1/8 - 1/4 (0.166 mi.)	Q79	200
CON EDISON MANHOLE: EPA ID:: NYP004537346	73-18 YELLOWSTONE BL	NE 1/8 - 1/4 (0.169 mi.)	Q80	203
CON EDISON SERVICE B EPA ID:: NYP004544300	67-63 WOODHAVEN BLVD	NW 1/8 - 1/4 (0.170 mi.)	O83	208
CON EDISON SERVICE B EPA ID:: NYP004540415	67-11 ALDERTON ST	NNE 1/8 - 1/4 (0.170 mi.)	R85	210
CON EDISON SERVICE B	89-10 68TH AVE FRONT	ESE 1/8 - 1/4 (0.178 mi.)	S87	213

EPA ID:: NYP004560785

CON EDISON SERVICE B EPA ID:: NYP004537338 CON EDISON SERVICE B EPA ID:: NYP004533741

CON EDISON MANHOLE: EPA ID:: NYP004531786

CON EDISON SERVICE B EPA ID:: NYP004543294

CON EDISON SERVICE B EPA ID:: NYP004512125

CON EDISON SERVICE B EPA ID:: NYP004521134

CON EDISON EPA ID:: NYP004840456

CON EDISON SERVICE B EPA ID:: NYP004512075

CON EDISON SERVICE B EPA ID:: NYP004526208

D B S FIRST CLASS CL EPA ID:: NYD986878296

K & R AUTO EPA ID:: NYR000029272

CON EDISON SERVICE B EPA ID:: NYP004533386

CON EDISON SERVICE B EPA ID:: NYP004471884

CON EDISON EPA ID:: NYP004533170

CON EDISON SERVICE B EPA ID:: NYP004479754

CON EDISON SERVICE B EPA ID:: NYP004491924

CON EDISON SERVICE B EPA ID:: NYP004526216

CON EDISON SERVICE B EPA ID:: NYP004552139

CON EDISON SERVICE B EPA ID:: NYP004496345

CON EDISON SERVICE B EPA ID:: NYP004543310

CAMERA AUTO BODY INC EPA ID:: NYD986937050 CON EDISON

EPA ID:: NYP004822686 CON EDISON SERVICE B

73-12 YELLOWSTONE BL	NE 1/8 - 1/4 (0.181 mi.)	Q89	217
85-19 67TH AVE FRONT	N 1/8 - 1/4 (0.186 mi.)	90	218
YELLOWSTONE BLVD & S	NE 1/8 - 1/4 (0.194 mi.)	T94	225
WOODHAVEN BLVD & 67T	NW 1/8 - 1/4 (0.195 mi.)	U95	226
67TH AVE & WOODHAVEN	NW 1/8 - 1/4 (0.195 mi.)	U97	229
67-13 JUNO ST FRONT	NE 1/8 - 1/4 (0.196 mi.)	99	232
85-27 67TH AVE	NNW 1/8 - 1/4 (0.196 mi.)	V100	233
85-27 67TH AVE FRONT	NNW 1/8 - 1/4 (0.196 mi.)	V104	238
70-10 WOODHAVEN BLVD	S 1/8 - 1/4 (0.201 mi.)	105	239
66-73 SELFRIDGE ST	NE 1/8 - 1/4 (0.209 mi.)	T106	240
9101 METROPOLITAN AV	SSE 1/8 - 1/4 (0.211 mi.)	W108	243
91-01 METROPOLITAN A	SSE 1/8 - 1/4 (0.211 mi.)	W109	247
68-17 NANSEN ST	ESE 1/8 - 1/4 (0.213 mi.)	111	254
73-11 YELLOWSTONE BL	NE 1/8 - 1/4 (0.214 mi.)	T113	258
68-36 SELFRIDGE ST	SE 1/8 - 1/4 (0.227 mi.)	116	263
57 METROPOLITAN AVE	S 1/8 - 1/4 (0.237 mi.)	118	269
METROPOLITAN AVE & W	S 1/8 - 1/4 (0.241 mi.)	Y119	271
68-09 OLCOTT ST FRON	SE 1/8 - 1/4 (0.242 mi.)	X120	272
68-31 NANSEN ST FRON	ESE 1/8 - 1/4 (0.242 mi.)	Z123	276
WOODHAVEN BLVD & 66T	NW 1/8 - 1/4 (0.244 mi.)	AA126	293
90-33 METROPOLITAN A	SSE 1/8 - 1/4 (0.246 mi.)	AB127	294
85-57 66TH RD	NNW 1/8 - 1/4 (0.247 mi.)	AC129	303
85-39 66TH RD FRONT	NNW 1/8 - 1/4 (0.247 mi.)	AD132	307

EPA ID:: NYP004540407

NY DRYCLEANERS: A listing of all registered drycleaning facilities.

A review of the NY DRYCLEANERS list, as provided by EDR, and dated 03/07/2018 has revealed that there is 1 NY DRYCLEANERS site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
FIRST CLASS CLEANERS Facility Id: 2-6306-00532	66-73 SELFRIDGE ST.	NE 1/8 - 1/4 (0.209 mi.)	T107	243

NY MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the NY MANIFEST list, as provided by EDR, and dated 01/01/2019 has revealed that there are 45 NY MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON EPA ID: NYP004563250	85-25 68TH RD FRONT	ENE 0 - 1/8 (0.035 mi.)	B5	14
MOBIL OIL CORP EPA ID: NYD986906345	68-29 WOODHAVEN BLVD	S 0 - 1/8 (0.049 mi.)	C12	38
AMOCO SERVICE STATIO EPA ID: NYD103666566	67-79 WOODHAVEN BLVD	WNW 0 - 1/8 (0.059 mi.)	D19	89
CON EDISON EPA ID: NYP004536314	85-56 67TH DR	NNE 0 - 1/8 (0.085 mi.)	E24	100
GETTY PETROLEUM CORP EPA ID: NYR000043497	75-41 YELLOWSTONE BL	SSE 0 - 1/8 (0.091 mi.)	G31	134
CON EDISON EPA ID: NYP004727087	85-23 67TH DR	NNW 0 - 1/8 (0.096 mi.)	F36	143
CON EDISON EPA ID: NYP004727095	8523 67TH D	NNW 0 - 1/8 (0.096 mi.)	F40	148
CON EDISON EPA ID: NYP004727079	85-39 67TH DR	N 0 - 1/8 (0.097 mi.)	F42	151
CON EDISON EPA ID: NYP004555066	85-39 67TH DR FRONT	N 0 - 1/8 (0.097 mi.)	F43	152
CON EDISON EPA ID: NYP004512083	85-01 67TH DR FRONT	NW 0 - 1/8 (0.109 mi.)	147	157
CON EDISON EPA ID: NYP004812968	67-26 SELFRIDGE ST	E 0 - 1/8 (0.122 mi.)	J51	164
CON EDISON EPA ID: NYP004484440	67-20 SELFRIDGE ST	E 0 - 1/8 (0.122 mi.)	J53	166
CON EDISON EPA ID: NYP004484457	6732 SELFRIDGE ST	E 0 - 1/8 (0.122 mi.)	J55	169
CON EDISON EPA ID: NYP004812992	67-40 SELFRIDGE ST	E 1/8 - 1/4 (0.127 mi.)	J57	171
CON EDISON	67-40 SELFRIDGE ST	E 1/8 - 1/4 (0.127 mi.)	J58	173

EPA ID: NYP004484481				
CON EDISON EPA ID: NYP004484432	67-04 SELFRIDGE ST F	ENE 1/8 - 1/4 (0.128 mi.)	K61	176
CON EDISON EPA ID: NYP004484499	67-46 SELFRIDGE ST F	ESE 1/8 - 1/4 (0.131 mi.)	L62	177
CON EDISON EPA ID: NYP004484507	67-52 SELFRIDGE ST	ESE 1/8 - 1/4 (0.134 mi.)	L64	180
CON EDISON EPA ID: NYP004484515	67-58 SELFRIDGE ST	ESE 1/8 - 1/4 (0.136 mi.)	L68	185
CON EDISON EPA ID: NYP004484473	67-70 SELFRIDGE ST	ESE 1/8 - 1/4 (0.146 mi.)	P75	195
CON EDISON EPA ID: NYP004522355	85-01 67TH RD	NW 1/8 - 1/4 (0.154 mi.)	077	198
CHEVRON USA PRODUCTS EPA ID: NY0000092882	73-20 YELLOWSTONE BL	NE 1/8 - 1/4 (0.166 mi.)	Q79	200
CON EDISON EPA ID: NYP004502217	73-18 YELLOWSTONE BL	NE 1/8 - 1/4 (0.169 mi.)	Q81	205
CON EDISON EPA ID: NYP004537346	73-18 YELLOWSTONE BL	NE 1/8 - 1/4 (0.169 mi.)	Q82	206
CON EDISON EPA ID: NYP004540415	67-11 ALDERTON ST	NNE 1/8 - 1/4 (0.170 mi.)	R84	209
CON EDISON EPA ID: NYP004502209 EPA ID: NYP004537338	73-12 YELLOWSTONE BL	NE 1/8 - 1/4 (0.181 mi.)	Q88	214
CON EDISON - MANHOLE EPA ID: NYP004902563	89-16 68 AVE	ESE 1/8 - 1/4 (0.190 mi.)	S91	219
CON EDISON EPA ID: NYP004531786	YELLOWSTONE BLVD & S	NE 1/8 - 1/4 (0.194 mi.)	Т93	224
CON EDISON EPA ID: NYP004512125	67TH AVE & WOODHAVEN	NW 1/8 - 1/4 (0.195 mi.)	U96	228
CON EDISON EPA ID: NYP004543294	WOODHAVEN BLVD & 67T	NW 1/8 - 1/4 (0.195 mi.)	U98	230
CON EDISON EPA ID: NYP004521075	85-27 67 AVE	NNW 1/8 - 1/4 (0.196 mi.)	V101	234
CON EDISON EPA ID: NYP004512075	85-27 67TH AVE FRONT	NNW 1/8 - 1/4 (0.196 mi.)	V103	236
D B S FIRST CLASS CL EPA ID: NYD986878296	66-73 SELFRIDGE ST	NE 1/8 - 1/4 (0.209 mi.)	T106	240
<i>K & R AUTO</i> EPA ID: NYR000029272	9101 METROPOLITAN AV	SSE 1/8 - 1/4 (0.211 mi.)	W108	243
S.M.G. PETROLEUM EPA ID: NYP004533386	91-01 METROPOLITAN A	SSE 1/8 - 1/4 (0.211 mi.)	W110	248
CON EDISON SERVICE B EPA ID: NYP004471884	68-17 NANSEN ST	ESE 1/8 - 1/4 (0.213 mi.)	111	254
CON EDISON EPA ID: NYP004533170	73-11 YELLOWSTONE BL	NE 1/8 - 1/4 (0.214 mi.)	T112	256
CON EDISON SERVICE B	68-36 SELFRIDGE ST	SE 1/8 - 1/4 (0.227 mi.)	116	263

EPA ID: NYP004479754				
CON EDISON EPA ID: NYP004552139	68-09 OLCOTT ST FRON	SE 1/8 - 1/4 (0.242 mi.)	X121	273
CON EDISON EPA ID: NYP004496345	68-31 NANSEN ST FRON	ESE 1/8 - 1/4 (0.242 mi.)	Z122	274
EAC USA INC EPA ID: NYR000024273	90-30 METROPOLITAN A	S 1/8 - 1/4 (0.243 mi.)	Y124	277
CON EDISON EPA ID: NYP004543310	WOODHAVEN BLVD & 66T	NW 1/8 - 1/4 (0.244 mi.)	AA125	292
CAMERA AUTO BODY INC EPA ID: NYD986937050	90-33 METROPOLITAN A	SSE 1/8 - 1/4 (0.246 mi.)	AB127	294
CON EDISON EPA ID: NYP004822686	85-57 66TH RD	NNW 1/8 - 1/4 (0.247 mi.)	AC131	305
CON EDISON EPA ID: NYP004540407	85-39 66TH RD FRONT	NNW 1/8 - 1/4 (0.247 mi.)	AD133	308

NJ MANIFEST: Hazardous waste manifest information.

A review of the NJ MANIFEST list, as provided by EDR, and dated 12/31/2017 has revealed that there are 4 NJ MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON EPA Id: NYP004727087	85-23 67TH DR	NNW 0 - 1/8 (0.096 mi.)	F38	146
CON EDISON EPA Id: NYP004727079	85-39 67TH DR	N 0 - 1/8 (0.097 mi.)	F41	149
CON EDISON EPA Id: NYP004840456	85-27 67TH AVE	NNW 1/8 - 1/4 (0.196 mi.)	V102	235
CON EDISON EPA ld: NYP004822686	85-57 66TH RD	NNW 1/8 - 1/4 (0.247 mi.)	AC130	304

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 5 EDR Hist Auto

sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
MOBIL	6827 WOODHAVEN BLVD	S 0 - 1/8 (0.048 mi.)	C10	36
WOODHAVEN SERVICE ST	6829 WOODHAVEN BLVD	S 0 - 1/8 (0.049 mi.)	C13	42
FRANKS AMERICAN SERV	67-69 WOODHAVEN BLV	WNW 0 - 1/8 (0.057 mi.)	D16	61
BETSO	7541 YELLOWSTONE BLV	SSE 0 - 1/8 (0.091 mi.)	G27	104
METROPOLITAN AUTO RE	69-01 WOODHAVEN BLV	SSE 0 - 1/8 (0.114 mi.)	G48	159

Due to poor or inadequate address information, the following sites were not mapped. Count: 8 records.


Site Name

MTA LIRR WOODHAVEN BLVD RAILROAD B NYCTA - WOODHAVEN BLVD STATION MTA NYCT - WOODHAVEN BLVD STATION

MAY DRY CLEANERS KRISTY DRY CLEANERS UNDERGROUND COMMERCIAL PROPERTY MTA LIRR WOODHAVEN BLVD RAILROAD B Database(s)

NY MANIFEST NY MANIFEST RCRA-SQG, NJ MANIFEST, NY MANIFEST NY SHWS NY DRYCLEANERS NY LTANKS NY LTANKS RCRA-SQG

OVERVIEW MAP - 5618352.2S




LAT/LONG:

40.715319 / 73.859561

DATE:	April 11, 2019 12:37 pm
	Copyright © 2019 EDR, Inc. © 2015 TomTom Rel. 2015

DETAIL MAP - 5618352.2S



LAT/LONG:

40.715319 / 73.859561

: April 11, 2019 12:41 pm Copyright © 2019 EDR, Inc. © 2015 TomTom Rel. 2015.

DATE:

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMEN	TAL RECORDS							
Federal NPL site list								
NPL Proposed NPL NPL LIENS	1.000 1.000 1.000		0 0 0	0 0 0	0 0 0	0 0 0	NR NR NR	0 0 0
Federal Delisted NPL sit	te list							
Delisted NPL	1.000		0	0	0	0	NR	0
Federal CERCLIS list								
FEDERAL FACILITY SEMS	0.500 0.500		0 0	0 0	0 0	NR NR	NR NR	0 0
Federal CERCLIS NFRA	P site list							
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
Federal RCRA CORRAC	TS facilities li	st						
CORRACTS	1.000		0	0	0	0	NR	0
Federal RCRA non-COR		acilities list						
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Federal RCRA generato								
RCRA-LQG RCRA-SQG RCRA-CESQG	0.250 0.250 0.250		0 0 0	0 0 1	NR NR NR	NR NR NR	NR NR NR	0 0 1
Federal institutional cor engineering controls reg								
LUCIS US ENG CONTROLS US INST CONTROL	0.500 0.500 0.500		0 0 0	0 0 0	0 0 0	NR NR NR	NR NR NR	0 0 0
Federal ERNS list								
ERNS	TP		NR	NR	NR	NR	NR	0
State- and tribal - equiva	alent CERCLIS	5						
NY SHWS	1.000		0	1	2	1	NR	4
State and tribal landfill a solid waste disposal site								
NY SWF/LF	0.500		0	0	0	NR	NR	0
State and tribal leaking	storage tank l	ists						
INDIAN LUST NY LTANKS NY HIST LTANKS	0.500 0.500 0.500		0 3 0	0 1 0	0 18 0	NR NR NR	NR NR NR	0 22 0
State and tribal register	ed storage tar	nk lists						
FEMA UST	0.250		0	0	NR	NR	NR	0

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NY UST NY CBS UST NY MOSF UST NY CBS NY AST NY CBS AST NY MOSF AST INDIAN UST NY TANKS	0.250 0.250 0.500 0.250 0.250 0.250 0.250 0.500 0.250 0.250		5 0 0 0 4 0 0 0 0 0	6 0 0 3 0 0 0	NR NR 0 NR NR 0 NR NR NR	NR NR NR NR NR NR NR NR NR	NR NR NR NR NR NR NR NR NR	11 0 0 0 7 0 0 0 0 0
State and tribal institution control / engineering co		es						
NY RES DECL NY ENG CONTROLS NY INST CONTROL	0.125 0.500 0.500		0 0 0	NR 1 1	NR 2 2	NR NR NR	NR NR NR	0 3 3
State and tribal voluntar	ry cleanup sit	es						
NY VCP INDIAN VCP	0.500 0.500		0 0	1 0	2 0	NR NR	NR NR	3 0
State and tribal Brownfie	elds sites							
NY BROWNFIELDS NY ERP	0.500 0.500		0 0	0 0	0 0	NR NR	NR NR	0 0
ADDITIONAL ENVIRONMEN	NTAL RECORD	<u>s</u>						
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / S Waste Disposal Sites	Solid							
NY SWTIRE NY SWRCY INDIAN ODI DEBRIS REGION 9 ODI IHS OPEN DUMPS	0.500 0.500 0.500 0.500 0.500 0.500		0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	NR NR NR NR NR	NR NR NR NR NR	0 0 0 0 0
Local Lists of Hazardou Contaminated Sites	s waste /							
US HIST CDL NY DEL SHWS US CDL NY PFAS	TP 1.000 TP 0.500		NR 0 NR 0	NR 0 NR 0	NR 1 NR 0	NR 0 NR NR	NR NR NR NR	0 1 0 0
Local Lists of Registere	-	nks						
NY HIST UST NY HIST AST	0.250 TP		0 NR	0 NR	NR NR	NR NR	NR NR	0 0
Local Land Records								
NY LIENS	TP		NR	NR	NR	NR	NR	0

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
LIENS 2	TP		NR	NR	NR	NR	NR	0
Records of Emergency F	Release Repo	orts						
HMIRS NY Spills NY Hist Spills NY SPILLS 90 NY SPILLS 80	TP 0.125 0.125 0.125 0.125 0.125		NR 11 0 0 0	NR NR NR NR NR	NR NR NR NR	NR NR NR NR NR	NR NR NR NR	0 11 0 0 0
Other Ascertainable Rec	ords							
Coner Ascertainable Rec RCRA NonGen / NLR FUDS DOD SCRD DRYCLEANERS US FIN ASSUR EPA WATCH LIST 2020 COR ACTION TSCA TRIS SSTS ROD RMP RAATS PRP PADS ICIS FTTS MLTS COAL ASH DOE COAL ASH DOE COAL ASH EPA PCB TRANSFORMER RADINFO HIST FTTS DOT OPS CONSENT INDIAN RESERV FUSRAP UMTRA LEAD SMELTERS US AIRS US MINES ABANDONED MINES FINDS DOCKET HWC UXO ECHO FUELS PROGRAM NY AIRS	0.250 1.000 1.000 0.500 TP TP 0.250 TP TP 1.000 TP TP TP TP TP TP TP TP TP TP		17	41 0 0 0 RR 0 RR R 0 RR RR RR RR RR RR 0 0 0 0 RR 0 0 RR 0 R	NR 0 0 0 R R R R R O R R R R R R R R R R	NR 0 0 R R R R R R 0 R R R R R R R R R R	NR	58 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
NY COAL ASH NY DRYCLEANERS NY E DESIGNATION	0.500 0.250 0.125		0 0 0	0 1 NR	0 NR NR	NR NR NR	NR NR NR	0 1 0

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted	
NY Financial Assurance	TP		NR	NR	NR	NR	NR	0	
NY HSWDS	0.500		0	0	0	NR	NR	0	
NY MANIFEST	0.250		13	32	NR	NR	NR	45	
NJ MANIFEST NY SPDES	0.250 TP		2	2	NR NR	NR NR	NR NR	4	
NY VAPOR REOPENED	0.500		NR 0	NR 0	0	NR	NR	0 0	
NY UIC	TP		NR	NR	NR	NR	NR	0	
NY COOLING TOWERS	TP		NR	NR	NR	NR	NR	Ő	
EDR HIGH RISK HISTORICAL RECORDS									
EDR Exclusive Records									
EDR MGP	1.000		0	0	0	0	NR	0	
EDR Hist Auto	0.125		5	NR	NR	NR	NR	5	
EDR Hist Cleaner	0.125		0	NR	NR	NR	NR	0	
EDR RECOVERED GOVERNMENT ARCHIVES									
Exclusive Recovered Go	vt. Archives								
NY RGA HWS	TP		NR	NR	NR	NR	NR	0	
NY RGA LF	TP		NR	NR	NR	NR	NR	0	
- Totals		0	60	91	27	1	0	179	

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Database(s)

A1 SW < 1/8 0.032 mi.	WOODHAVEN BLVD & 68TH RD WOODHAVEN BLVD & 68TH RD. REGO PARK, NY	NY Spills S102102926 N/A
109 11.		
	KEGO PARK, NY Site 1 of 4 in cluster A SPILLS: Spill Number/Closed Date: Facility ID: Facility Type: DER Facility ID: Site ID: DEC Region: Spill Cause: Spill Cause: Spill Class: SWIS: Spill Date: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Source: Spill Notifier: Cleanup Ceased: Cleanup Meets Std: Last Inspection: Recommended Penalty: UST Trust: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Contact Name: DEC Memo: Remarks: All Materials: Site ID: Operable Unit ID: Operable Unit: Material ID:	9313251 / 1994-02-08 9313251 ER 68082 72080 2 Equipment Failure D4 4101 1994-01-20 KSTANG Not reported 1994-02-08 Not reported Gasoline Station or other PBS Facility Citizen 1994-02-08 True Not reported False True 0 1994-02-09 2004-09-30 Not reported Not reported Not reported Not reported Palse True 0 1994-02-09 2004-09-30 Not reported Not Repo
	Material ID: Material Code:	0009
	Material Code: Material Name:	gasoline
	Case No.:	Not reported
	Material FA:	Petroleum
	Quantity:	-1.00
	Units:	Not reported
	Recovered:	.00
		Not reported
	Oxygenate:	ווטו ובטטוובע

Database(s)

A2 South < 1/8 0.035 mi.	68-27 WOODHAVEN BLVD. 68-27 WOOHAVEN BLVD. QUEENS, NY	NY Spills S103560537 N/A
100 11.	Site 2 01 4 in cluster A	
0.035 mi. 186 ft. Relative: Higher Actual: 57 ft.	Site 2 of 4 in cluster A SPILLS: Spill Number/Closed Date: Facility ID: Facility Type: DER Facility ID: Site ID: DEC Region: Spill Cause: Spill Class: SWIS: Spill Date: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Source: Spill Notifier: Cleanup Meets Std: Last Inspection: Recommended Penalty: UST Trust: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Company: Spiller Company: Spiller Company: Contact Name: DEC Memo: Remarks: Site ID:	9402005 / 2003-02-10 9402005 ER 127785 150273 2 Other C3 4101 1994-05-11 O'DOWD Not reported 1994-05-11 Not reported Not reported Sasoline Station or other PBS Facility Other Not reported False Not reported False False 0 1994-05-24 2006-01-13 Not reported AA Not reported AA Not reported AA Not reported MA Teported Sase 0 1994-05-24 2006-01-13 Not reported AA Not reported MA Teported AA Not reported MA Teported AA Not reported AA
	Site ID: Operable Unit ID:	150273 999062
	Operable Unit:	01
	Material ID:	385745
	Material Code:	0009
	Material Name:	gasoline Net reported
	Case No.: Material FA:	Not reported Petroleum
	Quantity:	1.00
	Units:	G
	Recovered:	.00
	Oxygenate:	Not reported

Database(s)

A3 South < 1/8 0.035 mi. 186 ft.	MOBIL S/S #17-GJH 68-29 WOODHAVEN BLVD QUEENS, NY Site 3 of 4 in cluster A		NY Spills	S102142116 N/A
Relative: Higher Actual: 57 ft.	SPILLS: Spill Number/Closed Date: Facility ID: Facility Type: DER Facility ID: Site ID: DEC Region: Spill Cause: Spill Class: SWIS: Spill Date: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Source: Spill Source: Spill Notifier: Cleanup Ceased: Cleanup Ceased: Cleanup Meets Std: Last Inspection: Recommended Penalty: UST Trust: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Address: Spiller Company: Contact Name:	8909751 / 2003-07-07 8909751 ER 246196 304798 2 Equipment Failure C3 4101 1990-01-10 SIGONA Not reported 1990-01-10 Not reported Gasoline Station or other PBS Facility Other Not reported False True 0 1990-01-10 2003-07-07 Not reported MOBIL OIL CORP 3225 GALLOWS ROAD 001 Not reported		
	DEC Memo: Remarks:	"CONTAMINATED SOIL DISCOVERED DURING EXCAVA	TION."	
	All Materials: Site ID: Operable Unit ID: Operable Unit: Material ID: Material Code: Material Name: Case No.: Material FA: Quantity: Units: Recovered: Oxygenate:	304798 936822 01 442899 0009 gasoline Not reported Petroleum .00 G .00 Not reported		
	Spill Number/Closed Date: Facility ID: Facility Type: DER Facility ID: Site ID:	8909755 / 2010-01-08 8909755 ER 300786 304799		

2

Database(s)

EDR ID Number EPA ID Number

MOBIL S/S #17-GJH (Continued)

DEC Region: Spill Cause: Spill Class: SWIS: Spill Date: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Source: Spill Notifier: Cleanup Ceased: Cleanup Meets Std: Last Inspection: **Recommended Penalty:** UST Trust Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Address: Spiller Company: Contact Name: DEC Memo:

Equipment Failure A3 4101 1990-01-10 MJHAGGER Not reported 1990-01-10 Not reported Not reported Gasoline Station or other PBS Facility **Responsible Party** Not reported False Not reported False True 0 1990-05-16 2010-01-08 MELISSA TACCHINO EXXON MOBIL CORPORATION 1545 ROUTE 22 EAST 001 Not reported "4/30/2004: This spill case was reassigned from Sigona to Harrington (Central Office) for management. Site is located across the street from Getty Station #8 @ 75-41 Yellowstone Boulevard. (Rommel) 5/4/2004: Sent letter to Exxon Mobil approving the SI work plan. Work includes installation and sampling of additional downgradient monitoring wells. (Harrington) 9/17/2004: Sent letter to Exxon Mobil approving the SI report. Instructed E-M to conduct EFR events as an IRM in order to reduce the levels of MTBE in off-site monitoring wells. E-M to submit RAP after EFR events have concluded. (Harrington) 10/3/2005: Sent letter to Exxon Mobil approving RAP. RAP calls for the evaluation of ORC injections, continued EFR events, and/or MNA regarding the residual groundwater contamination beneath the site. (Harrington) 5/15/2006: Approved MNA evaluation report. E-M to submit work plan for evaluation of various bioremedial approaches (oxygen-releasing compounds, chemical oxidation, enhanced bioremediation, etc.) to remediating groundwater beneath the site. (Harrington) 8/17/2006: Sent an e-mail to Exxon Mobil approving the Sensitive Receptor Survey report. (Harrington) 1/15/2007: Project management to be assumed by Bureau B personnel. (Harrington) 2/22/2007: Raphael Ketani, Region 2 Spill Prevention and Response Unit. I was recently given a very recent spill case #06-10449 regarding the site. The spill involved the discovery of gasoline in the soil next to the Mobil station by Con Ed on 12/14/06. As spill case #89-09755 is the only active case for this site, I am closing spill case #06-10449 and referring it back to this spill case. (Ketani) 3/8/2007: DEC lead changed from Dave Harrington to Mike Haggerty for management. (Haggerty) 4/27/2007: DEC lead re-assigned to Harrington based on his subpoena to testify in case between Exxon Mobil and current property owner. (Harrington) 6/21/2007: PM visted the site with Kleinfelder personnel (Martin). Access issue between Exxon Mobil and site owner has temporarily been settled. Kleinfelder to submit a soil investigation work plan in late Summer. (Harrington)

EDR ID Number Database(s) EPA ID Number

MOBIL S/S #17-GJH (Continued)

S102142116

IOBIL S/S #17-GJH (Continued)		S102
	10/15/2007: PM sent an e-mail to Exxon Mobil approving the Soil Assessment Work Plan. Proposed work consists of the installation and sampling of 17 soil borings in order to better delineate the remaining contamination on-site. (Harrington) 1/23/2008: PM met with Kleinfelder personnel (Martin) in the DEC - Long Island City office for the purpose of modifying the Soil Assessment Work Plan. A total of six (6) additional soil borings will be installed in the western portion of the property as part of the field investigation. The NYCDOT permit letter was presented to Kleinfelder during this meeting. (Harrington) 1/28/2008: PM conducted a site visit. Pre-clearing activities were being conducted by Glacier Drilling (Connecticut) under contract to Kleinfelder. Work is expected to be completed by February 1, 2008. (Harrington) 7/14/2008: PM sent an e-mail to Exxon Mobil approving the SI report which documented the soil assessment activities conducted this past winter. As a result of this work, five (5) additional monitoring wells will be installed in the discontinuous perched zone for further contaminant evaluation. (Harrington) 1/2/08 - Haggerty: Approved reduction in reporting schedule to bi-annual. Since BTEX and MTBE contamination is very lo PM will allow an Exposure Assessment which will be due in 4th Quarte 09. Exposure Assessment will state closure of the spill is protective of health. 1/8/10 - Haggerty: Spill closed. Reviewed Exposure Assessment/ Closure Request dated 11/30/09. ExxonMobil has substantially remediated the property through excavation and groundwater contamination has steadily declined over the years (BTEX in gw < 1000ppb). ExxonMobil demonstrated that soil has been remediated to the extent feasible. "	W, r
Remarks:	"CONTAMINATED SOIL, EXCAVATE SOIL, STOCKPILED & DISPOS	ED."
All Materials: Site ID: Operable Unit ID: Operable Unit: Material ID: Material Code: Material Name: Case No.: Material FA: Quantity: Units: Recovered: Oxygenate:	304799 934677 01 442902 0009 gasoline Not reported Petroleum .00 G .00 True	LD.
Site ID: Operable Unit ID: Operable Unit: Material ID: Material Code: Material Name: Case No.: Material FA: Quantity: Units: Recovered: Oxygenate:	304799 934677 01 2106614 1213A MTBE (methyl-tert-butyl ether) 01634044 Hazardous Material Not reported Not reported Not reported True	

Database(s)

< 1/8 0.035 mi. 186 ft.	68-27 WOODHAVEN BLVD. QUEENS, NY Site 4 of 4 in cluster A			N/A
	Site 4 of 4 in cluster A LTANKS: Spill Number/Closed Date: Facility ID: Site ID: Spill Date: Spill Cause: Spill Cause: Spill Cause: Spill Class: Cleanup Ceased: SWIS: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Notifier: Last Inspection: Recommended Penalty: Meets Standard: UST Involvement: Remediation Phase: Date Entered In Computer: Spiller Company: Spiller Company: Spiller Company: Spiller Contact: Spiller Contact: Spiller County: Spiller Contact: Spiller Phone: Spiller County: Spiller Extention: DEC Region: DEC Region: DEC Region: DER Facility ID: DEC Memo: Remarks: All TTF: Facility ID: Spill Tank Test: Site ID: Tank Number: Tank Size: Material: EPA UST: UST:	8600248 / 1998-02-09 8600248 72878 1986-04-10 Tank Test Failure Gasoline Station or other PBS Facility A3 Not reported 4101 BATTISTA Not reported 1986-04-10 Not reported Tank Tester Not reported False False False True 0 1986-04-30 1998-06-22 Not reported RS CAR WASH (SUNOCO)-A Not reported RS CAR WASH (SUNOCO)-A Not reported Not reported Not reported Not reported Not reported S6600248 8600248 8600248 1529845 72878 Not reported 0 0009 Not reported Not reported	PUMP OUT TAI	NK"
	Cause: Source: Test Method: Test Method 2: Leak Rate: Gross Fail: Modified By: Last Modified Date:	Not reported Not reported 00 Unknown .00 Not reported Spills Not reported		

Database(s)

EDR ID Number EPA ID Number

SUNOCO WOODHAVEN BLVD (Continued)

All Materials:	
Site ID:	72878
Operable Unit ID:	896498
Operable Unit:	01
Material ID:	480418
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

B5 CON EDISON

ENE < 1/8 0.035 mi.	85-25 68TH RD FRONT OF FOREST HILLS, NY 11375	
186 ft.	Site 1 of 2 in cluster B	
Relative: Higher Actual: 57 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location State: Location Zip:	USA NYP004563250 Not reported 8525 68 RD BP SB 64213 Not reported REGO PARK NY 11375
	Location Zip 4: NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Country: Mailing Phone:	Not reported NYP004563250 CON EDISON TOM TEELING 4 IRVING PLACE 15TH FLOOR Not reported NEW YORK NY 10003 Not reported USA Not reported
	NY MANIFEST: Document ID: Manifest Status: seq: Year: Trans1 State ID: Trans2 State ID: Generator Ship Date: Trans1 Recv Date: Trans2 Recv Date:	Not reported Not reported 2014 NJD003812047 Not reported 06/12/2014 06/12/2014 Not reported

S100144668

NY MANIFEST S117063874 N/A

Database(s)

EDR ID Number **EPA ID Number**

S117063874

CON EDISON (Continued)

Quantity:

Units:

TSD Site Recv Date: 06/12/2014 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004563250 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID 1: NJD991291105 TSDF ID 2: Not reported Manifest Tracking Number: 002424181GBF Import Indicator: Ν Export Indicator: Ν Discr Quantity Indicator: Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν Discr Partial Reject Indicator: Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported 100 G - Gallons (liquids only)* (8.3 pounds) Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 Waste Code: D008 Waste Code 1 2: Not reported Not reported Waste Code 1 3: Waste Code 1 4: Not reported Waste Code 1 5: Not reported Waste Code 1 6: Not reported

> Click this hyperlink while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

B6 ENE < 1/8 0.035 mi. 186 ft.	CON EDISON SERVICE BOX: 64 85-25 68TH RD FRONT OF FOREST HILLS, NY 11375 Site 2 of 2 in cluster B	213	RCRA NonGen / NLR	1017778401 NYP004563250
Relative: Higher Actual: 57 ft.	RCRA NonGen / NLR: Date form received by agend Facility name: Facility address: EPA ID: Mailing address: Contact:	cy: 07/12/2014 CON EDISON SERVICE BOX: 64213 85-25 68TH RD FRONT OF FOREST HILLS, NY 11375 NYP004563250 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING		

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

	CON EDISON SERVICE BOX: 642	213 (Continued)	1017778401
	Contact address:	Not reported	
		Not reported	
	Contact country:	Not reported	
	Contact telephone:	212-460-3770	
	Contact email:	Not reported	
	EPA Region:	02	
	Classification:	Non-Generator	
	Description:	Handler: Non-Generators do not presently generate hazardous waste	
	Handler Activities Summary:		
	U.S. importer of hazardous w		
	Mixed waste (haz. and radioa	,	
	Recycler of hazardous waste		
	Transporter of hazardous was		
	Treater, storer or disposer of	HW: No	
	Underground injection activity	/: No	
	On-site burner exemption:	No	
	Furnace exemption:	No	
	Used oil fuel burner:	No	
	Used oil processor:	No	
	User oil refiner:	No	
	Used oil fuel marketer to burr	ner: No	
	Used oil Specification market		
	Used oil transfer facility:	No	
	Used oil transporter:	No	
	Historical Generators: Date form received by agence Site name: Classification: Date form received by agence Site name: Classification: Violation Status:	CON EDISON Small Quantity Generator	
7 NNW < 1/8 0.037 mi. 193 ft.	85-23 68TH AVE/QUEENS 85-23 68TH AVENUE NEW YORK CITY, NY	NY LTANI	KS S102671585 N/A
Relative:	LTANKS:		
Higher	Spill Number/Closed Date:	9008026 / 1990-10-23	
Actual:	Facility ID:	9008026	
57 ft.	Site ID:	327649	
or iti	Spill Date:	1990-10-23	
	Spill Cause:	Tank Overfill	
	Spill Source:	Private Dwelling	
	Spill Class:	Not reported	
	Cleanup Ceased:	1990-10-23	
	SWIS:	4101	
	Investigator:	FINGER	
	Referred To:	Not reported	
	Reported to Dept:	1990-10-23	
	CID:	Not reported	
	Water Affected:	Not reported	
		1	

TC5618352.2s Page 16

Database(s)

EDR ID Number **EPA ID Number**

85-23 68TH AVE/QUEENS (Continued)

S102671585

5-23 BOTH AVE/QUEENS (CONUN	louj		51020/150
Spill Notifier:	Responsible Party		
Last Inspection:	Not reported		
Recommended Penalty:	False		
Meets Standard:	True		
UST Involvement:	False		
Remediation Phase:	0		
Date Entered In Computer:	1990-11-02		
Spill Record Last Update:	2004-09-30		
Spiller Name:	Not reported		
Spiller Company:	PETRO HEAT & POWER		
Spiller Address:	Not reported		
Spiller County:	001		
Spiller Contact:	Not reported		
Spiller Phone:	Not reported		
Spiller Extention:	Not reported		
DEC Region:	2		
DER Facility ID:	263765		
DEC Memo:	111		
Remarks:	"DRIVER OVERFILLED TANK, SPILL TEAM USED SPE CONCRETE STEPS, CLEANED UP & DISPOSED."	EEDY DRY & I	PADS ON
All Materials:			
Site ID:	327649		
Operable Unit ID:	945235		
Operable Unit:	01		
Material ID:	431859		
Material Code:	0001A		
Material Name:	#2 fuel oil		
Case No.:	Not reported		
Material FA:	Petroleum		
Quantity:	1.00		
Units:	G		
Recovered:	.00		
Oxygenate:	Not reported		
		 NY AST	U00407620 N/A
5 10 BOULEVARD OWNERS COR 5-10 YELLOWSTONE BOULEVAR OREST HILLS, NY 11375		NY AST	U004076 N/A
AST:			
Region:	STATE		
DEC Region:	2		
Site Status:	Active		
Facility Id	2-092851		

269

ESE < 1/8 0.048 mi.

8

253 ft.

Relative: Higher

Actual: 57 ft.

Facility Id: 2-092851 Program Type: PBS UTM X: 596392.01391 UTM Y: 4507742.49018 Expiration Date: 05/07/2022 Site Type: Apartment Building/Office Building Affiliation Records: Site Id: 2418 Affiliation Type: Facility Owner 75 10 BLVD OWNERS CORP, C/O FALCI MGMT Company Name: Contact Type: PRESIDENT Contact Name: PATRICK J. FALCI

Database(s)

EDR ID Number **EPA ID Number**

164-11 NORTHERN BLVD Address1: Address2: Not reported City: FLUSHING State: NY 11358 Zip Code: Country Code: 001 Phone: (718) 539-9100 EMail: Not reported Fax Number: Not reported Modified By: **MFLEONAR** Date Last Modified: 2017-06-19 Site Id: 2418 Affiliation Type: Mail Contact 75 10 BOULEVARD OWNERS CORP Company Name: Contact Type: Not reported Contact Name: PATRICK J. FALCI Address1: 164-11 NORTHERN BOULEVARD Address2: Not reported FLUSHING City: State: NY Zip Code: 11358 Country Code: 001 Phone: (718) 539-9100 EMail: SULLIVAN164112AOL.COM Not reported Fax Number: MFLEONAR Modified By: Date Last Modified: 2017-06-19 Site Id: 2418 Affiliation Type: Facility Operator Company Name: 75 10 BOULEVARD OWNERS CORP Contact Type: Not reported SUPERINTENDENT Contact Name: Address1: Not reported Address2: Not reported City: Not reported State: NN Not reported Zip Code: Country Code: 001 (718) 830-3205 Phone: EMail: Not reported Fax Number: Not reported Modified By: **KXTANG** Date Last Modified: 2007-04-16 Site Id: 2418 Affiliation Type: **Emergency Contact** 75 10 BLVD OWNERS CORP, C/O FALCI MGMT Company Name: Contact Type: Not reported Contact Name: P.J. FALCI MGMT Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 999

75 10 BOULEVARD OWNERS CORP (Continued)

Database(s)

EDR ID Number EPA ID Number

U004076269

75 10 BOULEVARD OWNERS CORP (Continued)

Phone:	(718) 539-9100
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MFLEONAR
Date Last Modified:	2017-06-19

Tank Info:

Tank Number: Tank Id: Material Code: Common Name of Substance:	001 4257 0001 #2 Fuel Oil (On-Site Consumption)	
	#2 Fuel OII (On-Site Consumption)	

Equipment Records:

quipinent records.	
	I04 - Overfill - Product Level Gauge (A/G)
	G00 - Tank Secondary Containment - None
	J02 - Dispenser - Suction Dispenser
	C02 - Pipe Location - Underground/On-ground
	B00 - Tank External Protection - None
	F00 - Pipe External Protection - None
	H00 - Tank Leak Detection - None
	L09 - Piping Leak Detection - Exempt Suction Piping
	A00 - Tank Internal Protection - None
	D01 - Pipe Type - Steel/Carbon Steel/Iron
Tank Location:	Aboveground in subterranean vault with access for inspections
	Tank in subterranean vault but accessible for inspection.
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	11/01/1956
Capacity Gallons:	5000
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MFLEONAR
Last Modified:	06/19/2017
Material Name:	#2 fuel oil (on-site consumption)

C9 South < 1/8 0.048 mi. 255 ft.	GAS SALE 68-27 WOODHAVEN BOULEVARD REGO PARK, NY 11374 Site 1 of 7 in cluster C	
Relative: Higher Actual: 57 ft.	UST: Id/Status: Program Type: Region: DEC Region: Expiration Date: UTM X: UTM Y: Site Type:	2-339695 / Active PBS STATE 2 03/17/2023 596340.62325 4507701.34573 Retail Gasoline Sales

Affiliation Records:

NY UST U004118626 NY AST N/A

Database(s)

EDR ID Number EPA ID Number

GAS SALE (Continued)

Site Id: Affiliation Type: Company Name: Contact Type: Contact Name: Address1: Address2: City: State: Zip Code: Country Code: Phone: EMail: Fax Number: Modified By: Date Last Modified: Site Id: Affiliation Type: Company Name: Contact Type: Contact Name: Address1: Address2: City: State: Zip Code: Country Code: Phone: EMail: Fax Number: Modified By: Date Last Modified: Site Id: Affiliation Type: Company Name: Contact Type: Contact Name: Address1: Address2: City: State: Zip Code: Country Code: Phone: EMail: Fax Number: Modified By: Date Last Modified: Site Id: Affiliation Type: Company Name: Contact Type: Contact Name:

Address1:

16377 Facility Owner A.C. WOODHAVEN REALTY CORP. GM MADELINE J.CROFFI 3499 EAST BAY COURT Not reported MERRICK NY 11566 001 (347) 236-6799 Not reported Not reported DAFRANCI 2018-11-02 16377 Mail Contact MADELINE J. CIOFFI Not reported Not reported 68-27 WOODHAVEN BOULEVARD Not reported **REGO PARK** NY 11374 001 (347) 408-7426 ACWOODHAVEN@AOL.COM Not reported **MSBAPTIS** 2014-06-18 16377 Facility Operator GAS SALE Not reported MADELINE CIOFFI Not reported Not reported Not reported NN Not reported 001 (718) 896-8008 Not reported Not reported AYLAGATI 2017-02-01 16377 **Emergency Contact** A.C. WOODHAVEN REALTY CORP Not reported MADELINE J.CROFFI Not reported

GAS SALE (Continued)

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

GAS SALL (Continued)	
Address2: City: State: Zip Code: Country Code: Phone: EMail: Fax Number: Modified By: Date Last Modified:	Not reported Not reported NN Not reported 999 (347) 408-7426 Not reported Not reported HDDUPIGN 2016-02-23
Tank Info:	
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	001 31223 Closed - Removed Closed - Removed 4000 07/01/1970 05/01/1994 True Underground Steel/carbon steel 0009 Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	 F04 - Pipe External Protection - Fiberglass G00 - Tank Secondary Containment - None B07 - Tank External Protection - Retrofitted Sacrificial Anode C02 - Pipe Location - Underground/On-ground J01 - Dispenser - Pressurized Dispenser A00 - Tank Internal Protection - None K01 - Spill Prevention - Catch Basin D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP) I02 - Overfill - High Level Alarm H05 - Tank Leak Detection - In-Tank System (ATG)
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code:	002 31224 Closed - Removed Closed - Removed 4000 07/01/1970 05/01/1994 True Underground Steel/carbon steel 0009

Database(s)

GAS SALE (Continued)		U004118
Common Name of Substance:	Gasoline	
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017	
Equipment Records:		
	 D02 - Pipe Type - Galvanized Steel J01 - Dispenser - Pressurized Dispenser I02 - Overfill - High Level Alarm K01 - Spill Prevention - Catch Basin B07 - Tank External Protection - Retrofitted Sacrificial Anode C02 - Pipe Location - Underground/On-ground F04 - Pipe External Protection - Fiberglass G00 - Tank Secondary Containment - None A00 - Tank Internal Protection - In-Tank System (ATG) 	
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	003 31225 Closed - Removed Closed - Removed 4000 07/01/1973 05/01/1994 True Underground Steel/carbon steel 0009 Gasoline	
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017	
Equipment Records:	J01 - Dispenser - Pressurized Dispenser B07 - Tank External Protection - Retrofitted Sacrificial Anode C02 - Pipe Location - Underground/On-ground F04 - Pipe External Protection - Fiberglass G00 - Tank Secondary Containment - None A00 - Tank Internal Protection - None D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP) I02 - Overfill - High Level Alarm K01 - Spill Prevention - Catch Basin H05 - Tank Leak Detection - In-Tank System (ATG)	
Tank Number: Tank ID: Tank Status:	004 77117 In Service	

Database(s)

EDR ID Number EPA ID Number

GAS SALE (Continued)	
Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance: Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified: Equipment Records:	In Service 4000 05/01/1994 Not reported True Underground Equivalent technology 2712 Gasoline/Ethanol - Not reported Not reported Not reported DAFRANCI 11/02/2018 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring F04 - Pipe External Protection - Fiberglass C02 - Pipe Location - Underground/On-ground E04 - Piping Secondary Containment - Double walled UG J01 - Dispenser - Pressurized Dispenser L07 - Piping Leak Detection - Interstitial - Electronic Monitoring F04 - Tank Secondary Containment - Double-Walled (Underground) H01 - Tank Leak Detection - Interstitial - Electronic Monitoring A00 - Tank Internal Protection - None K01 - Spill Prevention - Catch Basin I02 - Overfill - High Level Alarm B04 - Tank External Protection - Fiberglass D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance: Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified: Equipment Records:	004-A 77118 Closed - Removed Closed - Removed 550 07/01/1952 07/01/1993 True Underground Steel/carbon steel 0009 Gasoline NN Not reported Not reported Not reported Not reported TRANSLAT 04/14/2017 H00 - Tank Leak Detection - None I00 - Overfill - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping

Database(s)

EDR ID Number EPA ID Number

GAS SALE (Continued)

D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser A00 - Tank Internal Protection - None

Tank Number:	005
Tank ID:	77119
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	4000
Install Date:	05/01/1994
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	2712
Common Name of Substance:	Gasoline/Ethanol
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	- Not reported Not reported DAFRANCI 11/02/2018
Equipment Records:	 G04 - Tank Secondary Containment - Double-Walled (Underground) C02 - Pipe Location - Underground/On-ground F04 - Pipe External Protection - Fiberglass L01 - Piping Leak Detection - Interstitial - Electronic Monitoring L07 - Piping Leak Detection - Pressurized Piping Leak Detector E04 - Piping Secondary Containment - Double walled UG J01 - Dispenser - Pressurized Dispenser B04 - Tank External Protection - Fiberglass D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP) I02 - Overfill - High Level Alarm K01 - Spill Prevention - Catch Basin A00 - Tank Internal Protection - None H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
Tank Number:	005-A
Tank ID:	77120
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	07/01/1952
Date Tank Closed:	07/01/1993
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported

Database(s)

EDR ID Number EPA ID Number

GAS SALE (Continued)	
Next Test Date: Pipe Model: Modified By: Last Modified:	Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	
Equipment records.	G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None A00 - Tank Internal Protection - None H00 - Tank Leak Detection - None I00 - Overfill - None
Tank Number:	006
Tank ID:	77121
Tank Status: Material Name:	In Service In Service
Capacity Gallons:	4000
Install Date:	05/01/1994
Date Tank Closed: Registered:	Not reported True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code: Common Name of Substance:	2712 Gasoline/Ethanol
Common Name of Substance.	Gasoline/Ethanol
Tightness Test Method:	-
Date Test: Next Test Date:	Not reported Not reported
Pipe Model:	Not reported
Modified By:	DAFRANCI
Last Modified:	11/02/2018
Equipment Records:	F04 Division October October Development
	E04 - Piping Secondary Containment - Double walled UG J01 - Dispenser - Pressurized Dispenser
	A00 - Tank Internal Protection - None
	H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
	C02 - Pipe Location - Underground/On-ground F04 - Pipe External Protection - Fiberglass
	L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
	B04 - Tank External Protection - Fiberglass
	D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP) I02 - Overfill - High Level Alarm
	K01 - Spill Prevention - Catch Basin
	L07 - Piping Leak Detection - Pressurized Piping Leak Detector
	G04 - Tank Secondary Containment - Double-Walled (Underground)
Tank Number:	006-A
Tank ID:	77122
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550

Database(s)

EDR ID Number EPA ID Number

GAS SALE (Continued)	
Install Date:	07/01/1952
Date Tank Closed:	07/01/1993
Registered: Tank Location:	True Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model: Modified By:	Not reported TRANSLAT
Last Modified:	04/14/2017
Equipment Records:	
—	J02 - Dispenser - Suction Dispenser
	G00 - Tank Secondary Containment - None
	B00 - Tank External Protection - None
	C00 - Pipe Location - No Piping
	D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None
	A00 - Tank Internal Protection - None
	H00 - Tank Leak Detection - None
	I00 - Overfill - None
Tank Number:	007
Tank ID:	77123
Tank Status:	In Service
Material Name:	In Service 4000
Capacity Gallons: Install Date:	05/01/1994
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code: Common Name of Substance:	2712 Gasoline/Ethanol
common Name of Substance.	Gasoline/Ethanol
Tightness Test Method:	·
Date Test: Next Test Date:	Not reported
Pipe Model:	Not reported Not reported
Modified By:	DAFRANCI
Last Modified:	11/02/2018
Equipment Records:	
	L07 - Piping Leak Detection - Pressurized Piping Leak Detector
	L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
	C02 - Pipe Location - Underground/On-ground F04 - Pipe External Protection - Fiberglass
	J01 - Dispenser - Pressurized Dispenser
	E04 - Piping Secondary Containment - Double walled UG
	H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
	A00 - Tank Internal Protection - None
	102 - Overfill - High Level Alarm
	K01 - Spill Prevention - Catch Basin

Database(s) EP

EDR ID Number EPA ID Number

GAS SALE (Continued)

U004118626

B04 - Tank External Protection - FiberglassD06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	007-A 77124 Closed - Removed Closed - Removed 550 07/01/1952 07/01/1993 True Underground Steel/carbon steel 0009 Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None H00 - Tank Leak Detection - None I00 - Overfill - None A00 - Tank Internal Protection - None
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	008 77127 In Service In Service 4000 05/01/1994 Not reported True Underground Equivalent technology 0008 Diesel
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	- Not reported Not reported DAFRANCI 11/02/2018

Equipment Records:

Database(s) EPA ID Nu

EDR ID Number EPA ID Number

GAS SALE (Continued)

BAS SALE (Continued)		UC
	E04 - Piping Secondary Containment - Double walled UG J01 - Dispenser - Pressurized Dispenser C02 - Pipe Location - Underground/On-ground F04 - Pipe External Protection - Fiberglass L01 - Piping Leak Detection - Interstitial - Electronic Monitoring L07 - Piping Leak Detection - Pressurized Piping Leak Detector G04 - Tank Secondary Containment - Double-Walled (Underground) A00 - Tank Internal Protection - None H01 - Tank Leak Detection - Interstitial - Electronic Monitoring B04 - Tank External Protection - Fiberglass D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP) I02 - Overfill - High Level Alarm K01 - Spill Prevention - Catch Basin	
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	008-A 77128 Closed - Removed Closed - Removed 550 07/01/1952 07/01/1993 True Underground Steel/carbon steel 0009 Gasoline	
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017	
Equipment Records:	G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None H00 - Tank Leak Detection - None I00 - Overfill - None A00 - Tank Internal Protection - None	
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code:	009 31228 Closed - Removed Closed - Removed 550 07/01/1952 07/01/1993 True Underground Steel/carbon steel 0009	

Database(s)

EDR ID Number EPA ID Number

GAS SALE (Continued)	
Common Name of Substance:	Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	COO Tank Secondary Containment Nana
	G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None A00 - Tank Internal Protection - None H00 - Tank Leak Detection - None I00 - Overfill - None
Tank Number:	010
Tank ID: Tank Status:	31229 Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons: Install Date:	550 07/01/1952
Date Tank Closed:	07/01/1993
Registered: Tank Location:	True Underground
Tank Type:	Steel/carbon steel
Material Code: Common Name of Substance:	0009 Gasoline
Tightness Test Method:	NN
Date Test: Next Test Date:	Not reported
Pipe Model:	Not reported Not reported
Modified By: Last Modified:	TRANSLAT 04/14/2017
Equipment Records:	04/14/2017
	G00 - Tank Secondary Containment - None
	J02 - Dispenser - Suction Dispenser B00 - Tank External Protection - None
	C00 - Pipe Location - No Piping
	D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None
	H00 - Tank Leak Detection - None I00 - Overfill - None
	A00 - Tank Internal Protection - None
Tank Number:	011
Tank ID:	31230
Tank Status: Material Name:	Closed - Removed Closed - Removed
Capacity Gallons:	550

Database(s)

EDR ID Number EPA ID Number

GAS SALE (Continued)	
Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	07/01/1952 07/01/1993 True Underground Steel/carbon steel 0009 Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	 B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None H00 - Tank Leak Detection - None I00 - Overfill - None G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser A00 - Tank Internal Protection - None
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	012 31231 Closed - Removed Closed - Removed 550 07/01/1952 07/01/1993 True Underground Steel/carbon steel 0009 Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping A00 - Tank Internal Protection - None H00 - Tank Leak Detection - None I00 - Overfill - None

Database(s)

EDR ID Number EPA ID Number

GAS SALE (Continued)

Tank Number: 013 Tank ID: 31232 Tank Status: Closed - Removed Material Name: Closed - Removed Capacity Gallons: 550 Install Date: 07/01/1952 Date Tank Closed: 07/01/1993 Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 0009 Common Name of Substance: Gasoline Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Pipe Model: Not reported TRANSLAT Modified By: Last Modified: 04/14/2017 Equipment Records: G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping A00 - Tank Internal Protection - None H00 - Tank Leak Detection - None 100 - Overfill - None Tank Number: 014 Tank ID: 31233 Tank Status: Closed - Removed Closed - Removed Material Name: Capacity Gallons: 550 Install Date: 07/01/1952 Date Tank Closed: 07/01/1993 Registered: True Tank Location: Underground Steel/carbon steel Tank Type: Material Code: 0009 Common Name of Substance: Gasoline Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Not reported Pipe Model: TRANSLAT Modified By: Last Modified: 04/14/2017 Equipment Records: G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser **B00 - Tank External Protection - None** C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel

Database(s)

EDR ID Number EPA ID Number

GAS SALE (Continued)

F00 - Pipe External Protection - None A00 - Tank Internal Protection - None H00 - Tank Leak Detection - None I00 - Overfill - None

Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	015 31234 Closed - Removed Closed - Removed 550 07/01/1952 07/01/1993 True Underground Steel/carbon steel 0009 Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None H00 - Tank Leak Detection - None I00 - Overfill - None A00 - Tank Internal Protection - None
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Location: Tank Type: Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	10A 272805 In Service In Service 5000 04/28/2017 Not reported True Underground Equivalent technology - Not reported Not reported Not reported Not reported DAFRANCI 09/25/2017
Equipment Records:	L07 - Piping Leak Detection - Pressurized Piping Leak Detector L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

EDR ID Number Database(s) EPA ID Number

GAS SALE (Continued)

U004118626

AU DALL (UDININGUA)	
	 F04 - Pipe External Protection - Fiberglass C02 - Pipe Location - Underground/On-ground J01 - Dispenser - Pressurized Dispenser E04 - Piping Secondary Containment - Double walled UG I03 - Overfill - Automatic Shut-Off H01 - Tank Leak Detection - Interstitial - Electronic Monitoring A00 - Tank Internal Protection - None K01 - Spill Prevention - Catch Basin D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP) I02 - Overfill - High Level Alarm B04 - Tank External Protection - Fiberglass G04 - Tank Secondary Containment - Double-Walled (Underground)
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	10B 272806 In Service In Service 5000 04/28/2017 Not reported True Underground Equivalent technology - Not reported Not reported Not reported DAFRANCI 09/25/2017
Equipment Records:	 C02 - Pipe Location - Underground/On-ground F04 - Pipe External Protection - Fiberglass L01 - Piping Leak Detection - Interstitial - Electronic Monitoring E04 - Piping Secondary Containment - Double walled UG J01 - Dispenser - Pressurized Dispenser B04 - Tank External Protection - Fiberglass D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP) I02 - Overfill - High Level Alarm K01 - Spill Prevention - Catch Basin A00 - Tank Internal Protection - Interstitial - Electronic Monitoring I03 - Overfill - Automatic Shut-Off L07 - Piping Leak Detection - Pressurized Piping Leak Detector G04 - Tank Secondary Containment - Double-Walled (Underground) H05 - Tank Leak Detection - In-Tank System (ATG)
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered:	9 272804 In Service In Service 10000 04/28/2017 Not reported True

Tank Location:

Database(s)

EDR ID Number EPA ID Number

GAS SALE (Continued) U004118626 Tank Type: Equivalent technology Tightness Test Method: Date Test: Not reported Next Test Date: Not reported Pipe Model: Not reported DAFRANCI Modified By: Last Modified: 09/25/2017 Equipment Records: C02 - Pipe Location - Underground/On-ground F04 - Pipe External Protection - Fiberglass L01 - Piping Leak Detection - Interstitial - Electronic Monitoring E04 - Piping Secondary Containment - Double walled UG J01 - Dispenser - Pressurized Dispenser B04 - Tank External Protection - Fiberglass D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP) 102 - Overfill - High Level Alarm K01 - Spill Prevention - Catch Basin L07 - Piping Leak Detection - Pressurized Piping Leak Detector A00 - Tank Internal Protection - None H01 - Tank Leak Detection - Interstitial - Electronic Monitoring 103 - Overfill - Automatic Shut-Off G04 - Tank Secondary Containment - Double-Walled (Underground) H05 - Tank Leak Detection - In-Tank System (ATG) AST: Region: STATE DEC Region: 2 Site Status: Active Facility Id: 2-339695 Program Type: PBS UTM X: 596340.62325 UTM Y: 4507701.34573 Expiration Date: 03/17/2023 **Retail Gasoline Sales** Site Type: Affiliation Records: Site Id: 16377 Affiliation Type: Facility Owner A.C. WOODHAVEN REALTY CORP. Company Name: Contact Type: GM Contact Name: MADELINE J.CROFFI Address1: 3499 EAST BAY COURT Address2: Not reported City: MERRICK State: NY 11566 Zip Code: Country Code: 001 (347) 236-6799 Phone: EMail: Not reported Fax Number: Not reported Modified By: DAFRANCI Date Last Modified: 2018-11-02 Site Id: 16377 Affiliation Type: Mail Contact Company Name: MADELINE J. CIOFFI Contact Type: Not reported

Database(s)

EDR ID Number **EPA ID Number**

GAS SALE (Continued)

City:

City:

City:

Contact Name: Not reported 68-27 WOODHAVEN BOULEVARD Address1: Address2: Not reported **REGO PARK** State: NY Zip Code: 11374 Country Code: 001 Phone: (347) 408-7426 EMail: ACWOODHAVEN@AOL.COM Fax Number: Not reported Modified By: **MSBAPTIS** Date Last Modified: 2014-06-18 Site Id: 16377 Facility Operator Affiliation Type: Company Name: GAS SALE Contact Type: Not reported Contact Name: MADELINE CIOFFI Address1: Not reported Address2: Not reported Not reported State: NN Zip Code: Not reported Country Code: 001 (718) 896-8008 Phone: EMail: Not reported Fax Number: Not reported Modified By: AYLAGATI Date Last Modified: 2017-02-01 Site Id: 16377 Affiliation Type: Emergency Contact Company Name: A.C. WOODHAVEN REALTY CORP Contact Type: Not reported MADELINE J.CROFFI Contact Name: Address1: Not reported Address2: Not reported Not reported State: NN Zip Code: Not reported Country Code: 999 Phone: (347) 408-7426 EMail: Not reported Not reported Fax Number: Modified By: HDDUPIGN Date Last Modified: 2016-02-23 Tank Info: Tank Number: 016 Tank Id: 31235 Material Code: 0001 Common Name of Substance: #2 Fuel Oil (On-Site Consumption) Equipment Records:

U004118626

G00 - Tank Secondary Containment - None

Map ID Direction		MAP FINDINGS	
Distance	Site		Database(s)
	GAS SALE (Continued)		
		J02 - Dispenser - Suction Dispenser	
		B00 - Tank External Protection - None	
		C00 - Pipe Location - No Piping	
		D02 - Pipe Type - Galvanized Steel	
		F00 - Pipe External Protection - None	
		H00 - Tank Leak Detection - None I00 - Overfill - None	
		A00 - Tank Internal Protection - None	
	Tank Location:	Aboveground in subterranean vault with access	s for inspections
		Tank in subterranean vault but accessible for in	-
	Tank Type:	Steel/Carbon Steel/Iron	
	Tank Status:	Closed - Removed	
	Pipe Model:	Not reported	
	Install Date:	04/01/1994	
	Capacity Gallons:	550	
	Tightness Test Method:	NN	
	Date Test:	Not reported	
	Next Test Date:	Not reported	
	Date Tank Closed:	08/01/1996	
	Register:		
	Modified By: Last Modified	TRANSLAT	
	Material Name:	04/14/2017 #2 fuel oil (on-site consumption)	
	Wateriai Name.		

ſſ

C10 MOBIL EDR Hist Auto 1021266120 6827 WOODHAVEN BLVD South N/A REGO PARK, NY 11374 < 1/8 0.048 mi. 255 ft. Site 2 of 7 in cluster C Relative: EDR Hist Auto Higher Type: Year: Name: Actual: 1980 WOODHAVEN SERVICE CENTER Gasoline Service Stations 57 ft. 1982 WOODHAVEN SERVICE CENTER **Gasoline Service Stations** 1983 WOODHAVEN SERVICE CENTER Gasoline Service Stations 2010 MOBIL Gasoline Service Stations, NEC MOBIL Gasoline Service Stations, NEC 2011 2012 MOBIL Gasoline Service Stations, NEC 2013 MOBIL Gasoline Service Stations, NEC

C11	SUNOCO SERVICE STATIO	N	RCRA NonGen / NLR	1000328856
South	68-27 WOODHAVEN BLVD		FINDS	NYD000707323
< 1/8	FOREST HILLS, NY 11374		ECHO	
0.048 mi.	, -			
255 ft.	Site 3 of 7 in cluster C			
Deletive				
Relative:	RCRA NonGen / NLR:			
Higher	Date form received by a	igency:01/01/2007		
Actual:	Facility name:	SUNOCO SERVICE STATION		
57 ft.	Facility address:	68-27 WOODHAVEN BLVD		
		FOREST HILLS, NY 11374		
	EPA ID:	NYD000707323		
	Mailing address:	WOODHAVEN BLVD		

FOREST HILLS, NY 11374

Not reported

Contact:

EDR ID Number

EPA ID Number

Database(s)

EDR ID Number EPA ID Number

Contact address:	WOODHAVEN BLVD	
	FOREST HILLS, NY 11374	
Contact country:	US National state	
Contact telephone:	Not reported	
Contact email:	Not reported	
EPA Region: Classification:	02 Non-Generator	
Description:	Handler: Non-Generators do not presently generate hazardous waste	
Description.	Tranuler. Non-Generators do not presently generate nazardous waste	
Owner/Operator Summary:		
Owner/operator name:	SUN OIL COMPANY OF PENNSYLVANIA	
Owner/operator address:	NOT REQUIRED	
	NOT REQUIRED, WY 99999	
Owner/operator country:	US	
Owner/operator telephone:	212-555-1212	
Owner/operator email:	Not reported	
Owner/operator fax:	Not reported	
Owner/operator extension:	Not reported	
Legal status:	Private	
Owner/Operator Type:	Operator	
Owner/Op start date:	Not reported	
Owner/Op end date:	Not reported	
Owner/operator name:	SUN OIL COMPANY OF PENNSYLVANIA	
Owner/operator address:	NOT REQUIRED	
	NOT REQUIRED, WY 99999	
Owner/operator country:	US	
Owner/operator telephone:	212-555-1212	
Owner/operator email:	Not reported	
Owner/operator fax:	Not reported	
Owner/operator extension:	Not reported	
Legal status:	Private	
Owner/Operator Type:	Owner	
Owner/Op start date:	Not reported	
Owner/Op end date:	Not reported	
Handler Activities Summary:		
U.S. importer of hazardous wa	aste: No	
Mixed waste (haz. and radioad		
Recycler of hazardous waste:	No	
Transporter of hazardous was	te: No	
Treater, storer or disposer of H	łW: No	
Underground injection activity:	No	
On-site burner exemption:	No	
Furnace exemption:	No	
Used oil fuel burner:	No	
Used oil processor:	No	
User oil refiner:	No	
Used oil fuel marketer to burne	er: No	
Used oil Specification markete	r: No	
Used oil transfer facility:	No	
Used oil transporter:	No	

Database(s)

EDR ID Number EPA ID Number

	SUNOCO SERVICE STATION (Continued)	1000328856
	Classification:	Not a generator, verified	
	Date form received by agen Site name: Classification:	cy:07/08/1999 SUNOCO SERVICE STATION Not a generator, verified	
	Date form received by agen Site name: Classification:	cy:08/18/1980 SUNOCO SERVICE STATION Large Quantity Generator	
	. Waste code: . Waste name:	D000 Not Defined	
	. Waste code: . Waste name:	D001 IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH H LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFET WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DIST MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONI WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS W	PENSKY-MARTENS ETERMINING THE Y DATA SHEET, RIBUTOR OF THE Y USED SOLVENT
	Violation Status: FINDS:	No violations found	
	Registry ID:	110006443410	
	Conserva events ar and treat, program	is a national information system that supports the Resource tion and Recovery Act (RCRA) program through the tracking of id activities related to facilities that generate, transport, store, or dispose of hazardous waste. RCRAInfo allows RCRA staff to track the notification, permit, compliance, and e action activities required under RCRA.	
		hyperlink while viewing on your computer to access FINDS: detail in the EDR Site Report.	
	ECHO: Envid: Registry ID: DFR URL:	1000328856 110006443410 http://echo.epa.gov/detailed-facility-report?fid=110006443410)
C12 South < 1/8 0.049 mi.	MOBIL OIL CORP 68-29 WOODHAVEN BLVD REGO PARK, NY 11374	RCRA NonGen / NL US AIF NY MANIFES	RS NYD986906345
260 ft.	Site 4 of 7 in cluster C		
Relative: Higher Actual: 57 ft.	RCRA NonGen / NLR: Date form received by agen Facility name: Facility address:	MOBIL OIL CORP 68-29 WOODHAVEN BLVD REGO PARK, NY 11374	
	EPA ID: Mailing address:	NYD986906345 DOUGHTY BLVD	

Used oil transporter:

No

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

MOBIL OIL CORP (Continued) 1000446399 **INWOOD, NY 11696** Contact: Not reported DOUGHTY BLVD Contact address: INWOOD, NY 11696 Contact country: US Contact telephone: Not reported Contact email: Not reported EPA Region: 02 Classification: Non-Generator Description: Handler: Non-Generators do not presently generate hazardous waste Owner/Operator Summary: MOBIL OIL CORP Owner/operator name: Owner/operator address: NOT REQUIRED NOT REQUIRED, WY 99999 Owner/operator country: US Owner/operator telephone: 212-555-1212 Owner/operator email: Not reported Owner/operator fax: Not reported Owner/operator extension: Not reported Legal status: Private Owner/Operator Type: Operator Owner/Op start date: Not reported Owner/Op end date: Not reported Owner/operator name: MOBIL OIL CORP Owner/operator address: NOT REQUIRED NOT REQUIRED, WY 99999 Owner/operator country: US 212-555-1212 Owner/operator telephone: Owner/operator email: Not reported Owner/operator fax: Not reported Owner/operator extension: Not reported Legal status: Private Owner/Operator Type: Owner Owner/Op start date: Not reported Owner/Op end date: Not reported Handler Activities Summary: U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No

Database(s)

EDR ID Number EPA ID Number

MOBIL OIL CORP (Continued)		1000446399
Historical Generators:		
Date form received by agency	01/01/2006	
Site name:	MOBIL OIL CORP	
Classification:	Not a generator, verified	
Date form received by agency	04/19/1995	
Site name:	MOBIL OIL CORP	
Classification:	Not a generator, verified	
Date form received by agency	07/12/1990	
Site name:	MOBIL OIL CORP	
Classification:	Small Quantity Generator	
. Waste code:	D001	
. Waste name:	IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH H	AVE A FLASHPOINT OF
	LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A P	'ENSKY-MARTENS
	CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DE	TERMINING THE
	FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFET	Y DATA SHEET,
	WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DIST	RIBUTOR OF THE
	MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONL	Y USED SOLVENT
	WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WA	ASTE.
Violation Status:	No violations found	
US AIRS MINOR:		
Envid:	1000446399	
Region Code:	02	
Programmatic ID:	AIR NY000002630600046	
Facility Registry ID:	110019346091	
D and B Number:	Not reported	
Primary SIC Code:	5541	
NAICS Code:	999999	
Default Air Classification Code		
Facility Type of Ownership Co		
Air CMS Category Code:	Not reported	
HPV Status:	Not reported	
US AIRS MINOR:		
Region Code:	02	
Programmatic ID:	AIR NY000002630600046	
Facility Registry ID:	110019346091	
Air Operating Status Code:	OPR	
Default Air Classification Code		his st. Air Quality Ctar danda
Air Program:	State Implementation Plan for National Primary and Secondary Amb 1988-04-13 00:00:00	Sient Air Quality Standards
Activity Date: Activity Status Date:		
Activity Group:	Not reported Compliance Monitoring	
Activity Type:	Inspection/Evaluation	
Activity Status:	Not reported	
Activity Otatus.	Notreported	
US AIRS MINOR:	4000446200	
Envid:	1000446399	
Region Code:	02 AUD NIX0000002620600046	
Programmatic ID:	AIR NY000002630600046	
Facility Registry ID:	110019346091	
D and B Number:	Not reported	

Database(s)

EDR ID Number EPA ID Number

MOBIL OIL CORP (Continued)

1000446399

Primary SIC Code: 5541 NAICS Code: 999999 Default Air Classification Code: MIN Facility Type of Ownership Code: POF Air CMS Category Code: Not reported HPV Status: Not reported US AIRS MINOR: Region Code: 02 Programmatic ID: AIR NY000002630600046 Facility Registry ID: 110019346091 OPR Air Operating Status Code: Default Air Classification Code: MIN Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards Activity Date: 1988-04-13 00:00:00 Activity Status Date: Not reported Activity Group: **Compliance Monitoring** Inspection/Evaluation Activity Type: Activity Status: Not reported NY MANIFEST: Country: USA EPA ID: NYD986906345 Facility Status: Not reported Location Address 1: 68-29 WOODHAVEN BOULEVARD Code: BP Location Address 2: Not reported Total Tanks: Not reported Location City: **REGO PARK** Location State: NY Location Zip: 11374 Location Zip 4: Not reported NY MANIFEST: EPAID: NYD986906345 Mailing Name: MOBIL OIL CORPORATION Mailing Contact: MOBIL OIL CORPORATION Mailing Address 1: 464 DOUGHTY BOULEVARD Mailing Address 2: Not reported Mailing City: INWOOD Mailing State: NY Mailing Zip: 11696 Mailing Zip 4: Not reported Mailing Country: USA 000000000 Mailing Phone: NY MANIFEST: Document ID: NYA8318736 Manifest Status: Κ Not reported seq: Year: 1990 Trans1 State ID: MK8837 Trans2 State ID:

MK8837 Not reported 07/14/1990 07/14/1990 / /

Generator Ship Date:

Trans1 Recv Date:

Trans2 Recv Date:

Map ID Direction Distance Elevation Site MAP FINDINGS

Database(s)

EDR ID Number **EPA ID Number**

1000446399

MOBIL OIL CORP (Continued)

Units:

TSD Site Recv Date: 07/16/1990 Part A Recv Date: 08/17/1990 Part B Recv Date: 08/17/1990 Generator EPA ID: NYD986906345 Trans1 EPA ID: NYD006801245 Trans2 EPA ID: Not reported TSDF ID 1: NYD082785429 TSDF ID 2: Not reported Manifest Tracking Number: Not reported Import Indicator: Not reported Export Indicator: Not reported Discr Quantity Indicator: Not reported Discr Type Indicator: Not reported Discr Residue Indicator: Not reported Not reported Discr Partial Reject Indicator: Discr Full Reject Indicator: Not reported Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: Not reported Waste Code: D001 - NON-LISTED IGNITABLE WASTES Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Not reported Waste Code: Waste Code: Not reported Quantity: 00385 G - Gallons (liquids only)* (8.3 pounds) Number of Containers: 007 Container Type: DM - Metal drums, barrels L Landfill. Handling Method: Specific Gravity: 100

> Click this hyperlink while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

C13 South < 1/8 0.049 mi. 260 ft.				EDR Hist Auto	1020149575 N/A
Relative: Higher	EDR Hist	Auto			
Actual:	Year:	Name:	Туре:		
57 ft.	1983	YELLOWSTONE SERVICE	Gasoline Service Stations		
	1985	YELLOWSTONE SERVICE	Gasoline Service Stations		
	1991	WOODHAVEN SERVICE STATION	Gasoline Service Stations		
	1992	WOODHAVEN SERVICE STATION	Gasoline Service Stations		
	1993	WOODHAVEN SERVICE STATION	Gasoline Service Stations		
	1994	WOODHAVEN SERVICE STATION	Gasoline Service Stations		
	1995	WOODHAVEN SERVICE STATION	Gasoline Service Stations		
	1996	WOODHAVEN SERVICE STATION	Gasoline Service Stations		
	1997	WOODHAVEN SERVICE STATION	Gasoline Service Stations		
	1998	WOODHAVEN SERVICE STATION	Gasoline Service Stations		
	1999	WOODHAVEN SERVICE STATION	Gasoline Service Stations		
	2000	WOODHAVEN SERVICE STATION	Gasoline Service Stations		

Database(s)

EDR ID Number EPA ID Number

C14 South < 1/8 0.049 mi.	FORMER EXXON STATION 68-29 WOODHAVEN BLVD REGO PARK, NY	NY	Y Spills	S119028038 N/A
0.049 mi. 260 ft. Relative: Higher Actual: 57 ft.	Site 6 of 7 in cluster C SPILLS: Spill Number/Closed Date: Facility ID: Facility Type: DER Facility ID: Site ID: DEC Region: Spill Cause: Spill Cause: Spill Class: SWIS: Spill Date: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Source: Spill Notifier: Cleanup Ceased: Cleanup Meets Std: Last Inspection: Recommended Penalty: UST Trust: Remediation Phase: Date Entered In Computer: Spiller Company: Spiller Company: Spiller Company: Contact Name: DEC Memo:	1608001 / 2018-08-06 1608001 ER 489603 535685 2 Unknown Not reported 4101 2016-11-16 HRPATEL Not reported 2016-11-16 Not reported Gasoline Station or other PBS Facility Other Not reported False Not reported False Not reported False 0 0 2016-11-16 2018-09-21 JOHN HERBIG FORMER EXXON STATION 68-29 49 WOODHAVEN BLVD 999 JOHN HERBIG "11/16/16-Hiralkumar Patel. alternate address: 68-27 to 68-49 Woodhaven Bivd PBS #: 2-339695 (68-27 Woodhaven Blvd), (68-29 Woodhaven Blvd PBS #: 2-339695, site 68-27 to following tanks: - twelve (12) 550 gal gasoline USTs, removed 1933 - one (1) 550 gal #2 oil AST in vault, removed in May 1994 - one 4,000 gal diesel UST, in-service, installed in May 1994 - one 4,000 gal diesel UST, in-service, installed in May 1994 - one 4,000 gal gasoline USTs, removed in May 1994 - one 4,000 gal gasoline USTs, in-service, installed in May 1994 - one 4,000 gal gasoline USTs, in-service, installed in May 1994 - one 4,000 gal gasoline USTs, in-service, installed in May 1994 - one 4,000 gal gasoline USTs, in-service, installed in May 1994 - one 4,000 gal gasoline USTs, converted to non-regulated use - one (1) 1,000 g other product UST, converted to non-regulated use - one (1) 1 waste oil UST, removed in Nov. 2000 - one (1) 8,000 gal gasoline USTs, removed Nov. 2000 - one (1) 1,000 gal used oil (heating, on-site consumption), removed in Nov. 2000 - four (4) 550 gal empty removed oin Nov. 2000 - two (2) 6,000 gal gasoline USTs, removed Nov. 2000 - one (1) 1,000 gal used oil (heating, on-site consumption), removed in Nov. 2000 - four (4) 550 gal empty removed oin Nov. 2000 - two (2) 6,000 gal gasoline USTs, removed in Nov. 2000 - four (4) 250 gal empty removed oin Nov. 2000 - four (4) 250 gal empty removed oin Nov. 2000 - four (4) 250 gal empty removed oin Nov. 2000 - four (4) 250 gal empty removed oin Nov. 2000 - four (4) 250 gal empty removed oin Nov. 2000 - four (4) 250 gal empty removed oin Nov. 2000 - four (4) 250 gal empty removed oin Nov. 2000	, 2-157163 has/had d in Jul. 996 - ne (1) (4) 1994 as 0) 4,000 gal 1,000 oline USTs, noved in 7 USTs, , 0610449 ed sometime PM:- spoke years	as ne
		structure near intersection of Woodhaven Blvd and Yellowstor	ne Blvd,	

FORMER EXXON STATION (Continued)

S119028038

crew found a concrete slab at approx. 6 ft bg and noted some contamination around it. they collected soil samples from excavation sidewalls and results show presence of petroleum contamination. John mentioned that ConEd reported presence of gasoline contamination in ground during manhole expansion project in 2006 (spill #: 0610449). as per caller's remarks, gasoline contamination was found in excavation on Yellowstone Blvd., 75 ft east of Woodheaven Blvd. spill #: 0610449 was administratively closed and merged with open spill case at that time (spill #: 8909755). asked John to submit lab results, site sketch with sampling locations and property owner's contact info. as per discussion with John, contamination has found in former lot #2. John Herbig Impact Environmental Ph. (631) 269-8800 Ext 104 (631) 774-5597 (C) Fax (631) 269-1599 email: jherbig@impactenvironmental.com 3:03 PM:- received email from John including lab report. as per lab report, five soil samples were analyzed for VOCs and SVOCs. soil analyticals (ug/kg): -----SP-1-----SP-2-----SP-3-----SP-4----SP -5 Benzene---43 Toluene-----900 Ethylbenzene-----590----39, 000 Xvlene------978-----930----248. 000 1,2,4-Trimethylbenzene----39,000----39,000-----690-----410---120, 000 1,3,5-Trimethylbenzene----15,000----13,000-----40------38, 000 Naphthalene-----9,800----11,000-----5,700-----490-----9,800----14, 000 11/17/16-Hiralkumar Patel. 12:28 PM:- spoke with Larry at High Point Engineering. Larry confirmed that former lot #2 has been merged into lot # 8. currently, the site has one car wash and one gas station on northern end; and a vacant area on southern end. the southern vacant lot is being redeveloped as a gas station. Larry confirmed that new gasoline tanks have already been installed and there was no contamination found in new gas tank area. he stated that contamination has found in southern tip of the lot where they are planning to install drywells. informed Larry that the department requires further delineation/remediation prior to installing a new dry well. 68-49 Woodhaven Blvd. Holding Corp. **property owner** 3499 East Bay Court Merrick, NY 11566 Attn.: Adelmo Cioffi Pn. (516) 777-4320 (516) 238-2103 (C) email: acwoodhaven@aol.com 12:38 PM:spoke with John. he mentioned that two new 10,000 gal gasoline tanks have been installed, they dug down to about 14 ft bg to install new gasoline tanks. footings for new canopy and dispenser islands have also been installed. John confirmed that no contamination was found during installation of new tanks or installation of footings. as part of new drywell construction, they excavated area in southern tip to a depth of approx. 14 ft bg and collected samples which show contamination. informed John that the department requires further delineation/remediation at the site. asked John to submit site map with location of new gas tanks, dispensers, excavation for new drywells and endpoint sample locations (with depth). 1:46 PM:- sent letter to Mr. Cioffi requiring delineation of contamination and collection of endpoint samples. asked him to submit report by the end of 01/16/17. letter emailed to Mr. Cioffi and John. case assigned to DEC Omar. 11/22/2016: Rashad Received email from John with site map

EDR ID Number Database(s) EPA ID Number

FORMER EXXON STATION (Continued)

of soil samples, it has been uploaded to D2. They will complete soil removal today and collect endpoint samples in area of contaminated soil. 11/28/2016: Rashad Spoke to John from Impact Environmental, they have over excavated to structural limits and collected 6 bottom end point samples(which have low PID readings 2-3ppm) as well as sidewall samples which still exhibit some contamination. These sidewalls cannot be excavated further due to structural limitations. John indicated that this area will not be redeveloped and will be backfilled and most likely a solid surface will be applied. John wanted approval to backfill prior to receiving sampling results. I approved backfill as excavation has reached structural max and no sensitive redevelopment plans will be made above potentially impacted area. John sent email: Rashad, per our discussion we have completed over-excavation measures in all directions to all extents feasible. We will proceed with backfilling the excavation and installing the new drainage structures. I have confirmed there will be no building(s) on the portion of the site of our excavation activities therefore vapor intrusion is a non-factor. Attached are the Field Notes with PID Readings from 11.22.16, the proposed drainage plans and the endpoint sample location plan from 11.8.16. I will forward the laboratory analysis for the samples collected 11.22.16 upon receipt along with transportation & disposal manifests and scale tickets for all soil removed from the site. Please don t hesitate to contact me if there is anything further you would like to see. 12/1/2016: Rashad Received email from John: Rashad, please find the lab reports attached as well as the field sketch. As expected we have detections on the sidewall samples and to lesser extents on the bottom endpoint samples. We II be putting together a detailed map and report together within the next two weeks or so. Thanks again, please contact me anytime with any questions and speak with you soon Analytical sample results were attached to email and uploaded to D2. Sample results are as follows: SW-1 (12ft): None over limit SW-3 (12ft): None over limit SW-4 (3ft): xylene-630ppb SW-5 (3ft): None over limit SW-6 (6ft): None over limit SW-7 (10ft): 1,2,4 Trimethylbenzene-12,000ppb, ethylbenzene-1400ppb, xylene-10,800ppb SW-8 (12ft): benzo(k)fluoranthene-1200ppb, chrysene-1900ppb, indeno(1,2,3-cd)pyrene-1100ppb SW-10 (12ft): various SVOCs SW-12 (12ft): None over limit EP-1 (20ft): None over limit EP-3 (20ft): None over limit EP-4 (20ft): ND EP-6 (20ft): ND 1/13/2017 Austin This spill report is being transferred from Rashad Omar to Pratik Lakhani end. 01/18/17-Hiralkumar Patel. 10:14 AM:- received email from John requesting comment on proposal for installation of one inch monitoring well on sidewalk. 10:35 AM:- left message for John. 3:08 PM:- received call from John. he mentioned that the area where they found subsurface contamination was used by ExxonMobil in past and during excavation for drainage system, they found concrete pad for old tanks at the site and contamination underneath the pad. based on this, the property owner believes that contamination exists in southern side of the site is a results of historical operation by ExxonMobil. prior to beginning a gas dispensing operation on southern end of the site, the owner wants to establish a baseline of any petroleum impact to groundwater due to historical operation at the site. the owner is planning to install four (4) 1-inch monitoring wells around the southern tip of the site. John mentioned that after finding soil contamination, they dug down to approx. 23 ft bg and collected endpoint bottom samples which were found clean, groundwater at the site is approx. 40 ft bg. petroleum impact was noted in

S119028038

EDR ID Number Database(s) EPA ID Number

FORMER EXXON STATION (Continued)

sidewall samples collected at 6 ft bg underneath the sidewalk. informed John that the department has no objection in installing monitoring wells at the site. due to absence of petroleum impact at 23 ft bg and presence of petroleum contamination at 6 ft bg under the sidewalk, the contamination may have originated from historical piping at the site. as excavator available at the site and property owner is going to replace the sidewalk flags, suggested John to expand the existing excavation to remove remaining soil contamination under the sidewalk. John will discuss with property owner. asked John to send email with site sketch including location of proposed monitoring wells and schedule for further excavation, if agreed by the property owner. 02/07/17-Hiralkumar Patel. 3:10 PM:- received call from John. he mentioned that property owner is planning not to excavate remaining contamination under the sidewalk and to install monitoring well on sidewalk to find out groundwater quality prior to starting gas dispensing operations. 3:14 PM:- spoke with Mr. Cioffi and recommended him removal of remaining contaminated soil as needed equipments are available at the site. Mr. Cioffi agreed with the recommendation and will discuss with John. case reassigned from DEC Lakahni to DEC Patel. 03/07/17-Hiralkumar Patel. 3:03 PM:- sent email to John inquiring update on removal of remaining petroleum contaminated soil from underneath the sidewalk. email copied to Mr. Cioffi. 3:12 PM:- received email from John. he mentioned that a meeting has been scheduled on 03/15/17 with the owner and owner's attorney and he will send update after the meeting. 04/04/17-Hiralkumar Patel. 11:48 AM:- spoke with John. he mentioned that owner has decided to install monitoring wells for baseline assessment and not planning to excavate remaining contamination from beneath the sidewalk. asked John to submit report for work done to date. informed him that the department may require additional delineation/remediation. 06/13/17-Hiralkumar Patel. received email from John (at 10:23 AM on 06/12/17) including link to remedial excavation report. report includes details about excavation for installation of new gasoline tanks (area A1), new dispenser canopy (area A2) and storm water drainage structure (area A3). backfill material was found in excavation in area A1 and A2. endpoint samples were not collected from areas A1 and A2. petroleum contaminated soil was noted during excavation in area A3. on 11/08/16, five endpoint samples were collected from area A3: four endpoint sidewall samples (SP-1 through SP-4) from 12 ft bg and one endpoint bottom sample (SP-5) from 15 ft bg. petroleum VOCs were found in all five samples (results listed above). based on sample results, area A3 was over excavated. the final excavation was measured 49 ft long by 28 ft wide at grade, with a depth of approx. 14 ft bg on sides and 18 ft bg in the center. the excavation was limited by the presence of the sidewalks along both Woodhaven Blvd to the west and the converging Yellowstone Blvd to the east, groundwater was not found in excavation. on 11/22/16, total of thirteen (13) endpoint samples were collected from final excavation: nine endpoint sidewall samples (SW-1, SW-3 through SW-8, SW-10 and SW12) and four endpoint bottom samples (EP-1, EP-3, EP-4 and EP-6). endpoint bottom samples were collected at 20 ft bg. endpoint sidewall samples were collected mostly at 12 ft bg, except SW-4 (3 ft bg), SW-5 (3 ft bg), SW-6 (6 ft bg) and SW-7 (10 ft bg). maximum PID readings from bottom samples ranged from 2.3 ppb to 11.8 ppb. maximum PID readings for the sidewall samples ranged from 10.2 ppb to 183.10 ppb, petroleum VOCs were detected in sidewall samples SW-4 and SW-7. sample analyticals

S119028038

EDR ID Number Database(s) EPA ID Number

FORMER EXXON STATION (Continued)

S119028038

ntint	ied)	5115
	(in ppb):SW-4SW-7 3 ft 10 ft	
	Ethylbenzene1,400	
	Xylene63010,800	
	1,2,4-Trimethylbenzene12,000	
	1,3,5-Trimethylbenzene4,400 Impact Env. recommends	
	three (3) permanent groundwater monitoring wells be installed at the	
	site in order to provide baseline for groundwater condition, prior to	
	the activation of the newly installed gasoline tank system.	
	11/07/17-Hiralkumar Patel. 2:56 PM:- sent email to John and inquired	
	him about installation of proposed wells to establish baseline for	
	groundwater condition. email copied to Mr. Cioffi.	
	11/08/17-Hiralkumar Patel. received email from John (at 5:44 PM on	
	11/07/17). he mentioned that wells have been installed and sampled	
	and they are working on report. John will submit report soon.	
	12/05/17-Hiralkumar Patel. 12:03 PM:- received email from Donlad	
	Peters (dpeters@impactenvironmental.com) from Impact Env. including	
	well installation report. summary: - advanced three (3) 2-in drill	
	and drop monitoring wells (MW-1 through MW-3) - wells were installed	
	to a depth of approx. 40 ft bg - wells were constructed of 35 ft of screen - water table was encountered at depths between 26.34 ft and	
	27.47 ft - no measureable product observed in wells - site specific	
	groundwater flow direction is to the east-northeast - no	
	contamination found in groundwater samples from MW-2 and MW-3 - mi	nor
	VOC exceedance (333 ppb total BTEX) noted in groundwater sample fro	
	well MW-1 which is in down-gradient location as per the report, soil	
	was not screened during installation of three wells.	
	12/12/17-Hiralkuamar Patel. 2:24 PM:- spoke with Juliana and Donald	
	at Impact. informed them that based on site's historical use, results	
	of endpoint soil samples, absence of soil screening/sampling data	
	during well installation and presence of contamination in down	
	gradient well, the Department requires another round of groundwater	
	sampling/analysis to confirm groundwater quality at the site. Impact	
	will sample wells soon. Juliana de la Fuente Impact Environmental Ph.	
	(631) 269-8800 email: Jdelafuente@impactenvironmental.com	
	12/19/17-Hiralkumar Patel. 10:55 AM:- received email from Donald. he	
	mentioned that groundwater sampling will be conducted in spring of	
	2018. 07/20/18-Hiralkumar Patel. 1:15 PM:- received email from	
	Stephanie including groundwater sampling/closure request report. three wells (MW-1 through MW-3) were sampled on 02/15/18. minor VO	~
	contamination (max. 305 ppb total BTEX, with max. 140 ppb	5
	Ethylbenzene) was detected in MW-1 only. 08/06/18-Hiralkumar Patel.	
	based on review of available information (removal of heavily impacted	
	soil, no contamination in endpoint bottom samples, some contamination	
	in sidewall samples beneath sidewalk, minor detection of	
	contamination in groundwater samples, no planned redevelopment, and	
	site's continuous commercial use as a gasoline filling station), no	
	further investigation/remediation is needed and case is closed. 2:02	
	PM:- sent spill closure letter to Mr. Cioffi. letter emailed to Mr.	
	Cioffi and Stephanie. 09/21/18-Hiralkumar Patel. 11:49 AM:- received	
	email from Diana Posten from Impact Env. including well abandonment	
	letter."	
	"FOUND DURING EXCAVATION. Spills #89-09755 and #06-10449"	

Remarks:

All Materials: Site ID: Operable Unit ID: Operable Unit: Material ID:

Database(s)

EDR ID Number EPA ID Number

FORMER EXXON STATION (Continued)

Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported
Site ID:	535685
Operable Unit ID:	1284368
Operable Unit:	01
Material ID:	2289884
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

S119028038

838909 Α

C15 South < 1/8 0.049 mi.	FORMER MOBIL SERVICE STATION 68-29 WOODHAVEN BOULEVARD REGO PARK, NY 11374		NY UST	U0018 N/A
0.049 mi. 260 ft.	Site 7 of 7 in cluster C			
Relative: Higher Actual: 57 ft.	UST: Id/Status: Program Type: Region: DEC Region: Expiration Date: UTM X: UTM Y: Site Type: Affiliation Records: Site Id: Affiliation Type: Company Name:	2-157163 / Unregulated/Closed PBS STATE 2 N/A 596252.43706 4509221.21116 Retail Gasoline Sales 5189 Facility Owner EXXONMOBIL OIL CORP		
	Contact Type: Contact Name: Address1: Address2: City: State: Zip Code: Country Code: Phone: EMail: Fax Number: Modified By: Date Last Modified:	Not reported Not reported 464 DOUGHTY BOULEVARD Not reported INWOOD NY 11096 001 (516) 371-1323 Not reported Not reported TRANSLAT 2004-03-04		
	Site Id:	5189		

Database(s)

EDR ID Number EPA ID Number

FORMER MOBIL SERVICE STATION (Continued)

Affiliation Type: Mail Contact EXXONMOBIL CORPORATION Company Name: Contact Type: Not reported Contact Name: ANDY W. JONES 464 DOUGHTY BOULEVARD Address1: Address2: Not reported INWOOD City: NY State: Zip Code: 11096 Country Code: 001 Phone: (516) 371-1323 EMail: Not reported Not reported Fax Number: Modified By: TRANSLAT Date Last Modified: 2004-03-04 Site Id: 5189 Facility Operator Affiliation Type: FORMER MOBIL SERVICE STATION Company Name: Contact Type: Not reported Contact Name: FACILITY INACTIVE Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 001 Phone: Not reported EMail: Not reported Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 2004-03-04 Site Id: 5189 **Emergency Contact** Affiliation Type: Company Name: EXXONMOBIL OIL CORP Contact Type: Not reported FACILITY INACTIVE Contact Name: Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 001 Phone: Not reported EMail: Not reported Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 2004-03-04 Tank Info: Tank Number: 001 Tank ID: 76848 Tank Status: Closed - Removed Material Name: Closed - Removed

550

Capacity Gallons:

Database(s)

EDR ID Number EPA ID Number

FORMER MOBIL SERVICE STATION (Continued)

Install Date: Not reported Date Tank Closed: Not reported Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 0000 Common Name of Substance: Empty Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Pipe Model: Not reported TRANSLAT Modified By: Last Modified: 04/14/2017 Equipment Records: G00 - Tank Secondary Containment - None F00 - Pipe External Protection - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping A00 - Tank Internal Protection - None D00 - Pipe Type - No Piping H00 - Tank Leak Detection - None 100 - Overfill - None Tank Number: 001-A Tank ID: 76849 Tank Status: Closed Prior to Micro Conversion, 03/91 Material Name: Closed Prior to Micro Conversion, 03/91 4000 Capacity Gallons: 12/01/1973 Install Date: Date Tank Closed: Not reported Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 0009 Common Name of Substance: Gasoline NN Tightness Test Method: Date Test: Not reported Next Test Date: Not reported Pipe Model: Not reported TRANSLAT Modified By: Last Modified: 04/14/2017 Equipment Records: G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser H00 - Tank Leak Detection - None 100 - Overfill - None **B00 - Tank External Protection - None** C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None A00 - Tank Internal Protection - None

Database(s)

EDR ID Number EPA ID Number

FORMER MOBIL SERVICE STATION (Continued)

002 Tank Number: 76855 Tank ID: Tank Status: Closed - Removed Material Name: Closed - Removed Capacity Gallons: 550 Install Date: Not reported Date Tank Closed: Not reported Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 0000 Common Name of Substance: Empty Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Not reported Pipe Model: TRANSLAT Modified By: Last Modified: 04/14/2017 Equipment Records: G00 - Tank Secondary Containment - None D00 - Pipe Type - No Piping H00 - Tank Leak Detection - None 100 - Overfill - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping F00 - Pipe External Protection - None A00 - Tank Internal Protection - None Tank Number: 002-A Tank ID: 76856 Tank Status: Closed Prior to Micro Conversion, 03/91 Material Name: Closed Prior to Micro Conversion, 03/91 Capacity Gallons: 4000 Install Date: 12/01/1973 Date Tank Closed: Not reported Registered: True Tank Location: Underground Steel/carbon steel Tank Type: 0009 Material Code: Common Name of Substance: Gasoline Tightness Test Method: NN Date Test: Not reported Not reported Next Test Date: Pipe Model: Not reported Modified By: TRANSLAT Last Modified: 04/14/2017 Equipment Records: B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None A00 - Tank Internal Protection - None G00 - Tank Secondary Containment - None

Database(s)

EDR ID Number EPA ID Number

FORMER MOBIL SERVICE STATION (Continued)

J02 - Dispenser - Suction Dispenser H00 - Tank Leak Detection - None I00 - Overfill - None

Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	003 76857 Closed - Removed Closed - Removed 550 Not reported Not reported True Underground Steel/carbon steel 0000 Empty
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	G00 - Tank Secondary Containment - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping F00 - Pipe External Protection - None D00 - Pipe Type - No Piping A00 - Tank Internal Protection - None H00 - Tank Leak Detection - None I00 - Overfill - None
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	003-A 76871 Closed Prior to Micro Conversion, 03/91 Closed Prior to Micro Conversion, 03/91 4000 12/01/1973 Not reported True Underground Steel/carbon steel 0009 Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified: Equipment Records:	NN Not reported Not reported TRANSLAT 04/14/2017
	A00 - Tank Internal Protection - None

Database(s)

EDR ID Number EPA ID Number

FORMER MOBIL SERVICE STATION (Continued)

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser

JU2 - Dispenser - Suction Dispenser

004 Tank Number: Tank ID: 76873 Closed - Removed Tank Status: Material Name: Closed - Removed Capacity Gallons: 550 Install Date: Not reported Date Tank Closed: Not reported Registered: True Tank Location: Underground Steel/carbon steel Tank Type: Material Code: 0000 Common Name of Substance: Empty Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Pipe Model: Not reported Modified By: TRANSLAT Last Modified: 04/14/2017 Equipment Records: B00 - Tank External Protection - None C00 - Pipe Location - No Piping F00 - Pipe External Protection - None D00 - Pipe Type - No Piping A00 - Tank Internal Protection - None G00 - Tank Secondary Containment - None H00 - Tank Leak Detection - None 100 - Overfill - None Tank Number: 004-A Tank ID: 76874 Tank Status: Closed Prior to Micro Conversion, 03/91 Material Name: Closed Prior to Micro Conversion, 03/91 Capacity Gallons: 4000 Install Date: 12/01/1973 Date Tank Closed: Not reported Registered: True Underground Tank Location: Steel/carbon steel Tank Type: Material Code: 0009 Common Name of Substance: Gasoline Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported

Not reported

Pipe Model:

Database(s)

EDR ID Number EPA ID Number

FORMER MOBIL SERVICE STATION (Continued)

ORMER MOBIL SERVICE STATION	(Continued)
Modified By: Last Modified:	TRANSLAT 04/14/2017
Equipment Records:	A00 - Tank Internal Protection - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None H00 - Tank Leak Detection - None I00 - Overfill - None G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	005 27507 Closed Prior to Micro Conversion, 03/91 Closed Prior to Micro Conversion, 03/91 4000 12/01/1973 Not reported True Underground Steel/carbon steel 0009 Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	 B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None A00 - Tank Internal Protection - None G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser H00 - Tank Leak Detection - None I00 - Overfill - None
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code:	011 27508 Closed Prior to Micro Conversion, 03/91 Closed Prior to Micro Conversion, 03/91 4000 05/01/1989 Not reported True Underground Equivalent technology 0009

Database(s)

EDR ID Number EPA ID Number

U001838909

FORMER MOBIL SERVICE STATION (Continued)

Common Name of Substance:	Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	 H05 - Tank Leak Detection - In-Tank System (ATG) I04 - Overfill - Product Level Gauge (A/G) B00 - Tank External Protection - None C00 - Pipe Location - No Piping J01 - Dispenser - Pressurized Dispenser D00 - Pipe Type - No Piping F02 - Pipe External Protection - Original Sacrificial Anode A00 - Tank Internal Protection - None G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance: Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	012 27509 Closed Prior to Micro Conversion, 03/91 Closed Prior to Micro Conversion, 03/91 4000 05/01/1989 Not reported True Underground Equivalent technology 0009 Gasoline NN Not reported Not reported Not reported Not reported TRANSLAT 04/14/2017
Equipment Records: Tank Number: Tank ID:	 104 - Overfill - Product Level Gauge (A/G) G04 - Tank Secondary Containment - Double-Walled (Underground) H05 - Tank Leak Detection - In-Tank System (ATG) A00 - Tank Internal Protection - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping J01 - Dispenser - Pressurized Dispenser D00 - Pipe Type - No Piping F02 - Pipe External Protection - Original Sacrificial Anode
Tank Status: Material Name: Capacity Gallons:	Closed Prior to Micro Conversion, 03/91 Closed Prior to Micro Conversion, 03/91 4000

Database(s)

EDR ID Number EPA ID Number

U001838909

FORMER MOBIL SERVICE STATION (Continued)

Install Date: 05/01/1989 Date Tank Closed: Not reported Registered: True Tank Location: Underground Tank Type: Equivalent technology Material Code: 0009 Common Name of Substance: Gasoline Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Pipe Model: Not reported TRANSLAT Modified By: Last Modified: 04/14/2017 Equipment Records: H05 - Tank Leak Detection - In-Tank System (ATG) 104 - Overfill - Product Level Gauge (A/G) B00 - Tank External Protection - None C00 - Pipe Location - No Piping J01 - Dispenser - Pressurized Dispenser D00 - Pipe Type - No Piping F02 - Pipe External Protection - Original Sacrificial Anode A00 - Tank Internal Protection - None G04 - Tank Secondary Containment - Double-Walled (Underground) Tank Number: 014 Tank ID: 27511 Tank Status: Closed Prior to Micro Conversion, 03/91 Closed Prior to Micro Conversion, 03/91 Material Name: Capacity Gallons: 4000 Install Date: 05/01/1989 Date Tank Closed: Not reported Registered: True Tank Location: Underground Tank Type: Equivalent technology Material Code: 0009 Common Name of Substance: Gasoline NN Tightness Test Method: Date Test: Not reported Next Test Date: Not reported Pipe Model: Not reported Modified By: TRANSLAT Last Modified: 04/14/2017 Equipment Records: B00 - Tank External Protection - None C00 - Pipe Location - No Piping J01 - Dispenser - Pressurized Dispenser G04 - Tank Secondary Containment - Double-Walled (Underground) 104 - Overfill - Product Level Gauge (A/G) D00 - Pipe Type - No Piping F02 - Pipe External Protection - Original Sacrificial Anode A00 - Tank Internal Protection - None H05 - Tank Leak Detection - In-Tank System (ATG)

Database(s)

EDR ID Number EPA ID Number

FORMER MOBIL SERVICE STATION (Continued)

Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	015 27512 Closed Prior to Micro Conversion, 03/91 Closed Prior to Micro Conversion, 03/91 4000 05/01/1989 Not reported True Underground Equivalent technology 0009 Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	 104 - Overfill - Product Level Gauge (A/G) H05 - Tank Leak Detection - In-Tank System (ATG) G04 - Tank Secondary Containment - Double-Walled (Underground) B00 - Tank External Protection - None C00 - Pipe Location - No Piping J01 - Dispenser - Pressurized Dispenser A00 - Tank Internal Protection - None D00 - Pipe Type - No Piping F02 - Pipe External Protection - Original Sacrificial Anode
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	016 27513 Tank Converted to Non-Regulated Use Tank Converted to Non-Regulated Use 1000 05/01/1989 Not reported True Underground Equivalent technology 9999 Other
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	J01 - Dispenser - Pressurized Dispenser B00 - Tank External Protection - None C00 - Pipe Location - No Piping I04 - Overfill - Product Level Gauge (A/G) G04 - Tank Secondary Containment - Double-Walled (Underground)

Database(s) EPA

EDR ID Number EPA ID Number

FORMER MOBIL SERVICE STATION (Continued)

Tank Number: Tank ID:

Tank Status:

U001838909

D00 - Pipe Type - No Piping F02 - Pipe External Protection - Original Sacrificial Anode A00 - Tank Internal Protection - None H05 - Tank Leak Detection - In-Tank System (ATG) 017 27514 Closed - Removed Closed - Removed 1000 05/01/1989 11/17/2000

Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	Closed - Removed Closed - Removed 1000 05/01/1989 11/17/2000 True Underground Equivalent technology 2642 Used Oil (Heating, On-Site Consumption)
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	ZZ 01/01/1990 Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	 B00 - Tank External Protection - None D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None J01 - Dispenser - Pressurized Dispenser A00 - Tank Internal Protection - None H01 - Tank Leak Detection - Interstitial - Electronic Monitoring I01 - Overfill - Float Vent Valve C02 - Pipe Location - Underground/On-ground G00 - Tank Secondary Containment - None I02 - Overfill - High Level Alarm
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	018 27515 Closed - Removed Closed - Removed 6000 04/01/1990 11/17/2000 True Underground Equivalent technology 0009 Gasoline
Tightness Test Mathed	77

ZZ
01/01/1990
Not reported
Not reported
TRANSLAT
04/14/2017

Database(s)

EDR ID Number EPA ID Number

FORMER MOBIL SERVICE STATION (Continued)

Equipment Records: C02 - Pipe Location - Underground/On-ground F02 - Pipe External Protection - Original Sacrificial Anode B04 - Tank External Protection - Fiberglass D02 - Pipe Type - Galvanized Steel H04 - Tank Leak Detection - Groundwater Well J01 - Dispenser - Pressurized Dispenser A00 - Tank Internal Protection - None H01 - Tank Leak Detection - Interstitial - Electronic Monitoring 101 - Overfill - Float Vent Valve G07 - Tank Secondary Containment - Excavation Liner Tank Number: 019 Tank ID: 27516 Closed - Removed Tank Status: Closed - Removed Material Name: Capacity Gallons: 6000 Install Date: 04/01/1990 Date Tank Closed: 11/17/2000 Registered: True Tank Location: Underground Tank Type: Equivalent technology Material Code: 0009 Common Name of Substance: Gasoline Tightness Test Method: ΖZ Date Test: 01/01/1990 Next Test Date: Not reported Not reported Pipe Model: Modified By: TRANSLAT Last Modified: 04/14/2017 Equipment Records: C02 - Pipe Location - Underground/On-ground H04 - Tank Leak Detection - Groundwater Well J01 - Dispenser - Pressurized Dispenser D02 - Pipe Type - Galvanized Steel G07 - Tank Secondary Containment - Excavation Liner F02 - Pipe External Protection - Original Sacrificial Anode 101 - Overfill - Float Vent Valve H01 - Tank Leak Detection - Interstitial - Electronic Monitoring A00 - Tank Internal Protection - None B04 - Tank External Protection - Fiberglass Tank Number: 020 Tank ID: 27517 Closed - Removed Tank Status: Material Name: Closed - Removed Capacity Gallons: 8000 Install Date: 04/01/1990 Date Tank Closed: 11/17/2000 Registered: True Tank Location: Underground Tank Type: Equivalent technology Material Code: 0009

Database(s)

EDR ID Number EPA ID Number

U001838909

FORMER MOBIL SERVICE STATION (Continued)

Common Name of Substance:	Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	ZZ 01/01/1990 Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	 F02 - Pipe External Protection - Original Sacrificial Anode D02 - Pipe Type - Galvanized Steel H04 - Tank Leak Detection - Groundwater Well J01 - Dispenser - Pressurized Dispenser G07 - Tank Secondary Containment - Excavation Liner A00 - Tank Internal Protection - None H01 - Tank Leak Detection - Interstitial - Electronic Monitoring I01 - Overfill - Float Vent Valve C02 - Pipe Location - Underground/On-ground B04 - Tank External Protection - Fiberglass

Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	021 50633 Closed - Removed Closed - Removed 1000 04/01/1990 11/17/2000 True Underground Equivalent technology 0022 Waste Oil/Used Oil
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	 H05 - Tank Leak Detection - In-Tank System (ATG) C00 - Pipe Location - No Piping F00 - Pipe External Protection - None J00 - Dispenser - None D00 - Pipe Type - No Piping A00 - Tank Internal Protection - None H01 - Tank Leak Detection - Interstitial - Electronic Monitoring I01 - Overfill - Float Vent Valve B04 - Tank External Protection - Fiberglass G04 - Tank Secondary Containment - Double-Walled (Underground)

EDR ID Number EPA ID Number

D16 WNW < 1/8 0.057 mi.	FRANKS AMERICAN SERVICE STN 67-69 WOODHAVEN BLV REGO PARK, NY 11374				EDR Hist Auto	1020205875 N/A
303 ft.	Site 1 of 5 in c	cluster D				
Relative: Higher	EDR Hist Au	uto				
Actual: 57 ft.	1969 F 1970 F 1971 F 1972 F 1973 F 1974 F 1975 F 1983 F 1985 F 1986 F 1987 C 1994 C 2000 C 2001 C 2002 C 2003 C 2004 C 2005 C 2006 C 2007 C 2008 C 2009 C 2010 C 2011 C 2012 C 2013 C	Vame: FRANKS AMERICAN SE FRANKS	ERVICE STN ERVICE STN ERVICE STN ERVICE STN ERVICE STN ERVICE STN ERVICE STN ERVICE STN ERVICE STN ERVICE STATE RVICE STATE ERVICE STATE FATION	Type: Gasoline Service Stations Gasoline Service Stations		
D17 WNW < 1/8 0.057 mi. 303 ft.	AMOCO SERV 67-69 WOODH REGO PARK, Site 2 of 5 in c	NY 11375			NY UST	U000408051 N/A
Relative: Higher Actual: 57 ft.	UST: Id/Status: Program Region: DEC Reg Expiration UTM X: UTM Y: Site Type Affiliation Re Site Id:	Type: gion: n Date: e:	2-337730 / Unregulated/Closed PBS STATE 2 N/A 596047.74742 4508043.56803 Retail Gasoline Sales 16203			
	Affiliation Company Contact 1	y Name:	Facility Owner AMOCO OIL COMP Not reported	ANY, MORRIS CORPORATE CI	ENTER-BLDG. C	

Database(s)

EDR ID Number EPA ID Number

AMOCO SERVICE STATION 147 (Continued)

Contact Name: Not reported 300 INTERPACE PARKWAY Address1: Address2: Not reported City: PARSIPPANY State: NJ Zip Code: 08054-1177 Country Code: 001 Phone: (973) 331-7012 EMail: Not reported Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 2004-03-04 Site Id: 16203 Affiliation Type: Mail Contact Company Name: BP PRODUCTS NORTH AMERICA, INC. Contact Type: Not reported Contact Name: PAULA SKYJA 1 WEST PENNSYLVANIA AVE. Address1: Address2: SUITE 410 City: TOWSON State: MD Zip Code: 21204 Country Code: 001 Phone: (410) 847-1834 EMail: Not reported Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 2004-03-04 Site Id: 16203 Affiliation Type: Facility Operator AMOCO SERVICE STATION 147 Company Name: Not reported Contact Type: Contact Name: NA Address1: Not reported Address2: Not reported City: Not reported State: NN Not reported Zip Code: Country Code: 001 Phone: Not reported EMail: Not reported Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 2004-03-04 Site Id: 16203 Affiliation Type: **Emergency Contact** AMOCO OIL COMPANY, MORRIS CORPORATE CENTER-BLDG. C Company Name: Contact Type: Not reported PAULA SKYJA Contact Name: Not reported Address1: Address2: Not reported City: Not reported State: NN Zip Code: Not reported

Database(s)

EDR ID Number EPA ID Number

AMOCO SERVICE STATION 147 (Continued)

Country Code:	001
Phone:	(410) 847-1834
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank ID:	175046
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None H00 - Tank Leak Detection - None I00 - Overfill - None A00 - Tank Internal Protection - None G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser
Tank Number:	001-A
Tank ID:	175047
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	4000
Install Date:	12/01/1986
Date Tank Closed:	08/01/2000
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	20
Date Test:	08/01/1996
Next Test Date:	Not reported

Database(s)

EDR ID Number EPA ID Number

AMOCO SERVICE STATION 147 (Continued) Not reported Pipe Model: Modified By: TRANSLAT Last Modified: 04/14/2017 Equipment Records: J01 - Dispenser - Pressurized Dispenser 102 - Overfill - High Level Alarm K01 - Spill Prevention - Catch Basin G03 - Tank Secondary Containment - Vault (w/o access) D01 - Pipe Type - Steel/Carbon Steel/Iron F01 - Pipe External Protection - Painted/Asphalt Coating A00 - Tank Internal Protection - None B01 - Tank External Protection - Painted/Asphalt Coating B03 - Tank External Protection - Original Impressed Current C02 - Pipe Location - Underground/On-ground F03 - Pipe External Protection - Original Impressed Current H05 - Tank Leak Detection - In-Tank System (ATG) Tank Number: 002 Tank ID: 175048 Closed - Removed Tank Status: Material Name: Closed - Removed Capacity Gallons: 550 Install Date: Not reported Date Tank Closed: Not reported Registered: True Underground Tank Location: Tank Type: Steel/carbon steel Material Code: 0009 Common Name of Substance: Gasoline Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Not reported Pipe Model: Modified By: TRANSLAT Last Modified: 04/14/2017 Equipment Records: A00 - Tank Internal Protection - None G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser H00 - Tank Leak Detection - None 100 - Overfill - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None Tank Number: 002-A Tank ID: 175049 Closed - Removed Tank Status: Material Name: Closed - Removed Capacity Gallons: 4000 12/01/1986 Install Date:

08/01/2000

Date Tank Closed:

Database(s)

EDR ID Number EPA ID Number

U000408051

AMOCO SERVICE STATION 147 (Continued)

Registered: Tank Location:	True Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	20
Date Test:	08/01/1996
Next Test Date: Pipe Model:	Not reported Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017
Equipment Records:	
	 J01 - Dispenser - Pressurized Dispenser H05 - Tank Leak Detection - In-Tank System (ATG) C02 - Pipe Location - Underground/On-ground F03 - Pipe External Protection - Original Impressed Current G03 - Tank Secondary Containment - Vault (w/o access) I02 - Overfill - High Level Alarm K01 - Spill Prevention - Catch Basin A00 - Tank Internal Protection - None B01 - Tank External Protection - Painted/Asphalt Coating B03 - Tank External Protection - Original Impressed Current D01 - Pipe Type - Steel/Carbon Steel/Iron F01 - Pipe External Protection - Painted/Asphalt Coating
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	003 175050 Closed - Removed Closed - Removed 550 Not reported Not reported True Underground Steel/carbon steel 0009 Gasoline
Tightness Test Method:	NN
Date Test: Next Test Date:	Not reported
Pipe Model:	Not reported Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017
Equipment Records:	
	D02 - Pipe Type - Galvanized Steel
	F00 - Pipe External Protection - None B00 - Tank External Protection - None
	C00 - Pipe Location - No Piping
	H00 - Tank Leak Detection - None
	100 - Overfill - None
	A00 - Tank Internal Protection - None
	G00 - Tank Secondary Containment - None
	J02 - Dispenser - Suction Dispenser

J02 - Dispenser - Suction Dispenser

003-A

Database(s)

EDR ID Number EPA ID Number

U000408051

AMOCO SERVICE STATION 147 (Continued)

Tank Number:

Tank ID: 928 Tank Status: Closed - Removed Material Name: Closed - Removed Capacity Gallons: 4000 Install Date: 12/01/1986 Date Tank Closed: 08/01/2000 Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 0009 Common Name of Substance: Gasoline Tightness Test Method: 20 Date Test: 08/01/1996 Next Test Date: Not reported Not reported Pipe Model: TRANSLAT Modified By: Last Modified: 04/14/2017 Equipment Records: H05 - Tank Leak Detection - In-Tank System (ATG) J01 - Dispenser - Pressurized Dispenser C02 - Pipe Location - Underground/On-ground F03 - Pipe External Protection - Original Impressed Current A00 - Tank Internal Protection - None B01 - Tank External Protection - Painted/Asphalt Coating B03 - Tank External Protection - Original Impressed Current D01 - Pipe Type - Steel/Carbon Steel/Iron F01 - Pipe External Protection - Painted/Asphalt Coating G99 - Tank Secondary Containment - Other G03 - Tank Secondary Containment - Vault (w/o access) 102 - Overfill - High Level Alarm K01 - Spill Prevention - Catch Basin Tank Number: 004 Tank ID: 69912 Tank Status: Closed - Removed Closed - Removed Material Name: Capacity Gallons: 550 Install Date: Not reported Date Tank Closed: Not reported Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 0009 Common Name of Substance: Gasoline Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Pipe Model: Not reported TRANSLAT Modified By: Last Modified: 04/14/2017 Equipment Records: B00 - Tank External Protection - None

Database(s)

EDR ID Number EPA ID Number

AMOCO SERVICE STATION 147 (Continued)

C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None H00 - Tank Leak Detection - None I00 - Overfill - None A00 - Tank Internal Protection - None J02 - Dispenser - Suction Dispenser G00 - Tank Secondary Containment - None

Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	004-A 69913 Closed - Removed Closed - Removed 4000 12/01/1989 08/01/2000 True Underground Fiberglass coated steel 0009 Gasoline
Tightness Test Method:	ZZ
Date Test: Next Test Date:	08/01/1996 Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017
Equipment Records:	 H05 - Tank Leak Detection - In-Tank System (ATG) A00 - Tank Internal Protection - None B01 - Tank External Protection - Painted/Asphalt Coating B03 - Tank External Protection - Original Impressed Current D01 - Pipe Type - Steel/Carbon Steel/Iron F01 - Pipe External Protection - Painted/Asphalt Coating I02 - Overfill - High Level Alarm K01 - Spill Prevention - Catch Basin C02 - Pipe Location - Underground/On-ground F03 - Pipe External Protection - Original Impressed Current G00 - Tank Secondary Containment - None J01 - Dispenser - Pressurized Dispenser
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	005 69914 Closed - Removed Closed - Removed 550 Not reported Not reported True Underground Steel/carbon steel 0009 Gasoline

Database(s)

EDR ID Number EPA ID Number

U000408051

AMOCO SERVICE STATION 147 (Continued)

MOCO SERVICE STATION 147 (Continued)	
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	 A00 - Tank Internal Protection - None G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser H00 - Tank Leak Detection - None I00 - Overfill - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	005-A 69915 Closed - Removed Closed - Removed 4000 12/01/1989 08/01/2000 True Underground Fiberglass coated steel 0009 Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	20 08/01/1996 Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	 102 - Overfill - High Level Alarm K01 - Spill Prevention - Catch Basin J01 - Dispenser - Pressurized Dispenser A00 - Tank Internal Protection - None B01 - Tank External Protection - Painted/Asphalt Coating B03 - Tank External Protection - Original Impressed Current D01 - Pipe Type - Steel/Carbon Steel/Iron F01 - Pipe External Protection - Painted/Asphalt Coating C02 - Pipe Location - Underground/On-ground F03 - Pipe External Protection - Original Impressed Current G00 - Tank Secondary Containment - None H05 - Tank Leak Detection - In-Tank System (ATG)
Tank Number: Tank ID: Tank Status:	006 28819 Closed - Removed

Material Name:

Database(s)

EDR ID Number EPA ID Number

AMOCO SERVICE STATION 147 (Continued)

Capacity Gallons: 550 Install Date: Not reported Date Tank Closed: Not reported Registered: True Tank Location: Underground Steel/carbon steel Tank Type: Material Code: 0009 Common Name of Substance: Gasoline Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Not reported Pipe Model: Modified By: TRANSLAT Last Modified: 04/14/2017 Equipment Records: B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None 100 - Overfill - None H00 - Tank Leak Detection - None A00 - Tank Internal Protection - None J02 - Dispenser - Suction Dispenser G00 - Tank Secondary Containment - None Tank Number: 007 Tank ID: 28820 Closed - Removed Tank Status: Material Name: Closed - Removed Capacity Gallons: 550 Install Date: Not reported Date Tank Closed: Not reported Registered: True Tank Location: Underground Steel/carbon steel Tank Type: Material Code: 0009 Common Name of Substance: Gasoline Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Pipe Model: Not reported Modified By: TRANSLAT Last Modified: 04/14/2017 Equipment Records: G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser A00 - Tank Internal Protection - None H00 - Tank Leak Detection - None 100 - Overfill - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None

Database(s)

EDR ID Number EPA ID Number

AMOCO SERVICE STATION 147 (Continued)

800 Tank Number: Tank ID: 28821 Tank Status: Closed - Removed Material Name: Closed - Removed Capacity Gallons: 550 Install Date: Not reported Not reported Date Tank Closed: Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 0009 Common Name of Substance: Gasoline Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Pipe Model: Not reported TRANSLAT Modified By: Last Modified: 04/14/2017 Equipment Records: G00 - Tank Secondary Containment - None A00 - Tank Internal Protection - None H00 - Tank Leak Detection - None 100 - Overfill - None J02 - Dispenser - Suction Dispenser B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None Tank Number: 009 28822 Tank ID: Closed - Removed Tank Status: Closed - Removed Material Name: Capacity Gallons: 550 Install Date: Not reported Date Tank Closed: Not reported Registered: True Tank Location: Underground Steel/carbon steel Tank Type: Material Code: 0009 Common Name of Substance: Gasoline Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Not reported Pipe Model: TRANSLAT Modified By: Last Modified: 04/14/2017 Equipment Records: B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None H00 - Tank Leak Detection - None

Database(s)

EDR ID Number EPA ID Number

AMOCO SERVICE STATION 147 (Continued)

100 - Overfill - NoneA00 - Tank Internal Protection - NoneJ02 - Dispenser - Suction DispenserG00 - Tank Secondary Containment - None

Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	010 28823 Closed - Removed Closed - Removed 550 Not reported Not reported True Underground Steel/carbon steel 0009 Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser H00 - Tank Leak Detection - None I00 - Overfill - None A00 - Tank Internal Protection - None
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Location: Tank Type: Material Code: Common Name of Substance:	011 28824 Closed - Removed Closed - Removed 550 Not reported Not reported True Underground Steel/carbon steel 0009 Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017

Database(s)

EDR ID Number EPA ID Number

AMOCO SERVICE STATION 147 (Continued)

Equipment Records: A00 - Tank Internal Protection - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser H00 - Tank Leak Detection - None 100 - Overfill - None Tank Number: 012 Tank ID: 28825 Tank Status: Closed - Removed Closed - Removed Material Name: Capacity Gallons: 550 Install Date: Not reported Date Tank Closed: Not reported Registered: True Underground Tank Location: Tank Type: Steel/carbon steel Material Code: 0009 Common Name of Substance: Gasoline Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Pipe Model: Not reported Modified By: TRANSLAT Last Modified: 04/14/2017 Equipment Records: B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None A00 - Tank Internal Protection - None H00 - Tank Leak Detection - None 100 - Overfill - None G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser Tank Number: 013 Tank ID: 28826 Tank Status: Closed - Removed Material Name: Closed - Removed Capacity Gallons: 550 Install Date: Not reported Date Tank Closed: Not reported Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 0009 Common Name of Substance: Gasoline

Database(s)

EDR ID Number EPA ID Number

U000408051

AMOCO SERVICE STATION 147 (Continued)

	ontinueu)
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	 B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None H00 - Tank Leak Detection - None I00 - Overfill - None A00 - Tank Internal Protection - None G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	014 28827 Closed - Removed Closed - Removed 550 Not reported Not reported True Underground Steel/carbon steel 0009 Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser H00 - Tank Leak Detection - None I00 - Overfill - None A00 - Tank Internal Protection - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed:	015 28828 Closed - Removed Closed - Removed 550 Not reported Not reported

Not reported

Date Tank Closed:

Database(s)

EDR ID Number EPA ID Number

AMOCO SERVICE STATION 147 (C	ontinued)
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	
Modified By: Last Modified:	TRANSLAT 04/14/2017
	04/14/2017
Equipment Records:	B00 - Tank External Protection - None
	C00 - Pipe Location - No Piping
	D02 - Pipe Type - Galvanized Steel
	F00 - Pipe External Protection - None
	A00 - Tank Internal Protection - None
	H00 - Tank Leak Detection - None
	100 - Overfill - None
	G00 - Tank Secondary Containment - None
	J02 - Dispenser - Suction Dispenser
Tank Number:	101
Tank ID:	64098
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	4000
Install Date:	Not reported
Date Tank Closed:	08/01/2000
Registered:	True
Tank Location:	Underground Steel/carbon steel
Tank Type: Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017
Equipment Records:	
	J01 - Dispenser - Pressurized Dispenser
	102 - Overfill - High Level Alarm
	K01 - Spill Prevention - Catch Basin D01 - Pipe Type - Steel/Carbon Steel/Iron
	F01 - Pipe External Protection - Painted/Asphalt Coating
	A00 - Tank Internal Protection - None
	B01 - Tank External Protection - Painted/Asphalt Coating
	B03 - Tank External Protection - Original Impressed Current
	C02 - Pipe Location - Underground/On-ground
	F03 - Pipe External Protection - Original Impressed Current
	G00 - Tank Secondary Containment - None
	H05 - Tank Leak Detection - In-Tank System (ATG)

Database(s)

EDR ID Number EPA ID Number

AMOCO SERVICE STATION 147 (Continued)

Tank Number: 102 64099 Tank ID: Tank Status: Closed - Removed Material Name: Closed - Removed Capacity Gallons: 4000 Install Date: Not reported 08/01/2000 Date Tank Closed: Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 0009 Common Name of Substance: Gasoline Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Not reported Pipe Model: TRANSLAT Modified By: Last Modified: 04/14/2017 Equipment Records: J01 - Dispenser - Pressurized Dispenser A00 - Tank Internal Protection - None B01 - Tank External Protection - Painted/Asphalt Coating B03 - Tank External Protection - Original Impressed Current D01 - Pipe Type - Steel/Carbon Steel/Iron F01 - Pipe External Protection - Painted/Asphalt Coating 102 - Overfill - High Level Alarm K01 - Spill Prevention - Catch Basin C02 - Pipe Location - Underground/On-ground F03 - Pipe External Protection - Original Impressed Current G00 - Tank Secondary Containment - None H05 - Tank Leak Detection - In-Tank System (ATG) Tank Number: 103 64100 Tank ID: Tank Status: Closed - Removed Material Name: Closed - Removed 4000 Capacity Gallons: Install Date: Not reported 08/01/2000 Date Tank Closed: Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 0009 Common Name of Substance: Gasoline Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Pipe Model: Not reported TRANSLAT Modified By: Last Modified: 04/14/2017 Equipment Records: 102 - Overfill - High Level Alarm K01 - Spill Prevention - Catch Basin

Database(s)

EDR ID Number EPA ID Number

U000408051

AMOCO SERVICE STATION 147 (Continued)

J01 - Dispenser - Pressurized Dispenser A00 - Tank Internal Protection - None B01 - Tank External Protection - Painted/Asphalt Coating B03 - Tank External Protection - Original Impressed Current D01 - Pipe Type - Steel/Carbon Steel/Iron F01 - Pipe External Protection - Painted/Asphalt Coating C02 - Pipe Location - Underground/On-ground F03 - Pipe External Protection - Original Impressed Current G00 - Tank Secondary Containment - None H05 - Tank Leak Detection - In-Tank System (ATG) 104 Tank Number: Tank ID: 28829 Tank Status: Closed - Removed Material Name: Closed - Removed 1000 Capacity Gallons: 12/01/1986 Install Date: Date Tank Closed: Not reported Registered: True Tank Location: Underground Tank Type: Steel/carbon steel 9999 Material Code: Common Name of Substance: Other Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Pipe Model: Not reported Modified By: TRANSLAT Last Modified: 04/14/2017 Equipment Records: H00 - Tank Leak Detection - None 100 - Overfill - None G04 - Tank Secondary Containment - Double-Walled (Underground) B00 - Tank External Protection - None C00 - Pipe Location - No Piping F00 - Pipe External Protection - None A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron J02 - Dispenser - Suction Dispenser Tank Number: 105 Tank ID: 64101 Closed - Removed Tank Status: Material Name: Closed - Removed 4000 Capacity Gallons: Not reported Install Date: Date Tank Closed: 08/01/2000 Registered: True Tank Location: Underground Tank Type: Fiberglass coated steel 0009 Material Code: Common Name of Substance: Gasoline

Tightness Test Method:

NN

Database(s)

EDR ID Number EPA ID Number

Date Test: Next Test Date:	Not reported Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017
Equipment Records:	
	J01 - Dispenser - Pressurized Dispenser
	H05 - Tank Leak Detection - In-Tank System (ATG) C02 - Pipe Location - Underground/On-ground
	F03 - Pipe External Protection - Original Impressed Current
	G00 - Tank Secondary Containment - None
	102 - Overfill - High Level Alarm
	K01 - Spill Prevention - Catch Basin A00 - Tank Internal Protection - None
	B01 - Tank External Protection - Painted/Asphalt Coating
	B03 - Tank External Protection - Original Impressed Current
	D01 - Pipe Type - Steel/Carbon Steel/Iron
	F01 - Pipe External Protection - Painted/Asphalt Coating
Tank Number:	106
Tank ID: Tank Status:	64102 Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	4000
Install Date:	Not reported
Date Tank Closed:	08/01/2000
Registered: Tank Location:	True Underground
Tank Type:	Fiberglass coated steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model: Modified By:	Not reported TRANSLAT
Last Modified:	04/14/2017
Equipment Records:	
	H05 - Tank Leak Detection - In-Tank System (ATG)
	102 - Overfill - High Level Alarm
	K01 - Spill Prevention - Catch Basin A00 - Tank Internal Protection - None
	B01 - Tank External Protection - Painted/Asphalt Coating
	B03 - Tank External Protection - Original Impressed Current
	D01 - Pipe Type - Steel/Carbon Steel/Iron
	F01 - Pipe External Protection - Painted/Asphalt Coating C02 - Pipe Location - Underground/On-ground
	F03 - Pipe External Protection - Original Impressed Current
	G00 - Tank Secondary Containment - None

Database(s)

EDR ID Number EPA ID Number

D18 WNW < 1/8 0.057 mi.	FORMER BP AMOCO STATION #147 67-69 WOODHAVEN BLVD REGO PARK, NY	7	NY Spills	S105230179 N/A
303 ft.	Site 3 of 5 in cluster D			
	Site 3 of 5 in cluster D SPILLS: Spill Number/Closed Date: Facility ID: Facility Type: DER Facility ID: Site ID: DEC Region: Spill Cause: Spill Source: Spill Source: Spill Source: Spill Source: Spill Notifier: Cleanup Meets Std: Last Inspection: Recommended Penalty: UST Trust: Remediation Phase: Date Entered In Computer: Spiller Name: Spiller Company: Spiller Address: Spiller Company: Contact Name: DEC Memo:	0005364 / Not Reported 0005364 ER 194731 236378 2 Equipment Failure B3 4101 2000-08-04 RJFENG COMMENTS ON RAP 2000-08-04 211 Not reported Gasoline Station or other PBS Facility Other 2002-05-28 False Not reported False True 5 2000-08-04 2017-12-12 BRAD FISHER FORMER AMOCO 147 67-69 WOODHAVEN BL 001 BRAD FISHER "SEE 0009397. Transfered from Rommel to Vought on 12/2 10/23/00 Received UST closure report dated 10/19/00. Ren Plan dated 12/21/01 submitted. 2/2/01 SHAR submitted. 5/2 Stipulation agreement executed by R. Austin. 11/15/02 Inter combustion engine system was started up 11/13. Influent ca around 31,000ppmv. Collected influent and effluent sample influent CO2 to optimize operation. 3/14/03 REASSINGED I VOUGHT. 12/4/03 Reassigned from Vought to Foley. 12/8/ Third Quarter 2003 monitoring report. 1.22' of product in MW (ICE) system running. MW-1 and MW-5 contain conc of BTI excess of GWQS. MW-4 contains only MTBE in excess of GWV-7 and MW-8(downgradient of MW-2) clean. 5/7/04 Port DTW 35'bgs, south-southeast, 0.06ft/day seepage velocity. about 200gal by EFR. ICE system required too much O&M. is a potential sensitive receptor- no vapor complaints. Della possibly to propose Fenton's reagent. Residual under water 5/18/04 4Q03 monitoring report received. BTEX from ND(M MW-8) to 75,780ppb(MW-1). MT-1 is downgradient of pum from ND(MW-6, MW-7 and MW-8) to 2,290pb (MW-5, 0.5 4/11/05 2004 monitoring report received. BTEX from ND(M	medial Action 28/02 rnal onc were s. Checking FROM ROM 03 Received W-2. SVE EX and MTE GWQS at 50 tfolio meetin Recovered Gibson's P r table. IW-4, MW-6 p islands. M 59' LNAPL ir m ND(MW-6	IMEL TO BE in 0.3ppb. g: ub , and ITBE 1 MW-2. ,8)
		BTEX from ND(MW-4,6,8) to 87150ppb(MW-1). MTBE from	n ND(MW-6,	7,8) to

EDR ID Number Database(s) EPA ID Number

FORMER BP AMOCO STATION #147 (Continued)

S105230179

527ppb(MW-1). 0.13' LNAPL in MW-2. 3Q04- BTEX from ND(MW-6,8) to 105220ppb(MW-1). MTBE from ND(MW-6,7,8) to 554ppb(MW-1). 4Q04- BTEX from ND(MW-6,8) to 90670ppb(MW-1). MTBE from ND(MW-1,4,5,6,7,8) to 4940ppb(MW-2). 4/27/05 Portfolio meeting with BP and Delta. DTW 35'bgs, flow is southerly. Source is former pump islands/tank field. Installed additional well and SVE (instead of ICE). SVE-1, EW-1, MW-2 as recovery wells. There are excessive moisture issues at tank well and MW-2. Getting good recovery on SVE. Will probably move to Fenton's to address dissolved when appropriate. 8/2/05 1Q05- DTW 30-33.8'bgs. No LNAPL. BTEX from ND(MW-4,6,7,8) to 83460ppb(MW-1). MTBE from ND(MW-1,5,6,7,8) to 3290ppb(MW-2). 12/6/05: 2Q05- Seven MW sampled on 6/2/05. DTW 29.80-33.19'bgs. No LNAPL. BTEX from ND(MW-6,7,8) to 65,890(MW2). MTBE from ND(MW-1,4-8) to 447(MW2). BTEX concentration in MW5 has an increasing trend. 3Q05- DTW 30.23-33.60'bgs. 0.14' LNAPL in MW-5. BTEX from ND(MW-7,8) to 109250ppb(MW-1). MTBE from ND(MW-1,5,6,7,8) to 380ppb(MW-2). 3/16/06 Met with BP and Delta. Property is used for truck rental. Internal combustion engine unit removed 5618lbs TPH. SVE has been operating for 2yrs with 3 extraction wells and has diminishing returns. Plan to move to Fenton's injections. October 2005 O&M report received. Site visit conducted on 10/24/05 with SVE operating on arrival. Vacuum was 40 of water at the blower with air flow rate at 55scfm from SVE-1 and 50SCFM from EW-1. Extraction well MW-2 was not in operation. Recovery was estimated at 308lbs BTEX, 153lbs MTBE and 2840lbs TPH after 733 days of operation. 4/26/06 DTW 29.15-33.74'bgs. 0.08' LNAPL in MW-5. BTEX from ND(MW-6,8) to 67820ppb(MW-1). MTBE from ND(MW-1,5,6,7,8) to 444ppb(MW-2). 6/8/2006 - Feng - project reassigned to RJFeng. (RJF) 8/4/2006 - Feng - 1Q2006, 6/5/2006, by Delta. Groundwater flows to south at the depth of 29' to 33.16' bg. As of sampling on 1/27/2006, 8 monitoring wells. W-1, 67,669 ppb BTEX (2,120 ppb B, 42,500 ppb T, 3,740 ppb E, 19,300 ppb X), less than 50 ppb MTBE. W-2, 53,830 ppb BTEX (2,930 ppb B, 27,900 ppb T, 2,900 ppb E, 20,100 ppb X), 183 ppb MTBE. W-4, not accessible. W-5, 30,162 ppb BTEX (692 ppb B, 12,000 ppb T, 2,870 ppb E, 14,600 ppb X), less than 50 ppb MTBE. W-6, W-7, and W-8, ND and low. (RJF) 9/21/2006 - Feng - Quarterly Monitoring Report, 2Q2006, 9/7/2006, by Delta. Groundwater sampling and gauging on 4/21/2006. Groundwater flows to south at the depth of 29.41' to 32.82' bg. 6 monitoring wells were sampled. W-1, 51,390 ppb BTEX (1,770 ppb B, 28,500 ppb T, 3,320 ppb E, 17,800 ppb X), less than 100 ppb MTBE. W-2, 61,320 ppb BTEX (3,790 ppb B, 28,200 ppb T, 3,430 ppb E, 25,900 ppb X), 79 ppb MTBE. W-5, 36,171 ppb BTEX (791 ppb B, 13,200 ppb T, 3,680 ppb E, 18,500 ppb X), less than 50 ppb MTBE. W-6, W-7 and W-8, ND. (RJF) 9/28/2006 - Feng - Portfolio meeting with BP and Delta. Fenton injection done on MW-9 in 8/2006, and there will be 2nd injection on W-9. Monitored for DO, pH, temperature, H2O2, Fe, S concentration to determine the effectiveness. Will be continued monitoring groundwater, post injection monitoring. Additional Fenton injection to address remaining saturated impacted area. (RJF) 6/18/2007 - Feng - 3Q2006, 9/26/2006, pdf copy only. Groundwater sampled 7/18/2006. 6/7 monitoring wells were sampled. DTW 28.21' to 32.53' bg. Flows to south. No LNAPL. MW-1, 8,980 ppb BTEX, 19.5 ppb MTBE. MW-2, 41,310 ppb BTEX, 100 ppb MTBE. MW-4, no access. MW-5, 15,993 ppb BTEX, 10 ppb MTBE. MW-6, MW-7 and MW-8, ND. (RJF) 6/18/2007 - Feng - 4Q2006, 4/20/2007. Groundwater sampled 10/31/2006. 8/9 monitoring wells were sampled. DTW 28.43' to 32.37' bg. Flows to south. No LNAPL, MW-1, 34,582 ppb BTEX, 100 ppb MTBE, MW-2, 58,490 ppb BTEX, 173 ppb MTBE. MW-4, no access. MW-5, 17,251 ppb BTEX, 25

EDR ID Number Database(s) EPA ID Number

FORMER BP AMOCO STATION #147 (Continued)

S105230179

ppb MTBE. MW-6, MW-7 and MW-8, ND. MW-9, 3,358 ppb BTEX, 10 ppb MTBE. MW-10, 26,568 ppb BTEX, 100 ppb MTBE. (RJF) 8/1/2007 - Feng - 1Q2007, 6/13/2007. Groundwater sampled 1/10/2007. All 9 monitoring wells were sampled. DTW 5.16' to 32.29' bg. Flows to south. NO LNAPL. MW-1, 6,628 ppb BTEX, 2.3 ppb MTBE. MW-2, 7,688 ppb BTEX, 46.1 ppb MTBE. MW-4, 5.11 ppb BTEX, less than 1 ppb MTBE. MW-5, 14,531 ppb BTEX, 1.4 ppb MTBE. MW-6, MW-7 and MW-8, ND. MW-9, 10,104 ppb BTEX, 5.9 ppb MTBE. MW-10, 32,797 ppb BTEX, less than 100 ppb MTBE. (RJF) 12/12/2007 - Feng - 2Q2007, 8/6/2007. Inactive service station. The site is being remediated via the current operation of an installed SVE ysstem. The system is being maintained on a regular basis. 7/10 monitoring wells were gauged. DTW 27.87' to 32.33' bg. Flows to north. No LNAPL. 7/10 monitoring wells were sampled. BTEX range ND to 39,079 ppb (MW-9). MTBE range ND to 35.5 ppb (MW-10). (RJF) 1/8/2008 - Feng - 3Q2007, 11/2/2007. Inactive service station. The monitoring well network was gauged and sampled on 7/30/2007. The site is being remediated via the current operation of an installed Soil Vapor Extraction system and via chemical oxidation. 7/9 monitoring wells were gauged. DTW 25.31' to 31.64' bg. Flows to north. No LNAPL. 7 monitoring wells were sampled. BTEX range ND to 30,005 ppb (MW-1). MTBE range ND to 43.1 ppb (MW-5). (RJF) 2/13/2008 - Feng - 4Q2007, 11/19/2007. Inactive service station. The monitoring well network was gauged and sampled on 10/16/2007. The site is being remediated via the current operation of an installed SVE system and via chemical oxidation. 8/9 monitoring wells were gauged. DTW 28.30' to 31.77' bg. Flows to north. No LNAPL. 8 monitoring wells were sampled. BTEX range ND to 35,790 ppb (MW-2). MTBE range ND to 180 ppb (MW-2). 2/13/2008 -Feng - 1Q2008, 2/6/2008. Inactive service station. The monitoring well network was gauged and sampled on 1/9/2008. The site is being remediated via the current operation of an installed SVE system and via chemical oxidation. Two new groundwater monitoring wells were installed (MW-11 and MW-12), but the newly installed wells were not included in this guarterly monitoring. 8/9 monitoring wells were gauged. DTW 25.89' to 32.21' bg. Flows to north. LNAPL in MW-2 (0.14'). 8 wells were sampled. BTEX range ND to 38,420 ppb (MW-9). MTBE range ND to 150 ppb (MW-2). (RJF) 10/29/2008 - 2Q2008, 7/15/2008, by Delta. Inactive service station. the monitoring well network was gauged and sampled 4/3/2008. The site is being remediated via the current operation of an installed SVE and chemical oxidation. New wells MW-11 and MW-12 were installed in 2007. 10 wells were gauged. MW-4 was not gauged due to no access. LNAPL in MW-2 (0.08'). DTW 25.65' to 32.20' bg. Flows to north. 9 wells were sampled. BTEX range ND to 114,500 ug/L (MW-12). MTBE range ND to 180 ug/L (MW-12). 3Q2008, 9/17/2008, by Delta. Inactive service station. the monitoring well network was gauged and smapled 7/15/2008. The site is being remediated via hand bailing of free product from MW-2. 10 wells were gauged. MW-4 has no access. LNAPL in MW-2 (0.32'). DTW 25.37' to 32.40' bg. Flows to north. 9 wells were sampled. BTEX range ND to 81,100 ug/L (MW-12). MTBE range ND to 360 ug/L (MW-12). (RJF) 3/2/2009 - 4Q2008, 11/10/2008, by Delta. Inactive service station. The monitoring well network was gauged and sampled 10/1/2008. The site is being remediated via hand bailing of free product from groundwater monitoring wells MW-2, MW-5 and MW-10. 10 wells were gauged. MW-4 had no access. LNAPL in MW-2 (0.08') and MW-5 (0.05'). DTW 22.89' to 32.67' bg. Flows to north-northeast. 8 wells were sampled, BTEX range ND to 54,300 ug/L (MW-12), MTBE range ND to 560 ug/L (MW-10). (RJF) 7/27/2009 - 1Q2009, 3/31/2009, by EnviroTrac.

FORMER BP AMOCO STATION #147 (Continued)

S105230179

Former Amoco Service station. The monitoring well network was gauged and sampled on 1/5/2009. 10 wells were gauged. DTW 22.53' to 33.86' bg. Flows to northeast. 10 wells were sampled. MW-4, no access. Max benzene 1,800 ug/L (MW-2). Max BTEX 49,800 ug/L (MW-12). Max MTBE 1,500 ug/L (MW-10). 2Q2009, 7/15/2009, by EnviroTrac. Former Amoco service station. The monitoring well network was gauged and sammpled on April 9, 2009. 10 wells were gauged. DTW 24.83' to 32.97' bg. Flows to northeast. 10 wells were sampled. Max benzene 2,600 ug/L (MW-2). Max BTEX 39,100 ug/L (MW-2). Max MTBE 890 ug/L (MW-2). Drilling Work Plan, dated June 25, 2009, by Delta. Delta proposes to install 4 monitoring wells, 2 wells at the sidewalk along 68th Ave and 2 wells at the sidewalk along Woodhaven Blvd. Email to Delta for one well to replace MW-3 and one well downgradient in the parking lot. Revision due 8/27/2009. ChemOx Work Plan, dated June 29, 2009, by Delta. Delta proposes to conduct a pilot test for Sodium Persulfate solution injections. A 1,000 gallon of SPS/EDTA-chelated Fe(II) solution will be injected into MW-10 and the downgradient wells MW-1, 9, 11, 12, 2, 13 and 14 will be monitored. Email to Delta to see the possibility of injection at EW-1 or install new injection point there and monitor the downgradient wells MW-1, 9, 11, 12, 2 because according to the quarterlys, the flows is to north/northeast. Will discuss more in the meeting. (RJF) 10/27/2009 - Reviewed Drilling Work Plan revision, dated 9/4/2009, by Delta, 5 wells are proprosed to be installed. Work plan is approved. SHARA is due 1/2010. (RJF) 11/13/2009 - email from Ray Wagner (Arcadis). They scheduled the installation work for the week of November 30 and encounter the holiday permit embargo from November 20 to Jan 3. They will keep the schedule that was already set for the two off-site and one on-site well, and install MW-15 and MW-16 after Jan 3. SHARA will be by 2/2010. (RJF) 5/21/2010 - 1Q2010, 4/9/2010, by EnviroTrac. Former Amoco Service station. The monitoring well network was gauged and sampled on 1/11/2010. 2 wells were installed in 3/2010 and a report will be submitted. 13 wells were gauged. LNAPL in MW-5 (0.06'). DTW 23.30-33.24' bg. Flows to northeast. 12 wells were sampled. Max benzene 5,600 ug/L (MW-14). Max BTEX 63,200 ug/L (MW-14). Max MTBE 1,300 ug/L (MW-2). 10/29/10: This spill case transferred from R. Feng to J. Kolleeny. - JK 12/31/10: Reviewed 8/3/10 Subsurface Hydrocarbon Assessment Rpt Addendum (SHARA) and 10/25/10 Results of 3rd Quarter 2010 GW Monitoring, by ARCADIS (both in eDocs). SHARA summarizes install'n of 3 new wells, all of which showed significant soil & GW contam; rpt states that addt'l GW mon will be performed to confirm contam levels and trends, and once confirmed, a RAP will be prepared to address impacts. 3rd Quarter 2010 GW Mon Rpt shows high levels of GW contam in new and existing wells; makes no mention of RAP preparation. I sent letter (in eDocs) to Jon Armstrong of BP, cc to Ray Wagner of ARCADIS, stating that 3rd quarter 2010 GW results confirmed contam levels identified in SHARA, therefore, DEC now requires preparation and submission of a RAP during 1st quarter of 2011. - J. Kolleeny 03/08/11: Reviewed Results of 4th Quarter 2010 Groundwater Monitoring rpt by ARCADIS dated 1/14/11 (in eDocs). Rpt presents results of GW sampling in Oct. 2010, showing MW-1 had 13,500 ug/L total BTEX (down from 14,400 ug/L in July 2010), MW-2 had 43,800 ug/L tBTEX (up from 25,600 ug/L when last sampled in April 2010), MW-5 had 16,800 ug/L tBTEX (up from 11,200 ug/L in July 2010), MW-9 had 27,000 ug/L tBTEX (down from 33,000 ug/L in July 2010). MW-10 had 7.210 ug/L tBTEX (up from 2.030 ug/L in July 2010), MW-12 had 29,700 ug/L tBTEX (up from 3,910 ug/L in July 2010),

EDR ID Number Database(s) EPA ID Number

FORMER BP AMOCO STATION #147 (Continued)

S105230179

MW-13 had 30,100 ug/L tBTEX (up from 3,800 ug/L in July 2010), MW-14 had 24,700 ug/L tBTEX (up from 1,190 ug/L in July 2010), MW-15 had 47,300 ug/L tBTEX (down from 57,900 ug/L in July 2010), and MW-17 had 3,770 ug/L tBTEX (about same as 3,510 ug/L in July 2010). Rpt states that results were generally consistent with earlier results (!!), and that guarterly GW mon will continue and repairs will be made to MW-8. - J. Kolleeny 04/07/11: Reviewed 1st Quarter 2011 GW Mon and Analysis Rpt by ARCADIS dated 4/7/11 (in eDocs). Results of Jan. 2011 GW sampling show MW-2 had 40,100 ug/L total BTEX (down from 43,800 ug/L in Oct. 2010), MW-5 had 23,100 ug/L tBTEX (up from 16,800 ug/L in Oct. 2010), MW-9 had 12,900 ug/L tBTEX (down from 27,000 ug/L in Oct. 2010), MW-11 had 5,570 ug/L tBTEX (up from 535 ug/L in Oct. 2010), MW-12 had 24,100 ug/L tBTEX (down from 29,700 ug/L in Oct. 2010), MW-13 had 15,300 ug/L tBTEX (down from 30,100 ug/L in Oct. 2010), MW-14 had 33,800 ug/L tBTEX (up from 24,700 ug/L in Oct. 2010), MW-15 had 48,900 ug/L tBTEX (up a little from 47,300 ug/L in Oct. 2010), and MW-17 had 4,170 ug/L tBTEX (up a little from 3,770 ug/L in Oct. 2010). Rpt states that guarterly monitoring will continue, with next event scheduled for April 2011, and that ARCADIS will prepare a RAP as requested by DEC in 12/31/10 letter. - JK 4/8/2011 - spill transferred back to JFeng. 8/1/2011 - approved switch form monthly gauging to quarterly gauging. 12/20/11 - Raphael Ketani. Mr. Massaro sent Ms. Fend an e-mail regarding the DEC's suggestion for the placement of additional delineation wells. Attached to his e-mail, he included 3 figures showing groundwater flow for 7/21/11 and 10/3/11, and the last figure which showed the positions of the requested additional wells. He explained the problems with installing these wells at the requested locations. I responded back that he should discuss the issues with Ms. Feng after she returns from her vacation. 3/13/2012 - Reviewed the RAP dated 8/2011, by ARCADIS. ARCADIS proposes to conduct additional investigation by installing 9 soil borings and 2 of the soil borings to be turned into monitoring wells. SVE/AS system to be installed and cover the south portion of the site. Comments to ARCADIS. 1) the soil borings need to be drilled beyond the historical depth of soil contamination. 2) revise the SVE/AS or propose other remedial activities to address the contamination in the north portion of the site. 3) there is a STIP, no other DEC permit is required. 4) provide legend to interpret the system diagram. 6/19/2012 - meet with ARCADIS. Will send the response on DEC's comment letter. They have done some soil borings and extended the drilling to 60 feet instead of 35 feet. Will do the pilot and then redesign the system. 7/27/2012 - 1Q2012, 4/5/2012, by ARCADIS. Groundwater was sampled on 1/20/2012. Groundwater elevations ranged from 9.00 feet (MW-8) lower to 0.77 feet higher (MW-9) compared to the 4Q2011. The DTW measured at MW-8 in 4Q2011 was attributed to perched water conditions, thereby resulting in an extreme difference in gw table elevations between 4Q2011 and 1Q2012. MW-1, 24,000 BTEX, 420 MTBE. MW-2, 45,000 BTEX, 640 MTBE. MW-5, 5,300 BTEX, 230 MTBE. MW-9, 14,000 BTEX, 150 MTBE. MW-10, 2,600 BTEX, 440 MTBE. MW-11, 4,900 BTEX, 240 MTBE. MW-12, 17,000 BTEX, 830 MTBE. MW-13, 1,600 BTEX, 52 MTBE. MW-14, 550 BTEX, 48 MTBE. MW-15, 61,000 BTEX, MTBE ND. MW-16, 1.0 BTEX, 110 MTBE. MW-17, 8 BTEX, 200 MTBE. MW-18, 29,000 BTEX, 2,200 MTBE. MW-19, 9,200 BTEX, 78 MTBE. The next sampling will be in 4/2012. ARCADIS will address the comments received from NYSDEC regarding the RAP in 4/2012. 9/26/2012 - 2Q2012, 6/27/2012, by ARCADIS, Groundwater was gauged and sampled on April 18, 2012. DTW 27.01 (MW-8) to 31.89 (MW-6) below top of the casing.

EDR ID Number Database(s) EPA ID Number

FORMER BP AMOCO STATION #147 (Continued)

S105230179

NO LNAPL. MW-4 was not sampled due to a disabled vehecile parked over the well. The next sampling will be in July 2012. MW-13, 5,800 BTEX, 55 MTBE. MW-19, 72 BTEX, 2 MTBE. MW-15, 50,000 BTEX, MTBE ND. MW-10, 4,000 BTEX, 120 MTBE. MW-16, 40 BTEX, 150 MTBE. MW-5, 7,700 BTEX, 140 MTBE. MW-9, 20,000 BTEX, 44 MTBE. MW-17, 3,700 BTEX, 580 MTBE. MW-11, 4.800 BTEX, 210 MTBE. MW-1, 5,600 BTEX, 8J MTBE. MW-14, 3,100 BTEX, 130 MTBE. MW-18, 33,000 BTEX, 890 MTBE. MW-2, 67,000 BTEX, 990 MTBE. MW-12, 32,000 BTEX, 180 MTBE. 12/13/2012 - 3Q2012, 9/14/2012, by ARCADIS. The groundwater was sampled on July 30, 2012. DTW 20.69 (MW-8) and 32.34 (MW-6). NO LNAPL. MW-4 was not sampled due to a disabled vehicle parked over the well. The DTW of MW-8 in July 2012 was attributed to perched groundwater conditions, thereby resulting in an extreme difference in gw elevation between 2Q2012 and 3Q2012. An SVE/AS pilot test will be conducted in October 2012 to finalize the RAP's AS/SVE approach. MW-13, 15,000 BTEX, 41 MTBE. MW-19, 130 BTEX, 8 MTBE. MW-15, 41,000 BTEX, MTBE ND. MW-10, 7,200 BTEX, 120 MTBE. MW-16, 25 BTEX, 320 MTBE. MW-5, 8,500 BTEX, 76 MTBE. MW-9, 14,000 BTEX, 150 MTBE. MW-17, 2,200 BTEX, 240 MTBE. MW-11, 4,400 BTEX, 74 MTBE. MW-1, 20,000 BTEX, 16 MTBE. MW-14, 2,300 BTEX, 28 MTBE. MW-18, 17,000 BTEX, 1,400 MTBE. MW-2, 38,000 BTEX, 870 MTBE. Mw-12, 22,000 BTEX, 240 MTBE. 3/25/2013 - 4Q2012, 11/30/2012, by ARCADIS. The groundwater was sampled on 10/4/2012. DTW 23.86 (MW-8) to 32.43 (MW-6). NO LNAPL. MW-4 was not gauged due to a disabled vehicle parked over the well. Groundwater elevation ranged from 3.17 (MW-8) lower to 0.35 (MW-9) higher compared to the 3Q2012. The DTW at MW-8 in October 2012 was attributed to perched water, thereby resulting in an extreme difference in gw table elevation between 3Q2012 and 4Q2012. ARCADIS requests discontinue guarterly monitoring at MW-6, MW-7 and MW-8 beginning in 1/2013. These wells will continue to be gauged to assist in development of gw contour. AS/SVE pilot is conducted on 11/28 and 29, 2012 near MW-1, MW-9 and MW-10. 8/7/2013 -1Q2013. 5/22/2013. by ARCADIS. The monitoring was done on 1/15/2013. DTW 23.40 (MW-8) to 32.89 (MW-6). SVE/AS pilot test report will be submitted in separate cover. MW-13, 35,000 BTEX, 35J MTBE. MW-19, 210 BTEX. MW-15, 41,000 BTEX. MW-10, 9,800 BTEX, 170 MTBE. MW-16, 180 BTEX, 630 MTBE. MW-1, 40,000 BTEX, 52 MTBE. MW-5, 15,000 BTEX, 590 MTBE. MW-9, 34,000 BTEX, 160 MTBE. MW-17, 1,200 BTEX, 250 MTBE. MW-11, 1,300 BTEX, 52 MTBE. MW-4, 2,200 MTBE. MW-14, 31,000 BTEX, 200 MTBE. MW-18, 26,000 BTEX, 200 MTBE. MW-2, 51,000 BTEX, 490 MTBE. MW-12, 66,000 BTEX, 82 MTBE. 2Q2013, 6/3/2013. The monitoring was done on 4/5/2013. DTW 23.61 (MW-8) to 32.85 (MW-6). MW-13, 19,300 BTEX, 72 MTBE. MW-19, 52 MTBE. MW-15, 39,900 BTEX. Mw-10, 11,100 BTEX, 64 MTBE. MW-16, 560 MTBE. MW-1, 40,800 BTEX, 45 MTBE. MW-5, 12,400 BTEX, 2,900 MTBE. MW-9, 13,800 BTEX, 110 MTBE. MW-17, 1,600 BTEX, 310 MTBE. MW-11, 517 BTEX, 23 MTBE. MW-14, 16,800 BTEX, 310 MTBE. MW-18, 9,960 BTEX, 690 MTBE. MW-2, 48,600 BTEX, 450 MTBE. MW-12, 17,400 BTEX, 450 MTBE. 8/21/2013 - met with ARCADIS. The pilot test is done for the two phase SVE/AS system. There is influence in the deep zone. submitted the pilot test report. 3/12/2014 - Reviewed Response to DEC comments and Pilot Test Summary Report, dated 9/5/2013. The response is acceptable. The pilot test yield favorable results. Proposing SVE/AS system installation and operation. And before the installation, additional delineation will be conducted. 3/17/2014 - Sent email to BP/ARCADIS approving the RAP for SVE/AS. 11/25/204 - 3Q2014, 10/31/2014. Monitoring event on 7/14/2014. DTW 16.10 (MW-8) to 32.70 (MW-6). ARCADIS installed deep zone SVE and AS wells in 8/2014. MW-1, 23,000 BTEX, 56 MTBE. MW-2, 40,000 BTEX, 370

Map ID Direction Distance Elevation Site MAP FINDINGS

EDR ID Number Database(s) EPA ID Number

FORMER BP AMOCO STATION #147 (Continued)

S105230179

MTBE. MW-5, 9,600J BTEX, 910 MTBE. MW-9, 12,000 BTEX, 110 MTBE. MW-10, 7,900 BTEX, 77 MTBE. MW-11, 2,800 BTEX, 110 MTBE. MW-12, 27,000 BTEX, 620 MTBE. MW-13, 19,000 BTEX, 34 MTBE. MW-14, 23,000 BTEX, 230 MTBE. MW-15, 53,000 BTEX. MW-16, 170 MTBE. MW-17, 5,500 BTEX, 280 MTBE. MW-18, 4,200 BTEX, 460 MTBE. 12/19/2014 - 4Q2014, 12/3/2014. Monitoring on 10/22/2014. DTW 35.17 (MW-9) to 64.30 (MW-8). ARCADIS installed deep zone SVE and AS wells in August 2014 and will proceed with system installation and remedial implementation activities after procuring all necessary permits. MW-13, 24,000 BTEX, 34 MTBE. MW-15, 60,000 BTEX. MW-10, 8,400 BTEX. MW-16, 19 BTEX, 200 MTBE. MW-1, 31,000 BTEX. MW-14, 14,000 BTEX, 200 MTBE. MW-2, 49,000 BTEX, 400 MTBE. MW-18, 2,400 BTEX, 120 MTBE. MW-12, 42,000 BTEX, 150J MTBE. MW-5, 9,400 BTEX, 250 MTBE. MW-9, 8,700 BTEX, 61 MTBE. MW-17, 4,800 BTEX, 220 MTBE. MW-11, 3,200 BTEX, 220 MTBE. 7/8/2015 - 1Q2015, 4/15/2015. Monitoring on 1/22/2015. DTW 15.73 (MW-8) to 32.96 (MW-5) MW-13, 19,000 BTEX, 58 MTBE. MW-15, 35,000 BTEX. MW-10, 5,800 BTEX, 52 MTBE. MW-16, 540 MTBE. MW-1, 31,000 BTEX, 42J MTBE. MW-14, 7,900 BTEX, 30 MTBE. MW-2, 43,000 BTEX, 290 MTBE. MW-18, 2,700 BTEX, 31 MTBE. MW-12, 33,000 BTEX, 330 MTBE. MW-4, 870 MTBE. MW-11, 5,800 BTEX, 250 MTBE. MW-17, 6,300 BTEX, 39 MTBE. MW-9, 6,900 BTEX, 53 MTBE. MW-5, 5,200 BTEX, 160 MTBE. 2Q2015, 7/6/2015. Monitoring on 4/15/2015. MW-13, 9,700 BTEX. EW-1, 54,000 BTEX, 260J MTBE. MW-15, 24.000 BTEX. MW-10, 5.700 BTEX. 75 MTBE, MW-16, 530 MTBE, MW-, 20.000 BTEX, 620 MTBE. MW-14, 7,700 BTEX, 130 MTBE. MW-2, 49,000 BTEX, 290 MTBE. MW-12, 34,000 BTEX, 260 MTBE. MW-4, 5,200 BTEX, 210 MTBE. MW-5, 340 MTBE. MW-9, 3,700 BTEX, 68 MTBE. MW-17, 290 BTEX. MW-11, 7,400 BTEX, 580 MTBE. ARCADIS is waiting for Con Ed's final inspection of electrical meter to start up the system. 10/21/2015 - Received a call from Sahithi of ARCADIS. They have been waiting the electrical power from Con Edison. She requests DEC's assistance. Con Ed case MC 116889, District Manager Asiah Charles, 718-802-6330. 10/23/2015 -Letter to Con Ed Asiah Charles (CharlesA@ConEd.com) requesting the assistance and cooperation of the supply of electrical power to operate the remedial system. copied ARCADIS. 12/9/2015 - 3Q4Q2015, 12/8/2015. Monitoring on 6/30/2015. DTW 14.58 (MW-8) to 32.91 (MW-6). Monitoring on 10/30/2015, DTW 28.58 (MW-8) and 33.51 (MW-6). Final inspection of electrical meter was completed by Con Edison on 12//2015. Final power issuance will be completed within 4 weeks following verification of billing details. As of 10/30/2015, MW-13, 8,000 BTEX, 32 MTBE. EW-1, 61,000 BTEX, 280 MTBE. MW-15, 400 MTBE. MW-10, 7,000 BTEX, 27 MTBE. MW-16, 40,000 BTEX. MW-1, 26,000 BTEX, 500 MTBE. MW-14, 2,800 BTEX, 29 MTBE. MW-2, 74,000 BTEX, 200 MTBE MW-12, 18,000 BTEX, 220 MTBE. MW-4, 340 MTBE. MW-11, 7,000 BTEX, 650 MTBE. MW-17, 7,200 BTEX, 180 MTBE. MW-9, 24,000 BTEX, 53 MTBE. MW-5, 9,300 J BTEX, 470 MTBE. 3/21/2016 - 1Q2016, 3/21/2016. Monitoring on 2/1/2016. DTW 31.03 (MW-14) to 33.56 (MW-5). SVE-1 was dry and therefore could not be gauged. MW-19, 240 MTBE. MW-1, 22,000 BTEX, 260 MTBE. MW-15, 23,000 J BTEX. MW-10, 5,700 BTEX, 46 MTBE. MW-16, 23 BTEX, 810 MTBE. MW-13, 20,000 BTEX, 54 MTBE. EW-1, 68,000 BTEX, 140 MTBE. MW-14, 9,100 BTEX, 270 MTBE. MW-2, 68,000 BTEX, 200 MTBE. MW-18, 1,500 BTEX, 17 MTBE. MW-12, 68,000 BTEX, 210 MTBE. MW-5, 8,000 BTEX, 110 MTBE. MW-9, 3,000 BTEX, 24 MTBE. MW-17, 6,800 BTEX, 100 MTBE. MW-11, 6,500 J BTEX, 600 MTBE. MW-4, 700 MTBE. 3/30/2016 Feng -This spill is transferred from J. Feng to J. Vought as per J. Vought. 5/9/16-Vought-Received call from and spoke to Rachel Ataman (HvdroTech 631-462-5866) who's client is in contract buy property. She spoke with June last year who noted that remedial system was in

EDR ID Number Database(s) EPA ID Number

FORMER BP AMOCO STATION #147 (Continued)

S105230179

and they were waiting to turn the system on. She also requested a copy of the RAP so Vought requested that she re-submit FOIL application. Future use would possibly be commercial (bank or starbucks) and development would not take up entire property. Vought noted that an active SSDS may be needed and reviewed by NYSDOH prior to development. Ataman to send email request to Vought with inquiry as to status of remedial system and Vought to forward onto Arcadis and BP. Ataman to also include conceptual ideas for development. Email from HydroTech (Ataman) later received that Please consider this a Freedom of Information Act request, for the Remedial Action Work Plan and any additional information you may have regarding the property. Your assistance is appreciated. Please feel free to contact me at 718-636-0800 with questions. Vought sent reply that Rachel, I am sorry for the bureaucracy but FOIL is now handled solely by DEC Central Office. I would be much obliged if you could go to our website and follow the instructions from there. I think if you enter FOIL in the keyword search box you can find it. Central Office will then officially log in the request and forward it to me for fulfillment. Thanks. Later Vought received forwarded email from Ataman that noted Dear Paloma: Thank you for your Freedom of Information Law (FOIL) request. Your request has been received and is being processed. Your request was received in this office on 5/9/2016 and given the reference number FOIL #W007056-050916 for tracking purposes. You may expect the Department's response to your request no later than 6/7/2016. Vought then sent email to Ataman with cc to Arcadis (Buchanan) that Rachel, So as to keep Arcadis (one of BP s consultants, copied above) informed, please send us a conceptual description of the development by the future purchaser of the above site as well as keep us posted on any plans that come up in the future, Thanks. 5/10/16-Vought-Received email from Ataman with cc to Buchanan that The conceptual plan is as follows: (attached site plan) The attorney for the buyer will be speaking to BP about the future plans. We will keep you posted on the outcomes. Would you be able to send us the RAWP? Attached was site plan showing a one story restaurant with parking lot along Woodhaven and 65th Street. Vought added site plan to D2. Vought sent email to Ataman with cc to Buchanan that Rachel, Thank your for the plan and please keep DEC and Arcadis posted as they become more final. Please also keep in mind that an SSDS may need to be installed as part of development. If an SSDS is proposed, the design and sampling regime associated with will require NYSDOH review and approval. With respect to your request below for the RAWP for the site, I will have to wait for the FOIL request to come from Albany. However, if Arcadis, via this email chain, would like to send it to you, I would be much obliged as BP and the developer will have to work together on the remedial action, Thanks to you and Ira. Ira sent email to Vought/Ataman that Jeff/Rachel, I will am happy to send you the RAWP, I will locate the files and send them to you. Don t hesitate to contact me if I can be any further assistance. 5/11/16-Vought-HydroTech (Ataman) sent email to Buchanan that Thank you Ira. I appreciate your help. What is the current status of the system? Buchanan sent reply that The system was fully designed, constructed and installed around a year ago. We are still waiting on Conn Edison to provide power. Yes& .. we have been waiting on power for a full year! We have been proactive in communication with Conn Edison though, even had June Feng send them a letter that this is an environmentally sensitive site and power is needed ASAP. This along with weekly calls, all to no avail. Vought

EDR ID Number Database(s) EPA ID Number

FORMER BP AMOCO STATION #147 (Continued)

S105230179

sent email to Buchanan with cc to Ataman that Ira, Please send me info you on your Con Edison correspondence (e.g. emails, letters, phone logs) with quick summary and I will forward that onto our high level contacts at Con Edison and possibly NYC Emergency Management (who can reach out to Con Ed) as well. Thanks. Buchanan sent reply that Jeff, Absolutely, Sahithi will get his over to you today, any help you can provide is much appreciated. Email from Sahithi to Ataman that Racheal, As requested, please find RAWP attached for the above mentioned site. Please do not hesitate to reach out to me if you need any additional information/Reports. 6/20/16-Vought-Email from Arcadis (Buchanan) to Vought on 5/26/16 that Good afternoon Jeff Please let me know if you any availability to discuss a few BP sites. I have two sites (00147 and 10466) at a critical cross roads that I would like to discuss, also the two pending NFA requests. I am attaching some supporting documentation and listing my thoughts below: This is the site you and I were discussing over email in need of power from Con Ed. We have an approved RAWP for AS/SVE and the system is installed and ready to go. However, there is a purchaser for the property that wishes to develop the property and would like to begin construction within the coming months. The remediation may be impede this development and neither BP, the current owner, nor the developer wants that to happen. Obviously, we are willing to work with all parties to the extent reasonable, but the system infrastructure and wells will add significant cost to the development. Current concentrations for this site, groundwater contours and a figure showing the proposed development are attached for reference in the site 00147.pdf. Concentrations are high, but the new development will have vapor barrier so risk seems minimal. I am curious to know your thoughts on closing this site or alternative not to impede development. Vought sent email reply that Due to the impending development, the Department has no objections to considering a change in proposals of remedial methods from AS/SVE to developmental excavation. In reviewing the attachment, it is noted that the dissolved plume has not been delineated down-gradient as there was no samples collected during the last quarter from MW-7 and MW-8. In an effort for expediency to provide you a response without reviewing the historical files, do we have dissolved data for these wells? If there is an impact to these down-gradient wells, the time allowed for the change in remedial methods may need to be shorter to ensure that plume is captured as soon as possible. For closure to be considered we need to ensure there is no off-site impact, any sidewalk wells (if installed as part of development) show attenuating concentrations, and most importantly, that appropriate vapor mitigation techniques are used in the development, which may also require NYSDOH review. The Department will take every measure to not impede development on any of sites so long as there is no threat to the community or the future occupants. Please keep me posted if HydroTech does not provide cooperation with the above. Vought received reply from ARCADIS Buchanan that Jeff, Thank you for the time and insight. We will resend the outstanding NFA requests to you for your convenient review. We will also investigate the potential data gaps and respond accordingly. Thanks again 7/11/16-Vought-Email from Arcadis Sahithi on 6/28/16 with cc to Arcadis Buchanan that Good Afternoon Jeff, Just wanted to notify you that we finally received power from ConEdison at the above mentioned site. We intend to do system start up on July 5th. I will keep you posted on progress. We will document our start up activities in the

FORMER BP AMOCO STATION #147 (Continued)

S105230179

System Start up Report. Email from Arcadis Sahithi on 7/11/16 that Jeff, Just wanted to give you an update that we had trouble getting the system up & running due to few faulty current readings. We are ordering some new components. As soon as we are able to replace some of the equipment, we will start up the system. I will be sure to keep the department notified with our activities. Thank You. 10/6/2016 -Feng - This spill is transferred from J. Vought to J. Feng as per J. Vought. 1/9/2017 - Feng - 3Q4Q2016, 12/27/2016. Monitoring on 8/31/2016 and 11/1/2016. As of 11/1/2016, DTW 31.15 (MW-14) to 34.14 (MW-5). EW-1, 42,000 BTEX, 94 MTBE. MW-1, 29,870 BTEX, 39 MTBE. MW-2, no sampled. MW-4, 200 MTBE. MW-5, 7,248 BTEX, 27 MTBE. MW-9, 1,515J BTEX, 73 MTBE. MW-10, 2,233 BTEX, 21 MTBE. MW-11, 2,361J BTEX, 280 MTBE. MW-12, 69,100 BTEX, 130 MTBE. MW-13, 14,800 BTEX, 36J MTBE. MW-14, 14,580 BTEX, 190 MTBE. MW-15, 8,115 BTEX, 16 MTBE. MW-16, 364 BTEX, 580 MTBE. MW-17, 7,510 BTEX. MW-18, 4,419 BTEX. MW-19, 1,622 BTEX. AS/SVE system started up on 8/15/2016. Will continue to conduct twice monthly O&M events on the SVE/AS system and guarterly groundwater monitoring. 4/5/2017 - Feng - Talked to Mr. Soheil of Living Places Inc. They are under contract to buy the property. I recommended him to work with BP in order to coordinate the required remediation work if the remedial system does not complete the cleanup of the site by the time development happens. Unknown development schedule. He requested the latest guarterly report. Sent him a copy of that and the contact information of BP, Randy Coil. 5/10/2017 -Feng - 1Q2017, 4/21/2017, by ARCADIS. Monitoring on 1/25/2017. DTW 31.61 (MW-13) to 34.81 (MW-16). SVE portion had average uptime of 87% and the AS portion had 79%. The cumulative recovery of hydrocarbon is 568 lbs to date. MW-1, 5,200 BTEX. MW-2, 47J BTEX. MW-4, 180 MTBE. MW-5, 5,300 BTEX, 24 MTBE. MW-9, 3,700 BTEX, 34 MTBE. MW-10, 3,400 BTEX. MW-11, 4,300 BTEX, 45 MTBE. MW-12, 78,000 BTEX. MW-13, 29,000 BTEX, 11J MTBE. MW-14, 8,700 BTEX, 62 MTBE. MW-15, 21,000 BTEX. MW-16, 1,200 BTEX, 520 MTBE. MW-17, 6,600 BTEX, 31J MTBE. MW-18, 5,000 BTEX. MW-19, 130,000 BTEX. 5/31/2017 - Feng - This spill is transferred from June Feng to Jeffrey Vought as per Jeffrey Vought. 6/19/17-Vought-Received phone call from and spoke to, and also receive email from Soheil Darvish (email:soheil@livingplacesinc.com Ph:718-820-0870) that Hi Jeff, Thank you for taking my call today. The last report that I have is dated Dec 2016 (please see attached). Can you email me the most recent report after this one if you have any? Thank you, Soheil Darvish . Vought sent email to ARCADIS Sahithi/Buchanan and BP Coil that Rondla, I received the below email from Soheil Darvish who is under contract to buy the site referenced above and he is asking for the latest report (after December 2016). I spoke to him over the phone and asked that he approach BP directly for the report and June also provided him Randy Coil s information before she left. He mentioned that he was unable to get the report from BP. Can you please resend me the reports regarding the site since December 2016 so I can forward them to Mr. Darvish? I will also reply to his below email with a cc to you and all above, requesting that he provide development plans for the site, if available. Thanks and please let me know if there is more to the proverbial story then I am seeing so to speak. 6/19/17-Vought-Sent reply to Darvish's email request for latest report with cc to ARCADIS Buchanan/Sahithi and BP Coil that Mr. Darvish, I sent a separate email request to ARCADIS and BP for their copies of their reports since December 2016 as per your below email and will let you know when I receive them. Please keep in mind that any property development will have to involve BP due to

EDR ID Number Database(s) EPA ID Number

FORMER BP AMOCO STATION #147 (Continued)

S105230179

both parties (BP and the future property owner) shared responsibility to ensure that the there are no soil vapor intrusion concerns with respect to the new development. Furthermore, the most optimal time for aggressive remediation via excavation is during development so BP and the future property owner will have to work together to achieve these goals. As such I have copied them above on your request and so that they may be informed of the answers to the below questions, if they do not have the information already. Questions for You: What are the development plans for the site, if any? When is the property scheduled for sale? Thanks, 6/19/17-Vought-Received email from ARCADIS Sahithi that Mr. Vought- Thank you for the email. Arcadis was in communication with Mr. Darvish until we were asked by current property owner Mr. Ilya Mikhailov not to communicate further . We do not have understating of current relationship or status of property transfer between both parties. Hence when Mr. Darvish reached out , I requested him to have the property owner reach out to me for approval. I haven t heard from the owner, but I will contact the property owner again and to see if the relationship has changed. Vought sent reply that Rondla, Thanks for the quick reply. Can you please resend me the reports submitted after December 2016? This way I can at least satisfy Mr. Darvish s immediate request. DEC Possibly Requires: 1)Submission of development plans as per discussion with Hydrotech on 5/9/16 and Vought sending 2)cc to Ataman (HydroTech), Arcadis (Buchanan) 12/12/17 - Austin - Assigned from Vought to Feng end" "impacted soil encountered during tank removal - analytical results

Remarks:

All Materials: Site ID: Operable Unit ID: Operable Unit: Material ID: Material Code: Material Name: Case No.: Material FA: Quantity: Units: Recovered: Oxygenate: Site ID:

Operable Unit ID: Operable Unit: Material ID: Material Code: Material Name: Case No.: Material FA: Quantity: Units: Recovered: Oxygenate: 236378 827935 01 2106529 1213A MTBE (methyl-tert-butyl ether) 01634044 Hazardous Material Not reported Not reported Not reported True 236378 827935 01 550091 0009 gasoline Not reported Petroleum .00 G .00 True

showed contamination"

Database(s)

EDR ID Number EPA ID Number

D19	AMOCO SERVICE STATION 147	RCRA NonGen / NLR 1000316703
WNW	67-79 WOODHAVEN BLVD	FINDS NYD103666566
< 1/8	REGO PARK, NY 11374	ECHO
0.059 mi. 309 ft.	Site 4 of 5 in cluster D	NY MANIFEST
Relative:	RCRA NonGen / NLR:	
Higher	Date form received by agency	/:01/01/2007
Actual:	Facility name:	AMOCO SERVICE STATION 147
57 ft.	Facility address:	67-79 WOODHAVEN BLVD
		REGO PARK, NY 11374
	EPA ID:	
	Mailing address:	INTERPACE PKWY MORRIS CORP CENTRAL
		PARSIPPANY, NY 07054
	Contact:	PAUL LINDELL
	Contact address:	INTERPACE PKWY
		PARSIPPANY, NY 07054
	Contact country:	US
	Contact telephone:	914-765-8192 Nations and a
	Contact email:	Not reported 02
5		Non-Generator
	Description:	Handler: Non-Generators do not presently generate hazardous waste
	Owner/Operator Summary:	
	Owner/operator name:	
	Owner/operator address:	300 INTERPACE PKWY PARSIPPANY, NJ 07054
	Owner/operator country:	US
	Owner/operator telephone:	973-331-7021
	Owner/operator email:	Not reported
	Owner/operator fax:	Not reported
	Owner/operator extension:	Not reported
	Legal status:	Private
	Owner/Operator Type: Owner/Op start date:	Operator 01/01/2001
	Owner/Op end date:	Not reported
	Owner/operator name: Owner/operator address:	AMOCO OIL CO 300 INTERPACE PKWY
	Owner/operator address.	PARSIPPANY, NJ 07054
	Owner/operator country:	US
	Owner/operator telephone:	973-331-7021
	Owner/operator email:	Not reported
	Owner/operator fax:	Not reported
	Owner/operator extension:	Not reported
	Legal status: Owner/Operator Type:	Private Owner
	Owner/Op start date:	01/01/2001
	Owner/Op end date:	Not reported
	Handler Activities Summary:	
	U.S. importer of hazardous wa	aste: No
	Mixed waste (haz. and radioa	
	Recycler of hazardous waste:	
	Transporter of hazardous was	
	Treater, storer or disposer of I	HW: No

Database(s)

EDR ID Number EPA ID Number

AMOCO SERVICE STATION 147	(Continued)	1000316703
Underground injection activity: On-site burner exemption: Furnace exemption: Used oil fuel burner: Used oil processor: User oil refiner: Used oil fuel marketer to burne Used oil Specification markete Used oil transfer facility: Used oil transporter:	No No No No er: No	
Historical Generators:		
Date form received by agency		
Site name:	AMOCO SERVICE STATIO	JN 147
Classification:	Not a generator, verified	
Date form received by agency	:04/20/2001	
Site name:	AMOCO SERVICE STATIO	DN 147
Classification:	Small Quantity Generator	
	Daaa	
. Waste code: . Waste name:	D000 Not Defined	
. waste name.	Not Dellned	
. Waste code:	D001	
. Waste name:	LESS THAN 140 DEGREE CLOSED CUP FLASH PO FLASH POINT OF A WAS WHICH CAN BE OBTAINE MATERIAL. LACQUER TH	WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF IS FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS INT TESTER. ANOTHER METHOD OF DETERMINING THE TE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, ID FROM THE MANUFACTURER OR DISTRIBUTOR OF THE HINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT SIDERED AS IGNITABLE HAZARDOUS WASTE.
. Waste code:	D018	
. Waste name:	BENZENE	
Date form received by agency	.07/08/1999	
Site name:	AMOCO SERVICE STATIO	DN 147
Classification:	Not a generator, verified	
Data forma na saina diku ananan	00/05/4000	
Date form received by agency Site name:	AMOCO SERVICE STATIO	NN 147
Classification:	Large Quantity Generator	JN 147
0.000.000.000	Laige Quantity concluter	
Violation Status:	No violations found	
FINDS:		
Registry ID:	110004379002	
Conservatio events and and treat, so program sta	s a national information syst on and Recovery Act (RCRA activities related to facilities	s waste. RCRAInfo allows RCRA ermit, compliance, and

EDR ID Number Database(s) **EPA ID Number**

AMOCO SERVICE STATION 147 (Continued)

1000316703

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

USA

ECHO:

Envid: Registry ID: DFR URL:

1000316703 110004379002 http://echo.epa.gov/detailed-facility-report?fid=110004379002

NY MANIFEST:

Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location State: Location Zip: Location Zip 4: NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing State: Mailing Zip:

Mailing Zip 4: Mailing Country: Mailing Phone:

Export Indicator:

NY MANIFEST: NYA3826844 Document ID: Manifest Status: Κ seq: Year: 1986 Trans1 State ID: Trans2 State ID: Generator Ship Date: Trans1 Recv Date: Trans2 Recv Date: 11 TSD Site Recv Date: Part A Recv Date: Part B Recv Date: Generator EPA ID: Trans1 EPA ID: Trans2 EPA ID: TSDF ID 1: TSDF ID 2: Manifest Tracking Number: Import Indicator:

NYD103666566 Not reported 67-69 WOODHAVEN BLVD ΒP Not reported Not reported **REGO PARK** NY 11374 Not reported NYD103666566 FRANKS AMOCO GAS STATION FRANKS AMOCO GAS STATION 67-69 WOODHAVEN BLVD Not reported **REGO PARK** NY 11374 Not reported USA 7184593588

Not reported NY89851GC Not reported 11/29/1986 11/29/1986 11/29/1986 01/14/1987 12/10/1986 NYD103666566 NYD049178296 Not reported NYD049178296 Not reported Not reported Not reported Not reported

Map ID	
Direction	
Distance	
Elevation	Site

Database(s)

EDR ID Number **EPA ID Number**

AMOCO SERVICE STATION 147 (Continued)

Click this hyperlink while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

20 East < 1/8 0.069 mi. 366 ft.	ALDERTON APARTMENTS 74-45 YELLOWSTONE BOULEVARD REGO PARK, NY 11374		NY U
Relative: Higher Actual: 57 ft.	UST: Id/Status: Program Type: Region: DEC Region: Expiration Date: UTM X: UTM Y:	2-363944 / Inactive PBS STATE 2 N/A 596440.88514 4507823.73032	
	Site Type: Affiliation Records: Site Id: Affiliation Type: Company Name: Contact Type: Contact Name: Address1: Address2: City: State: Zip Code: Country Code: Phone: EMail: Fax Number: Modified By:	Unknown 18426 Facility Owner BARHITE & HOLZINGER% KRIESEL Not reported 331 MADISON AVE Not reported NEW YORK NY 10017 001 (212) 575-1180 Not reported Not reported Not reported TRANSLAT	

UST U000405381 N/A

Database(s)

EDR ID Number EPA ID Number

ALDERTON APARTMENTS (Continued)

Tank ID:

Date Last Modified: 2004-03-04 18426 Site Id: Affiliation Type: Mail Contact Company Name: PATRICK J. FALCI MANAGEMENT CO. Contact Type: Not reported Contact Name: P. J. FALCI Address1: 164-11 NORTHERN BLVD. Address2: Not reported City: FLUSHING State: NY Zip Code: 11358 Country Code: 001 Phone: Not reported Not reported EMail: Not reported Fax Number: Modified By: TRANSLAT Date Last Modified: 2004-03-04 Site Id: 18426 Affiliation Type: Facility Operator ALDERTON APARTMENTS INC Company Name: Contact Type: Not reported LUIS ITURRINO Contact Name: Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 001 Phone: (718) 896-7796 EMail: Not reported Fax Number: Not reported TRANSLAT Modified By: 2004-03-04 Date Last Modified: Site Id: 18426 Affiliation Type: **Emergency Contact** Company Name: **BARHITE & HOLZINGER% KRIESEL** Contact Type: Not reported BARHITE & HOLZINGER Contact Name: Address1: Not reported Address2: Not reported Not reported City: State: NN Zip Code: Not reported Country Code: 001 (212) 575-1180 Phone: Not reported EMail: Fax Number: Not reported TRANSLAT Modified By: Date Last Modified: 2004-03-04 Tank Info: Tank Number: 001

22514

Database(s)

EDR ID Number EPA ID Number

ALDERTON APARTMENTS (Continued)

Tank Status: Tank Converted to Non-Regulated Use Tank Converted to Non-Regulated Use Material Name: 5000 Capacity Gallons: Install Date: Not reported 03/01/1993 Date Tank Closed: Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 0001 Common Name of Substance: #2 Fuel Oil (On-Site Consumption) Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Pipe Model: Not reported Modified By: TRANSLAT Last Modified: 04/14/2017 Equipment Records: G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser 104 - Overfill - Product Level Gauge (A/G) H00 - Tank Leak Detection - None A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron B00 - Tank External Protection - None C00 - Pipe Location - No Piping F00 - Pipe External Protection - None Tank Number: 1 Tank ID: 43633 Tank Status: In Service Material Name: In Service Capacity Gallons: 5000 Install Date: 07/11/1955 Date Tank Closed: Not reported Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 0001 Common Name of Substance: #2 Fuel Oil (On-Site Consumption) Tightness Test Method: 21 Date Test: 08/24/2017 Next Test Date: 08/24/2018 Pipe Model: Not reported Modified By: TLYE Last Modified: 10/12/2017 Equipment Records: J02 - Dispenser - Suction Dispenser E00 - Piping Secondary Containment - None G03 - Tank Secondary Containment - Vault (w/o access) 100 - Overfill - None L09 - Piping Leak Detection - Exempt Suction Piping B00 - Tank External Protection - None C00 - Pipe Location - No Piping

Database(s)

EDR ID Number EPA ID Number

ALDERTON APARTMENTS (Continued)

F00 - Pipe External Protection - None A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron K00 - Spill Prevention - None

- H99 Tank Leak Detection Other

Affiliation Records: Site Id: 22730 Affiliation Type: Facility Owner ALDERTON APARTMENTS INC. Company Name: Contact Type: PRESIDENT Contact Name: PATRICK J. FALCI Address1: 74-45 YELLOWSTONE BLVD Address2: Not reported City: **REGO PARK** State: NY 11374 Zip Code: Country Code: 001 (718) 539-9100 Phone: EMail: Not reported Not reported Fax Number: MFLEONAR Modified By: Date Last Modified: 2017-07-10 Site Id: 22730 Affiliation Type: Mail Contact Company Name: P.J. FALCI MANAGEMENT CO. INC. Contact Type: Not reported Contact Name: PATRICK J. FALCI 164-11 NORTHERN BOULEVARD Address1: Address2: Not reported City: FLUSHING State: NY Zip Code: 11358 Country Code: 001 Phone: (718) 539-9100 JMTFA@AOL.COM EMail: Fax Number: Not reported Modified By: **MFLEONAR** Date Last Modified: 2017-07-10 Site Id: 22730 Affiliation Type: Facility Operator ALDERTON APARTMENTS Company Name: Contact Type: Not reported Contact Name: NICK NOCI Address1: Not reported Address2: Not reported Not reported City: State: NN Zip Code: Not reported Country Code: 001 Phone: (917) 647-7868 Not reported EMail: Fax Number: Not reported Modified By: **MFLEONAR** 2017-07-10 Date Last Modified:

Database(s)

EDR ID Number EPA ID Number

ALDERTON APARTMENTS (Continued)

Install Date:

Site Id: 22730 Affiliation Type: **Emergency Contact** Company Name: ALDERTON APARTMENTS INC. Contact Type: Not reported FALCI MANAGEMENT INC. Contact Name: Address1: Not reported Not reported Address2: City: Not reported State: NN Zip Code: Not reported Country Code: 999 (718) 896-7094 Phone: Not reported EMail: Fax Number: Not reported MFLEONAR Modified By: Date Last Modified: 2017-07-10 Tank Info: 001 Tank Number: Tank ID: 22514 Tank Status: Tank Converted to Non-Regulated Use Material Name: Tank Converted to Non-Regulated Use 5000 Capacity Gallons: Install Date: Not reported Date Tank Closed: 03/01/1993 Registered: True Tank Location: Underground Tank Type: Steel/carbon steel 0001 Material Code: Common Name of Substance: #2 Fuel Oil (On-Site Consumption) Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Not reported Pipe Model: Modified By: TRANSLAT 04/14/2017 Last Modified: Equipment Records: G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser 104 - Overfill - Product Level Gauge (A/G) H00 - Tank Leak Detection - None A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron B00 - Tank External Protection - None C00 - Pipe Location - No Piping F00 - Pipe External Protection - None Tank Number: 1 43633 Tank ID: Tank Status: In Service Material Name: In Service Capacity Gallons: 5000

07/11/1955

Database(s)

EDR ID Number **EPA ID Number**

ALDERTON APARTMENTS (Continued)

Date Tank Closed: Not reported Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 0001 Common Name of Substance: #2 Fuel Oil (On-Site Consumption) Tightness Test Method: 21 Date Test: 08/24/2017 Next Test Date: 08/24/2018 Pipe Model: Not reported Modified By: TLYE Last Modified: 10/12/2017 Equipment Records: J02 - Dispenser - Suction Dispenser E00 - Piping Secondary Containment - None G03 - Tank Secondary Containment - Vault (w/o access) 100 - Overfill - None L09 - Piping Leak Detection - Exempt Suction Piping B00 - Tank External Protection - None C00 - Pipe Location - No Piping F00 - Pipe External Protection - None A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron K00 - Spill Prevention - None H99 - Tank Leak Detection - Other

E21 Х NNE 85-47 68TH AVE < 1/8 **REGO PARK, NY** 0.071 mi. 375 ft. Site 1 of 3 in cluster E SPILLS: **Relative:** Higher Spill Number/Closed Date: Facility ID: Actual: Facility Type: 57 ft. DER Facility ID: Site ID: DEC Region: Spill Cause: Spill Class: SWIS: Spill Date: Investigator:

Referred To:

Water Affected:

Last Inspection:

UST Trust:

Spill Source:

Spill Notifier:

CID:

0000019 / 2000-04-06 0000019 ER 177954 214806 2 Deliberate C4 4101 2000-04-01 SACCACIO Not reported Reported to Dept: 2000-04-01 322 Not reported Passenger Vehicle Citizen Cleanup Ceased: Not reported Cleanup Meets Std: False Not reported Recommended Penalty: False False Remediation Phase: 0

NY Spills S104650511

N/A

Map ID	
Direction	
Distance	
Elevation	Site

Database(s)

EDR ID Number EPA ID Number

S104650511

X (Continued)		S
Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Address: Spiller Company: Contact Name: DEC Memo:	2000-04-01 2004-10-12 Not reported ADAM BLUM 85-25 68TH ROAD, APT. 3A 001 Not reported ""	
Remarks:	"blue vw 2s - subj justed pull up on street and is changing to oil on his car an letting it drain into sewer - ny reg xws964 "	
All Materials:		
Site ID:	214806	
Operable Unit ID:	821776	
Operable Unit:	01	
Material ID:	288290	
Material Code:	0022	
Material Name:	waste oil/used oil	
Case No.:	Not reported	
Material FA:	Petroleum	
Quantity:	1.00	
Units:	G	
Recovered:	.00	
Oxygenate:	Not reported	

D22 NW < 1/8 0.077 mi. 404 ft.	67-53 WOODHAVEN BLVD 67-53 WOODHAVEN BLVD REGO PARK, NY Site 5 of 5 in cluster D		NY Spills
Relative: Higher Actual: 57 ft.	SPILLS: Spill Number/Closed Date: Facility ID: Facility Type: DER Facility ID: Site ID: DEC Region: Spill Cause: Spill Class: SWIS: Spill Date: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Source: Spill Notifier: Cleanup Ceased: Cleanup Meets Std: Last Inspection: Recommended Penalty: UST Trust: Remediation Phase: Date Entered In Computer: Spill Record Last Update:	0009397 / 2001-12-21 0009397 ER 197689 240390 2 Other C3 4101 2000-11-15 JBVOUGHT Not reported 2000-11-15 282 Not reported Gasoline Station or other PBS Facility Other Not reported False Not reported False Not reported False 0 2000-11-15 2004-01-13	

N/A

S105235204

67-53 WOODHAVEN BLVD (Continued)

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

S105235204

Spiller Name: N/A FORMER AMOCO GAS STATION Spiller Company: Spiller Address: NEXT TO 67-53 WOODHAVEN Spiller Company: 001 Contact Name: MORRIS WEINBACH-OWNER DEC Memo: "Prior to Sept, 2004 data translation this spill Lead DEC Field was VOUGHT SEE 0005364. 10/30/01 Morris Weinbach (718) 268-6900 requests status update. Spill transferred from Rommel to Vought on 12/21/2001. 12/21/2001 VOUGHT: Spoke with Mr. Morris Weinbach who said that vapors were no longer present and that George Topany from Delta Environmental arrived on-site took samples . Spoke with George who stated he had installed vapor point samples via Geoprobe and that concentrations were negligible. Spill closed 12/21/2001. (See spill 0005364 for adjacent site spill). 3/14/03 REASSIGNED FROM ROMMEL TO VOUGHT.' Remarks: "the owner called the lawyers office complaining of the strong smell of gas in the air the gas station is a former amoco station they removed the gas tanks in the last couple of weeks.apparently dec is working on this case already." All Materials: Site ID: 240390 **Operable Unit ID:** 830327 Operable Unit: 01 Material ID: 543343 Material Code: 0009 Material Name: gasoline Case No .: Not reported Material FA: Petroleum Quantity: .00 G Units: .00 Recovered: Oxygenate: Not reported **CON EDISON SERVICE BOX: 40702** F23 RCRA NonGen / NLR 1017775537 NNW 85-19 67TH DR FRONT OF SB40702 FINDS NYP004533758 RIDGEWOOD, NY 11385 < 1/8 0.084 mi. Site 1 of 10 in cluster F 442 ft. **Relative:** RCRA NonGen / NLR: Higher Date form received by agency: 06/15/2014 Facility name: CON EDISON SERVICE BOX: 40702 Actual: Facility address: 85-19 67TH DR FRONT OF SB40702 57 ft. RIDGEWOOD, NY 11385 EPA ID: NYP004533758 Mailing address: IRVING PL, 15TH FL NE NEW YORK, NY 10003 Contact: THOMAS TEELING Contact address: Not reported Not reported Contact country: Not reported 212-460-3770 Contact telephone: Contact email: Not reported EPA Region: 02 Classification: Non-Generator Handler: Non-Generators do not presently generate hazardous waste Description:

Database(s)

EDR ID Number EPA ID Number

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive)	: No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No
Historical Generators:	
Date form received by agency 05/1	15/2014
, , ,	NEDISON
	all Quantity Generator
Date form received by agency:05/1	15/2014
	N EDISON
Classification: Not	a generator, verified
Violation Status: No	violations found
FINDS:	
FINDS:	
Pagiate (ID: 110	063779013
Registry ID: 110	003779013
Environmental Interest/Information	System
	ational information system that supports the Resource
	d Recovery Act (RCRA) program through the tracking of
	ities related to facilities that generate, transport,
	or dispose of hazardous waste. RCRAInfo allows RCRA
	track the notification, permit, compliance, and
	activities required under RCRA.

<u>Click this hyperlink</u> while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

E24 NNE < 1/8 0.085 mi. 449 ft.	CON EDISON 85-56 67TH DR REGO PARK, NY 11374 Site 2 of 3 in cluster E	
Relative: Higher Actual: 57 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2:	USA NYP004536314 Not reported FO 85-56 67 DR BP SB 19648

NY MANIFEST S117061333 N/A

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)

S117061333

ON EDISON (Continued)	
Total Tanks: Location City:	Not reported QUEENS
Location State:	NY
Location Zip:	11374
Location Zip 4:	Not reported
NY MANIFEST:	
EPAID:	NYP004536314
Mailing Name: Mailing Contact:	CON EDISON TOM TEELING
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported
NY MANIFEST:	
Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	05/19/2014
Trans1 Recv Date: Trans2 Recv Date:	05/19/2014 Not reported
TSD Site Recy Date:	05/22/2014
Part A Recy Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004536314
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2: Manifest Tracking Number:	Not reported 002419055GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	Ν
Discr Type Indicator:	Ν
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator: Manifest Ref Number:	N Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Quantity: Units:	120 G - Gallons (liquids only)* (8.3 pounds)
UTIILS.	G - Galloris (liquids oflig) (6.5 pourlds)

Map ID Direction Distance Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

S117061333

CON EDISON (Continued)

Number of Containers:		
Container Type:		
Handling Method:		
Specific Gravity:		
Waste Code:		
Waste Code 1_2:		
Waste Code 1_3:		
Waste Code 1_4:		
Waste Code 1_5:		
Waste Code 1_6:		

1 TT - Cargo tank, tank trucks T Chemical, physical, or biological treatment. 1 D008 Not reported Not reported Not reported Not reported Not reported Not reported

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

E25 NNE < 1/8 0.085 mi	CON EDISON SERVICE BOX: 196 85-56 67TH DR REGO PARK, NY 11374	48	RCRA NonGen / NLR	1017775786 NYP004536314
449 ft.	Site 3 of 3 in cluster E			
0.085 mi.		CON EDISON SERVICE BOX: 19648 85-56 67TH DR REGO PARK, NY 11374 NYP004536314 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported 212-460-3770 Not reported 02 Non-Generator Handler: Non-Generators do not presently ge	nerate hazardous waste	
	Used oil processor: User oil refiner: Used oil fuel marketer to burn Used oil Specification markete Used oil transfer facility: Used oil transporter:			

Map ID Direction		MAP FINDINGS		
Distance				EDR ID Number
Elevation	Site		Database(s)	EPA ID Number
	CON EDISON SERVICE BOX: 1	9648 (Continued)		1017775786
	CON EDICON CERTICE DOX. 1			1011110100
	Historical Generators: Date form received by ager	05/10/2014		
	Site name:	CON EDISON		
	Classification:	Large Quantity Generator		
	Date form received by ager	ncv: 05/19/2014		
	Site name:	CON EDISON		
	Classification:	Not a generator, verified		
	Violation Status:	No violations found		
G26 SSE	GETTY 8 75-41 YELLOW STONE BLVD		NY Spills	S109415185 N/A
< 1/8	REGO PARK, NY			N/A
0.091 mi.				
483 ft.	Site 1 of 10 in cluster G			
Relative:	SPILLS:			
Higher	Spill Number/Closed Date: Facility ID:	0812221 / 2009-02-13 0812221		
Actual: 57 ft.	Facility Type:	ER		
07 10.	DER Facility ID:	359082		
	Site ID:	409830		
	DEC Region:	2		
	Spill Cause: Spill Class:	Equipment Failure C4		
	SWIS:	4101		
	Spill Date:	2009-02-09		
	Investigator:	smsanges		
	Referred To:	Not reported		
	Reported to Dept:	2009-02-09		
	CID:	Not reported		
	Water Affected: Spill Source:	Not reported Passenger Vehicle		
	Spill Notifier:	Other		
	Cleanup Ceased:	Not reported		
	Cleanup Meets Std:	False		
	Last Inspection:	Not reported		
	Recommended Penalty:	False		
	UST Trust: Remediation Phase:	False 0		
	Date Entered In Computer:			
	Spill Record Last Update:	2009-02-13		
	Spiller Name:	Not reported		
	Spiller Company:	GETTY 8		
	Spiller Address:	Not reported		
	Spiller Company:	999 Mike Carr		
	Contact Name: DEC Memo:	MIKE CARR "minor spill from customer's car - all cleaned"		
	Remarks:	"cust. vch. had leak in tank /clean up complete"		
	All Materials:			
	Site ID:	409830		
	Operable Unit ID:	1166327		
	Operable Unit:	01		
	Material ID: Material Code:	2157784 0009		
	Material Name:	gasoline		
	Case No.:	Not reported		
	0030 110	Rocroportou		

Database(s)

EDR ID Number EPA ID Number

	GETTY 8 (C	ontinued)				S109415185
	Materia Quantit Units: Recove Oxyger	y: ered:	Petroleum 4.00 G Not reported Not reported			
G27 SSE < 1/8 0.091 mi. 483 ft.	BETSO 7541 YELLO REGO PARM Site 2 of 10 i				EDR Hist Auto	1020746111 N/A
Relative: Higher	EDR Hist	Auto				
Actual: 57 ft.	Year: 1991 1992 1993 1994 1995 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2009 2010 2010 2010 2011 2011 2011	Name: G-TECH INC G-TECH INC G-TECH SERVICE INC G-TECH SERVICE INC BROTHERS SALES & 3 BROTHERS SALES & 3 BETSO BROTHERS SALES & 3 BETSO BETSO BETSO BETSO BETSO INC BROTHERS SALES & 3 BETSO INC BROTHERS SALES & 3	SERVICE SERVICE SERVICE SERVICE SERVICE SERVICE SERVICE SERVICE SERVICE SERVICE SERVICE SERVICE	Type: Gasoline Service Stations Gasoline Service Stations		

G28 GLOBAL MONTELLO GROUP #5401 SSE 75-41 YELLOWSTONE BOULEVARD < 1/8 REGO PARK, NY 11374

Relative:AST:HigherRegion:STATEActual:DEC Region:257 ft.Site Status:ActiveFacility Id:2-326372Program Type:PBS	0.091 mi. 483 ft.	Site 3 of 10 in cluster G	
	Higher Actual:	Region: DEC Region: Site Status: Facility Id:	2 Active 2-326372

NY AST A100168902 N/A

Database(s)

EDR ID Number EPA ID Number

GLOBAL MONTELLO GROUP #5401 (Continued)

UTM X: 596373.29582 UTM Y: 4507641.98976 Expiration Date: 07/10/2020 Site Type: **Retail Gasoline Sales** Affiliation Records: 15204 Site Id: Affiliation Type: Facility Owner Company Name: LEEMILTS PETROLEUM Contact Type: AUTHORIZED REPRESENTATIVE Contact Name: MEGAN KAZMIERCZAK Address1: 2 JERICHO TURNPIKE, WING C, SUITE 110 Address2: Not reported City: **JERICHO** State: NY Zip Code: 11753 Country Code: 001 Phone: (516) 478-5400 EMail: Not reported Fax Number: Not reported Modified By: DAFRANCI Date Last Modified: 2018-02-08 Site Id: 15204 Facility Operator Affiliation Type: Company Name: GLOBAL MONTELLO GROUP #5401 Contact Type: Not reported Contact Name: ERIC HARVEY Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 001 (718) 459-2777 Phone: Not reported EMail: Not reported Fax Number: Modified By: **LNROSARI** Date Last Modified: 2016-01-08 Site Id: 15204 Affiliation Type: **Emergency Contact** Company Name: LEEMILTS PETROLEUM Contact Type: Not reported Contact Name: CALL CENTER Address1: Not reported Address2: Not reported City: Not reported NN State: Zip Code: Not reported Country Code: 999 Phone: (888) 674-7601 EMail: Not reported Not reported Fax Number: Modified By: **MFLEONAR** 2017-10-30 Date Last Modified: 15204 Site Id:

A100168902

Database(s)

EDR ID Number EPA ID Number

GLOBAL MONTELLO GROUP #5401 (Continued)

A100168902

	(continued)
Affiliation Type:	Mail Contact
Company Name:	ATC ECLIPSE
Contact Type:	Not reported
Contact Name:	MEGAN KAZMIERCZAK
Address1:	705 A LAKEVIEW PLAZA BLVD.
Address2:	Not reported
City:	WORTHINGTON
State:	OH
Zip Code:	43085
Country Code:	001
Phone:	(614) 433-0170
EMail:	MEGAN.KAZMIERCZAK@ATCGS.COM
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2018-10-03
Tank Info:	
Tank Number:	017
Tank Id:	53217
Material Code:	0001
Common Name of Substance:	
Common Name of Substance.	#2 Fuel Oil (On-Site Consumption)
Equipment Records:	
	J00 - Dispenser - None
	A00 - Tank Internal Protection - None
	H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
	I02 - Overfill - High Level Alarm
	D00 - Pipe Type - No Piping
	B00 - Tank External Protection - None
	C00 - Pipe Location - No Piping
	F00 - Pipe External Protection - None
	G04 - Tank Secondary Containment - Double-Walled (Underground)
Tank Location:	Aboveground - contact with soil Tank bottom rests on soil,
	allowing no visual inspection.
Tank Type:	Stainless Steel Alloy
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	08/01/1997
Capacity Gallons:	240
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	07/12/2007
Register:	True
Modified By:	NRLOMBAR
Last Modified:	04/14/2017
Material Name:	#2 fuel oil (on-site consumption)
Tank Number:	017A
Tank Id:	56341
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)
	· · · /

Database(s)

EDR ID Number EPA ID Number

GLOBAL MONTELLO GROUP #5401 (Continued)

A100168902

Equipment Records: C01 - Pipe Location - Aboveground D10 - Pipe Type - Copper A00 - Tank Internal Protection - None B01 - Tank External Protection - Painted/Asphalt Coating I01 - Overfill - Float Vent Valve J02 - Dispenser - Suction Dispenser K01 - Spill Prevention - Catch Basin L09 - Piping Leak Detection - Exempt Suction Piping F00 - Pipe External Protection - None G04 - Tank Secondary Containment - Double-Walled (Underground) H05 - Tank Leak Detection - In-Tank System (ATG) Tank Location: Aboveground - on saddles, legs, racks, etc Tank bottom is elevated above grade or tank pad, allowing visual inspection. Tank Status: Closed - Removed Pipe Model: Not reported Install Date: 10/01/1997 Capacity Gallons: 240 Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Date Tank Closed: 07/12/2007 Register: True Modified By: NRLOMBAR Last Modified: 04/14/2017 Material Name: #2 fuel oil (on-site consumption)
D10 - Pipe Type - CopperA00 - Tank Internal Protection - NoneB01 - Tank External Protection - Painted/Asphalt CoatingI01 - Overfill - Float Vent ValveJ02 - Dispenser - Suction DispenserK01 - Spill Prevention - Catch BasinL09 - Piping Leak Detection - Exempt Suction PipingF00 - Pipe External Protection - NoneG04 - Tank Secondary Containment - Double-Walled (Underground)H05 - Tank Leak Detection - In-Tank System (ATG)Tank Location:Aboveground - on saddles, legs, racks, etc Tank bottom is elevated above grade or tank pad, allowing visual inspection.Tank Type:Tank Status:Closed - RemovedPipe Model:Install Date:100/1/1997Capacity Gallons:240Tightness Test Method:NNDate Test:Not reportedNext Test Date:Not reportedDate Tank Closed:07/12/2007Register:TrueModified By:Modified By:NRLOMBARLast Modified:0414/2017Material Name:#2 fuel oil (on-site consumption)
A00 - Tank Internal Protection - NoneB01 - Tank External Protection - Painted/Asphalt CoatingI01 - Overfill - Float Vent ValveJ02 - Dispenser - Suction DispenserK01 - Spill Prevention - Catch BasinL09 - Piping Leak Detection - Exempt Suction PipingF00 - Pipe External Protection - NoneG04 - Tank Secondary Containment - Double-Walled (Underground)H05 - Tank Leak Detection - In-Tank System (ATG)Tank Location:Aboveground - on saddles, legs, racks, etc Tank bottom is elevatedabove grade or tank pad, allowing visual inspection.Tank Type:Steel/Carbon Steel/IronTank Status:Closed - RemovedPipe Model:Not reportedInstall Date:10/1/1997Capacity Gallons:240Tightness Test Method:NNDate Test:Not reportedDate Tank Closed:07/12/2007Register:TureModified By:NRLOMBARLast Modified:Material Name:#2 fuel oil (on-site consumption)
B01 - Tank External Protection - Painted/Asphalt Coating I01 - Overfill - Float Vent Valve J02 - Dispenser - Suction Dispenser K01 - Spill Prevention - Catch Basin L09 - Piping Leak Detection - Exempt Suction Piping F00 - Pipe External Protection - None G04 - Tank Secondary Containment - Double-Walled (Underground) H05 - Tank Leak Detection - In-Tank System (ATG)Tank Location:Aboveground - on saddles, legs, racks, etc Tank bottom is elevated above grade or tank pad, allowing visual inspection.Tank Type:Steel/Carbon Steel/IronTank Status:Closed - RemovedPipe Model:Not reportedInstall Date:10/01/1997Capacity Gallons:240Tightness Test Method:NNDate Test:Not reportedNext Test Date:07/12/2007Register:TrueModified By:NRLOMBARLast Modified:04/14/2017Material Name:#2 fuel oil (on-site consumption)Tank Number:018
I01 - Overfill - Float Vent Valve J02 - Dispenser - Suction Dispenser K01 - Spill Prevention - Catch Basin L09 - Piping Leak Detection - Exempt Suction Piping F00 - Pipe External Protection - None G04 - Tank Secondary Containment - Double-Walled (Underground) H05 - Tank Leak Detection - In-Tank System (ATG)Tank Location:Aboveground - on saddles, legs, racks, etc Tank bottom is elevated above grade or tank pad, allowing visual inspection.Tank Type:Steel/Carbon Steel/Iron Tank Status:Tank Status:Closed - RemovedPipe Model:Not reportedInstall Date:10/01/1997Capacity Gallons:240Tightness Test Method:NNDate Test:Not reportedNext Test Date:Not reportedNext Test Date:07/12/2007Register:TrueModified By:NRLOMBARLast Modified:04/14/2017Material Name:#2 fuel oil (on-site consumption)
K01 - Spill Prevention - Catch BasinL09 - Piping Leak Detection - Exempt Suction PipingF00 - Pipe External Protection - NoneG04 - Tank Secondary Containment - Double-Walled (Underground)H05 - Tank Leak Detection - In-Tank System (ATG)Tank Location:Aboveground - on saddles, legs, racks, etc Tank bottom is elevatedabove grade or tank pad, allowing visual inspection.Tank Type:Steel/Carbon Steel/IronTank Status:Closed - RemovedPipe Model:Install Date:10/01/1997Capacity Gallons:240Tightness Test Method:NNDate Test:Not reportedNext Test Date:07/12/2007Register:TrueModified By:VMLOMBARLast Modified:04/14/2017Material Name:#2 fuel oil (on-site consumption)
K01 - Spill Prevention - Catch BasinL09 - Piping Leak Detection - Exempt Suction PipingF00 - Pipe External Protection - NoneG04 - Tank Secondary Containment - Double-Walled (Underground)H05 - Tank Leak Detection - In-Tank System (ATG)Tank Location:Aboveground - on saddles, legs, racks, etc Tank bottom is elevatedabove grade or tank pad, allowing visual inspection.Tank Type:Steel/Carbon Steel/IronTank Status:Closed - RemovedPipe Model:Install Date:10/01/1997Capacity Gallons:240Tightness Test Method:NNDate Test:Not reportedNext Test Date:07/12/2007Register:TrueModified By:VMLOMBARLast Modified:04/14/2017Material Name:#2 fuel oil (on-site consumption)
F00 - Pipe External Protection - NoneG04 - Tank Secondary Containment - Double-Walled (Underground)H05 - Tank Leak Detection - In-Tank System (ATG)Tank Location:Aboveground - on saddles, legs, racks, etc Tank bottom is elevated above grade or tank pad, allowing visual inspection.Tank Type:Steel/Carbon Steel/IronTank Status:Closed - RemovedPipe Model:Not reportedInstall Date:10/01/1997Capacity Gallons:240Tightness Test Method:NNDate Test:Not reportedNext Test Date:07/12/2007Register:TrueModified By:NRLOMBARLast Modified:04/14/2017Material Name:#2 fuel oil (on-site consumption)
G04 - Tank Secondary Containment - Double-Walled (Underground) H05 - Tank Leak Detection - In-Tank System (ATG)Tank Location:Aboveground - on saddles, legs, racks, etc Tank bottom is elevated above grade or tank pad, allowing visual inspection.Tank Type:Steel/Carbon Steel/IronTank Status:Closed - RemovedPipe Model:Not reportedInstall Date:10/01/1997Capacity Gallons:240Tightness Test Method:NNDate Test:Not reportedNext Test Date:Not reportedDate Tank Closed:07/12/2007Register:TrueModified By:NRLOMBARLast Modified:04/14/2017Material Name:#2 fuel oil (on-site consumption)
H05 - Tank Leak Detection - In-Tank System (ATG)Tank Location:Aboveground - on saddles, legs, racks, etc Tank bottom is elevated above grade or tank pad, allowing visual inspection.Tank Type:Steel/Carbon Steel/IronTank Status:Closed - RemovedPipe Model:Not reportedInstall Date:10/01/1997Capacity Gallons:240Tightness Test Method:NNDate Test:Not reportedNext Test Date:07/12/2007Register:TrueModified By:NRLOMBARLast Modified:04/14/2017Material Name:#2 fuel oil (on-site consumption)
Tank Location:Aboveground - on saddles, legs, racks, etc Tank bottom is elevated above grade or tank pad, allowing visual inspection.Tank Type:Steel/Carbon Steel/IronTank Status:Closed - RemovedPipe Model:Not reportedInstall Date:10/01/1997Capacity Gallons:240Tightness Test Method:NNDate Test:Not reportedNext Test Date:Not reportedDate Tank Closed:07/12/2007Register:TrueModified By:NRLOMBARLast Modified:04/14/2017Material Name:#2 fuel oil (on-site consumption)
above grade or tank pad, allowing visual inspection.Tank Type:Steel/Carbon Steel/IronTank Status:Closed - RemovedPipe Model:Not reportedInstall Date:10/01/1997Capacity Gallons:240Tightness Test Method:NNDate Test:Not reportedNext Test Date:Not reportedDate Tank Closed:07/12/2007Register:TrueModified By:NRLOMBARLast Modified:04/14/2017Material Name:#2 fuel oil (on-site consumption)
Tank Type:Steel/Carbon Steel/IronTank Status:Closed - RemovedPipe Model:Not reportedInstall Date:10/01/1997Capacity Gallons:240Tightness Test Method:NNDate Test:Not reportedNext Test Date:Not reportedDate Tank Closed:07/12/2007Register:TrueModified By:NRLOMBARLast Modified:04/14/2017Material Name:#2 fuel oil (on-site consumption)
Tank Status:Closed - RemovedPipe Model:Not reportedInstall Date:10/01/1997Capacity Gallons:240Tightness Test Method:NNDate Test:Not reportedNext Test Date:Not reportedDate Tank Closed:07/12/2007Register:TrueModified By:NRLOMBARLast Modified:04/14/2017Material Name:#2 fuel oil (on-site consumption)
Pipe Model:Not reportedInstall Date:10/01/1997Capacity Gallons:240Tightness Test Method:NNDate Test:Not reportedNext Test Date:Not reportedDate Tank Closed:07/12/2007Register:TrueModified By:NRLOMBARLast Modified:04/14/2017Material Name:#2 fuel oil (on-site consumption)
Install Date:10/01/1997Capacity Gallons:240Tightness Test Method:NNDate Test:Not reportedNext Test Date:Not reportedDate Tank Closed:07/12/2007Register:TrueModified By:NRLOMBARLast Modified:04/14/2017Material Name:#2 fuel oil (on-site consumption)
Capacity Gallons:240Tightness Test Method:NNDate Test:Not reportedNext Test Date:Not reportedDate Tank Closed:07/12/2007Register:TrueModified By:NRLOMBARLast Modified:04/14/2017Material Name:#2 fuel oil (on-site consumption)
Tightness Test Method:NNDate Test:Not reportedNext Test Date:Not reportedDate Tank Closed:07/12/2007Register:TrueModified By:NRLOMBARLast Modified:04/14/2017Material Name:#2 fuel oil (on-site consumption)Tank Number:018
Date Test:Not reportedNext Test Date:Not reportedDate Tank Closed:07/12/2007Register:TrueModified By:NRLOMBARLast Modified:04/14/2017Material Name:#2 fuel oil (on-site consumption)Tank Number:018
Next Test Date:Not reportedDate Tank Closed:07/12/2007Register:TrueModified By:NRLOMBARLast Modified:04/14/2017Material Name:#2 fuel oil (on-site consumption)Tank Number:018
Register:TrueModified By:NRLOMBARLast Modified:04/14/2017Material Name:#2 fuel oil (on-site consumption)Tank Number:018
Modified By:NRLOMBARLast Modified:04/14/2017Material Name:#2 fuel oil (on-site consumption)Tank Number:018
Last Modified:04/14/2017Material Name:#2 fuel oil (on-site consumption)Tank Number:018
Material Name:#2 fuel oil (on-site consumption)Tank Number:018
Tank Number: 018
Material Code: 0022
Common Name of Substance: Waste Oil/Used Oil
Equipment Records:
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J00 - Dispenser - None
D00 - Pipe Type - No Piping L00 - Piping Leak Detection - None
E00 - Piping Secondary Containment - None
102 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
G09 - Tank Secondary Containment - Modified Double-Walled
(Aboveground)
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
Tank Location: Aboveground - contact with impervious barrier Tank bottom rests on
impervious barrier, allowing visual indication of leaks.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported Install Date: 10/01/1997
Capacity Gallons: 180
Tightness Test Method: NN

Material:

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

	GLOBAL MONTELLO GROUP #5401	(Continued)	A100168902
	Date Test: Next Test Date: Date Tank Closed: Register: Modified By: Last Modified: Material Name:	Not reported Not reported True DAFRANCI 07/13/2017 waste oil/used oil	
G29 SSE < 1/8 0.091 mi.	GETTY GAS STA. 75-41 YELLOWSTONE BLVD REGO PARK, NY	NY LTAN NY Spi	
483 ft.	Site 4 of 10 in cluster G		
Relative: Higher Actual: 57 ft.	LTANKS: Spill Number/Closed Date: Facility ID: Site ID: Spill Date: Spill Cause: Spill Cause: Spill Class: Cleanup Ceased: SWIS: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Notifier: Last Inspection: Recommended Penalty: Meets Standard: UST Involvement: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Company: Spiller Contact: Spiller Contact: Spiller Extention: DEC Region: DEC Region: DEC Region: DEC Memo: Remarks: All TTF: Facility ID: Spill Number:	9404162 / 1994-06-24 9404162 326130 1994-06-20 Tank Failure Gasoline Station or other PBS Facility E4 1994-06-24 4101 KSTANG Not reported 1994-06-20 Not reported Affected Persons Not reported Affected Persons Not reported False True True 0 1994-06-28 1994-10-31 Not reported GETTY GAS STATION 75-41 YELLOWSTONE BLVD 001 Not reported Not reported Prior to Sept, 2004 data translation this spill Lead_DEC Field was TANG " "PBS INSPECTION NEEDED"	
	Spill Number: Spill Tank Test:	9404162 1542895	
	Site ID:	326130	
	Tank Number:	Not reported	
	Tank Size: Material:	0	

0009

CID:

Water Affected:

Cleanup Ceased:

Last Inspection:

UST Trust:

Spiller Name:

Spiller Company:

Spiller Company:

Spiller Address:

Cleanup Meets Std:

Remediation Phase:

Recommended Penalty:

Date Entered In Computer:

Spill Record Last Update:

Spill Source:

Spill Notifier:

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

GETTY GAS STA. (Continued) S102663504 EPA UST: Not reported UST: Not reported Cause: Not reported Source: Not reported Test Method: 00 Test Method 2: Unknown Leak Rate: .00 Not reported Gross Fail: Modified By: Spills Last Modified Date: Not reported All Materials: Site ID: 326130 Operable Unit ID: 998015 Operable Unit: 01 Material ID: 384314 Material Code: 0009 Material Name: gasoline Case No .: Not reported Material FA: Petroleum Quantity: -1.00 Units: Not reported Recovered: .00 Oxygenate: Not reported SPILLS: Spill Number/Closed Date: 0506581 / 2005-08-29 Facility ID: 0506581 Facility Type: ER **DER Facility ID:** 262723 Site ID: 351814 DEC Region: 2 Spill Cause: Traffic Accident Spill Class: C4 SWIS: 4101 2005-08-28 Spill Date: Investigator: **JBVOUGHT** Not reported Referred To: Reported to Dept: 2005-08-29

407

Other

True

False

False

0

999

Not reported

Not reported

Not reported

2005-08-29 2005-08-29

Not reported

CUSTOMER

Not reported

Passenger Vehicle

TC5618352.2s Page 109

Database(s)

EDR ID Number EPA ID Number

Contact Name:	ED WALDRON
DEC Memo:	10
Remarks:	"Dispenser was hit, no release"
All Materials:	
Site ID:	351814
Operable Unit ID:	1109319
Operable Unit:	01
Material ID:	2099317
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported
- ,,,	
Spill Number/Closed Date:	0703905 / 2007-09-11
Facility ID:	0703905
Facility Type:	ER
DER Facility ID:	262723
Site ID:	383952
DEC Region:	2
Spill Cause:	Housekeeping
Spill Class:	C4
SWIS:	4101
Spill Date:	2007-07-06
Investigator:	smsanges
Referred To:	Not reported
Reported to Dept:	2007-07-06
CID:	444
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2007-07-06
Spill Record Last Update:	2007-09-11
Spiller Name:	
Spiller Company:	GETTY#8
Spiller Address:	75-41 YELLOW STONE BLVD
Spiller Company:	
Contact Name:	MIKE CARR\\
DEC Memo:	"Tyree writeup says: Water with sheen in Tank top. Sumps also waste
	oil staining on concrete adjacent to AST cleaned with speedie dry.
	Sheen most likely from residual product on fittings in tank top sumps
Pomorko:	Spill Closed" "VAC TRUCK ENROUTE : STAINING CLEANED UP"
Remarks:	VAG TRUCK ENROUTE . STAINING GLEANED UP
All Materials:	
Site ID:	383952
Operable Unit ID:	1141274

GETTY GAS STA. (Continued)

S102663504

Database(s)

EDR ID Number EPA ID Number

Operable Unit:	01
Material ID:	2131484
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported
Spill Number/Closed Date:	0011472 / 2003-12-29
Facility ID:	0011472
Facility Type:	ER
DER Facility ID:	262723
Site ID:	326128
DEC Region:	2
Spill Cause:	Other
Spill Class:	C3
SWIS:	4101
Spill Date:	2001-01-22
Investigator:	JBVOUGHT
Referred To:	Not reported
Reported to Dept:	2001-01-23
CID:	266
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Affected Persons
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer: Spill Record Last Update:	2001-01-23 2003-12-29
Spiller Name:	Not reported
Spiller Company:	GETTY
Spiller Address:	75-41 YELLOWSTONE BLVD
Spiller Company:	001
Contact Name:	Not reported
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was VOUGHT 12/29/2003-Vought-Spill transferred from Rommel to Vought.
Remarks:	Spill closed by Vought due to open spill #9706071 at same location." "INTERSECTION OF YELLOW STONE BL & WOODHAVEN BL. ONGOING PROBLEM
	GASOLINE FUMES FROM THE GAS STATION. OCCURS EVERY TIME THERE IS A DELIVERY THERE. FUMES GET INTO THE CALLER'S BASEMENT, AND AFFECT T REST THE THE STREET'S RESIDENTS AS WELL. CALLER STATES THAT THE
	STATION WAS COMPLETELY REMODELED AND/OR REBUILT ABOUT A YEAR AG SO. SHE'S STATES THAT THE PROBLEM STARTED OCCURRING AT THAT TIME.
	AND OTHER RESIDENTS HAVE CONTACTED NEW YORK CITY DEP ON VARIOUS OCCASIONS, AND DEP HAS NOT FOUND ANY PROBLEM THERE. SHE'S LIKE SOMEONE TO INSPECT THE SITE AND WOULD LIKE A CALL BACK REGARDING ⁻ OUTCOME."

Database(s)

EDR ID Number **EPA ID Number**

S102663504

GETTY GAS STA. (Continued) Operable Unit ID: 833531 Operable Unit: 01 Material ID: 541782 Material Code: 0009 Material Name: gasoline Case No .: Not reported Petroleum Material FA: Quantity: .00 Units: G Recovered: .00 Not reported Oxygenate: Spill Number/Closed Date: 0330023 / Not Reported Facility ID: 0330023 Facility Type: ER **DER Facility ID:** 262723 Site ID: 326129 DEC Region: 2 Equipment Failure Spill Cause: Spill Class: C4 SWIS: 4101 Spill Date: 2003-07-30 Investigator: RJWHITCH 97-06071 SAME LOCATION, SIR 5/2009 Referred To: 2003-07-30 Reported to Dept: CID: Not reported Water Affected: Not reported Spill Source: Gasoline Station or other PBS Facility Spill Notifier: DEC Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported **Recommended Penalty:** False UST Trust: True Remediation Phase: 4 2003-07-30 Date Entered In Computer: Spill Record Last Update: 2017-05-05 SCOTT MCINTOSH Spiller Name: Spiller Company: GETTY PETROLEUM Spiller Address: 1500 HEAMPSTEAD TURNPIKE Spiller Company: 001 Contact Name: VARUGHESE K DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was VOUGHT 12/24/2003-Vought-See contaminated soil open spill #9706071 at same location. This spill closed by Vought. 10/24/2006 - Feng - Spill re-opened. The RP for Spill #97-06071 is Getty Properties. But this Spill #03-30023 is caused by Getty Petroleum Marketing (potential spiller). Groundwater sampling and monitoring has been done by Getty Properties at the site (Spill #97-06071). During 4th Quarter 2000, MTBE spike occurred in the four tank mat wells, W-3, W-4, W-5, and W-6. Furthermore, BTEX and MTBE spike occurred in the four tank mat wells during 4th Quarter 2002. High BTEX and MTBE concentration has detected in W-1 and W-9. During the 1st Quarter 2005, 4.93' of LNAPL

presented in W-9 which is a downgradient well of the tank field. And the 3rd Quarter 2006 monitoring report shows that there is 2.99' of LNAPL found in W-9. In the fingerprint test (lab report dated

TC5618352.2s Page 112

GETTY GAS STA. (Continued)

S102663504

3/23/2005) for the product collected from W-9, it was indicated that the sample appears to contain fresh gasoline . (RJF) 10/25/2006 -Feng - Letter with Stipulation Agreement sent to Scott Hanley (Getty Marketing). The cover letter state that Department staff concludes that the MTBE and BTEX concentration increases are associated with the 2003 PBS violation and the presence of LNAPL is also attributable to that new release . Stipulation due 11/24/2006. (RJF) 11/29/2006 -Feng - Response from S. Hanley from Getty Marketing, letter dated 11/16/2006. He denied the liability and requests a meeting. (RJF) 12/12/2006 - Feng - Meeting with Getty Marketing. The tank mat wells were installed into perched water. Clay present from 5' to 40' bg. The spike appeared in the tank mat wells would be least to contaminate the true groundwater about 29' bg. The PBS was tested for several time, and passed. But the presence of 4.93' of LNAPL in W-9 on 6/2005 couldn't be explained. DEC handed in the Stipulation to Getty Marketing and due within 30 days (1/12/2007). Marketing will perform a gas chromatography fingerprint test for the LNAPL in the W-9. (RJF) 12/13/2006 - Feng - Updates from S. Healey (Tyree). Tyree collected LNAPL sample from W-9 and sent for the fingerprint test. Lab result will be available 1/31/2007. Tyree PM R. Szczepanski for Getty Properties witnessed the sampling. (RJF) 1/23/2007 - Feng -Letter from Scott Hanley attached with fingerprint test preliminary result for product collected from W-9. The product was manufactured between 1985 to 1990. DEC requested a more detailed report. (RJF) 2/6/2007 - Feng - Site visit and witness the product sampling. Getty Properties and Marketing collected product samples from W-9 and will send to different lab for fingerprint. About 3 feet of black and fluidal LNAPL was observed. Photos e-Docs in 97-06071. (RJF) 12/30/2008 - Reviewed the case with M. Tibbe. DEC sent a letter to Getty Marketing requiring 1) water standing test, 2) shallow soil borings around the sump pit with product. Investigation work plan by 2/9/2009. (RJF) 1/2/2009 - Email from Matt Boeckel (Tyree). Soil borings might be difficult because it is pea gravel and requested if PID is sufficient. 1/5/2009 - Email reply to Matt Boeckel. DEC required PID, plus visual and olfactory observation. (RJF) 3/23/2009 - Reviewed the Investigation Work Plan, dated 2/3/2009, by Tyree. Plus the emails dated 2/24/2009 and 3/18/2009 from Tyree. Tyree proposes to perform a hydrostatic test on each of the three tank top sump pits and to install 6 soil borings around the perimetert of the sump pits. Work Plan is approved, letter to Getty Marketing and Tyree. SIR due 5/2009. SIR must include boring logs for all soil borings. (RJF) 9/2/2009 - Reviewed Subsurface Investigation Report, dated June 2009, by Tyree. On April 24, 2009, Tyree performed a hydrostatic test on all three tank top sumps. 50 gallons of water was filled into the sumps and the water level was monitored for 2 hours. No fluctuation was recorded. 6 soil borings were advanced around the tank top to the maximum depth of 21 inches. PID reading of 0.8 ppm to 2.8 ppm were recorded. 6 soil samples were collected and all MDL. Tyree requests no further action. email questions to Tyree. 1) what is the height of the water that filled in? 2) What is the depth of the tank top? were soil borings advanced down to the tank top? (RJF)" "While doing a pbs inspection, found leak detectors disconnected. Inspected double walled piping and found 15 inches of gasoline in sump pit. The station was shut down by order of fire dept. Tank test to be done."

Remarks:

All Materials: Site ID:

326129

Database(s)

EDR ID Number EPA ID Number

GETTY GAS STA. (Continued)	S102663504
Operable Unit ID:	881435
Operable Unit:	01
Material ID:	496521
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
	.00
Quantity:	G
Units:	.00
Recovered:	
Oxygenate:	Not reported
Spill Number/Closed Date:	9706071 / Not Reported
Facility ID:	9706071
Facility Type:	ER
DER Facility ID:	262723
Site ID:	326131
DEC Region:	2
Spill Cause:	Unknown
Spill Class:	B3
SWIS:	4101
Spill Date:	1997-08-19
Investigator:	RJWHITCH
Referred To:	0330023, MONTHLY EFR, BAILING. PILOT 2/2009
Reported to Dept:	1997-08-19
CID:	297
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Other
Cleanup Ceased:	2007-01-03
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	True
Remediation Phase:	5
Date Entered In Computer:	1997-08-19
Spill Record Last Update:	2017-05-05
Spiller Name:	LOUIS OCHOTORENA
Spiller Company:	GETTY OIL CORP
Spiller Address:	3023 GREENPOINT AV
Spiller Company:	001
Contact Name:	JOE RENNIE
DEC Memo:	"3/14/03: REASSIGNED FROM ROMMEL TO VOUGHT. 12/24/2003: (Vought) See
	closed spill #0330023 at same location. 11/29/2004: Sent letter to
	Getty indicating change in project management from Vought to
	Harrington (central office). Letter requested work plan for
	feasibility testing of SVE and AS technologies in order to address
	soil and groundwater contamination found around excavated product
	USTs (12x550-gallon and 1x2,000-gallon). (Harrington) 3/24/2005:
	Project transferred to Vought - Region 2. (Harrington)
	4/26/05-Vought-Reviewed Proposed Remedial Action Plan (Tyree) dated
	2/28/05. Plan for pilot testing of Dual Phase Extraction System.
	Vought sent Stipulation with due date of 6/6/05 to Getty Marketing
	and Getty Properties approving plan pending inclusion of
	1)downgradient delineation 2)surrounding area site plan 3)tank
	tightness testing. 5/6/05-Vought-File review by Vought: Tank Closure

EDR ID Number Database(s) EPA ID Number

GETTY GAS STA. (Continued)

S102663504

Report (Tyree Org)-11/6/97. Two pump islands located adjacent to Yellowstone Blvd. Cemetary located to west of site, two gasoline stations located northwest of site(across Woodhaven Blvd.), residential to the east. Removal of fourteen USTs (twelve 550-gallon) gasoline USTs, one 2000-gallon gasoline UST and one (550-gallon) waste oil UST. Approximately 500yards of soil were removed from the Site. Upgrade included the installation of three (4000-gallon) gasoline USTs. Six endpoint samples collected from gasoline UST excavation and one endpoint sample was collected from waste oil excavation and four endpoint samples were collected from new UST excavation. Soil analyticals show 11900ppb benzene(S1 5'bg), 144000ppb toluene(S1 5'bg), 73100ppb ethylbenzene(S1 5'bg), 389000ppb xylene(S1 5'bg), 3540ppb MTBE(S1 5'bg), 5520ppb benzene(S2 5'bg), 142000ppb toluene(S2 5'bg), 112000ppb ethylbenzene(S2 5'bg), 713000ppb xylene(S2 5'bg), 2020ppb MTBE(S2 5'bg), 93ppb benzene(S3 5'bg), 5270ppb MTBE(S3 5'bg), 7680ppb benzene(S4 5'bg), 114000ppb toluene(S4 5'bg), 82000ppb ethylbenzene(S4 5'bg), 666000ppb xylene(S4 5'bg), 2190ppb MTBE(S4 5'bg), 553ppb benzene(S5 8'bg), 33800ppb toluene(S5 8'bg), 31100ppb ethylbenzene(S5 8'bg), 145000ppb xylene(S5 8'bg), 2600ppb MTBE(S5 8'bg), 727ppb benzene(S6 8'bg), 9050ppb toluene(S6 8'bg), 11000ppb ethylbenzene(S6 8'bg), 49400ppb xylene(S6 8'bg), 2990ppb MTBE(S6 8'bg), 280ppb benzene(S7 13'bg), 1780ppb toluene(S7 13'ba), 15900ppb xvlene(S7 13'ba), 3650ppb MTBE(S7 13'ba), 103ppb benzene(S8 13'bg), 2330ppb xylene(S8 13'bg), 569ppb benzene(S9 13'bg), 4900ppb toluene(S9 13'bg), 20900ppb xylene(S9 13'bg), 448ppb MTBE(S10 13'bg), 96ppb benzene(waste oil), 3720ppb xylene(waste oil), 450ppb MTBE(waste oil). Approximately 363.85 tons of soil were removed from the site. Quarterly Monitoring Reports (Tyree Org)July 2000 thru December 2000. Six monitoring wells onsite and groundwater flow to the south-southwest at a depth of 5-22'bg. Groundwater analyticals from Dec 2000 show 734ppb benzene(W2), 10100ppb MTBE(W2), 1220ppb benzene(W3), 6670ppb toluene(W3), 358ppb ethylbenzene(W3), 8980ppb xylene(W3), 111000ppb MTBE(W3), 104000ppb MTBE(W4), 44800ppb MTBE(W5), 1240ppb benzene(W6), 3910ppb toluene(W6), 641ppb xylene(W6), 86300ppb MTBE(W6). Subsurface Investigation Report (Tyree Org)-2/5/01. Eight soil borings performed and installation of one monitoring well. Large amount of clay in soils. Soil analyticals show 100ppb benzene(SB2 16-20'bg), 2480ppb xylene(SB2 16-20'bg), 376ppb MTBE(SB2 16-20'bg), 2580ppb benzene(SB3 28-32'bg), 42600ppb toluene(SB3 28-32'bg), 21200ppb ethylbenzene(SB3 28-32'bg), 124000ppb xylene(SB3 28-32'bg), 13600ppb MTBE(SB3 28-32'bg), 327ppb benzene(SB6 4-8'bg). Groundwater analyticals show 49ppb benzene(SB1), 28ppb toluene(SB1), 41ppb ethylbenzene(SB1), 141ppb xylene(SB1), 9350ppb MTBE(SB1), 23800ppb MTBE(SB6), 9ppb benzene(SB7), 7ppb toluene(SB7), 8ppb ethylbenzene(SB7), 45ppb xylene(SB7) and 2590ppb MTBE(SB7). Quarterly Monitoring Reports (Tyree Org) Jan 2001 thru March 2002. Seven monitoring wells onsite. Groundwater flow cannot be determined: perched water situation . Groundwater at depth of 6-32' below grade. EVR on wells W-1 and W-7... Going forward, will conduct EVR on W-3 and W-4 when well W-1 is dry . Bioremediation Proposal (Tyree Brothers)-7/17/02. Proposal for the addition of oxygen saturated groundwater, bacteria and nutrients using a third well for groundwater recovery. Quarterly Groundwater Monitoring Reports (Tyree Brothers) April 2002 thru March 2003. Seven monitoring wells onsite. Groundwater flow to the southeast and at depths of 3-32'bg. EVR on wells W-3 and W-4. Groundwater analyticals show W1(drv). W2(not accessible), 1920ppb benzene(W3), 14400ppb toluene(W3), 1350ppb

EDR ID Number Database(s) EPA ID Number

GETTY GAS STA. (Continued)

S102663504

ethylbenzene(W3), 12800ppb xylene(W3), 62300ppb MTBE(W3), 1790ppb benzene(W4), 14600ppb toluene(W4), 1870ppb ethylbenzene(W4), 15200ppb xylene(W4), 46200ppb MTBE(W4), 2040ppb benzene(W5), 21000ppb toluene(W5), 2160ppb ethylbenzene(W5), 17700ppb xylene(W5), 56700ppb MTBE(W5), 2140ppb benzene(W6), 14500ppb toluene(W6), 1580ppb ethylbenzene(W6), 14200ppb xylene(W6), 94200ppb MTBE(W6), 457ppb benzene(W7), 131ppb toluene(W7), 66ppb ethylbenzene(W7), 92ppb xylene(W7), 484ppb MTBE(W7). Letter from DEC Vought-4/29/03. Sidewalk permit letter for wells installed in the sidewalk along Yellowstone Blvd. Well Proposal (Tyree Hatcher)-6/12/03. Proposal for the installation of three monitoring wells. Letter from DEC Vought to Tyree Hatcher-6/25/03. Letter approving additional well installation proposal dated 6/12/03. Quarterly Monitoring Report (Tyree) April 2003-June 2003. Seven monitoring wells onsite and groundwater flow to the southeast. PBS Inspection Form (DEC Sigona)-7/30/03. Leak detection system was turned off because of alarm sounding. DEC Sigona checked top of manhole and found 15 of gasoline-notified FDNY/ECO at 2:50pm . Sigona also filed spill report #0330023 with remarks while doing PBS inspection, found leak detectors disconnected. Inspected double walled piping and found 15 inches of gasoline in Sump pit. The station was shut down by order of the fire dept. Tank test to be done . Quarterly Monitoring Reports (Tyree Org) July 2003 thru Sept 2003. Ten monitoring wells onsite. Groundwater flow to the southeast at depths of 32' below grade. Groundwater analyticals show 7430ppb benzene(W1), 2810ppb toluene(W1), 2680ppb ethylbenzene(W1), 9670ppb xylene(W1), 23700ppb MTBE(W1), W2 (Not Accessible), 721ppb benzene(W3), 629ppb toluene(W3), 642ppb ethylbenzene(W3), 4298ppb xylene(W3), 27000ppb MTBE(W3), 533ppb benzene(W4), 4310ppb toluene(W4), 1000ppb ethylbenzene(W4), 10990ppb xylene(W4), 63500ppb MTBE(W4), 1300ppb benzene(W5), 7420ppb toluene(W5), 1230ppb ethylbenzene(W5), 10790ppb xylene(W5), 85400ppb MTBE(W5), 1410ppb benzene(W6), 7350ppb toluene(W6), 1450ppb ethylbenzene(W6), 13990ppb xylene(W6), 88100ppb MTBE(W6), 1330ppb benzene(W7), 626ppb toluene(W7), 406ppb ethylbenzene(W7), 376ppb xylene(W7), 1930ppb MTBE(W7), 164ppb MTBE(W8), 17000ppb benzene(W9), 47000ppb toluene(W9), 3540ppb ethylbenzene(W9), 18300ppb xylene(W9), 22500ppb MTBE(W9), 50ppb benzene(W10), 3150ppb MTBE(W10). Subsurface Investigation Report (Tyree Brothers)-11/17/03. Installation of three monitoring wells (W8, W9 and W10). Soil analyticals show 11600ppb benzene(W9 10-12'bg), 135000ppb toluene(W9 10-12'bg), 58000ppb ethylbenzene(W9 10-12'bg), 302000ppb xylene(W9 10-12'bg), 3530ppb MTBE(W9 10-12'bg). For groundwater analyticals see Quarterly Monitoring Report from July 2003 thru Sept 2003. Quarterly Monitoring Reports (Tyree Brothers) October 2003 thru September 2004. Ten monitoring wells onsite. Only MW's 1,2 & 7-10 are sampled . Groundwater flow to the north and at depths of 19-30'bg. Groundwater analyticlas show 7480ppb benzene(W1), 347ppb ethylbenzene(W1), 7370ppb ethylbenzene(W1), 15100ppb xylene(W1), 18500ppb MTBE(W1), 407ppb benznene(W2), 9ppb ethylbenzene(W2), 185ppb MTBE(W2), W3, W4, W5, W6 no longer sampled, 1240ppb benzne(W7), 935ppb toluene(W7), 504ppb ethylbenzene(W7), 780ppb xylene(W7), 1850ppb MTBE(W7), 14600ppb benzene(W9), 37300ppb toluene(W9), 5200ppb ethylbenzene(W9), 28700ppb xylene(W9), 25900ppb MTBE(W9), 1990ppb MTBE(W10). 5/8/05-Vought-Continued File Review by Vought. Letter from DEC Harrington to Getty(Shea)-11/29/04. This letter is to inform you that I have assumed project management responsibilities for the above referenced site . Harrington required submission of feasibility study

EDR ID Number Database(s) EPA ID Number

GETTY GAS STA. (Continued)

S102663504

that addressed; 1)a pilot test to determine the effectiveness of soil vapor extraction as a a remedial technology at this site(three of the seven onsite SVE wells shall be tested) 2)the installation of an air sparge well onsite. The well shall be placed north of the UST field 3)a pilot test to determine the effectiveness of air sparging as remedial technology. The work plan shall be submitted to the Departemnt within thirty days of the date of this letter . Quarterly Monitoring Reports (Tyree Org) October 2004 thru March 2005. Ten monitoring wells onsite. Groundwater flow to the north at depth of 5-33' below grade. Groundwater analyticals show 4170ppb benzene(W1), 111ppb toluene(W1), 1440ppb ethylbenzene(W1), 905ppb xylene(W1), 16400ppb MTBE(W1), 61ppb benzene(W2), 5ppb ethylbenzene(W2), 167ppb MTBE(W2), 1180ppb benzene(W7), 843ppb toluene(W7), 576ppb ethylbenzene(W7), 1020ppb xylene(W7), 1310ppb MTBE(W7), free product(4.93') and 1710ppb MTBE(W10). Proposed Remedial Action Plan (Tyree Brothers)-2/28/05. Plan for dual phase pilot test to be performed on the north side of the former tank excavation. Results will be submitted in a Pilot Test Report to be submitted to NYSDEC and Getty Properties Corp. Report to be submitted within three months of approval date by DEC. Stipulation Agreement (DEC Vought)-4/27/05. Stipulation sent to Getty Properties and Getty Marketing approving of the dual phase pilot test pending the inclusion of the offsite delineation of soil and groundwater 2)surrounding property sketch 3)tightness testing of USTs. Deadline for submission of Stipulation is 4/27/04. 5/8/05-Vought-Called Tyree Hatcher for status of tank tightness test who will contact Getty Marketing for test. 08/31/2005 - Feng - Project transferred from Vought to Feng. 10/18/2005 - Feng -Spill 97-06982 has been consolidated into this spill 10/25/2005 -Feng - Quarterly Monitoring Report, 4/2005-6/2005. 10 monitoring wells onsite, but only W's-1,2,& 7-10 were sampled. groundwater flows to north at depth of 6.32' to 31.69'. free product observed in W-9 (3.85'). The product was purged and 1/2 gallon was collected. W-1 has found 9,928ppb BTEX and 14,900ppb MTBE. W-2 has found 132ppb BTEX and 112 ppb MTBE. W-7 has found 3,293ppb BTEX and 1,020ppb MTBE. W-8 has found 18ppb BTEX. W-10 has found 1,700ppb MTBE. 10/25/2005 - Feng -Noted that DEC Vought has approved the RAP, dated 2/28/2005 and requested 1)downgradient delineation. 2)surrounding properties sketch. 3)tank tightness test. Letter w/ STIP was sent on 4/28/2005. 10/25/2005 - Received letter from Michael Lewis (Getty Marketing) and enclosed the tank tightness test result, dated 8/11/2003 and 2/10/2004, from Getty Marketing. passed on these two tests. Furthermore, he stated Although you note that a large increase in free product was observed recently, Marketing has no knowledge or evidence of a new release. Marketing does not believe that the monitoring data reflects a new release. 10/25/2005 - Feng - Quarterly Monitoring Report, 7/2005 - 9/2005. 10 monitoring wells onsite, but only W's-1,2,& 7-10 were sampled. groundwater flows to north at depth of 9.34'to 31.77'. free product observed in W-9 (3.53'). The product was purged and 1/2 gallon was collected, and total 1 gal of product was collected to date. W-1 has found 11,606ppb BTEX and 25,900ppb MTBE. W-2 has found 1,214ppb BTEX and 1,070 ppb MTBE. W-7 has found 3,230ppb BTEX and 1,210ppb MTBE. W-8 has found 8ppb BTEX. W-10 has found 318ppb MTBE. 11/18/2005 - Feng - Review the file again, up to 4.93 feet of free product suddenly appeared since 3/7/05 (later than the last tank test on 2/10/2004). Refer this case to PBS unit due to significant presence of free product, a PBS inspection will be scheduled. 1/6/2006 - Feng - PBS inspection was conducted by DEC

EDR ID Number Database(s) EPA ID Number

GETTY GAS STA. (Continued)

S102663504

Edward Rossan. 3 gasoline fill ports, 3 tank tops and 2 dispensers were inspected. 2 of regular gasoline overfill basin were found to have some oil stain/trace. We suspected that there was a over fill and that caused free product in the monitoring well. Rossan suggested pump the FP out from the monitoring well and observe if there were any more FP come out again, if yes, then tank test would be needed. (RJF) 1/17/2006 - Feng - Quarterly Monitoring Report, 10/2005 -12/2005. The site is active gasoline retail/service station. Groundwater flows to north at the depth of 4.85' to 29.86' below grade. 10 monitoring wells onsite, but only W-1,2,7-10 were sampled. W-1, decreased and 6,712 ppb BTEX, decreased and 13,300 ppb MTBE. W-2, decreased and 157 ppb BTEX, decreased and 114 ppb MTBE. W-7, decreased and 2,090 ppb BTEX, 1,200 ppb MTBE. W-8, BTEX MDL, 5 ppb MTBE. W-9, free product (0.16'). W-10, BTEX MDL, increased and 1,320 ppb MTBE. Note that the LNAPL in W-9 was purged and 1/4 gallon was collected. 1.25 gallons collected to date. (RJF) 1/24/2006 - Feng -On 1/23/2006, sent letter to Getty Properties and Getty Marketing warning failed to sign stip. with request of 1) fingerprint test due 2/27/2006, 2) sign stip 3/7/2006. (RJF) 2/24/2006 - Feng - email to Tyree and Delta and remind them the due day of fingerprint test for free product. (RJF) 3/6/2006 - Feng - Received Tank and Line Test report, dated 2/25/2006, 3 tanks, 2 lines passed the test. (RJF) 5/4/2006 - Feng - Quarterly Monitoring Report, 1/2006 - 3/2006. Active gasoline retail/service station. Groundwater flows to north at the depth of 5.61' to 30.77' below grade. Sampling and gauging as of 3/1/2006. W-1, 7,465 ppb BTEX (4,390 ppb B, 135 ppb T, 1,620 ppb E, 1,320 ppb X), 11,500 ppb MTBE. W-2, 242 ppb BTEX (232 ppb B), 157 ppb MTBE. W-7, 1,758 ppb BTEX (611 ppb B, 213 ppb T, 383 ppb E, 551 ppb X), 830 ppb MTBE. W-8, MDL. W-9, 3.21' FP. W-10, BTEX MDL, 827 ppb MTBE. The LNAPL in W-9 was purged and 1/2 gallon was collected. 1.75 gallons collected to date. (RJF) 6/9/2006 - Feng - Stipulation Agreement sent to Getty Properties and due 7/7/2006. (RJF) 6/23/2006 - Feng - Getty Properties requested extension of 1 month to sign the STIP, approved. STIP will be due 8/7/2006. (RJF) 10/12/2006 - Feng -Letter from Getty Properties to Getty Marketing and requested the site to be treated as a co-site. 10/12/2006 - Feng - Quarterly Monitoring Report, 7/2006 - 8/2006, dated 9/12/2006, by Tyree. DTW 6.11' to 29.75' bg, to north. LNAPL 2.99 feet in W-9. BTEX range from ND to 11,216 ppb (W-1). MTBE from 1 ppb to 6,330 ppb (W-1). The LNAPL in W-9 was purged and 1/2 gallon was collected. 2.75 gallons collected to date. (RJF) 10/16/2006 - Feng - Case referral initiated. Talked to J. Urda and will schedule meeting with Getty Properties. (RJF) 10/23/2006 - Feng - Meet with Getty Properties and Delta. The 4.93 feet of product presented during the monitoring quarter of 6/2005 appeared from new release. A separate spill number will be opened for the appeared new release. 10/25/2006 - Feng - Stipulation for spill 97-06071 sent to Getty Properties, due 11/24/2006. 11/24/2006 - Feng - Signed Stipulation received. CAP was modified. (RJF) 1/8/2007 - Feng - Stipulation implemented 1/3/2007 by DEC L. Oliva. Emailed a copy to Getty Properties. SIR due 4/9/2007. (RJF) 1/18/2007 - Feng - Getty Properties portfolio meeting with Tyree and Delta. DEC mentioned about the preliminary fingerprint test that Getty Marketing has submitted which indicated that the product collected from W-9 was manufactured between 1985 to 1990. Getty Properties will collect product sample ASAP and send for fingerprint test. (RJF) 2/6/2007 - Feng - Site visit and witness the LNAPL sampling. About 3 feet of black and fluidal product was observed.

EDR ID Number Database(s) EPA ID Number

GETTY GAS STA. (Continued)

S102663504

Tyree collected samples on behalf of Properties and Marketing. (RJF) 2/7/2007 - Feng - Quarterly Monitoring Report, 10/2006 -12/2006, 1/2/2007, by Tyree. Groundwater sampled and gauged 12/20/2006. 6/10 monitoring wells. DTW 6.33' to 30.33' bg. Flows north. LNAPL in MW-9 (3.37'). W-1, 4,707 ppb BTEX, 5,020 ppb MTBE. W-2, 87 ppb BTEX, 93 ppb MTBE. W-7, 679 ppb BTEX, 1,090 ppb MTBE. W-8, BTEX MDL, 12 ppb MTBE. W-10, MDL. The LNAPL in MW-9 was purged and 1 gallon was collected. 3.75 gallons collected to date. (RJF) 6/28/2007 - Feng -Quarterly Monitoring Report, 1/2007 - 3/2007, 4/2007. Groundwater sampled 3/19/2007. 5/10 monitoring wells were sampled. DTW 5.6' to 30.22' bg. Flows to north. LNAPL in MW-9 (0.57'). W-1, 7,122 ppb BTEX, 6,750 ppb MTBE. W-2, 34 ppb BTEX, 80 ppb MTBE. W-7, 493 ppb BTEX, 748 ppb MTBE. W-8, 59 ppb BTEX, 2 ppb MTBE. W-9, 0.57' LNAPL. W-10, 31 ppb BTEX, 743 ppb MTBE. The LNAPL in W-9 was purged and placed in a 55 gallon drum on site. (RJF) 7/12/2007 - Feng - The three fingerprint result summary reports (2 from Getty Marketing and 1 from Getty Properties) were sent to the Technical Support team in Central Office. Chris Magee from Central Office reviewed these LNAPL fingerprint test results and he concluded that the preponderance of evidence suggest a release date before the transfer of title from Getty Properties to Getty Marketing in 1998. Email Paul Lindell (Delta) and explained the Central Office's review and comments. DEC required Getty Properties to conduct product removal, investigation and remediation. Enforcement may come if no product removal occur within 2 weeks. (RJF) 7/18/2007 - Feng - Sent letter to Getty Properties requiring biweekly product removal by 7/26/2007, ISR by 10/1/2007. (RJF) 11/7/2007 - Feng - Quarterly Monitoring Report, 4/2007 - 6/2007, 9/2007. Groundwater sampled 6/12/2007. 10 monitoring wells, but only MW-1, 2, 7, 8 and 10 were sampled. DTW 5.52' to 30.10' bg. Flows to north. LNAPL in MW-9 (3.17'). BTEX range ND to 453 ppb (MW-7). MTBE range 2 ppb to 750 ppb (MW-7). LNAPL in MW-9 was purged and placed in a 55 gallon drum on site during the sampling event. Tyree is currently conducting EFVR on MW-9 to expedite the removal effort process. (RJF) 11/8/2007 - Feng - Portfolio meeting with Delta and Tyree. Two well required by DEC. Wells to be installed 1/2008. Monthly EFR and hand bailing is approved. (RJF) 1/24/2008 -Feng - Quarterly Monitoring Report, 7/2007 - 9/2007, 10/2007. Active gasoline retail/service station. Groundwater gauged and sampled 9/25/2007. 10 monitoring wells, only W-1, 2, 7, 8 and 10 were sampled. DTW 7.04' to 30.01' bg. Flows to north. LNAPL in MW-9 (3.18'). BTEX range ND to 6,560 ppb (W-1). MTBE range ND to 2,470 ppb (W-1). The LNAPL in MW-9 was purged and placed in a 55 gallon drum onsite during the sampling event. Tyree is currently conducting EFVR on MW-9 to expedite the removal effort process. (RJF) 3/17/2008 -Feng - Called Tyree for resending the SIR. 3/19/2008 - Feng - eDoc Quarterly Monitoring Report 4Q2007. (RJF) 3/24/2008 - Feng -Quarterly Monitoring Report, 10/2007 - 12/2007, 1/2008. Active gasoline retail/service station. Groundwater was gauged and sampled 12/20/2007. 10 monitoring wells. DTW 7.04' to 30.01' bg. Flows to north. LNAPL in W-9 (3.72'). BTEX range ND to 6,011 ppb (W-1). MTBE range ND to 5,390 ppb (W-1). 4/18/2008 - Feng - Remind Tyree for the final version of SIR. (RJF) 4/22/2008 - Feng - Reviewed Subsurface Investigation Report, dated January 2008 by Tyree. On 12/6/2007, Associated Environmental under supervision of Tyree, installed 2 monitoring wells, MW-11 and MW-12. Total depth of 40 feet below grade. Soil samples were collected at 20-25 feet. Groundwater was encountered at 26-28 feet. PID reading 173 ppm at 20-25 feet of

EDR ID Number Database(s) EPA ID Number

GETTY GAS STA. (Continued)

S102663504

MW-11, 100 ppm at 20-25 feet of MW-12. Soil samples in unit of ppb. MW-11, 355 benzene, 377 MTBE, 2,440 toluene, 22,900 xylenes. MW-12, no exceedances. No groundwater samples were taken. Monthly EFR to remove product in MW-9, will be continued for year 2008. (RJF) 6/30/2008 - 1Q2008, monitoring period 1/2008 - 3/2008, 6/2008. pdf copy only, in eDocs. Active gasoline service station. Spill cause, Tank failure in 8/18/1997. Spill source, former USTs onsite. Groundwater was gauged and sampled 3/24/2008. 8 monitoring wells were gauged and 7 were sampled. DTW 5.58' to 30.75' bg. Flows to north. LNAPL in W-9 (3.93'). BTEX range ND to 10,626 ppb (W-1). MTBE range 0.69 ppb to 5,920 ppb (W-1). W-11 and W-12 were first time in monitoring event. W-11, 802 ppb BTEX, 1,310 ppb MTBE. W-12, 2,777 ppb BTEX, 10 ppb MTBE. The LNAPL in W-9 was purged and placed in a 55 gallon drum onsite during the sampling event. Tyree is currently conducting monthly EFVR on W-9 to expedite the removal effort process. The latest EVR was conducted on 6/3/2008 and removed a total of 260 gallons of a gasoline/water mixture from W-9. (RJF) 9/4/2008 -Getty Properties portfolio meeting with Delta and Tyree. The SVE was placed for future use during the tank removal. W-3, 4, 5 and 6 were new tank mat wells, will put their data in the quarterly reports. Tyree will FOIL the Mobil across the street for additional delineation. Will send again the 2005 approved RAP, planned pilot test. (RJF) 10/9/2008 - Email from Jennifer Kotch (Tvree). The pilot test was on yesterday, went well. (RJF) 12/30/2008 - Reviewed Proposed Remedial Action Plan, dated February 2005, submitted by Tyree. Tyree proposed to conduct a dual phase pilot test incorporating groundwater removal and the soil vapor. Pilot test report shall be ready in 2 months. Approved the RAP. Pilot test report shall be due 2/2009. (RJF) 1/6/2009 - Getty Properties portfolio meeting with Delta and Tyree. Mobil S/S 17GJH is found but no address. Pilot test report by 2/2009. (RJF) 1/8/2009 - searched spill and found Mobil S/S 17-GJH, at 68-29 Woodhaven Blvd, Rego Park, spill No. 89-09755. Sent info to Tyree for their FOIL. (RJF) 2/27/2009 - Email from Dennis Madigan requesting a extension for submitting the pilot test report by the end of March. (RJF) 5/6/2009 - Quarterly Monitoring Report, 7/2008 - 9/2008, 9/2008, by Tyree. Active gasoline retail service station. Groundwater was gauged and sampled 9/8/2008. 10 monitoring wells. LNAPL in W-9 (2.51'). DTW 4.96' to 29.31' bg. Flows to north. BTEX range ND to 10,976 ppb (W-1). MTBE range ND to 2,600 ppb (W-1). The LNAPL in W-9 was purged and placed in a 55 gallon drum on site during the sampling event. Tyree is currently conducting monthly EFR on W-9 to expedite the removal effort process. The latest EFR was conducted on 6/3/2008 and removed a total of 260 gallons of gasoline/water mixture. Tyree has drilled the extraction well and one piezometers for the purpose of conducting the approved pilot test. These wells will be surveyed and the pilot test will be conducted in October. (RJF) 6/10/20009 -Quarterly Monitoring Report, 1Q2009, 12/2008 3/2009, 5/2009, pdf via email on 5/28/2009, by Tyree. Active gasoline retail service station. Groundwater was monthly gauging and quarterly sampling. Groundwater was sampled 2/10/2009. 10 monitoring wells. DTW 7.04 to 30.98 bg. Flows to north. LNAPL in MW-9 (3.99 on 4/10/2009). BTEX range ND to 6,089 ppb (W-1). MTBE range ND to 3,640 ppb (W-1). 9/4/2009 -Reviewed RAP, dated June 2009, by Tyree. Tyree proposes Pump-and-Treat accompanying with SVE system. A pilot test was done on October 8, 2008, found the pumping ROI to be 39 feet, the SVE ROI to be 26 feet. New recovery wells, PRW-2 and PRW-3 will be installed,

EDR ID Number Database(s) EPA ID Number

GETTY GAS STA. (Continued)

S102663504

redrill W-9 and W-1, shallow SVE point PSVE-1 will be installed. Comments to Tyree. DEC requires no existing monitoring wells shall be used in the system. New wells shall be installed to be used as recovery wells or to replace monitoring wells. A work plan proposing new wells to be submitted. DEC would like to see how the wells are before installing the system. (RJF) 2/5/2010 - Reviewed Investigation Work Plan, dated 10/15/2009, by Tyree. Tyree proposed 4 monitoring wells to be installed to replace or supplement the exisiting monitoring network after the proposed pump-and-treat with SVE system in place. (RJF) 2/8/2010 - approve IWP. report due 5/2010. (RJF) 7/28/2010 - Extraction Well/Monitoring Well Installation Report, dated 6/17/2010, by Tyree. Tyree installed W-13, W-14, W-15 and W-16. W-13 (5-10'), 1.08 total BTEX, W-13 (15-20'), 2.24 total BTEX. W-14 (18-20'), 7,250 MTBE, BTEX BDL. W-14 (28-30'), 590 benzene, 6,080 MTBE, 2,021 total BTEX. W-15 (5-10'), 3,200 ethylbenzene, 3,640 total xylenes, 6,896.9 BTEX. W-15 (25-30') 3.94 BTEX. W-16 (5-10'), BDL. W-16 (35-40'), 1.2 BTEX. Proposed RAP, dated 6/2010, by Tyree. Tyree proposes Pump-and-Treat with SVE system. A pilot was done in 10/2008. Pumped for 8 hours in 0.9 gal/min. Pump-and-Treat ROI = 39 feet. SVE ROI = 26 feet. Two air samples were collected during the SVE pilot. Influent-1 1,238 mg/m3 total VOCs, 0.268 lbs/hour VOCs. Influent-2, 1,291 mg/m3 total VOCs, 0.281 lbs/hr VOCs. To be conservative, Pump-and-Treat ROI is designed to be 20 feet. RW-1, W-13, W-14, W-15 and W-16 will be used as the recovery wells. Will be pumping out approximately 1 gallon per minute from each well. The liquid will be pumped to oil/water separator, the oil will be separated into a hold tank, the water will be going through a bag filter, then air stripper, then liquid GAC, then to sewer. Sampling ports will be in before and afeter stripper, after GAC, flow meter will be after the GAC. RW-1, W-13, W-14, W-15, W-16 and the SVE well will be used as SVE extraction points. Vapor will be going through GAC and then to atmosphere. Sampling ports will be in before and after GAC. email to Brian Warner require for 1) system design layout; 2)monitoring/sampling plan; 3)implementation schedule. Letter within next 2 weeks. 4/5/2011 - email dated 8/31/2010 from Brian Warner of Tyree Good morning Mark, Attached is the system design proposal, with drawings of system and piping layout. We have tentatively scheduled the system installation to begin on September 27, so if you can review this quickly we would really appreciate it. I understand Rui is on leave, so we would look for your approval. Thank you, and feel free to call me with any questions, Sincerely, Brian Warner Tyree Environmental Corp. 125 Commerce Drive Brookfield, CT 06804 ph. (203) 740-8200 x327 fax (203) 740-0450 Download the work plan into eDoc. 9/24/2010 DEC Tibbe email responded with questions and comments. see eDocs. 9/24/2010 Tyree Brian Warner email responded on DEC's questions and comments. see eDocs. 9/24/2010 email from Brian Warner of Tyree. Mark, attached are the revised drawings - Figure 1 and Figure 2. Please feel free to contact me with any questions, and I will keep you posted on our progress. Thank you, Sincerely, Brian Warner Tyree Environmental Corp. 125 Commerce Drive Brookfield, CT 06804 ph. (203) 740-8200 x327 fax (203) 740-0450 Download the figures into eDocs. 4/20/2016 - KGH: New PM Rolando Arco takes over. First Quarter 2016 Report received. As an overview, there has been no LNAPL detected onsite since November 2015, however dissolved BTEX and MTBE concentrations are still present in the northern and western portions of the property. Antea Group will continue operating the existing P&T and SVE systems to address these dissolved impacts, and will continue

EDR ID Number Database(s) EPA ID Number

GETTY GAS STA. (Continued)

S102663504

	monitoring contaminant concentration trends and the presence or
Remarks:	absence of LNAPL. " "DISCOVERED CONTAMINATED SOIL DURING A TANK REMOVAL"
All Materials:	
Site ID:	326131
Operable Unit ID:	1052257
Operable Unit:	01
Material ID:	561005
Material Code:	
Material Name:	0009
	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	True
Site ID:	326131
Operable Unit ID:	1052257
Operable Unit:	01
Material ID:	2106672
Material Code:	1213A
Material Name:	MTBE (methyl-tert-butyl ether)
Case No.:	01634044
Material FA:	Hazardous Material
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	True
Site ID:	326131
Operable Unit ID:	1052257
Operable Unit:	01
Material ID:	561004
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	True
Spill Number/Closed Date:	9706982 / 2005-10-18
Facility ID:	9706982
Facility Type:	ER
DER Facility ID:	262723
Site ID:	326132
DEC Region:	2
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	4101
Spill Date:	1997-09-11
Investigator:	rjfeng
Referred To:	Not reported
Reported to Dept:	1997-09-11

Database(s)

EDR ID Number EPA ID Number

GETTY GAS STA. (Continued)

S102663504

CID:	257
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Affected Persons
, Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1997-09-11
Spill Record Last Update:	2005-10-18
Spiller Name:	NONE
Spiller Company:	GETTY STATION
Spiller Address:	75-41 YELLOWSTONE BLVD
Spiller Company:	001
Contact Name:	NONE
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead DEC Field was
DEC Memo.	VOUGHT 2/18/04 - Austin - Reassigned from O'Dowd to Vought - End
	08/31/2005 - Feng - Project transferred from Vought to Feng.
	10/18/2005 - Feng - spill consolidated with spill #: 97-06071 in same
	location."
Remarks:	"CALLER SAYS THEY ARE REPLACING TANK AT GAS STATION AND CAN SMELL A
Remarks.	SEE CONTAMINATED SOIL YET THEY ARE BUTTING THE SOIL BACK INTO THE
	HOLE ****** REQUEST A CALL ASAP"
All Materials:	
Site ID:	326132
Operable Unit ID:	1050351
Operable Unit:	01
Material ID:	332566
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

G30 SSE < 1/8 0.091 mi. 483 ft.	GLOBAL MONTELLO GROUP #5401 75-41 YELLOWSTONE BOULEVARD REGO PARK, NY 11374 Site 5 of 10 in cluster G	
Relative: Higher Actual: 57 ft.	UST: Id/Status: Program Type: Region: DEC Region: Expiration Date: UTM X: UTM Y: Site Type:	2-326372 / Active PBS STATE 2 07/10/2020 596373.29582 4507641.98976 Retail Gasoline Sales
	Affiliation Records: Site Id:	15204

NY UST U004062956 N/A

Database(s)

EDR ID Number EPA ID Number

GLOBAL MONTELLO GROUP #5401 (Continued)

Affiliation Type: Facility Owner Company Name: LEEMILTS PETROLEUM Contact Type: AUTHORIZED REPRESENTATIVE Contact Name: MEGAN KAZMIERCZAK Address1: 2 JERICHO TURNPIKE, WING C, SUITE 110 Address2: Not reported JERICHO City: NY State: Zip Code: 11753 Country Code: 001 Phone: (516) 478-5400 EMail: Not reported Not reported Fax Number: Modified By: DAFRANCI Date Last Modified: 2018-02-08 Site Id: 15204 Affiliation Type: Facility Operator GLOBAL MONTELLO GROUP #5401 Company Name: Contact Type: Not reported Contact Name: ERIC HARVEY Address1: Not reported Address2: Not reported City: Not reported State: NN Not reported Zip Code: Country Code: 001 Phone: (718) 459-2777 EMail: Not reported Fax Number: Not reported Modified By: LNROSARI Date Last Modified: 2016-01-08 Site Id: 15204 **Emergency Contact** Affiliation Type: Company Name: LEEMILTS PETROLEUM Contact Type: Not reported Contact Name: CALL CENTER Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 999 Phone: (888) 674-7601 EMail: Not reported Fax Number: Not reported Modified By: **MFLEONAR** Date Last Modified: 2017-10-30 Site Id: 15204 Affiliation Type: Mail Contact Company Name: ATC ECLIPSE Contact Type: Not reported MEGAN KAZMIERCZAK Contact Name: Address1: 705 A LAKEVIEW PLAZA BLVD. Address2: Not reported

Database(s)

EDR ID Number EPA ID Number

U004062956

LOBAL MONTELLO GROUP #540	1 (Continued)
City:	WORTHINGTON
State:	ОН
Zip Code:	43085
Country Code:	001
Phone:	(614) 433-0170
EMail:	MEGAN.KAZMIERCZAK@ATCGS.COM
	0
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2018-10-03
Tank Info:	
Tank Number:	001
Tank ID:	26519
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	2000
Install Date:	05/01/1961
Date Tank Closed:	05/01/1961
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	14
Date Test:	05/01/1994
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017
Equipment Records:	
	J02 - Dispenser - Suction Dispenser
	A00 - Tank Internal Protection - None
	G03 - Tank Secondary Containment - Vault (w/o access)
	H00 - Tank Leak Detection - None
	100 - Overfill - None
	B00 - Tank External Protection - None
	C00 - Pipe Location - No Piping
	D02 - Pipe Type - Galvanized Steel
	F00 - Pipe External Protection - None
Tank Number:	002
Tank Number: Tank ID:	26520
Tank ID: Tank Status:	26520 Closed - Removed
	••••••
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	05/01/1961
Date Tank Closed:	05/01/1961
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline

TC5618352.2s Page 125

Database(s)

EDR ID Number EPA ID Number

GLOBAL MONTELLO GROUP #5401 (Continued)

110	040	CODEC	
UU	040	62956	

GLOBAL MONTELLO GROUP #5401	(Continued)
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	34 11/29/2018 Not reported LABATIST 12/05/2018
Equipment Records:	102 Dispenser Sustian Dispenser
	J02 - Dispenser - Suction Dispenser G03 - Tank Secondary Containment - Vault (w/o access) H00 - Tank Leak Detection - None I00 - Overfill - None F00 - Pipe External Protection - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel A00 - Tank Internal Protection - None
Tank Number:	003
Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date:	26521 Closed - Removed Closed - Removed 550 05/01/1961
Date Tank Closed:	05/01/1961
Registered: Tank Location:	True Underground
Tank Type: Material Code:	Steel/carbon steel 0009
Common Name of Substance:	Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	14 05/01/1994 Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	
	 G03 - Tank Secondary Containment - Vault (w/o access) H00 - Tank Leak Detection - None I00 - Overfill - None J02 - Dispenser - Suction Dispenser B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None A00 - Tank Internal Protection - None
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed:	004 26522 Closed - Removed Closed - Removed 550 05/01/1961 05/01/1961

Database(s)

EDR ID Number EPA ID Number

U004062956

GLOBAL MONTELLO GROUP #5401	(Continued)
Registered:	True
Tank Location:	Underground
Tank Type: Matarial Cada:	Steel/carbon steel
Material Code: Common Name of Substance:	0009 Gasoline
Common Name of Substance.	
Tightness Test Method:	14
Date Test:	05/01/1994
Next Test Date: Pipe Model:	Not reported
Modified By:	Not reported TRANSLAT
Last Modified:	04/14/2017
Equipment Records:	
Equipment Records.	B00 - Tank External Protection - None
	C00 - Pipe Location - No Piping
	D02 - Pipe Type - Galvanized Steel
	F00 - Pipe External Protection - None
	J02 - Dispenser - Suction Dispenser A00 - Tank Internal Protection - None
	G03 - Tank Secondary Containment - Vault (w/o access)
	H00 - Tank Leak Detection - None
	100 - Overfill - None
Tank Number:	005
Tank ID:	26523
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons: Install Date:	550 05/01/1961
Date Tank Closed:	05/01/1961
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code: Common Name of Substance:	0009 Gasoline
Common Name of Cubstance.	
Tightness Test Method:	14
Date Test:	05/01/1994
Next Test Date: Pipe Model:	Not reported Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017
Equipment Records:	
	A00 - Tank Internal Protection - None
	J02 - Dispenser - Suction Dispenser
	G03 - Tank Secondary Containment - Vault (w/o access)
	H00 - Tank Leak Detection - None 100 - Overfill - None
	B00 - Tank External Protection - None
	C00 - Pipe Location - No Piping
	D02 - Pipe Type - Galvanized Steel
	F00 - Pipe External Protection - None

Tank Number:

Database(s)

EDR ID Number EPA ID Number

GLOBAL MONTELLO GROUP #5401 (Continued)

Tank ID: 26524 Tank Status: Closed - Removed Closed - Removed Material Name: Capacity Gallons: 550 Install Date: 05/01/1961 Date Tank Closed: 05/01/1961 Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 0009 Common Name of Substance: Gasoline Tightness Test Method: 14 Date Test: 05/01/1994 Next Test Date: Not reported Pipe Model: Not reported Modified By: TRANSLAT 04/14/2017 Last Modified: Equipment Records: J02 - Dispenser - Suction Dispenser G03 - Tank Secondary Containment - Vault (w/o access) H00 - Tank Leak Detection - None 100 - Overfill - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None A00 - Tank Internal Protection - None Tank Number: 007 Tank ID: 26525 Closed - Removed Tank Status: Closed - Removed Material Name: Capacity Gallons: 550 Install Date: 05/01/1961 Date Tank Closed: 05/01/1961 Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 0009 Common Name of Substance: Gasoline Tightness Test Method: 14 Date Test: 05/01/1994 Next Test Date: Not reported Pipe Model: Not reported Modified By: TRANSLAT Last Modified: 04/14/2017 Equipment Records: J02 - Dispenser - Suction Dispenser G03 - Tank Secondary Containment - Vault (w/o access) H00 - Tank Leak Detection - None 100 - Overfill - None A00 - Tank Internal Protection - None D02 - Pipe Type - Galvanized Steel

Database(s)

EDR ID Number **EPA ID Number**

GLOBAL MONTELLO GROUP #5401 (Continued)

F00 - Pipe External Protection - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping

800 26526 Closed - Removed Closed - Removed Capacity Gallons: 550 05/01/1961 Date Tank Closed: 05/01/1961 True Underground Steel/carbon steel

0009

14 05/01/1994

Gasoline

Not reported Not reported

TRANSLAT

Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:

Common Name of Substance:

Equipment Records:

Tank Number:

Tank Status:

Install Date:

Registered:

Tank Type:

Tank Location:

Material Code:

Material Name:

Tank ID:

04/14/2017 J02 - Dispenser - Suction Dispenser G03 - Tank Secondary Containment - Vault (w/o access) H00 - Tank Leak Detection - None 100 - Overfill - None A00 - Tank Internal Protection - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None

Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	009 26527 Closed - Removed 550 05/01/1961 05/01/1961 True Underground Steel/carbon steel 0009 Gasoline
Tightness Test Method:	14
Date Test:	05/01/1994
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017

Equipment Records:

EDR ID Number Database(s) EPA ID Number

GLOBAL MONTELLO GROUP #5401 (Continued)

G03 - Tank Secondary Containment - Vault (w/o access) H00 - Tank Leak Detection - None I00 - Overfill - None J02 - Dispenser - Suction Dispenser B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None

A00 - Tank Internal Protection - None

Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	010 26528 Closed - Removed Closed - Removed 550 05/01/1961 05/01/1961 True Underground Steel/carbon steel 0009 Gasoline
Tightness Test Method:	14
Date Test:	05/01/1994
Next Test Date: Pipe Model:	Not reported Not reported
Modified By:	TRANSLAT
Last Modified:	04/14/2017
Equipment Records:	
	 J02 - Dispenser - Suction Dispenser G03 - Tank Secondary Containment - Vault (w/o access) H00 - Tank Leak Detection - None I00 - Overfill - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None A00 - Tank Internal Protection - None
Tank Number:	011
Tank ID:	26529
Tank Status:	Closed - Removed
Material Name: Capacity Gallons:	Closed - Removed 550
Install Date:	05/01/1961
Date Tank Closed:	05/01/1961
Registered:	True
Tank Location:	Underground
Tank Type: Material Code:	Steel/carbon steel 0009
Common Name of Substance:	Gasoline
Tightness Test Method	14
Tightness Test Method:	14

05/01/1994

Date Test:

Database(s)

EDR ID Number EPA ID Number

Next Test Date: Not reported Pipe Model: Not reported Modified By: TRANSLAT Last Modified: 04/14/2017 Equipment Records: B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None J02 - Dispenser - Suction Dispenser H00 - Tank Leak Detection - None 100 - Overfill - None G03 - Tank Secondary Containment - Vault (w/o access) A00 - Tank Internal Protection - None 012 Tank Number: Tank ID: 26530 Tank Status: Closed - Removed Material Name: Closed - Removed Capacity Gallons: 550 05/01/1961 Install Date: Date Tank Closed: 05/01/1961 Registered: True Tank Location: Underground Tank Type: Steel/carbon steel 0009 Material Code: Common Name of Substance: Gasoline Tightness Test Method: 14 Date Test: 05/01/1994 Next Test Date: Not reported Pipe Model: Not reported Modified By: TRANSLAT 04/14/2017 Last Modified: Equipment Records: G03 - Tank Secondary Containment - Vault (w/o access) H00 - Tank Leak Detection - None 100 - Overfill - None J02 - Dispenser - Suction Dispenser B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None A00 - Tank Internal Protection - None Tank Number: 013

GLOBAL MONTELLO GROUP #5401 (Continued)

Tank Number. Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: 26531 Closed - Removed Closed - Removed 550 05/01/1961 05/01/1961 True Underground

Database(s)

EDR ID Number EPA ID Number

.OBAL MONTELLO GROUP #5401		U004062956
Tank Type:	Steel/carbon steel	
Material Code:	0009	
Common Name of Substance:	Gasoline	
Tightness Test Method:	14	
Date Test:	05/01/1994	
Next Test Date:	Not reported	
Pipe Model:	Not reported	
Modified By:	TRANSLAT	
Last Modified:	04/14/2017	
Equipment Records:		
	J02 - Dispenser - Suction Dispenser	
	G03 - Tank Secondary Containment - Vault (w/o access)	
	H00 - Tank Leak Detection - None	
	100 - Overfill - None	
	B00 - Tank External Protection - None	
	C00 - Pipe Location - No Piping	
	D02 - Pipe Type - Galvanized Steel	
	F00 - Pipe External Protection - None	
	A00 - Tank Internal Protection - None	
Tank Number:	015A	
Tank ID:	53215	
Tank Status:	In Service	
Material Name:	In Service	
Capacity Gallons:	8000	
Install Date:	10/01/1997	
Date Tank Closed:	Not reported	
Registered:	True	
Tank Location:	Underground	
Tank Type:	Equivalent technology	
Material Code:	2712	
Common Name of Substance:	Gasoline/Ethanol	
Tightness Test Method:	-	
Date Test:	Not reported	
Next Test Date:	Not reported	
Pipe Model:	Not reported	
Modified By:	TLYE	
Last Modified:	01/03/2018	
Equipment Records:		
	C02 - Pipe Location - Underground/On-ground	
	F04 - Pipe External Protection - Fiberglass	
	J02 - Dispenser - Suction Dispenser	
	A00 - Tank Internal Protection - None	
	H01 - Tank Leak Detection - Interstitial - Electronic Monitoring	
	I01 - Overfill - Float Vent Valve	
	B04 - Tank External Protection - Fiberglass	
	D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)	
	K01 - Spill Prevention - Catch Basin	
	L09 - Piping Leak Detection - Exempt Suction Piping	
	E04 - Piping Secondary Containment - Double walled UG	
	Eof Tiping Coolidary Containment Double Walled CO	

Database(s)

EDR ID Number EPA ID Number

U004062956

GLOBAL MONTELLO GROUP #5401	(Continued)
Tank Number:	015B
Tank ID:	53214
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	0
Install Date:	10/01/1997
Date Tank Closed:	Not reported
Registered:	True
Tank Location: Tank Type:	Underground Equivalent technology
Material Code:	2712
Common Name of Substance:	Gasoline/Ethanol
Tightness Test Method:	34
Date Test:	06/09/2009
Next Test Date:	Not reported
Pipe Model: Modified By:	Not reported LABATIST
Last Modified:	12/05/2018
Equipment Records:	
Equipment Records.	E04 - Piping Secondary Containment - Double walled UG
	J01 - Dispenser - Pressurized Dispenser
	C02 - Pipe Location - Underground/On-ground
	F04 - Pipe External Protection - Fiberglass
	L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
	B04 - Tank External Protection - Fiberglass
	D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
	K01 - Spill Prevention - Catch Basin
	A00 - Tank Internal Protection - None
	H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
	I01 - Overfill - Float Vent Valve G04 - Tank Secondary Containment - Double-Walled (Underground)
	L07 - Piping Leak Detection - Pressurized Piping Leak Detector
Tank Number:	016
Tank ID:	53216
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	4000
Install Date: Date Tank Closed:	10/01/1997 Not reported
Registered:	Not reported True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	2712
Common Name of Substance:	Gasoline/Ethanol
Tightness Test Method:	21
Date Test:	06/09/2009
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	DAFRANCI
Last Modified:	07/13/2017
Equipment Records:	E04 - Piping Secondary Containment - Double walled UG

E04 - Piping Secondary Containment - Double walled UG

Database(s)

EDR ID Number EPA ID Number

U004062956

GLOBAL MONTELLO GROUP #5401 (Continued)

- J01 Dispenser Pressurized Dispenser
- B04 Tank External Protection Fiberglass
- D06 Pipe Type Fiberglass Reinforced Plastic (FRP)
- K01 Spill Prevention Catch Basin
- L07 Piping Leak Detection Pressurized Piping Leak Detector
- A00 Tank Internal Protection None
- H01 Tank Leak Detection Interstitial Electronic Monitoring
- 101 Overfill Float Vent Valve
- C02 Pipe Location Underground/On-ground
- F04 Pipe External Protection Fiberglass
- L01 Piping Leak Detection Interstitial Electronic Monitoring
- G04 Tank Secondary Containment Double-Walled (Underground)

G31 SSE < 1/8 0.091 mi.	GETTY PETROLEUM CORP 75-41 YELLOWSTONE BLVD REGO PARK, NY 11374	RCRA NonGen / NLR US AIRS NY MANIFEST	
483 ft.	Site 6 of 10 in cluster G		
SSE < 1/8 0.091 mi.	75-41 YELLOWSTONE BLVD REGO PARK, NY 11374	US AIRS NY MANIFEST	
	Owner/operator name: Owner/operator address: Owner/operator country: Owner/operator telephone: Owner/operator email:	GETTY PETROLEUM CORP 125 JERICHO TNPK JERICHO, NY 11753 US 516-286-2600 Not reported	

GETTY PETROLEUM CORP (Continued)

Owner/operator fax:

MAP FINDINGS

Not reported

Database(s)

EDR ID Number EPA ID Number

Owner/operator fax:	Not reported	
Owner/operator extension:	Not reported	
Legal status:	Private	
Owner/Operator Type:	Owner	
Owner/Op start date:	Not reported	
Owner/Op end date:	Not reported	
Handler Activities Summary:		
U.S. importer of hazardous wa		
Mixed waste (haz. and radioad		
Recycler of hazardous waste:	No	
Transporter of hazardous was		
Treater, storer or disposer of H		
Underground injection activity:	No	
On-site burner exemption:	No	
Furnace exemption:	No	
Used oil fuel burner:	No	
Used oil processor:	No	
User oil refiner:	No	
Used oil fuel marketer to burne	er: No	
Used oil Specification markete	er: No	
Used oil transfer facility:	No	
Used oil transporter:	No	
Listaria d. Osmanatana		
Historical Generators:	0.1/0.1/0.000	
Date form received by agency		
Site name:	GETTY PETROLEUM CORP	
Classification:	Not a generator, verified	
Data fama na aciva d bu a na na	00/40/4007	
Date form received by agency		
Site name:	GETTY PETROLEUM CORP	
Classification:	Small Quantity Generator	
. Waste code:	D000	
. Waste name:	Not Defined	
. Waste hame.	Not Defined	
Waste code:	D001	
. Waste code:	IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF	
. Waste name.	LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS	
	CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE	
	FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET.	
	WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE	
	MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT	
	WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.	
Waste code:	D018	
. Waste name:	BENZENE	
. Waste hame.	DENZENE	
Violation Status:	No violations found	
US AIRS MINOR:		
Envid:	1001203029	
Region Code:	02	
Programmatic ID:	AIR NY000002630600061	
Facility Registry ID:	110019162387	
D and B Number:	Not reported	
Primary SIC Code:	5541	
-		

Database(s)

EDR ID Number EPA ID Number

NAICS Code:	999999
Default Air Classification Code:	MIN
Facility Type of Ownership Code:	
Air CMS Category Code:	Not reported
HPV Status:	Not reported
US AIRS MINOR:	
Region Code:	02
Programmatic ID:	AIR NY000002630600061
Facility Registry ID:	110019162387
Air Operating Status Code:	OPR
Default Air Classification Code:	MIN
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Sta
Activity Date:	1988-06-15 00:00:00
Activity Status Date:	Not reported
Activity Group:	Compliance Monitoring
Activity Type:	Inspection/Evaluation
Activity Status:	Not reported
US AIRS MINOR:	
Envid:	1001203029
Region Code:	02
Programmatic ID:	AIR NY000002630600061
Facility Registry ID:	110019162387
D and B Number:	Not reported
Primary SIC Code:	5541
NAICS Code:	999999
Default Air Classification Code:	MIN
Facility Type of Ownership Code:	
Air CMS Category Code: HPV Status:	Not reported Not reported
	Notreported
US AIRS MINOR:	02
Region Code:	AIR NY000002630600061
Programmatic ID: Facility Registry ID:	110019162387
Air Operating Status Code:	OPR
Default Air Classification Code:	MIN
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Sta
Activity Date:	1988-06-15 00:00:00
Activity Status Date:	Not reported
Activity Group:	Compliance Monitoring
Activity Type:	Inspection/Evaluation
Activity Status:	Not reported
NY MANIFEST:	
Country:	USA
EPA ID:	NYR000043497
Facility Status:	Not reported
Location Address 1:	75-41 YELLOWSTONE BLVD
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	REGO PARK
Location State:	NY

Database(s)

EDR ID Number EPA ID Number

1001203029

GETTY PETROLEUM CORP (Conti	11374
Location Zip: Location Zip 4:	Not reported
Location Zip 4.	Not reported
NY MANIFEST:	
EPAID:	NYR000043497
Mailing Name:	GETTY PETROLEUM CORP
Mailing Contact:	STEVE GORDON
Mailing Address 1:	75-41 YELLOWSTONE BLVD
Mailing Address 2:	Not reported
Mailing City:	REGO PARK
Mailing State:	NY
Mailing Zip:	11374
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	7182756652
NY MANIFEST:	
Document ID:	CTF0510670
Manifest Status:	Not reported
seq:	01
Year:	1998
Trans1 State ID:	CT23922A
Trans2 State ID:	Not reported
Generator Ship Date:	01/06/1998
Trans1 Recv Date:	01/06/1998
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/07/1998
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000043497
Trans1 EPA ID:	CTD021816889
Trans2 EPA ID:	Not reported
TSDF ID 1:	CTD021816889
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code: Waste Code:	Not reported D008 - LEAD 5.0 MG/L TCLP
Waste Code:	Not reported
Quantity:	00055
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels

TC5618352.2s Page 137

Database(s)

EDR ID Number EPA ID Number

1001203029

GETTY PETROLEUM CORP (Continued)

Specific Gravity:

01.00

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

G32 SSE < 1/8 0.091 mi. 483 ft.	G-TECH 7541 YELLOWSTONE BLVD QUEENS, NY 11374 Site 7 of 10 in cluster G	RCRA No	nGen / NLR FINDS ECHO	1000556053 NYD986986040
Relative:	RCRA NonGen / NLR:			
Higher	Date form received by agend			
Actual:	Facility name: Facility address:	G-TECH 7541 YELLOWSTONE BLVD		
57 ft.	racinty address.	QUEENS, NY 11374		
	EPA ID:	NYD986986040		
	Mailing address:	YELLOWSTONE BLVD		
		QUEENS, NY 11374		
	Contact:	Not reported		
	Contact address:	YELLOWSTONE BLVD		
		QUEENS, NY 11374		
	Contact country:	US		
	Contact telephone:	Not reported		
	Contact email:	Not reported		
	EPA Region:	02		
	Classification:	Non-Generator		
	Description:	Handler: Non-Generators do not presently generate hazardo	us waste	
	Owner/Operator Summary: Owner/operator name:	UNKNOWN		
	Owner/operator address:	UNKNOWN		
		UNKNOWN, NY 99999		
	Owner/operator country:	US		
	Owner/operator telephone:	212-555-1212		
	Owner/operator email:	Not reported		
	Owner/operator fax:	Not reported		
	Owner/operator extension:	Not reported		
	Legal status:	Private		
	Owner/Operator Type:	Owner		
	Owner/Op start date:	Not reported		
	Owner/Op end date:	Not reported		
	Owner/operator name:	UNKNOWN		
	Owner/operator address:	UNKNOWN		
	·	UNKNOWN, NY 99999		
	Owner/operator country:	US		
	Owner/operator telephone:	212-555-1212		
	Owner/operator email:	Not reported		
	Owner/operator fax:	Not reported		
	Owner/operator extension:	Not reported		
	Legal status:	Private		
	Owner/Operator Type:	Operator		
	Owner/Op start date:	Not reported		
	Owner/Op end date:	Not reported		

Database(s)

EDR ID Number EPA ID Number

-TECH (Continued)	1000556053
Handler Activities Summary:	
U.S. importer of hazardous	s waste: No
Mixed waste (haz. and rad	ioactive): No
Recycler of hazardous was	
Transporter of hazardous v	
Treater, storer or disposer	of HW: No
Underground injection activ	
On-site burner exemption:	
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to be	
Used oil Specification mark	
Used oil transfer facility:	No
Used oil transporter:	No
Used on transporter.	INU
Historical Generators:	
Date form received by age	ncy:01/01/2006
Site name:	G-TECH
Classification:	Not a generator, verified
Date form received by age	ncv: 07/08/1999
Site name:	G-TECH
Classification:	Not a generator, verified
Date form received by age	ncv: 11/22/1991
Site name:	G-TECH
Classification:	Large Quantity Generator
. Waste code:	D001
. Waste name:	IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF
	LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS
	CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE
	FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET,
	WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE
	MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT
	WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
Waste code [.]	D008
. Waste name:	LEAD
Violation Status:	No violations found
FINDS:	
Registry ID:	110008070737
Environmental Interest/Info	ormation System
	fo is a national information system that supports the Resource
	ation and Recovery Act (RCRA) program through the tracking of
	and activities related to facilities that generate, transport,
	it store or dispose of hazardous waste RCRAInfo allows RCRA

events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. G-TECH (Continued)

MAP FINDINGS

Database(s) EP

EDR ID Number EPA ID Number

1000556053

		<u>perlink</u> while viewing on your computer to access INDS: detail in the EDR Site Report.
	ECHO: Envid: Registry ID: DFR URL:	1000556053 110008070737 http://echo.epa.gov/detailed-facility-report?fid=110008070737
G33 SSE < 1/8 0.092 mi. 484 ft.	GETTY # 8 75-41 YELLOWSTONE BLVD QUEENS, NY Site 8 of 10 in cluster G	NY Spills S110139622 N/A
484 ft. Relative: Higher Actual: 57 ft.	SPILLS: Spill Number/Closed Date: Facility ID: Facility Type: DER Facility ID: Site ID: DEC Region: Spill Cause: Spill Class: SWIS: Spill Date: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Source: Spill Notifier: Cleanup Ceased: Cleanup Meets Std: Last Inspection: Recommended Penalty: UST Trust: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Address: Spiller Company: Contact Name: DEC Memo: Remarks: All Materials: Site ID: Operable Unit ID: Operable Unit ID: Operable Unit: Material ID: Material Code: Material Name: Case No.:	0911128 / 2010-01-19 0911128 ER 372839 423912 2 Housekeeping C4 4101 2010-01-15 smsanges Not reported 2010-01-15 Not reported Gasoline Station or other PBS Facility Other Not reported False Not reported False 0 2010-01-15 2010-01-19 MIKE CARR GETTY #8 75-41 YELLOWSTONE BLVD 999 MIKE CARR "minor spill - all cleaned" "DUE TO POOR HOUSE KEEPING LESS THAN A PINT WAS SPILLED TO CONCRETE." 423912 1179717 01 2173498 0009 gasoline Not reported
	Operable Unit ID: Operable Unit: Material ID: Material Code: Material Name:	1179717 01 2173498 0009 gasoline

Map ID		MAP FINDINGS		
Direction Distance Elevation	Site		Database(s)	EDR ID Number EPA ID Number
	GETTY # 8 (Continued)			S110139622
	Quantity: Units:	Not reported G		
	Recovered:	Not reported		
	Oxygenate:	Not reported		
H34 South < 1/8	CON EDISON WOODHAVEN BLVD & YELLOWSTONE REGO PARK, NY 11374		RCRA NonGen / NLR FINDS ECHO	1018279719 NYP004745618
0.093 mi. 491 ft.	Site 1 of 2 in cluster H			
Relative:	RCRA NonGen / NLR:			
Higher	Date form received by agency			
Actual: 57 ft.	Facility name: Facility address:	CON EDISON WOODHAVEN BLVD & YELLOWSTONE		
57 11.		BLVD SB33942		
		REGO PARK, NY 11374		
	EPA ID: Mailing address:	NYP004745618 IRVING PL, 15TH FL NE		
		NEW YORK, NY 10003		
	Contact:	THOMAS TEELING		
	Contact address:	Not reported Not reported		
	Contact country:	Not reported		
	Contact telephone: Contact email:	212-460-3770		
	EPA Region:	Not reported 02		
	Classification:	Non-Generator		
	Description: Handler: Non-Generators do not presently generate hazardous waste Handler Activities Summary:			
	U.S. importer of hazardous w			
	Mixed waste (haz. and radioa Recycler of hazardous waste			
	Transporter of hazardous waste			
	Treater, storer or disposer of			
	Underground injection activity On-site burner exemption:	r: No No		
	Furnace exemption:	No		
	Used oil fuel burner:	No		
	Used oil processor: User oil refiner:	No No		
	Used oil fuel marketer to burr	ner: No		
	Used oil Specification market			
	Used oil transfer facility: Used oil transporter:	No No		
	Historical Constators			
	Historical Generators: Date form received by agency:03/07/2015			
	Site name:	CON EDISON		
	Classification:	Large Quantity Generator		
	Violation Status:	No violations found		
	FINDS:			

Database(s)

	CON EDISON (Conti	nued)		1018279719
			22700004	10102/3/13
	Registry ID:	1100	067690261	
	Environmental In	Conservation and events and activiti and treat, store, o program staff to tr corrective action a	System ational information system that supports the Resource d Recovery Act (RCRA) program through the tracking of ties related to facilities that generate, transport, or dispose of hazardous waste. RCRAInfo allows RCRA track the notification, permit, compliance, and activities required under RCRA.	
			the detail in the EDR Site Report.	
	ECHO: Envid: Registry ID: DFR URL:		1018279719 110067690261 http://echo.epa.gov/detailed-facility-report?fid=110067690261	
H35 South < 1/8 0.093 mi.	CON EDISON SERVIO YELLOWSTONE BLV RIDGEWOOD, NY 11	D & WOODHAVEN 385	RCRA NonGen / NLR N FINDS	1017775535 NYP004533733
491 ft.	Site 2 of 2 in cluster l	Н		
Relative: Higher Actual: 57 ft.	Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact country: Contact telephor Contact telephor Contact email: EPA Region: Classification: Description: Handler Activities S	ed by agency: 06/15 CON YELL BLVE RIDG NYPC IRVIN NEW THOI : Not re Not re Not re 212-4 Not re 02 Non-1 Hand	V EDISON SERVICE BOX: 33942 LOWSTONE BLVD & WOODHAVEN D NW COR GEWOOD, NY 11385 2004533733 NG PL, 15TH FL NE V YORK, NY 10003 DMAS TEELING reported reported reported -Generator dler: Non-Generators do not presently generate hazardous waste	
	Mixed waste (ha: Recycler of haza Transporter of ha	azardous waste: disposer of HW: ection activity: kemption: on: ner: or:	No No No No No No No No No No	

Database(s)

	CON EDISON SERVICE BOX: 33	3942 (Continued)		1017775535
	Used oil Specification marke Used oil transfer facility: Used oil transporter:	eter: No No No		
	Historical Generators: Date form received by agen Site name: Classification:	cy:05/15/2014 CON EDISON Small Quantity Generator		
	Date form received by agen Site name: Classification:			
	Violation Status:	No violations found		
	FINDS:			
	Registry ID:	110063778997		
	program s	store, or dispose of hazardous waste. F staff to track the notification, permit, com action activities required under RCRA.		
		hyperlink while viewing on your compute FINDS: detail in the EDR Site Report.	er to access	
INW 1/8			er to access	S118708204 N/A
536 NWW ≤ 1/8 0.096 mi. 505 ft.	additional CON EDISON 85-23 67TH DR			
NNW 3 1/8 0.096 mi.	additional CON EDISON 85-23 67TH DR REGO PARK, NY 11374			

Site

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)

Mailing Zip: Mailing Zip 4: Mailing Country: Mailing Phone:	10003 Not reported USA Not reported
MANIFEST:	
Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year: Trans1 State ID:	2015 NJD002812047
Trans2 State ID:	NJD003812047 NJD003812047
Generator Ship Date:	02/06/2015
Trans1 Recv Date:	02/06/2015
Trans2 Recy Date:	02/12/2015
TSD Site Recy Date:	02/12/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004727087
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002620904GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator: Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code: Waste Code:	Not reported Not reported
Quantity:	50
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)

S118708204

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

F37 NNW < 1/8 0.096 mi.	CON EDISON 85-23 67TH DR REGO PARK, NY 11374		RCRA NonGen / NLR	1018277960 NYP004727087
505 ft.	Site 3 of 10 in cluster F			
0.096 mi.	·	CON EDISON 85-23 67TH DR REGO PARK, NY 11374 NYP004727087 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported 212-460-3770 Not reported 02 Non-Generator Handler: Non-Generators do not presently gene vaste: No active): No :: No ste: No ste: No HW: No y: No No No No No No No No No No No No No N	arate hazardous waste	
	Site name:	CON EDISON		
	Classification:	Small Quantity Generator		
	Violation Status:	No violations found		

Database(s)

F38 NNW < 1/8	CON EDISON 85-23 67TH DR REGO PARK, NY 11374		NJ MANIFEST	S120666869 N/A
0.096 mi. 505 ft.	Site 4 of 10 in cluster F			
0.096 mi.		NYP004727087 IRVING PL, 15TH FL NE NEW YORK, NY 10003 Not reported Not reported THOMAS TEELING Not reported Not reported 002620904GBF NYP004727087 2/6/2015 NJD991291105 NJD003812047 Not reported Not r		
	Date Trans6 Transported Waste: Date Trans7 Transported Waste: Date Trans8 Transported Waste: Date Trans9 Transported Waste: Date Trans10 Transported Waste: Date TSDF Received Waste: TSDF EPA Facility Name: QTY Units: Transporter SEQ ID: Transporter-1 Date: Waste SEQ ID:	Not reported Not reported		
	Waste Type Code 2: Waste Type Code 3: Waste Type Code 4: Waste Type Code 5: Waste Type Code 6:	Not reported Not reported Not reported Not reported Not reported		

Map ID Direction Distance Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

S120666869

CON EDISON (Continued)

Date Accepted: Manifest Discrepancy Type: Data Entry Number: Was Load Rejected: Reason Load Was Rejected:

Not reported Not reported Not reported NEW YORK, NY 10003 Not reported

> _ / 611 .R S ю

1018277959 NYP004727079

F39 NNW < 1/8 0 096 mi	CON EDISON 85-39 67TH DR REGO PARK, NY 11374	RCRA NonGen / NLR FINDS ECHC
505 ft.	Site 5 of 10 in cluster F	
0.096 mi.	Site 5 of 10 in cluster F RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact country: Contact telephone: Contact email: EPA Region: Classification: Description: Handler Activities Summary: U.S. importer of hazardous waste: Transporter of h	 (:02/06/2015 CON EDISON 85-39 67TH DR REGO PARK, NY 11374 NYP004727079 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported Not reported 212-460-3770 Not reported 02 Non-Generator Handler: Non-Generators do not presently generate hazardous waste aste: No aste: No ste: No ste: No HW: No
	On-site burner exemption: Furnace exemption: Used oil fuel burner: Used oil processor:	No No No
	User oil refiner: Used oil fuel marketer to burn Used oil Specification markete Used oil transfer facility: Used oil transporter:	No No
	Historical Generators: Date form received by agency Site name: Classification:	/: 02/06/2015 CON EDISON Small Quantity Generator
	Violation Status:	No violations found
	FINDS:	

Database(s)

	CON EDISON (Conti	nued)	1018277959
	Registry ID:	110067696639	
	Environmental In	terest/Information System RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. <u>Click this hyperlink</u> while viewing on your computer to access additional FINDS: detail in the EDR Site Report.	
	ECHO: Envid: Registry ID: DFR URL:	1018277959 110067696639 http://echo.epa.gov/detailed-facility-report?fid=110067696639	
F40 NNW < 1/8 0.096 mi. 505 ft.	CON EDISON 8523 67TH D REGO PARK, NY 113 Site 6 of 10 in cluster		S117739582 N/A
Relative: Higher Actual: 57 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address Code: Location Address Total Tanks: Location City: Location State: Location Zip: Location Zip Location Zip 4: NY MANIFEST: EPAID: Mailing Name: Mailing Address Mailing Address Mailing Address Mailing State: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Zip 4: Mailing Phone: NY MANIFEST: Document ID: Manifest Status:	BP S 2: SB41704 Not reported QUEENS NY 11374 Not reported NYP004727095 CON EDISON CON EDISON CON EDISON 1: 4 IRVING PL 2: 15TH FL NEW YORK NY 10003 Not reported	
	seq: Year: Trans1 State ID:	Not reported 2015 NJD003812047	

Map ID Direction Distance Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number **EPA ID Number**

CON EDISON (Continued)

Quantity:

Units:

Trans2 State ID: NJD003812047 Generator Ship Date: 02/06/2015 Trans1 Recv Date: 02/06/2015 Trans2 Recv Date: 02/12/2015 TSD Site Recv Date: 02/12/2015 Part A Recv Date: Not reported Part B Recv Date: Not reported NYP004727095 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID 1: NJD991291105 TSDF ID 2: Not reported Manifest Tracking Number: 002620903GBF Import Indicator: Ν Export Indicator: Ν Discr Quantity Indicator: Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν Discr Partial Reject Indicator: Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported 50 G - Gallons (liquids only)* (8.3 pounds) Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 Waste Code: D008 Waste Code 1 2: Not reported Waste Code 1 3: Not reported Waste Code 1 4: Not reported Waste Code 1_5: Not reported Waste Code 1 6: Not reported

S117739582

Click this hyperlink while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

F41 North < 1/8 0.097 mi. 514 ft.	CON EDISON 85-39 67TH DR REGO PARK, NY 11374 Site 7 of 10 in cluster F	
Relative: Higher	NJ MANIFEST: EPA Id:	NYP004727079
Actual: 57 ft.	Mail Address: Mail City/State/Zip: Facility Phone:	IRVING PL, 15TH FL NE NEW YORK, NY 10003 Not reported

NJ MANIFEST S120666868 N/A

Site

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)

Emergency Phone: Not reported THOMAS TEELING Contact: Comments: Not reported SIC Code: Not reported County: NY081 Not reported Municipal: Not reported Previous EPA Id: Not reported Gen Flag: Trans Flag: Not reported TSDF Flag: Not reported Name Change: Not reported Date Change: Not reported Manifest: Manifest Number: 002620902GBF EPA ID: NYP004727079 Date Shipped: 2/6/2015 TSDF EPA ID: NJD991291105 Transporter EPA ID: NJD003812047 Transporter 2 EPA ID: Not reported Transporter 3 EPA ID: Not reported Transporter 4 EPA ID: Not reported Transporter 5 EPA ID: Not reported Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported Transporter 8 EPA ID: Not reported Transporter 9 EPA ID: Not reported Not reported Transporter 10 EPA ID: Date Trans1 Transported Waste: Not reported Date Trans2 Transported Waste: Not reported Not reported Date Trans3 Transported Waste: Date Trans4 Transported Waste: Not reported Date Trans5 Transported Waste: Not reported Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Date Trans8 Transported Waste: Not reported Date Trans9 Transported Waste: Not reported Date Trans10 Transported Waste: Not reported Date TSDF Received Waste: Not reported Not reported **TSDF EPA Facility Name:** QTY Units: Not reported Not reported Transporter SEQ ID: Transporter-1 Date: Not reported Waste SEQ ID: Not reported Not reported Waste Type Code 2: Not reported Waste Type Code 3: Waste Type Code 4: Not reported Waste Type Code 5: Not reported Waste Type Code 6: Not reported Date Accepted: Not reported Manifest Discrepancy Type: Not reported Data Entry Number: Not reported NEW YORK, NY 10003 Was Load Rejected: Reason Load Was Rejected: Not reported

S120666868

Database(s)

F42 North	CON EDISON 85-39 67TH DR		NY MANIFEST	S118087877 N/A
< 1/8 0.097 mi.	REGO PARK, NY 11374			
514 ft.	Site 8 of 10 in cluster F			
Relative: Higher Actual: 57 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location City: Location State: Location Zip: Location Zip 4: NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1:	USA NYP004727079 Not reported 85-39 67 DR BP SB41705 Not reported QUEENS NY 11374 Not reported NYP004727079 CON EDISON CON EDISON CON EDISON 4 IRVING PL		
	Mailing Address 1: Mailing Address 2: Mailing City: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Country: Mailing Phone:	4 IRVING PL 15TH FL NEW YORK NY 10003 Not reported USA Not reported		
	NY MANIFEST: Document ID: Manifest Status: seq: Year: Trans1 State ID: Trans2 State ID: Generator Ship Date: Trans2 Recv Date: TSD Site Recv Date: Part A Recv Date: Part A Recv Date: Part A Recv Date: Part B Recv Date: Generator EPA ID: Trans1 EPA ID: Trans2 EPA ID: TSDF ID 1: TSDF ID 1: TSDF ID 2: Manifest Tracking Number: Import Indicator: Discr Quantity Indicator: Discr Type Indicator: Discr Residue Indicator: Discr Partial Reject Indicator: Discr Full Reject Indicator: Manifest Ref Number:	Not reported Not reported 2015 NJD003812047 NJD003812047 02/06/2015 02/06/2015 02/12/2015 02/12/2015 Not reported Not reported NYP004727079 Not reported NJD991291105 Not reported 002620902GBF N N N N N N N N N N N N N N		

Map ID Direction Distance Elevation Site MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported Not reported Waste Code: Waste Code: Not reported Not reported Waste Code: Waste Code: Not reported Waste Code: Not reported Quantity: 50 Units: G - Gallons (liquids only)* (8.3 pounds) Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 Waste Code: D008 Waste Code 1_2: Not reported Waste Code 1 3: Not reported Waste Code 1 4: Not reported Waste Code 1_5: Not reported Waste Code 1_6: Not reported

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

F43 North < 1/8 0.097 mi. 514 ft.	CON EDISON 85-39 67TH DR FRONT OF REGO PARK, NY 11374 Site 9 of 10 in cluster F		NY MANIFEST	S118087710 N/A
Relative: Higher Actual: 57 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location City: Location State: Location Zip: Location Zip 4:	USA NYP004555066 Not reported 85-39 67 DR BP SB41705 Not reported QUEENS NY 11432 Not reported		
	NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing City: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Country: Mailing Phone:	NYP004555066 CON EDISON CON EDISON 4 IRVING PL 15TH FL NEW YORK NY 10003 Not reported USA Not reported		

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)

NY MANIFEST: Document ID: Not reported Manifest Status: Not reported seq: Not reported Year: 2014 Trans1 State ID: NJD003812047 Not reported Trans2 State ID: Generator Ship Date: 06/05/2014 Trans1 Recv Date: 06/05/2014 Trans2 Recv Date: Not reported TSD Site Recv Date: 06/09/2014 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004555066 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID 1: NJD991291105 TSDF ID 2: Not reported Manifest Tracking Number: 002424234GBF Import Indicator: Ν Export Indicator: Ν Discr Quantity Indicator: Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν Discr Partial Reject Indicator: Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Not reported Waste Code: Waste Code: Not reported Quantity: 50 Units: G - Gallons (liquids only)* (8.3 pounds) Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 Waste Code: D008 Waste Code 1 2: Not reported Not reported Waste Code 1 3: Waste Code 1 4: Not reported Waste Code 1 5: Not reported Waste Code 1_6: Not reported

> <u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

S118087710

Database(s)

F44 North < 1/8 0.097 mi.	CON EDISON SERVICE BOX: 417 85-39 67TH DR FRONT OF REGO PARK, NY 11374	05	RCRA NonGen / NLR FINDS	1017777609 NYP004555066
514 ft.	Site 10 of 10 in cluster F			
Relative: Higher	RCRA NonGen / NLR: Date form received by agency Facility name:	: 07/05/2014 CON EDISON SERVICE BOX: 41705		
Actual: 57 ft.	Facility address:	85-39 67TH DR FRONT OF REGO PARK, NY 11374		
	EPA ID: Mailing address:	NYP004555066 IRVING PL, 15TH FL NE NEW YORK, NY 10003		
	Contact: Contact address:	THOMAS TEELING Not reported		
	Contact country: Contact telephone:	Not reported Not reported 212-460-3770		
	Contact email: EPA Region: Classification:	Not reported 02 Non-Generator		
	Description:	Handler: Non-Generators do not present	y generate hazardous waste	
	Handler Activities Summary: U.S. importer of hazardous wa Mixed waste (haz. and radioar Recycler of hazardous waste: Transporter of hazardous wass Treater, storer or disposer of H Underground injection activity On-site burner exemption: Furnace exemption: Used oil fuel burner: Used oil fuel burner: Used oil fuel burner: Used oil fuel marketer to burn Used oil fuel marketer to burn Used oil specification marketer Used oil transfer facility: Used oil transporter: Historical Generators: Date form received by agency	ctive): No No No HW: No : No No No No No er: No Pr: No No No		
	Site name: Classification:	CON EDISON Small Quantity Concrator		
	GIASSIIIGAUUII.	Small Quantity Generator		
	Date form received by agency	: 06/05/2014 CON EDISON		
	Site name: Classification:	Not a generator, verified		
	Violation Status	-		
	Violation Status:	No violations found		
	FINDS: Registry ID:	110063818604		
		ation System s a national information system that suppo on and Recovery Act (RCRA) program thro		

EDR ID Number Database(s) EPA ID Number

CON EDISON SERVICE BOX: 41705 (Continued)

events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

<u>Click this hyperlink</u> while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

I45 ₩N₩ < 1/8 0.100 mi.	TWO QTS TRANNY FLUID 67 DRIVE & WOODHAVEN BLVD QUEENS, NY		NY Spills	S108636498 N/A
530 ft.	Site 1 of 3 in cluster I			
Relative: Higher Actual: 57 ft.	SPILLS: Spill Number/Closed Date: Facility ID: Facility Type: DER Facility ID: Site ID: DEC Region: Spill Cause: Spill Class: SWIS: Spill Date: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Source: Spill Source: Spill Notifier: Cleanup Ceased: Cleanup Meets Std: Last Inspection: Recommended Penalty: UST Trust: Remediation Phase: Date Entered In Computer: Spiller Company: Spiller Company: Spiller Address: Spiller Company: Contact Name: DEC Memo: Remarks:	0700959 / 2007-04-24 0700959 ER 329815 380348 2 Traffic Accident C4 4101 2007-04-23 rmpiper Not reported 2007-04-23 27 Not reported Commercial Vehicle Other Not reported False 0 2007-04-24 2007-04-24 2007-05-07 Not reported MTA BUS Not reported MTA BUS Not reported 999 Not reported "05/23/07 - See eDocs for Con Ed report detailing cleanup closure. Small Roadway Spill. Closed. see ConEd emis re eDocs. " "Caller reports a city bus went over a manhole which cam struck the underside of the bus causing the spill. MTA is of cleanup. 3rd party spill. NRC number 833219. Poss in sev report number is 205675."	eport 205675 e up and loing the	in
	All Materials: Site ID:	380348		
	Operable Unit ID: Operable Unit:	1137831 01		

Database(s)

	TWO QTS TRANNY FLUID (Contin	ued)		S108636498
		•		0100000400
	Material ID:	2127789		
	Material Code:	0021		
	Material Name:	transmission fluid		
	Case No.:	Not reported		
	Material FA:	Petroleum		
	Quantity:	Not reported		
	Units:	G		
	Recovered:	.00		
	Oxygenate:	Not reported		
146	CON EDISON SERVICE BOX: 2054	RCRAN	onGen / NLR	1017773427
NW	85-01 67TH DR FRONT OF		FINDS	NYP004512083
< 1/8	REGO PARK, NY 11374			
0.109 mi.				
578 ft.	Site 2 of 3 in cluster I			
Relative:	RCRA NonGen / NLR:			
Higher	Date form received by agency:	05/25/2014		
Actual:	,	CON EDISON SERVICE BOX: 2054		
57 ft.	Facility address:	85-01 67TH DR FRONT OF		
		REGO PARK, NY 11374		
	EPA ID:	NYP004512083		
	•	IRVING PL, 15TH FL NE		
		NEW YORK, NY 10003		
		THOMAS TEELING		
		Not reported		
		Not reported		
	5	Not reported		
		212-460-3770		
		Not reported		
	5	02		
		Non-Generator		
	Description:	Handler: Non-Generators do not presently generate hazard	lous waste	
	Handler Activities Summary:			
	U.S. importer of hazardous was	ste: No		
	Mixed waste (haz. and radioact	ive): No		
	Recycler of hazardous waste:	No		
	Transporter of hazardous waste	e: No		
	Treater, storer or disposer of H	W: No		
	Underground injection activity:	No		
	On-site burner exemption:	No		
	Furnace exemption:	No		
	Used oil fuel burner:	No		
	Used oil processor:	No		
	User oil refiner:	No		
	Used oil fuel marketer to burne			
	Used oil Specification marketer			
	Used oil transfer facility:	No		
	Used oil transporter:	No		
	Historical Generators:			
	Date form received by agency:	04/25/2014		
		CON EDISON		
		Small Quantity Generator		
		- ,		

Database(s)

EDR ID Number EPA ID Number

1017773427

CON EDISON SERVICE BOX: 2054 (Continued)

Date form received by agency: 04/25/2014			
Site name:	CON EDISON		
Classification:	Not a generator, verified		

No violations found

110063775160

Violation Status:

FINDS:

Registry ID:

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

<u>Click this hyperlink</u> while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

I47 NW < 1/8 0.109 mi. 578 ft.	CON EDISON 85-01 67TH DR FRONT OF REGO PARK, NY 11374 Site 3 of 3 in cluster I		NY MANIFEST	S118087178 N/A
Relative: Higher Actual: 57 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location State: Location Zip: Location Zip 4:	USA NYP004512083 Not reported 85-01 WOODHAVEN BLVD BP SB 2054 Not reported QUEENS NY 11379 Not reported		
	NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Country: Mailing Phone:	NYP004512083 CON EDISON TOM TEELING 4 IRVING PLACE - 15TH FLOOR Not reported NEW YORK NY 10003 Not reported USA 2124603770		
	NY MANIFEST: Document ID: Manifest Status: seq:	Not reported Not reported Not reported		

TC5618352.2s Page 157

Map ID Direction Distance Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)

Year: 2014 Trans1 State ID: NJD003812047 Trans2 State ID: Not reported Generator Ship Date: 04/25/2014 Trans1 Recv Date: 04/25/2014 Trans2 Recv Date: Not reported TSD Site Recv Date: 04/25/2014 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004512083 Trans1 EPA ID: Not reported Not reported Trans2 EPA ID: TSDF ID 1: NJD991291105 TSDF ID 2: Not reported Manifest Tracking Number: 002418234GBF Import Indicator: Ν Export Indicator: Ν Discr Quantity Indicator: Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν Discr Partial Reject Indicator: Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported H110 MGMT Method Type Code: Waste Code: Not reported Quantity: 75 Units: G - Gallons (liquids only)* (8.3 pounds) Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 D008 Waste Code: Waste Code 1 2: Not reported Waste Code 1_3: Not reported Waste Code 1 4: Not reported Waste Code 1 5: Not reported Waste Code 1_6: Not reported

> <u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

S118087178

Database(s)

G48 SSE < 1/8	69-01 WOO	LITAN AUTO REPAIRS DHAVEN BLV K, NY 11374	EDR Hist Auto	1020265648 N/A
0.114 mi. 600 ft.	Site 9 of 10	in cluster G		
Relative: Higher	EDR Hist	Auto		
Higher Actual: 57 ft.	Year: 1970 1971 1971 1972 1973 1973 1973 1973 1973 1974 1974 1974 1974 1975 1975 1975 1975 1976 1977 1977 1978 1979 1980 1980 1980 1980 1980 1980 1980 198	Name: METROPOLITAN AUTO REPAIRS METROPOLITAN AUTO REPAIRS GAS-O-RAMA NBR 1 INC METROPOLITAN AUTO REPAIRS GAS-O-RAMA NBR 1 INC METROPOLITAN AUTO REPAIRS GAS-O-RAMA NBR 1 INC PHIL-JOHN INC GAS-O-RAMA NBR 1 INC PHIL-JOHN INC GAS-O-RAMA NBR 1 INC PHIL-JOHN INC GAS-O-RAMA NBR 1 INC PHIL-JOHN INC FELKOB AUTO REPAIR INC METROPOLITAN AUTO REPAIRS PHIL-JOHN INC FELKOB AUTO REPAIR INC METROPOLITAN AUTO REPAIRS PHIL-JOHN INC GRACEWAY SERVICE STATION INC HI-TECH AUTOMOTIVE SERVICES METROPOLITAN AUTO REPAIRS HI-TECH AUTOMOTIVE SERVICES METROPOLITAN AUTO REPAIRS TRIPLE KING AUTO REPAIR INC METROPOLITAN AUTO REPAIR INC METROPOLITAN AUTO REPAIR INC METROPOLITAN AUTO REPAIR INC METROPOLITAN AUTO REPAIRS TRIPLE KING AUTO REPAIR INC METROPOLITAN AUTO REPAIRS TRIPLE KING AUTO REPAIR INC METROPOLITAN AUTO REPAIR INC	Type: General Automotive Repair Shops General Automotive Repair Shops Gasoline Service Stations General Automotive Repair Shops Gasoline Service Stations Gasoline Service Stations Gasoline Service Stations Gasoline Service Stations Gasoline Service Stations Gasoline Service Stations General Automotive Repair Shops Gasoline Service Stations General Automotive Repair Shops Gasoline Service Stations General Automotive Repair Shops Gasoline Service Stations Gasoline Service Stations General Automotive Repair Shops General Automotive Repair Shops	
	2002 2003	METROPOLITAN AUTO REPAIRS METROPOLITAN AUTO REPAIRS	General Automotive Repair Shops General Automotive Repair Shops	

Map ID	
Direction	
Distance	
Elevation	Site

Database(s)

EDR ID Number EPA ID Number

1020265648

METROPOLITAN AUTO REPAIRS (Continued)

2004	METROPOLITAN AUTO REPAIRS	General Automotive Repair Shops
2005	METROPOLITAN AUTO REPAIRS	General Automotive Repair Shops
2006	METROPOLITAN AUTO REPAIRS	General Automotive Repair Shops
2007	METROPOLITAN AUTO REPAIRS	General Automotive Repair Shops
2008	METROPOLITAN AUTO REPAIRS	General Automotive Repair Shops

G49 SSE < 1/8 0.114 mi.	IMPERIAL CWL, INC. D/B/A IMPI 69-01 WOODHAVEN BLVD. REGO PARK, NY 11374	ERIAL CAR WASH &	NY AST	A100326255 N/A
600 ft.	Site 10 of 10 in cluster G			
Relative: Higher Actual: 57 ft.	AST: Region: DEC Region: Site Status: Facility Id: Program Type: UTM X: UTM Y: Expiration Date: Site Type: Affiliation Records: Site Id: Affiliation Type:	STATE 2 Active 2-610993 PBS 595309.17492 4509315.44492 06/01/2022 Other 408210 Mail Contact		
	Company Name: Contact Type: Contact Name: Address1: Address2: City: State: Zip Code: Country Code: Phone: EMail: Fax Number: Modified By: Date Last Modified:	IMPERIAL CWL,INC. Not reported DOMINICK ODDO 69-01 WOODHAVEN BLVD. Not reported QUEENS NY 11374 001 (718) 897-7858 Not reported Not reported Not reported MFLEONAR 2017-07-03		
	Site Id: Affiliation Type: Company Name: Contact Type: Contact Name: Address1: Address2: City: State: Zip Code: Country Code: Phone: EMail: Fax Number: Modified By: Date Last Modified:	408210 Facility Operator ALEPH LAMED DALED CORP. D/B/A IMPERIAL CAR WAS Not reported DOMINICK ODDO Not reported Not reported NN Not reported 001 (718) 897-7858 Not reported Not reported Not reported dxliving 2009-02-18	Η&	

Database(s)

EDR ID Number **EPA ID Number**

IMPERIAL CWL, INC. D/B/A IMPERIAL CAR WASH & (Continued)

Site Id: 408210 Affiliation Type: Facility Owner Company Name: DOMINICK ODDO Contact Type: PRESIDENT DOMINICK ODDO Contact Name: Address1: 69-01/03 WOODHAVEN BLVD. Address2: Not reported REGO PARK City: State: NY Zip Code: 11374 Country Code: 001 Phone: (347) 392-7261 EMail: Not reported Fax Number: Not reported MFLEONAR Modified By: Date Last Modified: 2017-07-03 Site Id: 408210 Affiliation Type: **Emergency Contact** Company Name: DOMINICK ODDO Contact Type: Not reported Contact Name: DOMINICK ODDO Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 999 Phone: (347) 392-7261 EMail: Not reported Fax Number: Not reported Modified By: **MFLEONAR** Date Last Modified: 2017-07-03

Tank Info:

Tank Number:	1
Tank Id:	227124
Material Code:	0013
Common Name of Substance:	Lube Oil

Equipment Records:

quipinont i tooorao.	
	I05 - Overfill - Vent Whistle
	C01 - Pipe Location - Aboveground
	L00 - Piping Leak Detection - None
	H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
	F01 - Pipe External Protection - Painted/Asphalt Coating
	G10 - Tank Secondary Containment - Impervious Underlayment
	K00 - Spill Prevention - None
	A00 - Tank Internal Protection - None
	B01 - Tank External Protection - Painted/Asphalt Coating
	D01 - Pipe Type - Steel/Carbon Steel/Iron
	E00 - Piping Secondary Containment - None
	J02 - Dispenser - Suction Dispenser
Tank Location:	Aboveground - contact with impervious barrier Tank bottom rests on impervious barrier, allowing visual indication of leaks.

A100326255

Database(s)

EDR ID Number EPA ID Number

IMPERIAL CWL, INC. D/B/A IMPERI	AL CAR WASH & (Continued)	A100326255
Tank Type:	Steel/Carbon Steel/Iron	
Tank Status:	In Service	
Pipe Model:	Not reported	
Install Date:	06/01/2007	
Capacity Gallons:	750	
	750	
Tightness Test Method:	-	
Date Test:	Not reported	
Next Test Date:	Not reported	
Date Tank Closed:	Not reported	
Register:	True	
Modified By:	MFLEONAR	
Last Modified:	07/03/2017	
Material Name:	lube oil	
Tank Number:	2	
Tank Id:	227125	
Material Code:	0022	
Common Name of Substance:	Waste Oil/Used Oil	
Equipment Records:		
Equipment Records.	H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)	
	J03 - Dispenser - Gravity	
	L00 - Piping Leak Detection - None	
	A00 - Tank Internal Protection - None	
	B01 - Tank External Protection - Painted/Asphalt Coating	
	D01 - Pipe Type - Steel/Carbon Steel/Iron	
	F01 - Pipe External Protection - Painted/Asphalt Coating	
	G10 - Tank Secondary Containment - Impervious Underlayment	
	K00 - Spill Prevention - None	
	E00 - Piping Secondary Containment - None	
	C01 - Pipe Location - Aboveground	
	I05 - Overfill - Vent Whistle	
Tank Location:	Aboveground - contact with impervious barrier Tank bottom rests on impervious barrier, allowing visual indication of leaks.	
Tank Type:	Steel/Carbon Steel/Iron	
Tank Status:	In Service	
Pipe Model:	Not reported	
Install Date:	06/01/2007	
Capacity Gallons:	750	
	750	
Tightness Test Method:	- Net reported	
Date Test:	Not reported	
Next Test Date:	Not reported	
Date Tank Closed:	Not reported	
Register:	True	
Modified By:	MFLEONAR	
Last Modified:	07/03/2017	
Material Name:	waste oil/used oil	
Tank Number:	3	
Tank Id:	227126	
Material Code:	0013	
Common Name of Substance:	Lube Oil	
Equipment Pecerde		

Equipment Records:

J50

East < 1/8 0.122 mi. 642 ft.

Relative: Higher Actual: 57 ft.

Recycler of hazardous waste:

Transporter of hazardous waste:

No

No

MAP FINDINGS

EDR ID Number Database(s) EPA ID Number

IMPERIAL CWL, INC. D/B/A IMPERIAL CAR WASH & (Continued)

A100326255

IMPERIAL CWL, INC. D/B/A IMPERIAL CAR WASH & (Continued) A100326255			
Tank Location:	 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G) L00 - Piping Leak Detection - None C01 - Pipe Location - Aboveground A00 - Tank Internal Protection - None B01 - Tank External Protection - Painted/Asphalt Coating D01 - Pipe Type - Steel/Carbon Steel/Iron F01 - Pipe External Protection - Painted/Asphalt Coating G10 - Tank Secondary Containment - Impervious Underlayment K00 - Spill Prevention - None I05 - Overfill - Vent Whistle E00 - Piping Secondary Containment - None J02 - Dispenser - Suction Dispenser Aboveground - contact with impervious barrier Tank bottom rests on 		
	impervious barrier, allowing visual indication of leaks.		
Tank Type:	Steel/Carbon Steel/Iron		
Tank Status:	In Service		
Pipe Model:	Not reported		
Install Date:	06/01/2007		
Capacity Gallons:	750		
Tightness Test Method:	-		
Date Test:	Not reported		
Next Test Date:	Not reported		
Date Tank Closed:	Not reported		
Register:	True		
Modified By:	MFLEONAR		
Last Modified:	07/03/2017		
Material Name:	lube oil		
CON EDISON 67-26 SELFRIDGE ST FOREST HILLS, NY 11375	RCRA NonGen / NLR	1019905733 NYP004812968	
Site 1 of 10 in cluster J			
RCRA NonGen / NLR: Date form received by agene Facility name: Facility address:	cy: 07/27/2015 CON EDISON 67-26 SELFRIDGE ST FOREST HILLS, NY 11375		
EPA ID:	NYP004812968		
Mailing address:	IRVING PL 15TH FL NE NEW YORK, NY 10003		
Contact:	THOMAS TEELING		
Contact address:	Not reported Not reported		
Contact country:	Not reported		
Contact telephone:	212-460-3770		
Contact email:	Not reported		
EPA Region:	02		
Classification:	Non-Generator		
Description:	Handler: Non-Generators do not presently generate hazardous waste		
Handler Activities Summary: U.S. importer of hazardous v Mixed waste (haz. and radio	active): No		

seq:

Year:

Trans1 State ID:

Trans2 State ID:

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

	CON EDISON (Continued)			1019905733
	Treater, storer or disposer of H	W: No		
	Underground injection activity:	No		
	On-site burner exemption:	No		
	Furnace exemption:	No		
	Used oil fuel burner:	No		
	Used oil processor:	No		
	User oil refiner:	No		
	Used oil fuel marketer to burne			
	Used oil Specification markete			
	Used oil transfer facility:	No		
	Used oil transporter:	No		
	Historical Generators:			
	Date form received by agency:	07/27/2015		
	Site name:	CON EDISON		
	Classification:	Large Quantity Generator		
	Violation Status:	No violations found		
J51	CON EDISON		NY MANIFEST	S118258276
East	67-26 SELFRIDGE ST		NT MANIFEST	N/A
< 1/8	FOREST HILLS, NY 11375			11/25
< 1/8 0.122 mi.	FOREST HILLS, NT 11375			
642 ft.	Site 2 of 10 in cluster J			
042 II.	Site 2 of 10 in cluster J			
Relative:	NY MANIFEST:			
Higher	Country:	USA		
Actual:	EPA ID:	NYP004812968		
57 ft.	Facility Status:	Not reported		
	Location Address 1:	67-26 SELFRIDGE ST		
	Code:	BP		
	Location Address 2:	SB 37938		
	Total Tanks:	Not reported		
	Location City:	FOREST HILLS		
	Location State:	NY		
	Location Zip:	11375		
	Location Zip 4:	Not reported		
	NY MANIFEST:	·		
	EPAID:	NYP004812968		
	Mailing Name:	CON EDISON		
	•			
	Mailing Contact: Mailing Address 1:	DENNIS HUACON 4 IRVING PL 15TH FL		
	Mailing Address 2:	Not reported		
	Mailing City:	NEW YORK		
	Mailing State:	NY 10002		
	Mailing Zip:	10003 Not reported		
	Mailing Zip 4:	Not reported		
	Mailing Country:	USA		
	Mailing Phone:	2124603770		
	NY MANIFEST:			
	Document ID:	Not reported		
	Manifest Status:	Not reported		
	sed.	Not reported		

Not reported 2015

Not reported

NJ0000027193

Database(s)

EDR ID Number **EPA ID Number**

CON EDISON (Continued)

Units:

Generator Ship Date: 07/27/2015 Trans1 Recv Date: 07/27/2015 Trans2 Recv Date: Not reported TSD Site Recv Date: 07/27/2015 Part A Recv Date: Not reported Part B Recv Date: Not reported NYP004812968 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID 1: NJD002200046 TSDF ID 2: Not reported Manifest Tracking Number: 014466692JJK Import Indicator: Ν Export Indicator: Ν Discr Quantity Indicator: Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν Discr Partial Reject Indicator: Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported Not reported Waste Code: Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Quantity: 500 P - Pounds Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: Waste Code: D008 Waste Code 1 2: Not reported Waste Code 1 3: Not reported Waste Code 1 4: Not reported Waste Code 1 5: Not reported Waste Code 1_6: Not reported

> Click this hyperlink while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

J52 East < 1/8 0.122 mi. 644 ft.	CON EDISON SERVICE BOX: 490 67-20 SELFRIDGE ST FOREST HILLS, NY 11375 Site 3 of 10 in cluster J	64
Relative: Higher	RCRA NonGen / NLR: Date form received by agency	:04/30/2014
Actual: 57 ft.	Facility name: Facility address: EPA ID:	CON EDISON SERVICE BOX: 49064 67-20 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004484440

S118258276

RCRA NonGen / NLR 1017771504 NYP004484440

Database(s)

EDR ID Number EPA ID Number

1017771504

CON EDISON SERVICE BOX: 49064 (Continued)

Mailing address:	IRVING PL, 15TH FL NE
Contracto	NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported
	Not reported
Contact country:	Not reported
Contact telephone:	212-460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No	
Mixed waste (haz. and radioactive):	No	
Recycler of hazardous waste:		
Transporter of hazardous waste:	No	
Treater, storer or disposer of HW:	No	
Underground injection activity:	No	
On-site burner exemption:	No	
Furnace exemption:	No	
Used oil fuel burner:	No	
Used oil processor:	No	
User oil refiner:	No	
Used oil fuel marketer to burner:	No	
Used oil Specification marketer:	No	
Used oil transfer facility:	No	
Used oil transporter:	No	

Historical Generators:

Date form received by agency: 03/31/2014		
Site name:	CON EDISON	
Classification:	Small Quantity Generator	

Date form received by agency:03/31/2014			
Site name:	CON EDISON		
Classification:	Not a generator, verified		

Violation Status:

No violations found

J53 CON EDISON

East	67-20 SELFRIDGE ST
< 1/8	FOREST HILLS, NY 11375

644 ft. Site 4 of 10 in cluster J

Relative:	
Higher	

Actual:

57 ft.

NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location State: Location Zip: Location Zip 4:

USA NYP004484440 Not reported F/O 67-20 SELFRIDGE ST BP SB49064 Not reported QUEENS NY 11375 Not reported

NY MANIFEST S116297004 N/A

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)

NY MANIFEST: EPAID: NYP004484440 Mailing Name: CON EDISON Mailing Contact: CON EDISON Mailing Address 1: 4 IRVING ST Mailing Address 2: 15TH ST Mailing City: NEW YORK Mailing State: NY Mailing Zip: 10003 Mailing Zip 4: Not reported Mailing Country: USA Mailing Phone: Not reported NY MANIFEST: Document ID: Not reported Manifest Status: Not reported Not reported seq: Year: 2014 Trans1 State ID: NJD003812047 Trans2 State ID: Not reported Generator Ship Date: 03/31/2014 Trans1 Recv Date: 03/31/2014 Trans2 Recv Date: Not reported 03/31/2014 TSD Site Recv Date: Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004484440 Trans1 EPA ID: Not reported Not reported Trans2 EPA ID: TSDF ID 1: NJD991291105 TSDF ID 2: Not reported Manifest Tracking Number: 002407136GBF Import Indicator: Ν Export Indicator: Ν Discr Quantity Indicator: Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν **Discr Partial Reject Indicator:** Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported Quantity: 50 Units: G - Gallons (liquids only)* (8.3 pounds) Number of Containers: Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 Waste Code: D008

S116297004

Database(s)

EDR ID Number EPA ID Number

S116297004

CON EDISON (Continued)

Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

 $\frac{Click \ this \ hyperlink}{-1} \ while \ viewing \ on \ your \ computer \ to \ access \\ -1 \ additional \ NY \ MANIFEST: \ record(s) \ in \ the \ EDR \ Site \ Report.$

J54 East < 1/8 0.122 mi.	CON EDISON SERVICE BOX: 3793 6732 SELFRIDGE ST FOREST HILLS, NY 11375	8	RCRA NonGen / NLR	1017771505 NYP004484457
644 ft.	Site 5 of 10 in cluster J			
	RCRA NonGen / NLR: Date form received by agency: Facility name: Facility address: EPA ID: Mailing address: Contact: Contact country: Contact country: Contact telephone: Contact telephone: Contact email: EPA Region: Classification:	CON EDISON SERVICE BOX: 37938 5732 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004484457 RVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported 212-460-3770 Not reported 02 Non-Generator Handler: Non-Generators do not presently ge site: No No	nerate hazardous waste	
		No No No No No No No No No No D3/31/2014 CON EDISON Small Quantity Generator		

Database(s)

	CON EDISON SERVICE BOX: 379	938 (Continued)		1017771505
	Site name: Classification:	CON EDISON Not a generator, verified		
	Violation Status:	No violations found		
J55 East < 1/8 0.122 mi. 644 ft.	CON EDISON 6732 SELFRIDGE ST FOREST HILLS, NY 11375 Site 6 of 10 in cluster J		NY MANIFEST	S116297005 N/A
Relative:	NY MANIFEST:			
Relative: Higher Actual: 57 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location City: Location State: Location Zip: Location Zip 4: NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Country: Mailing Phone:	USA NYP004484457 Not reported F/O 67-26 SELFRIDGE ST BP SB37938 Not reported QUEENS NY 11375 Not reported NYP004484457 CON EDISON V EDISON 4 IRVING ST 15TH ST NEW YORK NY 10003 Not reported USA Not reported		
	NY MANIFEST: Document ID: Manifest Status: seq: Year: Trans1 State ID: Trans2 State ID: Generator Ship Date: Trans1 Recv Date: Trans2 Recv Date: TSD Site Recv Date: Part A Recv Date: Part B Recv Date: Part B Recv Date: Generator EPA ID: Trans1 EPA ID: Trans2 EPA ID: TSDF ID 1: TSDF ID 1: TSDF ID 2: Manifest Tracking Number: Import Indicator: Export Indicator:	Not reported Not reported Not reported 2014 NJD003812047 Not reported 03/31/2014 03/31/2014 Not reported 03/31/2014 Not reported Not reported Not reported NYP004484457 Not reported NyP004484457 Not reported NJD991291105 Not reported 002407135GBF N N N		

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)

Discr Type Indicator: Discr Residue Indicator: Discr Partial Reject Indicator: Discr Full Reject Indicator: Manifest Ref Number: Alt Facility RCRA ID: Alt Facility Sign Date: MGMT Method Type Code: Waste Code: Waste Code: Waste Code: Waste Code: Waste Code: Waste Code: Quantity: Units: Number of Containers: Container Type: Handling Method: Specific Gravity: Waste Code 1_2: Waste Code 1_4: Waste Code 1_4:	N N N Not reported Not reported Not reported Not reported Not reported Not reported Not reported Not reported Not reported Not reported TO G - Gallons (liquids only)* (8.3 pounds) 1 TT - Cargo tank, tank trucks T Chemical, physical, or biological treatment. 1 D008 Not reported Not reported Not reported Not reported Not reported
Waste Code 1_4. Waste Code 1_5: Waste Code 1_6:	Not reported Not reported Not reported
114010 0040 1_0.	i tot i opoitoù

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

J56 East 1/8-1/4 0.127 mi. 672 ft.	CON EDISON 67-40 SELFRIDGE ST FOREST HILLS, NY 11375 Site 7 of 10 in cluster J	RCRA NonGen	/ NLR	1019905736 NYP004812992
Relative:	RCRA NonGen / NLR:			
Higher	Date form received by agency			
Actual:	Facility name:	CON EDISON		
57 ft.	Facility address:	67-40 SELFRIDGE ST		
		FOREST HILLS, NY 11375		
	EPA ID:	NYP004812992		
	Mailing address:	IRVING PL 15TH FL NE		
		NEW YORK, NY 10003		
	Contact:	THOMAS TEELING		
	Contact address:	Not reported		
		Not reported		
	Contact country:	Not reported		
	Contact telephone:	212-460-3770		
	Contact email:	Not reported		
	EPA Region:	02		
	Classification:	Non-Generator		
	Description:	Handler: Non-Generators do not presently generate hazardous wa	aste	

Handler Activities Summary:

U.S. importer of hazardous waste: No

CON EDISON (Continued)

seq:

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

	Mixed waste (haz. and rac Recycler of hazardous wa Transporter of hazardous Treater, storer or disposed Underground injection act On-site burner exemption Furnace exemption: Used oil fuel burner: Used oil fuel burner: Used oil processor: User oil refiner:	iste: No waste: No r of HW: No ivity: No No No No No No		
	Used oil Specification mai			
	Used oil transfer facility:	No		
	Used oil transporter:	No		
	Historical Generators: Date form received by age Site name: Classification:	CON EDISON Large Quantity Generator		
	Violation Status:	No violations found		
J57 East 1/8-1/4 0.127 mi. 672 ft.	CON EDISON 67-40 SELFRIDGE ST FOREST HILLS, NY 11375 Site 8 of 10 in cluster J		NY MANIFEST	S118258279 N/A
Relative:	NY MANIFEST:			
Actual: 57 ft.	EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location State: Location Zip: Location Zip 4: NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing Address 2: Mailing State: Mailing Zip: Mailing Zip 4:	NYP004812992 Not reported 67-40 SELFRIDGE ST BP SB 37939 Not reported FOREST HILLS NY 11375 Not reported NYP004812992 CON EDISON DENNIS HUACON 4 IRVING PL 15TH FL Not reported NEW YORK NY 10003 Not reported		
	Mailing Country: Mailing Phone:	USA 2124603770		
	NY MANIFEST: Document ID: Manifest Status:	Not reported Not reported Not reported		

Not reported

Map ID Direction Distance Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)

Year: 2015 Trans1 State ID: NJ0000027193 Trans2 State ID: Not reported Generator Ship Date: 07/27/2015 Trans1 Recv Date: 07/27/2015 Trans2 Recv Date: Not reported TSD Site Recv Date: 07/27/2015 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004812992 Trans1 EPA ID: Not reported Not reported Trans2 EPA ID: TSDF ID 1: NJD002200046 TSDF ID 2: Not reported 014466693JJK Manifest Tracking Number: Import Indicator: Ν Export Indicator: Ν Discr Quantity Indicator: Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν Discr Partial Reject Indicator: Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported H110 MGMT Method Type Code: Waste Code: Not reported Quantity: 500 Units: P - Pounds Number of Containers: Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 D008 Waste Code: Waste Code 1 2: Not reported Waste Code 1_3: Not reported Waste Code 1 4: Not reported Waste Code 1 5: Not reported Waste Code 1_6: Not reported

> <u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

S118258279

Database(s)

J58 East 1/8-1/4 0.127 mi.	CON EDISON 67-40 SELFRIDGE ST FOREST HILLS, NY 11375		NY MANIFEST	S116297007 N/A
672 ft.	Site 9 of 10 in cluster J			
Relative: Higher Actual: 57 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location State: Location Zip: Location Zip 4:	USA NYP004484481 Not reported F/O 67-40 AELFRIDGE ST BP SB 37939 Not reported QUEENS NY 11375 Not reported		
	NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing City: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Country: Mailing Phone:	NYP004484481 CON EDISON TOM TEELING 4 IRVING PLACE - 15TH FLOOR Not reported NEW YORK NY 10003 Not reported USA 2124603770		
	NY MANIFEST: Document ID: Manifest Status: seq: Year: Trans1 State ID: Trans2 State ID: Generator Ship Date: Trans1 Recv Date: Trans1 Recv Date: TSD Site Recv Date: Part A Recv Date: Part A Recv Date: Part B Recv Date: Generator EPA ID: Trans1 EPA ID: Trans2 EPA ID: TSDF ID 1: TSDF ID 1: TSDF ID 2: Manifest Tracking Number: Import Indicator: Discr Quantity Indicator: Discr Quantity Indicator: Discr Partial Reject Indicator: Discr Full Reject Indicator:	Not reported Not reported 2014 NJD003812047 Not reported 03/31/2014 03/31/2014 Not reported 03/31/2014 Not reported Not reported NYP004484481 Not reported NYP004484481 Not reported NJD991291105 Not reported 002406333GBF N N N N N N N		

Map ID Direction Distance Elevation Site MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)

Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported Quantity: 50 Units: G - Gallons (liquids only)* (8.3 pounds) Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 Waste Code: D008 Waste Code 1_2: Not reported Waste Code 1 3: Not reported Waste Code 1 4: Not reported Waste Code 1_5: Not reported Waste Code 1_6: Not reported

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

J59 East 1/8-1/4 0.127 mi.	CON EDISON SERVICE BOX: 379 67-40 SELFRIDGE ST FOREST HILLS, NY 11375	939	RCRA NonGen / NLR	1017771508 NYP004484481
672 ft.	Site 10 of 10 in cluster J			
Relative: Higher	RCRA NonGen / NLR: Date form received by agenc	v:04/30/2014		
Actual:	Facility name:	CON EDISON SERVICE BOX: 37939		
57 ft.	Facility address:	67-40 SELFRIDGE ST		
07 10.	i donný dadi obol	FOREST HILLS, NY 11375		
	EPA ID:	NYP004484481		
	Mailing address:	IRVING PL, 15TH FL NE		
	0	NEW YORK, NY 10003		
	Contact:	THOMAS TEELING		
	Contact address:	Not reported		
		Not reported		
	Contact country:	Not reported		
	Contact telephone:	212-460-3770		
	Contact email:	Not reported		
	EPA Region:	02		
	Classification:	Non-Generator		
	Description:	Handler: Non-Generators do not presently gener	rate hazardous waste	
	Handler Activities Summary:			
	U.S. importer of hazardous w	vaste: No		
	Mixed waste (haz. and radioa			
	Recycler of hazardous waste			
	Transporter of hazardous was			
	Treater, storer or disposer of			
	,			

Database(s)

	CON EDISON SERVICE BOX: 3793	39 (Continued)	1017771508
	On-site burner exemption: Furnace exemption: Used oil fuel burner: Used oil processor: User oil refiner: Used oil fuel marketer to burne Used oil Specification markete Used oil transfer facility: Used oil transporter: Historical Generators: Date form received by agency:	No No No No No r: No No No	
	Site name:	CON EDISON	
	Classification:	Small Quantity Generator	
	Date form received by agency:	02/24/2014	
	Site name:	CON EDISON	
	Classification:	Not a generator, verified	
	Violation Status:	No violations found	
K60 ENE 1/8-1/4 0.128 mi. 678 ft.	CON EDISON SERVICE BOX: 4900 67-04 SELFRIDGE ST FRONT OF FOREST HILLS, NY 11375 Site 1 of 2 in cluster K	33 RCRA NonGen / NLR	1017771503 NYP004484432
Relative: Higher	RCRA NonGen / NLR: Date form received by agency:	04/30/2014	
Actual:	Facility name:	CON EDISON SERVICE BOX: 49063	
57 ft.	Facility address:	67-04 SELFRIDGE ST FRONT OF	
		FOREST HILLS, NY 11375	
	EPA ID:	NYP004484432	
	Mailing address:	IRVING PL, 15TH FL NE NEW YORK, NY 10003	
	Contact:	THOMAS TEELING	
	Contact address:	Not reported	
		Not reported	
	Contact country:	Not reported	
	Contact telephone:	212-460-3770	
	Contact email: EPA Region:	Not reported 02	
	Classification:	Non-Generator	
	Description:	Handler: Non-Generators do not presently generate hazardous waste	
	Handler Activities Summary: U.S. importer of hazardous wa Mixed waste (haz. and radioad Recycler of hazardous waste: Transporter of hazardous waste Treater, storer or disposer of H Underground injection activity: On-site burner exemption: Furnace exemption: Used oil fuel burner: Used oil processor: User oil refiner:	ttive): No No W: No W: No No No No No No	
	Used oil fuel marketer to burne	er: No	

MAP FINDINGS

Database(s)

	CON EDISON SERVICE BOX: 490	63 (Continued)		1017771503
	Used oil Specification markete			
	Used oil transfer facility:	No		
	Used oil transporter:	No		
	Historical Generators:			
	Date form received by agency			
	Site name: Classification:	CON EDISON Small Quantity Generator		
	Classification.	Small Quantity Generator		
	Date form received by agency	2:03/31/2014		
	Site name:	CON EDISON		
	Classification:	Not a generator, verified		
	Violation Status:	No violations found		
K61	CON EDISON		NY MANIFEST	S118086912
ENE	67-04 SELFRIDGE ST FRONT OF		NT MANIFEST	N/A
1/8-1/4	FOREST HILLS, NY 11375			10/2
0.128 mi.				
678 ft.	Site 2 of 2 in cluster K			
Relative:	NY MANIFEST:			
Higher	Country:	USA		
Actual:	EPA ID:	NYP004484432		
57 ft.	Facility Status:	Not reported		
	Location Address 1: Code:	7067-04 SELFRIDGE ST BP		
	Location Address 2:	SB49063		
	Total Tanks:	Not reported		
	Location City:	QUEENS		
	Location State:	NY		
	Location Zip:	11432		
	Location Zip 4:	Not reported		
	NY MANIFEST:			
	EPAID:	NYP004484432		
	Mailing Name:	CON EDISON		
	Mailing Contact:			
	Mailing Address 1: Mailing Address 2:	4 IRVING ST 15TH ST		
	Mailing City:	NEW YORK		
	Mailing State:	NY		
	Mailing Zip:	10003		
	Mailing Zip 4:	Not reported		
	Mailing Country:	USA		
	Mailing Phone:	Not reported		
	NY MANIFEST:			
	Document ID:	Not reported		
	Manifest Status:	Not reported		
	seq: Year:	Not reported 2014		
	rear: Trans1 State ID:	2014 NJD003812047		
	Trans2 State ID:	Not reported		
	Generator Ship Date:	03/31/2014		
	Trans1 Recv Date:	03/31/2014		
	Trans2 Recv Date:	Not reported		
	TSD Site Recv Date:	03/31/2014		

Database(s)

EDR ID Number **EPA ID Number**

CON EDISON (Continued)

TSDF ID 1:

TSDF ID 2:

Quantity:

Units:

Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004484432 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported NJD991291105 Not reported 002407137GBF Manifest Tracking Number: Import Indicator: Ν Export Indicator: Ν Discr Quantity Indicator: Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν Discr Partial Reject Indicator: Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Not reported Waste Code: Not reported Waste Code: Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported 50 G - Gallons (liquids only)* (8.3 pounds) Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 Waste Code: D008 Waste Code 1 2: Not reported Waste Code 1 3: Not reported Waste Code 1 4: Not reported Waste Code 1 5: Not reported Waste Code 1 6: Not reported

> Click this hyperlink while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

L62 ESE 1/8-1/4 0.131 mi. 691 ft.	CON EDISON 67-46 SELFRIDGE ST FRONT OF FOREST HILLS, NY 11375 Site 1 of 6 in cluster L		NY MANIFEST	S116297008 N/A
Relative: Higher Actual: 57 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location State:	USA NYP004484499 Not reported F/O 67-46 SELFRIDGE ST BP SB 37940 Not reported QUEENS NY		

S118086912

Database(s)

EDR ID Number **EPA ID Number**

S116297008

CON EDISON (Continued)

Location Zip: 11375 Location Zip 4: Not reported NY MANIFEST: EPAID: NYP004484499 Mailing Name: CON EDISON TOM TEELING Mailing Contact: Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR Mailing Address 2: Not reported Mailing City: NEW YORK Mailing State: NY Mailing Zip: 10003 Mailing Zip 4: Not reported Mailing Country: USA Mailing Phone: 2124603770 NY MANIFEST: Document ID: Not reported Manifest Status: Not reported seq: Not reported Year: 2014 Trans1 State ID: NJD003812047 Trans2 State ID: Not reported Generator Ship Date: 03/31/2014 Trans1 Recv Date: 03/31/2014 Not reported Trans2 Recv Date: TSD Site Recy Date: 03/31/2014 Part A Recv Date: Not reported Part B Recv Date: Not reported NYP004484499 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID 1: NJD991291105 TSDF ID 2: Not reported 002406334GBF Manifest Tracking Number: Import Indicator: Ν Export Indicator: Ν **Discr Quantity Indicator:** Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν Discr Partial Reject Indicator: Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported Quantity: 50 Units: G - Gallons (liquids only)* (8.3 pounds) Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment.

Database(s)

EDR ID Number EPA ID Number

S116297008

CON EDISON (Continued)

Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

L63	CON EDISON SERVICE BOX: 379	40	RCRA NonGen / NLR	1017771509
ESE 1/8-1/4	67-46 SELFRIDGE ST FRONT OF FOREST HILLS, NY 11375			NYP004484499
0.131 mi. 691 ft.	Site 2 of 6 in cluster L			
Relative:	RCRA NonGen / NLR:			
Higher	Date form received by agency	/:04/30/2014		
Actual:	Facility name:	CON EDISON SERVICE BOX: 37940		
57 ft.	Facility address:	67-46 SELFRIDGE ST FRONT OF		
		FOREST HILLS, NY 11375		
	EPA ID:	NYP004484499		
	Mailing address:	IRVING PL, 15TH FL NE		
	Contact	NEW YORK, NY 10003		
	Contact: Contact address:	THOMAS TEELING Not reported		
	Contact address.	Not reported		
	Contact country:	Not reported		
	Contact telephone:	212-460-3770		
	Contact email:	Not reported		
	EPA Region:	02		
	Classification:	Non-Generator		
	Description:	Handler: Non-Generators do not presently gen	erate hazardous waste	
	Handler Activities Summary:	acto: No		
	U.S. importer of hazardous wa			
	Mixed waste (haz. and radioa Recycler of hazardous waste:	,		
	Transporter of hazardous waste.			
	Treater, storer or disposer of l			
	Underground injection activity			
	On-site burner exemption:	No		
	Furnace exemption:	No		
	Used oil fuel burner:	No		
	Used oil processor:	No		
	User oil refiner:	No		
	Used oil fuel marketer to burn	er: No		
	Used oil Specification markete	er: No		
	Used oil transfer facility:	No		
	Used oil transporter:	No		
	Historical Generators:			
	Date form received by agency	/:03/31/2014		
	Site name:	CON EDISON		
	Classification:	Small Quantity Generator		
		-		

Map ID		MAP FINDINGS		
Direction Distance Elevation	Site		Database(s)	EDR ID Number EPA ID Number
	CON EDISON SERVICE BOX: 379 Date form received by agency Site name: Classification:			1017771509
	Violation Status:	No violations found		
L64 ESE 1/8-1/4 0.134 mi.	CON EDISON 67-52 SELFRIDGE ST FOREST HILLS, NY 11375		NY MANIFEST	S116297009 N/A
708 ft.	Site 3 of 6 in cluster L			
Relative: Higher Actual: 57 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location City: Location State: Location Zip: Location Zip 4:	USA NYP004484507 Not reported F/O 67-52 SELFRIDGE ST BP SB 41 Not reported QUEENS NY 11375 Not reported		
	NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Country: Mailing Phone:	NYP004484507 CON EDISON TOM TEELING 4 IRVING PLACE - 15TH FLOOR Not reported NEW YORK NY 10003 Not reported USA 2124603770		
	NY MANIFEST: Document ID: Manifest Status: seq: Year: Trans1 State ID: Trans2 State ID: Generator Ship Date: Trans1 Recv Date: Trans2 Recv Date: TSD Site Recv Date: Part A Recv Date: Part B Recv Date: Generator EPA ID: Trans1 EPA ID: Trans2 EPA ID: TSDF ID 1: TSDF ID 1: TSDF ID 2: Manifest Tracking Number: Import Indicator: Export Indicator:	Not reported Not reported 2014 NJD003812047 Not reported 03/31/2014 03/31/2014 Not reported 03/31/2014 Not reported Not Re		

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

L65 ESE 1/8-1/4 0.134 mi. 708 ft.	CON EDISON SERVICE BOX: 41 67-52 SELFRIDGE ST FOREST HILLS, NY 11375 Site 4 of 6 in cluster L	RCRA NonGen / NLR	1017771510 NYP004484507
Relative: Higher	RCRA NonGen / NLR: Date form received by agency	y:04/30/2014	
Higher Actual: 57 ft.	Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone: Contact telephone: Contact email:	y: 04/30/2014 CON EDISON SERVICE BOX: 41 67-52 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004484507 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported Not reported 212-460-3770 Not reported	
	EPA Region: Classification: Description:	Not reported 02 Non-Generator Handler: Non-Generators do not presently generate hazardous waste	

Handler Activities Summary:

Database(s)

EDR ID Number EPA ID Number

	CON EDISON SERVICE BOX: 41	(Continued)		1017771510
	U.S. importer of hazardous wa Mixed waste (haz. and radioac Recycler of hazardous waste: Transporter of hazardous was Treater, storer or disposer of H Underground injection activity: On-site burner exemption: Furnace exemption: Used oil fuel burner: Used oil fuel burner: Used oil processor: User oil refiner:	aste: No ctive): No No te: No tW: No two No No No No No No No No No		
	Used oil Specification markete Used oil transfer facility: Used oil transporter:	r: No No No		
	Historical Generators: Date form received by agency Site name: Classification:	: 03/31/2014 CON EDISON Small Quantity Generator		
	Date form received by agency Site name: Classification:	:03/31/2014 CON EDISON Not a generator, verified		
	Violation Status:	No violations found		
66 NNW 1/8-1/4 0.135 mi. 713 ft.	CON EDISON 8523 67TH D REGO PARK, NY 11374		RCRA NonGen / NLR FINDS ECHO	1018277961 NYP004727095
Relative: ligher Actual:	RCRA NonGen / NLR: Date form received by agency Facility name:	: 02/06/2015 CON EDISON		
	-			
57 ft.	Facility address: EPA ID:	8523 67TH D REGO PARK, NY 11374 NYP004727095		
57 ft.	EPA ID: Mailing address:	REGO PARK, NY 11374 NYP004727095 IRVING PL, 15TH FL NE NEW YORK, NY 10003		
57 ft.	EPA ID:	REGO PARK, NY 11374 NYP004727095 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported		
57 ft.	EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone: Contact email:	REGO PARK, NY 11374 NYP004727095 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING		
57 ft.	EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone:	REGO PARK, NY 11374 NYP004727095 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported Not reported 212-460-3770 Not reported	sently generate hazardous waste	

Contact telephone:

212-460-3770

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

	CON EDISON (Continued)			1018277961
	On-site burner exemption:	No		
	Furnace exemption:	No		
	Used oil fuel burner:	No		
	Used oil processor:	No		
	User oil refiner:	No		
	Used oil fuel marketer to burn	ner: No		
	Used oil Specification market	er: No		
	Used oil transfer facility:	No		
	Used oil transporter:	No		
	Historical Generators:			
	Date form received by agency	y:02/06/2015		
	Site name:	CON EDISON		
	Classification:	Small Quantity Generator		
	Violation Status:	No violations found		
	FINDS:			
	Registry ID:	110067696648		
	Conservati events and and treat, s program st corrective a <u>Click this h</u>	ation System is a national information system that supports the on and Recovery Act (RCRA) program through th activities related to facilities that generate, transp store, or dispose of hazardous waste. RCRAInfo a aff to track the notification, permit, compliance, an action activities required under RCRA. <u>yperlink</u> while viewing on your computer to access FINDS: detail in the EDR Site Report. 1018277961 110067696648 http://echo.epa.gov/detailed-facility-re	ne tracking of bort, allows RCRA nd s	
L67 ESE 1/8-1/4 0.136 mi.	CON EDISON SERVICE BOX: 42 67-58 SELFRIDGE ST FOREST HILLS, NY 11375		RCRA NonGen / NLR FINDS	1017771511 NYP004484515
719 ft.	Site 5 of 6 in cluster L			
Relative: Higher	RCRA NonGen / NLR: Date form received by agency Facility name:	y: 04/30/2014 CON EDISON SERVICE BOX: 42		
Actual: 57 ft.	Facility address:	67-58 SELFRIDGE ST FOREST HILLS, NY 11375		
	EPA ID:	NYP004484515		
	Mailing address:	IRVING PL, 15TH FL NE		
		NEW YORK, NY 10003		
	Contact:	THOMAS TEELING		
	Contact address:	Not reported		
		Not reported		
	Contact country:	Not reported		
	Contact telephone	717-760-3770		

Database(s)

EDR ID Number EPA ID Number

CON EDISON SERVICE BOX: 42 (Continued)

Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by age	ncy:03/31/2014
Site name:	CON EDISON
Classification:	Small Quantity Generator
Date form received by age	ncy:03/31/2014

Site name:	CON EDISON
Classification:	Not a generator, verified

No violations found

Violation Status:

FINDS:

Registry ID: 110063782875

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

<u>Click this hyperlink</u> while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

1017771511

Database(s)

EDR ID Number EPA ID Number

L68 ESE 1/8-1/4 0.136 mi.	CON EDISON 67-58 SELFRIDGE ST FOREST HILLS, NY 11375		NY MANIFEST	S116297010 N/A
719 ft.	Site 6 of 6 in cluster L			
Relative: Higher Actual: 57 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location State: Location State: Location Zip: Location Zip 4:	USA NYP004484515 Not reported F/O 67-58 SELFRIDGE ST BP SB 42 Not reported QUEENS NY 11375 Not reported		
	NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Country: Mailing Phone:	NYP004484515 CON EDISON TOM TEELING 4 IRVING PLACE - 15TH FLOOR Not reported NEW YORK NY 10003 Not reported USA 2124603770		
	NY MANIFEST: Document ID: Manifest Status: seq: Year: Trans1 State ID: Trans2 State ID: Generator Ship Date: Trans1 Recv Date: Trans1 Recv Date: TSD Site Recv Date: Part A Recv Date: Part B Recv Date: Generator EPA ID: Trans1 EPA ID: Trans2 EPA ID: TSDF ID 1: TSDF ID 1: TSDF ID 2: Manifest Tracking Number: Import Indicator: Discr Quantity Indicator: Discr Quantity Indicator: Discr Partial Reject Indicator: Discr Full Reject Indicator:	Not reported Not reported 2014 NJD003812047 Not reported 03/31/2014 03/31/2014 Not reported 03/31/2014 Not reported Not reported Not reported NYP004484515 Not reported NJD991291105 Not reported 002406337GBF N N N N N N N		

Map ID Direction Distance Elevation Site MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)

Alt Facility RCRA ID: Not reported Not reported Alt Facility Sign Date: MGMT Method Type Code: H110 Waste Code: Not reported Not reported Waste Code: Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Quantity: 50 G - Gallons (liquids only)* (8.3 pounds) Units: Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 Waste Code: D008 Waste Code 1_2: Not reported Waste Code 1 3: Not reported Waste Code 1 4: Not reported Waste Code 1_5: Not reported Waste Code 1_6: Not reported

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

M69 South 1/8-1/4 0.138 mi.	CON EDISON SERVICE BOX: 3698 COOPER AVE & WOODHAVEN BLVD RIDGEWOOD, NY 11385		RCRA NonGen / NLR FINDS	1017774807 NYP004526240
731 ft.	Site 1 of 2 in cluster M			
Relative: Higher Actual:	RCRA NonGen / NLR: Date form received by agenc Facility name:	y: 06/08/2014 CON EDISON SERVICE BOX: 3698		
57 ft.	Facility address:	COOPER AVE & WOODHAVEN BLVD 50 FEET S OF RIDGEWOOD, NY 11385		
	EPA ID:	NYP004526240		
	Mailing address:	IRVING PL, 15TH FL NE		
		NEW YORK, NY 10003		
	Contact:	THOMAS TEELING		
	Contact address:	Not reported		
		Not reported		
	Contact country:	Not reported		
	Contact telephone:	212-460-3770		
	Contact email:	Not reported		
	EPA Region:	02		
	Classification:	Non-Generator		
	Description:	Handler: Non-Generators do not presently generation	rate hazardous waste	
	Handler Activities Summary:	. N		
	U.S. importer of hazardous w			
	Mixed waste (haz. and radioa	,		
	Recycler of hazardous waste	: No		

M70

South

1/8-1/4

0.138 mi. 731 ft.

Relative:

Higher

Actual:

57 ft.

MAP FINDINGS

Database(s)

EDR ID Number **EPA ID Number**

1017774807

CON EDISON SERVICE BOX: 3698 (Continued) Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No Historical Generators: Date form received by agency: 05/08/2014 Site name: CON EDISON Classification: Small Quantity Generator Date form received by agency: 05/08/2014 CON EDISON Site name: Classification: Not a generator, verified Violation Status: No violations found FINDS: Registry ID: 110063794835 Environmental Interest/Information System RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report. RCRA NonGen / NLR 1017775533 **CON EDISON SERVICE BOX: 32816** COOPER AVE & WOODHAVEN BLVD NW FINDS RIDGEWOOD, NY 11385 Site 2 of 2 in cluster M RCRA NonGen / NLR: Date form received by agency: 06/15/2014 CON EDISON SERVICE BOX: 32816 Facility name: Facility address: COOPER AVE & WOODHAVEN BLVD NW COR RIDGEWOOD, NY 11385 EPA ID: NYP004533717 IRVING PL, 15TH FL NE Mailing address: NEW YORK, NY 10003 Contact: THOMAS TEELING Contact address: Not reported Not reported Contact country: Not reported Contact telephone: 212-460-3770

NYP004533717

EDR ID Number Database(s) EPA ID Number

CON EDISON SERVICE BOX: 32816 (Continued)

Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency: 05/15/2014		
Site name:	CON EDISON	
Classification:	Small Quantity Generator	
Date form received by agency	/:05/15/2014	
Cito nomo:		

Site name:	CONEDISON
Classification:	Not a generator, verified

No violations found

Violation Status:

FINDS:

Registry ID: 110063776686

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

<u>Click this hyperlink</u> while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

1017775533

Database(s)

EDR ID Number EPA ID Number

N71 NE 1/8-1/4 0.140 mi.	66-92 SELFRIDGE ST 66-92 SELFRIDGE STREET FOREST HILLS, NY 11375		NY AST	A100193961 N/A
738 ft.	Site 1 of 2 in cluster N			
NE 1/8-1/4 0.140 mi.	66-92 SELFRIDGE STREET FOREST HILLS, NY 11375	STATE 2 Active 2-339261 PBS 596520.54165 4507941.12177 10/23/2022 Apartment Building/Office Building 16339 Facility Owner 66-92 TENANTS LTD DIRECTOR OF ENERGY MANAGEMENT JAMES CRAIG 87-14 116TH ST Not reported RICHMOND HILL NY 11418 001 (718) 463-1200 Not reported Not reported RICHMOND HILL NY 11418 001 (717) 215-0773 ASLANSKY@TWMT.NET Not reported MFLEONAR	NY ASI	
	Date Last Modified:	2017-09-28		
	Site Id: Affiliation Type: Company Name: Contact Type: Contact Name: Address1: Address2: City:	16339 Facility Operator 66-92 SELFRIDGE ST Not reported JOSE Not reported Not reported Not reported		

Database(s)

EDR ID Number EPA ID Number

66-92 SELFRIDGE ST (Continued)

State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	
	(917) 865-1015
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MFLEONAR
Date Last Modified:	2017-09-28
Site Id:	16339
Affiliation Type:	Emergency Contact
Company Name:	66-92 TENANTS LTD
Contact Type:	Not reported
Contact Name:	AVI SLANSKY
Address1:	Not reported
Address2:	•
	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(917) 295-0773
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MFLEONAR
Date Last Modified:	2017-09-28
Tank Info:	
Tank Number:	002
Tank Id:	46556
Tank Id: Material Code:	46556 0003
Material Code:	0003
Material Code: Common Name of Substance:	0003
Material Code:	0003 #6 Fuel Oil (On-Site Consumption)
Material Code: Common Name of Substance:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner
Material Code: Common Name of Substance:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None
Material Code: Common Name of Substance:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None
Material Code: Common Name of Substance:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None
Material Code: Common Name of Substance:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None
Material Code: Common Name of Substance:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None I00 - Overfill - None
Material Code: Common Name of Substance:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None I00 - Overfill - None C03 - Pipe Location - Aboveground/Underground Combination G00 - Tank Secondary Containment - None
Material Code: Common Name of Substance:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None I00 - Overfill - None C03 - Pipe Location - Aboveground/Underground Combination G00 - Tank Secondary Containment - None B01 - Tank External Protection - Painted/Asphalt Coating
Material Code: Common Name of Substance:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None I00 - Overfill - None C03 - Pipe Location - Aboveground/Underground Combination G00 - Tank Secondary Containment - None B01 - Tank External Protection - Painted/Asphalt Coating K00 - Spill Prevention - None
Material Code: Common Name of Substance:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None I00 - Overfill - None C03 - Pipe Location - Aboveground/Underground Combination G00 - Tank Secondary Containment - None B01 - Tank External Protection - Painted/Asphalt Coating K00 - Spill Prevention - None J00 - Dispenser - None
Material Code: Common Name of Substance:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None I00 - Overfill - None C03 - Pipe Location - Aboveground/Underground Combination G00 - Tank Secondary Containment - None B01 - Tank External Protection - Painted/Asphalt Coating K00 - Spill Prevention - None J00 - Dispenser - None D00 - Pipe Type - No Piping
Material Code: Common Name of Substance:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None I00 - Overfill - None C03 - Pipe Location - Aboveground/Underground Combination G00 - Tank Secondary Containment - None B01 - Tank External Protection - Painted/Asphalt Coating K00 - Spill Prevention - None J00 - Dispenser - None D00 - Pipe Type - No Piping L00 - Piping Leak Detection - None
Material Code: Common Name of Substance: Equipment Records:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None I00 - Overfill - None C03 - Pipe Location - Aboveground/Underground Combination G00 - Tank Secondary Containment - None B01 - Tank External Protection - Painted/Asphalt Coating K00 - Spill Prevention - None J00 - Dispenser - None D00 - Pipe Type - No Piping L00 - Piping Leak Detection - None F00 - Pipe External Protection - None
Material Code: Common Name of Substance:	 0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None 100 - Overfill - None C03 - Pipe Location - Aboveground/Underground Combination G00 - Tank Secondary Containment - None B01 - Tank External Protection - Painted/Asphalt Coating K00 - Spill Prevention - None J00 - Dispenser - None D00 - Pipe Type - No Piping L00 - Piping Leak Detection - None F00 - Pipe External Protection - None Aboveground - on saddles, legs, racks, etc Tank bottom is elevated
Material Code: Common Name of Substance: Equipment Records: Tank Location:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None I00 - Overfill - None C03 - Pipe Location - Aboveground/Underground Combination G00 - Tank Secondary Containment - None B01 - Tank External Protection - Painted/Asphalt Coating K00 - Spill Prevention - None J00 - Dispenser - None D00 - Pipe Type - No Piping L00 - Piping Leak Detection - None F00 - Pipe External Protection - None Aboveground - on saddles, legs, racks, etc Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Material Code: Common Name of Substance: Equipment Records: Tank Location: Tank Type:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None I00 - Overfill - None C03 - Pipe Location - Aboveground/Underground Combination G00 - Tank Secondary Containment - None B01 - Tank External Protection - Painted/Asphalt Coating K00 - Spill Prevention - None J00 - Dispenser - None D00 - Pipe Type - No Piping L00 - Piping Leak Detection - None F00 - Pipe External Protection - None Aboveground - on saddles, legs, racks, etc Tank bottom is elevated above grade or tank pad, allowing visual inspection. Steel/Carbon Steel/Iron
Material Code: Common Name of Substance: Equipment Records: Tank Location:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None I00 - Overfill - None C03 - Pipe Location - Aboveground/Underground Combination G00 - Tank Secondary Containment - None B01 - Tank External Protection - Painted/Asphalt Coating K00 - Spill Prevention - None J00 - Dispenser - None D00 - Pipe Type - No Piping L00 - Piping Leak Detection - None F00 - Pipe External Protection - None Aboveground - on saddles, legs, racks, etc Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Material Code: Common Name of Substance: Equipment Records: Tank Location: Tank Type:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None I00 - Overfill - None C03 - Pipe Location - Aboveground/Underground Combination G00 - Tank Secondary Containment - None B01 - Tank External Protection - Painted/Asphalt Coating K00 - Spill Prevention - None J00 - Dispenser - None D00 - Pipe Type - No Piping L00 - Piping Leak Detection - None F00 - Pipe External Protection - None Aboveground - on saddles, legs, racks, etc Tank bottom is elevated above grade or tank pad, allowing visual inspection. Steel/Carbon Steel/Iron
Material Code: Common Name of Substance: Equipment Records: Tank Location: Tank Type: Tank Status:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None I00 - Overfill - None C03 - Pipe Location - Aboveground/Underground Combination G00 - Tank Secondary Containment - None B01 - Tank External Protection - Painted/Asphalt Coating K00 - Spill Prevention - None J00 - Dispenser - None D00 - Pipe Type - No Piping L00 - Piping Leak Detection - None F00 - Pipe External Protection - None Aboveground - on saddles, legs, racks, etc Tank bottom is elevated above grade or tank pad, allowing visual inspection. Steel/Carbon Steel/Iron In Service
Material Code: Common Name of Substance: Equipment Records: Tank Location: Tank Type: Tank Status: Pipe Model: Install Date:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None I00 - Overfill - None C03 - Pipe Location - Aboveground/Underground Combination G00 - Tank Secondary Containment - None B01 - Tank External Protection - Painted/Asphalt Coating K00 - Spill Prevention - None J00 - Dispenser - None D00 - Pipe Type - No Piping L00 - Piping Leak Detection - None F00 - Pipe External Protection - None Aboveground - on saddles, legs, racks, etc Tank bottom is elevated above grade or tank pad, allowing visual inspection. Steel/Carbon Steel/Iron In Service Not reported
Material Code: Common Name of Substance: Equipment Records: Tank Location: Tank Location: Tank Type: Tank Status: Pipe Model: Install Date: Capacity Gallons:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None I00 - Overfill - None C03 - Pipe Location - Aboveground/Underground Combination G00 - Tank Secondary Containment - None B01 - Tank External Protection - Painted/Asphalt Coating K00 - Spill Prevention - None J00 - Dispenser - None D00 - Pipe Type - No Piping L00 - Piping Leak Detection - None F00 - Pipe External Protection - None Aboveground - on saddles, legs, racks, etc Tank bottom is elevated above grade or tank pad, allowing visual inspection. Steel/Carbon Steel/Iron In Service Not reported 01/01/1983
Material Code: Common Name of Substance: Equipment Records: Tank Location: Tank Location: Tank Type: Tank Status: Pipe Model: Install Date: Capacity Gallons: Tightness Test Method:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None I00 - Overfill - None C03 - Pipe Location - Aboveground/Underground Combination G00 - Tank Secondary Containment - None B01 - Tank External Protection - Painted/Asphalt Coating K00 - Spill Prevention - None J00 - Dispenser - None D00 - Pipe Type - No Piping L00 - Piping Leak Detection - None F00 - Pipe External Protection - None Aboveground - on saddles, legs, racks, etc Tank bottom is elevated above grade or tank pad, allowing visual inspection. Steel/Carbon Steel/Iron In Service Not reported 01/01/1983 5000
Material Code: Common Name of Substance: Equipment Records: Tank Location: Tank Location: Tank Type: Tank Status: Pipe Model: Install Date: Capacity Gallons:	0003 #6 Fuel Oil (On-Site Consumption) A01 - Tank Internal Protection - Epoxy Liner E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None I00 - Overfill - None C03 - Pipe Location - Aboveground/Underground Combination G00 - Tank Secondary Containment - None B01 - Tank External Protection - Painted/Asphalt Coating K00 - Spill Prevention - None J00 - Dispenser - None D00 - Pipe Type - No Piping L00 - Piping Leak Detection - None F00 - Pipe External Protection - None Aboveground - on saddles, legs, racks, etc Tank bottom is elevated above grade or tank pad, allowing visual inspection. Steel/Carbon Steel/Iron In Service Not reported 01/01/1983

A100193961

Database(s)

EDR ID Number EPA ID Number

66-92 SELFRIDGE ST (Continued) A100193961 Date Tank Closed: Not reported Register: True Modified By: MFLEONAR Last Modified: 09/28/2017 Material Name: #2 fuel oil (on-site consumption) N72 66-92 SELFRIDGE ST NY UST U004077835 NE 66-92 SELFRIDGE STREET N/A 1/8-1/4 FOREST HILLS, NY 11375 0.140 mi. 738 ft. Site 2 of 2 in cluster N UST: **Relative:** Higher Id/Status: 2-339261 / Active Program Type: PBS Actual: STATE Region: 57 ft. DEC Region: 2 Expiration Date: 10/23/2022 UTM X: 596520.54165 UTM Y: 4507941.12177 Site Type: Apartment Building/Office Building Affiliation Records: Site Id: 16339 Affiliation Type: Facility Owner Company Name: 66-92 TENANTS LTD Contact Type: DIRECTOR OF ENERGY MANAGEMENT Contact Name: JAMES CRAIG Address1: 87-14 116TH ST Address2: Not reported City: **RICHMOND HILL** State: NY Zip Code: 11418 001 Country Code: Phone: (718) 463-1200 EMail: Not reported Fax Number: Not reported **MFLEONAR** Modified By: Date Last Modified: 2017-09-28 Site Id: 16339 Affiliation Type: Mail Contact Company Name: Not reported Contact Type: Not reported Contact Name: AVI SLANSKY Address1: 87-14 116TH STREET Address2: Not reported City: **RICHMOND HILL** State: NY Zip Code: 11418 Country Code: 001 (917) 295-0773 Phone: EMail: ASLANSKY@TWMT.NET Fax Number: Not reported Modified Bv: **MFLEONAR** Date Last Modified: 2017-09-28

Site Id:

Database(s)

EDR ID Number EPA ID Number

66-92 SELFRIDGE ST (Continued)

Affiliation Type: Facility Operator 66-92 SELFRIDGE ST Company Name: Contact Type: Not reported Contact Name: JOSE Address1: Not reported Not reported Address2: Not reported City: State: NN Zip Code: Not reported Country Code: 001 (917) 865-1015 Phone: EMail: Not reported Not reported Fax Number: Modified By: **MFLEONAR** Date Last Modified: 2017-09-28 Site Id: 16339 Affiliation Type: **Emergency Contact** Company Name: 66-92 TENANTS LTD Contact Type: Not reported Contact Name: AVI SLANSKY Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 999 Phone: (917) 295-0773 EMail: Not reported Fax Number: Not reported Modified By: MFLEONAR Date Last Modified: 2017-09-28 Tank Info: Tank Number: 001 Tank ID: 30973 Closed - In Place Tank Status: Material Name: Closed - In Place Capacity Gallons: 4000 Install Date: 11/01/1957 Date Tank Closed: 02/01/1993 Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 0003 Common Name of Substance: #6 Fuel Oil (On-Site Consumption) Tightness Test Method: Date Test: Not reported Next Test Date: Not reported Pipe Model: Not reported MFLEONAR Modified By: Last Modified: 09/28/2017 Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron

U004077835

Map ID		MAP FINDINGS	7	
Direction	4			
Distance Elevation	Site		Database(s)	EDR ID Number EPA ID Number
	66-92 SELFRIDGE ST (Continued)			U004077835
		B00 - Tank External Protection - None		
		C00 - Pipe Location - No Piping F00 - Pipe External Protection - None		
		104 - Overfill - Product Level Gauge (A/G)		
		G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser		
		A01 - Tank Internal Protection - Epoxy Liner H00 - Tank Leak Detection - None		
		HOU - Tank Leak Detection - None		
073	CON EDISON SERVICE BOX: 3439)	RCRA NonGen / NLR	1017773430
NW 1/8-1/4	67TH RD & WOODHAVEN BLVD REGO PARK, NY 11374		FINDS	NYP004512117
0.145 mi.				
768 ft.	Site 1 of 5 in cluster O			
Relative: Higher	RCRA NonGen / NLR:	05/05/0014		
Actual:	Date form received by agency: Facility name:	CON EDISON SERVICE BOX: 34390		
57 ft.	-	7TH RD & WOODHAVEN BLVD		
		I30 FEET S OF REGO PARK, NY 11374		
	EPA ID:	NYP004512117		
	0	RVING PL, 15TH FL NE NEW YORK, NY 10003		
		THOMAS TEELING		
		Not reported		
		Not reported Not reported		
	Contact telephone:	212-460-3770		
		Not reported)2		
	5	Non-Generator		
	Description:	Handler: Non-Generators do not presently gener	rate hazardous waste	
	Handler Activities Summary:			
	U.S. importer of hazardous was	te: No		
	Mixed waste (haz. and radioact Recycler of hazardous waste:	ve): No No		
	Transporter of hazardous waste			
	Treater, storer or disposer of H			
	Underground injection activity: On-site burner exemption:	No No		
	Furnace exemption:	No		
	Used oil fuel burner: Used oil processor:	No No		
	User oil refiner:	No		
	Used oil fuel marketer to burner			
	Used oil Specification marketer Used oil transfer facility:	No No		
	Used oil transporter:	No		
	Historical Generators:			
	Date form received by agency:	04/25/2014		
	Site name:	CON EDISON		
	Classification:	Small Quantity Generator		
	Date form received by agency:	04/25/2014		

EDR ID Number Database(s) EPA ID Number

Elevation	Sile			Database(s)	EPA ID Number
	CON EDISON SERVIO	E BOX: 34390 (C	ontinued)		1017773430
	Site name:	•			
	Classification:		EDISON generator, verified		
	Oldssineation.	1101 8	rgenerator, venneu		
	Violation Status:	No vi	olations found		
	FINDS:				
	Registry ID:	1100	63775197		
	Environmental In	terest/Information S	System		
			tional information system that supports the Reso		
			Recovery Act (RCRA) program through the trac	king of	
			ies related to facilities that generate, transport,	DODA	
			r dispose of hazardous waste. RCRAInfo allows ack the notification, permit, compliance, and	RCRA	
			activities required under RCRA.		
		Click this hyperlin	k while viewing on your computer to access		
		additional FINDS:	detail in the EDR Site Report.		
074	CON EDISON		RC	RA NonGen / NLR	1017773428
NW	67TH RD & WOODHA			FINDS	NYP004512091
1/8-1/4	REGO PARK, NY 113	374		ECHO	
0.145 mi. 768 ft.	Site 2 of 5 in cluster (`			
Relative:					
Higher	RCRA NonGen / NL	.rc. ed by agency: 12/3(0/2015		
Actual:	Facility name:		EDISON		
57 ft.	Facility address:		RD & WOODHAVEN BLVD NE		
		COR			
			O PARK, NY 11374		
	EPA ID:		004512091		
	Mailing address:		NG PL 15TH FL NE		
	Contact:		YORK, NY 10003 MAS TEELING		
	Contact address:		eported		
			eported		
	Contact country:	Not r	eported		
	Contact telephon		460-3770		
	Contact email:		eported		
	EPA Region: Classification:	02 Non	Generator		
	Description:		ller: Non-Generators do not presently generate h	nazardous waste	
	Handler Activities S		Na		
	U.S. importer of h	azardous waste: . and radioactive):	No No		
	Recycler of haza		No		
	Transporter of ha		No		
	Treater, storer or	disposer of HW:	No		
	Underground inje	ection activity:	No		
	On-site burner ex		No		
	Furnace exemption		No		
	Used oil fuel burr		No		
	Used oil processo User oil refiner:	Dr:	No No		

EPAID:

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

	CON EDISON (Continued)			
	Used oil fuel marketer to burn Used oil Specification markete Used oil transfer facility: Used oil transporter:			
	Historical Generators: Date form received by agency Site name: Classification:	/: 12/30/2015 CON EDISON Not a generator, verified		
	Date form received by agency Site name: Classification:	/:05/25/2014 CON EDISON SERVICE BOX: 34247 Not a generator, verified		
	Violation Status: FINDS:	No violations found		
	Registry ID:	110063775179		
	Conservation events and and treat, s program sta	ation System is a national information system that supports the Resource on and Recovery Act (RCRA) program through the tracking of activities related to facilities that generate, transport, tore, or dispose of hazardous waste. RCRAInfo allows RCRA aff to track the notification, permit, compliance, and action activities required under RCRA.	yh the tracking of ansport, nfo allows RCRA	
		yperlink while viewing on your computer to access INDS: detail in the EDR Site Report.		
	ECHO: Envid: Registry ID: DFR URL:	1017773428 110063775179 http://echo.epa.gov/detailed-facility-report?fid=110063775179		
P75 ESE 1/8-1/4 0.146 mi.	CON EDISON 67-70 SELFRIDGE ST FOREST HILLS, NY 11375	NY MANIFEST	S116297006 N/A	
770 ft. Relative:	Site 1 of 2 in cluster P			
Relative: Higher Actual: 58 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location City: Location State: Location Zip: Location Zip 4: NY MANIFEST:	USA NYP004484473 Not reported F/O 67-70 SELFRIDGE ST BP SB 61086 Not reported QUEENS NY 11375 Not reported		

NYP004484473

Database(s)

EDR ID Number **EPA ID Number**

CON EDISON (Continued)

Mailing Name: CON EDISON Mailing Contact: TOM TEELING Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR Mailing Address 2: Not reported Mailing City: NEW YORK Mailing State: NY Mailing Zip: 10003 Mailing Zip 4: Not reported Mailing Country: USA 2124603770 Mailing Phone: NY MANIFEST: Document ID: Not reported Manifest Status: Not reported Not reported seq: Year: 2014 Trans1 State ID: NJD003812047 Trans2 State ID: Not reported Generator Ship Date: 03/31/2014 Trans1 Recv Date: 03/31/2014 Not reported Trans2 Recv Date: TSD Site Recy Date: 03/31/2014 Part A Recv Date: Not reported Not reported Part B Recv Date: NYP004484473 Generator EPA ID: Trans1 EPA ID: Not reported Not reported Trans2 EPA ID: TSDF ID 1: NJD991291105 TSDF ID 2: Not reported 002406336GBF Manifest Tracking Number: Import Indicator: Ν Export Indicator: Ν **Discr Quantity Indicator:** Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν Discr Partial Reject Indicator: Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported Quantity: 60 G - Gallons (liquids only)* (8.3 pounds) Units: Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 Waste Code: D008 Waste Code 1 2: Not reported Waste Code 1 3: Not reported Waste Code 1_4: Not reported

S116297006

Database(s)

EDR ID Number EPA ID Number

S116297006

CON EDISON (Continued)

Waste Code 1_5: Waste Code 1_6: Not reported Not reported

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

P76 ESE	CON EDISON SERVICE BOX: 61086 67-70 SELFRIDGE ST		RCRA NonGen / NLR	1017771507 NYP004484473
1/8-1/4 0.146 mi.	FOREST HILLS, NY 11375			
770 ft.	Site 2 of 2 in cluster P			
Relative: Higher	RCRA NonGen / NLR: Date form received by agency	y:04/30/2014		
Actual: 58 ft.	Facility name: Facility address:	CON EDISON SERVICE BOX: 61086 67-70 SELFRIDGE ST FOREST HILLS, NY 11375		
	EPA ID:	NYP004484473		
	Mailing address:	IRVING PL, 15TH FL NE NEW YORK, NY 10003		
	Contact:	THOMAS TEELING		
	Contact address:	Not reported		
	Contact country:	Not reported Not reported		
	Contact telephone:	212-460-3770		
	Contact email:	Not reported		
	EPA Region:	02		
	Classification:	Non-Generator		
	Description:	Handler: Non-Generators do not presently ger	nerate hazardous waste	
	Handler Activities Summary: U.S. importer of hazardous w	aste: No		
	Mixed waste (haz. and radioa			
	Recycler of hazardous waste:	,		
	Transporter of hazardous was			
	Treater, storer or disposer of			
	Underground injection activity			
	On-site burner exemption:	No		
	Furnace exemption:	No		
	Used oil fuel burner:	No		
	Used oil processor:	No		
	User oil refiner:	No		
	Used oil fuel marketer to burn			
	Used oil Specification market			
	Used oil transfer facility:	No No		
	Used oil transporter:	NO		
	Historical Generators:			
	Date form received by agency Site name:	CON EDISON		
	Classification:	Small Quantity Generator		
	Data familia da da			
	Date form received by agency			
	Site name: Classification:	CON EDISON Not a generator, verified		
	ClassificatiOII.	Not a generator, vermeu		

Map ID Direction Distance Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

	CON EDISON SERVICE BOX: 61086 (Continued)			1017771507	
	Violation Status:	No violations found			
O77 NW 1/8-1/4 0.154 mi.	CON EDISON 85-01 67TH RD REGO PARK, NY 11374		NY MANIFEST	S118087367 N/A	
813 ft.	Site 3 of 5 in cluster O				
Relative: Higher	NY MANIFEST: Country:	USA			
Actual: 58 ft.	EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location State: Location Zip: Location Zip 4: NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing Zip: Mailing Zip 4: Mailing Zip 4: Mailing Country: Mailing Phone:	NYP004522355 Not reported 85-01 67 RD BP SB5800 Not reported QUEENS NY 11432 Not reported NYP004522355 CON EDISON CON EDISON 4 IRVING PL 15TH FL NEW YORK NY 10001 Not reported USA Not reported			
	NY MANIFEST: Document ID: Manifest Status: seq: Year: Trans1 State ID: Trans2 State ID: Generator Ship Date: Trans1 Recv Date: Trans1 Recv Date: TSD Site Recv Date: Part A Recv Date: Part B Recv Date: Generator EPA ID: Trans1 EPA ID: Trans1 EPA ID: Trans2 EPA ID: TSDF ID 1: TSDF ID 1: TSDF ID 2: Manifest Tracking Number: Import Indicator: Export Indicator:	Not reported Not reported 2014 NJ0000027193 Not reported 05/06/2014 05/06/2014 Not reported 05/08/2014 Not reported Not reported Not reported Not reported Not reported Not reported NJD002200046 Not reported 012771958JJK N N			
	Discr Type Indicator: Discr Residue Indicator: Discr Partial Reject Indicator:	N N N			

Map ID Direction Distance Elevation Site MAP FINDINGS

Database(s)

EDR ID Number **EPA ID Number**

S118087367

CON EDISON (Continued)

Units:

Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported Not reported Waste Code: Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Quantity: 25 G - Gallons (liquids only)* (8.3 pounds) Number of Containers: 1 TT - Cargo tank, tank trucks Container Type: Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 Waste Code: D008 Waste Code 1 2: Not reported Waste Code 1_3: Not reported Waste Code 1_4: Not reported Waste Code 1_5: Not reported Waste Code 1 6: Not reported

> Click this hyperlink while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

O78 NW 1/8-1/4 0.154 mi.	CON EDISON SERVICE BOX: 580 85-01 67TH RD REGO PARK, NY 11374	D F	RCRA NonGen / NLR	1017774424 NYP004522355
813 ft.	Site 4 of 5 in cluster O			
Relative: Higher Actual: 58 ft.	RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact: Contact address:	06/06/2014 CON EDISON SERVICE BOX: 5800 85-01 67TH RD REGO PARK, NY 11374 NYP004522355 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported		
	Contact address: Contact country: Contact telephone: Contact email: EPA Region: Classification: Description: Handler Activities Summary: U.S. importer of hazardous wa Mixed waste (haz. and radioad	Not reported Not reported 212-460-3770 Not reported 02 Non-Generator Handler: Non-Generators do not presently generate ste: No	e hazardous waste	

Map ID Direction		MAP FINDINGS		
Distance Elevation	Site		Database(s)	EDR ID Number EPA ID Number
	CON EDISON SERVICE BOX: 580	0 (Continued)		1017774424
	Treater, storer or disposer of H	łW: No		
	Underground injection activity:			
	On-site burner exemption: Furnace exemption:	No No		
	Used oil fuel burner:	No		
	Used oil processor:	No		
	User oil refiner:	No		
	Used oil fuel marketer to burne			
	Used oil Specification markete			
	Used oil transfer facility: Used oil transporter:	No No		
	Osed on transporter.			
	Historical Generators:			
	Date form received by agency Site name:	:05/06/2014 CON EDISON		
	Classification:	Small Quantity Generator		
	Date form received by agency			
	Site name: Classification:	CON EDISON Not a generator, verified		
	Classification.	Not a generator, vernied		
	Violation Status:	No violations found		
070		00007		4004755570
Q79	CHEVRON USA PRODUCTS #MAS	90207	RCRA NonGen / NLR	1004755570
NE	73-20 YELLOWSTONE BLVD		FINDS	NY0000092882
NE 1/8-1/4	73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375		FINDS ECHO	NY0000092882
1/8-1/4 0.166 mi.	FOREST HILLS, NY 11375			NY0000092882
1/8-1/4 0.166 mi. 874 ft.	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q		ECHO	NY0000092882
1/8-1/4 0.166 mi. 874 ft. Relative:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR:	-01/01/2007	ECHO	NY0000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency	:01/01/2007 CHEVRON USA PRODUCTS #MA90207	ECHO	NY0000092882
1/8-1/4 0.166 mi. 874 ft. Relative:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR:		ECHO	NY0000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher Actual:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency Facility name: Facility address:	CHEVRON USA PRODUCTS #MA90207 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375	ECHO	NY0000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher Actual:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID:	CHEVRON USA PRODUCTS #MA90207 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 NY0000092882	ECHO	NY0000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher Actual:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency Facility name: Facility address:	CHEVRON USA PRODUCTS #MA90207 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 NY0000092882 WINDY RIDGE PKWY ROOM 800	ECHO	NY000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher Actual:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address:	CHEVRON USA PRODUCTS #MA90207 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 NY0000092882 WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202	ECHO	NY000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher Actual:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID:	CHEVRON USA PRODUCTS #MA90207 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 NY0000092882 WINDY RIDGE PKWY ROOM 800	ECHO	NY000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher Actual:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact: Contact address:	CHEVRON USA PRODUCTS #MA90207 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 NY0000092882 WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 KIRBY BURGESS WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202	ECHO	NY000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher Actual:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact: Contact country:	CHEVRON USA PRODUCTS #MA90207 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 NY0000092882 WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 KIRBY BURGESS WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 US	ECHO	NY000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher Actual:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone:	CHEVRON USA PRODUCTS #MA90207 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 NY0000092882 WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 KIRBY BURGESS WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 US 404-984-4135	ECHO	NY000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher Actual:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone: Contact email:	CHEVRON USA PRODUCTS #MA90207 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 NY0000092882 WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 KIRBY BURGESS WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 US 404-984-4135 Not reported	ECHO	NY000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher Actual:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone:	CHEVRON USA PRODUCTS #MA90207 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 NY0000092882 WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 KIRBY BURGESS WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 US 404-984-4135	ECHO	NY000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher Actual:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact address: Contact country: Contact telephone: Contact email: EPA Region:	CHEVRON USA PRODUCTS #MA90207 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 NY0000092882 WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 KIRBY BURGESS WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 US 404-984-4135 Not reported 02	ECHO NY MANIFEST	NY000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher Actual:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact : Contact country: Contact country: Contact telephone: Contact telephone: Contact telephone: Contact email: EPA Region: Classification: Description:	CHEVRON USA PRODUCTS #MA90207 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 NY0000092882 WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 KIRBY BURGESS WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 US 404-984-4135 Not reported 02 Non-Generator	ECHO NY MANIFEST	NY000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher Actual:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact country: Contact country: Contact telephone: Contact telephone: Contact telephone: Contact email: EPA Region: Classification: Description:	CHEVRON USA PRODUCTS #MA90207 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 NY0000092882 WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 KIRBY BURGESS WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 US 404-984-4135 Not reported 02 Non-Generator Handler: Non-Generators do not presently generation	ECHO NY MANIFEST	NY000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher Actual:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact : Contact country: Contact country: Contact telephone: Contact telephone: Contact telephone: Contact email: EPA Region: Classification: Description:	CHEVRON USA PRODUCTS #MA90207 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 NY0000092882 WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 KIRBY BURGESS WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 US 404-984-4135 Not reported 02 Non-Generator	ECHO NY MANIFEST	NY000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher Actual:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact country: Contact country: Contact telephone: Contact telephone: Contact elephone: Contact enemail: EPA Region: Classification: Description: Owner/Operator Summary: Owner/Operator name: Owner/operator address:	CHEVRON USA PRODUCTS #MA90207 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 NY0000092882 WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 KIRBY BURGESS WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 US 404-984-4135 Not reported 02 Non-Generator Handler: Non-Generators do not presently generation Handler: Non-Generators do not presently generation HICHAEL KARNILAW 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375	ECHO NY MANIFEST	NY000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher Actual:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone: Contact email: EPA Region: Classification: Description: Owner/Operator Summary: Owner/operator address: Owner/operator country:	CHEVRON USA PRODUCTS #MA90207 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 NY0000092882 WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 KIRBY BURGESS WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 US 404-984-4135 Not reported 02 Non-Generator Handler: Non-Generators do not presently generative Handler: Non-Generators do not presently generative MICHAEL KARNILAW 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 US	ECHO NY MANIFEST	NY000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher Actual:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone: Contact email: EPA Region: Classification: Description: Owner/Operator Summary: Owner/operator address: Owner/operator country: Owner/operator country: Owner/operator country: Owner/operator country: Owner/operator country: Owner/operator country: Owner/operator country:	CHEVRON USA PRODUCTS #MA90207 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 NY0000092882 WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 KIRBY BURGESS WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 US 404-984-4135 Not reported 02 Non-Generator Handler: Non-Generators do not presently generative Handler: Non-Generators do not presently generative MICHAEL KARNILAW 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 US 718-793-4663	ECHO NY MANIFEST	NY000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher Actual:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact country: Contact telephone: Contact email: EPA Region: Classification: Description: Owner/Operator Summary: Owner/Operator name: Owner/operator address: Owner/operator country: Owner/operator country: Owner/operator country: Owner/operator relephone: Owner/operator remail:	CHEVRON USA PRODUCTS #MA90207 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 NY0000092882 WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 KIRBY BURGESS WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 US 404-984-4135 Not reported 02 Non-Generator Handler: Non-Generators do not presently generative Handler: Non-Generators do not presently generative Handler: Non-Generators do not presently generative FOREST HILLS, NY 11375 US 718-793-4663 Not reported	ECHO NY MANIFEST	NY000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher Actual:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone: Contact email: EPA Region: Classification: Description: Owner/Operator Summary: Owner/Operator name: Owner/operator address: Owner/operator country: Owner/operator country: Owner/operator remail: Owner/operator remail: Owner/operator remail: Owner/operator remail: Owner/operator remail: Owner/operator remail: Owner/operator remail: Owner/operator remail: Owner/operator fax:	CHEVRON USA PRODUCTS #MA90207 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 NY0000092882 WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 KIRBY BURGESS WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 US 404-984-4135 Not reported 02 Non-Generator Handler: Non-Generators do not presently generative Handler: Non-Generators do no	ECHO NY MANIFEST	NY000092882
1/8-1/4 0.166 mi. 874 ft. Relative: Higher Actual:	FOREST HILLS, NY 11375 Site 1 of 6 in cluster Q RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact country: Contact telephone: Contact email: EPA Region: Classification: Description: Owner/Operator Summary: Owner/Operator name: Owner/operator address: Owner/operator country: Owner/operator country: Owner/operator country: Owner/operator relephone: Owner/operator remail:	CHEVRON USA PRODUCTS #MA90207 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375 NY0000092882 WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 KIRBY BURGESS WINDY RIDGE PKWY ROOM 800 MARIETTA, NY 30067-5202 US 404-984-4135 Not reported 02 Non-Generator Handler: Non-Generators do not presently generative Handler: Non-Generators do not presently generative Handler: Non-Generators do not presently generative FOREST HILLS, NY 11375 US 718-793-4663 Not reported	ECHO NY MANIFEST	NY000092882

. Waste name:

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

CHEVRON USA PRODUCTS #MA90207 (Continued)

HEVRON USA PRODUCTS #MA	90207 (Continued)
Owner/Op start date: Owner/Op end date:	Not reported Not reported
Owner/operator name: Owner/operator address:	MICHAEL KARNILAW 73-20 YELLOWSTONE BLVD FOREST HILLS, NY 11375
Owner/operator country:	US
Owner/operator telephone:	718-793-4663
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported
Handler Activities Summary: U.S. importer of hazardous wa Mixed waste (haz. and radioad Recycler of hazardous waste: Transporter of hazardous wass Treater, storer or disposer of H Underground injection activity: On-site burner exemption: Furnace exemption: Used oil fuel burner: Used oil fuel burner: Used oil fuel burner: Used oil processor: User oil refiner: Used oil fuel marketer to burne Used oil fuel marketer to burne Used oil fuel marketer to burne Used oil transfer facility: Used oil transporter:	ctive): No No te: No W: No No No No No No No No
Historical Generators: Date form received by agency	:01/01/2006

LEAD

listorical Generators:	
Date form received by agency	:01/01/2006
Site name:	CHEVRON USA PRODUCTS #MA90207
Classification:	Not a generator, verified
Date form received by agency	01/04/1994
Site name:	CHEVRON USA PRODUCTS #MA90207
Classification:	Conditionally Exempt Small Quantity Generator
. Waste code:	D000
. Waste name:	Not Defined
. Waste code:	D001
. Waste name:	IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
. Waste code:	D008

Database(s)

EDR ID Number EPA ID Number

. Waste code: . Waste name:	D018 BENZENE	
Violation Status:	No violations found	
FINDS:		
Registry ID:	110004310941	
Environmental Int	erest/Information System RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.	
	<u>Click this hyperlink</u> while viewing on your computer to access additional FINDS: detail in the EDR Site Report.	
ECHO:		
Envid:	1004755570	
Registry ID: DFR URL:	110004310941 http://echo.epa.gov/detailed-facility-report?fid=110004310941	
NY MANIFEST:		
Country:	USA	
EPA ID:	NY0000092882	
Facility Status:	Not reported	
Location Address		
Code:	BP	
Location Address		
Total Tanks: Location City:	Not reported FOREST HILLS	
Location State:	NY	
Location Zip:	11375	
Location Zip 4:	Not reported	
NY MANIFEST:		
EPAID:	NY0000092882	
Mailing Name:	CHEVRON	
Mailing Contact:	K TROMAN	
Mailing Address 1		
Mailing Address 2		
Mailing City: Mailing State:	MARIETTA GA	
Mailing Zip:	30067	
Mailing Zip 4:	Not reported	
Mailing Country:	USA	
Mailing Phone:	4049843030	
NY MANIFEST:		
Document ID:	NJA1740658	
Manifest Status:	C	
seq:	Not reported	
Year:	1994	

Units:

MAP FINDINGS

Database(s)

EDR ID Number **EPA ID Number**

Trans1 State ID: NJDEPS869 Trans2 State ID: NJDEPES86 Generator Ship Date: 02/03/1994 Trans1 Recv Date: 02/03/1994 Trans2 Recv Date: 11 TSD Site Recv Date: 02/08/1994 Part A Recv Date: 11 Part B Recv Date: 02/23/1994 Generator EPA ID: NY0000092882 Trans1 EPA ID: ILD984908202 Trans2 EPA ID: ILD984908202 TSDF ID 1: NJD002182897 TSDF ID 2: Not reported Manifest Tracking Number: Not reported Import Indicator: Not reported Export Indicator: Not reported Discr Quantity Indicator: Not reported Discr Type Indicator: Not reported Discr Residue Indicator: Not reported Discr Partial Reject Indicator: Not reported Discr Full Reject Indicator: Not reported Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: Not reported Waste Code: D001 - NON-LISTED IGNITABLE WASTES Waste Code: Not reported Quantity: 00467 P - Pounds Number of Containers: 001 Container Type: DM - Metal drums, barrels Handling Method: B Incineration, heat recovery, burning. Specific Gravity: 100

> Click this hyperlink while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

Q80 NE 1/8-1/4 0.169 mi. 891 ft.	CON EDISON MANHOLE: 12250 73-18 YELLOWSTONE BLVD FR FOREST HILLS, NY 11375 Site 2 of 6 in cluster Q	ONT OF	RCRA NonGen / NLR FINDS	1017775887 NYP004537346
Relative: Higher Actual: 57 ft.	RCRA NonGen / NLR: Date form received by agenc Facility name: Facility address: EPA ID: Mailing address: Contact: Contact: Contact address:	y: 06/20/2014 CON EDISON MANHOLE: 12250 73-18 YELLOWSTONE BLVD FRONT OF FOREST HILLS, NY 11375 NYP004537346 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported		

1004755570

Database(s)

EDR ID Number EPA ID Number

1017775887

CON EDISON MANHOLE: 12250 (Continued) Not reported Contact country: Not reported Contact telephone: 212-460-3770 Contact email: Not reported EPA Region: 02 Classification: Non-Generator Description: Handler: Non-Generators do not presently generate hazardous waste Handler Activities Summary: U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No Historical Generators: Date form received by agency: 05/20/2014 Site name: CON EDISON Small Quantity Generator Classification: Date form received by agency: 05/20/2014 CON EDISON Site name: Classification: Not a generator, verified Violation Status: No violations found FINDS: 110063795683 Registry ID: Environmental Interest/Information System RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Database(s)

EDR ID Number EPA ID Number

Q81 NE 1/8-1/4 0.169 mi.	CON EDISON 73-18 YELLOWSTONE BLVD FOREST HILLS, NY 11375		NY MANIFEST	S117736369 N/A
891 ft.	Site 3 of 6 in cluster Q			
Relative: Higher Actual: 57 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location State: Location Zip: Location Zip 4:	USA NYP004502217 Not reported 73-18 YELLOWSTONE BLVD BP Not reported Not reported FOREST HILLS NY 11375 Not reported		
	NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Country: Mailing Phone:	NYP004502217 CON EDISON TOM TELLING 4 IRVING PLACE-15TH FLOOR Not reported NEW YORK NY 10003 Not reported USA 2124603770		
	NY MANIFEST: Document ID: Manifest Status: seq: Year: Trans1 State ID: Trans2 State ID: Generator Ship Date: Trans2 Recv Date: Trans2 Recv Date: Part A Recv Date: Part A Recv Date: Part B Recv Date: Generator EPA ID: Trans1 EPA ID: Trans2 EPA ID: TSDF ID 1: TSDF ID 1: TSDF ID 2: Manifest Tracking Number: Import Indicator: Discr Quantity Indicator: Discr Quantity Indicator: Discr Partial Reject Indicator: Discr Full Reject Indicator:	Not reported Not reported 2014 NJ0000027193 Not reported 04/16/2014 04/16/2014 Not reported 04/16/2014 Not reported Not reported Not reported NYP004502217 Not reported NJD002200046 Not reported 012770641JJK N N N N N N N N N		

Map ID Direction Distance Elevation Site MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)

Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported Not reported Waste Code: Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Quantity: 400 Units: G - Gallons (liquids only)* (8.3 pounds) Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 Waste Code: D008 Waste Code 1_2: Not reported Waste Code 1 3: Not reported Waste Code 1 4: Not reported Waste Code 1_5: Not reported Waste Code 1_6: Not reported

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

Q82 NE 1/8-1/4 0.169 mi. 891 ft.	CON EDISON 73-18 YELLOWSTONE BLVD FRON FOREST HILLS, NY 11375 Site 4 of 6 in cluster Q	то	NY MANIFEST	S116551682 N/A
Relative: Higher Actual: 57 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location State: Location Zip: Location Zip 4:	USA NYP004537346 Not reported 73-18 YELLOWSTONE BLVD BP Not reported Not reported FOREST HILLS NY 11375 Not reported		
	NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Country: Mailing Phone:	NYP004537346 CON EDISON TOM TEELING 4 IRVING PLACE 15TH FLOOR Not reported NEW YORK NY 10003 Not reported USA Not reported		

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)

NY MANIFEST: Document ID: Not reported Manifest Status: Not reported seq: Not reported Year: 2014 Trans1 State ID: NJ0000027193 Not reported Trans2 State ID: Generator Ship Date: 05/20/2014 Trans1 Recv Date: 05/20/2014 Trans2 Recv Date: Not reported TSD Site Recv Date: 05/20/2014 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004537346 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID 1: NJD002200046 TSDF ID 2: Not reported Manifest Tracking Number: 013246111JJK Import Indicator: Ν Export Indicator: Ν Discr Quantity Indicator: Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν Discr Partial Reject Indicator: Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Not reported Waste Code: Waste Code: Not reported Quantity: 300 Units: G - Gallons (liquids only)* (8.3 pounds) Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 Waste Code: D008 Waste Code 1 2: Not reported Not reported Waste Code 1 3: Waste Code 1 4: Not reported Waste Code 1 5: Not reported Waste Code 1_6: Not reported

> <u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

S116551682

EDR ID Number Database(s) EPA ID Number

O83 NW 1/8-1/4 0.170 mi.	CON EDISON SERVICE BOX: 629 67-63 WOODHAVEN BLVD FRON RIDGEWOOD, NY 11385			RCRA NonGen / NLR FINDS	1017776569 NYP004544300
897 ft.	Site 5 of 5 in cluster O				
Relative:	RCRA NonGen / NLR:	0.0/0	7/00///		
Higher	Date form received by agency Facility name:	-	//2014 EDISON SERVICE BOX: 62959		
Actual: 60 ft.	Facility address:		3 WOODHAVEN BLVD FRONT OF		
			GEWOOD, NY 11385		
	EPA ID:		004544300		
	Mailing address:		NG PL, 15TH FL NE / YORK, NY 10003		
	Contact:		MAS TEELING		
	Contact address:	Not r	eported		
		Not r	eported		
	Contact country:		eported		
	Contact telephone:		460-3770		
	Contact email: EPA Region:	02	reported		
	Classification:		Generator		
	Description:	Hand	dler: Non-Generators do not presently	generate hazardous waste	
	Handler Activities Summary:				
	U.S. importer of hazardous wa		No		
	Mixed waste (haz. and radioa		No No		
	Recycler of hazardous waste: Transporter of hazardous was		No		
	Treater, storer or disposer of l		No		
	Underground injection activity		No		
	On-site burner exemption:		No		
	Furnace exemption:		No		
	Used oil fuel burner:		No		
	Used oil processor: User oil refiner:		No No		
	Used oil fuel marketer to burn	ner:	No		
	Used oil Specification markete		No		
	Used oil transfer facility:		No		
	Used oil transporter:		No		
	Historical Generators: Date form received by agency	v·05/27	7/2014		
	Site name:		EDISON		
	Classification:		Il Quantity Generator		
	Data form received by agapa		7/2014		
	Date form received by agency Site name:	-	EDISON		
	Classification:		a generator, verified		
	Violation Status:	No vi	iolations found		
	FINDS:				
	Registry ID:	1100	63811406		
	Environmental Interest/Inform				
			tional information system that suppor		
	Conservatio	on and	l Recovery Act (RCRA) program throu	ugh the tracking of	

Database(s)

EDR ID Number **EPA ID Number**

1017776569

CON EDISON SERVICE BOX: 62959 (Continued)

events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

> S118087614 N/A

R84 NNE 1/8-1/4	CON EDISON 67-11 ALDERTON ST REGO PARK, NY 11374		NY MANIFEST
0.170 mi. 899 ft.	Site 1 of 2 in cluster R		
Relative: Higher Actual: 62 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City:	USA NYP004540415 Not reported 89' NORTH 67 RD BP SB 42679 Not reported QUEENS NY	
	Location State: Location Zip: Location Zip 4:	11375 Not reported	
	NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Country: Mailing Phone:	NYP004540415 CON EDISON TOM TEELING 4 IRVING PLACE 15TH FLOOR Not reported NEW YORK NY 10003 Not reported USA Not reported	
	NY MANIFEST: Document ID: Manifest Status: seq: Year: Trans1 State ID: Trans2 State ID: Generator Ship Date: Trans1 Recv Date: Trans2 Recv Date: TSD Site Recv Date: Part A Recv Date: Part B Recv Date: Generator EPA ID: Trans1 EPA ID: Trans2 EPA ID: TSDF ID 1:	Not reported Not reported 2014 NJD003812047 Not reported 05/22/2014 05/22/2014 Not reported 05/23/2014 Not reported Not reported NYP004540415 Not reported NYP004540415 Not reported NyP004510415	

Database(s)

EDR ID Number **EPA ID Number**

CON EDISON (Continued)

EDISON (Continued)	
TSDF ID 2:	Not reported
Manifest Tracking Number:	002423573GBF
Import Indicator:	Ν
Export Indicator:	Ν
Discr Quantity Indicator:	Ν
Discr Type Indicator:	Ν
Discr Residue Indicator:	Ν
Discr Partial Reject Indicator:	Ν
Discr Full Reject Indicator:	Ν
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Quantity:	50
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

R85 NNE 1/8-1/4 0.170 mi. 899 ft.	CON EDISON SERVICE BOX: 426 67-11 ALDERTON ST REGO PARK, NY 11374 Site 2 of 2 in cluster R	79	RCRA NonGen / NLR FINDS	1017776189 NYP004540415
Relative: Higher	RCRA NonGen / NLR: Date form received by agency	:06/22/2014		
Actual: 62 ft.	Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone:	06/22/2014 CON EDISON SERVICE BOX: 42679 67-11 ALDERTON ST REGO PARK, NY 11374 NYP004540415 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported Not reported 212-460-3770		
	Contact email: EPA Region: Classification:	Not reported 02 Non-Generator		

Map ID Direction		MAP FINDINGS		
Distance Elevation	Site		Database(s)	EDR ID Number EPA ID Number
	CON EDISON SERVICE BOX: 42679 (C		1017776189	
	Description: Hand	ardous waste		
	Handler Activities Summary: U.S. importer of hazardous waste: Mixed waste (haz. and radioactive): Recycler of hazardous waste: Transporter of hazardous waste: Treater, storer or disposer of HW: Underground injection activity: On-site burner exemption: Furnace exemption: Used oil fuel burner: Used oil fuel burner: Used oil processor: User oil refiner: Used oil fuel marketer to burner: Used oil Specification marketer: Used oil specification marketer: Used oil transfer facility:	No No No No No No No No No No		
	Used oil transporter:	No		
	Historical Generators: Date form received by agency:05/2 Site name: CON Classification: Sma			
		2/2014 ↓ EDISON a generator, verified		
	Violation Status: No v	iolations found		
	FINDS:			
	Registry ID: 1100	063808759		
	Environmental Interest/Information RCRAInfo is a na Conservation and events and activi and treat, store, o program staff to t corrective action <u>Click this hyperlin</u> additional FINDS	g of		
86 WNW 1/8-1/4 0.174 mi. 917 ft.	68-27 WOODHAVEN BL/SUNOCO 68-27 WOODHAVEN BLVD NEW YORK CITY, NY		NY LTANKS	S100145293 N/A
Relative: Higher Actual: 61 ft.	Facility ID: 8 Site ID: 6	807236 / 2006-01-18 807236 5845 988-12-01		

Database(s)

EDR ID Number **EPA ID Number**

68-27 WOODHAVEN BL/SUNOCO (Continued)

Spill Cause:

Spill Source:

Cleanup Ceased:

Reported to Dept:

Water Affected:

Last Inspection:

Meets Standard:

Spiller Name:

Spiller Company:

Spiller Address:

Spiller County:

Spiller Contact:

. Spiller Extention:

DER Facility ID:

Spiller Phone:

DEC Region:

DEC Memo:

UST Involvement:

Spill Notifier:

Spill Class:

Investigator:

Referred To:

SWIS:

CID:

Tank Test Failure Gasoline Station or other PBS Facility A3 Not reported 4101 SKCARLSO REFER TO SPILL 9402005 1988-12-01 Not reported Not reported Tank Tester Not reported Recommended Penalty: False False True Remediation Phase: 0 Date Entered In Computer: 1988-11-03 2006-01-18 Spill Record Last Update: Not reported SUNOCO A Not reported 001 Not reported Not reported Not reported 2 63141 "Prior to Sept, 2004 data translation this spill Lead DEC Field was SUN 11/02 transferred from sullivan to tipple. 12/10/2003 Reassigned from Tipple to Sun. 11/7/05: Transferred from Sun to Andersen. Sent letter requiring environmental assessment, due back 1/2/06. 11/10/05: Faxed spill report to A.C. Woodhaven. 11/21/05: Anthony Barone called (his phone number is 718-647-7443) and claimed that based on the spill report nothing was actually spilled. He said he would look into the presence of any monitoring wells on site to support this point. 1/18/06: This spill was cleaned up under Spill # 94-02005. Spill closed." "INCONCLUSIVE TEST, VAPOR POCKET, 1GPH LEAK, RETEST ON 12/2/88." 8807236 8807236 1534958 65845

Remarks:

All TTF: Facility ID: Spill Number: Spill Tank Test: Site ID: Tank Number: Tank Size: Material: EPA UST: UST: Cause: Source: Test Method: Test Method 2: Leak Rate: Gross Fail: Modified By: Last Modified Date: Not reported 0 0009 Not reported Not reported Not reported Not reported 00 Unknown .00 Not reported Spills Not reported

S100145293

TC5618352.2s Page 212

Database(s)

EDR ID Number EPA ID Number

All Materials:	
Site ID:	658
Operable Unit ID:	922
Operable Unit:	01
Material ID:	455
Material Code:	000
Material Name:	gas
Case No.:	Not
Material FA:	Petr
Quantity:	-1.0
Units:	L
Recovered:	.00
Oxygenate:	Not

Furnace exemption:

Used oil fuel burner:

Used oil processor:

Used oil transfer facility:

Used oil transporter:

Used oil fuel marketer to burner:

Used oil Specification marketer:

User oil refiner:

845 2570 5582 09 soline reported troleum 00 reported

S87 ESE 1/8-1/4 0.178 mi.	CON EDISON SERVICE BOX: 9688 89-10 68TH AVE FRONT OF RIDGEWOOD, NY 11385	3 RCF	RA NonGen / NLR FINDS	1017778156 NYP004560785
938 ft.	Site 1 of 2 in cluster S			
Relative:	RCRA NonGen / NLR:			
Higher	Date form received by agency			
Actual:	Facility name:	CON EDISON SERVICE BOX: 9688		
57 ft.	Facility address:	89-10 68TH AVE FRONT OF		
		RIDGEWOOD, NY 11385		
	EPA ID:	NYP004560785		
	Mailing address:	IRVING PL, 15TH FL NE		
		NEW YORK, NY 10003		
	Contact:	THOMAS TEELING		
	Contact address:	Not reported		
	O such as the sum time	Not reported		
	Contact country:	Not reported		
	Contact telephone:	212-460-3770		
	Contact email:	Not reported		
	EPA Region:	02		
	Classification:	Non-Generator Handler: Non-Generators do not presently generate ha		
	Description:	azardous waste		
	Handler Activities Summary:			
	U.S. importer of hazardous wa	ste: No		
	Mixed waste (haz. and radioad			
	Recycler of hazardous waste:	No		
	Transporter of hazardous was	te: No		
	Treater, storer or disposer of H			
	Underground injection activity:			
	On-site burner exemption:	No		

No

No

No

No

No

No

No

No

S100145293

Database(s)

EDR ID Number EPA ID Number

1017778156

CON EDISON SERVICE BOX: 9688 (Continued)

Historical Generators: Date form received by agency: 06/11/2014 Site name: CON EDISON Classification: Small Quantity Generator

 Date form received by agency:06/11/2014

 Site name:
 CON EDISON

 Classification:
 Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID:

110063832624

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

<u>Click this hyperlink</u> while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Q88 NE 1/8-1/4 0.181 mi.	CON EDISON 73-12 YELLOWSTONE BLVD QUEENS, NY 11375		NY MANIFEST	S116551681 N/A
958 ft. Relative: Higher Actual: 57 ft.	Site 5 of 6 in cluster Q NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location State: Location Zip: Location Zip: Location Zip 4: NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Zip 4: Mailing Country:	USA NYP004502209 Not reported 73-12 YELLOWSTONE BLVD BP SERVICE BOX # 42528 Not reported QUEENS NY 11375 Not reported NYP004502209 CON EDISON TOM TELLING 4 IRVING PLACE-15TH FLOOR Not reported NEW YORK NY 10003 Not reported USA		
	Mailing Phone:	2124603770		

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)

NY MANIFEST: Document ID: Not reported Manifest Status: Not reported seq: Not reported Year: 2014 Trans1 State ID: Trans2 State ID: Generator Ship Date: Trans1 Recv Date: Trans2 Recv Date: TSD Site Recv Date: Part A Recv Date: Part B Recv Date: Generator EPA ID: Trans1 EPA ID: Trans2 EPA ID: TSDF ID 1: TSDF ID 2: Manifest Tracking Number: Import Indicator: Ν Export Indicator: Ν Discr Quantity Indicator: Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν Discr Partial Reject Indicator: Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Alt Facility RCRA ID: Alt Facility Sign Date: MGMT Method Type Code: H110 Waste Code: Waste Code: Waste Code: Waste Code: Waste Code: Waste Code: Quantity: 50 Units: Number of Containers: 1 Container Type: Handling Method: Specific Gravity: 1 Waste Code: D008 Waste Code 1 2: Waste Code 1 3: Waste Code 1 4: Waste Code 1 5: Waste Code 1_6: Country: USA

EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks:

ΒP

SB 42528

Not reported

NJ0000027193 Not reported 04/16/2014 04/16/2014 Not reported 04/16/2014 Not reported Not reported NYP004502209 Not reported Not reported NJD002200046 Not reported 012770640JJK Not reported G - Gallons (liquids only)* (8.3 pounds) TT - Cargo tank, tank trucks T Chemical, physical, or biological treatment. Not reported Not reported Not reported Not reported Not reported NYP004537338 Not reported 73-12 YELLOWSTONE RD

S116551681

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)

Location City: QUEENS Location State: NY Location Zip: 11375 Location Zip 4: Not reported NY MANIFEST: NYP004537338 EPAID: Mailing Name: CON EDISON Mailing Contact: TOM TEELING Mailing Address 1: **4 IRVING PLACE 15TH FLOOR** Mailing Address 2: Not reported NEW YORK Mailing City: Mailing State: NY Mailing Zip: 10003 Mailing Zip 4: Not reported Mailing Country: USA Mailing Phone: Not reported NY MANIFEST: Not reported Document ID: Manifest Status: Not reported seq: Not reported Year: 2014 Trans1 State ID: NJ0000027193 Trans2 State ID: Not reported Generator Ship Date: 05/20/2014 Trans1 Recv Date: 05/20/2014 Trans2 Recv Date: Not reported 05/20/2014 TSD Site Recv Date: Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004537338 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported NJD002200046 TSDF ID 1: TSDF ID 2: Not reported Manifest Tracking Number: 013246112JJK Import Indicator: Ν Export Indicator: Ν Discr Quantity Indicator: Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν Discr Partial Reject Indicator: Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported Waste Code: Not reported Not reported Waste Code: Waste Code: Not reported Not reported Waste Code: Waste Code: Not reported Quantity: 25 Units: G - Gallons (liquids only)* (8.3 pounds) Number of Containers: 1

S116551681

Map ID	
Direction	
Distance	
Elevation	Site

Database(s)

EDR ID Number EPA ID Number

S116551681

CON EDISON (Continued)

Container Type: Handling Method: Specific Gravity: Waste Code: Waste Code 1_2: Waste Code 1_3: Waste Code 1_4: Waste Code 1_5: Waste Code 1_6: TT - Cargo tank, tank trucks T Chemical, physical, or biological treatment. 1 D008 Not reported Not reported Not reported Not reported Not reported Not reported

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

Q89 NE 1/8-1/4 0.181 mi.	CON EDISON SERVICE BOX: 42528 73-12 YELLOWSTONE BLVD FRONT OF FOREST HILLS, NY 11375		CRA NonGen / NLR FINDS	1017775886 NYP004537338
958 ft.	Site 6 of 6 in cluster Q			
	RCRA NonGen / NLR: Date form received by agency: Facility name: Facility address: EPA ID: Mailing address: Contact: Contact: Contact address: Contact country: Contact telephone: Contact telephone: Contact email: EPA Region: Classification:	06/20/2014 CON EDISON SERVICE BOX: 42528 73-12 YELLOWSTONE BLVD FRONT OF FOREST HILLS, NY 11375 NYP004537338 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported Not reported 212-460-3770 Not reported 02 Non-Generator Handler: Non-Generators do not presently generate	e hazardous waste	
	Handler Activities Summary: U.S. importer of hazardous was Mixed waste (haz. and radioacl Recycler of hazardous waste: Transporter of hazardous waste Treater, storer or disposer of H Underground injection activity: On-site burner exemption: Furnace exemption: Used oil fuel burner: Used oil fuel burner: Used oil processor: User oil refiner: Used oil fuel marketer to burne Used oil fuel marketer to burne Used oil Specification marketer Used oil transfer facility: Used oil transporter:	tive): No No e: No W: No No No No No No No No		

Historical Generators:

Date form received by agency: 05/20/2014

Database(s)

EDR ID Number EPA ID Number

CON EDISON SERVICE BOX: 42528 (Continued) 1017775886 Site name: CON EDISON Classification: Small Quantity Generator Date form received by agency: 05/20/2014 Site name: CON EDISON Classification: Not a generator, verified Violation Status: No violations found FINDS: Registry ID: 110063795674 Environmental Interest/Information System RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report. 90 **CON EDISON SERVICE BOX: 34664** RCRA NonGen / NLR 1017775536 North 85-19 67TH AVE FRONT OF SB34664 FINDS NYP004533741 1/8-1/4 RIDGEWOOD, NY 11385 0.186 mi. 984 ft. **Relative:** RCRA NonGen / NLR: Higher Date form received by agency: 06/15/2014 CON EDISON SERVICE BOX: 34664 Facility name: Actual: 85-19 67TH AVE FRONT OF SB34664 Facility address: 67 ft. **RIDGEWOOD, NY 11385** EPA ID: NYP004533741 IRVING PL, 15TH FL NE Mailing address: NEW YORK, NY 10003 Contact: THOMAS TEELING Contact address: Not reported Not reported Contact country: Not reported 212-460-3770 Contact telephone: Contact email: Not reported EPA Region: 02 Classification: Non-Generator Description: Handler: Non-Generators do not presently generate hazardous waste Handler Activities Summary: U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No

Database(s)

EDR ID Number EPA ID Number

1017775536

CON EDISON SERVICE BOX: 34664 (Continued)

		. (,
	Used oil fuel burner:	No
	Used oil processor:	No
	User oil refiner:	No
	Used oil fuel marketer to burne	er: No
	Used oil Specification markete	er: No
	Used oil transfer facility:	No
	Used oil transporter:	No
Н	istorical Generators:	
	Date form received by agency	:05/15/2014
	Site name:	CON EDISON
	Classification:	Small Quantity Generator
	Date form received by agency	:05/15/2014
	Site name:	CON EDISON
	Classification:	Not a generator, verified
	Violation Status:	No violations found
F	INDS:	
	Registry ID:	110063779004
	Environmental Interest/Information	-
		s a national information system that

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

<u>Click this hyperlink</u> while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

S91 ESE 1/8-1/4 0.190 mi. 1003 ft.	CON EDISON - MANHOLE 17109 89-16 68 AVE FOREST HILLS, NY 11375 Site 2 of 2 in cluster S		NY MANIFEST	S120957999 N/A
Relative: Higher Actual: 58 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location City: Location State: Location Zip: Location Zip 4: NY MANIFEST: EPAID: Mailing Name: Mailing Contact:	USA NYP004902563 Not reported 89-16 68 AVE BP Not reported Not reported FOREST HILLS NY 11375 Not reported NYP004902563 CON EDISON - MANHOLE 17109 CON EDISON		

Database(s)

EDR ID Number **EPA ID Number**

CON EDISON - MANHOLE 17109 (Continued)

- Mailing Address 1: Mailing Address 2: Mailing City: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Country: Mailing Phone:
- 4 IRVING PL 15TH FL NE Not reported NEW YORK NY 10003 Not reported USA Not reported

Click this hyperlink while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

92 SE 1/8-1/4 0.194 mi. 1023 ft.	THORNTON TENANTS CORPOR 68-20 SELFRIDGE STREET FOREST HILLS, NY 11375	RATION	NY U NY A
0.194 mi.	FOREST HILLS, NY 11375 UST: Id/Status: Program Type: Region: DEC Region: Expiration Date: UTM X: UTM Y: Site Type: Affiliation Records: Site Id: Affiliation Records: Site Id: Affiliation Type: Company Name: Contact Type: Contact Name: Address1: Address2: City: State: Zip Code: Country Code: Phone: EMail: Fax Number: Modified By: Date Last Modified:	2-510769 / Active PBS STATE 2 02/05/2021 596563.54182 4507551.64663 Apartment Building/Office Building 21887 Facility Owner THORNTON TENANTS CORP % LOVETT MANAGING AGENT JOHN MORALES 68-20 SELRIDGE ST Not reported FOREST HILLS NY 11375 001 (718) 445-9500 Not reported Not reported Not reported Not reported Not reported Not reported Not reported MRBARROW 2016-05-18	
	Site Id: Affiliation Type: Company Name: Contact Type: Contact Name: Address1: Address2: City: State: Zip Code: Country Code:	21887 Mail Contact JOHN B. LOVETT & ASSOCS LTD Not reported MONICA GHULAU//DENISE BORNSCHEIN 109-15 14TH AVENUE Not reported COLLEGE POINT NY 11356 001	

UST U001832452

AST N/A

S120957999

Database(s)

EDR ID Number EPA ID Number

THORNTON TENANTS CORPORATION (Continued)

Phone: (718) 445-9500 128 EMail: MONICA@LOVETTREALTY.COM Fax Number: Not reported Modified By: MRBARROW Date Last Modified: 2016-05-18 21887 Site Id: Affiliation Type: Facility Operator Company Name: THORNTON TENANTS CORPORATION Contact Type: Not reported MIKE YMA Contact Name: Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 001 (718) 544-6498 Phone: EMail: Not reported Not reported Fax Number: Modified By: NRLOMBAR Date Last Modified: 2010-01-22 Site Id: 21887 Affiliation Type: **Emergency Contact** Company Name: THORNTON TENANTS CORP % LOVETT Contact Type: Not reported Contact Name: JOHN MORALES Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 999 Phone: (718) 445-9500 EMail: Not reported Fax Number: Not reported Modified By: **MRBARROW** Date Last Modified: 2016-05-18 Tank Info: Tank Number: 001 39767 Tank ID: Tank Status: In Service In Service Material Name: Capacity Gallons: 7500 07/31/1981 Install Date: Not reported Date Tank Closed: Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 0003 Common Name of Substance: #6 Fuel Oil (On-Site Consumption) Tightness Test Method: NN Date Test: Not reported

Database(s)

EDR ID Number EPA ID Number

Next Test Date:	10/11/2016	
Pipe Model:	Not reported	
Modified By:	MRBARROW	
Last Modified:	04/14/2017	
Equipment Records:		
	G00 - Tank Secondary Containment - None	
	J02 - Dispenser - Suction Dispenser	
	C02 - Pipe Location - Underground/On-ground	
	H00 - Tank Leak Detection - None	
	E00 - Piping Secondary Containment - None L00 - Piping Leak Detection - None	
	B00 - Tank External Protection - None	
	A00 - Tank Internal Protection - None	
	D01 - Pipe Type - Steel/Carbon Steel/Iron	
	F01 - Pipe External Protection - Painted/Asphalt Coating	
	105 - Overfill - Vent Whistle	
AST: Region:	STATE	
DEC Region:	2	
Site Status:	Inactive	
Facility Id:	2-094951	
Program Type:	PBS	
UTM X:	596563.54182	
UTM Y:	4507551.64663	
Expiration Date:	N/A	
Site Type:	Unknown	
Affiliation Records:	0000	
Site Id:	2606	
Affiliation Type: Company Name:	Facility Owner THORNTON TEN CORP C/O GABRIEL	
Contact Type:	Not reported	
Contact Name:	Not reported	
Address1:	42-19A BELL BLVD	
Address2:	Not reported	
City:	BAYSIDE	
State:	NY	
Zip Code:	11361	
Country Code:	001	
Phone:	(718) 631-3000	
EMail:	Not reported	
Fax Number:	Not reported TRANSLAT	
Modified By: Date Last Modified:	2004-03-04	
Site Id:	2606	
Site Id: Affiliation Type:	2606 Mail Contact	
Company Name:	THORNTON TEN CORP C/O GABRIEL	
Contact Type:	Not reported	
Contact Name:	Not reported	
Address1:	42-19A BELL BLVD	
Address2:	Not reported	
City:	BAYSIDE	
State:	NY	
Zip Code:	11361	
Country Code:	001	

Database(s)

EDR ID Number EPA ID Number

THORNTON TENANTS CORPORATION (Continued)

Phone: (718) 631-3000 EMail: Not reported Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 2004-03-04 2606 Site Id: Affiliation Type: Facility Operator Company Name: THORNTON TENANTS CORP Contact Type: Not reported AMATO LLAMA Contact Name: Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 001 (718) 631-3000 Phone: EMail: Not reported Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 2004-03-04 Site Id: 2606 Affiliation Type: **Emergency Contact** Company Name: THORNTON TEN CORP C/O GABRIEL Contact Type: Not reported Contact Name: AMATO LLAMA Address1: Not reported Address2: Not reported Not reported City: State: NN Zip Code: Not reported Country Code: 001 (718) 544-6030 Phone: Not reported EMail: Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 2004-03-04 Tank Info: Tank Number: 001 Tank Id: 4495 Material Code: 0003 #6 Fuel Oil (On-Site Consumption) Common Name of Substance: Equipment Records: H99 - Tank Leak Detection - Other 104 - Overfill - Product Level Gauge (A/G) J02 - Dispenser - Suction Dispenser F00 - Pipe External Protection - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping G03 - Tank Secondary Containment - Vault (w/o access) A00 - Tank Internal Protection - None

EDR ID Number Database(s) **EPA ID Number**

THORNTON TENANTS CORPORATION (Continued)

Tank Type:

Tank Status:

Pipe Model:

Install Date:

Date Test:

Register:

Modified By:

U001832452

NY MANIFEST S117060919

N/A

D01 - Pipe Type - Steel/Carbon Steel/Iron Tank Location: Aboveground in subterranean vault with access for inspections..... Tank in subterranean vault but accessible for inspection. Steel/Carbon Steel/Iron Tank Converted to Non-Regulated Use Not reported Not reported Capacity Gallons: 7000 Tightness Test Method: NN Not reported Next Test Date: Not reported Date Tank Closed: 06/01/1994 True TRANSLAT Last Modified: 04/14/2017 Material Name: #6 fuel oil (on-site consumption)

Т93 CON EDISON

NE 1/8-1/4 0.194 mi.	YELLOWSTONE BLVD & SELF FOREST HILLS, NY 11375	RIDGE
1024 ft.	Site 1 of 6 in cluster T	
Relative: Higher Actual: 57 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location City: Location State: Location Zip: Location Zip 4:	USA NYP004531786 Not reported FO 79-18 YELLOWSTONE BLVD & SELFRIDGE ST BP MH 12250 Not reported QUEENS NY 11375 Not reported
	NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Country: Mailing Phone:	NYP004531786 CON EDISON TOM TEELING 4 IRVING PLACE 15TH FLOOR Not reported NEW YORK NY 10003 Not reported USA Not reported
	NY MANIFEST: Document ID: Manifest Status: seq: Year: Trans1 State ID: Trans2 State ID: Generator Ship Date: Trans1 Recy Date:	Not reported Not reported 2014 NJ0000027193 Not reported 05/14/2014 05/14/2014

Database(s)

EDR ID Number **EPA ID Number**

CON EDISON (Continued)

TSDF ID 1:

TSDF ID 2:

Waste Code:

Waste Code:

Waste Code:

Waste Code:

Waste Code: Waste Code:

Waste Code:

Quantity:

Units:

Trans2 Recv Date: Not reported 05/15/2014 TSD Site Recv Date: Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004531786 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported NJD002200046 Not reported Manifest Tracking Number: 013246007JJK Import Indicator: Ν Export Indicator: Ν Discr Quantity Indicator: Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν Discr Partial Reject Indicator: Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Not reported Not reported Not reported Not reported Not reported Not reported 200 G - Gallons (liquids only)* (8.3 pounds) Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 D008 Waste Code 1_2: Not reported Waste Code 1_3: Not reported Waste Code 1_4: Not reported Waste Code 1 5: Not reported Waste Code 1 6: Not reported

> Click this hyperlink while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

T94 NE 1/8-1/4 0.194 mi. 1024 ft.	CON EDISON MANHOLE: 12250 YELLOWSTONE BLVD & SELFF FOREST HILLS, NY 11375 Site 2 of 6 in cluster T		RCRA NonGen / NLR	1017775347 NYP004531786
Relative: Higher Actual: 57 ft.	RCRA NonGen / NLR: Date form received by agend Facility name: Facility address: EPA ID: Mailing address:	EY: 06/14/2014 CON EDISON MANHOLE: 12250 YELLOWSTONE BLVD & SELFRIDGE ST 94 FEET S OF FOREST HILLS, NY 11375 NYP004531786 IRVING PL, 15TH FL NE		

S117060919

MAP FINDINGS

Database(s)

	CON EDISON MANHOLE: 12250	(Continued)		1017775347
		NEW YORK, NY 10003		
	Contact:	THOMAS TEELING		
	Contact address:	Not reported		
		Not reported		
	Contact country:	Not reported		
	Contact telephone:	212-460-3770		
	Contact email:	Not reported		
	EPA Region:	02		
	Classification:	Non-Generator		
	Description:	Handler: Non-Generators do not presently gene	rate hazardous waste	
	Handler Activities Summary:			
	U.S. importer of hazardous wa	aste: No		
	Mixed waste (haz. and radioa			
	Recycler of hazardous waste:			
	Transporter of hazardous was			
	Treater, storer or disposer of			
	Underground injection activity			
	On-site burner exemption:	No		
	Furnace exemption: Used oil fuel burner:	No		
	Used oil processor:	No No		
	User oil refiner:	No		
	Used oil fuel marketer to burn			
	Used oil Specification markete			
	Used oil transfer facility:	No		
	Used oil transporter:	No		
	Historical Generators:			
	Date form received by agency			
	Site name:	CON EDISON		
	Classification:	Large Quantity Generator		
	Date form received by agency	v: 05/14/2014		
	Site name:	CON EDISON		
	Classification:	Not a generator, verified		
	Violation Status:	No violations found		
U95 NW 1/8-1/4 0.195 mi.	CON EDISON SERVICE BOX: 340 WOODHAVEN BLVD & 67TH AVE REGO PARK, NY 11374		RCRA NonGen / NLR FINDS	1017776471 NYP004543294
1027 ft.	Site 1 of 4 in cluster U			
Relative:	RCRA NonGen / NLR:			
Higher	Date form received by agency			
Actual:	Facility name:	CON EDISON SERVICE BOX: 34096		
62 ft.	Facility address:	WOODHAVEN BLVD & 67TH AVE		
		NE COR		
		REGO PARK, NY 11374		
	EPA ID: Mailing address:	NYP004543294		
	Mailing address:	IRVING PL, 15TH FL NE NEW YORK, NY 10003		
	Contact:	THOMAS TEELING		
	Contact address:	Not reported		
		Not reported		
	Contact country:	Not reported		

Database(s)

EDR ID Number EPA ID Number

CON EDISON SERVICE BOX: 34096 (Continued)

Contact telephone:	212-460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency: 05/27/2014		
Site name:	CON EDISON	
Classification:	Small Quantity Generator	

Date form received by agency	:05/27/2014
Site name:	CON EDISON
Classification:	Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110063811273

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

<u>Click this hyperlink</u> while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

1017776471

Database(s)

U96 NW 1/8-1/4 0.195 mi. 1027 ft.	CON EDISON 67TH AVE & WOODHAVEN BLVD REGO PARK, NY 11374 Site 2 of 4 in cluster U		NY MANIFEST	S118087181 N/A
Relative: Higher Actual: 62 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location State: Location Zip:	USA NYP004512125 Not reported 100' S/O 67 AVE & WOODHAVEN BLVD BP SB 67228 Not reported QUEENS NY 11379		
	Location Zip 4: NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing State: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Country: Mailing Phone:	Not reported NYP004512125 CON EDISON TOM TEELING 4 IRVING PLACE - 15TH FLOOR Not reported NEW YORK NY 10003 Not reported USA 2124603770		
	NY MANIFEST: Document ID: Manifest Status: seq: Year: Trans1 State ID: Trans2 State ID: Generator Ship Date: Trans1 Recv Date: Trans1 Recv Date: Trans2 Recv Date: Part A Recv Date: Part A Recv Date: Part B Recv Date: Generator EPA ID: Trans1 EPA ID: Trans2 EPA ID: TSDF ID 1: TSDF ID 1: TSDF ID 2: Manifest Tracking Number: Import Indicator: Discr Quantity Indicator: Discr Type Indicator: Discr Full Reject Indicator: Discr Full Reject Indicator: Manifest Ref Number:	Not reported Not reported 2014 NJD003812047 Not reported 04/25/2014 04/25/2014 Not reported 04/25/2014 Not reported Not reported Not reported NYP004512125 Not reported NJD991291105 Not reported 002418235GBF N N N N N N N N N		

Map ID Direction Distance Elevation Site MAP FINDINGS

Database(s)

EDR ID Number **EPA ID Number**

CON EDISON (Continued)

Alt Facility RCRA ID: Not reported Not reported Alt Facility Sign Date: MGMT Method Type Code: H110 Waste Code: Not reported Not reported Waste Code: Not reported Waste Code: Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Quantity: 75 G - Gallons (liquids only)* (8.3 pounds) Units: Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 Waste Code: D008 Waste Code 1_2: Not reported Waste Code 1 3: Not reported Waste Code 1 4: Not reported Waste Code 1_5: Not reported Waste Code 1_6: Not reported

> Click this hyperlink while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

U97 NW 1/8-1/4 0.195 mi.	CON EDISON SERVICE BOX: 672 67TH AVE & WOODHAVEN BLVE REGO PARK, NY 11374		RA NonGen / NLR FINDS	1017773431 NYP004512125
1027 ft.	Site 3 of 4 in cluster U			
Relative: Higher Actual:	RCRA NonGen / NLR: Date form received by agency Facility name:	/: 05/25/2014 CON EDISON SERVICE BOX: 67228		
62 ft.	Facility address:	67TH AVE & WOODHAVEN BLVD 110 FEET S OF REGO PARK, NY 11374		
	EPA ID:	NYP004512125		
	Mailing address:	IRVING PL, 15TH FL NE		
		NEW YORK, NY 10003		
	Contact:	THOMAS TEELING		
	Contact address:	Not reported		
		Not reported		
	Contact country:	Not reported		
	Contact telephone:	212-460-3770		
	Contact email:	Not reported		
	EPA Region:	02		
	Classification:	Non-Generator		
	Description:	Handler: Non-Generators do not presently generate	hazardous waste	
	Lieu dian Asticities Orace			
	Handler Activities Summary:	antas Na		
	U.S. importer of hazardous w			
	Mixed waste (haz. and radioa			
	Recycler of hazardous waste	No		

Transporter of hazardous waste: No Treater, storer or disposer of HW: No

Database(s)

EDR ID Number **EPA ID Number**

1017773431

Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burne	
Used oil Specification markete	r: No
Used oil transfer facility:	No
Used oil transporter:	No
Historical Generators: Date form received by agency Site name: Classification:	:04/25/2014 CON EDISON Small Quantity Generator
Date form received by agency	04/25/2014
Site name:	CON EDISON
Classification:	Not a generator, verified
Violation Status:	No violations found
FINDS:	

110063775204

Registry ID:

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

U98 NW 1/8-1/4 0.195 mi.	CON EDISON WOODHAVEN BLVD & 67TH AVE REGO PARK, NY 11374		NY MANIFEST	S117062001 N/A
1027 ft.	Site 4 of 4 in cluster U			
Relative: Higher Actual: 62 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location City: Location Zip: Location Zip 4:	USA NYP004543294 Not reported NWC WOODHAVEN BLVD & 67 AVE BP SB 34096 Not reported QUEENS NY 11374 Not reported		
	NY MANIFEST:			

Map ID Direction Distance Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number **EPA ID Number**

CON EDISON (Continued)

EPAID: NYP004543294 Mailing Name: CON EDISON Mailing Contact: TOM TEELING Mailing Address 1: 4 IRVING PLACE 15TH FLOOR Mailing Address 2: Not reported Mailing City: NEW YORK Mailing State: NY Mailing Zip: 10003 Mailing Zip 4: Not reported Mailing Country: USA Mailing Phone: Not reported NY MANIFEST: Document ID: Not reported Manifest Status: Not reported Not reported seq: Year: 2014 Trans1 State ID: NJD003812047 Trans2 State ID: Not reported Generator Ship Date: 05/27/2014 Trans1 Recv Date: 05/27/2014 Trans2 Recv Date: Not reported TSD Site Recv Date: 05/29/2014 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004543294 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID 1: NJD991291105 TSDF ID 2: Not reported Manifest Tracking Number: 002423174GBF Import Indicator: Ν Export Indicator: Ν Discr Quantity Indicator: Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν Discr Partial Reject Indicator: Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported Waste Code: Not reported Not reported Waste Code: Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Quantity: 200 Units: G - Gallons (liquids only)* (8.3 pounds) Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 D008 Waste Code: Waste Code 1 2: Not reported Waste Code 1_3: Not reported

S117062001

Database(s)

EDR ID Number EPA ID Number

S117062001

CON EDISON (Continued)

Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

99 NE 1/8-1/4 0.196 mi. 1033 ft.	CON EDISON SERVICE BOX: 453 67-13 JUNO ST FRONT OF FOREST HILLS, NY 11375	92	RCRA NonGen / NLR	1017774305 NYP004521134
Relative: Higher Actual: 57 ft.	RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact: Contact address:	7:06/05/2014 CON EDISON SERVICE BOX: 45392 67-13 JUNO ST FRONT OF FOREST HILLS, NY 11375 NYP004521134 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported		
	Contact country: Contact telephone: Contact email: EPA Region: Classification: Description:	Not reported Not reported 212-460-3770 Not reported 02 Non-Generator Handler: Non-Generators do not presently g	generate hazardous waste	
	Handler Activities Summary: U.S. importer of hazardous w. Mixed waste (haz. and radioa Recycler of hazardous waste: Transporter of hazardous wast Treater, storer or disposer of Underground injection activity On-site burner exemption: Furnace exemption: Used oil fuel burner: Used oil fuel burner: Used oil fuel marketer to burn Used oil transfer facility: Used oil transporter:	ctive): No No ste: No HW: No : No No No No No No No		
	Historical Generators: Date form received by agency Site name: Classification: Date form received by agency Site name: Classification:	CON EDISON Small Quantity Generator		

Map ID	
Direction	
Distance	
Elevation	Site

Database(s)

	CON EDISON SERVICE BOX: 45392 (Continued) 1			1017774305
	Violation Status: No violations found		1011114000	
V100 NNW 1/8-1/4 0.196 mi.	CON EDISON 85-27 67TH AVE REGO PARK, NY 11374		RCRA NonGen / NLR	1019907968 NYP004840456
1037 ft.	Site 1 of 5 in cluster V			
Relative:	RCRA NonGen / NLR:			
Higher	Date form received by agency: Facility name:	09/18/2015 CON EDISON		
Actual: 66 ft.	Facility address:	85-27 67TH AVE REGO PARK, NY 11374		
	EPA ID:	NYP004840456		
	Mailing address:	IRVING PL 15TH FL NE NEW YORK, NY 10003		
	Contact:	THOMAS TEELING		
	Contact address:	Not reported		
	Contact country:	Not reported Not reported		
	Contact telephone:	212-460-3770		
	•	Not reported		
	EPA Region:	02		
	Classification:	Non-Generator		
	Description:	Handler: Non-Generators do not presently gener	ate hazardous waste	
		tive): No No e: No W: No No No No No r: No r: No No No		
	Violation Status:	No violations found		

Database(s)

V101 NNW 1/8-1/4	CON EDISON 85-27 67 AVE QUEENS, NY 11374		NY MANIFEST	S117059906 N/A
0.196 mi. 1037 ft.	Site 2 of 5 in cluster V			
Relative: Higher Actual: 66 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location State: Location Zip: Location Zip 4:	USA NYP004521075 Not reported 85-27 67 AVE BP SB 34666 Not reported QUEENS NY 11374 Not reported		
	NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Country: Mailing Phone:	NYP004521075 CON EDISON TOM TEELING 4 IRVING PLACE 15TH FLOOR Not reported NEW YORK NY 10003 Not reported USA Not reported		
	NY MANIFEST: Document ID: Manifest Status: seq: Year: Trans1 State ID: Trans2 State ID: Generator Ship Date: Trans1 Recv Date: Trans1 Recv Date: TSD Site Recv Date: Part A Recv Date: Part A Recv Date: Part B Recv Date: Generator EPA ID: Trans1 EPA ID: Trans2 EPA ID: TSDF ID 1: TSDF ID 1: TSDF ID 1: TSDF ID 2: Manifest Tracking Number: Import Indicator: Discr Quantity Indicator: Discr Quantity Indicator: Discr Partial Reject Indicator: Discr Full Reject Indicator:	Not reported Not reported 2014 NJD003812047 Not reported 05/15/2014 05/15/2014 Not reported 05/16/2014 Not reported Not reported Not reported NyP004521075 Not reported NJD991291105 Not reported 002419059GBF N N N N N N N N		

Map ID Direction Distance Elevation Site MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

S117059906

CON EDISON (Continued)

Alt Facility RCRA ID: Not reported Alt Facility Sign Date: MGMT Method Type Code: Waste Code: Waste Code: Waste Code: Waste Code: Waste Code: Waste Code: Quantity: 50 Units: Number of Containers: 1 Container Type: Handling Method: Specific Gravity: 1 Waste Code: Waste Code 1_2: Waste Code 1_3: Waste Code 1 4: Waste Code 1_5: Waste Code 1_6:

Not reported H110 Not reported Not reported Not reported Not reported Not reported Not reported G - Gallons (liquids only)* (8.3 pounds) TT - Cargo tank, tank trucks T Chemical, physical, or biological treatment. D008 Not reported Not reported Not reported Not reported Not reported

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

V102 NNW 1/8-1/4 0.196 mi. 1037 ft.	CON EDISON 85-27 67TH AVE REGO PARK, NY 11374 Site 3 of 5 in cluster V		NJ MANIFEST	S120676867 N/A
Relative: Higher Actual: 66 ft.	NJ MANIFEST: EPA Id: Mail Address: Mail City/State/Zip: Facility Phone: Emergency Phone: Contact: Comments: SIC Code: County: Municipal: Previous EPA Id: Gen Flag: Trans Flag: Trans Flag: TSDF Flag: Name Change: Date Change: Manifest: Manifest: Manifest Number: EPA ID:	NYP004840456 IRVING PL 15TH FL NE NEW YORK, NY 10003 Not reported Not reported THOMAS TEELING Not reported Not reported		
	Date Shipped: TSDF EPA ID: Transporter EPA ID: Transporter 2 EPA ID: Transporter 3 EPA ID:	9/18/2015 NJD002200046 NJ0000027193 Not reported Not reported		

Map ID Direction Distance Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

S120676867

CON EDISON (Continued)

Transporter 4 EPA ID: Transporter 5 EPA ID: Transporter 6 EPA ID: Transporter 7 EPA ID: Transporter 8 EPA ID: Transporter 9 EPA ID: Transporter 10 EPA ID: Date Trans1 Transported Waste: Date Trans2 Transported Waste: Date Trans3 Transported Waste: Date Trans4 Transported Waste: Date Trans5 Transported Waste: Date Trans6 Transported Waste: Date Trans7 Transported Waste: Date Trans8 Transported Waste: Date Trans9 Transported Waste: Date Trans10 Transported Waste: Date TSDF Received Waste: TSDF EPA Facility Name: QTY Units: Transporter SEQ ID: Transporter-1 Date: Waste SEQ ID: Waste Type Code 2: Waste Type Code 3: Waste Type Code 4: Waste Type Code 5: Waste Type Code 6: Date Accepted: Manifest Discrepancy Type: Data Entry Number: Was Load Rejected: Reason Load Was Rejected:

Not reported NEW YORK, NY 10003 Not reported

V103 NNW 1/8-1/4 0.196 mi. 1037 ft.	CON EDISON 85-27 67TH AVE FRONT OF REGO PARK, NY 11374 Site 4 of 5 in cluster V	
Relative: Higher Actual: 66 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location City: Location State: Location Zip: Location Zip 4:	USA NYP004512075 Not reported 85-27 67 AVE BP SB 34666 Not reported QUEENS NY 11432 Not reported
	NY MANIFEST: EPAID: Mailing Name:	NYP004512075 CON EDISON

NY MANIFEST S118087177 N/A

Map ID Direction Distance Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number **EPA ID Number**

CON EDISON (Continued)

Mailing Contact: TOM TEELING 4 IRVING PLACE - 15TH FLOOR Mailing Address 1: Mailing Address 2: Not reported Mailing City: NEW YORK Mailing State: NY Mailing Zip: 10003 Mailing Zip 4: Not reported Mailing Country: USA Mailing Phone: 2124603770 NY MANIFEST: Document ID: Not reported Manifest Status: Not reported seq: Not reported Year: 2014 Trans1 State ID: NJD003812047 Trans2 State ID: Not reported Generator Ship Date: 04/25/2014 Trans1 Recv Date: 04/25/2014 Trans2 Recv Date: Not reported TSD Site Recv Date: 04/25/2014 Part A Recv Date: Not reported Part B Recv Date: Not reported NYP004512075 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID 1: NJD991291105 TSDF ID 2: Not reported Manifest Tracking Number: 002418231GBF Import Indicator: Ν Export Indicator: Ν Discr Quantity Indicator: Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν Discr Partial Reject Indicator: Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Not reported Waste Code: Waste Code: Not reported Quantity: 60 G - Gallons (liquids only)* (8.3 pounds) Units: Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 Waste Code: D008 Waste Code 1 2: Not reported Waste Code 1 3: Not reported Waste Code 1 4: Not reported Waste Code 1_5: Not reported

S118087177

EDR ID Number Database(s) EPA ID Number

Elevation	Site		Database(s)	EPA ID Number
	CON EDISON (Continued)			S118087177
	. ,	Notroported		3110007177
	Waste Code 1_6:	Not reported		
		yperlink while viewing on your computer to access al NY MANIFEST: record(s) in the EDR Site Report.		
V104 NNW 1/8-1/4 0.196 mi.	CON EDISON SERVICE BOX: 346 85-27 67TH AVE FRONT OF REGO PARK, NY 11374	66 RCRA	NonGen / NLR	1017773426 NYP004512075
1037 ft.	Site 5 of 5 in cluster V			
Relative:	RCRA NonGen / NLR:			
Higher	Date form received by agency			
Actual:	Facility name:	CON EDISON SERVICE BOX: 34666		
66 ft.	Facility address:	85-27 67TH AVE FRONT OF REGO PARK, NY 11374		
	EPA ID:	NYP004512075		
	Mailing address:	IRVING PL, 15TH FL NE		
		NEW YORK, NY 10003		
	Contact: Contact address:	THOMAS TEELING		
	Contact address.	Not reported Not reported		
	Contact country:	Not reported		
	Contact telephone:	212-460-3770		
	Contact email:	Not reported		
	EPA Region:	02		
	Classification:	Non-Generator		
	Description:	Handler: Non-Generators do not presently generate haza	rdous waste	
	Handler Activities Summery			
	Handler Activities Summary: U.S. importer of hazardous w	aste: No		
	Mixed waste (haz. and radioa			
	Recycler of hazardous waste:			
	Transporter of hazardous was			
	Treater, storer or disposer of			
	Underground injection activity			
	On-site burner exemption: Furnace exemption:	No No		
	Used oil fuel burner:	No		
	Used oil processor:	No		
	User oil refiner:	No		
	Used oil fuel marketer to burn			
	Used oil Specification market			
	Used oil transfer facility: Used oil transporter:	No No		
		INO		
	Historical Generators:			
	Date form received by agency	/:04/25/2014		
	Site name:	CON EDISON		
	Classification:	Small Quantity Generator		
	Data form received by erener	r.04/25/2014		
	Date form received by agency Site name:	CON EDISON		
	Classification:	Not a generator, verified		
	Violation Status:	No violations found		

Database(s)

105 South 1/8-1/4 0.201 mi. 1060 ft.	CON EDISON SERVICE BOX: 3 70-10 WOODHAVEN BLVD FRO RIDGEWOOD, NY 11385			RCRA NonGen / NLR FINDS	1017774803 NYP004526208
Relative:	RCRA NonGen / NLR:				
Higher	Date form received by ager	ncy:06/08/2014			
Actual:	Facility name:	CON EDISON	SERVICE BOX: 33128		
58 ft.	Facility address:	70-10 WOODI	HAVEN BLVD FRONT OF		
		RIDGEWOOD			
	EPA ID:	NYP00452620			
	Mailing address:	IRVING PL, 1 NEW YORK, I			
	Contact:	THOMAS TE			
	Contact address:	Not reported			
		Not reported			
	Contact country:	Not reported			
	Contact telephone:	212-460-3770			
	Contact email:	Not reported			
	EPA Region: Classification:	02 Non-Generato	r		
	Description:		Generators do not presently ge	enerate hazardous waste	
	Description.		concratoro do not procentry ge		
	Handler Activities Summary:				
	U.S. importer of hazardous	waste: No			
	Mixed waste (haz. and radio				
	Recycler of hazardous was				
	Transporter of hazardous w				
	Treater, storer or disposer o Underground injection activ				
	On-site burner exemption:	No			
	Furnace exemption:	No			
	Used oil fuel burner:	No			
	Used oil processor:	No			
	User oil refiner:	No			
	Used oil fuel marketer to bu				
	Used oil Specification mark				
	Used oil transfer facility: Used oil transporter:	No No			
	Historical Generators:				
	Date form received by ager				
	Site name:	CON EDISON			
	Classification:	Small Quantity	/ Generator		
	Date form received by ager	ncy:05/08/2014			
	Site name:	CON EDISON			
	Classification:	Not a generate	or, verified		
	Violation Status:	No violations f	ound		
	FINDS:				
	Registry ID:	11006379479	1		
	Environmental Interest/Info	rmation System			
			ormation system that supports t y Act (RCRA) program through		

Map ID	
Direction	
Distance	
Elevation	Sit

T106

1/8-1/4

1101 ft.

Higher

Actual:

Owner/Operator Type:

Owner

57 ft.

NE

MAP FINDINGS

EDR ID Number Database(s) **EPA ID Number** te CON EDISON SERVICE BOX: 33128 (Continued) 1017774803 events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report. D B S FIRST CLASS CLEANERS CO RCRA NonGen / NLR 1004757065 66-73 SELFRIDGE ST NY MANIFEST NYD986878296 FOREST HILLS, NY 11375 0.209 mi. Site 3 of 6 in cluster T **Relative:** RCRA NonGen / NLR: Date form received by agency: 01/01/2007 Facility name: D B S FIRST CLASS CLEANERS CO Facility address: 66-73 SELFRIDGE ST FOREST HILLS, NY 11375 EPA ID: NYD986878296 Mailing address: SELFRIDGE ST FOREST HILLS, NY 11375 YONG-SUN BAEK Contact: SELFRIDGE ST Contact address: FOREST HILLS. NY 11375 Contact country: US Contact telephone: 718-793-6322 Not reported Contact email: EPA Region: 02 Classification: Non-Generator Description: Handler: Non-Generators do not presently generate hazardous waste Owner/Operator Summary: Owner/operator name: ISAAC OHANNA - V CO REALTY Owner/operator address: 63-52 SAUNDERS ST REGO PARK, NY 11374 Owner/operator country: US Owner/operator telephone: 718-793-6322 Owner/operator email: Not reported Owner/operator fax: Not reported Not reported Owner/operator extension: Legal status: Private Owner/Operator Type: Operator Owner/Op start date: Not reported Owner/Op end date: Not reported ISAAC OHANNA - V CO REALTY Owner/operator name: 63-52 SAUNDERS ST Owner/operator address: REGO PARK, NY 11374 Owner/operator country: US Owner/operator telephone: 718-793-6322 Owner/operator email: Not reported Owner/operator fax: Not reported Owner/operator extension: Not reported Legal status: Private

Database(s)

B S FIRST CLASS CLEANERS	CO (Continued)	1004757065
Owner/Op start date: Owner/Op end date:	Not reported Not reported	
Handler Activities Summary: U.S. importer of hazardous wa Mixed waste (haz. and radioa Recycler of hazardous waste: Transporter of hazardous was Treater, storer or disposer of H Underground injection activity On-site burner exemption: Furnace exemption: Used oil fuel burner: Used oil fuel burner: Used oil fuel burner: Used oil processor: User oil refiner: Used oil fuel marketer to burn Used oil transfer facility: Used oil transfer facility:	ctive): No No te: No HW: No No No No No No No	
Historical Generators: Date form received by agency		
Site name: Classification:	D B S FIRST CLASS CLEANERS CO Not a generator, verified	
Date form received by agency Site name: Classification:	:05/30/1997 D B S FIRST CLASS CLEANERS CO Conditionally Exempt Small Quantity Generator	
. Waste code: . Waste name:	D000 Not Defined	
. Waste code: . Waste name:	D007 CHROMIUM	
. Waste code: . Waste name:	D008 LEAD	
. Waste code: . Waste name:	D039 TETRACHLOROETHYLENE	
. Waste code: . Waste name:	D040 TRICHLOROETHYLENE	
. Waste code: . Waste name:	F002 THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOF METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLORO CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, AND 1,1,2-TRICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLEND BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPEN SPENT SOLVENT MIXTURES.	ETHANE, OS CONTAINING, OF ONE OR MORE 001, F004, OR
Violation Status:	No violations found	

Database(s)

EDR ID Number EPA ID Number

D B S FIRST CLASS CLEANERS CO (Continued)

NY MANIFEST: Country: USA EPA ID: NYD986878296 Facility Status: Not reported Location Address 1: 6673 SELFRIDGE STREET ΒP Code: Location Address 2: Not reported Total Tanks: Not reported Location City: FOREST HILLS Location State: NY Location Zip: 11375 Location Zip 4: Not reported NY MANIFEST: NYD986878296 EPAID: Mailing Name: SALS CLEANERS Mailing Contact: SALS CLEANERS Mailing Address 1: 6673 SELFRIDGE STREET Mailing Address 2: Not reported Mailing City: FOREST HILLS Mailing State: NY Mailing Zip: 11375 Mailing Zip 4: Not reported Mailing Country: USA Mailing Phone: 7187936322 NY MANIFEST: Document ID: NYC6154424 Manifest Status: Not reported 01 seq: Year: 2000 Trans1 State ID: NYAP4503 Trans2 State ID: SEESEC15 Generator Ship Date: 05/30/2000 Trans1 Recv Date: 05/30/2000 Trans2 Recv Date: 06/06/2000 06/09/2000 TSD Site Recv Date: Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYD986878296 Trans1 EPA ID: SCR000075150 Trans2 EPA ID: SCR000074591 TSDF ID 1: OHD980587364 TSDF ID 2: Not reported Manifest Tracking Number: Not reported Import Indicator: Not reported Export Indicator: Not reported Discr Quantity Indicator: Not reported Discr Type Indicator: Not reported Discr Residue Indicator: Not reported Discr Partial Reject Indicator: Not reported Discr Full Reject Indicator: Not reported Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code:

Waste Code:

Not reported Not reported Not reported Not reported

F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

1004757065

Map ID	
Direction	
Distance	
Elevation	Site

Database(s)

EDR ID Number EPA ID Number

1004757065

D B S FIRST CLASS CLEANERS CO (Continued)

Waste Code: Waste Code: Waste Code: Waste Code: Quantity: Units: Number of Containers: Container Type: Handling Method: Specific Gravity:

Not reported Not reported Not reported Not reported Not reported 00390 P - Pounds 002 DF - Fiberboard or plastic drums (glass) B Incineration, heat recovery, burning. 01.00

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

T107 NE 1/8-1/4 0.209 mi. 1101 ft.	FIRST CLASS CLEANERS 66-73 SELFRIDGE ST. FOREST HILLS, NY 11375 Site 4 of 6 in cluster T		NY DRYCLEANERS	S110246597 N/A
Relative: Higher Actual: 57 ft.	DRYCLEANERS: Facility ID: Phone Number: Region: Registration Effective Date: Inspection Date: Install Date: Drop Shop: Shutdown: Alternate Solvent: Current Business:	2-6306-00532 718-793-6322 Not reported 7/16/2003 10:56:34:06 07APR25 88/03 Not reported Not reported Not reported Not reported Not reported		
W108 SSE 1/8-1/4 0.211 mi. 1116 ft.	K & R AUTO 9101 METROPOLITAN AVE REGO PARK, NY 11374 Site 1 of 3 in cluster W		RCRA NonGen / NLR FINDS ECHO NY MANIFEST	1001119638 NYR000029272
	Site I OI S III Cluster W			
Relative:	RCRA NonGen / NLR:	5 × 04/04/2007		
Relative: Higher Actual: 77 ft.		y: 01/01/2007 K & R AUTO 9101 METROPOLITAN AVE		

TC5618352.2s Page 243

Database(s)

EDR ID Number EPA ID Number

1001119638

Κ

K & R AUTO (Continued)	
Description:	Handler: Non-Generators do not presently generate hazardous waste
Owner/Operator Summary:	
Owner/operator name:	RS & KP SERVICE STATION
Owner/operator address:	9101 METROPOLITAN AVE
	REGO PARK, NY 11374
Owner/operator country:	US
Owner/operator telephone: Owner/operator email:	718-459-3030
Owner/operator fax:	Not reported Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported
Owner/operator name:	RS & KP SERVICE STATION
Owner/operator address:	9101 METROPOLITAN AVE
	REGO PARK, NY 11374
Owner/operator country:	US
Owner/operator telephone:	718-459-3030
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported
Handler Activities Summary:	
U.S. importer of hazardous wa	aste: No
Mixed waste (haz. and radioa	
Recycler of hazardous waste:	
Transporter of hazardous was	
Treater, storer or disposer of I	HW: No
Underground injection activity	: No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No ari
Used oil fuel marketer to burn	
Used oil Specification markete	er: No No
Used oil transfer facility: Used oil transporter:	No
Historical Generators:	
Date form received by agency	r.01/01/2006
Site name:	K & R AUTO
Classification:	Not a generator, verified
Date form received by agency	· 00/13/1006
Site name:	K & R AUTO
Classification	Small Quantity Generator
Sidomodion.	Shan Quantity Contract
. Waste code:	D000

Database(s)

K & R AUTO (Continued)	1001119638
. Waste name:	Not Defined
. Waste code: . Waste name:	D001 IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
. Waste code: . Waste name:	D007 CHROMIUM
. Waste code: . Waste name:	D035 METHYL ETHYL KETONE
. Waste code: . Waste name:	F003 THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
. Waste code: . Waste name:	F005 THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Violation Status:	No violations found
FINDS:	
Registry ID:	110004528413
Conserva events ar and treat program corrective <u>Click this</u>	rmation System o is a national information system that supports the Resource ation and Recovery Act (RCRA) program through the tracking of nd activities related to facilities that generate, transport, , store, or dispose of hazardous waste. RCRAInfo allows RCRA staff to track the notification, permit, compliance, and e action activities required under RCRA. <u>hyperlink</u> while viewing on your computer to access I FINDS: detail in the EDR Site Report.

EDR ID Number Database(s)

EPA ID Number

Envid:	1001119638
Registry ID:	110004528413
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=1100045284
NY MANIFEST:	
Country:	USA
EPA ID:	NYR000029272
Facility Status:	Not reported
Location Address 1:	9101 METROLPOLITAN AVENUE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	REGO PARK
Location State:	NY
Location Zip:	11374
Location Zip 4:	Not reported
NY MANIFEST: EPAID:	NYR000029272
Mailing Name:	K AND R AUTO
Mailing Contact:	KAND KAOTO KEITH PIACENTE
Mailing Address 1:	9101 METROPOLITAN AVENUE
Mailing Address 2:	Not reported
Mailing City:	REGO PARK
Mailing State:	NY
Mailing Zip:	11374
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	7184593030
NY MANIFEST:	
Document ID:	ILA8991689
Manifest Status:	Not reported
seq:	01
Year:	2001
Trans1 State ID:	NYAP4503
Trans2 State ID:	UPW203954
Generator Ship Date:	02/05/2001
Trans1 Recv Date:	02/05/2001
Trans2 Recv Date:	02/06/2001
TSD Site Recv Date:	02/12/2001
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000029272
Trans1 EPA ID:	SCR000075150
Trans2 EPA ID:	SCR000074591
TSDF ID 1:	ILD980613913
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator: Manifest Ref Number:	Not reported
	Not reported

1001119638

Map ID Direction Distance Elevation Site MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

K & R AUTO (Continued)

Alt Facility RCRA ID: Alt Facility Sign Date: MGMT Method Type Code: Waste Code: Waste Code: Waste Code: Waste Code: Waste Code: Quantity: Units: Number of Containers: Container Type: Handling Method: Specific Gravity:

Not reported Not reported F005 - UNKNOWN Not reported Not reported Not reported Not reported Not reported O0224 P - Pounds 001 DF - Fiberboard or plastic drums (glass) B Incineration, heat recovery, burning. 01.00

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

W109 SSE 1/8-1/4 0.211 mi. 1116 ft.	CON EDISON SERVICE BOX: 1179 91-01 METROPOLITAN AVE REGO PARK, NY 11374 Site 2 of 3 in cluster W	B RCRA	NonGen / NLR	1017775500 NYP004533386
Relative: Higher	RCRA NonGen / NLR: Date form received by agency:	6/15/2014		
Actual:	Facility name:	CON EDISON SERVICE BOX: 11796		
77 ft.	5	11-01 METROPOLITAN AVE REGO PARK, NY 11374		
		IYP004533386		
	Mailing address:	RVING PL, 15TH FL NE		
		IEW YORK, NY 10003		
		HOMAS TEELING		
		lot reported		
		Not reported		
		lot reported 12-460-3770		
	•	lot reported		
	0	lon-Generator		
		landler: Non-Generators do not presently generate haza	ardous waste	
		······································		
	Handler Activities Summary:			
	U.S. importer of hazardous was	te: No		
	Mixed waste (haz. and radioact	ve): No		
	Recycler of hazardous waste:	No		
	Transporter of hazardous waste			
	Treater, storer or disposer of H			
	Underground injection activity:	No		
	On-site burner exemption:	No		
	Furnace exemption: Used oil fuel burner:	No No		
	Used oil processor:	No		
	User oil refiner:	No		
	Used oil fuel marketer to burne			

Database(s)

	CON EDISON SERVICE BOX: 117	96 (Continued)		1017775500
	Used oil Specification markete Used oil transfer facility: Used oil transporter:	r: No No No		
	Historical Generators: Date form received by agency Site name: Classification:	05/15/2014 CON EDISON Large Quantity Generator		
	Date form received by agency Site name: Classification:	05/15/2014 CON EDISON Not a generator, verified		
	Violation Status:	No violations found		
W110 SSE 1/8-1/4 0.211 mi. 1116 ft.	S.M.G. PETROLEUM 91-01 METROPOLITAN AVENUE REGO PARK, NY 11375 Site 3 of 3 in cluster W		NY UST NY MANIFEST	U002259214 N/A
Relative: Higher Actual: 77 ft.	UST: Id/Status: Program Type: Region: DEC Region: Expiration Date: UTM X: UTM Y: Site Type: Affiliation Records: Site Id: Affiliation Type: Company Name: Contact Type: Contact Name: Address1: Address2: City: State: Zip Code: Country Code: Phone: EMail: Fax Number: Modified By: Date Last Modified: Site Id: Affiliation Type: Company Name: Company Name: Company Name: Company Name: Contact Type: Contact Name: Address1: Address2: City: State: Zip Code: Country Code: Company Name: Contact Type: Contact Name: Address1: Address2: City: State: Zip Code: City: State: Zip Code: City	2-356964 / Unregulated/Closed PBS STATE 2 N/A 596383.73754 4507384.65681 Retail Gasoline Sales 17851 Facility Owner WILSONIAN INDUSTRIES, INC Not reported Not reported 91-01 METROPOLITAN AVENUE Not reported REGO PARK NY 11374 001 (718) 459-3030 Not reported NRLOMBAR 2013-05-16 17851 Mail Contact R.S. & K.P. SERVICE STATION PRES KEITH PIACENTE 91-01 METROPOLITAN AVENUE Not reported REGO PARK NY 11374		

Database(s)

EDR ID Number EPA ID Number

S.M.G. PETROLEUM (Continued)

Country Code: 001 Phone: (718) 459-3030 EMail: Not reported Fax Number: Not reported NRLOMBAR Modified By: Date Last Modified: 2006-11-21 Site Id: 17851 Affiliation Type: Facility Operator Company Name: S.M.G. PETROLEUM Contact Type: Not reported Contact Name: MANJIT GARCHA Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 001 Phone: (718) 897-1759 Not reported EMail: Fax Number: Not reported MSBAPTIS Modified By: Date Last Modified: 2013-02-06 Site Id: 17851 Affiliation Type: **Emergency Contact** Company Name: R.S. & K.P. SERVICE STATION Contact Type: Not reported JOHN MACHIT Contact Name: Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 999 Phone: (917) 859-1907 EMail: Not reported Fax Number: Not reported Modified By: **MSBAPTIS** 2013-02-06 Date Last Modified: Tank Info: 001 Tank Number: 35277 Tank ID: Tank Status: Closed - Removed Material Name: Closed - Removed 550 Capacity Gallons: Install Date: Not reported 01/01/1991 Date Tank Closed: Registered: True Tank Location: Underground Steel/carbon steel Tank Type: Material Code: 0009 Common Name of Substance: Gasoline Tightness Test Method: NN

Database(s)

EDR ID Number EPA ID Number

U002259214

S.M.G. PETROLEUM (Continued)

Not reported Not reported Not reported TRANSLAT 04/14/2017
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None J02 - Dispenser - Suction Dispenser A00 - Tank Internal Protection - None G99 - Tank Secondary Containment - Other H00 - Tank Leak Detection - None I00 - Overfill - None
002
35278 Closed - Removed
Closed - Removed 550
Not reported
01/01/1991 True
Underground Steel/carbon steel
0009
Gasoline
NN Not reported
Not reported
Not reported TRANSLAT
04/14/2017
 B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None J02 - Dispenser - Suction Dispenser H00 - Tank Leak Detection - None I00 - Overfill - None A00 - Tank Internal Protection - None G99 - Tank Secondary Containment - Other
003 35279
Closed - Removed
Closed - Removed 550
Not reported 01/01/1991
True

Database(s)

EDR ID Number EPA ID Number

S.M.G. PETROLEUM (Continued)

.M.G. PETROLEUM (Continued)	
Tank Location: Tank Type: Material Code: Common Name of Substance:	Underground Steel/carbon steel 0009 Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	 B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None J02 - Dispenser - Suction Dispenser H00 - Tank Leak Detection - None I00 - Overfill - None A00 - Tank Internal Protection - None G99 - Tank Secondary Containment - Other
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	004 35280 Closed - Removed Closed - Removed 550 Not reported 01/01/1991 True Underground Steel/carbon steel 0009 Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	J02 - Dispenser - Suction Dispenser B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None A00 - Tank Internal Protection - None G99 - Tank Secondary Containment - Other H00 - Tank Leak Detection - None I00 - Overfill - None
Tank Number: Tank ID:	7 49887

U002259214

Database(s)

EDR ID Number EPA ID Number

U002259214

S.M.G. PETROLEUM (Continued)

Tank Status: Closed - Removed Closed - Removed Material Name: Capacity Gallons: 4000 Install Date: 12/01/1990 Date Tank Closed: 08/21/2013 Registered: True Tank Location: Underground Tank Type: Fiberglass coated steel Material Code: 0009 Common Name of Substance: Gasoline Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Pipe Model: Not reported NRLOMBAR Modified By: Last Modified: 04/14/2017 Equipment Records: C02 - Pipe Location - Underground/On-ground J02 - Dispenser - Suction Dispenser L01 - Piping Leak Detection - Interstitial - Electronic Monitoring F02 - Pipe External Protection - Original Sacrificial Anode D02 - Pipe Type - Galvanized Steel H01 - Tank Leak Detection - Interstitial - Electronic Monitoring 101 - Overfill - Float Vent Valve G04 - Tank Secondary Containment - Double-Walled (Underground) A01 - Tank Internal Protection - Epoxy Liner B04 - Tank External Protection - Fiberglass E00 - Piping Secondary Containment - None K01 - Spill Prevention - Catch Basin Tank Number: 8 49888 Tank ID: Closed - Removed Tank Status: Closed - Removed Material Name: Capacity Gallons: 4000 Install Date: 12/01/1990 08/21/2013 Date Tank Closed: Registered: True Tank Location: Underground Tank Type: Fiberglass coated steel Material Code: 0009 Common Name of Substance: Gasoline Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Not reported Pipe Model: NRLOMBAR Modified By: Last Modified: 04/14/2017 Equipment Records: D02 - Pipe Type - Galvanized Steel C02 - Pipe Location - Underground/On-ground F02 - Pipe External Protection - Original Sacrificial Anode J02 - Dispenser - Suction Dispenser

EDR ID Number Database(s) EPA ID Number

S.M.G. PETROLEUM (Continued)

U002259214

S.W.G. PETROLEOW (Continued)	
	 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring G04 - Tank Secondary Containment - Double-Walled (Underground) A01 - Tank Internal Protection - Epoxy Liner B04 - Tank External Protection - Fiberglass E00 - Piping Secondary Containment - None K01 - Spill Prevention - Catch Basin H01 - Tank Leak Detection - Interstitial - Electronic Monitoring I01 - Overfill - Float Vent Valve
NY MANIFEST:	
Country:	USA
EPA ID:	NYP004533386
Facility Status:	Not reported
Location Address 1:	91-01 METROPOLITAN AVE
Code:	BP
Location Address 2: Total Tanks:	SB 11796 Not reported
Location City:	Not reported QUEENS
Location State:	NY
Location Zip:	11374
Location Zip 4:	Not reported
NY MANIFEST:	
EPAID:	NYP004533386
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY 10002
Mailing Zip: Mailing Zip 4:	10003 Not reported
Mailing Country:	USA
Mailing Phone:	Not reported
NY MANIFEST:	
Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year: Trans1 State ID:	2014 NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	05/15/2014
Trans1 Recv Date:	05/15/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/20/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID: Trans1 EPA ID:	NYP004533386 Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002419108GBF
Import Indicator:	Ν
Export Indicator:	N
Discr Quantity Indicator:	Ν

TC5618352.2s Page 253

Database(s)

EDR ID Number EPA ID Number

U002259214

Discr Type Indicator: Discr Residue Indicator: Discr Partial Reject Indicator: Discr Full Reject Indicator: Manifest Ref Number: Alt Facility RCRA ID: Alt Facility Sign Date: MGMT Method Type Code: Waste Code: Waste Code: Waste Code: Waste Code: Waste Code: Waste Code: Quantity: Units: Number of Containers: Container Type: Handling Method: Specific Gravity: Waste Code 1_2: Waste Code 1_3: Waste Code 1_4:	N N N Not reported Not reported Not reported H110 Not reported Not reported Not reported Not reported Not reported Not reported S0 G - Gallons (liquids only)* (8.3 pounds) 1 TT - Cargo tank, tank trucks T Chemical, physical, or biological treatment. 1 D008 Not reported Not reported Not reported
—	•
Waste Code 1_3: Waste Code 1_4:	Not reported
Waste Code 1_4. Waste Code 1_5:	Not reported
—	•
Waste Code 1_6:	Not reported

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

111 ESE 1/8-1/4 0.213 mi. 1125 ft.	CON EDISON SERVICE BOX: 170 68-17 NANSEN ST FOREST HILLS, NY 11375	71 RCRA	NonGen / NLR NY MANIFEST	1016973387 NYP004471884
Relative:	RCRA NonGen / NLR:			
Higher	Date form received by agency	:04/19/2014		
Actual:	Facility name:	CON EDISON SERVICE BOX: 17071		
59 ft.	Facility address:	68-17 NANSEN ST		
		FOREST HILLS, NY 11375		
	EPA ID:	NYP004471884		
	Mailing address:	IRVING PL, 15TH FL NE		
	5	NEW YORK, NY 10003		
	Contact:	THOMAS TEELING		
	Contact address:	Not reported		
		Not reported		
	Contact country:	Not reported		
	Contact telephone:	212-460-3770		
	Contact email:	Not reported		
	EPA Region:	02		
	Classification:	Non-Generator		
	Description:	Handler: Non-Generators do not presently generate haz	ardous waste	
		· · · · · · · · · · · · · · · · · · ·		

Handler Activities Summary:

U.S. importer of hazardous waste: No

Database(s)

EDR ID Number EPA ID Number

Mixed waste (haz. and radii Recycler of hazardous was Transporter of hazardous wa Treater, storer or disposer of Underground injection activ On-site burner exemption: Furnace exemption: Used oil fuel burner: Used oil fuel burner: Used oil processor: User oil refiner: Used oil refiner: Used oil fuel marketer to bu Used oil Specification mark Used oil transfer facility: Used oil transporter:	te: No vaste: No of HW: No ity: No No No No No No No No
Historical Generators: Date form received by ager Site name: Classification:	ncy:03/19/2014 CON EDISON SERVICE BOX: 17071 Conditionally Exempt Small Quantity Generator
Violation Status:	No violations found
NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location State: Location Zip: Location Zip 4:	USA NYP004471884 Not reported 6817 NANSEN ST BP SB17071 Not reported FOREST HILLS NY 11375 Not reported
NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Country: Mailing Phone:	NYP004471884 CON EDISON CON EDISON 4 IRVING ST 15TH ST NEW YORK NY 10003 Not reported USA Not reported
NY MANIFEST: Document ID: Manifest Status: seq: Year: Trans1 State ID: Trans2 State ID: Generator Ship Date:	Not reported Not reported 2014 NJD003812047 Not reported 03/10/2014

03/19/2014

03/19/2014

CON EDISON SERVICE BOX: 17071 (Continued)

Generator Ship Date:

Trans1 Recv Date:

1016973387

Units:

Database(s)

EDR ID Number **EPA ID Number**

1016973387

CON EDISON SERVICE BOX: 17071 (Continued)

Trans2 Recv Date: Not reported TSD Site Recv Date: 03/20/2014 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004471884 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID 1: NJD991291105 TSDF ID 2: Not reported Manifest Tracking Number: 002359110GBF Import Indicator: Ν Export Indicator: Ν Discr Quantity Indicator: Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν Discr Partial Reject Indicator: Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Not reported Waste Code: Waste Code: Not reported Quantity: 80 G - Gallons (liquids only)* (8.3 pounds) Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 Waste Code: D008 Waste Code 1_2: Not reported Waste Code 1_3: Not reported Waste Code 1_4: Not reported Waste Code 1 5: Not reported Waste Code 1 6: Not reported

Click this hyperlink while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

T112 NE 1/8-1/4 0.214 mi. 1129 ft.	CON EDISON 73-11 YELLOWSTONE BLVD FOREST HILLS, NY 11375 Site 5 of 6 in cluster T		NY MANIFEST	S117061047 N/A
Relative: Higher Actual: 57 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks:	USA NYP004533170 Not reported 73-11 YELLOWSTONE BLVD OPP BP Not reported Not reported		

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)

Location City: FOREST HILLS Location State: NY Location Zip: 11375 Location Zip 4: Not reported NY MANIFEST: NYP004533170 EPAID: Mailing Name: CON EDISON Mailing Contact: TOM TEELING Mailing Address 1: **4 IRVING PLACE 15TH FLOOR** Mailing Address 2: Not reported NEW YORK Mailing City: Mailing State: NY Mailing Zip: 10003 Mailing Zip 4: Not reported Mailing Country: USA Mailing Phone: Not reported NY MANIFEST: Not reported Document ID: Manifest Status: Not reported seq: Not reported Year: 2014 Trans1 State ID: NJ0000027193 Trans2 State ID: Not reported Generator Ship Date: 05/14/2014 Trans1 Recv Date: 05/14/2014 Trans2 Recv Date: Not reported 05/15/2014 TSD Site Recv Date: Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004533170 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported NJD002200046 TSDF ID 1: TSDF ID 2: Not reported Manifest Tracking Number: 013246084JJK Import Indicator: Ν Export Indicator: Ν Discr Quantity Indicator: Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν Discr Partial Reject Indicator: Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported Waste Code: Not reported Not reported Waste Code: Waste Code: Not reported Not reported Waste Code: Waste Code: Not reported Quantity: 400 Units: G - Gallons (liquids only)* (8.3 pounds) Number of Containers: 1

S117061047

Map ID	
Direction	
Distance	
Elevation	Site

Database(s)

EDR ID Number EPA ID Number

S117061047

CON EDISON (Continued)

Used oil transporter:

Container Type: Handling Method: Specific Gravity: Waste Code: Waste Code 1_2: Waste Code 1_3: Waste Code 1_4: Waste Code 1_5: Waste Code 1_6: TT - Cargo tank, tank trucks T Chemical, physical, or biological treatment. 1 D008 Not reported Not reported Not reported Not reported Not reported Not reported

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

T113 NE 1/8-1/4 0.214 mi.	CON EDISON 73-11 YELLOWSTONE BLVD FOREST HILLS, NY 11375	RCRA NonGen / NLR 1017775481 NYP004533170
1129 ft.	Site 6 of 6 in cluster T	
Relative: Higher Actual: 57 ft.	RCRA NonGen / NLR: Date form received by agency. Facility name: Site name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone: Contact email:	06/15/2014 CON EDISON CON EDISON MANHOLE: 11790 73-11 YELLOWSTONE BLVD FOREST HILLS, NY 11375 NYP004533170 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported Not reported Not reported 212-460-3770 Not reported
	EPA Region: Classification:	02 Non-Generator
	Description:	Handler: Non-Generators do not presently generate hazardous waste
	Handler Activities Summary: U.S. importer of hazardous wa Mixed waste (haz. and radioad Recycler of hazardous waste: Transporter of hazardous waste Treater, storer or disposer of H Underground injection activity: On-site burner exemption: Furnace exemption: Used oil fuel burner: Used oil fuel burner: Used oil processor: User oil refiner: Used oil fuel marketer to burne Used oil Specification markete Used oil transfer facility:	ttive): No No W: No W: No No No No No No No

No

Database(s)

EDR ID Number EPA ID Number

	CON EDISON (Continued)			1017775481
	Historical Generators: Date form received by agenc Site name: Classification:	y: 05/15/2014 CON EDISON Large Quantity Generator		
	Date form received by agenc Site name: Classification:	y:05/15/2014 CON EDISON Not a generator, verified		
	Violation Status:	No violations found		
X114 SE 1/8-1/4 0.220 mi.	SELFRIDGE TENANTS, INC. 68-15 SELFRIDGE STREET FOREST HILLS, NY 11375		NY UST	U004077325 N/A
1160 ft.	Site 1 of 4 in cluster X			
Relative: Higher Actual: 58 ft.	UST: Id/Status: Program Type: Region: DEC Region: Expiration Date: UTM X: UTM Y: Site Type:	2-321516 / Active PBS STATE 2 08/17/2022 596574.15424 4507567.10637 Apartment Building/Office Building		
	Affiliation Records:			
	Address2: Contact Type: Contact Type: Contact Type: Contact Name: Address1: Address2: City: State: Zip Code: Country Code: Phone: EMail: Fax Number: Modified By: Date Last Modified:	14944 Facility Owner SELFRIDGE TENANTS INC % DIRECT MANAGEMENT PROPERTY MGR GEORGIA LEANDROU 68-15 SELFRIDGE STREET Not reported FOREST HILLS NY 11375 001 (718) 274-4300 Not reported Not reported Not reported KAKYER 2012-09-19		
	Site Id: Affiliation Type: Company Name: Contact Type: Contact Name: Address1: Address2: City: State: Zip Code: Country Code: Phone: EMail: Fax Number:	14944 Mail Contact SELFRIDGE TENANTS INC % DIRECT MANAGEMENT Not reported GEORGIA LEANDROU C\\O DIRECT MGT CORP PO BOX 3204 ASTORIA NY 11103 001 (718) 274-4300 GEORGIA@DIRECTMANAGEMENTCORP.COM Not reported		

Database(s)

EDR ID Number EPA ID Number

SELFRIDGE TENANTS, INC. (Continued)

Modified By: KAKYER 2012-09-19 Date Last Modified: Site Id: 14944 Affiliation Type: Facility Operator 68-15 SELFRIDGE ST Company Name: Contact Type: Not reported Contact Name: HAROLD CRUZ Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 001 (347) 495-7387 Phone: Not reported EMail: Fax Number: Not reported NRLOMBAR Modified By: Date Last Modified: 2004-11-08 Site Id: 14944 Affiliation Type: **Emergency Contact** Company Name: SELFRIDGE TENANTS INC % DIRECT MANAGEMENT Contact Type: Not reported Contact Name: FABIANA BADILLO Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 999 Phone: (718) 274-4300 EMail: Not reported Fax Number: Not reported NRLOMBAR Modified By: Date Last Modified: 2004-11-08 Tank Info: Tank Number: 001 Tank ID: 18441 Tank Status: Closed - In Place Material Name: Closed - In Place Capacity Gallons: 5000 Install Date: 01/01/1966 Date Tank Closed: 11/01/2004 Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 0003 Common Name of Substance: #6 Fuel Oil (On-Site Consumption) Tightness Test Method: NN Not reported Date Test: Next Test Date: Not reported Pipe Model: Not reported NRLOMBAR Modified By:

U004077325

SE

MAP FINDINGS

Database(s)

EDR ID Number **EPA ID Number**

U004077325

SELFRIDGE TENANTS, INC. (Continued)

Last Modified:	04/14/2017
Equipment Records:	
	I04 - Overfill - Product Level Gauge (A/G)
	E00 - Piping Secondary Containment - None
	H00 - Tank Leak Detection - None
	L09 - Piping Leak Detection - Exempt Suction Piping
	B00 - Tank External Protection - None
	C00 - Pipe Location - No Piping
	F00 - Pipe External Protection - None
	G00 - Tank Secondary Containment - None
	J02 - Dispenser - Suction Dispenser
	A00 - Tank Internal Protection - None
	D01 - Pipe Type - Steel/Carbon Steel/Iron

X115 SELFRIDGE TENANTS, INC. 68-15 SELFRIDGE STREET 1/8-1/4 FOREST HILLS, NY 11375 0.220 mi. 1160 ft. Site 2 of 4 in cluster X Relative: AST: Higher Region: STATE DEC Region: 2 Actual: Site Status: Active 58 ft. Facility Id: 2-321516 Program Type: PBS UTM X: 596574.15424 4507567.10637 UTM Y: Expiration Date: 08/17/2022 Apartment Building/Office Building Site Type: Affiliation Records: Site Id: 14944 Affiliation Type: Facility Owner Company Name: SELFRIDGE TENANTS INC % DIRECT MANAGEMENT Contact Type: PROPERTY MGR Contact Name: GEORGIA LEANDROU Address1: 68-15 SELFRIDGE STREET Address2: Not reported City: FOREST HILLS State: NY Zip Code: 11375 Country Code: 001 Phone: (718) 274-4300 EMail: Not reported Fax Number: Not reported Modified By: KAKYER Date Last Modified: 2012-09-19 Site Id: 14944 Affiliation Type: Mail Contact Company Name: SELFRIDGE TENANTS INC % DIRECT MANAGEMENT Contact Type: Not reported Contact Name: **GEORGIA LEANDROU** Address1: C\\O DIRECT MGT CORP

PO BOX 3204

ASTORIA

NY

Address2:

City:

State:

NY AST A100292665 N/A

Database(s)

EDR ID Number EPA ID Number

SELFRIDGE TENANTS, INC. (Continued)

Zip Code: 11103 Country Code: 001 Phone: (718) 274-4300 EMail: GEORGIA@DIRECTMANAGEMENTCORP.COM Fax Number: Not reported Modified By: KAKYER Date Last Modified: 2012-09-19 Site Id: 14944 Affiliation Type: Facility Operator 68-15 SELFRIDGE ST Company Name: Contact Type: Not reported Contact Name: HAROLD CRUZ Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 001 Phone: (347) 495-7387 EMail: Not reported Fax Number: Not reported Modified By: NRLOMBAR Date Last Modified: 2004-11-08 Site Id: 14944 Affiliation Type: **Emergency Contact** Company Name: SELFRIDGE TENANTS INC % DIRECT MANAGEMENT Contact Type: Not reported FABIANA BADILLO Contact Name: Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 999 Phone: (718) 274-4300 EMail: Not reported Fax Number: Not reported NRLOMBAR Modified By: Date Last Modified: 2004-11-08 Tank Info: Tank Number: 002 180748 Tank Id: Material Code: 0001 Common Name of Substance: #2 Fuel Oil (On-Site Consumption) Equipment Records: C01 - Pipe Location - Aboveground H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G) L00 - Piping Leak Detection - None 105 - Overfill - Vent Whistle E00 - Piping Secondary Containment - None F00 - Pipe External Protection - None

A100292665

EDR ID Number Database(s)

EPA ID Number

SELFRIDGE TENANTS, INC. (Continued)

A100292665

		G00 - Tank Secondary Containment - None	
		J02 - Dispenser - Suction Dispenser	
		A00 - Tank Internal Protection - None	
		B01 - Tank External Protection - Painted/Asphalt Coating	
		D01 - Pipe Type - Steel/Carbon Steel/Iron	
		K00 - Spill Prevention - None	
	Tank Location:	Aboveground - on saddles, legs, racks, etc Tank bottom is elevated	
		above grade or tank pad, allowing visual inspection.	
	Tank Type:	Steel/Carbon Steel/Iron	
	Tank Status:	In Service	
	Pipe Model:	Not reported	
	Install Date:	11/01/2004	
	Capacity Gallons:	4000	
	Tightness Test Method:	NN	
	Date Test:	Not reported	
	Next Test Date:		
		Not reported	
	Date Tank Closed:	Not reported	
	Register:	True	
	Modified By:	DMPOKRZY	
	Last Modified:	09/07/2017	
	Material Name:	#2 fuel oil (on-site consumption)	
	Material Name.		
116	CON EDISON SERVICE BOX: 4	8853 RCRA NonGen / NLR	1016974163
SE	68-36 SELFRIDGE ST	NY MANIFEST	NYP004479754
1/8-1/4	FOREST HILLS, NY 11375		
0.227 mi.			
1199 ft.			
1100 10.			
Delether	DCDA NanCan / NILD		
Relative:	RCRA NonGen / NLR:		
Higher		ncv: 04/26/2014	
Higher	Date form received by agen		
Higher Actual:	Date form received by agen Facility name:	CON EDISON SERVICE BOX: 48853	
Higher	Date form received by agen	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST	
Higher Actual:	Date form received by agen Facility name: Facility address:	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID:	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754	
Higher Actual:	Date form received by agen Facility name: Facility address:	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID:	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID:	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact:	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address:	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address:	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country:	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported Not reported	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone:	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported Not reported 212-460-3770	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone: Contact email:	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported Not reported	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone:	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported Not reported 212-460-3770	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone: Contact email:	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported Not reported 212-460-3770 Not reported	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact country: Contact telephone: Contact email: EPA Region:	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported Not reported 212-460-3770 Not reported 02	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone: Contact telephone: Contact email: EPA Region: Classification:	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported Not reported 212-460-3770 Not reported 02 Non-Generator	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone: Contact telephone: Contact email: EPA Region: Classification: Description: Handler Activities Summary:	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported Not reported 212-460-3770 Not reported 02 Non-Generator Handler: Non-Generators do not presently generate hazardous waste	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone: Contact telephone: Contact telephone: Contact email: EPA Region: Classification: Description: Handler Activities Summary: U.S. importer of hazardous	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported 212-460-3770 Not reported 02 Non-Generator Handler: Non-Generators do not presently generate hazardous waste	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone: Contact telephone: Contact email: EPA Region: Classification: Description: Handler Activities Summary:	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported 212-460-3770 Not reported 02 Non-Generator Handler: Non-Generators do not presently generate hazardous waste	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone: Contact telephone: Contact telephone: Contact email: EPA Region: Classification: Description: Handler Activities Summary: U.S. importer of hazardous Mixed waste (haz. and radio	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported Not reported 212-460-3770 Not reported 02 Non-Generator Handler: Non-Generators do not presently generate hazardous waste waste: No pactive): No	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone: Contact telephone: Contact telephone: Contact email: EPA Region: Classification: Description: Handler Activities Summary: U.S. importer of hazardous Mixed waste (haz. and radio Recycler of hazardous waste	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported Not reported 212-460-3770 Not reported 02 Non-Generator Handler: Non-Generators do not presently generate hazardous waste waste: No pactive): No te: No	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone: Contact telephone: Contact email: EPA Region: Classification: Description: Handler Activities Summary: U.S. importer of hazardous Mixed waste (haz. and radio Recycler of hazardous wast Transporter of hazardous wast	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported Not reported 212-460-3770 Not reported 02 Non-Generator Handler: Non-Generators do not presently generate hazardous waste waste: No poactive): No te: No vaste: No	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact country: Contact telephone: Contact telephone: Contact email: EPA Region: Classification: Description: Handler Activities Summary: U.S. importer of hazardous Mixed waste (haz. and radio Recycler of hazardous wast Transporter of hazardous wast	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported 212-460-3770 Not reported 02 Non-Generator Handler: Non-Generators do not presently generate hazardous waste waste: No oactive): No te: No vaste: No of HW: No	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact country: Contact telephone: Contact telephone: Contact email: EPA Region: Classification: Description: Handler Activities Summary: U.S. importer of hazardous Mixed waste (haz. and radio Recycler of hazardous wast Transporter of hazardous wast Transporter of hazardous wast Transporter of hazardous wast	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported 212-460-3770 Not reported 02 Non-Generator Handler: Non-Generators do not presently generate hazardous waste waste: No pactive): No te: No raste: No of HW: No	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact country: Contact telephone: Contact telephone: Contact email: EPA Region: Classification: Description: Handler Activities Summary: U.S. importer of hazardous Mixed waste (haz. and radio Recycler of hazardous wast Transporter of hazardous wast	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported 212-460-3770 Not reported 02 Non-Generator Handler: Non-Generators do not presently generate hazardous waste waste: No poactive): No te: No raste: No of HW: No ity: No No	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact country: Contact telephone: Contact telephone: Contact email: EPA Region: Classification: Description: Handler Activities Summary: U.S. importer of hazardous Mixed waste (haz. and radio Recycler of hazardous wast Transporter of hazardous wast	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported 212-460-3770 Not reported 02 Non-Generator Handler: Non-Generators do not presently generate hazardous waste waste: No pactive): No te: No raste: No of HW: No	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact country: Contact telephone: Contact telephone: Contact email: EPA Region: Classification: Description: Handler Activities Summary: U.S. importer of hazardous Mixed waste (haz. and radio Recycler of hazardous wast Transporter of hazardous wast	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported 212-460-3770 Not reported 02 Non-Generator Handler: Non-Generators do not presently generate hazardous waste waste: No poactive): No te: No raste: No of HW: No ity: No No	
Higher Actual:	Date form received by agen Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact country: Contact telephone: Contact telephone: Contact email: EPA Region: Classification: Description: Handler Activities Summary: U.S. importer of hazardous Mixed waste (haz. and radio Recycler of hazardous wast Transporter of hazardous wast	CON EDISON SERVICE BOX: 48853 68-36 SELFRIDGE ST FOREST HILLS, NY 11375 NYP004479754 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported 212-460-3770 Not reported 02 Non-Generator Handler: Non-Generators do not presently generate hazardous waste waste: No oactive): No te: No raste: No of HW: No ity: No No	

User oil refiner:

Generator EPA ID:

Trans1 EPA ID: Trans2 EPA ID:

TSDF ID 1: TSDF ID 2:

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

	INU
Used oil fuel marketer to burne	er: No
Used oil Specification markete	r: No
Used oil transfer facility:	No
Used oil transporter:	No
Historical Generators:	00/00/00/
Date form received by agency:	
Site name:	CON EDISON SERVICE BOX: 48853
Classification:	Conditionally Exempt Small Quantity Generator
Violation Status:	No violations found
NY MANIFEST:	
Country:	USA
EPA ID:	NYP004479754
Facility Status:	Not reported
Location Address 1:	68-39 SELFRIDGE ST
Code:	BP
Location Address 2:	SB48853
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	11432
Location Zip 4:	Not reported
NY MANIFEST:	
EPAID:	NYP004479754
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING ST
Mailing Address 2:	15TH ST
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	11432
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported
NY MANIFEST:	
Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	03/26/2014
Trans1 Recv Date:	03/26/2014
Trans2 Recv Date:	Not reported
TSD Site Recy Date:	03/27/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004479754

NYP004479754 Not reported

Not reported NJD991291105

Not reported

CON EDISON SERVICE BOX: 48853 (Continued)

No

1016974163

Database(s)

EDR ID Number EPA ID Number

1016974163

CON EDISON SERVICE BOX: 48853 (Continued)

002406552GBF Manifest Tracking Number: Import Indicator: Ν Export Indicator: Ν Discr Quantity Indicator: Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν Discr Partial Reject Indicator: Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported Waste Code: Not reported Waste Code: Not reported Not reported Waste Code: Waste Code: Not reported Not reported Waste Code: Quantity: 60 G - Gallons (liquids only)* (8.3 pounds) Units: Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 Waste Code: D008 Waste Code 1_2: Not reported Waste Code 1_3: Not reported Waste Code 1 4: Not reported Waste Code 1 5: Not reported Waste Code 1_6: Not reported

> <u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

117 SSW 1/8-1/4 0.233 mi. 1231 ft.	MOBIL S/S 17-B42 89-09 METROPOLITAN AVE REGO PARK, NY 11374	
Relative: Higher Actual: 62 ft.	UST: Id/Status: Program Type: Region: DEC Region: Expiration Date: UTM X: UTM Y: Site Type:	2-156744 / Unregulated/Closed PBS STATE 2 N/A 596153.16340 4507425.18700 Unknown
	Affiliation Records: Site Id: Affiliation Type: Company Name: Contact Type: Contact Name: Address1:	5152 Facility Owner MOBIL OIL CORP;ATT:A.J.PRINGLE Not reported Not reported 3225 GALLOWS RD.; ENV.ENGINEER

NY UST U001839127 N/A

Database(s)

EDR ID Number EPA ID Number

MOBIL S/S 17-B42 (Continued)

Address2: Not reported FAIRFAX City: State: VA Zip Code: 22037 Country Code: 001 Phone: (703) 849-5862 EMail: Not reported Fax Number: Not reported Modified By: NRLOMBAR Date Last Modified: 2010-03-10 Site Id: 5152 Affiliation Type: Mail Contact Company Name: MOBIL OIL CORP;ATT:A.J.PRINGLE Contact Type: Not reported Contact Name: Not reported Address1: 3225 GALLOWS RD.; ENV.ENGINEER Address2: Not reported City: FAIRFAX State: VA Zip Code: 22037 Country Code: 001 Phone: (703) 849-5862 EMail: Not reported Not reported Fax Number: NRLOMBAR Modified By: Date Last Modified: 2010-03-10 Site Id: 5152 Affiliation Type: Facility Operator MOBIL S/S 17-B42 Company Name: Contact Type: Not reported Contact Name: S PUCCI Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 001 (718) 830-9068 Phone: EMail: Not reported Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 2004-03-04 Site Id: 5152 Affiliation Type: **Emergency Contact** MOBIL OIL CORP;ATT:A.J.PRINGLE Company Name: Not reported Contact Type: S PUCCI Contact Name: Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 001 Phone: (718) 830-9068

Database(s)

EDR ID Number EPA ID Number

MOBIL S/S 17-B42 (Continued)

EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Location: Tank Type: Material Code: Common Name of Substance:	001 29411 Closed - Removed Closed - Removed 550 12/01/1970 03/01/1988 True Underground Steel/carbon steel 0009 Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017
Equipment Records:	H00 - Tank Leak Detection - None 100 - Overfill - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None A00 - Tank Internal Protection - None G00 - Tank Secondary Containment - None
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Location: Tank Type: Material Code: Common Name of Substance:	002 29412 Closed - Removed Closed - Removed 550 12/01/1970 03/01/1988 True Underground Steel/carbon steel 0009 Gasoline
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported TRANSLAT 04/14/2017

U001839127

Database(s)

EDR ID Number EPA ID Number

MOBIL S/S 17-B42 (Continued)

Equipment Records: B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None A00 - Tank Internal Protection - None G00 - Tank Secondary Containment - None H00 - Tank Leak Detection - None 100 - Overfill - None 003 Tank Number: Tank ID: 29413 Closed - Removed Tank Status: Material Name: Closed - Removed Capacity Gallons: 550 Install Date: 12/01/1970 Date Tank Closed: 03/01/1988 Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 9999 Common Name of Substance: Other Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Pipe Model: Not reported Modified By: TRANSLAT 04/14/2017 Last Modified: Equipment Records: **B00 - Tank External Protection - None** C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None A00 - Tank Internal Protection - None G00 - Tank Secondary Containment - None H00 - Tank Leak Detection - None 100 - Overfill - None Tank Number: 004 Tank ID: 29414 Closed - Removed Tank Status: Closed - Removed Material Name: Capacity Gallons: 1000 Install Date: 12/01/1970 Date Tank Closed: 03/01/1988 Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 0001 Common Name of Substance: #2 Fuel Oil (On-Site Consumption) Tightness Test Method: NN Date Test: Not reported

U001839127

Database(s)

EDR ID Number EPA ID Number

U001839127

Not reported Not reported TRANSLAT
04/14/2017
H00 - Tank Leak Detection - None I00 - Overfill - None D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping A00 - Tank Internal Protection - None G00 - Tank Secondary Containment - None
005 29415 Closed - Removed Closed - Removed 4000 12/01/1975 03/01/1988 True Underground Steel/carbon steel 0009 Gasoline NN Not reported Not reported
Not reported TRANSLAT 04/14/2017
U4/14/2U1/
H00 - Tank Leak Detection - None I00 - Overfill - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None G00 - Tank Secondary Containment - None A00 - Tank Internal Protection - None

IRVING PL, 15TH FL NE

118 South 1/8-1/4 0.237 mi. 1253 ft.	CON EDISON SERVICE BO 57 METROPOLITAN AVE FR REGO PARK, NY 11374	
Relative: Higher	RCRA NonGen / NLR: Date form received by a	gency:05/07/2014
Actual: 61 ft.	Facility name: Facility address:	CON EDISON SERVICE BOX: 58948 57 METROPOLITAN AVE FRONT OF REGO PARK, NY 11374
	EPA ID:	NYP004491924

EPA ID: Mailing address: RCRA NonGen / NLR 1017772236 FINDS NYP004491924

Database(s)

EDR ID Number **EPA ID Number**

1017772236

CON EDISON SERVICE BOX: 58948 (Continued)

Contact:	NEW YORK, NY 10003 THOMAS TEELING
Contact address:	Not reported
	Not reported
Contact country:	Not reported
Contact telephone:	212-460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency	y:04/07/2014
Site name:	CON EDISON
Classification:	Small Quantity Generator

Date form received by agency	y:04/07/2014
Site name:	CON EDISON
Classification:	Not a generator, verified

Violation Status:

FINDS:

Registry ID:

110063769122

No violations found

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Database(s)

EDR ID Number EPA ID Number

Y119 South 1/8-1/4 0.241 mi.	CON EDISON SERVICE BOX: 369 METROPOLITAN AVE & WOODH, REGO PARK, NY 11374		RCRA NonGen / NLR FINDS	1017774804 NYP004526216
1275 ft.	Site 1 of 3 in cluster Y			
Relative: Higher Actual: 61 ft.	RCRA NonGen / NLR: Date form received by agency Facility name: Facility address:	CON EDISON SERVICE BOX: 3696 METROPOLITAN AVE & WOODHAVEN BLVD 80 FEET N OF		
	EPA ID: Mailing address:	REGO PARK, NY 11374 NYP004526216 IRVING PL, 15TH FL NE NEW YORK, NY 10003		
	Contact: Contact address:	THOMAS TEELING Not reported Not reported		
	Contact country: Contact telephone: Contact email: EPA Region: Classification: Description:	Not reported 212-460-3770 Not reported 02 Non-Generator Handler: Non-Generators do not presently o	generate hazardous waste	
	Handler Activities Summary: U.S. importer of hazardous wa Mixed waste (haz. and radioad Recycler of hazardous waste: Transporter of hazardous wass Treater, storer or disposer of H Underground injection activity: On-site burner exemption: Furnace exemption: Used oil fuel burner: Used oil fuel burner: Used oil fuel burner: Used oil processor: User oil refiner: Used oil fuel marketer to burne Used oil Specification markete Used oil transfer facility: Used oil transporter:	ctive): No No te: No W: No No No No No No No		
	Historical Generators: Date form received by agency Site name: Classification:	CON EDISON Small Quantity Generator		
	Date form received by agency Site name: Classification:	:05/08/2014 CON EDISON Not a generator, verified		
	Violation Status:	No violations found		
	FINDS:			
	Registry ID:	110063794808		
	Environmental Interest/Informa RCRAInfo is	ation System s a national information system that supports	the Resource	

Map ID Direction Distance Elevation Site

X120

1/8-1/4

0.242 mi. 1277 ft.

Relative:

Higher Actual: 60 ft.

SE

MAP FINDINGS

			ase(s)	
CON EDISON SERVIC	E BOX: 3696 (Co	ntinued)		1017774804
	events and activit and treat, store, o program staff to tr	Recovery Act (RCRA) program through the tracking of les related to facilities that generate, transport, r dispose of hazardous waste. RCRAInfo allows RCRA ack the notification, permit, compliance, and activities required under RCRA.		
		while viewing on your computer to access detail in the EDR Site Report.		
CON EDISON SERVICI 8-09 OLCOTT ST FRO OREST HILLS, NY 17	ONT OF	RCRA NonGen	/ NLR	1017777321 NYP004552139
Site 3 of 4 in cluster X				
RCRA NonGen / NLF	र:			
Date form receive	d by agency:07/03	3/2014		
Facility name:		EDISON SERVICE BOX: 64714		
Facility address:	68-09	OLCOTT ST FRONT OF		
		EST HILLS, NY 11375		
EPA ID:		004552139		
Mailing address:	NEW	NG PL, 15TH FL NE YORK, NY 10003		
Contact:		MAS TEELING		
Contact address:		eported		
<u> </u>		eported		
Contact country:		eported		
Contact telephone		460-3770		
Contact email:		eported		
EPA Region:	02			
Classification:		Generator	4 .	
Description:	Hand	ler: Non-Generators do not presently generate hazardous wa	aste	
Handler Activities Su				
U.S. importer of ha	azardous waste:	No		
Mixed waste (haz.	and radioactive):	No		
Recycler of hazard	lous waste:	No		
Transporter of haz	ardous waste:	No		
Treater, storer or o		No		
Underground inject		No		
On-site burner exe		No		
Furnace exemptio		No		
Used oil fuel burne		No		
Used oil processo	r:	No		
		No		
User oil refiner:		No No		
Used oil fuel mark	dense som ander de	NO		
Used oil fuel mark Used oil Specifica				
Used oil fuel mark	acility:	No No		

Date form received by agency: 06/03/2014 Site name: CON EDISON Small Quantity Generator Classification:

Date form received by agency: 06/03/2014

EDR ID Number

EPA ID Number

Database(s)

Database(s)

EDR ID Number EPA ID Number

	CON EDISON SERVICE BOX: 64714 (Continued)			1017777321
	Site name: Classification:	CON EDISON Not a generator, verified		
	Violation Status:	No violations found		
X121 SE 1/8-1/4 0.242 mi.	CON EDISON 68-09 OLCOTT ST FRONT OF FOREST HILLS, NY 11375 Site 4 of 4 in glupter X		NY MANIFEST	S117062828 N/A
1277 ft.	Site 4 of 4 in cluster X			
Relative: Higher Actual: 60 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location State: Location State: Location Zip: Location Zip 4: NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Zip 4: Mailing Country: Mailing Phone:	USA NYP004552139 Not reported 6804 OLCOTT ST BP SB 62716 Not reported FOREST HILLS NY 11375 Not reported NYP004552139 CON EDISON TOM TEELING 4 IRVING PLACE 15TH FLOOR Not reported NEW YORK NY 10003 Not reported USA Not reported		
	NY MANIFEST: Document ID: Manifest Status: seq: Year: Trans1 State ID: Trans2 State ID: Generator Ship Date: Trans1 Recv Date: Trans2 Recv Date: TSD Site Recv Date: Part A Recv Date: Part A Recv Date: Part B Recv Date: Generator EPA ID: Trans1 EPA ID: Trans1 EPA ID: Trans2 EPA ID: TSDF ID 1: TSDF ID 1: TSDF ID 2: Manifest Tracking Number: Import Indicator: Export Indicator:	Not reported Not reported 2014 NJD003812047 Not reported 06/03/2014 06/03/2014 Not reported 06/03/2014 Not reported Not reported NYP004552139 Not reported NYP004552139 Not reported NJD991291105 Not reported 002424186GBF N N		

Database(s)

EDR ID Number EPA ID Number

S117062828

CON EDISON (Continued)

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

Z122 ESE 1/8-1/4 0.242 mi. 1278 ft.	CON EDISON 68-31 NANSEN ST FRONT OF FOREST HILLS, NY 11375 Site 1 of 2 in cluster Z		NY MANIFEST	S116551192 N/A
Relative: Higher Actual: 59 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location State: Location State: Location Zip: Location Zip 4: NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing City: Mailing State:	USA NYP004496345 Not reported 68-31 MANSE ST BP STRUCTURE # 30815 Not reported QUEENS NY 11375 Not reported NYP004496345 CON EDISON TOM TEELING 4 IRVING PLACE 15TH FLOOR Not reported NEW YORK NY		

Site

Quantity:

Number of Containers:

Container Type:

Handling Method:

Specific Gravity:

Waste Code 1_2:

Waste Code 1_3:

Waste Code 1_4: Waste Code 1_5:

Waste Code 1_6:

Waste Code:

Units:

40

1

1

D008

Not reported

Not reported Not reported

Not reported Not reported

MAP FINDINGS

Database(s)

EDR ID Number **EPA ID Number**

CON EDISON (Continued)		S11655 [,]
Mailing Zip:	10003	
Mailing Zip 4:	Not reported	
Mailing Country:	USA	
Mailing Phone:	2124603770	
Maning Phone.	2124000110	
NY MANIFEST:		
Document ID:	Not reported	
Manifest Status:	Not reported	
seq:	Not reported	
Year:	2014	
Trans1 State ID:	NJD003812047	
Trans2 State ID:	Not reported	
Generator Ship Date:	04/10/2014	
Trans1 Recv Date:	04/10/2014	
Trans2 Recv Date:	Not reported	
TSD Site Recy Date:	04/10/2014	
Part A Recv Date:	Not reported	
Part B Recv Date:	Not reported	
Generator EPA ID:	NYP004496345	
Trans1 EPA ID:	Not reported	
Trans2 EPA ID:	Not reported	
TSDF ID 1:	NJD991291105	
TSDF ID 2:	Not reported	
Manifest Tracking Number:	002407507GBF	
Import Indicator:	Ν	
Export Indicator:	Ν	
Discr Quantity Indicator:	N	
Discr Type Indicator:	N	
Discr Residue Indicator:	Ν	
Discr Partial Reject Indicator:	Ν	
Discr Full Reject Indicator:	Ν	
Manifest Ref Number:	Not reported	
Alt Facility RCRA ID:	Not reported	
Alt Facility Sign Date:	Not reported	
MGMT Method Type Code:	H110	
Waste Code:	Not reported	
0	10	

G - Gallons (liquids only)* (8.3 pounds)

T Chemical, physical, or biological treatment.

TT - Cargo tank, tank trucks

S116551192

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)

S116551192

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

Z123 ESE 1/8-1/4 0.242 mi.	CON EDISON SERVICE BOX: 308 68-31 NANSEN ST FRONT OF FOREST HILLS, NY 11375	315	RCRA NonGen / NLR FINDS	1017772674 NYP004496345
0.242 mi. 1278 ft.	Site 2 of 2 in cluster Z			
Relative: Higher Actual: 59 ft.	RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact address: Contact country: Contact telephone: Contact telephone: Contact email: EPA Region: Classification:	y: 05/10/2014 CON EDISON SERVICE BOX: 30815 68-31 NANSEN ST FRONT OF FOREST HILLS, NY 11375 NYP004496345 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported Not reported 212-460-3770 Not reported 02 Non-Generator		
	Description:	Handler: Non-Generators do not presen	tly generate hazardous waste	
	Handler Activities Summary: U.S. importer of hazardous w. Mixed waste (haz. and radioa Recycler of hazardous waste: Transporter of hazardous was Treater, storer or disposer of Underground injection activity On-site burner exemption: Furnace exemption: Used oil fuel burner: Used oil fuel burner: Used oil fuel burner: Used oil processor: User oil refiner: Used oil fuel marketer to burn Used oil Specification marketer Used oil transfer facility: Used oil transporter:	ictive): No : No ste: No HW: No /: No No No No No No No No		
	Historical Generators: Date form received by agency Site name: Classification:	y:04/10/2014 CON EDISON Small Quantity Generator		
	Date form received by agency Site name: Classification:	y:04/10/2014 CON EDISON Not a generator, verified		
	Violation Status:	No violations found		
	FINDS:			

Database(s)

EDR ID Number EPA ID Number

CON EDISON SERVICE BOX: 30815 (Continued)

Registry ID:

110063787736

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

<u>Click this hyperlink</u> while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Y124 South 1/8-1/4 0.243 mi. 1282 ft.	EAC USA INC 90-30 METROPOLITAN AVE GLENDALE, NY 11385 Site 2 of 3 in cluster Y	RCRA-CESQG NY SHWS NY ENG CONTROLS NY INST CONTROL NY VCP FINDS	1004759879 NYR000024273
Relative: Higher		ECHO	
Actual:		NY MANIFEST	
60 ft.	RCRA-CESQG:		
	Date form received by agen	cy:01/01/2007	
	Facility name:	EAC USA INC	
	Facility address:	90-30 METROPOLITAN AVE	
		GLENDALE, NY 11385	
	EPA ID:	NYR000024273	
	Mailing address:		
	Contact:	OLD GREENWICH, NY 06870 CHARLES LARSON	
	Contact address:	FOREST AVE	
	Contact address.	OLD GREENWICH, NY 06870	
	Contact country:	US	
	Contact telephone:	203-698-1716	
	Contact email:	Not reported	
	EPA Region:	02	
	Classification:	Conditionally Exempt Small Quantity Generator	
	Description:	Handler: generates 100 kg or less of hazardous waste per calendar	
		month, and accumulates 1000 kg or less of hazardous waste at any time;	
		or generates 1 kg or less of acutely hazardous waste per calendar	
		month, and accumulates at any time: 1 kg or less of acutely hazardous	
		waste; or 100 kg or less of any residue or contaminated soil, waste or	
		other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less	
		of any residue or contaminated soil, waste or other debris resulting	
		from the cleanup of a spill, into or on any land or water, of acutely	
		hazardous waste during any calendar month, and accumulates at any	
		time: 1 kg or less of acutely hazardous waste; or 100 kg or less of	
		any residue or contaminated soil, waste or other debris resulting from	
		the cleanup of a spill, into or on any land or water, of acutely	
		hazardous waste	
	Owner/Operator Summary:		
	Owner/operator name:	EAC USA INC	
	Owner/operator address:	53 FOREST AVE	

1017772674

Database(s)

EDR ID Number EPA ID Number

EAC USA INC (Continued)

AC USA INC (Continued)	
	OLD GREENWICH, CT 06870
Owner/operator country:	US
Owner/operator telephone:	203-698-1716
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported
Owner/operator name:	EAC USA INC
Owner/operator address:	53 FOREST AVE OLD GREENWICH, CT 06870
Owner/operator country:	US
Owner/operator telephone:	203-698-1716
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported
Handler Activities Summary: U.S. importer of hazardous w Mixed waste (haz. and radioa Recycler of hazardous waste Transporter of hazardous waste Transporter of hazardous was Treater, storer or disposer of Underground injection activit On-site burner exemption: Furnace exemption: Used oil fuel burner: Used oil fuel burner: Used oil processor: User oil refiner: Used oil fuel marketer to burn Used oil Specification market Used oil transfer facility: Used oil transporter:	active): No e: No ste: No HW: No y: No No No No No No No No
Historical Generators: Date form received by agenc Site name: Classification:	y: 01/01/2006 EAC USA INC Small Quantity Generator
Date form received by agence	v: 05/21/1996
Site name:	EAC USA INC
Classification:	Conditionally Exempt Small Quantity Generator
. Waste code:	D000
. Waste name:	Not Defined
. Waste code:	D039
. Waste name:	TETRACHLOROETHYLENE

Database(s)

EDR ID Number EPA ID Number

EAC USA INC (Conti	nued)
Violation Status:	No violations found
SHWS:	
Program:	HW
Site Code:	57916
Classification:	N
Region:	2
Acres:	Not reported
HW Code:	241030
Record Add:	08/28/2000
Record Upd:	11/23/2009
Updated By:	MOBARRIE
Site Description:	See also #V00253 (99) and #241023 (D3). Per Class History: it is a
	corner lot and there are 2 different addresses (can't relate sites to
	each other) FER was approved see V00253. This site reclassified to
	'N', since the O&M will be done under the VCA, and this was never
	determined to be a Significant Threat site 11/23/09.
Env Problem:	Not reported
Health Problem:	Not reported
Dump:	Not reported
Structure:	Not reported Not reported
Lagoon: Landfill:	Not reported
Pond:	Not reported
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	Not reported
Record Upd:	Not reported
Updated By:	Not reported
Own Op:	Owner
Sub Type:	E
Owner Name:	DAVID SCHORE
Owner Company	
Owner Address:	111 EAST 61ST STREET
Owner Addr2:	4TH FLOOR
Owner City,St,Zip Owner Country:	b: NEW YORK, NY 10021 United States of America
Own Op:	Applicant/Requestor
Sub Type:	E
Owner Name:	DAVID SCHORE
Owner Company	
Owner Address:	111 EAST 61ST STREET
Owner Addr2:	4TH FLOOR
Owner City,St,Zip	D: NEW YORK, NY 10021
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	09
Owner Name:	JOSEPH BATTIATO
Owner Company	
Owner Address:	53 FOREST AVENUE
Owner Addr2:	
Owner City,St,Zip Owner Country:	 OLD GREENWICH, CT 06870 United States of America
HW Code:	Not reported
Waste Type:	Not reported
Waste Quantity:	Not reported
	•

Database(s)

EDR ID Number EPA ID Number

EAC USA INC (Continued) 1004759879 Waste Code: Not reported Not reported Crossref ID: Cross Ref Type Code: Not reported Cross Ref Type: Not reported Record Added Date: Not reported Record Updated: Not reported Updated By: Not reported ENG CONTROLS: Site Code: 58551 HW Code: V00253 Control Code: 35 Control Type: ENG Date Record Added: 03/29/2011 Date Rec Updated: 10/29/2018 YYWONG Updated By: Site Description: The Site is located on the south side of Metropolitan Avenue just to the east of Woodhaven Boulevard. The Site is mostly paved and has a large one-story building at its southern end. The site is currently unused. Surrounding uses are commercial. Residential properties exist further to the west (across Woodhaven Boulevard) and to the north (across Metropolitan Avenue). Numerous investigations have been conducted at the site in efforts to identify a source area for tetrachloroethylene ("perc") that has been identified in site groundwater. Past uses that may have resulted in releases of perc are printing press manufacture and repair and storage of chemicals by a distributor. The building has been redeveloped and is now occupied with retail. Tetrachloroethylene has been identified in groundwater, the surface Env Problem: of which is approximately 45 feet below the ground surface, beneath the Site and the area of the Site to the west (the property adjacent on the west and under Woodhaven Boulevard) and to the south (just beyond 73rd Avenue). The most recent groundwater sampling confirmed that PCE, cis-1,2-dichloroethene and 1,1,2,2-tetrachloroethane have been detected in groundwater beneath the Site, which is present between approximately 45 and 133 feet below grade. Concentrations of PCE are most elevated in the shallow and intermediate zones (maximum of 3,600 ug/l and 3,300 ug/l, respectively) and decrease in the deeper zone (maximum of 170 ug/l). The remedial measures were designed to treat the onsite impacted groundwater. The most recent soil gas sampling indicated that no significant concentrations of PCE

are present in soil vapor beneath the Site. However, based on the nature of impacted groundwater at the Site, the remedial measures are intended to address potential soil vapor impacts that may be present. Remediation has been completed in 2010 and release letter covenant

contaminated groundwater is unlikely. Elevated concentrations of site contaminants have not been detected in site soils. Soil vapor samples

The area is served by public water, therefore exposure to

were taken around the on-site building and trace levels of chlorinated solvents were detected. A remedial action to install an air sparge and soil vapor extraction remedial system is underway. The

building is now vacant and will be redeveloped for restricted commercial use. Further investigation of the building will occur

not to sue were issued in August 2010.

before occupation.

False

False

Dump: Structure:

Health Problem:

Database(s)

EDR ID Number **EPA ID Number**

EAC USA INC (Continued)

Dell:

Lagoon: False False Landfill: False Pond: Disp Start: Not reported Disp Term: Not reported Lat/Long: Not reported False 2006-06-13 09:35:00 Record Add: Record Upd: 2011-03-14 11:31:00 Updated By: **VXBREVDO** Own Op: Applicant/Requestor Sub Type: ZZZ Owner Name: Not reported Owner Company: EAC USA INC 53 FOREST AVE. Owner Address: Owner Addr2: Not reported Owner City, St, Zip: OLD GREENWICH. CT 06870 **Owner Country:** United States of America Own Op: Owner NNN Sub Type: Owner Name: DAVID SCHORE **Owner Company:** DPSW FOREST HILLS LLC C/O MARK HOLDINGS LLC Owner Address: 111 EAST 61ST STREET Owner Addr2: **4TH FLOOR** Owner City, St, Zip: NEW YORK, NY 10021 Owner Country: United States of America Applicant/Requestor Own Op: Sub Type: 09 ATTN: JOSEPH BATTIATO Owner Name: Owner Company: TITAN MANAGEMENT LP C/O ELLINGTON MGMT GROUP LLC Owner Address: 53 FOREST AVE. Owner Addr2: Not reported Owner City,St,Zip: OLD GREENWICH, CT 06870 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: Е Owner Name: DAVID SHORE **Owner Company:** DPSW FOREST HILLS LLC C/O MARK HOLDINGS LLC Owner Address: 111 EAST 61ST STREET Owner Addr2: **4TH FLOOR** Owner City,St,Zip: NEW YORK, NY 10021 Owner Country: United States of America HW Code: V00253 TETRACHLOROETHYLENE (PCE) Waste Type: Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00253 TETRACHLOROETHYLENE (PCE) Waste Type: UNKNOWN Waste Quantity: Not reported Waste Code: HW Code: V00253 Waste Type: tetrachloroethene (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00253 tetrachloroethene (PCE) Waste Type: Waste Quantity: UNKNOWN

1004759879

Database(s)

EDR ID Number EPA ID Number

EAC USA INC (Continued) 1004759879 Waste Code: Not reported 00-TEMP-01-51(I Crossref ID: Cross Ref Type Code: 20 Cross Ref Type: Haz. Substance ID Record Added Date: 2000-11-30 16:07:00 Record Updated: 2005-02-24 15:54:00 Updated By: VCPTRANS INST CONTROL: Site Code: 58551 Control Name: **Deed Restriction** HW Code: V00253 Control Code: Α Control Type: INST Dt record added: 03/29/2011 10/29/2018 Dt rec updated: Updated By: YYWONG Site Code: 58551 Site Description: The Site is located on the south side of Metropolitan Avenue just to the east of Woodhaven Boulevard. The Site is mostly paved and has a large one-story building at its southern end. The site is currently unused. Surrounding uses are commercial. Residential properties exist further to the west (across Woodhaven Boulevard) and to the north (across Metropolitan Avenue). Numerous investigations have been conducted at the site in efforts to identify a source area for tetrachloroethylene ("perc") that has been identified in site groundwater. Past uses that may have resulted in releases of perc are printing press manufacture and repair and storage of chemicals by a distributor. The building has been redeveloped and is now occupied with retail. Env Problem: Tetrachloroethylene has been identified in groundwater, the surface of which is approximately 45 feet below the ground surface, beneath the Site and the area of the Site to the west (the property adjacent on the west and under Woodhaven Boulevard) and to the south (just beyond 73rd Avenue). The most recent groundwater sampling confirmed that PCE, cis-1,2-dichloroethene and 1,1,2,2-tetrachloroethane have been detected in groundwater beneath the Site, which is present between approximately 45 and 133 feet below grade. Concentrations of PCE are most elevated in the shallow and intermediate zones (maximum of 3,600 ug/l and 3,300 ug/l, respectively) and decrease in the

 intended to address potential soil vapor impacts that may be present. Remediation has been completed in 2010 and release letter covenant not to sue were issued in August 2010.
 Health Problem: The area is served by public water, therefore exposure to contaminated groundwater is unlikely. Elevated concentrations of site contaminants have not been detected in site soils. Soil vapor samples were taken around the on-site building and trace levels of chlorinated solvents were detected. A remedial action to install an air sparge and soil vapor extraction remedial system is underway. The building is now vacant and will be redeveloped for restricted commercial use. Further investigation of the building will occur before occupation.

deeper zone (maximum of 170 ug/l). The remedial measures were designed to treat the onsite impacted groundwater. The most recent soil gas sampling indicated that no significant concentrations of PCE are present in soil vapor beneath the Site. However, based on the nature of impacted groundwater at the Site, the remedial measures are

Database(s)

EDR ID Number EPA ID Number

1004759879

EAC USA INC (Continued)

Dump: False Structure: False False Lagoon: Landfill: False Pond: False Disp Start: Not reported Disp Term: Not reported Lat/Long: Not reported Dell: False Record Add: 2006-06-13 09:35:00 Record Upd: 2011-03-14 11:31:00 Updated By: **VXBREVDO** Own Op: Applicant/Requestor Sub Type: ZZZ Owner Name: Not reported Owner Company: EAC USA INC Owner Address: 53 FOREST AVE. Owner Addr2: Not reported Owner City, St, Zip: OLD GREENWICH, CT 06870 Owner Country: United States of America Own Op: Owner Sub Type: NNN DAVID SCHORE Owner Name: Owner Company: DPSW FOREST HILLS LLC C/O MARK HOLDINGS LLC Owner Address: 111 EAST 61ST STREET Owner Addr2: 4TH FLOOR Owner City, St, Zip: NEW YORK, NY 10021 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: 09 ATTN: JOSEPH BATTIATO Owner Name: Owner Company: TITAN MANAGEMENT LP C/O ELLINGTON MGMT GROUP LLC Owner Address: 53 FOREST AVE. Owner Addr2: Not reported Owner City, St, Zip:OLD GREENWICH, CT 06870 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: Е DAVID SHORE Owner Name: Owner Company: DPSW FOREST HILLS LLC C/O MARK HOLDINGS LLC Owner Address: 111 EAST 61ST STREET Owner Addr2: 4TH FLOOR Owner City, St, Zip: NEW YORK, NY 10021 Owner Country: United States of America HW Code: V00253 TETRACHLOROETHYLENE (PCE) Waste Type: Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00253 Waste Type: TETRACHLOROETHYLENE (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported V00253 HW Code: Waste Type: tetrachloroethene (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00253

EAC USA INC (Continued)

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

1004759879

Record Added Da	tetrachloroethene (PCE) UNKNOWN Not reported 00-TEMP-01-51(I Cade: Haz. Substance ID at2000-11-30 16:07:00 2005-02-24 15:54:00 VCPTRANS
Site Code: Control Name: HW Code: Control Code: Control Type: Dt record added: Dt rec updated: Updated By: Site Code:	10/29/2018 YYWONG 58551
Site Description:	The Site is located on the south side of Metropolitan Avenue just to the east of Woodhaven Boulevard. The Site is mostly paved and has a large one-story building at its southern end. The site is currently unused. Surrounding uses are commercial. Residential properties exist further to the west (across Woodhaven Boulevard) and to the north (across Metropolitan Avenue). Numerous investigations have been conducted at the site in efforts to identify a source area for tetrachloroethylene ("perc") that has been identified in site groundwater. Past uses that may have resulted in releases of perc are printing press manufacture and repair and storage of chemicals by a distributor. The building has been redeveloped and is now occupied with retail. Tetrachloroethylene has been identified in groundwater, the surface of which is approximately 45 feet below the ground surface, beneath the Site and the area of the Site to the west (the property adjacent on the west and under Woodhaven Boulevard) and to the south (just beyond 73rd Avenue). The most recent groundwater sampling confirmed that PCE, cis-1,2-dichloroethene and 1,1,2,2-tetrachloroethane have been detected in groundwater beneath the Site, which is present between approximately 45 and 133 feet below grade. Concentrations of PCE are most elevated in the shallow and intermediate zones (maximum of 3,600 ug/l and 3,300 ug/l, respectively) and decrease in the
Health Problem:	deeper zone (maximum of 170 ug/l). The remedial measures were designed to treat the onsite impacted groundwater. The most recent soil gas sampling indicated that no significant concentrations of PCE are present in soil vapor beneath the Site. However, based on the nature of impacted groundwater at the Site, the remedial measures are intended to address potential soil vapor impacts that may be present. Remediation has been completed in 2010 and release letter covenant not to sue were issued in August 2010. The area is served by public water, therefore exposure to contaminated groundwater is unlikely. Elevated concentrations of site contaminants have not been detected in site soils. Soil vapor samples were taken around the on-site building and trace levels of chlorinated soil vapor extraction remedial system is underway. The building is now vacant and will be redeveloped for restricted commercial use. Further investigation of the building will occur

EAC USA INC (Continued)

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

1004759879

before occupation. Dump: False Structure: False Lagoon: False Landfill: False Pond: False Disp Start: Not reported Disp Term: Not reported Lat/Long: Not reported Dell: False Record Add: 2006-06-13 09:35:00 2011-03-14 11:31:00 Record Upd: **VXBREVDO** Updated By: Own Op: Applicant/Requestor Sub Type: ZZZ Owner Name: Not reported Owner Company: EAC USA INC Owner Address: 53 FOREST AVE. Owner Addr2: Not reported Owner City, St, Zip: OLD GREENWICH, CT 06870 Owner Country: United States of America Own Op: Owner Sub Type: NNN Owner Name: DAVID SCHORE Owner Company: DPSW FOREST HILLS LLC C/O MARK HOLDINGS LLC Owner Address: 111 EAST 61ST STREET Owner Addr2: 4TH FLOOR Owner City, St, Zip: NEW YORK, NY 10021 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: 09 Owner Name: ATTN: JOSEPH BATTIATO Owner Company: TITAN MANAGEMENT LP C/O ELLINGTON MGMT GROUP LLC Owner Address: 53 FOREST AVE. Not reported Owner Addr2: Owner City, St, Zip: OLD GREENWICH, CT 06870 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: Е Owner Name: DAVID SHORE Owner Company: DPSW FOREST HILLS LLC C/O MARK HOLDINGS LLC Owner Address: 111 EAST 61ST STREET Owner Addr2: 4TH FLOOR Owner City, St, Zip:NEW YORK, NY 10021 Owner Country: United States of America HW Code: V00253 Waste Type: TETRACHLOROETHYLENE (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00253 TETRACHLOROETHYLENE (PCE) Waste Type: Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00253 Waste Type: tetrachloroethene (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported

Database(s)

EAC	USA INC (Contin	nued)	1004759
	Record Added Da	V00253 tetrachloroethene (PCE) UNKNOWN Not reported 00-TEMP-01-51(I Code: Haz. Substance ID at@000-11-30 16:07:00 2005-02-24 15:54:00 VCPTRANS	
	Site Code: Control Name: HW Code: Control Code: Control Type: Dt record added: Dt rec updated: Updated By: Site Code: Site Description:	58551 Monitoring Plan V00253 31 INST 03/29/2011 10/29/2018 YYWONG 58551 The Site is located on the south side of Metropolitan Avenue just to the east of Woodhaven Boulevard. The Site is mostly paved and has a large one-story building at its southern end. The site is currently unused. Surrounding uses are commercial. Residential properties exist further to the west (across Woodhaven Boulevard) and to the north (across Metropolitan Avenue). Numerous investigations have been conducted at the site in efforts to identify a source area for tetrachloroethylene ("perc") that has been identified in site groundwater. Past uses that may have resulted in releases of perc are printing press manufacture and repair and storage of chemicals by a distributor. The building has been redeveloped and is now occupied with retail.	
	Env Problem:	Tetrachloroethylene has been identified in groundwater, the surface of which is approximately 45 feet below the ground surface, beneath the Site and the area of the Site to the west (the property adjacent on the west and under Woodhaven Boulevard) and to the south (just beyond 73rd Avenue). The most recent groundwater sampling confirmed that PCE, cis-1,2-dichloroethene and 1,1,2,2-tetrachloroethane have been detected in groundwater beneath the Site, which is present between approximately 45 and 133 feet below grade. Concentrations of PCE are most elevated in the shallow and intermediate zones (maximum of 3,600 ug/l and 3,300 ug/l, respectively) and decrease in the deeper zone (maximum of 170 ug/l). The remedial measures were designed to treat the onsite impacted groundwater. The most recent soil gas sampling indicated that no significant concentrations of PCE are present in soil vapor beneath the Site, the remedial measures are intended to address potential soil vapor impacts that may be present.	
	Health Problem:	Remediation has been completed in 2010 and release letter covenant not to sue were issued in August 2010. The area is served by public water, therefore exposure to contaminated groundwater is unlikely. Elevated concentrations of site contaminants have not been detected in site soils. Soil vapor samples were taken around the on-site building and trace levels of chlorinated solvents were detected. A remedial action to install an air sparge and soil vapor extraction remedial system is underway. The building is now vacant and will be redeveloped for restricted	

Database(s)

EDR ID Number EPA ID Number

EAC USA INC (Continued)

1004759879

commercial use. Further investigation of the building will occur before occupation. Dump: False False Structure: Lagoon: False Landfill: False Pond: False Disp Start: Not reported Disp Term: Not reported Lat/Long: Not reported Dell: False 2006-06-13 09:35:00 Record Add: 2011-03-14 11:31:00 Record Upd: Updated By: **VXBREVDO** Own Op: Applicant/Requestor Sub Type: 777 Not reported Owner Name: Owner Company: EAC USA INC Owner Address: 53 FOREST AVE. Owner Addr2: Not reported Owner City, St, Zip: OLD GREENWICH, CT 06870 Owner Country: United States of America Own Op: Owner Sub Type: NNN Owner Name: DAVID SCHORE Owner Company: DPSW FOREST HILLS LLC C/O MARK HOLDINGS LLC Owner Address: 111 EAST 61ST STREET Owner Addr2: 4TH FLOOR Owner City, St, Zip: NEW YORK, NY 10021 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: 09 Owner Name: ATTN: JOSEPH BATTIATO Owner Company: TITAN MANAGEMENT LP C/O ELLINGTON MGMT GROUP LLC Owner Address: 53 FOREST AVE. Not reported Owner Addr2: Owner City, St, Zip: OLD GREENWICH, CT 06870 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: Е Owner Name: DAVID SHORE Owner Company: DPSW FOREST HILLS LLC C/O MARK HOLDINGS LLC Owner Address: 111 EAST 61ST STREET Owner Addr2: 4TH FLOOR Owner City, St, Zip: NEW YORK, NY 10021 Owner Country: United States of America HW Code: V00253 Waste Type: **TETRACHLOROETHYLENE (PCE)** Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00253 Waste Type: **TETRACHLOROETHYLENE (PCE)** Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00253 tetrachloroethene (PCE) Waste Type: Waste Quantity: UNKNOWN

Database(s)

EAC USA INC (Continued)		1004759879
Waste Code: Not re	eported	
HW Code: V002	•	
Waste Type: tetrac	chloroethene (PCE)	
	NOWN	
	eported	
	EMP-01-51(I	
Cross Ref Type Code:		
Cross Ref Type: Haz.	Substance ID	
Record Added Date000		
Record Updated: 2005		
-	TRANS	
VCP:		
Program Type:	VCP	
Site Code:	58551	
HW Code:	V00253	
Site Class:	C	
SWIS:	4101	
Region:	2	
Town:	New York City	
Acres:	1	
Date Record Added:	11/30/2000	
Date Record Updated:		
Updated By:	JHOCONNE	
Site Description:	The Site is located on the south side of Metropolitan Avenue just to	
	the east of Woodhaven Boulevard. The Site is mostly paved and has a	
	large one-story building at its southern end. The site is currently	
	unused. Surrounding uses are commercial. Residential properties exist	
	further to the west (across Woodhaven Boulevard) and to the north	
	(across Metropolitan Avenue). Numerous investigations have been	
	conducted at the site in efforts to identify a source area for	
	tetrachloroethylene ("perc") that has been identified in	
	site groundwater. Past uses that may have resulted in releases of	
	perc are printing press manufacture and repair and storage of	
	chemicals by a distributor. The building has been redeveloped and is	
	now occupied with retail.	
Env Problem:	Tetrachloroethylene has been identified in groundwater, the surface	
	of which is approximately 45 feet below the ground surface, beneath	
	the Site and the area of the Site to the west (the property adjacent	
	on the west and under Woodhaven Boulevard) and to the south (just	
	beyond 73rd Avenue). The most recent groundwater sampling confirmed	
	that PCE, cis-1,2-dichloroethene and 1,1,2,2-tetrachloroethane have	
	been detected in groundwater beneath the Site, which is present	
	between approximately 45 and 133 feet below grade. Concentrations of	
	PCE are most elevated in the shallow and intermediate zones (maximum	
	of 3,600 ug/l and 3,300 ug/l, respectively) and decrease in the	
	deeper zone (maximum of 170 ug/l). The remedial measures were	
	designed to treat the onsite impacted groundwater. The most recent	
	soil gas sampling indicated that no significant concentrations of PCE	
	are present in soil vapor beneath the Site. However, based on the	
	nature of impacted groundwater at the Site, the remedial measures are	
	intended to address potential soil vapor impacts that may be present.	
	Remediation has been completed in 2010 and release letter covenant	
	not to sue were issued in August 2010.	
Health Problem:	The area is served by public water, therefore exposure to	
	contaminated groundwater is unlikely. Elevated concentrations of site	
	contaminants have not been detected in site soils. Soil vapor samples	

EDR ID Number Database(s) **EPA ID Number**

EAC USA INC (Continued)

Dump:

Structure:

Disp Start:

Disp Term:

Lat/Long:

Own Op:

Sub Type:

Own Op:

Sub Type:

Own Op:

Own Op:

Sub Type:

HW Code:

HW Code:

Sub Type:

Lagoon: Landfill:

Pond:

Dell:

1004759879

were taken around the on-site building and trace levels of chlorinated solvents were detected. A remedial action to install an air sparge and soil vapor extraction remedial system is underway. The building is now vacant and will be redeveloped for restricted commercial use. Further investigation of the building will occur before occupation. False False False False False Not reported Not reported Not reported False Record Add: 2006-06-13 09:35:00 Record Upd: 2011-03-14 11:31:00 **VXBREVDO** Updated By: Applicant/Requestor ZZZ Owner Name: Not reported Owner Company: EAC USA INC Owner Address: 53 FOREST AVE. Owner Addr2: Not reported OLD GREENWICH, CT 06870 Owner City, St, Zip: United States of America Owner Country: Owner NNN Owner Name: DAVID SCHORE Owner Company: DPSW FOREST HILLS LLC C/O MARK HOLDINGS LLC Owner Address: 111 EAST 61ST STREET Owner Addr2: 4TH FLOOR Owner City,St,Zip: NEW YORK, NY 10021 Owner Country: United States of America Applicant/Requestor 09 Owner Name: ATTN: JOSEPH BATTIATO **Owner Company:** TITAN MANAGEMENT LP C/O ELLINGTON MGMT GROUP LLC 53 FOREST AVE. Owner Address: Owner Addr2: Not reported OLD GREENWICH, CT 06870 Owner City,St,Zip: United States of America Owner Country: Applicant/Requestor F Owner Name: DAVID SHORE Owner Company: DPSW FOREST HILLS LLC C/O MARK HOLDINGS LLC Owner Address: 111 EAST 61ST STREET Owner Addr2: 4TH FLOOR Owner City, St, Zip: NEW YORK, NY 10021 Owner Country: United States of America V00253 Waste Type: TETRACHLOROETHYLENE (PCE) UNKNOWN Waste Quantity: Waste Code: Not reported V00253 TETRACHLOROETHYLENE (PCE) Waste Type: Waste Quantity: UNKNOWN

Database(s)

EDR ID Number EPA ID Number

1004759879

EAC USA INC (Continued)

Waste Code: HW Code:	Not reported V00253
Waste Type:	tetrachloroethene (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	V00253
Waste Type:	tetrachloroethene (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	00-TEMP-01-51(I
Cross Ref Type Code:	20
Cross Ref Type:	Haz. Substance ID
Record Added Date:	2000-11-30 16:07:00
Record Updated:	2005-02-24 15:54:00
Updated By:	VCPTRANS

FINDS:

Registry ID:

110004525238

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

<u>Click this hyperlink</u> while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: Registry ID: DFR URL: 1004759879 110004525238 http://echo.epa.gov/detailed-facility-report?fid=110004525238

NY MANIFEST:

EPAID:

Mailing Name:

Mailing Contact: Mailing Address 1:

Mailing Address 2:

Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location State: Location Zip: Location Zip 4: NY MANIFEST:

Not reported 90-30 METROPOLITAN AVENUE BP Not reported GLENDALE NY 11385 Not reported NYR000024273 EAC USA INC ANN SAVINO

ANN SAVINO
53 FOREST AVENUE
Not reported

USA

NYR000024273

Database(s)

EDR ID Number EPA ID Number

EAC USA INC (Continued)

AC USA INC (Continued)	
Mailing City:	OLD GREENWICH
Mailing State:	CT
Mailing Zip:	06870
Mailing Zip 4:	Not reported
	USA
Mailing Country: Mailing Phone:	•
Mailing Phone.	2036981815
NY MANIFEST:	
Document ID:	MIA9093286
Manifest Status:	Not reported
seq:	Not reported
Year:	2004
Trans1 State ID:	1637984ME
Trans2 State ID:	Not reported
Generator Ship Date:	06/18/2004
Trans1 Recv Date:	06/18/2004
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/28/2004
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000024273
Trans1 EPA ID:	NJD054126164
Trans2 EPA ID:	Not reported
TSDF ID 1:	MID000724
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code: Waste Code:	Not reported F001 - UNKNOWN
Waste Code:	
Waste Code:	Not reported
Waste Code:	Not reported Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	03500
Units:	P - Pounds
Number of Containers:	006
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Waste Code:	F001 - UNKNOWN
Waste Code:	Not reported
Quantity:	00935
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	017
	-

1004759879

Database(s)

EDR ID Number EPA ID Number

1004759879

EAC USA INC (Continued)

Container Type: Handling Method: Specific Gravity: DM - Metal drums, barrels T Chemical, physical, or biological treatment. 01.00

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

AA125 NW 1/8-1/4 0.244 mi.	CON EDISON WOODHAVEN BLVD & 66TH RD REGO PARK, NY 11374		NY MANIFEST	S118087631 N/A
1286 ft.	Site 1 of 2 in cluster AA			
Relative: Higher Actual: 66 ft.	NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location State: Location Zip: Location Zip 4:	USA NYP004543310 Not reported ES OF WOODHAVEN BLVD 100' SOUTH OF 66 RD BP SB 34394 Not reported QUEENS NY 11379 Not reported		
	NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing State: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Country: Mailing Phone:	NYP004543310 CON EDISON TOM TEELING 4 IRVING PLACE 15TH FLOOR Not reported NEW YORK NY 10003 Not reported USA Not reported		
	NY MANIFEST: Document ID: Manifest Status: seq: Year: Trans1 State ID: Trans2 State ID: Generator Ship Date: Trans1 Recv Date: Trans2 Recv Date: TSD Site Recv Date: Part A Recv Date: Part A Recv Date: Part B Recv Date: Generator EPA ID: Trans1 EPA ID: Trans2 EPA ID: TSDF ID 1: TSDF ID 2:	Not reported Not reported 2014 NJD003812047 Not reported 05/27/2014 05/27/2014 Not reported 05/29/2014 Not reported Not reported NyP004543310 Not reported NyP004543310 Not reported NyP004543310 Not reported NyD91291105 Not reported		

Database(s)

EDR ID Number EPA ID Number

CON	EDISON	(Continued)

()	
Manifest Tracking Number:	002423177GBF
Import Indicator:	Ν
Export Indicator:	Ν
Discr Quantity Indicator:	Ν
Discr Type Indicator:	Ν
Discr Residue Indicator:	Ν
Discr Partial Reject Indicator:	Ν
Discr Full Reject Indicator:	Ν
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Quantity:	50
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

AA126 NW 1/8-1/4 0.244 mi.	CON EDISON SERVICE BOX: 34 WOODHAVEN BLVD & 66TH RD REGO PARK, NY 11374		RCRA NonGen / NLR FINDS	1017776473 NYP004543310
1286 ft.	Site 2 of 2 in cluster AA			
Relative: Higher	RCRA NonGen / NLR: Date form received by agend	sy:06/27/2014		
Actual: 66 ft.	Facility name: Facility address:	CON EDISON SERVICE BOX: 34394 WOODHAVEN BLVD & 66TH RD 100 FEET S OF REGO PARK, NY 11374		
	EPA ID: Mailing address:	NYP004543310 IRVING PL, 15TH FL NE NEW YORK, NY 10003		
	Contact: Contact address:	THOMAS TEELING Not reported Not reported		
	Contact country: Contact telephone: Contact email: EPA Region: Classification:	Not reported 212-460-3770 Not reported 02 Non-Generator		

S118087631

Map ID Direction		MAP FINDINGS		
Distance Elevation	Site		Database(s)	EDR ID Number EPA ID Number
	CON EDISON SERVICE BOX: 34394 (C	ontinued)		1017776473
	Description: Handler: Non-Generators do not presently generate hazardous waste			
	Classification: Small Date form received by agency: 05/27 Site name: CON Classification: Not a Violation Status: No vi FINDS: Registry ID: 1100 Environmental Interest/Information S RCRAInfo is a na Conservation and events and activit and treat, store, o program staff to th	No No No No No No No No No No No No No N	racking of t,	
		k while viewing on your computer to access detail in the EDR Site Report.		
AB127 SSE 1/8-1/4 0.246 mi. 1301 ft.	CAMERA AUTO BODY INC 90-33 METROPOLITAN AVE FLUSHING, NY 11374 Site 1 of 2 in cluster AB	I	RCRA NonGen / NLR FINDS ECHO NY MANIFEST	1000458315 NYD986937050
Relative:	RCRA NonGen / NLR:			
Higher Actual:	Date form received by agency:01/0 ⁻ Facility name: CAM	1/2007 ERA AUTO BODY INC		
60 ft.	Facility address: 90-33	3 METROPOLITAN AVE SHING, NY 11374-5327		

Database(s)

EDR ID Number EPA ID Number

1000458315

CAMERA AUTO BODY INC (Continued)				
EPA ID:	NYD986937050			
Mailing address:	METROPOLITAN AVE			
Maining address.	FLUSHING, NY 11374			
Contact:	Not reported			
Contact address:	METROPOLITAN AVE			
Contact address.	FLUSHING, NY 11374			
Contact country:	US			
Contact telephone:	Not reported			
Contact email:	Not reported			
EPA Region:	02			
Classification:	Non-Generator			
Description:	Handler: Non-Generators do not presently generate hazardous waste			
Decomption.	Transfer. Non Scherators de not presently generate nazardous waste			
Owner/Operator Summary:				
Owner/operator name:	STEVE CAMERA			
Owner/operator address:	NOT REQUIRED			
	NOT REQUIRED, WY 99999			
Owner/operator country:	US			
Owner/operator telephone:	212-555-1212			
Owner/operator email:	Not reported			
Owner/operator fax:	Not reported			
Owner/operator extension:	Not reported			
Legal status:	Private			
Owner/Operator Type:	Operator			
Owner/Op start date:	Not reported			
Owner/Op end date:	Not reported			
Owner/operator name:	STEVE CAMERA			
Owner/operator address:	NOT REQUIRED			
	NOT REQUIRED, WY 99999			
Owner/operator country:	US			
Owner/operator telephone:	212-555-1212			
Owner/operator email:	Not reported			
Owner/operator fax:	Not reported			
Owner/operator extension:	Not reported Private			
Legal status: Owner/Operator Type:				
Owner/Op start date:	Owner Net reported			
Owner/Op end date:	Not reported Not reported			
Owner/Op end date.	Not reported			
Handler Activities Summary:				
U.S. importer of hazardous wa				
Mixed waste (haz. and radioa				
Recycler of hazardous waste:				
Transporter of hazardous was				
Treater, storer or disposer of				
Underground injection activity				
On-site burner exemption:	No			
Furnace exemption:	No			
Used oil fuel burner:	No			
Used oil processor:	No			
User oil refiner:	No			
Used oil fuel marketer to burn				
Used oil Specification markete				
Used oil transfer facility:	No			
Used oil transporter:	No			

Database(s)

CAMERA AUTO BODY I	NC (Continued)	1000458315
Historical Generators: Date form received Site name: Classification:	by agency:01/01/2006 CAMERA AUTO BODY INC Not a generator, verified	
Date form received Site name: Classification:	by agency:07/08/1999 CAMERA AUTO BODY INC Not a generator, verified	
Date form received Site name: Classification:	by agency:01/17/1991 CAMERA AUTO BODY INC Small Quantity Generator	
. Waste code: . Waste name:	LESS THAN 140 DEGREES FA CLOSED CUP FLASH POINT T FLASH POINT OF A WASTE IS WHICH CAN BE OBTAINED FR MATERIAL. LACQUER THINNI	TES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF HRENHEIT AS DETERMINED BY A PENSKY-MARTENS ESTER. ANOTHER METHOD OF DETERMINING THE TO REVIEW THE MATERIAL SAFETY DATA SHEET, OM THE MANUFACTURER OR DISTRIBUTOR OF THE ER IS AN EXAMPLE OF A COMMONLY USED SOLVENT RED AS IGNITABLE HAZARDOUS WASTE.
. Waste code: . Waste name:	D035 METHYL ETHYL KETONE	
. Waste code: . Waste name:	ACETATE, ETHYL BENZENE, F ALCOHOL, CYCLOHEXANONE MIXTURES/BLENDS CONTAIN NON-HALOGENATED SOLVEN CONTAINING, BEFORE USE, C SOLVENTS, AND, A TOTAL OF MORE OF THOSE SOLVENTS	HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL S, AND METHANOL; ALL SPENT SOLVENT ING, BEFORE USE, ONLY THE ABOVE SPENT ITS; AND ALL SPENT SOLVENT MIXTURES/BLENDS ONE OR MORE OF THE ABOVE NON-HALOGENATED TEN PERCENT OR MORE (BY VOLUME) OF ONE OR LISTED IN F001, F002, F004, AND F005, AND STILL ERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT
Violation Status:	No violations found	
FINDS: Registry ID:	110019649772	
Environmental Interest/Information System RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.		

EDR ID Number Database(s) EPA ID Number

Click this hy	perlink while viewing on your computer to access	
	INDS: detail in the EDR Site Report.	
ECHO:		
Envid:	1000458315	
Registry ID:	110019649772	
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110019649772	
NY MANIFEST:		
Country:	USA	
EPA ID:	NYD986937050	
Facility Status:	Not reported	
Location Address 1:	90-33 METROPOLITAN AVENUE	
Code:	BP	
Location Address 2:	Not reported	
Total Tanks:	Not reported	
Location City:	FLUSHING	
Location State:	NY	
Location Zip:	11374	
Location Zip 4:	Not reported	
NY MANIFEST:		
EPAID:	NYD986937050	
Mailing Name:	CAMERA AUTO BODY INCORPORATED	
Mailing Contact:	STEVE CAMERA	
Mailing Address 1:	90-33 METROPOLITAN AVENUE	
Mailing Address 2:	Not reported	
Mailing City:	FLUSHING	
Mailing State:	NY	
Mailing Zip:	11374	
Mailing Zip 4:	Not reported	
Mailing Country:	USA	
Mailing Phone:	7182751409	
NY MANIFEST:		
Document ID:	NYC4401731	
Manifest Status:	K	
seq:	Not reported	
Year:	1997	
Trans1 State ID:	NYAP4503	
Trans2 State ID:	Not reported	
Generator Ship Date:	01/09/1997	
Trans1 Recv Date:	01/09/1997	
Trans2 Recv Date:		
TSD Site Recy Date:	01/16/1997	
Part A Recv Date:	02/06/1997	
Part B Recv Date:	04/07/1997	
Generator EPA ID:	NYD986937050	
Trans1 EPA ID:	ILD984908202	
Trans2 EPA ID:	Not reported	
TSDF ID 1:	NCD077840148	
	Not reported	
TSDF ID 2: Manifest Tracking Number:	•	
TSDF ID 2: Manifest Tracking Number: Import Indicator:	Not reported Not reported	

TC5618352.2s Page 297

Database(s)

EDR ID Number **EPA ID Number**

CAMERA AUTO BODY INC (Continued)

Waste Code:

Quantity:

Units:

Quantity:

Units:

Discr Quantity Indicator: Not reported Not reported Discr Type Indicator: Discr Residue Indicator: Not reported Discr Partial Reject Indicator: Not reported Discr Full Reject Indicator: Not reported Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: Not reported F005 - UNKNOWN Not reported Not reported Not reported Not reported Not reported 00036 P - Pounds Number of Containers: 001 Container Type: DM - Metal drums, barrels Handling Method: B Incineration, heat recovery, burning. Specific Gravity: 100 F005 - UNKNOWN Not reported Not reported Not reported Not reported 00112 P - Pounds Number of Containers: 001 Container Type: DM - Metal drums, barrels Handling Method: B Incineration, heat recovery, burning. Specific Gravity: 100

> Click this hyperlink while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

AB128 SSE 1/8-1/4 0.246 mi. 1301 ft.	WENDY'S 90-33 METROPOLITAN AVENUE REGO PARK, NY 11374 Site 2 of 2 in cluster AB		NY UST	U004079934 N/A
Relative: Higher Actual: 60 ft.	UST: Id/Status: Program Type: Region: DEC Region: Expiration Date: UTM X: UTM Y: Site Type: Affiliation Records: Site Id: Affiliation Type: Company Name: Contact Type:	2-610464 / Inactive PBS STATE 2 N/A 596325.53859 4507386.98502 Other 376814 Facility Owner H&L MILLER C/O STEVE RUBIN ACCOUNTANT		

1000458315

Database(s)

EDR ID Number EPA ID Number

U004079934

WENDY'S (Continued) Contact Name: STEVE RUBIN Address1: 17 WILLBEN LANE Address2: Not reported City: PLAINVIEW State: NY Zip Code: 11903 Country Code: 001 Phone: (516) 931-2766 EMail: Not reported Fax Number: Not reported Modified By: **KXTANG** Date Last Modified: 2007-02-01 Site Id: 376814 Affiliation Type: Mail Contact Company Name: American Environmental Solutions, Inc. Contact Type: Not reported Contact Name: Brian Pendergast Address1: 42 West Avenue Address2: Not reported City: Patchogue State: NY Zip Code: 11772 Country Code: 001 (631) 475-0020 Phone: EMail: pendyenveng@optonline.net Fax Number: Not reported Modified By: **NNCRAWFO** Date Last Modified: 2013-11-07 Site Id: 376814 Affiliation Type: Facility Operator Company Name: WENDYS Contact Type: Not reported UNKNOWN Contact Name: Address1: Not reported Address2: Not reported City: Not reported State: NN Not reported Zip Code: Country Code: 001 Phone: Not reported EMail: Not reported Not reported Fax Number: Modified By: KXTANG Date Last Modified: 2007-02-01 Site Id: 376814 Affiliation Type: **Emergency Contact** Company Name: H&L MILLER C/O STEVE RUBIN Contact Type: Not reported STEVE RUBIN Contact Name: Not reported Address1: Address2: Not reported City: Not reported State: NN Zip Code: Not reported

WENDY'S (Continued)

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

U004079934

Country Code:	001
Phone:	(516) 931-2766
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	2007-02-01
Tank Info:	
Tank Number:	001
Tank ID:	215678
Tank Status:	Tank Converted to Non-Regulated Use
Material Name:	Tank Converted to Non-Regulated Use
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	12/20/2006
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported KXTANG 04/14/2017
Equipment Records:	C02 - Pipe Location - Underground/On-ground G00 - Tank Secondary Containment - None B00 - Tank External Protection - None F00 - Pipe External Protection - None E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None I00 - Overfill - None L00 - Piping Leak Detection - None J00 - Dispenser - None A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron K00 - Spill Prevention - None
Tank Number:	002
Tank ID:	215679
Tank Status:	Tank Converted to Non-Regulated Use
Material Name:	Tank Converted to Non-Regulated Use
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	12/20/2006
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other

Database(s)

EDR ID Number EPA ID Number

U004079934

WENDY'S (Continued)	
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported KXTANG 04/14/2017
Equipment Records:	
	J00 - Dispenser - None F00 - Pipe External Protection - None B00 - Tank External Protection - None K00 - Spill Prevention - None D01 - Pipe Type - Steel/Carbon Steel/Iron A00 - Tank Internal Protection - None E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None I00 - Overfill - None L00 - Piping Leak Detection - None G00 - Tank Secondary Containment - None C02 - Pipe Location - Underground/On-ground
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	003 215680 Tank Converted to Non-Regulated Use Tank Converted to Non-Regulated Use 550 Not reported 12/20/2006 True Underground Steel/carbon steel 9999 Other
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported KXTANG 04/14/2017
Equipment Records:	J00 - Dispenser - None B00 - Tank External Protection - None F00 - Pipe External Protection - None K00 - Spill Prevention - None A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron H00 - Tank Leak Detection - None I00 - Overfill - None E00 - Piping Secondary Containment - None L00 - Piping Leak Detection - None G00 - Tank Secondary Containment - None C02 - Pipe Location - Underground/On-ground

Tank Number:

WENDY'S (Continued)

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

U004079934

VENDI 5 (Continued)	
Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	215681 Tank Converted to Non-Regulated Use Tank Converted to Non-Regulated Use 550 Not reported 12/20/2006 True Underground Steel/carbon steel 9999 Other
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported KXTANG 04/14/2017
Equipment Records:	L00 - Piping Leak Detection - None J00 - Dispenser - None C02 - Pipe Location - Underground/On-ground G00 - Tank Secondary Containment - None B00 - Tank External Protection - None F00 - Pipe External Protection - None A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron K00 - Spill Prevention - None E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None I00 - Overfill - None
Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance:	005 215682 Tank Converted to Non-Regulated Use Tank Converted to Non-Regulated Use 1000 Not reported 12/20/2006 True Underground Steel/carbon steel 0001 #2 Fuel Oil (On-Site Consumption)
Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified:	NN Not reported Not reported KXTANG 04/14/2017
Equipment Records:	K00 - Spill Prevention - None A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron

Database(s)

EDR ID Number EPA ID Number

U004079934

AC129 NNW 1/8-1/4 0.247 mi. 1303 ft.	CON EDISON 85-57 66TH RD REGO PARK, NY 11374 Site 1 of 3 in cluster AC	
1303 11.	Site 1 of 5 in cluster AC	
Relative: Higher	RCRA NonGen / NLR: Date form received by	agency:08/12/2015
Actual: 70 ft.	Facility name: Facility address:	CON EDISON 85-57 66TH RD REGO PARK, NY 11374
	EPA ID: Mailing address:	NYP004822686 IRVING PL 15TH FL NE

NYP004822686

Database(s)

EDR ID Number EPA ID Number

1019906583

	NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported
	Not reported
Contact country:	Not reported
Contact telephone:	212-460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste
landler Activities Summary	r.
U.S. importer of hazardo	
Mixed waste (haz. and ra	

U.S. importer of hazardous waste: Mixed waste (haz. and radioactive): Recycler of hazardous waste: Transporter of hazardous waste: Treater, storer or disposer of HW: Underground injection activity: On-site burner exemption: Furnace exemption: Used oil fuel burner: Used oil fuel burner: Used oil processor: User oil refiner: Used oil fuel marketer to burner: Used oil fuel marketer to burner: Used oil Specification marketer: Used oil transfer facility:	No No No No No No No No No No No No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

CON EDISON (Continued)

Date form received by age	ncy:08/12/2015
Site name:	CON EDISON
Classification:	Small Quantity Generator

No violations found

Violation Status:

AC130 CON EDISON NNW 85-57 66TH RD 1/8-1/4 REGO PARK, NY 11374 0.247 mi. 303 ft. Site 2 of 3 in cluster AC

Relative: NJ MANIFEST: Higher EPA Id: NYP004822686 Mail Address: **IRVING PL 15TH FL NE** Actual: Mail City/State/Zip: NEW YORK, NY 10003 70 ft. Facility Phone: Not reported Emergency Phone: Not reported Contact: THOMAS TEELING Comments: Not reported SIC Code: Not reported NY081 County: Municipal: Not reported Not reported Previous EPA Id: Gen Flag: Not reported Trans Flag: Not reported TSDF Flag: Not reported Name Change: Not reported Date Change: Not reported

NJ MANIFEST S120675358 N/A

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)

Manifest: Manifest Number: EPA ID: Date Shipped: TSDF EPA ID: Transporter EPA ID: Transporter 2 EPA ID: Transporter 3 EPA ID: Transporter 4 EPA ID: Transporter 5 EPA ID: Transporter 6 EPA ID: Transporter 7 EPA ID: Transporter 8 EPA ID: Transporter 9 EPA ID: Transporter 10 EPA ID: Date Trans1 Transported Waste: Date Trans2 Transported Waste: Date Trans3 Transported Waste: Date Trans4 Transported Waste: Date Trans5 Transported Waste: Date Trans6 Transported Waste: Date Trans7 Transported Waste: Date Trans8 Transported Waste: Date Trans9 Transported Waste: Date Trans10 Transported Waste: Date TSDF Received Waste: TSDF EPA Facility Name: QTY Units: Transporter SEQ ID: Transporter-1 Date: Waste SEQ ID: Waste Type Code 2: Waste Type Code 3: Waste Type Code 4: Waste Type Code 5: Waste Type Code 6: Date Accepted: Manifest Discrepancy Type: Data Entry Number: Was Load Rejected: Reason Load Was Rejected:

002613363GBF NYP004822686 8/12/2015 NJD991291105 NJD003812047 Not reported NEW YORK, NY 10003 Not reported

AC131 NNW 1/8-1/4 0.247 mi. 1303 ft.	CON EDISON 85-57 66TH RD REGO PARK, NY 11374 Site 3 of 3 in cluster AC	
Relative: Higher Actual:	NY MANIFEST: Country: EPA ID:	USA NYP004822686
70 ft.	Facility Status: Location Address 1: Code: Location Address 2:	Not reported 85-57 66TH RD BP SB 40516

NY MANIFEST S119077199 N/A Site

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)

Total Tanks: Not reported QUEENS Location City: Location State: NY Location Zip: 11374 Location Zip 4: Not reported NY MANIFEST: EPAID: NYP004822686 Mailing Name: CON EDISON Mailing Contact: **DENNIS HUACON** Mailing Address 1: 4 IRVING PL 15TH FL Mailing Address 2: Not reported Mailing City: NEW YORK Mailing State: NY Mailing Zip: 10003 Mailing Zip 4: Not reported Mailing Country: USA Mailing Phone: 2124603770 NY MANIFEST: Document ID: Not reported Manifest Status: Not reported Not reported sea: Year: 2015 Trans1 State ID: NJD003812047 Trans2 State ID: Not reported Generator Ship Date: 08/12/2015 Trans1 Recv Date: 08/12/2015 Trans2 Recv Date: Not reported TSD Site Recv Date: 08/13/2015 Not reported Part A Recv Date: Part B Recv Date: Not reported Generator EPA ID: NYP004822686 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID 1: NJD991291105 TSDF ID 2: Not reported Manifest Tracking Number: 002613363GBF Import Indicator: Ν Export Indicator: Ν Discr Quantity Indicator: Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν **Discr Partial Reject Indicator:** Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported Not reported Waste Code: Waste Code: Not reported Not reported Waste Code: Waste Code: Not reported Waste Code: Not reported 500 Quantity: Units: P - Pounds

S119077199

Map ID Direction Distance Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

S119077199

CON EDISON (Continued)

Number of Containers:
Container Type:
Handling Method:
Specific Gravity:
Waste Code:
Waste Code 1_2:
Waste Code 1_3:
Waste Code 1_4:
Waste Code 1_5:
Waste Code 1_6:

1 TT - Cargo tank, tank trucks T Chemical, physical, or biological treatment. 1 D008 Not reported Not reported Not reported Not reported Not reported Not reported

<u>Click this hyperlink</u> while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

AD132 NNW 1/8-1/4 0.247 mi.	CON EDISON SERVICE BOX: 34 85-39 66TH RD FRONT OF REGO PARK, NY 11374	141 F	RCRA NonGen / NLR	1017776188 NYP004540407		
1304 ft.	Site 1 of 2 in cluster AD					
Relative: Higher Actual: 71 ft.	RCRA NonGen / NLR: Date form received by agency Facility name: Facility address: EPA ID: Mailing address: Contact: Contact country: Contact telephone: Contact telephone: Contact email: EPA Region: Classification:	cy: 06/22/2014 CON EDISON SERVICE BOX: 34141 85-39 66TH RD FRONT OF REGO PARK, NY 11374 NYP004540407 IRVING PL, 15TH FL NE NEW YORK, NY 10003 THOMAS TEELING Not reported Not reported Not reported 212-460-3770 Not reported 02 Non-Generator				
	Description:	Handler: Non-Generators do not presently generat	te hazardous waste			
	Handler Activities Summary: U.S. importer of hazardous w Mixed waste (haz. and radioa Recycler of hazardous waste Transporter of hazardous was Treater, storer or disposer of Underground injection activity On-site burner exemption: Furnace exemption: Used oil fuel burner: Used oil fuel burner: Used oil processor: User oil refiner: Used oil fuel marketer to burr Used oil fuel marketer to burr Used oil Specification market Used oil transfer facility: Used oil transporter:	ictive): No No Ste: No HW: No Y: No No No No No No No No				

	G		<u>ц</u>	
Map ID Direction Distance	ļ	MAP FINDINGS		EDR ID Numb
Elevation	Site		Database(s)	EPA ID Numbe
	CON EDISON SERVICE BOX Historical Generators: Date form received by ag Site name: Classification:			1017776188
	Date form received by ag	iencv: 05/22/2014		
	Site name:	CON EDISON		
	Classification:	Not a generator, verified		
	Violation Status:	No violations found		
AD133 NNW 1/8-1/4 0.247 mi.	CON EDISON 85-39 66TH RD FRONT OF REGO PARK, NY 11374 Site 2 of 2 in cluster AD		NY MANIFEST	S117061725 N/A
1304 ft.				
Relative:	NY MANIFEST:			
Higher Actual: 71 ft.	Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location State: Location Zip: Location Zip 4:	USA NYP004540407 Not reported FO 85-39 66 RD BP SB 34141 Not reported QUEENS NY 11374 Not reported		
	NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing City: Mailing City: Mailing Zip: Mailing Zip 4: Mailing Country: Mailing Phone:	NYP004540407 CON EDISON TOM TEELING 4 IRVING PLACE 15TH FLOOR Not reported NEW YORK NY 10003 Not reported USA Not reported		
	NY MANIFEST: Document ID: Manifest Status: seq: Year: Trans1 State ID: Trans2 State ID: Generator Ship Date: Trans1 Recv Date: Trans2 Recv Date: TSD Site Recv Date: Part A Recv Date: Part B Recv Date: Generator EPA ID: Trans1 EPA ID:	Not reported Not reported 2014 NJD003812047 Not reported 05/22/2014 05/22/2014 Not reported 05/23/2014 Not reported Not reported NYP004540407 Not reported		

Database(s)

EDR ID Number **EPA ID Number**

S117061725

CON EDISON (Continued)

Units:

Trans2 EPA ID: Not reported NJD991291105 TSDF ID 1: TSDF ID 2: Not reported Manifest Tracking Number: 002423572GBF Import Indicator: Ν Export Indicator: Ν Discr Quantity Indicator: Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν Discr Partial Reject Indicator: Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported Quantity: 50 G - Gallons (liquids only)* (8.3 pounds) Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 Waste Code: D008 Waste Code 1 2: Not reported Waste Code 1 3: Not reported Waste Code 1_4: Not reported Waste Code 1 5: Not reported Waste Code 1 6: Not reported

> Click this hyperlink while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

Y134 South 1/4-1/2 0.253 mi. 1335 ft.	EXXON DIV OF CFI #70299 90-02 METROPOLITAN AVE & WOODHAVE REGO PARK, NY 11374 R Site 3 of 3 in cluster Y		
Relative: Higher	LTANKS:		
Actual: 61 ft.	Spill Number/Closed Date: Facility ID: Site ID: Spill Date: Spill Cause: Spill Source: Spill Class: Cleanup Ceased: SWIS: Investigator: Referred To: Reported to Dept:	9704180 / 2003-10-09 9704180 331111 1997-05-19 Tank Failure Gasoline Station or other PBS Facility C3 Not reported 4101 SIGONA Not reported 1997-07-08	

NY LTANKS NY Spills RA NonGen / NLR **US AIRS** FINDS ECHO

1000335604 NYD986894558

Database(s)

XON DIV OF CFI #70299 (Cont	inued) 1000335604
CID:	297
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1997-07-08
Spill Record Last Update:	2003-10-09
Spiller Name:	MELISSA WINSOR
Spiller Company:	EXXONMOBIL
Spiller Address:	3225 GALOWS ROAD
Spiller County:	001
Spiller Contact:	ASAD KHAN
Spiller Phone:	(516) 876-4697
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	279601
DEC Memo:	111
Remarks:	"4000 GALLON GAS TANK LEAKED INTO THE SECONDARY WALL AND WAS DETEC BY THE SENSORS - THE TANK HAS BEEN PUMPED OUT AND A NEW LINING WILL BE INSTALLED"
All Materials:	
Site ID:	331111
Operable Unit ID:	1050052
Operable Unit:	01
Material ID:	333438
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported
Spill Number/Closed Date:	9306284 / 1993-12-31
Facility ID:	9306284
Site ID:	331109
Spill Date:	1993-08-23
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	C3
Cleanup Ceased:	1993-12-31
SWIS:	4101
Investigator:	SIGONA
Referred To:	Not reported
Reported to Dept:	1993-08-23
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True

Map ID Direction Distance Elevation Site

MAP FINDINGS

Database(s)

EXXON DIV OF CFI #70299 (Contin	nued) 1000335604
Remediation Phase: Date Entered In Computer:	0 1993-08-24
Spill Record Last Update:	2003-10-09
Spiller Name:	MELISSA WINSOR
Spiller Company:	EXXONMOBIL
Spiller Address:	3225 GALLOWS ROAD
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	279601
DEC Memo:	117
Remarks:	"LINE FAILED TEST - WILL INVESTIGATE - LOCATE SOURCE - REPAIR AS NECESSARY."
All TTF:	
Facility ID:	9306284
Spill Number:	9306284
Spill Tank Test:	1541896
Site ID:	331109
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST: Cause:	Not reported
Source:	Not reported Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported
All Materials:	
Site ID:	331109
Operable Unit ID:	987607
Operable Unit:	01
Material ID:	396166
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity: Units:	.00 G
Recovered:	.00
Oxygenate:	Not reported
chygenate.	
Spill Number/Closed Date:	9701869 / 2004-05-03
Facility ID:	9701869
Site ID:	331110
Spill Date:	1997-05-13
Spill Cause:	Tank Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	B3

Database(s)

EDR ID Number EPA ID Number

EXXON DIV OF CFI #70299 (Continued)

1000335604

	Cleanup Ceased:	Not reported
	SWIS:	4101
	Investigator:	JMROMMEL
	Referred To:	Not reported
	Reported to Dept:	1997-05-13
	CID:	312
	Water Affected:	Not reported
	Spill Notifier:	Responsible Party
	Last Inspection:	Not reported
	Recommended Penalty:	False
	Meets Standard: UST Involvement:	False
	Remediation Phase:	True 0
	Date Entered In Computer:	1997-05-13
	Spill Record Last Update:	2004-05-03
	Spiller Name:	MELISSA WINSOR
	Spiller Company:	EXXONMOBIL
	Spiller Address:	3225 GALOWS ROAD
	Spiller County:	001
	Spiller Contact:	Not reported
	Spiller Phone:	Not reported
	Spiller Extention:	Not reported
	DEC Region:	2
	DER Facility ID:	279601
	DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was
		ROMMEL This spill case was reassigned from DEC (Sigona) to Rommel on
		02/10/2004. This spill site has been consolidated under spill No.
		9701869. 2/5/04 Current PBS owner Cumberland Farms. 05/03/04 three
		borings to 20 feet. max PID 10.6ppm - 13' B3 one soil sample from
		each only analyte detected was napthalene at 2500 ppb B3 at 13'.
	Develop	Spill closed. Rommel "
	Remarks:	"CONTAMINATED SOILS FOUND DURING SITE EXCAVATION"
A	I Materials:	
	Site ID:	331110
	Operable Unit ID:	1047895
	Operable Unit:	01
	Material ID:	334808
	Material Code:	0009
	Material Name:	gasoline
	Case No.:	Not reported
	Material FA:	Petroleum
	Quantity:	.00
	Units:	G
	Recovered:	.00 Not reported
	Oxygenate:	Not reported
	Spill Number/Closed Date:	9113011 / 1992-04-17
	Facility ID:	9113011
		175748
	Site ID:	
	Spill Date:	1991-11-06
	Spill Date: Spill Cause:	1991-11-06 Tank Failure
	Spill Date: Spill Cause: Spill Source:	1991-11-06 Tank Failure Gasoline Station or other PBS Facility
	Spill Date: Spill Cause: Spill Source: Spill Class:	1991-11-06 Tank Failure Gasoline Station or other PBS Facility C3
	Spill Date: Spill Cause: Spill Source: Spill Class: Cleanup Ceased:	1991-11-06 Tank Failure Gasoline Station or other PBS Facility C3 1992-04-17
	Spill Date: Spill Cause: Spill Source: Spill Class: Cleanup Ceased: SWIS:	1991-11-06 Tank Failure Gasoline Station or other PBS Facility C3 1992-04-17 4101
	Spill Date: Spill Cause: Spill Source: Spill Class: Cleanup Ceased:	1991-11-06 Tank Failure Gasoline Station or other PBS Facility C3 1992-04-17

Database(s)

EDR ID Number EPA ID Number

1000335604

EXXON DIV OF CFI #70299 (Continued)

UST Involvement:

True

Referred To: Not reported Reported to Dept: 1992-03-24 CID: Not reported Water Affected: Not reported Spill Notifier: **Responsible Party** Last Inspection: Not reported Recommended Penalty: False Meets Standard: False UST Involvement: False Remediation Phase: 0 Date Entered In Computer: 1992-04-22 Spill Record Last Update: 2003-10-09 Spiller Name: MELISSA WINSOR Spiller Company: **EXXONMOBIL** Spiller Address: 3225 GALLOWS ROAD Spiller County: 001 Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported 2 DEC Region: DER Facility ID: 279601 DEC Memo: Remarks: "ALVIN PETRO EXCAVATING. SOIL SAFE OF BALTIMORE DISPOSED." All Materials: Site ID: 175748 Operable Unit ID: 966620 Operable Unit: 01 Material ID: 414551 Material Code: 0001A Material Name: #2 fuel oil Case No .: Not reported Material FA: Petroleum Quantity: .00 Units: G .00 Recovered: Oxygenate: Not reported Spill Number/Closed Date: 9913639 / 2003-10-09 Facility ID: 9913639 Site ID: 89388 Spill Date: 2000-02-11 Spill Cause: Tank Failure Spill Source: Gasoline Station or other PBS Facility Spill Class: B3 Cleanup Ceased: Not reported SWIS: 4101 Investigator: SIGONA Not reported Referred To: Reported to Dept: 2000-03-03 CID: 205 Water Affected: Not reported Spill Notifier: Responsible Party Last Inspection: Not reported False Recommended Penalty: Meets Standard: False

Database(s)

EDR ID Number EPA ID Number

EXXON DIV OF CFI #70299 (Continued)

1000335604

Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Company: Spiller County: Spiller Contact: Spiller Contact: Spiller Phone: Spiller Extention: DEC Region: DEC Region: DEC Memo: Remarks:	0 2000-03-03 2005-06-13 MELISSA WINSOR EXXONMOBIL 3225 GALLOWS ROAD 001 CALLER Not reported Not reported 2 279601 ""
All Materials: Site ID: Operable Unit ID: Operable Unit: Material ID: Material Code: Material Name: Case No.: Material FA: Quantity: Units: Recovered: Oxygenate:	89388 1092117 01 566250 0009 gasoline Not reported Petroleum .00 G .00 Not reported
SPILLS: Spill Number/Closed Date: Facility ID: Facility Type: DER Facility ID: Site ID: DEC Region: Spill Cause: Spill Class: SWIS: SWIS: Spill Date: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Source: Spill Notifier: Cleanup Ceased: Cleanup Meets Std: Last Inspection: Recommended Penalty: UST Trust: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spill Record Last Update: Spiller Name:	9806077 / 2003-10-09 9806077 ER 279601 331112 2 Missing Code in Old Data - Must be fixed B3 4101 1998-08-16 SIGONA Not reported 1998-08-16 323 Not reported Missing Code in Old Data - Must be fixed Missing Code in Old Data - Must be fixed Missing Code in Old Data - Must be fixed Not reported False Not reported False Not reported False 0 1998-08-16 2003-10-09 MELISSA WINSOR

ROAD

Database(s)

EDR ID Number EPA ID Number

1000335604

EXXON DIV OF CFI #70299 (Continued)

Spiller Company: Spiller Address: Spiller Company: Contact Name: DEC Memo: Remarks:	EXXONMOBIL 3225 GALLOWS 001 BOB ""
All Materials: Site ID: Operable Unit ID: Operable Unit: Material ID: Material Code: Material Name: Case No.: Material FA: Quantity: Units: Recovered: Oxygenate:	331112 1067254 01 317250 0009 gasoline Not reported Petroleum .00 G .00 Not reported

RCRA NonGen / NLR:	
Date form received by agency	y:01/01/2007
Facility name:	EXXON DIV OF CFI #70299
Facility address:	90-02 METROPOLITAN AVE & WOODHAVE
	REGO PARK, NY 11374
EPA ID:	NYD986894558
Mailing address:	DEDHAM ST
	CANTON, MA 02021
Contact:	MAUREEN JERNSTEDT
Contact address:	DEDHAM ST
	CANTON, MA 02021
Contact country:	US
Contact telephone:	800-225-9702
Telephone ext.:	3378
Contact email:	Not reported
EPA Region:	02

Not reported 02 Private Non-Generator

Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary: Owner/operator name: Owner/operator address:

Land type:

Classification:

Description:

Owner/operator country: Owner/operator telephone: Owner/operator email: Owner/operator fax: Owner/operator extension: Legal status: Owner/Operator Type: Owner/Op start date: Owner/Op end date: NO NAME FOUND Not reported US Not reported Not reported Not reported Not reported Private Operator 09/10/2003 Not reported

Owner/operator name:

CUMBERLAND FARMS INC

Database(s)

EDR ID Number EPA ID Number

EXXON DIV OF CFI #70299 (Continued)

Owner/operator address: Not reported Not reported Owner/operator country: US Owner/operator telephone: Not reported Owner/operator email: Not reported Owner/operator fax: Not reported Owner/operator extension: Not reported Legal status: Private Operator Owner/Operator Type: Owner/Op start date: 09/10/2003 Owner/Op end date: Not reported Owner/operator name: TOSCO Owner/operator address: PO BOX 52085 PHOENIX, AZ 85072 Owner/operator country: Not reported 602-728-8000 Owner/operator telephone: Owner/operator email: Not reported Owner/operator fax: Not reported Owner/operator extension: Not reported Legal status: Private Owner/Operator Type: Owner 03/01/2000 Owner/Op start date: Owner/Op end date: Not reported Owner/operator name: CUMBERLAND FARMS INC Owner/operator address: DEDHAM ST **CANTON, MA 02021** Owner/operator country: US Owner/operator telephone: Not reported Owner/operator email: Not reported Owner/operator fax: Not reported Owner/operator extension: Not reported Legal status: Private Owner/Operator Type: Owner Owner/Op start date: 09/10/2003 Owner/Op end date: Not reported TOSCO Owner/operator name: Owner/operator address: PO BOX 52085 PHOENIX, AZ 85072 Owner/operator country: US Owner/operator telephone: 602-728-8000 Owner/operator email: Not reported Not reported Owner/operator fax: Owner/operator extension: Not reported Legal status: Private Owner/Operator Type: Owner Owner/Op start date: 03/01/2000 Owner/Op end date: Not reported Handler Activities Summary: U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No

Treater, storer or disposer of HW: No

Database(s)

EXXON DIV OF CFI #70299 (Cont	inued) 1000335604
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burne	er: No
Used oil Specification markete	r: No
Used oil transfer facility:	No
Used oil transporter:	No
Historical Generators:	
Date form received by agency:	01/01/2006
Site name:	EXXON DIV OF CFI #70299
Classification:	Conditionally Exempt Small Quantity Generator
Date form received by agency	
Site name:	EXXON DIV OF CFI #70299
Classification:	Small Quantity Generator
. Waste code:	D001
. Waste name:	IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF
	LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS
	CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE
	FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET,
	WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE
	MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT
	WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
. Waste code:	D018
. Waste name:	BENZENE
Date form received by agency	
Site name:	EXXON #70299
Classification:	Large Quantity Generator
. Waste code:	D001
. Waste name:	IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF
	LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS
	CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE
	FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET,
	WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE
	MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT
	WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
. Waste code:	D018
. Waste name:	BENZENE
Date form received by agency	
Site name:	TOSCO #34651
Classification:	Conditionally Exempt Small Quantity Generator
. Waste code:	D001
. Waste name:	IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF
	LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS
	CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE
	FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET,

EDR ID Number Database(s) EPA ID Number

(XON DIV OF CFI #70299 (Cont	inued) 1000335604
	WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
. Waste code:	D018
. Waste name:	BENZENE
Date form received by agency	: 07/08/1999
Site name:	TOSCO #34651
Classification:	Not a generator, verified
Date form received by agency	:02/20/1998
Site name:	EXXON CO. U.S.A. #32328
Classification:	Large Quantity Generator
Date form received by agency	:04/12/1990
Site name:	TOSCO #34651
Classification:	Small Quantity Generator
Violation Status:	No violations found
Evaluation Action Summary:	
Evaluation date:	05/15/2008
Evaluation:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation:	Not reported
Date achieved compliance:	Not reported
Evaluation lead agency:	EPA
US AIRS MINOR:	
Envid:	1000335604
Region Code:	02
Programmatic ID:	AIR NY000002630500003
Facility Registry ID:	110004444423
D and B Number:	Not reported
Primary SIC Code:	5541
NAICS Code:	999999
Default Air Classification Code	
Facility Type of Ownership Co	
Air CMS Category Code:	Not reported
HPV Status:	Not reported
US AIRS MINOR:	
Region Code:	
Programmatic ID:	AIR NY000002630500003
Facility Registry ID:	110004444423
Air Operating Status Code:	OPR
Default Air Classification Code	
Air Program: Activity Date:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standar 1988-04-01 00:00:00
Activity Status Date:	Not reported
Activity Group:	Compliance Monitoring
	Inspection/Evaluation
ACTIVITY LYDE.	mopoulon/ Evaluation
Activity Type: Activity Status:	Not reported

US AIRS MINOR: Envid:

1000335604

Database(s)

EDR ID Number EPA ID Number

1000335604

EXXON DIV OF CFI #70299 (Continued) Region Code: 02 Programmatic ID: AIR NY000002630500003 Facility Registry ID: 110004444423

D and B Number: Not reported Primary SIC Code: 5541 NAICS Code: 999999 Default Air Classification Code: MIN Facility Type of Ownership Code: POF Air CMS Category Code: Not reported HPV Status: Not reported US AIRS MINOR: 02 Region Code: Programmatic ID: AIR NY000002630500003 Facility Registry ID: 110004444423 Air Operating Status Code: OPR Default Air Classification Code: MIN Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards Activity Date: 1988-04-01 00:00:00 Activity Status Date: Not reported Activity Group: Compliance Monitoring Inspection/Evaluation Activity Type: Activity Status: Not reported

FINDS:

Registry ID:

110064188971

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

HAZARDOUS WASTE BIENNIAL REPORTER

<u>Click this hyperlink</u> while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: Registry ID: DFR URL: 1000335604 110064188971 http://echo.epa.gov/detailed-facility-report?fid=110064188971

Database(s)

135 South 1/4-1/2 0.298 mi. 1572 ft.	WOODHAVEN LANES 72-25 WOODHAVEN B QUEENS, NY 11385		NY SHWS NY UST	U000407892 N/A
Relative: Higher Actual: 62 ft.	SHWS: Program: Site Code: Classification: Region: Acres: HW Code: Record Add: Record Upd: Updated By: Site Description: Site Description:	HW 420827 N 2 1.52 241121 10/22/2009 01/28/2011 MOBARRIE The NYS DEC, Division of Environmental Remediation received a dated June 12, 2009 from New York State Department of Health (h DOH), regarding the property located at 72-25 Woodhaven Boulev Glendale, Queens, NY 11385. It stated that the investigation and continued remediation of the 90-30 Metropolitan Avenue voluntary cleanup program (VCP) site indicates that there is likely an additional contaminant source area located on the Woodhaven Boo property which is migrating on to the 90-30 Metropolitan Avenue si Also, the redevelopment of the Woodhaven Bowl has raised some concerns regarding potential soil vapor intrusion and subsequent inhalation exposures for future tenants and customers. In 2000, the Department conducted a Preliminary Site Assessment (PSA) in the bordered by Metropolitan Avenue to the north, Trotting Course Lar the east, 73rd Avenue to the south, and Woodhaven Boulevard to west. A preliminary site ID (P-Site) of 241030 was assigned. The January 2002 PSA report, prepared by IT Engineering of New Yorf indicated that elevated PCE concentrations in groundwater encour in the vicinity of the western portion of the Brunswick Woodhaven Lanes Bowling Alley could have occurred from a prior spill event the entered the subsurface through a catch basin. The figures also projected a plume with high levels of PCE, under the former Wood Lanes. A Remedial Investigation Report was prepared by AKRF, Ir April 2004 for Titan Management regarding the adjacent 90-30 Metropolitan Avenue Voluntary Cleanup Program (VCP) sile (Site V00253). It suggested that the groundwater contamination actually comprises two slightly overlapping plumes, one to the west and on the east. The western plume extends from the east side of Woodh Boulevard eastward under the bowling alley, extending into the parking area on the west side of the site. Because there are relatively few monitoring wells on the bowling alley, property, and none under the bowling alley, sub-east prediment the site	NYS ard, wl te. area te to the c., in drered at haven nc., in D: e to aven y y	
		concentration increases with depth. Source of dissolved phase PC		

Database(s)

EDR ID Number EPA ID Number

U000407892

WOODHAVEN LANES (Continued)

OUDHAVEN LANES (C	Shunued)
	originated off-site.
Health Problem:	Not reported
Dump:	Not reported
Structure:	Not reported
	Not reported
Lagoon:	•
Landfill:	Not reported
Pond:	Not reported
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	Not reported
Record Upd:	Not reported
Updated By:	Not reported
Own Op:	Owner
Sub Type:	05
Owner Name:	ROBERT CORROON
Owner Company:	WOODHAVEN REALTY, LLC
Owner Address:	60 EAST 56TH STREET, 9TH FLOOR
Owner Addr2:	Not reported
Owner City,St,Zip:	NEW YORK, NY 10022-3204
Owner Country:	United States of America
HW Code:	
	Not reported
Waste Type:	Not reported
Waste Quantity:	Not reported
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code	•
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported
LICT	
UST:	0.000507 / Users endets d/Olessed
Id/Status:	2-309567 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	596685.60912
UTM Y:	4506463.07167
Site Type:	Unknown
Affiliation Records:	
Site Id:	14117
Affiliation Type:	Equility Owner
	Facility Owner
Company Name:	RICHARD ZIRINSKY
Company Name: Contact Type:	
	RICHARD ZIRINSKY
Contact Type:	RICHARD ZIRINSKY Not reported
Contact Type: Contact Name:	RICHARD ZIRINSKY Not reported Not reported 60 E 56ST
Contact Type: Contact Name: Address1: Address2:	RICHARD ZIRINSKY Not reported Not reported
Contact Type: Contact Name: Address1:	RICHARD ZIRINSKY Not reported Not reported 60 E 56ST Not reported
Contact Type: Contact Name: Address1: Address2: City: State:	RICHARD ZIRINSKY Not reported Not reported 60 E 56ST Not reported NY NY
Contact Type: Contact Name: Address1: Address2: City: State: Zip Code:	RICHARD ZIRINSKY Not reported Not reported 60 E 56ST Not reported NY NY 10022
Contact Type: Contact Name: Address1: Address2: City: State: Zip Code: Country Code:	RICHARD ZIRINSKY Not reported Not reported 60 E 56ST Not reported NY NY 10022 001
Contact Type: Contact Name: Address1: Address2: City: State: Zip Code:	RICHARD ZIRINSKY Not reported Not reported 60 E 56ST Not reported NY NY 10022

Database(s)

EDR ID Number EPA ID Number

WOODHAVEN LANES (Continued)

Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 2004-03-04 Site Id: 14117 Affiliation Type: Mail Contact Company Name: **RICHARD ZIRINSKY** Contact Type: Not reported Contact Name: Not reported Address1: 60 E 56ST Address2: Not reported City: NY NY State: Zip Code: 10022 Country Code: 001 Phone: (212) 751-4620 EMail: Not reported Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 2004-03-04 Site Id: 14117 Affiliation Type: Facility Operator WOODHAVEN LANES Company Name: Contact Type: Not reported BRUNSWICK CORP Contact Name: Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 001 Phone: (212) 751-4620 EMail: Not reported Not reported Fax Number: Modified By: TRANSLAT Date Last Modified: 2004-03-04 Site Id: 14117 Affiliation Type: **Emergency Contact RICHARD ZIRINSKY** Company Name: Contact Type: Not reported Contact Name: **BRUNSWICK CORP** Address1: Not reported Not reported Address2: Not reported City: State: NN Zip Code: Not reported Country Code: 001 Phone: (212) 751-4620 EMail: Not reported Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 2004-03-04

Tank Info:

Database(s)

EDR ID Number EPA ID Number

WOODHAVEN LANES (Continued)

Tank Number: 001 28134 Tank ID: Tank Status: Closed - In Place Material Name: Closed - In Place Capacity Gallons: 5000 Install Date: Not reported 02/01/1993 Date Tank Closed: Registered: True Tank Location: Underground Tank Type: Steel/carbon steel Material Code: 0001 Common Name of Substance: #2 Fuel Oil (On-Site Consumption) Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Pipe Model: Not reported TRANSLAT Modified By: Last Modified: 04/14/2017 Equipment Records: D00 - Pipe Type - No Piping H00 - Tank Leak Detection - None 100 - Overfill - None G00 - Tank Secondary Containment - None J02 - Dispenser - Suction Dispenser A00 - Tank Internal Protection - None F00 - Pipe External Protection - None **B00 - Tank External Protection - None** C00 - Pipe Location - No Piping

136 6820- 6822 INGRAM ST ENE 6820- 6822 INGRAM ST 1/4-1/2 FOREST HILLS, NY

0.298 mi. 1573 ft.

Relative: LTANKS: Higher Spill Number/Closed Date: 9614696 / 1997-04-29 Facility ID: 9614696 Actual: Site ID: 63719 57 ft. 1997-03-17 Spill Date: Spill Cause: Tank Overfill Spill Source: Private Dwelling Spill Class: C3 Cleanup Ceased: Not reported SWIS: 4101 Investigator: O'DOWD Referred To: Not reported 1997-03-21 Reported to Dept: CID: 322 Water Affected: Not reported Spill Notifier: Citizen Last Inspection: Not reported Recommended Penalty: False Meets Standard: False UST Involvement: False

0

Remediation Phase:

NY LTANKS S102662895 N/A

Map ID	
Direction	
Distance	
Elevation	Site

Date Entered In Computer:

1990-08-02

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

	6820- 6822 INGRAM ST (Continued	l) \$102662895
	Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Address: Spiller County: Spiller Contact: Spiller Phone: Spiller Phone: DEC Region: DEC Region: DER Facility ID: DEC Memo: Remarks:	1997-03-21 1997-04-29 Not reported IDEAL OIL COMPANY Not reported 001 TATZ (718) 261-4393 Not reported 2 61506 "" "OIL COMPANY OVERFILLED TANK - THEY DID PUT DOWN ABSORBANT TO PICK UP PRODUCT BUT CALLER IS CONCERNED THAT THE OIL IS SEEPED INTO GROUND "
	All Materials: Site ID: Operable Unit ID: Operable Unit: Material ID: Material Code: Material Name: Case No.: Material FA: Quantity: Units: Recovered: Oxygenate:	63719 1046075 01 339801 0001A #2 fuel oil Not reported Petroleum .00 G .00 Not reported
137 North 1/4-1/2 0.350 mi. 1846 ft.	CLOSED-LACKOF RECENT INFO 25010 DIETEREL CRESENT NEW YORK CITY, NY	NY LTANKS S100146193 N/A
Relative: Higher Actual: 72 ft.	LTANKS: Spill Number/Closed Date: Facility ID: Site ID: Spill Date: Spill Cause: Spill Cause: Spill Class: Cleanup Ceased: SWIS: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Notifier: Last Inspection: Recommended Penalty: Meets Standard: UST Involvement: Remediation Phase: Date Entered In Computer:	9004826 / 2003-03-06 9004826 146038 1990-07-31 Tank Test Failure Institutional, Educational, Gov., Other C4 Not reported 4101 ADMIN. CLOSED Not reported 1990-07-31 Not reported Not reported Tank Tester Not reported False False False 0 0

Database(s)

EDR ID Number **EPA ID Number**

CLOSED-LACKOF RECENT INFO (Continued) Spill Record Last Update: 2003-03-19 Spiller Name: Not reported . Spiller Company: PS 164/NYC BOARD OF EDUC Spiller Address: Not reported Spiller County: 001 Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported DEC Region: 2 **DER Facility ID:** 124372 "Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEC Memo: ADMIN.CLOSED 03/06/2003- Closed Due To The Nature / Extent Of The Spill Report" "7.5K TANK FAILED TANK TEST, WILL EXCAVATE, ISOLATE & RETEST.CLOSED Remarks: DUE TO LACK OF ANY RECENT INFO- DOES NOT MEET ANY CLEAN UP REQUIREMENTS." All TTF: Facility ID: 9004826 Spill Number: 9004826 Spill Tank Test: 1537375 Site ID: 146038 Tank Number: Not reported Tank Size: 0 0002 Material: EPA UST: Not reported UST: Not reported Cause: Not reported Source: Not reported Test Method: 00 Test Method 2: Unknown Leak Rate: .00 Gross Fail: Not reported Modified By: Spills Last Modified Date: Not reported All Materials: Site ID: 146038 Operable Unit ID: 942525 Operable Unit: 01 Material ID: 435901 Material Code: 0002A Material Name: #4 fuel oil Case No .: Not reported Material FA: Petroleum Quantity: -1.00 Units: L Recovered: .00 Oxygenate: Not reported

Database(s)

EDR ID Number EPA ID Number

138 NW 1/4-1/2 0.364 mi. 1922 ft.	FORMER SHELL STATION 65-35 WOODHAVEN BLVD REGO PARK, NY	NY LTANKS S102660133 N/A
Relative: Higher Actual: 75 ft.	LTANKS: Spill Number/Closed Date: Facility ID: Site ID: Spill Cause: Spill Cause: Spill Cause: Spill Class: Cleanup Ceased: SWIS: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Notifier: Last Inspection: Recommended Penalty: Meets Standard: UST Involvement: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Company: Spiller Contact: Spiller Contact: Spiller Phone: Spiller Extention: DEC Region: DEC Memo: Remarks:	8703900 / 2004-04-29 8703900 129744 1987-08-11 Tank Test Failure Gasoline Station or other PBS Facility B3 Not reported 4101 ADZHITOM Not reported 1987-08-11 Not reported Tank Tester Not reported False False False True 0 1987-08-18 2005-07-25 Not reported SHELL OIL COMPANY 30 JERICO EXUCATIVE PLAZA 001 Not reported SHELL OIL COMPANY 30 JERICO EXUCATIVE PLAZA 001 Not reported Not reported Not reported Not reported 2 143610 "Prior to Sept, 2004 data translation this spill Lead_DEC Field was ZHITOMIRSKY // : DEC (SMITH/SULLIVAN) ON THE SCENE - 08/12/87. ALVIN PETROLEUM RE-TESTING TANKS. 04/29/2004: Closed by Rashid Ahmed." "2-4K TANKS SYSTEMS FAILED PETRO-TITE @ UNREADABLE RATE. WILL ISOLATE AND RE-TEST."
	All TTF: Facility ID: Spill Number: Spill Tank Test: Site ID: Tank Number: Tank Size: Material: EPA UST: UST: Cause: Source: Test Method: Test Method 2: Leak Rate: Gross Fail:	8703900 8703900 1531342 129744 Not reported 0 0009 Not reported Not reported Not reported Not reported 00 Unknown .00 Not reported

All

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

FORMER SHELL STATION (Continued)

RMER SHELL STATION (Contin	ued) \$102660133	
Modified By:	Spills	
Last Modified Date:	Not reported	
East mounioù Bato.	Norropoliou	
Il Materials:		
Site ID:	129744	
Operable Unit ID:	910525	
Operable Unit:	01	
Material ID:	568125	
Material Code:	0009	
Material Name:	gasoline	
Case No.:	Not reported	
Material FA:	Petroleum	
Quantity:	-1.00	
Units:	L	
Recovered:	.00	
Oxygenate:	Not reported	
Spill Number/Closed Date:	9708143 / 2002-07-12	
Facility ID:	9708143	
Site ID:	170661	
Spill Date:	1997-10-10	
Spill Cause:	Tank Failure	
Spill Source:	Commercial/Industrial	
Spill Class:	C3	
Cleanup Ceased:	Not reported	
SWIS:	4101	
Investigator:	MMMULQUE	
Referred To:	Not reported	
Reported to Dept:	1997-10-10	
CID:	369	
Water Affected:	Not reported	
Spill Notifier:	Other	
Last Inspection:	Not reported	
Recommended Penalty:	False	
Meets Standard:	False	
UST Involvement:	True	
Remediation Phase:	0	
Date Entered In Computer:	1997-10-10	
Spill Record Last Update:	2003-11-03	
Spiller Name:	DAVE MCNEIL	
Spiller Company:	SHELL OIL CO	
Spiller Address:	30 JERICHO TPKE	
Spiller County:		
Spiller Contact:	DAVE MCNEIL	
Spiller Phone:	(516) 365-7240	
Spiller Extention:	Not reported	
DEC Region:	2	
DER Facility ID:	143610 "Dries to Sent, 2004 data translation this shill lead, DEC Field was	
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was	
	MULQUEEN 12/02/97 mmm:UST CLOSURE REPORT REC'D 11/19/97. SHELL	1
	REQUESTED STIP AND IS SENDING CAP. GW IMPACTED WITH BTEX & MTBE. D	7 I VV
	> 50' 5/1999 Soil Vapor Extraction / Air Sparge System was installed	
	and activated at the site. 7/2000 SVE/AS system shut down 7/12/2002	
	DEC approves Site Closure report dated June 2002 prepared by Northeast Environmental Solutions Inc. (631-979-5947) "	
Remarks:	"Tnkpull uncovered contaminated soil-"	
Komarka.	Thepair and verea containinated son-	

Database(s)

EDR ID Number **EPA ID Number**

All Materials: Site ID: Operable Unit ID: Operable Unit: Material ID: Material Code: Material Name: Case No.: Material FA: Quantity: Units: Recovered: Oxygenate:	170661 1051366 01 330130 0009 gasoline Not reported Petroleum .00 G .00 True
Site ID:	170661
Operable Unit ID:	1051366
Operable Unit:	01
Material ID:	573722
Material Code:	1213A
Material Name:	MTBE (methyl-tert-butyl ether)
Case No.:	01634044
Material FA:	Hazardous Material
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	True

139 67-50 THORNTON PLACE NNE 67-50 THORNTON PLACE 1/4-1/2 FOREST HILLS, NY 11375 0.368 mi. 1944 ft.

Relative: Higher

58 ft.

LTANKS: 0608494 / 2007-12-21 Spill Number/Closed Date: Facility ID: 0608494 Actual: Site ID: 372476 Spill Date: 2006-10-24 Spill Cause: Tank Test Failure Spill Source: Private Dwelling Spill Class: C4 Cleanup Ceased: Not reported SWIS: 4101 Investigator: **JMKRIMGO** Referred To: Not reported Reported to Dept: 2006-10-24 CID: 408 Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported Recommended Penalty: False Meets Standard: True UST Involvement: False Remediation Phase: 0 2006-10-24 Date Entered In Computer: Spill Record Last Update: 2007-12-21

S102660133

NY LTANKS U001838109 NY UST N/A NY AST

Database(s)

EDR ID Number EPA ID Number

67-50 THORNTON PLACE (Continued)		U00183
Spiller Name:	JEFF PIROZZI	
Spiller Company:	APARTMENT BUILDING	
Spiller Address:	6750 THORNTON PLACE	
Spiller County:	001	
Spiller Contact:	JEFF PIROZZI	
Spiller Phone:	(718) 261-2422	
Spiller Extention:	Not reported	
DEC Region:	2	
DER Facility ID:	14160	
DEC Memo:	"10/25/06 bf: sent ttf letter to: Jeff Pirozzi Thornton Place Owners,	
BEO Memo.	Inc. 67-50 Thornton Place Forest Hills, NY 11375 12/17/07. J.Krimgold	
	spoke to Niel from Easmond. They are installing a new AST and closing	
	exist. UST. They took six borings through the tank and found no	9
	contamination. Will submit the results together with PBS app no later	
	then Dec. 30, 2007. The contact info for RP: Mr. Augustino Nantes	
	(Coop Board President) (718) 263-6958. JK. 12/21/07. J.Krimgold	
	reviewed soil sample results submitted by Eastmond & Sons. NFA is	
Dementor		
Remarks:	"GROSS DRY LEAK;"	
All TTF:		
Facility ID:	0608494	
Spill Number:	0608494	
Spill Tank Test:	1550382	
Site ID:	372476	
Tank Number:	Not reported	
Tank Size:	7500	
Material:	0003	
EPA UST:	Not reported	
UST:	Not reported	
Cause:	Not reported	
Source:	Not reported	
Test Method:	03	
Test Method 2:	Horner EZ Check I or II	
Leak Rate:	.00	
Gross Fail:	Not reported	
Modified By:	Watchdog	
Last Modified Date:	Not reported	
All Materials:		
Site ID:	272476	
	372476	
Operable Unit ID:	1130214 01	
Operable Unit: Material ID:		
	2119885	
Material Code: Material Name:	0003A #6 fuel oil	
Case No.:	Not reported	
Material FA:	Petroleum	
	.00	
Quantity: Units:	G	
Recovered:		
Oxygenate:	.00 Not reported	
Oxygenale.	Not reported	
UST:		
Id/Status:	2-310298 / Active	
Program Type:	PBS	

Database(s)

EDR ID Number EPA ID Number

67-50 THORNTON PLACE (Continued)

Region: STATE DEC Region: 2 Expiration Date: 01/07/2023 UTM X: 596525.49180 UTM Y: 4508391.61945 Apartment Building/Office Building Site Type: Affiliation Records: Site Id: 14179 Affiliation Type: Facility Owner THORNTON PLACE OWNERS % JOHN B. LOVETT Company Name: Contact Type: AGENT Contact Name: MARK LEVINE Address1: 109-15 14TH AVE. Address2: Not reported City: COLLEGE POINT State: NY 11375 Zip Code: Country Code: 001 (516) 333-7730 Phone: EMail: Not reported Not reported Fax Number: DAFRANCI Modified By: Date Last Modified: 2017-03-20 Site Id: 14179 Affiliation Type: Mail Contact Company Name: EBMG, LLC Contact Type: Not reported Contact Name: MARK LEVINE 393 OLD COUNTRY ROAD Address1: Address2: SUITE 204 City: CARLE PLACE State: NY Zip Code: 11514 Country Code: 001 Phone: (516) 333-7730 EMail: MBLEVINE@EBMG.COM Fax Number: Not reported DMPOKRZY Modified By: Date Last Modified: 2017-07-17 Site Id: 14179 Affiliation Type: Facility Operator Company Name: 67-50 THORNTON PLACE Contact Type: Not reported Contact Name: **KRISHANDUT DUTT** Address1: Not reported Address2: Not reported Not reported City: State: NN Zip Code: Not reported Country Code: 001 Phone: (718) 544-3960 Not reported EMail: Fax Number: Not reported Modified By: DMPOKRZY Date Last Modified: 2017-11-10

Database(s)

EDR ID Number **EPA ID Number**

67-50 THORNTON PLACE (Continued)

Site Id:

Contact Type:

Contact Name:

Address1:

Address2: City:

Zip Code:

Country Code:

Modified By:

Tank Number: Tank ID:

Tank Status:

Install Date:

Registered:

Tank Type:

Date Test:

Pipe Model:

Modified By:

Last Modified:

Tank Location:

Material Code:

State:

Phone:

EMail: Fax Number:

Tank Info:

14179 Affiliation Type: **Emergency Contact** Company Name: THORNTON PLACE OWNERS % JOHN B. LOVETT Not reported MARK LEVINE Not reported Not reported Not reported NN Not reported 999 (516) 333-7730 Not reported Not reported DMPOKRZY 2017-11-10 Date Last Modified: 001 24368 Closed - In Place Material Name: Closed - In Place Capacity Gallons: 7500 01/01/1966 Date Tank Closed: 11/14/2007 True Underground Steel/carbon steel 0003 Common Name of Substance: #6 Fuel Oil (On-Site Consumption) Tightness Test Method: NN Not reported Next Test Date: Not reported Not reported msbaptis 04/14/2017 Equipment Records: K00 - Spill Prevention - None A00 - Tank Internal Protection - None B01 - Tank External Protection - Painted/Asphalt Coating D01 - Pipe Type - Steel/Carbon Steel/Iron F01 - Pipe External Protection - Painted/Asphalt Coating L00 - Piping Leak Detection - None G00 - Tank Secondary Containment - None C02 - Pipe Location - Underground/On-ground 105 - Overfill - Vent Whistle J00 - Dispenser - None H00 - Tank Leak Detection - None E00 - Piping Secondary Containment - None

AST:	
Region:	STATE
DEC Region:	2
Site Status:	Active

Database(s)

EDR ID Number EPA ID Number

67-50 THORNTON PLACE (Continued)

Facility Id: 2-310298 Program Type: PBS UTM X: 596525.49180 UTM Y: 4508391.61945 Expiration Date: 01/07/2023 Apartment Building/Office Building Site Type: Affiliation Records: Site Id: 14179 Affiliation Type: Facility Owner THORNTON PLACE OWNERS % JOHN B. LOVETT Company Name: Contact Type: AGENT Contact Name: MARK LEVINE Address1: 109-15 14TH AVE. Address2: Not reported City: COLLEGE POINT State: NY 11375 Zip Code: Country Code: 001 (516) 333-7730 Phone: EMail: Not reported Not reported Fax Number: DAFRANCI Modified By: Date Last Modified: 2017-03-20 Site Id: 14179 Affiliation Type: Mail Contact Company Name: EBMG, LLC Contact Type: Not reported Contact Name: MARK LEVINE 393 OLD COUNTRY ROAD Address1: Address2: SUITE 204 City: CARLE PLACE State: NY Zip Code: 11514 Country Code: 001 Phone: (516) 333-7730 EMail: MBLEVINE@EBMG.COM Fax Number: Not reported DMPOKRZY Modified By: Date Last Modified: 2017-07-17 Site Id: 14179 Affiliation Type: Facility Operator Company Name: 67-50 THORNTON PLACE Contact Type: Not reported Contact Name: **KRISHANDUT DUTT** Address1: Not reported Address2: Not reported Not reported City: State: NN Zip Code: Not reported Country Code: 001 Phone: (718) 544-3960 EMail: Not reported Fax Number: Not reported Modified By: DMPOKRZY Date Last Modified: 2017-11-10

Database(s)

EDR ID Number EPA ID Number

67-50 THORNTON PLACE (Continued)

Site Id:

Affiliation Type:

Contact Type:

Contact Name:

Address1:

Address2: City:

Zip Code:

Country Code:

Fax Number: Modified By:

Date Last Modified:

State:

Phone:

EMail:

Tank Info:

Company Name:

14179 **Emergency Contact** THORNTON PLACE OWNERS % JOHN B. LOVETT Not reported MARK LEVINE Not reported Not reported Not reported NN Not reported 999 (516) 333-7730 Not reported Not reported DMPOKRZY 2017-11-10 002

Tank Number	002
Tank Id	220988
Material Code:	0003
Common Name of Substance:	#6 Fuel Oil (On-Site Consumption)
Common Name of Substance.	

Equipment Records:

quipment Records.	
	105 - Overfill - Vent Whistle
	L00 - Piping Leak Detection - None
	A00 - Tank Internal Protection - None
	B01 - Tank External Protection - Painted/Asphalt Coating
	D01 - Pipe Type - Steel/Carbon Steel/Iron
	F01 - Pipe External Protection - Painted/Asphalt Coating
	K00 - Spill Prevention - None
	J00 - Dispenser - None
	E00 - Piping Secondary Containment - None
	H00 - Tank Leak Detection - None
	C02 - Pipe Location - Underground/On-ground
	G00 - Tank Secondary Containment - None
Tank Location:	Aboveground - on saddles, legs, racks, etc Tank bottom is elevated
	above grade or tank pad, allowing visual inspection.
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	12/31/2007
Capacity Gallons:	5000
Tightness Test Method:	
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	DAFRANCI
Last Modified:	04/14/2017
Material Name:	#2 fuel oil (on-site consumption)

Database(s)

EDR ID Number EPA ID Number

140 NE 1/4-1/2 0.405 mi. 2139 ft.	67-64 EXETER ST 67-64 EXETER ST FOREST HILLS, NY	NY LTANKS S102672632 N/A
Relative: Higher Actual: 57 ft.	LTANKS: Spill Number/Closed Date: Facility ID: Site ID: Spill Date: Spill Cause: Spill Couse: Spill Class: Cleanup Ceased: SWIS: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Notifier: Last Inspection: Recommended Penalty: Meets Standard: UST Involvement: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Contact: Spiller Contact: Spiller Contact: Spiller Phone: Spiller Extention: DEC Region: DEC Memo: Remarks:	9409162 / 1994-10-10 9409162 198074 1994-10-10 Tank Overfill Private Dwelling Not reported 1994-10-10 4101 O'DOWD Not reported 1994-10-10 Not reported Responsible Party Not reported False True False 0 1994-11-03 2004-09-30 Not reported PETRO OIL Not reported PETRO OIL Not reported 0 1994-11-03 2004-09-30 Not reported PETRO OIL Not reported 0 1994-11-03 2004-09-30 Not reported PETRO OIL Not reported 01 Not reported 02 164838 ""
	All Materials: Site ID: Operable Unit ID: Operable Unit: Material ID: Material Code: Material Name: Case No.: Material FA: Quantity: Units: Recovered: Oxygenate:	198074 1003138 01 378587 0001A #2 fuel oil Not reported Petroleum 1.00 G .00 Not reported

Database(s) EPA ID

EDR ID Number EPA ID Number

141	CLOSED-LACKOF RECENT INFO	NY LTANKS S100490932
1/4-1/2 0.423 mi.	FOREST HILLS, NY	N/A
SSE 1/4-1/2	87-01 69TH AVE FOREST HILLS, NY LTANKS: Spill Number/Closed Date: Facility ID: Site ID: Spill Date: Spill Cause: Spill Cause: Spill Cause: Cleanup Ceased: SWIS: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Notifier: Last Inspection: Recommended Penalty: Meets Standard: UST Involvement: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Address: Spiller County:	9200423 / 2003-03-06 9200423 245183 1992-04-10 Tank Test Failure Commercial/Industrial C4 Not reported 4101 ADMIN. CLOSED Not reported 1992-04-10 Not reported Not reported Not reported False False False False False 0 1992-04-16 2003-03-06 Not reported Not reported Not reported Not reported Not reported False 0
	Spiller Contact: Spiller Phone: Spiller Extention: DEC Region: DER Facility ID: DEC Memo: Remarks:	Not reported Not reported 2 201404 "Prior to Sept, 2004 data translation this spill Lead_DEC Field was ADMIN.CLOSED 03/06/2003 Closed Due To The Nature / Extent Of The Spill Report" "CLOSED DUE TO LACK OF ANY RECENT INFO- DOES NOT MEET ANY CLEAN UP REQUIREMENTS."
	All TTF: Facility ID: Spill Number: Spill Tank Test: Site ID: Tank Number: Tank Size: Material: EPA UST: UST: Cause: Source: Test Method: Test Method 2: Leak Rate: Gross Fail:	9200423 9200423 1539856 245183 Not reported 0 00001 Not reported Not reported Not reported Not reported Not reported O Unknown .00 Not reported

Database(s)

EDR ID Number **EPA ID Number**

S100490932

CLOSED-LACKOF RECENT INFO (Continued)

Modified By:	Spills
Last Modified Date:	Not reported
All Materials: Site ID: Operable Unit ID: Operable Unit: Material ID: Material Code: Material Name: Case No.: Material FA: Quantity: Units: Recovered: Oxygenate:	245183 964368 01 415224 0001A #2 fuel oil Not reported Petroleum -1.00 L .00 Not reported

142 97-09 69TH AVE ENE 97-09 69TH AVE 1/4-1/2 FOREST HILLS, NY

CID:

0.440 mi. 2321 ft.

Relative: Higher Actual:

57 ft.

LTANKS: Spill Number/Closed Date: 9407821 / 1994-09-13 Facility ID: 9407821 Site ID: 197245 Spill Date: 1994-09-12 Spill Cause: Tank Overfill Spill Source: Commercial/Industrial Spill Class: Not reported Cleanup Ceased: 1994-09-13 SWIS: 4101 Investigator: SMMARTIN Referred To: Not reported Reported to Dept: 1994-09-12 Not reported Water Affected: Not reported Spill Notifier: **Responsible Party** Last Inspection: Not reported Recommended Penalty: False Meets Standard: True UST Involvement: False Remediation Phase: 0 1994-10-27 Date Entered In Computer: Spill Record Last Update: 2003-10-24 Spiller Name: Not reported . Spiller Company: EVER RITE FUEL CO Spiller Address: 6826 78TH ST Spiller County: 001 Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported DEC Region: 2 164170 DER Facility ID: DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was

NY LTANKS S102672601

N/A

143

ESE

57 ft.

Last Inspection:

Meets Standard:

Spiller Name:

. Spiller Company:

Spiller Address:

Spiller County:

Spiller Contact:

Spiller Extention:

DER Facility ID:

Spiller Phone:

DEC Region:

DEC Memo:

UST Involvement:

Remediation Phase:

Recommended Penalty:

Date Entered In Computer:

Spill Record Last Update:

EDR ID Number Database(s) **EPA ID Number**

S102672601

S101102450

N/A

97-09 69TH AVE (Continued) MARTINKAT " "30 OR 40 LBS DRI-SORB PUT DOWN- CUSTOMER ORDERED TOO MUCH FUEL IT Remarks: SPILLED OUT OF TANK." All Materials: Site ID: 197245 1005525 Operable Unit ID: Operable Unit: 01 Material ID: 377281 Material Code: 0001A Material Name: #2 fuel oil Not reported Case No .: Petroleum Material FA: Quantity: 5.00 Units: G Recovered: .00 Oxygenate: Not reported 93-02 70TH AVENUE NY LTANKS 93-02 70TH AVENUE 1/4-1/2 FOREST HILLS, NY 0.443 mi. 2341 ft. **Relative:** LTANKS: Higher Spill Number/Closed Date: 9315363 / 1994-04-14 Facility ID: 9315363 Actual: Site ID: 175886 Spill Date: 1994-03-29 Spill Cause: Tank Failure Spill Source: Private Dwelling Spill Class: C3 Cleanup Ceased: 1994-04-14 SWIS: 4101 Investigator: CAMMISA Referred To: Not reported Reported to Dept: 1994-03-29 CID: Not reported Water Affected: Not reported Spill Notifier: Other

Not reported

1994-03-30

1994-04-14

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

147833

False

True

False

0

001

2

....

TC5618352.2s Page 337

EDR ID Number Database(s) EPA ID Number

93-02 70TH AVENUE (Continued)

Remarks:

S101102450

"SPILL CONTAINED IN BASEMENT CUSTOMER TO DO CLEAN UP VIA CONTRACTOR -SPOKE WITH ULLMAN (516)379-6100 - JEFF MILRO TO COME TO SITE -DEP AT SCENCE CLEAN UP DONE BY HOME OWNER."

175886
997425
01
556876
0001A
#2 fuel oil
Not reported
Petroleum
-1.00
G
.00
Not reported

14475-11 WOODHAVEN BLVD.South75-11 WOODHAVEN BLVD1/4-1/2GLENDALE, NY0.454 min

0.454 mi. 2397 ft.

Relative: Higher Actual: 69 ft. LTANKS: Spill Number/Closed Date: 8905984 / 1992-11-02 Facility ID: 8905984 Site ID: 111406 Spill Date: 1989-09-14 Spill Cause: Tank Test Failure Spill Source: Commercial/Industrial Spill Class: C4 Cleanup Ceased: 1992-11-02 SWIS: 4101 Investigator: SIGONA Referred To: Not reported Reported to Dept: 1989-09-18 Not reported CID: Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported Recommended Penalty: False Meets Standard: False UST Involvement: False Remediation Phase: 0 1989-09-25 Date Entered In Computer: Spill Record Last Update: 1996-06-13 Spiller Name: CAROL CUMMINGS . Spiller Company: SAME Spiller Address: Not reported Spiller County: 001 Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported DEC Region: 2 **DER Facility ID:** 281861 DEC Memo:

NY LTANKS S100145592 N/A

EDR ID Number Database(s) EPA ID Number

	75-11 WOODHAVEN BLVD. (Conti	nued)		S100145592
	Remarks:	"TWO 10K TANK SYSTEM FAILS HORNER @ L R = G	ROSS. E & I &	R."
	All TTF:			
	Facility ID:	8905984		
	Spill Number:	8905984		
	Spill Tank Test:	1536038		
	Site ID:	111406		
	Tank Number:	Not reported		
	Tank Size:	0		
	Material:	0002		
	EPA UST:	Not reported		
	UST:	Not reported		
	Cause:	Not reported		
	Source:	Not reported		
	Test Method:	00		
	Test Method 2:	Unknown		
	Leak Rate:	.00		
	Gross Fail:	Not reported		
	Modified By:	Spills		
	Last Modified Date	Not reported		
	All Materials:	444400		
	Site ID:	111406		
	Operable Unit ID:	931188		
	Operable Unit:	01		
	Material ID:	446378		
	Material Code:	0002A		
	Material Name:	#4 fuel oil		
	Case No.:	Not reported		
	Material FA:	Petroleum		
	Quantity:	-1.00		
	Units:	L		
	Recovered:	.00		
	Oxygenate:	Not reported		
145 NNE 1/4-1/2	67-15 DARTHMOUTH ST/QUEEN 67-15 DARTMOUTH ST NEW YORK CITY, NY		NY LTANKS	S100167465 N/A
0.462 mi. 2440 ft.				
Relative:	LTANKS:			
Higher	Spill Number/Closed Date:	8707378 / 1992-10-07		
Actual:	Facility ID:	8707378		
68 ft.	Site ID:	181923		
	Spill Date:	1987-11-27		
	Spill Cause:	Tank Test Failure		
	Spill Source:	Commercial/Industrial		
	Spill Class:	C4		
	Cleanup Ceased:	1992-10-07		
	SWIS:	4101		
	Investigator:	BATTISTA		
	Referred To:	Not reported		
	Reported to Dept:	1987-11-27		
	CID:	Not reported		
	Water Affected:	Not reported		
	Spill Notifier:	Tank Tester		

Database(s)

EDR ID Number EPA ID Number

67-15 DARTHMOUTH ST/QUEEN (Continued)

Last Inspection:	Not reported		
Recommended Penalty:	False		
Meets Standard:	False		
UST Involvement:	False		
Remediation Phase:	0		
Date Entered In Computer:	1987-12-01		
Spill Record Last Update:	1994-02-15		
Spiller Name:	Not reported		
Spiller Company:	UTAH LEASING COMP.		
Spiller Address:	67-15 DARTMOUTH ST		
Spiller County:	001		
Spiller Contact:	Not reported		
Spiller Phone:	Not reported		
Spiller Extention:	Not reported		
DEC Region:	2		
DER Facility ID:	152537		
DEC Memo:	III		
Remarks:	"3K TANK COULDN'T MAINTAIN LEVEL IN STANDPIPE, LEVEL IS NOW BELOW		
Komano.	TANKTOP, WAITING FOR REGIONAL DEC RESPONSE."		
All TTF:			
Facility ID:	8707378		
Spill Number:	8707378		
Spill Tank Test:	1532451		
Site ID:	181923		
Tank Number:	Not reported		
Tank Size:	0		
Material:	0001		
EPA UST:	Not reported		
UST:	Not reported		
Cause:	Not reported		
Source:	Not reported		
Test Method:	00		
Test Method 2:	Unknown		
Leak Rate:	.00		
Gross Fail:	Not reported		
Modified By:	Spills		
Last Modified Date:	Not reported		
All Materials:			
Site ID:	181923		
Operable Unit ID:	913084		
Operable Unit:	01		
Material ID:	466334		
Material Code:	0001A		
Material Name:	#2 fuel oil		
Case No.:	Not reported		
Material FA:	Petroleum		
Quantity:	-1.00		
Units:	Not reported		
Recovered:	.00		
Oxygenate:	Not reported		

EDR ID Number Database(s) EPA ID Number

AE146 South 1/4-1/2 0.484 mi. 2553 ft.	WOODHAVEN BLVD & ME REGO PARK, NY 11374	AVEN BLVD. & METROPOL ETROPOLITAN AVE	NY ENG CONTROLS NY INST CONTROL NY VCP	S108984508 N/A
2553 ft. Relative: Higher Actual: 71 ft.		56816 V00095 15 ENG 09/25/2013 01/20/2017 KRKEARNE Location: The Site is located in a suburban area the east side of Woodhaven Boulevard approxim south of Metropolitan Avenue. Site Features: The the Voluntary Cleanup Agreement, includes (forr block 3886 (since the VCA was signed the lots h collectively form lot 74). In February 2012 the Vo request (which was approved) to amend the VC/ the site to include a 0.228-acre portion of former between former lots 46 and 74). The Site is now known as Block 3886, Lot 74. Current site featur one story Home Depot retail store to the south, p north, the garden section of the Home Depot sto along the Woodhaven Blvd, and limited unpaved and Land Uses: The site is currently a Home Dep associated parking lot. The surrounding parcels is combination of residential and commercial purpo Long Island Rail Road are located to the south, a Parks and Recreation (General) Arsenal West is southwest and an abandoned railroad line is loca The nearest residential area is approximately 250 northwest (upgradient). To the north is a sporting (Sports Authority) and its parking lot. There is a area approximately 330 feet southwest of the site Past Use of the Site: Prior to Home Depot, the sit five commercial and industrial activities were site that included operation of knitting mill, distrib stationary, office supply, paper packaging, waref division. Site Geology and Hydrogeology: The ge unconsolidated formation primarily consists of gr A confining clay layer present at depth around 14 Depth of groundwater ranges between 50 to 56 f flow direction is to the southeast. Nature and Extent of Contamination: Remediatio complete; as a part of the remedy an Air Sparge, (AS/SVE) system was installed which is currently primary contaminant of concern at the Site is tett (PCE). Investigations indicated the presence of c soils (removed) and groundwater at concentratio standards, criteria and guidance. Under a site ma periodic monitoring and O&M is on-going. T volunteer submitted a Remedial Optimization	hately one-quarter mile e site, as defined in mer) lots 46 and 74 in have been merged and oblunteer submitted a A to modify the limits of 1 lot 450 (located 6.196 acres and is resinclude a typical barking lot to the me located to the west d areas. Current Zoning pot store and it's are used for a bases. Tracks for the a vacant lot owned by located to the ated east of the site. 0 feet to the g goods retail store also a residential e (downgradient). ite was occupied by use type structures. e conducted at the bution of house and a GE lamp eology of the upper ravel, sand and silt. 46 feet below grade. feet below grade and the on at the site is /Soil Vapor Extraction y operating. The rachloroethylene contamination in Site ons above applicable anagement plan To expedite remedy the ork Plan in 2017 which vithin the area where nicals targeting	

EDR ID Number Database(s) EPA ID Number

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)		
Health Probl	standard is from a Sta plume had performed are not res the off-site Impacted/ and Wildlin em: On-site su volatile org include the Buildings a contamina therefore a unlikely. A neighborh this time. 0 soil vapor building. T	E concentration in groundwater is 2,800 ppb (groundwater s 5.0 ppb) detected under the Home Depot building. Data te funded Investigation performed in 2002 indicated the Imigrated offsite; since this site's remedial program was by a Volunteer under the Voluntary Cleanup Program, they sponsible for off-site contamination. For information on remedial program see Site No. 241036. Special Resources Threatened: The site is located in the urban area and Fish te Impact Analysis is not warranted. bsurface soils and groundwater are contaminated with ganic compounds. Remedial actions taken place at the site e excavation of soils from the identified source area. and pavement cover the site, therefore exposure to residual ted soils is unlikely. The area is served by public water, exposure through ingestion of contaminated groundwater is soil vapor intrusion study was conducted in the to and the results indicated no further action is needed at Dn-site vapors are being mitigated by the operation of a extraction system and a vapor barrier beneath the on-site herefore, the potential for inhalation exposure has been
Dump:	minimized False	
Structure:	False	
Lagoon:	False	
Landfill:	False	
Pond:	False	
Disp Start:	Not report	ed
Disp Term:	Not report	ed
Lat/Long:	Not report	
Dell:	Not report	
Record Add:		7 09:26:00
Record Upd:		9 14:59:00
Updated By: Own Op:		Repository
Sub Type:	C01	Repository
Owner Name		Tobin
Owner Comp		ublic Library
Owner Addre	•	ropolitan Avenue
Owner Addr2		•
Owner City,S	St,Zip: Forest Hill	s, NY 11375
Owner Coun	try: United Sta	tes of America
Own Op:	Owner	
Sub Type:	05	- del dec
Owner Name		
Owner Comp Owner Addre	,	POT USA INC
Owner Addra		es Ferry Road
Owner City,S	,	۵ 30330
Owner Coun		tes of America
Own Op:		Requestor
Sub Type:	06	
Owner Name	e: Mike Made	docks
Owner Comp	oany: The Home	Depot, USA Inc.
Owner Addre		es Ferry Road
Owner Addr2		
Owner City,S		
Owner Coun	try: United Sta	tes of America

Database(s)

EDR ID Number **EPA ID Number**

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

HW Code: Waste Type: Waste Quantity: Waste Code: HW Code: Waste Type: Waste Quantity: Waste Code: Crossref ID: Cross Ref Type Code: 26 Cross Ref Type: Record Added Date: Record Updated: Updated By: Crossref ID: Cross Ref Type Code: 25 Cross Ref Type: Record Added Date: Record Updated: Updated By: Crossref ID: Cross Ref Type Code: 04 Cross Ref Type: Record Added Date: Record Updated: Updated By: Crossref ID: Cross Ref Type Code: 23 Cross Ref Type: Record Added Date: Record Updated: Updated By: Crossref ID: Cross Ref Type Code: 02 Cross Ref Type: Record Added Date: Record Updated: Updated By: Crossref ID: Cross Ref Type Code: 20 Cross Ref Type: Record Added Date: Record Updated: Updated By: Crossref ID: Cross Ref Type Code: 02 Cross Ref Type: Record Added Date: Record Updated: Updated By: Site Code: HW Code: Control Code: 35 Control Type:

V00095 TETRACHLOROETHYLENE (PCE) UNKNOWN Not reported V00095 tetrachloroethene (PCE) UNKNOWN Not reported July 14, 1997 Agreement/Consent Order Date 2013-09-26 11:11:00 2013-09-26 11:11:00 SXAHMED 2012000171722 County Recording Identifier 2013-06-19 13:41:00 2013-06-19 13:41:00 SXAHMED V00095 VCP Site ID 2013-09-26 11:39:00 2013-09-26 11:39:00 SXAHMED Index no: d2-0001-97-04 Agreement/Consent Order Number 2013-09-26 11:12:00 2013-09-26 11:12:00 SXAHMED 241036 HW Site ID 2003-03-26 10:53:00 2003-03-26 10:53:00 ajsylves D2-0001-97-04(R Haz. Substance ID 2000-11-30 16:07:00 2005-02-24 15:54:00 VCPTRANS 241505 HW Site ID 2006-03-30 09:04:00 2006-03-30 09:04:00 JLFATATO 56816 V00095 ENG Date Record Added: 09/25/2013 Date Rec Updated: 01/20/2017

Database(s)

EDR ID Number EPA ID Number

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)			
Updated By: Site Description:	KRKEARNE Location: The Site is located in a suburban area of Queens County, on the east side of Woodhaven Boulevard approximately one-quarter mile south of Metropolitan Avenue. Site Features: The site, as defined in the Voluntary Cleanup Agreement, includes (former) lots 46 and 74 in block 3886 (since the VCA was signed the lots have been merged and collectively form lot 74). In February 2012 the Volunteer submitted a request (which was approved) to amend the VCA to modify the limits of the site to include a 0.228-acre portion of former lot 450 (located between former lots 46 and 74). The Site is now 6.196 acres and is known as Block 3886, Lot 74. Current site features include a typical one story Home Depot retail store to the south, parking lot to the north, the garden section of the Home Depot store located to the west along the Woodhaven Blvd, and limited unpaved areas. Current Zoning and Land Uses: The site is currently a Home Depot store and it's associated parking lot. The surrounding parcels are used for a combination of residential and commercial purposes. Tracks for the Long Island Rail Road are located to the south, a vacant lot owned by Parks and Recreation (General) Arsenal West is located to the southwest and an abandoned railroad line is located east of the site. The nearest residential area is approximately 250 feet to the northwest (upgradient). To the north is a sporting goods retail store (Sports Authority) and its parking lot. There is also a residential area approximately 330 feet southwest of the site (downgradient). Past Use of the Site: Prior to Home Depot, the site was occupied by five commercial and industrial activities were conducted at the site that included operation of knitting mill, distribution of stationary, office supply, paper packaging, warehouse and a GE lamp division. Site Geology and Hydrogeology: The geology of the upper unconsolidated formation primarily consists of gravel, sand and silt. A confining clay layer present at depth around 146 feet below grade. Depth of gro		
Env Problem:	Nature and Extent of Contamination: Remediation at the site is complete; as a part of the remedy an Air Sparge/Soil Vapor Extraction (AS/SVE) system was installed which is currently operating. The primary contaminant of concern at the Site is tetrachloroethylene (PCE). Investigations indicated the presence of contamination in Site soils (removed) and groundwater at concentrations above applicable standards, criteria and guidance. Under a site management plan periodic monitoring and O&M is on-going. To expedite remedy the volunteer submitted a Remedial Optimization Work Plan in 2017 which proposes installation of a new AS/SVE system within the area where initial system was built and also injection of chemicals targeting the source area. Per December 2017 monitoring data the highest on-site PCE concentration in groundwater is 2,800 ppb (groundwater standard is 5.0 ppb) detected under the Home Depot building. Data from a State funded Investigation performed in 2002 indicated the plume had migrated offsite; since this site's remedial program was performed by a Volunteer under the Voluntary Cleanup Program, they are not responsible for off-site contamination. For information on the off-site remedial program see Site No. 241036. Special Resources Impacted/Threatened: The site is located in the urban area and Fish and Wildlife Impact Analysis is not warranted.		
Health Problem:	On-site subsurface soils and groundwater are contaminated with volatile organic compounds. Remedial actions taken place at the site		

Dump:

Structure:

Lagoon:

Landfill:

Disp Start:

Disp Term:

Record Add:

Record Upd:

Updated By:

Own Op:

Sub Type:

Own Op:

Own Op:

Sub Type:

HW Code:

HW Code:

Waste Type:

Crossref ID:

Waste Type:

Sub Type:

Lat/Long:

Pond:

Dell:

MAP FINDINGS

EDR ID Number Database(s) **EPA ID Number**

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

include the excavation of soils from the identified source area. Buildings and pavement cover the site, therefore exposure to residual contaminated soils is unlikely. The area is served by public water, therefore exposure through ingestion of contaminated groundwater is unlikely. A soil vapor intrusion study was conducted in the neighborhood and the results indicated no further action is needed at this time. On-site vapors are being mitigated by the operation of a soil vapor extraction system and a vapor barrier beneath the on-site building. Therefore, the potential for inhalation exposure has been minimized. False False False False False Not reported Not reported Not reported Not reported 2012-08-27 09:26:00 2013-09-19 14:59:00 kbdilige Document Repository C01 Owner Name: Frances S. Tobin Owner Company: Queens Public Library Owner Address: 98-27 Metropolitan Avenue Owner Addr2: Not reported Owner City, St, Zip: Forest Hills, NY 11375 Owner Country: United States of America Owner 05 **Owner Name:** Michael Maddocks Owner Company: HOME DEPOT USA INC Owner Address: 2455 Paces Ferry Road NW, C-19 Owner Addr2: Owner City,St,Zip: Atlanta, GA 30339 **Owner Country:** United States of America Applicant/Requestor 06 Owner Name: Mike Maddocks Owner Company: The Home Depot, USA Inc. Owner Address: 2455 Paces Ferry Road Owner Addr2: C-19 Owner City, St, Zip: Atlanta, GA 30339 Owner Country: United States of America V00095 TETRACHLOROETHYLENE (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported V00095 tetrachloroethene (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported July 14, 1997 Cross Ref Type Code: 26 Cross Ref Type: Agreement/Consent Order Date

Database(s)

EDR ID Number EPA ID Number

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

Record Added Date: 2013-09-26 11:11:00 Record Updated: 2013-09-26 11:11:00 Updated By: SXAHMED Crossref ID: 2012000171722 Cross Ref Type Code: 25 Cross Ref Type: County Recording Identifier Record Added Date: 2013-06-19 13:41:00 Record Updated: 2013-06-19 13:41:00 Updated By: SXAHMED Crossref ID: V00095 Cross Ref Type Code: 04 Cross Ref Type: VCP Site ID Record Added Date: 2013-09-26 11:39:00 Record Updated: 2013-09-26 11:39:00 Updated By: SXAHMED Crossref ID: Index no: d2-0001-97-04 Cross Ref Type Code: 23 Cross Ref Type: Agreement/Consent Order Number Record Added Date: 2013-09-26 11:12:00 Record Updated: 2013-09-26 11:12:00 Updated By: SXAHMED Crossref ID: 241036 Cross Ref Type Code: 02 Cross Ref Type: HW Site ID Record Added Date: 2003-03-26 10:53:00 Record Updated: 2003-03-26 10:53:00 Updated By: ajsylves Crossref ID: D2-0001-97-04(R Cross Ref Type Code: 20 Cross Ref Type: Haz. Substance ID Record Added Date: 2000-11-30 16:07:00 Record Updated: 2005-02-24 15:54:00 Updated By: **VCPTRANS** Crossref ID: 241505 Cross Ref Type Code: 02 Cross Ref Type: HW Site ID Record Added Date: 2006-03-30 09:04:00 Record Updated: 2006-03-30 09:04:00 Updated By: JLFATATO

INST CONTROL:

ł	ST CONTROL.	
	Site Code:	56816
	Control Name:	Ground Water Use Restriction
	HW Code:	V00095
	Control Code:	08
	Control Type:	INST
	Dt record added:	09/25/2013
	Dt rec updated:	01/20/2017
	Updated By:	KRKEARNE
	Site Code:	56816
	Site Description:	Location: The Site is located in a suburban area of Queens County, on
		the east side of Woodhaven Boulevard approximately one-quarter mile
		south of Metropolitan Avenue. Site Features: The site, as defined in
		the Voluntary Cleanup Agreement, includes (former) lots 46 and 74 in
		block 3886 (since the VCA was signed the lots have been merged and
		collectively form lot 74). In February 2012 the Volunteer submitted a
		request (which was approved) to amend the VCA to modify the limits of

Database(s)

EDR ID Number EPA ID Number

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

the site to include a 0.228-acre portion of former lot 450 (located between former lots 46 and 74). The Site is now 6.196 acres and is known as Block 3886, Lot 74. Current site features include a typical one story Home Depot retail store to the south, parking lot to the north, the garden section of the Home Depot store located to the west along the Woodhaven Blvd, and limited unpaved areas. Current Zoning and Land Uses: The site is currently a Home Depot store and it's associated parking lot. The surrounding parcels are used for a combination of residential and commercial purposes. Tracks for the Long Island Rail Road are located to the south, a vacant lot owned by Parks and Recreation (General) Arsenal West is located to the southwest and an abandoned railroad line is located east of the site. The nearest residential area is approximately 250 feet to the northwest (upgradient). To the north is a sporting goods retail store (Sports Authority) and its parking lot. There is also a residential area approximately 330 feet southwest of the site (downgradient). Past Use of the Site: Prior to Home Depot, the site was occupied by five commercials, manufacturing and /or warehouse type structures. Several commercial and industrial activities were conducted at the site that included operation of knitting mill, distribution of stationary, office supply, paper packaging, warehouse and a GE lamp division. Site Geology and Hydrogeology: The geology of the upper unconsolidated formation primarily consists of gravel, sand and silt. A confining clay layer present at depth around 146 feet below grade. Depth of groundwater ranges between 50 to 56 feet below grade and the flow direction is to the southeast. Env Problem: Nature and Extent of Contamination: Remediation at the site is complete; as a part of the remedy an Air Sparge/Soil Vapor Extraction (AS/SVE) system was installed which is currently operating. The primary contaminant of concern at the Site is tetrachloroethylene (PCE). Investigations indicated the presence of contamination in Site soils (removed) and groundwater at concentrations above applicable standards, criteria and guidance. Under a site management plan periodic monitoring and O&M is on-going. To expedite remedy the volunteer submitted a Remedial Optimization Work Plan in 2017 which proposes installation of a new AS/SVE system within the area where initial system was built and also injection of chemicals targeting the source area. Per December 2017 monitoring data the highest on-site PCE concentration in groundwater is 2,800 ppb (groundwater standard is 5.0 ppb) detected under the Home Depot building. Data from a State funded Investigation performed in 2002 indicated the plume had migrated offsite; since this site's remedial program was performed by a Volunteer under the Voluntary Cleanup Program, they are not responsible for off-site contamination. For information on the off-site remedial program see Site No. 241036. Special Resources Impacted/Threatened: The site is located in the urban area and Fish and Wildlife Impact Analysis is not warranted. Health Problem: On-site subsurface soils and groundwater are contaminated with volatile organic compounds. Remedial actions taken place at the site include the excavation of soils from the identified source area. Buildings and pavement cover the site, therefore exposure to residual contaminated soils is unlikely. The area is served by public water, therefore exposure through ingestion of contaminated groundwater is unlikely. A soil vapor intrusion study was conducted in the neighborhood and the results indicated no further action is needed at this time. On-site vapors are being mitigated by the operation of a soil vapor extraction system and a vapor barrier beneath the on-site

Database(s) EPA

EDR ID Number EPA ID Number

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

S108984508

building. Therefore, the potential for inhalation exposure has been minimized. Dump: False Structure: False Lagoon: False Landfill: False Pond: False Disp Start: Not reported Disp Term: Not reported Lat/Long: Not reported Dell: Not reported 2012-08-27 09:26:00 Record Add: 2013-09-19 14:59:00 Record Upd: Updated By: kbdilige Own Op: **Document Repository** Sub Type: C01 Owner Name: Frances S. Tobin Owner Company: Queens Public Library Owner Address: 98-27 Metropolitan Avenue Owner Addr2: Not reported Owner City, St, Zip: Forest Hills, NY 11375 Owner Country: United States of America Own Op: Owner Sub Type: 05 Owner Name: Michael Maddocks Owner Company: HOME DEPOT USA INC Owner Address: 2455 Paces Ferry Road Owner Addr2: NW, C-19 Owner City, St, Zip: Atlanta, GA 30339 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: 06 Owner Name: Mike Maddocks Owner Company: The Home Depot, USA Inc. Owner Address: 2455 Paces Ferry Road Owner Addr2: C-19 Owner City, St, Zip: Atlanta, GA 30339 Owner Country: United States of America HW Code: V00095 Waste Type: TETRACHLOROETHYLENE (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00095 Waste Type: tetrachloroethene (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported Crossref ID: July 14, 1997 Cross Ref Type Colde: Cross Ref Type: Agreement/Consent Order Date Record Added Date013-09-26 11:11:00 Record Updated: 2013-09-26 11:11:00 Updated By: SXAHMED 2012000171722 Crossref ID: Cross Ref Type Code: Cross Ref Type: County Recording Identifier Record Added Date013-06-19 13:41:00 Record Updated: 2013-06-19 13:41:00

Database(s)

EDR ID Number EPA ID Number

Updated By:	SXAHMED	
Crossref ID:	V00095	
Cross Ref Type C		
Cross Ref Type:		
	t2013-09-26 11:39:00	
•	2013-09-26 11:39:00	
Updated By:	SXAHMED	
Crossref ID:	Index no: d2-0001-97-04	
Cross Ref Type C		
	Agreement/Consent Order Number	
	t2013-09-26 11:12:00	
•	2013-09-26 11:12:00	
Updated By:	SXAHMED	
Crossref ID:	241036	
Cross Ref Type C		
Cross Ref Type:		
	12003-03-26 10:53:00	
	2003-03-26 10:53:00	
Updated By:		
Crossref ID:	D2-0001-97-04(R	
Cross Ref Type C		
	Haz. Substance ID	
	t22000-11-30 16:07:00	
	2005-02-24 15:54:00	
Updated By:	VCPTRANS	
Crossref ID:	241505	
Cross Ref Type C		
Cross Ref Type:		
	122006-03-30 09:04:00	
Updated By:	2006-03-30 09:04:00 JLFATATO	
Opdated by.		
Site Code:	56816	
Control Name:	Building Use Restriction	
HW Code:	V00095	
Control Code:	26	
Control Type:	INST	
Dt record added:		
Dt rec updated:		
Updated By:	KRKEARNE	
Site Code:	56816	
	Location: The Site is located in a suburban area of Queens County, on	
ene Beeenpuen.	the east side of Woodhaven Boulevard approximately one-quarter mile	
	south of Metropolitan Avenue. Site Features: The site, as defined in	
	the Voluntary Cleanup Agreement, includes (former) lots 46 and 74 in	
	block 3886 (since the VCA was signed the lots have been merged and	
	collectively form lot 74). In February 2012 the Volunteer submitted a	
	request (which was approved) to amend the VCA to modify the limits of	
	the site to include a 0.228-acre portion of former lot 450 (located	
	between former lots 46 and 74). The Site is now 6.196 acres and is	
	known as Block 3886, Lot 74. Current site features include a typical	
	one story Home Depot retail store to the south, parking lot to the	
	north, the garden section of the Home Depot store located to the west	
	along the Woodhaven Blvd, and limited unpaved areas. Current Zoning	
	and Land Uses: The site is currently a Home Depot store and it's	
	associated parking lot. The surrounding parcels are used for a	

Database(s)

EDR ID Number **EPA ID Number**

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

Long Island Rail Road are located to the south, a vacant lot owned by Parks and Recreation (General) Arsenal West is located to the southwest and an abandoned railroad line is located east of the site. The nearest residential area is approximately 250 feet to the northwest (upgradient). To the north is a sporting goods retail store (Sports Authority) and its parking lot. There is also a residential area approximately 330 feet southwest of the site (downgradient). Past Use of the Site: Prior to Home Depot, the site was occupied by five commercials, manufacturing and /or warehouse type structures. Several commercial and industrial activities were conducted at the site that included operation of knitting mill, distribution of stationary, office supply, paper packaging, warehouse and a GE lamp division. Site Geology and Hydrogeology: The geology of the upper unconsolidated formation primarily consists of gravel, sand and silt. A confining clay layer present at depth around 146 feet below grade. Depth of groundwater ranges between 50 to 56 feet below grade and the flow direction is to the southeast Env Problem: Nature and Extent of Contamination: Remediation at the site is complete; as a part of the remedy an Air Sparge/Soil Vapor Extraction (AS/SVE) system was installed which is currently operating. The primary contaminant of concern at the Site is tetrachloroethylene (PCE). Investigations indicated the presence of contamination in Site soils (removed) and groundwater at concentrations above applicable standards, criteria and guidance. Under a site management plan periodic monitoring and O&M is on-going. To expedite remedy the volunteer submitted a Remedial Optimization Work Plan in 2017 which proposes installation of a new AS/SVE system within the area where initial system was built and also injection of chemicals targeting the source area. Per December 2017 monitoring data the highest on-site PCE concentration in groundwater is 2,800 ppb (groundwater standard is 5.0 ppb) detected under the Home Depot building. Data from a State funded Investigation performed in 2002 indicated the plume had migrated offsite; since this site's remedial program was performed by a Volunteer under the Voluntary Cleanup Program, they are not responsible for off-site contamination. For information on the off-site remedial program see Site No. 241036. Special Resources Impacted/Threatened: The site is located in the urban area and Fish and Wildlife Impact Analysis is not warranted. Health Problem: On-site subsurface soils and groundwater are contaminated with volatile organic compounds. Remedial actions taken place at the site include the excavation of soils from the identified source area. Buildings and pavement cover the site, therefore exposure to residual contaminated soils is unlikely. The area is served by public water, therefore exposure through ingestion of contaminated groundwater is unlikely. A soil vapor intrusion study was conducted in the neighborhood and the results indicated no further action is needed at this time. On-site vapors are being mitigated by the operation of a soil vapor extraction system and a vapor barrier beneath the on-site building. Therefore, the potential for inhalation exposure has been minimized. Dump: False Structure: False Lagoon: False False Landfill: Pond: False Disp Start: Not reported Disp Term: Not reported

Database(s)

EDR ID Number EPA ID Number

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

Lat/Long: Not reported Dell: Not reported Record Add: 2012-08-27 09:26:00 Record Upd: 2013-09-19 14:59:00 Updated By: kbdilige Own Op: **Document Repository** Sub Type: C01 Owner Name: Frances S. Tobin Owner Company: Queens Public Library Owner Address: 98-27 Metropolitan Avenue Owner Addr2: Not reported Owner City, St, Zip: Forest Hills, NY 11375 Owner Country: United States of America Own Op: Owner Sub Type: 05 Michael Maddocks Owner Name: Owner Company: HOME DEPOT USA INC Owner Address: 2455 Paces Ferry Road Owner Addr2: NW, C-19 Owner City, St, Zip: Atlanta, GA 30339 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: 06 Owner Name: Mike Maddocks Owner Company: The Home Depot, USA Inc. Owner Address: 2455 Paces Ferry Road Owner Addr2: C-19 Owner City, St, Zip: Atlanta, GA 30339 Owner Country: United States of America HW Code: V00095 TETRACHLOROETHYLENE (PCE) Waste Type: Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00095 tetrachloroethene (PCE) Waste Type: Waste Quantity: UNKNOWN Waste Code: Not reported Crossref ID: July 14, 1997 Cross Ref Type Code: Cross Ref Type: Agreement/Consent Order Date Record Added Date013-09-26 11:11:00 Record Updated: 2013-09-26 11:11:00 Updated By: SXAHMED Crossref ID: 2012000171722 Cross Ref Type Code: Cross Ref Type: County Recording Identifier Record Added Date013-06-19 13:41:00 Record Updated: 2013-06-19 13:41:00 Updated By: SXAHMED Crossref ID: V00095 Cross Ref Type Code: Cross Ref Type: VCP Site ID Record Added Date013-09-26 11:39:00 Record Updated: 2013-09-26 11:39:00 Updated By: SXAHMED Index no: d2-0001-97-04 Crossref ID: Cross Ref Type Code:

Map ID Direction Distance Elevation Site MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

S108984508

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued) Cross Ref Type: Agreement/Consent Order Number Record Added Date013-09-26 11:12:00 Record Updated: 2013-09-26 11:12:00 Updated By: SXAHMED Crossref ID: 241036 Cross Ref Type Code: Cross Ref Type: HW Site ID Record Added Dat2003-03-26 10:53:00 Record Updated: 2003-03-26 10:53:00 Updated By: ajsylves Crossref ID: D2-0001-97-04(R Cross Ref Type Code: Cross Ref Type: Haz. Substance ID Record Added Date000-11-30 16:07:00 Record Updated: 2005-02-24 15:54:00 Updated By: **VCPTRANS** 241505 Crossref ID: Cross Ref Type Code: Cross Ref Type: HW Site ID Record Added Dat2006-03-30 09:04:00 Record Updated: 2006-03-30 09:04:00 Updated By: JLFATATO Site Code: 56816 Control Name: Monitoring Plan HW Code: V00095 Control Code: 31 Control Type: INST Dt record added: 09/25/2013 Dt rec updated: 01/20/2017 Updated By: **KRKEARNE** Site Code: 56816 Location: The Site is located in a suburban area of Queens County, on Site Description: the east side of Woodhaven Boulevard approximately one-quarter mile south of Metropolitan Avenue. Site Features: The site, as defined in the Voluntary Cleanup Agreement, includes (former) lots 46 and 74 in block 3886 (since the VCA was signed the lots have been merged and collectively form lot 74). In February 2012 the Volunteer submitted a request (which was approved) to amend the VCA to modify the limits of the site to include a 0.228-acre portion of former lot 450 (located between former lots 46 and 74). The Site is now 6.196 acres and is known as Block 3886, Lot 74. Current site features include a typical one story Home Depot retail store to the south, parking lot to the north, the garden section of the Home Depot store located to the west along the Woodhaven Blvd, and limited unpaved areas. Current Zoning and Land Uses: The site is currently a Home Depot store and it's associated parking lot. The surrounding parcels are used for a combination of residential and commercial purposes. Tracks for the Long Island Rail Road are located to the south, a vacant lot owned by Parks and Recreation (General) Arsenal West is located to the southwest and an abandoned railroad line is located east of the site. The nearest residential area is approximately 250 feet to the northwest (upgradient). To the north is a sporting goods retail store (Sports Authority) and its parking lot. There is also a residential area approximately 330 feet southwest of the site (downgradient). Past Use of the Site: Prior to Home Depot, the site was occupied by

five commercials, manufacturing and /or warehouse type structures.

EDR ID Number Database(s) EPA ID Number

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

DDHAVEN BLVD. & METROPOL (Continued)
Several commercial and industrial activities were conducted at the site that included operation of knitting mill, distribution of stationary, office supply, paper packaging, warehouse and a GE lamp division. Site Geology and Hydrogeology: The geology of the upper unconsolidated formation primarily consists of gravel, sand and silt. A confining clay layer present at depth around 146 feet below grade. Depth of groundwater ranges between 50 to 56 feet below grade and the flow direction is to the southeast. Nature and Extent of Contamination: Remediation at the site is complete; as a part of the remedy an Air Sparge/Soil Vapor Extraction (AS/SVE) system was installed which is currently operating. The primary contaminant of concern at the Site is tetrachloroethylene (PCE). Investigations indicated the presence of contamination in Site soils (removed) and groundwater at concentrations above applicable standards, criteria and guidance. Under a site management plan periodic monitoring and O&M is on-going. To expedite remedy the volunteer submitted a Remedial Optimization Work Plan in 2017 which proposes installation of a new AS/SVE system within the area where initial system was built and also injection of chemicals targeting the source area. Per December 2017 monitoring data the highest on-site PCE concentration in groundwater is 2,800 ppb (groundwater standard is 5.0 ppb) detected under the Home Depot building. Data from a State funded Investigation performed in 2002 indicated the plume had migrated offsite; since this site's remedial program, they are not responsible for off-site contamination. For information on the off-site remedial program see Site No. 241036. Special Resources Impacted/Threatened: The site is located in the urban area and Fish and Wildlife Impact Analysis is not warranted. On-site subsurface soils and groundwater are contaminated with volatile organic compounds. Remedial actions taken place at the site include the excavation of soils from the identified source area. Buildings and pavement co
this time. On-site vapors are being mitigated by the operation of a soil vapor extraction system and a vapor barrier beneath the on-site building. Therefore, the potential for inhalation exposure has been minimized. False False False False False Not reported Not reported Not reported Not reported Not reported Not reported 2012-08-27 09:26:00 2013-09-19 14:59:00 Kbdilige Document Repository C01 Frances S. Tobin Queens Public Library

Database(s)

EDR ID Number EPA ID Number

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued) Owner Address: 98-27 Metropolitan Avenue Owner Addr2: Not reported Owner City, St, Zip: Forest Hills, NY 11375 Owner Country: United States of America Own Op: Owner Sub Type: 05 Michael Maddocks Owner Name: Owner Company: HOME DEPOT USA INC Owner Address: 2455 Paces Ferry Road Owner Addr2: NW, C-19 Owner City, St, Zip: Atlanta, GA 30339 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: 06 Owner Name: Mike Maddocks Owner Company: The Home Depot, USA Inc. Owner Address: 2455 Paces Ferry Road Owner Addr2: C-19 Owner City, St, Zip: Atlanta, GA 30339 Owner Country: United States of America HW Code: V00095 Waste Type: **TETRACHLOROETHYLENE (PCE)** Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00095 Waste Type: tetrachloroethene (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported Crossref ID: July 14, 1997 Cross Ref Type Code: Cross Ref Type: Agreement/Consent Order Date Record Added Date013-09-26 11:11:00 Record Updated: 2013-09-26 11:11:00 Updated By: SXAHMED 2012000171722 Crossref ID: Cross Ref Type Code: Cross Ref Type: County Recording Identifier Record Added Date013-06-19 13:41:00 Record Updated: 2013-06-19 13:41:00 Updated By: SXAHMED Crossref ID: V00095 Cross Ref Type Coode: Cross Ref Type: VCP Site ID Record Added Date013-09-26 11:39:00 Record Updated: 2013-09-26 11:39:00 Updated By: SXAHMED Crossref ID: Index no: d2-0001-97-04 Cross Ref Type Coode: Cross Ref Type: Agreement/Consent Order Number Record Added Date013-09-26 11:12:00 Record Updated: 2013-09-26 11:12:00 Updated By: SXAHMED Crossref ID: 241036 Cross Ref Type Code: Cross Ref Type: HW Site ID Record Added Date003-03-26 10:53:00 Record Updated: 2003-03-26 10:53:00

Database(s)

EDR ID Number EPA ID Number

Updated By:	ajsylves
Crossref ID:	D2-0001-97-04(R
Cross Ref Type C	
	Haz. Substance ID
	at2000-11-30 16:07:00
	2005-02-24 15:54:00
Updated By:	VCPTRANS
Crossref ID:	241505
Cross Ref Type C	
Cross Ref Type:	
	at2006-03-30 09:04:00
Updated By:	2006-03-30 09:04:00 JLFATATO
Site Code: Control Name:	56816 Site Management Plan
HW Code:	Site Management Plan
Control Code:	V00095 32
Control Type:	INST
Dt record added:	
Dt rec updated:	01/20/2017
Updated By:	KRKEARNE
Site Code:	56816
Site Description:	Location: The Site is located in a suburban area of Queens County, on
	the east side of Woodhaven Boulevard approximately one-quarter mile
	south of Metropolitan Avenue. Site Features: The site, as defined in
	the Voluntary Cleanup Agreement, includes (former) lots 46 and 74 in
	block 3886 (since the VCA was signed the lots have been merged and
	collectively form lot 74). In February 2012 the Volunteer submitted a
	request (which was approved) to amend the VCA to modify the limits of the site to include a 0.228-acre portion of former lot 450 (located
	between former lots 46 and 74). The Site is now 6.196 acres and is
	known as Block 3886, Lot 74. Current site features include a typical
	one story Home Depot retail store to the south, parking lot to the
	north, the garden section of the Home Depot store located to the west
	along the Woodhaven Blvd, and limited unpaved areas. Current Zoning
	and Land Uses: The site is currently a Home Depot store and it's
	associated parking lot. The surrounding parcels are used for a
	combination of residential and commercial purposes. Tracks for the
	Long Island Rail Road are located to the south, a vacant lot owned by
	Parks and Recreation (General) Arsenal West is located to the
	southwest and an abandoned railroad line is located east of the site.
	The nearest residential area is approximately 250 feet to the
	northwest (upgradient). To the north is a sporting goods retail store
	(Sports Authority) and its parking lot. There is also a residential
	area approximately 330 feet southwest of the site (downgradient).
	Past Use of the Site: Prior to Home Depot, the site was occupied by
	five commercials, manufacturing and /or warehouse type structures.
	Several commercial and industrial activities were conducted at the
	site that included operation of knitting mill, distribution of
	stationary, office supply, paper packaging, warehouse and a GE lamp division. Site Geology and Hydrogeology: The geology of the upper
	unconsolidated formation primarily consists of gravel, sand and silt.
	A confining clay layer present at depth around 146 feet below grade.
	Depth of groundwater ranges between 50 to 56 feet below grade and th
	Bopar of groundwater ranges between of to be leet below grade and th
	flow direction is to the southeast.

EDR ID Number Database(s) EPA ID Number

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

complete; as a part of the remedy an Air Sparge/Soil Vapor Extraction (AS/SVE) system was installed which is currently operating. The primary contaminant of concern at the Site is tetrachloroethylene (PCE). Investigations indicated the presence of contamination in Site soils (removed) and groundwater at concentrations above applicable standards, criteria and guidance. Under a site management plan periodic monitoring and O&M is on-going. To expedite remedy the volunteer submitted a Remedial Optimization Work Plan in 2017 which proposes installation of a new AS/SVE system within the area where initial system was built and also injection of chemicals targeting the source area. Per December 2017 monitoring data the highest on-site PCE concentration in groundwater is 2,800 ppb (groundwater standard is 5.0 ppb) detected under the Home Depot building. Data from a State funded Investigation performed in 2002 indicated the plume had migrated offsite; since this site's remedial program was performed by a Volunteer under the Voluntary Cleanup Program, they are not responsible for off-site contamination. For information on the off-site remedial program see Site No. 241036. Special Resources Impacted/Threatened: The site is located in the urban area and Fish and Wildlife Impact Analysis is not warranted. Health Problem: On-site subsurface soils and groundwater are contaminated with volatile organic compounds. Remedial actions taken place at the site include the excavation of soils from the identified source area. Buildings and pavement cover the site, therefore exposure to residual contaminated soils is unlikely. The area is served by public water, therefore exposure through ingestion of contaminated groundwater is unlikely. A soil vapor intrusion study was conducted in the neighborhood and the results indicated no further action is needed at this time. On-site vapors are being mitigated by the operation of a soil vapor extraction system and a vapor barrier beneath the on-site building. Therefore, the potential for inhalation exposure has been minimized. False Dump: Structure: False False Lagoon: Landfill: False Pond: False Disp Start: Not reported Disp Term: Not reported Not reported Lat/Long: Dell: Not reported 2012-08-27 09:26:00 Record Add: Record Upd: 2013-09-19 14:59:00 Updated By: kbdilige Own Op: **Document Repository** Sub Type: C01 Owner Name: Frances S. Tobin Owner Company: Queens Public Library Owner Address: 98-27 Metropolitan Avenue Not reported Owner Addr2: Owner City, St, Zip: Forest Hills, NY 11375 Owner Country: United States of America Own Op: Owner Sub Type: 05 Owner Name: Michael Maddocks Owner Company: HOME DEPOT USA INC Owner Address: 2455 Paces Ferry Road

Database(s)

EDR ID Number EPA ID Number

HOME DEPOT IN WO	ODHAVEN BLVD. & METROPOL (Continued)
Owner Addr2:	NW, C-19
	o:Atlanta, GA 30339
	United States of America
Own Op:	Applicant/Requestor
Sub Type:	06
Owner Name:	Mike Maddocks
	: The Home Depot, USA Inc.
	2455 Paces Ferry Road
Owner Address.	C-19
	o:Atlanta, GA 30339
	United States of America
HW Code:	V00095
Waste Type:	TETRACHLOROETHYLENE (PCE)
Waste Quantity:	
Waste Code:	Not reported
HW Code:	V00095
Waste Type:	
Waste Quantity:	
,	Not reported
Crossref ID:	July 14, 1997
Cross Ref Type (
51	Agreement/Consent Order Date
	at2013-09-26 11:11:00
Record Updated:	2013-09-26 11:11:00
Updated By:	SXAHMED
Crossref ID:	2012000171722
Cross Ref Type (Catte:
Cross Ref Type:	County Recording Identifier
Record Added Da	at2013-06-19 13:41:00
Record Updated:	2013-06-19 13:41:00
Updated By:	SXAHMED
Crossref ID:	V00095
Cross Ref Type (
Cross Ref Type:	
	at2013-09-26 11:39:00
	2013-09-26 11:39:00
Updated By:	
Crossref ID:	Index no: d2-0001-97-04
Cross Ref Type (
	Agreement/Consent Order Number
	at2013-09-26 11:12:00
- 1	2013-09-26 11:12:00
Updated By:	
Crossref ID:	241036
Cross Ref Type (Cross Ref Type:	
	at2003-03-26 10:53:00
	2003-03-26 10:53:00
Updated By:	ajsylves
Crossref ID:	D2-0001-97-04(R
Cross Ref Type (
21	Haz. Substance ID
	at2000-11-30 16:07:00
	2005-02-24 15:54:00
Updated By:	VCPTRANS
Crossref ID:	241505
Cross Ref Type (Codde:
51	

Database(s)

EDR ID Number EPA ID Number

S108984508

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)				
	HW Site ID at2006-03-30 09:04:00 2006-03-30 09:04:00 JLFATATO			
Site Code: Control Name: HW Code: Control Type: Dt record added: Dt rec updated: Updated By: Site Code: Site Description:	56816 Deed Restriction V00095 A INST 09/25/2013 01/20/2017 KRKEARNE 56816 Location: The Site is located in a suburban area of Queens County, on the east side of Woodnaven Boulevard approximately one-quarter mile south of Metropolitan Avenue. Site Features: The site, as defined in the Voluntary Cleanup Agreement, includes (former) lots 46 and 74 in block 3886 (since the VCA was signed the lots have been merged and collectively form lot 74). In February 2012 the Volunteer submitted a request (which was approved) to amend the VCA to modify the limits of the site to include a 0.228-acre portion of former lot 450 (located between former lots 46 and 74). The Site is now 6.196 acres and is known as Block 3886, Lot 74. Current site features include a typical one story Home Depot retail store to the south, parking lot to the north, the garden section of the Home Depot store located to the west along the Woodhaven Blvd, and limited unpaved areas. Current Zoning and Land Uses: The site is currently a Home Depot store and it's associated parking lot. The surrounding parcels are used for a combination of residential and commercial purposes. Tracks for the Long Island Rail Road are located to the south, a vacant lot owned by Parks and Recreation (General) Arsenal West is located to the southwest and an abandoned railroad line is located east of the site. The nearest residential area is approximately 250 feet to the northwest (upgradient). To the north is a sporting goods retail store (Sports Authority) and its parking lot. There is also a residential area approximately 330 feet southwest of the site (downgradient). Past Use of the Site: Prior to Home Depot, the site was occupied by five commercials, manufacturing and /or warehouse type structures. Several commercial and industrial activities were conducted at the site that included operation of knitting mill, distribution of stationary, office supply, paper packaging, warehouse and a GE lamp division. Site Geology and Hydrogeology: The geology of the upper unconsolidated f			
Env Problem:	Nature and Extent of Contamination: Remediation at the site is complete; as a part of the remedy an Air Sparge/Soil Vapor Extraction (AS/SVE) system was installed which is currently operating. The primary contaminant of concern at the Site is tetrachloroethylene (PCE). Investigations indicated the presence of contamination in Site soils (removed) and groundwater at concentrations above applicable standards, criteria and guidance. Under a site management plan periodic monitoring and O&M is on-going. To expedite remedy the volunteer submitted a Remedial Optimization Work Plan in 2017 which proposes installation of a new AS/SVE system within the area where			

TC5618352.2s Page 358

Database(s) EPA ID N

EDR ID Number EPA ID Number

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

Health Problem:	initial system was built and also injection of chemicals targeting the source area. Per December 2017 monitoring data the highest on-site PCE concentration in groundwater is 2,800 ppb (groundwater standard is 5.0 ppb) detected under the Home Depot building. Data from a State funded Investigation performed in 2002 indicated the plume had migrated offsite; since this site's remedial program was performed by a Volunteer under the Voluntary Cleanup Program, they are not responsible for off-site contamination. For information on the off-site remedial program see Site No. 241036. Special Resources Impacted/Threatened: The site is located in the urban area and Fish and Wildlife Impact Analysis is not warranted. On-site subsurface soils and groundwater are contaminated with volatile organic compounds. Remedial actions taken place at the site include the excavation of soils from the identified source area. Buildings and pavement cover the site, therefore exposure to residual contaminated soils is unlikely. The area is served by public water, therefore exposure through ingestion of contaminated groundwater is unlikely. A soil vapor intrusion study was conducted in the neighborhood and the results indicated no further action is needed at this time. On-site vapors are being mitigated by the operation of a soil vapor extraction system and a vapor barrier beneath the on-site building. Therefore, the potential for inhalation exposure has been minimized.
_	
Dump:	False
Structure:	False
Lagoon: Landfill:	False False
Pond:	False
Disp Start: Disp Term:	Not reported Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	2012-08-27 09:26:00
Record Upd:	2013-09-19 14:59:00
Updated By:	kbdilige
Own Op:	Document Repository
Sub Type:	C01
Owner Name:	Frances S. Tobin
	Queens Public Library
Owner Address:	98-27 Metropolitan Avenue
Owner Addr2:	Not reported
Owner City,St,Zip	Forest Hills, NY 11375
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	05
Owner Name:	Michael Maddocks
Owner Company:	HOME DEPOT USA INC
Owner Address:	2455 Paces Ferry Road
Owner Addr2:	NW, C-19
	Atlanta, GA 30339
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	06
Owner Name:	Mike Maddocks
	The Home Depot, USA Inc.
Owner Address:	, ,
Owner Addr2:	C-19

Database(s)

EDR ID Number EPA ID Number

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

Owner City, St, Zip: Atlanta, GA 30339 Owner Country: United States of America HW Code: V00095 Waste Type: TETRACHLOROETHYLENE (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported V00095 HW Code: Waste Type: tetrachloroethene (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported Crossref ID: July 14, 1997 Cross Ref Type Colde: Cross Ref Type: Agreement/Consent Order Date Record Added Date013-09-26 11:11:00 Record Updated: 2013-09-26 11:11:00 Updated By: SXAHMED Crossref ID: 2012000171722 Cross Ref Type Code: Cross Ref Type: County Recording Identifier Record Added Date013-06-19 13:41:00 Record Updated: 2013-06-19 13:41:00 Updated By: SXAHMED Crossref ID: V00095 Cross Ref Type Coodle: Cross Ref Type: VCP Site ID Record Added Date013-09-26 11:39:00 Record Updated: 2013-09-26 11:39:00 Updated By: SXAHMED Crossref ID: Index no: d2-0001-97-04 Cross Ref Type Code: Cross Ref Type: Agreement/Consent Order Number Record Added Date013-09-26 11:12:00 Record Updated: 2013-09-26 11:12:00 Updated By: SXAHMED 241036 Crossref ID: Cross Ref Type Code: Cross Ref Type: HW Site ID Record Added Date003-03-26 10:53:00 Record Updated: 2003-03-26 10:53:00 Updated By: ajsylves Crossref ID: D2-0001-97-04(R Cross Ref Type Colde: Cross Ref Type: Haz. Substance ID Record Added Date000-11-30 16:07:00 Record Updated: 2005-02-24 15:54:00 VCPTRANS Updated By: Crossref ID: 241505 Cross Ref Type Code: Cross Ref Type: HW Site ID Record Added Dat2006-03-30 09:04:00 Record Updated: 2006-03-30 09:04:00 Updated By: JLFATATO Site Code: 56816

one coue.	30010	
Control Name:	O&M Plan	
HW Code:	V00095	
Control Code:	33	

Database(s)

EDR ID Number EPA ID Number

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

Control Type:INSTDt record added:09/25/2013Dt rec updated:01/20/2017Updated By:KRKEARNESite Code:56816Site Description:Location: Th

Env Problem:

Location: The Site is located in a suburban area of Queens County, on the east side of Woodhaven Boulevard approximately one-quarter mile south of Metropolitan Avenue. Site Features: The site, as defined in the Voluntary Cleanup Agreement, includes (former) lots 46 and 74 in block 3886 (since the VCA was signed the lots have been merged and collectively form lot 74). In February 2012 the Volunteer submitted a request (which was approved) to amend the VCA to modify the limits of the site to include a 0.228-acre portion of former lot 450 (located between former lots 46 and 74). The Site is now 6.196 acres and is known as Block 3886, Lot 74. Current site features include a typical one story Home Depot retail store to the south, parking lot to the north, the garden section of the Home Depot store located to the west along the Woodhaven Blvd, and limited unpaved areas. Current Zoning and Land Uses: The site is currently a Home Depot store and it's associated parking lot. The surrounding parcels are used for a combination of residential and commercial purposes. Tracks for the Long Island Rail Road are located to the south, a vacant lot owned by Parks and Recreation (General) Arsenal West is located to the southwest and an abandoned railroad line is located east of the site. The nearest residential area is approximately 250 feet to the northwest (upgradient). To the north is a sporting goods retail store (Sports Authority) and its parking lot. There is also a residential area approximately 330 feet southwest of the site (downgradient). Past Use of the Site: Prior to Home Depot, the site was occupied by five commercials, manufacturing and /or warehouse type structures. Several commercial and industrial activities were conducted at the site that included operation of knitting mill, distribution of stationary, office supply, paper packaging, warehouse and a GE lamp division. Site Geology and Hydrogeology: The geology of the upper unconsolidated formation primarily consists of gravel, sand and silt. A confining clay layer present at depth around 146 feet below grade. Depth of groundwater ranges between 50 to 56 feet below grade and the flow direction is to the southeast. Nature and Extent of Contamination: Remediation at the site is complete; as a part of the remedy an Air Sparge/Soil Vapor Extraction (AS/SVE) system was installed which is currently operating. The primary contaminant of concern at the Site is tetrachloroethylene (PCE). Investigations indicated the presence of contamination in Site soils (removed) and groundwater at concentrations above applicable standards, criteria and guidance. Under a site management plan periodic monitoring and O&M is on-going. To expedite remedy the volunteer submitted a Remedial Optimization Work Plan in 2017 which proposes installation of a new AS/SVE system within the area where initial system was built and also injection of chemicals targeting the source area. Per December 2017 monitoring data the highest on-site PCE concentration in groundwater is 2,800 ppb (groundwater standard is 5.0 ppb) detected under the Home Depot building. Data from a State funded Investigation performed in 2002 indicated the plume had migrated offsite; since this site's remedial program was performed by a Volunteer under the Voluntary Cleanup Program, they are not responsible for off-site contamination. For information on

the off-site remedial program see Site No. 241036. Special Resources

EDR ID Number Database(s) EPA ID Number

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

0.0		
	Health Problem:	Impacted/Threatened: The site is located in the urban area and Fish and Wildlife Impact Analysis is not warranted. On-site subsurface soils and groundwater are contaminated with
		volatile organic compounds. Remedial actions taken place at the site include the excavation of soils from the identified source area. Buildings and pavement cover the site, therefore exposure to residual contaminated soils is unlikely. The area is served by public water, therefore exposure through ingestion of contaminated groundwater is unlikely. A soil vapor intrusion study was conducted in the
		neighborhood and the results indicated no further action is needed at this time. On-site vapors are being mitigated by the operation of a soil vapor extraction system and a vapor barrier beneath the on-site building. Therefore, the potential for inhalation exposure has been minimized.
	Dump:	False
	Structure:	False
	Lagoon:	False
	Landfill:	False
	Pond:	False
	Disp Start:	Not reported
	Disp Term:	Not reported
	Lat/Long:	Not reported
	Dell: Record Add:	Not reported
	Record Upd:	2012-08-27 09:26:00 2013-09-19 14:59:00
	Updated By:	kbdilige
	Own Op:	Document Repository
	Sub Type:	C01
	Owner Name:	Frances S. Tobin
	Owner Company:	Queens Public Library
	Owner Address:	98-27 Metropolitan Avenue
	Owner Addr2:	Not reported
		:Forest Hills, NY 11375
	Owner Country:	United States of America
	Own Op:	Owner
	Sub Type:	05 Michael Maddala
	Owner Name:	Michael Maddocks
	Owner Address:	HOME DEPOT USA INC 2455 Paces Ferry Road
	Owner Addr2:	NW, C-19
		:Atlanta, GA 30339
	Owner Country:	United States of America
	Own Op:	Applicant/Requestor
	Sub Type:	06
	Owner Name:	Mike Maddocks
		The Home Depot, USA Inc.
	Owner Address:	2455 Paces Ferry Road
	Owner Addr2:	C-19 :Atlanta, GA 30339
	Owner Country:	United States of America
	HW Code:	V00095
	Waste Type:	TETRACHLOROETHYLENE (PCE)
	Waste Quantity:	UNKNOWN
	Waste Code:	Not reported
	HW Code:	V00095
	Waste Type:	tetrachloroethene (PCE)
	Waste Quantity:	UNKNOWN

Database(s)

EDR ID Number EPA ID Number

S108984508

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)				
Waste Code:	Not reported			
Crossref ID:	July 14, 1997			
Cross Dof Tuno	C (2 4			

Cross Ref Type Code: Cross Ref Type: Agreement/Consent Order Date Record Added Date013-09-26 11:11:00 Record Updated: 2013-09-26 11:11:00 Updated By: SXAHMED Crossref ID: 2012000171722 Cross Ref Type Co25: Cross Ref Type: County Recording Identifier Record Added Date013-06-19 13:41:00 Record Updated: 2013-06-19 13:41:00 Updated By: SXAHMED Crossref ID: V00095 Cross Ref Type Coodle: Cross Ref Type: VCP Site ID Record Added Date013-09-26 11:39:00 Record Updated: 2013-09-26 11:39:00 Updated By: SXAHMED Index no: d2-0001-97-04 Crossref ID: Cross Ref Type Coode: Cross Ref Type: Agreement/Consent Order Number Record Added Date013-09-26 11:12:00 Record Updated: 2013-09-26 11:12:00 Updated By: SXAHMED 241036 Crossref ID: Cross Ref Type Code: Cross Ref Type: HW Site ID Record Added Dat2003-03-26 10:53:00 Record Updated: 2003-03-26 10:53:00 Updated By: ajsylves Crossref ID: D2-0001-97-04(R Cross Ref Type Code: Cross Ref Type: Haz. Substance ID Record Added Date000-11-30 16:07:00 Record Updated: 2005-02-24 15:54:00 Updated By: VCPTRANS Crossref ID: 241505 Cross Ref Type Code: Cross Ref Type: HW Site ID Record Added Dat2006-03-30 09:04:00 Record Updated: 2006-03-30 09:04:00 Updated By: JLFATATO Site Code: 56816 Control Name: IC/EC Plan HW Code: V00095 Control Code: 34 Control Type: INST Dt record added: 09/25/2013 Dt rec updated: 01/20/2017 Updated By: KRKEARNE Site Code: 56816 Site Description:

Location: The Site is located in a suburban area of Queens County, on the east side of Woodhaven Boulevard approximately one-quarter mile south of Metropolitan Avenue. Site Features: The site, as defined in the Voluntary Cleanup Agreement, includes (former) lots 46 and 74 in

Database(s) EPA I

EDR ID Number EPA ID Number

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

block 3886 (since the VCA was signed the lots have been merged and collectively form lot 74). In February 2012 the Volunteer submitted a request (which was approved) to amend the VCA to modify the limits of the site to include a 0.228-acre portion of former lot 450 (located between former lots 46 and 74). The Site is now 6.196 acres and is known as Block 3886, Lot 74. Current site features include a typical one story Home Depot retail store to the south, parking lot to the north, the garden section of the Home Depot store located to the west along the Woodhaven Blvd, and limited unpaved areas. Current Zoning and Land Uses: The site is currently a Home Depot store and it's associated parking lot. The surrounding parcels are used for a combination of residential and commercial purposes. Tracks for the Long Island Rail Road are located to the south, a vacant lot owned by Parks and Recreation (General) Arsenal West is located to the southwest and an abandoned railroad line is located east of the site. The nearest residential area is approximately 250 feet to the northwest (upgradient). To the north is a sporting goods retail store (Sports Authority) and its parking lot. There is also a residential area approximately 330 feet southwest of the site (downgradient). Past Use of the Site: Prior to Home Depot, the site was occupied by five commercials, manufacturing and /or warehouse type structures. Several commercial and industrial activities were conducted at the site that included operation of knitting mill, distribution of stationary, office supply, paper packaging, warehouse and a GE lamp division. Site Geology and Hydrogeology: The geology of the upper unconsolidated formation primarily consists of gravel, sand and silt. A confining clay layer present at depth around 146 feet below grade. Depth of groundwater ranges between 50 to 56 feet below grade and the flow direction is to the southeast. Env Problem: Nature and Extent of Contamination: Remediation at the site is complete; as a part of the remedy an Air Sparge/Soil Vapor Extraction (AS/SVE) system was installed which is currently operating. The primary contaminant of concern at the Site is tetrachloroethylene (PCE). Investigations indicated the presence of contamination in Site soils (removed) and groundwater at concentrations above applicable standards, criteria and guidance. Under a site management plan periodic monitoring and O&M is on-going. To expedite remedy the volunteer submitted a Remedial Optimization Work Plan in 2017 which proposes installation of a new AS/SVE system within the area where initial system was built and also injection of chemicals targeting the source area. Per December 2017 monitoring data the highest on-site PCE concentration in groundwater is 2,800 ppb (groundwater standard is 5.0 ppb) detected under the Home Depot building. Data from a State funded Investigation performed in 2002 indicated the plume had migrated offsite; since this site's remedial program was performed by a Volunteer under the Voluntary Cleanup Program, they are not responsible for off-site contamination. For information on the off-site remedial program see Site No. 241036. Special Resources Impacted/Threatened: The site is located in the urban area and Fish and Wildlife Impact Analysis is not warranted. Health Problem: On-site subsurface soils and groundwater are contaminated with volatile organic compounds. Remedial actions taken place at the site include the excavation of soils from the identified source area. Buildings and pavement cover the site, therefore exposure to residual contaminated soils is unlikely. The area is served by public water, therefore exposure through ingestion of contaminated groundwater is unlikely. A soil vapor intrusion study was conducted in the

Database(s) EP

EDR ID Number EPA ID Number

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

	neighborhood and the results indicated no further action is needed at this time. On-site vapors are being mitigated by the operation of a soil vapor extraction system and a vapor barrier beneath the on-site building. Therefore, the potential for inhalation exposure has been minimized.
Dump:	False
Structure:	False
Lagoon:	False
Lagoon. Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	2012-08-27 09:26:00
Record Upd:	2013-09-19 14:59:00
Updated By:	kbdilige
Own Op:	Document Repository
Sub Type:	C01
Owner Name:	Frances S. Tobin
	Queens Public Library
Owner Address:	98-27 Metropolitan Avenue
Owner Addr2:	Not reported
	:Forest Hills, NY 11375
Owner Country:	-
Own Op:	Owner
Sub Type:	05 Michael Madda da
Owner Name:	Michael Maddocks
	HOME DEPOT USA INC
Owner Address:	2455 Paces Ferry Road
Owner Addr2:	NW, C-19
• •	:Atlanta, GA 30339
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	06 Nika Maddaaka
Owner Name:	Mike Maddocks
Owner Address:	The Home Depot, USA Inc. 2455 Paces Ferry Road
Owner Addr2:	C-19
• •	:Atlanta, GA 30339 United States of America
Owner Country: HW Code:	V00095
Waste Type:	TETRACHLOROETHYLENE (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	V00095
Waste Type:	tetrachloroethene (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	July 14, 1997
Cross Ref Type C	
	Agreement/Consent Order Date
	at2013-09-26 11:11:00
	2013-09-26 11:11:00
Updated By:	SXAHMED
Crossref ID:	2012000171722
Cross Ref Type C	

Database(s)

EDR ID Number EPA ID Number

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

Cross Ref Type: County Recording Identifier Record Added Date013-06-19 13:41:00 Record Updated: 2013-06-19 13:41:00 SXAHMED Updated By: Crossref ID: V00095 Cross Ref Type Coodle: Cross Ref Type: VCP Site ID Record Added Date013-09-26 11:39:00 Record Updated: 2013-09-26 11:39:00 Updated By: SXAHMED Crossref ID: Index no: d2-0001-97-04 Cross Ref Type Coode: Cross Ref Type: Agreement/Consent Order Number Record Added Date013-09-26 11:12:00 Record Updated: 2013-09-26 11:12:00 Updated By: SXAHMED 241036 Crossref ID: Cross Ref Type Code: Cross Ref Type: HW Site ID Record Added Date003-03-26 10:53:00 Record Updated: 2003-03-26 10:53:00 Updated By: ajsylves Crossref ID: D2-0001-97-04(R Cross Ref Type Code: Cross Ref Type: Haz. Substance ID Record Added Dat2000-11-30 16:07:00 Record Updated: 2005-02-24 15:54:00 Updated By: VCPTRANS Crossref ID: 241505 Cross Ref Type Colde: Cross Ref Type: HW Site ID Record Added Date006-03-30 09:04:00 Record Updated: 2006-03-30 09:04:00 Updated By: JLFATATO Site Code: 56816

Control Name:Landuse RestrictionHW Code:V00095Control Code:25Control Type:INSTDt record added:09/25/2013Dt rec updated:01/20/2017Updated By:KRKEARNESite Code:56816

Site Description: Location: The Site is located in a suburban area of Queens County, on the east side of Woodhaven Boulevard approximately one-quarter mile south of Metropolitan Avenue. Site Features: The site, as defined in the Voluntary Cleanup Agreement, includes (former) lots 46 and 74 in block 3886 (since the VCA was signed the lots have been merged and collectively form lot 74). In February 2012 the Volunteer submitted a request (which was approved) to amend the VCA to modify the limits of the site to include a 0.228-acre portion of former lot 450 (located between former lots 46 and 74). The Site is now 6.196 acres and is known as Block 3886, Lot 74. Current site features include a typical one story Home Depot retail store to the south, parking lot to the north, the garden section of the Home Depot store located to the west along the Woodhaven Blvd, and limited unpaved areas. Current Zoning

Database(s) EPA

EDR ID Number EPA ID Number

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

and Land Uses: The site is currently a Home Depot store and it's associated parking lot. The surrounding parcels are used for a combination of residential and commercial purposes. Tracks for the Long Island Rail Road are located to the south, a vacant lot owned by Parks and Recreation (General) Arsenal West is located to the southwest and an abandoned railroad line is located east of the site. The nearest residential area is approximately 250 feet to the northwest (upgradient). To the north is a sporting goods retail store (Sports Authority) and its parking lot. There is also a residential area approximately 330 feet southwest of the site (downgradient). Past Use of the Site: Prior to Home Depot, the site was occupied by five commercials, manufacturing and /or warehouse type structures. Several commercial and industrial activities were conducted at the site that included operation of knitting mill, distribution of stationary, office supply, paper packaging, warehouse and a GE lamp division. Site Geology and Hydrogeology: The geology of the upper unconsolidated formation primarily consists of gravel, sand and silt. A confining clay layer present at depth around 146 feet below grade. Depth of groundwater ranges between 50 to 56 feet below grade and the flow direction is to the southeast. Env Problem: Nature and Extent of Contamination: Remediation at the site is complete; as a part of the remedy an Air Sparge/Soil Vapor Extraction (AS/SVE) system was installed which is currently operating. The primary contaminant of concern at the Site is tetrachloroethylene (PCE). Investigations indicated the presence of contamination in Site soils (removed) and groundwater at concentrations above applicable standards, criteria and guidance. Under a site management plan periodic monitoring and O&M is on-going. To expedite remedy the volunteer submitted a Remedial Optimization Work Plan in 2017 which proposes installation of a new AS/SVE system within the area where initial system was built and also injection of chemicals targeting the source area. Per December 2017 monitoring data the highest on-site PCE concentration in groundwater is 2,800 ppb (groundwater standard is 5.0 ppb) detected under the Home Depot building. Data from a State funded Investigation performed in 2002 indicated the plume had migrated offsite; since this site's remedial program was performed by a Volunteer under the Voluntary Cleanup Program, they are not responsible for off-site contamination. For information on the off-site remedial program see Site No. 241036. Special Resources Impacted/Threatened: The site is located in the urban area and Fish and Wildlife Impact Analysis is not warranted. Health Problem: On-site subsurface soils and groundwater are contaminated with volatile organic compounds. Remedial actions taken place at the site include the excavation of soils from the identified source area. Buildings and pavement cover the site, therefore exposure to residual contaminated soils is unlikely. The area is served by public water, therefore exposure through ingestion of contaminated groundwater is unlikely. A soil vapor intrusion study was conducted in the neighborhood and the results indicated no further action is needed at this time. On-site vapors are being mitigated by the operation of a soil vapor extraction system and a vapor barrier beneath the on-site building. Therefore, the potential for inhalation exposure has been minimized. False Dump: Structure: False Lagoon: False Landfill: False

Database(s)

EDR ID Number EPA ID Number

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

Pond: False Disp Start: Not reported Not reported Disp Term: Not reported Lat/Long: Dell: Not reported Record Add: 2012-08-27 09:26:00 Record Upd: 2013-09-19 14:59:00 Updated By: kbdilige Own Op: **Document Repository** Sub Type: C01 Owner Name: Frances S. Tobin Owner Company: Queens Public Library Owner Address: 98-27 Metropolitan Avenue Owner Addr2: Not reported Owner City, St, Zip: Forest Hills, NY 11375 Owner Country: United States of America Owner Own Op: Sub Type: 05 Owner Name: Michael Maddocks Owner Company: HOME DEPOT USA INC Owner Address: 2455 Paces Ferry Road Owner Addr2: NW, C-19 Owner City, St, Zip: Atlanta, GA 30339 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: 06 **Owner Name:** Mike Maddocks Owner Company: The Home Depot, USA Inc. Owner Address: 2455 Paces Ferry Road Owner Addr2: C-19 Owner City, St, Zip: Atlanta, GA 30339 Owner Country: United States of America HW Code: V00095 Waste Type: TETRACHLOROETHYLENE (PCE) Waste Quantity: UNKNOWN Not reported Waste Code: HW Code: V00095 Waste Type: tetrachloroethene (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported Crossref ID: July 14, 1997 Cross Ref Type Code: Cross Ref Type: Agreement/Consent Order Date Record Added Date013-09-26 11:11:00 Record Updated: 2013-09-26 11:11:00 Updated By: SXAHMED Crossref ID: 2012000171722 Cross Ref Type Code: Cross Ref Type: County Recording Identifier Record Added Date013-06-19 13:41:00 Record Updated: 2013-06-19 13:41:00 Updated By: SXAHMED V00095 Crossref ID: Cross Ref Type Coodle: Cross Ref Type: VCP Site ID Record Added Date013-09-26 11:39:00 Record Updated: 2013-09-26 11:39:00

Database(s)

EDR ID Number EPA ID Number

HOME DEPOT IN WO	ODHAVEN BLVD. & METROPOL (Continued)
Record Added Da Record Updated: Updated By: Crossref ID: Cross Ref Type C Cross Ref Type: Record Added Da Record Updated: Updated By: Crossref ID: Cross Ref Type C Cross Ref Type: Record Added Da Record Updated: Updated By: Crossref ID: Cross Ref Type C Cross Ref Type C Cross Ref Type C Cross Ref Type C	Agreement/Consent Order Number at2013-09-26 11:12:00 2013-09-26 11:12:00 SXAHMED 241036 Cod2e: HW Site ID at2003-03-26 10:53:00 2003-03-26 10:53:00 ajsylves D2-0001-97-04(R Cod2e: Haz. Substance ID at2000-11-30 16:07:00 2005-02-24 15:54:00 VCPTRANS 241505 Cod2e:
Site Code: Control Name: HW Code: Control Code: Control Type: Dt record added: Dt rec updated Updated By: Site Code: Site Description:	56816 Soil Management Plan V00095 14 INST 09/25/2013 01/20/2017 KRKEARNE 56816 Location: The Site is located in a suburban area of Queens County, on the east side of Woodhaven Boulevard approximately one-quarter mile south of Metropolitan Avenue. Site Features: The site, as defined in the Voluntary Cleanup Agreement, includes (former) lots 46 and 74 in block 3886 (since the VCA was signed the lots have been merged and collectively form lot 74). In February 2012 the Volunteer submitted a request (which was approved) to amend the VCA to modify the limits of the site to include a 0.228-acre portion of former lot 450 (located between former lots 46 and 74). The Site is now 6.196 acres and is known as Block 3886, Lot 74. Current site features include a typical one story Home Depot retail store to the south, parking lot to the north, the garden section of the Home Depot store located to the west along the Woodhaven Blvd, and limited unpaved areas. Current Zoning and Land Uses: The site is currently a Home Depot store and it's associated parking lot. The surrounding parcels are used for a combination of residential and commercial purposes. Tracks for the Long Island Rail Road are located to the south, a vacant lot owned by Parks and Recreation (General) Arsenal West is located to the southwest and an abandoned railroad line is located east of the site. The nearest residential area is approximately 250 feet to the northwest (upgradient). To the north is a sporting goods retail store (Sports Authority) and its parking lot. There is also a residential

Database(s)

EDR ID Number EPA ID Number

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

Env Problem:	area approximately 330 feet southwest of the site (downgradient). Past Use of the Site: Prior to Home Depot, the site was occupied by five commercials, manufacturing and /or warehouse type structures. Several commercial and industrial activities were conducted at the site that included operation of knitting mill, distribution of stationary, office supply, paper packaging, warehouse and a GE lamp division. Site Geology and Hydrogeology: The geology of the upper unconsolidated formation primarily consists of gravel, sand and silt. A confining clay layer present at depth around 146 feet below grade. Depth of groundwater ranges between 50 to 56 feet below grade and the flow direction is to the southeast. Nature and Extent of Contamination: Remediation at the site is complete; as a part of the remedy an Air Sparge/Soil Vapor Extraction (AS/SVE) system was installed which is currently operating. The primary contaminant of concern at the Site is tetrachloroethylene (PCE). Investigations indicated the presence of contamination in Site soils (removed) and groundwater at concentrations above applicable standards, criteria and guidance. Under a site management plan periodic monitoring and O&M is on-going. To expedite remedy the volunteer submitted a Remedial Optimization Work Plan in 2017 which proposes installation of a new AS/SVE system within the area where initial system was built and also injection of chemicals targeting the source area. Per December 2017 monitoring data the highest
Health Problem:	the source area. Per December 2017 monitoring data the highest on-site PCE concentration in groundwater is 2,800 ppb (groundwater standard is 5.0 ppb) detected under the Home Depot building. Data from a State funded Investigation performed in 2002 indicated the plume had migrated offsite; since this site's remedial program was performed by a Volunteer under the Voluntary Cleanup Program, they are not responsible for off-site contamination. For information on the off-site remedial program see Site No. 241036. Special Resources Impacted/Threatened: The site is located in the urban area and Fish and Wildlife Impact Analysis is not warranted. On-site subsurface soils and groundwater are contaminated with volatile organic compounds. Remedial actions taken place at the site include the excavation of soils from the identified source area. Buildings and pavement cover the site, therefore exposure to residual contaminated soils is unlikely. The area is served by public water, therefore exposure through ingestion of contaminated groundwater is unlikely. A soil vapor intrusion study was conducted in the neighborhood and the results indicated no further action is needed at this time. On-site vapors are being mitigated by the operation of a soil vapor extraction system and a vapor barrier beneath the on-site building. Therefore, the potential for inhalation exposure has been minimized.
Dump: Structure: Lagoon: Landfill: Pond: Disp Start: Disp Term: Lat/Long: Dell: Record Add: Record Upd: Updated By: Own Op:	minimized. False False False False False Not reported Not reported Not reported Not reported 2012-08-27 09:26:00 2013-09-19 14:59:00 kbdilige Document Repository

Map ID Direction Distance Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

Sub Type:	C01
Owner Name:	Frances S. Tobin
	Queens Public Library
	98-27 Metropolitan Avenue
Owner Addr2:	Not reported
	Forest Hills, NY 11375
	United States of America
Own Op:	Owner
Sub Type:	05
Owner Name:	Michael Maddocks
	HOME DEPOT USA INC
Owner Address: Owner Addr2:	2455 Paces Ferry Road
	NW, C-19 Atlanta, GA 30339
	United States of America
Own Op:	Applicant/Requestor
Sub Type:	06
Owner Name:	Mike Maddocks
	The Home Depot, USA Inc.
Owner Address:	
Owner Addr2:	C-19
Owner City,St,Zip	Atlanta, GA 30339
• •	United States of America
HW Code:	V00095
Waste Type:	TETRACHLOROETHYLENE (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	V00095
Waste Type:	tetrachloroethene (PCE)
Waste Quantity:	
Waste Code:	Not reported
Crossref ID:	July 14, 1997
Cross Ref Type C	
	Agreement/Consent Order Date t2013-09-26 11:11:00
	2013-09-26 11:11:00
Updated By:	SXAHMED
Crossref ID:	2012000171722
Cross Ref Type C	
	County Recording Identifier
	te013-06-19 13:41:00
	2013-06-19 13:41:00
Updated By:	SXAHMED
Crossref ID:	V00095
Cross Ref Type C	Øale:
Cross Ref Type:	VCP Site ID
Record Added Da	t2013-09-26 11:39:00
Record Updated:	2013-09-26 11:39:00
Updated By:	SXAHMED
Crossref ID:	Index no: d2-0001-97-04
Cross Ref Type C	
	Agreement/Consent Order Number
	t2013-09-26 11:12:00
•	2013-09-26 11:12:00
Updated By:	SXAHMED
Crossref ID:	241036

Map ID Direction Distance Elevation Site MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued) Cross Ref Type: HW Site ID

Record Added Date003-03-26 10:53:00 Record Updated: 2003-03-26 10:53:00 Updated By: ajsylves Crossref ID: D2-0001-97-04(R Cross Ref Type Coole: Cross Ref Type: Haz. Substance ID Record Added Date000-11-30 16:07:00 Record Updated: 2005-02-24 15:54:00 Updated By: VCPTRANS 241505 Crossref ID: Cross Ref Type Coode: Cross Ref Type: HW Site ID Record Added Date006-03-30 09:04:00 Record Updated: 2006-03-30 09:04:00 Updated By: JLFATATO

VCP:

CP:	
Program Type:	VCP
Site Code:	56816
HW Code:	V00095
Site Class:	С
SWIS:	4101
Region:	2
Town:	New York City
Acres:	6.196
Date Record Added:	11/30/2000
Date Record Updated:	02/16/2018
Updated By:	JXGRECO
Site Description:	Location: The Site is located in a suburban area of Queens County, on the east side of Woodhaven Boulevard approximately one-quarter mile south of Metropolitan Avenue. Site Features: The site, as defined in the Voluntary Cleanup Agreement, includes (former) lots 46 and 74 in block 3886 (since the VCA was signed the lots have been merged and collectively form lot 74). In February 2012 the Volunteer submitted a request (which was approved) to amend the VCA to modify the limits of the site to include a 0.228-acre portion of former lot 450 (located between former lots 46 and 74). The Site is now 6.196 acres and is known as Block 3886, Lot 74. Current site features include a typical one story Home Depot retail store to the south, parking lot to the north, the garden section of the Home Depot store located to the west along the Woodhaven Blvd, and limited unpaved areas. Current Zoning and Land Uses: The site is currently a Home Depot store and it's associated parking lot. The surrounding parcels are used for a combination of residential and commercial purposes. Tracks for the Long Island Rail Road are located to the south, a vacant lot owned by Parks and Recreation (General) Arsenal West is located to the southwest and an abandoned railroad line is located east of the site. The nearest residential area is approximately 250 feet to the northwest (upgradient). To the north is a sporting goods retail store (Sports Authority) and its parking lot. There is also a residential area approximately 330 feet southwest of the site (downgradient). Past Use of the Site: Prior to Home Depot, the site was occupied by five commercials, manufacturing and /or warehouse type structures. Several commercial and industrial activities were conducted at the site that included operation of knitting mill, distribution of stationary, office supply, paper packaging, warehouse and a GE lamp

EDR ID Number Database(s) EPA ID Number

номі

division. Site Geology and Hydrogeology: The geology of the upper unconsolidated formating primarily consists of gravel, sand and sit. A confining clay layer present at depth around 146 feet below grade. Depth of groundwater ranges between 50 to 56 feet below grade and the flow direction is to the southeast. Env Problem: Nature and Extent of Contamination: Remediation at the site is complete; as a part of the remedy an Air Sparge/Soil Vapor Extraction (AS/SVE) system was installed which is currently operating. The primary contaminant of concern at the Site is tetrachloroethylene (PCE). Investigations indicated the presence of contamination in Site soils (removed) and groundwater at concentrations above applicable standards, criteria and guidance. Under a site management plan periodic monitoring and O&M is on-going. To expedite remedy the volunteer submitted a Remedial Optimization Work Plan in 2017 which proposes installation of a new AS/SVE system within the area where initial system was built and also injection of chemicals targeting the source area. Per December 2017 monitoring data the highest on-site PCE concentration in groundwater is 2,800 ppb (groundwater standard is 5.0 ppb) detected under the Home Depoid publicling. Data from a State funded Investigation performed in 2002 indicated the plume had migrated offsite; since this site's remedial program, they are not responsible for off-site contamination. For information on the off-site remedial program see Site No. 241036. Special Resources Impacted/Threatened: The site is located in the urban area and Fish and Wildlife Impact Analysis is not warranted. Health Problem: On-site substrate solis as on groundwater are contaminated with volatile organic compounds. Remedial actions taken place at the site include the executation of site is located in the mesite building: Therefore, the potential for inhalation exposure has been mi	IE DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)					
complete: as a part of the remedy an Air Sparge/Soil Vapor Extraction (AS/SVE) system was installed which is currently operating. The primary contaminant of concern at the Site is tetrachtorethylene (PCE). Investigations indicated the presence of contamination in Site soils (removed) and groundwater at concentrations above applicable standards, criteria and guidance. Under a site management plan periodic monitoring and O&M is on-going. To expedite remedy the volunter submitted a Remedial Optimization Work Plan in 2017 which proposes installation of a new AS/SVE system within the area where initial system was built and also injection of chemicals targeting the source area. Per December 2017 monitoring data the highest on-site PCE concentration in groundwater is 2,800 ppb (groundwater standard is 5.0 ppb) detected under the Home Deopt building. Data from a State funded Investigation performed in 2002 indicated the plume had migrated offsite; since this site's remedial program, they are not responsible for off-site contamination. For information on the off-site remedial program see Site No. 241036. Special Resources Impacted/I Threatened: The site is located in the urban area and Fish and Wildlife Impact Analysis is not warranted. Health Problem: On-site subscript cover the site, therefore exposure to residual contaminated orundwater is unlikely. A soil vapor extraction system and a vapor barrier beneath the site include the excavation of soils from the identified source area. Buildings and pavement cover the site, therefore exposure to residual contaminated prundwater is unlikely. A soil vapor extraction system and a vapor barrier beneath the on-site building. Therefore, the potential for inhalation exposure tha see in include the ensite vapors are being mitigated by the operation of a soil vapor extraction system and a vapor barrier beneath the on-site building. Therefore, the potential for inhalation exposure has been minimized.		unconsolidated formation primarily consists of gravel, sand and silt. A confining clay layer present at depth around 146 feet below grade. Depth of groundwater ranges between 50 to 56 feet below grade and the				
volatile organic compounds. Remedial actions taken place at the site include the excavation of soils from the identified source area. Buildings and pavement cover the site, therefore exposure to residual contaminated soils is unlikely. The area is served by public water, therefore exposure through ingestion of contaminated groundwater is unlikely. A soil vapor intrusion study was conducted in the neighborhood and the results indicated no further action is needed at this time. On-site vapors are being mitigated by the operation of a soil vapor extraction system and a vapor barrier beneath the on-site building. Therefore, the potential for inhalation exposure has been minimized.Dump:FalseStructure:FalseLagoon:FalseLandfill:FalseDisp Start:Not reportedDisp Term:Not reportedDell:Not reportedRecord Add:2012-08-27 09:26:00Record Add:2013-09-19 14:59:00Updated By:kbdiligeOwn Op:Document RepositorySub Type:C01Owner Name:Frances S. TobinOwner Address:98-27 Metropolitan AvenueOwner Addr2:Not reported		complete; as a part of the remedy an Air Sparge/Soil Vapor Extraction (AS/SVE) system was installed which is currently operating. The primary contaminant of concern at the Site is tetrachloroethylene (PCE). Investigations indicated the presence of contamination in Site soils (removed) and groundwater at concentrations above applicable standards, criteria and guidance. Under a site management plan periodic monitoring and O&M is on-going. To expedite remedy the volunteer submitted a Remedial Optimization Work Plan in 2017 which proposes installation of a new AS/SVE system within the area where initial system was built and also injection of chemicals targeting the source area. Per December 2017 monitoring data the highest on-site PCE concentration in groundwater is 2,800 ppb (groundwater standard is 5.0 ppb) detected under the Home Depot building. Data from a State funded Investigation performed in 2002 indicated the plume had migrated offsite; since this site's remedial program was performed by a Volunteer under the Voluntary Cleanup Program, they are not responsible for off-site contamination. For information on the off-site remedial program see Site No. 241036. Special Resources Impacted/Threatened: The site is located in the urban area and Fish and Wildlife Impact Analysis is not warranted.				
Structure:FalseLagoon:FalseLandfill:FalsePond:FalseDisp Start:Not reportedDisp Term:Not reportedLat/Long:Not reportedDell:Not reportedRecord Add:2012-08-27 09:26:00Record Upd:2013-09-19 14:59:00Updated By:kbdiligeOwn Op:Document RepositorySub Type:C01Owner Name:Frances S. TobinOwner Company:Queens Public LibraryOwner Addr2:Not reported	Health Problem:	volatile organic compounds. Remedial actions taken place at the site include the excavation of soils from the identified source area. Buildings and pavement cover the site, therefore exposure to residual contaminated soils is unlikely. The area is served by public water, therefore exposure through ingestion of contaminated groundwater is unlikely. A soil vapor intrusion study was conducted in the neighborhood and the results indicated no further action is needed at this time. On-site vapors are being mitigated by the operation of a soil vapor extraction system and a vapor barrier beneath the on-site building. Therefore, the potential for inhalation exposure has been				
Lagoon:FalseLandfill:FalsePond:FalseDisp Start:Not reportedDisp Term:Not reportedLat/Long:Not reportedDell:Not reportedRecord Add:2012-08-27 09:26:00Record Upd:2013-09-19 14:59:00Updated By:kbdiligeOwn Op:Document RepositorySub Type:C01Owner Name:Frances S. TobinOwner Company:Queens Public LibraryOwner Addr2:Not reported		False				
Pond:FalseDisp Start:Not reportedDisp Term:Not reportedLat/Long:Not reportedDell:Not reportedRecord Add:2012-08-27 09:26:00Record Upd:2013-09-19 14:59:00Updated By:kbdiligeOwn Op:Document RepositorySub Type:C01Owner Name:Frances S. TobinOwner Company:Queens Public LibraryOwner Address:98-27 Metropolitan AvenueOwner Addr2:Not reported						
Disp Start:Not reportedDisp Term:Not reportedLat/Long:Not reportedDell:Not reportedRecord Add:2012-08-27 09:26:00Record Upd:2013-09-19 14:59:00Updated By:kbdiligeOwn Op:Document RepositorySub Type:C01Owner Name:Frances S. TobinOwner Company:Queens Public LibraryOwner Address:98-27 Metropolitan AvenueOwner Addr2:Not reported						
Lat/Long:Not reportedDell:Not reportedRecord Add:2012-08-27 09:26:00Record Upd:2013-09-19 14:59:00Updated By:kbdiligeOwn Op:Document RepositorySub Type:C01Owner Name:Frances S. TobinOwner Company:Queens Public LibraryOwner Address:98-27 Metropolitan AvenueOwner Addr2:Not reported						
Dell:Not reportedRecord Add:2012-08-27 09:26:00Record Upd:2013-09-19 14:59:00Updated By:kbdiligeOwn Op:Document RepositorySub Type:C01Owner Name:Frances S. TobinOwner Company:Queens Public LibraryOwner Address:98-27 Metropolitan AvenueOwner Addr2:Not reported	•	•				
Record Upd:2013-09-19 14:59:00Updated By:kbdiligeOwn Op:Document RepositorySub Type:C01Owner Name:Frances S. TobinOwner Company:Queens Public LibraryOwner Address:98-27 Metropolitan AvenueOwner Addr2:Not reported	-					
Updated By:kbdiligeOwn Op:Document RepositorySub Type:C01Owner Name:Frances S. TobinOwner Company:Queens Public LibraryOwner Address:98-27 Metropolitan AvenueOwner Addr2:Not reported						
Own Op:Document RepositorySub Type:C01Owner Name:Frances S. TobinOwner Company:Queens Public LibraryOwner Address:98-27 Metropolitan AvenueOwner Addr2:Not reported						
Owner Name:Frances S. TobinOwner Company:Queens Public LibraryOwner Address:98-27 Metropolitan AvenueOwner Addr2:Not reported	Own Op:					
Owner Company:Queens Public LibraryOwner Address:98-27 Metropolitan AvenueOwner Addr2:Not reported	•••					
Owner Addr2: Not reported	Owner Company:	Queens Public Library				
		•				
		•				

Database(s)

EDR ID Number **EPA ID Number**

HOME DEPOT IN WOODHAVEN BLVD. & METROPOL (Continued)

Owner Country: United States of America Own Op: Owner 05 Sub Type: **Owner Name: Owner Company:** Owner Address: NW, C-19 Owner Addr2: Owner City,St,Zip: Owner Country: Own Op: Sub Type: 06 Owner Name: **Owner Company:** Owner Address: Owner Addr2: C-19 Owner City,St,Zip: Owner Country: HW Code: V00095 Waste Type: Waste Quantity: Waste Code: HW Code: V00095 Waste Type: Waste Quantity: Waste Code: Crossref ID: Cross Ref Type Code: 26 Cross Ref Type: Record Added Date: Record Updated: Updated By: Crossref ID: Cross Ref Type Code: 25 Cross Ref Type: Record Added Date: Record Updated: Updated By: Crossref ID: V00095 Cross Ref Type Code: 04 Cross Ref Type: Record Added Date: Record Updated: Updated By: Crossref ID: Cross Ref Type Code: 23 Cross Ref Type: Record Added Date: Record Updated: Updated By: Crossref ID: 241036 Cross Ref Type Code: 02 Cross Ref Type: Record Added Date: Record Updated: Updated By: ajsylves Crossref ID: Cross Ref Type Code: 20

Michael Maddocks HOME DEPOT USA INC 2455 Paces Ferry Road Atlanta, GA 30339 United States of America Applicant/Requestor Mike Maddocks The Home Depot, USA Inc. 2455 Paces Ferry Road Atlanta, GA 30339 United States of America TETRACHLOROETHYLENE (PCE) UNKNOWN Not reported tetrachloroethene (PCE) UNKNOWN Not reported July 14, 1997 Agreement/Consent Order Date 2013-09-26 11:11:00 2013-09-26 11:11:00 SXAHMED 2012000171722 County Recording Identifier 2013-06-19 13:41:00 2013-06-19 13:41:00 SXAHMED VCP Site ID 2013-09-26 11:39:00 2013-09-26 11:39:00 SXAHMED Index no: d2-0001-97-04 Agreement/Consent Order Number 2013-09-26 11:12:00 2013-09-26 11:12:00 SXAHMED HW Site ID 2003-03-26 10:53:00 2003-03-26 10:53:00 D2-0001-97-04(R

Map ID Direction		MAP FINDINGS		
Distance Elevation	Site		Database(s)	EDR ID Number EPA ID Number
	HOME DEPOT IN WO Cross Ref Type: Record Added Da Record Updated: Updated By: Crossref ID: Cross Ref Type (Cross Ref Type: Record Added Da Record Updated: Updated By:	2005-02-24 15:54:00 VCPTRANS 241505 Code: 02 HW Site ID ate: 2006-03-30 09:04:00		S108984508
AE147 South 1/4-1/2 0.484 mi.	75-09 WOODHAVEN I REGO PARK, NY 113	74	NY SHWS NY DEL SHWS	S106780894 N/A
2553 ft. Relative:	Site 2 of 2 in cluster A SHWS:			
Higher Actual: 71 ft.	r Program: HW			

Map ID Direction Distance Elevation Site

Env Problem:

MAP FINDINGS

EDR ID Number Database(s) EPA ID Number

75-09 WOODHAVEN BOULEVARD (HOME DEPOT OFF-SITE) (Continued)

include former lot 46 (which was merged with several other lots in 2008 and now collectively form lot 74). In 1998, as a part of the VCP project, contaminated soil was excavated and removed from the Home Depot On-site area. A Soil Vapor Extraction/Air Sparging (SVE/AS) system was designed by the volunteer and put in operation during October 1999 to remediate the remaining contamination in soil and groundwater from the VCP site. During December 2010, the Volunteer completed installation of an expanded AS/SVE system, which also targeted the deeper contamination at the Home Depot On-site area to prevent off-site migration of a plume of tetrachloroethylene (PCE). In 2017 and 2018, under a Remedial Optimization Work Plan (ROWP), the volunteer installed a new SVE/AS system and injected chemicals through forty four (44) injection wells targeting the source area. Between 2002 and 2006 the Department conducted investigations to collect off-site groundwater and soil vapor samples, and to conduct a soil vapor intrusion (SVI) study in 10 homes on the south side of the Seither Ballfield. The results of the SVI study indicated that no further action was warranted in these homes, based on the DOH matrix for soil vapor intrusion. The site was placed on the registry of Inactive Hazardous Waste Disposal sites in 2007 so that a remedial program could be conducted for the contamination that has migrated off-site. Several phases of remedial investigations were conducted to further delineate the off-site PCE contamination. Operable Units: An operable unit represents a portion of a remedial program for a site that for technical or administrative reasons can be addressed separately to investigate, eliminate or mitigate a release, threat of release or exposure pathway resulting from the site contamination. This VCP site has two operable units. Operable unit 1 (OU1) is the on-site source which is located within the VCP site. Operable unit 2 (OU2) consists of the off-site soil, groundwater and soil vapor plumes, which is the subject of this site (75-09 Woodhaven Boulevard (Home Depot Off-Site) Site No. 241036). Site Geology and Hydrogeology: Off-site area geology of the upper unconsolidated formation primarily consists of poorly sorted mix of highly variable sediments sand, cobbles and boulders. A confining clay layer is present at a depth of approximately 150 feet below grade close to the VCP site. Depth of groundwater ranges 55 -65 fbg close to site. Further south (approximately 2,500 feet from VCP site), the groundwater depth is approximately 137 below grade. Groundwater flow at shallow depths (at or near the water table) has southwesterly and southeasterly components that converge south of site. Groundwater at intermediate depths (35-50 feet below water table) flows southeast. Nature and Extent of Contamination: Based upon the investigation conducted to date the primary contaminant of concern for OU2, which is the off-site area, is tetrachloroethylene (PCE). Soil - During Remedial Investigation Phase I (September 2010), soil samples were collected while drilling the intermediate wells from depth intervals near the water table to determine whether residual contamination was present at depth in the off-site subsurface. The analytical results indicate that VOCs were not detected above the minimum detection limit in any of the soil samples collected from the borings advanced during the Off-site RI drilling program. Groundwater - Data from an Immediate Investigation Work Assignment, performed in 2002, indicates the groundwater plume has migrated off-site with PCE concentrations up to 6,600 parts per billion (ppb) immediately down gradient of the site. Further down gradient migration of the PCE plume was confirmed during an ongoing off-site remedial investigation which was initiated

S106780894

TC5618352.2s Page 376

EDR ID Number Database(s) EPA ID Number

75-09 WOODHAVEN BOULEVARD (HOME DEPOT OFF-SITE) (Continued)

in February 2010. Per the 2010 groundwater data, PCE has been detected at concentrations up to 1,300 ppb and 1,100 ppb approximately 400 and 550 feet down gradient at depths of approximately 110 feet below grade (fbg). The third, fourth and fifth rounds of the remedial investigation were conducted in March of 2013, March 2014 and June 2015. The June 2015 investigation detected PCE contamination at depths 40 to 50 feet below the groundwater table (the groundwater depth is approximately 112 feet below grade) further down gradient from the site, close to Forest Park, with concentrations ranging from 230 to 1,900 ppb. Soil Vapor and Indoor Air - Soil vapor data indicates the presence of PCE southwest of the site, west of Woodhaven Boulevard. In 2013 additional soil vapor data confirmed that concentrations of PCE exist southwest of the site, across Woodhaven Blvd. Low levels of trichloroethene (TCE) and vinyl chloride (VC) were also detected in several soil vapor samples southwest of the site. Data collected in March 2014 confirmed that contaminated groundwater migrating from the site is not causing significant impacts to soil vapor. However, it has been determined that the Department will perform additional SVI investigation work in potential residential structures. Health Problem: People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air space within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Soil vapor intrusion sampling has concluded that actions were not needed to address soil vapor intrusion at some off-site structures. Additional monitoring is recommended to further assess the potential for exposure associated with soil vapor intrusion. False Dump: Structure: False Lagoon: False Landfill: False Pond: False Disp Start: unknown Disp Term: unknown Lat/Long: 40:42:30. / 73:51:30. Dell: False Record Add: 2002-02-21 13:21:00 Record Upd: 2013-09-19 14:33:00 Updated By: kbdilige Own Op: Owner Sub Type: Ε Owner Name: FRANCIS S. BLAKE **Owner Company:** HOME DEPOT 2455 PACES FERRY ROAD Owner Address: Owner Addr2: Not reported Owner City, St, Zip: ATLANTA, GA 30339 Owner Country: United States of America Own Op: **Document Repository** Sub Type: C01 **Owner Name:** Ms. Frances S. Tobin Queens Public Library. North Forest Park Branch Owner Company: Owner Address: 98-27 Metropolitan Avenue

Map ID Direction Distance Elevation Site

Owner Addr2:

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

Not reported

Forest Hills, NY 11375 Owner City,St,Zip: Owner Country: United States of America HW Code: 241036 TETRACHLOROETHYLENE (PCE) Waste Type: Waste Quantity: UNKNOWN Waste Code: (F002 WAST HW Code: 241036 TETRACHLOROETHYLENE (PCE) Waste Type: Waste Quantity: UNKNOWN (F002 WAST Waste Code: HW Code: 241036 Waste Type: tetrachloroethene (PCE) Waste Quantity: UNKNOWN Waste Code: (F002 WAST HW Code: 241036 tetrachloroethene (PCE) Waste Type: Waste Quantity: UNKNOWN Waste Code: (F002 WAST HW Code: 241036 Waste Type: trichloroethene (TCE) Waste Quantity: UNKNOWN Waste Code: Not reported Crossref ID: V00095 Cross Ref Type Code: 04 Cross Ref Type: VCP Site ID Record Added Date: 2003-03-26 10:54:00 Record Updated: 2003-03-26 10:55:00 Updated By: ajsylves Crossref ID: D2-0001-97-04 (Cross Ref Type Code: 20 Cross Ref Type: Haz. Substance ID Record Added Date: 2003-03-26 10:55:00 Record Updated: 2003-03-26 10:55:00 Updated By: ajsylves DEL SHWS: Year: Not reported 57078 Site Code Id: Not reported Site Classification: Region: 2 Epa Id Number: Not reported Site Type - Dump: No Site Type - Structure: No Site Type - Lagoon: No Site Type - Landfill: No Site Type - Treat Pond: No Not reported Site Size (Acres): Site Size Comment: Not reported Period Assoc/HW Start: Not reported Period Assoc/HW End: Not reported Lat/Long: Not reported Lat/Long Decimal: Not reported Not reported Lat/Long (dms): 241036 Hazardous Waste Code: Hazard Waste Disposed:

Not reported Not reported

Quantity:

Database(s)

EDR ID Number EPA ID Number

75-09 WOODHAVEN BOULEVARD (HOME DEPOT OFF-SITE) (Continued)

Air Data Available: No SW Std Contravention: No GW Std Contravention: No Soil Type: Sediment Data Available: No GW Std Contravention: No DW Std Contravention: No SW Std Contravention: No Air Stand Contraventions: No Legal Action Type: State Legal Action: No Federal Legal Action: No Enforce Status Code: Remedial Act Proposed: No Rem Act Under Design: No Rem Act In Progress: No Rem Act Completed: No Remedial Action Type: Soil Type: Depth To Groundwater: Owner Name: Owner Address: Owner City, St, Zip: Owner Phone: Owner Contact Name: Owner During Disposal: Owner During Use: **Operator Name: Operator Address:** Operator City, St, Zip: **Operator Phone: Operator Contact Name:** Oper During Disposal: Site Type: HW Disposal Period: Analytical Data Available: Applicable Std Exceeded: Geotech Info: Depth To Groundwater: Status: Nature Of Action: Env Prob Assessment: Site Description: Confirmed HW: **Environment Assesment:** Health Assesment: Disposal Start Date: **Disposal Term Date:** Air Violation: Groundwater Violation: Drink Water Violation: Surface Water Violation: Legal New York State: Legal Federal: Legal State: Remedial Action Active: Remedial Action Done:

Not reported Not reported

Database(s)

75-0	9 WOODHAVEN BOULEVAR	RD (HOME DEPOT OFF-SITE) (Continued)	S106780894
	NPL Status:	Not reported	
	Count Operator:	Not reported	
	Count Owner:	Not reported	
	NYTM X:	Not reported	
	NYTM Y:	Not reported	
	Co Name:	Not reported	
	Co Addr:	Not reported	
	Operator Addr:	Not reported	
	Operator Addr 2:	Not reported	
	Operator Addr 3:	Not reported	
	Operator Addr 4:	Not reported	
	HWDP From:	Not reported	
	From To:	Not reported	
	Assessment of Health:		
		Not reported	
	Description:	The site is bounded by Woodhaven Boulevard on the west, by a vacant industrial building on the north, by an abandoned railroad line on	
		the east, and by the tracks of Long Island Railroad on the south. In	
		May 1997, a Voluntary Cleanup Agreement (VCA) was executed between	
		the DEC and the owners of the site. Almost immediately after the	
		Agreement was executed, ADI and Glendale Corporation delegated all	
		their responsibilities under the VCA to Home Depot, which became the	
		Volunteer in this project. While no historic data is available to	
		detail past site operations, the site investigation conducted Under	
		the VCA revealed high levels of tetrachloroethylene (PCE) in the soil	
		(up to 8,000 ppm) in the southwest area of the site (former ADI	
		building), which is believed to be the source of the groundwater	
		contamination with the same compounds. Groundwater sampling	
		conducted (at the time) downgradient of the source area revealed PCE	
		at a very high levels (up to 24,000 ppb) in an EPA designated sole	
		source aquifer that is being used by drinking water wells in the	
		Jamaica Water Supply area. Subsequently, in 1998, under the	
		Voluntary Cleanup Agreement, contaminated soil was excavated and	
		removed from the site. A Soil Vapor Extraction/ Air Sparging system	
		was designed and put in operation to remediate the residual	
		contamination in the soil and groundwater. During the initial period	
		of SVE/AS system operation, a concentration of 89,000 ppb was	
		detected in groundwater at the southwestern area of the site. The	
		SVE/AS system began operation in October 1999 and performed	
		efficiently only for the first half of a year. During the remaining	
		2.5 years, concentrations of PCE in the groundwater monitoring wells	
		did not decline substantially. In 2002, a State-funded Investigation	
		under Immediate Investigation Work Assignment was implemented on the	
		area south of the Home Depot, which demonstrated that the	
		contamination from the Home Depot site has migrated off-site at a	
		concentration of 6,600 ppb of PCE immediately downgradient of the	
		Home Depot site. The contaminant plume has been detected at 1,000	
		ppb of PCE as close as 60 ft. from the residential housing.	
	Record Added Date:	02/21/02	
	Record Updated Date:	02/03/05	
	Env Assessment:	Contaminants of concern is PCE. Investigation indicate groundwater	
		contamination which has migrated off-site. Exceedances of SCG's include	e PCE in
		groundwater. The site presents a significant threat due to the off-site	
		groundwater plume contamination beneath the adjacent residential proper	ties in
		particular and of the sole source Brooklyn-Queens aquifer in general.	
	HW Disposed/Quantity:	Not reported	
	Assess/Env Prog:	Not reported	
	Assess/Health Prob:	Not reported	

Map ID		MAP FINDINGS		
Direction Distance Elevation	Site		Database(s)	EDR ID Number EPA ID Number
	75-09 WOODHAVEN BOULEVARE Site Description:) (HOME DEPOT OFF-SITE) (Continued) Not reported		S106780894
148 NNE 1/4-1/2 0.487 mi. 2572 ft.	CON EDISON 71-44 YELLOWSTONE BLVD FOREST HILLS, NY 11375		NY LTANKS NY MANIFEST	S105996941 N/A
Relative: Higher Actual: 57 ft.	LTANKS: Spill Number/Closed Date: Facility ID: Site ID: Spill Date: Spill Cause: Spill Class: Cleanup Ceased: SWIS: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Notifier: Last Inspection: Recommended Penalty: Meets Standard: UST Involvement: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Contact: Spiller Contact: Spiller Extention: DEC Region: DEC Region: DEC Memo: Remarks:	0206946 / 2003-01-14 0206946 198181 2002-10-04 Tank Test Failure Institutional, Educational, Gov., Other C4 Not reported 4101 TJDEMEO Not reported 2002-10-04 322 Not reported Tank Tester Not reported False False False False 5 alse 0 2002-10-04 2003-01-14 Not reported Not reported 71-44 YELLOWSTONE BLVD 001 Not reported Not reported Not reported Not reported Not reported Not reported Not reported Not reported D/DEMEO 10/7/2002 - TANK TEST FAILURI TERESA POCCHIA FORREST HILLS NURSII BLVD FORREST HILLS, NY 11375 WHEN RE ASSIGNED TO DEMEO sms 10/7/02 1/14/200 a new tank test. Statement says a defective ma replaced and a defective heating coil going thre was also replaced. Tank was re tested by New Inc. 718-731-7011 and tank past test. Spill Clo "tank test failure "	E FORM LETTER SENT NG CARE FACILITY 71 ESPONSE COMES BAC 3 Sangesland received anhole cover was ough the manhoe cover 7 York City Tank Testing	-44 YELLOWSTONE :K - CASE IS a copy of
	Remarks: All TTF:	"tank test failure "		
	Facility ID: Spill Number: Spill Tank Test: Site ID: Tank Number: Tank Size:	0206946 0206946 1527539 198181 1 10500		

Database(s)

EDR ID Number EPA ID Number

CON EDISON (Continued)	
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	03
Test Method 2: Leak Rate:	Horner EZ Check I or II .00
Gross Fail:	500 F
Modified By:	Spills
Last Modified Date:	Not reported
All Materials:	
Site ID:	198181
Operable Unit ID:	858694
Operable Unit:	01
Material ID:	517537
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum .00
Quantity: Units:	G
Recovered [.]	.00
Oxygenate:	Not reported
NY MANIFEST: Country: EPA ID: Facility Status: Location Address 1: Code: Location Address 2: Total Tanks: Location City: Location City: Location State: Location Zip: Location Zip 4: NY MANIFEST: EPAID: Mailing Name: Mailing Contact: Mailing Address 1: Mailing Address 2: Mailing State: Mailing State: Mailing Zip: Mailing Zip 4: Mailing Country:	USA NYP004509410 Not reported 71-44 YELLOWSTONE BLVD BP SB 57226 Not reported QUEENS NY 11375 Not reported NYP004509410 CON EDISON TOM TEELING 4 IRVING PLACE - 15TH FLOOR Not reported NEW YORK NY 10003 Not reported USA
Mailing Phone:	Not reported
NY MANIFEST: Document ID:	Not reported
Manifest Status:	Not reported

Database(s)

EDR ID Number **EPA ID Number**

CON EDISON (Continued)

seq:

Not reported 2014 Year: Trans1 State ID: NJ0000027193 Trans2 State ID: Not reported Generator Ship Date: 04/23/2014 Trans1 Recv Date: 04/23/2014 Trans2 Recv Date: Not reported TSD Site Recy Date: 04/28/2014 Part A Recv Date: Not reported Part B Recv Date: Not reported NYP004509410 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID 1: NJD002200046 TSDF ID 2: Not reported Manifest Tracking Number: 012771635JJK Import Indicator: Ν Export Indicator: Ν Discr Quantity Indicator: Ν Discr Type Indicator: Ν Discr Residue Indicator: Ν Discr Partial Reject Indicator: Ν Discr Full Reject Indicator: Ν Manifest Ref Number: Not reported Alt Facility RCRA ID: Not reported Alt Facility Sign Date: Not reported MGMT Method Type Code: H110 Waste Code: Not reported Quantity: 25 G - Gallons (liquids only)* (8.3 pounds) Units: Number of Containers: 1 Container Type: TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment. Specific Gravity: 1 D008 Waste Code: Waste Code 1 2: Not reported Waste Code 1 3: Not reported Waste Code 1 4: Not reported Waste Code 1_5: Not reported Waste Code 1 6: Not reported

S105996941

Click this hyperlink while viewing on your computer to access -1 additional NY MANIFEST: record(s) in the EDR Site Report.

Database(s)

149 ENE 1/4-1/2 0.488 mi. 2578 ft.	98-02 69TH AV 98-02 69TH AV FOREST HILLS, NY	NY L'	TANKS	S106719667 N/A
Relative: Higher Actual: 59 ft.	LTANKS: Spill Number/Closed Date: Facility ID: Site ID: Spill Date: Spill Cause: Spill Cause: Spill Class: Cleanup Ceased: SWIS: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Notifier: Last Inspection: Recommended Penalty: Meets Standard: UST Involvement: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Contact: Spiller Contact: Spiller Phone: Spiller Extention: DEC Region: DEC Region: DEC Memo: Remarks:	9512778 / 1996-01-16 9512778 142026 1996-01-14 Tank Overfill Private Dwelling C4 Not reported 4101 UNASSIGNED Not reported 1996-01-14 211 Not reported Responsible Party Not reported False False False False False False SAERENKLAU FUEL CO 740 JAMAICA AVE 001 Not reported Not reported		
	All Materials: Site ID: Operable Unit ID: Operable Unit: Material ID: Material Code: Material Name: Case No.: Material FA: Quantity: Units: Recovered: Oxygenate:	way to clean up spill" 142026 1023886 01 356523 0001A #2 fuel oil Not reported Petroleum 1.00 G .00 Not reported		

Database(s)

150 SSE 1/4-1/2 0.488 mi. 2579 ft.	69-46 SYBILLA ST/QUEENS 69-46 SYBILLA STREET NEW YORK CITY, NY	NY LT.	ANKS	S102671559 N/A
Relative: Higher Actual: 77 ft.	LTANKS: Spill Number/Closed Date: Facility ID: Site ID: Spill Date: Spill Cause: Spill Cause: Spill Class: Cleanup Ceased: SWIS: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Notifier: Last Inspection: Recommended Penalty: Meets Standard: UST Involvement: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Contact: Spiller Contact: Spiller Contact: Spiller Phone: Spiller Extention: DEC Region: DEC Region: DEC Region: CID: Materials: Site ID: Operable Unit ID: Operable Unit ID: Operable Unit ID:	9005425 / 1995-06-07 9005425 129032 1990-08-16 Tank Overfill Commercial/Industrial C3 1995-06-07 4101 FINGER Not reported 1990-08-16 Not reported Not reported Not reported False 0 1990-08-20 1995-06-07 Not reported Not r	ILL."	
	Operable Unit: Material ID: Material Code: Material Name: Case No.: Material FA: Quantity: Units: Recovered: Oxygenate:	01 436469 0008 diesel Not reported Petroleum 10.00 G .00 Not reported		

Database(s)

AF151 SE 1/4-1/2 0.492 mi. 2598 ft.	CLOSED-LACKOF RECENT INFO 100-32 METROPOLITAN AVE NEW YORK CITY, NY Site 1 of 2 in cluster AF	NY LTANKS S100146057 N/A
Relative: Higher Actual: 69 ft.	LTANKS: Spill Number/Closed Date: Facility ID: Site ID: Spill Date: Spill Cause: Spill Cause: Spill Source: Spill Class: Cleanup Ceased: SWIS: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Notifier: Last Inspection: Recommended Penalty: Meets Standard: UST Involvement: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Company: Spiller Contact: Spiller Contact: Spiller Phone: Spiller Extention: DEC Region: DER Facility ID: DEC Memo: Remarks:	9002525 / 2003-03-04 9002525 68996 1990-06-01 Tank Test Failure Gasoline Station or other PBS Facility A3 Not reported 4101 ADMIN. CLOSED Not reported 1990-06-05 Not reported 1990-06-05 Not reported Tank Tester Not reported False False False True 0 1990-06-13 2003-09-05 Not reported NORTHVILLE SERV/STA 100-32 METROPOLITAN AVE 001 Not reported Not POR PORTEN Second Matter Second Not POR POR PORTEN Second Not POR
	All TTF:	
	Facility ID: Spill Number: Spill Tank Test: Site ID: Tank Number: Tank Size: Material: EPA UST: UST: Cause: Source: Test Method: Test Method 2: Leak Rate: Gross Fail: Modified By:	9002525 9002525 1537151 68996 Not reported 0 0009 Not reported Not reported Not reported Not reported Not reported OO Unknown .00 Not reported Spills

Database(s)

EDR ID Number **EPA ID Number**

CLOSED-LACKOF RECENT INFO (Continued)

Last Modified Date:	Not reported
All Materials: Site ID: Operable Unit ID: Operable Unit: Material ID: Material Code: Material Name: Case No.: Material FA: Quantity:	68996 942383 01 437267 0009 gasoline Not reported Petroleum -1.00
Units: Recovered: Oxygenate:	L .00 Not reported

AF152 **100-16 METROPOLITAN AVE** SE **100-16 METROPOLITAN AVE** 1/4-1/2 FOREST HILLS, NY

2604 ft. Site 2 of 2 in cluster AF

0.493 mi.

Relative: LTANKS: Higher Spill Number/Closed Date: 9315327 / 1994-09-07 Facility ID: 9315327 Actual: Site ID: 281316 71 ft. Spill Date: 1994-03-28 Spill Cause: Tank Test Failure Spill Source: Gasoline Station or other PBS Facility Spill Class: C3 Cleanup Ceased: 1994-09-07 SWIS: 4101 Investigator: O'DOWD Referred To: Not reported Reported to Dept: 1994-03-28 CID: Not reported Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported Recommended Penalty: False Meets Standard: True UST Involvement: True Remediation Phase: 0 1994-03-30 Date Entered In Computer: 1994-09-13 Spill Record Last Update: Spiller Name: Not reported Spiller Company: А Spiller Address: Not reported Spiller County: 999 Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported DEC Region: 2 **DER Facility ID:** 228413 DEC Memo: Remarks: "EX. REPAIR & RETEST -"

S100146057

NY LTANKS \$101102335 N/A

Not reported

Not reported

Unknown

00

.00

Database(s)

EDR ID Number EPA ID Number

All TTF: Facility ID: 9315327 Spill Number: 9315327 Spill Tank Test: 1542537 Site ID: 281316 Tank Number: Not reported Tank Size: 0 Material: 0009 EPA UST: Not reported UST: Not reported Cause: Not reported

100-16 METROPOLITAN AVE (Continued)

Modified By: Spills Last Modified Date: Not reported All Materials: Site ID: 281316 Operable Unit ID: 993496 Operable Unit: 01 387087 Material ID: Material Code: 0009 gasoline Material Name: Case No .: Not reported Material FA: Petroleum Quantity: -1.00 Not reported Units: Recovered: .00 Oxygenate: Not reported

153OUR LADY OF MERCY SCHOOLESE70-25 KESSEL ST1/4-1/2FOREST HILLS, NY 11375

Source:

Test Method:

Leak Rate:

Gross Fail:

Test Method 2:

0.495 mi. 2614 ft.

Relative: Higher Actual: 57 ft. LTANKS: 0211078 / 2005-12-01 Spill Number/Closed Date: Facility ID: 0211078 Site ID: 319557 2003-02-04 Spill Date: Spill Cause: Tank Test Failure Spill Source: Institutional, Educational, Gov., Other Spill Class: B3 Cleanup Ceased: Not reported SWIS: 4101 rmpiper Investigator: Referred To: Not reported 2003-02-04 Reported to Dept: CID: 396 Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

S101102335

NY LTANKS U000417673 NY UST N/A OUR LADY OF MERCY SCHOOL (Continued)

Recommended Penalty:

Quantity:

Recovered:

Oxygenate:

Units:

False

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

Recommended Fenalty.	
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2003-02-04
Spill Record Last Update:	2005-12-01
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller County:	999
	CARL
Spiller Contact:	
Spiller Phone:	(718) 268-6143
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	257462
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was
	SAWYER ARAKHAN 2/5/03 TTF LETTER SENT. 1/7/04-Vought-Spill
	transferred from Vought to Austin. 01/27/04 - Sawyer - Spill
	transferred from Austin to Sawyer. 11/25/05- DEC Piper-Another ttf
	letter sent to Church. 12/1/05- DEC Piper received suffiecient info
	form church to close spill out. see e-docs for more info if
	warranted."
Remarks:	"fail -"
All TTF:	
Facility ID:	0211078
Spill Number:	0211078
Spill Tank Test:	1528006
Site ID:	319557
Tank Number:	1
Tank Size:	5000
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	03
Test Method 2:	Horner EZ Check or
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported
Last Moulled Date.	Not reported
All Materials:	
Site ID:	319557
Operable Unit ID:	864261
Operable Unit:	01
Material ID:	514441
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
	00

.00

G

.00 Not reported

U000417673

Database(s)

EDR ID Number EPA ID Number

OUR LADY OF MERCY SCHOOL (Continued)

U000417673

OR LADY OF MERCY SCHOOL	(Continued)
UST: Id/Status: Program Type: Region: DEC Region: Expiration Date: UTM X: UTM Y: Site Type:	2-402915 / Active PBS STATE 2 12/14/2022 597075.57246 4507637.85926 School
Affiliation Records: Site Id: Affiliation Type: Company Name: Contact Type: Contact Name: Address1: Address2: City: State: Zip Code: Country Code: Phone: EMail: Fax Number: Modified By: Date Last Modified:	19319 Facility Owner OUR LADY OF MERCY R C CHURCH PASTOR REV JOHN A. MCGUIRL 70-01 KESSEL ST Not reported FOREST HILLS NY 11375 001 (718) 268-6143 OFFICE@MERCYHILLS.ORG Not reported MRBARROW 2017-12-01
Site Id: Affiliation Type: Company Name: Contact Type: Contact Name: Address1: Address2: City: State: Zip Code: Country Code: Phone: EMail: Fax Number: Modified By: Date Last Modified:	19319 Mail Contact OUR LADY OF MERCY R C CHURCH PASTOR REV JOHN A. MCGUIRL 70-01 KESSEL ST Not reported FOREST HILLS NY 11375 001 (718) 268-6143 OFFICE@MERCYHILLS.ORG Not reported MRBARROW 2017-12-01
Site Id: Affiliation Type: Company Name: Contact Type: Contact Name: Address1: Address2: City: State: Zip Code: Country Code: Phone:	19319 Facility Operator OUR LADY OF MERCY SCHOOL Not reported REV JOHN A. MCGUIRL Not reported Not reported NN Not reported 001 (718) 268-6143

Database(s)

EDR ID Number EPA ID Number

OUR LADY OF MERCY SCHOOL (Continued)

EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	2007-10-19
Site Id:	19319
Affiliation Type:	Emergency Contact
Company Name:	OUR LADY OF MERCY R C CHURCH
Contact Type:	Not reported
Contact Name:	REV JOHN A. MCGUIRL
Address1:	Not reported
Address2:	Not reported
City:	NN
State:	Not reported
Zip Code:	999
Country Code:	(718) 268-6143
Phone:	Not reported
EMail:	Not reported
Fax Number:	Not reported
Modified By:	XXTANG
Date Last Modified:	2007-10-19
Tank Info:	
Tank Number:	001
Tank ID:	22934
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	5000
Install Date:	09/01/1966
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)
Tightness Test Method:	21
Date Test:	10/16/2017
Next Test Date:	10/16/2018
Pipe Model:	Not reported
Modified By:	MRBARROW
Last Modified:	12/01/2017
Equipment Records:	B00 - Tank External Protection - None C00 - Pipe Location - No Piping F00 - Pipe External Protection - None H00 - Tank Leak Detection - None I00 - Overfill - None G00 - Tank Secondary Containment - None A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron

U000417673

Database(s)

154 SSE 1/4-1/2 0.496 mi. 2618 ft.	METROPOLITAN AVENUE SITE 87-01 69TH AVENUE & 92-34 METROPOLITAN AVENUE FOREST HILLS, NY 11375		NY ENG CONTROLS NY INST CONTROL NY VCP	S105684690 N/A
2618 ft. Relative: ENG CONTROLS: Higher Site Code: 57054 Actual: HW Code: V00500 77 ft. Control Code: 15 Control Type: ENG Date Record Added: Date Rec Updated: 10/29/2018 Updated By: Updated By: LSZINOMA Location: The few commerce along the weatracks; by Me housing, a luu Site Description: Site Features structures, or an office build building, plus Zoning desig developed wi Beginning in Beginning in All-County Lu chronological School Const to the former building s dra located in the is comprised sediments be fill material at follow by a g 65 feet below gradient is ap approximate! Env Problem: Nature and E concentration trichloroethar tetrachloroethar tetrachloro		V00500 15 ENG 08/04/2010 10/29/2018 LSZINOMA Location: The site is located in a residential neighborh few commercial and industrial establishments. The site along the west and south side by the Long Island Raill tracks; by Metropolitan Avenue to the north; and by re housing, a lumber facility, and a NYSDOT asphalt plan Site Features: Prior to development, the property cont structures, one which served as a warehouse and the an office building. The site is currently developed with building, plus athletic fields and a play area. Current Z Zoning designation is M1-1 (manufacturing). The site is developed with a public school campus (Q167). Histor Beginning in 1936, the property was used by Central F All-County Lumber, HJ Heinz, and Forest City Ratner chronological order) before being bought in 2003 by th School Construction Authority. The site contamination to the former Heinz warehouse, as a result of a leak in building s drain system. Site Geology and Hydrogeolo located in the Atlantic Coastal Plain. The geology of th is comprised of interbedded sand, gravel and clay. Th sediments beneath the site consists of 0 to 6 feet of he fill material above 150 feet of medium and course sam follow by a gray clay layer. The water table was encourd 65 feet below grade. The groundwater flow direction is gradient is approximately 0.002 ft/ft. The site is located approximately 6000 feet north of a Jamaica Water Sup Nature and Extent of Contamination Prior to Remediat concentrations of chlorinated hydrocarbons such as 1, trichloroethane (1,1,1-TCA), 1,1-dichloroethane (1,1-D tetrachloroethylene (PCE), and 1,1-dichloroethylene (1)	e is bordered road (LIRR) sidential nt to the east. ained two second served as a 5-story oning/Uses: s currently ical Uses: Foundry, Companies (in ne New York City is attributed the former gy: The site is is province e shallow eterogenous d and boulders, intered at 50 to s south and the d poply well. tion: Elevated 1,1- DCA), 1,1-DCE) were rmer Heinz	
	Health Problem:	warehouse, and in groundwater and soil vapor. The re- soil excavation (which was completed in 2000), and op air sparging and soil vapor extraction (AS/SVE) syster encompasses the areas of contaminated soils and gro the Site. The remedial system was installed in 2006 ar operation. Current PCE concentrations in groundwater compared to the standard of 5.0 ppb. The remediation completed and the site is in the Site Management pha It is unlikely that people will come in contact with resid contamination remaining at depth as the site is coverer asphalt, concrete and other covered surfaces, i.e., syr rubber surfaces, and clean soil on all exposed ground Inhalation of contaminants via soil vapor intrusion has prevented through the installation of a vapor barrier ar operation of an active mitigation system in the new on	peration of an in that bundwater beneath and is in r are 5.3 ppb of this site is se. ual soil d by buildings, athetic turf or surfaces. been ad continuous	

EDR ID Number Database(s) EPA ID Number

METROPOLITAN AVENUE SITE (Continued)

S105684690

building. Exposure to contaminants in drinking water is not expected since the area is served by public drinking water. Not reported Dump: Structure: Not reported Lagoon: Not reported Not reported Landfill: Not reported Pond: Disp Start: Not reported Disp Term: Not reported Lat/Long: Not reported Dell: Not reported Record Add: Not reported Record Upd: Not reported Updated By: Not reported Own Op: **On-Site Operator** Sub Type: C01 Owner Name: Bernard Orlan NYC Dept. of Education- Div. of School Facilities Owner Company: Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip: LIC, NY 11101 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: C01 Owner Name: Bernard Orlan Owner Company: NYC DOE - Division of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip: LIC, NY 11101 Owner Country: United States of America HW Code: V00500 Waste Type: TETRACHLOROETHYLENE (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 Waste Type: 1,1,1 TCA Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 Waste Type: 1,1,1-TCA Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 tetrachloroethene (PCE) Waste Type: Waste Quantity: UNKNOWN Waste Code: Not reported Crossref ID: 241513 Cross Ref Type Code: 02 Cross Ref Type: HW Site ID Record Added Date: 2006-03-30 09:06:00 2006-03-30 09:06:00 Record Updated: Updated By: JLFATATO Site Code: 57054 HW Code: V00500 Control Code: 13 Control Type: ENG

Database(s)

EDR ID Number EPA ID Number

S105684690

METROPOLITAN AVENUE SITE (Continued)

IROPOLIIAN AVENUE	SITE (Continued)
Date Record Added: Date Rec Updated: Updated By: Site Description:	08/04/2010 10/29/2018 LSZINOMA Location: The site is located in a residential neighborhood with a few commercial and industrial establishments. The site is bordered along the west and south side by the Long Island Railroad (LIRR) tracks; by Metropolitan Avenue to the north; and by residential housing, a lumber facility, and a NYSDOT asphalt plant to the east. Site Features: Prior to development, the property contained two structures, one which served as a warehouse and the second served as an office building. The site is currently developed with a 5-story building, plus athletic fields and a play area. Current Zoning/Uses: Zoning designation is M1-1 (manufacturing). The site is currently developed with a public school campus (Q167). Historical Uses: Beginning in 1936, the property was used by Central Foundry, All-County Lumber, HJ Heinz, and Forest City Ratner Companies (in chronological order) before being bought in 2003 by the New York City School Construction Authority. The site contamination is attributed to the former Heinz warehouse, as a result of a leak in the former building s drain system. Site Geology and Hydrogeology: The site is located in the Atlantic Coastal Plain. The geology of this province is comprised of interbedded sand, gravel and clay. The shallow sediments beneath the site consists of 0 to 6 feet of heterogenous fill material above 150 feet of medium and course sand and boulders, follow by a gray clay layer. The water table was encountered at 50 to 65 feet below grade. The groundwater flow direction is south and the gradient is approximately 0.002 ft/ft. The site is located approximately 6000 feet north of a Jamaica Water Supply well.
Env Problem:	Nature and Extent of Contamination Prior to Remediation: Elevated concentrations of chlorinated hydrocarbons such as 1,1,1- trichloroethane (1,1,1-TCA), 1,1-dichloroethane (1,1-DCA), tetrachloroethylene (PCE), and 1,1-dichloroethylene (1,1-DCE) were detected in soil beneath the northwest corner of the former Heinz warehouse, and in groundwater and soil vapor. The remedy consisted of soil excavation (which was completed in 2000), and operation of an air sparging and soil vapor extraction (AS/SVE) system that encompasses the areas of contaminated soils and groundwater beneath the Site. The remedial system was installed in 2006 and is in operation. Current PCE concentrations in groundwater are 5.3 ppb compared to the standard of 5.0 ppb. The remediation of this site is completed and the site is in the Site Management phase.
Health Problem:	It is unlikely that people will come in contact with residual soil contamination remaining at depth as the site is covered by buildings, asphalt, concrete and other covered surfaces, i.e., synthetic turf or rubber surfaces, and clean soil on all exposed ground surfaces. Inhalation of contaminants via soil vapor intrusion has been prevented through the installation of a vapor barrier and continuous operation of an active mitigation system in the new on-site school building. Exposure to contaminants in drinking water is not expected since the area is served by public drinking water.
Dump: Structure: Lagoon: Landfill: Pond: Disp Start: Disp Term:	Not reported Not reported Not reported Not reported Not reported Not reported Not reported Not reported

Database(s)

EDR ID Number EPA ID Number

METROPOLITAN AVENUE SITE (Continued)

Lat/Long: Not reported Dell: Not reported Record Add: Not reported Record Upd: Not reported Updated By: Not reported **On-Site Operator** Own Op: Sub Type: C01 Owner Name: Bernard Orlan Owner Company: NYC Dept. of Education- Div. of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported LIC, NY 11101 Owner City, St, Zip: Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: C01 Owner Name: Bernard Orlan Owner Company: NYC DOE - Division of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip: LIC, NY 11101 Owner Country: United States of America HW Code: V00500 TETRACHLOROETHYLENE (PCE) Waste Type: Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 Waste Type: 1,1,1 TCA Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 1,1,1-TCA Waste Type: Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 tetrachloroethene (PCE) Waste Type: Waste Quantity: UNKNOWN Waste Code: Not reported Crossref ID: 241513 Cross Ref Type Code: 02 Cross Ref Type: HW Site ID Record Added Date: 2006-03-30 09:06:00 2006-03-30 09:06:00 Record Updated: Updated By: JLFATATO Site Code: 57054 HW Code: V00500 Control Code: 18 Control Type: ENG Date Record Added: 08/04/2010 Date Rec Updated: 10/29/2018 Updated By: **LSZINOMA** Site Description: Location: The site is located in a residential neighborhood with a few commercial and industrial establishments. The site is bordered along the west and south side by the Long Island Railroad (LIRR) tracks; by Metropolitan Avenue to the north; and by residential housing, a lumber facility, and a NYSDOT asphalt plant to the east.

Site Features: Prior to development, the property contained two

Database(s)

EDR ID Number **EPA ID Number**

METROPOLITAN AVENUE SITE (Continued)

Dump:

Lagoon:

Landfill:

Pond:

Dell.

Own Op: Sub Type:

Owner Name:

Owner Company:

C01

Bernard Orlan

NYC Dept. of Education- Div. of School Facilities

structures, one which served as a warehouse and the second served as an office building. The site is currently developed with a 5-story building, plus athletic fields and a play area. Current Zoning/Uses: Zoning designation is M1-1 (manufacturing). The site is currently developed with a public school campus (Q167). Historical Uses: Beginning in 1936, the property was used by Central Foundry, All-County Lumber, HJ Heinz, and Forest City Ratner Companies (in chronological order) before being bought in 2003 by the New York City School Construction Authority. The site contamination is attributed to the former Heinz warehouse, as a result of a leak in the former building s drain system. Site Geology and Hydrogeology: The site is located in the Atlantic Coastal Plain. The geology of this province is comprised of interbedded sand, gravel and clay. The shallow sediments beneath the site consists of 0 to 6 feet of heterogenous fill material above 150 feet of medium and course sand and boulders, follow by a gray clay layer. The water table was encountered at 50 to 65 feet below grade. The groundwater flow direction is south and the gradient is approximately 0.002 ft/ft. The site is located approximately 6000 feet north of a Jamaica Water Supply well. Env Problem: Nature and Extent of Contamination Prior to Remediation: Elevated concentrations of chlorinated hydrocarbons such as 1,1,1trichloroethane (1,1,1-TCA), 1,1-dichloroethane (1,1-DCA), tetrachloroethylene (PCE), and 1.1-dichloroethylene (1.1-DCE) were detected in soil beneath the northwest corner of the former Heinz warehouse, and in groundwater and soil vapor. The remedy consisted of soil excavation (which was completed in 2000), and operation of an air sparging and soil vapor extraction (AS/SVE) system that encompasses the areas of contaminated soils and groundwater beneath the Site. The remedial system was installed in 2006 and is in operation. Current PCE concentrations in groundwater are 5.3 ppb compared to the standard of 5.0 ppb. The remediation of this site is completed and the site is in the Site Management phase. Health Problem: It is unlikely that people will come in contact with residual soil contamination remaining at depth as the site is covered by buildings, asphalt, concrete and other covered surfaces, i.e., synthetic turf or rubber surfaces, and clean soil on all exposed ground surfaces. Inhalation of contaminants via soil vapor intrusion has been prevented through the installation of a vapor barrier and continuous operation of an active mitigation system in the new on-site school building. Exposure to contaminants in drinking water is not expected since the area is served by public drinking water. Not reported Structure: Not reported Not reported Not reported Not reported Disp Start: Not reported Disp Term: Not reported Lat/Long: Not reported Not reported Record Add: Not reported Record Upd: Not reported Updated By: Not reported **On-Site Operator**

Database(s)

EDR ID Number EPA ID Number

METROPOLITAN AVENUE SITE (Continued)

Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City,St,Zip: LIC, NY 11101 United States of America Owner Country: Own Op: Applicant/Requestor Sub Type: C01 **Owner Name:** Bernard Orlan NYC DOE - Division of School Facilities Owner Company: Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip: LIC, NY 11101 Owner Country: United States of America HW Code: V00500 Waste Type: TETRACHLOROETHYLENE (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 Waste Type: 1,1,1 TCA Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 Waste Type: 1,1,1-TCA UNKNOWN Waste Quantity: Waste Code: Not reported HW Code: V00500 Waste Type: tetrachloroethene (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported Crossref ID: 241513 Cross Ref Type Code: 02 HW Site ID Cross Ref Type: Record Added Date: 2006-03-30 09:06:00 Record Updated: 2006-03-30 09:06:00 Updated By: **JLFATATO** INST CONTROL: Site Code: 57054 Control Name: **Building Use Restriction** V00500 HW Code: Control Code: 26 INST Control Type: Dt record added: 08/04/2010 Dt rec updated: 10/29/2018 Updated By: **LSZINOMA** Site Code: 57054 Site Description: Location: The site is located in a residential neighborhood with a few commercial and industrial establishments. The site is bordered along the west and south side by the Long Island Railroad (LIRR) tracks; by Metropolitan Avenue to the north; and by residential housing, a lumber facility, and a NYSDOT asphalt plant to the east. Site Features: Prior to development, the property contained two structures, one which served as a warehouse and the second served as an office building. The site is currently developed with a 5-story building, plus athletic fields and a play area. Current Zoning/Uses: Zoning designation is M1-1 (manufacturing). The site is currently developed with a public school campus (Q167). Historical Uses:

Beginning in 1936, the property was used by Central Foundry,

Database(s) EPA

EDR ID Number EPA ID Number

METROPOLITAN AVENUE SITE (Continued)

All-County Lumber, HJ Heinz, and Forest City Ratner Companies (in chronological order) before being bought in 2003 by the New York City School Construction Authority. The site contamination is attributed to the former Heinz warehouse, as a result of a leak in the former building s drain system. Site Geology and Hydrogeology: The site is located in the Atlantic Coastal Plain. The geology of this province is comprised of interbedded sand, gravel and clay. The shallow sediments beneath the site consists of 0 to 6 feet of heterogenous fill material above 150 feet of medium and course sand and boulders, follow by a gray clay layer. The water table was encountered at 50 to 65 feet below grade. The groundwater flow direction is south and the gradient is approximately 0.002 ft/ft. The site is located approximately 6000 feet north of a Jamaica Water Supply well. Env Problem: Nature and Extent of Contamination Prior to Remediation: Elevated concentrations of chlorinated hydrocarbons such as 1,1,1trichloroethane (1,1,1-TCA), 1,1-dichloroethane (1,1-DCA), tetrachloroethylene (PCE), and 1,1-dichloroethylene (1,1-DCE) were detected in soil beneath the northwest corner of the former Heinz warehouse, and in groundwater and soil vapor. The remedy consisted of soil excavation (which was completed in 2000), and operation of an air sparging and soil vapor extraction (AS/SVE) system that encompasses the areas of contaminated soils and groundwater beneath the Site. The remedial system was installed in 2006 and is in operation. Current PCE concentrations in groundwater are 5.3 ppb compared to the standard of 5.0 ppb. The remediation of this site is completed and the site is in the Site Management phase. Health Problem: It is unlikely that people will come in contact with residual soil contamination remaining at depth as the site is covered by buildings, asphalt, concrete and other covered surfaces, i.e., synthetic turf or rubber surfaces, and clean soil on all exposed ground surfaces. Inhalation of contaminants via soil vapor intrusion has been prevented through the installation of a vapor barrier and continuous operation of an active mitigation system in the new on-site school building. Exposure to contaminants in drinking water is not expected since the area is served by public drinking water. Not reported Dump: Structure: Not reported Lagoon: Not reported Landfill: Not reported Pond: Not reported Not reported Disp Start: Disp Term: Not reported Lat/Long: Not reported Not reported Dell. Record Add: Not reported Record Upd: Not reported Updated By: Not reported Own Op: **On-Site Operator** Sub Type: C01 Owner Name: Bernard Orlan Owner Company: NYC Dept. of Education- Div. of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip:LIC, NY 11101 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: C01

Database(s)

EDR ID Number EPA ID Number

METROPOLITAN AVENUE SITE (Continued)

Owner Name: Bernard Orlan Owner Company: NYC DOE - Division of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip:LIC, NY 11101 Owner Country: United States of America HW Code: V00500 Waste Type: TETRACHLOROETHYLENE (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported V00500 HW Code: Waste Type: 1,1,1 TCA Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 Waste Type: 1,1,1-TCA Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 tetrachloroethene (PCE) Waste Type: Waste Quantity: UNKNOWN Waste Code: Not reported Crossref ID: 241513 Cross Ref Type Code: Cross Ref Type: HW Site ID Record Added Dat2006-03-30 09:06:00 Record Updated: 2006-03-30 09:06:00 Updated By: JLFATATO Site Code: 57054 Control Name: Monitoring Plan HW Code: V00500 Control Code: 31 Control Type: INST Dt record added: 08/04/2010 10/29/2018 Dt rec updated: Updated By: **LSZINOMA** Site Code: 57054 Site Description: Location: The site is located in a residential neighborhood with a few commercial and industrial establishments. The site is bordered along the west and south side by the Long Island Railroad (LIRR) tracks; by Metropolitan Avenue to the north; and by residential housing, a lumber facility, and a NYSDOT asphalt plant to the east. Site Features: Prior to development, the property contained two structures, one which served as a warehouse and the second served as an office building. The site is currently developed with a 5-story building, plus athletic fields and a play area. Current Zoning/Uses: Zoning designation is M1-1 (manufacturing). The site is currently developed with a public school campus (Q167). Historical Uses: Beginning in 1936, the property was used by Central Foundry, All-County Lumber, HJ Heinz, and Forest City Ratner Companies (in chronological order) before being bought in 2003 by the New York City School Construction Authority. The site contamination is attributed to the former Heinz warehouse, as a result of a leak in the former building s drain system. Site Geology and Hydrogeology: The site is located in the Atlantic Coastal Plain. The geology of this province is comprised of interbedded sand, gravel and clay. The shallow

Database(s) EF

EDR ID Number EPA ID Number

METROPOLITAN AVENUE SITE (Continued)

sediments beneath the site consists of 0 to 6 feet of heterogenous fill material above 150 feet of medium and course sand and boulders, follow by a gray clay layer. The water table was encountered at 50 to 65 feet below grade. The groundwater flow direction is south and the gradient is approximately 0.002 ft/ft. The site is located approximately 6000 feet north of a Jamaica Water Supply well. Env Problem: Nature and Extent of Contamination Prior to Remediation: Elevated concentrations of chlorinated hydrocarbons such as 1,1,1trichloroethane (1,1,1-TCA), 1,1-dichloroethane (1,1-DCA), tetrachloroethylene (PCE), and 1,1-dichloroethylene (1,1-DCE) were detected in soil beneath the northwest corner of the former Heinz warehouse, and in groundwater and soil vapor. The remedy consisted of soil excavation (which was completed in 2000), and operation of an air sparging and soil vapor extraction (AS/SVE) system that encompasses the areas of contaminated soils and groundwater beneath the Site. The remedial system was installed in 2006 and is in operation. Current PCE concentrations in groundwater are 5.3 ppb compared to the standard of 5.0 ppb. The remediation of this site is completed and the site is in the Site Management phase. Health Problem: It is unlikely that people will come in contact with residual soil contamination remaining at depth as the site is covered by buildings, asphalt, concrete and other covered surfaces, i.e., synthetic turf or rubber surfaces, and clean soil on all exposed ground surfaces. Inhalation of contaminants via soil vapor intrusion has been prevented through the installation of a vapor barrier and continuous operation of an active mitigation system in the new on-site school building. Exposure to contaminants in drinking water is not expected since the area is served by public drinking water. Dump: Not reported Not reported Structure: Lagoon: Not reported Landfill: Not reported Not reported Pond: Disp Start: Not reported Disp Term: Not reported Lat/Long: Not reported Dell: Not reported Record Add: Not reported Record Upd: Not reported Updated By: Not reported Own Op: **On-Site Operator** Sub Type: C01 **Owner Name:** Bernard Orlan Owner Company: NYC Dept. of Education- Div. of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip:LIC, NY 11101 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: C01 Owner Name: Bernard Orlan Owner Company: NYC DOE - Division of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip:LIC, NY 11101 Owner Country: United States of America HW Code: V00500

Database(s)

EDR ID Number **EPA ID Number**

METROPOLITAN AVENUE SITE (Continued)

Waste Type: TETRACHLOROETHYLENE (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 Waste Type: 1,1,1 TCA Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 Waste Type: 1,1,1-TCA Waste Quantity: UNKNOWN Not reported Waste Code: HW Code: V00500 Waste Type: tetrachloroethene (PCE) UNKNOWN Waste Quantity: Waste Code: Not reported Crossref ID: 241513 Cross Ref Type Co2e: Cross Ref Type: HW Site ID Record Added Dat2006-03-30 09:06:00 Record Updated: 2006-03-30 09:06:00 Updated By: JLFATATO Site Code: 57054 Control Name: Site Management Plan HW Code: V00500 Control Code: 32 Control Type: INST Dt record added: 08/04/2010 Dt rec updated: 10/29/2018 Updated By: **LSZINOMA** Site Code: 57054 Site Description: Location: The site is located in a residential neighborhood with a few commercial and industrial establishments. The site is bordered along the west and south side by the Long Island Railroad (LIRR) tracks; by Metropolitan Avenue to the north; and by residential housing, a lumber facility, and a NYSDOT asphalt plant to the east. Site Features: Prior to development, the property contained two structures, one which served as a warehouse and the second served as an office building. The site is currently developed with a 5-story building, plus athletic fields and a play area. Current Zoning/Uses: Zoning designation is M1-1 (manufacturing). The site is currently developed with a public school campus (Q167). Historical Uses: Beginning in 1936, the property was used by Central Foundry, All-County Lumber, HJ Heinz, and Forest City Ratner Companies (in chronological order) before being bought in 2003 by the New York City School Construction Authority. The site contamination is attributed to the former Heinz warehouse, as a result of a leak in the former building s drain system. Site Geology and Hydrogeology: The site is located in the Atlantic Coastal Plain. The geology of this province is comprised of interbedded sand, gravel and clay. The shallow sediments beneath the site consists of 0 to 6 feet of heterogenous fill material above 150 feet of medium and course sand and boulders, follow by a gray clay layer. The water table was encountered at 50 to 65 feet below grade. The groundwater flow direction is south and the gradient is approximately 0.002 ft/ft. The site is located approximately 6000 feet north of a Jamaica Water Supply well. Nature and Extent of Contamination Prior to Remediation: Elevated

Env Problem:

Database(s)

EDR ID Number EPA ID Number

METROPOLITAN AVENUE SITE (Continued)

concentrations of chlorinated hydrocarbons such as 1,1,1trichloroethane (1,1,1-TCA), 1,1-dichloroethane (1,1-DCA), tetrachloroethylene (PCE), and 1,1-dichloroethylene (1,1-DCE) were detected in soil beneath the northwest corner of the former Heinz warehouse, and in groundwater and soil vapor. The remedy consisted of soil excavation (which was completed in 2000), and operation of an air sparging and soil vapor extraction (AS/SVE) system that encompasses the areas of contaminated soils and groundwater beneath the Site. The remedial system was installed in 2006 and is in operation. Current PCE concentrations in groundwater are 5.3 ppb compared to the standard of 5.0 ppb. The remediation of this site is completed and the site is in the Site Management phase. Health Problem: It is unlikely that people will come in contact with residual soil contamination remaining at depth as the site is covered by buildings, asphalt, concrete and other covered surfaces, i.e., synthetic turf or rubber surfaces, and clean soil on all exposed ground surfaces. Inhalation of contaminants via soil vapor intrusion has been prevented through the installation of a vapor barrier and continuous operation of an active mitigation system in the new on-site school building. Exposure to contaminants in drinking water is not expected since the area is served by public drinking water. Dump: Not reported Structure: Not reported Lagoon: Not reported Landfill: Not reported Pond: Not reported Disp Start: Not reported Disp Term: Not reported Lat/Long: Not reported Dell: Not reported Record Add: Not reported Record Upd: Not reported Updated By: Not reported Own Op: **On-Site Operator** Sub Type: C01 Owner Name: Bernard Orlan Owner Company: NYC Dept. of Education- Div. of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip:LIC, NY 11101 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: C01 Owner Name: **Bernard Orlan** Owner Company: NYC DOE - Division of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip:LIC, NY 11101 Owner Country: United States of America V00500 HW Code: Waste Type: **TETRACHLOROETHYLENE (PCE)** Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 Waste Type: 1.1.1 TCA Waste Quantity: UNKNOWN Waste Code: Not reported

Database(s)

EDR ID Number EPA ID Number

METROPOLITAN AVENUE SITE (Continued)

HW Code: V00500 Waste Type: 1,1,1-TCA Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 tetrachloroethene (PCE) Waste Type: Waste Quantity: UNKNOWN Waste Code: Not reported 241513 Crossref ID: Cross Ref Type Code: Cross Ref Type: HW Site ID Record Added Dat2006-03-30 09:06:00 Record Updated: 2006-03-30 09:06:00 Updated By: JLFATATO Site Code: 57054 Soil Management Plan Control Name: HW Code: V00500 Control Code: 14 Control Type: INST Dt record added: 08/04/2010 Dt rec updated: 10/29/2018 Updated By: **LSZINOMA** Site Code: 57054 Site Description: Location: The site is located in a residential neighborhood with a few commercial and industrial establishments. The site is bordered along the west and south side by the Long Island Railroad (LIRR) tracks; by Metropolitan Avenue to the north; and by residential housing, a lumber facility, and a NYSDOT asphalt plant to the east. Site Features: Prior to development, the property contained two structures, one which served as a warehouse and the second served as an office building. The site is currently developed with a 5-story building, plus athletic fields and a play area. Current Zoning/Uses: Zoning designation is M1-1 (manufacturing). The site is currently developed with a public school campus (Q167). Historical Uses: Beginning in 1936, the property was used by Central Foundry, All-County Lumber, HJ Heinz, and Forest City Ratner Companies (in chronological order) before being bought in 2003 by the New York City School Construction Authority. The site contamination is attributed to the former Heinz warehouse, as a result of a leak in the former building s drain system. Site Geology and Hydrogeology: The site is located in the Atlantic Coastal Plain. The geology of this province is comprised of interbedded sand, gravel and clay. The shallow sediments beneath the site consists of 0 to 6 feet of heterogenous fill material above 150 feet of medium and course sand and boulders, follow by a gray clay layer. The water table was encountered at 50 to 65 feet below grade. The groundwater flow direction is south and the gradient is approximately 0.002 ft/ft. The site is located approximately 6000 feet north of a Jamaica Water Supply well. Nature and Extent of Contamination Prior to Remediation: Elevated Env Problem: concentrations of chlorinated hydrocarbons such as 1,1,1trichloroethane (1,1,1-TCA), 1,1-dichloroethane (1,1-DCA), tetrachloroethylene (PCE), and 1,1-dichloroethylene (1,1-DCE) were detected in soil beneath the northwest corner of the former Heinz warehouse, and in groundwater and soil vapor. The remedy consisted of soil excavation (which was completed in 2000), and operation of an air sparging and soil vapor extraction (AS/SVE) system that

EDR ID Number Database(s) EPA ID Number

METROPOLITAN AVENUE SITE (Continued)

encompasses the areas of contaminated soils and groundwater beneath the Site. The remedial system was installed in 2006 and is in operation. Current PCE concentrations in groundwater are 5.3 ppb compared to the standard of 5.0 ppb. The remediation of this site is completed and the site is in the Site Management phase. Health Problem: It is unlikely that people will come in contact with residual soil contamination remaining at depth as the site is covered by buildings, asphalt, concrete and other covered surfaces, i.e., synthetic turf or rubber surfaces, and clean soil on all exposed ground surfaces. Inhalation of contaminants via soil vapor intrusion has been prevented through the installation of a vapor barrier and continuous operation of an active mitigation system in the new on-site school building. Exposure to contaminants in drinking water is not expected since the area is served by public drinking water. Dump: Not reported Structure: Not reported Not reported Lagoon: Landfill: Not reported Pond: Not reported Disp Start: Not reported Disp Term: Not reported Lat/Long: Not reported Dell: Not reported Record Add: Not reported Record Upd: Not reported Updated By: Not reported Own Op: **On-Site Operator** Sub Type: C01 Owner Name: Bernard Orlan Owner Company: NYC Dept. of Education- Div. of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip:LIC, NY 11101 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: C01 Owner Name: Bernard Orlan Owner Company: NYC DOE - Division of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip:LIC, NY 11101 Owner Country: United States of America HW Code: V00500 Waste Type: TETRACHLOROETHYLENE (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 Waste Type: 1,1,1 TCA Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 Waste Type: 1,1,1-TCA Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 tetrachloroethene (PCE) Waste Type: Waste Quantity: UNKNOWN

Database(s)

EDR ID Number EPA ID Number

S105684690

METROPOLITAN AVENUE SITE (Continued)

Waste Code:Not reportedCrossref ID:241513Cross Ref Type Co22e:Cross Ref Type:HW Site IDRecord Added Dat2006-03-30 09:06:00Record Updated:2006-03-30 09:06:00Updated By:JLFATATO

57054 Site Code: Control Name: Landuse Restriction HW Code: V00500 Control Code: 25 Control Type: INST Dt record added: 08/04/2010 Dt rec updated: 10/29/2018 Updated By: **LSZINOMA** Site Code: 57054 Site Description:

Location: The site is located in a residential neighborhood with a few commercial and industrial establishments. The site is bordered along the west and south side by the Long Island Railroad (LIRR) tracks; by Metropolitan Avenue to the north; and by residential housing, a lumber facility, and a NYSDOT asphalt plant to the east. Site Features: Prior to development, the property contained two structures, one which served as a warehouse and the second served as an office building. The site is currently developed with a 5-story building, plus athletic fields and a play area. Current Zoning/Uses: Zoning designation is M1-1 (manufacturing). The site is currently developed with a public school campus (Q167). Historical Uses: Beginning in 1936, the property was used by Central Foundry, All-County Lumber, HJ Heinz, and Forest City Ratner Companies (in chronological order) before being bought in 2003 by the New York City School Construction Authority. The site contamination is attributed to the former Heinz warehouse, as a result of a leak in the former building s drain system. Site Geology and Hydrogeology: The site is located in the Atlantic Coastal Plain. The geology of this province is comprised of interbedded sand, gravel and clay. The shallow sediments beneath the site consists of 0 to 6 feet of heterogenous fill material above 150 feet of medium and course sand and boulders, follow by a gray clay layer. The water table was encountered at 50 to 65 feet below grade. The groundwater flow direction is south and the gradient is approximately 0.002 ft/ft. The site is located approximately 6000 feet north of a Jamaica Water Supply well. Env Problem: Nature and Extent of Contamination Prior to Remediation: Elevated concentrations of chlorinated hydrocarbons such as 1,1,1trichloroethane (1,1,1-TCA), 1,1-dichloroethane (1,1-DCA), tetrachloroethylene (PCE), and 1,1-dichloroethylene (1,1-DCE) were detected in soil beneath the northwest corner of the former Heinz warehouse, and in groundwater and soil vapor. The remedy consisted of soil excavation (which was completed in 2000), and operation of an air sparging and soil vapor extraction (AS/SVE) system that encompasses the areas of contaminated soils and groundwater beneath the Site. The remedial system was installed in 2006 and is in operation. Current PCE concentrations in groundwater are 5.3 ppb compared to the standard of 5.0 ppb. The remediation of this site is completed and the site is in the Site Management phase. Health Problem: It is unlikely that people will come in contact with residual soil contamination remaining at depth as the site is covered by buildings,

Database(s)

EDR ID Number EPA ID Number

METROPOLITAN AVENUE SITE (Continued)

asphalt, concrete and other covered surfaces, i.e., synthetic turf or rubber surfaces, and clean soil on all exposed ground surfaces. Inhalation of contaminants via soil vapor intrusion has been prevented through the installation of a vapor barrier and continuous operation of an active mitigation system in the new on-site school building. Exposure to contaminants in drinking water is not expected since the area is served by public drinking water. Dump: Not reported Structure: Not reported Lagoon: Not reported Landfill: Not reported Pond: Not reported Disp Start: Not reported Disp Term: Not reported Lat/Long: Not reported Dell: Not reported Record Add: Not reported Record Upd: Not reported Updated By: Not reported Own Op: **On-Site Operator** Sub Type: C01 **Owner Name:** Bernard Orlan Owner Company: NYC Dept. of Education- Div. of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip:LIC, NY 11101 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: C01 Bernard Orlan Owner Name: Owner Company: NYC DOE - Division of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip:LIC, NY 11101 Owner Country: United States of America HW Code: V00500 TETRACHLOROETHYLENE (PCE) Waste Type: Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 Waste Type: 1,1,1 TCA UNKNOWN Waste Quantity: Waste Code: Not reported V00500 HW Code: Waste Type: 1,1,1-TCA Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 Waste Type: tetrachloroethene (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported Crossref ID: 241513 Cross Ref Type Colde: Cross Ref Type: HW Site ID Record Added Dat2006-03-30 09:06:00 Record Updated: 2006-03-30 09:06:00 Updated By: JLFATATO

Database(s)

EDR ID Number EPA ID Number

S105684690

METROPOLITAN AVENUE SITE (Continued)

Site Code: Control Name: HW Code: Control Code: Control Type: Dt record added: Dt rec updated: Updated By:	57054 Ground Water Use Restriction V00500 08 INST 08/04/2010 10/29/2018 LSZINOMA
Site Code: Site Description:	57054 Location: The site is located in a residential neighborhood with a few commercial and industrial establishments. The site is bordered along the west and south side by the Long Island Railroad (LIRR) tracks; by Metropolitan Avenue to the north; and by residential housing, a lumber facility, and a NYSDOT asphalt plant to the east. Site Features: Prior to development, the property contained two structures, one which served as a warehouse and the second served as an office building. The site is currently developed with a 5-story building, plus athletic fields and a play area. Current Zoning/Uses: Zoning designation is M1-1 (manufacturing). The site is currently
	developed with a public school campus (Q167). Historical Uses: Beginning in 1936, the property was used by Central Foundry, All-County Lumber, HJ Heinz, and Forest City Ratner Companies (in chronological order) before being bought in 2003 by the New York City School Construction Authority. The site contamination is attributed to the former Heinz warehouse, as a result of a leak in the former building s drain system. Site Geology and Hydrogeology: The site is located in the Atlantic Coastal Plain. The geology of this province is comprised of interbedded sand, gravel and clay. The shallow sediments beneath the site consists of 0 to 6 feet of heterogenous fill material above 150 feet of medium and course sand and boulders, follow by a gray clay layer. The water table was encountered at 50 to 65 feet below grade. The groundwater flow direction is south and the
Env Problem:	gradient is approximately 0.002 ft/ft. The site is located approximately 6000 feet north of a Jamaica Water Supply well. Nature and Extent of Contamination Prior to Remediation: Elevated concentrations of chlorinated hydrocarbons such as 1,1,1- trichloroethane (1,1,1-TCA), 1,1-dichloroethane (1,1-DCA), tetrachloroethylene (PCE), and 1,1-dichloroethylene (1,1-DCE) were detected in soil beneath the northwest corner of the former Heinz warehouse, and in groundwater and soil vapor. The remedy consisted of soil excavation (which was completed in 2000), and operation of an air sparging and soil vapor extraction (AS/SVE) system that encompasses the areas of contaminated soils and groundwater beneath the Site. The remedial system was installed in 2006 and is in operation. Current PCE concentrations in groundwater are 5.3 ppb compared to the standard of 5.0 ppb. The remediation of this site is completed and the site is in the Site Management phase.
Health Problem: Dump:	It is unlikely that people will come in contact with residual soil contamination remaining at depth as the site is covered by buildings, asphalt, concrete and other covered surfaces, i.e., synthetic turf or rubber surfaces, and clean soil on all exposed ground surfaces. Inhalation of contaminants via soil vapor intrusion has been prevented through the installation of a vapor barrier and continuous operation of an active mitigation system in the new on-site school building. Exposure to contaminants in drinking water is not expected since the area is served by public drinking water. Not reported

Database(s)

EDR ID Number EPA ID Number

METROPOLITAN AVENUE SITE (Continued)

Structure: Not reported Lagoon: Not reported Landfill: Not reported Pond: Not reported Disp Start: Not reported Disp Term: Not reported Not reported Lat/Long: Dell: Not reported Record Add: Not reported Record Upd: Not reported Updated By: Not reported Own Op: **On-Site Operator** Sub Type: C01 Owner Name: Bernard Orlan Owner Company: NYC Dept. of Education- Div. of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip:LIC, NY 11101 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: C01 Owner Name: Bernard Orlan Owner Company: NYC DOE - Division of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip:LIC, NY 11101 Owner Country: United States of America HW Code: V00500 TETRACHLOROETHYLENE (PCE) Waste Type: Waste Quantity: UNKNOWN Not reported Waste Code: HW Code: V00500 Waste Type: 1,1,1 TCA Waste Quantity: UNKNOWN Waste Code: Not reported V00500 HW Code: 1,1,1-TCA Waste Type: Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 Waste Type: tetrachloroethene (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported Crossref ID: 241513 Cross Ref Type Code: Cross Ref Type: HW Site ID Record Added Dat2006-03-30 09:06:00 Record Updated: 2006-03-30 09:06:00 Updated By: JLFATATO Site Code: 57054 Control Name: IC/EC Plan V00500 HW Code: Control Code: 34 INST Control Type: Dt record added: 08/04/2010 Dt rec updated: 10/29/2018

Database(s)

EDR ID Number EPA ID Number

METROPOLITAN AVENUE SITE (Continued)

	NOL SITE (Continued)
Updated By: Site Code:	LSZINOMA 57054
Site Description:	Location: The site is located in a residential neighborhood with a few commercial and industrial establishments. The site is bordered along the west and south side by the Long Island Railroad (LIRR) tracks; by Metropolitan Avenue to the north; and by residential housing, a lumber facility, and a NYSDOT asphalt plant to the east. Site Features: Prior to development, the property contained two
	structures, one which served as a warehouse and the second served as an office building. The site is currently developed with a 5-story building, plus athletic fields and a play area. Current Zoning/Uses: Zoning designation is M1-1 (manufacturing). The site is currently developed with a public school campus (Q167). Historical Uses: Beginning in 1936, the property was used by Central Foundry, All-County Lumber, HJ Heinz, and Forest City Ratner Companies (in chronological order) before being bought in 2003 by the New York City School Construction Authority. The site contamination is attributed to the former Heinz warehouse, as a result of a leak in the former
	building s drain system. Site Geology and Hydrogeology: The site is located in the Atlantic Coastal Plain. The geology of this province is comprised of interbedded sand, gravel and clay. The shallow sediments beneath the site consists of 0 to 6 feet of heterogenous fill material above 150 feet of medium and course sand and boulders, follow by a gray clay layer. The water table was encountered at 50 to
	65 feet below grade. The groundwater flow direction is south and the gradient is approximately 0.002 ft/ft. The site is located approximately 6000 feet north of a Jamaica Water Supply well.
Env Problem:	Nature and Extent of Contamination Prior to Remediation: Elevated concentrations of chlorinated hydrocarbons such as 1,1,1- trichloroethane (1,1,1-TCA), 1,1-dichloroethane (1,1-DCA), tetrachloroethylene (PCE), and 1,1-dichloroethylene (1,1-DCE) were
	detected in soil beneath the northwest corner of the former Heinz warehouse, and in groundwater and soil vapor. The remedy consisted of soil excavation (which was completed in 2000), and operation of an air sparging and soil vapor extraction (AS/SVE) system that encompasses the areas of contaminated soils and groundwater beneath the Site. The remedial system was installed in 2006 and is in
	operation. Current PCE concentrations in groundwater are 5.3 ppb compared to the standard of 5.0 ppb. The remediation of this site is
Health Problem:	completed and the site is in the Site Management phase. It is unlikely that people will come in contact with residual soil contamination remaining at depth as the site is covered by buildings, asphalt, concrete and other covered surfaces, i.e., synthetic turf or rubber surfaces, and clean soil on all exposed ground surfaces. Inhalation of contaminants via soil vapor intrusion has been prevented through the installation of a vapor barrier and continuous operation of an active mitigation system in the new on-site school building. Exposure to contaminants in drinking water is not expected
Dump: Structure: Lagoon: Landfill: Pond: Disp Start:	since the area is served by public drinking water. Not reported Not reported Not reported Not reported Not reported Not reported
Disp Term: Lat/Long:	Not reported Not reported

Database(s)

EDR ID Number EPA ID Number

METROPOLITAN AVENUE SITE (Continued)

Dell: Not reported Record Add: Not reported Not reported Record Upd: Updated By: Not reported Own Op: **On-Site Operator** Sub Type: C01 Owner Name: Bernard Orlan Owner Company: NYC Dept. of Education- Div. of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip:LIC, NY 11101 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: C01 Owner Name: Bernard Orlan Owner Company: NYC DOE - Division of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip:LIC, NY 11101 Owner Country: United States of America HW Code: V00500 Waste Type: **TETRACHLOROETHYLENE (PCE)** Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 Waste Type: 1,1,1 TCA Waste Quantity: UNKNOWN Waste Code: Not reported V00500 HW Code: Waste Type: 1,1,1-TCA Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 Waste Type: tetrachloroethene (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported 241513 Crossref ID: Cross Ref Type Code: Cross Ref Type: HW Site ID Record Added Dat2006-03-30 09:06:00 Record Updated: 2006-03-30 09:06:00 Updated By: JLFATATO 57054 Site Code: Control Name: **Deed Restriction** V00500 HW Code: Control Code: А Control Type: INST Dt record added: 08/04/2010 10/29/2018 Dt rec updated: Updated By: **LSZINOMA** Site Code: 57054 Site Description: Location: The site is located in a residential neighborhood with a few commercial and industrial establishments. The site is bordered along the west and south side by the Long Island Railroad (LIRR) tracks: by Metropolitan Avenue to the north: and by residential housing, a lumber facility, and a NYSDOT asphalt plant to the east.

Database(s) EF

EDR ID Number EPA ID Number

METROPOLITAN AVENUE SITE (Continued)

Site Features: Prior to development, the property contained two structures, one which served as a warehouse and the second served as an office building. The site is currently developed with a 5-story building, plus athletic fields and a play area. Current Zoning/Uses: Zoning designation is M1-1 (manufacturing). The site is currently developed with a public school campus (Q167). Historical Uses: Beginning in 1936, the property was used by Central Foundry, All-County Lumber, HJ Heinz, and Forest City Ratner Companies (in chronological order) before being bought in 2003 by the New York City School Construction Authority. The site contamination is attributed to the former Heinz warehouse, as a result of a leak in the former building s drain system. Site Geology and Hydrogeology: The site is located in the Atlantic Coastal Plain. The geology of this province is comprised of interbedded sand, gravel and clay. The shallow sediments beneath the site consists of 0 to 6 feet of heterogenous fill material above 150 feet of medium and course sand and boulders, follow by a gray clay layer. The water table was encountered at 50 to 65 feet below grade. The groundwater flow direction is south and the gradient is approximately 0.002 ft/ft. The site is located approximately 6000 feet north of a Jamaica Water Supply well. Env Problem: Nature and Extent of Contamination Prior to Remediation: Elevated concentrations of chlorinated hydrocarbons such as 1,1,1trichloroethane (1.1.1-TCA), 1.1-dichloroethane (1.1-DCA), tetrachloroethylene (PCE), and 1,1-dichloroethylene (1,1-DCE) were detected in soil beneath the northwest corner of the former Heinz warehouse, and in groundwater and soil vapor. The remedy consisted of soil excavation (which was completed in 2000), and operation of an air sparging and soil vapor extraction (AS/SVE) system that encompasses the areas of contaminated soils and groundwater beneath the Site. The remedial system was installed in 2006 and is in operation. Current PCE concentrations in groundwater are 5.3 ppb compared to the standard of 5.0 ppb. The remediation of this site is completed and the site is in the Site Management phase. Health Problem: It is unlikely that people will come in contact with residual soil contamination remaining at depth as the site is covered by buildings, asphalt, concrete and other covered surfaces, i.e., synthetic turf or rubber surfaces, and clean soil on all exposed ground surfaces. Inhalation of contaminants via soil vapor intrusion has been prevented through the installation of a vapor barrier and continuous operation of an active mitigation system in the new on-site school building. Exposure to contaminants in drinking water is not expected since the area is served by public drinking water. Dump: Not reported Not reported Structure: Lagoon: Not reported Landfill: Not reported Pond: Not reported Disp Start: Not reported Disp Term: Not reported Not reported Lat/Long: Dell: Not reported Record Add: Not reported Record Upd: Not reported Updated By: Not reported Own Op: **On-Site Operator** Sub Type: C01 Owner Name: Bernard Orlan

Database(s)

EDR ID Number EPA ID Number

METROPOLITAN AVENUE SITE (Continued)

Owner Company: NYC Dept. of Education- Div. of School Facilities Owner Address: 44-36 Vernon Blvd. Not reported Owner Addr2: Owner City, St, Zip:LIC, NY 11101 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: C01 Owner Name: Bernard Orlan Owner Company: NYC DOE - Division of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip:LIC, NY 11101 Owner Country: United States of America HW Code: V00500 Waste Type: **TETRACHLOROETHYLENE (PCE)** Waste Quantity: UNKNOWN Not reported Waste Code: HW Code: V00500 Waste Type: 1,1,1 TCA Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 1.1.1-TCA Waste Type: Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 Waste Type: tetrachloroethene (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported Crossref ID: 241513 Cross Ref Type Colde: Cross Ref Type: HW Site ID Record Added Dat2006-03-30 09:06:00 Record Updated: 2006-03-30 09:06:00 Updated By: JLFATATO Site Code: 57054 Control Name: O&M Plan HW Code: V00500 Control Code: 33 Control Type: INST Dt record added: 08/04/2010 Dt rec updated: 10/29/2018 Updated By: **LSZINOMA** Site Code: 57054 Site Description: Location: The site is located in a residential neighborhood with a few commercial and industrial establishments. The site is bordered along the west and south side by the Long Island Railroad (LIRR) tracks; by Metropolitan Avenue to the north; and by residential housing, a lumber facility, and a NYSDOT asphalt plant to the east. Site Features: Prior to development, the property contained two structures, one which served as a warehouse and the second served as an office building. The site is currently developed with a 5-story building, plus athletic fields and a play area. Current Zoning/Uses: Zoning designation is M1-1 (manufacturing). The site is currently developed with a public school campus (Q167). Historical Uses:

Beginning in 1936, the property was used by Central Foundry,

Database(s) EPA

EDR ID Number EPA ID Number

METROPOLITAN AVENUE SITE (Continued)

All-County Lumber, HJ Heinz, and Forest City Ratner Companies (in chronological order) before being bought in 2003 by the New York City School Construction Authority. The site contamination is attributed to the former Heinz warehouse, as a result of a leak in the former building s drain system. Site Geology and Hydrogeology: The site is located in the Atlantic Coastal Plain. The geology of this province is comprised of interbedded sand, gravel and clay. The shallow sediments beneath the site consists of 0 to 6 feet of heterogenous fill material above 150 feet of medium and course sand and boulders, follow by a gray clay layer. The water table was encountered at 50 to 65 feet below grade. The groundwater flow direction is south and the gradient is approximately 0.002 ft/ft. The site is located approximately 6000 feet north of a Jamaica Water Supply well. Env Problem: Nature and Extent of Contamination Prior to Remediation: Elevated concentrations of chlorinated hydrocarbons such as 1,1,1trichloroethane (1,1,1-TCA), 1,1-dichloroethane (1,1-DCA), tetrachloroethylene (PCE), and 1,1-dichloroethylene (1,1-DCE) were detected in soil beneath the northwest corner of the former Heinz warehouse, and in groundwater and soil vapor. The remedy consisted of soil excavation (which was completed in 2000), and operation of an air sparging and soil vapor extraction (AS/SVE) system that encompasses the areas of contaminated soils and groundwater beneath the Site. The remedial system was installed in 2006 and is in operation. Current PCE concentrations in groundwater are 5.3 ppb compared to the standard of 5.0 ppb. The remediation of this site is completed and the site is in the Site Management phase. Health Problem: It is unlikely that people will come in contact with residual soil contamination remaining at depth as the site is covered by buildings, asphalt, concrete and other covered surfaces, i.e., synthetic turf or rubber surfaces, and clean soil on all exposed ground surfaces. Inhalation of contaminants via soil vapor intrusion has been prevented through the installation of a vapor barrier and continuous operation of an active mitigation system in the new on-site school building. Exposure to contaminants in drinking water is not expected since the area is served by public drinking water. Not reported Dump: Structure: Not reported Lagoon: Not reported Landfill: Not reported Pond: Not reported Disp Start: Not reported Disp Term: Not reported Lat/Long: Not reported Dell: Not reported Record Add: Not reported Record Upd: Not reported Updated By: Not reported Own Op: **On-Site Operator** Sub Type: C01 Owner Name: Bernard Orlan Owner Company: NYC Dept. of Education- Div. of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip:LIC, NY 11101 Owner Country: United States of America Own Op: Applicant/Requestor Sub Type: C01

Database(s)

EDR ID Number EPA ID Number

METROPOLITAN AVENUE SITE (Continued)

Owner Name: Bernard Orlan Owner Company: NYC DOE - Division of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City, St, Zip:LIC, NY 11101 Owner Country: United States of America HW Code: V00500 TETRACHLOROETHYLENE (PCE) Waste Type: Waste Quantity: UNKNOWN Waste Code: Not reported V00500 HW Code: Waste Type: 1,1,1 TCA Waste Quantity: UNKNOWN Waste Code: Not reported V00500 HW Code: 1,1,1**-**TCA Waste Type: Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 tetrachloroethene (PCE) Waste Type: Waste Quantity: UNKNOWN Not reported Waste Code: Crossref ID: 241513 Cross Ref Type Code: Cross Ref Type: HW Site ID Record Added Date006-03-30 09:06:00 Record Updated: 2006-03-30 09:06:00 Updated By: JLFATATO

VCP:

Program Type:	VCP
Site Code:	57054
HW Code:	V00500
Site Class:	C
SWIS:	4101
Region:	2
Town:	New York City
Acres:	7.88
Date Record Added:	08/07/2001
Date Record Updated:	05/22/2018
Updated By:	JHOCONNE
Site Description:	Location: The site is located in a residential neighborhood with a
	few commercial and industrial establishments. The site is bordered
	along the west and south side by the Long Island Railroad (LIRR)
	tracks; by Metropolitan Avenue to the north; and by residential
	housing, a lumber facility, and a NYSDOT asphalt plant to the east.
	Site Features: Prior to development, the property contained two
	structures, one which served as a warehouse and the second served as
	an office building. The site is currently developed with a 5-story
	building, plus athletic fields and a play area. Current Zoning/Uses:
	Zoning designation is M1-1 (manufacturing). The site is currently
	developed with a public school campus (Q167). Historical Uses:
	Beginning in 1936, the property was used by Central Foundry,
	All-County Lumber, HJ Heinz, and Forest City Ratner Companies (in
	chronological order) before being bought in 2003 by the New York City
	School Construction Authority. The site contamination is attributed
	to the former Heinz warehouse, as a result of a leak in the former
	to the former from watchouse, as a result of a leak in the former

Database(s)

EDR ID Number EPA ID Number

METROPOLITAN AVENUE SITE (Continued)

building s drain system. Site Geology and Hydrogeology: The site is located in the Atlantic Coastal Plain. The geology of this province is comprised of interbedded sand, gravel and clay. The shallow sediments beneath the site consists of 0 to 6 feet of heterogenous fill material above 150 feet of medium and course sand and boulders, follow by a gray clay layer. The water table was encountered at 50 to 65 feet below grade. The groundwater flow direction is south and the gradient is approximately 0.002 ft/ft. The site is located approximately 6000 feet north of a Jamaica Water Supply well. Env Problem: Nature and Extent of Contamination Prior to Remediation: Elevated concentrations of chlorinated hydrocarbons such as 1,1,1trichloroethane (1,1,1-TCA), 1,1-dichloroethane (1,1-DCA), tetrachloroethylene (PCE), and 1,1-dichloroethylene (1,1-DCE) were detected in soil beneath the northwest corner of the former Heinz warehouse, and in groundwater and soil vapor. The remedy consisted of soil excavation (which was completed in 2000), and operation of an air sparging and soil vapor extraction (AS/SVE) system that encompasses the areas of contaminated soils and groundwater beneath the Site. The remedial system was installed in 2006 and is in operation. Current PCE concentrations in groundwater are 5.3 ppb compared to the standard of 5.0 ppb. The remediation of this site is completed and the site is in the Site Management phase. Health Problem: It is unlikely that people will come in contact with residual soil contamination remaining at depth as the site is covered by buildings, asphalt, concrete and other covered surfaces, i.e., synthetic turf or rubber surfaces, and clean soil on all exposed ground surfaces. Inhalation of contaminants via soil vapor intrusion has been prevented through the installation of a vapor barrier and continuous operation of an active mitigation system in the new on-site school building. Exposure to contaminants in drinking water is not expected since the area is served by public drinking water. Dump: Not reported Structure: Not reported Lagoon: Not reported Landfill: Not reported Pond: Not reported Disp Start: Not reported Disp Term: Not reported Lat/Long: Not reported Dell: Not reported Record Add: Not reported Record Upd: Not reported Updated By: Not reported Own Op: **On-Site Operator** Sub Type: C01 **Owner Name:** Bernard Orlan Owner Company: NYC Dept. of Education- Div. of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported Owner City,St,Zip: LIC. NY 11101 **Owner Country:** United States of America Own Op: Applicant/Requestor Sub Type: C01 Owner Name: Bernard Orlan Owner Company: NYC DOE - Division of School Facilities Owner Address: 44-36 Vernon Blvd. Owner Addr2: Not reported

Database(s)

EDR ID Number **EPA ID Number**

METROPOLITAN AVENUE SITE (Continued)

Owner City, St, Zip: LIC, NY 11101 Owner Country: United States of America HW Code: V00500 Waste Type: TETRACHLOROETHYLENE (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: V00500 Waste Type: 1,1,1 TCA Waste Quantity: UNKNOWN Waste Code: Not reported V00500 HW Code: Waste Type: 1,1,1-TCA UNKNOWN Waste Quantity: Waste Code: Not reported HW Code: V00500 Waste Type: tetrachloroethene (PCE) Waste Quantity: UNKNOWN Waste Code: Not reported Crossref ID: 241513 Cross Ref Type Code: 02 Cross Ref Type: HW Site ID Record Added Date: 2006-03-30 09:06:00 Record Updated: 2006-03-30 09:06:00 Updated By: JLFATATO

155 89-03 70TH AVE

89-03 70TH AVE

LTANKS:

FOREST HILLS, NY

SSE 1/4-1/2 0.496 mi. 2620 ft.

Relative: Higher Actual:

77 ft.

9710073 / 2003-10-31 Spill Number/Closed Date: Facility ID: 9710073 Site ID: 83925 Spill Date: 1997-12-01 Spill Cause: Tank Overfill Institutional, Educational, Gov., Other Spill Source: Spill Class: C3 Cleanup Ceased: Not reported SWIS: 4101 JMKRIMGO Investigator: Referred To: Not reported 1997-12-01 Reported to Dept: CID: 322 Water Affected: Not reported Spill Notifier: Citizen Last Inspection: Not reported **Recommended Penalty:** False Meets Standard: False UST Involvement: False Remediation Phase: 0 Date Entered In Computer: 1997-12-01 Spill Record Last Update: 2003-10-31 Spiller Name: Not reported DOT GLENDALE REPAIR YARD Spiller Company: Spiller Address: 70TH AVE Spiller County: 001

S105684690

NY LTANKS N/A

Database(s)

EDR ID Number EPA ID Number

89-03 70TH AVE (Continued)	S102960495
Spiller Contact: Spiller Extention: DEC Region: DER Facility ID: DEC Memo:	RIA DIAMANTOPULOS (718) 544-5956 Not reported 2 77210 "Prior to Sept, 2004 data translation this spill Lead_DEC Field was KRIMGOLD Notes from Chris Engelhardt - Off Hour Responder. Same as spill 9710044. Notified NYC DEP Communications Arrived at around 6:30 - Spoke to Ria Diamantopulos. DEP (Ronald Lochan) had just left scene. Ria's house smelled of fuel oil. She had been running water to try to mitigate dors. She said odors were much worse earlier. Inspected area of spill - NYC DOT Facility with entrance at corner of 70th Avenue and Sybills St. No DOT person on scene - only guard. Petroleum Tanks Cleaners leaving as I arrived. Spoke to Ray Lara ([718) 624-4842]. Said they were hired by East Coast Petroleum to do pump oil out of catch basin. Area of spill was roughly 500 square feet. Ground pitched toward catch basin. Some type of sorbent material deployed to absorb surface oil. Called NYCFD Queens Dispatcher I. Battalion 46 arrived. Chief Higdon. Positioned hose near catch basin and instructed guard to let run all night, unless flooding occurred, to try to flush sewer line. Households that were affected by odors: 89-03 - Ria Diamantopulos (718) 544-5956 89-04 - James Redmond 89-05 89-10 - Dennis and Denise Murray - (718)793-2392 - (516) 577-7569 Denise, daytime. The Murrays and the Redmonds claim that they have odor problem regularly even when there is not a spill to sewer. The Murrays claim to get more severe bouts than neighbors and the Redmonds agree. They were running water in their basement to help mitigate doors. James Redmond saw spill right after occurrance. Says construction workers on site at time estimated to be 200 gailon not 15 gailons as originaly reported (spill # 9710044). Says East Coast Petroleum overflied tains and Just left Scene without affecting any containment. Workers installing new tanks acted by deploying sand in effort to contain oil and prevent from entering sever with limited success. Mr. Redmond obtained info on East Coast Petroleum - Address: 34 Jackson Ave, Bronx, NY, 10454. Te
All Materials: Site ID: Operable Unit ID: Operable Unit: Material ID: Material Code: Material Name: Case No.: Material FA: Quantity:	83925 1053115 01 328392 0008 diesel Not reported Petroleum .00

Database(s)

EDR ID Number EPA ID Number

	89-03 70TH AVE (Cor	ntinued)		S102960495
	Units:	G		
	Recovered:	.00		
	Oxygenate:	Not reported		
			- NY SHWS	
156 SW 1/2-1 0.946 mi. 4994 ft.	KLIEGMAN BROTHERS SITE 76-01 77TH AVENUE GLENDALE, NY 11385			S103936870 N/A
A994 ft. Relative: Higher Actual: 81 ft.	SHWS: Program: Site Code: Classification: Acres: HW Code: Record Add: Record Upd: Updated By: Site Description:	HW 56757 Significant threat to the public health or environment - action required. 2 0.85 241031 08/28/2000 10/31/2018 DKHARRIN Location: The Kliegman Brothers Site is located at 76-01 77th Avent in Queens County, New York. Site Features: The site is bordered to the north by the Long Island Railroad. Residences border the site to the east, west and south. This site has an area of approximately 37,000 square feet, of which 26,000 is occupied by a building. A basement exists under the western portion of the building. The area around the Site building is paved with asphalt. The Site property is surrounded by chain link and corrugated metal fencing. Current Zoning/Use(s): The surrounding area is mixed commercial and residential. Historical Use(s): The 0.85 acre site was formerly owned by Kliegman Bros. Inc. This site has a a warehouse and distribution center for laundry and dry-cleaning supplies from the 1950s through the 1990s. The site contained two 6,000 gallon above ground storage tanks (ASTs) which were used to store tetrachloroethene (PCE). The tanks have since been removed from property. Although these tanks are the presumed source of contamination, it is unknown if, and when, product was released or, whether contamination was due to a single catastrophic release or a chronic leak problem. Kliegman Bros. ceased operation in 1999. Th site was purchased in 2000 and is currently being used as a wareho for an imported food distributor. Known contamination at the site is unrelated to operations since 2000. Operable Units: The site was divided into two operable units. An operable unit represents a portion of a remedial program for a site that for technical or administrative reasons can be addressed separately to investigate, eliminate or mitigate a release, threat of release or exposure pathway resulting from the site contamination. Operable Unit No. 1 (OU1-Onsite Soils/Soil gas): In March 2006 the NYSDEC selected cleanup remedy involving operation of an Soil Vapor Extraction wells was connected to the SVE treatme	e the e use E) n oil	
		Unit No. 2 (OU2 Offsite Groundwater): In March 2008 the NYSDEC selected a cleanup remedy involving in situ chemical treatment of th		

Database(s) EPA ID N

EDR ID Number EPA ID Number

KLIEGMAN BROTHERS SITE (Continued)

concentrated plume area with continued soil vapor monitoring, and installation of residential soil vapor intrusion mitigation systems as needed. Installation and operation of an extraction well to induce a hydraulic gradient to enhance the effectiveness of the in situ chemical treatment is planned, yet may not be implementable due to the density of land use in the area. Site Investigations and Remedial Actions: Soil and/or soil gas sampling has been performed at the site on at least six different occasions from 1997 through 2002. The initial investigations were performed by Tradewinds Environmental Restoration, Inc. and Advanced Cleanup Technologies (ACT) in 1997 and 1998, respectively. These investigations comprised soil gas collection and analysis in the area between the building and the railroad, where the PCE storage tanks were located. Additional soil gas sampling was performed for a prospective site owner and for the NYSDEC in 2000. All of these investigations revealed the presence of PCE, often at high concentrations. A fifth investigation was performed by Enviroscience Consultants, Inc. in 2001 as part of a Voluntary Cleanup Program (VCP) agreement with NYSDEC, and included soils and groundwater sampling as part of a Focused Remedial Investigation/Interim Remedial Measure/(FRI/IRM). The objective of the FRI/IRM was to delineate on-site soil contamination sufficiently to enable design of a soil vapor extraction system or systems to remediate on-site soil. Between October 2000 and August 2001, the New York State Department of Health (NYSDOH) conducted ambient air sampling in 17 residences east, west, and south of the facility. NYSDOH sampled on five occasions, although individual residences were sampled only one to three times each. Vapors were detected in 16 of the 17 residences tested. In September 2002, the site owner discontinued his participation in the VCP and thus responsibility for addressing on-site subsurface contamination reverted back to NYSDEC. An Interim Remedial Measure (IRM) involving construction of a Soil Vapor Extraction (SVE) treatment system was completed in 2004 and continues to operate. Between August 2004 and December 2007, the IRM SVE system is estimated to have removed over 40,000 pounds of PCE from the subsurface. NYSDEC completed a state-funded Remedial Investigation and Feasibility Study (RI/FS) in October 2005. NYSDEC presented a proposed cleanup plan to the public and, after all public comments were considered, a remedial action was selected for the on-site soil remedy (Operable Unit 1) and documented in a March 2006 Record of Decision (ROD). The selected remedy was to expand the existing SVE system to cover the entire on-site portion of contamination. Engineering design of the OU1 cleanup remedy was completed by NYSDEC in April 2007. Ground/Water Treatment and Technology (GWTT) of Denville, New Jersey, was awarded the contract and given formal notice to proceed with the project in October 2007. Construction of the remedy was completed in December 2007. As part of the cleanup remedy, NYSDEC added new components to the existing IRM remedial system, including six additional vapor extraction wells and another SVE treatment system. The remedial investigation/feasibility study for OU2, which includes groundwater and off-site soil vapor contamination, has been completed, a ROD was issued March 2008 calling for in-situ treatment via chemical oxidation and an extraction well to increase groundwater movement and treatment effectiveness. Current Status: Operable Unit 1: The SVE treatment system remains in place and continues to operate. To date, over 53.000 pounds of VOCs have been removed from the subsurface soils. Operable Unit 2 (off-site groundwater): Remedial Design (RD) of the

Database(s) EPA ID N

EDR ID Number EPA ID Number

KLIEGMAN BROTHERS SITE (Continued)

Env Problem:

remedy is on-going and currently expected to be completed in Winter 2012. RD activities included the installation and sampling of additional off-site wells. Sampling of monitoring wells was last completed in June 2012. Site Geology and Hydrogeology: In general, the site geology consists of a fill layer of variable thickness (up to two feet) at the surface, containing concrete or asphalt underlain by reworked native materials. Brown loose to dense, fine to coarse silty sand to sandy silt with localized sandy clay seams was observed to depths of approximately 10 feet below ground surface (bgs). This layer is underlain by brown loose to dense, fine to coarse sand with variable amounts of fine to coarse gravel to depths of 148 feet bgs. The regional groundwater table occurs at the site at approximately 70 feet bgs within the upper glacial aquifer. However, perched groundwater was observed in several wells above a clay layer in the eastern portion of the site. On-site contamination consists of vadose zone (above the water table) soil contamination and groundwater contamination. Within the vadose zone, perched water was detected in the eastern area of the site. The perched water accumulates on a clay layer that is about 12 feet below ground surface in this eastern region of the site. The groundwater table is about 65-70 feet below ground surface at the site. The site topography and surrounding area is relatively flat. Site contamination has impacted the groundwater resource in the overburden aquifer, however, groundwater near this site is not used as a source of drinking water. The surrounding land use is residential, and there are no environmental resources affected other then the groundwater. Operable Unit No. 1: Construction of the remedy has been completed and in operation since 2004. The primary contaminant of concern is tetrachloroethene (PCE) in soil and groundwater. The OU1 remedy results in contamination above unrestricted use levels remaining at the site, a Site Management Plan (SMP) has been developed. In addition, placement of an Institutional Control in the form of an Environmental Easement was secured with property owner and signed by the Department in August 2011. Operable Unit No.2: Based upon investigations conducted to date, the primary contaminants of concern for OU2 include PCE and its breakdown products. The NYSDEC investigated groundwater contamination through three rounds of well installation and sampling during the RI in 2002, 2003, and 2005. During each round of the investigation, wells were installed both at deeper depths and farther from the source area in an effort to define the horizontal and vertical extent of contamination. The results defined a rather large area impacted by PCE; every well installed contained PCE. A slight hydraulic gradient with flow towards the south is present across the area. An updated round of groundwater sampling was performed in 2009, 2010, and 2011. The recent data indicate a significant reduction in PCE concentrations as compared to the maximum concentration detected at individual sampling locations between 2002 and 2005. The most recent groundwater analytical results demonstrate that dispersion and diffusion, combined with reduction or elimination of new source contributions through the operation of the on-site SVE system, have resulted in reductions in the dissolved phase PCE concentration by up to 99% within the aquifer both on-site and immediately downgradient of the site. Farther downgradient, concentrations have been reduced by 88% and greater. Recent PCE concentrations greater than 1,000 ppb were detected only at locations along 76th St. Based upon the most recent groundwater data, the highest groundwater concentrations have

EDR ID Number Database(s) EPA ID Number

KLIEGMAN BROTHERS SITE (Continued)

now shifted from the source area to the central part of the block along 76th St., between 77th Ave. and 78th Ave. A Soil vapor Investigation has been completed at the site and in the adjacent neighborhood. As a result, 8 structures required the installation of a sub slab depressurization system. They are currently in operation and being monitored by the NYSDEC and NYSDOH. The site presents a significant environmental threat due to the presence of soil vapor and contamianted groundwater above SCGs. Health Problem: Exposure to contaminated soil is unlikely because it is located at depth beneath the on-site building and pavement. The soil vapor extraction system operating on-site to reduce the levels of tetrachloroethene in the soil vapor also prevents soil vapor intrusion into the on-site building. The extent of the soil vapor plume has been defined and mitigation systems have been installed where necessary in nearby homes to prevent vapor intrusion from occurring. Monitoring of sub-slab soil vapor and indoor air will continue as needed. The area is served by public water, therefore, exposure to site-related contaminants in drinking water is unlikely. Dump: False Structure: True False Lagoon: Landfill: False Pond: False Disp Start: unknown Disp Term: unknown Lat/Long: 40:42:31:0 / 73:52:24:0 Dell: False Record Add: 2000-08-28 11:23:00 Record Upd: 2013-10-29 11:20:00 Updated By: Idennist Own Op: Disp. Owner Sub Type: Е **Owner Name:** Not reported Owner Company: Kliegman Brothers, Inc. 76-01 77th Avenue Owner Address: Not reported Owner Addr2: Owner City, St, Zip: Glendale, NY 11385 **Owner Country:** United States of America Own Op: **Document Repository** Sub Type: NNN Not reported Owner Name: Owner Company: Queens Public Library - Glendale Branch Owner Address: 78-60 73rd Place Owner Addr2: Not reported Owner City,St,Zip: Glendale, NY 11385 United States of America Owner Country: Own Op: Owner Sub Type: NNN Owner Name: Themis Kangadis **Owner Company:** NA Owner Address: 55 Corporate Drive Owner Addr2: Not reported Hauppauge, NY 11788 Owner City,St,Zip: Owner Country: United States of America Own Op: Owner Sub Type: F Owner Name: Themis Kangadis

Database(s)

EDR ID Number EPA ID Number

KLIEGMAN BROTHERS SITE (Continued)

Owner Company: Owner Address: Owner Addr2: Owner City, St, Zip: Owner Country: Own Op: Sub Type: Owner Name: Owner Company: Owner Address: Owner Addr2: Owner City, St, Zip: Owner Country: Own Op: Sub Type: Owner Name: Owner Company: Owner Address: Owner Addr2: Owner City, St, Zip: Owner Country: Own Op: Sub Type: Owner Name: Owner Company: Owner Address: Owner Addr2: Owner City, St, Zip: Owner Country: HW Code: Waste Type: Waste Quantity: Waste Code: HW Code: Waste Type: Waste Quantity: Waste Code:

Not reported

NA 55 Corporate Drive Not reported Hauppauge, NY 11788 United States of America **On-Site Operator** NNN Not reported Kliegman Brothers, Inc. 76-01 77th Avenue Not reported Glendale, NY 11385 United States of America On-Site Operator Ε Not reported Kliegman Brothers, Inc. 76-01 77th Avenue Not reported Glendale, NY 11385 United States of America **Document Repository** NNN David J. Chiusano NYSDEC - Division of Environmental Remediation 625 Broadway 12th Floor Albany, NY 12233-7017 United States of America 241031 TETRACHLOROETHENE UNKNOWN U210, F002 241031 XYLENE (MIXED) UNKNOWN Not reported 241031 CARBON TETRACHLORIDE UNKNOWN Not reported 241031 TETRACHLOROETHYLENE (PCE) UNKNOWN Not reported 241031 BENZENE UNKNOWN Not reported 241031 METHYLENE CHLORIDE UNKNOWN Not reported 241031 TOLUENE UNKNOWN

Database(s)

EDR ID Number EPA ID Number

KLIEGMAN BROTHERS SITE (Continued)

LIEGMAN BROTHERS SI	TE (Continued)
HW Code:	241031
Waste Type:	TRICHLOROETHENE (TCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241031
Waste Type:	tetrachloroethene (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported
VCP:	
Program Type:	VCP
Site Code:	56973
HW Code:	V00377
Site Class:	Ν
SWIS:	4101
Region:	2
Town:	New York City
Acres:	Not reported
Date Record Added:	11/30/2000
Date Record Updated:	12/20/2001
Updated By:	BRHUMPHR
Site Description:	The site consists of an approximately 26,000 square foot building
	plus an approximately 11,000 square foot rear yard. The site is
	immediately surrounded on the east, west and south by 1, 2 and 3
	family homes. Immediately to the north of the site are MTA/Long
	Island Rail Road tracks and additional residential and commercial
	structures. The site was formerly used as a storage and distribution
	center for laundry and dry cleaning supplies. The soil and
	groundwater at the site is significantly contaminated with
	tetrachloroethane (PCE). VCP Agreement was terminated and site was
Envi Dashlana	placed on the registry. See site no. 241031.
Env Problem:	Not reported
Health Problem:	Not reported
Dump: Structure:	Not reported
Lagoon:	Not reported Not reported
Lagoon: Landfill:	Not reported
Pond:	Not reported
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	Not reported
Record Upd:	Not reported
Updated By:	Not reported
Own Op:	Applicant/Requestor
Sub Type:	ZZZ
Owner Name:	Not reported
Owner Company:	Arimax Realty, LLC
Owner Address:	Not reported
Owner Addr2:	Not reported

Database(s)

EDR ID Number EPA ID Number

LIEGMAN BROTHERS SIT	E (Conti	nued)	
Owner City,St,Zip: Owner Country: HW Code: Waste Type: Waste Quantity: Waste Code: Crossref ID: Cross Ref Type Code: Cross Ref Type: Record Added Date: Record Updated: Updated By:	ZZ United States of America Not reported Not reported		
SPILLS: Spill Number/Closed Da Facility ID: Facility Type: DER Facility ID: Site ID: DEC Region: Spill Cause: Spill Class: SWIS: Spill Date: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Source: Spill Notifier: Cleanup Ceased: Cleanup Meets Std: Last Inspection: Recommended Penalty UST Trust: Remediation Phase: Date Entered In Comput Spill Record Last Updat Spiller Name: Spiller Company: Spiller Address: Spiller Company: Contact Name: DEC Memo: Remarks:	: Iter:	0000393 / 2003-02-27 0000393 ER 180692 218412 2 Unknown B3 4101 2000-04-10 TOMASELLO Not reported 2000-04-10 389 Not reported Unknown Other Not reported Haise False False 0 2000-04-10 2003-02-27 Not reported UNK UNKNOWN 999 CALLER "" "business name at one time was clagman brothers inc which was a supplier for chemicals for dry cleaning caller states that they have an unk amount found in the soil and no clean up was preformed caller states it is presumed to be a big spill callback is requested"	
All Materials: Site ID: Operable Unit ID: Operable Unit: Material ID: Material Code: Material Name:		218412 822160 01 288644 0207C tetrachloroethane	

Database(s)

EDR ID Number EPA ID Number

KLIEGMAN BROTHERS SITE (Continued)

Case No.:	00630206
Material FA:	Hazardous Material
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Spill Number/Closed Date: Facility ID: Facility Type: DER Facility ID: Site ID: DEC Region: Spill Cause: Spill Class: SWIS: Spill Date: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Source: Spill Notifier: Cleanup Ceased: Cleanup Meets Std: Last Inspection: **Recommended Penalty:** UST Trust: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Address: Spiller Company: Contact Name: DEC Memo:

9901279 / 2007-03-13 9901279 FR 124873 146654 2 Unknown C44101 1999-05-03 wxsun SUPERFUND SITE - #241031 1999-05-03 384 Not reported Commercial/Industrial Local Agency Not reported False Not reported False False 0 1999-05-03 2007-03-26 VICTOR SHULIMSON KLIEGMAN BROS INC 76-01 77TH AV 001 Not reported "Prior to Sept, 2004 data translation this spill Lead DEC Field was KRIMGOLD 11/3/99 Spoke to Sean Young of ATC doing Phase I in the area for the SCA. The premises is a laundry supplier they currently have 2x6000 gallon perk USTs and formerly had 2x4500 gallon perk tanks. Curious what the mw is for. 11/3/99 Spoke to Bill Ryan, They were contracted to sample the well in association with a property transfer, upon monitoring, 1/3 foot of product (probably fuel oil) was encountered in the only well Bill is aware of. DTP - 11.61' DTW -11.91. They vaced out well to dry, (bottom of well 19.45') waited 45 mins and there was no recharge. They have not returned to the site. There is an ug fuel oil tank in the vicinity of the monitoring well. He will find out if a report was ever generated for their site visit. 11/5/99 Left message for Victor Shulimson re: fuel oil tank information. 01/26/04 Reassinged from Rommel to Austin 02/17/04: Reassigned from AUSTIN to KRIMGOLD. 07/12/06 No further evidence that a problem exists but the well should be located and sampled again if possible. Referred by will Welling back to Region 2 for follow-up. 10/31/06 Reassigned to Sun. (MS) 2/2/07: Letter previously sent. returned to DEC. Site visit may be required. (JS/MS) 3/8/07: Sun and

EDR ID Number Database(s) EPA ID Number

KLIEGMAN BROTHERS SITE (Continued)

Oxygenate:

S103936870

Sellberg visited site which is now under Gourmet Factory. Met with RP, Themis Kangadis, who said he has been working with the DEC for the past 6 years regarding Perk spill. He stated that the PM is Ralph Keating and they have installed multiple borings around the site. Will follow up with Keating to see if any analysis performed could provide insight to oil spill. (JS/MS) 3/12/07: Spoke to Ralph Keating who said site is a State Superfund site (#241031) and he has been PM since 2004. SVE system was installed in 8/2005, numerous monitoring wells have been installed around site and up to 1/2mile away. 37,000lbs of perk was initially removed at startup, with 500-2,000 additional pounds being removed monthly. He feels this spill case can be closed as all on and off-site contaminant issues will be resolved through Superfund. (JS/MS) 3/13/07: This spill case has been closed on 3/13/07 to be investigated and remediated under Superfund Site (ID #241031). (JS/MS)" "WHILE DOING ROUTINE MONITORING OF GROUNDWATER WELL, AN UNKNOWN Remarks: PETROLEUM WAS DISCOVERED." All Materials: 146654 Site ID: Operable Unit ID: 1076055 Operable Unit: 01 Material ID: 304824 Material Code: 0066A unknown petroleum Material Name: Case No .: Not reported Material FA: Petroleum Quantity: .00 Units: G Recovered: .00

Not reported

Count: 8 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
FLUSHING FOREST HILLS		UNDERGROUND COMMERCIAL PROPERTY	164-10 65TH AVE 41-42 73RD ST		NY LTANKS
QUEENS	S113917004	MAY DRY CLEANERS	89-46 METROPOLITAN AVE.		NY LTANKS NY SHWS
REGO PARK REGO PARK		MTA LIRR WOODHAVEN BLVD RAILROAD B NYCTA - WOODHAVEN BLVD STATION	WOODHAVEN BLVD & ELIOT AVE WOODHAVEN & QUEENS BLVD		NY MANIFEST NY MANIFEST
REGO PARK REGO PARK		MTA LIRR WOODHAVEN BLVD RAILROAD B KRISTY DRY CLEANERS	WOODHAVEN BLVD & ELIOT AVE 63-106 WOODHAVEN BLVD.		RCRA-SQG NY DRYCLEANERS
WOODHAVEN	1014399218	MTA NYCT - WOODHAVEN BLVD STATION	WOODHAVEN BLVD & JAMAICA AVE	11421	RCRA-SQG, NJ MANIFEST, NY MANIFEST

TC5618352.2s Page 427

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 03/11/2019 Date Data Arrived at EDR: 03/14/2019 Date Made Active in Reports: 04/01/2019 Number of Days to Update: 18 Source: EPA Telephone: N/A Last EDR Contact: 04/05/2019 Next Scheduled EDR Contact: 07/15/2019 Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC) Telephone: 202-564-7333

EPA Region 1 Telephone 617-918-1143

EPA Region 3 Telephone 215-814-5418

EPA Region 4 Telephone 404-562-8033

EPA Region 5 Telephone 312-886-6686

EPA Region 10 Telephone 206-553-8665 EPA Region 6 Telephone: 214-655-6659

EPA Region 7 Telephone: 913-551-7247

EPA Region 8 Telephone: 303-312-6774

EPA Region 9 Telephone: 415-947-4246

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 03/11/2019 Date Data Arrived at EDR: 03/14/2019 Date Made Active in Reports: 04/01/2019 Number of Days to Update: 18 Source: EPA Telephone: N/A Last EDR Contact: 04/05/2019 Next Scheduled EDR Contact: 07/15/2019 Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/15/1991 Date Data Arrived at EDR: 02/02/1994 Date Made Active in Reports: 03/30/1994 Number of Days to Update: 56 Source: EPA Telephone: 202-564-4267 Last EDR Contact: 08/15/2011 Next Scheduled EDR Contact: 11/28/2011 Data Release Frequency: No Update Planned

Federal Delisted NPL site list

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 03/11/2019 Date Data Arrived at EDR: 03/14/2019 Date Made Active in Reports: 04/01/2019 Number of Days to Update: 18 Source: EPA Telephone: N/A Last EDR Contact: 04/05/2019 Next Scheduled EDR Contact: 07/15/2019 Data Release Frequency: Quarterly

Federal CERCLIS list

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 11/07/2016 Date Data Arrived at EDR: 01/05/2017 Date Made Active in Reports: 04/07/2017 Number of Days to Update: 92 Source: Environmental Protection Agency Telephone: 703-603-8704 Last EDR Contact: 04/05/2019 Next Scheduled EDR Contact: 07/15/2019 Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 02/06/2019 Date Data Arrived at EDR: 02/15/2019 Date Made Active in Reports: 03/15/2019 Number of Days to Update: 28 Source: EPA Telephone: 800-424-9346 Last EDR Contact: 03/14/2019 Next Scheduled EDR Contact: 04/29/2019 Data Release Frequency: Quarterly

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 02/06/2019 Date Data Arrived at EDR: 02/15/2019 Date Made Active in Reports: 03/15/2019 Number of Days to Update: 28 Source: EPA Telephone: 800-424-9346 Last EDR Contact: 03/14/2019 Next Scheduled EDR Contact: 04/29/2019 Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 03/01/2018	Source: EPA
Date Data Arrived at EDR: 03/28/2018	Telephone: 800-424-9346
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 03/27/2019
Number of Days to Update: 86	Next Scheduled EDR Contact: 07/08/2019
	Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 03/01/2018 Date Data Arrived at EDR: 03/28/2018 Date Made Active in Reports: 06/22/2018 Number of Days to Update: 86 Source: Environmental Protection Agency Telephone: (212) 637-3660 Last EDR Contact: 03/27/2019 Next Scheduled EDR Contact: 07/08/2019 Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/01/2018 Date Data Arrived at EDR: 03/28/2018 Date Made Active in Reports: 06/22/2018 Number of Days to Update: 86 Source: Environmental Protection Agency Telephone: (212) 637-3660 Last EDR Contact: 03/27/2019 Next Scheduled EDR Contact: 07/08/2019 Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 03/01/2018 Date Data Arrived at EDR: 03/28/2018 Date Made Active in Reports: 06/22/2018 Number of Days to Update: 86 Source: Environmental Protection Agency Telephone: (212) 637-3660 Last EDR Contact: 03/27/2019 Next Scheduled EDR Contact: 07/08/2019 Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/01/2018Source: Environmental Protection AgencyDate Data Arrived at EDR: 03/28/2018Telephone: (212) 637-3660Date Made Active in Reports: 06/22/2018Last EDR Contact: 03/27/2019Number of Days to Update: 86Next Scheduled EDR Contact: 07/08/2019Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 10/17/2018	Source: Department of the Navy
Date Data Arrived at EDR: 10/25/2018	Telephone: 843-820-7326
Date Made Active in Reports: 12/07/2018	Last EDR Contact: 02/07/2019
Number of Days to Update: 43	Next Scheduled EDR Contact: 05/27/2019
	Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 01/31/2019	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/04/2019	Telephone: 703-603-0695
Date Made Active in Reports: 03/08/2019	Last EDR Contact: 02/04/2019
Number of Days to Update: 32	Next Scheduled EDR Contact: 06/10/2019
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 01/31/2019 Date Data Arrived at EDR: 02/04/2019 Date Made Active in Reports: 03/08/2019 Number of Days to Update: 32 Source: Environmental Protection Agency Telephone: 703-603-0695 Last EDR Contact: 02/04/2019 Next Scheduled EDR Contact: 06/10/2019 Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 02/04/2019 Date Data Arrived at EDR: 02/08/2019 Date Made Active in Reports: 03/08/2019 Number of Days to Update: 28 Source: National Response Center, United States Coast Guard Telephone: 202-267-2180 Last EDR Contact: 03/26/2019 Next Scheduled EDR Contact: 07/08/2019 Data Release Frequency: Quarterly

State- and tribal - equivalent CERCLIS

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

Date of Government Version: 11/12/2018Source: Department of Environmental ConservationDate Data Arrived at EDR: 11/14/2018Telephone: 518-402-9622Date Made Active in Reports: 12/19/2018Last EDR Contact: 02/13/2019Number of Days to Update: 35Next Scheduled EDR Contact: 05/27/2019Data Release Frequency: Annually

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Facility Register

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 12/31/2018	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 01/04/2019	Telephone: 518-457-2051
Date Made Active in Reports: 02/14/2019	Last EDR Contact: 04/01/2019
Number of Days to Update: 41	Next Scheduled EDR Contact: 07/15/2019
	Data Release Frequency: Quarterly

State and tribal leaking storage tank lists

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 04/12/2018	Source: EPA Region 10
Date Data Arrived at EDR: 05/18/2018	Telephone: 206-553-2857
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 03/07/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 04/24/2018
Date Data Arrived at EDR: 05/18/2018
Date Made Active in Reports: 07/20/2018
Number of Days to Update: 63

Source: EPA Region 7 Telephone: 913-551-7003 Last EDR Contact: 03/07/2019 Next Scheduled EDR Contact: 05/06/2019 Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in New Mexico and Oklahoma.

	Date of Government Version: 04/01/2018 Date Data Arrived at EDR: 05/18/2018 Date Made Active in Reports: 07/20/2018 Number of Days to Update: 63	Source: EPA Region 6 Telephone: 214-665-6597 Last EDR Contact: 03/07/2019 Next Scheduled EDR Contact: 05/06/2019 Data Release Frequency: Varies
IND	IAN LUST R4: Leaking Underground Storage Ta LUSTs on Indian land in Florida, Mississippi ar	
	Date of Government Version: 05/08/2018 Date Data Arrived at EDR: 05/18/2018 Date Made Active in Reports: 07/20/2018 Number of Days to Update: 63	Source: EPA Region 4 Telephone: 404-562-8677 Last EDR Contact: 03/05/2019 Next Scheduled EDR Contact: 05/06/2019 Data Release Frequency: Varies
IND	IAN LUST R5: Leaking Underground Storage Ta Leaking underground storage tanks located on	anks on Indian Land Indian Land in Michigan, Minnesota and Wisconsin.
	Date of Government Version: 04/12/2018 Date Data Arrived at EDR: 05/18/2018 Date Made Active in Reports: 07/20/2018 Number of Days to Update: 63	Source: EPA, Region 5 Telephone: 312-886-7439 Last EDR Contact: 03/07/2019 Next Scheduled EDR Contact: 05/06/2019 Data Release Frequency: Varies
IND	IAN LUST R9: Leaking Underground Storage Ta LUSTs on Indian land in Arizona, California, No	
	Date of Government Version: 04/10/2018 Date Data Arrived at EDR: 05/18/2018 Date Made Active in Reports: 07/20/2018 Number of Days to Update: 63	Source: Environmental Protection Agency Telephone: 415-972-3372 Last EDR Contact: 03/07/2019 Next Scheduled EDR Contact: 05/06/2019 Data Release Frequency: Varies
IND	IAN LUST R8: Leaking Underground Storage Ta LUSTs on Indian land in Colorado, Montana, N	anks on Indian Land Iorth Dakota, South Dakota, Utah and Wyoming.
	Date of Government Version: 04/25/2018 Date Data Arrived at EDR: 05/18/2018 Date Made Active in Reports: 07/20/2018 Number of Days to Update: 63	Source: EPA Region 8 Telephone: 303-312-6271 Last EDR Contact: 03/07/2019 Next Scheduled EDR Contact: 05/06/2019 Data Release Frequency: Varies
IND	IAN LUST R1: Leaking Underground Storage Ta A listing of leaking underground storage tank lo	
	Date of Government Version: 04/13/2018 Date Data Arrived at EDR: 05/18/2018 Date Made Active in Reports: 07/20/2018 Number of Days to Update: 63	Source: EPA Region 1 Telephone: 617-918-1313 Last EDR Contact: 03/07/2019 Next Scheduled EDR Contact: 05/06/2019 Data Release Frequency: Varies
LTA	reported from 4/1/86 through the most recent u	e records contain an inventory of reported leaking storage tank incidents update. They can be either leaking underground storage tanks or leaking incidents are tank test failures, tank failures or tank overfills.
	Date of Government Version: 11/12/2018 Date Data Arrived at EDR: 11/14/2018 Date Made Active in Reports: 12/20/2018 Number of Days to Lindate: 36	Source: Department of Environmental Conservation Telephone: 518-402-9549 Last EDR Contact: 02/13/2019 Next Scheduled EDR Contact: 05/27/2019

Number of Days to Update: 36

Next Scheduled EDR Contact: 05/27/2019

Data Release Frequency: Varies

HIST LTANKS: Listing of Leaking Storage Tanks

A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 07/08/2005 Date Made Active in Reports: 07/14/2005 Number of Days to Update: 6 Source: Department of Environmental Conservation Telephone: 518-402-9549 Last EDR Contact: 07/07/2005 Next Scheduled EDR Contact: N/A Data Release Frequency: No Update Planned

State and tribal registered storage tank lists

FEMA UST: Underground Storage Tank Listing A listing of all FEMA owned underground storage tanks.

Date of Government Version: 05/15/2017	Source: FEMA
Date Data Arrived at EDR: 05/30/2017	Telephone: 202-646-5797
Date Made Active in Reports: 10/13/2017	Last EDR Contact: 03/25/2019
Number of Days to Update: 136	Next Scheduled EDR Contact: 04/22/2019
	Data Release Frequency: Varies

UST: Petroleum Bulk Storage (PBS) Database

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 02/11/2019 Date Data Arrived at EDR: 02/11/2019 Date Made Active in Reports: 02/14/2019 Number of Days to Update: 3 Source: Department of Environmental Conservation Telephone: 518-402-9549 Last EDR Contact: 03/27/2019 Next Scheduled EDR Contact: 07/08/2019 Data Release Frequency: No Update Planned

CBS UST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 02/20/2002 Date Made Active in Reports: 03/22/2002 Number of Days to Update: 30 Source: NYSDEC Telephone: 518-402-9549 Last EDR Contact: 10/24/2005 Next Scheduled EDR Contact: 01/23/2006 Data Release Frequency: No Update Planned

MOSF UST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC Telephone: 518-402-9549 Last EDR Contact: 07/25/2005 Next Scheduled EDR Contact: 10/24/2005 Data Release Frequency: No Update Planned

CBS: Chemical Bulk Storage Site Listing

These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

Date of Government Version: 02/11/2019	
Date Data Arrived at EDR: 02/11/2019	
Date Made Active in Reports: 02/13/2019	
Number of Days to Update: 2	

Source: Department of Environmental Conservation Telephone: 518-402-9549 Last EDR Contact: 03/27/2019 Next Scheduled EDR Contact: 07/08/2019 Data Release Frequency: Quarterly

MOSF: Major Oil Storage Facility Site Listing These facilities may be onshore facilities or ve greater.	essels, with petroleum storage capacities of 400,000 gallons or
Date of Government Version: 02/11/2019 Date Data Arrived at EDR: 02/11/2019 Date Made Active in Reports: 02/14/2019 Number of Days to Update: 3	Source: Department of Environmental Conservation Telephone: 518-402-9549 Last EDR Contact: 03/27/2019 Next Scheduled EDR Contact: 07/08/2019 Data Release Frequency: Quarterly
AST: Petroleum Bulk Storage Registered Aboveground Storage Tanks.	
Date of Government Version: 02/11/2019 Date Data Arrived at EDR: 02/11/2019 Date Made Active in Reports: 02/14/2019 Number of Days to Update: 3	Source: Department of Environmental Conservation Telephone: 518-402-9549 Last EDR Contact: 03/27/2019 Next Scheduled EDR Contact: 07/08/2019 Data Release Frequency: No Update Planned
CBS AST: Chemical Bulk Storage Database Facilities that store regulated hazardous subs and/or in underground tanks of any size.	stances in aboveground tanks with capacities of 185 gallons or greater,
Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 02/20/2002 Date Made Active in Reports: 03/22/2002 Number of Days to Update: 30	Source: NYSDEC Telephone: 518-402-9549 Last EDR Contact: 07/25/2005 Next Scheduled EDR Contact: 10/24/2005 Data Release Frequency: No Update Planned
MOSF AST: Major Oil Storage Facilities Database Facilities that may be onshore facilities or ves greater.	ssels, with petroleum storage capacities of 400,000 gallons or
Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 02/20/2002 Date Made Active in Reports: 03/22/2002 Number of Days to Update: 30	Source: NYSDEC Telephone: 518-402-9549 Last EDR Contact: 07/25/2005 Next Scheduled EDR Contact: 10/24/2005 Data Release Frequency: No Update Planned
	Indian Land) database provides information about underground storage tanks on Indian lassachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal
Date of Government Version: 04/13/2018 Date Data Arrived at EDR: 05/18/2018 Date Made Active in Reports: 07/20/2018 Number of Days to Update: 63	Source: EPA, Region 1 Telephone: 617-918-1313 Last EDR Contact: 03/07/2019 Next Scheduled EDR Contact: 05/06/2019 Data Release Frequency: Varies
INDIAN UST R9: Underground Storage Tanks on	Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 04/10/2018	Source: EPA Region 9
Date Data Arrived at EDR: 05/18/2018	Telephone: 415-972-3368
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 03/07/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 05/08/2018	Source: EPA Region 4
Date Data Arrived at EDR: 05/18/2018	Telephone: 404-562-9424
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 03/05/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 04/12/2018	Source: EPA Region 10
Date Data Arrived at EDR: 05/18/2018	Telephone: 206-553-2857
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 03/07/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 04/01/2018	Source: EPA Region 6
Date Data Arrived at EDR: 05/18/2018	Telephone: 214-665-7591
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 03/07/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 04/12/2018 Date Data Arrived at EDR: 05/18/2018 Date Made Active in Reports: 07/20/2018 Number of Days to Update: 63 Source: EPA Region 5 Telephone: 312-886-6136 Last EDR Contact: 03/07/2019 Next Scheduled EDR Contact: 05/06/2019 Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 04/25/2018 Date Data Arrived at EDR: 05/18/2018 Date Made Active in Reports: 07/20/2018 Number of Days to Update: 63 Source: EPA Region 8 Telephone: 303-312-6137 Last EDR Contact: 03/07/2019 Next Scheduled EDR Contact: 05/06/2019 Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 04/24/2018 Date Data Arrived at EDR: 05/18/2018 Date Made Active in Reports: 07/20/2018 Number of Days to Update: 63 Source: EPA Region 7 Telephone: 913-551-7003 Last EDR Contact: 03/07/2019 Next Scheduled EDR Contact: 05/06/2019 Data Release Frequency: Varies

TANKS: Storage Tank Faciliy Listing

This database contains records of facilities that are or have been regulated under Bulk Storage Program. Tank information for these facilities may not be releasable by the state agency.

Date of Government Version: 02/11/2019Source: Department of Environmental ConservationDate Data Arrived at EDR: 02/11/2019Telephone: 518-402-9543Date Made Active in Reports: 02/13/2019Last EDR Contact: 03/27/2019Number of Days to Update: 2Next Scheduled EDR Contact: 07/08/2019Data Release Frequency: Quarterly

State and tribal institutional control / engineering control registries

RES DECL: Restrictive Declarations Listing

A restrictive declaration is a covenant running with the land which binds the present and future owners of the property. As a condition of certain special permits, the City Planning Commission may require an applicant to sign and record a restrictive declaration that places specified conditions on the future use and development of the property. Certain restrictive declarations are indicated by a D on zoning maps.

Date of Government Version: 11/18/2010	Source: NYC Department of City Planning
Date Data Arrived at EDR: 06/30/2014	Telephone: 212-720-3401
Date Made Active in Reports: 07/21/2014	Last EDR Contact: 03/22/2019
Number of Days to Update: 21	Next Scheduled EDR Contact: 07/01/2019
	Data Release Frequency: Varies

ENV RES DECL: Environmental Restrictive Declarations

The Environmental Restrictive Declarations (ERD) listed were recorded in connection with a zoning action against the noted Tax Blocks and Tax Lots, or portion thereof, and are available in the property records on file at the Office of the City Register for Bronx, Kings, New York and Queens counties or at the Richmond County Clerk's office. They contain environmental requirements with respect to hazardous materials, air quality and/or noise in accordance with Section 11-15 of this Resolution.

Date of Government Version: 10/17/2018 Date Data Arrived at EDR: 12/19/2018 Date Made Active in Reports: 02/14/2019 Number of Days to Update: 57 Source: New York City Department of City Planning Telephone: 212-720-3300 Last EDR Contact: 03/19/2019 Next Scheduled EDR Contact: 07/01/2019 Data Release Frequency: Varies

ENG CONTROLS: Registry of Engineering Controls

Environmental Remediation sites that have engineering controls in place.

Date of Government Version: 11/12/2018 Date Data Arrived at EDR: 11/14/2018 Date Made Active in Reports: 12/19/2018 Number of Days to Update: 35 Source: Department of Environmental Conservation Telephone: 518-402-9553 Last EDR Contact: 02/13/2019 Next Scheduled EDR Contact: 05/27/2019 Data Release Frequency: Quarterly

INST CONTROL: Registry of Institutional Controls

Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 11/12/2018	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/14/2018	Telephone: 518-402-9553
Date Made Active in Reports: 12/19/2018	Last EDR Contact: 02/13/2019
Number of Days to Update: 35	Next Scheduled EDR Contact: 05/27/2019
	Data Release Frequency: Quarterly

State and tribal voluntary cleanup sites

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015 Date Data Arrived at EDR: 09/29/2015 Date Made Active in Reports: 02/18/2016 Number of Days to Update: 142	Source: EPA, Region 1 Telephone: 617-918-1102 Last EDR Contact: 03/25/2019 Next Scheduled EDR Contact: 07/08/2019 Data Release Frequency: Varies	
VCP NYC: Voluntary Cleanup Program Listing NYC New York City voluntary cleanup program site		
Date of Government Version: 12/14/2018 Date Data Arrived at EDR: 12/19/2018 Date Made Active in Reports: 02/13/2019 Number of Days to Update: 56	Source: New York City Office of Environmental Protection Telephone: 212-788-8841 Last EDR Contact: 03/18/2019 Next Scheduled EDR Contact: 07/01/2019 Data Release Frequency: Varies	
VCP: Voluntary Cleanup Agreements New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.		
Date of Government Version: 11/12/2018 Date Data Arrived at EDR: 11/14/2018 Date Made Active in Reports: 12/19/2018 Number of Days to Update: 35	Source: Department of Environmental Conservation Telephone: 518-402-9711 Last EDR Contact: 02/13/2019 Next Scheduled EDR Contact: 05/27/2019 Data Release Frequency: Semi-Annually	
INDIAN VCP R7: Voluntary Cleanup Priority Lisitng A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.		
Date of Government Version: 03/20/2008 Date Data Arrived at EDR: 04/22/2008 Date Made Active in Reports: 05/19/2008 Number of Days to Update: 27	Source: EPA, Region 7 Telephone: 913-551-7365 Last EDR Contact: 04/20/2009 Next Scheduled EDR Contact: 07/20/2009 Data Release Frequency: Varies	

State and tribal Brownfields sites

BROWNFIELDS: Brownfields Site List

A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 11/12/2018	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/14/2018	Telephone: 518-402-9764
Date Made Active in Reports: 12/19/2018	Last EDR Contact: 02/13/2019
Number of Days to Update: 35	Next Scheduled EDR Contact: 05/27/2019
	Data Release Frequency: Semi-Annually

ERP: Environmental Restoration Program Listing

In an effort to spur the cleanup and redevelopment of brownfields, New Yorkers approved a \$200 million Environmental Restoration or Brownfields Fund as part of the \$1.75 billion Clean Water/Clean Air Bond Act of 1996 (1996 Bond Act). Enhancements to the program were enacted on October 7, 2003. Under the Environmental Restoration Program, the State provides grants to municipalities to reimburse up to 90 percent of on-site eligible costs and 100% of off-site eligible costs for site investigation and remediation activities. Once remediated, the property may then be reused for commercial, industrial, residential or public use.

Date of Government Version: 11/12/2018 Date Data Arrived at EDR: 11/14/2018 Date Made Active in Reports: 12/19/2018 Number of Days to Update: 35 Source: Department of Environmental Conservation Telephone: 518-402-9622 Last EDR Contact: 02/13/2019 Next Scheduled EDR Contact: 05/27/2019 Data Release Frequency: Quarterly

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 12/17/2018 Date Data Arrived at EDR: 12/18/2018 Date Made Active in Reports: 01/11/2019 Number of Days to Update: 24 Source: Environmental Protection Agency Telephone: 202-566-2777 Last EDR Contact: 03/19/2019 Next Scheduled EDR Contact: 07/01/2019 Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

SWRCY: Registered Recycling Facility List A listing of recycling facilities.

> Date of Government Version: 12/31/2018 Date Data Arrived at EDR: 01/04/2019 Date Made Active in Reports: 02/14/2019 Number of Days to Update: 41

Source: Department of Environmental Conservation Telephone: 518-402-8705 Last EDR Contact: 04/01/2019 Next Scheduled EDR Contact: 07/15/2019 Data Release Frequency: Quarterly

SWTIRE: Registered Waste Tire Storage & Facility List A listing of facilities registered to accept waste tires.

Date of Government Version: 02/27/2018	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 04/06/2018	Telephone: 518-402-8694
Date Made Active in Reports: 06/08/2018	Last EDR Contact: 03/11/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 06/24/2019
	Data Release Frequency: No Update Planned

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands Location of open dumps on Indian land.

Date of Government Version: 12/31/1998	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/03/2007	Telephone: 703-308-8245
Date Made Active in Reports: 01/24/2008	Last EDR Contact: 01/29/2019
Number of Days to Update: 52	Next Scheduled EDR Contact: 05/13/2019
	Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985	
Date Data Arrived at EDR: 08/09/2004	
Date Made Active in Reports: 09/17/2004	
Number of Days to Update: 39	

Source: Environmental Protection Agency Telephone: 800-424-9346 Last EDR Contact: 06/09/2004 Next Scheduled EDR Contact: N/A Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009 Date Data Arrived at EDR: 05/07/2009 Date Made Active in Reports: 09/21/2009 Number of Days to Update: 137	Source: EPA, Region 9 Telephone: 415-947-4219 Last EDR Contact: 01/17/2019 Next Scheduled EDR Contact: 05/06/2019 Data Release Frequency: No Update Planned	
IHS OPEN DUMPS: Open Dumps on Indian Land A listing of all open dumps located on Indian Land in the United States.		
Date of Government Version: 04/01/2014 Date Data Arrived at EDR: 08/06/2014 Date Made Active in Reports: 01/29/2015 Number of Days to Update: 176	Source: Department of Health & Human Serivces, Indian Health Service Telephone: 301-443-1452 Last EDR Contact: 02/01/2019 Next Scheduled EDR Contact: 05/13/2019 Data Release Frequency: Varies	
Local Lists of Hazardous waste / Contaminated Sites		
US HIST CDL: National Clandestine Laboratory Register A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.		
Date of Government Version: 09/21/2018 Date Data Arrived at EDR: 09/21/2018 Date Made Active in Reports: 11/09/2018 Number of Days to Update: 49	Source: Drug Enforcement Administration Telephone: 202-307-1000 Last EDR Contact: 02/21/2019 Next Scheduled EDR Contact: 06/10/2019 Data Release Frequency: No Update Planned	
DEL SHWS: Delisted Registry Sites A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.		
Date of Government Version: 11/12/2018 Date Data Arrived at EDR: 11/14/2018 Date Made Active in Reports: 12/19/2018 Number of Days to Update: 35	Source: Department of Environmental Conservation Telephone: 518-402-9622 Last EDR Contact: 02/13/2019 Next Scheduled EDR Contact: 05/27/2019 Data Release Frequency: Quarterly	
web site as a public service. It contains address they found chemicals or other items that indica	U.S. Department of Justice ("the Department") provides this sees of some locations where law enforcement agencies reported ated the presence of either clandestine drug laboratories or dumpsites. the Department and the Department has not verified the entry	

In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 09/21/2018	
Date Data Arrived at EDR: 09/21/2018	
Date Made Active in Reports: 11/09/2018	
Number of Days to Update: 49	

Source: Drug Enforcement Administration Telephone: 202-307-1000 Last EDR Contact: 02/21/2019 Next Scheduled EDR Contact: 06/10/2019 Data Release Frequency: Quarterly

PFAS: PFAS Contamination Site Location Listing

DEC surveyed select businesses, fire departments, fire training centers, bulk storage facilities, airports, and Department of Defense (DoD) facilities. The responses to the survey have helped to determine if these entities used or stored materials containing PFOA/PFOS including AFFF and dispersants used in Teflon coating operations. The results of this survey will be updated periodically as additional responses are received..

Date of Government Version: 09/01/2016 Date Data Arrived at EDR: 02/08/2019 Date Made Active in Reports: 03/22/2019 Number of Days to Update: 42 Source: Department of Environmental Conservation Telephone: 518-402-9020 Last EDR Contact: 02/08/2019 Next Scheduled EDR Contact: 04/22/2019 Data Release Frequency: Varies

Local Lists of Registered Storage Tanks

SUFFOLK CO TANKS: Storage Tank Database Facilities that have no tank information

> Date of Government Version: 06/28/2018 Date Data Arrived at EDR: 02/05/2019 Date Made Active in Reports: 03/08/2019 Number of Days to Update: 31

Source: Department of Health Services Telephone: 631-854-2516 Last EDR Contact: 01/28/2019 Next Scheduled EDR Contact: 05/13/2019 Data Release Frequency: Varies

HIST UST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. It is no longer updated due to the sensitive nature of the information involved. See UST for more current data.

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 06/02/2006 Date Made Active in Reports: 07/20/2006 Number of Days to Update: 48 Source: Department of Environmental Conservation Telephone: 518-402-9549 Last EDR Contact: 10/23/2006 Next Scheduled EDR Contact: 01/22/2007 Data Release Frequency: Varies

HIST AST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capabilities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. No longer updated due to the sensitive nature of the information involved. See AST for more current data.

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 06/02/2006 Date Made Active in Reports: 07/20/2006 Number of Days to Update: 48 Source: Department of Environmental Conservation Telephone: 518-402-9549 Last EDR Contact: 10/23/2006 Next Scheduled EDR Contact: 01/22/2007 Data Release Frequency: No Update Planned

Local Land Records

LIENS: Spill Liens Information Lien information from the Oil Spill Fund.

> Date of Government Version: 02/04/2019 Date Data Arrived at EDR: 02/07/2019 Date Made Active in Reports: 02/14/2019 Number of Days to Update: 7

Source: Office of the State Comptroller Telephone: 518-474-9034 Last EDR Contact: 02/04/2019 Next Scheduled EDR Contact: 05/20/2019 Data Release Frequency: Quarterly

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 03/11/2019 Date Data Arrived at EDR: 03/14/2019 Date Made Active in Reports: 03/21/2019 Number of Days to Update: 7 Source: Environmental Protection Agency Telephone: 202-564-6023 Last EDR Contact: 03/14/2019 Next Scheduled EDR Contact: 05/06/2019 Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 02/08/2019 Date Data Arrived at EDR: 02/08/2019 Date Made Active in Reports: 03/21/2019 Number of Days to Update: 41 Source: U.S. Department of Transportation Telephone: 202-366-4555 Last EDR Contact: 03/26/2019 Next Scheduled EDR Contact: 07/08/2019 Data Release Frequency: Quarterly

SPILLS: Spills Information Database

Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 11/12/2018 Date Data Arrived at EDR: 11/14/2018 Date Made Active in Reports: 12/20/2018 Number of Days to Update: 36 Source: Department of Environmental Conservation Telephone: 518-402-9549 Last EDR Contact: 02/13/2019 Next Scheduled EDR Contact: 05/27/2019 Data Release Frequency: Varies

HIST SPILLS: SPILLS Database

This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 07/08/2005 Date Made Active in Reports: 07/14/2005 Number of Days to Update: 6 Source: Department of Environmental Conservation Telephone: 518-402-9549 Last EDR Contact: 07/07/2005 Next Scheduled EDR Contact: N/A Data Release Frequency: No Update Planned

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 12/14/2012 Date Data Arrived at EDR: 01/03/2013 Date Made Active in Reports: 02/12/2013 Number of Days to Update: 40 Source: FirstSearch Telephone: N/A Last EDR Contact: 01/03/2013 Next Scheduled EDR Contact: N/A Data Release Frequency: No Update Planned

SPILLS 80: SPILLS80 data from FirstSearch

Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.

Date of Government Version: 11/02/2010 Date Data Arrived at EDR: 01/03/2013 Date Made Active in Reports: 03/07/2013 Number of Days to Update: 63 Source: FirstSearch Telephone: N/A Last EDR Contact: 01/03/2013 Next Scheduled EDR Contact: N/A Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 03/01/2018 Date Data Arrived at EDR: 03/28/2018 Date Made Active in Reports: 06/22/2018 Number of Days to Update: 86 Source: Environmental Protection Agency Telephone: (212) 637-3660 Last EDR Contact: 03/27/2019 Next Scheduled EDR Contact: 07/08/2019 Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 01/31/2015	S
Date Data Arrived at EDR: 07/08/2015	٦
Date Made Active in Reports: 10/13/2015	L
Number of Days to Update: 97	١

Source: U.S. Army Corps of Engineers Telephone: 202-528-4285 Last EDR Contact: 04/03/2019 Next Scheduled EDR Contact: 06/03/2019 Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 11/10/2006 Date Made Active in Reports: 01/11/2007 Number of Days to Update: 62 Source: USGS Telephone: 888-275-8747 Last EDR Contact: 01/11/2019 Next Scheduled EDR Contact: 04/22/2019 Data Release Frequency: Semi-Annually

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 02/06/2006 Date Made Active in Reports: 01/11/2007 Number of Days to Update: 339 Source: U.S. Geological Survey Telephone: 888-275-8747 Last EDR Contact: 01/11/2019 Next Scheduled EDR Contact: 04/22/2019 Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 01/01/2017 Date Data Arrived at EDR: 02/03/2017 Date Made Active in Reports: 04/07/2017 Number of Days to Update: 63 Source: Environmental Protection Agency Telephone: 615-532-8599 Last EDR Contact: 02/15/2019 Next Scheduled EDR Contact: 05/27/2019 Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 01/31/2019 Date Data Arrived at EDR: 02/04/2019 Date Made Active in Reports: 03/08/2019 Number of Days to Update: 32 Source: Environmental Protection Agency Telephone: 202-566-1917 Last EDR Contact: 03/26/2019 Next Scheduled EDR Contact: 07/08/2019 Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/21/2014	Telephone: 617-520-3000
Date Made Active in Reports: 06/17/2014	Last EDR Contact: 02/08/2019
Number of Days to Update: 88	Next Scheduled EDR Contact: 05/20/2019
	Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017 Date Data Arrived at EDR: 05/08/2018 Date Made Active in Reports: 07/20/2018 Number of Days to Update: 73 Source: Environmental Protection Agency Telephone: 703-308-4044 Last EDR Contact: 02/08/2019 Next Scheduled EDR Contact: 05/20/2019 Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2016 Date Data Arrived at EDR: 06/21/2017 Date Made Active in Reports: 01/05/2018 Number of Days to Update: 198 Source: EPA Telephone: 202-260-5521 Last EDR Contact: 03/22/2019 Next Scheduled EDR Contact: 07/01/2019 Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2016	Source: EPA
Date Data Arrived at EDR: 01/10/2018	Telephone: 202-566-0250
Date Made Active in Reports: 01/12/2018	Last EDR Contact: 02/20/2019
Number of Days to Update: 2	Next Scheduled EDR Contact: 06/03/2019
	Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009	Source: EPA
Date Data Arrived at EDR: 12/10/2010	Telephone: 202-564-4203
Date Made Active in Reports: 02/25/2011	Last EDR Contact: 03/25/2019
Number of Days to Update: 77	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 03/11/2019	S
Date Data Arrived at EDR: 03/14/2019	Te
Date Made Active in Reports: 04/01/2019	La
Number of Days to Update: 18	N

Source: EPA elephone: 703-416-0223 ast EDR Contact: 03/14/2019 lext Scheduled EDR Contact: 06/17/2019 Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 02/01/2019 Date Data Arrived at EDR: 02/14/2019 Date Made Active in Reports: 03/21/2019 Number of Days to Update: 35

Source: Environmental Protection Agency Telephone: 202-564-8600 Last EDR Contact: 01/22/2019 Next Scheduled EDR Contact: 05/06/2019 Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995 Date Data Arrived at EDR: 07/03/1995 Date Made Active in Reports: 08/07/1995 Number of Days to Update: 35

Source: EPA Telephone: 202-564-4104 Last EDR Contact: 06/02/2008 Next Scheduled EDR Contact: 09/01/2008 Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 08/13/2018	Source: EPA
Date Data Arrived at EDR: 10/04/2018	Telephone: 202-564-6023
Date Made Active in Reports: 11/09/2018	Last EDR Contact: 03/14/2019
Number of Days to Update: 36	Next Scheduled EDR Contact: 05/20/2019
	Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 09/14/2018 Date Data Arrived at EDR: 10/11/2018 Date Made Active in Reports: 12/07/2018	Source: EPA Telephone: 202-566-0500 Last EDR Contact: 04/10/2019
Number of Days to Update: 57	Next Scheduled EDR Contact: 07/22/2019
	Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/23/2016	Telephone: 202-564-2501
Date Made Active in Reports: 02/10/2017	Last EDR Contact: 04/08/2019
Number of Days to Update: 79	Next Scheduled EDR Contact: 07/22/2019
	Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: Quarterly

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 08/30/2016 Date Data Arrived at EDR: 09/08/2016 Date Made Active in Reports: 10/21/2016 Number of Days to Update: 43 Source: Nuclear Regulatory Commission Telephone: 301-415-7169 Last EDR Contact: 01/22/2019 Next Scheduled EDR Contact: 05/06/2019 Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005	Source: Department of Energy
Date Data Arrived at EDR: 08/07/2009	Telephone: 202-586-8719
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 03/07/2019
Number of Days to Update: 76	Next Scheduled EDR Contact: 06/17/2019
	Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 07/01/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/10/2014	Telephone: N/A
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 03/05/2019
Number of Days to Update: 40	Next Scheduled EDR Contact: 06/17/2019
	Data Release Frequency: Varies

Date of Government Version: 05/24/2017	Source: Environmental Protection Agency	
Date Data Arrived at EDR: 11/30/2017	Telephone: 202-566-0517	
Date Made Active in Reports: 12/15/2017	Last EDR Contact: 01/25/2019	
Number of Days to Update: 15	Next Scheduled EDR Contact: 05/06/2019 Data Release Frequency: Varies	
RADINFO: Radiation Information Database		
The Radiation Information Database (RADIN Environmental Protection Agency (EPA) regu	FO) contains information about facilities that are regulated by U.S. lations for radiation and radioactivity.	
Date of Government Version: 01/02/2019	Source: Environmental Protection Agency	
Date Data Arrived at EDR: 01/03/2019 Date Made Active in Reports: 03/15/2019	Telephone: 202-343-9775 Last EDR Contact: 04/02/2019	
Number of Days to Update: 71	Next Scheduled EDR Contact: 07/15/2019	
	Data Release Frequency: Quarterly	
HIST FTTS: FIFRA/TSCA Tracking System Admir		
	he FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The compliance Database (NCDB). NCDB supports the implementation of FIFRA	
	cide Act) and TSCA (Toxic Substances Control Act). Some EPA regions	
8	, and the fact that some EPA regions are not providing EPA Headquarters	
with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.		
Date of Government Version: 10/19/2006	Source: Environmental Protection Agency	
Date Data Arrived at EDR: 03/01/2007 Date Made Active in Reports: 04/10/2007	Telephone: 202-564-2501 Last EDR Contact: 12/17/2007	
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008	
	Data Release Frequency: No Update Planned	
HIST FTTS INSP: FIFRA/TSCA Tracking System		
	Isting from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA he National Compliance Database (NCDB). NCDB supports the implementati	
	Rodenticide Act) and TSCA (Toxic Substances Control Act). Some	
EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing		
EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.		
Date of Government Version: 10/19/2006	Source: Environmental Protection Agency	
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501	
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2008	
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008	
	Data Release Frequency: No Update Planned	
DOT OPS: Incident and Accident Data Department of Transporation, Office of Pipeli	ne Safety Incident and Accident data.	
Date of Government Version: 12/03/2018	Source: Department of Transporation, Office of Pipeline Safety	
Date Data Arrived at EDR: 01/29/2019 Date Made Active in Reports: 03/21/2019	Telephone: 202-366-4595 Last EDR Contact: 01/29/2019	
Number of Days to Update: 51	Next Scheduled EDR Contact: 05/11/2019	
	Data Release Frequency: Quarterly	

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/31/2018 Date Data Arrived at EDR: 02/11/2019 Date Made Active in Reports: 03/21/2019 Number of Days to Update: 38 Source: Department of Justice, Consent Decree Library Telephone: Varies Last EDR Contact: 04/05/2019 Next Scheduled EDR Contact: 07/22/2019 Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2015 Date Data Arrived at EDR: 02/22/2017 Date Made Active in Reports: 09/28/2017 Number of Days to Update: 218 Source: EPA/NTIS Telephone: 800-424-9346 Last EDR Contact: 02/13/2019 Next Scheduled EDR Contact: 06/03/2019 Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014 Date Data Arrived at EDR: 07/14/2015 Date Made Active in Reports: 01/10/2017 Number of Days to Update: 546 Source: USGS Telephone: 202-208-3710 Last EDR Contact: 01/07/2019 Next Scheduled EDR Contact: 04/22/2019 Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 08/08/2017 Date Data Arrived at EDR: 09/11/2018 Date Made Active in Reports: 09/14/2018 Number of Days to Update: 3 Source: Department of Energy Telephone: 202-586-3559 Last EDR Contact: 01/31/2019 Next Scheduled EDR Contact: 05/20/2019 Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 06/23/2017	Source: Department of Energy
Date Data Arrived at EDR: 10/11/2017	Telephone: 505-845-0011
Date Made Active in Reports: 11/03/2017	Last EDR Contact: 02/22/2019
Number of Days to Update: 23	Next Scheduled EDR Contact: 06/03/2019
	Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Source:
Telepho
Last ED
Next Sc

Source: Environmental Protection Agency Telephone: 703-603-8787 Last EDR Contact: 04/05/2019 Next Scheduled EDR Contact: 07/15/2019 Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001 Date Data Arrived at EDR: 10/27/2010 Date Made Active in Reports: 12/02/2010 Number of Days to Update: 36 Source: American Journal of Public Health Telephone: 703-305-6451 Last EDR Contact: 12/02/2009 Next Scheduled EDR Contact: N/A Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

	Date of Government Version: 10/12/2016 Date Data Arrived at EDR: 10/26/2016 Date Made Active in Reports: 02/03/2017 Number of Days to Update: 100	Source: EPA Telephone: 202-564-2496 Last EDR Contact: 09/26/2017 Next Scheduled EDR Contact: 01/08/2018 Data Release Frequency: Annually
U	S AIRS MINOR: Air Facility System Data A listing of minor source facilities.	
	Date of Government Version: 10/12/2016 Date Data Arrived at EDR: 10/26/2016 Date Made Active in Reports: 02/03/2017 Number of Days to Update: 100	Source: EPA Telephone: 202-564-2496 Last EDR Contact: 09/26/2017 Next Scheduled EDR Contact: 01/08/2018 Data Release Frequency: Annually
U	S MINES: Mines Master Index File Contains all mine identification numbers issue violation information.	d for mines active or opened since 1971. The data also includes

Date of Government Version: 11/27/2018Source: Department of Labor, Mine Safety and Health AdministrationDate Data Arrived at EDR: 02/27/2019Telephone: 303-231-5959Date Made Active in Reports: 04/01/2019Last EDR Contact: 02/27/2019Number of Days to Update: 33Next Scheduled EDR Contact: 06/10/2019Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 12/05/2005	Source: USGS
Date Data Arrived at EDR: 02/29/2008	Telephone: 703-648-7709
Date Made Active in Reports: 04/18/2008	Last EDR Contact: 03/01/2019
Number of Days to Update: 49	Next Scheduled EDR Contact: 06/10/2019
	Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011	Source: USGS
Date Data Arrived at EDR: 06/08/2011	Telephone: 703-648-7709
Date Made Active in Reports: 09/13/2011	Last EDR Contact: 03/01/2019
Number of Days to Update: 97	Next Scheduled EDR Contact: 06/10/2019
	Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 09/10/2018
Date Data Arrived at EDR: 09/11/2018
Date Made Active in Reports: 09/14/2018
Number of Days to Update: 3

Source: Department of Interior Telephone: 202-208-2609 Last EDR Contact: 03/21/2019 Next Scheduled EDR Contact: 06/24/2019 Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 02/15/2019 Date Data Arrived at EDR: 03/05/2019 Date Made Active in Reports: 03/15/2019 Number of Days to Update: 10 Source: EPA Telephone: (212) 637-3000 Last EDR Contact: 03/05/2019 Next Scheduled EDR Contact: 06/17/2019 Data Release Frequency: Quarterly

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/31/2018 Date Data Arrived at EDR: 07/26/2018 Date Made Active in Reports: 10/05/2018 Number of Days to Update: 71 Source: Environmental Protection Agency Telephone: 202-564-0527 Last EDR Contact: 03/01/2019 Next Scheduled EDR Contact: 06/10/2019 Data Release Frequency: Varies

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 12/31/2017 Date Data Arrived at EDR: 01/17/2019 Date Made Active in Reports: 04/01/2019 Number of Days to Update: 74 Source: Department of Defense Telephone: 703-704-1564 Last EDR Contact: 01/14/2019 Next Scheduled EDR Contact: 04/29/2019 Data Release Frequency: Varies

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 03/03/2019	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/05/2019	Telephone: 202-564-2280
Date Made Active in Reports: 04/01/2019	Last EDR Contact: 04/09/2019
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/22/2019
	Data Release Frequency: Quarterly

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Telephone: 800-385-6164 Last EDR Contact: 02/21/2019

Telephone: 518-402-8452

Telephone: 518-402-8660

Last EDR Contact: 04/01/2019

Last EDR Contact: 01/22/2019

Data Release Frequency: Annually

Next Scheduled EDR Contact: 06/03/2019 Data Release Frequency: Quarterly

Next Scheduled EDR Contact: 05/06/2019

Next Scheduled EDR Contact: 07/15/2019 Data Release Frequency: Quarterly

Source: Department of Environmental Conservation

Source: Department of Environmental Conservation

Source: EPA

Date of Government Version: 02/19/2019
Date Data Arrived at EDR: 02/21/2019
Date Made Active in Reports: 04/01/2019
Number of Days to Update: 39

AIRS: Air Emissions Data Point source emissions inventory data.

> Date of Government Version: 01/22/2019 Date Data Arrived at EDR: 02/01/2019 Date Made Active in Reports: 02/14/2019 Number of Days to Update: 13

COAL ASH: Coal Ash Disposal Site Listing A listing of coal ash disposal site locations.

> Date of Government Version: 12/31/2018 Date Data Arrived at EDR: 01/04/2019 Date Made Active in Reports: 02/13/2019 Number of Days to Update: 40

DRYCLEANERS: Registered Drycleaners A listing of all registered drycleaning facilities.

> Date of Government Version: 03/07/2018 Date Data Arrived at EDR: 03/30/2018 Date Made Active in Reports: 06/05/2018 Number of Days to Update: 67

Source: Department of Environmental Conservation Telephone: 518-402-8403 Last EDR Contact: 03/11/2019 Next Scheduled EDR Contact: 06/24/2019 Data Release Frequency: Annually

E DESIGNATION: E DESIGNATION SITE LISTING

The (E (Environmental)) designation would ensure that sampling and remediation take place on the subject properties, and would avoid any significant impacts related to hazardous materials at these locations. The (E) designations would require that the fee owner of the sites conduct a testing and sampling protocol, and remediation where appropriate, to the satisfaction of the NYCDEP before the issuance of a building permit by the Department of Buildings pursuant to the provisions of Section 11-15 of the Zoning Resolution (Environmental Requirements). The (E) designations also include a mandatory construction-related health and safety plan which must be approved by NYCDEP.

Date of Government Version: 10/31/2018 Date Data Arrived at EDR: 12/19/2018 Date Made Active in Reports: 02/13/2019 Number of Days to Update: 56 Source: New York City Department of City Planning Telephone: 718-595-6658 Last EDR Contact: 03/19/2019 Next Scheduled EDR Contact: 07/01/2019 Data Release Frequency: Semi-Annually

Financial Assurance 1: Financial Assurance Information Listing Financial assurance information.

Date of Government Version: 01/15/2019 Date Data Arrived at EDR: 01/17/2019 Date Made Active in Reports: 02/14/2019 Number of Days to Update: 28

Source: Department of Environmental Conservation Telephone: 518-402-8660 Last EDR Contact: 04/01/2019 Next Scheduled EDR Contact: 07/15/2019 Data Release Frequency: Quarterly

Financial Assurance 2: Financial Assurance Information Listing

A listing of financial assurance information for hazardous waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 12/29/2017 Date Data Arrived at EDR: 04/06/2018 Date Made Active in Reports: 06/05/2018 Number of Days to Update: 60 Source: Department of Environmental Conservation Telephone: 518-402-8712 Last EDR Contact: 03/11/2019 Next Scheduled EDR Contact: 06/24/2019 Data Release Frequency: Varies

HSWDS: Hazardous Substance Waste Disposal Site Inventory

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

Date of Government Version: 01/01/2003	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 10/20/2006	Telephone: 518-402-9564
Date Made Active in Reports: 11/30/2006	Last EDR Contact: 05/26/2009
Number of Days to Update: 41	Next Scheduled EDR Contact: 08/24/2009
	Data Release Frequency: No Update Planned

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 01/01/2019 Date Data Arrived at EDR: 01/30/2019 Date Made Active in Reports: 02/14/2019 Number of Days to Update: 15 Source: Department of Environmental Conservation Telephone: 518-402-8651 Last EDR Contact: 01/30/2019 Next Scheduled EDR Contact: 05/11/2019 Data Release Frequency: Quarterly

SPDES: State Pollutant Discharge Elimination System

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 01/30/2019 Date Data Arrived at EDR: 02/07/2019 Date Made Active in Reports: 02/14/2019 Number of Days to Update: 7 Source: Department of Environmental Conservation Telephone: 518-402-8233 Last EDR Contact: 01/22/2019 Next Scheduled EDR Contact: 05/06/2019 Data Release Frequency: No Update Planned

VAPOR REOPENED: Vapor Intrusion Legacy Site List

New York is currently re-evaluating previous assumptions and decisions regarding the potential for soil vapor intrusion exposures at sites. As a result, all past, current, and future contaminated sites will be evaluated to determine whether these sites have the potential for exposures related to soil vapor intrusion.

Date of Government Version: 01/01/2018 Date Data Arrived at EDR: 02/15/2018 Date Made Active in Reports: 03/27/2018 Number of Days to Update: 40 Source: Department of Environmenal Conservation Telephone: 518-402-9814 Last EDR Contact: 02/13/2019 Next Scheduled EDR Contact: 05/27/2019 Data Release Frequency: Varies

UIC: Underground Injection Control Wells

A listing of enhanced oil recovery underground injection wells.

Date of Government Version: 12/03/2018 Date Data Arrived at EDR: 12/06/2018 Date Made Active in Reports: 12/20/2018 Number of Days to Update: 14 Source: Department of Environmental Conservation Telephone: 518-402-8056 Last EDR Contact: 03/06/2019 Next Scheduled EDR Contact: 06/17/2019 Data Release Frequency: Quarterly

COOLING TOWERS: Registered Cooling Towers

This data includes the location of cooling towers registered with New York State. The data is self-reported by owners/property managers of cooling towers in service in New York State. In August 2015, the New York State Department of Health released emergency regulations requiring the owners of cooling towers to register them with New York State. State.

Date of Government Version: 01/08/2019 Date Data Arrived at EDR: 01/16/2019 Date Made Active in Reports: 02/13/2019 Number of Days to Update: 28 Source: Department of Health Telephone: 518-402-7650 Last EDR Contact: 01/16/2019 Next Scheduled EDR Contact: 04/29/2019 Data Release Frequency: Varies

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A Number of Days to Update: N/A Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A Next Scheduled EDR Contact: N/A Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A Number of Days to Update: N/A Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A Number of Days to Update: N/A Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Conservation in New York.

Date of Government Version: N/A Date Data Arrived at EDR: 07/01/2013 Date Made Active in Reports: 12/30/2013 Number of Days to Update: 182 Source: Department of Environmental Conservation Telephone: N/A Last EDR Contact: 06/01/2012 Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Conservation in New York.

Date of Government Version: N/A Date Data Arrived at EDR: 07/01/2013 Date Made Active in Reports: 01/10/2014 Number of Days to Update: 193 Source: Department of Environmental Conservation Telephone: N/A Last EDR Contact: 06/01/2012 Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

COUNTY RECORDS

CORTLAND COUNTY:

AST - CORTLAND: Cortland County Storage Tank Listing A listing of aboveground storage tank sites located in Cortland County.

Date of Government Version: 11/16/2018 Date Data Arrived at EDR: 11/16/2018 Date Made Active in Reports: 12/18/2018 Number of Days to Update: 32 Source: Cortland County Health Department Telephone: 607-753-5035 Last EDR Contact: 01/28/2019 Next Scheduled EDR Contact: 05/11/2019 Data Release Frequency: Quarterly

UST - CORTLAND: Cortland County Storage Tank Listing A listing of underground storage tank sites located in Cortland County.

Date of Government Version: 11/16/2018 Date Data Arrived at EDR: 11/16/2018 Date Made Active in Reports: 12/18/2018 Number of Days to Update: 32 Source: Cortland County Health Department Telephone: 607-753-5035 Last EDR Contact: 01/28/2019 Next Scheduled EDR Contact: 05/11/2019 Data Release Frequency: Quarterly

NASSAU COUNTY:

AST - NASSAU: Registered Tank Database

A listing of aboveground storage tank sites located in Nassau County.

	Date of Government Version: 01/09/2017 Date Data Arrived at EDR: 01/11/2017 Date Made Active in Reports: 02/15/2017 Number of Days to Update: 35	Source: Nassau County Health Department Telephone: 516-571-3314 Last EDR Contact: 01/28/2019 Next Scheduled EDR Contact: 05/11/2019 Data Release Frequency: No Update Planned
AS ⁻	F NCFM: Storage Tank Database A listing of aboveground storage tank sites loc	ated in Nassau County.
	Date of Government Version: 02/15/2011 Date Data Arrived at EDR: 02/23/2011 Date Made Active in Reports: 03/29/2011 Number of Days to Update: 34	Source: Nassau County Office of the Fire Marshal Telephone: 516-572-1000 Last EDR Contact: 01/28/2019 Next Scheduled EDR Contact: 05/11/2019 Data Release Frequency: Varies
IAT	NKS NASSAU: Registered Tank Database in Na A listing of facilities in Nassau County with sto	
	Date of Government Version: 01/09/2017 Date Data Arrived at EDR: 01/11/2017 Date Made Active in Reports: 02/15/2017 Number of Days to Update: 35	Source: Nassau County Department of Health Telephone: 516-227-9691 Last EDR Contact: 01/28/2019 Next Scheduled EDR Contact: 05/11/2019 Data Release Frequency: Varies
US.	T - NASSAU: Registered Tank Database A listing of underground storage tank sites loc	ated in Nassau County.
	Date of Government Version: 01/09/2017 Date Data Arrived at EDR: 01/11/2017 Date Made Active in Reports: 02/15/2017 Number of Days to Update: 35	Source: Nassau County Health Department Telephone: 516-571-3314 Last EDR Contact: 01/28/2019 Next Scheduled EDR Contact: 05/11/2019 Data Release Frequency: No Update Planned
US.	T NCFM: Storage Tank Database A listing of underground storage tank sites loc	ated in Nassau County.
	Date of Government Version: 02/15/2011 Date Data Arrived at EDR: 02/23/2011 Date Made Active in Reports: 03/29/2011 Number of Days to Update: 34	Source: Nassau County Office of the Fire Marshal Telephone: 516-572-1000 Last EDR Contact: 01/28/2019 Next Scheduled EDR Contact: 05/11/2019 Data Release Frequency: Varies
RO	CKLAND COUNTY:	
AS ⁻		ated in Rockland County. Rockland County?s Petroleum Bulk Sto ted operations/duties are now wholly overseen by the New York
	Date of Government Version: 02/02/2017	Source: Rockland County Health Department

Date of Government Version: 02/02/2017	Source: Rockland County Health Department
Date Data Arrived at EDR: 03/17/2017	Telephone: 914-364-2605
Date Made Active in Reports: 09/22/2017	Last EDR Contact: 03/04/2019
Number of Days to Update: 189	Next Scheduled EDR Contact: 06/17/2019
	Data Release Frequency: No Update Planned

UST - ROCKLAND: Petroleum Bulk Storage Database

A listing of underground storage tank sites located in Rockland County. Rockland County?s Petroleum Bulk Storage (PBS) program is no longer in service. All related operations/duties are now wholly overseen by the New York State Dept. of Environmental Conservation (NYSDEC).

Bulk Storage

Date of Government Version: 02/02/2017 Date Data Arrived at EDR: 03/17/2017 Date Made Active in Reports: 09/22/2017 Number of Days to Update: 189 Source: Rockland County Health Department Telephone: 914-364-2605 Last EDR Contact: 03/04/2019 Next Scheduled EDR Contact: 06/17/2019 Data Release Frequency: No Update Planned

SUFFOLK COUNTY:

AST - SUFFOLK: Storage Tank Database

A listing of aboveground storage tank sites located in Suffolk County.

Date of Government Version: 06/28/2018	Source: Suffolk County Department of Health Services
Date Data Arrived at EDR: 12/06/2018	Telephone: 631-854-2521
Date Made Active in Reports: 02/07/2019	Last EDR Contact: 01/28/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/11/2019
	Data Release Frequency: No Update Planned

UST - SUFFOLK: Storage Tank Database

A listing of underground storage tank sites located in Suffolk County.

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 01/28/2019
Next Scheduled EDR Contact: 05/11/2019
Data Release Frequency: No Update Planned

WESTCHESTER COUNTY:

AST - WESTCHESTER: Listing of Storage Tanks A listing of aboveground storage tank sites located in Westchester County.

Date of Government Version: 01/02/2019SouDate Data Arrived at EDR: 02/08/2019TeleDate Made Active in Reports: 02/14/2019LastNumber of Days to Update: 6Nex

Source: Westchester County Department of Health Telephone: 914-813-5161 Last EDR Contact: 01/28/2019 Next Scheduled EDR Contact: 05/11/2019 Data Release Frequency: Semi-Annually

UST - WESTCHESTER: Listing of Storage Tanks A listing of underground storage tank sites located in Westchester County.

Date of Government Version: 01/02/2019	Source: Westchester County Department of Health
Date Data Arrived at EDR: 02/08/2019	Telephone: 914-813-5161
Date Made Active in Reports: 02/14/2019	Last EDR Contact: 01/28/2019
Number of Days to Update: 6	Next Scheduled EDR Contact: 05/11/2019 Data Release Frequency: Semi-Annually

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 02/11/2019			
Date Data Arrived at EDR: 02/12/2019			
Date Made Active in Reports: 03/04/2019			
Number of Days to Update: 20			

NJ MANIFEST: Manifest Information Hazardous waste manifest information.

> Date of Government Version: 12/31/2017 Date Data Arrived at EDR: 07/13/2018 Date Made Active in Reports: 08/01/2018 Number of Days to Update: 19

PA MANIFEST: Manifest Information Hazardous waste manifest information.

> Date of Government Version: 12/31/2017 Date Data Arrived at EDR: 10/23/2018 Date Made Active in Reports: 11/27/2018 Number of Days to Update: 35

RI MANIFEST: Manifest information Hazardous waste manifest information

> Date of Government Version: 12/31/2017 Date Data Arrived at EDR: 02/23/2018 Date Made Active in Reports: 04/09/2018 Number of Days to Update: 45

VT MANIFEST: Hazardous Waste Manifest Data Hazardous waste manifest information.

> Date of Government Version: 01/16/2019 Date Data Arrived at EDR: 01/17/2019 Date Made Active in Reports: 02/19/2019 Number of Days to Update: 33

WI MANIFEST: Manifest Information Hazardous waste manifest information.

> Date of Government Version: 12/31/2017 Date Data Arrived at EDR: 06/15/2018 Date Made Active in Reports: 07/09/2018 Number of Days to Update: 24

Source: Department of Energy & Environmental Protection Telephone: 860-424-3375 Last EDR Contact: 02/12/2019 Next Scheduled EDR Contact: 05/27/2019 Data Release Frequency: No Update Planned

Source: Department of Environmental Protection Telephone: N/A Last EDR Contact: 04/10/2019 Next Scheduled EDR Contact: 07/22/2019 Data Release Frequency: Annually

Source: Department of Environmental Protection Telephone: 717-783-8990 Last EDR Contact: 01/11/2019 Next Scheduled EDR Contact: 04/29/2019 Data Release Frequency: Annually

Source: Department of Environmental Management Telephone: 401-222-2797 Last EDR Contact: 02/19/2019 Next Scheduled EDR Contact: 06/03/2019 Data Release Frequency: Annually

Source: Department of Environmental Conservation Telephone: 802-241-3443 Last EDR Contact: 01/14/2019 Next Scheduled EDR Contact: 04/29/2019 Data Release Frequency: Annually

Source: Department of Natural Resources Telephone: N/A Last EDR Contact: 03/11/2019 Next Scheduled EDR Contact: 06/24/2019 Data Release Frequency: Annually

Oil/Gas Pipelines

Source: PennWell Corporation

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Electric Power Transmission Line Data

Source: PennWell Corporation

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals: Source: American Hospital Association, Inc. Telephone: 312-280-5991 The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals. Medical Centers: Provider of Services Listing Source: Centers for Medicare & Medicaid Services Telephone: 410-786-3000 A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services. Nursing Homes Source: National Institutes of Health Telephone: 301-594-6248 Information on Medicare and Medicaid certified nursing homes in the United States. **Public Schools** Source: National Center for Education Statistics Telephone: 202-502-7300 The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states. **Private Schools** Source: National Center for Education Statistics Telephone: 202-502-7300 The National Center for Education Statistics' primary database on private school locations in the United States. Daycare Centers: Day Care Providers Source: Department of Health Telephone: 212-676-2444

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA Telephone: 877-336-2627 Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands Source: Department of Environmental Conservation Telephone: 518-402-8961

Current USGS 7.5 Minute Topographic Map Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

6819 WOODHAVEN BLVD 6819 WOODHAVEN BLVD REGO PARK, NY 11374

TARGET PROPERTY COORDINATES

Latitude (North):	40.715319 - 40° 42' 55.15"
Longitude (West):	73.859561 - 73° 51' 34.42"
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	596327.7
UTM Y (Meters):	4507569.5
Elevation:	57 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	5940539 JAMAICA, NY		
Version Date:	2013		
Southwest Map:	5940597 BROOKLYN, NY		
Version Date:	2013		

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

- Groundwater flow direction, and
 Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General ESE

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Q3 Flood data
A Source Type
FIRM Flood data FIRM Flood data Q3 Flood data Q3 Flood data FIRM Flood data Q3 Flood data
Electronic

NWI Quad at Target Property	
JAMAICA	

NWI Electronic Data Coverage YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:			
Search Radius:	1.25 miles		
Status:	Not found		

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID Not Reported LOCATION FROM TP GENERAL DIRECTION GROUNDWATER FLOW

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Depth to Bedrock Max:

GEOLOGIC AGE IDENTIFICATION

Era:	Mesozoic Category	Stratified Sequence
System:	Cretaceous	
Series:	Upper Cretaceous	
Code:	uK (decoded above as Era, System & Series)	

> 10 inches

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

a hydric soil.

Soil Component Name:	URBAN LAND		
Soil Surface Texture:	variable		
Hydrologic Group:	Not reported		
Soil Drainage Class:	Not reported		
Hydric Status: Soil does not meet the requirements for			
Corrosion Potential - Uncoated Steel:	Not Reported		
Depth to Bedrock Min:	> 10 inches		

Soil Layer Information							
Boundary Classification							
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil	Permeability Rate (in/hr)	Soil Reaction (pH)
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

silt loam sandy loam loamy sand sand
silt loam sandy loam loamy sand sand
No Other Soil Types
stratified gravelly - coarse sand very gravelly - sand coarse sand

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE	SEARCH DISTANCE (miles)
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

MAP ID

WELL ID

LOCATION FROM TP

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	USGS40000829506	1/8 - 1/4 Mile ESE
2	USGS40000829427	1/8 - 1/4 Mile South
3	USGS40000829407	1/4 - 1/2 Mile SW
4	USGS40000829363	1/4 - 1/2 Mile South
5	USGS40000829222	1/2 - 1 Mile South
6	USGS40000829272	1/2 - 1 Mile SW
A8	USGS40000829790	1/2 - 1 Mile ENE
9	USGS40000830034	1/2 - 1 Mile NW
A10	USGS40000829789	1/2 - 1 Mile ENE
A11	USGS40000829815	1/2 - 1 Mile ENE
12	USGS40000830158	1/2 - 1 Mile NNE
13	USGS40000830199	1/2 - 1 Mile NNE

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
7	NY0015132	1/2 - 1 Mile ESE

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

		LOCATION
MAP ID	WELL ID	FROM TP
No Wells Found		

PHYSICAL SETTING SOURCE MAP - 5618352.2s



ADDRESS: 6819 Woodhaven BLVD CONTACT: Dr. James M. Cervino Rego Park NY 11374 INQUIRY #: 5618352.2s LAT/LONG: 40.715319 / 73.859561 DATE: April 11, 2019 12:43 pm

Map ID Direction Distance Elevation			Database	EDR ID Number
1 ESE 1/8 - 1/4 Mile Higher			FED USGS	USGS40000829506
Organization ID: Monitor Location: Description: Drainage Area: Contrib Drainage Area: Aquifer: Formation Type: Construction Date: Well Depth Units: Well Hole Depth Units:	USGS-NY Q 3651.1 2601 Not Reported Not Reported Northern Atlantic Coastal Plain aquife Glacial Aquifer, Upper 19921120 ft Not Reported	Organization Name: Type: HUC: Drainage Area Units: Contrib Drainage Area Un er system Aquifer Type: Well Depth: Well Hole Depth:	Well 0203 Not I ts: Not I Not I 80	S New York Water Science Center 30201 Reported Reported Reported
Ground water levels,Number o Feet below surface: Note:	f Measurements: 480 Not Reported Not Reported	Level reading date: Feet to sea level:	2005 18.5	5-02-01 2
Level reading date:	2005-01-30	Feet below surface:		Reported
Feet to sea level:	18.62	Note:		Reported
Level reading date:	2005-01-25	Feet below surface:		Reported
Feet to sea level:	18.62	Note:		Reported
Level reading date:	2005-01-20	Feet below surface:		Reported
Feet to sea level:	18.65	Note:		Reported
Level reading date:	2005-01-15	Feet below surface:		Reported
Feet to sea level:	18.41	Note:		Reported
Level reading date:	2005-01-10	Feet below surface:		Reported
Feet to sea level:	18.61	Note:		Reported
Level reading date:	2005-01-05	Feet below surface:		Reported
Feet to sea level:	18.57	Note:		Reported
Level reading date:	2005-01-05	Feet below surface:		Reported
Feet to sea level:	18.58	Note:		Reported
Level reading date:	2005-01-04	Feet below surface:		Reported
Feet to sea level:	18.56	Note:		Reported
Level reading date:	2004-12-30	Feet below surface:		Reported
Feet to sea level:	18.40	Note:		Reported
Level reading date:	2004-12-25	Feet below surface:		Reported
Feet to sea level:	18.46	Note:		Reported
Level reading date:	2004-12-20	Feet below surface:	Not I	Reported
Feet to sea level:	18.50	Note:		Reported
Level reading date:	2004-12-15	Feet below surface:	Not I	Reported
Feet to sea level:	18.38	Note:		Reported
Level reading date:	2004-12-10	Feet below surface:		Reported
Feet to sea level:	18.64	Note:		Reported

Level reading date:	2004-12-05	Feet below surface:	Not Reported
Feet to sea level:	18.41	Note:	Not Reported
Level reading date:	2004-11-30	Feet below surface:	Not Reported
Feet to sea level:	18.42	Note:	Not Reported
Level reading date:	2004-11-29	Feet below surface:	Not Reported
Feet to sea level:	18.37	Note:	Not Reported
Level reading date:	2004-11-28	Feet below surface:	Not Reported
Feet to sea level:	18.52	Note:	Not Reported
Level reading date:	2004-11-25	Feet below surface:	Not Reported
Feet to sea level:	18.57	Note:	Not Reported
Level reading date:	2004-11-20	Feet below surface:	Not Reported
Feet to sea level:	18.46	Note:	Not Reported
Level reading date:	2004-11-15	Feet below surface:	Not Reported
Feet to sea level:	18.41	Note:	Not Reported
Level reading date:	2004-11-10	Feet below surface:	Not Reported
Feet to sea level:	18.32	Note:	Not Reported
Level reading date:	2004-11-05	Feet below surface:	Not Reported
Feet to sea level:	18.43	Note:	Not Reported
Level reading date:	2004-11-03	Feet below surface:	Not Reported
Feet to sea level:	18.33	Note:	Not Reported
Level reading date:	2004-10-30	Feet below surface:	Not Reported
Feet to sea level:	18.48	Note:	Not Reported
Level reading date:	2004-10-25	Feet below surface:	Not Reported
Feet to sea level:	18.39	Note:	Not Reported
Level reading date:	2004-10-20	Feet below surface:	Not Reported
Feet to sea level:	18.34	Note:	Not Reported
Level reading date:	2004-10-15	Feet below surface:	Not Reported
Feet to sea level:	18.44	Note:	Not Reported
Level reading date:	2004-10-10	Feet below surface:	Not Reported
Feet to sea level:	18.36	Note:	Not Reported
Level reading date:	2004-10-05	Feet below surface:	Not Reported
Feet to sea level:	18.23	Note:	Not Reported
Level reading date:	2004-10-01	Feet below surface:	Not Reported
Feet to sea level:	18.18	Note:	Not Reported
Level reading date:	2004-09-01	Feet below surface:	Not Reported
Feet to sea level:	18.16	Note:	Not Reported
Level reading date:	2004-08-30	Feet below surface:	Not Reported
Feet to sea level:	18.26	Note:	Not Reported
Level reading date:	2004-08-25	Feet below surface:	Not Reported
Feet to sea level:	18.16	Note:	Not Reported
Level reading date:	2004-08-20	Feet below surface:	Not Reported
Feet to sea level:	18.24	Note:	Not Reported

Level reading date:	2004-08-15	Feet below surface:	Not Reported
Feet to sea level:	18.16	Note:	Not Reported
Level reading date:	2004-08-10	Feet below surface:	Not Reported
Feet to sea level:	18.19	Note:	Not Reported
Level reading date:	2004-08-05	Feet below surface:	Not Reported
Feet to sea level:	18.16	Note:	Not Reported
Level reading date:	2004-08-04	Feet below surface:	Not Reported
Feet to sea level:	18.18	Note:	Not Reported
Level reading date:	2004-08-03	Feet below surface:	Not Reported
Feet to sea level:	18.19	Note:	Not Reported
Level reading date:	2004-07-30	Feet below surface:	Not Reported
Feet to sea level:	18.10	Note:	Not Reported
Level reading date:	2004-07-25	Feet below surface:	Not Reported
Feet to sea level:	18.03	Note:	Not Reported
Level reading date:	2004-07-20	Feet below surface:	Not Reported
Feet to sea level:	18.08	Note:	Not Reported
Level reading date:	2004-07-15	Feet below surface:	Not Reported
Feet to sea level:	18.14	Note:	Not Reported
Level reading date:	2004-07-10	Feet below surface:	Not Reported
Feet to sea level:	18.06	Note:	Not Reported
Level reading date:	2004-07-05	Feet below surface:	Not Reported
Feet to sea level:	18.14	Note:	Not Reported
Level reading date:	2004-06-30	Feet below surface:	Not Reported
Feet to sea level:	18.06	Note:	Not Reported
Level reading date:	2004-06-29	Feet below surface:	Not Reported
Feet to sea level:	18.03	Note:	Not Reported
Level reading date:	2004-06-28	Feet below surface:	Not Reported
Feet to sea level:	18.08	Note:	Not Reported
Level reading date:	2004-06-25	Feet below surface:	Not Reported
Feet to sea level:	18.04	Note:	Not Reported
Level reading date:	2004-06-20	Feet below surface:	Not Reported
Feet to sea level:	18.07	Note:	Not Reported
Level reading date:	2004-06-15	Feet below surface:	Not Reported
Feet to sea level:	18.10	Note:	Not Reported
Level reading date:	2004-06-10	Feet below surface:	Not Reported
Feet to sea level:	18.12	Note:	Not Reported
Level reading date:	2004-06-05	Feet below surface:	Not Reported
Feet to sea level:	18.06	Note:	Not Reported
Level reading date:	2004-06-03	Feet below surface:	Not Reported
Feet to sea level:	18.01	Note:	Not Reported
Level reading date:	2004-05-30	Feet below surface:	Not Reported
Feet to sea level:	18.04	Note:	Not Reported

Level reading date:	2004-05-25	Feet below surface:	Not Reported
Feet to sea level:	18.04	Note:	Not Reported
Level reading date:	2004-05-20	Feet below surface:	Not Reported
Feet to sea level:	18.01	Note:	Not Reported
Level reading date:	2004-05-15	Feet below surface:	Not Reported
Feet to sea level:	18.02	Note:	Not Reported
Level reading date:	2004-05-10	Feet below surface:	Not Reported
Feet to sea level:	17.99	Note:	Not Reported
Level reading date:	2004-05-05	Feet below surface:	Not Reported
Feet to sea level:	18.00	Note:	Not Reported
Level reading date:	2004-04-30	Feet below surface:	Not Reported
Feet to sea level:	17.92	Note:	Not Reported
Level reading date:	2004-04-28	Feet below surface:	Not Reported
Feet to sea level:	17.82	Note:	Not Reported
Level reading date:	2004-04-25	Feet below surface:	Not Reported
Feet to sea level:	17.84	Note:	Not Reported
Level reading date:	2004-04-20	Feet below surface:	Not Reported
Feet to sea level:	17.87	Note:	Not Reported
Level reading date:	2004-04-15	Feet below surface:	Not Reported
Feet to sea level:	17.89	Note:	Not Reported
Level reading date:	2004-04-10	Feet below surface:	Not Reported
Feet to sea level:	17.83	Note:	Not Reported
Level reading date:	2004-04-05	Feet below surface:	Not Reported
Feet to sea level:	17.86	Note:	Not Reported
Level reading date:	2004-03-30	Feet below surface:	Not Reported
Feet to sea level:	17.87	Note:	Not Reported
Level reading date:	2004-03-25	Feet below surface:	Not Reported
Feet to sea level:	17.76	Note:	Not Reported
Level reading date:	2004-03-25	Feet below surface:	Not Reported
Feet to sea level:	17.76	Note:	Not Reported
Level reading date:	2004-03-20	Feet below surface:	Not Reported
Feet to sea level:	17.88	Note:	Not Reported
Level reading date:	2004-03-15	Feet below surface:	Not Reported
Feet to sea level:	17.88	Note:	Not Reported
Level reading date:	2004-03-10	Feet below surface:	Not Reported
Feet to sea level:	17.84	Note:	Not Reported
Level reading date:	2004-03-05	Feet below surface:	Not Reported
Feet to sea level:	17.98	Note:	Not Reported
Level reading date:	2004-02-26	Feet below surface:	Not Reported
Feet to sea level:	17.79	Note:	Not Reported
Level reading date:	2004-02-25	Feet below surface:	Not Reported
Feet to sea level:	17.87	Note:	Not Reported

Level reading date:	2004-02-20	Feet below surface:	Not Reported
Feet to sea level:	17.96	Note:	Not Reported
Level reading date:	2004-02-15	Feet below surface:	Not Reported
Feet to sea level:	17.82	Note:	Not Reported
Level reading date:	2004-02-10	Feet below surface:	Not Reported
Feet to sea level:	17.89	Note:	Not Reported
Level reading date:	2004-02-08	Feet below surface:	Not Reported
Feet to sea level:	17.73	Note:	Not Reported
Level reading date:	2004-02-05	Feet below surface:	Not Reported
Feet to sea level:	17.75	Note:	Not Reported
Level reading date: Feet to sea level:	2004-01-30 17.93	Feet below surface: Note:	Not Reported Not Reported
Level reading date:	2004-01-25	Feet below surface:	Not Reported
Feet to sea level:	17.74	Note:	Not Reported
Level reading date: Feet to sea level:	2004-01-20	Feet below surface:	Not Reported
Level reading date:	17.81 2004-01-15	Note: Feet below surface:	Not Reported
Feet to sea level:	17.93	Note:	Not Reported
Level reading date:	2004-01-10	Feet below surface:	
Feet to sea level:	17.80	Note:	Not Reported
Level reading date:	2004-01-05	Feet below surface:	
Feet to sea level:	17.90	Note:	Not Reported
Level reading date:	2003-12-30	Feet below surface:	Not Reported
Feet to sea level:	17.85	Note:	Not Reported
Level reading date:	2003-12-30	Feet below surface:	Not Reported
Feet to sea level:	17.85	Note:	Not Reported
Level reading date:	2003-12-29	Feet below surface:	Not Reported
Feet to sea level:	17.83	Note:	Not Reported
Level reading date:	2003-12-25	Feet below surface:	Not Reported
Feet to sea level:	17.80	Note:	Not Reported
Level reading date:	2003-12-20	Feet below surface:	Not Reported
Feet to sea level:	17.70	Note:	Not Reported
Level reading date:	2003-12-15	Feet below surface:	Not Reported
Feet to sea level:	17.80	Note:	Not Reported
Level reading date:	2003-12-10	Feet below surface:	Not Reported
Feet to sea level:	17.79	Note:	Not Reported
Level reading date:	2003-12-05	Feet below surface:	Not Reported
Feet to sea level:	17.79	Note:	Not Reported
Level reading date:	2003-12-02	Feet below surface:	Not Reported
Feet to sea level:	17.62	Note:	Not Reported
Level reading date:	2003-11-30	Feet below surface:	Not Reported
Feet to sea level:	17.73	Note:	Not Reported

Level reading date:	2003-11-25	Feet below surface:	Not Reported
Feet to sea level:	17.70	Note:	Not Reported
Level reading date:	2003-11-20	Feet below surface:	Not Reported
Feet to sea level:	17.80	Note:	Not Reported
Level reading date:	2003-11-15	Feet below surface:	Not Reported
Feet to sea level:	17.68	Note:	Not Reported
Level reading date:	2003-11-10	Feet below surface:	Not Reported
Feet to sea level:	17.72	Note:	Not Reported
Level reading date:	2003-11-05	Feet below surface:	Not Reported
Feet to sea level:	17.78	Note:	Not Reported
Level reading date:	2003-10-30	Feet below surface:	Not Reported
Feet to sea level:	17.64	Note:	Not Reported
Level reading date:	2003-10-25	Feet below surface:	Not Reported
Feet to sea level:	17.64	Note:	Not Reported
Level reading date:	2003-10-22	Feet below surface:	Not Reported
Feet to sea level:	17.84	Note:	Not Reported
Level reading date:	2003-10-20	Feet below surface:	Not Reported
Feet to sea level:	17.71	Note:	Not Reported
Level reading date:	2003-10-15	Feet below surface:	Not Reported
Feet to sea level:	17.93	Note:	Not Reported
Level reading date:	2003-10-10	Feet below surface:	Not Reported
Feet to sea level:	17.75	Note:	Not Reported
Level reading date:	2003-10-05	Feet below surface:	Not Reported
Feet to sea level:	17.76	Note:	Not Reported
Level reading date:	2003-09-30	Feet below surface:	Not Reported
Feet to sea level:	17.70	Note:	Not Reported
Level reading date:	2003-09-29	Feet below surface:	Not Reported
Feet to sea level:	17.72	Note:	Not Reported
Level reading date:	2003-09-28	Feet below surface:	Not Reported
Feet to sea level:	17.85	Note:	Not Reported
Level reading date:	2003-09-25	Feet below surface:	Not Reported
Feet to sea level:	17.78	Note:	Not Reported
Level reading date:	2003-09-20	Feet below surface:	Not Reported
Feet to sea level:	17.73	Note:	Not Reported
Level reading date:	2003-09-15	Feet below surface:	Not Reported
Feet to sea level:	17.76	Note:	Not Reported
Level reading date:	2003-09-10	Feet below surface:	Not Reported
Feet to sea level:	17.70	Note:	Not Reported
Level reading date:	2003-09-05	Feet below surface:	Not Reported
Feet to sea level:	17.70	Note:	Not Reported
Level reading date:	2003-08-30	Feet below surface:	Not Reported
Feet to sea level:	17.68	Note:	Not Reported

Level reading date:	2003-08-25	Feet below surface:	Not Reported
Feet to sea level:	17.72	Note:	Not Reported
Level reading date:	2003-08-25	Feet below surface:	Not Reported
Feet to sea level:	17.70	Note:	Not Reported
Level reading date:	2003-08-24	Feet below surface:	Not Reported
Feet to sea level:	17.64	Note:	Not Reported
Level reading date:	2003-08-20	Feet below surface:	Not Reported
Feet to sea level:	17.66	Note:	Not Reported
Level reading date:	2003-08-15	Feet below surface:	Not Reported
Feet to sea level:	17.67	Note:	Not Reported
Level reading date:	2003-08-10	Feet below surface:	Not Reported
Feet to sea level:	17.61	Note:	Not Reported
Level reading date:	2003-08-05	Feet below surface:	Not Reported
Feet to sea level:	17.58	Note:	Not Reported
Level reading date:	2003-07-31	Feet below surface:	Not Reported
Feet to sea level:	17.50	Note:	Not Reported
Level reading date:	2003-07-30	Feet below surface:	Not Reported
Feet to sea level:	17.46	Note:	Not Reported
Level reading date:	2003-07-25	Feet below surface:	Not Reported
Feet to sea level:	17.40	Note:	Not Reported
Level reading date:	2003-07-20	Feet below surface:	Not Reported
Feet to sea level:	17.42	Note:	Not Reported
Level reading date:	2003-07-15	Feet below surface:	Not Reported
Feet to sea level:	17.37	Note:	Not Reported
Level reading date:	2003-07-10	Feet below surface:	Not Reported
Feet to sea level:	17.31	Note:	Not Reported
Level reading date:	2003-07-05	Feet below surface:	Not Reported
Feet to sea level:	17.23	Note:	Not Reported
Level reading date:	2003-06-30	Feet below surface:	Not Reported
Feet to sea level:	17.15	Note:	Not Reported
Level reading date:	2003-06-25	Feet below surface:	Not Reported
Feet to sea level:	17.08	Note:	Not Reported
Level reading date:	2003-06-25	Feet below surface:	Not Reported
Feet to sea level:	17.08	Note:	Not Reported
Level reading date:	2003-06-24	Feet below surface:	Not Reported
Feet to sea level:	17.05	Note:	Not Reported
Level reading date:	2003-06-20	Feet below surface:	Not Reported
Feet to sea level:	17.00	Note:	Not Reported
Level reading date:	2003-06-15	Feet below surface:	Not Reported
Feet to sea level:	16.89	Note:	Not Reported
Level reading date:	2003-06-10	Feet below surface:	Not Reported
Feet to sea level:	16.81	Note:	Not Reported

Level reading date:	2003-06-05	Feet below surface:	Not Reported
Feet to sea level:	16.77	Note:	Not Reported
Level reading date:	2003-05-30	Feet below surface:	Not Reported
Feet to sea level:	16.74	Note:	Not Reported
Level reading date:	2003-05-28	Feet below surface:	Not Reported
Feet to sea level:	16.79	Note:	Not Reported
Level reading date:	2003-05-25	Feet below surface:	Not Reported
Feet to sea level:	16.78	Note:	Not Reported
Level reading date:	2003-05-20	Feet below surface:	Not Reported
Feet to sea level:	16.69	Note:	Not Reported
Level reading date: Feet to sea level:	2003-05-15 16.64	Feet below surface: Note:	Not Reported Not Reported
Level reading date:	2003-05-10	Feet below surface:	Not Reported
Feet to sea level:	16.66	Note:	Not Reported
Level reading date:	2003-05-05	Feet below surface:	Not Reported
Feet to sea level:	16.58	Note:	Not Reported
Level reading date:	2003-04-30	Feet below surface:	
Feet to sea level:	16.47	Note:	Not Reported
Level reading date:	2003-04-29	Feet below surface:	
Feet to sea level:	16.52	Note:	Not Reported
Level reading date:	2003-04-28	Feet below surface:	
Feet to sea level:	16.48	Note:	Not Reported
Level reading date:	2003-04-25	Feet below surface:	Not Reported
Feet to sea level:	16.50	Note:	Not Reported
Level reading date:	2003-04-20	Feet below surface:	Not Reported
Feet to sea level:	16.40	Note:	Not Reported
Level reading date:	2003-04-15	Feet below surface:	Not Reported
Feet to sea level:	16.43	Note:	Not Reported
Level reading date:	2003-04-10	Feet below surface:	Not Reported
Feet to sea level:	16.41	Note:	Not Reported
Level reading date:	2003-04-05	Feet below surface:	Not Reported
Feet to sea level:	16.36	Note:	Not Reported
Level reading date:	2003-03-30	Feet below surface:	Not Reported
Feet to sea level:	16.32	Note:	Not Reported
Level reading date:	2003-03-25	Feet below surface:	Not Reported
Feet to sea level:	16.23	Note:	Not Reported
Level reading date:	2003-03-20	Feet below surface:	Not Reported
Feet to sea level:	16.18	Note:	Not Reported
Level reading date:	2003-03-18	Feet below surface:	Not Reported
Feet to sea level:	16.15	Note:	Not Reported
Level reading date:	2003-03-15	Feet below surface:	Not Reported
Feet to sea level:	16.12	Note:	Not Reported

Level reading date:	2003-03-10	Feet below surface:	Not Reported
Feet to sea level:	16.01	Note:	Not Reported
Level reading date:	2003-03-05	Feet below surface:	Not Reported
Feet to sea level:	16.11	Note:	Not Reported
Level reading date:	2003-02-25	Feet below surface:	Not Reported
Feet to sea level:	15.95	Note:	Not Reported
Level reading date:	2003-02-20	Feet below surface:	Not Reported
Feet to sea level:	15.97	Note:	Not Reported
Level reading date:	2003-02-15	Feet below surface:	Not Reported
Feet to sea level:	15.84	Note:	Not Reported
Level reading date:	2003-02-10	Feet below surface:	Not Reported
Feet to sea level:	16.02	Note:	Not Reported
Level reading date: Feet to sea level:	2003-02-05 15.76	Feet below surface: Note:	Not Reported Not Reported
Level reading date:	2003-01-31	Feet below surface:	Not Reported
Feet to sea level:	15.85	Note:	
Level reading date:	2003-01-30	Feet below surface:	Not Reported
Feet to sea level:	15.76	Note:	Not Reported
Level reading date:	2003-01-25	Feet below surface:	Not Reported
Feet to sea level:	15.74	Note:	Not Reported
Level reading date:	2003-01-20	Feet below surface:	Not Reported
Feet to sea level:	15.76	Note:	Not Reported
Level reading date:	2003-01-15	Feet below surface:	
Feet to sea level:	15.66	Note:	Not Reported
Level reading date:	2003-01-10	Feet below surface:	
Feet to sea level:	15.59	Note:	Not Reported
Level reading date:	2003-01-09	Feet below surface:	
Feet to sea level:	15.60 2003-01-08	Note: Feet below surface:	Not Reported
Level reading date: Feet to sea level:	15.74	Note:	Not Reported Not Reported
Level reading date:	2003-01-05	Feet below surface:	Not Reported
Feet to sea level:	15.55	Note:	Not Reported
Level reading date:	2002-12-30	Feet below surface:	Not Reported
Feet to sea level:	15.45	Note:	Not Reported
Level reading date:	2002-12-25	Feet below surface:	Not Reported
Feet to sea level:	15.67	Note:	Not Reported
Level reading date:	2002-12-20	Feet below surface:	Not Reported
Feet to sea level:	15.59	Note:	Not Reported
Level reading date:	2002-12-15	Feet below surface:	Not Reported
Feet to sea level:	15.39	Note:	Not Reported
Level reading date:	2002-12-10	Feet below surface:	Not Reported
Feet to sea level:	15.40	Note:	Not Reported

Level reading date:	2002-12-05	Feet below surface:	Not Reported
Feet to sea level:	15.40	Note:	Not Reported
Level reading date:	2002-12-03	Feet below surface:	Not Reported
Feet to sea level:	15.18	Note:	Not Reported
Level reading date:	2002-11-30	Feet below surface:	Not Reported
Feet to sea level:	15.42	Note:	Not Reported
Level reading date:	2002-11-25	Feet below surface:	Not Reported
Feet to sea level:	15.25	Note:	Not Reported
Level reading date:	2002-11-20	Feet below surface:	Not Reported
Feet to sea level:	15.23	Note:	Not Reported
Level reading date:	2002-11-15	Feet below surface:	Not Reported
Feet to sea level:	15.22	Note:	Not Reported
Level reading date:	2002-11-10	Feet below surface:	Not Reported
Feet to sea level:	15.22	Note:	Not Reported
Level reading date:	2002-11-06	Feet below surface:	Not Reported
Feet to sea level:	15.31	Note:	Not Reported
Level reading date:	2002-11-05	Feet below surface:	Not Reported
Feet to sea level:	15.15	Note:	Not Reported
Level reading date:	2002-10-30	Feet below surface:	Not Reported
Feet to sea level:	15.14	Note:	Not Reported
Level reading date:	2002-10-25	Feet below surface:	Not Reported
Feet to sea level:	15.06	Note:	Not Reported
Level reading date:	2002-10-20	Feet below surface:	Not Reported
Feet to sea level:	15.00	Note:	Not Reported
Level reading date:	2002-10-15	Feet below surface:	Not Reported
Feet to sea level:	15.00	Note:	Not Reported
Level reading date:	2002-10-10	Feet below surface:	Not Reported
Feet to sea level:	14.91	Note:	Not Reported
Level reading date:	2002-10-05	Feet below surface:	Not Reported
Feet to sea level:	14.93	Note:	Not Reported
Level reading date:	2002-10-02	Feet below surface:	Not Reported
Feet to sea level:	14.92	Note:	Not Reported
Level reading date:	2002-09-30	Feet below surface:	Not Reported
Feet to sea level:	14.87	Note:	Not Reported
Level reading date:	2002-09-25	Feet below surface:	Not Reported
Feet to sea level:	14.84	Note:	Not Reported
Level reading date:	2002-09-20	Feet below surface:	Not Reported
Feet to sea level:	14.88	Note:	Not Reported
Level reading date:	2002-09-15	Feet below surface:	Not Reported
Feet to sea level:	14.86	Note:	Not Reported
Level reading date:	2002-09-10	Feet below surface:	Not Reported
Feet to sea level:	14.93	Note:	Not Reported

Level reading date:	2002-09-05	Feet below surface:	Not Reported
Feet to sea level:	14.80	Note:	Not Reported
Level reading date:	2002-08-30	Feet below surface:	Not Reported
Feet to sea level:	14.75	Note:	Not Reported
Level reading date:	2002-08-28	Feet below surface:	Not Reported
Feet to sea level:	14.69	Note:	Not Reported
Level reading date:	2002-08-25	Feet below surface:	Not Reported
Feet to sea level:	14.79	Note:	Not Reported
Level reading date:	2002-08-20	Feet below surface:	Not Reported
Feet to sea level:	14.76	Note:	Not Reported
Level reading date:	2002-08-15	Feet below surface:	Not Reported
Feet to sea level:	14.79	Note:	Not Reported
Level reading date:	2002-08-10	Feet below surface:	Not Reported
Feet to sea level:	14.81	Note:	Not Reported
Level reading date:	2002-08-05	Feet below surface:	Not Reported
Feet to sea level:	14.90	Note:	Not Reported
Level reading date:	2002-07-30	Feet below surface:	Not Reported
Feet to sea level:	14.88	Note:	Not Reported
Level reading date:	2002-07-30	Feet below surface:	Not Reported
Feet to sea level:	14.88	Note:	Not Reported
Level reading date:	2002-07-29	Feet below surface:	Not Reported
Feet to sea level:	14.92	Note:	Not Reported
Level reading date:	2002-07-25	Feet below surface:	Not Reported
Feet to sea level:	14.85	Note:	Not Reported
Level reading date:	2002-07-20	Feet below surface:	Not Reported
Feet to sea level:	14.85	Note:	Not Reported
Level reading date:	2002-07-15	Feet below surface:	Not Reported
Feet to sea level:	14.95	Note:	Not Reported
Level reading date:	2002-07-10	Feet below surface:	Not Reported
Feet to sea level:	14.93	Note:	Not Reported
Level reading date:	2002-07-10	Feet below surface:	Not Reported
Feet to sea level:	14.93	Note:	Not Reported
Level reading date:	2002-07-05	Feet below surface:	Not Reported
Feet to sea level:	14.91	Note:	Not Reported
Level reading date:	2002-06-30	Feet below surface:	Not Reported
Feet to sea level:	14.92	Note:	Not Reported
Level reading date:	2002-06-27	Feet below surface:	Not Reported
Feet to sea level:	15.02	Note:	Not Reported
Level reading date:	2002-06-25	Feet below surface:	Not Reported
Feet to sea level:	14.98	Note:	Not Reported
Level reading date:	2002-06-20	Feet below surface:	Not Reported
Feet to sea level:	14.92	Note:	Not Reported

Level reading date:	2002-06-15	Feet below surface:	Not Reported
Feet to sea level:	15.07	Note:	Not Reported
Level reading date:	2002-06-10	Feet below surface:	Not Reported
Feet to sea level:	15.02	Note:	Not Reported
Level reading date:	2002-06-05	Feet below surface:	Not Reported
Feet to sea level:	15.08	Note:	Not Reported
Level reading date:	2002-05-30	Feet below surface:	Not Reported
Feet to sea level:	15.08	Note:	Not Reported
Level reading date:	2002-05-25	Feet below surface:	Not Reported
Feet to sea level:	15.01	Note:	Not Reported
Level reading date:	2002-05-22	Feet below surface:	Not Reported
Feet to sea level:	15.03	Note:	Not Reported
Level reading date:	2002-05-20	Feet below surface:	Not Reported
Feet to sea level:	15.06	Note:	Not Reported
Level reading date:	2002-05-15	Feet below surface:	Not Reported
Feet to sea level:	15.07	Note:	Not Reported
Level reading date:	2002-05-10	Feet below surface:	Not Reported
Feet to sea level:	15.10	Note:	Not Reported
Level reading date:	2002-05-05	Feet below surface:	Not Reported
Feet to sea level:	15.10	Note:	Not Reported
Level reading date:	2002-04-30	Feet below surface:	Not Reported
Feet to sea level:	15.20	Note:	Not Reported
Level reading date:	2002-04-25	Feet below surface:	Not Reported
Feet to sea level:	15.24	Note:	Not Reported
Level reading date:	2002-04-20	Feet below surface:	Not Reported
Feet to sea level:	15.23	Note:	Not Reported
Level reading date:	2002-04-15	Feet below surface:	Not Reported
Feet to sea level:	15.27	Note:	Not Reported
Level reading date:	2002-04-10	Feet below surface:	Not Reported
Feet to sea level:	15.19	Note:	Not Reported
Level reading date:	2002-04-05	Feet below surface:	Not Reported
Feet to sea level:	15.28	Note:	Not Reported
Level reading date:	2002-03-30	Feet below surface:	Not Reported
Feet to sea level:	15.35	Note:	Not Reported
Level reading date:	2002-03-28	Feet below surface:	Not Reported
Feet to sea level:	15.36	Note:	Not Reported
Level reading date:	2002-03-25	Feet below surface:	Not Reported
Feet to sea level:	15.31	Note:	Not Reported
Level reading date:	2002-03-20	Feet below surface:	Not Reported
Feet to sea level:	15.48	Note:	
Level reading date:	2002-03-15	Feet below surface:	Not Reported
Feet to sea level:	15.46	Note:	Not Reported

Level reading date:	2002-03-10	Feet below surface:	Not Reported
Feet to sea level:	15.51	Note:	Not Reported
Level reading date:	2002-03-05	Feet below surface:	Not Reported
Feet to sea level:	15.43	Note:	Not Reported
Level reading date:	2002-02-25	Feet below surface:	Not Reported
Feet to sea level:	15.56	Note:	Not Reported
Level reading date:	2002-02-21	Feet below surface:	Not Reported
Feet to sea level:	15.65	Note:	Not Reported
Level reading date:	2002-02-20	Feet below surface:	Not Reported
Feet to sea level:	15.58	Note:	Not Reported
Level reading date:	2002-02-15	Feet below surface:	Not Reported
Feet to sea level:	15.66	Note:	Not Reported
Level reading date:	2002-02-10	Feet below surface:	Not Reported
Feet to sea level:	15.72	Note:	Not Reported
Level reading date:	2002-02-05	Feet below surface:	Not Reported
Feet to sea level:	15.62	Note:	Not Reported
Level reading date:	2002-01-30	Feet below surface:	Not Reported
Feet to sea level:	15.65	Note:	Not Reported
Level reading date:	2002-01-25	Feet below surface:	Not Reported
Feet to sea level:	15.66	Note:	Not Reported
Level reading date:	2002-01-20	Feet below surface:	Not Reported
Feet to sea level:	15.73	Note:	Not Reported
Level reading date:	2002-01-15	Feet below surface:	Not Reported
Feet to sea level:	15.80	Note:	Not Reported
Level reading date:	2002-01-10	Feet below surface:	Not Reported
Feet to sea level:	15.84	Note:	Not Reported
Level reading date:	2002-01-05	Feet below surface:	Not Reported
Feet to sea level:	15.80	Note:	Not Reported
Level reading date:	2001-12-30	Feet below surface:	Not Reported
Feet to sea level:	15.83	Note:	Not Reported
Level reading date:	2001-12-25	Feet below surface:	Not Reported
Feet to sea level:	15.85	Note:	Not Reported
Level reading date:	2001-12-20	Feet below surface:	Not Reported
Feet to sea level:	15.93	Note:	Not Reported
Level reading date:	2001-12-15	Feet below surface:	Not Reported
Feet to sea level:	15.84	Note:	Not Reported
Level reading date:	2001-12-10	Feet below surface:	Not Reported
Feet to sea level:	15.87	Note:	Not Reported
Level reading date:	2001-12-05	Feet below surface:	Not Reported
Feet to sea level:	15.92	Note:	Not Reported
Level reading date:	2001-11-30	Feet below surface:	Not Reported
Feet to sea level:	16.02	Note:	Not Reported

Level reading date:	2001-11-27	Feet below surface:	Not Reported
Feet to sea level:	16.01	Note:	Not Reported
Level reading date:	2001-11-25	Feet below surface:	Not Reported
Feet to sea level:	16.02	Note:	Not Reported
Level reading date:	2001-11-20	Feet below surface:	Not Reported
Feet to sea level:	16.07	Note:	Not Reported
Level reading date:	2001-11-15	Feet below surface:	Not Reported
Feet to sea level:	16.07	Note:	Not Reported
Level reading date:	2001-11-10	Feet below surface:	Not Reported
Feet to sea level:	16.12	Note:	Not Reported
Level reading date:	2001-11-05	Feet below surface:	Not Reported
Feet to sea level:	16.13	Note:	Not Reported
Level reading date:	2001-10-30	Feet below surface:	Not Reported
Feet to sea level:	16.02	Note:	Not Reported
Level reading date:	2001-10-25	Feet below surface:	Not Reported
Feet to sea level:	16.19	Note:	Not Reported
Level reading date:	2001-10-20	Feet below surface:	Not Reported
Feet to sea level:	16.12	Note:	Not Reported
Level reading date:	2001-10-15	Feet below surface:	Not Reported
Feet to sea level:	16.14	Note:	Not Reported
Level reading date:	2001-10-11	Feet below surface:	Not Reported
Feet to sea level:	16.13	Note:	Not Reported
Level reading date:	2001-10-10	Feet below surface:	Not Reported
Feet to sea level:	16.14	Note:	Not Reported
Level reading date:	2001-10-05	Feet below surface:	Not Reported
Feet to sea level:	16.19	Note:	Not Reported
Level reading date:	2001-09-30	Feet below surface:	Not Reported
Feet to sea level:	16.18	Note:	Not Reported
Level reading date:	2001-09-25	Feet below surface:	Not Reported
Feet to sea level:	16.23	Note:	Not Reported
Level reading date:	2001-09-20	Feet below surface:	Not Reported
Feet to sea level:	16.2	Note:	Not Reported
Level reading date:	2001-09-16	Feet below surface:	Not Reported
Feet to sea level:	16.19	Note:	Not Reported
Level reading date:	2001-09-10	Feet below surface:	Not Reported
Feet to sea level:	16.22	Note:	Not Reported
Level reading date:	2001-09-05	Feet below surface:	Not Reported
Feet to sea level:	16.18	Note:	Not Reported
Level reading date:	2001-08-30	Feet below surface:	Not Reported
Feet to sea level:	16.24	Note:	Not Reported
Level reading date:	2001-08-25	Feet below surface:	Not Reported
Feet to sea level:	16.21	Note:	Not Reported

Level reading date:	2001-08-20	Feet below surface:	Not Reported
Feet to sea level:	16.3	Note:	Not Reported
Level reading date:	2001-08-15	Feet below surface:	Not Reported
Feet to sea level:	16.25	Note:	Not Reported
Level reading date:	2001-08-10	Feet below surface:	Not Reported
Feet to sea level:	16.32	Note:	Not Reported
Level reading date:	2001-08-05	Feet below surface:	Not Reported
Feet to sea level:	16.27	Note:	Not Reported
Level reading date:	2001-07-31	Feet below surface:	Not Reported
Feet to sea level:	16.29	Note:	Not Reported
Level reading date:	2001-07-30	Feet below surface:	Not Reported
Feet to sea level:	16.33	Note:	Not Reported
Level reading date:	2001-07-25	Feet below surface:	Not Reported
Feet to sea level:	16.38	Note:	Not Reported
Level reading date:	2001-07-20	Feet below surface:	Not Reported
Feet to sea level:	16.32	Note:	Not Reported
Level reading date:	2001-07-15	Feet below surface:	Not Reported
Feet to sea level:	16.33	Note:	Not Reported
Level reading date:	2001-07-10	Feet below surface:	Not Reported
Feet to sea level:	16.4	Note:	
Level reading date:	2001-07-05	Feet below surface:	Not Reported
Feet to sea level:	16.39	Note:	Not Reported
Level reading date:	2001-06-30	Feet below surface:	Not Reported
Feet to sea level:	16.37	Note:	
Level reading date:	2001-06-25	Feet below surface:	Not Reported
Feet to sea level:	16.28	Note:	Not Reported
Level reading date:	2001-06-21	Feet below surface:	Not Reported
Feet to sea level:	16.30	Note:	Not Reported
Level reading date:	2001-06-20	Feet below surface:	Not Reported
Feet to sea level:	16.33	Note:	Not Reported
Level reading date:	2001-06-15	Feet below surface:	Not Reported
Feet to sea level:	16.31	Note:	Not Reported
Level reading date:	2001-06-10	Feet below surface:	Not Reported
Feet to sea level:	16.31	Note:	Not Reported
Level reading date:	2001-06-05	Feet below surface:	Not Reported
Feet to sea level:	16.28	Note:	Not Reported
Level reading date:	2001-05-30	Feet below surface:	Not Reported
Feet to sea level:	16.29	Note:	Not Reported
Level reading date:	2001-05-25	Feet below surface:	Not Reported
Feet to sea level:	16.24	Note:	Not Reported
Level reading date:	2001-05-20	Feet below surface:	Not Reported
Feet to sea level:	16.19	Note:	Not Reported

Level reading date:	2001-05-15	Feet below surface:	Not Reported
Feet to sea level:	16.28	Note:	Not Reported
Level reading date:	2001-05-10	Feet below surface:	Not Reported
Feet to sea level:	16.23	Note:	Not Reported
Level reading date:	2001-05-05	Feet below surface:	Not Reported
Feet to sea level:	16.14	Note:	Not Reported
Level reading date:	2001-04-30	Feet below surface:	Not Reported
Feet to sea level:	16.16	Note:	Not Reported
Level reading date:	2001-04-25	Feet below surface:	Not Reported
Feet to sea level:	16.01	Note:	Not Reported
Level reading date:	2001-04-20	Feet below surface:	Not Reported
Feet to sea level:	15.95	Note:	Not Reported
Level reading date:	2001-04-15	Feet below surface:	Not Reported
Feet to sea level:	16.01	Note:	Not Reported
Level reading date:	2001-04-10	Feet below surface:	Not Reported
Feet to sea level:	15.85	Note:	Not Reported
Level reading date:	2001-04-05	Feet below surface:	Not Reported
Feet to sea level:	15.8	Note:	Not Reported
Level reading date:	2001-03-30	Feet below surface:	Not Reported
Feet to sea level:	15.88	Note:	Not Reported
Level reading date:	2001-03-26	Feet below surface:	Not Reported
Feet to sea level:	15.60	Note:	Not Reported
Level reading date:	2001-03-25	Feet below surface:	Not Reported
Feet to sea level:	15.55	Note:	Not Reported
Level reading date:	2001-03-20	Feet below surface:	Not Reported
Feet to sea level:	15.47	Note:	Not Reported
Level reading date:	2001-03-15	Feet below surface:	Not Reported
Feet to sea level:	15.55	Note:	Not Reported
Level reading date:	2001-03-10	Feet below surface:	Not Reported
Feet to sea level:	15.43	Note:	Not Reported
Level reading date:	2001-03-05	Feet below surface:	Not Reported
Feet to sea level:	15.64	Note:	Not Reported
Level reading date:	2001-02-25	Feet below surface:	Not Reported
Feet to sea level:	15.57	Note:	Not Reported
Level reading date:	2001-02-20	Feet below surface:	Not Reported
Feet to sea level:	15.53	Note:	Not Reported
Level reading date:	2001-02-15	Feet below surface:	Not Reported
Feet to sea level:	15.52	Note:	Not Reported
Level reading date:	2001-02-10	Feet below surface:	Not Reported
Feet to sea level:	15.51	Note:	Not Reported
Level reading date:	2001-02-05	Feet below surface:	Not Reported
Feet to sea level:	15.62	Note:	Not Reported

Level reading date:	2001-01-30	Feet below surface:	Not Reported
Feet to sea level:	15.66	Note:	Not Reported
Level reading date:	2001-01-25	Feet below surface:	Not Reported
Feet to sea level:	15.51	Note:	Not Reported
Level reading date:	2001-01-20	Feet below surface:	Not Reported
Feet to sea level:	15.61	Note:	Not Reported
Level reading date:	2001-01-15	Feet below surface:	Not Reported
Feet to sea level:	15.58	Note:	Not Reported
Level reading date:	2001-01-10	Feet below surface:	Not Reported
Feet to sea level:	15.52	Note:	Not Reported
Level reading date:	2001-01-05	Feet below surface:	Not Reported
Feet to sea level:	15.7	Note:	Not Reported
Level reading date:	2000-12-30	Feet below surface:	Not Reported
Feet to sea level:	15.78	Note:	Not Reported
Level reading date:	2000-12-25	Feet below surface:	Not Reported
Feet to sea level:	15.72	Note:	
Level reading date:	2000-12-20	Feet below surface:	Not Reported
Feet to sea level:	15.83	Note:	Not Reported
Level reading date:	2000-12-15	Feet below surface:	Not Reported
Feet to sea level:	15.64	Note:	
Level reading date:	2000-12-10	Feet below surface:	Not Reported
Feet to sea level:	15.71 2000-12-05	Note: Feet below surface:	Not Reported
Feet to sea level:	15.84	Note:	Not Reported
Level reading date:	2000-11-30	Feet below surface:	Not Reported
Feet to sea level:	15.81	Note:	Not Reported
Level reading date:	2000-11-30	Feet below surface:	Not Reported
Feet to sea level:	15.80	Note:	Not Reported
Level reading date:	2000-11-25	Feet below surface:	Not Reported
Feet to sea level:	15.76	Note:	Not Reported
Level reading date:	2000-11-20	Feet below surface:	Not Reported
Feet to sea level:	15.87	Note:	Not Reported
Level reading date:	2000-11-15	Feet below surface:	Not Reported
Feet to sea level:	15.87	Note:	Not Reported
Level reading date:	2000-11-10	Feet below surface:	Not Reported
Feet to sea level:	16.01	Note:	Not Reported
Level reading date:	2000-11-05	Feet below surface:	Not Reported
Feet to sea level:	15.93	Note:	Not Reported
Level reading date:	2000-10-30	Feet below surface:	Not Reported
Feet to sea level:	15.96	Note:	Not Reported
Level reading date:	2000-10-25	Feet below surface:	Not Reported
Feet to sea level:	15.96	Note:	Not Reported

Level reading date:	2000-10-23	Feet below surface:	Not Reported
Feet to sea level:	15.89	Note:	Not Reported
Level reading date:	2000-10-20	Feet below surface:	Not Reported
Feet to sea level:	15.92	Note:	Not Reported
Level reading date:	2000-10-15	Feet below surface:	Not Reported
Feet to sea level:	15.97	Note:	Not Reported
Level reading date:	2000-10-10	Feet below surface:	Not Reported
Feet to sea level:	15.99	Note:	Not Reported
Level reading date:	2000-10-05	Feet below surface:	Not Reported
Feet to sea level:	15.98	Note:	Not Reported
Level reading date:	2000-09-30	Feet below surface:	Not Reported
Feet to sea level:	15.93	Note:	Not Reported
Level reading date:	2000-09-25	Feet below surface:	Not Reported
Feet to sea level:	15.95	Note:	Not Reported
Level reading date:	2000-09-20	Feet below surface:	Not Reported
Feet to sea level:	15.98	Note:	Not Reported
Level reading date:	2000-09-15	Feet below surface:	Not Reported
Feet to sea level:	16.01	Note:	Not Reported
Level reading date:	2000-09-10	Feet below surface:	Not Reported
Feet to sea level:	15.91	Note:	Not Reported
Level reading date:	2000-09-05	Feet below surface:	Not Reported
Feet to sea level:	15.81	Note:	Not Reported
Level reading date:	2000-08-30	Feet below surface:	Not Reported
Feet to sea level:	15.88	Note:	Not Reported
Level reading date:	2000-08-25	Feet below surface:	Not Reported
Feet to sea level:	15.88	Note:	Not Reported
Level reading date:	2000-08-20	Feet below surface:	Not Reported
Feet to sea level:	15.82	Note:	Not Reported
Level reading date:	2000-08-15	Feet below surface:	Not Reported
Feet to sea level:	15.87	Note:	Not Reported
Level reading date:	2000-08-10	Feet below surface:	Not Reported
Feet to sea level:	15.84	Note:	Not Reported
Level reading date:	2000-08-05	Feet below surface:	Not Reported
Feet to sea level:	15.82	Note:	Not Reported
Level reading date:	2000-07-30	Feet below surface:	Not Reported
Feet to sea level:	15.79	Note:	Not Reported
Level reading date:	2000-07-25	Feet below surface:	Not Reported
Feet to sea level:	15.73	Note:	Not Reported
Level reading date:	2000-07-20	Feet below surface:	Not Reported
Feet to sea level:	15.8	Note:	Not Reported
Level reading date:	2000-07-15	Feet below surface:	Not Reported
Feet to sea level:	15.85	Note:	Not Reported

Level reading date:	2000-07-10	Feet below surface:	Not Reported
Feet to sea level:	15.84	Note:	Not Reported
Level reading date:	2000-07-05	Feet below surface:	Not Reported
Feet to sea level:	15.8	Note:	Not Reported
Level reading date:	2000-06-30	Feet below surface:	Not Reported
Feet to sea level:	15.75	Note:	Not Reported
Level reading date:	2000-06-25	Feet below surface:	Not Reported
Feet to sea level:	15.74	Note:	Not Reported
Level reading date:	2000-06-20	Feet below surface:	Not Reported
Feet to sea level:	15.7	Note:	Not Reported
Level reading date:	2000-06-15	Feet below surface:	Not Reported
Feet to sea level:	15.76	Note:	Not Reported
Level reading date:	2000-06-10	Feet below surface:	Not Reported
Feet to sea level:	15.7	Note:	Not Reported
Level reading date:	2000-06-05	Feet below surface:	Not Reported
Feet to sea level:	15.65	Note:	Not Reported
Level reading date:	2000-05-30	Feet below surface:	Not Reported
Feet to sea level:	15.57	Note:	Not Reported
Level reading date:	2000-05-25	Feet below surface:	Not Reported
Feet to sea level:	15.73	Note:	Not Reported
Level reading date:	2000-05-20	Feet below surface:	Not Reported
Feet to sea level:	15.66	Note:	Not Reported
Level reading date:	2000-05-15	Feet below surface:	Not Reported
Feet to sea level:	15.63	Note:	Not Reported
Level reading date:	2000-05-10	Feet below surface:	Not Reported
Feet to sea level:	15.69	Note:	Not Reported
Level reading date:	2000-05-05	Feet below surface:	Not Reported
Feet to sea level:	15.73	Note:	Not Reported
Level reading date:	2000-05-04	Feet below surface:	Not Reported
Feet to sea level:	15.63	Note:	Not Reported
Level reading date:	2000-05-04	Feet below surface:	Not Reported
Feet to sea level:	15.66	Note:	Not Reported
Level reading date:	2000-04-30	Feet below surface:	Not Reported
Feet to sea level:	15.6	Note:	Not Reported
Level reading date:	2000-04-25	Feet below surface:	Not Reported
Feet to sea level:	15.63	Note:	Not Reported
Level reading date:	2000-04-20	Feet below surface:	Not Reported
Feet to sea level:	15.65	Note:	Not Reported
Level reading date:	2000-04-15	Feet below surface:	Not Reported
Feet to sea level:	15.68	Note:	Not Reported
Level reading date:	2000-04-10	Feet below surface:	Not Reported
Feet to sea level:	15.51	Note:	Not Reported

Level reading date:	2000-04-05	Feet below surface:	Not Reported
Feet to sea level:	15.65	Note:	Not Reported
Level reading date:	2000-03-30	Feet below surface:	Not Reported
Feet to sea level:	15.61	Note:	Not Reported
Level reading date:	2000-03-25	Feet below surface:	Not Reported
Feet to sea level:	15.73	Note:	Not Reported
Level reading date:	2000-03-22	Feet below surface:	Not Reported
Feet to sea level:	15.68	Note:	Not Reported
Level reading date:	2000-03-20	Feet below surface:	Not Reported
Feet to sea level:	15.67	Note:	Not Reported
Level reading date:	2000-03-15	Feet below surface:	Not Reported
Feet to sea level:	15.68	Note:	Not Reported
Level reading date:	2000-03-10	Feet below surface:	Not Reported
Feet to sea level:	15.61	Note:	Not Reported
Level reading date:	2000-03-05	Feet below surface:	Not Reported
Feet to sea level:	15.7	Note:	Not Reported
Level reading date:	2000-02-25	Feet below surface:	Not Reported
Feet to sea level:	15.72	Note:	Not Reported
Level reading date:	2000-02-20	Feet below surface:	Not Reported
Feet to sea level:	15.71	Note:	Not Reported
Level reading date:	2000-02-15	Feet below surface:	Not Reported
Feet to sea level:	15.71	Note:	Not Reported
Level reading date:	2000-02-10	Feet below surface:	Not Reported
Feet to sea level:	15.82	Note:	Not Reported
Level reading date:	2000-02-05	Feet below surface:	Not Reported
Feet to sea level:	15.79	Note:	Not Reported
Level reading date:	2000-01-30	Feet below surface:	Not Reported
Feet to sea level:	15.85	Note:	Not Reported
Level reading date:	2000-01-25	Feet below surface:	Not Reported
Feet to sea level:	16.04	Note:	Not Reported
Level reading date:	2000-01-20	Feet below surface:	Not Reported
Feet to sea level:	15.97	Note:	Not Reported
Level reading date:	2000-01-15	Feet below surface:	Not Reported
Feet to sea level:	15.79	Note:	Not Reported
Level reading date:	2000-01-10	Feet below surface:	Not Reported
Feet to sea level:	16.07	Note:	Not Reported
Level reading date:	2000-01-05	Feet below surface:	Not Reported
Feet to sea level:	15.84	Note:	Not Reported
Level reading date:	1999-12-30	Feet below surface:	Not Reported
Feet to sea level:	15.9	Note:	Not Reported
Level reading date:	1999-12-25	Feet below surface:	Not Reported
Feet to sea level:	15.9	Note:	Not Reported

Level reading date:	1999-12-20	Feet below surface:	Not Reported
Feet to sea level:	16.04	Note:	Not Reported
Level reading date:	1999-12-10	Feet below surface:	Not Reported
Feet to sea level:	16.16	Note:	Not Reported
Level reading date:	1999-12-05	Feet below surface:	Not Reported
Feet to sea level:	16.03	Note:	Not Reported
Level reading date:	1999-11-30	Feet below surface:	Not Reported
Feet to sea level:	15.98	Note:	Not Reported
Level reading date:	1999-11-25	Feet below surface:	Not Reported
Feet to sea level:	16.06	Note:	Not Reported
Level reading date:	1999-11-20	Feet below surface:	Not Reported
Feet to sea level:	16.1	Note:	Not Reported
Level reading date:	1999-11-15	Feet below surface:	Not Reported
Feet to sea level:	16.2	Note:	Not Reported
Level reading date:	1999-11-10	Feet below surface:	Not Reported
Feet to sea level:	16.21	Note:	Not Reported
Level reading date:	1999-11-05	Feet below surface:	Not Reported
Feet to sea level:	16.12	Note:	Not Reported
Level reading date:	1999-10-30	Feet below surface:	Not Reported
Feet to sea level:	16.14	Note:	Not Reported
Level reading date:	1999-10-25	Feet below surface:	Not Reported
Feet to sea level:	16.13	Note:	Not Reported
Level reading date:	1999-10-20	Feet below surface:	Not Reported
Feet to sea level:	16.27	Note:	Not Reported
Level reading date:	1999-10-15	Feet below surface:	Not Reported
Feet to sea level:	16.16	Note:	Not Reported
Level reading date:	1999-10-10	Feet below surface:	Not Reported
Feet to sea level:	16.33	Note:	Not Reported
Level reading date:	1999-10-06	Feet below surface:	Not Reported
Feet to sea level:	16.31	Note:	Not Reported
Level reading date:	1999-10-05	Feet below surface:	Not Reported
Feet to sea level:	16.28	Note:	Not Reported
Level reading date:	1999-07-16	Feet below surface:	Not Reported
Feet to sea level:	16.70	Note:	Not Reported
Level reading date:	1999-03-31	Feet below surface:	Not Reported
Feet to sea level:	17.34	Note:	Not Reported
Level reading date:	1998-10-05	Feet below surface:	Not Reported
Feet to sea level:	18.54	Note:	Not Reported
Level reading date:	1998-10-01	Feet below surface:	Not Reported
Feet to sea level:	18.61	Note:	Not Reported
Level reading date:	1998-07-14	Feet below surface:	Not Reported
Feet to sea level:	19.05	Note:	Not Reported

Level reading date:	1998-05-07	Feet below surface:	Not Reported
Feet to sea level:	18.57	Note:	Not Reported
Level reading date:	1998-04-29	Feet below surface:	Not Reported
Feet to sea level:	18.48	Note:	Not Reported
Level reading date:	1998-03-25	Feet below surface:	Not Reported
Feet to sea level:	18.04	Note:	Not Reported
Level reading date:	1998-03-05	Feet below surface:	Not Reported
Feet to sea level:	18.05	Note:	Not Reported
Level reading date:	1998-02-26	Feet below surface:	Not Reported
Feet to sea level:	18.02	Note:	Not Reported
Level reading date:	1998-01-27	Feet below surface:	Not Reported
Feet to sea level:	17.98	Note:	Not Reported
Level reading date:	1997-12-29	Feet below surface:	Not Reported
Feet to sea level:	18.23	Note:	Not Reported
Level reading date:	1997-11-26	Feet below surface:	Not Reported
Feet to sea level:	18.42	Note:	Not Reported
Level reading date:	1997-10-31	Feet below surface:	Not Reported
Feet to sea level:	18.34	Note:	Not Reported
Level reading date:	1997-09-26	Feet below surface:	Not Reported
Feet to sea level:	18.61	Note:	Not Reported
Level reading date:	1997-07-25	Feet below surface:	Not Reported
Feet to sea level:	18.60	Note:	Not Reported
Level reading date:	1997-06-23	Feet below surface:	Not Reported
Feet to sea level:	18.63	Note:	Not Reported
Level reading date:	1997-05-22	Feet below surface:	Not Reported
Feet to sea level:	18.46	Note:	Not Reported
Level reading date:	1997-03-17	Feet below surface:	Not Reported
Feet to sea level:	18.12	Note:	Not Reported
Level reading date:	1997-02-28	Feet below surface:	Not Reported
Feet to sea level:	17.85	Note:	Not Reported
Level reading date:	1997-01-29	Feet below surface:	Not Reported
Feet to sea level:	17.77	Note:	Not Reported
Level reading date: Feet to sea level:	1997-01-10	Feet below surface:	Not Demonte d
	17.88	Note:	Not Reported Not Reported
Level reading date: Feet to sea level:	17.88 1996-09-27 17.25		
0	1996-09-27	Note: Feet below surface:	Not Reported
Feet to sea level: Level reading date:	1996-09-27 17.25 1996-07-03	Note: Feet below surface: Note: Feet below surface:	Not Reported Not Reported Not Reported Not Reported
Feet to sea level: Level reading date: Feet to sea level: Level reading date:	1996-09-27 17.25 1996-07-03 17.34 1996-07-01	Note: Feet below surface: Note: Feet below surface: Note: Feet below surface:	Not Reported Not Reported Not Reported Not Reported Not Reported

Level reading date:	1996-01-30	Feet below surface:	Not Reported
Feet to sea level:	16.31	Note:	Not Reported
Level reading date:	1995-11-30	Feet below surface:	Not Reported
Feet to sea level:	16.13	Note:	Not Reported
Level reading date:	1995-09-28	Feet below surface:	Not Reported
Feet to sea level:	16.17	Note:	Not Reported
Level reading date:	1995-08-29	Feet below surface:	Not Reported
Feet to sea level:	16.32	Note:	Not Reported
Level reading date:	1995-07-20	Feet below surface:	Not Reported
Feet to sea level:	16.42	Note:	Not Reported
Level reading date:	1995-05-24	Feet below surface:	Not Reported
Feet to sea level:	16.64	Note:	Not Reported
Level reading date:	1995-03-16	Feet below surface:	Not Reported
Feet to sea level:	16.83	Note:	Not Reported
Level reading date:	1995-01-26	Feet below surface:	Not Reported
Feet to sea level:	16.74	Note:	Not Reported
Level reading date:	1994-12-21	Feet below surface:	Not Reported
Feet to sea level:	16.90	Note:	Not Reported
Level reading date:	1994-10-26	Feet below surface:	Not Reported
Feet to sea level:	17.13	Note:	Not Reported
Level reading date:	1994-09-22	Feet below surface:	Not Reported
Feet to sea level:	17.16	Note:	Not Reported
Level reading date:	1994-08-25	Feet below surface:	Not Reported
Feet to sea level:	17.24	Note:	Not Reported
Level reading date:	1994-07-25	Feet below surface:	Not Reported
Feet to sea level:	17.39	Note:	Not Reported
Level reading date:	1994-06-29	Feet below surface:	Not Reported
Feet to sea level:	17.41	Note:	Not Reported
Level reading date:	1994-05-19	Feet below surface:	Not Reported
Feet to sea level:	17.29	Note:	Not Reported
Level reading date:	1994-04-22	Feet below surface:	Not Reported
Feet to sea level:	17.08	Note:	Not Reported
Level reading date:	1994-03-24	Feet below surface:	Not Reported
Feet to sea level:	16.80	Note:	Not Reported
Level reading date:	1994-02-25	Feet below surface:	Not Reported
Feet to sea level:	16.59	Note:	Not Reported
Level reading date:	1993-12-28	Feet below surface:	Not Reported
Feet to sea level:	16.71	Note:	Not Reported
Level reading date:	1993-11-24	Feet below surface:	Not Reported
Feet to sea level:	16.89	Note:	Not Reported
Level reading date:	1993-10-28	Feet below surface:	Not Reported
Feet to sea level:	17.03	Note:	Not Reported

Level reading date:	1993-09-21	Feet below surface:	Not Reported
Feet to sea level:	17.15	Note:	Not Reported
Level reading date:	1993-08-24	Feet below surface:	Not Reported
Feet to sea level:	17.24	Note:	Not Reported
Level reading date:	1993-06-23	Feet below surface:	Not Reported
Feet to sea level:	17.53	Note:	Not Reported
Level reading date:	1993-04-05	Feet below surface:	Not Reported
Feet to sea level:	16.97	Note:	Not Reported

2 South 1/8 - 1/4 Mile Higher

Organization ID: Monitor Location: Description: Drainage Area: Contrib Drainage Area: Aquifer: Aquifer Type: Well Depth: Well Hole Depth:



Organization ID: Monitor Location: Description: Drainage Area: Contrib Drainage Area: Aquifer: Formation Type: Construction Date: Well Depth Units: Well Hole Depth Units:

South 1/4 - 1/2 Mile Higher

Organization ID: Monitor Location: Description: Drainage Area: Contrib Drainage Area: Aquifer: Aquifer Type: Well Depth: Well Hole Depth:

USGS-NY Q 2837.1 Not Reported Not Reported Not Reported Not Reported Not Reported Not Reported 180

USGS-NY

Q 341.1

Not Reported

Not Reported

Not Reported

Not Reported

Not Reported

Not Reported

USGS-NY

Q 979.1

Not Reported

Not Reported

Not Reported

Not Reported

Not Reported

Not Reported

Glacial Aquifer, Upper

246

FED USGS

Organization Name: Type: HUC: Drainage Area Units: Contrib Drainage Area Unts: Formation Type: Construction Date: Well Depth Units: Well Hole Depth Units:

USGS New York Water Science Center Well 02030201 Not Reported Not Reported Not Reported Not Reported Not Reported ft

USGS40000829427

FED USGS

USGS40000829407

Organization Name: Type: HUC: Drainage Area Units: Contrib Drainage Area Unts: Northern Atlantic Coastal Plain aquifer system Aquifer Type: Well Depth: Well Hole Depth:

USGS New York Water Science Center Well 02030201 Not Reported Not Reported

Not Reported Not Reported Not Reported

FED USGS

USGS40000829363

Organization Name: Type: HUC: Drainage Area Units: Contrib Drainage Area Unts: Formation Type: Construction Date: Well Depth Units: Well Hole Depth Units:

USGS New York Water Science Center Well 02030201 Not Reported Not Reported Not Reported Not Reported Not Reported ft

Map ID Direction					
Distance Elevation			Γ	Database	EDR ID Number
5 South 1/2 - 1 Mile Higher			F	ED USGS	USGS40000829222
Organization ID: Monitor Location: Description: Drainage Area: Contrib Drainage Area: Aquifer: Aquifer Type: Well Depth: Well Hole Depth:	USGS-NY Q 31.1 Not Reported Not Reported Not Reported Not Reported S02 503		Organization Name: Type: HUC: Drainage Area Units: Contrib Drainage Area Unt Formation Type: Construction Date: Well Depth Units: Well Hole Depth Units:	Well 0203 Not s: Not Not	GS New York Water Science Cent 30201 Reported Reported Reported Reported
Ground water levels,Number Feet below surface: Note:	r of Measurements: Not Reported Not Reported	9	Level reading date: Feet to sea level:	1973 -14.2	3-01-17 20
Level reading date: Feet to sea level:	1971-01-12 -14.67		Feet below surface: Note:		Reported Reported
Level reading date: Feet to sea level:	1970-12-14 -14.95		Feet below surface: Note:		Reported Reported
Level reading date: Feet to sea level:	1969-09-24 -23.17		Feet below surface: Note:		Reported site had been pumped recently.
Level reading date: Feet to sea level:	1968-06-06 -20.42		Feet below surface: Note:		Reported site had been pumped recently.
Level reading date: Feet to sea level:	1961-12-12 -9.99		Feet below surface: Note:		Reported site had been pumped recently.
Level reading date: Feet to sea level:	1961-04-20 9.51		Feet below surface: Note:		Reported site had been pumped recently.
Level reading date: Feet to sea level:	1947-04-23 -15.70		Feet below surface: Note:		Reported Reported
Level reading date: Feet to sea level:	1947-04-02 -68.20		Feet below surface: Note:		Reported site had been pumped recently.

6 SW 1/2 - 1 Mile Higher

> Organization ID: Monitor Location: Description: Drainage Area: Contrib Drainage Area: Aquifer: Aquifer Type: Well Depth: Well Hole Depth:

USGS-NY Q 29.1 0201 Not Reported Not Reported Not Reported Not Reported 162 225

FED USGS

USGS40000829272

Organization Name: USGS New York Water Science Center Type: Well HUC: 02030201 Drainage Area Units: Not Reported Contrib Drainage Area Unts: Not Reported Formation Type: Not Reported Construction Date: Not Reported Well Depth Units: ft Well Hole Depth Units: ft

Map ID Direction Distance			Databasa	
Elevation 7 ESE 1/2 - 1 Mile Higher			Database	EDR ID Number
PWS ID: PWS name: PWS address: PWS state: PWS ID: Date system activated: Retail population: System address: System city: System zip:	NY0015132 KOLVEK RICHARD/ MARY H 8 BERESFORD ROAD NJ NY0015132 Not Reported 00000090 Not Reported BOLTON LANDING 12814	PWS type: PWS address: PWS city: PWS zip: Activity status: Date system deactivated System name: System address: System state:	C/O I ALLE 0740 Active I: Not F POR	
County FIPS:	056	City served:	BOLT	ΓΟΝ (Τ)
Population served: Latitude:	Under 101 Persons 404236	Treatment: Longitude:	Treat 0735	

A8 ENE 1/2 - 1 Mile Higher

Organization ID: Monitor Location: Description: Drainage Area: Contrib Drainage Area: Aquifer: Aquifer Type: Well Depth: Well Hole Depth:

9 ŇW 1/2 - 1 Mile

Higher

Organization ID: Monitor Location: Description: Drainage Area: Contrib Drainage Area: Aquifer: Aquifer Type: Well Depth: Well Hole Depth:

USGS-NY Q 2437.1 Not Reported Not Reported Not Reported

Not Reported

Not Reported

Not Reported

198

USGS-NY

Q 1278.1

Not Reported

Not Reported

Not Reported

Not Reported

Not Reported

Not Reported

170

FED USGS USGS40000829790

Organization Name: Type: HUC: Drainage Area Units: Contrib Drainage Area Unts: Formation Type: Construction Date: Well Depth Units: Well Hole Depth Units:

USGS New York Water Science Center Well 02030201 Not Reported Not Reported Not Reported Not Reported Not Reported ft

FED USGS USGS40000830034

Organization Name: Type: HUC: Drainage Area Units: Contrib Drainage Area Unts: Formation Type: Construction Date: Well Depth Units: Well Hole Depth Units:

USGS New York Water Science Center Well 02030201 Not Reported Not Reported Not Reported Not Reported Not Reported

ft

Distance Elevation			[Database	EDR ID Number
A10 ENE 1/2 - 1 Mile Higher			F	ED USGS	USGS40000829789
Organization ID: Monitor Location: Description: Drainage Area: Contrib Drainage Area: Aquifer: Formation Type: Construction Date: Well Depth Units: Well Hole Depth Units:	USGS-NY Q 1235. 1 4101 Not Reported Not Reported Northern Atlantic Co Glacial Aquifer, Upp Not Reported ft Not Reported		Organization Name: Type: HUC: Drainage Area Units: Contrib Drainage Area Un r system Aquifer Type: Well Depth: Well Hole Depth:	Well 0203 Not F ts: Not F Not F 131	S New York Water Science Center 0201 Reported Reported Reported
A11 ENE 1/2 - 1 Mile Higher			F	ED USGS	USGS40000829815
Organization ID: Monitor Location: Description: Drainage Area: Contrib Drainage Area: Aquifer: Aquifer: Aquifer Type: Well Depth: Well Hole Depth:	USGS-NY Q 1236. 1 Not Reported Not Reported Not Reported Not Reported Not Reported Not Reported		Organization Name: Type: HUC: Drainage Area Units: Contrib Drainage Area Un Formation Type: Construction Date: Well Depth Units: Well Hole Depth Units:	Well 0203 Not F ts: Not F Not F Not F Not F	S New York Water Science Center 0201 Reported Reported Reported Reported Reported Reported Reported
Ground water levels,Number Feet below surface: Note:	r of Measurements: Not Reported Not Reported	11	Level reading date: Feet to sea level:	1963 4.65	-01-04
Level reading date: Feet to sea level:	1962-04-30 7.66		Feet below surface: Note:		Reported Reported
Level reading date: Feet to sea level:	1962-01-03 5.81		Feet below surface: Note:		Reported Reported
Level reading date: Feet to sea level:	1961-01-10 5.00		Feet below surface: Note:		Reported Reported
Level reading date: Feet to sea level:	1960-01-07 5.34		Feet below surface: Note:		Reported Reported
Level reading date: Feet to sea level:	1959-03-17 6.53		Feet below surface: Note:		Reported Reported
Level reading date: Feet to sea level:	1956-01-13 7.73		Feet below surface: Note:		Reported Reported
Level reading date: Feet to sea level:	1955-01-03 7.85		Feet below surface: Note:		Reported Reported
Level reading date:	1953-01-19		Feet below surface:	Not F	Reported

Feet to sea level:	8.66	Note:	Not Reported
Level reading date: Feet to sea level:	1950-12-06 7.26	Feet below surface: Note:	Not Reported Not Reported
Level reading date: Feet to sea level:	1950-07-24 8.28	Feet below surface: Note:	Not Reported Not Reported
12 NNE 1/2 - 1 Mile Higher		FED	USGS USGS40000830158
Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	Q 1802.1	Туре:	Well
Description:	Not Reported	HUC:	02030201
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	Not Reported	Well Depth Units:	Not Reported
Well Hole Depth:	162	Well Hole Depth Units:	ft
13 NNE 1/2 - 1 Mile		FED	USGS USGS40000830199
Higher			

Organization ID: Monitor Location: Description: Drainage Area: Contrib Drainage Area: Aquifer: Aquifer Type: Well Depth: Well Hole Depth: USGS-NY Q 1851.1 Not Reported Not Reported Not Reported Not Reported Not Reported 303 Organization Name: Type: HUC: Drainage Area Units: Contrib Drainage Area Unts: Formation Type: Construction Date: Well Depth Units: Well Hole Depth Units: USGS New York Water Science Center Well 02030201 Not Reported Not Reported Not Reported Not Reported Not Reported ft

GEOCHECK[®] - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

Federal EPA Radon Zone for QUEENS County: 3

Note: Zone 1 indoor average level > 4 pCi/L.

: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.

: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for QUEENS COUNTY, NY

Number of sites tested: 81

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	0.620 pCi/L	97%	0%	3%
Basement	0.970 pCi/L	93%	6%	1%

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA Telephone: 877-336-2627 Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation Telephone: 518-402-8961

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS) The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS) Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS) This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

New York Public Water Wells Source: New York Department of Health Telephone: 518-458-6731

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Database Source: Department of Environmental Conservation Telephone: 518-402-8072 These files contain records, in the database, of wells that have been drilled.

RADON

State Database: NY Radon Source: Department of Health Telephone: 518-402-7556 Radon Test Results

Area Radon Information

Source: USGS Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA Telephone: 703-356-4020 Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

6819 Woodhaven BLVD 6819 Woodhaven BLVD Rego Park, NY 11374

Inquiry Number: 5618352.3 April 11, 2019

Certified Sanborn® Map Report



6 Armstrong Road, 4th floor Shelton, CT 06484 Toll Free: 800.352.0050 www.edrnet.com

Certified Sanborn® Map	04/11/19	
Site Name:	Client Name:	
6819 Woodhaven BLVD	Restoration and Conservation Advisemen	(A FDD)
6819 Woodhaven BLVD	9-22 119st	LEDR
Rego Park, NY 11374	College Point, NY 11356	
EDR Inquiry # 5618352.3	Contact: Dr. James M. Cervino	

The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Restoration and Conservation Advisement were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:			
Certification #	17B1-4CB6-	9309	
PO #	NA		E Sanborn
Project	NA		
Maps Provided	:		SEAL OF MUTHODA
2006	1994	1981	Sanborn® Library search results
2005	1993	1972	Certification #: 17B1-4CB6-9309
2004	1992	1950	The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris &
2003	1991	1932	Browne, Hopkins, Barlow and others which track
2002	1989	1914	historical property usage in approximately 12,000 American cities and towns. Collections searched:
2001	1988	1902	
1999	1986		Library of Congress
1995	1983		University Publications of America
			EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Restoration and Conservation Advisement (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provide in this Report is not to be construed as legal advice.

Copyright 2019 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



2006 Source Sheets





Volume 20, Sheet 30 2006

2005 Source Sheets





Volume 20, Sheet 30 2005

Volume 20, Sheet 53 2005

2004 Source Sheets



Volume 20, Sheet 30 2004



Volume 20, Sheet 53 2004

2003 Source Sheets



Volume 20, Sheet 53 2003



2006

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



2002 Source Sheets





t 30 Volun 2002

2001 Source Sheets

2002





Volume 20, Sheet 30 2001

Volume 20, Sheet 53 2001

1999 Source Sheets



Volume 20, Sheet 30 1999



Volume 20, Sheet 53 1999



Volume 20, Sheet 30 1995-Jan



Volume 20, Sheet 53 1995-Jan

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



1995 Source Sheets





Volume 20, Sheet 30 1995-Dec

1994 Source Sheets



Volume 20, Sheet 53

1994

Volume 20, Sheet 30 1994

1993 Source Sheets



Volume 20, Sheet 30 1993



Volume 20, Sheet 53 1993



Volume 20, Sheet 30 1992



Volume 20, Sheet 53 1992

Volume 20, Sheet 53 1995-Dec

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



1991 Source Sheets





Volume 20, Sheet 30 1991

Volume 20, Sheet 53 1991

1989 Source Sheets





Volume 20, Sheet 30 1989

Volume 20, Sheet 53 1989

1988 Source Sheets



1988

Volume 20, Sheet 53



Volume 20, Sheet 30 1988



Volume 20, Sheet 30 1986




Volume 20, Sheet 53 1986

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



1983 Source Sheets





1983

Volume 20, Sheet 30 1983

1981 Source Sheets





Volume 20, Sheet 30 1981

Volume 20, Sheet 53 1981

1972 Source Sheets



Volume 20, Sheet 30 1972



Volume 20, Sheet 53 1972



Volume 20, Sheet 30 1950



Volume 20, Sheet 53 1950

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



1932 Source Sheets





Volume 20, Sheet 30 1932

1914 Source Sheets






Volume 9, Sheet 85 1914


1902 Source Sheets





Volume 3, Sheet 119 1902




















































Certified Sanborn® Map

























Certified Sanborn® Map





















Certified Sanborn® Map






Certified Sanborn® Map







6819 Woodhaven BLVD

6819 Woodhaven BLVD Rego Park, NY 11374

Inquiry Number: 5618352.6 April 11, 2019

The EDR Property Tax Map Report



6 Armstrong Road Shelton, CT 06484 800.352.0050 www.edrnet.com

EDR Property Tax Map Report

Environmental Data Resources, Inc.'s EDR Property Tax Map Report is designed to assist environmental professionals in evaluating potential environmental conditions on a target property by understanding property boundaries and other characteristics. The report includes a search of available property tax maps, which include information on boundaries for the target property and neighboring properties, addresses, parcel identification numbers, as well as other data typically used in property location and identification.

Thank you for your business. Please contact EDR at 1-800-352-0050 with any guestions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES. INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2017 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.



5618352.6 Page 1